Report of 2011 Surface Exploration Program on the Plateau North Project

Mayo Mining Division, Yukon Territory

(July15, 2011 – September 25, 2011)

UTM: 587000 E, 7031000 N [NAD83] ZONE 08N

NTS: 105N/06

Claim Names & Numbers	Grant Numbers	NTS Map Number	Claim Holder
Plat 1-Plat 138	YE14001-YE14138	105N/06	Goldstrike Resources Ltd
Plat 139-Plat 180	YE15325-YE 15366	105N/06	Goldstrike Resources Ltd

PREPARED ON BEHALF OF GOLDSTRIKE RESOURCES LTD.

1300 – 1111 West Georgia Street
Vancouver, British Columbia
Canada V6E 4M3
Telephone: (604) 681-1820
Facsimile: (604) 681-1864

Prepared by:
Stephen Roach, B.Sc
Consulting Geologist

April 5, 2012

Table of Contents

Table of Contents	page ii
Summary	page iv
1.0 Introduction	page 1
1.1 General	page 1
2.0 Property Description and Access	page 1
2.1 Location and Access	page 1
2.2 Description of Mining Claims	page 1
3.0 Physiography and Vegetation	page 3
4.0 Historical Exploration	page 4
5.0 Regional and Property Geological Setting	page 5
6.0 Deposit Types	page 5
7.0 Summary of 2011 Plateau North Surface Exploration Program	page 7
8.0 Analytical Quality Control and Quality Assurance	page 8
8.1 Sample Preparation	page 9
8.2 Gold Analyses	page 9
8.3 Multi-Scan Analysis (ICPAR)	page 9
8.4 Laboratory Quality Control/Quality Assurance (QC/QA)	page 9
9.0 Discussion of Results from 2011Surface Exploration Program	page 10
9.1 Prospecting	page 10
9.2 Soils	page 11
9.3 Silts	page 12
10.0 Conclusions	page 12
11.0 Recommendations	page 13
12.0 References	page 14
Statement of Qualifications	page 15

Figures

Figure 1: Location Map of Plateau Project page 2
Figure 2: Plateau North Claim Map page 3
Figure 3: Regional and Property Geology page 6

Tables

Table 1: Plateau North Claim Distribution page 1
Table 2: 2011 Personnel page 8

Appendices

Appendix 1 – Acme Laboratories Assay Certificates

Appendix 2 – Master Plateau North Rock, Soil, and Silt Descriptions and Analyses

Appendix 3 – Plateau North Regional Rock and Soil/Silt Gold Maps – Scale: 1:25,000

Appendix 4 – Plateau North Gold Rush Rock and Soil Gold Maps – Scale: 1:5,000

SUMMARY

The Plateau North Project is located approximately 131 kilometers east of Mayo, Yukon Territory. Access to the project can only be attained by helicopter from Mayo, Yukon Territory. The claims of the project are wholly owned by Goldstrike Resources Inc. and consists of 729 mining claims covering approximately 124 square km (105N/06). There has been no documented historical exploration work on the Plateau North Project, with the earliest exploration work limited to the south of the project area in 1967.

The Plateau North Project is underlain predominantly by the Cambrian Yusezyu Formation of the Hyland Group located in the Lansing/Russell Range, as part the Selwyn Basin of the Ominica Belt. The Yusezyu Formation consists of metamorphosed metasedimentary rocks with minor metavolcanics, intruded by a variety of complex intrusives. The supracrustal rocks underlying the claims are between major thrust faults with the Hess, MacMillan, and Robert Service Faults to the north and a series of thrusts characterizing the Moose Lake Fault to the south. Clastic metasediments of the Yusezyu Formation account for 90% of the project area and are characterized by interbedded arenaceous and carbonaceous/calcareous phyllite/shale with minor inter-formational limestone/marble. They are part of a sequence that has been traced for over 90 kilometers. The Elmer Creek Formation of the Road River Group comprises of 5% of the underlying rocks, and consists of black shale and chert, with minor argillaceous limestone. There are two major Tombstone Intrusions located in the southern part of the property that are of granite to granodiorite in composition. They account for the remaining 5% of rocks underlying the project area. The smaller westerly intrusion may be spatially linked to the easterly larger Mount Armstrong Intrusion (85 sq km). This stock belongs to the Tombstone suite of quartz-bearing granitic-type intrusions and both these intrusions display a contact aureole. The presence of parasitic folds and convergence of litho-stratigraphic units to the east and northeast of Plateau North Project may be part of a larger fold sequence within the thrust sheets. Intersecting lineations indicate a shallow northwest plunge of approximately 5º to 20º. The geological environment characterized by rocks underlying the Plateau North Project area has similarities to known Yukon gold-hosted and related mineralization in Cretaceous intrusions and their metamorphic aureoles (e.g. Red Mountain, Dublin Gulch).

The 2011 prospecting, and soil/silt surface exploration program(s) were designed to follow-up the sources of regional gold-arsenic silt anomalies in association with ASTER data in a first phase program. A second phase prospecting program was initiated as a follow-up to confirm and evaluate the source of anomalous gold-arsenic-antimony in soils and regional structures. Significant gold values from the soil survey over Gold Rush Zone returned up to 11.43 g/t Au, with no significant gold samples in the rock. Gold in the soils have a strong correlation with Ag-As-Sb-S. This northerly trending gold anomaly has been outlined for 260 meters, with an offset continuation to the north for another 300 meters. It remains open in both directions. There are three other moderate gold anomalies in the soil, with one located in the footwall to the Gold Rush Zone, and the remaining two having not been outlined. . All these targets are more conducive to gold-arsenic type mineralization in a shear-hosted orogenic geological environment, distal to intrusive-related mineralization

Any future exploration work on the Plateau North Project should focus in an area of the Gold Rush Zone and their multiple, north trending shears. Recommended exploration work on the Plateau North Project should consist of detailed to reconnaissance mapping, prospecting and sampling, trenching and sampling, and shallow drilling. Emphasis should be to explain and expand the Gold Rush Zone in detail in both directions along this favorable north trending shear structure and outline new parallel structures in both the hanging-wall and footwall.

1.0) Introduction

1.1 General

The Plateau North Project of the Plateau Property is located 131 kilometers east of Mayo, Yukon Territory (Figure 1). Prospecting and soil sampling was conducted from July 15 to September 25, 2011 covering 56 mining claims, located in the Mayo Mining Division.

The purpose of the 2011 surface program is to confirm mineralized source areas from anomalous gold in regional silt surveys and discover new mineralized areas through regional prospecting and sampling and soil sampling. This report describes and interprets the geochemical results from the 2011 surface exploration program for claims Plat1-180.

2.0) Property Description and Location

2.1) Location and Access

The Plateau North Project is located 131 kilometers east of Mayo, Yukon Territory (Figure 1). It is located in the Mayo Mining Divisions (NTS 105N/06).

Access to the Plateau North Property can be attained from Mayo, 131 kilometers to the east, only by helicopter. Heli Dynamics Ltd (Box 4, Whitehorse, Yukon Y1A 5X9) provided crew transportation from Mayo to various parts of the Plateau North Property.

2.2) Description of Mining Claims

The Plateau North Project consists of 729 mining, numbered and named PL1-24, Plat1-180, PLN1-78, PT1-293, PT426-477, and PTT1-102 covering approximately 124 square kilometers (Figure 2). The claim distribution of worked claims (Plat1-180) in this report covers approximately 36 square kilometers and is summarized in Table 1. The mining claims are wholly owned by Goldstrike Resources Ltd (*1300 – 1111 West Georgia Street, Vancouver, British Columbia V6E 4M3*).

Table 1 – Plateau North Claim Distribution

Claim Names and Numbers	Grant Numbers	NTS Map Number	Claim Holder
Plat 8, 10, 27, 29	YE14008, 14010,14027, 14029	105N/06	Goldstrike Resources Ltd
Plat31-Plat41	YE14031-YE14041	105N/06	Goldstrike Resources Ltd
Plat43-Plat48	YE14043-YE14048	105N/06	Goldstrike Resources Ltd
Plat50 & Plat52	YE14050 & YE14052	105N/06	Goldstrike Resources Ltd
Plat53-Plat59	YE14053-YE14059	105N/06	Goldstrike Resources Ltd
Plat61, Plat62, Plat73	YE14061, YE14062, YE14073	105N/06	Goldstrike Resources Ltd
Plat75-Plat79	YE14075-YE14079	105N/06	Goldstrike Resources Ltd
Plat81	YE14081	105N/06	Goldstrike Resources Ltd
Plat116-Plat119	YE14116-YE14119	105N/06	Goldstrike Resources Ltd
Plat127 & Plat129	YE14127 & YE14129	105N/06	Goldstrike Resources Ltd
Plat130-Plat132	YE14130-YE14132	105N/06	Goldstrike Resources Ltd
Plat134, 140, 142, 155, 158	YE14134, 15326, 15328, 15341, 15344	105N/06	Goldstrike Resources Ltd
Plat171, Plat172, Plat174	YE15357, YE15358, YE15360	105N/06	Goldstrike Resources Ltd

Figure 1 – Location of Plateau North Project



Figure 2 – Plateau North Claim Map



3.0) Physiography and Vegetation

The Plateau North Project lies within the Stewart Plateau physiographic subdivision area within the Lansing Range (Mathews – 1986). This area lies within the McConnell Cordilleran Ice Sheet (28 ka to 15 ka), where there is at least one generation of glacial deposits above the valley floor (Murphy – 1997). The height of land ranges from 590 m and 1722 meters above sea level. Inferred thickness of overburden varies from bedrock exposure on steep slopes and topographical rolls with overburden thickness not known. The overburden cover consists of unconsolidated boulder-rich, silty clay to clay, and gravel deposits in major creeks/rivers, such as the Hess River. Colluvium in the form of felsenmeer or frost-heave debris material, loose bouldery talus, and regolith characterize the terrain in higher relief areas with thick organic matter/moss covered areas on relatively gentler slopes. Local clay-rich soils are characteristic in relatively stagnant, poorly drained areas. For the most part, the relief on the property is steep with a moderate and rolling topography along plateau-shaped higher elevations. The Stewart River is the main drainage in the region, where the west-flowing Hess River tributary flows into.

The Hess River is the main drainage in the Plateau North Project. There are numerous drainage systems, such as Pleasant Creek, which flows into the Hess River.

For the most part, the property is characterized by less than <1% to locally 10% outcrop cover rock exposure with outcrop occurring as intermittent exposures along steep slopes and topographical rolls in higher elevations. Frost heave, slope creep, and talus boulders and sub-outcrop are prevalent on higher ground slopes. Vegetation in higher relief areas are characterized by a thick moss cover, relatively thin soil cover, reflected by boulder-rich and felsenmeer-type colluvium. There is no tree cover in the higher elevations of Northern Plateau. In lower elevations consist of spruce balsam, poplar, and low lying brush, with alders following drainage systems.

4.0) Historical Exploration

There has been no documented historical exploration work on the Plateau North Project, with the nearest historical exploration work located to the south. The earliest known exploration was carried out by Atlas Explorations Limited in 1967, as part of a broader program covering the Lansing Range (105 N), Nidday Lake (105 O), Tay River (105 K), and Sheldon Lake (105 J) map sheet areas. The focus of exploration was on copper-zinc-lead base metal mineralization. The Lansing Range had undergone limited regional mapping and soil/silt sampling by Atlas Explorations, with their main focus of work in the remaining map sheet areas, particularly in the Hess and North MacMillan River drainages and highlands. Their exploration work did cover the northern boundary of the Mount Armstrong Intrusive within the Plateau South Project area. In 1975, Union Carbide Exploration Corporation conducted exploration in the Mount Armstrong area, 22 kilometers south of the Plateau North Project and along the south boundary of the Plateau South Project. Union Carbide focused on tungsten-copper exploration in a skarn-type geological environment. Exploration work consisted of a number of geophysical surveys, which included VLF-EM, magnetic, and a limited horizontal loop EM-17 survey. This was followed up by a drill program, which consisted of 1495.6 meters (4907 feet) in five (5) drill holes. Drilling intersected the Mount Armstrong Intrusive (quartz-monzonite/granodiorite) and skarn-type host rocks, which consisted of highly metamorphosed, hydrothermally altered arenaceous and argillaceous metasediments, schist, and marble. Numerous thin zones of varying disseminated and blebby-fracture-fill pyrrhotite-chalcopyrite-pyrite-(scheelite) were intersected. The most encouraging results were returned from drill hole 5, which assayed 0.13% W and 0.10% Cu over 3.25 feet (1.0 meter). It is unknown whether gold was analyzed.

Roots (2003) has shown the location of an occurrence (Emily) of unknown origin approximately 25 northwest of Plateau North, adjacent to the Plateau Northwest Project.

Surveys by the Geological Survey of Canada (GSC) include….

1) Aeromagnetic Survey (1968)
2) Regional Stream Sediment and Water Geochemical Data (Friske et al – 1990)
3) Various Geological Progress/In Current Reports and Maps by GSC, Indian and Northern Affairs, and Yukon Geological Survey (Roots et al – 1994, 1995, 1997, 1998, and 2003)

5.0) Regional and Property Geological Setting

The supracrustal rocks underlying the general area are located within mid Cambrian rocks located in the Lansing/Russell Range region, as part the Selwyn Basin of the Ominica Belt. The Selwyn Basin consists of metamorphosed Paleozoic metasedimentary rocks with minor metavolcanics, intruded by a variety of complex intrusives (Figure 3). The supracrustal rocks have undergone greenschist facies metamorphism, with amphibolite facies metamorphism near Cretaceous Tombstone suite of intrusions. These rocks in the Selwyn Basin are predominantly characterized by the older Cambrian rocks of the Hyland Group, which consists of the Yusezyu Formation and less of the Arrowhead Lake Member, both of the Narchilla Formation. There are some uplifted/disconformity areas with Ordovician and Lower Devonian Elmer Creek/Duo Formation of the Road River Group. The Yusezyu Formation is predominantly comprised of clastic metasediments consisting of arenite (sandstone, psammite, and siltstone) and carbonaceous phyllite and shale/slate, with minor inter-formational limestone/marble and account for 90% of the underlying rocks on the Plateau North Project. It has been traced over 90 kilometers and thickness cannot be determined, as a result of stratigraphic and structural tops being unknown. The younger Road River Group comprises of two conformable units; the basal Duo Lake Formation and the upper Elmer Creek Formation, which is a lateral equivalent to the Steel Formation. Both formations consist of black shale and chert, with minor argillaceous limestone, and have an aggregate thickness ranging from 450 to 550 meters. There are two (2) major late Cretaceous (ca 92±3 Ma) Tombstone intrusions of granitic to granodiorite in composition. Both intrusions are part of a 75 kilometer southern regional trend of multiple Tombstone Intrusions, surrounded by metamorphic aureoles. Both are located in the southern part of the Plateau Project, in the Russell Range. The largest one (Mt. Armstrong Intrusive) measures approximately 17 km by 5 km wide, with the smaller being 8 km by 5 km.

The prominent structures in the region are the Hess and MacMillan Faults and the Robert Service Fault, located north of the property. The Moose Lake Thrust Fault is prominent in the southwestern part of the property. These thrust faults occupy northwest trending valleys. The Tombstone Strain Zone has overprinted the Yusezyu Formation east of the Russell Range (Plateau Property) and is characterized by highly deformed rocks and strain fabrics (Murphy – 1997). It extends for approximately 200 kilometers and is several kilometers thick.

The Plateau North Project lies within a region with multiple stacked thrust sheet faults and imbricate structures in the Lansing Range. According to Roots (2003), there are multiple Tombstone Intrusions, where….

1) Prominent oxidized and metamorphic halo in the surrounding clastic metasediments
2) Disseminated gold and base metal showings commonly occur

6.0) Deposit Types

The metallogenic province of the Tintina Gold Belt that extends from Alaska to central Yukon and hosts a number of intrusive related gold deposits that account for approximately 40 Moz of gold, with deposits such as Fort Knox, Donlin Creek, Pogo, Brewery Creek, Red

Mountain, and Dublin Gulch. They are hosted by both Cretaceous granitic intrusions and the surrounding country rock. Gold mineralization in the Yukon show evidence of a similar pattern of characteristics….

1) Spatial and genetic association with Cretaceous intrusive activity (Tombstone Intrusives)
2) Bi-W-Te-(Cu-Sn) in granitoid-hosted mineralization
3) As-Sb signatures in sedimentary and dyke-hosted orogenic mineralization

The Plateau North Project is more typical of an orogenic-type mesothermal gold environment within shears of folded and faulted clastic metasediments. The Plateau South side is more characteristic of an intrusive related gold mineralization (Mount Armstrong Intrusive). Gold mineralization and tungsten-copper has been found within and nearby the Mount Armstrong Intrusive and its surrounding metasedimentary country rock and skarns.

Figure 3 – Regional and Property Geology



7.0) Summary of 2011 Plateau North Surface Exploration Program

Between July 15 and September 25, 2011, Goldstrike Resources intermittently conducted property-wide prospecting and sampling, and soil and stream sediment silt sampling in high priority gold-arsenic anomalous areas. The work was conducted through Druid Exploration Inc. (P.O. Box 1485, Dawson City, Yukon Territory Y0B 1G0). The 2011 surface exploration program was initiated to evaluate the source of anomalous gold in silts and the potential for gold mineralization on a property-scale.

The author, with Daithi MacGearailt, Clayton Jones, and Tom Morgan conducted a four-day regional prospecting survey from September 12 to 15, 2011. Tom Morgan carried out most of the prospecting over the Plateau Project. A GPS and compass survey (Garmin GPS 60CSX and GPS 60Cx) was carried out over three areas within the Plateau Project; 1) Plateau North, 2) Plateau South, and 3) Plateau Northwest. Accuracy is approximately 3 to 6 meters. Nad 83 in Zone 08N was utilized in the prospecting/sampling, and the soil/silt sampling programs. Geological and other cultural features, such as claim posts, were referenced to observed UTM co-ordinates.

Rock samples were taken from the prospecting program, and occasionally from the soil/silt program. Samples were taken based on the presence and intensity of altered mineralogy, mineralization, veined and sheared structures. Samples were placed inside labeled plastic poly bags with the appropriate plastic sample tag for the analytical laboratory. Sample conditions, environment and attributes were recorded in a field notebook and the location recorded by hand held GPS unit. Sample locations were marked with orange flagging tape showing the sample number, and each sample location was also photographed in camp for a digital visual record.

Soil sampling commenced July 15 through to September 15, 2011. A list of the personnel with Druid Exploration is summarized in Table 2. All soil sample locations were derived using Arc GIS 10.0 and sample locations (waypoints) were programmed into a handheld Garmin 60CSX GPS unit. A total of 33 line kilometers of soil sampling were completed. A sampler would navigate to points and take samples. The samplers took deep soil samples with steel Dutch augers and placed into a labeled brown kraft soil sample bag along with the analytical laboratory plastic sample tag, targeting the C horizon. The exact location of the sample was recorded on the GPS and later imported to Arc GIS to be mapped. Detailed sample notes were taken at each site (depth, soil type, vegetation etc.). Acme Lab water proof sample tags were used. The sample location was flagged with the corresponding Acme Lab sample number written on the flagging tape. Each sample location was also photographed for a digital visual record. Sample locations (coordinates) were downloaded into the computer and stored in a database with all corresponding notes. The samples were allowed to dry prior to shipping to the lab for analysis.

Table 2 – 2011 Personnel

Personnel	**Title**	**Domicile**
Daithi MacGearailt	Project Manager	Dawson, Yukon
Stephen Roach	Consulting Geologist	Ottawa, Ontario
Clayton Jones	Project Geologist	Gibson, British Columbia
Tom Morgan	Prospector	Dawson, Yukon
Franz Vidmar	Prospector	Dawson, Yukon
Inyo Youngreen	Prospector	Castlegar, British Columbia
Brad Osmond	Geotech - Soil Sampler	Powell River, British Columbia
Dustin Blampkin	Geotech – Soil Sampler	Powell River, British Columbia
Thomas Joyal-Barrette	Geotech – Soil Sampler	Eugene-Gregoire, Quebec
James Henderson	Geotech – Soil Sampler	Dawson, Yukon
Gabriel Genois	Geotech – Soil Sampler	Quebec City, Quebec
Sam Lewis	Geotech – Soil Sampler	Winnipeg, Manitoba
Greg Galloway	Geotech – Soil Sampler	Fort Saskatchewan, Alberta

Silt samples were taken based on the conditions of the stream system. Once a suitable sampling site was found, sediment was sieved, if necessary, and the resulting silt placed into a labeled plastic poly bag. The analytical laboratory plastic sample tag was also placed inside the bag. The sample attributes and conditions were recorded into a field notebook and the location was recorded by hand held Garmin 60CSX GPS unit. Sample locations were marked in the field with orange flagging tape showing the sample number. The samples were allowed to dry prior to shipping to the lab for analysis.

8.0) Analytical Quality Control Quality Assurance

An aggregate total of 117 rock, 947 soil, and 2 silt samples were collected and analyzed from this surface exploration program. Samples were sent to Acme Analytical Laboratories Ltd (Acme Labs) prep laboratory in Whitehorse (*77 Collins Lane, Whitehorse, Yukon Y1A 0A8*), and were analyzed by Acme Labs in Vancouver (1020 Cordova Street, East *Vancouver, British Columbia V6A 4A3*). All analyses in the form of assay certificates are presented in Appendix 1.

All samples were bagged, and secured with security twist tags in rice bags. The samples were delivered by Druid Exploration personnel to Acme's prep laboratory in Whitehorse, Yukon. All samples were analysed for gold by fire assay/AAS, and 36 element ICP-MS.

Acme Labs are accredited by the Standards Council of Canada to ISO 9001.2008 guidelines (Fm 63007) for ISO/IEC 17025 2005 accreditation. Sample preparation, analytical and quality control procedures employed are mutually similar in procedure and are as follows:

8.1) Sample Preparation

Once the rock and soil samples have been received, they are entered into the Acme Analytical Laboratories Quality Management System and given an internal sample control number. Both the rock and soil samples are then checked for dryness prior to any sample preparation and dried if needed. For rock samples, a 1 kg sample is crushed to 80% passing through a 10 mesh, with a further 250 g split pulverized to 85% passing through a 200 mesh (75 microns) using a Jones Rifler. For soils and silts, the samples are dried to 60°C and sieved up to 100g to -80 mesh up to ½ kg. Silica cleaning between each sample is also performed to prevent any cross contamination. Random screen analysis is performed daily to check for attainable mesh size.

8.2) Gold Analysis (Rock and Soil/Silt)

All Au analysis is performed at a 30g charge by fire assay using lead collection with a silver inquart. The detection limit is 2 ppb. The beads are then digested and an atomic absorption finish is used.

8.3) Multi Scan Analysis (Rock and Soil/Silt)

Multi Scan Analysis was performed using an ICP-MS acid digest finish. Detection limits are outlined in the assay certificates in Appendix 7.

8.4) Laboratory Quality Control / Quality Assurance (QC/QA)

Certified standards, blanks, and duplicates are inserted with each batch of samples. QA/QC protocol incorporates granite or quartz sample-prep blank(s) carried through all stages of preparation and analysis as the first sample(s) in the job. Typically in an analytical batch, a pulp duplicate to monitor analytical precision, a -10 mesh reject duplicate to monitor sub-sampling variation (rock and drill core), a reagent blank to measure background and an aliquot of Certified Reference Material (CRM) or Inhouse Reference Material are allocated to monitor accuracy. This procedure is used for checking the reproducibility of the assays. A non-reproducible check assays are an indication of nugget problems within the sample and recommend that further analysis be performed to generate a better representation of the sample.

All standards run are graphed to monitor the performance of the laboratory. Acme Analytical Laboratories warning limit is 2 times the standard deviation and our control limit is 3 times the standard deviation. Any work order with a standard running outside the warning limit will have selected re-assays performed, and any work order with a standard running outside the control limit will have the entire batch of samples re-analysed.

All QC/QA data run with each work order is kept with the clients file. If desired, the client may have all the blanks and certified standards reported on a certificate to correspond to the client's samples. All quality control graphs are available upon request.

The laboratory also keeps daily log books for the sample throughput. These logs record all information pertaining to; 1) who performed the analysis, 2) when the analysis was done, 3) how the analysis was performed, and 4) what other sample were analyzed at the same time. This is done to help eliminate the possibility of misrepresentation and cross-contamination of the client's samples.

Acme Analytical Laboratories instruments are calibrated using ISO traceable calibration standards and our quality control standards are created from separate stock solutions. Their instruments are directly tied to their quality control program eliminating the need for manual data entry, hence, reducing human error.

Goldstrike Resources did not insert sample standards and blanks at regular intervals into sample batches as described above. The author believes that the results of sampling collected during this program reliably reflect the nature of mineralization observed.

9.0) Discussion of Results from 2011 Surface Exploration Program

The following is a synopsis of major rock types, structure, and mineralization from prospecting and mapping, as well as a discussion from the both the soil and silt analyses.

The following is presented as appendices in separate folders…….

Appendix 2 – Master Plateau North Rock, Soil, and Silt Descriptions and Analyses

Appendix 3 - Regional Rock and Soil/Silt Sample Location & Gold Maps – Scale: 1:25,000

Appendix 4 – Detailed Regional Rock & Soil Sample Location & Gold Maps – Scale: 1:5,000

The following briefly summarizes the prospecting and soil/silt programs.

9.1) Prospecting

The purpose of the 2011 prospecting was to follow-up the sources of regional gold-arsenic silt anomalies in association with ASTER data in a first phase program. A second phase prospecting program was initiated as a follow-up to confirm and evaluate the source of anomalous gold-arsenic-antimony in soils and regional structures.

The initial prospecting discovered two (2) anomalous gold-arsenic (Au-As) related mineralization proximal to the Gold Rush Zone and a cross-cutting fault. The Gold Rush Zone is defined by a strongly sheared and altered argillaceous metasediments that coincides with highly anomalous Au-Ag-As-Sb-S soil values. Prospecting confirmed the presence of anomalous gold mineralization in rocks proximal to the Gold Rush Zone with values up to 123.7 ppb Au and 953 ppm As in grabs (sample 1236313). This sample is located on the hangingwall side of the anomalous gold values in the soils, and is anomalous in As-Sb. The sample has been described as a vuggy and oxidized phyllite. Sampling in the Gold Rush Zone area uncovered strongly silicified-sericitic-(chloritic-carbonate) altered and sheared argillite/shale hosting < 1% to 3% pyrrhotite and pyrite with localized chalocopyrite.

Silicification is shear and fracture controlled, associated with an increase in localized quartz-carbonate stringers and veinlets (<10%) occurrences. All of the remaining samples near the Gold Rush Zone did not return any significant gold values. It should be noted that there is no outcrop exposure directly coincident with the anomalous gold soil anomaly of the Gold Rush Zone.

The other anomalous gold sample returned 158.6 ppb Au and 897 ppm As (sample number 1212773). It has been described as a brecciated, and partially oxidized conglomerate, which is interpreted as a fault breccia. It is coincidental with a topographical, recessive linear that cross-cuts the Gold Rush Zone

Prospecting in the remaining part of the Plateau North Project did not return any other significant gold values. There are five (5) north-trending sheared and altered structures over a section of 2 to 3 kilometers. They are generally up to 1.5 meters in width with the Gold Rush Zone being associated with anomalous Au-Ag-As-Sb-S in soils.

9.2) Soil Sampling

The purpose of the 2011 soil sampling was to follow-up the sources of regional gold-arsenic silt anomalies in association with ASTER data in a first phase program. A second phase prospecting program was initiated to better define anomalous gold-arsenic anomalies and trends associated with the Gold Rush Zone.

Regionally, the soil survey produced one major gold anomaly trend (Gold Rush Zone) on the Plateau North Project and another three moderate trends (Appendix 3 and 4).

Gold Rush Zone

The main gold anomaly trends in a northerly direction for approximately 260 meters, and is open in all directions. The continuation of this anomaly may be offset to the northwest for another 300 meters, remaining open. Gold values from the soils returned up to 11.43 g/t Au and there is a strong correlation between Au and Ag-As-Sb-S. Although it is proximal to an altered, sheared, and fractured argillite/shale horizon, the explanation of the high-grade gold soil anomalies remains unknown due to the overburden cover.

Another moderate gold trend occurs between 300 and 650 meters northeast of the Gold Rush Zone, occupying the footwall. The main gold soil anomaly trends north-northeast for approximately 320 meters, showing a Z-shape flexure. This anomaly is highlighted by values up to 228.3 ppb Au, 521.6 ppm As, 19.9 ppm Sb, and 373.5 ppm Cu. The explanation of this gold anomaly has not been explained due to overburden cover. However, a sub-outcrop to outcrop of weakly fractured, sericitic, sheared argillite hosting up to 1% pyrite and pyrrhotite is located near the gold anomaly. There are also several irregularly oriented and detached, weaker gold soil anomalies, which extend in a northwest direction from the main gold anomaly. This offset to the northwest can also be explained by the same offset as the Gold Rush Zone.

Other Gold Anomalies

There are two other moderate gold anomalies that were uncovered on the initial regional soil sampling program. Both these anomalies appear to be spatially associated with north-south trending chlorite-sericite-carbonate shears in the clastic metsediments. There was no follow-up soil surveys to outline the trend of these gold soil anomalies and there was limited prospecting in both these areas, which returned no significant gold results.

Both soil anomalies produced anomalous gold-arsenic anomalies with sample number 1236828 returning 129.8 ppb Au and 201.5 ppm As, and sample number 1211664 returning 102 ppb Au and 226.6 ppm As. There is a gradual lower gold dispersion from both gold anomalies. Although the trend of these anomalies is largely unknown, the north-south trends of Gold Rush and several shears appear to be more typical.

9.3) Silts

Two stream sediment silt sample were collected from a drainage north of the Gold Rush Zone. No significant gold and other pathfinder values were returned.

10.0) Conclusions

The surface program was successful in identifying potential gold-bearing mineralized structures from limited time in prospecting and soil program. A north trending zone (Gold Rush Zone) with strongly anomalous to high-grade gold values in the soils has been outlined consistently for 260 meters, with another extension of 300 meters to the northwest. The gold in the soils have a strong geochemical correlation with Ag-As-Sb-S. The Gold Rush Zone is spatially associated with a strongly altered and sheared argillite/shale at the contact between the Yusezyu Formation and the overlying Elmer Creek/Duo Lake Formation. The geological environment on the Gold Rush Zone map area is more conducive to a shear-hosted type gold-arsenic mineralization, distal from a porphyry source. The targets on the Plateau South Project are more conducive to both an intrusive related and contact metamorphic type gold mineralization. The presence of multiple north-south trending shears, flexuring, and potential intersecting structures/splays reflect dilatational-filled features, which would provide pathways and traps for auriferous hydrothermal fluid movement in dipping and plunging structures. The presence of iron and sulfur-rich hosts would provide the chemical trap for gold to precipitate in the formation of pyrrhotite and pyrite in veined and silica-‘flooded’ gold-bearing arsenic structures.

11.0) Recommendations

Future exploration work on the Plateau North Project should focus…..

1) Explain and confirm the source and nature of strongly anomalous gold in soils on the Gold Rush Zone through the use of trenching and portable drilling. This would also entail detailed mapping, channel sampling, and an XRF portable analyzer survey.
2) Extend the gold trend of the Gold Rush Zone along strike (open to the northwest and south) on a regional, property scale using prospecting, soil sampling, and an XRF portable analyzer.

12.0) References

Roots, C.F. (2003)

Bedrock Geology of Lansing Range Map Area (NTS 105N), Central Yukon (1:250,000 scale), Yukon Geological Survey – Energy, Mines and Resources of Yukon, Geoscience Map 2003-1, and Natural Resources Canada Geological Survey of Canada Pacific Region, Open File 1616..

Cecile, M.P. (2000)

Geology of the Northeastern Niddery Lake Map Area, East Central Yukon and adjacent Northwest Yukon Territories, Geological Survey of Canada, Bulletin 553, 120 p.

Roots, C.F. (1998)

Progress Report on Bedrock Geology of Lansing Map Area, Central Yukon Territory. In Current Research 1998A, Geological Survey of Canada, p. 19-28.

Murphy, D.C. (1997)

Geology of the McQueston River Region, North McQueston and Mayo Map Areas, Yukon Territory (115P/14, 15, 16; 105M/13, 14) – Bulletin 6 - pp. 1 to 95.

Roots, C.F., Abbott, J.G., Cecile, M.P., Gardey, S.P., and Orchard, M.J. (1995b)

Bedrock Geology of Lansing Map Area (105N) East Half, Hess Mountains, Yukon Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs, Open File 1995-97 and Geological Survey of Canada, Open File 3171, Scale 1:125,000

Roots, C.F. and Brent, D. (1994 b)

Preliminary Stratigraphy from Lansing Map Area, Central Yukon Territory. *In Current Research* 1994-A, Geological Survey of Canada, p. 1-9.

Friske, P.W.B, Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, C.C., Durham, C.C. (1990)

Regional Stream Sediment and Water Geochemical Data, East-Central Yukon (NTS 105N); Geological Survey of Canada, Open File 2363

Mathews, W.H. (1986)

Physiographic Map of the Canadian Cordillera - Geological Survey of Canada, Map 1701A, Scale: 1:5,000,000.

STATEMENT OF QUALIFICATIONS

I, Stephen Roach, of 47 Crantham Crescent, Stittsville, Ontario K2S 1R2, certify that;

1. I obtained a Bachelor degree in Geology from Concordia University in 1977. In addition, I attended Carleton University from 1981-83 in a Graduate Program.
2. I have worked as a geologist for more than 30 years since my graduation from university been in the practice of my profession as Exploration Geologist since 1977.
3. I am responsible for this report entitled, Report of 2011 Surface Exploration Program on the Plateau North Project, Mayo Mining Division, Yukon Territory (July 15, 2011 – September 25, 2011)
4. I have no beneficial interest, direct or indirect in the Plateau North Project that is the subject of this report.

Dated April 5, 2012

Stephen Roach, B.Sc.

APPENDIX 1

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 04, 2011

CERTIFICATE OF ANALYSIS WHI11000863.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1211805	Rock	1.06	<2	0.2	39.7	8.8	61	<0.1	15.4	7.4	241	3.17	<0.5	0.8	7.7	6	<0.1	<0.1	0.1	18	0.04
1211806	Rock	0.54	<2	<0.1	12.5	14.6	26	<0.1	10.2	5.5	283	1.57	0.6	0.9	8.4	67	<0.1	<0.1	<0.1	16	0.64
1211807	Rock	0.58	<2	0.2	39.2	17.8	65	0.1	30.0	14.5	562	3.51	8.7	<0.5	14.2	11	0.2	0.1	0.1	14	0.09
1211808	Rock	0.78	3	0.1	45.0	9.2	91	<0.1	33.3	16.3	332	3.49	26.4	0.6	13.4	16	0.4	0.4	<0.1	28	0.12
1211809	Rock	0.68	9	0.2	9.8	10.4	28	<0.1	8.9	3.2	45	0.73	2.0	8.8	8.6	2	<0.1	<0.1	0.1	3	0.02
1211810	Rock	0.85	<2	0.1	8.2	15.1	43	<0.1	15.2	5.7	483	0.73	2.9	<0.5	6.9	2	0.2	0.2	0.1	<2	0.02
1212774	Rock	0.82	8	0.2	3.5	3.6	9	<0.1	3.9	0.8	34	0.44	27.2	9.6	4.2	15	<0.1	5.4	<0.1	<2	0.02
1212775	Rock	0.44	<2	0.2	23.2	6.6	18	<0.1	7.6	3.7	161	1.71	0.8	<0.5	0.8	4	<0.1	<0.1	<0.1	13	0.24
1212776	Rock	0.39	<2	<0.1	102.4	5.1	100	0.2	66.3	36.5	928	8.45	3.1	<0.5	4.2	10	<0.1	0.4	<0.1	108	0.52
1211811	Rock	0.37	13	0.2	33.5	5.0	30	<0.1	9.7	4.4	268	2.30	1.5	11.2	5.9	42	<0.1	<0.1	1.0	10	0.72
1211814	Rock	0.99	<2	<0.1	26.9	4.5	10	<0.1	6.0	3.4	71	0.95	1.7	<0.5	3.3	975	<0.1	<0.1	0.1	6	29.59
1211815	Rock	1.06	4	0.3	39.9	3.8	33	<0.1	17.1	4.3	179	1.20	4.0	9.4	12.1	36	<0.1	<0.1	0.4	18	1.43
1211816	Rock	0.76	<2	0.3	3.8	2.2	11	<0.1	2.5	6.0	595	0.75	36.1	3.5	0.5	6	0.3	0.3	0.2	2	0.14
1211817	Rock	0.88	7	0.2	28.6	6.7	95	0.1	35.6	9.3	820	4.35	16.9	8.9	15.0	14	<0.1	<0.1	0.5	23	0.08
1211818	Rock	0.79	<2	0.2	4.2	3.9	11	<0.1	3.0	0.8	78	0.71	44.4	3.5	6.5	3	<0.1	<0.1	<0.1	<2	0.03
1211819	Rock	0.63	<2	0.3	4.4	7.6	7	<0.1	2.3	0.9	68	0.66	31.2	<0.5	2.5	1	<0.1	0.1	<0.1	<2	<0.01
1211820	Rock	0.46	13	0.2	14.7	7.1	26	<0.1	10.3	4.7	250	1.62	10.3	10.8	6.9	4	<0.1	0.2	<0.1	5	0.02
1211821	Rock	0.96	<2	0.1	18.8	108.9	37	0.5	9.2	3.4	229	2.31	<0.5	<0.5	3.4	8	<0.1	<0.1	1.8	3	0.07
1211822	Rock	1.05	<2	0.2	16.4	7.0	69	<0.1	78.4	18.9	453	1.56	8.6	1.8	7.5	2	<0.1	0.6	<0.1	6	<0.01
1211823	Rock	0.86	<2	0.1	8.6	15.6	16	<0.1	10.7	2.5	70	0.74	2.5	<0.5	5.4	2	<0.1	<0.1	0.1	<2	0.01
1211825	Rock	0.21	<2	0.7	43.5	6.6	77	0.1	33.1	15.2	329	3.57	1.3	<0.5	8.7	48	0.1	<0.1	0.3	97	1.45
1211830	Rock	0.82	156	0.2	26.4	8.4	44	<0.1	7.2	3.3	499	1.62	2472	158.8	2.8	7	<0.1	1.0	1.5	2	0.11
1211831	Rock	0.93	<2	0.1	1.5	1.0	<1	<0.1	1.2	0.3	33	0.26	2.4	1.5	<0.1	<1	<0.1	<0.1	0.4	<2	<0.01
1211832	Rock	0.78	<2	0.2	19.1	5.5	18	<0.1	2.8	1.3	87	1.91	3.3	1.3	3.0	1	<0.1	0.1	0.1	13	0.03
1211833	Rock	0.53	1240	<0.1	4.2	27.8	41	0.5	11.6	7.8	761	2.87	>10000	1292	9.9	25	0.2	5.0	6.3	<2	0.49
1211834	Rock	0.69	<2	0.2	3.3	3.1	5	<0.1	3.9	2.0	391	0.68	25.0	0.6	1.2	3	<0.1	<0.1	<0.1	<2	0.13
1211835	Rock	0.57	<2	0.2	4.9	2.8	11	<0.1	3.6	1.2	230	0.62	2.4	<0.5	1.1	6	<0.1	<0.1	<0.1	<2	0.23
1211836	Rock	0.51	57	1.2	19.8	4.3	8	<0.1	6.5	3.6	72	1.38	3743	55.0	7.2	4	<0.1	0.9	1.4	<2	0.02
1211837	Rock	0.80	27	0.9	11.6	3.1	4	<0.1	2.8	2.0	50	1.24	5375	30.5	6.6	5	<0.1	1.1	0.5	<2	<0.01
1211838	Rock	0.51	24	0.3	2.5	19.6	3	0.2	2.3	0.8	50	1.23	34.1	14.7	3.1	27	<0.1	3.5	0.1	2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 30, 2011
Report Date: August 23, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11000787.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-5
P.O. Number NA-10337
Number of Samples: 7

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	7	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	7	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	7	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN
CHIEF ASSAYER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 23, 2011

CERTIFICATE OF ANALYSIS WHI11000787.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1211812	Rock	0.56	2	2.6	74.7	11.9	33	0.1	36.1	14.4	179	4.65	3.2	<0.5	4.3	148	<0.1	<0.1	0.4	69	1.73
1211813	Rock	0.61	<2	1.4	30.0	18.1	56	<0.1	22.9	9.5	329	3.00	<0.5	6.2	6.7	77	<0.1	<0.1	0.2	51	1.08
1211824	Rock	1.60	10	0.3	204.1	5.5	48	0.2	19.9	11.4	293	3.78	1.5	<0.5	5.8	88	0.2	<0.1	21.2	43	1.32
1211826	Rock	0.81	2	0.2	5.6	7.4	5	0.1	3.5	1.1	123	0.80	1.2	<0.5	0.6	<1	<0.1	<0.1	0.4	<2	<0.01
1211827	Rock	0.78	2	0.3	27.5	3.1	77	<0.1	31.7	10.7	230	2.92	<0.5	3.9	7.1	5	<0.1	<0.1	0.3	35	0.06
1211828	Rock	1.17	<2	0.1	189.9	4.9	19	<0.1	10.5	4.7	94	1.80	<0.5	3.2	4.5	2	<0.1	<0.1	0.2	12	0.06
1211829	Rock	0.61	<2	0.5	43.8	23.1	70	0.1	20.3	12.0	577	3.59	2.0	3.9	11.0	163	<0.1	<0.1	0.4	51	2.91

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 23, 2011

CERTIFICATE OF ANALYSIS WHI11000787.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1211812	Rock	0.028	5	35	0.67	90	0.063	<20	3.81	0.235	0.51	<0.1	<0.01	0.3	2.52	7.1	<0.5	10	<0.2
1211813	Rock	0.044	7	30	0.89	44	0.102	<20	2.70	0.154	0.78	<0.1	0.02	0.5	1.11	5.5	<0.5	8	<0.2
1211824	Rock	0.035	11	28	0.79	35	0.098	<20	2.53	0.183	0.54	33.2	<0.01	0.4	1.91	4.7	<0.5	8	0.2
1211826	Rock	0.003	2	3	0.04	5	<0.001	<20	0.09	0.002	0.03	<0.1	0.02	<0.1	<0.05	0.5	<0.5	<1	<0.2
1211827	Rock	0.046	13	30	1.10	86	0.126	<20	1.65	0.029	1.24	<0.1	0.02	0.8	0.66	3.2	<0.5	6	<0.2
1211828	Rock	0.026	5	10	0.38	17	0.021	<20	0.58	0.007	0.11	<0.1	0.02	<0.1	0.40	1.3	<0.5	2	<0.2
1211829	Rock	0.098	20	47	1.00	40	0.148	<20	4.70	0.204	0.76	<0.1	0.01	0.4	1.00	7.7	<0.5	15	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 23, 2011

QUALITY CONTROL REPORT WHI11000787.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Reference Materials																					
STD DS8	Standard			14.0	106.8	122.5	304	1.5	40.3	7.4	609	2.51	23.0	83.7	6.5	64	2.1	3.9	5.5	42	0.70
STD OREAS45CA	Standard			0.8	491.0	21.0	61	0.3	238.4	84.5	939	16.12	3.4	33.3	7.4	15	0.2	<0.1	0.2	203	0.42
STD OXC88	Standard		211																		
STD OXC88	Standard		200																		
STD OXH82	Standard		1294																		
STD OXH82	Standard		1260																		
STD OXC88 Expected			203																		
STD OXH82 Expected			1278																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	4.8	6.67	41.1	0.7
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	43	7	15	0.1	0.13	0.19	215	0.4265
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank		<2	0.1	2.2	3.1	46	<0.1	3.7	4.0	567	2.08	0.8	<0.5	5.0	67	<0.1	<0.1	<0.1	37	0.47

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 23, 2011

QUALITY CONTROL REPORT WHI11000787.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Reference Materials																			
STD DS8	Standard	0.074	14	117	0.63	287	0.107	<20	0.92	0.090	0.38	2.4	0.20	5.6	0.16	2.3	4.2	5	5.4
STD OREAS45CA	Standard	0.041	15	663	0.14	170	0.114	<20	3.53	0.011	0.07	<0.1	0.04	<0.1	<0.05	37.9	<0.5	18	<0.2
STD OXC88	Standard																		
STD OXC88	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXC88 Expected																			
STD OXH82 Expected																			
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	5.4	0.1679	2.3	5.23	4.7	5
STD OREAS45CA Expected		0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1	Prep Blank	0.073	9	6	0.58	227	0.119	<20	1.06	0.122	0.46	<0.1	0.03	0.3	<0.05	2.3	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 04, 2011
Report Date: September 04, 2011
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI11000863.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-4
P.O. Number NA-10337
Number of Samples: 31

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	31	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	31	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	31	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 04, 2011

CERTIFICATE OF ANALYSIS WHI11000863.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1211805	Rock	1.06	<2	0.2	39.7	8.8	61	<0.1	15.4	7.4	241	3.17	<0.5	0.8	7.7	6	<0.1	<0.1	0.1	18	0.04
1211806	Rock	0.54	<2	<0.1	12.5	14.6	26	<0.1	10.2	5.5	283	1.57	0.6	0.9	8.4	67	<0.1	<0.1	<0.1	16	0.64
1211807	Rock	0.58	<2	0.2	39.2	17.8	65	0.1	30.0	14.5	562	3.51	8.7	<0.5	14.2	11	0.2	0.1	0.1	14	0.09
1211808	Rock	0.78	3	0.1	45.0	9.2	91	<0.1	33.3	16.3	332	3.49	26.4	0.6	13.4	16	0.4	0.4	<0.1	28	0.12
1211809	Rock	0.68	9	0.2	9.8	10.4	28	<0.1	8.9	3.2	45	0.73	2.0	8.8	8.6	2	<0.1	<0.1	0.1	3	0.02
1211810	Rock	0.85	<2	0.1	8.2	15.1	43	<0.1	15.2	5.7	483	0.73	2.9	<0.5	6.9	2	0.2	0.2	0.1	<2	0.02
1212774	Rock	0.82	8	0.2	3.5	3.6	9	<0.1	3.9	0.8	34	0.44	27.2	9.6	4.2	15	<0.1	5.4	<0.1	<2	0.02
1212775	Rock	0.44	<2	0.2	23.2	6.6	18	<0.1	7.6	3.7	161	1.71	0.8	<0.5	0.8	4	<0.1	<0.1	<0.1	13	0.24
1212776	Rock	0.39	<2	<0.1	102.4	5.1	100	0.2	66.3	36.5	928	8.45	3.1	<0.5	4.2	10	<0.1	0.4	<0.1	108	0.52
1211811	Rock	0.37	13	0.2	33.5	5.0	30	<0.1	9.7	4.4	268	2.30	1.5	11.2	5.9	42	<0.1	<0.1	1.0	10	0.72
1211814	Rock	0.99	<2	<0.1	26.9	4.5	10	<0.1	6.0	3.4	71	0.95	1.7	<0.5	3.3	975	<0.1	<0.1	0.1	6	29.59
1211815	Rock	1.06	4	0.3	39.9	3.8	33	<0.1	17.1	4.3	179	1.20	4.0	9.4	12.1	36	<0.1	<0.1	0.4	18	1.43
1211816	Rock	0.76	<2	0.3	3.8	2.2	11	<0.1	2.5	6.0	595	0.75	36.1	3.5	0.5	6	0.3	0.3	0.2	2	0.14
1211817	Rock	0.88	7	0.2	28.6	6.7	95	0.1	35.6	9.3	820	4.35	16.9	8.9	15.0	14	<0.1	<0.1	0.5	23	0.08
1211818	Rock	0.79	<2	0.2	4.2	3.9	11	<0.1	3.0	0.8	78	0.71	44.4	3.5	6.5	3	<0.1	<0.1	<0.1	<2	0.03
1211819	Rock	0.63	<2	0.3	4.4	7.6	7	<0.1	2.3	0.9	68	0.66	31.2	<0.5	2.5	1	<0.1	0.1	<0.1	<2	<0.01
1211820	Rock	0.46	13	0.2	14.7	7.1	26	<0.1	10.3	4.7	250	1.62	10.3	10.8	6.9	4	<0.1	0.2	<0.1	5	0.02
1211821	Rock	0.96	<2	0.1	18.8	108.9	37	0.5	9.2	3.4	229	2.31	<0.5	<0.5	3.4	8	<0.1	<0.1	1.8	3	0.07
1211822	Rock	1.05	<2	0.2	16.4	7.0	69	<0.1	78.4	18.9	453	1.56	8.6	1.8	7.5	2	<0.1	0.6	<0.1	6	<0.01
1211823	Rock	0.86	<2	0.1	8.6	15.6	16	<0.1	10.7	2.5	70	0.74	2.5	<0.5	5.4	2	<0.1	<0.1	0.1	<2	0.01
1211825	Rock	0.21	<2	0.7	43.5	6.6	77	0.1	33.1	15.2	329	3.57	1.3	<0.5	8.7	48	0.1	<0.1	0.3	97	1.45
1211830	Rock	0.82	156	0.2	26.4	8.4	44	<0.1	7.2	3.3	499	1.62	2472	158.8	2.8	7	<0.1	1.0	1.5	2	0.11
1211831	Rock	0.93	<2	0.1	1.5	1.0	<1	<0.1	1.2	0.3	33	0.26	2.4	1.5	<0.1	<1	<0.1	<0.1	0.4	<2	<0.01
1211832	Rock	0.78	<2	0.2	19.1	5.5	18	<0.1	2.8	1.3	87	1.91	3.3	1.3	3.0	1	<0.1	0.1	0.1	13	0.03
1211833	Rock	0.53	1240	<0.1	4.2	27.8	41	0.5	11.6	7.8	761	2.87	>10000	1292	9.9	25	0.2	5.0	6.3	<2	0.49
1211834	Rock	0.69	<2	0.2	3.3	3.1	5	<0.1	3.9	2.0	391	0.68	25.0	0.6	1.2	3	<0.1	<0.1	<0.1	<2	0.13
1211835	Rock	0.57	<2	0.2	4.9	2.8	11	<0.1	3.6	1.2	230	0.62	2.4	<0.5	1.1	6	<0.1	<0.1	<0.1	<2	0.23
1211836	Rock	0.51	57	1.2	19.8	4.3	8	<0.1	6.5	3.6	72	1.38	3743	55.0	7.2	4	<0.1	0.9	1.4	<2	0.02
1211837	Rock	0.80	27	0.9	11.6	3.1	4	<0.1	2.8	2.0	50	1.24	5375	30.5	6.6	5	<0.1	1.1	0.5	<2	<0.01
1211838	Rock	0.51	24	0.3	2.5	19.6	3	0.2	2.3	0.8	50	1.23	34.1	14.7	3.1	27	<0.1	3.5	0.1	2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy Co**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 04, 2011

CERTIFICATE OF ANALYSIS WHI11000863.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1211805	Rock	0.015	18	22	0.80	90	0.022	<20	1.43	0.016	0.20	<0.1	<0.01	<0.1	<0.05	1.1	<0.5	4	<0.2
1211806	Rock	0.018	14	17	0.34	56	0.066	<20	0.73	0.018	0.41	<0.1	<0.01	0.3	<0.05	0.9	<0.5	3	<0.2
1211807	Rock	0.038	31	17	0.59	127	0.004	<20	1.40	0.006	0.43	<0.1	<0.01	0.1	<0.05	1.6	<0.5	4	<0.2
1211808	Rock	0.037	36	31	0.79	142	0.004	<20	1.69	0.003	0.24	<0.1	<0.01	<0.1	<0.05	2.2	<0.5	6	<0.2
1211809	Rock	0.014	7	6	0.03	39	0.003	<20	0.32	<0.001	0.14	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1211810	Rock	0.011	14	10	0.05	65	0.004	<20	0.25	0.012	0.17	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1212774	Rock	0.008	6	22	<0.01	22	0.001	<20	0.10	<0.001	0.08	<0.1	0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1212775	Rock	0.005	3	25	0.31	15	0.056	<20	0.58	<0.001	0.10	<0.1	<0.01	<0.1	0.06	1.1	<0.5	2	<0.2
1212776	Rock	0.049	12	98	3.38	42	0.206	<20	4.52	0.005	0.23	<0.1	<0.01	<0.1	<0.05	6.3	<0.5	14	<0.2
1211811	Rock	0.014	7	21	0.37	31	0.033	<20	1.48	0.097	0.12	0.2	<0.01	<0.1	0.74	1.2	<0.5	3	<0.2
1211814	Rock	0.008	4	7	0.21	3	0.025	<20	1.19	0.078	0.09	0.1	<0.01	<0.1	0.36	0.7	<0.5	3	<0.2
1211815	Rock	0.016	20	31	0.15	12	0.117	<20	0.67	0.031	0.09	0.4	<0.01	<0.1	0.21	1.5	<0.5	3	<0.2
1211816	Rock	0.009	3	21	0.09	23	<0.001	<20	0.10	<0.001	0.03	1.3	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1211817	Rock	0.055	48	30	1.16	54	0.040	<20	2.45	0.020	0.26	<0.1	<0.01	0.2	<0.05	2.0	0.7	7	<0.2
1211818	Rock	0.006	13	13	0.06	29	<0.001	<20	0.24	0.010	0.05	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1211819	Rock	0.010	4	24	0.02	9	0.002	<20	0.09	<0.001	0.04	0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1211820	Rock	0.009	14	18	0.20	54	0.002	<20	0.56	0.019	0.11	<0.1	<0.01	<0.1	<0.05	0.8	<0.5	2	<0.2
1211821	Rock	0.045	9	19	0.24	23	0.003	<20	0.59	0.005	0.08	<0.1	<0.01	<0.1	<0.05	0.7	<0.5	1	0.3
1211822	Rock	0.008	12	24	0.20	17	<0.001	<20	0.81	0.014	0.02	<0.1	<0.01	<0.1	<0.05	1.6	0.6	1	<0.2
1211823	Rock	0.006	6	24	0.07	8	<0.001	<20	0.29	0.021	0.02	<0.1	<0.01	<0.1	<0.05	0.5	0.6	<1	<0.2
1211825	Rock	0.044	18	74	1.47	43	0.195	<20	3.55	0.360	1.10	0.1	<0.01	0.5	1.36	9.2	0.9	13	<0.2
1211830	Rock	0.004	4	20	0.18	37	0.001	<20	0.34	0.035	0.07	0.2	<0.01	<0.1	0.15	1.3	<0.5	<1	<0.2
1211831	Rock	<0.001	<1	39	<0.01	<1	<0.001	<20	0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
1211832	Rock	0.022	6	21	0.37	33	0.003	<20	0.62	0.009	0.09	<0.1	<0.01	<0.1	0.16	1.0	<0.5	3	<0.2
1211833	Rock	0.003	8	7	0.05	195	0.002	<20	0.38	0.054	0.23	0.2	<0.01	<0.1	0.66	1.1	<0.5	<1	0.4
1211834	Rock	0.005	6	12	0.10	38	0.001	<20	0.14	<0.001	0.03	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1211835	Rock	0.003	2	31	0.06	37	<0.001	<20	0.12	<0.001	0.03	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1211836	Rock	0.011	10	18	0.01	37	<0.001	<20	0.21	0.003	0.10	<0.1	<0.01	<0.1	0.16	0.3	<0.5	<1	<0.2
1211837	Rock	0.010	8	20	<0.01	31	<0.001	<20	0.14	0.002	0.09	<0.1	<0.01	<0.1	0.13	0.3	0.8	<1	<0.2
1211838	Rock	0.014	5	8	0.01	76	0.002	<20	0.15	0.001	0.23	<0.1	0.23	0.8	0.28	0.2	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 04, 2011

CERTIFICATE OF ANALYSIS WHI11000863.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1211839	Rock	0.61	<2	0.2	20.4	7.6	33	<0.1	25.6	9.5	284	1.31	12.8	<0.5	2.3	14	<0.1	0.1	0.3	5	0.38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy Co**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 04, 2011

CERTIFICATE OF ANALYSIS WHI11000863.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1211839	Rock	0.167	6	29	0.20	42	0.002	<20	0.44	0.008	0.04	<0.1	<0.01	<0.1	<0.05	0.8	<0.5	1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 04, 2011

QUALITY CONTROL REPORT WHI11000863.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1211806	Rock	0.54	<2	<0.1	12.5	14.6	26	<0.1	10.2	5.5	283	1.57	0.6	0.9	8.4	67	<0.1	<0.1	<0.1	16	0.64
REP 1211806	QC			0.1	12.6	14.3	26	<0.1	10.5	5.7	281	1.56	0.7	<0.5	8.3	66	<0.1	<0.1	0.1	15	0.64
1211833	Rock	0.53	1240	<0.1	4.2	27.8	41	0.5	11.6	7.8	761	2.87	>10000	1292	9.9	25	0.2	5.0	6.3	<2	0.49
REP 1211833	QC		1237																		
Core Reject Duplicates																					
1211834	Rock	0.69	<2	0.2	3.3	3.1	5	<0.1	3.9	2.0	391	0.68	25.0	0.6	1.2	3	<0.1	<0.1	<0.1	<2	0.13
DUP 1211834	QC		<2	0.2	3.2	3.4	5	<0.1	4.3	2.1	394	0.68	39.8	0.6	1.3	3	<0.1	0.1	<0.1	<2	0.14
Reference Materials																					
STD DS8	Standard			14.1	114.3	122.1	330	1.9	38.5	7.6	634	2.51	25.7	98.7	6.8	65	2.4	4.5	6.9	43	0.73
STD OREAS45CA	Standard			0.8	519.2	19.0	64	0.3	258.7	89.7	919	16.56	4.2	44.6	6.4	15	<0.1	<0.1	0.2	209	0.41
STD OXC88	Standard		207																		
STD OXC88	Standard		198																		
STD OXH82	Standard		1331																		
STD OXH82	Standard		1263																		
STD OXC88 Expected			203																		
STD OXH82 Expected			1278																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	4.8	6.67	41.1	0.7
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	43	7	15	0.1	0.13	0.19	215	0.4265
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank		<2	0.1	2.5	3.0	48	<0.1	2.5	3.9	577	2.01	<0.5	1.7	5.9	68	<0.1	<0.1	<0.1	38	0.58
G1	Prep Blank		<2	0.1	2.6	3.0	46	<0.1	2.5	3.9	603	2.09	<0.5	0.7	5.9	65	<0.1	<0.1	<0.1	40	0.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 04, 2011

QUALITY CONTROL REPORT WHI11000863.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																			
1211806	Rock	0.018	14	17	0.34	56	0.066	<20	0.73	0.018	0.41	<0.1	<0.01	0.3	<0.05	0.9	<0.5	3	<0.2
REP 1211806	QC	0.017	14	17	0.35	57	0.067	<20	0.73	0.016	0.41	<0.1	<0.01	0.3	<0.05	0.9	<0.5	2	<0.2
1211833	Rock	0.003	8	7	0.05	195	0.002	<20	0.38	0.054	0.23	0.2	<0.01	<0.1	0.66	1.1	<0.5	<1	0.4
REP 1211833	QC																		
Core Reject Duplicates																			
1211834	Rock	0.005	6	12	0.10	38	0.001	<20	0.14	<0.001	0.03	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
DUP 1211834	QC	0.006	6	13	0.10	40	0.001	<20	0.16	<0.001	0.04	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
Reference Materials																			
STD DS8	Standard	0.083	15	116	0.63	297	0.113	<20	0.94	0.087	0.42	2.5	0.23	5.5	0.17	2.1	5.4	5	5.3
STD OREAS45CA	Standard	0.041	16	717	0.15	162	0.117	<20	3.75	0.015	0.07	<0.1	0.03	<0.1	<0.05	37.1	0.6	18	<0.2
STD OXC88	Standard																		
STD OXC88	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXC88 Expected																			
STD OXH82 Expected																			
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	5.4	0.1679	2.3	5.23	4.7	5
STD OREAS45CA Expected		0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1	Prep Blank	0.082	14	14	0.54	164	0.129	<20	0.98	0.092	0.47	<0.1	<0.01	0.3	<0.05	1.9	<0.5	5	<0.2
G1	Prep Blank	0.081	13	15	0.54	168	0.125	<20	1.00	0.096	0.48	0.2	<0.01	0.3	<0.05	2.0	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 04, 2011
Report Date: August 29, 2011

CERTIFICATE OF ANALYSIS WHI11000864.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-2
P.O. Number
Number of Samples: 47

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	47	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	47	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	47	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 29, 2011

CERTIFICATE OF ANALYSIS WHI11000864.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1211801	Rock	0.60	5	0.2	16.0	11.1	41	<0.1	6.4	1.5	49	0.73	174.7	5.1	2.0	2	0.9	0.5	<0.1	<2	0.01
1211802	Rock	0.78	25	0.1	17.2	11.3	29	<0.1	2.0	0.5	46	0.48	209.9	22.5	0.7	<1	0.2	3.5	<0.1	<2	<0.01
1211803	Rock	0.90	14	0.2	8.9	9.5	13	<0.1	2.8	1.7	211	0.59	175.3	12.9	1.0	1	0.4	2.1	<0.1	<2	<0.01
1211804	Rock	0.88	3	0.2	3.5	3.2	13	<0.1	2.8	1.4	158	0.92	10.4	1.4	5.9	1	<0.1	0.4	<0.1	2	<0.01
1212751	Rock	0.32	<2	0.1	11.7	12.4	34	<0.1	14.8	5.3	451	1.07	4.0	0.9	9.2	14	0.6	0.1	0.1	4	0.41
1212752	Rock	0.53	<2	0.4	63.1	41.5	102	<0.1	22.9	10.1	178	4.17	1.4	0.9	16.4	10	<0.1	<0.1	0.8	13	0.03
1212753	Rock	0.62	<2	0.2	4.6	6.2	20	<0.1	2.2	1.6	207	0.74	2.4	0.8	3.8	9	<0.1	0.2	<0.1	<2	0.08
1212754	Rock	0.82	<2	0.1	11.2	12.6	25	<0.1	4.3	1.1	88	1.04	25.4	1.4	5.3	<1	<0.1	0.3	0.2	<2	<0.01
1212755	Rock	0.89	<2	0.2	4.0	21.5	35	<0.1	6.7	3.5	1105	0.95	1.3	<0.5	3.4	423	0.4	<0.1	<0.1	<2	7.64
1212756	Rock	0.79	<2	0.3	8.9	15.8	13	0.3	2.2	0.6	70	1.28	7.7	0.5	7.5	5	0.1	0.6	0.6	3	0.03
1212757	Rock	0.90	11	0.1	4.7	1.0	11	0.1	1.9	0.5	29	0.50	95.3	23.5	0.6	<1	<0.1	0.5	<0.1	<2	0.02
1212758	Rock	1.58	14	0.2	2.5	12.8	11	<0.1	1.9	0.6	37	0.47	56.0	19.7	1.0	1	<0.1	0.7	<0.1	<2	<0.01
1212759	Rock	0.82	<2	0.1	2.0	2.3	14	<0.1	4.7	4.7	284	0.49	9.5	5.7	6.4	<1	<0.1	<0.1	<0.1	<2	<0.01
1212760	Rock	1.18	28	0.2	15.1	10.2	85	0.8	12.2	13.5	961	1.78	66.8	32.0	6.3	2	0.2	2.8	0.1	2	<0.01
1212761	Rock	1.05	<2	0.2	11.9	8.2	17	<0.1	3.9	1.7	154	0.99	8.6	2.8	4.9	1	<0.1	0.7	0.2	<2	<0.01
1212762	Rock	0.39	<2	0.3	18.2	4.8	23	<0.1	8.0	2.8	161	1.14	10.8	3.0	6.1	1	<0.1	1.4	0.2	<2	<0.01
1212763	Rock	0.41	8	0.3	1.9	6.9	40	<0.1	8.5	3.5	142	1.67	43.0	9.7	6.6	1	<0.1	0.4	<0.1	3	<0.01
1212764	Rock	0.36	<2	1.0	2.7	1.0	13	<0.1	4.9	1.4	310	1.20	2.4	0.9	2.6	2	<0.1	0.5	<0.1	4	0.01
1212765	Rock	0.38	3	0.1	21.1	0.9	5	<0.1	1.9	1.8	335	0.87	5.4	3.0	<0.1	7	<0.1	0.2	<0.1	<2	0.31
1212766	Rock	0.98	4	0.2	18.9	20.5	19	<0.1	7.6	4.2	205	1.27	3.3	3.4	3.6	6	<0.1	<0.1	0.3	4	0.05
1212767	Rock	0.72	60	0.2	10.8	106.3	9	0.3	3.6	1.2	45	0.84	367.9	55.7	2.4	3	0.1	11.2	1.3	<2	<0.01
1212768	Rock	0.53	<2	0.1	5.5	1.5	15	<0.1	7.8	4.7	167	1.31	5.5	1.1	7.2	12	<0.1	1.0	<0.1	5	0.26
1212769	Rock	0.92	<2	0.2	1.8	2.0	14	<0.1	2.5	0.9	286	0.87	3.6	1.1	2.1	1	<0.1	<0.1	<0.1	<2	0.01
1212770	Rock	0.78	<2	0.1	1.7	0.6	3	<0.1	2.6	1.5	220	0.37	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	0.01
1212771	Rock	0.55	<2	0.3	35.8	14.5	79	<0.1	9.1	5.0	292	3.31	<0.5	<0.5	19.6	31	<0.1	<0.1	0.3	11	0.02
1212772	Rock	0.95	<2	0.4	63.7	3.8	42	<0.1	47.6	18.6	432	2.90	6.4	<0.5	6.8	5	<0.1	<0.1	<0.1	28	0.14
1212773	Rock	1.28	146	0.2	6.3	1.3	10	1.7	6.2	2.8	55	1.51	897.1	158.6	1.2	3	<0.1	65.5	<0.1	4	0.01
1212901	Rock	0.76	2	0.3	3.6	5.8	9	<0.1	4.3	1.7	246	0.78	2.7	2.0	2.9	4	<0.1	0.3	0.1	3	0.26
1212902	Rock	0.53	<2	0.2	1.2	17.2	12	<0.1	15.4	4.0	2438	1.72	3.3	2.9	0.2	323	<0.1	0.3	0.2	<2	5.50
1212903	Rock	0.44	12	0.1	22.1	7.4	28	<0.1	23.2	11.0	534	2.32	105.9	12.6	2.6	7	0.1	14.3	0.1	16	2.00

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 29, 2011

CERTIFICATE OF ANALYSIS WHI11000864.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1211801	Rock	0.003	2	2	<0.01	9	<0.001	<20	0.05	0.002	0.03	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
1211802	Rock	0.002	2	2	<0.01	14	<0.001	<20	0.09	0.002	0.07	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1211803	Rock	0.002	3	3	<0.01	43	<0.001	<20	0.13	0.002	0.08	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1211804	Rock	0.012	11	2	0.02	55	0.001	<20	0.21	0.002	0.16	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	<1	<0.2
1212751	Rock	0.014	16	4	0.07	118	0.016	<20	0.35	0.011	0.23	<0.1	<0.01	<0.1	<0.05	0.9	<0.5	1	<0.2
1212752	Rock	0.024	37	13	0.62	168	0.016	<20	1.57	0.006	0.45	<0.1	<0.01	0.2	<0.05	1.4	<0.5	4	<0.2
1212753	Rock	0.043	13	2	0.02	36	0.001	<20	0.14	0.019	0.05	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1212754	Rock	0.009	12	<1	0.02	43	0.002	<20	0.27	0.002	0.22	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1212755	Rock	0.008	10	4	0.11	83	0.001	<20	0.12	0.007	0.03	<0.1	<0.01	<0.1	<0.05	1.0	<0.5	<1	<0.2
1212756	Rock	0.012	25	6	0.02	61	0.002	<20	0.30	0.005	0.26	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1212757	Rock	0.002	2	4	<0.01	11	<0.001	<20	0.07	0.001	0.05	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1212758	Rock	0.001	4	6	<0.01	15	<0.001	<20	0.10	0.002	0.07	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1212759	Rock	0.006	24	4	0.01	52	0.001	<20	0.22	0.002	0.21	<0.1	0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1212760	Rock	0.012	14	5	0.01	56	0.001	<20	0.28	0.003	0.22	<0.1	<0.01	0.9	<0.05	0.8	<0.5	<1	<0.2
1212761	Rock	0.008	14	5	0.01	33	<0.001	<20	0.20	0.003	0.15	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1212762	Rock	0.006	15	4	0.02	37	<0.001	<20	0.25	0.003	0.21	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1212763	Rock	0.008	16	5	0.02	56	0.001	<20	0.26	0.002	0.23	<0.1	<0.01	<0.1	<0.05	1.0	<0.5	<1	<0.2
1212764	Rock	0.008	6	5	0.09	31	0.001	<20	0.29	0.008	0.07	<0.1	<0.01	<0.1	<0.05	0.7	<0.5	<1	<0.2
1212765	Rock	0.002	<1	4	0.01	19	<0.001	<20	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	0.15	0.3	<0.5	<1	<0.2
1212766	Rock	0.006	8	9	0.14	50	0.009	<20	0.34	0.009	0.12	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	1	<0.2
1212767	Rock	0.005	6	5	<0.01	49	<0.001	<20	0.11	0.002	0.09	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1212768	Rock	0.013	15	7	0.08	53	0.002	<20	0.31	0.011	0.15	<0.1	<0.01	<0.1	<0.05	0.9	<0.5	<1	<0.2
1212769	Rock	0.005	5	5	0.01	29	<0.001	<20	0.08	0.003	0.05	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1212770	Rock	<0.001	<1	5	0.05	11	<0.001	<20	0.09	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
1212771	Rock	0.030	51	14	0.67	68	0.016	<20	1.46	0.007	0.34	<0.1	0.01	<0.1	<0.05	1.3	<0.5	4	<0.2
1212772	Rock	0.034	15	21	0.70	66	0.063	<20	1.42	0.004	0.33	<0.1	<0.01	<0.1	<0.05	3.3	<0.5	4	<0.2
1212773	Rock	0.001	3	<1	<0.01	20	<0.001	<20	0.12	0.001	0.05	<0.1	0.12	0.1	<0.05	0.7	<0.5	<1	<0.2
1212901	Rock	0.008	8	7	0.02	32	<0.001	<20	0.19	<0.001	0.05	<0.1	0.03	<0.1	<0.05	0.7	<0.5	<1	<0.2
1212902	Rock	0.004	3	6	1.11	10	0.001	<20	0.06	0.003	0.02	<0.1	<0.01	<0.1	<0.05	1.9	<0.5	<1	<0.2
1212903	Rock	0.008	4	11	0.22	7	0.002	<20	0.17	0.001	0.11	<0.1	0.02	<0.1	0.17	4.1	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 29, 2011

CERTIFICATE OF ANALYSIS WHI11000864.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1212904	Rock	0.94	<2	0.2	2.3	0.7	2	<0.1	2.1	0.9	67	0.38	2.0	1.5	<0.1	2	<0.1	<0.1	<0.1	<2	0.09
1212905	Rock	0.90	<2	0.2	7.3	10.2	18	<0.1	5.1	3.1	310	0.97	1.4	3.5	6.3	23	0.1	0.6	<0.1	4	0.41
1212906	Rock	0.67	<2	0.2	7.1	0.9	1	<0.1	4.7	1.7	46	0.52	4.9	1.8	0.4	<1	<0.1	0.4	<0.1	<2	<0.01
1211201	Rock	0.41	<2	0.1	0.9	4.5	2	<0.1	0.7	0.3	59	0.32	<0.5	<0.5	0.1	1	<0.1	0.2	<0.1	<2	<0.01
1211202	Rock	0.63	<2	0.1	7.0	8.3	11	<0.1	4.9	1.9	179	0.74	0.6	1.1	3.8	8	<0.1	0.4	<0.1	2	0.23
1211203	Rock	0.55	<2	<0.1	1.6	4.1	12	<0.1	6.0	1.9	399	1.13	<0.5	1.6	4.0	6	0.1	0.3	<0.1	3	0.44
1211204	Rock	1.05	8	0.6	27.6	6.8	11	<0.1	10.0	5.9	88	1.31	712.9	11.7	5.1	12	<0.1	2.0	6.9	<2	0.10
1211205	Rock	0.82	203	0.2	15.9	6.9	28	<0.1	12.4	7.1	141	1.64	323.1	201.9	3.7	2	<0.1	1.5	0.3	<2	<0.01
1211206	Rock	0.48	<2	0.2	3.9	28.3	15	<0.1	5.1	2.4	451	1.13	7.2	8.4	1.2	11	<0.1	0.1	0.1	<2	0.06
1211207	Rock	0.42	7	0.2	37.0	61.0	35	<0.1	6.3	3.1	199	0.79	21.9	8.4	2.5	2	<0.1	10.0	0.2	<2	<0.01
1211208	Rock	0.73	10	0.2	10.6	1.9	5	<0.1	4.0	1.4	67	0.82	1117	11.4	2.1	6	<0.1	0.8	0.9	<2	0.01
1211209	Rock	0.53	8	0.4	11.7	2.6	4	<0.1	1.9	0.4	55	1.07	13.6	3.5	0.3	14	<0.1	0.6	<0.1	3	0.01
1211210	Rock	0.89	<2	0.2	29.0	1.7	2	<0.1	1.3	1.3	65	0.94	35.4	6.7	0.2	6	<0.1	0.2	0.7	<2	0.03
1211211	Rock	0.44	13	0.7	15.5	4.3	17	0.1	12.1	2.1	77	4.82	358.7	13.6	1.7	<1	0.1	69.7	0.4	3	<0.01
1211212	Rock	0.70	<2	0.2	6.9	29.2	11	0.2	4.6	1.9	112	0.80	4.9	1.0	3.7	4	<0.1	<0.1	0.3	2	0.02
1211213	Rock	0.40	<2	0.1	3.5	5.2	22	<0.1	6.6	3.8	426	1.15	3.5	<0.5	6.4	56	<0.1	0.2	<0.1	10	0.67
1211214	Rock	0.41	<2	0.2	12.0	10.9	20	<0.1	6.8	6.2	189	0.69	2.3	1.2	2.7	1	<0.1	0.4	0.1	<2	0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 29, 2011

CERTIFICATE OF ANALYSIS WHI11000864.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1212904	Rock	0.003	<1	6	0.03	3	<0.001	<20	0.06	<0.001	0.01	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1212905	Rock	0.009	14	7	0.08	64	0.005	<20	0.28	0.016	0.17	<0.1	0.02	<0.1	<0.05	0.5	<0.5	<1	<0.2
1212906	Rock	0.002	<1	5	<0.01	7	<0.001	<20	0.04	0.001	0.03	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
1211201	Rock	0.002	<1	5	<0.01	6	<0.001	<20	0.02	<0.001	0.01	<0.1	0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
1211202	Rock	0.007	9	6	0.05	66	0.002	<20	0.26	0.011	0.11	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1211203	Rock	0.008	10	5	0.05	49	0.001	<20	0.29	0.008	0.11	<0.1	<0.01	<0.1	<0.05	0.9	<0.5	<1	<0.2
1211204	Rock	0.057	8	6	<0.01	175	<0.001	<20	0.13	0.039	0.03	<0.1	<0.01	<0.1	0.18	0.4	<0.5	<1	<0.2
1211205	Rock	0.003	9	5	0.02	43	<0.001	<20	0.23	<0.001	0.15	<0.1	0.03	<0.1	<0.05	1.1	<0.5	<1	<0.2
1211206	Rock	0.023	2	6	0.05	36	<0.001	<20	0.17	0.013	<0.01	<0.1	<0.01	<0.1	<0.05	0.8	<0.5	<1	<0.2
1211207	Rock	0.003	8	5	0.01	23	<0.001	<20	0.16	0.001	0.12	<0.1	0.01	<0.1	<0.05	0.7	<0.5	<1	<0.2
1211208	Rock	0.009	5	5	0.04	221	<0.001	<20	0.19	0.002	0.03	<0.1	<0.01	<0.1	0.10	0.4	<0.5	<1	<0.2
1211209	Rock	0.021	1	9	<0.01	159	<0.001	<20	0.07	0.001	0.06	<0.1	0.03	0.2	0.27	0.2	<0.5	<1	<0.2
1211210	Rock	0.018	2	15	0.01	176	<0.001	<20	0.03	<0.001	<0.01	<0.1	<0.01	<0.1	0.21	<0.1	<0.5	<1	<0.2
1211211	Rock	0.016	4	6	<0.01	13	0.003	<20	0.13	<0.001	0.02	0.1	5.47	0.3	<0.05	0.4	1.7	<1	<0.2
1211212	Rock	0.008	8	6	0.02	128	0.002	<20	0.18	0.011	0.13	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1211213	Rock	0.011	13	12	0.19	32	0.010	<20	0.48	0.030	0.08	<0.1	0.05	<0.1	<0.05	1.2	<0.5	2	<0.2
1211214	Rock	0.005	6	5	0.04	73	0.004	<20	0.19	0.004	0.07	<0.1	0.02	<0.1	<0.05	0.3	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 29, 2011

QUALITY CONTROL REPORT WHI11000864.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1211803	Rock	0.90	14	0.2	8.9	9.5	13	<0.1	2.8	1.7	211	0.59	175.3	12.9	1.0	1	0.4	2.1	<0.1	<2	<0.01
REP 1211803	QC			0.2	8.1	9.1	13	<0.1	2.6	1.5	209	0.59	164.6	12.7	1.0	1	0.3	2.1	<0.1	<2	<0.01
1212906	Rock	0.67	<2	0.2	7.1	0.9	1	<0.1	4.7	1.7	46	0.52	4.9	1.8	0.4	<1	<0.1	0.4	<0.1	<2	<0.01
REP 1212906	QC			0.2	6.8	0.9	1	<0.1	4.7	1.5	44	0.52	5.0	1.7	0.4	<1	<0.1	0.4	<0.1	<2	<0.01
1211202	Rock	0.63	<2	0.1	7.0	8.3	11	<0.1	4.9	1.9	179	0.74	0.6	1.1	3.8	8	<0.1	0.4	<0.1	2	0.23
REP 1211202	QC		<2																		
Core Reject Duplicates																					
1212755	Rock	0.89	<2	0.2	4.0	21.5	35	<0.1	6.7	3.5	1105	0.95	1.3	<0.5	3.4	423	0.4	<0.1	<0.1	<2	7.64
DUP 1212755	QC		<2	0.2	4.2	18.3	37	<0.1	6.7	3.3	1091	0.94	1.3	<0.5	3.2	435	0.3	<0.1	<0.1	<2	7.44
1211211	Rock	0.44	13	0.7	15.5	4.3	17	0.1	12.1	2.1	77	4.82	358.7	13.6	1.7	<1	0.1	69.7	0.4	3	<0.01
DUP 1211211	QC		12	0.6	13.7	4.0	14	<0.1	10.5	1.9	80	4.55	321.5	16.6	1.6	1	0.2	62.4	0.3	3	<0.01
Reference Materials																					
STD DS8	Standard			13.0	105.0	126.2	310	1.6	35.9	7.2	609	2.44	24.5	110.7	6.3	62	2.3	4.5	5.7	40	0.69
STD DS8	Standard			14.3	120.6	131.7	356	2.4	43.0	8.4	676	2.82	27.9	136.1	8.7	78	3.0	4.1	7.7	48	0.84
STD DS8	Standard			14.5	108.2	127.3	323	2.0	39.5	8.0	627	2.51	25.1	101.4	6.9	65	2.5	3.8	6.7	43	0.72
STD OREAS45CA	Standard			1.0	506.3	21.6	59	0.2	255.2	84.6	952	15.76	3.4	36.1	7.3	15	0.2	0.1	0.2	220	0.41
STD OREAS45CA	Standard			0.8	577.0	25.7	71	0.4	281.5	104.3	1007	17.60	4.4	54.0	8.7	19	0.1	<0.1	0.2	237	0.45
STD OREAS45CA	Standard			0.8	513.7	20.8	63	0.2	256.6	95.8	948	16.61	3.3	35.2	7.1	15	0.1	<0.1	0.2	215	0.43
STD OXC88	Standard		203																		
STD OXC88	Standard		198																		
STD OXH82	Standard		1339																		
STD OXH82	Standard		1332																		
STD OXC88 Expected			203																		
STD OXH82 Expected			1278																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	4.8	6.67	41.1	0.7
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	43	7	15	0.1	0.13	0.19	215	0.4265
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 29, 2011

QUALITY CONTROL REPORT WHI11000864.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1211803	Rock		0.002	3	3	<0.01	43	<0.001	<20	0.13	0.002	0.08	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
REP 1211803	QC		0.002	3	3	<0.01	41	<0.001	<20	0.12	0.001	0.07	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1212906	Rock		0.002	<1	5	<0.01	7	<0.001	<20	0.04	0.001	0.03	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
REP 1212906	QC		0.002	1	5	<0.01	8	<0.001	<20	0.05	<0.001	0.03	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
1211202	Rock		0.007	9	6	0.05	66	0.002	<20	0.26	0.011	0.11	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
REP 1211202	QC																			
Core Reject Duplicates																				
1212755	Rock		0.008	10	4	0.11	83	0.001	<20	0.12	0.007	0.03	<0.1	<0.01	<0.1	<0.05	1.0	<0.5	<1	<0.2
DUP 1212755	QC		0.009	10	4	0.11	84	0.001	<20	0.13	0.008	0.03	<0.1	<0.01	<0.1	<0.05	1.0	<0.5	<1	<0.2
1211211	Rock		0.016	4	6	<0.01	13	0.003	<20	0.13	<0.001	0.02	0.1	5.47	0.3	<0.05	0.4	1.7	<1	<0.2
DUP 1211211	QC		0.015	4	7	<0.01	16	0.002	<20	0.12	<0.001	0.03	<0.1	4.59	0.1	<0.05	0.5	1.0	<1	<0.2
Reference Materials																				
STD DS8	Standard		0.079	13	109	0.60	279	0.105	<20	0.90	0.086	0.38	2.6	0.19	6.1	0.16	2.1	5.9	5	5.6
STD DS8	Standard		0.092	17	126	0.71	345	0.132	<20	1.06	0.098	0.47	3.2	0.26	6.4	0.19	2.5	5.6	5	5.2
STD DS8	Standard		0.077	16	120	0.64	288	0.111	<20	0.94	0.090	0.41	2.6	0.20	5.7	0.16	2.3	5.4	5	5.2
STD OREAS45CA	Standard		0.038	16	678	0.15	156	0.133	<20	3.72	0.005	0.07	<0.1	0.03	<0.1	<0.05	36.9	0.7	20	<0.2
STD OREAS45CA	Standard		0.044	19	766	0.17	208	0.153	<20	4.31	0.016	0.08	<0.1	0.03	<0.1	<0.05	42.9	0.9	21	<0.2
STD OREAS45CA	Standard		0.038	17	782	0.14	164	0.133	<20	3.72	0.011	0.07	<0.1	0.03	0.1	<0.05	37.1	<0.5	19	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXH82	Standard																			
STD OXH82	Standard																			
STD OXC88 Expected																				
STD OXH82 Expected																				
STD DS8 Expected			0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	5.4	0.1679	2.3	5.23	4.7	5
STD OREAS45CA Expected			0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 29, 2011

QUALITY CONTROL REPORT WHI11000864.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank		<2	0.3	3.0	4.8	61	<0.1	4.2	4.9	616	2.28	0.5	<0.5	5.9	77	<0.1	<0.1	<0.1	43	0.62
G1	Prep Blank		<2	0.2	3.1	4.2	59	<0.1	3.7	4.6	614	2.20	0.5	<0.5	5.9	65	<0.1	<0.1	<0.1	42	0.57

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 29, 2011

QUALITY CONTROL REPORT WHI11000864.1

		1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1	Prep Blank	0.091	12	8	0.65	237	0.156	<20	1.17	0.090	0.54	0.1	<0.01	0.3	<0.05	2.5	<0.5	6	<0.2
G1	Prep Blank	0.092	11	7	0.65	242	0.152	<20	1.09	0.082	0.50	<0.1	<0.01	0.3	<0.05	2.3	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 19, 2011
Report Date: November 14, 2011
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI11001727.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-7
P.O. Number
Number of Samples: 55

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	54	Crush, split and pulverize 250 g rock to 200 mesh			VAN
3B	54	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	54	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001727.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1236301	Rock	0.76	2	0.1	4.2	16.8	9	<0.1	3.3	2.2	494	0.81	<0.5	<0.5	3.7	503	<0.1	<0.1	<0.1	<2	10.95
1236302	Rock	0.66	56	0.2	9.5	3.2	15	0.3	9.4	5.3	846	1.25	513.9	49.4	4.7	5	<0.1	8.3	<0.1	5	0.07
1236303	Rock	0.76	<2	0.2	35.0	10.7	41	<0.1	12.3	5.9	210	4.35	9.7	2.9	5.5	10	<0.1	5.0	0.1	17	0.17
1236304	Rock	0.93	3	<0.1	52.6	2.8	62	<0.1	8.1	6.9	770	4.15	1.6	1.3	3.4	5	<0.1	<0.1	0.1	36	0.13
1236305	Rock	0.91	<2	0.3	103.2	7.0	78	<0.1	87.8	36.0	2085	4.88	0.7	<0.5	4.6	6	0.2	<0.1	<0.1	37	0.25
1236306	Rock	0.95	14	0.2	45.3	6.2	60	<0.1	46.2	22.1	719	3.84	307.8	9.3	3.7	3	<0.1	6.3	<0.1	59	0.07
1236307	Rock	1.20	<2	0.5	119.2	5.2	63	<0.1	41.6	23.3	659	4.61	35.8	<0.5	4.8	5	<0.1	0.2	<0.1	65	0.20
1236308	Rock	0.28	18	1.1	122.4	67.1	60	0.2	72.3	31.2	800	4.41	273.5	7.5	6.0	11	<0.1	2.4	1.0	40	0.22
1236309	Rock	0.81	3	0.9	38.7	14.7	51	<0.1	18.9	13.7	570	3.37	6.5	<0.5	4.2	7	<0.1	<0.1	0.3	26	0.17
1236310	Rock	0.56	5	0.1	159.2	10.6	85	0.1	63.1	33.0	894	6.37	5.7	3.4	1.4	8	0.1	<0.1	0.1	103	0.48
1236311	Rock	0.68	4	<0.1	110.4	6.6	87	<0.1	32.7	23.3	879	6.90	0.8	1.9	3.8	14	<0.1	<0.1	0.2	52	0.24
1236312	Rock	0.83	8	0.1	71.7	5.9	73	<0.1	48.7	24.0	795	5.35	22.0	1.5	5.0	5	<0.1	0.3	0.1	53	0.22
1236313	Rock	0.98	184	0.6	90.0	7.8	70	0.1	53.2	18.0	533	4.64	952.8	123.7	4.4	6	<0.1	13.1	0.1	13	0.08
1236314	Rock	0.99	15	0.4	56.6	9.1	53	<0.1	45.3	22.6	1747	3.67	129.4	17.7	2.7	12	0.1	0.2	<0.1	56	0.75
1236315	Rock	0.73	<2	<0.1	44.6	3.0	42	<0.1	36.4	18.0	486	3.22	4.2	4.3	1.4	8	<0.1	<0.1	<0.1	61	0.51
1236316	Rock	1.04	<2	0.2	5.1	8.6	14	<0.1	4.8	3.2	255	0.66	3.7	1.1	5.2	3	<0.1	0.2	0.1	3	0.03
1236317	Rock	0.82	7	0.1	2.3	1.6	11	<0.1	3.3	1.0	64	0.55	36.3	7.6	4.0	1	<0.1	0.2	<0.1	<2	<0.01
1236318	Rock	0.49	<2	<0.1	9.3	8.8	22	<0.1	4.5	2.0	88	0.87	11.2	<0.5	4.1	2	<0.1	0.4	0.2	<2	0.01
1236319	Rock	0.83	<2	0.3	62.7	6.1	86	<0.1	59.1	30.3	1179	5.67	2.0	0.5	10.0	5	<0.1	<0.1	0.1	39	0.13
1236320	Rock	0.93	<2	0.2	98.6	3.0	78	<0.1	49.5	31.9	775	5.72	1.5	<0.5	3.4	4	<0.1	<0.1	<0.1	69	0.22
1236321	Rock	0.59	<2	0.1	95.5	3.2	81	<0.1	62.5	34.8	927	5.29	0.9	<0.5	9.1	6	<0.1	<0.1	<0.1	35	0.22
1219901	Rock	1.08	<2	0.2	24.5	10.4	50	<0.1	21.1	10.9	162	2.41	3.6	0.8	11.9	15	<0.1	<0.1	0.4	12	0.08
1219902	Rock	0.86	<2	<0.1	20.3	2.9	31	<0.1	23.9	11.1	473	2.38	<0.5	<0.5	2.7	20	<0.1	<0.1	<0.1	66	0.71
1219903	Rock	0.97	<2	0.1	40.4	3.5	57	<0.1	38.8	18.8	1145	4.11	60.6	4.2	2.9	6	<0.1	1.5	<0.1	35	0.37
1219904	Rock	1.32	5	0.5	100.0	25.1	86	<0.1	58.4	36.5	917	6.13	2.4	<0.5	7.5	4	<0.1	<0.1	0.4	48	0.14
1219905	Rock	0.67	<2	0.4	94.1	8.4	75	<0.1	26.3	17.6	708	5.31	2.6	<0.5	5.0	7	<0.1	0.2	0.2	58	0.23
1219906	Rock	1.20	<2	0.2	7.9	2.6	10	<0.1	3.1	1.3	82	0.69	8.1	<0.5	4.7	1	<0.1	0.3	<0.1	<2	<0.01
1219907	Rock	1.14	<2	<0.1	50.8	9.4	42	0.2	16.8	9.6	134	2.49	7.5	<0.5	6.2	5	0.1	0.2	0.1	15	0.07
1219908	Rock	1.22	11	0.7	68.8	7.6	67	<0.1	49.9	25.7	984	4.09	251.6	7.9	3.8	3	<0.1	11.6	0.1	65	0.05
1219909	Rock	0.59	53	<0.1	1.3	3.2	2	<0.1	0.8	0.5	23	0.31	1019	53.1	2.4	2	<0.1	1.3	1.0	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy Co**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001727.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1236301	Rock	0.032	11	1	0.20	26	0.001	<20	0.17	0.008	0.11	<0.1	<0.01	<0.1	<0.05	1.4	<0.5	<1	<0.2
1236302	Rock	0.007	15	4	0.02	70	<0.001	<20	0.26	0.003	0.14	<0.1	0.06	0.2	<0.05	2.5	<0.5	<1	<0.2
1236303	Rock	0.014	4	14	0.37	33	0.003	<20	0.90	<0.001	0.08	<0.1	0.04	0.1	0.07	0.8	<0.5	3	<0.2
1236304	Rock	0.007	5	55	1.18	26	0.113	<20	2.03	0.004	0.23	<0.1	<0.01	<0.1	0.06	3.9	<0.5	6	<0.2
1236305	Rock	0.035	15	40	1.11	70	0.021	<20	2.14	0.009	0.22	<0.1	<0.01	<0.1	<0.05	4.8	<0.5	6	<0.2
1236306	Rock	0.014	8	51	1.13	29	0.036	<20	1.88	0.008	0.12	<0.1	<0.01	<0.1	<0.05	4.5	<0.5	6	<0.2
1236307	Rock	0.026	9	55	1.47	54	0.126	<20	2.51	0.008	0.26	<0.1	<0.01	<0.1	<0.05	5.3	<0.5	7	<0.2
1236308	Rock	0.031	17	31	1.13	81	0.156	<20	2.17	0.004	0.42	<0.1	<0.01	0.1	<0.05	3.8	<0.5	7	<0.2
1236309	Rock	0.022	22	20	0.81	52	0.150	<20	1.68	0.004	0.36	<0.1	<0.01	<0.1	<0.05	2.7	<0.5	5	<0.2
1236310	Rock	0.033	3	89	1.87	61	0.201	<20	3.38	0.047	0.22	<0.1	<0.01	<0.1	0.06	4.9	<0.5	11	<0.2
1236311	Rock	0.036	8	58	1.69	102	0.206	<20	3.33	0.006	0.69	<0.1	<0.01	0.2	0.08	4.6	<0.5	9	<0.2
1236312	Rock	0.037	11	44	1.58	56	0.132	<20	2.83	0.004	0.36	<0.1	<0.01	<0.1	<0.05	4.8	<0.5	8	<0.2
1236313	Rock	0.019	18	14	0.07	28	<0.001	<20	0.47	0.004	0.22	<0.1	<0.01	<0.1	<0.05	5.4	<0.5	<1	<0.2
1236314	Rock	0.014	7	55	0.93	54	0.063	<20	1.72	0.006	0.13	<0.1	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1236315	Rock	0.013	2	52	1.26	54	0.170	<20	1.93	0.008	0.35	<0.1	<0.01	<0.1	<0.05	2.2	<0.5	6	<0.2
1236316	Rock	0.007	12	3	0.08	85	0.005	<20	0.27	0.018	0.14	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1236317	Rock	0.008	13	2	0.02	34	<0.001	<20	0.22	0.001	0.16	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1236318	Rock	0.009	12	2	0.02	35	<0.001	<20	0.25	0.002	0.17	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1236319	Rock	0.048	27	35	1.56	55	0.006	<20	2.86	<0.001	0.31	<0.1	<0.01	<0.1	<0.05	5.0	<0.5	8	<0.2
1236320	Rock	0.030	6	61	1.69	59	0.125	<20	2.83	0.008	0.22	<0.1	<0.01	<0.1	0.14	4.8	<0.5	8	<0.2
1236321	Rock	0.052	19	35	1.33	54	0.160	<20	2.56	0.001	0.30	<0.1	<0.01	<0.1	<0.05	4.4	<0.5	7	<0.2
1219901	Rock	0.029	22	14	0.58	65	0.010	<20	1.39	0.009	0.39	<0.1	<0.01	<0.1	<0.05	1.0	<0.5	3	<0.2
1219902	Rock	0.010	6	56	0.63	17	0.109	<20	1.09	0.013	0.06	<0.1	<0.01	<0.1	<0.05	3.9	<0.5	3	<0.2
1219903	Rock	0.012	10	31	0.75	15	0.002	<20	1.19	0.004	0.14	<0.1	<0.01	<0.1	<0.05	4.8	<0.5	3	<0.2
1219904	Rock	0.035	13	39	1.58	48	0.122	<20	2.90	0.001	0.24	<0.1	<0.01	<0.1	<0.05	4.4	<0.5	8	<0.2
1219905	Rock	0.036	10	45	1.40	55	0.187	<20	2.65	0.001	0.34	<0.1	<0.01	<0.1	<0.05	3.7	<0.5	7	<0.2
1219906	Rock	0.008	12	3	0.02	26	<0.001	<20	0.21	0.002	0.14	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1219907	Rock	0.017	11	11	0.47	67	0.007	<20	1.12	0.001	0.33	<0.1	<0.01	<0.1	0.10	1.1	<0.5	3	<0.2
1219908	Rock	0.020	10	55	1.10	30	0.012	<20	1.91	0.010	0.14	<0.1	<0.01	<0.1	<0.05	5.1	<0.5	6	<0.2
1219909	Rock	0.004	12	2	0.02	44	0.001	<20	0.20	0.001	0.13	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001727.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1219910	Rock	0.89	<2	0.5	98.6	11.6	69	<0.1	35.5	21.6	875	4.75	5.9	1.6	4.4	3	<0.1	0.3	0.2	62	0.12
1219911	Rock	0.66	<2	0.3	56.4	4.5	68	<0.1	29.0	19.1	820	5.03	11.5	<0.5	4.4	9	<0.1	<0.1	0.2	54	0.18
1235651	Rock	0.86	<2	0.6	89.2	12.1	87	<0.1	34.4	22.1	1071	6.13	29.2	<0.5	5.9	7	<0.1	<0.1	0.2	57	0.17
1235652	Rock	1.33	<2	<0.1	28.6	15.8	6	<0.1	5.5	2.9	98	0.56	0.6	1.7	0.5	3	<0.1	0.2	0.2	4	0.11
1235656	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1235657	Rock	1.06	<2	0.6	118.1	21.0	82	<0.1	46.3	24.2	1025	5.39	46.4	0.9	4.7	5	<0.1	<0.1	0.3	44	0.12
1235658	Rock	0.93	<2	0.1	47.9	9.3	54	<0.1	34.9	18.8	1075	3.78	3.6	1.2	3.7	18	0.1	6.8	0.1	69	1.77
1235659	Rock	0.72	<2	0.2	86.7	6.4	51	<0.1	39.9	18.8	1076	3.61	<0.5	1.5	4.3	31	0.1	0.2	<0.1	49	2.59
1235660	Rock	0.99	<2	0.3	81.6	22.7	84	0.1	34.0	20.9	838	5.77	1.3	0.8	11.8	9	<0.1	0.1	0.4	48	0.18
1235661	Rock	1.10	<2	0.3	32.1	5.5	28	<0.1	20.9	10.5	537	2.12	0.8	0.7	3.0	36	<0.1	<0.1	<0.1	52	2.15
1235662	Rock	0.72	<2	0.1	36.2	11.7	51	<0.1	28.0	13.7	531	3.02	1.8	0.6	6.8	15	<0.1	0.3	0.2	27	0.35
1235663	Rock	1.13	<2	0.4	105.5	2.8	86	<0.1	62.6	35.1	1076	6.16	<0.5	1.6	2.3	4	<0.1	<0.1	<0.1	98	0.25
1235664	Rock	0.94	45	0.2	1554	2.3	93	1.6	66.0	38.4	688	4.59	19.7	20.7	2.8	14	1.4	0.2	<0.1	102	0.83
1235665	Rock	0.85	<2	0.2	70.9	4.8	42	<0.1	17.3	9.6	339	3.47	<0.5	1.0	1.4	3	<0.1	0.2	<0.1	52	0.12
1236342	Rock	0.85	4	0.5	49.0	30.2	36	0.2	26.2	14.7	700	1.99	81.3	5.8	2.4	3	<0.1	21.3	0.4	10	0.05
1236343	Rock	0.65	70	0.4	43.7	10.4	24	1.6	14.6	3.6	278	4.32	1343	73.4	5.6	3	0.2	53.2	0.2	25	0.04
1236344	Rock	0.81	<2	1.1	15.1	15.6	3	1.4	8.7	1.3	34	2.39	24.4	1.4	0.5	33	<0.1	5.2	<0.1	23	0.08
1236345	Rock	1.03	8	0.6	168.2	3.3	28	<0.1	25.8	14.8	338	3.30	96.6	7.4	5.6	4	0.1	0.5	<0.1	28	0.07
1236346	Rock	1.30	<2	0.1	6.1	7.4	19	<0.1	16.8	6.7	474	1.46	2.1	0.7	6.5	6	<0.1	0.2	<0.1	4	0.23
1236347	Rock	0.90	<2	0.6	173.0	7.3	58	<0.1	38.4	22.0	503	4.67	1.1	0.6	3.1	3	<0.1	0.1	0.2	85	0.12
1236348	Rock	0.81	<2	0.6	152.1	6.4	62	0.1	34.5	20.1	384	4.84	0.6	<0.5	4.2	13	<0.1	0.3	0.2	132	0.11
1235573	Rock	0.91	44	0.7	58.5	17.4	70	<0.1	20.1	14.0	762	5.19	156.0	31.2	6.4	20	<0.1	2.3	0.4	50	0.10
1235574	Rock	3.19	<2	0.3	12.5	14.0	8	<0.1	9.0	4.3	181	0.70	12.6	3.3	0.3	<1	<0.1	0.2	0.2	4	0.03
1235575	Rock	1.35	3	1.7	167.4	15.8	90	<0.1	81.0	43.6	895	5.91	8.6	2.3	11.6	7	<0.1	0.5	0.3	31	0.08
1235576	Rock	1.67	<2	0.4	137.3	61.0	14	0.3	12.3	7.2	411	0.80	3.7	3.2	0.8	9	<0.1	0.5	1.0	3	0.19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001727.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1219910	Rock	0.015	8	48	1.26	50	0.068	<20	2.22	0.001	0.08	<0.1	<0.01	<0.1	0.11	2.9	<0.5	6	<0.2
1219911	Rock	0.027	8	48	1.35	58	0.176	<20	2.48	0.005	0.29	<0.1	<0.01	<0.1	<0.05	3.7	<0.5	7	<0.2
1235651	Rock	0.046	15	47	1.56	51	0.112	<20	2.89	0.003	0.27	<0.1	<0.01	<0.1	<0.05	4.7	<0.5	8	<0.2
1235652	Rock	0.004	1	3	0.12	13	0.016	<20	0.21	0.004	0.06	0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1235656	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1235657	Rock	0.042	11	35	1.24	47	0.072	<20	2.33	0.008	0.27	<0.1	<0.01	<0.1	<0.05	3.9	<0.5	6	<0.2
1235658	Rock	0.020	13	49	0.93	31	0.008	<20	1.70	<0.001	0.10	<0.1	<0.01	<0.1	<0.05	6.3	<0.5	5	<0.2
1235659	Rock	0.026	12	44	0.89	43	0.007	<20	1.63	0.012	0.17	<0.1	<0.01	0.1	0.10	6.0	<0.5	5	<0.2
1235660	Rock	0.068	19	42	1.71	69	0.169	<20	3.12	0.003	0.42	<0.1	<0.01	0.1	<0.05	4.8	<0.5	9	<0.2
1235661	Rock	0.021	6	37	0.55	28	0.127	<20	1.03	0.017	0.14	<0.1	<0.01	<0.1	<0.05	2.9	<0.5	3	<0.2
1235662	Rock	0.018	12	28	0.74	58	0.038	<20	1.53	0.019	0.29	<0.1	<0.01	<0.1	<0.05	2.2	<0.5	4	<0.2
1235663	Rock	0.023	2	77	1.56	73	0.244	<20	3.07	0.026	0.52	<0.1	<0.01	0.1	0.17	4.3	<0.5	8	<0.2
1235664	Rock	0.011	4	107	1.69	14	0.270	<20	2.46	<0.001	0.07	<0.1	0.02	<0.1	0.18	4.1	<0.5	6	<0.2
1235665	Rock	0.016	3	42	0.97	32	0.220	<20	1.55	0.006	0.13	<0.1	<0.01	<0.1	<0.05	2.4	<0.5	4	<0.2
1236342	Rock	0.005	9	6	0.03	52	<0.001	<20	0.22	0.002	0.15	<0.1	0.09	0.2	<0.05	1.9	<0.5	<1	<0.2
1236343	Rock	0.011	12	14	0.01	23	0.001	<20	0.22	0.002	0.07	<0.1	0.15	0.4	<0.05	1.0	<0.5	1	<0.2
1236344	Rock	0.048	3	12	0.01	148	0.002	<20	0.11	0.003	0.05	0.3	0.18	0.8	2.24	0.3	9.6	<1	<0.2
1236345	Rock	0.025	16	27	0.52	44	0.013	<20	1.09	0.015	0.23	<0.1	<0.01	<0.1	<0.05	2.9	<0.5	3	<0.2
1236346	Rock	0.006	27	6	0.20	73	0.002	<20	0.42	0.042	0.04	<0.1	<0.01	<0.1	0.11	1.1	<0.5	1	<0.2
1236347	Rock	0.016	5	72	1.34	41	0.159	<20	2.15	0.026	0.29	<0.1	<0.01	<0.1	0.38	5.2	<0.5	6	<0.2
1236348	Rock	0.019	6	84	1.32	68	0.101	<20	2.36	0.041	0.38	<0.1	<0.01	<0.1	0.18	9.0	<0.5	7	<0.2
1235573	Rock	0.033	15	43	1.51	69	0.216	<20	2.66	0.009	0.36	<0.1	<0.01	<0.1	0.07	4.2	<0.5	8	<0.2
1235574	Rock	0.004	1	5	0.14	6	0.006	<20	0.23	0.002	0.03	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1235575	Rock	0.056	39	28	1.16	57	0.004	<20	2.21	0.009	0.31	<0.1	<0.01	<0.1	<0.05	5.2	<0.5	6	<0.2
1235576	Rock	0.013	5	6	0.08	15	0.002	<20	0.18	0.002	0.06	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001727.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1236305	Rock	0.91	<2	0.3	103.2	7.0	78	<0.1	87.8	36.0	2085	4.88	0.7	<0.5	4.6	6	0.2	<0.1	<0.1	37	0.25
REP 1236305	QC			0.2	106.6	7.1	80	<0.1	89.3	37.4	2158	5.07	0.8	<0.5	4.6	6	0.2	<0.1	<0.1	38	0.25
1236311	Rock	0.68	4	<0.1	110.4	6.6	87	<0.1	32.7	23.3	879	6.90	0.8	1.9	3.8	14	<0.1	<0.1	0.2	52	0.24
REP 1236311	QC		2																		
1236348	Rock	0.81	<2	0.6	152.1	6.4	62	0.1	34.5	20.1	384	4.84	0.6	<0.5	4.2	13	<0.1	0.3	0.2	132	0.11
REP 1236348	QC		<2																		
1235574	Rock	3.19	<2	0.3	12.5	14.0	8	<0.1	9.0	4.3	181	0.70	12.6	3.3	0.3	<1	<0.1	0.2	0.2	4	0.03
REP 1235574	QC			0.3	12.0	14.2	8	<0.1	8.4	4.3	175	0.65	12.1	0.9	0.3	1	<0.1	0.2	0.2	4	0.03
Core Reject Duplicates																					
1236317	Rock	0.82	7	0.1	2.3	1.6	11	<0.1	3.3	1.0	64	0.55	36.3	7.6	4.0	1	<0.1	0.2	<0.1	<2	<0.01
DUP 1236317	QC		4	0.1	2.6	1.6	10	<0.1	3.6	1.1	67	0.56	34.6	7.2	4.0	1	<0.1	0.1	<0.1	<2	<0.01
1235573	Rock	0.91	44	0.7	58.5	17.4	70	<0.1	20.1	14.0	762	5.19	156.0	31.2	6.4	20	<0.1	2.3	0.4	50	0.10
DUP 1235573	QC		46	0.5	58.4	18.1	71	<0.1	19.8	13.9	747	5.12	163.9	34.7	6.3	20	<0.1	2.4	0.4	50	0.10
Reference Materials																					
STD DS8	Standard			14.1	120.3	130.9	319	1.7	41.7	8.1	619	2.55	26.6	97.2	7.1	70	2.6	5.4	7.2	43	0.72
STD DS8	Standard			13.8	107.9	110.0	300	1.6	38.6	7.4	574	2.44	19.9	91.9	6.2	68	2.2	2.2	6.4	40	0.71
STD OREAS45CA	Standard			0.9	517.2	20.5	61	0.3	254.2	91.9	925	16.19	4.4	40.4	7.0	16	0.1	0.1	0.2	213	0.42
STD OREAS45CA	Standard			0.6	535.3	19.9	64	0.3	266.3	90.9	920	16.82	3.3	40.1	6.6	16	<0.1	<0.1	0.2	207	0.41
STD OXC88	Standard		190																		
STD OXC88	Standard		191																		
STD OXH82	Standard		1302																		
STD OXH82	Standard		1241																		
STD OXH82	Standard		1231																		
STD OXC88 Expected			203																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	4.8	6.67	41.1	0.7
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	43	7	15	0.1	0.13	0.19	215	0.4265
STD OXH82 Expected			1278																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001727.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																			
1236305	Rock	0.035	15	40	1.11	70	0.021	<20	2.14	0.009	0.22	<0.1	<0.01	<0.1	<0.05	4.8	<0.5	6	<0.2
REP 1236305	QC	0.036	15	41	1.14	71	0.016	<20	2.20	0.008	0.22	<0.1	<0.01	<0.1	<0.05	5.2	<0.5	6	<0.2
1236311	Rock	0.036	8	58	1.69	102	0.206	<20	3.33	0.006	0.69	<0.1	<0.01	0.2	0.08	4.6	<0.5	9	<0.2
REP 1236311	QC																		
1236348	Rock	0.019	6	84	1.32	68	0.101	<20	2.36	0.041	0.38	<0.1	<0.01	<0.1	0.18	9.0	<0.5	7	<0.2
REP 1236348	QC																		
1235574	Rock	0.004	1	5	0.14	6	0.006	<20	0.23	0.002	0.03	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
REP 1235574	QC	0.004	1	5	0.14	6	0.006	<20	0.23	0.001	0.03	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
Core Reject Duplicates																			
1236317	Rock	0.008	13	2	0.02	34	<0.001	<20	0.22	0.001	0.16	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
DUP 1236317	QC	0.008	13	3	0.01	33	<0.001	<20	0.21	0.002	0.15	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1235573	Rock	0.033	15	43	1.51	69	0.216	<20	2.66	0.009	0.36	<0.1	<0.01	<0.1	0.07	4.2	<0.5	8	<0.2
DUP 1235573	QC	0.034	15	43	1.50	68	0.213	<20	2.64	0.009	0.36	<0.1	<0.01	<0.1	0.07	4.4	0.5	8	<0.2
Reference Materials																			
STD DS8	Standard	0.078	15	124	0.63	298	0.132	<20	0.96	0.097	0.43	3.0	0.21	5.4	0.17	2.0	5.6	5	5.0
STD DS8	Standard	0.063	15	116	0.60	269	0.085	<20	0.91	0.091	0.41	1.7	0.18	4.8	0.16	2.0	4.5	4	4.8
STD OREAS45CA	Standard	0.036	16	667	0.16	156	0.154	<20	3.68	0.008	0.07	<0.1	0.03	<0.1	<0.05	37.2	0.8	18	<0.2
STD OREAS45CA	Standard	0.037	16	678	0.16	157	0.134	<20	4.12	0.007	0.08	<0.1	0.03	<0.1	<0.05	36.3	0.8	19	<0.2
STD OXC88	Standard																		
STD OXC88	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXC88 Expected																			
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	5.4	0.1679	2.3	5.23	4.7	5
STD OREAS45CA Expected		0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD OXH82 Expected																			
BLK	Blank																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001727.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
Prep Wash																					
G1	Prep Blank	<0.01	<2	<0.1	2.1	3.3	45	<0.1	2.5	3.8	567	2.00	<0.5	1.1	6.7	75	<0.1	<0.1	<0.1	39	0.54
G1	Prep Blank	<0.01	<2	0.1	2.1	3.0	44	<0.1	2.4	3.7	545	1.91	<0.5	0.6	5.6	71	<0.1	<0.1	0.1	37	0.51

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001727.1

		1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1	Prep Blank	0.072	17	4	0.51	158	0.139	<20	0.95	0.086	0.47	<0.1	<0.01	0.2	<0.05	2.2	<0.5	5	<0.2
G1	Prep Blank	0.071	14	5	0.49	150	0.127	<20	0.89	0.077	0.45	<0.1	<0.01	0.3	<0.05	2.0	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 19, 2011
Report Date: November 14, 2011
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI11001728.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-S_1
P.O. Number
Number of Samples: 33

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	33	Crush, split and pulverize 250 g rock to 200 mesh			VAN
3B	33	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	33	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy Co**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001728.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1235577	Rock	2.49	492	0.3	16.6	26.4	32	<0.1	11.0	4.3	268	1.77	87.0	155.4	11.6	3	<0.1	0.1	0.2	6	<0.01
1235578	Rock	2.70	278	0.5	29.3	16.1	79	<0.1	23.8	6.8	267	4.16	1588	164.3	11.9	13	0.1	0.2	0.2	19	0.01
1235579	Rock	1.29	28	<0.1	18.1	8.2	29	<0.1	12.0	6.0	223	1.80	31.2	26.1	7.1	3	<0.1	<0.1	<0.1	6	0.01
1235580	Rock	1.52	470	0.2	22.9	6.8	18	<0.1	10.3	6.7	125	1.25	139.5	387.2	3.2	2	<0.1	0.1	<0.1	4	<0.01
1235581	Rock	2.13	40	0.1	13.6	3.0	6	<0.1	2.4	1.1	101	0.80	17.7	56.2	0.6	4	<0.1	0.1	<0.1	<2	0.14
1235582	Rock	1.90	2777	0.3	14.8	9.6	32	<0.1	8.1	3.0	74	1.56	44.5	125.0	3.6	3	<0.1	0.1	<0.1	2	<0.01
1235583	Rock	2.54	5928	0.2	2.1	9.6	16	0.7	8.3	3.4	91	2.09	>10000	8692	7.4	18	0.1	3.0	1.0	<2	0.06
1235584	Rock	1.91	454	0.3	8.6	12.7	17	0.1	8.6	4.4	101	1.54	7868	412.7	8.9	14	0.2	1.3	0.7	<2	0.05
1235588	Rock	2.53	1845	0.1	24.1	12.3	52	<0.1	21.7	9.6	245	2.39	2967	780.1	4.9	8	0.2	0.5	0.2	5	0.01
1235589	Rock	2.56	44	<0.1	2.1	6.7	10	<0.1	3.9	1.5	134	0.50	564.8	8.2	2.6	2	0.1	0.2	0.1	<2	0.01
1235590	Rock	2.36	<2	0.2	19.9	11.9	18	<0.1	5.1	2.0	430	1.22	9.1	<0.5	1.3	23	<0.1	<0.1	0.3	<2	0.48
1235591	Rock	1.38	60	0.6	31.5	6.1	116	<0.1	45.3	27.4	879	5.30	34.4	1.6	6.1	13	<0.1	0.1	0.5	62	0.18
1235592	Rock	1.66	<2	<0.1	4.9	1.4	14	<0.1	9.0	4.6	193	1.22	2.4	2.5	0.8	<1	<0.1	<0.1	<0.1	21	0.01
1235593	Rock	1.72	6	0.2	34.3	7.8	12	<0.1	7.0	3.3	135	0.99	3.6	<0.5	0.5	<1	<0.1	0.5	0.1	7	0.02
1235653	Rock	1.19	<2	0.4	87.9	12.4	71	<0.1	33.7	21.8	825	5.05	3.9	0.5	3.8	6	<0.1	<0.1	0.2	57	0.20
1235654	Rock	1.31	121	0.4	31.0	6.6	29	<0.1	8.0	4.4	258	1.89	29.1	37.0	5.5	8	<0.1	0.1	0.1	3	0.06
1235595	Rock	2.04	4	0.2	107.6	9.0	31	0.1	10.3	4.9	511	2.92	4.1	4.6	2.9	27	<0.1	<0.1	0.2	12	0.28
1236322	Rock	0.80	4	0.2	9.0	7.4	19	<0.1	7.2	2.6	417	1.14	6.9	1.2	6.8	3	<0.1	0.1	<0.1	<2	0.02
1236323	Rock	0.66	35	0.2	29.5	5.8	11	<0.1	21.8	6.6	395	1.37	27.6	50.8	0.3	7	<0.1	1.4	0.2	<2	0.58
1236324	Rock	1.16	97	<0.1	11.3	13.0	30	<0.1	6.5	3.0	297	1.32	2066	75.8	6.4	5	<0.1	0.6	1.2	4	0.07
1236325	Rock	1.28	87	0.2	28.6	11.7	42	0.1	15.6	6.7	369	2.01	1933	65.2	9.7	21	<0.1	0.7	1.0	9	0.44
1236326	Rock	0.83	518	0.1	7.5	28.2	78	0.2	17.0	9.9	872	3.79	>10000	376.4	10.1	58	0.1	7.8	2.0	3	1.38
1236332	Rock	1.04	4	1.7	71.3	43.9	97	0.1	56.1	26.5	189	3.14	21.8	<0.5	15.4	21	<0.1	<0.1	0.7	4	0.06
1236333	Rock	0.97	10	0.2	10.4	5.1	47	<0.1	19.9	7.2	482	2.41	32.5	9.0	7.9	26	<0.1	<0.1	0.2	27	0.35
1236334	Rock	1.57	31	0.3	17.1	13.2	39	<0.1	12.1	5.6	518	2.01	3.7	15.2	7.8	19	0.2	<0.1	0.8	17	0.25
1236335	Rock	0.64	3	0.7	31.0	15.8	91	<0.1	22.4	12.6	352	4.47	11.6	0.8	17.3	8	<0.1	<0.1	0.3	26	0.17
1236336	Rock	0.98	<2	1.1	60.7	32.3	49	0.1	19.9	11.1	260	3.71	3.9	<0.5	15.0	12	<0.1	<0.1	0.6	16	0.22
1236337	Rock	0.51	<2	0.1	35.6	7.8	129	<0.1	28.8	13.6	454	4.87	3.0	<0.5	10.4	12	<0.1	<0.1	0.2	28	0.19
1236338	Rock	1.09	<2	0.3	23.4	11.8	117	<0.1	22.7	11.8	176	4.14	3.6	<0.5	11.8	8	<0.1	<0.1	0.2	18	0.05
1236339	Rock	1.02	<2	0.4	17.0	15.2	38	<0.1	14.4	5.1	419	1.93	3.3	<0.5	8.6	16	<0.1	<0.1	0.2	11	0.29

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy Co**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001728.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1235577	Rock	0.008	17	12	0.18	65	0.001	<20	0.58	0.027	0.10	0.1	0.01	<0.1	<0.05	1.1	<0.5	2	<0.2
1235578	Rock	0.012	20	25	0.83	103	0.003	<20	2.05	0.026	0.19	<0.1	0.01	<0.1	<0.05	2.2	<0.5	7	0.2
1235579	Rock	0.009	14	12	0.21	43	0.001	<20	0.67	0.025	0.09	0.1	0.01	<0.1	<0.05	1.0	0.5	2	<0.2
1235580	Rock	0.002	7	12	0.11	73	<0.001	<20	0.35	0.004	0.07	<0.1	0.02	<0.1	<0.05	0.6	<0.5	1	<0.2
1235581	Rock	0.003	1	7	0.02	73	<0.001	<20	0.09	0.002	0.02	0.2	0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1235582	Rock	0.005	10	5	0.16	38	<0.001	<20	0.38	0.003	0.08	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	1	<0.2
1235583	Rock	0.007	8	9	0.09	81	0.003	<20	0.34	0.037	0.07	0.6	0.02	0.1	0.65	0.5	0.5	<1	0.6
1235584	Rock	0.004	12	4	0.05	144	<0.001	<20	0.35	0.054	0.09	0.2	0.02	<0.1	0.25	0.5	<0.5	<1	0.7
1235588	Rock	0.003	8	15	0.49	85	0.003	<20	0.91	0.063	0.08	0.7	<0.01	<0.1	0.12	1.8	<0.5	2	0.2
1235589	Rock	0.004	5	2	<0.01	48	<0.001	<20	0.14	0.030	0.04	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1235590	Rock	0.029	2	5	0.18	8	<0.001	<20	0.29	0.003	0.07	<0.1	0.01	<0.1	0.12	0.5	<0.5	<1	<0.2
1235591	Rock	0.061	17	55	1.00	145	0.129	<20	3.97	0.078	1.08	<0.1	<0.01	0.5	0.58	6.6	<0.5	13	<0.2
1235592	Rock	0.004	2	19	0.33	9	0.011	<20	0.53	0.009	0.04	<0.1	<0.01	<0.1	<0.05	1.4	<0.5	2	<0.2
1235593	Rock	0.005	1	5	0.17	6	0.005	<20	0.34	0.004	0.03	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	<1	<0.2
1235653	Rock	0.030	7	50	1.49	54	0.154	<20	2.64	0.013	0.27	<0.1	<0.01	<0.1	<0.05	3.9	<0.5	8	<0.2
1235654	Rock	0.026	12	4	0.26	62	0.002	<20	0.61	0.031	0.12	0.2	<0.01	<0.1	<0.05	0.9	<0.5	1	<0.2
1235595	Rock	0.026	6	10	0.60	55	0.025	<20	1.02	0.014	0.09	0.1	<0.01	<0.1	0.10	1.9	<0.5	3	<0.2
1236322	Rock	0.011	13	5	0.02	82	0.001	<20	0.21	0.033	0.09	<0.1	0.02	<0.1	<0.05	0.5	<0.5	<1	<0.2
1236323	Rock	0.003	<1	1	0.02	29	<0.001	<20	0.08	0.005	0.02	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1236324	Rock	0.007	10	8	0.12	27	0.002	<20	0.34	0.036	0.10	0.3	<0.01	<0.1	0.09	1.1	<0.5	<1	<0.2
1236325	Rock	0.006	11	20	0.34	17	0.008	<20	0.56	0.068	0.09	3.8	0.01	<0.1	0.44	2.2	<0.5	2	<0.2
1236326	Rock	0.002	8	12	0.39	57	0.003	<20	0.63	0.062	0.20	0.3	<0.01	<0.1	1.23	2.0	0.5	1	0.5
1236332	Rock	0.025	31	5	0.08	49	<0.001	<20	0.59	0.037	0.20	<0.1	0.01	<0.1	<0.05	1.4	<0.5	<1	<0.2
1236333	Rock	0.010	14	27	0.57	100	0.061	<20	1.73	0.104	0.46	<0.1	0.01	0.2	0.08	2.3	<0.5	5	<0.2
1236334	Rock	0.021	9	19	0.67	41	0.074	<20	1.08	0.076	0.15	0.1	0.01	<0.1	0.36	1.6	0.5	3	<0.2
1236335	Rock	0.032	12	36	1.33	77	0.145	<20	2.44	0.023	0.20	<0.1	0.01	<0.1	0.17	2.2	<0.5	7	<0.2
1236336	Rock	0.026	16	18	0.70	80	0.125	<20	1.59	0.020	0.33	0.1	0.01	<0.1	0.79	1.0	0.7	4	<0.2
1236337	Rock	0.023	21	34	1.45	45	0.050	<20	2.43	0.030	0.21	<0.1	<0.01	0.1	0.61	2.9	<0.5	8	<0.2
1236338	Rock	0.022	13	24	1.26	41	0.017	<20	2.22	0.022	0.16	<0.1	<0.01	<0.1	0.33	1.4	<0.5	6	<0.2
1236339	Rock	0.013	15	17	0.55	35	0.007	<20	0.97	0.057	0.10	<0.1	0.01	<0.1	0.21	1.3	<0.5	3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001728.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1236340	Rock	1.34	11	0.3	84.9	7.8	25	<0.1	20.7	14.5	180	2.81	24.5	<0.5	9.0	23	<0.1	<0.1	0.1	5	0.29
1236341	Rock	0.75	<2	0.9	32.2	6.1	61	<0.1	4.1	2.9	170	3.80	1.4	<0.5	15.7	11	<0.1	<0.1	0.3	12	0.02
1219912	Rock	0.55	529	0.2	10.2	3.1	9	<0.1	4.6	1.7	85	0.98	2485	475.3	5.8	12	0.3	0.3	<0.1	<2	0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001728.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1236340	Rock	0.105	21	11	0.34	21	0.002	<20	0.70	0.006	0.10	<0.1	<0.01	<0.1	1.36	0.7	1.0	2	<0.2
1236341	Rock	0.035	32	15	0.69	117	0.002	<20	1.47	0.013	0.25	<0.1	<0.01	<0.1	<0.05	0.9	<0.5	4	<0.2
1219912	Rock	0.013	12	3	0.01	153	<0.001	<20	0.19	0.007	0.11	0.4	<0.01	<0.1	0.08	0.5	<0.5	<1	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001728.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1235592	Rock	1.66	<2	<0.1	4.9	1.4	14	<0.1	9.0	4.6	193	1.22	2.4	2.5	0.8	<1	<0.1	<0.1	<0.1	21	0.01
REP 1235592	QC			<0.1	5.0	1.4	15	<0.1	9.6	4.3	194	1.24	2.3	<0.5	0.7	<1	<0.1	<0.1	<0.1	21	0.01
1236337	Rock	0.51	<2	0.1	35.6	7.8	129	<0.1	28.8	13.6	454	4.87	3.0	<0.5	10.4	12	<0.1	<0.1	0.2	28	0.19
REP 1236337	QC		<2																		
Core Reject Duplicates																					
1235589	Rock	2.56	44	<0.1	2.1	6.7	10	<0.1	3.9	1.5	134	0.50	564.8	8.2	2.6	2	0.1	0.2	0.1	<2	0.01
DUP 1235589	QC		43	0.1	1.9	4.0	9	<0.1	3.5	1.4	149	0.53	589.8	14.3	2.3	2	0.1	0.2	<0.1	<2	<0.01
Reference Materials																					
STD DS8	Standard			14.0	111.4	136.1	322	1.9	38.6	7.5	631	2.55	28.7	132.9	7.4	78	2.5	5.2	7.8	43	0.73
STD OREAS45CA	Standard			0.8	480.6	18.0	57	0.2	237.6	82.3	858	14.68	3.6	30.9	6.1	15	0.1	<0.1	0.2	191	0.37
STD OXC88	Standard		210																		
STD OXC88	Standard		182																		
STD OXC88	Standard		201																		
STD OXH82	Standard		1285																		
STD OXH82	Standard		1231																		
STD OXH82	Standard		1269																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	4.8	6.67	41.1	0.7
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	43	7	15	0.1	0.13	0.19	215	0.4265
STD OXC88 Expected			203																		
STD OXH82 Expected			1278																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001728.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																			
1235592	Rock	0.004	2	19	0.33	9	0.011	<20	0.53	0.009	0.04	<0.1	<0.01	<0.1	<0.05	1.4	<0.5	2	<0.2
REP 1235592	QC	0.004	2	18	0.33	9	0.011	<20	0.55	0.008	0.05	<0.1	<0.01	<0.1	<0.05	1.3	<0.5	2	<0.2
1236337	Rock	0.023	21	34	1.45	45	0.050	<20	2.43	0.030	0.21	<0.1	<0.01	0.1	0.61	2.9	<0.5	8	<0.2
REP 1236337	QC																		
Core Reject Duplicates																			
1235589	Rock	0.004	5	2	<0.01	48	<0.001	<20	0.14	0.030	0.04	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
DUP 1235589	QC	0.003	5	2	<0.01	51	<0.001	<20	0.14	0.032	0.03	0.2	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
Reference Materials																			
STD DS8	Standard	0.078	16	118	0.63	320	0.114	<20	0.95	0.101	0.44	2.8	0.20	6.1	0.17	2.0	5.9	5	5.2
STD OREAS45CA	Standard	0.035	14	619	0.14	143	0.124	<20	3.76	0.013	0.08	<0.1	0.03	<0.1	<0.05	34.8	0.5	18	<0.2
STD OXC88	Standard																		
STD OXC88	Standard																		
STD OXC88	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	5.4	0.1679	2.3	5.23	4.7	5
STD OREAS45CA Expected		0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD OXC88 Expected																			
STD OXH82 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001728.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
G1	Prep Blank	<0.01	<2	<0.1	2.5	4.1	46	<0.1	2.3	3.5	555	1.98	<0.5	0.9	5.6	70	<0.1	<0.1	<0.1	38	0.51
G1	Prep Blank	<0.01	<2	0.2	2.3	7.6	49	<0.1	2.0	3.8	541	1.96	<0.5	<0.5	5.4	70	<0.1	<0.1	<0.1	39	0.48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001728.1

		1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
G1	Prep Blank	0.072	13	6	0.50	148	0.122	<20	0.94	0.102	0.50	<0.1	0.02	0.3	<0.05	2.0	<0.5	5	<0.2
G1	Prep Blank	0.073	14	6	0.49	147	0.118	<20	0.92	0.099	0.49	<0.1	0.01	0.3	<0.05	2.0	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 19, 2011
Report Date: November 01, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11001729.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-8-Sept17
P.O. Number
Number of Samples: 2

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
M200	2	Metallic Sieve 250g to 200 mesh - save + and - fraction			VAN
Split Reject	2	Reject sample split/packet			VAN
G602	2	Metallics Fire Assay	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 01, 2011

CERTIFICATE OF ANALYSIS WHI11001729.1

Method		WGHT	G6	G6.ME	G6.ME	G6.ME
Analyte		Wgt	-Au	+Wt	+Au	TotAu
Unit		kg	gm/t	g	mg	gm/t
MDL		0.01	0.01	0.01	0.005	0.01
1235594	Rock	1.37	11.48	24.61	11.60	30.15
1235599	Rock	0.19	99.62	21.18	12.05	159.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 01, 2011

QUALITY CONTROL REPORT WHI11001729.1

	Method	WGHT	G6	G6.ME	G6.ME	G6.ME
	Analyte	Wgt	-Au	+Wt	+Au	TotAu
	Unit	kg	gm/t	g	mg	gm/t
	MDL	0.01	0.01	0.01	0.005	0.01
Reference Materials						
STD OXH82	Standard					
STD OXK79	Standard					
STD OXP76	Standard			30.07	0.462	
BLK	Blank					
BLK	Blank					
BLK	Blank			30.00	<0.005	
Prep Wash						
G1	Prep Blank	<0.01	0.04	23.03	<0.005	0.03

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 19, 2011
Report Date: November 14, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11001730.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-E
P.O. Number
Number of Samples: 4

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	4	Crush, split and pulverize 250 g rock to 200 mesh			VAN
3B	4	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	4	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001730.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1235585	Rock	1.21	<2	3.2	94.3	11.7	79	0.2	43.5	18.1	662	4.62	1.3	<0.5	2.7	130	0.2	<0.1	0.9	109	2.14
1235586	Rock	1.47	3	3.3	48.5	18.7	98	0.2	38.8	16.0	887	4.40	1.8	<0.5	4.3	193	0.2	<0.1	1.5	113	3.12
1235587	Rock	1.83	1149	1.0	31.0	79.5	8	2.7	2.2	0.9	31	2.25	9.3	569.6	11.7	4	<0.1	0.2	131.2	3	0.01
1235598	Rock	2.42	2	0.9	75.3	10.4	50	0.3	43.5	18.3	215	3.64	0.8	<0.5	7.0	138	0.2	<0.1	0.5	61	2.38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001730.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1235585 Rock	0.060	6	70	1.73	144	0.199	<20	5.25	0.350	1.55	<0.1	<0.01	0.5	2.18	12.4	0.7	16	<0.2
1235586 Rock	0.060	7	71	1.83	142	0.210	<20	6.34	0.251	1.59	<0.1	<0.01	0.5	2.11	12.6	0.7	17	<0.2
1235587 Rock	0.033	28	5	0.12	20	0.004	42	0.31	0.014	0.08	<0.1	<0.01	<0.1	0.06	0.6	<0.5	1	2.2
1235598 Rock	0.065	17	51	0.70	27	0.143	<20	3.92	0.278	0.59	0.2	<0.01	0.1	1.89	6.0	0.7	12	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001730.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Reference Materials																					
STD DS8	Standard			14.5	111.2	118.7	318	2.1	38.2	7.8	611	2.48	26.3	97.9	6.4	68	2.4	5.1	6.4	41	0.73
STD OREAS45CA	Standard			0.7	480.3	18.6	55	0.3	225.2	83.0	857	14.01	6.6	40.0	6.0	15	<0.1	<0.1	0.2	187	0.38
STD OXC88	Standard		210																		
STD OXH82	Standard		1285																		
STD OXC88 Expected			203																		
STD OXH82 Expected			1278																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	4.8	6.67	41.1	0.7
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	43	7	15	0.1	0.13	0.19	215	0.4265
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	<2	<0.1	3.4	3.2	47	<0.1	2.6	4.1	562	2.05	<0.5	<0.5	4.9	72	<0.1	<0.1	0.1	37	0.50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001730.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Reference Materials																				
STD DS8	Standard		0.082	15	119	0.62	291	0.118	<20	0.95	0.095	0.42	2.2	0.18	5.1	0.17	2.3	5.4	5	4.9
STD OREAS45CA	Standard		0.035	15	605	0.15	154	0.098	<20	3.47	0.014	0.07	<0.1	0.02	<0.1	<0.05	37.3	<0.5	17	<0.2
STD OXC88	Standard																			
STD OXH82	Standard																			
STD OXC88 Expected																				
STD OXH82 Expected																				
STD DS8 Expected			0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	5.4	0.1679	2.3	5.23	4.7	5
STD OREAS45CA Expected			0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank		<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1	Prep Blank		0.077	13	5	0.50	155	0.126	<20	0.91	0.089	0.47	<0.1	<0.01	0.2	<0.05	2.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 19, 2011
Report Date: November 18, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11001807.1

CLIENT JOB INFORMATION

Project: Plateau West
Shipment ID: PLA-W-1
P.O. Number
Number of Samples: 12

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	12	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	12	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	12	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

CERTIFICATE OF ANALYSIS WHI11001807.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1219913	Rock	0.73	<2	<0.1	5.0	3.6	15	<0.1	2.4	1.3	571	0.59	1.1	3.3	1.3	44	<0.1	<0.1	<0.1	<2	0.37
1219914	Rock	1.39	<2	<0.1	6.3	8.8	23	<0.1	8.5	3.9	155	1.20	2.0	2.7	5.2	10	<0.1	<0.1	<0.1	4	0.02
1219915	Rock	0.90	<2	0.1	42.7	66.1	68	0.1	31.0	16.9	401	3.02	<0.5	2.5	4.1	10	0.1	0.2	0.3	4	0.09
1236327	Rock	0.67	<2	0.3	13.6	38.9	10	<0.1	11.6	8.3	1109	1.24	10.8	2.7	1.2	905	<0.1	0.4	0.3	<2	32.46
1236328	Rock	0.44	<2	<0.1	7.4	9.6	21	<0.1	8.8	4.1	211	0.93	2.3	2.6	6.2	5	<0.1	<0.1	<0.1	<2	0.33
1236329	Rock	0.67	<2	0.1	10.5	9.9	37	<0.1	23.3	14.5	477	1.24	<0.5	1.6	5.9	10	<0.1	<0.1	<0.1	<2	0.17
1236330	Rock	0.78	<2	0.1	18.2	3.5	36	<0.1	25.3	12.0	596	1.62	<0.5	2.0	6.5	22	<0.1	<0.1	<0.1	<2	0.24
1236331	Rock	0.76	<2	0.1	6.4	6.4	20	<0.1	9.1	2.6	222	1.18	13.6	4.0	5.3	15	<0.1	0.2	<0.1	<2	0.03
1235655	Rock	1.35	<2	0.1	17.0	19.0	13	<0.1	20.1	9.1	221	0.56	2.2	2.1	1.3	12	<0.1	0.1	0.1	<2	0.07
1235656	Rock	1.04	<2	0.1	9.7	15.1	28	<0.1	10.7	5.6	268	1.45	5.0	1.4	11.1	11	<0.1	0.3	<0.1	3	0.26
1235596	Rock	1.20	<2	0.1	2.3	26.2	41	<0.1	15.5	5.9	533	2.31	1.8	2.1	12.4	10	<0.1	<0.1	<0.1	7	0.03
1235597	Rock	2.23	<2	<0.1	2.8	30.4	9	<0.1	2.9	1.4	317	0.73	1.7	1.5	2.0	8	<0.1	<0.1	0.2	<2	0.30

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

CERTIFICATE OF ANALYSIS WHI11001807.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1219913	Rock	0.039	8	<1	0.20	18	<0.001	<20	0.09	0.004	0.06	<0.1	<0.01	<0.1	0.07	0.3	<0.5	<1	<0.2
1219914	Rock	0.009	15	13	0.20	64	<0.001	<20	0.62	0.021	0.12	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	2	<0.2
1219915	Rock	0.008	8	13	0.30	13	<0.001	<20	0.60	0.007	0.03	<0.1	<0.01	<0.1	0.59	0.9	<0.5	1	<0.2
1236327	Rock	0.086	6	1	0.22	10	<0.001	<20	0.05	0.003	0.03	<0.1	<0.01	<0.1	0.18	1.1	<0.5	<1	<0.2
1236328	Rock	0.008	13	6	0.04	25	<0.001	<20	0.30	0.021	0.09	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1236329	Rock	0.007	11	7	0.09	68	<0.001	<20	0.38	0.015	0.09	<0.1	<0.01	<0.1	0.06	0.5	<0.5	<1	<0.2
1236330	Rock	0.015	10	7	0.02	27	<0.001	<20	0.23	0.017	0.10	<0.1	<0.01	<0.1	0.09	0.5	<0.5	<1	<0.2
1236331	Rock	0.008	6	12	0.01	23	<0.001	<20	0.16	0.010	0.06	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1235655	Rock	0.028	5	27	0.04	11	<0.001	<20	0.13	0.005	0.03	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1235656	Rock	0.008	24	10	0.08	27	<0.001	<20	0.38	0.026	0.09	<0.1	<0.01	<0.1	<0.05	0.8	<0.5	<1	<0.2
1235596	Rock	0.008	23	21	0.38	59	0.001	<20	0.95	0.027	0.10	<0.1	<0.01	<0.1	<0.05	1.2	<0.5	3	<0.2
1235597	Rock	0.007	4	22	0.01	20	<0.001	<20	0.08	0.029	0.01	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

QUALITY CONTROL REPORT WHI11001807.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1235596	Rock	1.20	<2	0.1	2.3	26.2	41	<0.1	15.5	5.9	533	2.31	1.8	2.1	12.4	10	<0.1	<0.1	<0.1	7	0.03
REP 1235596	QC		<2																		
Reference Materials																					
STD DS8	Standard			14.3	118.3	135.3	327	1.8	38.7	8.1	628	2.57	24.1	108.5	7.1	71	2.3	3.6	5.8	42	0.71
STD OREAS45CA	Standard			0.6	536.7	21.8	69	0.3	260.2	97.6	988	17.02	3.5	46.3	7.5	20	<0.1	<0.1	0.2	222	0.45
STD OXC88	Standard		203																		
STD OXC88	Standard		202																		
STD OXH82	Standard		1288																		
STD OXH82	Standard		1348																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	4.8	6.67	41.1	0.7
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	43	7	15	0.1	0.13	0.19	215	0.4265
STD OXH82 Expected			1278																		
STD OXC88 Expected			203																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
Prep Wash																					
G1	Prep Blank		<2	0.1	3.6	3.0	46	<0.1	5.3	5.1	580	2.09	<0.5	2.2	6.5	76	<0.1	<0.1	<0.1	42	0.59
G1	Prep Blank		<2	<0.1	2.3	3.5	46	<0.1	2.9	4.2	598	2.09	<0.5	1.9	7.7	73	<0.1	<0.1	0.1	40	0.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

QUALITY CONTROL REPORT WHI11001807.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																			
1235596	Rock	0.008	23	21	0.38	59	0.001	<20	0.95	0.027	0.10	<0.1	<0.01	<0.1	<0.05	1.2	<0.5	3	<0.2
REP 1235596	QC																		
Reference Materials																			
STD DS8	Standard	0.077	17	121	0.63	292	0.113	<20	0.98	0.093	0.43	2.1	0.20	5.7	0.16	2.2	5.2	5	4.9
STD OREAS45CA	Standard	0.040	19	765	0.17	173	0.119	<20	4.03	0.006	0.08	<0.1	0.04	0.1	<0.05	42.6	<0.5	20	<0.2
STD OXC88	Standard																		
STD OXC88	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	5.4	0.1679	2.3	5.23	4.7	5
STD OREAS45CA Expected		0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD OXH82 Expected																			
STD OXC88 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1	Prep Blank	0.089	15	19	0.64	214	0.155	<20	1.12	0.102	0.58	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2
G1	Prep Blank	0.080	21	9	0.59	186	0.141	<20	1.03	0.094	0.51	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 08, 2011
Report Date: September 25, 2011
Page: 1 of 7

CERTIFICATE OF ANALYSIS WHI11000896.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-3
P.O. Number
Number of Samples: 177

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	177	Dry at 60C			WHI
SS80	177	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	177	Saving all or part of Soil Reject			WHI
1DX2	177	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212642	Soil	1.5	100.0	9.8	80	0.1	39.1	19.8	421	3.82	30.3	6.7	2.3	8	<0.1	1.5	0.4	61	0.18	0.037	11
1212643	Soil	1.3	98.1	10.4	66	0.1	37.4	18.3	434	3.99	55.2	6.8	2.6	10	<0.1	1.1	0.4	74	0.35	0.043	11
1212644	Soil	1.1	109.7	10.8	94	<0.1	56.7	35.5	742	6.30	24.3	2.0	2.6	7	0.3	5.5	0.2	97	0.17	0.039	9
1212645	Soil	0.9	128.3	7.1	93	<0.1	66.7	43.0	794	7.61	39.4	3.2	0.9	6	0.1	1.0	0.1	91	0.32	0.065	4
1212646	Soil	2.2	29.2	18.0	74	0.1	28.8	12.2	263	4.93	25.7	2.7	3.6	6	0.2	1.2	0.3	71	0.07	0.026	10
1212647	Soil	1.2	95.1	8.3	102	<0.1	61.1	37.7	1081	6.17	15.0	1.2	1.2	7	0.2	1.0	0.1	130	0.27	0.048	4
1212648	Soil	0.9	168.3	9.1	91	0.2	67.3	29.1	579	5.70	62.8	11.5	2.9	10	0.3	4.1	0.2	100	0.32	0.043	7
1212649	Soil	0.8	115.0	4.5	82	<0.1	57.6	33.0	648	6.06	11.8	3.4	1.1	8	0.1	0.7	<0.1	89	0.44	0.046	3
1212650	Soil	1.2	152.1	13.3	76	0.1	60.6	24.6	418	4.54	40.9	4.3	2.7	9	0.2	1.6	0.3	70	0.24	0.037	9
1212651	Soil	0.8	127.5	9.4	87	0.1	54.4	27.9	605	5.66	29.9	1.8	2.0	8	0.2	1.0	0.2	89	0.32	0.057	6
1212652	Soil	1.2	190.3	13.3	100	0.4	70.4	25.7	569	4.98	50.7	6.5	2.1	12	0.3	1.7	0.3	78	0.42	0.054	9
1212653	Soil	0.8	99.3	12.1	92	<0.1	54.3	28.3	655	5.60	33.8	1.2	2.1	11	0.3	1.2	0.2	137	0.36	0.028	6
1212654	Soil	0.8	139.5	11.7	84	0.2	61.2	27.3	576	5.11	35.9	2.7	2.2	14	0.2	1.5	0.2	89	0.51	0.048	9
1212655	Soil	0.7	129.9	18.9	95	<0.1	63.6	33.5	675	5.94	36.3	1.7	1.9	8	0.2	1.7	0.2	98	0.29	0.045	5
1212656	Soil	1.1	186.1	17.0	92	0.2	87.5	37.8	598	6.29	36.7	1.9	2.4	8	0.2	2.1	0.2	100	0.28	0.040	7
1212657	Soil	1.2	99.6	11.3	62	<0.1	43.1	19.1	428	4.22	16.6	2.0	2.8	10	<0.1	1.0	0.2	78	0.23	0.032	11
1212658	Soil	0.7	215.4	4.6	83	<0.1	83.5	42.4	696	6.71	10.7	1.7	1.5	8	0.1	0.7	<0.1	104	0.31	0.037	4
1212659	Soil	0.5	132.9	9.5	76	<0.1	55.0	30.7	652	5.68	19.6	3.3	2.8	7	<0.1	1.2	0.1	95	0.24	0.033	8
1212660	Soil	0.7	136.5	16.0	91	<0.1	56.9	31.1	659	5.81	33.4	4.6	3.0	8	0.3	2.0	0.2	90	0.18	0.055	8
1212661	Soil	1.1	46.1	8.3	80	<0.1	34.3	16.7	503	4.34	13.8	<0.5	2.1	10	0.5	1.1	0.2	93	0.29	0.024	7
1212662	Soil	1.1	145.7	16.8	100	0.2	64.8	26.1	579	4.91	37.3	5.5	2.9	13	0.3	2.7	0.3	82	0.36	0.038	11
1212663	Soil	0.9	186.5	16.1	74	0.2	56.1	28.5	549	4.79	21.2	5.4	3.0	12	0.2	1.2	0.2	92	0.26	0.045	14
1212664	Soil	0.8	174.2	14.9	84	0.4	66.6	25.4	537	4.66	35.4	4.1	2.5	14	0.4	1.7	0.3	75	0.49	0.058	13
1212665	Soil	1.0	133.0	17.1	79	0.3	60.9	16.9	545	3.70	31.0	2.5	2.7	17	0.5	1.9	0.2	54	0.50	0.055	12
1212666	Soil	1.3	82.5	18.6	76	<0.1	39.8	19.1	472	5.08	55.6	3.1	4.0	6	0.2	2.0	0.4	79	0.08	0.032	11
1212667	Soil	0.9	121.4	14.2	70	0.3	58.2	18.1	456	3.86	33.5	5.8	3.0	14	0.2	1.4	0.4	55	0.33	0.049	13
1212668	Soil	0.7	113.6	14.4	67	0.3	50.3	20.3	493	3.95	31.5	6.1	3.9	12	0.3	1.6	0.3	50	0.32	0.036	13
1212669	Soil	1.2	99.1	28.8	85	0.2	56.3	22.9	569	5.05	54.1	4.5	3.8	16	0.2	2.5	0.4	72	0.46	0.052	12
1212670	Soil	0.8	110.9	16.9	84	0.3	49.7	20.9	592	4.37	43.1	7.4	3.4	16	0.3	1.6	0.3	63	0.48	0.056	15
1212671	Soil	1.0	163.5	17.6	71	0.5	61.2	19.9	549	3.98	41.5	4.7	1.9	23	0.4	1.5	0.3	58	0.78	0.070	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212642	Soil	38	0.84	95	0.046	2	1.54	0.003	0.13	0.2	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
1212643	Soil	48	0.92	102	0.060	1	1.72	0.004	0.16	0.2	0.03	3.2	0.2	<0.05	6	<0.5	<0.2
1212644	Soil	66	1.38	104	0.066	2	2.42	0.003	0.18	0.1	<0.01	4.4	0.2	<0.05	6	<0.5	<0.2
1212645	Soil	69	2.24	72	0.111	<1	3.18	0.003	0.25	0.1	<0.01	1.5	0.1	<0.05	7	<0.5	<0.2
1212646	Soil	38	0.50	118	0.054	<1	2.12	0.005	0.06	0.3	0.04	2.2	0.1	<0.05	6	0.6	<0.2
1212647	Soil	87	1.56	286	0.132	<1	2.91	0.003	0.30	<0.1	<0.01	3.8	0.3	<0.05	7	<0.5	<0.2
1212648	Soil	67	1.53	112	0.096	<1	2.46	0.003	0.31	<0.1	0.03	3.8	0.2	<0.05	6	<0.5	<0.2
1212649	Soil	71	2.05	103	0.109	<1	2.95	0.003	0.20	<0.1	0.01	1.5	<0.1	<0.05	6	<0.5	<0.2
1212650	Soil	48	1.13	88	0.063	1	1.89	0.003	0.20	0.2	0.01	2.6	0.2	<0.05	5	<0.5	<0.2
1212651	Soil	57	1.55	80	0.090	<1	2.44	0.002	0.37	0.1	<0.01	3.5	0.2	<0.05	7	<0.5	<0.2
1212652	Soil	49	1.12	137	0.050	<1	2.08	0.004	0.25	0.1	0.04	4.6	0.2	<0.05	6	<0.5	<0.2
1212653	Soil	74	1.48	110	0.125	<1	2.34	0.003	0.26	<0.1	<0.01	3.1	0.2	<0.05	6	<0.5	<0.2
1212654	Soil	58	1.33	138	0.067	<1	2.22	0.004	0.22	0.1	0.03	3.8	0.1	<0.05	6	0.7	<0.2
1212655	Soil	65	1.58	75	0.114	<1	2.48	0.003	0.29	<0.1	<0.01	2.9	0.2	<0.05	6	<0.5	<0.2
1212656	Soil	68	1.61	89	0.098	<1	2.56	0.003	0.31	0.1	0.01	3.4	0.3	<0.05	6	<0.5	<0.2
1212657	Soil	48	1.13	145	0.071	1	2.06	0.005	0.12	0.2	0.03	3.1	0.1	<0.05	6	<0.5	<0.2
1212658	Soil	76	1.98	95	0.155	<1	3.00	0.003	0.46	<0.1	<0.01	2.6	0.3	<0.05	7	<0.5	<0.2
1212659	Soil	62	1.64	89	0.137	<1	2.50	0.003	0.31	<0.1	<0.01	3.8	0.2	<0.05	7	<0.5	<0.2
1212660	Soil	61	1.45	113	0.103	<1	2.40	0.003	0.30	0.1	<0.01	3.7	0.2	<0.05	6	<0.5	<0.2
1212661	Soil	50	1.08	90	0.078	<1	1.69	0.003	0.23	0.2	<0.01	3.3	0.1	<0.05	7	<0.5	<0.2
1212662	Soil	54	1.19	115	0.070	<1	2.02	0.005	0.26	0.1	0.03	4.8	0.2	<0.05	6	<0.5	<0.2
1212663	Soil	55	1.19	187	0.082	<1	2.21	0.005	0.20	0.1	0.03	5.5	0.2	<0.05	7	<0.5	<0.2
1212664	Soil	45	1.07	124	0.053	2	1.92	0.004	0.25	0.1	0.04	5.0	0.2	<0.05	6	<0.5	<0.2
1212665	Soil	33	0.75	137	0.036	1	1.43	0.005	0.14	0.1	0.05	3.7	0.1	<0.05	4	<0.5	<0.2
1212666	Soil	45	0.91	84	0.086	1	1.84	0.004	0.15	0.1	0.01	3.1	0.1	<0.05	6	<0.5	<0.2
1212667	Soil	37	0.86	110	0.041	1	1.57	0.004	0.15	0.1	0.03	3.6	0.2	<0.05	4	<0.5	<0.2
1212668	Soil	33	0.84	102	0.039	1	1.49	0.003	0.15	0.1	0.04	3.4	0.1	<0.05	4	<0.5	<0.2
1212669	Soil	48	1.05	126	0.055	<1	1.79	0.004	0.18	0.1	0.03	3.8	0.1	<0.05	5	<0.5	<0.2
1212670	Soil	41	0.96	125	0.046	1	1.72	0.004	0.18	0.1	0.03	4.1	0.1	<0.05	5	<0.5	<0.2
1212671	Soil	36	0.81	169	0.033	2	1.57	0.006	0.17	<0.1	0.07	4.0	0.1	<0.05	5	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212672	Soil	0.8	134.6	11.2	79	0.3	55.8	26.4	833	5.50	23.6	3.9	1.7	24	0.3	1.1	0.3	86	0.91	0.058	7
1212673	Soil	1.5	31.0	15.8	78	<0.1	19.0	10.6	356	2.46	38.1	1.8	2.9	13	0.3	1.2	0.4	39	0.36	0.030	13
1212674	Soil	1.2	34.3	18.0	73	<0.1	27.0	14.3	385	3.00	57.5	3.3	4.4	15	0.3	1.6	0.4	30	0.27	0.065	13
1212675	Soil	0.8	160.4	17.2	90	0.4	54.1	17.9	462	3.67	45.5	3.3	3.2	21	0.6	1.2	0.3	47	0.54	0.054	15
1212676	Soil	1.3	52.6	25.2	85	0.1	35.7	16.5	785	4.00	33.9	2.3	5.5	15	0.4	1.8	0.3	46	0.17	0.061	15
1212677	Soil	2.0	35.1	25.2	78	0.4	35.3	14.6	542	4.19	40.7	1.9	4.8	10	0.3	1.9	0.3	55	0.09	0.056	15
1212362	Soil	1.5	38.4	18.3	77	0.1	19.2	8.3	281	2.92	7.1	2.9	7.8	19	0.2	1.0	0.4	27	0.16	0.068	19
1212363	Soil	2.2	36.1	32.8	130	0.2	33.2	14.4	668	2.97	26.0	7.0	7.0	21	0.7	1.7	0.4	48	0.22	0.129	25
1212364	Soil	1.3	29.0	20.4	83	0.1	21.5	11.2	283	2.06	12.0	6.5	5.9	15	0.4	1.0	0.3	33	0.16	0.074	20
1212365	Soil	1.5	17.7	17.4	71	<0.1	19.2	8.1	263	2.25	12.6	3.0	4.6	9	0.4	1.2	0.2	36	0.07	0.031	15
1212366	Soil	1.5	27.6	30.0	77	0.1	19.6	10.1	312	2.85	37.1	17.1	6.4	10	0.3	1.9	0.3	31	0.08	0.064	24
1212367	Soil	1.6	25.0	24.0	77	<0.1	18.8	7.2	183	2.30	51.7	15.6	3.8	12	0.3	1.5	0.2	36	0.12	0.069	21
1212368	Soil	2.0	26.0	19.6	91	0.1	25.6	9.6	273	2.40	29.5	5.5	3.5	11	0.4	1.5	0.2	43	0.08	0.039	15
1212369	Soil	2.2	11.8	18.4	51	0.1	10.1	3.5	188	2.10	55.8	2.8	1.1	7	0.2	1.3	0.3	64	0.05	0.052	11
1212370	Soil	2.1	15.2	20.9	51	0.1	14.2	4.6	206	2.39	60.6	2.7	1.1	6	0.1	1.3	0.4	52	0.04	0.050	12
1212371	Soil	2.0	24.9	17.1	92	<0.1	25.5	9.2	312	2.57	17.5	3.7	2.3	8	0.2	1.5	0.2	42	0.05	0.034	13
1212372	Soil	2.1	27.9	18.7	90	0.2	29.0	9.6	365	2.47	21.2	3.7	1.7	13	0.5	1.7	0.2	42	0.12	0.073	17
1212373	Soil	1.0	54.0	110.7	136	0.3	38.8	20.2	1985	3.64	111.8	12.3	4.5	6	0.5	3.0	0.4	17	0.02	0.053	33
1212374	Soil	2.3	39.9	36.6	118	0.3	37.1	14.4	660	2.85	50.5	22.2	4.5	11	0.4	2.3	0.4	36	0.06	0.040	19
1212375	Soil	0.9	9.5	11.9	18	0.2	8.5	2.5	86	0.80	12.4	7.9	0.3	6	0.1	0.6	0.3	16	0.06	0.061	13
1212376	Soil	1.3	21.7	14.4	56	<0.1	21.4	8.5	255	2.69	16.9	4.6	1.9	6	0.2	0.9	0.2	53	0.05	0.028	15
1212377	Soil	0.8	33.6	12.2	64	<0.1	24.8	9.6	343	2.43	20.4	4.4	4.5	13	0.2	0.9	0.3	38	0.16	0.065	21
1212378	Soil	1.4	28.2	20.5	65	0.3	23.0	9.3	319	2.95	24.5	2.4	1.4	6	0.2	1.0	0.3	48	0.05	0.046	14
1212379	Soil	1.0	36.1	17.6	73	<0.1	30.7	14.1	468	2.78	15.7	4.6	6.2	8	0.3	1.1	0.3	40	0.08	0.042	20
1212380	Soil	1.4	32.4	18.3	74	<0.1	27.7	11.7	445	2.81	27.5	4.0	1.7	8	0.2	1.2	0.3	39	0.07	0.061	19
1212381	Soil	1.6	24.3	23.0	76	<0.1	24.3	13.2	606	3.46	24.0	3.7	5.8	6	0.1	1.2	0.4	39	0.04	0.040	16
1212382	Soil	1.9	13.8	15.1	45	0.1	13.1	5.1	149	2.37	16.1	2.0	3.9	7	<0.1	0.9	0.3	49	0.03	0.025	17
1212383	Soil	1.6	22.0	20.3	51	0.2	19.9	8.9	269	2.88	17.6	4.5	6.1	7	0.1	0.9	0.4	37	0.04	0.037	20
1212384	Soil	1.2	26.3	19.1	65	<0.1	24.5	11.1	303	3.17	24.6	9.9	5.0	7	0.1	1.1	0.3	32	0.04	0.034	21
1212385	Soil	0.7	28.7	16.7	59	<0.1	28.9	13.3	272	2.90	17.8	4.2	7.5	6	<0.1	0.9	0.3	31	0.04	0.018	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212672	Soil	64	1.43	147	0.061	<1	2.28	0.004	0.21	<0.1	0.06	3.5	0.2	<0.05	7	0.5	<0.2
1212673	Soil	20	0.33	93	0.022	2	0.82	0.004	0.08	0.3	0.01	1.6	<0.1	<0.05	3	<0.5	<0.2
1212674	Soil	19	0.48	86	0.019	<1	0.95	0.003	0.06	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1212675	Soil	29	0.57	154	0.029	1	1.29	0.005	0.11	0.2	0.04	3.2	0.1	<0.05	4	<0.5	<0.2
1212676	Soil	30	0.72	375	0.029	<1	1.59	0.005	0.09	0.2	0.04	3.4	0.1	<0.05	4	<0.5	<0.2
1212677	Soil	33	0.50	278	0.022	2	1.86	0.005	0.08	0.1	0.02	2.6	0.2	<0.05	5	<0.5	<0.2
1212362	Soil	17	0.33	200	0.028	2	0.84	0.006	0.10	0.2	0.03	1.7	0.1	0.11	3	<0.5	<0.2
1212363	Soil	24	0.39	368	0.033	2	1.25	0.007	0.08	0.8	0.05	2.9	0.1	<0.05	4	0.8	<0.2
1212364	Soil	18	0.33	178	0.028	1	0.91	0.006	0.07	0.2	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
1212365	Soil	18	0.28	97	0.029	2	1.07	0.006	0.05	0.3	0.02	1.4	0.1	<0.05	3	<0.5	<0.2
1212366	Soil	16	0.25	148	0.023	1	0.94	0.004	0.06	0.3	0.04	1.9	0.1	<0.05	3	0.5	<0.2
1212367	Soil	18	0.27	88	0.021	1	1.01	0.005	0.06	0.3	0.03	1.6	0.1	<0.05	3	0.5	<0.2
1212368	Soil	22	0.39	141	0.029	2	1.24	0.007	0.07	0.4	0.04	1.9	0.1	<0.05	3	0.7	<0.2
1212369	Soil	13	0.09	73	0.041	2	0.49	0.005	0.07	0.3	0.07	0.7	0.1	0.05	5	<0.5	<0.2
1212370	Soil	18	0.14	78	0.034	1	0.65	0.005	0.07	0.3	0.06	0.8	0.1	<0.05	5	<0.5	<0.2
1212371	Soil	21	0.34	98	0.025	1	1.17	0.005	0.06	0.4	0.04	1.5	0.1	<0.05	3	0.6	<0.2
1212372	Soil	24	0.37	146	0.023	2	1.17	0.007	0.10	0.3	0.04	1.7	0.1	<0.05	4	0.5	<0.2
1212373	Soil	10	0.14	104	0.007	<1	0.69	0.003	0.07	0.1	0.04	2.4	0.1	<0.05	2	0.6	<0.2
1212374	Soil	19	0.31	148	0.017	2	1.10	0.006	0.06	0.6	0.05	2.0	0.1	<0.05	3	0.7	<0.2
1212375	Soil	16	0.11	104	0.012	<1	0.56	0.005	0.05	0.2	0.03	0.4	<0.1	0.06	3	<0.5	<0.2
1212376	Soil	28	0.46	108	0.030	<1	1.35	0.005	0.06	0.2	0.03	1.3	0.1	<0.05	5	<0.5	<0.2
1212377	Soil	25	0.51	210	0.033	1	1.26	0.006	0.06	0.2	0.03	2.1	0.1	<0.05	3	<0.5	<0.2
1212378	Soil	27	0.45	106	0.028	<1	1.33	0.005	0.08	0.2	0.05	1.4	0.1	0.06	4	<0.5	<0.2
1212379	Soil	29	0.53	134	0.032	<1	1.53	0.005	0.09	0.2	0.02	2.1	0.1	<0.05	4	<0.5	<0.2
1212380	Soil	25	0.42	191	0.016	<1	1.27	0.006	0.07	0.3	0.04	1.5	0.1	0.06	4	<0.5	<0.2
1212381	Soil	26	0.44	75	0.019	1	1.40	0.005	0.07	0.2	0.03	1.8	0.1	<0.05	4	0.5	<0.2
1212382	Soil	16	0.21	79	0.013	<1	1.13	0.004	0.05	0.2	0.03	1.1	0.1	<0.05	5	<0.5	<0.2
1212383	Soil	23	0.32	117	0.011	<1	1.37	0.005	0.07	0.2	0.04	1.5	0.2	<0.05	4	<0.5	<0.2
1212384	Soil	25	0.50	83	0.016	1	1.51	0.006	0.08	0.2	0.03	1.4	0.1	<0.05	4	0.5	<0.2
1212385	Soil	24	0.54	118	0.021	4	1.56	0.005	0.08	0.1	0.02	1.6	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212386	Soil	0.9	23.4	18.1	50	<0.1	19.8	8.6	298	3.40	19.2	1.7	6.0	7	<0.1	0.8	0.3	28	0.06	0.043	20
1212387	Soil	1.9	9.2	13.0	37	0.1	9.4	3.9	202	2.25	16.9	1.0	2.0	8	0.1	0.8	0.3	51	0.07	0.039	13
1212388	Soil	2.4	23.8	23.1	54	0.1	20.1	8.7	250	2.86	19.0	8.6	6.9	8	0.1	1.5	0.4	32	0.05	0.043	25
1212389	Soil	1.1	30.9	17.5	53	<0.1	24.8	11.4	327	2.81	17.0	3.8	8.6	7	<0.1	0.6	0.4	18	0.06	0.038	27
1212390	Soil	1.0	26.1	14.4	47	0.1	20.3	8.2	229	2.55	11.0	3.1	2.4	6	<0.1	0.5	0.3	30	0.04	0.040	22
1212211	Soil	1.9	41.4	24.5	69	0.1	19.2	10.3	265	3.59	34.0	3.9	7.3	14	0.1	1.9	0.5	30	0.03	0.061	30
1212212	Soil	1.5	35.7	17.5	63	<0.1	16.3	6.2	166	3.30	28.7	3.0	9.3	7	<0.1	0.9	0.4	24	0.02	0.035	23
1212213	Soil	1.9	60.0	35.4	84	0.1	18.4	7.5	174	4.57	43.5	3.8	11.6	20	<0.1	1.0	0.6	23	0.03	0.071	23
1212214	Soil	1.7	24.6	21.1	70	<0.1	21.2	10.9	335	3.58	40.1	2.2	8.8	9	0.1	1.0	0.4	33	0.04	0.052	20
1212215	Soil	1.9	33.7	17.2	56	<0.1	13.4	5.9	155	3.38	27.5	1.7	9.2	7	<0.1	1.0	0.4	26	0.01	0.047	26
1212216	Soil	1.7	34.9	18.9	56	<0.1	8.5	3.5	140	3.51	26.0	2.2	12.9	7	<0.1	0.8	0.6	18	0.02	0.038	32
1212217	Soil	1.3	37.5	47.0	94	0.2	38.0	13.1	258	3.66	43.3	4.7	15.6	19	0.2	2.0	1.1	15	0.04	0.056	36
1212218	Soil	1.8	17.4	18.9	58	<0.1	17.1	6.9	214	3.47	28.2	2.1	3.6	6	0.1	1.0	0.6	42	0.05	0.035	15
1212219	Soil	0.4	8.1	12.3	15	0.1	13.5	7.4	518	1.04	8.1	21.7	5.8	14	<0.1	12.4	0.2	3	<0.01	0.013	17
1212220	Soil	2.1	47.4	28.9	78	0.2	34.0	13.2	317	3.51	52.0	2.4	3.4	14	0.2	1.0	0.4	32	0.06	0.082	26
1212221	Soil	1.8	61.9	30.1	68	0.1	10.5	5.3	163	3.89	39.7	3.1	18.1	32	<0.1	0.5	0.6	14	0.02	0.056	27
1212222	Soil	2.6	25.9	21.5	69	<0.1	17.6	7.5	259	3.77	23.4	1.2	7.3	12	<0.1	0.9	0.4	35	0.04	0.061	26
1212223	Soil	2.0	41.7	19.5	80	0.2	25.1	11.9	300	3.36	27.2	5.0	6.2	13	0.1	1.2	0.4	37	0.10	0.081	20
1212224	Soil	1.0	32.7	24.3	110	<0.1	18.5	9.6	283	4.85	8.7	2.5	14.3	7	<0.1	0.4	0.6	19	0.02	0.046	36
1212225	Soil	1.3	34.4	25.7	72	0.2	26.7	13.1	220	3.76	41.3	3.8	12.8	6	0.1	0.7	0.5	22	0.02	0.031	31
1212226	Soil	1.4	24.9	18.9	66	<0.1	23.1	10.8	261	3.40	40.6	4.0	10.9	6	0.1	0.6	0.5	24	0.04	0.035	33
1212227	Soil	1.8	16.0	9.9	43	0.1	14.2	5.7	146	2.66	17.0	0.9	4.3	4	<0.1	0.8	0.3	49	0.02	0.024	19
1212228	Soil	0.9	46.4	16.2	70	<0.1	33.8	15.4	294	3.32	34.6	2.5	11.9	6	0.1	0.6	0.5	19	0.04	0.034	29
1212229	Soil	1.3	39.9	20.3	60	0.1	20.0	9.8	233	3.66	34.5	2.7	12.1	6	0.1	0.7	0.6	20	0.02	0.039	23
1212230	Soil	1.0	31.4	18.5	72	0.2	28.3	12.6	269	3.53	31.8	1.9	8.9	5	<0.1	0.9	0.7	23	0.02	0.028	25
1212231	Soil	0.7	39.6	23.5	74	<0.1	38.8	20.3	342	3.61	76.2	3.5	12.8	5	<0.1	0.7	0.8	16	0.03	0.029	33
1212232	Soil	1.5	38.7	19.2	76	0.2	26.0	9.9	177	3.53	18.0	3.4	5.9	8	0.1	0.8	0.5	35	0.03	0.039	22
1212233	Soil	1.4	16.7	13.8	56	<0.1	21.0	9.5	325	2.90	39.5	0.7	5.4	4	0.1	0.6	0.4	30	0.03	0.029	20
1212234	Soil	1.8	42.4	43.6	72	0.2	16.1	7.6	194	4.06	28.0	4.8	17.9	14	<0.1	0.7	1.0	27	0.02	0.047	42
1212235	Soil	1.5	25.8	16.7	66	0.1	24.1	10.4	235	3.28	58.1	1.9	9.4	8	0.1	0.9	0.6	34	0.03	0.028	23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212386	Soil	20	0.41	70	0.015	<1	1.12	0.004	0.05	0.1	<0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
1212387	Soil	15	0.16	101	0.024	<1	0.82	0.005	0.05	0.2	0.06	0.9	0.1	<0.05	5	<0.5	<0.2
1212388	Soil	21	0.40	99	0.012	<1	1.44	0.004	0.06	0.2	0.02	1.4	0.1	<0.05	4	<0.5	<0.2
1212389	Soil	16	0.49	79	0.009	<1	1.12	0.003	0.06	<0.1	0.01	1.2	0.1	<0.05	3	<0.5	<0.2
1212390	Soil	23	0.50	101	0.011	<1	1.32	0.003	0.07	0.1	0.02	1.2	0.1	<0.05	4	<0.5	<0.2
1212211	Soil	21	0.42	85	0.008	<1	1.46	0.005	0.06	0.2	0.02	1.4	0.2	0.05	4	0.7	<0.2
1212212	Soil	16	0.40	64	0.005	<1	1.15	0.004	0.05	0.1	0.01	1.0	<0.1	<0.05	4	0.5	<0.2
1212213	Soil	24	0.58	114	0.004	<1	1.71	0.006	0.08	0.1	0.03	1.4	<0.1	0.11	5	0.7	<0.2
1212214	Soil	21	0.40	66	0.016	<1	1.24	0.005	0.04	0.2	0.01	1.2	<0.1	<0.05	4	<0.5	<0.2
1212215	Soil	17	0.40	48	0.009	<1	1.05	0.004	0.05	<0.1	<0.01	0.9	<0.1	<0.05	4	<0.5	<0.2
1212216	Soil	20	0.57	56	0.003	<1	1.38	0.005	0.04	<0.1	0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
1212217	Soil	16	0.37	140	0.027	<1	0.99	0.006	0.08	<0.1	<0.01	1.4	<0.1	0.09	3	<0.5	<0.2
1212218	Soil	17	0.25	67	0.015	2	1.04	0.003	0.06	0.2	0.03	1.0	0.1	0.06	5	<0.5	<0.2
1212219	Soil	4	0.02	60	0.003	1	0.19	0.002	0.07	<0.1	0.35	0.5	1.4	0.11	<1	<0.5	<0.2
1212220	Soil	18	0.33	69	0.009	1	1.10	0.004	0.04	0.2	0.03	0.9	0.1	<0.05	4	<0.5	<0.2
1212221	Soil	17	0.70	148	0.002	<1	1.54	0.008	0.13	<0.1	0.02	1.4	<0.1	0.27	4	<0.5	<0.2
1212222	Soil	22	0.51	72	0.014	1	1.19	0.006	0.06	0.1	0.03	1.0	0.1	<0.05	5	<0.5	<0.2
1212223	Soil	23	0.47	189	0.011	1	1.55	0.005	0.07	0.3	0.07	2.2	0.1	<0.05	4	1.1	<0.2
1212224	Soil	26	1.06	61	0.006	1	1.96	0.005	0.04	<0.1	0.02	1.4	<0.1	<0.05	6	<0.5	<0.2
1212225	Soil	23	0.57	104	0.005	1	1.68	0.004	0.06	0.1	0.04	1.4	<0.1	<0.05	4	0.6	<0.2
1212226	Soil	23	0.55	100	0.008	<1	1.56	0.004	0.05	0.1	0.04	1.4	<0.1	<0.05	4	0.5	<0.2
1212227	Soil	15	0.23	68	0.021	<1	0.80	0.003	0.05	0.2	0.03	1.1	<0.1	<0.05	5	<0.5	<0.2
1212228	Soil	19	0.60	98	0.009	<1	1.53	0.004	0.07	<0.1	0.04	1.4	<0.1	<0.05	4	<0.5	<0.2
1212229	Soil	18	0.51	69	0.006	<1	1.48	0.004	0.06	<0.1	0.04	1.2	<0.1	<0.05	4	0.5	<0.2
1212230	Soil	19	0.54	71	0.005	<1	1.43	0.004	0.05	<0.1	0.03	1.3	<0.1	<0.05	4	<0.5	<0.2
1212231	Soil	18	0.61	84	0.004	<1	1.61	0.004	0.07	0.1	0.03	1.3	<0.1	<0.05	4	<0.5	<0.2
1212232	Soil	24	0.53	50	0.012	<1	1.63	0.005	0.05	0.2	0.05	1.3	0.1	<0.05	5	<0.5	<0.2
1212233	Soil	20	0.43	48	0.014	<1	1.24	0.004	0.05	0.2	0.03	1.2	<0.1	<0.05	4	<0.5	<0.2
1212234	Soil	24	0.61	70	0.009	<1	1.62	0.005	0.06	0.1	0.03	1.4	<0.1	<0.05	5	0.6	<0.2
1212235	Soil	20	0.51	105	0.011	<1	1.61	0.004	0.06	0.2	0.03	1.5	0.2	<0.05	4	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212236	Soil	1.9	13.8	15.1	42	<0.1	10.2	3.9	107	2.14	28.4	2.1	6.2	9	<0.1	0.8	0.9	47	0.03	0.026	26
1212237	Soil	1.3	20.7	19.2	93	<0.1	11.6	5.6	278	5.25	16.7	1.8	14.6	10	<0.1	0.5	0.6	22	0.02	0.058	27
1212238	Soil	2.4	21.2	19.6	84	0.1	21.1	10.2	308	3.24	129.3	3.9	1.8	8	0.2	1.1	0.4	54	0.04	0.082	16
1212239	Soil	1.4	23.2	17.5	71	0.1	27.0	11.6	213	3.27	26.5	0.7	9.3	5	<0.1	0.5	0.4	24	0.03	0.027	26
1212240	Soil	2.5	29.9	18.5	69	0.2	23.8	11.2	224	2.76	20.4	2.3	6.7	11	<0.1	0.8	0.3	54	0.05	0.021	16
1212241	Soil	2.4	43.3	37.1	89	0.3	54.6	18.1	181	3.71	28.9	3.7	7.0	43	0.1	0.9	0.4	42	0.04	0.038	17
1212242	Soil	1.4	45.7	37.6	112	<0.1	44.5	28.9	1510	5.37	30.2	0.8	16.7	4	<0.1	0.5	0.6	23	0.04	0.050	50
1212391	Soil	1.0	39.9	15.8	112	<0.1	25.3	13.8	709	2.68	8.7	3.8	7.5	14	0.3	0.6	0.3	38	0.15	0.074	20
1212392	Soil	1.2	34.1	17.1	109	0.1	27.5	15.6	565	2.89	78.7	6.8	7.6	15	0.3	0.6	0.4	38	0.11	0.068	18
1212393	Soil	0.7	36.2	12.0	99	<0.1	33.6	17.7	609	3.46	12.5	2.4	7.0	38	0.1	0.3	0.5	40	0.15	0.062	22
1212394	Soil	1.1	27.3	13.6	94	<0.1	27.9	12.4	480	3.02	11.7	2.0	6.2	15	0.3	0.5	0.4	43	0.14	0.068	23
1212395	Soil	0.8	12.6	9.0	39	<0.1	8.7	3.2	105	1.87	10.9	2.2	4.0	6	<0.1	0.4	0.4	48	0.04	0.032	17
1212396	Soil	0.8	24.2	10.7	66	<0.1	22.4	10.0	367	2.28	18.0	7.9	6.7	10	0.1	0.5	0.4	33	0.08	0.038	23
1212397	Soil	1.0	13.0	9.3	50	<0.1	14.8	5.3	166	2.00	9.0	2.5	2.9	8	0.1	0.4	0.3	37	0.06	0.031	16
1212398	Soil	1.1	18.6	11.4	64	<0.1	23.6	11.0	351	2.62	11.6	5.5	5.1	10	0.1	0.6	0.3	39	0.10	0.045	18
1212399	Soil	1.4	26.1	13.0	74	<0.1	25.4	9.2	307	2.63	15.3	3.3	7.2	20	0.2	0.9	0.2	40	0.21	0.073	24
1212400	Soil	1.0	22.7	13.0	57	0.1	18.5	7.8	186	2.17	17.1	8.4	6.7	17	0.2	0.8	0.2	32	0.18	0.057	25
1212401	Soil	0.7	22.4	13.3	60	<0.1	14.4	6.4	226	2.54	6.4	5.8	8.2	13	0.1	0.5	0.2	28	0.09	0.037	29
1212402	Soil	0.8	22.5	12.3	57	<0.1	14.6	4.7	152	2.53	11.9	7.7	8.9	9	0.2	1.0	0.2	22	0.07	0.038	22
1212403	Soil	1.1	33.4	11.5	70	<0.1	17.8	6.4	189	2.63	10.1	4.2	9.3	11	0.3	0.6	0.3	28	0.10	0.056	27
1212404	Soil	1.9	15.4	20.3	32	<0.1	6.8	3.1	112	2.25	4.4	6.7	6.0	12	<0.1	0.7	1.1	26	0.02	0.042	30
1212405	Soil	1.7	25.8	15.0	71	<0.1	17.5	5.8	223	3.09	11.0	1.6	4.8	9	0.2	0.7	0.3	43	0.04	0.040	17
1212406	Soil	1.9	10.9	9.9	34	<0.1	8.2	2.6	100	1.66	8.4	1.0	1.8	6	0.1	0.7	0.3	56	0.03	0.020	14
1212407	Soil	1.8	18.4	13.6	68	<0.1	17.8	7.2	207	2.54	13.0	2.4	3.7	9	0.1	0.9	0.3	59	0.07	0.030	14
1212408	Soil	1.5	23.6	13.2	66	<0.1	16.8	6.2	189	2.60	10.8	4.1	3.5	12	0.2	0.7	0.3	41	0.11	0.057	16
1212409	Soil	1.0	34.0	13.7	67	<0.1	17.4	7.5	185	2.87	6.6	1.7	8.2	16	0.2	0.5	0.2	30	0.10	0.050	32
1212410	Soil	1.2	38.9	15.4	70	0.1	22.0	9.2	209	2.83	8.8	4.0	11.0	17	0.3	0.5	0.3	28	0.11	0.051	29
1212411	Soil	1.2	32.5	18.0	60	0.1	15.1	10.7	205	3.07	14.1	2.4	10.5	11	0.1	0.4	0.3	26	0.06	0.035	28
1212851	Soil	0.6	52.8	11.1	58	0.1	29.4	15.7	441	2.71	23.3	2.1	3.8	16	0.3	1.1	0.2	38	0.27	0.048	12
1212852	Soil	0.5	44.6	9.4	51	0.1	23.1	11.3	347	2.08	19.0	1.8	3.0	15	0.3	1.1	0.1	29	0.23	0.057	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212236	Soil	15	0.22	63	0.012	<1	1.15	0.004	0.03	0.2	0.02	1.1	0.1	<0.05	5	<0.5	<0.2
1212237	Soil	23	1.00	40	0.007	<1	1.89	0.005	0.04	<0.1	0.02	1.2	<0.1	<0.05	6	0.5	<0.2
1212238	Soil	23	0.34	111	0.011	<1	1.42	0.004	0.05	0.2	0.02	1.2	0.2	<0.05	5	0.5	<0.2
1212239	Soil	17	0.50	71	0.008	<1	1.28	0.003	0.04	0.1	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2
1212240	Soil	25	0.40	179	0.014	<1	1.70	0.005	0.04	0.3	0.04	2.0	0.2	<0.05	5	0.5	<0.2
1212241	Soil	25	0.43	211	0.018	1	1.83	0.009	0.07	0.3	0.06	1.9	0.1	0.06	5	0.6	<0.2
1212242	Soil	23	0.69	78	0.006	<1	1.64	0.003	0.06	<0.1	0.02	1.7	<0.1	<0.05	5	<0.5	<0.2
1212391	Soil	22	0.38	130	0.072	<1	1.32	0.006	0.20	0.5	0.03	3.3	0.2	<0.05	4	<0.5	<0.2
1212392	Soil	22	0.41	127	0.077	<1	1.61	0.007	0.26	0.6	0.03	3.1	0.3	<0.05	5	<0.5	<0.2
1212393	Soil	28	0.57	138	0.097	<1	1.79	0.009	0.31	0.3	0.03	2.9	0.3	<0.05	7	<0.5	<0.2
1212394	Soil	27	0.47	138	0.068	<1	1.72	0.007	0.21	0.4	0.03	2.5	0.2	<0.05	6	<0.5	<0.2
1212395	Soil	13	0.14	52	0.057	<1	0.89	0.004	0.12	0.3	0.04	1.4	0.2	<0.05	7	<0.5	<0.2
1212396	Soil	22	0.43	105	0.062	<1	1.40	0.006	0.14	0.5	0.02	2.4	0.2	<0.05	5	<0.5	<0.2
1212397	Soil	20	0.31	56	0.049	<1	1.12	0.004	0.08	0.4	0.02	1.4	0.2	<0.05	5	<0.5	<0.2
1212398	Soil	25	0.42	99	0.052	1	1.58	0.006	0.14	0.3	0.02	2.2	0.2	<0.05	5	<0.5	<0.2
1212399	Soil	23	0.40	181	0.048	<1	1.21	0.008	0.07	0.5	0.02	2.8	0.1	<0.05	4	<0.5	<0.2
1212400	Soil	19	0.33	141	0.036	<1	1.01	0.006	0.06	0.3	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2
1212401	Soil	22	0.45	118	0.038	<1	1.25	0.005	0.10	0.1	0.03	2.0	0.1	<0.05	4	<0.5	<0.2
1212402	Soil	18	0.32	94	0.024	<1	0.93	0.006	0.07	0.2	<0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
1212403	Soil	22	0.48	97	0.026	<1	1.27	0.005	0.05	0.1	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
1212404	Soil	18	0.26	36	0.045	<1	0.72	0.008	0.04	<0.1	0.04	0.8	<0.1	<0.05	4	<0.5	<0.2
1212405	Soil	27	0.41	61	0.031	1	1.53	0.006	0.06	0.2	0.05	1.5	<0.1	<0.05	5	<0.5	<0.2
1212406	Soil	15	0.11	48	0.029	<1	0.76	0.003	0.03	0.2	0.02	0.8	0.1	<0.05	6	0.6	<0.2
1212407	Soil	24	0.31	104	0.030	<1	1.50	0.005	0.05	0.3	0.03	1.8	0.1	<0.05	5	0.6	<0.2
1212408	Soil	25	0.42	102	0.027	<1	1.44	0.006	0.05	0.3	0.04	1.7	0.1	<0.05	4	0.6	<0.2
1212409	Soil	22	0.49	95	0.029	<1	1.22	0.005	0.04	0.2	<0.01	1.5	<0.1	<0.05	4	<0.5	<0.2
1212410	Soil	22	0.51	142	0.031	<1	1.24	0.007	0.05	0.2	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2
1212411	Soil	21	0.50	100	0.027	<1	1.30	0.005	0.05	0.2	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
1212851	Soil	26	0.66	126	0.042	<1	1.20	0.003	0.14	<0.1	0.02	2.1	<0.1	<0.05	3	<0.5	<0.2
1212852	Soil	18	0.47	164	0.033	<1	0.77	0.002	0.08	<0.1	0.02	1.5	<0.1	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212853	Soil	0.4	25.8	5.7	39	<0.1	16.0	8.1	229	1.59	16.3	2.3	3.1	13	0.1	0.9	<0.1	24	0.21	0.051	9
1212243	Soil	0.2	119.6	13.7	103	0.2	28.5	10.4	146	2.42	10.1	5.6	9.5	65	0.9	0.4	1.0	33	0.67	0.085	20
1212244	Soil	1.0	43.9	10.9	91	0.1	40.8	17.4	479	2.95	26.5	8.9	8.3	29	0.4	0.6	0.4	36	0.17	0.089	18
1212245	Soil	1.1	34.3	10.6	79	<0.1	25.8	12.3	297	2.27	17.2	7.6	5.5	16	0.3	0.6	0.2	41	0.20	0.074	20
1212246	Soil	1.0	27.3	8.1	89	<0.1	27.6	12.3	446	2.31	18.6	49.5	6.8	13	0.4	0.5	0.2	34	0.17	0.070	19
1212247	Soil	1.1	65.0	10.1	111	0.1	40.1	21.9	553	2.90	46.9	10.4	7.9	11	0.2	0.5	0.3	34	0.13	0.071	20
1212248	Soil	1.3	35.7	13.7	97	0.1	45.5	19.6	460	3.02	187.2	126.9	6.0	17	0.3	0.6	0.4	54	0.23	0.092	18
1212249	Soil	0.9	18.1	11.0	60	0.1	19.3	12.4	374	2.47	86.4	23.8	4.8	12	0.2	0.5	0.2	36	0.12	0.047	17
1212250	Soil	0.5	19.0	11.8	61	<0.1	19.9	9.5	239	1.88	39.2	9.3	7.2	12	0.2	0.5	0.1	29	0.11	0.036	21
1212251	Soil	0.3	16.2	15.1	60	<0.1	18.6	9.0	252	1.90	18.6	38.7	6.9	12	0.3	0.5	0.2	30	0.14	0.040	22
1212252	Soil	0.9	19.3	12.8	63	<0.1	22.3	11.6	914	2.32	11.1	2.8	4.6	9	0.2	0.5	0.2	32	0.09	0.039	18
1212253	Soil	0.7	18.0	11.3	56	<0.1	17.3	7.3	168	1.98	10.9	6.5	5.9	12	0.2	0.5	0.1	31	0.14	0.052	18
1212254	Soil	0.6	22.0	11.2	62	<0.1	20.8	8.3	218	1.89	8.7	4.2	6.4	14	0.1	0.5	0.2	32	0.17	0.053	20
1212255	Soil	1.2	22.5	12.3	75	<0.1	23.8	9.3	335	2.08	11.4	2.1	5.7	20	0.2	0.7	0.1	39	0.23	0.079	19
1212256	Soil	0.7	32.8	15.9	84	0.1	34.0	14.7	464	3.07	18.2	68.0	9.6	62	0.3	0.4	0.2	34	0.73	0.066	22
1212257	Soil	1.1	25.3	15.4	75	<0.1	24.6	14.1	356	2.47	16.7	9.7	5.2	14	0.2	0.7	0.2	43	0.18	0.065	21
1212258	Soil	0.8	18.2	9.7	57	<0.1	20.2	12.2	2356	2.13	11.8	17.1	5.8	13	0.2	0.6	0.1	33	0.13	0.053	20
1212259	Soil	1.3	12.6	9.4	49	<0.1	13.6	5.4	129	2.06	17.7	3.6	4.2	8	0.2	0.7	0.1	42	0.08	0.033	15
1212260	Soil	1.5	17.4	11.1	76	<0.1	22.3	7.6	244	2.18	10.3	3.9	2.9	11	0.3	1.0	0.1	45	0.12	0.042	11
1212261	Soil	1.4	22.3	15.1	63	<0.1	20.5	9.4	271	2.60	11.4	1.7	1.5	14	<0.1	0.7	0.3	53	0.13	0.051	16
1212262	Soil	1.3	17.2	12.4	58	<0.1	20.1	7.5	288	2.09	10.0	2.8	2.3	10	0.3	0.7	0.1	36	0.10	0.047	13
1212263	Soil	1.3	17.7	12.5	64	<0.1	21.2	7.7	252	2.20	14.0	1.1	2.3	10	0.2	0.7	0.2	42	0.10	0.040	14
1212264	Soil	1.2	26.9	13.1	70	0.1	24.0	10.4	348	2.33	11.8	6.0	5.2	13	0.2	0.7	0.1	36	0.15	0.068	21
1212265	Soil	1.9	24.8	23.3	52	<0.1	16.5	10.7	565	2.45	19.6	2.1	1.3	8	<0.1	0.8	0.4	55	0.06	0.060	14
1212266	Soil	1.7	57.4	19.7	68	<0.1	17.2	8.3	156	4.19	19.8	3.1	3.9	9	<0.1	0.6	0.5	30	0.04	0.058	18
1212267	Soil	2.2	43.9	19.6	48	0.2	14.8	5.8	91	1.72	19.8	4.3	0.4	13	<0.1	0.9	0.3	46	0.11	0.093	13
1212515	Soil	0.9	26.6	21.9	100	0.3	30.7	12.7	927	3.22	15.2	1.4	4.5	29	0.3	1.5	0.3	36	0.39	0.049	19
1212516	Soil	2.3	41.5	27.4	87	0.5	32.6	13.7	696	3.67	33.0	2.4	5.7	23	0.2	3.0	0.3	32	0.24	0.050	19
1212517	Soil	1.2	31.5	16.3	73	0.2	28.9	11.3	359	2.46	19.5	2.0	4.9	33	0.2	1.5	0.3	32	0.41	0.086	18
1212518	Soil	1.5	37.0	18.8	90	0.3	31.9	14.2	581	3.18	27.1	3.9	5.1	52	0.4	2.1	0.3	32	0.54	0.099	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212853	Soil	15	0.41	99	0.033	<1	0.71	0.002	0.06	0.1	<0.01	1.4	<0.1	<0.05	2	<0.5	<0.2
1212243	Soil	25	0.56	136	0.037	<1	1.62	0.021	0.06	0.9	0.03	3.1	0.1	<0.05	5	<0.5	<0.2
1212244	Soil	21	0.51	125	0.055	<1	1.43	0.007	0.12	0.5	0.02	2.4	0.1	<0.05	4	<0.5	<0.2
1212245	Soil	23	0.47	133	0.061	<1	1.34	0.007	0.08	0.4	0.02	2.6	<0.1	<0.05	4	<0.5	<0.2
1212246	Soil	22	0.42	117	0.057	<1	1.32	0.007	0.09	0.3	0.03	2.1	0.1	<0.05	4	<0.5	<0.2
1212247	Soil	25	0.50	141	0.069	<1	1.59	0.006	0.19	0.3	0.01	2.2	0.2	<0.05	4	<0.5	<0.2
1212248	Soil	46	0.65	182	0.082	<1	1.87	0.009	0.16	0.6	0.05	3.3	0.2	<0.05	6	<0.5	<0.2
1212249	Soil	26	0.40	194	0.046	<1	1.41	0.008	0.09	0.3	0.02	2.5	0.2	<0.05	4	<0.5	<0.2
1212250	Soil	21	0.36	217	0.044	<1	1.21	0.006	0.09	0.5	0.02	2.3	0.1	<0.05	4	<0.5	<0.2
1212251	Soil	22	0.39	175	0.040	<1	1.21	0.007	0.09	0.4	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2
1212252	Soil	24	0.41	159	0.033	<1	1.37	0.005	0.07	0.3	0.03	2.0	0.1	<0.05	4	<0.5	<0.2
1212253	Soil	19	0.33	181	0.043	<1	1.07	0.007	0.05	0.2	0.01	2.2	<0.1	<0.05	3	<0.5	<0.2
1212254	Soil	21	0.40	182	0.046	<1	1.18	0.007	0.07	0.2	0.01	2.3	<0.1	<0.05	3	<0.5	<0.2
1212255	Soil	23	0.41	189	0.053	<1	1.17	0.008	0.08	0.3	0.03	2.8	<0.1	<0.05	3	<0.5	<0.2
1212256	Soil	29	0.70	220	0.107	<1	2.30	0.078	0.40	0.3	0.02	3.7	0.3	<0.05	6	<0.5	<0.2
1212257	Soil	27	0.47	178	0.041	<1	1.49	0.006	0.06	0.4	0.01	3.0	0.2	<0.05	5	<0.5	<0.2
1212258	Soil	20	0.33	173	0.043	<1	1.05	0.006	0.05	0.3	0.02	2.1	<0.1	<0.05	3	<0.5	<0.2
1212259	Soil	18	0.27	68	0.026	<1	1.23	0.005	0.05	0.3	0.02	1.3	<0.1	<0.05	4	<0.5	<0.2
1212260	Soil	22	0.37	116	0.038	<1	1.26	0.008	0.06	0.3	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2
1212261	Soil	29	0.50	152	0.035	<1	1.68	0.008	0.06	0.3	0.04	2.4	0.2	<0.05	6	<0.5	<0.2
1212262	Soil	20	0.32	86	0.030	<1	1.09	0.005	0.05	0.3	0.05	1.2	<0.1	<0.05	3	<0.5	<0.2
1212263	Soil	23	0.35	111	0.030	<1	1.33	0.006	0.07	0.2	0.04	1.8	0.1	<0.05	4	<0.5	<0.2
1212264	Soil	22	0.38	146	0.033	<1	1.20	0.006	0.05	0.3	0.03	2.0	<0.1	<0.05	4	<0.5	<0.2
1212265	Soil	22	0.26	132	0.032	<1	1.24	0.005	0.06	0.3	0.03	1.4	0.2	<0.05	7	<0.5	<0.2
1212266	Soil	25	0.38	51	0.012	<1	1.28	0.004	0.04	0.1	0.02	0.8	<0.1	0.12	5	0.9	<0.2
1212267	Soil	14	0.07	73	0.012	1	0.57	0.003	0.04	0.3	0.04	0.5	<0.1	0.08	3	0.8	<0.2
1212515	Soil	19	0.26	391	0.008	1	1.33	0.006	0.07	0.1	0.04	3.1	<0.1	0.05	4	0.7	<0.2
1212516	Soil	21	0.36	271	0.006	<1	1.50	0.005	0.06	0.2	0.05	2.7	<0.1	<0.05	3	0.9	<0.2
1212517	Soil	21	0.36	326	0.010	2	1.16	0.005	0.05	0.2	0.06	2.5	<0.1	<0.05	4	0.9	<0.2
1212518	Soil	21	0.38	314	0.010	2	1.19	0.006	0.06	0.2	0.06	2.7	<0.1	0.07	4	1.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212519	Soil	5.0	46.8	19.3	100	0.5	35.9	14.2	383	3.39	37.3	2.9	5.0	35	0.2	6.1	0.3	35	0.36	0.105	19
1212520	Soil	1.0	66.1	17.0	87	0.3	32.3	12.1	722	2.87	29.7	3.4	4.1	37	0.4	2.3	0.3	27	0.77	0.084	17
1212521	Soil	0.8	32.3	20.2	74	0.2	28.1	12.2	556	3.00	42.5	7.4	6.2	61	0.2	2.9	0.3	27	0.53	0.054	19
1212522	Soil	2.0	21.8	23.6	71	0.3	19.3	8.5	273	3.16	50.3	0.8	5.7	6	0.3	1.9	0.3	39	0.05	0.038	19
1212523	Soil	1.3	12.8	11.6	41	<0.1	10.3	5.1	212	1.88	25.7	2.9	3.2	5	0.2	1.3	0.2	38	0.04	0.041	20
1212524	Soil	1.3	40.0	26.4	72	0.1	30.4	14.0	256	3.55	85.0	2.0	6.8	7	0.3	2.3	0.3	30	0.05	0.038	20
1212525	Soil	1.5	14.7	18.1	71	<0.1	17.6	8.3	256	3.07	33.6	0.9	4.7	8	0.2	1.6	0.2	38	0.07	0.055	19
1212526	Soil	1.3	29.1	21.7	97	0.2	35.6	13.5	409	3.26	39.7	3.4	6.6	13	0.3	1.8	0.3	42	0.12	0.060	19
1212527	Soil	1.5	64.9	24.3	94	0.1	33.1	17.9	447	4.30	43.1	<0.5	6.3	6	0.2	3.4	0.3	39	0.07	0.075	17
1212528	Soil	1.7	18.7	18.9	70	0.2	19.3	8.7	182	3.30	35.1	2.7	6.0	11	<0.1	1.7	0.3	47	0.12	0.021	22
1212529	Soil	1.2	9.5	11.6	45	0.2	14.6	9.2	199	2.45	11.0	0.6	3.8	7	<0.1	0.9	0.2	57	0.06	0.014	15
1212530	Soil	1.1	12.6	14.8	74	0.3	14.8	10.2	551	2.37	13.8	<0.5	3.9	8	0.1	0.8	0.2	43	0.08	0.022	20
1212531	Soil	1.6	47.9	15.7	81	0.2	27.3	11.4	313	3.23	22.4	1.2	5.0	14	0.1	2.0	0.3	42	0.18	0.052	18
1212532	Soil	1.2	41.2	16.8	94	0.2	32.1	13.2	518	2.93	27.9	3.9	7.0	47	0.3	3.1	0.2	38	0.94	0.081	20
1212533	Soil	1.5	50.6	16.3	53	<0.1	33.7	16.8	310	3.67	21.4	6.7	4.5	15	<0.1	1.7	0.2	65	0.26	0.016	16
1212534	Soil	1.4	36.3	18.0	76	<0.1	29.7	13.8	321	3.30	38.9	1.6	5.0	11	0.1	1.7	0.3	44	0.15	0.025	18
1212535	Soil	1.5	45.2	26.5	81	0.2	30.3	16.4	341	4.14	28.9	1.9	6.3	18	0.1	4.5	0.3	36	0.27	0.077	21
1212536	Soil	1.1	41.9	26.4	75	<0.1	26.8	11.5	385	3.58	34.1	3.1	8.1	7	<0.1	3.1	0.3	33	0.07	0.015	28
1212537	Soil	1.2	22.1	17.2	61	<0.1	18.9	7.9	186	2.70	22.7	<0.5	5.6	8	0.1	2.2	0.2	40	0.08	0.020	22
1212538	Soil	1.7	123.5	25.3	128	0.3	49.5	19.8	639	3.77	36.3	4.7	7.6	34	0.6	4.5	0.3	35	0.52	0.074	21
1212539	Soil	1.9	36.2	14.8	60	<0.1	24.8	13.3	159	2.87	21.0	2.6	4.3	9	<0.1	1.1	0.2	53	0.08	0.015	13
1212540	Soil	1.2	48.4	16.1	97	<0.1	46.5	33.5	707	7.02	16.2	0.6	2.1	4	0.2	1.6	0.3	193	0.10	0.056	7
1212541	Soil	1.5	17.9	14.3	67	<0.1	15.1	8.1	150	2.70	18.8	1.3	3.8	7	0.1	1.1	0.2	57	0.08	0.018	15
1212542	Soil	1.5	96.7	20.7	110	0.2	46.7	20.0	621	4.09	31.8	3.5	7.9	28	0.3	4.4	0.3	43	0.36	0.067	22
1211671	Soil	1.1	109.1	8.8	106	0.3	65.7	17.0	608	5.92	27.7	106.9	9.8	33	0.3	0.6	1.3	42	0.40	0.079	21
1211672	Soil	1.2	24.4	45.2	77	<0.1	24.8	8.8	415	2.12	164.1	113.1	3.3	10	0.4	0.8	0.3	38	0.12	0.061	14
1211673	Soil	1.9	107.8	45.8	63	0.6	24.4	14.1	216	2.59	16.3	5.1	0.6	10	0.2	0.8	0.8	47	0.06	0.055	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy Co**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

CERTIFICATE OF ANALYSIS WHI11000896.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212519	Soil	20	0.33	287	0.007	<1	1.19	0.006	0.05	0.2	0.06	2.1	<0.1	0.06	3	1.8	<0.2
1212520	Soil	16	0.30	238	0.006	1	1.02	0.005	0.05	0.2	0.09	2.9	<0.1	0.08	3	0.9	<0.2
1212521	Soil	15	0.35	209	0.006	2	1.01	0.005	0.06	0.1	0.03	2.0	<0.1	0.06	3	<0.5	<0.2
1212522	Soil	18	0.24	186	0.007	1	1.26	0.003	0.04	0.2	0.03	1.5	<0.1	<0.05	4	1.0	<0.2
1212523	Soil	10	0.13	59	0.012	<1	0.68	0.002	0.04	0.2	<0.01	0.7	<0.1	<0.05	5	0.5	<0.2
1212524	Soil	19	0.31	114	0.008	<1	1.44	0.003	0.04	0.1	0.03	1.5	<0.1	<0.05	4	<0.5	<0.2
1212525	Soil	17	0.24	120	0.013	<1	0.99	0.003	0.04	0.2	0.02	1.1	<0.1	<0.05	4	0.6	<0.2
1212526	Soil	23	0.36	260	0.014	2	1.51	0.004	0.06	0.3	0.02	2.2	<0.1	<0.05	4	0.8	<0.2
1212527	Soil	20	0.34	71	0.009	<1	1.32	0.003	0.06	0.2	0.03	1.6	<0.1	<0.05	5	<0.5	<0.2
1212528	Soil	19	0.32	202	0.012	<1	1.24	0.003	0.06	0.2	<0.01	1.3	<0.1	<0.05	5	<0.5	<0.2
1212529	Soil	18	0.25	172	0.013	<1	1.30	0.003	0.04	0.2	0.01	1.4	0.1	<0.05	5	<0.5	<0.2
1212530	Soil	17	0.28	200	0.014	<1	1.20	0.004	0.07	0.2	0.02	1.3	0.1	<0.05	5	<0.5	<0.2
1212531	Soil	23	0.49	261	0.010	<1	1.37	0.004	0.07	0.2	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2
1212532	Soil	21	0.49	343	0.026	2	1.15	0.013	0.11	0.2	0.05	3.0	0.1	<0.05	3	<0.5	<0.2
1212533	Soil	35	0.58	178	0.016	<1	1.76	0.004	0.08	<0.1	0.01	2.4	0.1	<0.05	6	<0.5	<0.2
1212534	Soil	23	0.38	286	0.013	1	1.43	0.004	0.07	0.1	0.02	1.8	<0.1	<0.05	4	<0.5	<0.2
1212535	Soil	26	0.57	143	0.007	2	1.40	0.004	0.10	<0.1	0.04	2.4	0.1	<0.05	5	<0.5	<0.2
1212536	Soil	20	0.34	305	0.005	<1	1.62	0.004	0.06	<0.1	0.04	2.7	0.1	<0.05	4	<0.5	<0.2
1212537	Soil	17	0.22	245	0.009	<1	1.23	0.003	0.05	0.1	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
1212538	Soil	22	0.49	288	0.011	2	1.34	0.006	0.18	<0.1	0.10	3.4	0.1	<0.05	4	<0.5	<0.2
1212539	Soil	26	0.38	263	0.022	<1	1.75	0.004	0.04	0.2	0.01	2.0	0.1	<0.05	5	0.5	<0.2
1212540	Soil	101	1.75	77	0.079	<1	2.67	0.003	0.06	0.1	<0.01	10.1	<0.1	<0.05	10	<0.5	<0.2
1212541	Soil	19	0.24	163	0.016	<1	1.22	0.003	0.04	0.2	<0.01	1.3	<0.1	<0.05	4	0.6	<0.2
1212542	Soil	28	0.61	225	0.020	<1	1.48	0.005	0.16	<0.1	0.05	3.2	0.1	<0.05	4	<0.5	0.2
1211671	Soil	38	0.39	91	0.063	2	1.65	0.011	0.08	0.9	0.03	3.8	0.1	0.14	6	<0.5	0.3
1211672	Soil	19	0.24	98	0.027	<1	1.17	0.004	0.06	1.4	0.04	1.5	0.1	<0.05	4	<0.5	<0.2
1211673	Soil	21	0.23	83	0.022	<1	1.03	0.004	0.05	0.2	0.06	0.8	0.1	0.08	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

QUALITY CONTROL REPORT WHI11000896.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1212652	Soil	1.2	190.3	13.3	100	0.4	70.4	25.7	569	4.98	50.7	6.5	2.1	12	0.3	1.7	0.3	78	0.42	0.054	9
REP 1212652	QC	1.2	191.6	13.9	102	0.5	70.5	26.1	571	5.09	51.0	4.1	2.3	13	0.3	1.6	0.3	81	0.44	0.055	10
1212669	Soil	1.2	99.1	28.8	85	0.2	56.3	22.9	569	5.05	54.1	4.5	3.8	16	0.2	2.5	0.4	72	0.46	0.052	12
REP 1212669	QC	1.1	98.0	27.5	81	0.1	50.7	21.9	542	4.73	50.4	2.7	3.6	16	0.2	2.5	0.4	67	0.43	0.051	12
1212368	Soil	2.0	26.0	19.6	91	0.1	25.6	9.6	273	2.40	29.5	5.5	3.5	11	0.4	1.5	0.2	43	0.08	0.039	15
REP 1212368	QC	2.0	25.7	19.2	92	0.1	25.6	9.9	278	2.45	29.3	5.4	3.8	10	0.4	1.5	0.2	43	0.08	0.039	15
1212214	Soil	1.7	24.6	21.1	70	<0.1	21.2	10.9	335	3.58	40.1	2.2	8.8	9	0.1	1.0	0.4	33	0.04	0.052	20
REP 1212214	QC	1.7	24.1	20.7	68	<0.1	20.7	11.2	340	3.59	39.6	2.4	8.8	9	0.1	0.9	0.4	34	0.04	0.050	20
1212218	Soil	1.8	17.4	18.9	58	<0.1	17.1	6.9	214	3.47	28.2	2.1	3.6	6	0.1	1.0	0.6	42	0.05	0.035	15
REP 1212218	QC	1.8	17.6	19.2	60	<0.1	17.7	6.8	219	3.63	28.2	1.8	3.7	6	0.1	1.0	0.5	43	0.05	0.037	16
1212401	Soil	0.7	22.4	13.3	60	<0.1	14.4	6.4	226	2.54	6.4	5.8	8.2	13	0.1	0.5	0.2	28	0.09	0.037	29
REP 1212401	QC	0.7	23.7	13.8	61	<0.1	14.8	6.5	237	2.62	6.7	6.6	8.6	14	0.1	0.5	0.2	29	0.10	0.040	31
1212410	Soil	1.2	38.9	15.4	70	0.1	22.0	9.2	209	2.83	8.8	4.0	11.0	17	0.3	0.5	0.3	28	0.11	0.051	29
REP 1212410	QC	1.2	36.8	14.1	68	0.1	21.3	8.7	201	2.75	8.6	3.5	10.6	17	0.2	0.5	0.3	27	0.11	0.048	28
1212263	Soil	1.3	17.7	12.5	64	<0.1	21.2	7.7	252	2.20	14.0	1.1	2.3	10	0.2	0.7	0.2	42	0.10	0.040	14
REP 1212263	QC	1.6	18.7	13.3	66	<0.1	21.6	7.8	258	2.29	14.7	5.4	2.3	10	0.2	0.7	0.2	43	0.09	0.042	14
1212266	Soil	1.7	57.4	19.7	68	<0.1	17.2	8.3	156	4.19	19.8	3.1	3.9	9	<0.1	0.6	0.5	30	0.04	0.058	18
REP 1212266	QC	2.0	57.9	20.7	68	<0.1	18.1	8.9	162	4.12	20.6	5.1	3.7	9	0.1	0.6	0.6	27	0.03	0.056	22
1212536	Soil	1.1	41.9	26.4	75	<0.1	26.8	11.5	385	3.58	34.1	3.1	8.1	7	<0.1	3.1	0.3	33	0.07	0.015	28
REP 1212536	QC	1.2	42.8	26.0	73	<0.1	27.8	11.6	366	3.51	32.6	1.5	8.2	7	<0.1	3.1	0.3	31	0.06	0.014	27
Reference Materials																					
STD DS8	Standard	12.7	109.1	119.0	323	2.0	38.2	7.8	614	2.52	28.3	107.9	6.5	61	2.4	5.7	6.2	46	0.66	0.082	14
STD DS8	Standard	12.9	113.4	128.3	324	1.9	39.4	7.8	611	2.52	26.3	116.5	6.1	67	2.3	5.9	6.7	47	0.72	0.089	15
STD DS8	Standard	12.8	101.9	122.1	297	1.7	36.3	7.3	582	2.32	23.4	114.1	6.5	60	2.1	5.2	5.7	38	0.67	0.074	14
STD DS8	Standard	13.2	112.6	126.8	319	1.8	38.9	7.5	623	2.49	24.6	107.3	6.6	62	2.2	5.5	6.0	45	0.69	0.081	15
STD DS8	Standard	13.9	111.4	122.9	318	1.9	39.8	7.7	630	2.62	24.8	115.0	6.9	69	2.3	5.6	6.5	44	0.72	0.077	16
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

QUALITY CONTROL REPORT WHI11000896.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1212652	Soil	49	1.12	137	0.050	<1	2.08	0.004	0.25	0.1	0.04	4.6	0.2	<0.05	6	<0.5	<0.2
REP 1212652	QC	51	1.16	141	0.054	1	2.12	0.005	0.25	0.1	0.05	5.0	0.2	<0.05	6	<0.5	<0.2
1212669	Soil	48	1.05	126	0.055	<1	1.79	0.004	0.18	0.1	0.03	3.8	0.1	<0.05	5	<0.5	<0.2
REP 1212669	QC	45	0.99	121	0.052	<1	1.68	0.004	0.17	<0.1	0.03	3.4	0.1	<0.05	5	0.6	<0.2
1212368	Soil	22	0.39	141	0.029	2	1.24	0.007	0.07	0.4	0.04	1.9	0.1	<0.05	3	0.7	<0.2
REP 1212368	QC	22	0.38	133	0.029	2	1.24	0.007	0.07	0.4	0.04	1.9	0.1	<0.05	3	0.6	<0.2
1212214	Soil	21	0.40	66	0.016	<1	1.24	0.005	0.04	0.2	0.01	1.2	<0.1	<0.05	4	<0.5	<0.2
REP 1212214	QC	21	0.40	65	0.016	<1	1.25	0.005	0.05	0.2	0.01	1.2	<0.1	<0.05	4	0.6	<0.2
1212218	Soil	17	0.25	67	0.015	2	1.04	0.003	0.06	0.2	0.03	1.0	0.1	0.06	5	<0.5	<0.2
REP 1212218	QC	17	0.25	69	0.016	1	1.07	0.003	0.06	0.2	0.03	1.1	0.1	<0.05	5	<0.5	<0.2
1212401	Soil	22	0.45	118	0.038	<1	1.25	0.005	0.10	0.1	0.03	2.0	0.1	<0.05	4	<0.5	<0.2
REP 1212401	QC	22	0.47	121	0.040	<1	1.29	0.005	0.11	0.2	0.02	2.1	0.1	<0.05	4	<0.5	<0.2
1212410	Soil	22	0.51	142	0.031	<1	1.24	0.007	0.05	0.2	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2
REP 1212410	QC	21	0.50	133	0.030	<1	1.20	0.009	0.05	0.2	<0.01	1.8	<0.1	<0.05	4	<0.5	<0.2
1212263	Soil	23	0.35	111	0.030	<1	1.33	0.006	0.07	0.2	0.04	1.8	0.1	<0.05	4	<0.5	<0.2
REP 1212263	QC	24	0.37	118	0.029	<1	1.39	0.006	0.07	0.3	0.05	1.9	0.1	<0.05	4	<0.5	<0.2
1212266	Soil	25	0.38	51	0.012	<1	1.28	0.004	0.04	0.1	0.02	0.8	<0.1	0.12	5	0.9	<0.2
REP 1212266	QC	26	0.37	57	0.013	<1	1.30	0.004	0.04	0.2	0.03	0.9	<0.1	0.08	5	0.9	<0.2
1212536	Soil	20	0.34	305	0.005	<1	1.62	0.004	0.06	<0.1	0.04	2.7	0.1	<0.05	4	<0.5	<0.2
REP 1212536	QC	19	0.33	287	0.005	<1	1.57	0.003	0.07	<0.1	0.03	2.7	0.1	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	114	0.61	301	0.109	3	0.88	0.086	0.42	3.1	0.21	1.9	5.7	0.18	5	5.8	4.6
STD DS8	Standard	118	0.63	294	0.114	3	0.94	0.095	0.45	3.0	0.19	2.2	5.5	0.22	5	5.3	5.1
STD DS8	Standard	112	0.57	278	0.114	<1	0.86	0.085	0.39	2.9	0.19	2.5	5.2	0.14	4	4.0	4.4
STD DS8	Standard	115	0.62	273	0.122	3	0.93	0.089	0.40	3.0	0.21	2.2	5.6	0.19	5	5.2	5.2
STD DS8	Standard	122	0.60	283	0.124	3	0.95	0.092	0.41	3.1	0.22	2.4	5.4	0.13	5	4.9	4.8
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

QUALITY CONTROL REPORT WHI11000896.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 25, 2011

QUALITY CONTROL REPORT WHI11000896.1

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 27, 2011
Report Date: August 24, 2011
Page: 1 of 10

CERTIFICATE OF ANALYSIS WHI11000910.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-1
P.O. Number
Number of Samples: 246

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	246	Dry at 60C			WHI
SS80	246	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	246	Saving all or part of Soil Reject			WHI
1DX2	246	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212451	Soil	0.9	50.9	16.2	68	<0.1	35.4	17.4	565	4.07	13.9	2.2	3.4	7	0.1	1.6	0.3	66	0.06	0.039	14
1212452	Soil	1.0	44.4	18.8	67	<0.1	34.3	16.2	503	3.42	21.0	2.4	5.1	9	0.1	2.3	0.4	39	0.06	0.039	21
1212453	Soil	1.5	28.8	16.8	71	0.1	25.2	11.7	540	2.93	36.9	2.9	2.4	9	0.2	1.5	0.4	40	0.08	0.054	12
1212454	Soil	1.4	38.5	13.4	79	0.2	28.5	13.4	443	3.11	50.4	3.4	3.8	7	0.2	1.5	0.4	45	0.07	0.041	15
1212455	Soil	1.2	36.2	12.5	63	<0.1	26.2	12.4	357	3.11	29.8	5.4	2.0	6	0.2	1.3	0.4	48	0.06	0.038	11
1212456	Soil	0.9	49.5	10.7	71	0.1	33.4	16.0	437	3.64	34.6	7.8	3.4	7	0.1	1.4	0.3	52	0.10	0.046	13
1212457	Soil	1.1	46.9	15.8	73	<0.1	35.5	17.7	646	3.69	16.0	3.4	3.1	7	0.2	2.6	0.3	52	0.08	0.050	12
1212458	Soil	1.1	47.5	11.3	63	<0.1	32.4	14.8	412	3.75	17.6	2.1	1.5	6	0.2	1.4	0.2	67	0.07	0.050	8
1212459	Soil	0.8	52.6	8.6	65	<0.1	33.7	17.2	470	4.06	16.6	2.2	2.0	6	0.1	1.2	0.2	66	0.08	0.041	9
1212460	Soil	1.2	31.8	14.7	57	<0.1	24.0	11.3	368	3.06	14.7	1.9	2.2	6	0.2	1.3	0.2	56	0.06	0.033	10
1212461	Soil	0.7	40.7	13.7	57	<0.1	29.5	13.2	336	3.42	15.7	2.8	2.8	7	<0.1	1.2	0.2	53	0.07	0.040	12
1212462	Soil	1.2	33.5	19.8	65	<0.1	28.5	14.1	893	2.94	10.9	1.0	3.8	10	0.1	1.2	0.3	41	0.07	0.044	14
1212463	Soil	1.3	48.7	19.2	72	0.2	34.4	15.6	456	3.86	16.3	1.9	2.6	8	0.1	1.6	0.3	57	0.07	0.060	14
1212464	Soil	0.9	47.6	13.6	62	<0.1	32.3	15.5	490	3.47	13.1	1.1	2.9	7	0.2	1.6	0.2	54	0.09	0.048	10
1212465	Soil	1.1	48.4	13.7	60	<0.1	31.2	14.4	418	3.40	13.7	1.9	2.3	6	0.1	1.6	0.2	53	0.06	0.039	11
1212466	Soil	1.0	38.4	12.4	58	<0.1	28.5	12.4	321	3.47	12.3	3.4	2.4	6	0.1	1.5	0.2	54	0.07	0.038	10
1212467	Soil	0.8	46.5	12.7	63	<0.1	34.4	15.8	464	3.85	14.1	3.1	3.6	7	0.1	2.0	0.2	57	0.09	0.044	13
1212468	Soil	0.6	115.9	22.7	170	0.2	236.3	68.9	2815	7.61	56.9	3.0	9.4	112	0.2	1.0	0.5	173	0.66	0.157	39
1212469	Soil	1.1	81.1	34.2	79	<0.1	48.7	20.5	563	4.26	8.7	2.1	10.4	31	0.2	2.1	0.4	18	0.03	0.046	35
1212470	Soil	1.1	72.2	34.4	90	0.1	49.8	23.0	764	4.13	16.1	2.3	5.1	25	0.2	2.1	0.5	41	0.17	0.063	26
1212471	Soil	1.0	55.9	25.4	68	0.1	39.3	17.1	544	3.87	12.0	2.4	5.1	11	<0.1	2.5	0.3	41	0.07	0.054	24
1212472	Soil	1.0	62.4	24.8	70	<0.1	38.3	18.6	555	3.93	12.9	4.0	7.0	12	<0.1	2.1	0.3	40	0.08	0.046	23
1212473	Soil	1.0	66.4	20.5	61	0.1	33.3	17.4	493	4.41	14.8	6.6	5.6	7	<0.1	3.0	0.3	51	0.07	0.038	19
1212474	Soil	0.7	66.8	13.3	63	<0.1	38.4	17.1	441	4.16	24.4	7.7	3.2	5	<0.1	4.3	0.2	61	0.06	0.027	10
1212475	Soil	1.2	51.1	12.5	63	<0.1	39.0	18.9	662	4.47	26.6	1.4	3.5	5	0.1	5.0	0.2	83	0.08	0.039	8
1212476	Soil	1.0	58.4	12.8	68	0.1	40.5	18.8	579	4.35	46.1	2.3	2.9	5	0.1	12.3	0.2	64	0.08	0.042	11
1212477	Soil	1.1	85.9	17.0	75	<0.1	49.3	22.4	557	4.49	21.7	2.7	3.3	6	0.1	1.7	0.3	64	0.08	0.026	9
1212478	Soil	1.3	58.2	13.6	66	<0.1	38.9	16.7	495	4.24	20.1	2.8	2.1	5	0.2	1.5	0.3	69	0.07	0.029	7
1212479	Soil	1.2	73.6	13.4	75	<0.1	47.5	22.5	607	4.60	31.8	3.4	2.8	6	0.1	1.8	0.2	71	0.09	0.031	8
1212480	Soil	1.0	64.5	9.2	66	<0.1	36.7	17.5	471	4.27	40.9	5.8	2.1	6	0.1	2.8	0.2	71	0.08	0.025	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212451	Soil	58	0.91	78	0.081	1	1.68	0.003	0.22	<0.1	0.04	2.2	0.2	0.07	5	0.6	<0.2
1212452	Soil	37	0.66	95	0.034	1	1.33	0.005	0.17	0.1	0.03	1.6	0.2	<0.05	4	<0.5	<0.2
1212453	Soil	23	0.45	109	0.021	1	1.14	0.003	0.08	0.2	0.05	1.3	0.1	<0.05	4	0.7	<0.2
1212454	Soil	27	0.61	127	0.025	<1	1.46	0.003	0.09	0.2	0.05	1.7	0.1	<0.05	4	0.5	<0.2
1212455	Soil	29	0.61	86	0.024	<1	1.47	0.003	0.09	0.2	0.03	1.4	0.1	<0.05	4	0.5	<0.2
1212456	Soil	36	0.86	135	0.040	2	1.65	0.003	0.14	0.2	0.04	1.8	0.1	<0.05	5	<0.5	<0.2
1212457	Soil	37	0.79	87	0.049	<1	1.50	0.003	0.16	0.2	0.03	1.7	0.1	<0.05	4	0.6	<0.2
1212458	Soil	42	0.85	100	0.053	<1	1.72	0.003	0.13	0.1	0.03	1.7	0.1	<0.05	5	0.5	<0.2
1212459	Soil	45	1.07	88	0.063	<1	1.93	0.002	0.18	0.1	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
1212460	Soil	30	0.58	63	0.062	<1	1.21	0.003	0.12	0.1	0.03	1.4	0.1	<0.05	5	<0.5	<0.2
1212461	Soil	36	0.79	86	0.045	1	1.60	0.002	0.13	0.2	0.02	1.6	0.2	<0.05	5	<0.5	<0.2
1212462	Soil	29	0.57	86	0.042	<1	1.16	0.003	0.16	0.1	0.03	1.3	0.1	<0.05	4	<0.5	<0.2
1212463	Soil	42	0.74	182	0.029	<1	1.74	0.003	0.15	0.2	0.03	1.8	0.2	<0.05	5	<0.5	<0.2
1212464	Soil	38	0.80	67	0.063	<1	1.51	0.003	0.15	0.2	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
1212465	Soil	38	0.72	78	0.038	1	1.58	0.003	0.13	0.1	0.05	1.5	0.1	<0.05	5	<0.5	<0.2
1212466	Soil	38	0.77	72	0.054	<1	1.55	0.003	0.11	0.1	0.03	1.5	0.1	<0.05	5	<0.5	<0.2
1212467	Soil	45	1.00	75	0.054	<1	1.87	0.003	0.18	0.1	0.03	1.8	0.1	<0.05	5	<0.5	<0.2
1212468	Soil	690	3.13	446	0.156	<1	5.07	0.017	1.08	0.2	0.04	5.3	0.7	<0.05	13	<0.5	<0.2
1212469	Soil	18	0.20	89	0.004	<1	0.83	0.003	0.13	0.1	0.02	1.8	0.2	<0.05	2	<0.5	<0.2
1212470	Soil	47	0.81	118	0.012	<1	1.85	0.004	0.13	<0.1	0.04	1.8	0.1	<0.05	5	<0.5	<0.2
1212471	Soil	45	0.79	78	0.019	<1	1.69	0.003	0.13	<0.1	0.01	1.7	0.1	<0.05	5	<0.5	<0.2
1212472	Soil	46	0.87	67	0.020	<1	1.74	0.003	0.14	<0.1	0.02	1.9	0.1	<0.05	5	<0.5	<0.2
1212473	Soil	45	0.91	81	0.044	<1	1.85	0.003	0.16	<0.1	0.02	2.1	0.2	<0.05	5	<0.5	<0.2
1212474	Soil	44	1.05	57	0.072	<1	1.94	0.002	0.19	<0.1	0.03	1.9	0.2	<0.05	6	<0.5	<0.2
1212475	Soil	60	1.11	69	0.102	<1	2.02	0.003	0.22	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2
1212476	Soil	47	1.07	66	0.070	<1	1.88	0.002	0.23	<0.1	0.03	2.3	0.2	<0.05	6	0.5	<0.2
1212477	Soil	47	1.04	73	0.089	<1	2.09	0.003	0.18	<0.1	0.03	2.4	0.2	<0.05	6	<0.5	<0.2
1212478	Soil	42	0.91	70	0.111	1	1.82	0.003	0.16	0.1	0.03	1.9	0.1	<0.05	7	<0.5	<0.2
1212479	Soil	51	1.15	70	0.104	<1	2.16	0.003	0.17	0.1	0.04	2.6	0.2	<0.05	7	<0.5	<0.2
1212480	Soil	47	1.02	85	0.073	<1	2.05	0.003	0.14	0.1	0.02	2.0	0.1	<0.05	6	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212481	Soil	1.2	67.2	11.7	69	0.2	40.3	18.8	593	4.69	108.6	18.7	2.3	6	0.1	8.7	0.2	77	0.12	0.036	10
1212482	Soil	0.7	89.0	7.5	77	<0.1	54.8	28.4	856	5.66	64.6	13.7	1.9	6	<0.1	4.1	0.1	96	0.13	0.030	6
1212483	Soil	1.1	60.5	9.9	75	<0.1	33.7	17.0	502	4.20	23.7	4.8	1.8	7	0.1	1.4	0.2	75	0.09	0.041	7
1212484	Soil	1.1	56.0	7.9	61	<0.1	31.3	15.2	403	4.18	29.1	3.2	2.1	5	0.1	1.4	0.2	73	0.09	0.031	7
1212485	Soil	0.8	95.0	6.7	67	<0.1	40.1	21.6	492	4.94	20.0	5.0	2.7	5	<0.1	0.9	0.2	79	0.11	0.025	8
1212486	Soil	0.7	77.5	9.1	81	<0.1	88.5	43.1	695	5.00	14.8	1.6	2.1	7	<0.1	0.6	0.2	88	0.11	0.031	4
1212487	Soil	1.3	43.5	22.1	75	0.2	31.5	14.8	457	3.41	60.9	11.6	7.9	10	0.1	3.0	0.6	33	0.07	0.048	17
1212488	Soil	1.1	23.8	16.9	50	<0.1	19.4	8.7	283	2.87	39.9	1.6	4.5	6	0.1	1.5	0.6	34	0.05	0.032	16
1212489	Soil	1.5	12.9	15.7	33	0.2	10.9	3.9	102	1.71	25.1	1.7	2.5	8	<0.1	0.8	0.4	39	0.04	0.024	16
1212490	Soil	1.5	10.6	18.3	41	<0.1	9.6	3.9	139	2.03	26.5	2.1	1.0	8	<0.1	1.0	0.4	48	0.04	0.027	11
1212491	Soil	1.4	26.4	21.7	53	<0.1	22.4	9.5	283	2.77	37.9	2.8	4.7	12	0.1	1.5	0.7	34	0.10	0.043	18
1212492	Soil	1.9	23.4	20.2	53	<0.1	15.6	5.6	138	2.58	22.2	1.9	3.6	6	0.1	1.1	0.4	48	0.04	0.028	12
1212493	Soil	0.9	42.7	20.5	55	0.1	24.3	10.1	268	2.69	50.9	5.1	6.7	10	0.1	2.3	1.1	22	0.08	0.041	21
1212494	Soil	1.4	52.0	42.2	70	<0.1	40.5	21.4	820	3.61	42.1	4.8	9.4	8	0.2	1.3	0.8	26	0.08	0.046	20
1212495	Soil	0.9	52.3	17.9	58	<0.1	31.9	14.0	377	2.96	50.3	14.7	7.3	18	0.1	2.5	1.5	31	0.14	0.042	29
1212496	Soil	1.7	32.1	20.1	61	0.1	22.4	10.6	292	2.79	37.7	4.4	4.2	16	0.1	1.3	0.5	47	0.12	0.041	19
1212497	Soil	2.2	42.1	15.6	53	0.2	33.5	19.4	520	3.27	95.8	7.3	3.7	43	0.2	9.8	0.9	26	0.39	0.050	15
1212498	Soil	0.8	43.0	14.6	52	<0.1	26.5	13.2	311	3.21	79.3	4.1	8.5	9	0.1	2.3	1.6	30	0.05	0.022	20
1212499	Soil	0.6	23.3	25.5	162	0.2	30.0	14.6	435	3.48	18.0	2.2	11.6	36	1.1	9.0	0.5	11	0.30	0.059	28
1212500	Soil	1.4	50.5	14.0	46	<0.1	21.2	10.2	360	4.29	35.9	1.9	12.8	39	<0.1	1.2	3.4	23	0.08	0.046	19
1212501	Soil	0.9	43.6	54.1	64	<0.1	24.8	9.1	336	3.52	105.5	23.2	7.7	9	0.2	2.6	2.2	23	0.08	0.048	19
1212502	Soil	1.2	19.4	23.4	54	0.1	16.2	7.6	215	2.34	47.0	2.1	7.2	11	0.2	1.1	1.0	31	0.10	0.035	18
1212503	Soil	1.1	23.9	23.5	37	0.2	14.1	6.6	228	1.68	38.7	1.5	0.3	25	0.2	0.7	1.1	23	0.29	0.053	27
1212504	Soil	1.3	22.1	22.0	62	0.2	19.7	8.9	286	2.50	67.9	2.7	3.0	17	0.2	1.0	0.8	39	0.18	0.050	14
1212505	Soil	0.7	36.0	22.5	56	<0.1	26.3	11.6	334	2.75	291.3	3.8	8.9	13	0.2	2.3	2.1	19	0.12	0.037	21
1212506	Soil	0.9	20.4	16.7	48	0.1	14.5	9.6	358	2.15	96.8	3.0	4.4	16	0.2	1.5	1.3	22	0.19	0.051	17
1212507	Soil	0.8	25.9	14.4	46	<0.1	19.1	9.7	310	2.07	64.3	4.8	8.8	7	0.1	1.0	1.1	18	0.06	0.037	24
1212508	Soil	0.7	26.9	11.8	47	<0.1	18.5	8.6	249	2.27	68.9	4.8	7.4	12	<0.1	1.1	1.2	20	0.13	0.040	25
1212509	Soil	1.4	17.1	13.9	54	0.1	18.1	9.2	245	2.61	80.3	2.7	7.0	8	0.2	1.2	1.1	37	0.06	0.035	15
1212510	Soil	1.0	12.6	10.1	25	<0.1	8.1	3.3	88	1.46	43.6	6.6	4.3	7	0.1	0.7	0.8	32	0.05	0.017	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212481	Soil	50	1.05	88	0.060	1	2.05	0.003	0.13	0.1	0.02	3.1	0.2	<0.05	6	<0.5	<0.2
1212482	Soil	74	1.59	112	0.121	<1	2.79	0.003	0.33	<0.1	<0.01	3.3	0.2	<0.05	8	<0.5	<0.2
1212483	Soil	49	1.03	112	0.064	<1	2.14	0.004	0.14	0.2	0.02	2.1	0.2	<0.05	6	0.5	<0.2
1212484	Soil	44	0.99	88	0.097	<1	1.88	0.004	0.16	0.1	0.02	1.7	0.1	<0.05	6	<0.5	<0.2
1212485	Soil	56	1.39	77	0.102	<1	2.34	0.003	0.20	<0.1	<0.01	2.1	0.2	<0.05	6	<0.5	<0.2
1212486	Soil	60	1.20	98	0.161	<1	2.20	0.004	0.43	<0.1	0.01	2.0	0.3	<0.05	6	<0.5	<0.2
1212487	Soil	25	0.53	140	0.008	1	1.57	0.003	0.11	0.1	0.10	1.8	0.3	<0.05	4	0.7	<0.2
1212488	Soil	20	0.41	68	0.020	1	1.13	0.003	0.08	0.2	0.04	1.3	0.1	<0.05	4	0.6	<0.2
1212489	Soil	13	0.21	80	0.019	1	0.89	0.003	0.09	0.1	0.03	0.7	0.2	<0.05	5	<0.5	<0.2
1212490	Soil	13	0.13	80	0.029	2	0.69	0.003	0.06	0.2	0.03	0.7	0.1	<0.05	5	<0.5	<0.2
1212491	Soil	21	0.44	130	0.012	<1	1.33	0.003	0.07	0.2	0.03	1.5	0.1	<0.05	4	0.6	<0.2
1212492	Soil	17	0.22	72	0.019	2	0.98	0.002	0.05	0.3	0.04	1.1	0.1	<0.05	4	0.7	<0.2
1212493	Soil	16	0.44	81	0.008	1	1.13	0.002	0.08	0.2	0.04	1.3	0.2	<0.05	3	<0.5	<0.2
1212494	Soil	19	0.50	83	0.030	<1	1.00	0.004	0.15	0.1	0.01	1.8	0.2	<0.05	3	0.7	<0.2
1212495	Soil	22	0.51	213	0.015	1	1.30	0.005	0.11	0.3	0.03	2.1	0.2	<0.05	3	0.5	<0.2
1212496	Soil	22	0.38	208	0.013	1	1.39	0.004	0.06	0.2	0.03	1.6	0.2	<0.05	4	0.7	<0.2
1212497	Soil	15	0.17	266	0.005	<1	0.83	0.003	0.06	0.2	0.05	1.8	0.2	<0.05	3	0.9	<0.2
1212498	Soil	23	0.57	131	0.016	<1	1.42	0.002	0.12	0.3	0.02	1.8	0.2	<0.05	4	<0.5	<0.2
1212499	Soil	12	0.09	104	0.004	<1	0.73	0.003	0.09	<0.1	0.04	1.7	0.1	<0.05	1	<0.5	<0.2
1212500	Soil	16	0.87	141	0.022	<1	1.20	0.004	0.23	0.1	0.01	1.8	0.2	0.26	4	0.9	<0.2
1212501	Soil	18	0.40	97	0.007	<1	1.09	0.003	0.09	0.5	0.03	1.3	0.1	<0.05	4	<0.5	<0.2
1212502	Soil	17	0.35	130	0.012	<1	1.15	0.004	0.06	0.3	0.03	1.3	0.1	<0.05	4	0.6	<0.2
1212503	Soil	13	0.18	190	0.005	1	0.85	0.004	0.05	0.3	0.04	0.4	0.1	<0.05	3	<0.5	<0.2
1212504	Soil	22	0.41	168	0.016	1	1.21	0.004	0.06	0.4	0.04	1.5	0.1	<0.05	4	0.6	<0.2
1212505	Soil	16	0.40	181	0.007	<1	1.11	0.003	0.09	0.3	0.02	1.3	0.1	<0.05	3	<0.5	<0.2
1212506	Soil	16	0.34	150	0.013	<1	0.79	0.003	0.07	0.4	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
1212507	Soil	13	0.34	116	0.009	<1	0.91	0.003	0.05	0.3	0.03	1.2	<0.1	<0.05	3	<0.5	<0.2
1212508	Soil	18	0.46	152	0.013	1	1.04	0.004	0.08	0.3	0.03	1.4	0.1	<0.05	3	<0.5	<0.2
1212509	Soil	23	0.41	121	0.017	<1	1.55	0.004	0.06	0.3	0.04	1.6	0.1	<0.05	4	0.8	<0.2
1212510	Soil	11	0.10	153	0.006	<1	1.00	0.003	0.03	0.2	0.03	0.9	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212511	Soil	1.8	14.3	12.9	61	<0.1	17.6	6.6	212	3.31	83.9	2.7	6.4	7	0.2	1.7	1.5	45	0.04	0.031	16
1212512	Soil	1.4	22.3	12.8	49	0.2	15.6	6.7	171	2.65	49.5	2.8	8.2	8	0.1	1.0	0.7	34	0.07	0.039	16
1212513	Soil	1.2	53.4	13.4	61	<0.1	33.3	16.8	246	2.94	165.5	4.9	9.1	7	0.1	1.2	1.2	19	0.03	0.040	21
1212514	Soil	2.1	51.7	15.3	63	0.2	21.0	9.2	221	4.00	162.1	7.8	9.2	19	<0.1	1.1	1.3	30	0.03	0.043	20
1212151	Soil	1.3	26.8	16.3	56	<0.1	20.0	8.5	271	2.75	31.3	2.7	1.5	6	0.1	1.8	0.5	37	0.03	0.041	14
1212152	Soil	1.2	31.0	12.2	53	<0.1	21.5	9.3	286	2.79	22.3	2.2	1.6	7	0.1	1.2	0.3	46	0.05	0.035	12
1212153	Soil	0.9	33.5	25.9	63	<0.1	36.6	16.7	383	2.68	13.1	3.6	8.4	9	0.1	1.8	0.2	39	0.08	0.034	22
1212154	Soil	0.8	32.5	15.0	56	<0.1	27.2	12.7	356	3.00	21.1	4.6	4.0	6	<0.1	1.3	0.3	43	0.05	0.026	15
1212155	Soil	0.8	29.8	18.8	56	<0.1	26.9	12.0	433	2.84	16.3	2.4	3.7	6	<0.1	1.4	0.3	38	0.04	0.031	16
1212156	Soil	0.6	44.4	20.2	67	<0.1	118.1	28.0	749	4.47	21.4	0.7	9.5	19	<0.1	5.5	0.2	123	0.21	0.072	22
1212157	Soil	0.7	49.4	25.7	79	0.1	44.2	21.2	939	3.96	8.8	3.2	12.5	25	<0.1	1.5	0.4	57	0.20	0.047	42
1212158	Soil	0.7	33.3	21.2	65	<0.1	34.4	14.8	396	3.19	9.9	1.6	7.6	7	0.1	1.3	0.3	41	0.03	0.023	20
1212159	Soil	0.8	40.7	24.6	70	<0.1	38.7	17.0	536	3.27	16.7	9.5	8.9	9	0.1	1.7	0.5	36	0.05	0.032	27
1212160	Soil	1.2	35.9	22.3	62	<0.1	29.4	13.1	511	3.23	25.6	4.9	3.7	8	0.1	1.8	0.5	37	0.04	0.036	19
1212161	Soil	0.9	45.1	21.6	68	0.2	38.9	17.0	501	3.58	20.7	4.3	7.3	12	0.1	1.6	0.5	43	0.09	0.042	22
1212162	Soil	1.3	30.2	15.0	66	0.1	25.3	10.9	422	3.15	37.3	2.4	3.1	6	0.1	1.7	0.5	43	0.05	0.036	17
1212163	Soil	1.0	37.8	19.8	66	0.1	34.7	13.8	452	3.59	24.1	2.9	4.7	6	<0.1	2.6	0.4	39	0.04	0.034	20
1212164	Soil	0.8	38.3	17.9	67	<0.1	35.5	16.6	535	3.25	25.4	3.8	7.1	6	0.2	2.8	0.3	36	0.06	0.030	19
1212165	Soil	1.2	36.3	20.4	70	0.1	40.4	16.2	519	3.27	26.1	4.4	8.2	8	0.2	3.4	0.4	32	0.05	0.036	24
1212166	Soil	1.5	28.8	17.8	63	<0.1	18.9	8.4	340	2.70	32.5	2.6	1.5	6	0.1	1.8	0.5	33	0.03	0.044	19
1212167	Soil	1.2	31.6	19.5	74	<0.1	31.2	15.1	502	2.88	28.9	2.9	9.0	7	0.2	2.3	0.5	31	0.04	0.026	27
1212168	Soil	1.3	27.6	19.2	60	<0.1	23.3	9.5	391	3.02	15.7	1.5	2.3	6	0.1	2.1	0.4	35	0.03	0.036	19
1212169	Soil	0.8	39.7	26.1	71	0.1	36.5	15.6	531	3.45	12.9	1.5	7.3	7	<0.1	2.0	0.4	32	0.04	0.027	24
1212170	Soil	1.1	37.2	19.7	68	<0.1	32.9	13.6	447	3.03	16.9	3.9	4.6	7	0.1	1.6	0.3	37	0.05	0.026	24
1212171	Soil	1.1	33.1	20.1	61	0.2	28.7	13.0	393	2.97	18.1	1.6	4.7	7	0.1	1.8	0.3	32	0.04	0.026	22
1212172	Soil	1.6	23.3	18.3	69	<0.1	25.0	11.8	459	3.04	18.5	2.0	4.0	8	0.2	1.5	0.3	44	0.06	0.031	17
1212173	Soil	1.8	26.3	16.3	65	0.2	21.3	9.4	318	2.91	19.1	2.8	2.7	9	<0.1	1.4	0.3	45	0.06	0.053	17
1212174	Soil	1.0	37.0	18.2	65	<0.1	31.9	13.9	370	3.13	22.3	<0.5	4.2	7	0.2	1.6	0.3	40	0.06	0.029	17
1212175	Soil	1.1	32.9	13.9	64	<0.1	26.8	10.3	304	2.94	40.9	2.6	3.8	7	0.1	1.4	0.5	44	0.06	0.023	17
1212176	Soil	1.1	30.5	11.1	57	<0.1	22.6	9.6	340	2.75	28.3	1.5	2.8	6	0.1	1.2	0.3	46	0.06	0.024	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212511	Soil	18	0.24	143	0.013	<1	1.21	0.003	0.07	0.4	0.02	1.3	0.1	<0.05	4	0.6	<0.2
1212512	Soil	21	0.32	107	0.013	1	1.41	0.004	0.05	0.2	0.04	1.4	0.1	<0.05	4	0.7	<0.2
1212513	Soil	14	0.35	103	0.005	<1	1.14	0.003	0.06	0.7	0.03	1.2	<0.1	<0.05	3	0.8	<0.2
1212514	Soil	20	0.42	138	0.005	<1	1.54	0.003	0.07	0.3	0.04	1.3	<0.1	<0.05	4	0.6	<0.2
1212151	Soil	21	0.33	99	0.018	1	1.01	0.002	0.09	0.2	0.04	1.0	0.2	<0.05	4	<0.5	<0.2
1212152	Soil	26	0.50	106	0.039	<1	1.19	0.003	0.11	0.2	0.04	1.3	0.1	<0.05	4	<0.5	<0.2
1212153	Soil	30	0.48	98	0.052	<1	1.11	0.003	0.26	<0.1	0.02	2.2	0.3	<0.05	3	<0.5	<0.2
1212154	Soil	32	0.61	86	0.044	<1	1.25	0.002	0.17	0.1	0.03	1.7	0.2	<0.05	4	<0.5	<0.2
1212155	Soil	33	0.50	98	0.043	<1	1.13	0.002	0.19	0.1	0.03	1.5	0.2	<0.05	4	<0.5	<0.2
1212156	Soil	321	2.09	165	0.068	<1	2.38	0.003	0.26	<0.1	0.02	8.0	0.3	<0.05	7	<0.5	<0.2
1212157	Soil	57	1.19	113	0.063	<1	1.91	0.003	0.46	<0.1	0.03	4.2	0.3	<0.05	6	<0.5	<0.2
1212158	Soil	42	0.71	95	0.048	<1	1.41	0.002	0.27	<0.1	0.02	2.3	0.3	<0.05	4	<0.5	<0.2
1212159	Soil	44	0.73	107	0.049	2	1.47	0.003	0.28	<0.1	0.03	2.6	0.3	0.14	4	<0.5	<0.2
1212160	Soil	33	0.48	115	0.026	1	1.27	0.003	0.16	0.1	0.03	1.7	0.2	0.05	4	0.8	<0.2
1212161	Soil	46	0.74	158	0.046	2	1.55	0.004	0.21	0.1	0.04	2.6	0.2	<0.05	4	0.6	<0.2
1212162	Soil	29	0.53	96	0.042	<1	1.32	0.003	0.10	0.2	0.03	1.7	0.1	0.05	4	0.6	<0.2
1212163	Soil	49	0.63	92	0.038	<1	1.42	0.003	0.18	<0.1	0.03	2.2	0.2	0.10	4	<0.5	<0.2
1212164	Soil	39	0.68	91	0.040	<1	1.43	0.003	0.17	0.2	0.03	2.3	0.2	0.10	4	0.5	<0.2
1212165	Soil	41	0.59	137	0.027	<1	1.37	0.003	0.20	0.1	0.04	2.5	0.2	0.12	4	<0.5	<0.2
1212166	Soil	21	0.34	108	0.011	<1	1.18	0.003	0.10	0.2	0.06	1.1	0.1	0.19	4	<0.5	<0.2
1212167	Soil	31	0.47	124	0.023	1	1.37	0.004	0.13	0.2	0.04	2.0	0.2	0.08	3	0.6	<0.2
1212168	Soil	34	0.37	82	0.012	<1	1.29	0.003	0.13	0.2	0.05	1.3	0.1	0.21	4	0.8	<0.2
1212169	Soil	38	0.59	85	0.031	1	1.52	0.003	0.18	0.1	0.03	2.0	0.2	0.06	4	<0.5	<0.2
1212170	Soil	35	0.50	75	0.032	<1	1.36	0.004	0.11	0.3	0.04	1.7	0.1	0.07	4	0.6	<0.2
1212171	Soil	29	0.48	73	0.025	<1	1.37	0.003	0.10	0.2	0.06	1.6	0.1	0.09	4	0.7	<0.2
1212172	Soil	28	0.50	106	0.034	1	1.50	0.004	0.11	0.2	0.04	2.0	0.1	0.07	5	0.6	<0.2
1212173	Soil	26	0.44	150	0.018	1	1.61	0.005	0.08	0.2	0.06	2.1	0.2	0.08	5	0.7	<0.2
1212174	Soil	33	0.57	111	0.034	1	1.52	0.004	0.10	0.2	0.03	1.8	0.2	<0.05	4	<0.5	<0.2
1212175	Soil	30	0.56	89	0.037	<1	1.48	0.004	0.10	0.2	0.05	1.8	0.1	0.16	4	<0.5	<0.2
1212176	Soil	28	0.52	66	0.066	<1	1.32	0.003	0.08	0.2	0.03	1.6	0.1	0.07	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212177	Soil		1.0	25.2	13.3	64	0.2	27.4	12.1	402	2.64	26.0	4.6	3.8	9	0.2	1.2	0.2	37	0.09	0.039	13
1212178	Soil		0.9	24.9	9.1	57	<0.1	25.0	9.4	265	1.96	12.3	2.4	3.6	8	0.1	0.9	0.2	35	0.09	0.022	11
1212179	Soil		1.0	43.5	21.1	74	<0.1	37.4	16.5	456	3.20	18.2	2.2	6.0	9	0.1	1.4	0.3	43	0.08	0.035	23
1212180	Soil		1.0	128.3	15.0	92	0.4	58.0	35.3	1157	6.34	205.4	17.0	2.3	10	0.1	12.7	0.3	106	0.19	0.071	10
1212181	Soil		1.1	106.7	13.0	89	0.1	69.7	32.8	766	5.75	25.3	0.7	2.8	6	0.1	8.5	0.2	92	0.16	0.039	10
1212182	Soil		0.8	141.1	9.9	86	0.1	80.7	37.6	620	5.41	10.1	1.1	2.2	6	0.1	2.5	0.2	87	0.13	0.027	7
1212183	Soil		0.6	97.2	8.2	78	<0.1	68.1	30.4	577	5.37	7.8	0.7	1.5	6	<0.1	0.6	0.1	97	0.12	0.038	4
1212184	Soil		1.0	189.8	11.4	109	0.2	66.2	36.1	790	6.87	11.0	2.5	1.8	13	0.2	0.5	0.2	136	0.21	0.059	4
1212185	Soil		0.7	99.6	7.9	82	<0.1	57.2	30.3	714	6.02	25.2	3.4	1.8	6	0.2	2.1	0.2	109	0.17	0.034	6
1212186	Soil		0.9	134.8	5.6	87	<0.1	57.7	33.7	694	5.96	11.3	0.9	1.4	8	<0.1	0.5	0.1	94	0.18	0.038	4
1212187	Soil		0.5	135.2	6.7	85	0.1	53.3	31.2	656	5.87	9.7	1.5	1.6	10	<0.1	1.3	0.1	94	0.21	0.039	4
1212188	Soil		0.4	148.9	4.5	85	0.1	62.9	31.9	654	5.90	9.0	1.9	1.2	6	<0.1	1.8	<0.1	120	0.24	0.031	4
1212189	Soil		0.5	119.0	11.6	79	0.2	49.7	25.3	632	5.91	11.3	<0.5	1.9	7	0.1	3.6	0.3	108	0.25	0.042	6
1212190	Soil		0.5	92.5	10.9	76	0.1	50.9	28.8	662	5.18	9.6	1.8	1.6	8	<0.1	1.4	0.2	112	0.29	0.031	4
1212191	Soil		0.5	82.0	5.7	77	<0.1	43.9	20.9	498	4.96	8.6	2.5	1.8	7	<0.1	0.7	0.2	101	0.19	0.025	4
1212192	Soil		0.7	81.5	6.6	76	<0.1	42.1	25.7	622	5.04	10.3	2.5	1.8	8	0.1	0.9	0.2	93	0.22	0.040	5
1212193	Soil		0.7	71.8	7.2	68	0.1	34.7	20.6	481	4.37	10.3	2.3	2.1	7	<0.1	0.7	0.2	83	0.16	0.034	6
1212194	Soil		0.7	78.4	6.7	77	0.1	43.4	21.3	520	5.19	8.7	2.1	1.7	8	<0.1	0.6	0.1	88	0.19	0.040	5
1212195	Soil		0.5	130.1	6.6	86	<0.1	63.5	41.6	887	5.96	28.2	4.7	1.3	7	0.1	1.7	0.1	113	0.37	0.036	3
1212196	Soil		1.4	118.9	13.2	91	0.2	55.3	34.4	560	5.68	16.1	5.7	2.4	9	0.1	1.3	0.3	78	0.15	0.057	8
1212197	Soil		0.6	170.8	5.3	84	0.1	71.7	40.9	633	5.89	82.5	19.2	1.0	8	0.2	3.6	0.1	103	0.27	0.043	3
1212198	Soil		0.6	125.2	4.1	78	0.1	52.1	33.1	691	5.98	47.8	10.5	0.9	6	0.1	3.3	<0.1	100	0.18	0.050	3
1212199	Soil		0.8	96.4	4.3	80	<0.1	49.8	29.5	661	6.07	12.4	7.2	0.9	6	<0.1	0.8	<0.1	102	0.14	0.036	3
1212200	Soil		0.7	105.5	7.1	73	<0.1	47.6	29.3	612	4.99	10.5	3.7	1.3	8	0.1	0.8	0.1	97	0.17	0.033	4
1212201	Soil		0.5	113.1	5.9	74	<0.1	55.6	26.6	557	4.89	8.6	2.4	1.3	8	0.2	0.9	0.1	121	0.22	0.040	4
1212202	Soil		0.9	71.5	6.6	57	<0.1	36.2	17.6	393	3.60	9.8	3.5	1.6	9	<0.1	0.6	0.1	90	0.22	0.029	6
1212203	Soil		0.7	58.4	6.1	56	0.1	33.0	17.1	442	3.53	12.1	2.0	1.1	10	<0.1	0.5	0.1	106	0.32	0.040	6
1212204	Soil		0.7	75.8	6.4	71	0.1	35.8	18.7	427	4.03	9.3	10.2	1.8	11	0.2	0.5	0.2	107	0.28	0.031	6
1212205	Soil		0.8	68.3	6.1	67	<0.1	37.2	19.0	414	4.00	9.2	4.3	1.4	10	0.1	0.4	0.1	105	0.29	0.038	6
1212206	Soil		0.6	68.1	6.4	71	0.2	36.5	19.5	454	4.00	16.4	4.9	2.6	9	<0.1	0.6	0.2	84	0.22	0.050	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212177	Soil	29	0.50	97	0.043	1	1.57	0.006	0.08	0.2	0.05	2.1	0.1	0.15	4	0.7	<0.2
1212178	Soil	21	0.40	89	0.036	2	1.16	0.006	0.07	0.2	0.04	1.9	<0.1	0.15	3	<0.5	<0.2
1212179	Soil	40	0.68	120	0.044	2	1.81	0.006	0.15	0.3	0.04	2.6	0.2	0.15	5	<0.5	<0.2
1212180	Soil	74	1.43	125	0.070	1	2.73	0.004	0.27	<0.1	0.05	6.2	0.3	0.21	8	<0.5	<0.2
1212181	Soil	67	1.31	78	0.115	<1	2.48	0.003	0.40	<0.1	0.02	4.0	0.3	0.17	7	<0.5	<0.2
1212182	Soil	62	1.30	75	0.146	<1	2.49	0.003	0.34	<0.1	0.01	3.3	0.3	0.14	7	<0.5	<0.2
1212183	Soil	69	1.39	71	0.129	<1	2.63	0.004	0.30	<0.1	0.02	2.9	0.3	0.12	7	<0.5	<0.2
1212184	Soil	93	1.99	106	0.196	<1	3.45	0.006	0.33	<0.1	0.03	4.2	0.2	0.22	10	<0.5	<0.2
1212185	Soil	67	1.36	79	0.163	1	2.49	0.002	0.14	<0.1	0.02	4.4	<0.1	0.16	7	<0.5	<0.2
1212186	Soil	70	1.67	93	0.152	<1	2.78	0.006	0.50	<0.1	0.02	2.4	0.2	0.16	8	<0.5	<0.2
1212187	Soil	65	1.63	96	0.140	<1	2.88	0.004	0.52	<0.1	0.03	2.7	0.3	0.10	8	<0.5	<0.2
1212188	Soil	78	1.64	92	0.144	<1	2.82	0.003	0.56	<0.1	0.01	3.9	0.3	0.13	7	<0.5	<0.2
1212189	Soil	63	1.58	68	0.118	<1	2.72	0.003	0.56	<0.1	0.02	4.6	0.4	0.14	8	<0.5	<0.2
1212190	Soil	69	1.57	92	0.140	<1	2.63	0.005	0.53	<0.1	0.02	3.2	0.3	0.09	8	<0.5	<0.2
1212191	Soil	65	1.50	72	0.136	<1	2.45	0.003	0.48	<0.1	0.02	3.0	0.3	0.14	7	<0.5	<0.2
1212192	Soil	63	1.54	95	0.121	<1	2.44	0.004	0.42	<0.1	0.02	2.9	0.3	0.14	7	<0.5	<0.2
1212193	Soil	57	1.36	82	0.113	<1	2.33	0.003	0.30	<0.1	0.03	2.7	0.2	0.08	7	<0.5	<0.2
1212194	Soil	63	1.47	70	0.141	<1	2.63	0.003	0.33	<0.1	0.03	2.2	0.3	0.21	7	<0.5	<0.2
1212195	Soil	82	1.99	78	0.101	3	2.88	0.007	0.27	<0.1	0.01	3.2	0.1	<0.05	7	<0.5	<0.2
1212196	Soil	56	1.27	80	0.094	3	2.38	0.004	0.18	<0.1	0.05	3.1	0.1	<0.05	7	0.6	<0.2
1212197	Soil	73	1.74	61	0.138	2	2.70	0.004	0.35	<0.1	0.02	2.8	0.2	0.05	7	<0.5	<0.2
1212198	Soil	78	1.78	64	0.102	4	2.74	0.007	0.19	0.1	0.02	2.5	<0.1	<0.05	7	<0.5	<0.2
1212199	Soil	75	1.83	55	0.160	2	2.93	0.003	0.22	<0.1	0.01	1.8	<0.1	<0.05	7	<0.5	<0.2
1212200	Soil	64	1.38	71	0.132	3	2.26	0.003	0.31	<0.1	<0.01	2.4	0.1	<0.05	7	<0.5	<0.2
1212201	Soil	76	1.44	78	0.151	2	2.31	0.004	0.69	<0.1	<0.01	2.8	0.2	<0.05	7	<0.5	<0.2
1212202	Soil	55	1.05	93	0.112	2	1.83	0.004	0.33	0.1	0.02	2.5	0.1	<0.05	6	<0.5	<0.2
1212203	Soil	63	1.07	113	0.112	3	1.75	0.004	0.34	0.1	0.02	2.5	<0.1	<0.05	6	<0.5	<0.2
1212204	Soil	61	1.12	112	0.133	2	1.95	0.005	0.43	0.1	0.01	3.1	0.1	0.05	7	<0.5	<0.2
1212205	Soil	59	1.15	109	0.117	3	1.95	0.004	0.38	0.1	0.02	2.6	0.1	<0.05	6	<0.5	<0.2
1212206	Soil	54	1.18	95	0.080	1	1.94	0.004	0.33	0.1	0.01	3.2	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212207	Soil	0.8	38.9	8.5	46	<0.1	20.2	9.3	255	2.22	53.7	2.5	3.7	9	<0.1	1.6	0.5	30	0.14	0.044	13
1212208	Soil	1.0	55.2	9.0	64	0.2	29.9	13.8	350	2.99	55.8	4.4	3.8	12	0.1	1.4	0.6	53	0.18	0.058	13
1212209	Soil	1.3	45.7	12.0	68	<0.1	24.4	11.6	351	2.68	46.6	7.3	4.2	14	0.2	1.4	0.5	41	0.15	0.060	16
1212210	Soil	0.8	72.2	7.2	61	<0.1	37.9	17.8	434	3.79	60.4	6.7	2.8	8	<0.1	1.6	0.5	64	0.16	0.042	8
1212601	Soil	1.0	112.2	13.9	77	<0.1	56.4	28.8	680	5.11	31.5	5.5	2.5	7	0.1	1.6	0.2	82	0.11	0.030	7
1212602	Soil	1.0	131.8	14.7	63	0.4	56.0	28.6	643	4.85	2821	1544	3.8	15	0.2	145.8	0.2	56	0.09	0.027	12
1212603	Soil	0.8	121.5	15.6	76	0.1	54.6	29.6	728	4.96	1036	294.4	2.7	12	0.1	52.3	0.2	68	0.12	0.034	10
1212604	Soil	0.7	104.4	12.7	75	<0.1	51.4	27.2	707	5.45	124.6	18.6	1.9	9	0.1	3.1	0.2	99	0.18	0.035	7
1212605	Soil	0.4	122.9	7.7	70	<0.1	52.9	25.9	639	4.82	46.4	10.8	2.0	6	0.1	2.5	0.1	89	0.15	0.025	6
1212606	Soil	0.8	103.4	12.3	84	<0.1	52.9	28.5	917	6.03	85.3	9.2	2.2	6	0.1	7.6	0.2	102	0.11	0.043	8
1212607	Soil	0.8	93.7	7.4	74	0.1	46.3	23.2	576	5.21	35.0	6.4	2.6	7	<0.1	6.4	0.2	94	0.14	0.031	9
1212608	Soil	1.1	75.2	8.0	78	<0.1	48.7	25.9	740	5.53	60.6	5.1	1.8	8	<0.1	6.9	0.2	103	0.18	0.043	6
1212609	Soil	1.0	100.9	9.7	80	0.1	50.5	25.3	637	5.67	73.5	5.0	2.9	8	0.1	3.8	0.3	97	0.15	0.031	9
1212610	Soil	0.8	84.4	9.3	73	<0.1	45.6	22.8	599	5.25	46.4	6.1	2.9	6	<0.1	4.4	0.3	90	0.12	0.030	8
1212611	Soil	1.1	135.1	11.5	81	0.4	53.5	27.2	699	5.48	82.9	15.7	3.1	8	<0.1	17.6	0.3	92	0.14	0.048	10
1212612	Soil	0.8	132.2	7.9	84	0.3	56.3	27.4	718	5.87	147.0	16.6	2.6	8	0.1	12.8	0.2	103	0.16	0.041	8
1212613	Soil	0.3	170.6	3.0	91	0.1	72.7	36.0	771	6.71	45.9	8.5	1.5	7	<0.1	5.8	<0.1	120	0.25	0.033	3
1212614	Soil	0.5	96.6	8.4	73	<0.1	48.8	25.7	593	6.05	12.1	4.3	0.7	4	0.1	1.0	0.1	130	0.12	0.041	2
1212615	Soil	0.8	87.8	5.7	64	<0.1	43.8	22.2	553	5.36	14.5	5.9	1.2	5	<0.1	1.2	0.1	104	0.11	0.041	3
1212616	Soil	7.5	373.5	32.7	153	0.3	106.0	53.6	561	12.73	270.0	49.7	7.9	5	0.6	14.3	0.5	46	0.09	0.072	30
1212617	Soil	0.8	136.6	6.2	84	0.5	58.0	28.9	732	6.27	97.6	25.4	2.0	7	0.1	8.0	0.1	99	0.20	0.049	8
1212618	Soil	0.8	65.0	7.9	65	<0.1	39.8	19.5	408	4.52	9.8	1.2	1.8	6	0.2	0.7	0.2	84	0.10	0.033	6
1212619	Soil	0.5	119.4	5.0	80	<0.1	21.5	16.3	649	6.69	2.3	1.8	1.6	9	<0.1	0.3	0.2	75	0.06	0.048	4
1212620	Soil	1.8	40.4	12.3	70	<0.1	27.0	11.7	361	3.96	20.0	2.9	2.6	8	0.1	1.2	0.2	73	0.10	0.031	9
1212621	Soil	1.0	103.9	14.6	102	<0.1	44.8	40.3	874	7.74	6.1	3.4	4.7	9	0.1	1.0	0.3	86	0.09	0.059	13
1212622	Soil	0.5	80.0	4.3	88	<0.1	59.5	34.3	873	6.55	18.2	5.1	1.0	3	<0.1	0.2	<0.1	177	0.14	0.039	2
1212623	Soil	0.4	114.2	2.6	78	<0.1	59.9	40.6	766	6.09	6.4	2.0	0.8	4	<0.1	0.4	<0.1	102	0.22	0.042	2
1212624	Soil	0.7	84.6	3.8	83	<0.1	55.2	36.1	890	6.67	14.8	1.4	0.7	4	<0.1	0.3	<0.1	140	0.15	0.030	2
1212625	Soil	0.6	129.4	4.7	83	<0.1	59.5	33.5	752	5.97	13.1	1.8	1.4	5	0.1	2.8	<0.1	93	0.19	0.042	5
1212626	Soil	0.6	133.1	7.2	95	<0.1	66.6	39.4	813	5.78	9.9	2.2	1.7	6	0.1	0.9	0.1	110	0.15	0.039	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212207	Soil	18	0.41	53	0.026	2	0.83	0.003	0.09	0.3	0.01	1.4	<0.1	<0.05	3	<0.5	<0.2
1212208	Soil	33	0.69	100	0.049	2	1.29	0.005	0.19	0.2	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2
1212209	Soil	24	0.42	142	0.026	3	1.22	0.004	0.08	0.3	0.04	2.1	<0.1	<0.05	3	<0.5	<0.2
1212210	Soil	45	1.03	65	0.051	1	1.70	0.003	0.17	0.1	<0.01	2.1	<0.1	<0.05	5	<0.5	<0.2
1212601	Soil	57	1.28	75	0.129	<1	2.48	0.004	0.22	0.1	0.02	3.0	0.2	<0.05	7	<0.5	<0.2
1212602	Soil	42	0.94	81	0.055	3	1.78	0.006	0.20	<0.1	0.03	3.2	0.1	0.13	5	<0.5	<0.2
1212603	Soil	48	1.07	106	0.050	2	2.15	0.004	0.16	<0.1	0.03	3.2	0.1	<0.05	6	<0.5	<0.2
1212604	Soil	68	1.39	95	0.115	2	2.60	0.005	0.18	0.1	0.01	3.1	0.1	<0.05	8	<0.5	<0.2
1212605	Soil	62	1.39	89	0.104	2	2.43	0.003	0.21	0.1	<0.01	2.7	0.2	<0.05	7	<0.5	<0.2
1212606	Soil	68	1.41	94	0.113	2	2.66	0.003	0.22	<0.1	0.01	4.5	0.1	<0.05	8	<0.5	<0.2
1212607	Soil	68	1.56	93	0.113	<1	2.71	0.004	0.24	<0.1	<0.01	3.3	0.1	<0.05	7	<0.5	<0.2
1212608	Soil	72	1.52	127	0.121	2	2.56	0.004	0.21	0.1	<0.01	2.8	<0.1	<0.05	7	<0.5	<0.2
1212609	Soil	65	1.32	131	0.139	2	2.50	0.005	0.27	0.1	0.03	3.1	0.2	<0.05	7	<0.5	<0.2
1212610	Soil	63	1.30	98	0.149	1	2.36	0.004	0.23	0.1	0.01	2.7	0.1	<0.05	7	<0.5	<0.2
1212611	Soil	64	1.34	154	0.067	2	2.71	0.005	0.24	0.1	0.02	4.2	0.2	<0.05	7	<0.5	<0.2
1212612	Soil	70	1.35	144	0.103	2	2.67	0.004	0.38	0.1	0.02	4.5	0.2	<0.05	7	<0.5	<0.2
1212613	Soil	96	2.07	116	0.164	2	3.36	0.004	0.59	<0.1	<0.01	2.9	0.2	<0.05	7	<0.5	<0.2
1212614	Soil	67	1.56	43	0.231	2	2.70	0.004	0.34	<0.1	0.02	1.9	0.1	<0.05	10	<0.5	<0.2
1212615	Soil	65	1.35	59	0.222	<1	2.35	0.004	0.32	0.1	0.04	1.8	0.1	<0.05	7	<0.5	<0.2
1212616	Soil	29	0.42	60	0.007	3	1.05	0.003	0.16	0.1	0.03	10.7	0.2	<0.05	3	2.2	<0.2
1212617	Soil	81	1.80	91	0.064	1	2.85	0.003	0.18	<0.1	0.04	6.2	0.2	<0.05	7	<0.5	<0.2
1212618	Soil	53	1.13	73	0.140	2	2.18	0.004	0.26	<0.1	0.02	2.4	0.2	<0.05	7	<0.5	<0.2
1212619	Soil	54	1.55	60	0.334	2	2.72	0.004	0.37	<0.1	0.01	2.3	0.1	0.10	8	<0.5	<0.2
1212620	Soil	39	0.77	76	0.094	1	1.70	0.004	0.12	0.2	0.03	1.9	<0.1	<0.05	6	<0.5	<0.2
1212621	Soil	54	1.69	51	0.208	2	3.06	0.004	0.24	<0.1	0.02	4.3	0.1	<0.05	9	<0.5	<0.2
1212622	Soil	106	2.43	59	0.104	2	3.53	0.003	0.26	<0.1	<0.01	4.2	0.1	<0.05	11	0.5	<0.2
1212623	Soil	91	1.93	79	0.124	1	2.92	0.004	0.25	<0.1	0.02	1.9	0.1	<0.05	7	<0.5	<0.2
1212624	Soil	105	2.04	67	0.207	2	3.17	0.003	0.32	<0.1	<0.01	1.9	0.1	<0.05	8	<0.5	<0.2
1212625	Soil	70	1.68	94	0.116	2	2.76	0.003	0.41	0.1	0.01	3.0	0.2	<0.05	6	<0.5	<0.2
1212626	Soil	65	1.52	97	0.178	2	2.66	0.004	0.67	<0.1	0.02	2.8	0.3	<0.05	7	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212627	Soil		1.0	104.5	5.0	74	<0.1	53.5	30.4	578	5.66	7.8	1.1	1.1	7	<0.1	0.3	<0.1	127	0.17	0.026	3
1212628	Soil		1.1	89.0	6.1	69	<0.1	38.5	20.9	509	5.42	10.7	2.8	1.5	7	<0.1	0.6	0.1	102	0.16	0.029	4
1212629	Soil		0.9	151.3	5.3	83	0.2	56.6	31.2	584	5.48	11.5	3.3	1.7	6	0.1	1.1	0.1	88	0.20	0.047	6
1212630	Soil		0.9	121.1	7.3	84	0.1	53.0	27.9	661	5.66	20.4	3.3	2.2	8	<0.1	7.1	0.2	85	0.21	0.043	9
1212631	Soil		1.3	97.7	11.4	79	0.1	42.2	20.7	493	4.71	33.0	4.0	2.7	8	<0.1	1.1	0.3	80	0.12	0.038	11
1212632	Soil		0.9	147.3	6.7	93	<0.1	64.5	34.3	702	6.31	17.1	2.9	2.4	7	0.1	5.7	0.1	95	0.21	0.043	9
1212633	Soil		0.7	115.4	5.4	85	0.1	56.2	28.4	638	5.74	31.7	4.8	2.1	6	<0.1	1.1	0.1	95	0.14	0.029	6
1212634	Soil		0.9	83.4	10.0	77	0.1	43.5	23.5	506	5.00	27.8	4.3	2.7	7	<0.1	0.9	0.2	88	0.13	0.035	10
1212635	Soil		0.7	99.0	7.4	76	<0.1	53.2	30.7	667	5.45	10.8	2.3	1.8	6	<0.1	0.5	0.1	123	0.13	0.035	5
1212636	Soil		0.6	88.7	10.6	78	0.1	49.1	27.0	702	5.52	18.8	1.9	2.6	7	<0.1	1.1	0.2	137	0.16	0.028	8
1212637	Soil		1.5	115.0	10.9	84	0.2	52.7	28.7	684	5.93	31.3	5.6	2.8	8	0.1	2.8	0.3	96	0.12	0.052	13
1212638	Soil		1.1	60.7	8.8	59	<0.1	33.0	17.7	453	3.94	18.9	3.2	2.4	7	<0.1	0.9	0.2	75	0.11	0.034	11
1212639	Soil		1.3	40.0	19.9	78	<0.1	29.1	14.8	490	3.77	46.0	2.3	4.7	10	0.2	1.8	0.4	46	0.08	0.036	16
1212640	Soil		2.0	44.5	20.1	70	0.2	23.2	9.5	318	3.63	51.8	5.3	4.5	12	0.1	1.8	0.5	58	0.08	0.042	15
1212641	Soil		0.8	31.8	17.1	57	<0.1	24.3	11.6	391	3.50	57.8	25.3	8.4	9	0.1	3.4	0.7	21	0.04	0.035	25
1212301	Soil		1.7	28.9	15.6	84	0.2	28.2	10.9	430	2.54	23.3	6.1	2.9	12	0.2	1.2	0.2	41	0.13	0.068	20
1212302	Soil		2.0	27.4	17.8	83	0.3	26.8	10.2	415	2.94	17.2	3.7	3.0	11	0.3	1.2	0.2	47	0.11	0.060	21
1212303	Soil		1.9	21.7	16.8	76	<0.1	23.1	9.5	392	3.05	16.3	2.5	1.8	10	0.2	1.2	0.2	50	0.09	0.052	13
1212304	Soil		2.1	17.3	17.1	54	<0.1	16.0	5.7	255	2.64	18.7	1.7	1.4	7	0.2	1.1	0.3	56	0.06	0.041	14
1212305	Soil		1.4	15.3	8.9	50	<0.1	15.3	5.6	200	1.67	9.3	3.9	1.8	10	0.1	0.9	0.1	32	0.10	0.042	13
1212306	Soil		2.0	19.4	17.1	86	<0.1	22.1	7.9	319	2.70	14.3	3.6	1.6	9	0.2	1.2	0.2	49	0.08	0.046	11
1212307	Soil		1.5	19.8	13.3	84	<0.1	23.7	7.9	308	2.38	13.5	4.5	3.2	13	0.3	1.0	0.2	45	0.15	0.048	12
1212308	Soil		1.3	31.4	15.7	88	0.1	25.4	9.5	523	2.57	24.8	9.1	4.8	12	0.3	2.0	0.2	39	0.15	0.064	22
1212309	Soil		1.1	24.3	18.5	67	0.1	17.2	7.4	197	2.46	47.3	38.7	5.5	10	0.2	2.0	0.3	29	0.10	0.054	24
1212310	Soil		0.9	58.8	23.9	83	0.1	34.7	17.3	895	4.17	7.5	9.0	7.5	8	<0.1	10.6	0.4	19	0.11	0.051	40
1212311	Soil		1.0	45.1	29.3	94	0.1	28.4	13.7	217	3.37	68.7	22.5	8.5	6	0.1	5.0	0.5	17	0.03	0.036	37
1212312	Soil		1.8	21.6	15.2	78	<0.1	23.5	7.9	270	2.55	19.1	5.1	2.1	9	0.3	1.6	0.2	47	0.08	0.034	13
1212313	Soil		1.6	28.1	16.0	86	0.2	25.3	9.8	392	2.28	28.7	10.0	6.6	18	0.3	1.8	0.2	37	0.21	0.084	23
1212314	Soil		1.6	23.7	18.9	78	0.2	23.1	10.4	507	2.39	72.2	38.9	2.2	13	0.2	2.4	0.2	28	0.14	0.065	24
1212315	Soil		1.9	16.3	17.0	68	<0.1	16.9	6.4	236	2.46	14.3	3.5	0.9	9	0.2	1.1	0.2	52	0.08	0.047	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212627	Soil	72	1.64	83	0.198	<1	2.72	0.005	0.58	<0.1	<0.01	2.8	0.3	<0.05	8	<0.5	<0.2
1212628	Soil	57	1.44	99	0.205	2	2.39	0.004	0.44	<0.1	<0.01	2.1	0.2	0.08	7	<0.5	<0.2
1212629	Soil	66	1.63	92	0.111	1	2.68	0.003	0.38	<0.1	0.04	2.6	0.2	<0.05	7	<0.5	<0.2
1212630	Soil	56	1.26	100	0.062	3	2.27	0.003	0.21	0.1	0.02	4.7	0.1	<0.05	6	0.6	<0.2
1212631	Soil	51	1.05	121	0.088	2	2.23	0.005	0.22	0.1	0.02	2.6	0.2	<0.05	7	0.7	<0.2
1212632	Soil	65	1.54	90	0.080	1	2.58	0.003	0.32	0.1	0.02	4.3	0.1	<0.05	7	0.5	<0.2
1212633	Soil	69	1.71	79	0.135	2	2.75	0.003	0.35	<0.1	<0.01	2.6	0.2	<0.05	7	<0.5	<0.2
1212634	Soil	58	1.29	110	0.121	2	2.37	0.004	0.30	0.1	0.03	2.4	0.2	<0.05	7	0.7	<0.2
1212635	Soil	72	1.54	75	0.161	2	2.48	0.003	0.63	<0.1	<0.01	3.5	0.2	<0.05	8	0.7	<0.2
1212636	Soil	76	1.60	115	0.157	<1	2.60	0.004	0.66	<0.1	<0.01	4.6	0.2	<0.05	8	0.5	<0.2
1212637	Soil	56	1.16	132	0.077	1	2.35	0.004	0.35	0.1	0.02	4.1	0.2	<0.05	7	0.5	<0.2
1212638	Soil	47	0.88	107	0.085	1	1.77	0.004	0.22	0.2	0.02	1.5	0.1	<0.05	6	0.6	<0.2
1212639	Soil	26	0.51	144	0.036	1	1.46	0.004	0.13	0.2	0.03	2.1	0.2	<0.05	5	0.8	<0.2
1212640	Soil	25	0.38	158	0.016	1	1.65	0.005	0.12	0.2	0.04	2.2	0.2	<0.05	6	1.4	<0.2
1212641	Soil	18	0.46	67	0.016	<1	1.21	0.004	0.12	0.3	0.02	1.7	0.2	<0.05	4	<0.5	<0.2
1212301	Soil	22	0.38	153	0.028	2	1.23	0.007	0.10	0.3	0.03	2.1	0.1	<0.05	3	1.0	<0.2
1212302	Soil	25	0.40	237	0.024	2	1.52	0.006	0.08	0.4	0.06	2.3	0.2	<0.05	4	0.8	<0.2
1212303	Soil	25	0.38	185	0.017	1	1.56	0.005	0.07	0.2	0.04	2.0	0.2	<0.05	5	1.1	<0.2
1212304	Soil	21	0.20	89	0.022	1	1.14	0.004	0.08	0.3	0.03	1.3	0.2	<0.05	5	0.8	<0.2
1212305	Soil	15	0.22	77	0.026	2	0.81	0.006	0.07	0.2	0.02	1.1	0.1	<0.05	2	<0.5	<0.2
1212306	Soil	22	0.32	109	0.025	2	1.38	0.006	0.09	0.3	0.07	1.8	0.1	<0.05	4	1.0	<0.2
1212307	Soil	22	0.38	121	0.041	3	1.18	0.006	0.07	0.3	0.03	2.1	0.1	<0.05	4	0.7	<0.2
1212308	Soil	19	0.31	185	0.028	2	1.13	0.011	0.08	0.3	0.03	2.7	0.1	<0.05	3	0.8	<0.2
1212309	Soil	15	0.25	86	0.018	1	1.04	0.004	0.09	0.2	0.03	1.5	0.1	<0.05	3	0.7	<0.2
1212310	Soil	12	0.13	139	0.004	2	0.69	0.003	0.09	0.2	0.05	3.9	0.2	<0.05	2	0.6	<0.2
1212311	Soil	10	0.11	62	0.006	2	0.61	0.003	0.12	0.1	0.01	1.9	0.1	<0.05	2	<0.5	<0.2
1212312	Soil	22	0.29	108	0.029	2	1.19	0.006	0.08	0.3	0.04	1.8	0.1	<0.05	4	1.0	<0.2
1212313	Soil	17	0.29	236	0.039	1	0.85	0.010	0.08	0.3	0.03	2.3	<0.1	<0.05	3	<0.5	<0.2
1212314	Soil	16	0.21	226	0.014	2	0.77	0.005	0.08	0.2	0.03	1.8	<0.1	<0.05	2	0.6	<0.2
1212315	Soil	24	0.26	110	0.023	1	1.24	0.005	0.06	0.3	0.06	1.3	0.2	<0.05	5	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212316	Soil	1.9	30.0	68.5	144	0.2	27.5	11.1	442	3.97	136.2	27.1	1.2	6	0.5	12.6	0.5	30	0.05	0.075	20
1212317	Soil	1.3	51.5	89.5	145	0.5	49.5	20.2	1095	3.56	18.2	5.2	10.0	20	0.8	2.1	0.5	34	0.26	0.055	34
1212318	Soil	1.6	24.7	22.9	87	0.1	23.8	10.9	395	2.71	16.9	8.5	3.1	11	0.4	1.5	0.3	45	0.11	0.055	18
1212319	Soil	1.9	22.8	29.3	78	0.2	21.8	9.7	358	2.78	17.3	3.9	3.6	8	0.4	1.5	0.3	58	0.07	0.032	14
1212320	Soil	1.7	31.1	15.6	87	0.2	28.9	10.4	371	2.49	15.6	13.3	7.5	19	0.5	1.7	0.2	41	0.22	0.088	22
1212321	Soil	1.6	33.4	21.4	79	0.2	27.8	10.1	326	2.56	13.4	2.3	3.9	15	0.3	1.8	0.3	42	0.16	0.067	24
1212322	Soil	1.6	31.0	22.1	86	0.2	27.8	11.0	439	2.77	15.2	2.2	2.4	15	0.3	1.4	0.3	47	0.17	0.071	22
1212323	Soil	1.7	27.2	18.2	81	0.1	24.3	9.7	377	2.55	14.7	3.4	3.8	11	0.2	1.4	0.3	41	0.10	0.052	17
1212324	Soil	1.6	29.5	18.6	81	0.1	26.3	11.2	388	2.80	15.1	3.1	3.8	14	0.2	1.3	0.3	47	0.14	0.057	21
1212325	Soil	2.3	29.0	18.7	65	<0.1	23.1	12.3	415	3.46	23.3	1.0	4.1	8	0.2	1.7	0.4	63	0.08	0.045	14
1212326	Soil	1.0	38.3	15.9	64	0.1	28.9	12.0	353	2.48	8.9	4.5	8.4	13	0.3	1.2	0.2	37	0.14	0.054	24
1212327	Soil	0.9	44.6	26.5	78	0.1	45.4	20.9	520	3.13	15.1	5.2	8.3	10	0.3	1.1	0.4	36	0.09	0.044	20
1212328	Soil	1.2	44.1	19.9	76	<0.1	34.0	18.6	558	3.47	20.4	2.2	6.3	7	0.2	2.3	0.3	43	0.07	0.043	16
1212329	Soil	1.1	39.4	18.8	65	<0.1	30.5	15.6	545	3.53	25.3	2.1	4.5	6	0.2	2.2	0.3	48	0.06	0.035	15
1212330	Soil	1.2	47.1	23.2	73	<0.1	34.4	16.1	520	3.74	21.8	1.7	5.5	7	0.2	2.1	0.4	50	0.06	0.046	16
1212331	Soil	2.7	21.7	25.2	82	<0.1	20.1	8.1	281	3.07	19.8	1.6	3.7	10	0.3	1.3	0.4	60	0.05	0.035	14
1212332	Soil	0.6	128.7	5.6	83	0.1	58.0	31.4	760	5.69	23.8	3.6	1.7	6	<0.1	2.3	0.1	120	0.21	0.036	4
1212333	Soil	0.6	164.4	4.8	88	0.1	66.5	35.5	710	6.35	27.9	6.4	1.4	5	<0.1	3.7	0.1	120	0.22	0.024	3
1212334	Soil	0.5	118.4	4.2	88	0.1	59.8	33.1	767	6.25	19.5	3.9	1.3	6	0.1	4.1	<0.1	115	0.22	0.028	3
1212335	Soil	0.6	105.7	5.4	75	0.2	48.1	27.2	617	5.27	29.4	4.0	2.0	6	<0.1	4.2	0.2	99	0.16	0.036	6
1212336	Soil	0.7	134.1	6.5	79	0.3	51.1	29.7	592	5.70	19.7	4.6	1.6	6	<0.1	2.4	0.2	105	0.14	0.048	5
1212337	Soil	0.7	129.4	5.8	77	0.3	52.8	30.0	644	5.47	41.9	7.9	1.8	6	<0.1	1.7	0.2	110	0.21	0.039	6
1212338	Soil	1.4	163.1	7.0	90	0.2	50.4	29.9	673	6.43	13.8	5.4	1.7	8	0.1	2.3	0.2	98	0.20	0.043	5
1212339	Soil	0.5	176.4	4.4	81	0.1	70.1	36.5	697	5.86	9.9	2.6	1.1	5	0.1	1.0	<0.1	98	0.22	0.042	3
1212340	Soil	0.9	107.3	11.3	84	0.3	51.4	32.0	733	5.28	46.3	8.2	2.3	7	<0.1	3.6	0.2	94	0.13	0.042	8
1212341	Soil	1.0	102.9	11.2	80	0.1	50.1	26.6	550	4.79	20.9	2.9	2.5	8	0.1	2.5	0.2	90	0.14	0.040	9
1212342	Soil	1.1	95.1	10.2	82	0.2	47.8	24.8	567	4.77	19.3	3.5	1.9	8	0.1	1.3	0.2	97	0.19	0.042	7
1212343	Soil	1.1	124.0	12.3	75	0.1	46.4	25.8	568	5.55	18.1	3.8	2.4	7	<0.1	3.9	0.2	74	0.12	0.031	7
1212344	Soil	0.8	106.1	9.1	74	0.1	45.9	27.3	597	5.04	23.7	2.8	1.7	7	0.1	2.5	0.2	92	0.17	0.041	7
1212345	Soil	0.7	113.0	9.9	75	0.1	57.1	31.0	615	5.75	68.9	10.7	2.2	8	<0.1	4.6	0.2	86	0.20	0.034	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212316	Soil	17	0.08	65	0.007	1	0.57	0.004	0.06	0.3	0.04	1.2	0.2	<0.05	3	0.7	<0.2
1212317	Soil	48	0.65	187	0.047	1	1.32	0.006	0.23	0.3	0.04	3.1	0.3	<0.05	4	0.6	<0.2
1212318	Soil	25	0.44	204	0.024	2	1.38	0.005	0.06	0.5	0.05	2.0	0.1	<0.05	4	0.6	<0.2
1212319	Soil	27	0.36	126	0.025	1	1.46	0.005	0.07	0.3	0.04	2.0	0.2	<0.05	5	0.5	<0.2
1212320	Soil	22	0.38	124	0.036	<1	0.94	0.005	0.07	0.4	0.03	2.2	0.1	<0.05	3	0.8	<0.2
1212321	Soil	25	0.33	165	0.024	<1	0.95	0.004	0.08	0.4	0.04	1.7	0.1	<0.05	3	0.8	<0.2
1212322	Soil	30	0.44	233	0.022	<1	1.27	0.005	0.10	0.3	0.04	1.9	0.2	<0.05	5	0.5	<0.2
1212323	Soil	24	0.38	195	0.023	<1	1.07	0.004	0.08	0.4	0.03	2.0	0.1	<0.05	4	0.6	<0.2
1212324	Soil	31	0.55	244	0.029	<1	1.46	0.005	0.11	0.3	0.04	2.1	0.1	<0.05	5	0.6	<0.2
1212325	Soil	33	0.59	105	0.072	<1	1.33	0.004	0.10	0.2	0.03	1.8	0.1	<0.05	6	0.6	<0.2
1212326	Soil	31	0.49	150	0.048	<1	1.07	0.004	0.14	0.2	0.02	2.6	0.1	<0.05	3	<0.5	<0.2
1212327	Soil	85	0.70	133	0.026	<1	1.52	0.004	0.10	0.2	0.02	2.1	0.1	<0.05	4	<0.5	<0.2
1212328	Soil	40	0.68	77	0.039	<1	1.73	0.004	0.16	0.2	0.04	2.2	0.2	<0.05	4	<0.5	<0.2
1212329	Soil	37	0.69	63	0.062	<1	1.40	0.003	0.11	0.2	0.04	1.9	0.1	<0.05	5	<0.5	<0.2
1212330	Soil	44	0.72	81	0.051	<1	1.69	0.003	0.17	0.2	0.04	2.3	0.2	<0.05	5	<0.5	<0.2
1212331	Soil	26	0.32	111	0.022	1	1.35	0.004	0.07	0.2	0.08	1.9	0.2	<0.05	5	1.0	<0.2
1212332	Soil	85	1.79	133	0.148	<1	3.08	0.005	0.44	<0.1	0.01	3.2	0.3	<0.05	8	<0.5	<0.2
1212333	Soil	87	1.80	123	0.154	<1	3.29	0.004	0.55	<0.1	0.01	2.8	0.3	<0.05	8	<0.5	<0.2
1212334	Soil	86	1.95	141	0.145	<1	3.27	0.004	0.49	<0.1	0.02	3.0	0.3	<0.05	8	<0.5	<0.2
1212335	Soil	74	1.64	104	0.098	<1	2.75	0.003	0.31	<0.1	0.04	3.1	0.2	<0.05	7	<0.5	<0.2
1212336	Soil	70	1.65	117	0.106	<1	3.00	0.004	0.38	<0.1	0.04	3.0	0.3	<0.05	8	<0.5	<0.2
1212337	Soil	86	1.64	89	0.098	<1	2.67	0.003	0.24	<0.1	0.04	3.8	0.1	<0.05	7	<0.5	<0.2
1212338	Soil	66	1.71	95	0.143	<1	2.86	0.004	0.27	<0.1	0.02	3.2	0.2	<0.05	8	0.6	<0.2
1212339	Soil	74	1.90	71	0.108	<1	2.88	0.004	0.24	<0.1	0.01	2.5	0.1	<0.05	7	<0.5	<0.2
1212340	Soil	67	1.40	100	0.109	<1	2.58	0.003	0.31	<0.1	0.03	4.3	0.3	<0.05	7	<0.5	<0.2
1212341	Soil	58	1.24	109	0.092	<1	2.40	0.004	0.18	<0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
1212342	Soil	65	1.43	93	0.100	<1	2.40	0.004	0.18	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
1212343	Soil	50	1.26	73	0.119	<1	2.22	0.003	0.23	<0.1	0.02	3.4	0.2	<0.05	6	<0.5	<0.2
1212344	Soil	59	1.37	83	0.088	<1	2.32	0.003	0.18	<0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2
1212345	Soil	59	1.40	69	0.121	<1	2.32	0.003	0.28	<0.1	0.02	4.2	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212346	Soil	0.6	137.9	5.4	77	0.2	61.9	33.9	662	6.08	105.7	10.2	1.5	8	<0.1	5.8	0.1	117	0.23	0.030	4
1212347	Soil	0.5	118.1	5.3	69	<0.1	51.9	30.3	589	4.97	33.2	3.9	2.1	7	0.1	1.9	0.1	87	0.24	0.040	5
1212348	Soil	0.8	87.8	7.4	74	0.1	42.6	25.6	525	4.96	22.6	2.7	1.7	7	<0.1	1.9	0.2	102	0.17	0.034	5
1212349	Soil	0.7	76.7	6.7	71	<0.1	40.4	22.7	519	4.80	19.9	1.5	1.5	7	<0.1	1.8	0.1	114	0.22	0.035	4
1212350	Soil	0.5	99.9	6.4	70	<0.1	49.4	29.6	566	4.92	9.4	0.7	1.0	9	<0.1	0.4	0.1	127	0.30	0.030	2
1212351	Soil	0.7	95.8	7.5	72	0.1	46.0	30.3	631	5.15	10.4	1.2	1.2	8	<0.1	0.6	0.1	120	0.28	0.036	3
1212352	Soil	0.5	93.4	5.9	70	0.1	46.4	26.0	576	5.01	9.5	1.2	1.1	7	<0.1	0.5	0.1	106	0.25	0.038	3
1212353	Soil	0.6	93.1	4.4	81	<0.1	48.7	26.3	601	5.82	8.9	0.9	0.9	7	0.1	0.3	<0.1	107	0.27	0.036	3
1212354	Soil	0.7	119.8	3.5	90	<0.1	60.0	34.3	596	5.89	45.4	<0.5	0.9	6	<0.1	0.3	0.3	105	0.15	0.034	2
1212355	Soil	2.0	110.7	9.4	74	0.4	56.2	25.8	474	5.68	444.9	20.6	2.1	6	0.2	14.9	2.8	88	0.15	0.046	9
1212356	Soil	1.6	82.5	10.8	55	0.5	28.9	13.7	325	3.74	141.5	10.2	2.1	8	0.2	3.0	1.0	76	0.13	0.032	10
1212357	Soil	1.6	85.3	11.6	63	0.1	39.8	28.3	259	3.60	51.6	6.9	3.6	8	0.1	1.9	0.7	52	0.09	0.037	12
1212358	Soil	1.7	18.6	9.4	35	<0.1	10.4	4.7	148	2.65	32.6	1.2	3.1	5	<0.1	1.7	0.6	88	0.04	0.019	11
1212359	Soil	0.8	64.0	5.9	49	<0.1	30.3	13.8	305	3.68	36.9	1.4	1.7	6	0.1	1.0	0.5	75	0.13	0.032	7
1212360	Soil	0.9	99.2	7.6	63	0.3	40.9	21.5	413	3.89	56.1	4.8	1.8	12	<0.1	1.4	1.6	72	0.32	0.038	9
1212361	Soil	0.9	94.4	10.8	81	<0.1	38.5	27.3	527	4.07	151.6	8.2	3.0	9	<0.1	3.5	0.5	79	0.21	0.038	12
1212651	Soil	1.9	17.3	17.0	80	<0.1	18.3	6.1	238	2.69	14.3	1.3	0.7	9	0.3	1.3	0.2	58	0.08	0.044	10
1212652	Soil	2.3	17.4	19.3	70	0.1	15.7	5.8	202	2.27	13.6	2.3	0.7	8	0.2	1.1	0.3	52	0.05	0.051	11
1212653	Soil	2.1	19.7	19.6	57	<0.1	14.3	4.9	192	2.05	12.0	3.8	0.7	9	0.2	1.3	0.3	47	0.04	0.057	17
1212654	Soil	1.3	27.1	31.1	133	0.2	31.7	13.1	531	2.12	25.6	2.6	7.0	15	0.8	1.8	0.2	28	0.14	0.058	29
1212655	Soil	1.4	23.5	20.4	118	<0.1	37.3	17.5	652	1.89	27.6	2.7	4.9	14	1.0	1.2	0.2	29	0.16	0.068	21
1212656	Soil	1.6	29.4	29.1	139	0.2	41.6	26.9	1222	2.35	24.2	2.8	7.9	14	1.0	1.4	0.2	31	0.14	0.068	21
1212657	Soil	1.4	36.0	29.4	135	0.2	46.6	17.0	1261	2.62	30.6	5.2	11.8	14	0.6	1.4	0.3	23	0.16	0.064	46
1212658	Soil	1.2	23.2	26.8	104	0.1	22.7	9.7	565	2.10	41.2	10.8	5.9	14	0.7	1.4	0.2	26	0.14	0.059	27
1212659	Soil	1.2	46.1	25.7	105	0.1	42.4	15.3	967	3.04	13.5	1.4	9.0	17	0.6	1.7	0.4	23	0.29	0.065	39
1212660	Soil	1.8	28.6	18.8	84	0.1	25.9	9.7	419	2.65	12.9	2.7	4.6	14	0.3	1.4	0.3	35	0.12	0.060	22
1212661	Soil	1.4	22.0	26.8	82	<0.1	22.1	12.2	594	3.08	85.6	15.7	3.2	8	0.3	2.2	0.3	31	0.06	0.046	20
1212662	Soil	3.8	19.8	53.7	97	0.5	21.8	22.4	3482	4.16	170.7	10.4	1.1	8	0.7	2.2	0.6	38	0.13	0.181	14
1212663	Soil	1.1	20.3	36.8	124	0.1	30.2	13.5	724	2.25	30.9	6.8	6.7	7	0.6	1.8	0.3	19	0.07	0.046	32
1212664	Soil	0.7	31.6	22.4	123	0.3	31.5	10.6	715	2.85	226.6	102.0	6.7	5	0.4	3.2	0.3	14	0.09	0.044	33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212346	Soil	77	1.79	71	0.113	<1	2.74	0.003	0.34	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
1212347	Soil	58	1.62	73	0.121	<1	2.40	0.003	0.35	<0.1	0.01	2.8	0.2	<0.05	6	<0.5	<0.2
1212348	Soil	63	1.40	90	0.141	<1	2.42	0.003	0.46	<0.1	0.01	3.0	0.3	<0.05	7	<0.5	<0.2
1212349	Soil	66	1.52	94	0.105	<1	2.42	0.003	0.40	<0.1	0.02	4.1	0.2	<0.05	7	<0.5	<0.2
1212350	Soil	70	1.55	100	0.165	<1	2.48	0.004	0.57	<0.1	0.02	3.4	0.3	<0.05	7	<0.5	<0.2
1212351	Soil	67	1.51	101	0.145	<1	2.48	0.004	0.49	<0.1	0.01	3.6	0.3	<0.05	7	<0.5	<0.2
1212352	Soil	68	1.55	88	0.135	<1	2.46	0.004	0.42	<0.1	<0.01	3.1	0.2	<0.05	7	<0.5	<0.2
1212353	Soil	80	1.86	82	0.135	<1	2.89	0.004	0.37	<0.1	0.01	2.2	0.2	<0.05	8	<0.5	<0.2
1212354	Soil	78	1.84	77	0.158	<1	2.87	0.004	0.47	<0.1	<0.01	1.8	0.2	<0.05	7	<0.5	<0.2
1212355	Soil	56	0.92	75	0.049	<1	1.77	0.004	0.22	0.1	0.03	4.6	0.2	<0.05	5	0.7	<0.2
1212356	Soil	42	0.65	93	0.055	2	1.76	0.004	0.16	0.2	0.05	2.6	0.2	<0.05	6	<0.5	<0.2
1212357	Soil	33	0.61	83	0.040	2	1.44	0.005	0.10	0.1	0.03	2.5	0.1	<0.05	5	0.5	<0.2
1212358	Soil	18	0.23	44	0.121	<1	0.77	0.003	0.06	0.2	0.03	1.1	<0.1	<0.05	7	<0.5	<0.2
1212359	Soil	45	0.97	54	0.113	<1	1.87	0.005	0.16	<0.1	0.02	1.8	0.1	<0.05	7	<0.5	<0.2
1212360	Soil	48	1.00	86	0.084	1	1.93	0.009	0.20	0.1	0.02	2.5	0.2	0.06	6	<0.5	<0.2
1212361	Soil	51	1.03	104	0.066	2	2.14	0.006	0.17	0.2	0.02	3.7	0.2	<0.05	6	<0.5	<0.2
1212651	Soil	24	0.30	112	0.032	2	1.15	0.004	0.06	0.3	0.05	1.4	0.1	0.05	5	<0.5	<0.2
1212652	Soil	21	0.22	90	0.015	1	1.29	0.004	0.04	0.4	0.05	1.0	0.2	<0.05	5	0.6	<0.2
1212653	Soil	17	0.11	79	0.017	<1	0.76	0.004	0.05	0.4	0.03	0.8	0.2	0.06	4	<0.5	<0.2
1212654	Soil	15	0.27	169	0.030	<1	0.77	0.005	0.09	0.3	0.02	1.8	0.1	<0.05	2	<0.5	<0.2
1212655	Soil	15	0.27	126	0.028	<1	0.80	0.004	0.07	0.3	0.02	1.9	<0.1	<0.05	2	<0.5	<0.2
1212656	Soil	17	0.27	187	0.028	<1	0.88	0.004	0.08	0.3	0.02	2.0	0.1	<0.05	2	<0.5	<0.2
1212657	Soil	15	0.29	124	0.020	1	0.79	0.004	0.10	0.3	0.03	2.1	0.2	<0.05	2	<0.5	<0.2
1212658	Soil	16	0.27	189	0.019	<1	0.80	0.004	0.07	0.3	0.02	1.7	0.1	<0.05	2	<0.5	<0.2
1212659	Soil	16	0.44	171	0.027	1	1.03	0.004	0.14	0.2	0.02	2.4	0.2	<0.05	3	<0.5	<0.2
1212660	Soil	19	0.36	117	0.022	<1	1.00	0.007	0.07	0.5	0.02	1.7	0.1	<0.05	3	<0.5	<0.2
1212661	Soil	20	0.32	75	0.015	1	1.12	0.004	0.06	0.2	0.02	1.5	0.2	<0.05	3	<0.5	<0.2
1212662	Soil	22	0.11	252	0.006	2	1.10	0.005	0.11	0.3	0.08	1.1	0.2	0.11	4	<0.5	<0.2
1212663	Soil	13	0.20	73	0.015	<1	0.80	0.003	0.10	0.1	0.02	1.3	0.2	<0.05	2	<0.5	<0.2
1212664	Soil	9	0.13	71	0.007	1	0.67	0.003	0.10	0.1	0.04	1.8	0.1	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212665	Soil	1.4	29.7	22.3	97	0.2	24.4	8.9	378	2.32	88.5	25.7	5.4	9	0.4	1.9	0.3	27	0.09	0.057	23
1212666	Soil	1.5	22.5	16.3	57	<0.1	19.7	6.5	212	2.47	72.1	0.9	0.9	7	0.1	1.5	0.3	41	0.04	0.036	19
1212667	Soil	1.2	33.8	20.6	88	0.2	28.8	11.4	539	2.68	25.7	3.1	5.9	8	0.3	1.6	0.3	25	0.06	0.052	30
1212668	Soil	1.9	29.7	22.0	93	0.1	27.8	10.8	524	3.04	20.3	5.5	1.3	12	0.4	1.3	0.3	52	0.10	0.083	18
1212669	Soil	1.6	31.7	18.7	87	0.2	30.7	12.5	613	2.63	27.6	6.1	6.2	14	0.4	1.7	0.2	32	0.15	0.067	23
1212670	Soil	1.7	25.4	15.6	79	<0.1	25.2	8.4	318	2.74	44.0	5.7	2.3	11	0.3	1.5	0.3	45	0.08	0.043	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy Co**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

CERTIFICATE OF ANALYSIS WHI11000910.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212665	Soil	14	0.23	93	0.021	1	0.81	0.004	0.08	0.3	0.03	1.9	0.1	<0.05	2	<0.5	<0.2
1212666	Soil	19	0.17	81	0.012	<1	1.00	0.003	0.04	0.2	0.02	0.9	0.2	<0.05	4	<0.5	<0.2
1212667	Soil	16	0.26	124	0.014	<1	0.94	0.004	0.08	0.2	0.03	1.7	0.2	<0.05	3	<0.5	<0.2
1212668	Soil	27	0.42	119	0.024	2	1.50	0.006	0.07	0.3	0.05	1.8	0.2	<0.05	5	0.6	<0.2
1212669	Soil	19	0.33	119	0.029	1	0.94	0.005	0.06	0.4	0.05	2.1	0.1	<0.05	3	<0.5	<0.2
1212670	Soil	27	0.36	152	0.023	<1	1.17	0.005	0.07	0.3	0.02	1.8	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

QUALITY CONTROL REPORT WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1212457	Soil	1.1	46.9	15.8	73	<0.1	35.5	17.7	646	3.69	16.0	3.4	3.1	7	0.2	2.6	0.3	52	0.08	0.050	12
REP 1212457	QC	1.2	47.6	16.1	73	<0.1	35.8	18.4	668	3.78	16.0	2.8	3.2	8	0.2	2.5	0.3	53	0.08	0.050	12
1212476	Soil	1.0	58.4	12.8	68	0.1	40.5	18.8	579	4.35	46.1	2.3	2.9	5	0.1	12.3	0.2	64	0.08	0.042	11
REP 1212476	QC	0.9	59.4	13.6	70	0.1	41.7	20.3	621	4.64	46.8	2.4	3.0	6	0.1	12.6	0.2	67	0.08	0.043	12
1212498	Soil	0.8	43.0	14.6	52	<0.1	26.5	13.2	311	3.21	79.3	4.1	8.5	9	0.1	2.3	1.6	30	0.05	0.022	20
REP 1212498	QC	0.7	41.2	14.3	50	<0.1	25.8	12.9	301	3.11	77.2	4.9	8.4	9	0.2	2.3	1.6	29	0.05	0.022	21
1212156	Soil	0.6	44.4	20.2	67	<0.1	118.1	28.0	749	4.47	21.4	0.7	9.5	19	<0.1	5.5	0.2	123	0.21	0.072	22
REP 1212156	QC	0.6	46.2	20.8	69	<0.1	119.5	29.3	765	4.64	21.5	1.5	9.4	19	0.1	5.7	0.2	127	0.21	0.077	22
1212159	Soil	0.8	40.7	24.6	70	<0.1	38.7	17.0	536	3.27	16.7	9.5	8.9	9	0.1	1.7	0.5	36	0.05	0.032	27
REP 1212159	QC	0.7	39.7	24.7	67	<0.1	37.2	16.7	531	3.25	17.3	3.8	8.8	9	0.1	1.9	0.5	36	0.05	0.031	26
1212190	Soil	0.5	92.5	10.9	76	0.1	50.9	28.8	662	5.18	9.6	1.8	1.6	8	<0.1	1.4	0.2	112	0.29	0.031	4
REP 1212190	QC	0.5	90.4	10.5	76	<0.1	47.2	27.7	636	4.86	8.8	1.4	1.4	7	0.1	1.4	0.1	104	0.27	0.031	3
1212210	Soil	0.8	72.2	7.2	61	<0.1	37.9	17.8	434	3.79	60.4	6.7	2.8	8	<0.1	1.6	0.5	64	0.16	0.042	8
REP 1212210	QC	0.7	71.1	7.1	60	<0.1	36.4	17.2	415	3.65	58.9	3.8	2.7	8	<0.1	1.7	0.5	63	0.15	0.041	8
1212618	Soil	0.8	65.0	7.9	65	<0.1	39.8	19.5	408	4.52	9.8	1.2	1.8	6	0.2	0.7	0.2	84	0.10	0.033	6
REP 1212618	QC	0.7	66.0	8.0	66	<0.1	40.3	19.6	417	4.63	9.7	3.5	1.8	6	0.1	0.7	0.2	86	0.10	0.033	6
1212626	Soil	0.6	133.1	7.2	95	<0.1	66.6	39.4	813	5.78	9.9	2.2	1.7	6	0.1	0.9	0.1	110	0.15	0.039	5
REP 1212626	QC	0.7	135.4	7.4	96	<0.1	65.9	39.7	785	5.78	9.8	2.0	1.7	6	0.2	0.9	0.1	113	0.14	0.039	5
1212639	Soil	1.3	40.0	19.9	78	<0.1	29.1	14.8	490	3.77	46.0	2.3	4.7	10	0.2	1.8	0.4	46	0.08	0.036	16
REP 1212639	QC	1.4	37.2	20.0	80	<0.1	27.7	14.3	484	3.70	45.8	3.2	4.7	10	0.2	1.8	0.4	47	0.09	0.034	17
1212316	Soil	1.9	30.0	68.5	144	0.2	27.5	11.1	442	3.97	136.2	27.1	1.2	6	0.5	12.6	0.5	30	0.05	0.075	20
REP 1212316	QC	1.9	29.7	66.8	153	0.2	27.3	10.7	408	3.93	137.4	29.3	1.3	6	0.5	12.4	0.5	29	0.04	0.075	19
1212338	Soil	1.4	163.1	7.0	90	0.2	50.4	29.9	673	6.43	13.8	5.4	1.7	8	0.1	2.3	0.2	98	0.20	0.043	5
REP 1212338	QC	1.5	157.9	7.0	86	0.2	50.8	28.8	694	6.51	13.9	3.9	1.7	8	<0.1	2.3	0.2	98	0.19	0.043	5
1212665	Soil	1.4	29.7	22.3	97	0.2	24.4	8.9	378	2.32	88.5	25.7	5.4	9	0.4	1.9	0.3	27	0.09	0.057	23
REP 1212665	QC	1.3	29.8	22.7	100	0.2	25.0	9.0	381	2.36	89.1	27.3	5.4	9	0.4	1.8	0.3	27	0.09	0.058	23
Reference Materials																					
STD DS8	Standard	12.5	105.0	117.4	293	1.7	36.7	7.1	587	2.33	24.8	103.2	6.5	64	2.3	5.5	6.3	40	0.68	0.077	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

QUALITY CONTROL REPORT WHI11000910.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1212457	Soil	37	0.79	87	0.049	<1	1.50	0.003	0.16	0.2	0.03	1.7	0.1	<0.05	4	0.6	<0.2
REP 1212457	QC	39	0.83	88	0.050	<1	1.52	0.004	0.17	0.1	0.03	1.7	0.1	<0.05	4	<0.5	<0.2
1212476	Soil	47	1.07	66	0.070	<1	1.88	0.002	0.23	<0.1	0.03	2.3	0.2	<0.05	6	0.5	<0.2
REP 1212476	QC	50	1.15	69	0.076	<1	1.99	0.002	0.23	<0.1	0.03	2.4	0.2	<0.05	6	<0.5	<0.2
1212498	Soil	23	0.57	131	0.016	<1	1.42	0.002	0.12	0.3	0.02	1.8	0.2	<0.05	4	<0.5	<0.2
REP 1212498	QC	22	0.55	130	0.018	<1	1.39	0.009	0.12	0.3	0.02	1.8	0.2	<0.05	4	<0.5	<0.2
1212156	Soil	321	2.09	165	0.068	<1	2.38	0.003	0.26	<0.1	0.02	8.0	0.3	<0.05	7	<0.5	<0.2
REP 1212156	QC	328	2.16	165	0.071	<1	2.42	0.003	0.27	<0.1	0.02	8.1	0.3	<0.05	8	<0.5	<0.2
1212159	Soil	44	0.73	107	0.049	2	1.47	0.003	0.28	<0.1	0.03	2.6	0.3	0.14	4	<0.5	<0.2
REP 1212159	QC	41	0.73	104	0.048	<1	1.40	0.003	0.28	0.1	0.03	2.4	0.3	<0.05	4	<0.5	<0.2
1212190	Soil	69	1.57	92	0.140	<1	2.63	0.005	0.53	<0.1	0.02	3.2	0.3	0.09	8	<0.5	<0.2
REP 1212190	QC	65	1.49	89	0.127	1	2.53	0.005	0.51	<0.1	0.02	3.1	0.3	0.16	8	<0.5	<0.2
1212210	Soil	45	1.03	65	0.051	1	1.70	0.003	0.17	0.1	<0.01	2.1	<0.1	<0.05	5	<0.5	<0.2
REP 1212210	QC	44	1.00	65	0.051	2	1.66	0.003	0.17	0.2	<0.01	2.1	<0.1	<0.05	5	<0.5	<0.2
1212618	Soil	53	1.13	73	0.140	2	2.18	0.004	0.26	<0.1	0.02	2.4	0.2	<0.05	7	<0.5	<0.2
REP 1212618	QC	55	1.13	73	0.141	3	2.23	0.004	0.26	0.1	0.01	2.3	0.2	<0.05	7	<0.5	<0.2
1212626	Soil	65	1.52	97	0.178	2	2.66	0.004	0.67	<0.1	0.02	2.8	0.3	<0.05	7	0.7	<0.2
REP 1212626	QC	68	1.50	98	0.178	<1	2.68	0.004	0.68	<0.1	0.02	2.7	0.3	<0.05	7	<0.5	<0.2
1212639	Soil	26	0.51	144	0.036	1	1.46	0.004	0.13	0.2	0.03	2.1	0.2	<0.05	5	0.8	<0.2
REP 1212639	QC	26	0.49	139	0.038	2	1.45	0.005	0.14	0.2	0.03	2.1	0.2	<0.05	5	0.7	<0.2
1212316	Soil	17	0.08	65	0.007	1	0.57	0.004	0.06	0.3	0.04	1.2	0.2	<0.05	3	0.7	<0.2
REP 1212316	QC	16	0.08	65	0.007	2	0.56	0.004	0.06	0.3	0.05	1.1	0.2	<0.05	3	0.7	<0.2
1212338	Soil	66	1.71	95	0.143	<1	2.86	0.004	0.27	<0.1	0.02	3.2	0.2	<0.05	8	0.6	<0.2
REP 1212338	QC	64	1.80	92	0.148	<1	2.92	0.004	0.26	<0.1	0.02	3.0	0.2	<0.05	8	0.5	<0.2
1212665	Soil	14	0.23	93	0.021	1	0.81	0.004	0.08	0.3	0.03	1.9	0.1	<0.05	2	<0.5	<0.2
REP 1212665	QC	14	0.23	93	0.019	2	0.82	0.004	0.08	0.3	0.03	1.9	0.1	<0.05	2	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	113	0.58	262	0.114	2	0.87	0.092	0.40	2.9	0.17	2.5	5.2	0.15	4	3.8	4.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

QUALITY CONTROL REPORT WHI11000910.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
STD DS8	Standard	13.1	110.8	124.0	316	1.7	41.6	8.3	582	2.41	27.9	106.9	6.3	56	2.1	5.4	6.2	48	0.65	0.079	13
STD DS8	Standard	12.9	103.3	119.7	303	2.0	36.6	7.4	579	2.36	24.4	116.0	6.2	58	2.5	5.3	6.5	41	0.65	0.076	13
STD DS8	Standard	12.4	98.3	111.3	272	1.7	32.0	6.2	543	2.07	21.4	122.0	6.2	56	2.1	4.9	6.1	35	0.59	0.067	12
STD DS8	Standard	12.0	104.7	119.2	301	1.5	36.5	7.0	584	2.34	24.3	101.9	7.0	70	2.3	6.0	5.9	38	0.68	0.075	15
STD DS8	Standard	13.5	114.5	123.7	308	1.8	37.9	7.7	586	2.42	24.3	116.2	7.2	61	2.6	6.0	7.1	43	0.69	0.079	14
STD DS8	Standard	13.5	113.4	111.8	312	1.8	39.4	7.6	607	2.52	25.4	109.9	5.9	65	2.4	5.1	5.4	42	0.69	0.080	14
STD DS8	Standard	12.6	109.5	114.9	301	1.7	37.7	7.3	588	2.38	24.6	107.2	6.3	63	2.4	5.4	6.6	42	0.66	0.077	13
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	2.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.03	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: August 24, 2011

QUALITY CONTROL REPORT WHI11000910.1

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
STD DS8	Standard	127	0.60	258	0.111	3	0.85	0.086	0.40	3.0	0.19	2.0	5.2	0.18	5	5.0	4.7
STD DS8	Standard	113	0.60	273	0.102	3	0.88	0.105	0.46	2.9	0.21	2.0	5.1	0.17	4	5.2	4.7
STD DS8	Standard	97	0.52	252	0.090	3	0.77	0.083	0.37	2.9	0.21	1.7	4.9	0.14	4	4.7	4.1
STD DS8	Standard	111	0.57	268	0.111	2	0.90	0.101	0.41	3.0	0.18	2.8	5.2	0.21	5	5.2	4.3
STD DS8	Standard	113	0.59	287	0.120	2	0.88	0.084	0.39	3.1	0.21	2.2	5.5	0.12	5	5.4	4.9
STD DS8	Standard	118	0.56	278	0.115	2	0.94	0.108	0.42	3.0	0.21	2.5	5.3	0.12	5	4.8	5.0
STD DS8	Standard	112	0.58	267	0.114	4	0.88	0.089	0.40	2.9	0.19	2.1	5.3	0.15	5	4.7	4.6
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 27, 2011
Report Date: September 29, 2011
Page: 1 of 10

CERTIFICATE OF ANALYSIS WHI11000910.2

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-1
P.O. Number
Number of Samples: 246

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	246	Dry at 60C			WHI
SS80	246	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	246	Saving all or part of Soil Reject			WHI
1DX2	246	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2; included corrected sample IDs 1211651 - 1211670

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212451	Soil	0.9	50.9	16.2	68	<0.1	35.4	17.4	565	4.07	13.9	2.2	3.4	7	0.1	1.6	0.3	66	0.06	0.039	14
1212452	Soil	1.0	44.4	18.8	67	<0.1	34.3	16.2	503	3.42	21.0	2.4	5.1	9	0.1	2.3	0.4	39	0.06	0.039	21
1212453	Soil	1.5	28.8	16.8	71	0.1	25.2	11.7	540	2.93	36.9	2.9	2.4	9	0.2	1.5	0.4	40	0.08	0.054	12
1212454	Soil	1.4	38.5	13.4	79	0.2	28.5	13.4	443	3.11	50.4	3.4	3.8	7	0.2	1.5	0.4	45	0.07	0.041	15
1212455	Soil	1.2	36.2	12.5	63	<0.1	26.2	12.4	357	3.11	29.8	5.4	2.0	6	0.2	1.3	0.4	48	0.06	0.038	11
1212456	Soil	0.9	49.5	10.7	71	0.1	33.4	16.0	437	3.64	34.6	7.8	3.4	7	0.1	1.4	0.3	52	0.10	0.046	13
1212457	Soil	1.1	46.9	15.8	73	<0.1	35.5	17.7	646	3.69	16.0	3.4	3.1	7	0.2	2.6	0.3	52	0.08	0.050	12
1212458	Soil	1.1	47.5	11.3	63	<0.1	32.4	14.8	412	3.75	17.6	2.1	1.5	6	0.2	1.4	0.2	67	0.07	0.050	8
1212459	Soil	0.8	52.6	8.6	65	<0.1	33.7	17.2	470	4.06	16.6	2.2	2.0	6	0.1	1.2	0.2	66	0.08	0.041	9
1212460	Soil	1.2	31.8	14.7	57	<0.1	24.0	11.3	368	3.06	14.7	1.9	2.2	6	0.2	1.3	0.2	56	0.06	0.033	10
1212461	Soil	0.7	40.7	13.7	57	<0.1	29.5	13.2	336	3.42	15.7	2.8	2.8	7	<0.1	1.2	0.2	53	0.07	0.040	12
1212462	Soil	1.2	33.5	19.8	65	<0.1	28.5	14.1	893	2.94	10.9	1.0	3.8	10	0.1	1.2	0.3	41	0.07	0.044	14
1212463	Soil	1.3	48.7	19.2	72	0.2	34.4	15.6	456	3.86	16.3	1.9	2.6	8	0.1	1.6	0.3	57	0.07	0.060	14
1212464	Soil	0.9	47.6	13.6	62	<0.1	32.3	15.5	490	3.47	13.1	1.1	2.9	7	0.2	1.6	0.2	54	0.09	0.048	10
1212465	Soil	1.1	48.4	13.7	60	<0.1	31.2	14.4	418	3.40	13.7	1.9	2.3	6	0.1	1.6	0.2	53	0.06	0.039	11
1212466	Soil	1.0	38.4	12.4	58	<0.1	28.5	12.4	321	3.47	12.3	3.4	2.4	6	0.1	1.5	0.2	54	0.07	0.038	10
1212467	Soil	0.8	46.5	12.7	63	<0.1	34.4	15.8	464	3.85	14.1	3.1	3.6	7	0.1	2.0	0.2	57	0.09	0.044	13
1212468	Soil	0.6	115.9	22.7	170	0.2	236.3	68.9	2815	7.61	56.9	3.0	9.4	112	0.2	1.0	0.5	173	0.66	0.157	39
1212469	Soil	1.1	81.1	34.2	79	<0.1	48.7	20.5	563	4.26	8.7	2.1	10.4	31	0.2	2.1	0.4	18	0.03	0.046	35
1212470	Soil	1.1	72.2	34.4	90	0.1	49.8	23.0	764	4.13	16.1	2.3	5.1	25	0.2	2.1	0.5	41	0.17	0.063	26
1212471	Soil	1.0	55.9	25.4	68	0.1	39.3	17.1	544	3.87	12.0	2.4	5.1	11	<0.1	2.5	0.3	41	0.07	0.054	24
1212472	Soil	1.0	62.4	24.8	70	<0.1	38.3	18.6	555	3.93	12.9	4.0	7.0	12	<0.1	2.1	0.3	40	0.08	0.046	23
1212473	Soil	1.0	66.4	20.5	61	0.1	33.3	17.4	493	4.41	14.8	6.6	5.6	7	<0.1	3.0	0.3	51	0.07	0.038	19
1212474	Soil	0.7	66.8	13.3	63	<0.1	38.4	17.1	441	4.16	24.4	7.7	3.2	5	<0.1	4.3	0.2	61	0.06	0.027	10
1212475	Soil	1.2	51.1	12.5	63	<0.1	39.0	18.9	662	4.47	26.6	1.4	3.5	5	0.1	5.0	0.2	83	0.08	0.039	8
1212476	Soil	1.0	58.4	12.8	68	0.1	40.5	18.8	579	4.35	46.1	2.3	2.9	5	0.1	12.3	0.2	64	0.08	0.042	11
1212477	Soil	1.1	85.9	17.0	75	<0.1	49.3	22.4	557	4.49	21.7	2.7	3.3	6	0.1	1.7	0.3	64	0.08	0.026	9
1212478	Soil	1.3	58.2	13.6	66	<0.1	38.9	16.7	495	4.24	20.1	2.8	2.1	5	0.2	1.5	0.3	69	0.07	0.029	7
1212479	Soil	1.2	73.6	13.4	75	<0.1	47.5	22.5	607	4.60	31.8	3.4	2.8	6	0.1	1.8	0.2	71	0.09	0.031	8
1212480	Soil	1.0	64.5	9.2	66	<0.1	36.7	17.5	471	4.27	40.9	5.8	2.1	6	0.1	2.8	0.2	71	0.08	0.025	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212451	Soil	58	0.91	78	0.081	1	1.68	0.003	0.22	<0.1	0.04	2.2	0.2	0.07	5	0.6	<0.2
1212452	Soil	37	0.66	95	0.034	1	1.33	0.005	0.17	0.1	0.03	1.6	0.2	<0.05	4	<0.5	<0.2
1212453	Soil	23	0.45	109	0.021	1	1.14	0.003	0.08	0.2	0.05	1.3	0.1	<0.05	4	0.7	<0.2
1212454	Soil	27	0.61	127	0.025	<1	1.46	0.003	0.09	0.2	0.05	1.7	0.1	<0.05	4	0.5	<0.2
1212455	Soil	29	0.61	86	0.024	<1	1.47	0.003	0.09	0.2	0.03	1.4	0.1	<0.05	4	0.5	<0.2
1212456	Soil	36	0.86	135	0.040	2	1.65	0.003	0.14	0.2	0.04	1.8	0.1	<0.05	5	<0.5	<0.2
1212457	Soil	37	0.79	87	0.049	<1	1.50	0.003	0.16	0.2	0.03	1.7	0.1	<0.05	4	0.6	<0.2
1212458	Soil	42	0.85	100	0.053	<1	1.72	0.003	0.13	0.1	0.03	1.7	0.1	<0.05	5	0.5	<0.2
1212459	Soil	45	1.07	88	0.063	<1	1.93	0.002	0.18	0.1	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
1212460	Soil	30	0.58	63	0.062	<1	1.21	0.003	0.12	0.1	0.03	1.4	0.1	<0.05	5	<0.5	<0.2
1212461	Soil	36	0.79	86	0.045	1	1.60	0.002	0.13	0.2	0.02	1.6	0.2	<0.05	5	<0.5	<0.2
1212462	Soil	29	0.57	86	0.042	<1	1.16	0.003	0.16	0.1	0.03	1.3	0.1	<0.05	4	<0.5	<0.2
1212463	Soil	42	0.74	182	0.029	<1	1.74	0.003	0.15	0.2	0.03	1.8	0.2	<0.05	5	<0.5	<0.2
1212464	Soil	38	0.80	67	0.063	<1	1.51	0.003	0.15	0.2	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
1212465	Soil	38	0.72	78	0.038	1	1.58	0.003	0.13	0.1	0.05	1.5	0.1	<0.05	5	<0.5	<0.2
1212466	Soil	38	0.77	72	0.054	<1	1.55	0.003	0.11	0.1	0.03	1.5	0.1	<0.05	5	<0.5	<0.2
1212467	Soil	45	1.00	75	0.054	<1	1.87	0.003	0.18	0.1	0.03	1.8	0.1	<0.05	5	<0.5	<0.2
1212468	Soil	690	3.13	446	0.156	<1	5.07	0.017	1.08	0.2	0.04	5.3	0.7	<0.05	13	<0.5	<0.2
1212469	Soil	18	0.20	89	0.004	<1	0.83	0.003	0.13	0.1	0.02	1.8	0.2	<0.05	2	<0.5	<0.2
1212470	Soil	47	0.81	118	0.012	<1	1.85	0.004	0.13	<0.1	0.04	1.8	0.1	<0.05	5	<0.5	<0.2
1212471	Soil	45	0.79	78	0.019	<1	1.69	0.003	0.13	<0.1	0.01	1.7	0.1	<0.05	5	<0.5	<0.2
1212472	Soil	46	0.87	67	0.020	<1	1.74	0.003	0.14	<0.1	0.02	1.9	0.1	<0.05	5	<0.5	<0.2
1212473	Soil	45	0.91	81	0.044	<1	1.85	0.003	0.16	<0.1	0.02	2.1	0.2	<0.05	5	<0.5	<0.2
1212474	Soil	44	1.05	57	0.072	<1	1.94	0.002	0.19	<0.1	0.03	1.9	0.2	<0.05	6	<0.5	<0.2
1212475	Soil	60	1.11	69	0.102	<1	2.02	0.003	0.22	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2
1212476	Soil	47	1.07	66	0.070	<1	1.88	0.002	0.23	<0.1	0.03	2.3	0.2	<0.05	6	0.5	<0.2
1212477	Soil	47	1.04	73	0.089	<1	2.09	0.003	0.18	<0.1	0.03	2.4	0.2	<0.05	6	<0.5	<0.2
1212478	Soil	42	0.91	70	0.111	1	1.82	0.003	0.16	0.1	0.03	1.9	0.1	<0.05	7	<0.5	<0.2
1212479	Soil	51	1.15	70	0.104	<1	2.16	0.003	0.17	0.1	0.04	2.6	0.2	<0.05	7	<0.5	<0.2
1212480	Soil	47	1.02	85	0.073	<1	2.05	0.003	0.14	0.1	0.02	2.0	0.1	<0.05	6	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212481	Soil	1.2	67.2	11.7	69	0.2	40.3	18.8	593	4.69	108.6	18.7	2.3	6	0.1	8.7	0.2	77	0.12	0.036	10
1212482	Soil	0.7	89.0	7.5	77	<0.1	54.8	28.4	856	5.66	64.6	13.7	1.9	6	<0.1	4.1	0.1	96	0.13	0.030	6
1212483	Soil	1.1	60.5	9.9	75	<0.1	33.7	17.0	502	4.20	23.7	4.8	1.8	7	0.1	1.4	0.2	75	0.09	0.041	7
1212484	Soil	1.1	56.0	7.9	61	<0.1	31.3	15.2	403	4.18	29.1	3.2	2.1	5	0.1	1.4	0.2	73	0.09	0.031	7
1212485	Soil	0.8	95.0	6.7	67	<0.1	40.1	21.6	492	4.94	20.0	5.0	2.7	5	<0.1	0.9	0.2	79	0.11	0.025	8
1212486	Soil	0.7	77.5	9.1	81	<0.1	88.5	43.1	695	5.00	14.8	1.6	2.1	7	<0.1	0.6	0.2	88	0.11	0.031	4
1212487	Soil	1.3	43.5	22.1	75	0.2	31.5	14.8	457	3.41	60.9	11.6	7.9	10	0.1	3.0	0.6	33	0.07	0.048	17
1212488	Soil	1.1	23.8	16.9	50	<0.1	19.4	8.7	283	2.87	39.9	1.6	4.5	6	0.1	1.5	0.6	34	0.05	0.032	16
1212489	Soil	1.5	12.9	15.7	33	0.2	10.9	3.9	102	1.71	25.1	1.7	2.5	8	<0.1	0.8	0.4	39	0.04	0.024	16
1212490	Soil	1.5	10.6	18.3	41	<0.1	9.6	3.9	139	2.03	26.5	2.1	1.0	8	<0.1	1.0	0.4	48	0.04	0.027	11
1212491	Soil	1.4	26.4	21.7	53	<0.1	22.4	9.5	283	2.77	37.9	2.8	4.7	12	0.1	1.5	0.7	34	0.10	0.043	18
1212492	Soil	1.9	23.4	20.2	53	<0.1	15.6	5.6	138	2.58	22.2	1.9	3.6	6	0.1	1.1	0.4	48	0.04	0.028	12
1212493	Soil	0.9	42.7	20.5	55	0.1	24.3	10.1	268	2.69	50.9	5.1	6.7	10	0.1	2.3	1.1	22	0.08	0.041	21
1212494	Soil	1.4	52.0	42.2	70	<0.1	40.5	21.4	820	3.61	42.1	4.8	9.4	8	0.2	1.3	0.8	26	0.08	0.046	20
1212495	Soil	0.9	52.3	17.9	58	<0.1	31.9	14.0	377	2.96	50.3	14.7	7.3	18	0.1	2.5	1.5	31	0.14	0.042	29
1212496	Soil	1.7	32.1	20.1	61	0.1	22.4	10.6	292	2.79	37.7	4.4	4.2	16	0.1	1.3	0.5	47	0.12	0.041	19
1212497	Soil	2.2	42.1	15.6	53	0.2	33.5	19.4	520	3.27	95.8	7.3	3.7	43	0.2	9.8	0.9	26	0.39	0.050	15
1212498	Soil	0.8	43.0	14.6	52	<0.1	26.5	13.2	311	3.21	79.3	4.1	8.5	9	0.1	2.3	1.6	30	0.05	0.022	20
1212499	Soil	0.6	23.3	25.5	162	0.2	30.0	14.6	435	3.48	18.0	2.2	11.6	36	1.1	9.0	0.5	11	0.30	0.059	28
1212500	Soil	1.4	50.5	14.0	46	<0.1	21.2	10.2	360	4.29	35.9	1.9	12.8	39	<0.1	1.2	3.4	23	0.08	0.046	19
1212501	Soil	0.9	43.6	54.1	64	<0.1	24.8	9.1	336	3.52	105.5	23.2	7.7	9	0.2	2.6	2.2	23	0.08	0.048	19
1212502	Soil	1.2	19.4	23.4	54	0.1	16.2	7.6	215	2.34	47.0	2.1	7.2	11	0.2	1.1	1.0	31	0.10	0.035	18
1212503	Soil	1.1	23.9	23.5	37	0.2	14.1	6.6	228	1.68	38.7	1.5	0.3	25	0.2	0.7	1.1	23	0.29	0.053	27
1212504	Soil	1.3	22.1	22.0	62	0.2	19.7	8.9	286	2.50	67.9	2.7	3.0	17	0.2	1.0	0.8	39	0.18	0.050	14
1212505	Soil	0.7	36.0	22.5	56	<0.1	26.3	11.6	334	2.75	291.3	3.8	8.9	13	0.2	2.3	2.1	19	0.12	0.037	21
1212506	Soil	0.9	20.4	16.7	48	0.1	14.5	9.6	358	2.15	96.8	3.0	4.4	16	0.2	1.5	1.3	22	0.19	0.051	17
1212507	Soil	0.8	25.9	14.4	46	<0.1	19.1	9.7	310	2.07	64.3	4.8	8.8	7	0.1	1.0	1.1	18	0.06	0.037	24
1212508	Soil	0.7	26.9	11.8	47	<0.1	18.5	8.6	249	2.27	68.9	4.8	7.4	12	<0.1	1.1	1.2	20	0.13	0.040	25
1212509	Soil	1.4	17.1	13.9	54	0.1	18.1	9.2	245	2.61	80.3	2.7	7.0	8	0.2	1.2	1.1	37	0.06	0.035	15
1212510	Soil	1.0	12.6	10.1	25	<0.1	8.1	3.3	88	1.46	43.6	6.6	4.3	7	0.1	0.7	0.8	32	0.05	0.017	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212481	Soil	50	1.05	88	0.060	1	2.05	0.003	0.13	0.1	0.02	3.1	0.2	<0.05	6	<0.5	<0.2
1212482	Soil	74	1.59	112	0.121	<1	2.79	0.003	0.33	<0.1	<0.01	3.3	0.2	<0.05	8	<0.5	<0.2
1212483	Soil	49	1.03	112	0.064	<1	2.14	0.004	0.14	0.2	0.02	2.1	0.2	<0.05	6	0.5	<0.2
1212484	Soil	44	0.99	88	0.097	<1	1.88	0.004	0.16	0.1	0.02	1.7	0.1	<0.05	6	<0.5	<0.2
1212485	Soil	56	1.39	77	0.102	<1	2.34	0.003	0.20	<0.1	<0.01	2.1	0.2	<0.05	6	<0.5	<0.2
1212486	Soil	60	1.20	98	0.161	<1	2.20	0.004	0.43	<0.1	0.01	2.0	0.3	<0.05	6	<0.5	<0.2
1212487	Soil	25	0.53	140	0.008	1	1.57	0.003	0.11	0.1	0.10	1.8	0.3	<0.05	4	0.7	<0.2
1212488	Soil	20	0.41	68	0.020	1	1.13	0.003	0.08	0.2	0.04	1.3	0.1	<0.05	4	0.6	<0.2
1212489	Soil	13	0.21	80	0.019	1	0.89	0.003	0.09	0.1	0.03	0.7	0.2	<0.05	5	<0.5	<0.2
1212490	Soil	13	0.13	80	0.029	2	0.69	0.003	0.06	0.2	0.03	0.7	0.1	<0.05	5	<0.5	<0.2
1212491	Soil	21	0.44	130	0.012	<1	1.33	0.003	0.07	0.2	0.03	1.5	0.1	<0.05	4	0.6	<0.2
1212492	Soil	17	0.22	72	0.019	2	0.98	0.002	0.05	0.3	0.04	1.1	0.1	<0.05	4	0.7	<0.2
1212493	Soil	16	0.44	81	0.008	1	1.13	0.002	0.08	0.2	0.04	1.3	0.2	<0.05	3	<0.5	<0.2
1212494	Soil	19	0.50	83	0.030	<1	1.00	0.004	0.15	0.1	0.01	1.8	0.2	<0.05	3	0.7	<0.2
1212495	Soil	22	0.51	213	0.015	1	1.30	0.005	0.11	0.3	0.03	2.1	0.2	<0.05	3	0.5	<0.2
1212496	Soil	22	0.38	208	0.013	1	1.39	0.004	0.06	0.2	0.03	1.6	0.2	<0.05	4	0.7	<0.2
1212497	Soil	15	0.17	266	0.005	<1	0.83	0.003	0.06	0.2	0.05	1.8	0.2	<0.05	3	0.9	<0.2
1212498	Soil	23	0.57	131	0.016	<1	1.42	0.002	0.12	0.3	0.02	1.8	0.2	<0.05	4	<0.5	<0.2
1212499	Soil	12	0.09	104	0.004	<1	0.73	0.003	0.09	<0.1	0.04	1.7	0.1	<0.05	1	<0.5	<0.2
1212500	Soil	16	0.87	141	0.022	<1	1.20	0.004	0.23	0.1	0.01	1.8	0.2	0.26	4	0.9	<0.2
1212501	Soil	18	0.40	97	0.007	<1	1.09	0.003	0.09	0.5	0.03	1.3	0.1	<0.05	4	<0.5	<0.2
1212502	Soil	17	0.35	130	0.012	<1	1.15	0.004	0.06	0.3	0.03	1.3	0.1	<0.05	4	0.6	<0.2
1212503	Soil	13	0.18	190	0.005	1	0.85	0.004	0.05	0.3	0.04	0.4	0.1	<0.05	3	<0.5	<0.2
1212504	Soil	22	0.41	168	0.016	1	1.21	0.004	0.06	0.4	0.04	1.5	0.1	<0.05	4	0.6	<0.2
1212505	Soil	16	0.40	181	0.007	<1	1.11	0.003	0.09	0.3	0.02	1.3	0.1	<0.05	3	<0.5	<0.2
1212506	Soil	16	0.34	150	0.013	<1	0.79	0.003	0.07	0.4	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
1212507	Soil	13	0.34	116	0.009	<1	0.91	0.003	0.05	0.3	0.03	1.2	<0.1	<0.05	3	<0.5	<0.2
1212508	Soil	18	0.46	152	0.013	1	1.04	0.004	0.08	0.3	0.03	1.4	0.1	<0.05	3	<0.5	<0.2
1212509	Soil	23	0.41	121	0.017	<1	1.55	0.004	0.06	0.3	0.04	1.6	0.1	<0.05	4	0.8	<0.2
1212510	Soil	11	0.10	153	0.006	<1	1.00	0.003	0.03	0.2	0.03	0.9	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212511	Soil	1.8	14.3	12.9	61	<0.1	17.6	6.6	212	3.31	83.9	2.7	6.4	7	0.2	1.7	1.5	45	0.04	0.031	16
1212512	Soil	1.4	22.3	12.8	49	0.2	15.6	6.7	171	2.65	49.5	2.8	8.2	8	0.1	1.0	0.7	34	0.07	0.039	16
1212513	Soil	1.2	53.4	13.4	61	<0.1	33.3	16.8	246	2.94	165.5	4.9	9.1	7	0.1	1.2	1.2	19	0.03	0.040	21
1212514	Soil	2.1	51.7	15.3	63	0.2	21.0	9.2	221	4.00	162.1	7.8	9.2	19	<0.1	1.1	1.3	30	0.03	0.043	20
1212151	Soil	1.3	26.8	16.3	56	<0.1	20.0	8.5	271	2.75	31.3	2.7	1.5	6	0.1	1.8	0.5	37	0.03	0.041	14
1212152	Soil	1.2	31.0	12.2	53	<0.1	21.5	9.3	286	2.79	22.3	2.2	1.6	7	0.1	1.2	0.3	46	0.05	0.035	12
1212153	Soil	0.9	33.5	25.9	63	<0.1	36.6	16.7	383	2.68	13.1	3.6	8.4	9	0.1	1.8	0.2	39	0.08	0.034	22
1212154	Soil	0.8	32.5	15.0	56	<0.1	27.2	12.7	356	3.00	21.1	4.6	4.0	6	<0.1	1.3	0.3	43	0.05	0.026	15
1212155	Soil	0.8	29.8	18.8	56	<0.1	26.9	12.0	433	2.84	16.3	2.4	3.7	6	<0.1	1.4	0.3	38	0.04	0.031	16
1212156	Soil	0.6	44.4	20.2	67	<0.1	118.1	28.0	749	4.47	21.4	0.7	9.5	19	<0.1	5.5	0.2	123	0.21	0.072	22
1212157	Soil	0.7	49.4	25.7	79	0.1	44.2	21.2	939	3.96	8.8	3.2	12.5	25	<0.1	1.5	0.4	57	0.20	0.047	42
1212158	Soil	0.7	33.3	21.2	65	<0.1	34.4	14.8	396	3.19	9.9	1.6	7.6	7	0.1	1.3	0.3	41	0.03	0.023	20
1212159	Soil	0.8	40.7	24.6	70	<0.1	38.7	17.0	536	3.27	16.7	9.5	8.9	9	0.1	1.7	0.5	36	0.05	0.032	27
1212160	Soil	1.2	35.9	22.3	62	<0.1	29.4	13.1	511	3.23	25.6	4.9	3.7	8	0.1	1.8	0.5	37	0.04	0.036	19
1212161	Soil	0.9	45.1	21.6	68	0.2	38.9	17.0	501	3.58	20.7	4.3	7.3	12	0.1	1.6	0.5	43	0.09	0.042	22
1212162	Soil	1.3	30.2	15.0	66	0.1	25.3	10.9	422	3.15	37.3	2.4	3.1	6	0.1	1.7	0.5	43	0.05	0.036	17
1212163	Soil	1.0	37.8	19.8	66	0.1	34.7	13.8	452	3.59	24.1	2.9	4.7	6	<0.1	2.6	0.4	39	0.04	0.034	20
1212164	Soil	0.8	38.3	17.9	67	<0.1	35.5	16.6	535	3.25	25.4	3.8	7.1	6	0.2	2.8	0.3	36	0.06	0.030	19
1212165	Soil	1.2	36.3	20.4	70	0.1	40.4	16.2	519	3.27	26.1	4.4	8.2	8	0.2	3.4	0.4	32	0.05	0.036	24
1212166	Soil	1.5	28.8	17.8	63	<0.1	18.9	8.4	340	2.70	32.5	2.6	1.5	6	0.1	1.8	0.5	33	0.03	0.044	19
1212167	Soil	1.2	31.6	19.5	74	<0.1	31.2	15.1	502	2.88	28.9	2.9	9.0	7	0.2	2.3	0.5	31	0.04	0.026	27
1212168	Soil	1.3	27.6	19.2	60	<0.1	23.3	9.5	391	3.02	15.7	1.5	2.3	6	0.1	2.1	0.4	35	0.03	0.036	19
1212169	Soil	0.8	39.7	26.1	71	0.1	36.5	15.6	531	3.45	12.9	1.5	7.3	7	<0.1	2.0	0.4	32	0.04	0.027	24
1212170	Soil	1.1	37.2	19.7	68	<0.1	32.9	13.6	447	3.03	16.9	3.9	4.6	7	0.1	1.6	0.3	37	0.05	0.026	24
1212171	Soil	1.1	33.1	20.1	61	0.2	28.7	13.0	393	2.97	18.1	1.6	4.7	7	0.1	1.8	0.3	32	0.04	0.026	22
1212172	Soil	1.6	23.3	18.3	69	<0.1	25.0	11.8	459	3.04	18.5	2.0	4.0	8	0.2	1.5	0.3	44	0.06	0.031	17
1212173	Soil	1.8	26.3	16.3	65	0.2	21.3	9.4	318	2.91	19.1	2.8	2.7	9	<0.1	1.4	0.3	45	0.06	0.053	17
1212174	Soil	1.0	37.0	18.2	65	<0.1	31.9	13.9	370	3.13	22.3	<0.5	4.2	7	0.2	1.6	0.3	40	0.06	0.029	17
1212175	Soil	1.1	32.9	13.9	64	<0.1	26.8	10.3	304	2.94	40.9	2.6	3.8	7	0.1	1.4	0.5	44	0.06	0.023	17
1212176	Soil	1.1	30.5	11.1	57	<0.1	22.6	9.6	340	2.75	28.3	1.5	2.8	6	0.1	1.2	0.3	46	0.06	0.024	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212511	Soil	18	0.24	143	0.013	<1	1.21	0.003	0.07	0.4	0.02	1.3	0.1	<0.05	4	0.6	<0.2
1212512	Soil	21	0.32	107	0.013	1	1.41	0.004	0.05	0.2	0.04	1.4	0.1	<0.05	4	0.7	<0.2
1212513	Soil	14	0.35	103	0.005	<1	1.14	0.003	0.06	0.7	0.03	1.2	<0.1	<0.05	3	0.8	<0.2
1212514	Soil	20	0.42	138	0.005	<1	1.54	0.003	0.07	0.3	0.04	1.3	<0.1	<0.05	4	0.6	<0.2
1212151	Soil	21	0.33	99	0.018	1	1.01	0.002	0.09	0.2	0.04	1.0	0.2	<0.05	4	<0.5	<0.2
1212152	Soil	26	0.50	106	0.039	<1	1.19	0.003	0.11	0.2	0.04	1.3	0.1	<0.05	4	<0.5	<0.2
1212153	Soil	30	0.48	98	0.052	<1	1.11	0.003	0.26	<0.1	0.02	2.2	0.3	<0.05	3	<0.5	<0.2
1212154	Soil	32	0.61	86	0.044	<1	1.25	0.002	0.17	0.1	0.03	1.7	0.2	<0.05	4	<0.5	<0.2
1212155	Soil	33	0.50	98	0.043	<1	1.13	0.002	0.19	0.1	0.03	1.5	0.2	<0.05	4	<0.5	<0.2
1212156	Soil	321	2.09	165	0.068	<1	2.38	0.003	0.26	<0.1	0.02	8.0	0.3	<0.05	7	<0.5	<0.2
1212157	Soil	57	1.19	113	0.063	<1	1.91	0.003	0.46	<0.1	0.03	4.2	0.3	<0.05	6	<0.5	<0.2
1212158	Soil	42	0.71	95	0.048	<1	1.41	0.002	0.27	<0.1	0.02	2.3	0.3	<0.05	4	<0.5	<0.2
1212159	Soil	44	0.73	107	0.049	2	1.47	0.003	0.28	<0.1	0.03	2.6	0.3	0.14	4	<0.5	<0.2
1212160	Soil	33	0.48	115	0.026	1	1.27	0.003	0.16	0.1	0.03	1.7	0.2	0.05	4	0.8	<0.2
1212161	Soil	46	0.74	158	0.046	2	1.55	0.004	0.21	0.1	0.04	2.6	0.2	<0.05	4	0.6	<0.2
1212162	Soil	29	0.53	96	0.042	<1	1.32	0.003	0.10	0.2	0.03	1.7	0.1	0.05	4	0.6	<0.2
1212163	Soil	49	0.63	92	0.038	<1	1.42	0.003	0.18	<0.1	0.03	2.2	0.2	0.10	4	<0.5	<0.2
1212164	Soil	39	0.68	91	0.040	<1	1.43	0.003	0.17	0.2	0.03	2.3	0.2	0.10	4	0.5	<0.2
1212165	Soil	41	0.59	137	0.027	<1	1.37	0.003	0.20	0.1	0.04	2.5	0.2	0.12	4	<0.5	<0.2
1212166	Soil	21	0.34	108	0.011	<1	1.18	0.003	0.10	0.2	0.06	1.1	0.1	0.19	4	<0.5	<0.2
1212167	Soil	31	0.47	124	0.023	1	1.37	0.004	0.13	0.2	0.04	2.0	0.2	0.08	3	0.6	<0.2
1212168	Soil	34	0.37	82	0.012	<1	1.29	0.003	0.13	0.2	0.05	1.3	0.1	0.21	4	0.8	<0.2
1212169	Soil	38	0.59	85	0.031	1	1.52	0.003	0.18	0.1	0.03	2.0	0.2	0.06	4	<0.5	<0.2
1212170	Soil	35	0.50	75	0.032	<1	1.36	0.004	0.11	0.3	0.04	1.7	0.1	0.07	4	0.6	<0.2
1212171	Soil	29	0.48	73	0.025	<1	1.37	0.003	0.10	0.2	0.06	1.6	0.1	0.09	4	0.7	<0.2
1212172	Soil	28	0.50	106	0.034	1	1.50	0.004	0.11	0.2	0.04	2.0	0.1	0.07	5	0.6	<0.2
1212173	Soil	26	0.44	150	0.018	1	1.61	0.005	0.08	0.2	0.06	2.1	0.2	0.08	5	0.7	<0.2
1212174	Soil	33	0.57	111	0.034	1	1.52	0.004	0.10	0.2	0.03	1.8	0.2	<0.05	4	<0.5	<0.2
1212175	Soil	30	0.56	89	0.037	<1	1.48	0.004	0.10	0.2	0.05	1.8	0.1	0.16	4	<0.5	<0.2
1212176	Soil	28	0.52	66	0.066	<1	1.32	0.003	0.08	0.2	0.03	1.6	0.1	0.07	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212177	Soil		1.0	25.2	13.3	64	0.2	27.4	12.1	402	2.64	26.0	4.6	3.8	9	0.2	1.2	0.2	37	0.09	0.039	13
1212178	Soil		0.9	24.9	9.1	57	<0.1	25.0	9.4	265	1.96	12.3	2.4	3.6	8	0.1	0.9	0.2	35	0.09	0.022	11
1212179	Soil		1.0	43.5	21.1	74	<0.1	37.4	16.5	456	3.20	18.2	2.2	6.0	9	0.1	1.4	0.3	43	0.08	0.035	23
1212180	Soil		1.0	128.3	15.0	92	0.4	58.0	35.3	1157	6.34	205.4	17.0	2.3	10	0.1	12.7	0.3	106	0.19	0.071	10
1212181	Soil		1.1	106.7	13.0	89	0.1	69.7	32.8	766	5.75	25.3	0.7	2.8	6	0.1	8.5	0.2	92	0.16	0.039	10
1212182	Soil		0.8	141.1	9.9	86	0.1	80.7	37.6	620	5.41	10.1	1.1	2.2	6	0.1	2.5	0.2	87	0.13	0.027	7
1212183	Soil		0.6	97.2	8.2	78	<0.1	68.1	30.4	577	5.37	7.8	0.7	1.5	6	<0.1	0.6	0.1	97	0.12	0.038	4
1212184	Soil		1.0	189.8	11.4	109	0.2	66.2	36.1	790	6.87	11.0	2.5	1.8	13	0.2	0.5	0.2	136	0.21	0.059	4
1212185	Soil		0.7	99.6	7.9	82	<0.1	57.2	30.3	714	6.02	25.2	3.4	1.8	6	0.2	2.1	0.2	109	0.17	0.034	6
1212186	Soil		0.9	134.8	5.6	87	<0.1	57.7	33.7	694	5.96	11.3	0.9	1.4	8	<0.1	0.5	0.1	94	0.18	0.038	4
1212187	Soil		0.5	135.2	6.7	85	0.1	53.3	31.2	656	5.87	9.7	1.5	1.6	10	<0.1	1.3	0.1	94	0.21	0.039	4
1212188	Soil		0.4	148.9	4.5	85	0.1	62.9	31.9	654	5.90	9.0	1.9	1.2	6	<0.1	1.8	<0.1	120	0.24	0.031	4
1212189	Soil		0.5	119.0	11.6	79	0.2	49.7	25.3	632	5.91	11.3	<0.5	1.9	7	0.1	3.6	0.3	108	0.25	0.042	6
1212190	Soil		0.5	92.5	10.9	76	0.1	50.9	28.8	662	5.18	9.6	1.8	1.6	8	<0.1	1.4	0.2	112	0.29	0.031	4
1212191	Soil		0.5	82.0	5.7	77	<0.1	43.9	20.9	498	4.96	8.6	2.5	1.8	7	<0.1	0.7	0.2	101	0.19	0.025	4
1212192	Soil		0.7	81.5	6.6	76	<0.1	42.1	25.7	622	5.04	10.3	2.5	1.8	8	0.1	0.9	0.2	93	0.22	0.040	5
1212193	Soil		0.7	71.8	7.2	68	0.1	34.7	20.6	481	4.37	10.3	2.3	2.1	7	<0.1	0.7	0.2	83	0.16	0.034	6
1212194	Soil		0.7	78.4	6.7	77	0.1	43.4	21.3	520	5.19	8.7	2.1	1.7	8	<0.1	0.6	0.1	88	0.19	0.040	5
1212195	Soil		0.5	130.1	6.6	86	<0.1	63.5	41.6	887	5.96	28.2	4.7	1.3	7	0.1	1.7	0.1	113	0.37	0.036	3
1212196	Soil		1.4	118.9	13.2	91	0.2	55.3	34.4	560	5.68	16.1	5.7	2.4	9	0.1	1.3	0.3	78	0.15	0.057	8
1212197	Soil		0.6	170.8	5.3	84	0.1	71.7	40.9	633	5.89	82.5	19.2	1.0	8	0.2	3.6	0.1	103	0.27	0.043	3
1212198	Soil		0.6	125.2	4.1	78	0.1	52.1	33.1	691	5.98	47.8	10.5	0.9	6	0.1	3.3	<0.1	100	0.18	0.050	3
1212199	Soil		0.8	96.4	4.3	80	<0.1	49.8	29.5	661	6.07	12.4	7.2	0.9	6	<0.1	0.8	<0.1	102	0.14	0.036	3
1212200	Soil		0.7	105.5	7.1	73	<0.1	47.6	29.3	612	4.99	10.5	3.7	1.3	8	0.1	0.8	0.1	97	0.17	0.033	4
1212201	Soil		0.5	113.1	5.9	74	<0.1	55.6	26.6	557	4.89	8.6	2.4	1.3	8	0.2	0.9	0.1	121	0.22	0.040	4
1212202	Soil		0.9	71.5	6.6	57	<0.1	36.2	17.6	393	3.60	9.8	3.5	1.6	9	<0.1	0.6	0.1	90	0.22	0.029	6
1212203	Soil		0.7	58.4	6.1	56	0.1	33.0	17.1	442	3.53	12.1	2.0	1.1	10	<0.1	0.5	0.1	106	0.32	0.040	6
1212204	Soil		0.7	75.8	6.4	71	0.1	35.8	18.7	427	4.03	9.3	10.2	1.8	11	0.2	0.5	0.2	107	0.28	0.031	6
1212205	Soil		0.8	68.3	6.1	67	<0.1	37.2	19.0	414	4.00	9.2	4.3	1.4	10	0.1	0.4	0.1	105	0.29	0.038	6
1212206	Soil		0.6	68.1	6.4	71	0.2	36.5	19.5	454	4.00	16.4	4.9	2.6	9	<0.1	0.6	0.2	84	0.22	0.050	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212177	Soil	29	0.50	97	0.043	1	1.57	0.006	0.08	0.2	0.05	2.1	0.1	0.15	4	0.7	<0.2
1212178	Soil	21	0.40	89	0.036	2	1.16	0.006	0.07	0.2	0.04	1.9	<0.1	0.15	3	<0.5	<0.2
1212179	Soil	40	0.68	120	0.044	2	1.81	0.006	0.15	0.3	0.04	2.6	0.2	0.15	5	<0.5	<0.2
1212180	Soil	74	1.43	125	0.070	1	2.73	0.004	0.27	<0.1	0.05	6.2	0.3	0.21	8	<0.5	<0.2
1212181	Soil	67	1.31	78	0.115	<1	2.48	0.003	0.40	<0.1	0.02	4.0	0.3	0.17	7	<0.5	<0.2
1212182	Soil	62	1.30	75	0.146	<1	2.49	0.003	0.34	<0.1	0.01	3.3	0.3	0.14	7	<0.5	<0.2
1212183	Soil	69	1.39	71	0.129	<1	2.63	0.004	0.30	<0.1	0.02	2.9	0.3	0.12	7	<0.5	<0.2
1212184	Soil	93	1.99	106	0.196	<1	3.45	0.006	0.33	<0.1	0.03	4.2	0.2	0.22	10	<0.5	<0.2
1212185	Soil	67	1.36	79	0.163	1	2.49	0.002	0.14	<0.1	0.02	4.4	<0.1	0.16	7	<0.5	<0.2
1212186	Soil	70	1.67	93	0.152	<1	2.78	0.006	0.50	<0.1	0.02	2.4	0.2	0.16	8	<0.5	<0.2
1212187	Soil	65	1.63	96	0.140	<1	2.88	0.004	0.52	<0.1	0.03	2.7	0.3	0.10	8	<0.5	<0.2
1212188	Soil	78	1.64	92	0.144	<1	2.82	0.003	0.56	<0.1	0.01	3.9	0.3	0.13	7	<0.5	<0.2
1212189	Soil	63	1.58	68	0.118	<1	2.72	0.003	0.56	<0.1	0.02	4.6	0.4	0.14	8	<0.5	<0.2
1212190	Soil	69	1.57	92	0.140	<1	2.63	0.005	0.53	<0.1	0.02	3.2	0.3	0.09	8	<0.5	<0.2
1212191	Soil	65	1.50	72	0.136	<1	2.45	0.003	0.48	<0.1	0.02	3.0	0.3	0.14	7	<0.5	<0.2
1212192	Soil	63	1.54	95	0.121	<1	2.44	0.004	0.42	<0.1	0.02	2.9	0.3	0.14	7	<0.5	<0.2
1212193	Soil	57	1.36	82	0.113	<1	2.33	0.003	0.30	<0.1	0.03	2.7	0.2	0.08	7	<0.5	<0.2
1212194	Soil	63	1.47	70	0.141	<1	2.63	0.003	0.33	<0.1	0.03	2.2	0.3	0.21	7	<0.5	<0.2
1212195	Soil	82	1.99	78	0.101	3	2.88	0.007	0.27	<0.1	0.01	3.2	0.1	<0.05	7	<0.5	<0.2
1212196	Soil	56	1.27	80	0.094	3	2.38	0.004	0.18	<0.1	0.05	3.1	0.1	<0.05	7	0.6	<0.2
1212197	Soil	73	1.74	61	0.138	2	2.70	0.004	0.35	<0.1	0.02	2.8	0.2	0.05	7	<0.5	<0.2
1212198	Soil	78	1.78	64	0.102	4	2.74	0.007	0.19	0.1	0.02	2.5	<0.1	<0.05	7	<0.5	<0.2
1212199	Soil	75	1.83	55	0.160	2	2.93	0.003	0.22	<0.1	0.01	1.8	<0.1	<0.05	7	<0.5	<0.2
1212200	Soil	64	1.38	71	0.132	3	2.26	0.003	0.31	<0.1	<0.01	2.4	0.1	<0.05	7	<0.5	<0.2
1212201	Soil	76	1.44	78	0.151	2	2.31	0.004	0.69	<0.1	<0.01	2.8	0.2	<0.05	7	<0.5	<0.2
1212202	Soil	55	1.05	93	0.112	2	1.83	0.004	0.33	0.1	0.02	2.5	0.1	<0.05	6	<0.5	<0.2
1212203	Soil	63	1.07	113	0.112	3	1.75	0.004	0.34	0.1	0.02	2.5	<0.1	<0.05	6	<0.5	<0.2
1212204	Soil	61	1.12	112	0.133	2	1.95	0.005	0.43	0.1	0.01	3.1	0.1	0.05	7	<0.5	<0.2
1212205	Soil	59	1.15	109	0.117	3	1.95	0.004	0.38	0.1	0.02	2.6	0.1	<0.05	6	<0.5	<0.2
1212206	Soil	54	1.18	95	0.080	1	1.94	0.004	0.33	0.1	0.01	3.2	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212207	Soil	0.8	38.9	8.5	46	<0.1	20.2	9.3	255	2.22	53.7	2.5	3.7	9	<0.1	1.6	0.5	30	0.14	0.044	13
1212208	Soil	1.0	55.2	9.0	64	0.2	29.9	13.8	350	2.99	55.8	4.4	3.8	12	0.1	1.4	0.6	53	0.18	0.058	13
1212209	Soil	1.3	45.7	12.0	68	<0.1	24.4	11.6	351	2.68	46.6	7.3	4.2	14	0.2	1.4	0.5	41	0.15	0.060	16
1212210	Soil	0.8	72.2	7.2	61	<0.1	37.9	17.8	434	3.79	60.4	6.7	2.8	8	<0.1	1.6	0.5	64	0.16	0.042	8
1212601	Soil	1.0	112.2	13.9	77	<0.1	56.4	28.8	680	5.11	31.5	5.5	2.5	7	0.1	1.6	0.2	82	0.11	0.030	7
1212602	Soil	1.0	131.8	14.7	63	0.4	56.0	28.6	643	4.85	2821	1544	3.8	15	0.2	145.8	0.2	56	0.09	0.027	12
1212603	Soil	0.8	121.5	15.6	76	0.1	54.6	29.6	728	4.96	1036	294.4	2.7	12	0.1	52.3	0.2	68	0.12	0.034	10
1212604	Soil	0.7	104.4	12.7	75	<0.1	51.4	27.2	707	5.45	124.6	18.6	1.9	9	0.1	3.1	0.2	99	0.18	0.035	7
1212605	Soil	0.4	122.9	7.7	70	<0.1	52.9	25.9	639	4.82	46.4	10.8	2.0	6	0.1	2.5	0.1	89	0.15	0.025	6
1212606	Soil	0.8	103.4	12.3	84	<0.1	52.9	28.5	917	6.03	85.3	9.2	2.2	6	0.1	7.6	0.2	102	0.11	0.043	8
1212607	Soil	0.8	93.7	7.4	74	0.1	46.3	23.2	576	5.21	35.0	6.4	2.6	7	<0.1	6.4	0.2	94	0.14	0.031	9
1212608	Soil	1.1	75.2	8.0	78	<0.1	48.7	25.9	740	5.53	60.6	5.1	1.8	8	<0.1	6.9	0.2	103	0.18	0.043	6
1212609	Soil	1.0	100.9	9.7	80	0.1	50.5	25.3	637	5.67	73.5	5.0	2.9	8	0.1	3.8	0.3	97	0.15	0.031	9
1212610	Soil	0.8	84.4	9.3	73	<0.1	45.6	22.8	599	5.25	46.4	6.1	2.9	6	<0.1	4.4	0.3	90	0.12	0.030	8
1212611	Soil	1.1	135.1	11.5	81	0.4	53.5	27.2	699	5.48	82.9	15.7	3.1	8	<0.1	17.6	0.3	92	0.14	0.048	10
1212612	Soil	0.8	132.2	7.9	84	0.3	56.3	27.4	718	5.87	147.0	16.6	2.6	8	0.1	12.8	0.2	103	0.16	0.041	8
1212613	Soil	0.3	170.6	3.0	91	0.1	72.7	36.0	771	6.71	45.9	8.5	1.5	7	<0.1	5.8	<0.1	120	0.25	0.033	3
1212614	Soil	0.5	96.6	8.4	73	<0.1	48.8	25.7	593	6.05	12.1	4.3	0.7	4	0.1	1.0	0.1	130	0.12	0.041	2
1212615	Soil	0.8	87.8	5.7	64	<0.1	43.8	22.2	553	5.36	14.5	5.9	1.2	5	<0.1	1.2	0.1	104	0.11	0.041	3
1212616	Soil	7.5	373.5	32.7	153	0.3	106.0	53.6	561	12.73	270.0	49.7	7.9	5	0.6	14.3	0.5	46	0.09	0.072	30
1212617	Soil	0.8	136.6	6.2	84	0.5	58.0	28.9	732	6.27	97.6	25.4	2.0	7	0.1	8.0	0.1	99	0.20	0.049	8
1212618	Soil	0.8	65.0	7.9	65	<0.1	39.8	19.5	408	4.52	9.8	1.2	1.8	6	0.2	0.7	0.2	84	0.10	0.033	6
1212619	Soil	0.5	119.4	5.0	80	<0.1	21.5	16.3	649	6.69	2.3	1.8	1.6	9	<0.1	0.3	0.2	75	0.06	0.048	4
1212620	Soil	1.8	40.4	12.3	70	<0.1	27.0	11.7	361	3.96	20.0	2.9	2.6	8	0.1	1.2	0.2	73	0.10	0.031	9
1212621	Soil	1.0	103.9	14.6	102	<0.1	44.8	40.3	874	7.74	6.1	3.4	4.7	9	0.1	1.0	0.3	86	0.09	0.059	13
1212622	Soil	0.5	80.0	4.3	88	<0.1	59.5	34.3	873	6.55	18.2	5.1	1.0	3	<0.1	0.2	<0.1	177	0.14	0.039	2
1212623	Soil	0.4	114.2	2.6	78	<0.1	59.9	40.6	766	6.09	6.4	2.0	0.8	4	<0.1	0.4	<0.1	102	0.22	0.042	2
1212624	Soil	0.7	84.6	3.8	83	<0.1	55.2	36.1	890	6.67	14.8	1.4	0.7	4	<0.1	0.3	<0.1	140	0.15	0.030	2
1212625	Soil	0.6	129.4	4.7	83	<0.1	59.5	33.5	752	5.97	13.1	1.8	1.4	5	0.1	2.8	<0.1	93	0.19	0.042	5
1212626	Soil	0.6	133.1	7.2	95	<0.1	66.6	39.4	813	5.78	9.9	2.2	1.7	6	0.1	0.9	0.1	110	0.15	0.039	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212207	Soil	18	0.41	53	0.026	2	0.83	0.003	0.09	0.3	0.01	1.4	<0.1	<0.05	3	<0.5	<0.2
1212208	Soil	33	0.69	100	0.049	2	1.29	0.005	0.19	0.2	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2
1212209	Soil	24	0.42	142	0.026	3	1.22	0.004	0.08	0.3	0.04	2.1	<0.1	<0.05	3	<0.5	<0.2
1212210	Soil	45	1.03	65	0.051	1	1.70	0.003	0.17	0.1	<0.01	2.1	<0.1	<0.05	5	<0.5	<0.2
1212601	Soil	57	1.28	75	0.129	<1	2.48	0.004	0.22	0.1	0.02	3.0	0.2	<0.05	7	<0.5	<0.2
1212602	Soil	42	0.94	81	0.055	3	1.78	0.006	0.20	<0.1	0.03	3.2	0.1	0.13	5	<0.5	<0.2
1212603	Soil	48	1.07	106	0.050	2	2.15	0.004	0.16	<0.1	0.03	3.2	0.1	<0.05	6	<0.5	<0.2
1212604	Soil	68	1.39	95	0.115	2	2.60	0.005	0.18	0.1	0.01	3.1	0.1	<0.05	8	<0.5	<0.2
1212605	Soil	62	1.39	89	0.104	2	2.43	0.003	0.21	0.1	<0.01	2.7	0.2	<0.05	7	<0.5	<0.2
1212606	Soil	68	1.41	94	0.113	2	2.66	0.003	0.22	<0.1	0.01	4.5	0.1	<0.05	8	<0.5	<0.2
1212607	Soil	68	1.56	93	0.113	<1	2.71	0.004	0.24	<0.1	<0.01	3.3	0.1	<0.05	7	<0.5	<0.2
1212608	Soil	72	1.52	127	0.121	2	2.56	0.004	0.21	0.1	<0.01	2.8	<0.1	<0.05	7	<0.5	<0.2
1212609	Soil	65	1.32	131	0.139	2	2.50	0.005	0.27	0.1	0.03	3.1	0.2	<0.05	7	<0.5	<0.2
1212610	Soil	63	1.30	98	0.149	1	2.36	0.004	0.23	0.1	0.01	2.7	0.1	<0.05	7	<0.5	<0.2
1212611	Soil	64	1.34	154	0.067	2	2.71	0.005	0.24	0.1	0.02	4.2	0.2	<0.05	7	<0.5	<0.2
1212612	Soil	70	1.35	144	0.103	2	2.67	0.004	0.38	0.1	0.02	4.5	0.2	<0.05	7	<0.5	<0.2
1212613	Soil	96	2.07	116	0.164	2	3.36	0.004	0.59	<0.1	<0.01	2.9	0.2	<0.05	7	<0.5	<0.2
1212614	Soil	67	1.56	43	0.231	2	2.70	0.004	0.34	<0.1	0.02	1.9	0.1	<0.05	10	<0.5	<0.2
1212615	Soil	65	1.35	59	0.222	<1	2.35	0.004	0.32	0.1	0.04	1.8	0.1	<0.05	7	<0.5	<0.2
1212616	Soil	29	0.42	60	0.007	3	1.05	0.003	0.16	0.1	0.03	10.7	0.2	<0.05	3	2.2	<0.2
1212617	Soil	81	1.80	91	0.064	1	2.85	0.003	0.18	<0.1	0.04	6.2	0.2	<0.05	7	<0.5	<0.2
1212618	Soil	53	1.13	73	0.140	2	2.18	0.004	0.26	<0.1	0.02	2.4	0.2	<0.05	7	<0.5	<0.2
1212619	Soil	54	1.55	60	0.334	2	2.72	0.004	0.37	<0.1	0.01	2.3	0.1	0.10	8	<0.5	<0.2
1212620	Soil	39	0.77	76	0.094	1	1.70	0.004	0.12	0.2	0.03	1.9	<0.1	<0.05	6	<0.5	<0.2
1212621	Soil	54	1.69	51	0.208	2	3.06	0.004	0.24	<0.1	0.02	4.3	0.1	<0.05	9	<0.5	<0.2
1212622	Soil	106	2.43	59	0.104	2	3.53	0.003	0.26	<0.1	<0.01	4.2	0.1	<0.05	11	0.5	<0.2
1212623	Soil	91	1.93	79	0.124	1	2.92	0.004	0.25	<0.1	0.02	1.9	0.1	<0.05	7	<0.5	<0.2
1212624	Soil	105	2.04	67	0.207	2	3.17	0.003	0.32	<0.1	<0.01	1.9	0.1	<0.05	8	<0.5	<0.2
1212625	Soil	70	1.68	94	0.116	2	2.76	0.003	0.41	0.1	0.01	3.0	0.2	<0.05	6	<0.5	<0.2
1212626	Soil	65	1.52	97	0.178	2	2.66	0.004	0.67	<0.1	0.02	2.8	0.3	<0.05	7	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy Co**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212627	Soil	1.0	104.5	5.0	74	<0.1	53.5	30.4	578	5.66	7.8	1.1	1.1	7	<0.1	0.3	<0.1	127	0.17	0.026	3
1212628	Soil	1.1	89.0	6.1	69	<0.1	38.5	20.9	509	5.42	10.7	2.8	1.5	7	<0.1	0.6	0.1	102	0.16	0.029	4
1212629	Soil	0.9	151.3	5.3	83	0.2	56.6	31.2	584	5.48	11.5	3.3	1.7	6	0.1	1.1	0.1	88	0.20	0.047	6
1212630	Soil	0.9	121.1	7.3	84	0.1	53.0	27.9	661	5.66	20.4	3.3	2.2	8	<0.1	7.1	0.2	85	0.21	0.043	9
1212631	Soil	1.3	97.7	11.4	79	0.1	42.2	20.7	493	4.71	33.0	4.0	2.7	8	<0.1	1.1	0.3	80	0.12	0.038	11
1212632	Soil	0.9	147.3	6.7	93	<0.1	64.5	34.3	702	6.31	17.1	2.9	2.4	7	0.1	5.7	0.1	95	0.21	0.043	9
1212633	Soil	0.7	115.4	5.4	85	0.1	56.2	28.4	638	5.74	31.7	4.8	2.1	6	<0.1	1.1	0.1	95	0.14	0.029	6
1212634	Soil	0.9	83.4	10.0	77	0.1	43.5	23.5	506	5.00	27.8	4.3	2.7	7	<0.1	0.9	0.2	88	0.13	0.035	10
1212635	Soil	0.7	99.0	7.4	76	<0.1	53.2	30.7	667	5.45	10.8	2.3	1.8	6	<0.1	0.5	0.1	123	0.13	0.035	5
1212636	Soil	0.6	88.7	10.6	78	0.1	49.1	27.0	702	5.52	18.8	1.9	2.6	7	<0.1	1.1	0.2	137	0.16	0.028	8
1212637	Soil	1.5	115.0	10.9	84	0.2	52.7	28.7	684	5.93	31.3	5.6	2.8	8	0.1	2.8	0.3	96	0.12	0.052	13
1212638	Soil	1.1	60.7	8.8	59	<0.1	33.0	17.7	453	3.94	18.9	3.2	2.4	7	<0.1	0.9	0.2	75	0.11	0.034	11
1212639	Soil	1.3	40.0	19.9	78	<0.1	29.1	14.8	490	3.77	46.0	2.3	4.7	10	0.2	1.8	0.4	46	0.08	0.036	16
1212640	Soil	2.0	44.5	20.1	70	0.2	23.2	9.5	318	3.63	51.8	5.3	4.5	12	0.1	1.8	0.5	58	0.08	0.042	15
1212641	Soil	0.8	31.8	17.1	57	<0.1	24.3	11.6	391	3.50	57.8	25.3	8.4	9	0.1	3.4	0.7	21	0.04	0.035	25
1212301	Soil	1.7	28.9	15.6	84	0.2	28.2	10.9	430	2.54	23.3	6.1	2.9	12	0.2	1.2	0.2	41	0.13	0.068	20
1212302	Soil	2.0	27.4	17.8	83	0.3	26.8	10.2	415	2.94	17.2	3.7	3.0	11	0.3	1.2	0.2	47	0.11	0.060	21
1212303	Soil	1.9	21.7	16.8	76	<0.1	23.1	9.5	392	3.05	16.3	2.5	1.8	10	0.2	1.2	0.2	50	0.09	0.052	13
1212304	Soil	2.1	17.3	17.1	54	<0.1	16.0	5.7	255	2.64	18.7	1.7	1.4	7	0.2	1.1	0.3	56	0.06	0.041	14
1212305	Soil	1.4	15.3	8.9	50	<0.1	15.3	5.6	200	1.67	9.3	3.9	1.8	10	0.1	0.9	0.1	32	0.10	0.042	13
1212306	Soil	2.0	19.4	17.1	86	<0.1	22.1	7.9	319	2.70	14.3	3.6	1.6	9	0.2	1.2	0.2	49	0.08	0.046	11
1212307	Soil	1.5	19.8	13.3	84	<0.1	23.7	7.9	308	2.38	13.5	4.5	3.2	13	0.3	1.0	0.2	45	0.15	0.048	12
1212308	Soil	1.3	31.4	15.7	88	0.1	25.4	9.5	523	2.57	24.8	9.1	4.8	12	0.3	2.0	0.2	39	0.15	0.064	22
1212309	Soil	1.1	24.3	18.5	67	0.1	17.2	7.4	197	2.46	47.3	38.7	5.5	10	0.2	2.0	0.3	29	0.10	0.054	24
1212310	Soil	0.9	58.8	23.9	83	0.1	34.7	17.3	895	4.17	7.5	9.0	7.5	8	<0.1	10.6	0.4	19	0.11	0.051	40
1212311	Soil	1.0	45.1	29.3	94	0.1	28.4	13.7	217	3.37	68.7	22.5	8.5	6	0.1	5.0	0.5	17	0.03	0.036	37
1212312	Soil	1.8	21.6	15.2	78	<0.1	23.5	7.9	270	2.55	19.1	5.1	2.1	9	0.3	1.6	0.2	47	0.08	0.034	13
1212313	Soil	1.6	28.1	16.0	86	0.2	25.3	9.8	392	2.28	28.7	10.0	6.6	18	0.3	1.8	0.2	37	0.21	0.084	23
1212314	Soil	1.6	23.7	18.9	78	0.2	23.1	10.4	507	2.39	72.2	38.9	2.2	13	0.2	2.4	0.2	28	0.14	0.065	24
1212315	Soil	1.9	16.3	17.0	68	<0.1	16.9	6.4	236	2.46	14.3	3.5	0.9	9	0.2	1.1	0.2	52	0.08	0.047	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212627	Soil	72	1.64	83	0.198	<1	2.72	0.005	0.58	<0.1	<0.01	2.8	0.3	<0.05	8	<0.5	<0.2
1212628	Soil	57	1.44	99	0.205	2	2.39	0.004	0.44	<0.1	<0.01	2.1	0.2	0.08	7	<0.5	<0.2
1212629	Soil	66	1.63	92	0.111	1	2.68	0.003	0.38	<0.1	0.04	2.6	0.2	<0.05	7	<0.5	<0.2
1212630	Soil	56	1.26	100	0.062	3	2.27	0.003	0.21	0.1	0.02	4.7	0.1	<0.05	6	0.6	<0.2
1212631	Soil	51	1.05	121	0.088	2	2.23	0.005	0.22	0.1	0.02	2.6	0.2	<0.05	7	0.7	<0.2
1212632	Soil	65	1.54	90	0.080	1	2.58	0.003	0.32	0.1	0.02	4.3	0.1	<0.05	7	0.5	<0.2
1212633	Soil	69	1.71	79	0.135	2	2.75	0.003	0.35	<0.1	<0.01	2.6	0.2	<0.05	7	<0.5	<0.2
1212634	Soil	58	1.29	110	0.121	2	2.37	0.004	0.30	0.1	0.03	2.4	0.2	<0.05	7	0.7	<0.2
1212635	Soil	72	1.54	75	0.161	2	2.48	0.003	0.63	<0.1	<0.01	3.5	0.2	<0.05	8	0.7	<0.2
1212636	Soil	76	1.60	115	0.157	<1	2.60	0.004	0.66	<0.1	<0.01	4.6	0.2	<0.05	8	0.5	<0.2
1212637	Soil	56	1.16	132	0.077	1	2.35	0.004	0.35	0.1	0.02	4.1	0.2	<0.05	7	0.5	<0.2
1212638	Soil	47	0.88	107	0.085	1	1.77	0.004	0.22	0.2	0.02	1.5	0.1	<0.05	6	0.6	<0.2
1212639	Soil	26	0.51	144	0.036	1	1.46	0.004	0.13	0.2	0.03	2.1	0.2	<0.05	5	0.8	<0.2
1212640	Soil	25	0.38	158	0.016	1	1.65	0.005	0.12	0.2	0.04	2.2	0.2	<0.05	6	1.4	<0.2
1212641	Soil	18	0.46	67	0.016	<1	1.21	0.004	0.12	0.3	0.02	1.7	0.2	<0.05	4	<0.5	<0.2
1212301	Soil	22	0.38	153	0.028	2	1.23	0.007	0.10	0.3	0.03	2.1	0.1	<0.05	3	1.0	<0.2
1212302	Soil	25	0.40	237	0.024	2	1.52	0.006	0.08	0.4	0.06	2.3	0.2	<0.05	4	0.8	<0.2
1212303	Soil	25	0.38	185	0.017	1	1.56	0.005	0.07	0.2	0.04	2.0	0.2	<0.05	5	1.1	<0.2
1212304	Soil	21	0.20	89	0.022	1	1.14	0.004	0.08	0.3	0.03	1.3	0.2	<0.05	5	0.8	<0.2
1212305	Soil	15	0.22	77	0.026	2	0.81	0.006	0.07	0.2	0.02	1.1	0.1	<0.05	2	<0.5	<0.2
1212306	Soil	22	0.32	109	0.025	2	1.38	0.006	0.09	0.3	0.07	1.8	0.1	<0.05	4	1.0	<0.2
1212307	Soil	22	0.38	121	0.041	3	1.18	0.006	0.07	0.3	0.03	2.1	0.1	<0.05	4	0.7	<0.2
1212308	Soil	19	0.31	185	0.028	2	1.13	0.011	0.08	0.3	0.03	2.7	0.1	<0.05	3	0.8	<0.2
1212309	Soil	15	0.25	86	0.018	1	1.04	0.004	0.09	0.2	0.03	1.5	0.1	<0.05	3	0.7	<0.2
1212310	Soil	12	0.13	139	0.004	2	0.69	0.003	0.09	0.2	0.05	3.9	0.2	<0.05	2	0.6	<0.2
1212311	Soil	10	0.11	62	0.006	2	0.61	0.003	0.12	0.1	0.01	1.9	0.1	<0.05	2	<0.5	<0.2
1212312	Soil	22	0.29	108	0.029	2	1.19	0.006	0.08	0.3	0.04	1.8	0.1	<0.05	4	1.0	<0.2
1212313	Soil	17	0.29	236	0.039	1	0.85	0.010	0.08	0.3	0.03	2.3	<0.1	<0.05	3	<0.5	<0.2
1212314	Soil	16	0.21	226	0.014	2	0.77	0.005	0.08	0.2	0.03	1.8	<0.1	<0.05	2	0.6	<0.2
1212315	Soil	24	0.26	110	0.023	1	1.24	0.005	0.06	0.3	0.06	1.3	0.2	<0.05	5	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212316	Soil		1.9	30.0	68.5	144	0.2	27.5	11.1	442	3.97	136.2	27.1	1.2	6	0.5	12.6	0.5	30	0.05	0.075	20
1212317	Soil		1.3	51.5	89.5	145	0.5	49.5	20.2	1095	3.56	18.2	5.2	10.0	20	0.8	2.1	0.5	34	0.26	0.055	34
1212318	Soil		1.6	24.7	22.9	87	0.1	23.8	10.9	395	2.71	16.9	8.5	3.1	11	0.4	1.5	0.3	45	0.11	0.055	18
1212319	Soil		1.9	22.8	29.3	78	0.2	21.8	9.7	358	2.78	17.3	3.9	3.6	8	0.4	1.5	0.3	58	0.07	0.032	14
1212320	Soil		1.7	31.1	15.6	87	0.2	28.9	10.4	371	2.49	15.6	13.3	7.5	19	0.5	1.7	0.2	41	0.22	0.088	22
1212321	Soil		1.6	33.4	21.4	79	0.2	27.8	10.1	326	2.56	13.4	2.3	3.9	15	0.3	1.8	0.3	42	0.16	0.067	24
1212322	Soil		1.6	31.0	22.1	86	0.2	27.8	11.0	439	2.77	15.2	2.2	2.4	15	0.3	1.4	0.3	47	0.17	0.071	22
1212323	Soil		1.7	27.2	18.2	81	0.1	24.3	9.7	377	2.55	14.7	3.4	3.8	11	0.2	1.4	0.3	41	0.10	0.052	17
1212324	Soil		1.6	29.5	18.6	81	0.1	26.3	11.2	388	2.80	15.1	3.1	3.8	14	0.2	1.3	0.3	47	0.14	0.057	21
1212325	Soil		2.3	29.0	18.7	65	<0.1	23.1	12.3	415	3.46	23.3	1.0	4.1	8	0.2	1.7	0.4	63	0.08	0.045	14
1212326	Soil		1.0	38.3	15.9	64	0.1	28.9	12.0	353	2.48	8.9	4.5	8.4	13	0.3	1.2	0.2	37	0.14	0.054	24
1212327	Soil		0.9	44.6	26.5	78	0.1	45.4	20.9	520	3.13	15.1	5.2	8.3	10	0.3	1.1	0.4	36	0.09	0.044	20
1212328	Soil		1.2	44.1	19.9	76	<0.1	34.0	18.6	558	3.47	20.4	2.2	6.3	7	0.2	2.3	0.3	43	0.07	0.043	16
1212329	Soil		1.1	39.4	18.8	65	<0.1	30.5	15.6	545	3.53	25.3	2.1	4.5	6	0.2	2.2	0.3	48	0.06	0.035	15
1212330	Soil		1.2	47.1	23.2	73	<0.1	34.4	16.1	520	3.74	21.8	1.7	5.5	7	0.2	2.1	0.4	50	0.06	0.046	16
1212331	Soil		2.7	21.7	25.2	82	<0.1	20.1	8.1	281	3.07	19.8	1.6	3.7	10	0.3	1.3	0.4	60	0.05	0.035	14
1212332	Soil		0.6	128.7	5.6	83	0.1	58.0	31.4	760	5.69	23.8	3.6	1.7	6	<0.1	2.3	0.1	120	0.21	0.036	4
1212333	Soil		0.6	164.4	4.8	88	0.1	66.5	35.5	710	6.35	27.9	6.4	1.4	5	<0.1	3.7	0.1	120	0.22	0.024	3
1212334	Soil		0.5	118.4	4.2	88	0.1	59.8	33.1	767	6.25	19.5	3.9	1.3	6	0.1	4.1	<0.1	115	0.22	0.028	3
1212335	Soil		0.6	105.7	5.4	75	0.2	48.1	27.2	617	5.27	29.4	4.0	2.0	6	<0.1	4.2	0.2	99	0.16	0.036	6
1212336	Soil		0.7	134.1	6.5	79	0.3	51.1	29.7	592	5.70	19.7	4.6	1.6	6	<0.1	2.4	0.2	105	0.14	0.048	5
1212337	Soil		0.7	129.4	5.8	77	0.3	52.8	30.0	644	5.47	41.9	7.9	1.8	6	<0.1	1.7	0.2	110	0.21	0.039	6
1212338	Soil		1.4	163.1	7.0	90	0.2	50.4	29.9	673	6.43	13.8	5.4	1.7	8	0.1	2.3	0.2	98	0.20	0.043	5
1212339	Soil		0.5	176.4	4.4	81	0.1	70.1	36.5	697	5.86	9.9	2.6	1.1	5	0.1	1.0	<0.1	98	0.22	0.042	3
1212340	Soil		0.9	107.3	11.3	84	0.3	51.4	32.0	733	5.28	46.3	8.2	2.3	7	<0.1	3.6	0.2	94	0.13	0.042	8
1212341	Soil		1.0	102.9	11.2	80	0.1	50.1	26.6	550	4.79	20.9	2.9	2.5	8	0.1	2.5	0.2	90	0.14	0.040	9
1212342	Soil		1.1	95.1	10.2	82	0.2	47.8	24.8	567	4.77	19.3	3.5	1.9	8	0.1	1.3	0.2	97	0.19	0.042	7
1212343	Soil		1.1	124.0	12.3	75	0.1	46.4	25.8	568	5.55	18.1	3.8	2.4	7	<0.1	3.9	0.2	74	0.12	0.031	7
1212344	Soil		0.8	106.1	9.1	74	0.1	45.9	27.3	597	5.04	23.7	2.8	1.7	7	0.1	2.5	0.2	92	0.17	0.041	7
1212345	Soil		0.7	113.0	9.9	75	0.1	57.1	31.0	615	5.75	68.9	10.7	2.2	8	<0.1	4.6	0.2	86	0.20	0.034	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212316	Soil	17	0.08	65	0.007	1	0.57	0.004	0.06	0.3	0.04	1.2	0.2	<0.05	3	0.7	<0.2
1212317	Soil	48	0.65	187	0.047	1	1.32	0.006	0.23	0.3	0.04	3.1	0.3	<0.05	4	0.6	<0.2
1212318	Soil	25	0.44	204	0.024	2	1.38	0.005	0.06	0.5	0.05	2.0	0.1	<0.05	4	0.6	<0.2
1212319	Soil	27	0.36	126	0.025	1	1.46	0.005	0.07	0.3	0.04	2.0	0.2	<0.05	5	0.5	<0.2
1212320	Soil	22	0.38	124	0.036	<1	0.94	0.005	0.07	0.4	0.03	2.2	0.1	<0.05	3	0.8	<0.2
1212321	Soil	25	0.33	165	0.024	<1	0.95	0.004	0.08	0.4	0.04	1.7	0.1	<0.05	3	0.8	<0.2
1212322	Soil	30	0.44	233	0.022	<1	1.27	0.005	0.10	0.3	0.04	1.9	0.2	<0.05	5	0.5	<0.2
1212323	Soil	24	0.38	195	0.023	<1	1.07	0.004	0.08	0.4	0.03	2.0	0.1	<0.05	4	0.6	<0.2
1212324	Soil	31	0.55	244	0.029	<1	1.46	0.005	0.11	0.3	0.04	2.1	0.1	<0.05	5	0.6	<0.2
1212325	Soil	33	0.59	105	0.072	<1	1.33	0.004	0.10	0.2	0.03	1.8	0.1	<0.05	6	0.6	<0.2
1212326	Soil	31	0.49	150	0.048	<1	1.07	0.004	0.14	0.2	0.02	2.6	0.1	<0.05	3	<0.5	<0.2
1212327	Soil	85	0.70	133	0.026	<1	1.52	0.004	0.10	0.2	0.02	2.1	0.1	<0.05	4	<0.5	<0.2
1212328	Soil	40	0.68	77	0.039	<1	1.73	0.004	0.16	0.2	0.04	2.2	0.2	<0.05	4	<0.5	<0.2
1212329	Soil	37	0.69	63	0.062	<1	1.40	0.003	0.11	0.2	0.04	1.9	0.1	<0.05	5	<0.5	<0.2
1212330	Soil	44	0.72	81	0.051	<1	1.69	0.003	0.17	0.2	0.04	2.3	0.2	<0.05	5	<0.5	<0.2
1212331	Soil	26	0.32	111	0.022	1	1.35	0.004	0.07	0.2	0.08	1.9	0.2	<0.05	5	1.0	<0.2
1212332	Soil	85	1.79	133	0.148	<1	3.08	0.005	0.44	<0.1	0.01	3.2	0.3	<0.05	8	<0.5	<0.2
1212333	Soil	87	1.80	123	0.154	<1	3.29	0.004	0.55	<0.1	0.01	2.8	0.3	<0.05	8	<0.5	<0.2
1212334	Soil	86	1.95	141	0.145	<1	3.27	0.004	0.49	<0.1	0.02	3.0	0.3	<0.05	8	<0.5	<0.2
1212335	Soil	74	1.64	104	0.098	<1	2.75	0.003	0.31	<0.1	0.04	3.1	0.2	<0.05	7	<0.5	<0.2
1212336	Soil	70	1.65	117	0.106	<1	3.00	0.004	0.38	<0.1	0.04	3.0	0.3	<0.05	8	<0.5	<0.2
1212337	Soil	86	1.64	89	0.098	<1	2.67	0.003	0.24	<0.1	0.04	3.8	0.1	<0.05	7	<0.5	<0.2
1212338	Soil	66	1.71	95	0.143	<1	2.86	0.004	0.27	<0.1	0.02	3.2	0.2	<0.05	8	0.6	<0.2
1212339	Soil	74	1.90	71	0.108	<1	2.88	0.004	0.24	<0.1	0.01	2.5	0.1	<0.05	7	<0.5	<0.2
1212340	Soil	67	1.40	100	0.109	<1	2.58	0.003	0.31	<0.1	0.03	4.3	0.3	<0.05	7	<0.5	<0.2
1212341	Soil	58	1.24	109	0.092	<1	2.40	0.004	0.18	<0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
1212342	Soil	65	1.43	93	0.100	<1	2.40	0.004	0.18	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
1212343	Soil	50	1.26	73	0.119	<1	2.22	0.003	0.23	<0.1	0.02	3.4	0.2	<0.05	6	<0.5	<0.2
1212344	Soil	59	1.37	83	0.088	<1	2.32	0.003	0.18	<0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2
1212345	Soil	59	1.40	69	0.121	<1	2.32	0.003	0.28	<0.1	0.02	4.2	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1212346	Soil	0.6	137.9	5.4	77	0.2	61.9	33.9	662	6.08	105.7	10.2	1.5	8	<0.1	5.8	0.1	117	0.23	0.030	4
1212347	Soil	0.5	118.1	5.3	69	<0.1	51.9	30.3	589	4.97	33.2	3.9	2.1	7	0.1	1.9	0.1	87	0.24	0.040	5
1212348	Soil	0.8	87.8	7.4	74	0.1	42.6	25.6	525	4.96	22.6	2.7	1.7	7	<0.1	1.9	0.2	102	0.17	0.034	5
1212349	Soil	0.7	76.7	6.7	71	<0.1	40.4	22.7	519	4.80	19.9	1.5	1.5	7	<0.1	1.8	0.1	114	0.22	0.035	4
1212350	Soil	0.5	99.9	6.4	70	<0.1	49.4	29.6	566	4.92	9.4	0.7	1.0	9	<0.1	0.4	0.1	127	0.30	0.030	2
1212351	Soil	0.7	95.8	7.5	72	0.1	46.0	30.3	631	5.15	10.4	1.2	1.2	8	<0.1	0.6	0.1	120	0.28	0.036	3
1212352	Soil	0.5	93.4	5.9	70	0.1	46.4	26.0	576	5.01	9.5	1.2	1.1	7	<0.1	0.5	0.1	106	0.25	0.038	3
1212353	Soil	0.6	93.1	4.4	81	<0.1	48.7	26.3	601	5.82	8.9	0.9	0.9	7	0.1	0.3	<0.1	107	0.27	0.036	3
1212354	Soil	0.7	119.8	3.5	90	<0.1	60.0	34.3	596	5.89	45.4	<0.5	0.9	6	<0.1	0.3	0.3	105	0.15	0.034	2
1212355	Soil	2.0	110.7	9.4	74	0.4	56.2	25.8	474	5.68	444.9	20.6	2.1	6	0.2	14.9	2.8	88	0.15	0.046	9
1212356	Soil	1.6	82.5	10.8	55	0.5	28.9	13.7	325	3.74	141.5	10.2	2.1	8	0.2	3.0	1.0	76	0.13	0.032	10
1212357	Soil	1.6	85.3	11.6	63	0.1	39.8	28.3	259	3.60	51.6	6.9	3.6	8	0.1	1.9	0.7	52	0.09	0.037	12
1212358	Soil	1.7	18.6	9.4	35	<0.1	10.4	4.7	148	2.65	32.6	1.2	3.1	5	<0.1	1.7	0.6	88	0.04	0.019	11
1212359	Soil	0.8	64.0	5.9	49	<0.1	30.3	13.8	305	3.68	36.9	1.4	1.7	6	0.1	1.0	0.5	75	0.13	0.032	7
1212360	Soil	0.9	99.2	7.6	63	0.3	40.9	21.5	413	3.89	56.1	4.8	1.8	12	<0.1	1.4	1.6	72	0.32	0.038	9
1212361	Soil	0.9	94.4	10.8	81	<0.1	38.5	27.3	527	4.07	151.6	8.2	3.0	9	<0.1	3.5	0.5	79	0.21	0.038	12
1211651	Soil	1.9	17.3	17.0	80	<0.1	18.3	6.1	238	2.69	14.3	1.3	0.7	9	0.3	1.3	0.2	58	0.08	0.044	10
1211652	Soil	2.3	17.4	19.3	70	0.1	15.7	5.8	202	2.27	13.6	2.3	0.7	8	0.2	1.1	0.3	52	0.05	0.051	11
1211653	Soil	2.1	19.7	19.6	57	<0.1	14.3	4.9	192	2.05	12.0	3.8	0.7	9	0.2	1.3	0.3	47	0.04	0.057	17
1211654	Soil	1.3	27.1	31.1	133	0.2	31.7	13.1	531	2.12	25.6	2.6	7.0	15	0.8	1.8	0.2	28	0.14	0.058	29
1211655	Soil	1.4	23.5	20.4	118	<0.1	37.3	17.5	652	1.89	27.6	2.7	4.9	14	1.0	1.2	0.2	29	0.16	0.068	21
1211656	Soil	1.6	29.4	29.1	139	0.2	41.6	26.9	1222	2.35	24.2	2.8	7.9	14	1.0	1.4	0.2	31	0.14	0.068	21
1211657	Soil	1.4	36.0	29.4	135	0.2	46.6	17.0	1261	2.62	30.6	5.2	11.8	14	0.6	1.4	0.3	23	0.16	0.064	46
1211658	Soil	1.2	23.2	26.8	104	0.1	22.7	9.7	565	2.10	41.2	10.8	5.9	14	0.7	1.4	0.2	26	0.14	0.059	27
1211659	Soil	1.2	46.1	25.7	105	0.1	42.4	15.3	967	3.04	13.5	1.4	9.0	17	0.6	1.7	0.4	23	0.29	0.065	39
1211660	Soil	1.8	28.6	18.8	84	0.1	25.9	9.7	419	2.65	12.9	2.7	4.6	14	0.3	1.4	0.3	35	0.12	0.060	22
1211661	Soil	1.4	22.0	26.8	82	<0.1	22.1	12.2	594	3.08	85.6	15.7	3.2	8	0.3	2.2	0.3	31	0.06	0.046	20
1211662	Soil	3.8	19.8	53.7	97	0.5	21.8	22.4	3482	4.16	170.7	10.4	1.1	8	0.7	2.2	0.6	38	0.13	0.181	14
1211663	Soil	1.1	20.3	36.8	124	0.1	30.2	13.5	724	2.25	30.9	6.8	6.7	7	0.6	1.8	0.3	19	0.07	0.046	32
1211664	Soil	0.7	31.6	22.4	123	0.3	31.5	10.6	715	2.85	226.6	102.0	6.7	5	0.4	3.2	0.3	14	0.09	0.044	33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1212346	Soil	77	1.79	71	0.113	<1	2.74	0.003	0.34	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
1212347	Soil	58	1.62	73	0.121	<1	2.40	0.003	0.35	<0.1	0.01	2.8	0.2	<0.05	6	<0.5	<0.2
1212348	Soil	63	1.40	90	0.141	<1	2.42	0.003	0.46	<0.1	0.01	3.0	0.3	<0.05	7	<0.5	<0.2
1212349	Soil	66	1.52	94	0.105	<1	2.42	0.003	0.40	<0.1	0.02	4.1	0.2	<0.05	7	<0.5	<0.2
1212350	Soil	70	1.55	100	0.165	<1	2.48	0.004	0.57	<0.1	0.02	3.4	0.3	<0.05	7	<0.5	<0.2
1212351	Soil	67	1.51	101	0.145	<1	2.48	0.004	0.49	<0.1	0.01	3.6	0.3	<0.05	7	<0.5	<0.2
1212352	Soil	68	1.55	88	0.135	<1	2.46	0.004	0.42	<0.1	<0.01	3.1	0.2	<0.05	7	<0.5	<0.2
1212353	Soil	80	1.86	82	0.135	<1	2.89	0.004	0.37	<0.1	0.01	2.2	0.2	<0.05	8	<0.5	<0.2
1212354	Soil	78	1.84	77	0.158	<1	2.87	0.004	0.47	<0.1	<0.01	1.8	0.2	<0.05	7	<0.5	<0.2
1212355	Soil	56	0.92	75	0.049	<1	1.77	0.004	0.22	0.1	0.03	4.6	0.2	<0.05	5	0.7	<0.2
1212356	Soil	42	0.65	93	0.055	2	1.76	0.004	0.16	0.2	0.05	2.6	0.2	<0.05	6	<0.5	<0.2
1212357	Soil	33	0.61	83	0.040	2	1.44	0.005	0.10	0.1	0.03	2.5	0.1	<0.05	5	0.5	<0.2
1212358	Soil	18	0.23	44	0.121	<1	0.77	0.003	0.06	0.2	0.03	1.1	<0.1	<0.05	7	<0.5	<0.2
1212359	Soil	45	0.97	54	0.113	<1	1.87	0.005	0.16	<0.1	0.02	1.8	0.1	<0.05	7	<0.5	<0.2
1212360	Soil	48	1.00	86	0.084	1	1.93	0.009	0.20	0.1	0.02	2.5	0.2	0.06	6	<0.5	<0.2
1212361	Soil	51	1.03	104	0.066	2	2.14	0.006	0.17	0.2	0.02	3.7	0.2	<0.05	6	<0.5	<0.2
1211651	Soil	24	0.30	112	0.032	2	1.15	0.004	0.06	0.3	0.05	1.4	0.1	0.05	5	<0.5	<0.2
1211652	Soil	21	0.22	90	0.015	1	1.29	0.004	0.04	0.4	0.05	1.0	0.2	<0.05	5	0.6	<0.2
1211653	Soil	17	0.11	79	0.017	<1	0.76	0.004	0.05	0.4	0.03	0.8	0.2	0.06	4	<0.5	<0.2
1211654	Soil	15	0.27	169	0.030	<1	0.77	0.005	0.09	0.3	0.02	1.8	0.1	<0.05	2	<0.5	<0.2
1211655	Soil	15	0.27	126	0.028	<1	0.80	0.004	0.07	0.3	0.02	1.9	<0.1	<0.05	2	<0.5	<0.2
1211656	Soil	17	0.27	187	0.028	<1	0.88	0.004	0.08	0.3	0.02	2.0	0.1	<0.05	2	<0.5	<0.2
1211657	Soil	15	0.29	124	0.020	1	0.79	0.004	0.10	0.3	0.03	2.1	0.2	<0.05	2	<0.5	<0.2
1211658	Soil	16	0.27	189	0.019	<1	0.80	0.004	0.07	0.3	0.02	1.7	0.1	<0.05	2	<0.5	<0.2
1211659	Soil	16	0.44	171	0.027	1	1.03	0.004	0.14	0.2	0.02	2.4	0.2	<0.05	3	<0.5	<0.2
1211660	Soil	19	0.36	117	0.022	<1	1.00	0.007	0.07	0.5	0.02	1.7	0.1	<0.05	3	<0.5	<0.2
1211661	Soil	20	0.32	75	0.015	1	1.12	0.004	0.06	0.2	0.02	1.5	0.2	<0.05	3	<0.5	<0.2
1211662	Soil	22	0.11	252	0.006	2	1.10	0.005	0.11	0.3	0.08	1.1	0.2	0.11	4	<0.5	<0.2
1211663	Soil	13	0.20	73	0.015	<1	0.80	0.003	0.10	0.1	0.02	1.3	0.2	<0.05	2	<0.5	<0.2
1211664	Soil	9	0.13	71	0.007	1	0.67	0.003	0.10	0.1	0.04	1.8	0.1	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1211665	Soil	1.4	29.7	22.3	97	0.2	24.4	8.9	378	2.32	88.5	25.7	5.4	9	0.4	1.9	0.3	27	0.09	0.057	23
1211666	Soil	1.5	22.5	16.3	57	<0.1	19.7	6.5	212	2.47	72.1	0.9	0.9	7	0.1	1.5	0.3	41	0.04	0.036	19
1211667	Soil	1.2	33.8	20.6	88	0.2	28.8	11.4	539	2.68	25.7	3.1	5.9	8	0.3	1.6	0.3	25	0.06	0.052	30
1211668	Soil	1.9	29.7	22.0	93	0.1	27.8	10.8	524	3.04	20.3	5.5	1.3	12	0.4	1.3	0.3	52	0.10	0.083	18
1211669	Soil	1.6	31.7	18.7	87	0.2	30.7	12.5	613	2.63	27.6	6.1	6.2	14	0.4	1.7	0.2	32	0.15	0.067	23
1211670	Soil	1.7	25.4	15.6	79	<0.1	25.2	8.4	318	2.74	44.0	5.7	2.3	11	0.3	1.5	0.3	45	0.08	0.043	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

CERTIFICATE OF ANALYSIS WHI11000910.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1211665	Soil	14	0.23	93	0.021	1	0.81	0.004	0.08	0.3	0.03	1.9	0.1	<0.05	2	<0.5	<0.2
1211666	Soil	19	0.17	81	0.012	<1	1.00	0.003	0.04	0.2	0.02	0.9	0.2	<0.05	4	<0.5	<0.2
1211667	Soil	16	0.26	124	0.014	<1	0.94	0.004	0.08	0.2	0.03	1.7	0.2	<0.05	3	<0.5	<0.2
1211668	Soil	27	0.42	119	0.024	2	1.50	0.006	0.07	0.3	0.05	1.8	0.2	<0.05	5	0.6	<0.2
1211669	Soil	19	0.33	119	0.029	1	0.94	0.005	0.06	0.4	0.05	2.1	0.1	<0.05	3	<0.5	<0.2
1211670	Soil	27	0.36	152	0.023	<1	1.17	0.005	0.07	0.3	0.02	1.8	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

QUALITY CONTROL REPORT WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1212457	Soil	1.1	46.9	15.8	73	<0.1	35.5	17.7	646	3.69	16.0	3.4	3.1	7	0.2	2.6	0.3	52	0.08	0.050	12
REP 1212457	QC	1.2	47.6	16.1	73	<0.1	35.8	18.4	668	3.78	16.0	2.8	3.2	8	0.2	2.5	0.3	53	0.08	0.050	12
1212476	Soil	1.0	58.4	12.8	68	0.1	40.5	18.8	579	4.35	46.1	2.3	2.9	5	0.1	12.3	0.2	64	0.08	0.042	11
REP 1212476	QC	0.9	59.4	13.6	70	0.1	41.7	20.3	621	4.64	46.8	2.4	3.0	6	0.1	12.6	0.2	67	0.08	0.043	12
1212498	Soil	0.8	43.0	14.6	52	<0.1	26.5	13.2	311	3.21	79.3	4.1	8.5	9	0.1	2.3	1.6	30	0.05	0.022	20
REP 1212498	QC	0.7	41.2	14.3	50	<0.1	25.8	12.9	301	3.11	77.2	4.9	8.4	9	0.2	2.3	1.6	29	0.05	0.022	21
1212156	Soil	0.6	44.4	20.2	67	<0.1	118.1	28.0	749	4.47	21.4	0.7	9.5	19	<0.1	5.5	0.2	123	0.21	0.072	22
REP 1212156	QC	0.6	46.2	20.8	69	<0.1	119.5	29.3	765	4.64	21.5	1.5	9.4	19	0.1	5.7	0.2	127	0.21	0.077	22
1212159	Soil	0.8	40.7	24.6	70	<0.1	38.7	17.0	536	3.27	16.7	9.5	8.9	9	0.1	1.7	0.5	36	0.05	0.032	27
REP 1212159	QC	0.7	39.7	24.7	67	<0.1	37.2	16.7	531	3.25	17.3	3.8	8.8	9	0.1	1.9	0.5	36	0.05	0.031	26
1212190	Soil	0.5	92.5	10.9	76	0.1	50.9	28.8	662	5.18	9.6	1.8	1.6	8	<0.1	1.4	0.2	112	0.29	0.031	4
REP 1212190	QC	0.5	90.4	10.5	76	<0.1	47.2	27.7	636	4.86	8.8	1.4	1.4	7	0.1	1.4	0.1	104	0.27	0.031	3
1212210	Soil	0.8	72.2	7.2	61	<0.1	37.9	17.8	434	3.79	60.4	6.7	2.8	8	<0.1	1.6	0.5	64	0.16	0.042	8
REP 1212210	QC	0.7	71.1	7.1	60	<0.1	36.4	17.2	415	3.65	58.9	3.8	2.7	8	<0.1	1.7	0.5	63	0.15	0.041	8
1212618	Soil	0.8	65.0	7.9	65	<0.1	39.8	19.5	408	4.52	9.8	1.2	1.8	6	0.2	0.7	0.2	84	0.10	0.033	6
REP 1212618	QC	0.7	66.0	8.0	66	<0.1	40.3	19.6	417	4.63	9.7	3.5	1.8	6	0.1	0.7	0.2	86	0.10	0.033	6
1212626	Soil	0.6	133.1	7.2	95	<0.1	66.6	39.4	813	5.78	9.9	2.2	1.7	6	0.1	0.9	0.1	110	0.15	0.039	5
REP 1212626	QC	0.7	135.4	7.4	96	<0.1	65.9	39.7	785	5.78	9.8	2.0	1.7	6	0.2	0.9	0.1	113	0.14	0.039	5
1212639	Soil	1.3	40.0	19.9	78	<0.1	29.1	14.8	490	3.77	46.0	2.3	4.7	10	0.2	1.8	0.4	46	0.08	0.036	16
REP 1212639	QC	1.4	37.2	20.0	80	<0.1	27.7	14.3	484	3.70	45.8	3.2	4.7	10	0.2	1.8	0.4	47	0.09	0.034	17
1212316	Soil	1.9	30.0	68.5	144	0.2	27.5	11.1	442	3.97	136.2	27.1	1.2	6	0.5	12.6	0.5	30	0.05	0.075	20
REP 1212316	QC	1.9	29.7	66.8	153	0.2	27.3	10.7	408	3.93	137.4	29.3	1.3	6	0.5	12.4	0.5	29	0.04	0.075	19
1212338	Soil	1.4	163.1	7.0	90	0.2	50.4	29.9	673	6.43	13.8	5.4	1.7	8	0.1	2.3	0.2	98	0.20	0.043	5
REP 1212338	QC	1.5	157.9	7.0	86	0.2	50.8	28.8	694	6.51	13.9	3.9	1.7	8	<0.1	2.3	0.2	98	0.19	0.043	5
1211665	Soil	1.4	29.7	22.3	97	0.2	24.4	8.9	378	2.32	88.5	25.7	5.4	9	0.4	1.9	0.3	27	0.09	0.057	23
REP 1212665	QC	1.3	29.8	22.7	100	0.2	25.0	9.0	381	2.36	89.1	27.3	5.4	9	0.4	1.8	0.3	27	0.09	0.058	23
Reference Materials																					
STD DS8	Standard	12.5	105.0	117.4	293	1.7	36.7	7.1	587	2.33	24.8	103.2	6.5	64	2.3	5.5	6.3	40	0.68	0.077	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

QUALITY CONTROL REPORT WHI11000910.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1212457	Soil	37	0.79	87	0.049	<1	1.50	0.003	0.16	0.2	0.03	1.7	0.1	<0.05	4	0.6	<0.2
REP 1212457	QC	39	0.83	88	0.050	<1	1.52	0.004	0.17	0.1	0.03	1.7	0.1	<0.05	4	<0.5	<0.2
1212476	Soil	47	1.07	66	0.070	<1	1.88	0.002	0.23	<0.1	0.03	2.3	0.2	<0.05	6	0.5	<0.2
REP 1212476	QC	50	1.15	69	0.076	<1	1.99	0.002	0.23	<0.1	0.03	2.4	0.2	<0.05	6	<0.5	<0.2
1212498	Soil	23	0.57	131	0.016	<1	1.42	0.002	0.12	0.3	0.02	1.8	0.2	<0.05	4	<0.5	<0.2
REP 1212498	QC	22	0.55	130	0.018	<1	1.39	0.009	0.12	0.3	0.02	1.8	0.2	<0.05	4	<0.5	<0.2
1212156	Soil	321	2.09	165	0.068	<1	2.38	0.003	0.26	<0.1	0.02	8.0	0.3	<0.05	7	<0.5	<0.2
REP 1212156	QC	328	2.16	165	0.071	<1	2.42	0.003	0.27	<0.1	0.02	8.1	0.3	<0.05	8	<0.5	<0.2
1212159	Soil	44	0.73	107	0.049	2	1.47	0.003	0.28	<0.1	0.03	2.6	0.3	0.14	4	<0.5	<0.2
REP 1212159	QC	41	0.73	104	0.048	<1	1.40	0.003	0.28	0.1	0.03	2.4	0.3	<0.05	4	<0.5	<0.2
1212190	Soil	69	1.57	92	0.140	<1	2.63	0.005	0.53	<0.1	0.02	3.2	0.3	0.09	8	<0.5	<0.2
REP 1212190	QC	65	1.49	89	0.127	1	2.53	0.005	0.51	<0.1	0.02	3.1	0.3	0.16	8	<0.5	<0.2
1212210	Soil	45	1.03	65	0.051	1	1.70	0.003	0.17	0.1	<0.01	2.1	<0.1	<0.05	5	<0.5	<0.2
REP 1212210	QC	44	1.00	65	0.051	2	1.66	0.003	0.17	0.2	<0.01	2.1	<0.1	<0.05	5	<0.5	<0.2
1212618	Soil	53	1.13	73	0.140	2	2.18	0.004	0.26	<0.1	0.02	2.4	0.2	<0.05	7	<0.5	<0.2
REP 1212618	QC	55	1.13	73	0.141	3	2.23	0.004	0.26	0.1	0.01	2.3	0.2	<0.05	7	<0.5	<0.2
1212626	Soil	65	1.52	97	0.178	2	2.66	0.004	0.67	<0.1	0.02	2.8	0.3	<0.05	7	0.7	<0.2
REP 1212626	QC	68	1.50	98	0.178	<1	2.68	0.004	0.68	<0.1	0.02	2.7	0.3	<0.05	7	<0.5	<0.2
1212639	Soil	26	0.51	144	0.036	1	1.46	0.004	0.13	0.2	0.03	2.1	0.2	<0.05	5	0.8	<0.2
REP 1212639	QC	26	0.49	139	0.038	2	1.45	0.005	0.14	0.2	0.03	2.1	0.2	<0.05	5	0.7	<0.2
1212316	Soil	17	0.08	65	0.007	1	0.57	0.004	0.06	0.3	0.04	1.2	0.2	<0.05	3	0.7	<0.2
REP 1212316	QC	16	0.08	65	0.007	2	0.56	0.004	0.06	0.3	0.05	1.1	0.2	<0.05	3	0.7	<0.2
1212338	Soil	66	1.71	95	0.143	<1	2.86	0.004	0.27	<0.1	0.02	3.2	0.2	<0.05	8	0.6	<0.2
REP 1212338	QC	64	1.80	92	0.148	<1	2.92	0.004	0.26	<0.1	0.02	3.0	0.2	<0.05	8	0.5	<0.2
1211665	Soil	14	0.23	93	0.021	1	0.81	0.004	0.08	0.3	0.03	1.9	0.1	<0.05	2	<0.5	<0.2
REP 1212665	QC	14	0.23	93	0.019	2	0.82	0.004	0.08	0.3	0.03	1.9	0.1	<0.05	2	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	113	0.58	262	0.114	2	0.87	0.092	0.40	2.9	0.17	2.5	5.2	0.15	4	3.8	4.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

QUALITY CONTROL REPORT WHI11000910.2

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
STD DS8	Standard	13.1	110.8	124.0	316	1.7	41.6	8.3	582	2.41	27.9	106.9	6.3	56	2.1	5.4	6.2	48	0.65	0.079	13
STD DS8	Standard	12.9	103.3	119.7	303	2.0	36.6	7.4	579	2.36	24.4	116.0	6.2	58	2.5	5.3	6.5	41	0.65	0.076	13
STD DS8	Standard	12.4	98.3	111.3	272	1.7	32.0	6.2	543	2.07	21.4	122.0	6.2	56	2.1	4.9	6.1	35	0.59	0.067	12
STD DS8	Standard	12.0	104.7	119.2	301	1.5	36.5	7.0	584	2.34	24.3	101.9	7.0	70	2.3	6.0	5.9	38	0.68	0.075	15
STD DS8	Standard	13.5	114.5	123.7	308	1.8	37.9	7.7	586	2.42	24.3	116.2	7.2	61	2.6	6.0	7.1	43	0.69	0.079	14
STD DS8	Standard	13.5	113.4	111.8	312	1.8	39.4	7.6	607	2.52	25.4	109.9	5.9	65	2.4	5.1	5.4	42	0.69	0.080	14
STD DS8	Standard	12.6	109.5	114.9	301	1.7	37.7	7.3	588	2.38	24.6	107.2	6.3	63	2.4	5.4	6.6	42	0.66	0.077	13
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	2.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.03	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: September 29, 2011

QUALITY CONTROL REPORT WHI11000910.2

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
STD DS8	Standard	127	0.60	258	0.111	3	0.85	0.086	0.40	3.0	0.19	2.0	5.2	0.18	5	5.0	4.7
STD DS8	Standard	113	0.60	273	0.102	3	0.88	0.105	0.46	2.9	0.21	2.0	5.1	0.17	4	5.2	4.7
STD DS8	Standard	97	0.52	252	0.090	3	0.77	0.083	0.37	2.9	0.21	1.7	4.9	0.14	4	4.7	4.1
STD DS8	Standard	111	0.57	268	0.111	2	0.90	0.101	0.41	3.0	0.18	2.8	5.2	0.21	5	5.2	4.3
STD DS8	Standard	113	0.59	287	0.120	2	0.88	0.084	0.39	3.1	0.21	2.2	5.5	0.12	5	5.4	4.9
STD DS8	Standard	118	0.56	278	0.115	2	0.94	0.108	0.42	3.0	0.21	2.5	5.3	0.12	5	4.8	5.0
STD DS8	Standard	112	0.58	267	0.114	4	0.88	0.089	0.40	2.9	0.19	2.1	5.3	0.15	5	4.7	4.6
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 19, 2011
Report Date: November 14, 2011
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI11001833.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-6
P.O. Number NA-10337
Number of Samples: 321

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	320	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	320	Saving all or part of Soil Reject			WHI
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1235151	Soil	0.7	64.1	10.1	72	<0.1	39.1	19.6	619	4.77	23.5	1.4	2.4	6	0.1	2.0	0.2	80	0.10	0.029	7
1235152	Soil	1.0	59.6	14.3	73	<0.1	33.6	15.5	677	4.94	8.7	4.4	2.1	8	0.1	0.8	0.3	67	0.10	0.055	8
1235153	Soil	0.7	107.9	12.9	80	<0.1	56.1	27.6	656	5.15	60.8	6.8	4.2	6	0.1	2.7	0.3	80	0.09	0.021	11
1235154	Soil	0.7	88.7	13.1	77	<0.1	44.4	21.2	626	4.92	18.7	1.3	2.4	5	0.1	1.2	0.2	88	0.08	0.037	7
1235155	Soil	0.9	45.3	9.1	57	<0.1	31.1	14.7	460	3.99	409.7	138.4	1.4	7	<0.1	13.2	0.2	73	0.11	0.047	7
1235156	Soil	0.7	87.3	15.5	71	0.2	41.7	20.5	557	5.04	2890	1125	1.8	18	0.2	330.5	0.2	69	0.07	0.039	10
1235157	Soil	0.8	73.5	9.2	72	<0.1	40.7	20.4	537	5.08	44.6	4.4	2.4	5	0.1	3.0	0.2	96	0.09	0.027	7
1235158	Soil	0.6	128.4	10.6	80	<0.1	56.3	30.2	750	5.53	40.4	4.8	2.0	8	<0.1	2.9	0.2	90	0.14	0.036	7
1235159	Soil	1.3	70.7	13.4	76	<0.1	35.8	16.7	452	4.51	43.1	4.2	2.6	7	0.2	2.0	0.3	73	0.09	0.037	11
1235160	Soil	0.6	43.2	6.3	56	<0.1	34.9	17.5	446	4.34	23.8	<0.5	1.9	4	<0.1	4.4	0.2	101	0.10	0.024	6
1235161	Soil	0.5	87.3	6.5	76	<0.1	53.4	29.1	684	5.49	58.0	3.2	3.1	6	0.1	3.3	0.2	94	0.13	0.025	7
1235162	Soil	0.4	84.9	8.8	82	0.2	54.9	28.0	862	5.57	34.0	2.7	1.5	9	0.2	3.2	0.1	106	0.30	0.035	4
1235163	Soil	0.5	107.8	8.0	78	<0.1	51.5	25.9	616	5.14	36.3	3.3	2.6	7	<0.1	3.0	0.2	83	0.15	0.040	8
1235164	Soil	0.5	128.0	8.3	83	<0.1	59.9	30.8	740	5.94	30.5	2.2	2.1	7	0.1	3.0	0.2	100	0.17	0.036	6
1235165	Soil	0.5	86.4	5.9	80	<0.1	52.9	28.2	750	5.89	23.3	1.7	1.6	6	0.1	2.8	0.1	119	0.18	0.030	4
1235166	Soil	0.4	144.1	5.0	93	0.1	65.1	34.8	765	6.53	34.0	3.7	1.7	8	0.1	4.7	<0.1	119	0.26	0.040	5
1235167	Soil	0.4	112.0	4.2	84	<0.1	56.5	29.5	681	6.39	23.6	1.2	1.2	5	<0.1	4.4	<0.1	108	0.15	0.035	3
1235168	Soil	0.4	153.6	3.7	86	0.1	63.2	32.2	667	6.18	15.1	5.0	1.5	6	0.1	1.5	<0.1	102	0.15	0.037	4
1235169	Soil	0.4	131.0	4.4	80	0.1	57.9	30.1	735	5.92	18.1	1.3	0.8	7	<0.1	1.0	<0.1	116	0.21	0.053	3
1235170	Soil	0.7	170.2	8.0	92	0.2	57.9	30.4	632	6.76	28.2	4.9	2.2	7	<0.1	5.0	0.2	105	0.18	0.050	8
1235171	Soil	0.5	128.9	6.2	94	0.2	60.9	32.4	834	6.60	40.1	7.1	1.8	7	<0.1	4.6	0.2	98	0.24	0.047	5
1235172	Soil	0.9	127.2	12.8	91	0.5	58.3	28.7	676	5.94	57.0	10.6	2.5	8	<0.1	4.6	0.2	102	0.15	0.050	8
1235173	Soil	0.6	168.4	12.5	92	0.2	70.9	34.1	741	6.66	20.5	1.4	2.5	7	0.1	4.4	0.2	105	0.16	0.055	9
1235174	Soil	1.0	160.0	12.5	94	0.2	74.4	37.5	703	6.53	45.7	5.5	2.5	8	0.1	6.0	0.2	91	0.16	0.055	9
1235175	Soil	0.8	143.0	12.0	93	0.2	67.3	33.4	688	6.03	17.2	1.8	2.3	9	<0.1	1.2	0.2	113	0.22	0.039	7
1235176	Soil	0.8	103.5	11.2	80	<0.1	55.9	31.9	634	5.32	8.3	4.2	1.4	6	0.1	0.6	0.1	90	0.12	0.047	5
1235177	Soil	0.4	114.1	7.4	83	0.1	61.7	40.3	706	5.14	7.7	<0.5	1.3	6	0.1	0.4	<0.1	120	0.14	0.031	3
1235178	Soil	1.1	90.6	12.2	67	<0.1	43.1	20.6	442	4.81	10.8	1.2	1.7	8	0.1	1.0	0.2	88	0.13	0.044	7
1235179	Soil	0.6	75.0	7.8	67	<0.1	41.1	22.2	512	4.68	15.4	5.2	2.4	6	0.1	1.2	0.1	76	0.12	0.036	8
1235180	Soil	1.2	99.7	11.3	77	0.2	45.1	21.3	563	4.85	46.5	8.0	2.2	10	<0.1	3.2	0.2	81	0.19	0.058	9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1235151	Soil		54	1.20	59	0.152	1	2.29	0.003	0.17	<0.1	0.03	2.5	0.1	<0.05	7	<0.5	<0.2
1235152	Soil		40	0.84	97	0.144	1	1.98	0.005	0.20	<0.1	0.04	2.4	0.1	0.06	7	0.7	<0.2
1235153	Soil		61	1.37	82	0.136	<1	2.64	0.003	0.24	0.1	0.02	3.1	0.2	<0.05	7	<0.5	<0.2
1235154	Soil		57	1.17	71	0.145	1	2.29	0.003	0.24	0.1	0.04	3.2	0.2	<0.05	7	<0.5	<0.2
1235155	Soil		44	0.92	101	0.094	<1	1.83	0.003	0.11	<0.1	0.02	2.2	0.1	0.05	7	<0.5	<0.2
1235156	Soil		47	1.05	163	0.047	<1	1.98	0.004	0.16	<0.1	0.02	2.8	0.1	0.07	6	<0.5	<0.2
1235157	Soil		56	1.25	74	0.175	<1	2.36	0.003	0.16	<0.1	0.02	2.6	0.1	<0.05	8	<0.5	<0.2
1235158	Soil		64	1.47	105	0.127	<1	2.73	0.004	0.24	<0.1	0.01	2.9	0.2	<0.05	7	0.6	<0.2
1235159	Soil		44	0.92	103	0.053	<1	2.09	0.004	0.12	0.2	0.02	2.3	0.2	<0.05	6	0.5	<0.2
1235160	Soil		60	1.21	69	0.171	<1	2.09	0.002	0.19	<0.1	0.01	2.4	0.2	<0.05	7	<0.5	<0.2
1235161	Soil		72	1.61	89	0.191	<1	2.70	0.003	0.40	0.1	0.01	2.5	0.2	<0.05	6	<0.5	<0.2
1235162	Soil		78	1.73	102	0.230	<1	2.73	0.004	0.29	<0.1	0.02	2.5	0.1	<0.05	6	<0.5	<0.2
1235163	Soil		62	1.42	114	0.104	<1	2.56	0.004	0.27	<0.1	0.01	2.7	0.2	<0.05	7	<0.5	<0.2
1235164	Soil		72	1.62	97	0.153	<1	2.89	0.004	0.40	<0.1	0.01	2.9	0.2	<0.05	8	<0.5	<0.2
1235165	Soil		84	1.75	79	0.200	<1	2.95	0.003	0.33	<0.1	<0.01	2.4	0.2	<0.05	8	<0.5	<0.2
1235166	Soil		93	2.05	127	0.157	<1	3.43	0.004	0.48	<0.1	0.02	2.9	0.2	<0.05	8	<0.5	<0.2
1235167	Soil		76	1.88	78	0.188	<1	3.30	0.003	0.48	<0.1	<0.01	2.4	0.2	<0.05	8	<0.5	<0.2
1235168	Soil		81	1.92	79	0.147	<1	3.10	0.002	0.53	<0.1	0.01	2.2	0.2	<0.05	7	<0.5	<0.2
1235169	Soil		91	1.91	88	0.135	<1	2.96	0.003	0.26	<0.1	0.02	2.7	0.1	<0.05	7	<0.5	<0.2
1235170	Soil		68	1.72	84	0.094	<1	2.92	0.003	0.24	<0.1	0.03	4.4	0.2	<0.05	8	0.7	<0.2
1235171	Soil		75	2.03	86	0.083	<1	3.16	0.003	0.17	<0.1	0.02	3.9	0.1	<0.05	7	<0.5	<0.2
1235172	Soil		71	1.58	99	0.114	<1	2.81	0.004	0.28	<0.1	0.04	4.3	0.2	<0.05	8	<0.5	<0.2
1235173	Soil		76	1.79	84	0.122	<1	3.00	0.003	0.29	<0.1	0.02	4.6	0.2	<0.05	8	0.6	<0.2
1235174	Soil		63	1.57	86	0.114	<1	2.71	0.004	0.26	<0.1	0.03	4.1	0.2	0.06	7	<0.5	<0.2
1235175	Soil		78	1.74	90	0.144	<1	2.90	0.004	0.31	<0.1	0.01	4.0	0.2	<0.05	8	<0.5	<0.2
1235176	Soil		61	1.47	59	0.139	<1	2.60	0.004	0.31	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2
1235177	Soil		76	1.38	79	0.171	<1	2.56	0.004	0.51	<0.1	0.01	3.3	0.3	<0.05	7	<0.5	<0.2
1235178	Soil		52	1.17	71	0.182	<1	2.14	0.004	0.20	<0.1	0.02	2.1	0.1	<0.05	7	<0.5	<0.2
1235179	Soil		49	1.30	69	0.127	<1	2.16	0.003	0.21	<0.1	0.01	2.2	0.1	<0.05	6	<0.5	<0.2
1235180	Soil		57	1.23	100	0.080	<1	2.20	0.004	0.20	<0.1	0.03	3.8	0.2	<0.05	6	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1235181	Soil	0.5	113.0	5.7	73	0.5	55.6	27.7	747	6.12	34.5	9.2	1.2	10	<0.1	3.1	<0.1	124	0.27	0.098	8
1235182	Soil	1.6	122.1	10.5	83	0.3	48.9	23.4	516	5.98	521.6	228.3	3.2	6	0.2	19.9	0.2	75	0.12	0.043	15
1235183	Soil	0.8	145.0	10.4	93	0.1	56.1	31.5	693	6.01	104.5	5.0	2.2	8	0.2	38.5	0.1	74	0.16	0.053	12
1235184	Soil	1.2	45.3	10.6	56	<0.1	30.9	15.7	459	4.82	25.4	0.8	2.0	5	0.1	1.9	0.2	102	0.08	0.030	6
1235185	Soil	0.5	188.5	10.8	102	0.2	77.9	37.2	839	7.35	59.6	8.9	2.0	8	0.2	9.4	0.1	115	0.31	0.050	6
1235186	Soil	0.3	150.9	5.6	87	0.1	68.4	35.3	828	6.47	136.8	32.9	1.8	5	<0.1	20.8	<0.1	114	0.18	0.039	5
1235187	Soil	1.0	61.0	8.3	69	<0.1	37.5	19.4	564	4.82	30.1	4.0	2.1	7	0.4	3.2	0.5	93	0.11	0.033	7
1235188	Soil	1.4	50.6	10.2	59	<0.1	31.5	15.0	379	4.09	23.4	2.6	2.6	8	0.2	2.0	0.4	81	0.13	0.029	9
1235189	Soil	0.7	122.3	9.7	88	<0.1	57.7	29.4	735	6.13	45.3	3.0	3.0	7	0.2	4.1	0.3	103	0.15	0.032	8
1235190	Soil	0.3	64.4	5.0	75	<0.1	51.1	26.4	668	5.19	16.3	1.9	1.1	7	0.2	2.0	0.2	104	0.21	0.032	3
1235191	Soil	1.2	74.8	12.6	72	<0.1	44.0	21.9	545	5.03	34.4	3.3	3.1	8	0.2	2.6	0.4	110	0.10	0.040	8
1235192	Soil	0.6	96.2	8.0	76	0.1	46.6	23.9	613	5.22	30.1	6.0	3.1	7	<0.1	3.0	0.2	92	0.15	0.031	8
1235193	Soil	0.8	110.6	12.0	79	<0.1	54.6	27.6	767	5.83	50.9	6.5	2.1	9	0.2	8.9	0.3	102	0.17	0.052	10
1235194	Soil	0.6	103.0	8.7	76	<0.1	50.8	26.7	612	5.17	39.0	5.8	2.7	5	0.1	2.7	0.3	82	0.11	0.022	7
1235195	Soil	1.1	77.1	11.2	75	<0.1	41.5	22.0	589	4.82	39.2	5.0	2.1	7	0.1	3.4	0.3	89	0.09	0.035	7
1235196	Soil	1.0	102.8	15.8	71	<0.1	49.4	22.3	564	4.83	460.0	108.2	2.3	9	0.2	9.0	0.3	71	0.09	0.041	9
1235197	Soil	0.9	110.3	14.0	69	<0.1	58.6	24.6	618	5.02	305.0	28.6	3.1	7	0.1	5.6	0.2	72	0.07	0.028	9
1235198	Soil	1.3	85.9	16.6	70	<0.1	48.0	21.3	594	4.99	38.3	6.1	2.7	7	<0.1	2.5	0.2	83	0.08	0.033	8
1235199	Soil	0.5	137.2	16.6	72	<0.1	78.0	36.2	859	5.01	9.8	1.6	3.5	9	<0.1	47.0	0.2	66	0.22	0.022	8
1235200	Soil	0.9	85.1	18.4	69	<0.1	50.7	23.6	804	4.76	35.2	5.8	3.0	9	0.1	5.0	0.3	75	0.10	0.033	9
1235201	Soil	0.8	87.5	17.5	79	<0.1	46.8	23.5	805	4.96	38.3	4.1	4.1	7	0.2	21.0	0.3	52	0.13	0.044	19
1235202	Soil	0.9	122.6	16.9	85	0.2	55.7	28.7	799	6.29	2046	825.2	3.3	13	0.2	27.4	0.5	70	0.08	0.040	14
1235203	Soil	0.7	131.8	16.3	100	0.1	72.1	36.0	603	4.29	188.8	6.6	7.9	4	0.3	59.8	0.3	24	0.03	0.047	30
1235204	Soil	0.9	58.2	11.0	60	<0.1	33.5	15.5	420	4.12	32.3	6.5	1.8	6	0.2	1.9	0.2	75	0.07	0.031	7
1235205	Soil	0.8	62.5	9.4	63	<0.1	37.2	18.5	476	4.62	101.6	8.1	1.6	6	0.1	7.6	0.2	86	0.07	0.032	7
1235206	Soil	1.1	71.1	11.4	68	<0.1	38.3	18.2	496	4.40	48.1	7.2	2.6	7	0.2	4.0	0.2	78	0.08	0.026	9
1235207	Soil	0.9	80.6	11.6	71	0.1	42.9	21.9	583	4.81	111.6	11.5	2.2	7	0.1	7.7	0.2	78	0.14	0.032	7
1235208	Soil	0.7	92.1	7.9	74	<0.1	51.7	26.1	660	5.39	50.3	5.7	2.0	6	0.1	9.5	0.1	94	0.15	0.028	5
1235209	Soil	0.5	89.7	9.3	76	0.1	48.2	25.6	692	5.38	29.7	3.8	2.2	7	<0.1	3.4	0.1	94	0.18	0.032	6
1235210	Soil	1.2	55.5	12.0	63	<0.1	32.0	16.0	411	4.20	28.7	2.9	2.8	6	0.2	1.7	0.2	75	0.07	0.027	9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1235181	Soil	86	1.95	114	0.041	2	2.98	0.004	0.09	<0.1	0.04	7.2	0.1	0.06	8	0.5	<0.2
1235182	Soil	50	1.10	83	0.047	<1	1.89	0.003	0.16	<0.1	0.03	5.7	0.2	<0.05	5	<0.5	<0.2
1235183	Soil	39	0.54	80	0.016	<1	1.22	0.002	0.12	<0.1	0.01	7.3	0.4	<0.05	4	<0.5	<0.2
1235184	Soil	49	0.99	49	0.237	<1	1.79	0.003	0.14	0.1	0.01	1.7	0.1	<0.05	8	<0.5	<0.2
1235185	Soil	86	2.12	98	0.107	<1	3.37	0.003	0.51	<0.1	0.01	4.9	0.3	<0.05	8	<0.5	<0.2
1235186	Soil	89	2.17	114	0.129	<1	3.29	0.003	0.46	<0.1	<0.01	3.7	0.2	<0.05	8	<0.5	<0.2
1235187	Soil	54	1.15	78	0.192	2	2.12	0.004	0.25	0.1	0.01	2.1	0.1	<0.05	7	<0.5	<0.2
1235188	Soil	47	0.88	101	0.125	2	1.70	0.004	0.15	0.1	<0.01	1.9	0.1	<0.05	7	<0.5	<0.2
1235189	Soil	80	1.63	118	0.158	2	3.00	0.005	0.38	<0.1	0.01	3.3	0.2	<0.05	8	<0.5	<0.2
1235190	Soil	86	1.71	116	0.223	<1	2.60	0.004	0.33	<0.1	0.02	1.8	0.1	<0.05	6	<0.5	<0.2
1235191	Soil	67	1.11	91	0.161	2	2.26	0.005	0.30	0.1	0.02	2.4	0.3	<0.05	8	<0.5	<0.2
1235192	Soil	70	1.56	89	0.124	2	2.67	0.004	0.27	<0.1	0.01	3.2	0.2	<0.05	7	<0.5	<0.2
1235193	Soil	72	1.41	123	0.105	2	2.76	0.005	0.27	<0.1	0.02	4.3	0.2	<0.05	8	<0.5	<0.2
1235194	Soil	62	1.32	87	0.138	1	2.51	0.003	0.22	<0.1	0.01	2.4	0.2	<0.05	6	<0.5	<0.2
1235195	Soil	58	1.23	74	0.129	<1	2.36	0.005	0.17	<0.1	0.02	2.3	0.1	<0.05	8	<0.5	<0.2
1235196	Soil	52	1.13	83	0.076	1	2.28	0.006	0.15	<0.1	0.02	2.7	0.2	<0.05	7	<0.5	<0.2
1235197	Soil	51	1.16	60	0.121	1	2.30	0.004	0.19	<0.1	0.02	2.6	0.2	<0.05	6	<0.5	<0.2
1235198	Soil	57	1.16	73	0.147	<1	2.37	0.004	0.18	<0.1	0.02	3.0	0.2	<0.05	8	<0.5	<0.2
1235199	Soil	51	1.26	59	0.063	<1	2.47	0.003	0.14	<0.1	<0.01	3.4	0.2	<0.05	7	<0.5	<0.2
1235200	Soil	51	1.09	73	0.139	<1	2.07	0.004	0.19	0.1	0.02	2.8	0.1	<0.05	7	<0.5	<0.2
1235201	Soil	36	0.75	79	0.043	<1	1.45	0.004	0.14	<0.1	0.02	4.1	0.1	<0.05	5	<0.5	<0.2
1235202	Soil	53	1.15	185	0.066	2	2.30	0.004	0.18	0.1	0.02	4.3	0.1	0.11	6	0.7	<0.2
1235203	Soil	17	0.19	57	0.005	2	0.77	0.004	0.16	0.1	0.01	5.4	0.1	<0.05	2	<0.5	<0.2
1235204	Soil	47	0.92	61	0.123	<1	2.01	0.004	0.11	<0.1	0.02	2.0	0.1	<0.05	6	<0.5	<0.2
1235205	Soil	56	1.09	71	0.136	<1	2.10	0.003	0.12	<0.1	0.02	2.5	0.1	<0.05	7	<0.5	<0.2
1235206	Soil	51	1.08	91	0.095	<1	2.19	0.004	0.12	0.1	0.02	2.5	0.1	<0.05	6	<0.5	<0.2
1235207	Soil	57	1.22	79	0.104	1	2.25	0.005	0.18	<0.1	0.02	2.8	0.2	<0.05	6	<0.5	<0.2
1235208	Soil	71	1.58	89	0.130	<1	2.70	0.004	0.28	<0.1	0.01	2.7	0.2	<0.05	7	<0.5	<0.2
1235209	Soil	75	1.63	97	0.116	<1	2.72	0.003	0.30	<0.1	0.01	3.0	0.2	<0.05	8	<0.5	<0.2
1235210	Soil	45	0.90	63	0.108	<1	1.83	0.004	0.17	0.1	0.02	2.0	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1235211	Soil	1.1	85.2	11.1	71	0.1	42.9	21.5	536	4.98	41.1	3.4	3.0	8	0.1	2.7	0.3	90	0.12	0.029	10
1235212	Soil	0.5	63.0	8.0	65	<0.1	39.4	19.3	477	4.78	46.2	2.4	2.9	6	<0.1	5.0	0.3	84	0.13	0.024	8
1235213	Soil	0.5	118.8	7.5	87	<0.1	58.2	32.2	824	5.79	144.8	25.6	1.7	7	0.2	10.8	0.1	90	0.15	0.040	5
1235214	Soil	0.6	153.3	10.2	85	0.1	63.2	33.3	705	6.18	37.9	4.1	3.6	7	0.1	16.0	0.2	80	0.13	0.038	12
1235215	Soil	0.8	94.5	9.3	72	0.3	40.0	18.5	420	4.21	106.5	13.2	3.0	8	<0.1	7.7	0.2	71	0.13	0.036	11
1235216	Soil	0.5	107.2	6.1	73	<0.1	36.4	21.7	465	4.65	20.2	2.5	2.6	8	0.1	1.6	0.2	66	0.10	0.024	6
1235217	Soil	0.9	72.1	9.2	80	0.1	23.7	13.2	431	5.43	3.6	53.9	2.2	11	<0.1	1.0	0.2	75	0.14	0.038	6
1235218	Soil	1.1	75.0	10.8	56	0.2	27.5	15.3	366	3.58	10.9	2.8	2.4	8	<0.1	1.7	0.2	61	0.11	0.031	11
1235219	Soil	1.1	41.0	9.0	59	<0.1	28.2	13.7	396	3.93	11.8	1.3	1.8	5	0.1	1.3	0.2	80	0.07	0.021	5
1235220	Soil	0.5	83.8	8.1	77	<0.1	52.6	27.1	540	5.63	3.8	<0.5	1.6	5	0.1	0.9	0.1	97	0.08	0.025	3
1235221	Soil	0.7	150.9	7.6	87	<0.1	40.6	24.2	611	6.94	3.9	1.1	2.5	12	0.2	6.8	0.1	87	0.08	0.039	7
1235222	Soil	0.8	58.4	8.2	69	<0.1	38.6	18.1	474	4.57	6.9	<0.5	1.5	5	0.2	1.0	0.1	88	0.09	0.031	4
1235223	Soil	0.4	138.7	27.5	99	<0.1	115.5	60.2	1376	5.05	11.5	2.0	1.3	4	0.4	0.2	0.1	112	0.13	0.038	3
1235224	Soil	0.3	115.0	13.8	92	<0.1	85.6	41.6	666	6.22	4.7	3.1	1.2	5	0.2	0.2	<0.1	136	0.16	0.030	3
1235225	Soil	1.1	137.2	9.5	68	0.2	44.0	20.4	467	5.05	9.7	2.0	0.7	9	0.1	0.8	0.2	94	0.15	0.066	5
1235226	Soil	0.8	66.1	7.6	66	<0.1	39.6	21.5	514	4.70	11.7	0.8	1.6	5	<0.1	1.1	0.1	76	0.13	0.033	5
1235227	Soil	0.8	98.6	7.2	78	<0.1	52.1	28.6	629	5.48	12.7	3.4	2.0	6	<0.1	0.9	0.2	83	0.10	0.044	6
1235228	Soil	0.4	54.6	5.5	66	<0.1	51.0	23.8	472	5.04	12.2	2.0	1.1	3	0.1	0.3	<0.1	116	0.11	0.028	3
1235229	Soil	0.5	67.7	13.3	66	<0.1	66.0	28.3	797	4.91	9.5	2.4	1.7	4	0.2	0.4	0.1	139	0.11	0.034	5
1235230	Soil	0.6	77.1	5.8	70	<0.1	48.7	23.5	614	5.33	9.5	<0.5	1.2	4	<0.1	3.7	<0.1	93	0.14	0.031	4
1235231	Soil	3.2	145.3	18.7	80	<0.1	56.3	23.7	324	6.74	6.1	3.9	4.4	10	0.1	1.2	0.4	73	0.04	0.051	13
1235232	Soil	1.6	62.1	10.5	65	0.1	29.5	11.5	334	3.77	11.1	1.6	2.8	16	0.1	0.8	0.3	71	0.13	0.032	9
1235233	Soil	1.2	91.4	10.0	84	<0.1	35.9	18.3	473	5.74	6.1	3.3	1.6	12	<0.1	0.4	0.2	78	0.09	0.035	4
1235234	Soil	0.7	93.8	8.9	73	0.2	56.7	25.1	555	5.10	8.8	3.6	1.4	11	<0.1	0.5	0.2	104	0.16	0.055	5
1235235	Soil	0.6	52.8	6.3	86	0.2	62.5	31.5	642	5.68	8.1	1.9	1.1	6	<0.1	0.2	<0.1	121	0.17	0.044	3
1235236	Soil	1.1	76.1	7.9	63	0.1	45.6	20.5	525	4.66	6.9	2.5	1.7	14	<0.1	0.3	0.2	94	0.16	0.035	4
1235237	Soil	0.5	107.9	4.6	71	<0.1	53.0	28.2	629	5.48	14.3	4.4	1.2	4	<0.1	0.5	0.1	83	0.17	0.033	3
1235238	Soil	0.5	134.7	5.6	88	0.1	58.3	28.6	692	6.81	138.7	15.0	2.9	5	<0.1	8.7	0.1	101	0.17	0.041	9
1235239	Soil	0.3	113.3	6.8	78	<0.1	58.5	32.8	1070	6.31	18.3	3.3	1.4	4	0.1	0.6	<0.1	119	0.17	0.039	4
1235240	Soil	0.5	108.1	6.2	78	0.1	57.0	30.5	784	6.72	118.2	11.9	1.6	6	<0.1	7.4	0.1	118	0.13	0.042	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1235211	Soil	59	1.20	134	0.111	1	2.40	0.004	0.20	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2
1235212	Soil	56	1.22	67	0.162	<1	2.11	0.004	0.21	<0.1	<0.01	2.3	0.1	<0.05	7	<0.5	<0.2
1235213	Soil	65	1.43	91	0.115	<1	2.40	0.004	0.34	<0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
1235214	Soil	57	1.14	120	0.052	1	1.98	0.003	0.18	<0.1	<0.01	5.9	0.2	<0.05	6	<0.5	<0.2
1235215	Soil	50	1.06	112	0.054	<1	2.08	0.004	0.14	<0.1	0.02	3.2	0.2	<0.05	6	<0.5	<0.2
1235216	Soil	47	1.25	173	0.193	<1	2.34	0.005	0.46	<0.1	<0.01	1.9	0.3	<0.05	6	<0.5	<0.2
1235217	Soil	47	1.14	128	0.243	<1	2.33	0.005	0.44	<0.1	0.01	2.4	0.3	0.07	8	<0.5	<0.2
1235218	Soil	40	0.95	129	0.050	1	1.89	0.004	0.11	0.2	0.03	2.3	0.1	<0.05	5	<0.5	<0.2
1235219	Soil	47	0.97	45	0.198	<1	1.68	0.003	0.11	0.1	0.02	1.5	<0.1	<0.05	6	<0.5	<0.2
1235220	Soil	64	1.47	48	0.177	<1	2.70	0.004	0.58	<0.1	<0.01	3.3	0.4	<0.05	8	<0.5	<0.2
1235221	Soil	60	1.57	80	0.212	<1	2.80	0.003	0.29	<0.1	0.02	2.4	0.2	<0.05	8	<0.5	<0.2
1235222	Soil	56	1.46	47	0.142	<1	2.26	0.003	0.22	<0.1	<0.01	2.3	0.1	<0.05	7	<0.5	<0.2
1235223	Soil	83	1.46	76	0.137	2	2.77	0.003	0.44	<0.1	0.02	3.1	0.3	<0.05	7	<0.5	<0.2
1235224	Soil	90	1.65	105	0.184	1	3.04	0.004	0.70	<0.1	<0.01	3.7	0.5	<0.05	8	<0.5	<0.2
1235225	Soil	57	1.30	72	0.125	1	2.29	0.005	0.13	<0.1	0.04	2.2	0.1	0.09	8	<0.5	<0.2
1235226	Soil	59	1.37	57	0.138	<1	2.24	0.003	0.20	0.1	0.03	1.8	0.1	<0.05	5	<0.5	<0.2
1235227	Soil	57	1.46	65	0.096	2	2.63	0.004	0.21	<0.1	0.03	2.4	0.1	<0.05	7	<0.5	<0.2
1235228	Soil	67	1.60	29	0.159	<1	2.70	0.003	0.45	<0.1	0.01	3.6	0.4	<0.05	8	<0.5	<0.2
1235229	Soil	90	1.51	30	0.138	<1	2.39	0.003	0.23	<0.1	0.02	5.0	0.2	<0.05	7	<0.5	<0.2
1235230	Soil	70	1.82	47	0.131	<1	2.93	0.003	0.24	<0.1	0.02	1.7	0.1	<0.05	6	<0.5	<0.2
1235231	Soil	37	0.66	65	0.130	<1	1.93	0.004	0.21	<0.1	0.02	3.3	0.2	0.07	7	0.6	<0.2
1235232	Soil	53	0.80	71	0.129	1	1.78	0.005	0.13	0.2	0.03	1.8	0.2	<0.05	6	1.0	<0.2
1235233	Soil	52	1.17	106	0.324	<1	2.42	0.010	0.42	<0.1	0.01	2.0	0.3	0.18	8	<0.5	<0.2
1235234	Soil	80	1.55	96	0.132	<1	2.65	0.004	0.34	<0.1	0.02	2.8	0.2	0.05	8	<0.5	<0.2
1235235	Soil	90	1.76	85	0.157	1	3.09	0.005	0.43	<0.1	0.01	2.9	0.3	<0.05	8	<0.5	<0.2
1235236	Soil	79	1.44	77	0.161	<1	2.49	0.004	0.29	<0.1	<0.01	2.2	0.2	0.05	7	0.6	<0.2
1235237	Soil	71	1.87	60	0.131	<1	2.76	0.003	0.16	0.1	0.01	1.7	<0.1	<0.05	6	<0.5	<0.2
1235238	Soil	73	1.88	88	0.073	<1	3.20	0.003	0.24	<0.1	0.02	5.1	0.2	<0.05	9	<0.5	<0.2
1235239	Soil	87	1.98	76	0.159	<1	3.25	0.003	0.44	<0.1	<0.01	2.5	0.2	<0.05	9	<0.5	<0.2
1235240	Soil	83	1.84	92	0.083	1	3.21	0.003	0.17	<0.1	0.02	4.7	0.2	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1235241	Soil	1.4	51.3	10.0	63	<0.1	31.9	16.1	390	4.27	22.6	2.8	2.4	7	0.1	0.9	0.2	75	0.10	0.028	8
1235242	Soil	0.7	102.0	7.2	83	0.1	50.3	26.9	737	5.71	37.1	6.8	2.4	6	<0.1	2.3	0.2	94	0.15	0.039	8
1235243	Soil	0.8	106.1	7.3	79	<0.1	54.5	30.3	709	5.99	43.4	7.2	1.7	6	<0.1	4.9	0.1	98	0.15	0.039	6
1235244	Soil	0.7	90.3	6.8	80	<0.1	49.3	26.9	713	5.57	32.3	6.4	2.2	6	<0.1	2.2	0.1	104	0.16	0.030	7
1235245	Soil	0.8	113.6	8.7	83	0.2	53.5	28.3	740	5.75	62.2	12.7	2.5	6	<0.1	4.4	0.2	99	0.13	0.032	9
1235246	Soil	1.0	66.5	9.2	67	0.1	35.6	17.7	501	4.50	61.8	8.8	1.7	7	<0.1	2.5	0.2	87	0.11	0.039	7
1235247	Soil	1.7	74.3	13.3	72	0.2	35.6	17.2	505	4.77	67.9	8.5	2.0	7	<0.1	5.9	0.3	85	0.08	0.038	11
1235248	Soil	1.2	81.1	11.3	68	0.1	41.1	21.0	562	5.16	39.2	5.2	2.2	7	0.1	2.1	0.2	85	0.10	0.031	7
1235249	Soil	0.6	149.3	17.9	98	<0.1	66.6	32.7	955	6.65	134.6	26.9	3.1	8	<0.1	10.1	0.3	90	0.22	0.039	10
1235250	Soil	0.6	178.3	20.2	96	<0.1	93.3	57.0	1287	6.65	20.1	3.0	3.8	7	<0.1	12.0	0.3	89	0.21	0.044	7
1235251	Soil	0.9	136.3	13.4	91	<0.1	62.3	30.8	878	5.75	67.6	7.6	2.3	9	0.3	8.7	0.5	89	0.20	0.047	8
1235252	Soil	0.8	137.7	13.7	94	<0.1	62.3	32.3	965	6.60	76.9	9.2	3.3	8	0.2	6.3	0.4	93	0.21	0.039	11
1235253	Soil	1.0	107.7	13.5	92	0.1	53.3	28.3	936	6.38	181.0	16.8	2.1	9	0.3	3.2	0.4	101	0.20	0.051	8
1235254	Soil	0.9	112.4	9.5	88	<0.1	56.2	29.4	813	6.41	50.5	5.1	2.1	7	0.2	5.7	0.3	104	0.17	0.040	7
1235255	Soil	0.9	111.2	9.4	83	<0.1	53.3	27.8	750	5.65	47.0	10.6	2.2	8	<0.1	3.0	0.2	102	0.15	0.035	9
1235256	Soil	0.8	91.6	8.1	76	0.1	46.9	24.2	679	5.58	37.1	4.9	1.7	7	<0.1	2.4	0.2	98	0.14	0.034	7
1235257	Soil	0.4	196.4	4.4	91	0.1	51.0	29.1	713	6.83	9.7	4.1	1.5	11	<0.1	0.6	<0.1	122	0.22	0.035	5
1235258	Soil	0.7	126.0	6.7	86	<0.1	60.3	31.9	757	6.76	29.3	4.1	1.6	6	0.1	1.7	0.1	121	0.15	0.037	4
1235259	Soil	0.9	81.5	8.3	73	<0.1	45.1	23.2	530	5.16	25.9	3.6	2.0	6	<0.1	0.8	0.2	97	0.14	0.033	6
1235260	Soil	0.5	161.7	4.6	98	<0.1	69.0	39.3	854	6.85	19.9	3.8	1.4	6	0.1	1.0	0.1	110	0.20	0.036	3
1235261	Soil	0.7	121.0	5.9	87	0.1	49.8	26.0	594	6.52	18.2	3.5	1.4	6	<0.1	0.8	0.1	108	0.13	0.037	4
1235262	Soil	1.0	95.7	9.0	79	0.1	44.4	23.0	619	5.40	33.5	7.3	2.2	7	<0.1	1.2	0.2	91	0.15	0.043	6
1235263	Soil	1.7	96.6	7.2	78	<0.1	47.8	24.7	653	5.63	13.5	2.3	1.8	6	<0.1	0.4	0.1	113	0.16	0.032	5
1235264	Soil	1.2	55.5	9.6	63	<0.1	34.8	17.6	448	4.64	17.7	1.8	2.0	6	0.1	0.6	0.2	98	0.14	0.027	6
1235265	Soil	1.2	83.5	15.1	72	0.2	49.9	31.7	807	5.21	14.9	2.8	1.9	9	<0.1	0.5	0.2	109	0.20	0.052	5
1235266	Soil	0.5	56.7	5.4	78	<0.1	45.3	22.4	469	5.42	3.9	0.8	1.0	4	<0.1	0.2	0.1	120	0.12	0.022	2
1235267	Soil	1.3	114.9	9.2	76	<0.1	42.6	20.4	450	4.84	17.1	2.1	2.4	8	<0.1	1.5	0.2	86	0.15	0.032	7
1235268	Soil	1.3	96.8	10.5	78	0.1	50.2	21.6	470	5.40	10.5	1.2	2.2	7	0.1	1.0	0.2	98	0.12	0.042	7
1235269	Soil	1.0	82.7	12.8	68	0.1	39.7	19.5	450	4.73	16.6	2.9	2.7	7	<0.1	1.3	0.2	77	0.10	0.033	8
1235270	Soil	1.2	41.9	10.4	49	<0.1	28.2	14.1	366	3.98	13.1	0.9	2.7	5	<0.1	0.6	0.2	117	0.11	0.023	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1235241	Soil	45	0.98	92	0.092	1	2.11	0.004	0.12	0.2	0.03	2.1	0.1	<0.05	7	<0.5	<0.2
1235242	Soil	72	1.66	103	0.125	<1	2.95	0.003	0.30	<0.1	0.02	3.0	0.2	<0.05	8	<0.5	<0.2
1235243	Soil	74	1.69	115	0.115	1	2.93	0.003	0.23	<0.1	0.01	3.0	0.2	<0.05	7	<0.5	<0.2
1235244	Soil	76	1.66	115	0.138	<1	2.89	0.003	0.23	<0.1	<0.01	2.9	0.2	<0.05	8	<0.5	<0.2
1235245	Soil	72	1.56	119	0.111	1	2.88	0.004	0.30	<0.1	0.02	3.7	0.2	<0.05	8	<0.5	<0.2
1235246	Soil	53	1.04	85	0.103	1	2.22	0.004	0.19	0.1	0.03	2.3	0.2	<0.05	7	<0.5	<0.2
1235247	Soil	49	0.93	108	0.063	<1	2.30	0.004	0.13	0.1	0.03	2.9	0.2	<0.05	7	0.6	<0.2
1235248	Soil	53	1.11	81	0.129	<1	2.38	0.004	0.19	<0.1	0.02	2.5	0.1	<0.05	7	<0.5	<0.2
1235249	Soil	65	1.61	94	0.087	<1	3.16	0.003	0.23	<0.1	0.02	4.7	0.2	<0.05	9	<0.5	<0.2
1235250	Soil	65	1.62	87	0.097	<1	3.21	0.003	0.39	<0.1	0.01	5.8	0.2	<0.05	10	0.6	<0.2
1235251	Soil	63	1.53	114	0.103	<1	3.00	0.012	0.27	<0.1	0.01	3.6	0.2	<0.05	9	<0.5	<0.2
1235252	Soil	71	1.63	101	0.093	<1	3.05	0.003	0.25	<0.1	0.02	5.2	0.2	<0.05	9	<0.5	<0.2
1235253	Soil	70	1.50	123	0.135	1	2.97	0.005	0.33	<0.1	0.03	4.1	0.3	<0.05	9	<0.5	<0.2
1235254	Soil	77	1.68	139	0.143	<1	3.37	0.007	0.42	<0.1	0.02	3.7	0.3	<0.05	9	<0.5	<0.2
1235255	Soil	71	1.48	128	0.121	1	2.87	0.004	0.27	0.1	0.02	3.7	0.2	<0.05	8	<0.5	<0.2
1235256	Soil	68	1.42	113	0.135	<1	2.78	0.004	0.19	<0.1	0.01	2.9	0.2	<0.05	8	<0.5	<0.2
1235257	Soil	82	1.83	222	0.246	<1	3.72	0.007	0.71	<0.1	<0.01	2.9	0.5	0.07	9	<0.5	<0.2
1235258	Soil	86	1.90	92	0.177	<1	3.35	0.003	0.32	0.1	0.02	2.2	0.2	<0.05	9	<0.5	<0.2
1235259	Soil	64	1.44	88	0.137	1	2.49	0.004	0.25	0.1	0.01	2.3	0.2	<0.05	7	0.5	<0.2
1235260	Soil	87	2.13	91	0.154	1	3.51	0.004	0.48	<0.1	0.01	2.3	0.2	<0.05	8	<0.5	<0.2
1235261	Soil	74	1.70	99	0.185	1	3.29	0.004	0.34	<0.1	0.02	2.2	0.3	<0.05	9	<0.5	<0.2
1235262	Soil	64	1.49	103	0.112	1	2.60	0.004	0.18	0.1	0.02	2.8	0.2	<0.05	7	<0.5	<0.2
1235263	Soil	85	1.78	92	0.160	<1	2.82	0.004	0.24	<0.1	0.01	2.3	0.1	<0.05	8	<0.5	<0.2
1235264	Soil	59	1.13	86	0.174	1	1.99	0.005	0.16	0.1	0.02	1.7	0.1	<0.05	7	<0.5	<0.2
1235265	Soil	70	1.32	125	0.147	<1	2.41	0.005	0.27	<0.1	0.03	3.0	0.2	<0.05	7	<0.5	<0.2
1235266	Soil	76	1.26	56	0.278	<1	2.46	0.004	0.65	<0.1	0.01	2.0	0.5	<0.05	7	<0.5	<0.2
1235267	Soil	58	1.26	97	0.119	<1	2.26	0.004	0.19	<0.1	0.02	2.2	0.2	<0.05	7	<0.5	<0.2
1235268	Soil	61	1.33	77	0.145	<1	2.34	0.004	0.23	0.1	0.01	3.0	0.2	<0.05	8	0.7	<0.2
1235269	Soil	51	1.27	80	0.110	1	2.34	0.004	0.17	0.1	0.01	2.3	0.2	<0.05	6	<0.5	<0.2
1235270	Soil	57	1.04	54	0.148	1	1.92	0.003	0.10	0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1235271	Soil	1.1	54.3	9.1	54	<0.1	35.3	17.5	410	4.46	15.6	1.5	2.0	6	<0.1	0.7	0.2	92	0.12	0.030	7
1235272	Soil	0.6	92.2	8.1	68	<0.1	51.1	30.2	605	5.11	26.6	1.5	3.6	6	0.1	0.8	0.2	92	0.11	0.033	8
1235273	Soil	0.6	67.8	6.5	66	<0.1	38.1	18.6	485	4.94	16.0	1.4	1.9	5	0.1	0.8	0.1	82	0.10	0.034	6
1235274	Soil	0.7	81.0	9.3	69	<0.1	48.1	24.2	514	5.20	19.4	1.9	3.4	7	<0.1	1.2	0.2	83	0.10	0.027	9
1235275	Soil	0.3	192.9	4.5	85	<0.1	100.3	49.5	778	6.96	7.0	0.7	1.4	7	0.1	0.3	<0.1	201	0.28	0.030	3
1235301	Soil	1.1	75.0	15.0	86	<0.1	45.0	21.4	613	4.97	33.8	2.5	3.1	7	0.1	2.3	0.2	90	0.09	0.059	11
1235302	Soil	1.2	123.0	20.3	81	0.1	54.5	26.4	584	4.72	27.9	3.4	2.6	8	0.1	1.5	0.3	72	0.11	0.059	13
1235303	Soil	0.8	85.4	12.2	71	<0.1	48.3	24.6	596	4.87	41.3	4.9	2.5	8	0.1	1.6	0.2	86	0.12	0.041	8
1235304	Soil	1.1	65.7	15.2	69	<0.1	39.3	18.9	591	4.70	33.1	5.5	2.1	6	0.2	2.3	0.2	87	0.10	0.047	7
1235305	Soil	1.1	87.1	14.9	85	<0.1	44.6	20.9	633	4.95	48.6	12.3	2.4	7	0.1	4.5	0.2	92	0.10	0.054	8
1235306	Soil	1.2	53.4	13.7	62	<0.1	32.0	15.1	438	4.06	30.2	4.5	1.9	6	0.1	2.7	0.2	79	0.08	0.037	7
1235307	Soil	0.8	111.5	15.3	75	<0.1	54.2	27.5	634	4.98	53.2	5.1	3.2	5	0.1	2.3	0.2	83	0.08	0.024	9
1235308	Soil	0.6	107.1	12.4	78	<0.1	53.8	27.5	734	5.56	60.8	9.5	2.6	6	0.2	4.6	0.2	90	0.11	0.031	8
1235309	Soil	1.3	185.2	19.1	128	0.2	88.3	45.5	1785	7.24	90.2	5.2	8.0	10	0.5	53.2	0.2	62	0.11	0.052	31
1235310	Soil	1.2	65.5	13.1	73	<0.1	36.3	17.2	484	4.30	26.2	2.7	2.1	6	0.2	3.1	0.2	80	0.08	0.034	9
1235311	Soil	1.1	42.7	10.2	60	<0.1	29.7	14.2	382	3.81	18.3	1.7	1.9	7	0.1	2.5	0.2	75	0.10	0.037	8
1235312	Soil	0.5	79.9	6.0	69	<0.1	51.3	26.2	610	4.67	19.7	1.7	2.0	5	0.1	1.6	0.1	94	0.16	0.026	3
1235313	Soil	0.9	70.5	9.2	72	<0.1	43.6	21.4	553	5.12	36.1	3.9	2.4	5	0.2	2.8	0.2	104	0.11	0.036	6
1235314	Soil	0.5	109.0	13.2	95	0.1	61.1	31.8	851	6.24	13.0	2.3	1.4	10	0.2	0.9	0.1	110	0.33	0.049	3
1235315	Soil	0.7	112.1	7.7	86	<0.1	55.3	30.3	706	6.07	43.4	2.6	2.1	5	0.2	4.4	0.1	104	0.13	0.033	6
1235316	Soil	0.3	198.9	7.5	109	0.1	80.9	42.9	948	7.54	16.8	4.8	1.6	7	0.2	1.6	0.1	135	0.26	0.035	3
1235317	Soil	0.4	166.8	4.2	91	0.1	68.5	34.8	743	6.62	61.0	25.8	1.7	7	0.2	4.1	<0.1	118	0.28	0.038	4
1235318	Soil	0.6	129.8	5.7	86	0.2	61.2	32.8	744	6.27	27.3	6.1	1.9	7	<0.1	3.3	0.1	109	0.25	0.040	5
1235319	Soil	0.7	157.6	6.2	89	0.3	59.0	33.3	767	6.22	19.0	3.0	1.6	7	<0.1	2.1	0.1	107	0.27	0.069	6
1235320	Soil	0.6	164.8	6.6	94	0.2	70.2	36.2	830	6.79	23.6	3.9	1.4	8	0.1	1.4	0.1	127	0.29	0.057	5
1235321	Soil	1.9	191.1	7.7	102	0.2	60.1	35.4	805	7.41	14.8	2.9	2.0	11	0.1	2.4	0.2	101	0.27	0.050	6
1235322	Soil	0.5	185.1	5.1	89	0.1	66.8	36.9	708	6.43	6.7	1.9	1.1	7	<0.1	1.3	<0.1	104	0.28	0.046	3
1235323	Soil	0.7	118.4	11.2	90	0.3	58.2	37.8	850	5.87	34.4	4.3	2.7	8	0.2	2.7	0.2	111	0.19	0.050	8
1235324	Soil	1.0	120.9	14.1	84	0.2	51.3	26.2	553	4.98	30.1	3.4	3.5	10	<0.1	2.5	0.2	83	0.14	0.045	13
1235325	Soil	1.1	120.2	9.6	83	0.1	56.2	28.2	577	5.45	14.1	1.1	2.5	8	<0.1	0.9	0.1	93	0.17	0.032	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1235271	Soil	59	1.16	77	0.138	2	2.12	0.003	0.12	<0.1	0.02	1.8	0.1	<0.05	6	<0.5	<0.2
1235272	Soil	62	1.40	103	0.129	1	2.57	0.004	0.23	<0.1	0.01	2.6	0.2	<0.05	6	<0.5	<0.2
1235273	Soil	56	1.34	60	0.140	<1	2.34	0.003	0.18	<0.1	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
1235274	Soil	52	1.30	91	0.140	1	2.42	0.004	0.23	<0.1	0.01	2.4	0.1	<0.05	7	<0.5	<0.2
1235275	Soil	120	2.05	166	0.229	<1	3.25	0.004	0.60	<0.1	<0.01	3.9	0.4	<0.05	9	<0.5	<0.2
1235301	Soil	61	1.20	119	0.086	<1	2.41	0.004	0.18	<0.1	0.03	2.9	0.2	<0.05	8	<0.5	<0.2
1235302	Soil	59	1.17	95	0.064	<1	2.31	0.005	0.15	0.1	0.02	2.7	0.1	<0.05	7	<0.5	<0.2
1235303	Soil	59	1.20	122	0.083	1	2.32	0.005	0.17	0.1	0.02	2.9	0.2	<0.05	7	<0.5	<0.2
1235304	Soil	53	1.05	72	0.117	<1	2.03	0.004	0.13	0.1	0.04	2.5	0.1	<0.05	7	<0.5	<0.2
1235305	Soil	57	1.13	102	0.105	<1	2.46	0.005	0.24	0.1	0.06	3.5	0.2	<0.05	8	<0.5	<0.2
1235306	Soil	44	0.88	75	0.082	<1	1.83	0.004	0.12	0.1	0.04	2.0	0.1	<0.05	7	<0.5	<0.2
1235307	Soil	58	1.23	61	0.095	1	2.42	0.004	0.13	0.1	0.03	3.1	0.1	<0.05	7	<0.5	<0.2
1235308	Soil	61	1.40	84	0.114	<1	2.51	0.004	0.18	0.1	0.02	3.0	0.1	<0.05	7	<0.5	<0.2
1235309	Soil	35	0.53	112	0.010	<1	1.26	0.003	0.17	0.1	0.01	8.4	0.3	<0.05	4	<0.5	<0.2
1235310	Soil	50	0.97	92	0.063	<1	2.20	0.005	0.13	0.1	0.03	2.7	0.1	<0.05	7	<0.5	<0.2
1235311	Soil	46	0.88	92	0.079	<1	1.76	0.004	0.11	0.1	0.03	2.1	<0.1	<0.05	6	0.6	<0.2
1235312	Soil	81	1.44	112	0.176	<1	2.36	0.003	0.37	<0.1	0.01	1.3	0.1	<0.05	5	<0.5	<0.2
1235313	Soil	67	1.26	99	0.176	<1	2.17	0.004	0.26	<0.1	0.03	2.2	0.1	<0.05	7	<0.5	<0.2
1235314	Soil	95	1.87	142	0.169	<1	3.13	0.006	0.37	<0.1	0.01	2.4	0.2	<0.05	8	<0.5	<0.2
1235315	Soil	72	1.56	91	0.143	<1	2.79	0.006	0.33	<0.1	0.02	3.2	0.2	<0.05	8	<0.5	<0.2
1235316	Soil	103	2.06	145	0.187	1	3.83	0.006	0.73	<0.1	0.02	3.2	0.4	<0.05	9	<0.5	<0.2
1235317	Soil	91	2.06	113	0.143	<1	3.34	0.004	0.56	<0.1	0.02	3.0	0.2	<0.05	8	<0.5	<0.2
1235318	Soil	88	1.95	109	0.121	<1	3.10	0.004	0.41	<0.1	0.03	2.9	0.2	<0.05	8	<0.5	<0.2
1235319	Soil	80	1.82	115	0.108	<1	3.10	0.005	0.39	<0.1	0.04	3.4	0.2	<0.05	9	<0.5	<0.2
1235320	Soil	103	2.21	93	0.134	2	3.44	0.004	0.35	<0.1	0.03	3.2	0.2	0.05	9	<0.5	<0.2
1235321	Soil	72	1.92	98	0.174	1	3.14	0.005	0.30	<0.1	0.03	3.3	0.2	0.11	9	0.6	<0.2
1235322	Soil	81	2.06	88	0.160	<1	3.10	0.005	0.38	<0.1	0.02	2.7	0.2	<0.05	7	<0.5	<0.2
1235323	Soil	79	1.74	96	0.126	2	2.93	0.004	0.33	<0.1	0.03	3.8	0.2	<0.05	7	<0.5	<0.2
1235324	Soil	55	1.23	111	0.094	3	2.38	0.005	0.16	<0.1	0.04	3.9	0.2	<0.05	6	<0.5	<0.2
1235325	Soil	64	1.49	85	0.161	1	2.61	0.004	0.25	<0.1	0.02	3.0	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1235326	Soil	1.0	69.2	10.4	69	<0.1	42.7	21.2	474	4.57	37.4	1.7	2.2	7	0.1	1.7	0.1	90	0.15	0.039	7
1235327	Soil	1.1	143.6	12.7	89	0.1	60.3	29.3	572	5.76	14.0	5.3	3.8	11	0.2	1.5	0.2	84	0.17	0.046	11
1235328	Soil	0.6	123.3	8.0	87	0.1	54.7	29.7	656	5.42	13.9	4.1	2.8	9	0.1	1.5	0.1	99	0.20	0.036	7
1235329	Soil	0.5	152.6	5.2	85	0.2	58.3	35.0	775	6.35	14.5	1.8	1.6	6	<0.1	1.3	<0.1	107	0.26	0.050	5
1235330	Soil	2.1	174.7	11.4	92	0.2	75.8	36.0	631	6.83	27.6	8.1	2.9	11	0.3	4.2	0.2	99	0.18	0.044	8
1235331	Soil	0.4	178.9	4.1	96	0.2	73.2	40.0	824	7.08	13.2	2.8	1.4	6	0.1	1.2	0.1	123	0.24	0.045	4
1235332	Soil	0.5	162.6	5.8	95	0.2	68.2	36.8	826	6.74	49.6	14.3	1.7	8	<0.1	3.9	0.1	116	0.32	0.043	5
1235333	Soil	0.4	146.3	4.1	88	0.1	63.9	33.9	740	6.15	37.0	15.3	1.6	7	<0.1	6.1	<0.1	116	0.30	0.042	4
1235334	Soil	0.5	208.4	5.7	101	0.1	83.8	41.2	877	7.32	10.2	1.9	1.5	9	0.1	1.3	<0.1	136	0.34	0.041	3
1235335	Soil	1.0	153.3	9.9	96	<0.1	66.4	39.1	824	6.59	266.6	44.2	2.2	9	0.1	7.4	0.2	94	0.14	0.048	7
1235336	Soil	0.8	60.5	7.8	70	<0.1	42.8	22.2	619	5.06	21.5	1.9	1.4	6	<0.1	2.0	0.1	108	0.16	0.044	4
1235337	Soil	0.6	82.8	6.6	80	<0.1	50.7	28.5	780	5.62	11.0	1.6	1.6	7	<0.1	1.2	<0.1	120	0.20	0.039	4
1235338	Soil	0.6	72.7	8.4	72	<0.1	49.0	25.4	611	5.23	50.7	2.1	1.7	9	0.1	2.4	0.1	102	0.24	0.042	5
1235339	Soil	0.8	55.9	10.3	64	<0.1	40.4	22.3	608	4.35	13.9	1.0	1.4	7	0.1	2.3	0.1	97	0.16	0.047	6
1235340	Soil	0.8	124.7	12.5	83	<0.1	58.9	29.6	689	5.51	54.5	4.3	3.0	6	<0.1	2.1	0.2	88	0.12	0.029	9
1235341	Soil	1.1	120.6	19.3	87	0.1	62.8	33.0	1404	4.90	15.9	3.6	2.3	9	0.2	1.2	0.2	81	0.14	0.048	8
1235342	Soil	1.3	99.4	12.9	81	<0.1	42.6	20.0	568	4.92	19.2	2.4	2.2	7	0.1	1.9	0.2	82	0.11	0.035	8
1235343	Soil	0.9	85.6	18.2	75	<0.1	50.1	18.8	433	4.30	30.0	5.1	3.1	7	0.2	1.5	0.2	71	0.11	0.029	11
1235344	Soil	1.3	104.1	23.6	67	0.2	44.2	24.7	572	4.40	17.7	4.6	1.5	14	0.1	2.5	0.3	58	0.29	0.107	22
1235345	Soil	0.7	94.8	15.0	85	<0.1	52.5	26.0	736	5.34	33.0	7.5	3.8	8	0.3	1.9	0.2	82	0.19	0.068	11
1235346	Soil	1.2	185.5	22.0	100	0.2	86.7	38.9	859	4.81	47.9	17.0	4.9	14	0.2	1.9	0.2	73	0.26	0.065	17
1235347	Soil	1.0	143.5	28.2	104	0.2	77.5	32.9	951	5.29	41.3	9.9	4.0	13	0.3	1.8	0.3	75	0.27	0.076	18
1235348	Soil	0.6	68.6	13.7	74	<0.1	44.4	22.1	657	4.67	40.0	4.3	2.6	8	<0.1	1.4	0.2	99	0.17	0.049	9
1235349	Soil	1.2	92.6	20.3	77	0.1	49.6	23.5	759	4.72	40.3	4.2	1.7	11	0.1	4.8	0.2	68	0.14	0.099	22
1235350	Soil	1.1	152.4	34.8	119	0.5	83.0	36.6	1065	6.96	131.6	8.4	9.4	16	0.1	15.3	0.4	80	0.19	0.077	34
1235351	Soil	1.0	81.8	23.6	76	0.3	46.4	19.5	583	4.51	26.0	5.0	2.4	10	0.1	5.2	0.2	75	0.13	0.097	19
1235352	Soil	1.2	108.6	26.0	100	0.2	64.2	31.1	978	6.25	68.2	5.7	6.9	12	<0.1	7.5	0.3	82	0.16	0.070	22
1235353	Soil	1.5	66.8	18.3	72	0.2	44.0	20.8	810	4.69	40.3	2.4	2.0	13	<0.1	4.7	0.3	84	0.21	0.107	16
1235354	Soil	1.5	138.7	22.7	108	0.2	59.7	30.6	957	5.45	43.4	7.6	4.1	13	0.2	3.2	0.3	87	0.22	0.080	22
1235355	Soil	1.2	113.2	20.5	100	0.1	56.2	28.3	879	5.10	103.1	26.0	2.7	13	0.1	2.8	0.2	101	0.28	0.079	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1235326	Soil	59	1.25	75	0.103	1	2.13	0.003	0.15	<0.1	0.02	2.3	0.1	<0.05	6	<0.5	<0.2
1235327	Soil	58	1.35	104	0.134	1	2.43	0.006	0.28	<0.1	0.02	3.7	0.2	<0.05	7	<0.5	<0.2
1235328	Soil	73	1.60	104	0.135	1	2.68	0.005	0.25	<0.1	0.03	3.5	0.2	<0.05	7	<0.5	<0.2
1235329	Soil	85	2.05	88	0.118	1	3.08	0.004	0.20	<0.1	0.03	3.3	0.1	<0.05	8	<0.5	<0.2
1235330	Soil	71	1.60	77	0.145	<1	2.63	0.003	0.33	<0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
1235331	Soil	100	2.29	98	0.152	<1	3.57	0.004	0.47	<0.1	0.02	2.6	0.2	<0.05	8	<0.5	<0.2
1235332	Soil	93	2.11	118	0.143	<1	3.46	0.005	0.47	<0.1	0.02	3.4	0.2	<0.05	8	<0.5	<0.2
1235333	Soil	90	2.00	115	0.158	<1	3.10	0.004	0.52	<0.1	0.02	3.1	0.2	<0.05	7	<0.5	<0.2
1235334	Soil	101	1.99	124	0.215	<1	3.62	0.006	0.76	<0.1	0.01	3.2	0.4	<0.05	9	<0.5	<0.2
1235335	Soil	68	1.41	95	0.154	<1	2.83	0.006	0.42	0.1	0.03	3.5	0.2	<0.05	8	<0.5	<0.2
1235336	Soil	70	1.40	71	0.188	2	2.29	0.004	0.21	<0.1	0.04	2.0	0.1	<0.05	7	<0.5	<0.2
1235337	Soil	84	1.55	107	0.186	<1	2.77	0.005	0.41	<0.1	0.03	2.8	0.2	<0.05	8	<0.5	<0.2
1235338	Soil	84	1.56	133	0.151	1	2.55	0.005	0.19	0.1	0.03	2.1	0.1	<0.05	6	<0.5	<0.2
1235339	Soil	61	1.16	80	0.165	1	2.10	0.007	0.24	<0.1	0.03	2.1	0.1	<0.05	7	<0.5	<0.2
1235340	Soil	62	1.28	93	0.171	2	2.67	0.005	0.27	0.1	0.03	3.2	0.2	<0.05	8	<0.5	<0.2
1235341	Soil	51	0.90	144	0.129	2	2.93	0.013	0.30	0.2	0.06	3.3	0.2	<0.05	8	<0.5	<0.2
1235342	Soil	48	1.03	72	0.168	2	2.21	0.005	0.18	0.2	0.04	2.4	0.2	<0.05	8	<0.5	<0.2
1235343	Soil	43	0.92	68	0.127	2	1.98	0.005	0.15	0.1	0.03	2.4	0.2	<0.05	6	<0.5	<0.2
1235344	Soil	48	1.01	136	0.047	3	2.17	0.007	0.19	<0.1	0.05	3.4	0.2	0.08	7	<0.5	<0.2
1235345	Soil	57	1.31	112	0.066	2	2.60	0.006	0.28	<0.1	0.03	4.5	0.2	<0.05	9	<0.5	<0.2
1235346	Soil	51	1.17	121	0.088	2	2.51	0.011	0.24	0.1	0.02	5.0	0.2	<0.05	8	0.6	<0.2
1235347	Soil	95	1.38	109	0.081	2	2.66	0.011	0.19	<0.1	0.03	4.3	0.2	<0.05	8	<0.5	<0.2
1235348	Soil	71	1.32	99	0.106	2	2.50	0.006	0.17	<0.1	0.03	4.2	0.2	<0.05	8	<0.5	<0.2
1235349	Soil	69	1.04	148	0.046	3	2.31	0.010	0.20	0.1	0.04	3.3	0.2	<0.05	7	<0.5	<0.2
1235350	Soil	88	1.48	152	0.085	2	3.12	0.005	0.33	<0.1	0.05	5.1	0.5	<0.05	9	<0.5	<0.2
1235351	Soil	71	1.05	108	0.069	3	2.13	0.010	0.23	0.1	0.06	3.1	0.2	0.07	7	<0.5	<0.2
1235352	Soil	74	1.41	107	0.083	1	2.84	0.005	0.29	<0.1	0.03	4.0	0.3	<0.05	8	<0.5	<0.2
1235353	Soil	75	0.99	129	0.058	2	2.04	0.007	0.19	0.1	0.04	3.4	0.2	0.09	7	<0.5	<0.2
1235354	Soil	64	1.31	144	0.072	2	2.94	0.009	0.27	0.1	0.04	5.3	0.3	<0.05	9	0.7	<0.2
1235355	Soil	66	1.24	145	0.067	1	2.87	0.011	0.25	0.1	0.05	5.1	0.2	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1235356	Soil	1.7	63.9	18.4	85	<0.1	38.0	19.5	700	4.64	44.3	5.1	2.4	10	0.4	2.6	0.5	89	0.10	0.068	12
1235357	Soil	1.2	75.4	11.7	83	<0.1	41.1	22.3	602	4.90	51.3	6.8	3.0	8	0.6	2.8	0.4	84	0.11	0.035	11
1235358	Soil	1.0	67.1	12.4	65	<0.1	36.9	17.3	464	5.16	182.9	39.7	2.5	6	0.4	3.9	0.4	99	0.08	0.032	6
1235359	Soil	1.0	98.3	17.4	83	0.1	45.3	22.4	576	4.76	52.8	4.0	2.1	10	0.4	5.0	0.4	87	0.17	0.053	8
1235360	Soil	1.0	65.9	15.4	83	0.1	50.7	25.1	785	5.20	13.2	1.9	2.0	8	0.4	0.9	0.3	123	0.15	0.035	6
1235361	Soil	3.4	132.3	13.8	77	0.1	37.2	22.0	512	4.86	10.9	2.4	3.2	14	0.5	1.3	0.6	61	0.08	0.052	11
1235362	Soil	0.9	67.9	10.5	77	<0.1	43.2	21.4	632	5.15	29.3	1.6	2.4	7	0.3	3.4	0.4	104	0.14	0.031	6
1235363	Soil	1.8	100.1	13.5	90	<0.1	51.6	25.4	654	5.15	11.5	1.0	2.2	12	0.4	1.0	0.4	83	0.13	0.047	7
1235364	Soil	0.4	140.4	13.2	94	0.1	65.1	33.4	899	6.25	24.8	4.1	2.7	7	0.3	3.2	0.2	114	0.23	0.033	6
1235365	Soil	0.6	91.5	11.6	85	<0.1	57.9	28.3	825	5.64	79.7	7.0	2.4	10	0.2	8.4	0.2	106	0.25	0.036	5
1235366	Soil	0.5	147.2	6.8	96	0.1	71.0	37.0	896	6.51	16.9	1.6	1.9	8	0.3	1.8	0.2	122	0.20	0.037	4
1235367	Soil	0.7	162.8	10.3	98	0.2	73.2	35.7	829	6.69	55.7	11.3	1.9	10	0.2	2.5	0.2	133	0.20	0.050	5
1235368	Soil	0.5	183.7	4.9	99	0.2	73.6	37.4	806	6.86	87.3	36.0	1.1	10	0.3	3.6	0.1	128	0.32	0.050	3
1235369	Soil	0.3	157.3	4.1	87	0.2	68.4	34.5	736	6.49	128.5	24.0	1.4	7	0.2	19.9	0.1	108	0.28	0.040	3
1235370	Soil	0.5	138.6	4.6	92	0.2	62.6	31.9	725	6.17	29.5	10.1	1.7	9	0.3	3.4	0.2	109	0.26	0.037	4
1235371	Soil	0.4	151.0	5.0	88	0.1	67.1	33.9	717	6.37	19.2	4.4	1.6	7	0.1	1.3	0.2	119	0.21	0.040	4
1235372	Soil	0.8	171.3	7.3	97	0.2	72.3	38.2	768	6.92	22.0	7.1	1.9	10	0.3	1.6	0.2	123	0.26	0.049	6
1235373	Soil	0.5	144.1	5.4	89	<0.1	61.6	32.2	716	6.17	10.0	1.9	1.6	7	0.1	1.0	0.2	104	0.24	0.036	4
1235374	Soil	0.5	117.7	9.8	88	0.2	58.0	29.5	657	5.61	23.4	5.2	2.4	8	0.1	2.9	0.2	97	0.13	0.032	7
1235375	Soil	0.6	76.1	9.8	77	0.1	45.4	21.7	545	5.10	37.8	2.0	2.3	9	0.1	2.3	0.2	95	0.22	0.036	7
1235376	Soil	0.9	87.3	10.5	84	0.1	41.2	21.5	530	4.88	22.9	3.7	2.9	8	0.1	2.0	0.2	84	0.10	0.035	9
1235377	Soil	0.6	101.5	8.1	78	0.1	44.0	21.1	514	5.04	15.9	4.3	2.5	7	<0.1	1.7	0.2	88	0.12	0.026	8
1235378	Soil	0.6	137.4	6.1	86	<0.1	56.0	29.9	662	6.05	13.2	2.4	1.9	7	0.1	1.0	0.2	110	0.17	0.036	5
1235379	Soil	0.9	114.1	7.8	83	<0.1	50.5	27.2	623	5.37	17.4	5.0	2.5	8	<0.1	1.0	0.2	92	0.17	0.032	7
1235380	Soil	0.4	122.5	5.9	87	<0.1	57.3	30.0	684	5.77	16.7	3.8	1.8	8	0.1	1.9	0.1	101	0.21	0.035	4
1235381	Soil	0.4	157.7	4.4	94	<0.1	69.4	36.6	800	6.84	47.4	9.6	1.4	8	<0.1	4.2	<0.1	116	0.25	0.036	3
1235382	Soil	0.3	156.8	4.1	88	<0.1	67.3	35.5	774	6.25	40.1	6.1	1.1	8	0.1	7.3	<0.1	120	0.29	0.039	2
1235383	Soil	0.4	173.9	5.7	96	0.2	77.0	37.4	878	6.42	7.9	2.2	1.4	11	0.2	0.7	<0.1	127	0.37	0.038	3
1235384	Soil	0.7	142.7	8.5	107	<0.1	75.2	38.3	883	6.87	10.4	4.1	1.8	9	0.2	0.9	0.2	142	0.26	0.041	4
1235385	Soil	0.6	102.6	8.1	87	<0.1	58.0	28.9	810	5.99	18.5	2.6	2.2	8	<0.1	2.4	0.1	106	0.23	0.030	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1235356	Soil	54	1.00	125	0.072	3	2.21	0.005	0.13	0.2	0.05	3.3	0.2	<0.05	8	<0.5	<0.2
1235357	Soil	58	1.23	78	0.127	2	2.34	0.011	0.20	0.2	0.01	2.9	0.2	<0.05	7	<0.5	<0.2
1235358	Soil	52	1.04	62	0.230	2	2.24	0.005	0.17	0.1	0.05	2.9	0.1	<0.05	9	<0.5	<0.2
1235359	Soil	56	1.15	114	0.087	2	2.32	0.006	0.17	<0.1	0.04	3.3	0.1	<0.05	8	<0.5	<0.2
1235360	Soil	75	1.49	84	0.127	1	2.65	0.005	0.20	0.1	0.03	4.0	0.2	<0.05	9	<0.5	<0.2
1235361	Soil	38	0.74	125	0.180	2	2.01	0.011	0.30	<0.1	0.04	3.3	0.2	0.10	7	0.6	<0.2
1235362	Soil	69	1.35	83	0.189	2	2.30	0.009	0.16	<0.1	0.02	2.7	0.1	<0.05	7	<0.5	<0.2
1235363	Soil	49	0.95	102	0.173	2	2.24	0.009	0.34	0.1	0.03	2.6	0.2	0.05	8	<0.5	<0.2
1235364	Soil	87	1.91	104	0.157	<1	3.25	0.005	0.51	<0.1	<0.01	4.4	0.3	<0.05	10	<0.5	<0.2
1235365	Soil	84	1.79	114	0.104	1	2.84	0.005	0.33	<0.1	<0.01	4.0	0.2	<0.05	8	<0.5	<0.2
1235366	Soil	95	1.92	109	0.193	<1	3.45	0.005	0.62	<0.1	0.01	3.1	0.3	<0.05	9	<0.5	<0.2
1235367	Soil	91	1.72	108	0.164	2	3.16	0.007	0.48	<0.1	0.03	4.6	0.3	<0.05	10	<0.5	<0.2
1235368	Soil	95	1.89	132	0.184	1	3.38	0.008	0.69	<0.1	0.02	2.9	0.3	<0.05	9	<0.5	<0.2
1235369	Soil	84	1.93	108	0.153	<1	3.12	0.004	0.61	<0.1	<0.01	3.3	0.3	<0.05	8	<0.5	<0.2
1235370	Soil	88	1.97	116	0.144	2	3.22	0.004	0.45	<0.1	0.02	3.1	0.2	<0.05	9	<0.5	<0.2
1235371	Soil	86	2.03	86	0.146	1	3.21	0.004	0.42	<0.1	0.02	2.9	0.2	<0.05	9	<0.5	<0.2
1235372	Soil	87	2.16	94	0.150	<1	3.39	0.005	0.30	<0.1	0.01	4.2	0.2	<0.05	9	<0.5	<0.2
1235373	Soil	83	2.03	74	0.155	<1	3.03	0.004	0.22	<0.1	0.01	2.8	<0.1	<0.05	8	<0.5	<0.2
1235374	Soil	70	1.66	75	0.155	<1	2.82	0.004	0.37	<0.1	0.01	3.9	0.2	<0.05	8	<0.5	<0.2
1235375	Soil	65	1.54	99	0.118	<1	2.59	0.004	0.15	<0.1	0.01	3.0	0.2	<0.05	7	<0.5	<0.2
1235376	Soil	57	1.24	79	0.123	1	2.39	0.010	0.16	<0.1	0.02	3.4	0.1	<0.05	7	<0.5	<0.2
1235377	Soil	63	1.40	73	0.155	<1	2.61	0.008	0.17	<0.1	0.02	3.4	0.2	<0.05	7	<0.5	<0.2
1235378	Soil	78	1.93	82	0.149	<1	3.15	0.004	0.19	<0.1	0.01	3.5	0.2	<0.05	9	<0.5	<0.2
1235379	Soil	66	1.65	93	0.159	<1	2.83	0.005	0.21	<0.1	0.01	3.0	0.1	<0.05	7	<0.5	<0.2
1235380	Soil	76	1.81	103	0.139	<1	3.00	0.005	0.35	<0.1	<0.01	2.8	0.2	<0.05	8	<0.5	<0.2
1235381	Soil	94	2.11	122	0.164	<1	3.34	0.005	0.54	<0.1	0.01	3.0	0.2	<0.05	8	<0.5	<0.2
1235382	Soil	90	2.00	127	0.180	<1	3.24	0.006	0.58	<0.1	<0.01	2.7	0.2	<0.05	8	<0.5	<0.2
1235383	Soil	97	1.88	104	0.197	1	3.31	0.009	0.62	<0.1	0.01	3.5	0.3	<0.05	9	<0.5	<0.2
1235384	Soil	109	1.96	124	0.224	<1	3.56	0.008	0.66	<0.1	0.02	3.5	0.4	<0.05	10	<0.5	<0.2
1235385	Soil	81	1.74	106	0.149	<1	3.07	0.005	0.41	<0.1	0.01	3.1	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1235386	Soil	0.8	117.5	9.8	83	0.1	57.4	27.8	847	5.93	22.4	3.3	2.6	9	0.1	6.7	0.1	102	0.33	0.048	9
1235387	Soil	0.3	48.2	6.5	68	<0.1	37.0	19.2	655	3.58	10.1	1.3	1.4	9	0.2	0.8	<0.1	68	0.18	0.039	3
1235388	Soil	0.8	84.0	9.9	77	<0.1	45.5	23.1	617	4.87	15.7	1.8	2.4	7	0.1	1.9	0.3	86	0.12	0.031	7
1235389	Soil	0.3	93.7	8.1	83	<0.1	58.0	29.5	1008	5.79	13.3	2.0	1.8	7	0.2	0.9	<0.1	129	0.17	0.032	4
1235390	Soil	0.8	69.6	13.6	78	<0.1	46.1	23.0	730	4.92	12.7	0.6	2.3	10	<0.1	0.7	0.2	92	0.15	0.049	7
1235391	Soil	0.6	106.8	13.8	87	<0.1	56.7	28.4	966	5.48	20.1	4.2	2.2	11	0.2	3.0	0.1	114	0.31	0.052	6
1235392	Soil	1.4	165.1	18.8	92	0.1	70.3	36.4	820	5.57	81.4	7.8	3.0	11	0.2	3.2	0.4	75	0.17	0.071	12
1235393	Soil	1.0	65.7	13.4	69	<0.1	38.6	19.1	609	4.83	184.3	73.6	1.8	6	0.2	5.8	0.3	83	0.07	0.053	8
1235394	Soil	1.4	82.3	22.6	72	<0.1	41.0	18.1	569	5.23	222.3	79.1	2.7	7	0.2	3.7	0.4	93	0.09	0.058	12
1235395	Soil	0.9	118.4	18.0	89	0.2	55.1	29.7	907	5.50	76.7	17.1	3.7	11	0.1	11.7	0.3	93	0.20	0.063	20
1235396	Soil	0.9	173.6	21.2	105	0.2	77.9	42.8	1305	6.07	22.6	5.4	4.7	38	0.3	2.1	0.3	114	0.72	0.072	16
1235397	Soil	1.0	77.5	17.8	87	<0.1	57.3	27.5	795	5.01	32.7	3.1	3.4	9	0.2	3.6	0.3	82	0.13	0.046	11
1235398	Soil	1.3	70.4	20.9	88	0.1	46.1	26.5	1217	4.83	50.1	3.8	2.0	15	0.2	4.9	0.3	74	0.21	0.087	23
1235399	Soil	1.0	77.8	16.6	83	0.1	47.9	22.1	662	5.23	37.2	6.7	4.0	10	0.1	7.2	0.3	79	0.11	0.062	23
1235400	Soil	1.2	85.9	25.5	82	0.2	69.7	22.4	1021	5.01	36.3	2.2	3.1	21	0.2	43.5	0.3	50	0.28	0.074	45
1235401	Soil	0.7	114.2	24.9	100	0.1	69.3	31.6	882	6.17	61.0	12.2	9.5	16	0.1	7.5	0.3	63	0.20	0.057	28
1235402	Soil	1.1	108.7	24.9	103	0.3	61.1	29.0	1101	7.00	88.7	20.8	5.4	15	0.2	11.0	0.3	65	0.15	0.075	35
1235403	Soil	0.8	101.0	21.0	84	0.2	57.4	25.1	746	4.83	53.2	5.7	6.7	9	0.1	6.7	0.3	55	0.10	0.044	24
1235404	Soil	0.9	40.0	13.4	58	<0.1	28.0	12.7	413	3.58	23.6	3.7	1.3	7	0.2	1.7	0.2	86	0.11	0.064	8
1235405	Soil	1.0	206.5	41.5	120	0.2	104.5	54.1	1285	6.40	37.6	5.4	5.2	23	0.3	3.6	0.4	98	0.29	0.079	21
1235406	Soil	0.9	125.6	16.8	99	0.1	65.0	34.0	977	6.23	50.9	7.6	5.0	12	0.1	9.3	0.2	100	0.23	0.050	16
1235407	Soil	0.6	37.4	12.1	42	<0.1	20.3	9.9	422	3.32	38.9	16.7	0.7	6	0.1	1.1	0.2	58	0.07	0.067	7
1235408	Soil	0.7	177.1	20.5	95	0.4	71.2	36.0	1002	7.05	3425	1765	5.6	32	0.1	52.8	0.3	53	0.23	0.053	24
1235409	Soil	0.9	160.6	20.3	97	0.2	60.0	32.4	851	5.58	213.9	31.4	2.9	13	0.1	5.9	0.3	75	0.28	0.082	13
1235410	Soil	0.7	129.3	19.4	98	<0.1	53.2	32.3	838	5.27	42.1	8.8	1.9	15	0.1	1.8	0.3	91	0.33	0.078	10
1235411	Soil	1.6	102.9	15.9	76	0.1	33.9	17.0	459	3.90	14.2	2.7	0.9	13	<0.1	1.1	0.2	68	0.16	0.102	10
1235412	Soil	1.0	97.8	11.8	79	0.2	45.8	24.4	757	4.38	14.1	2.4	1.5	12	0.2	1.1	0.2	92	0.24	0.072	8
1235413	Soil	0.8	128.9	12.1	94	0.1	45.9	28.8	1274	4.70	24.9	2.5	1.2	17	0.3	2.0	0.1	96	0.60	0.079	8
1235414	Soil	2.4	208.3	15.0	102	0.3	105.6	50.4	1327	4.99	15.4	4.7	2.3	35	0.2	0.7	0.2	118	0.46	0.060	9
1236351	Soil	0.9	117.7	20.0	80	0.1	54.6	28.7	776	5.22	1307	395.4	2.9	15	<0.1	80.4	0.2	73	0.13	0.042	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1235386	Soil	80	1.63	97	0.102	<1	2.87	0.005	0.40	<0.1	0.04	5.3	0.3	<0.05	8	<0.5	<0.2
1235387	Soil	56	1.15	48	0.164	<1	1.95	0.004	0.11	0.1	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2
1235388	Soil	55	1.14	80	0.155	1	2.31	0.004	0.31	0.1	0.02	2.8	0.2	<0.05	8	<0.5	<0.2
1235389	Soil	90	1.79	117	0.133	<1	3.04	0.008	0.35	<0.1	0.02	4.7	0.3	<0.05	9	<0.5	<0.2
1235390	Soil	60	1.35	111	0.110	1	2.49	0.005	0.21	0.1	0.03	3.9	0.2	<0.05	8	<0.5	<0.2
1235391	Soil	85	1.83	101	0.104	1	3.08	0.009	0.21	<0.1	0.03	3.7	0.2	<0.05	9	<0.5	<0.2
1235392	Soil	56	1.20	114	0.093	2	2.70	0.009	0.29	<0.1	0.04	4.1	0.2	<0.05	8	0.6	<0.2
1235393	Soil	50	1.01	58	0.099	1	2.44	0.004	0.13	0.1	0.04	3.3	0.2	<0.05	8	0.6	<0.2
1235394	Soil	56	1.15	108	0.078	1	2.94	0.005	0.21	0.1	0.04	4.8	0.2	<0.05	10	<0.5	<0.2
1235395	Soil	61	1.25	124	0.066	1	2.75	0.008	0.25	0.1	0.05	6.1	0.3	<0.05	8	<0.5	<0.2
1235396	Soil	76	1.58	194	0.122	2	4.24	0.091	0.62	0.2	0.03	8.0	0.3	<0.05	11	<0.5	<0.2
1235397	Soil	101	1.25	100	0.099	1	2.40	0.004	0.24	0.2	0.04	3.9	0.2	<0.05	7	<0.5	<0.2
1235398	Soil	66	1.01	168	0.044	2	2.21	0.007	0.16	0.1	0.06	3.2	0.2	<0.05	7	<0.5	<0.2
1235399	Soil	66	1.20	99	0.083	1	2.25	0.005	0.22	0.1	0.04	3.6	0.2	<0.05	7	<0.5	<0.2
1235400	Soil	69	0.76	146	0.033	4	1.36	0.005	0.19	0.1	0.04	4.7	0.2	<0.05	4	<0.5	<0.2
1235401	Soil	71	1.28	100	0.101	1	2.48	0.006	0.32	0.2	0.03	5.0	0.3	<0.05	7	<0.5	<0.2
1235402	Soil	54	1.02	130	0.050	2	2.14	0.005	0.23	0.2	0.04	4.9	0.2	<0.05	6	<0.5	<0.2
1235403	Soil	51	1.02	92	0.065	1	1.94	0.004	0.22	<0.1	0.04	3.6	0.2	<0.05	5	<0.5	<0.2
1235404	Soil	47	0.74	61	0.109	1	1.61	0.004	0.16	<0.1	0.04	2.5	<0.1	0.06	7	<0.5	<0.2
1235405	Soil	110	1.62	158	0.098	<1	3.29	0.016	0.35	<0.1	0.04	6.8	0.3	<0.05	9	<0.5	<0.2
1235406	Soil	73	1.58	119	0.092	1	3.20	0.007	0.27	0.1	0.03	6.8	0.3	<0.05	9	<0.5	<0.2
1235407	Soil	34	0.67	61	0.070	1	1.75	0.006	0.10	0.1	0.08	2.6	0.1	<0.05	7	<0.5	<0.2
1235408	Soil	42	0.87	124	0.047	1	1.77	0.008	0.25	0.1	0.04	6.4	0.2	0.08	5	<0.5	<0.2
1235409	Soil	58	1.30	115	0.064	1	2.76	0.011	0.22	<0.1	0.04	4.6	0.2	0.05	8	<0.5	<0.2
1235410	Soil	61	1.24	159	0.080	2	2.73	0.009	0.20	0.1	0.04	4.1	0.3	0.05	9	<0.5	<0.2
1235411	Soil	41	0.73	141	0.060	2	2.08	0.007	0.13	0.2	0.04	2.4	0.2	0.08	7	<0.5	<0.2
1235412	Soil	61	0.96	143	0.101	2	2.49	0.012	0.24	0.1	0.05	3.6	0.2	0.05	8	<0.5	<0.2
1235413	Soil	72	1.36	133	0.063	2	2.55	0.007	0.16	0.1	0.05	3.3	0.1	0.06	6	<0.5	<0.2
1235414	Soil	76	1.05	126	0.138	<1	2.88	0.029	0.32	<0.1	0.06	4.4	0.3	<0.05	8	<0.5	<0.2
1236351	Soil	53	1.16	127	0.060	1	2.35	0.005	0.17	0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236352	Soil	1.1	134.4	23.6	63	0.5	56.1	27.6	665	4.98	2987	1783	4.4	16	<0.1	181.6	0.2	53	0.08	0.030	15
1236801	Soil	0.7	38.7	14.7	55	<0.1	16.5	7.2	186	2.68	17.8	6.7	10.7	8	<0.1	1.9	0.7	23	0.04	0.024	29
1236802	Soil	1.2	23.5	17.8	59	<0.1	21.3	12.3	236	2.97	26.3	6.4	10.2	9	0.1	2.2	0.6	33	0.07	0.040	19
1236803	Soil	0.7	38.7	16.1	60	<0.1	18.1	8.6	212	3.01	15.1	1.6	11.9	7	<0.1	1.4	0.7	25	0.03	0.023	29
1236804	Soil	0.7	38.4	16.3	57	0.1	16.9	9.2	222	2.96	16.8	4.0	12.6	8	<0.1	1.2	0.8	22	0.04	0.031	22
1236805	Soil	0.7	33.7	16.7	47	<0.1	19.9	12.3	216	2.63	17.8	3.0	9.2	8	<0.1	1.8	0.7	24	0.06	0.033	21
1236806	Soil	1.6	28.0	16.7	50	<0.1	18.3	8.1	195	2.63	16.8	1.8	6.2	10	0.1	1.2	0.4	51	0.07	0.028	19
1236807	Soil	1.4	33.5	20.1	59	0.2	24.9	11.4	225	3.38	24.4	2.8	9.3	8	0.1	1.9	1.0	36	0.04	0.036	19
1236808	Soil	0.5	30.0	11.3	47	<0.1	17.6	8.2	218	2.43	19.5	2.8	6.8	7	<0.1	3.9	0.5	30	0.08	0.031	21
1236809	Soil	0.9	55.3	22.3	92	0.1	36.1	18.0	400	3.19	25.9	3.4	10.9	17	0.2	1.8	0.6	46	0.15	0.061	24
1236810	Soil	1.3	33.2	15.9	56	0.2	21.0	9.5	224	2.75	17.7	3.4	3.6	14	<0.1	1.5	0.4	48	0.14	0.071	23
1236811	Soil	0.5	45.4	15.2	62	<0.1	24.8	14.1	375	2.94	24.5	9.0	8.9	10	<0.1	2.6	0.5	33	0.12	0.046	39
1236812	Soil	0.7	32.3	13.0	46	<0.1	18.9	9.2	260	2.57	22.1	5.7	4.5	7	0.2	2.1	0.7	34	0.09	0.037	21
1236813	Soil	0.7	40.4	13.3	54	<0.1	22.8	12.6	317	2.64	21.5	4.2	8.1	8	0.2	2.8	0.8	32	0.08	0.033	24
1236814	Soil	0.8	30.0	12.1	45	<0.1	17.7	7.3	219	2.45	19.9	2.6	5.5	8	0.2	2.6	0.8	30	0.07	0.034	19
1236815	Soil	0.7	28.8	13.6	47	0.1	17.3	6.9	185	2.53	17.5	2.1	3.6	8	<0.1	2.3	0.6	31	0.07	0.043	18
1236816	Soil	1.1	43.4	17.8	65	<0.1	15.7	7.0	178	3.17	9.5	2.3	14.0	11	<0.1	0.9	0.5	19	0.03	0.025	29
1236817	Soil	1.7	62.1	21.0	67	<0.1	47.2	24.3	283	3.65	26.4	5.6	12.6	10	0.1	1.9	0.8	53	0.05	0.037	33
1236818	Soil	1.1	38.9	16.5	74	<0.1	13.9	8.3	222	3.56	9.7	1.8	16.6	8	<0.1	0.8	0.5	19	0.02	0.027	21
1236819	Soil	0.8	37.2	16.2	57	<0.1	17.7	10.3	233	3.03	12.7	4.2	12.1	7	<0.1	1.2	0.5	22	0.04	0.029	26
1236820	Soil	0.8	46.0	18.1	63	<0.1	21.6	11.0	272	3.09	16.5	1.0	13.1	13	<0.1	1.5	0.6	25	0.06	0.028	27
1236821	Soil	0.6	32.3	12.6	51	<0.1	17.0	8.8	234	2.49	14.8	1.7	10.0	7	<0.1	1.2	0.6	24	0.05	0.022	22
1236822	Soil	0.8	33.2	14.7	56	<0.1	15.6	7.5	218	2.79	11.8	2.6	11.0	7	<0.1	1.1	0.5	22	0.03	0.024	26
1236823	Soil	1.5	14.1	20.5	35	<0.1	12.6	4.4	132	2.45	13.6	2.0	1.3	10	<0.1	0.8	0.3	43	0.07	0.048	20
1236824	Soil	0.9	33.9	15.2	57	<0.1	17.8	8.9	222	2.82	12.1	1.7	10.7	6	<0.1	1.3	0.6	25	0.03	0.027	26
1236825	Soil	1.2	32.8	18.6	57	0.1	17.7	7.5	218	2.77	13.7	3.3	2.0	10	<0.1	1.3	0.5	33	0.07	0.066	22
1236826	Soil	1.1	29.5	19.9	67	0.1	19.2	7.9	212	2.35	32.4	14.9	7.8	15	0.1	2.6	0.4	28	0.16	0.045	27
1236827	Soil	0.9	30.3	26.3	53	0.1	15.1	10.4	277	2.83	10.4	8.6	6.3	9	<0.1	1.5	0.4	15	0.03	0.041	44
1236828	Soil	0.7	11.2	13.2	65	0.2	23.2	14.3	1208	2.54	201.5	129.8	3.2	6	0.4	5.7	0.5	13	0.02	0.034	18
1236829	Soil	1.5	21.3	17.8	78	<0.1	21.4	9.5	302	2.73	24.8	8.8	4.4	13	0.2	1.7	0.3	42	0.13	0.075	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236352	Soil	42	0.98	82	0.068	1	1.85	0.006	0.20	<0.1	0.03	3.5	0.1	0.12	5	<0.5	<0.2
1236801	Soil	20	0.50	97	0.025	<1	1.33	0.004	0.08	0.2	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
1236802	Soil	26	0.53	108	0.027	<1	1.82	0.005	0.07	0.4	0.02	2.1	0.1	<0.05	4	<0.5	<0.2
1236803	Soil	23	0.55	104	0.027	<1	1.60	0.005	0.07	0.2	0.01	1.8	0.1	<0.05	4	<0.5	<0.2
1236804	Soil	22	0.52	93	0.022	1	1.49	0.006	0.08	0.2	0.02	1.5	<0.1	<0.05	4	<0.5	<0.2
1236805	Soil	20	0.44	77	0.025	1	1.47	0.006	0.08	0.2	0.03	1.4	<0.1	<0.05	4	<0.5	<0.2
1236806	Soil	25	0.38	176	0.022	1	2.03	0.006	0.06	0.2	0.04	2.1	0.2	<0.05	5	<0.5	<0.2
1236807	Soil	27	0.48	121	0.023	2	2.04	0.005	0.09	1.2	0.03	2.0	0.1	<0.05	5	<0.5	<0.2
1236808	Soil	22	0.53	102	0.047	<1	1.34	0.004	0.09	0.2	0.02	1.8	<0.1	<0.05	4	<0.5	<0.2
1236809	Soil	32	0.58	178	0.043	2	2.20	0.010	0.11	0.4	0.02	2.7	0.2	<0.05	5	<0.5	<0.2
1236810	Soil	29	0.51	187	0.028	2	1.66	0.006	0.06	0.3	0.05	2.4	0.1	<0.05	5	<0.5	<0.2
1236811	Soil	25	0.66	150	0.057	2	1.47	0.005	0.09	0.3	0.02	2.5	0.1	<0.05	4	<0.5	<0.2
1236812	Soil	24	0.52	79	0.042	1	1.33	0.004	0.09	0.3	0.02	1.8	<0.1	<0.05	4	<0.5	<0.2
1236813	Soil	24	0.56	96	0.051	1	1.43	0.005	0.10	0.2	0.03	2.2	0.1	<0.05	4	<0.5	<0.2
1236814	Soil	22	0.49	90	0.035	<1	1.27	0.004	0.09	0.3	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
1236815	Soil	24	0.49	84	0.024	1	1.42	0.004	0.07	0.3	0.02	1.5	0.1	<0.05	4	<0.5	<0.2
1236816	Soil	22	0.59	81	0.018	<1	1.36	0.007	0.09	0.2	<0.01	1.7	<0.1	<0.05	4	<0.5	<0.2
1236817	Soil	36	0.56	173	0.039	2	2.21	0.007	0.13	0.4	0.05	3.5	0.2	<0.05	5	0.7	<0.2
1236818	Soil	23	0.70	82	0.019	<1	1.58	0.007	0.06	0.1	0.01	1.9	<0.1	<0.05	4	<0.5	<0.2
1236819	Soil	21	0.56	87	0.034	<1	1.32	0.006	0.09	0.2	0.01	2.0	<0.1	<0.05	4	<0.5	<0.2
1236820	Soil	23	0.60	145	0.036	1	1.42	0.009	0.13	0.2	<0.01	2.1	<0.1	<0.05	4	<0.5	<0.2
1236821	Soil	20	0.54	85	0.049	1	1.36	0.006	0.10	0.3	0.01	2.1	<0.1	<0.05	3	<0.5	<0.2
1236822	Soil	20	0.55	83	0.025	<1	1.35	0.004	0.08	0.2	0.01	1.6	<0.1	<0.05	3	<0.5	<0.2
1236823	Soil	23	0.33	69	0.015	<1	1.52	0.005	0.04	0.3	0.04	0.9	0.1	<0.05	5	<0.5	<0.2
1236824	Soil	22	0.57	93	0.032	<1	1.47	0.006	0.11	0.2	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2
1236825	Soil	23	0.52	97	0.013	<1	1.53	0.005	0.07	0.2	0.04	1.0	0.1	<0.05	4	0.5	<0.2
1236826	Soil	16	0.25	204	0.013	1	0.93	0.005	0.08	0.3	0.03	2.4	0.1	<0.05	3	<0.5	<0.2
1236827	Soil	10	0.18	84	0.008	1	0.72	0.004	0.11	0.1	0.03	1.2	0.2	<0.05	2	<0.5	<0.2
1236828	Soil	8	0.07	106	0.005	1	0.52	0.004	0.08	0.2	0.03	1.2	0.1	<0.05	1	<0.5	<0.2
1236829	Soil	22	0.39	109	0.026	1	1.32	0.007	0.08	0.3	0.05	2.0	0.1	<0.05	3	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236830	Soil	0.6	17.0	31.3	98	<0.1	13.7	9.0	630	1.88	20.3	4.8	12.2	4	0.4	2.0	0.3	7	0.02	0.029	28
1236831	Soil	1.0	80.0	24.5	82	0.2	56.6	25.4	977	5.04	95.6	7.3	4.3	8	0.2	26.5	0.3	48	0.09	0.049	19
1236832	Soil	0.9	74.9	19.8	74	0.1	56.9	23.1	668	4.86	25.6	3.9	4.1	8	0.1	5.0	0.3	66	0.09	0.036	14
1236833	Soil	0.9	71.6	18.7	75	<0.1	49.8	23.1	749	4.87	20.9	2.1	4.4	8	0.1	10.0	0.2	64	0.10	0.039	14
1236834	Soil	0.9	87.6	26.4	69	<0.1	56.2	23.8	587	4.17	28.7	2.6	4.3	7	0.2	3.9	0.3	60	0.08	0.030	12
1236835	Soil	0.8	91.5	16.9	76	0.1	47.3	23.0	657	5.12	22.9	2.3	3.8	8	0.1	4.9	0.3	67	0.10	0.038	13
1236836	Soil	1.0	71.3	19.3	78	0.1	59.0	25.4	735	4.95	22.0	5.6	3.7	8	0.2	2.6	0.3	76	0.08	0.035	11
1236837	Soil	0.8	91.5	20.8	77	0.1	48.0	22.8	626	4.64	23.6	2.0	3.8	7	0.2	2.4	0.3	77	0.09	0.033	12
1236838	Soil	0.7	110.3	19.2	72	<0.1	55.5	24.6	623	4.91	33.1	4.6	4.3	7	0.1	3.6	0.3	71	0.10	0.029	12
1236839	Soil	0.9	72.4	16.8	69	<0.1	40.8	19.3	592	4.39	23.3	1.9	3.3	7	<0.1	2.4	0.3	75	0.09	0.033	10
1236840	Soil	0.6	106.1	21.1	74	<0.1	58.3	29.6	800	5.17	24.1	2.6	5.1	7	<0.1	4.8	0.3	87	0.12	0.029	13
1236841	Soil	0.8	79.0	17.9	69	<0.1	43.6	21.8	639	4.42	28.6	3.8	3.4	7	0.1	3.4	0.2	66	0.11	0.032	10
1236842	Soil	0.7	79.6	15.0	70	<0.1	45.3	21.8	600	4.55	29.1	4.6	3.1	10	0.1	2.4	0.2	72	0.12	0.034	9
1236843	Soil	0.8	99.7	20.1	70	<0.1	50.0	24.5	636	4.62	32.2	3.7	3.9	7	0.1	4.1	0.3	69	0.10	0.031	11
1236844	Soil	0.8	91.8	16.0	67	<0.1	46.7	22.2	589	4.50	39.6	5.0	3.5	7	<0.1	4.6	0.2	71	0.10	0.028	10
1236845	Soil	0.7	90.3	17.5	67	<0.1	44.6	23.3	602	4.23	35.0	3.0	3.2	8	0.1	3.7	0.2	64	0.11	0.032	9
1236846	Soil	0.8	103.0	18.2	75	0.2	54.3	24.3	635	4.92	36.9	3.0	3.4	9	0.1	3.4	0.3	78	0.15	0.033	14
1236847	Soil	0.9	64.9	15.0	66	0.1	38.3	19.5	662	4.25	27.0	2.3	2.0	7	0.1	2.5	0.2	68	0.09	0.049	9
1236848	Soil	1.3	109.7	20.5	83	<0.1	57.8	27.3	721	5.16	35.3	4.3	3.0	9	0.1	2.8	0.3	77	0.11	0.037	10
1236849	Soil	0.9	130.1	18.7	82	<0.1	80.4	32.6	974	4.92	25.7	3.6	2.9	6	0.2	2.9	0.3	78	0.07	0.035	8
1236850	Soil	0.9	93.4	11.2	67	<0.1	43.2	22.6	607	4.07	35.5	3.9	2.2	6	0.2	2.8	0.2	66	0.07	0.035	8
1236851	Soil	0.7	90.8	12.7	71	<0.1	50.2	23.4	668	5.07	20.9	2.7	2.2	7	0.1	1.8	0.2	85	0.12	0.034	7
1236852	Soil	1.1	98.7	16.1	72	<0.1	47.3	21.9	624	5.06	340.6	132.6	2.1	8	0.1	16.5	0.2	85	0.08	0.033	9
1236853	Soil	1.0	87.4	13.6	75	<0.1	47.1	21.4	603	4.87	31.9	0.7	2.3	8	0.1	2.8	0.2	81	0.10	0.036	10
1236854	Soil	1.2	80.9	13.5	67	0.1	42.2	19.8	580	4.77	25.0	2.3	1.7	6	0.2	2.1	0.2	88	0.07	0.043	7
1236855	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1236856	Soil	0.9	102.3	16.0	74	<0.1	53.8	27.4	942	4.94	38.4	4.1	2.7	7	0.1	2.5	0.2	79	0.10	0.036	8
1236857	Soil	0.7	106.0	14.8	73	<0.1	54.7	26.1	676	5.06	39.1	3.9	2.7	7	0.1	2.8	0.2	82	0.10	0.032	8
1236858	Soil	1.1	67.0	13.0	66	<0.1	40.2	19.8	585	4.69	39.9	4.9	1.7	7	<0.1	2.3	0.2	82	0.08	0.042	7
1236859	Soil	1.1	118.3	15.0	74	<0.1	58.2	27.4	588	4.76	33.1	3.6	2.7	7	0.1	2.5	0.2	72	0.08	0.030	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236830	Soil	6	0.07	51	0.004	2	0.45	0.003	0.09	<0.1	0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2
1236831	Soil	45	0.54	80	0.049	1	1.19	0.004	0.14	0.1	0.06	3.5	0.1	<0.05	4	<0.5	<0.2
1236832	Soil	84	1.07	75	0.078	<1	1.89	0.005	0.16	<0.1	0.03	3.5	0.2	<0.05	6	<0.5	<0.2
1236833	Soil	58	0.95	82	0.084	1	1.84	0.004	0.17	<0.1	0.03	3.6	0.2	<0.05	6	<0.5	<0.2
1236834	Soil	74	0.94	61	0.110	<1	1.86	0.007	0.20	0.1	0.02	2.8	0.2	<0.05	6	<0.5	<0.2
1236835	Soil	48	1.10	77	0.153	1	2.28	0.004	0.23	<0.1	0.03	3.3	0.2	<0.05	7	<0.5	<0.2
1236836	Soil	92	1.22	62	0.153	<1	2.26	0.005	0.19	<0.1	0.04	3.1	0.2	<0.05	7	<0.5	<0.2
1236837	Soil	51	1.07	69	0.123	<1	2.23	0.004	0.18	0.1	0.03	3.4	0.2	<0.05	6	<0.5	<0.2
1236838	Soil	55	1.20	68	0.120	<1	2.42	0.004	0.21	0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2
1236839	Soil	52	1.00	62	0.127	<1	2.04	0.004	0.18	<0.1	0.05	2.9	0.2	<0.05	6	<0.5	<0.2
1236840	Soil	66	1.36	84	0.138	<1	2.57	0.004	0.31	<0.1	0.02	4.5	0.2	<0.05	7	<0.5	<0.2
1236841	Soil	45	1.03	65	0.118	<1	2.04	0.004	0.19	0.1	0.03	2.8	0.1	<0.05	6	<0.5	<0.2
1236842	Soil	53	1.05	72	0.142	<1	2.04	0.005	0.20	0.1	0.03	3.0	0.2	<0.05	6	<0.5	<0.2
1236843	Soil	48	1.03	68	0.114	<1	2.16	0.004	0.17	0.1	0.01	3.0	0.2	<0.05	6	<0.5	<0.2
1236844	Soil	47	1.07	67	0.124	<1	2.11	0.004	0.18	<0.1	0.02	3.0	0.2	<0.05	6	<0.5	<0.2
1236845	Soil	45	1.01	73	0.106	1	1.96	0.004	0.18	<0.1	0.04	2.7	0.1	<0.05	6	<0.5	<0.2
1236846	Soil	55	1.15	85	0.131	<1	2.31	0.004	0.20	0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2
1236847	Soil	46	0.95	73	0.121	<1	2.08	0.005	0.15	<0.1	0.03	2.6	0.1	0.05	7	<0.5	<0.2
1236848	Soil	54	1.17	81	0.105	2	2.44	0.005	0.20	0.1	0.02	3.0	0.2	<0.05	7	<0.5	<0.2
1236849	Soil	56	1.10	90	0.092	<1	2.45	0.004	0.27	0.1	0.01	3.4	0.2	<0.05	7	<0.5	<0.2
1236850	Soil	47	1.01	65	0.085	2	2.05	0.006	0.16	0.1	0.02	2.5	0.2	<0.05	6	<0.5	<0.2
1236851	Soil	61	1.28	76	0.111	<1	2.56	0.004	0.21	<0.1	0.01	3.0	0.2	<0.05	7	<0.5	<0.2
1236852	Soil	58	1.13	97	0.116	<1	2.50	0.004	0.17	<0.1	0.02	3.0	0.2	<0.05	8	<0.5	<0.2
1236853	Soil	54	1.13	101	0.091	2	2.34	0.005	0.15	0.1	0.02	2.9	0.2	<0.05	7	<0.5	<0.2
1236854	Soil	56	1.03	66	0.132	1	2.19	0.004	0.14	0.1	0.03	2.8	0.1	<0.05	8	<0.5	<0.2
1236855	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1236856	Soil	54	1.11	79	0.124	1	2.30	0.005	0.18	0.1	0.02	3.1	0.2	<0.05	7	<0.5	<0.2
1236857	Soil	56	1.22	79	0.134	<1	2.46	0.004	0.21	0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2
1236858	Soil	53	1.03	62	0.133	<1	2.00	0.004	0.14	<0.1	0.03	2.4	0.1	<0.05	7	<0.5	<0.2
1236859	Soil	50	1.06	75	0.106	<1	2.12	0.004	0.19	<0.1	0.02	2.9	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236860 Soil	1.0	100.6	13.9	75	<0.1	48.8	23.4	620	5.17	31.1	3.0	2.3	7	0.1	1.7	0.2	87	0.09	0.036	7
1236861 Soil	1.2	109.3	15.6	73	<0.1	51.0	26.4	645	5.00	33.2	4.6	2.6	7	0.1	1.8	0.2	77	0.09	0.033	8
1236862 Soil	1.1	105.2	15.2	70	<0.1	46.4	22.3	572	4.54	39.3	4.8	2.5	8	0.2	2.0	0.2	71	0.09	0.038	9
1236863 Soil	1.1	118.1	14.4	74	<0.1	56.8	29.5	644	5.08	34.0	7.7	2.7	7	0.1	1.9	0.2	80	0.10	0.027	9
1236864 Soil	1.0	98.3	14.1	74	<0.1	53.3	26.1	716	5.13	33.4	4.1	2.5	7	0.2	1.9	0.2	82	0.10	0.033	7
1236865 Soil	1.0	131.7	14.7	73	<0.1	69.0	37.8	819	4.87	39.4	3.3	3.1	7	<0.1	2.3	0.2	71	0.08	0.031	9
1236866 Soil	1.3	85.5	15.0	79	<0.1	47.3	23.3	697	5.51	34.8	4.8	2.2	8	0.1	1.9	0.2	93	0.10	0.044	7
1236867 Soil	1.0	100.8	16.7	69	<0.1	53.6	27.8	667	4.73	30.8	3.0	2.7	8	0.1	1.9	0.2	75	0.09	0.028	8
1236868 Soil	1.3	87.9	16.6	63	<0.1	43.5	19.8	578	4.72	28.7	3.2	2.6	7	<0.1	1.7	0.3	71	0.08	0.040	9
1236869 Soil	1.0	118.2	16.8	75	<0.1	63.4	31.2	660	4.78	34.2	4.6	2.8	8	0.2	1.9	0.2	70	0.09	0.035	8
1236870 Soil	1.1	88.8	16.3	74	0.1	49.0	24.1	689	5.05	43.2	3.9	2.4	9	0.1	1.5	0.2	83	0.13	0.046	8
1236871 Soil	1.0	113.8	17.6	70	<0.1	60.3	31.3	762	4.66	55.6	4.3	2.9	9	<0.1	2.2	0.2	70	0.07	0.032	8
1236872 Soil	1.2	104.6	18.0	74	0.1	63.3	32.5	1215	5.10	40.9	4.7	2.7	12	0.2	1.5	0.2	80	0.23	0.043	9
1236873 Soil	1.2	70.3	17.2	76	0.1	47.6	22.6	674	5.11	35.0	2.9	1.9	7	0.1	1.3	0.2	87	0.11	0.038	6
1236874 Soil	1.4	144.2	22.6	81	0.2	63.2	34.7	984	5.53	60.7	5.2	3.1	11	0.2	2.2	0.3	76	0.15	0.043	11
1236875 Soil	1.2	83.2	14.3	67	<0.1	45.2	21.7	562	4.40	45.6	3.4	2.5	6	0.1	1.5	0.2	72	0.07	0.028	7
1236876 Soil	1.6	99.4	18.2	69	0.1	47.8	23.1	690	4.99	65.5	5.7	2.9	8	<0.1	2.4	0.3	74	0.08	0.037	9
1236877 Soil	1.2	96.3	15.6	76	<0.1	54.8	28.6	752	4.96	62.8	3.0	2.5	7	0.1	2.4	0.2	82	0.12	0.032	8
1236878 Soil	1.4	91.5	17.0	76	<0.1	50.7	25.2	717	5.11	76.3	7.1	2.7	7	<0.1	2.5	0.3	80	0.08	0.035	7
1236879 Soil	1.2	112.9	15.2	64	<0.1	62.1	33.1	693	4.24	56.7	10.4	2.9	7	<0.1	2.8	0.2	64	0.07	0.030	8
1236880 Soil	1.4	75.7	14.9	66	<0.1	41.9	21.4	612	5.06	64.5	4.5	2.7	6	0.1	2.5	0.3	80	0.08	0.031	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001833.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236860	Soil	56	1.22	70	0.149	1	2.47	0.005	0.18	<0.1	0.03	2.9	0.2	<0.05	8	<0.5	<0.2
1236861	Soil	52	1.12	67	0.144	<1	2.21	0.005	0.19	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2
1236862	Soil	49	1.05	68	0.120	1	2.08	0.006	0.16	<0.1	0.02	2.5	0.1	<0.05	6	<0.5	<0.2
1236863	Soil	56	1.18	69	0.129	<1	2.32	0.004	0.18	<0.1	0.02	2.7	0.1	<0.05	7	<0.5	<0.2
1236864	Soil	57	1.25	74	0.123	1	2.33	0.004	0.18	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2
1236865	Soil	51	1.09	70	0.100	1	2.20	0.005	0.19	0.1	0.01	2.7	0.2	<0.05	6	<0.5	<0.2
1236866	Soil	60	1.21	83	0.165	<1	2.39	0.005	0.19	0.1	0.03	2.7	0.2	<0.05	9	<0.5	<0.2
1236867	Soil	51	1.10	67	0.130	<1	2.18	0.005	0.18	<0.1	0.01	2.5	0.1	<0.05	7	<0.5	<0.2
1236868	Soil	45	0.98	60	0.164	<1	1.95	0.006	0.15	<0.1	0.02	2.2	0.1	<0.05	6	<0.5	<0.2
1236869	Soil	50	1.03	73	0.116	1	2.05	0.005	0.18	<0.1	0.03	2.5	0.1	<0.05	6	<0.5	<0.2
1236870	Soil	56	1.14	95	0.136	1	2.22	0.006	0.19	0.1	0.05	2.7	0.2	<0.05	7	<0.5	<0.2
1236871	Soil	49	1.06	77	0.100	<1	2.14	0.005	0.19	0.1	0.02	2.7	0.2	<0.05	6	<0.5	<0.2
1236872	Soil	55	1.10	117	0.121	<1	2.40	0.007	0.18	0.1	0.02	3.1	0.2	<0.05	7	<0.5	<0.2
1236873	Soil	59	1.18	68	0.143	1	2.30	0.004	0.17	0.1	0.04	2.4	0.1	<0.05	8	<0.5	<0.2
1236874	Soil	55	1.08	105	0.111	<1	2.37	0.008	0.19	<0.1	0.03	3.1	0.2	<0.05	7	<0.5	<0.2
1236875	Soil	48	0.99	64	0.101	<1	2.04	0.004	0.18	0.1	0.02	2.5	0.2	<0.05	6	<0.5	<0.2
1236876	Soil	48	0.89	80	0.118	<1	2.06	0.006	0.15	0.1	0.02	2.6	0.1	<0.05	7	<0.5	<0.2
1236877	Soil	56	1.16	77	0.128	1	2.37	0.004	0.18	0.1	0.03	2.5	0.2	<0.05	7	<0.5	<0.2
1236878	Soil	53	1.09	81	0.129	<1	2.22	0.005	0.17	0.1	0.03	2.4	0.1	<0.05	7	<0.5	<0.2
1236879	Soil	45	0.97	70	0.082	<1	1.95	0.006	0.17	0.1	0.02	2.6	0.1	<0.05	5	<0.5	<0.2
1236880	Soil	51	1.08	60	0.173	<1	2.02	0.005	0.17	<0.1	0.02	2.5	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1235157	Soil	0.8	73.5	9.2	72	<0.1	40.7	20.4	537	5.08	44.6	4.4	2.4	5	0.1	3.0	0.2	96	0.09	0.027	7
REP 1235157	QC	0.7	71.4	8.9	69	<0.1	40.7	20.0	535	4.87	42.3	3.3	2.3	6	0.1	2.9	0.2	96	0.10	0.026	7
1235173	Soil	0.6	168.4	12.5	92	0.2	70.9	34.1	741	6.66	20.5	1.4	2.5	7	0.1	4.4	0.2	105	0.16	0.055	9
REP 1235173	QC	0.6	162.1	13.1	88	0.2	67.2	33.6	711	6.47	19.7	<0.5	2.5	7	0.1	4.3	0.2	99	0.15	0.051	9
1235200	Soil	0.9	85.1	18.4	69	<0.1	50.7	23.6	804	4.76	35.2	5.8	3.0	9	0.1	5.0	0.3	75	0.10	0.033	9
REP 1235200	QC	0.9	82.7	18.0	66	<0.1	48.5	23.1	769	4.57	35.0	3.1	3.0	9	0.1	5.1	0.2	72	0.09	0.031	9
1235215	Soil	0.8	94.5	9.3	72	0.3	40.0	18.5	420	4.21	106.5	13.2	3.0	8	<0.1	7.7	0.2	71	0.13	0.036	11
REP 1235215	QC	0.9	92.7	9.2	74	0.3	39.4	18.2	443	4.38	107.1	17.2	3.0	8	0.1	8.0	0.2	70	0.13	0.037	11
1235234	Soil	0.7	93.8	8.9	73	0.2	56.7	25.1	555	5.10	8.8	3.6	1.4	11	<0.1	0.5	0.2	104	0.16	0.055	5
REP 1235234	QC	0.7	96.6	8.9	74	0.2	56.9	25.6	546	5.25	9.2	2.1	1.4	11	<0.1	0.5	0.2	105	0.17	0.055	5
1235253	Soil	1.0	107.7	13.5	92	0.1	53.3	28.3	936	6.38	181.0	16.8	2.1	9	0.3	3.2	0.4	101	0.20	0.051	8
REP 1235253	QC	1.0	116.7	12.6	92	0.1	54.3	30.0	968	6.53	183.3	20.7	2.1	9	0.2	3.2	0.4	98	0.19	0.052	8
1235262	Soil	1.0	95.7	9.0	79	0.1	44.4	23.0	619	5.40	33.5	7.3	2.2	7	<0.1	1.2	0.2	91	0.15	0.043	6
REP 1235262	QC	0.9	93.3	8.8	79	0.2	45.0	22.4	603	5.35	33.2	5.6	2.1	7	<0.1	1.1	0.2	91	0.14	0.044	6
1235313	Soil	0.9	70.5	9.2	72	<0.1	43.6	21.4	553	5.12	36.1	3.9	2.4	5	0.2	2.8	0.2	104	0.11	0.036	6
REP 1235313	QC	0.8	71.0	9.9	76	<0.1	42.2	20.9	544	5.11	36.7	1.8	2.4	5	0.2	2.8	0.2	103	0.12	0.037	7
1235327	Soil	1.1	143.6	12.7	89	0.1	60.3	29.3	572	5.76	14.0	5.3	3.8	11	0.2	1.5	0.2	84	0.17	0.046	11
REP 1235327	QC	1.2	139.1	12.7	89	0.1	59.7	28.9	543	5.72	14.3	3.2	3.7	10	0.2	1.4	0.2	83	0.16	0.046	11
1235350	Soil	1.1	152.4	34.8	119	0.5	83.0	36.6	1065	6.96	131.6	8.4	9.4	16	0.1	15.3	0.4	80	0.19	0.077	34
REP 1235350	QC	1.1	151.1	35.1	118	0.5	81.5	36.9	1065	7.01	130.5	9.2	9.2	16	<0.1	15.2	0.3	78	0.20	0.072	34
1235371	Soil	0.4	151.0	5.0	88	0.1	67.1	33.9	717	6.37	19.2	4.4	1.6	7	0.1	1.3	0.2	119	0.21	0.040	4
REP 1235371	QC	0.4	148.4	5.0	90	0.1	62.7	33.5	692	6.14	18.6	3.3	1.6	7	0.2	1.2	0.1	117	0.21	0.038	4
1235385	Soil	0.6	102.6	8.1	87	<0.1	58.0	28.9	810	5.99	18.5	2.6	2.2	8	<0.1	2.4	0.1	106	0.23	0.030	5
REP 1235385	QC	0.6	102.4	7.9	85	<0.1	55.3	27.8	799	5.89	18.6	3.9	2.2	8	<0.1	2.2	0.1	103	0.22	0.029	5
1235392	Soil	1.4	165.1	18.8	92	0.1	70.3	36.4	820	5.57	81.4	7.8	3.0	11	0.2	3.2	0.4	75	0.17	0.071	12
REP 1235392	QC	1.1	171.2	19.1	94	0.1	71.2	37.3	824	5.57	81.0	4.4	3.1	11	0.2	3.4	0.4	75	0.18	0.071	11
1236811	Soil	0.5	45.4	15.2	62	<0.1	24.8	14.1	375	2.94	24.5	9.0	8.9	10	<0.1	2.6	0.5	33	0.12	0.046	39
REP 1236811	QC	0.6	45.5	15.0	62	<0.1	25.5	14.4	379	2.91	25.1	3.0	8.9	10	0.1	2.6	0.6	32	0.12	0.045	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001833.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1235157	Soil	56	1.25	74	0.175	<1	2.36	0.003	0.16	<0.1	0.02	2.6	0.1	<0.05	8	<0.5	<0.2
REP 1235157	QC	54	1.17	73	0.182	<1	2.21	0.003	0.16	<0.1	0.02	2.6	0.1	<0.05	7	<0.5	<0.2
1235173	Soil	76	1.79	84	0.122	<1	3.00	0.003	0.29	<0.1	0.02	4.6	0.2	<0.05	8	0.6	<0.2
REP 1235173	QC	73	1.76	82	0.119	<1	2.88	0.003	0.28	<0.1	0.02	4.3	0.2	<0.05	8	<0.5	<0.2
1235200	Soil	51	1.09	73	0.139	<1	2.07	0.004	0.19	0.1	0.02	2.8	0.1	<0.05	7	<0.5	<0.2
REP 1235200	QC	50	1.04	73	0.132	<1	2.01	0.004	0.19	<0.1	0.02	2.7	0.1	<0.05	7	<0.5	<0.2
1235215	Soil	50	1.06	112	0.054	<1	2.08	0.004	0.14	<0.1	0.02	3.2	0.2	<0.05	6	<0.5	<0.2
REP 1235215	QC	50	1.11	112	0.052	1	2.14	0.004	0.15	0.1	0.02	3.3	0.2	<0.05	6	<0.5	<0.2
1235234	Soil	80	1.55	96	0.132	<1	2.65	0.004	0.34	<0.1	0.02	2.8	0.2	0.05	8	<0.5	<0.2
REP 1235234	QC	80	1.56	97	0.139	<1	2.76	0.004	0.35	<0.1	0.03	3.0	0.2	0.06	8	<0.5	<0.2
1235253	Soil	70	1.50	123	0.135	1	2.97	0.005	0.33	<0.1	0.03	4.1	0.3	<0.05	9	<0.5	<0.2
REP 1235253	QC	69	1.43	121	0.131	<1	2.87	0.004	0.33	<0.1	0.03	4.0	0.2	<0.05	9	<0.5	<0.2
1235262	Soil	64	1.49	103	0.112	1	2.60	0.004	0.18	0.1	0.02	2.8	0.2	<0.05	7	<0.5	<0.2
REP 1235262	QC	62	1.49	99	0.111	<1	2.62	0.004	0.18	0.1	0.02	2.7	0.2	<0.05	8	0.6	<0.2
1235313	Soil	67	1.26	99	0.176	<1	2.17	0.004	0.26	<0.1	0.03	2.2	0.1	<0.05	7	<0.5	<0.2
REP 1235313	QC	68	1.34	102	0.191	1	2.36	0.004	0.25	<0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2
1235327	Soil	58	1.35	104	0.134	1	2.43	0.006	0.28	<0.1	0.02	3.7	0.2	<0.05	7	<0.5	<0.2
REP 1235327	QC	57	1.33	105	0.130	<1	2.41	0.006	0.27	<0.1	0.02	3.7	0.2	<0.05	7	<0.5	<0.2
1235350	Soil	88	1.48	152	0.085	2	3.12	0.005	0.33	<0.1	0.05	5.1	0.5	<0.05	9	<0.5	<0.2
REP 1235350	QC	86	1.47	152	0.084	2	3.12	0.005	0.33	<0.1	0.05	5.1	0.4	<0.05	9	<0.5	<0.2
1235371	Soil	86	2.03	86	0.146	1	3.21	0.004	0.42	<0.1	0.02	2.9	0.2	<0.05	9	<0.5	<0.2
REP 1235371	QC	83	1.90	87	0.151	1	3.02	0.005	0.41	<0.1	0.01	3.0	0.2	<0.05	8	<0.5	<0.2
1235385	Soil	81	1.74	106	0.149	<1	3.07	0.005	0.41	<0.1	0.01	3.1	0.2	<0.05	8	<0.5	<0.2
REP 1235385	QC	78	1.74	104	0.138	<1	2.92	0.005	0.41	0.1	0.01	3.3	0.2	<0.05	8	<0.5	<0.2
1235392	Soil	56	1.20	114	0.093	2	2.70	0.009	0.29	<0.1	0.04	4.1	0.2	<0.05	8	0.6	<0.2
REP 1235392	QC	56	1.20	111	0.110	2	2.73	0.009	0.31	0.2	0.04	4.4	0.2	<0.05	8	0.5	<0.2
1236811	Soil	25	0.66	150	0.057	2	1.47	0.005	0.09	0.3	0.02	2.5	0.1	<0.05	4	<0.5	<0.2
REP 1236811	QC	25	0.65	143	0.057	<1	1.43	0.005	0.09	0.3	0.03	2.4	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001833.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
1236814	Soil	0.8	30.0	12.1	45	<0.1	17.7	7.3	219	2.45	19.9	2.6	5.5	8	0.2	2.6	0.8	30	0.07	0.034	19
REP 1236814	QC	0.7	29.4	12.0	46	<0.1	16.9	7.2	216	2.41	18.9	2.9	5.5	7	<0.1	2.4	0.8	30	0.07	0.035	19
1236834	Soil	0.9	87.6	26.4	69	<0.1	56.2	23.8	587	4.17	28.7	2.6	4.3	7	0.2	3.9	0.3	60	0.08	0.030	12
REP 1236834	QC	0.8	87.7	26.1	70	<0.1	56.3	24.8	582	4.29	29.1	3.0	4.4	7	0.1	4.2	0.3	61	0.09	0.029	12
1236853	Soil	1.0	87.4	13.6	75	<0.1	47.1	21.4	603	4.87	31.9	0.7	2.3	8	0.1	2.8	0.2	81	0.10	0.036	10
REP 1236853	QC	1.0	84.6	12.6	71	<0.1	44.4	20.4	564	4.56	30.3	2.7	2.1	7	<0.1	2.7	0.2	75	0.09	0.033	9
1236875	Soil	1.2	83.2	14.3	67	<0.1	45.2	21.7	562	4.40	45.6	3.4	2.5	6	0.1	1.5	0.2	72	0.07	0.028	7
REP 1236875	QC	1.2	86.6	15.4	70	<0.1	46.5	22.1	580	4.42	47.1	3.4	2.6	6	0.1	1.7	0.2	76	0.07	0.029	8
Reference Materials																					
STD DS8	Standard	12.7	113.9	121.9	305	1.8	39.7	7.8	605	2.48	24.4	113.3	6.8	65	2.4	6.0	6.7	42	0.69	0.082	14
STD DS8	Standard	13.2	110.8	131.0	304	1.8	38.4	7.6	600	2.49	25.2	112.9	7.6	68	2.2	5.4	6.2	43	0.67	0.079	15
STD DS8	Standard	12.8	102.3	123.7	293	1.9	36.1	7.0	575	2.37	23.6	140.9	7.1	78	2.0	5.9	7.0	40	0.69	0.070	16
STD DS8	Standard	12.7	103.1	121.9	301	1.6	36.8	7.3	567	2.33	22.7	109.2	6.9	70	2.1	6.1	7.0	40	0.63	0.075	14
STD DS8	Standard	12.3	96.4	122.3	285	1.7	32.4	6.7	572	2.25	21.7	115.1	7.0	74	2.1	5.7	6.5	39	0.67	0.072	15
STD DS8	Standard	13.0	111.5	124.1	315	1.8	38.0	7.5	626	2.51	25.3	112.7	7.0	69	2.3	6.2	6.9	42	0.69	0.081	15
STD DS8	Standard	13.5	110.2	127.1	302	1.8	38.9	7.6	609	2.40	24.9	107.6	7.3	68	2.2	5.3	6.0	42	0.73	0.076	17
STD DS8	Standard	13.1	113.5	119.1	318	1.8	38.7	8.0	629	2.45	25.8	129.3	6.6	64	2.2	5.5	6.4	43	0.67	0.079	15
STD DS8	Standard	12.5	107.4	123.2	297	1.7	36.0	7.5	587	2.37	23.9	118.0	6.4	65	2.2	5.6	6.4	41	0.66	0.078	14
STD DS8	Standard	14.2	115.5	131.6	328	1.9	38.6	8.4	682	2.65	27.1	127.2	7.5	83	2.4	6.8	7.6	43	0.73	0.085	16
STD DS8	Standard	13.6	114.6	126.5	324	1.8	39.1	7.8	623	2.50	26.3	114.3	6.4	64	2.6	5.4	6.4	43	0.74	0.080	16
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	1.2	<0.1	<1	<0.1	<0.1	<0.1	<1	0.09	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.03	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.03	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy Co**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001833.1

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1236814	Soil	22	0.49	90	0.035	<1	1.27	0.004	0.09	0.3	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
REP 1236814	QC	21	0.47	90	0.034	1	1.25	0.006	0.08	0.3	0.02	1.5	0.1	<0.05	4	<0.5	<0.2
1236834	Soil	74	0.94	61	0.110	<1	1.86	0.007	0.20	0.1	0.02	2.8	0.2	<0.05	6	<0.5	<0.2
REP 1236834	QC	72	0.96	62	0.114	<1	1.92	0.005	0.20	0.1	0.03	2.7	0.2	<0.05	6	<0.5	<0.2
1236853	Soil	54	1.13	101	0.091	2	2.34	0.005	0.15	0.1	0.02	2.9	0.2	<0.05	7	<0.5	<0.2
REP 1236853	QC	50	1.02	93	0.082	1	2.10	0.004	0.15	0.1	0.02	2.7	0.2	<0.05	7	<0.5	<0.2
1236875	Soil	48	0.99	64	0.101	<1	2.04	0.004	0.18	0.1	0.02	2.5	0.2	<0.05	6	<0.5	<0.2
REP 1236875	QC	50	1.06	68	0.105	<1	2.11	0.004	0.18	0.1	0.03	2.5	0.2	<0.05	7	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	122	0.62	269	0.123	2	0.87	0.087	0.39	3.0	0.20	2.0	5.3	0.15	4	4.5	5.3
STD DS8	Standard	115	0.60	283	0.119	3	0.95	0.110	0.42	3.1	0.19	2.7	5.5	0.09	5	4.8	5.3
STD DS8	Standard	110	0.58	273	0.126	2	0.93	0.113	0.42	2.8	0.21	3.0	5.2	0.11	5	4.4	4.5
STD DS8	Standard	116	0.57	257	0.122	2	0.85	0.089	0.39	2.8	0.16	2.1	4.9	0.14	4	5.0	4.9
STD DS8	Standard	108	0.57	269	0.125	2	0.91	0.101	0.41	2.8	0.18	2.5	5.0	0.16	4	5.2	4.4
STD DS8	Standard	117	0.60	275	0.125	2	0.92	0.089	0.42	3.0	0.18	2.3	5.5	0.14	5	6.2	5.0
STD DS8	Standard	116	0.61	290	0.129	2	0.96	0.102	0.42	3.0	0.22	2.9	5.4	0.12	5	5.0	5.2
STD DS8	Standard	119	0.61	274	0.118	1	0.89	0.086	0.41	2.9	0.18	2.1	5.1	0.14	5	5.4	4.7
STD DS8	Standard	112	0.60	270	0.116	1	0.91	0.088	0.39	3.1	0.21	2.2	5.3	0.17	4	4.5	5.0
STD DS8	Standard	122	0.68	300	0.132	4	1.01	0.101	0.47	3.4	0.18	2.7	5.6	0.18	5	5.4	5.0
STD DS8	Standard	124	0.63	303	0.118	3	0.96	0.114	0.47	3.0	0.20	3.1	5.5	0.10	5	4.8	5.3
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001833.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001833.1

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 19, 2011
Report Date: November 14, 2011
Page: 1 of 10

CERTIFICATE OF ANALYSIS WHI11001834.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA-6
P.O. Number NA-10337
Number of Samples: 249

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	249	Dry at 60C			WHI
SS80	249	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	249	Saving all or part of Soil Reject			WHI
1DX2	249	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236881	Soil		1.2	79.3	17.4	77	<0.1	56.0	30.8	851	4.94	48.7	6.1	1.9	10	0.2	1.3	0.3	75	0.23	0.044	8
1236882	Soil		1.6	96.3	25.2	81	<0.1	56.8	28.5	981	5.21	52.7	8.4	2.6	10	0.2	1.7	0.3	76	0.15	0.053	10
1236883	Soil		1.1	76.8	13.5	75	<0.1	45.3	21.8	592	5.21	93.0	7.5	2.2	6	<0.1	2.6	0.2	84	0.09	0.029	8
1236884	Soil		1.6	68.1	18.6	68	0.2	45.1	20.9	640	4.95	84.3	15.4	2.1	7	0.1	2.7	0.3	83	0.10	0.046	9
1236885	Soil		1.4	61.7	16.8	75	0.1	43.7	20.8	690	5.39	63.3	9.5	1.7	8	0.1	1.9	0.2	95	0.13	0.045	7
1236886	Soil		1.1	72.6	16.0	72	<0.1	42.5	20.8	652	5.34	79.8	19.6	2.7	6	0.1	2.7	0.2	77	0.09	0.034	8
1236887	Soil		1.4	106.3	18.0	78	<0.1	57.8	26.5	659	5.02	47.2	8.5	2.8	7	0.1	3.1	0.2	68	0.09	0.034	11
1236888	Soil		1.8	48.0	17.0	71	<0.1	35.0	16.1	492	4.83	64.1	19.5	2.1	7	0.2	2.3	0.2	84	0.11	0.033	8
1236889	Soil		1.4	60.3	16.0	80	<0.1	41.7	20.6	643	4.71	73.7	11.8	2.1	8	0.2	2.4	0.2	74	0.13	0.037	9
1236890	Soil		1.0	56.4	11.7	71	<0.1	42.5	19.9	544	5.23	138.0	24.0	2.2	5	0.1	4.6	0.2	98	0.09	0.025	6
1236891	Soil		1.4	84.2	21.1	83	0.2	57.7	27.1	849	5.80	208.0	53.0	2.8	7	0.3	14.2	0.2	69	0.09	0.055	17
1236892	Soil		1.0	120.6	17.8	75	<0.1	58.2	29.4	735	4.97	79.2	14.9	3.1	7	0.1	3.6	0.2	76	0.10	0.030	11
1236893	Soil		0.9	69.0	14.8	77	0.1	42.5	21.2	686	4.84	51.9	9.7	1.6	7	0.2	2.9	0.2	83	0.11	0.054	9
1236501	Soil		0.7	94.8	8.1	76	<0.1	50.8	25.9	780	5.34	50.5	4.5	1.5	9	<0.1	3.1	0.2	97	0.27	0.038	6
1236502	Soil		1.7	112.1	21.1	89	0.1	62.3	30.7	901	6.08	49.7	7.1	2.0	10	0.1	4.8	0.2	99	0.26	0.053	10
1236503	Soil		0.9	107.3	8.9	79	<0.1	53.6	26.8	750	5.71	46.1	8.3	1.9	8	<0.1	2.2	0.2	105	0.21	0.032	7
1236504	Soil		0.6	109.4	6.0	74	<0.1	61.4	31.8	735	5.64	39.3	4.7	1.1	4	0.1	2.9	<0.1	100	0.15	0.033	3
1236505	Soil		1.0	64.2	8.3	70	<0.1	39.7	20.0	580	5.09	18.9	3.3	1.1	7	<0.1	1.1	0.2	90	0.12	0.044	8
1236506	Soil		1.1	67.4	9.2	82	<0.1	39.9	19.8	605	5.23	20.4	4.0	1.3	7	0.1	1.3	0.2	94	0.14	0.045	8
1236507	Soil		0.8	63.4	7.8	67	<0.1	38.8	19.2	472	4.69	23.8	2.8	1.8	6	0.1	1.0	0.2	84	0.14	0.028	7
1236508	Soil		0.7	114.5	6.7	81	0.1	56.1	28.0	648	6.18	25.3	6.7	1.7	6	<0.1	1.5	0.1	112	0.15	0.033	6
1236509	Soil		0.6	165.6	9.5	80	<0.1	80.0	47.1	1061	7.04	27.1	5.2	1.2	5	0.1	0.7	0.1	169	0.22	0.047	4
1236510	Soil		1.1	59.6	9.4	59	0.1	30.2	13.9	376	3.91	17.9	2.0	1.6	6	<0.1	0.8	0.2	82	0.12	0.033	7
1236511	Soil		1.4	98.2	13.2	67	0.2	43.5	25.2	782	4.56	27.2	4.3	1.8	8	0.1	1.1	0.3	85	0.20	0.047	9
1236512	Soil		1.3	93.6	13.3	69	0.2	44.1	37.8	1353	5.29	21.6	4.6	1.3	8	0.1	0.8	0.2	95	0.17	0.071	7
1236513	Soil		1.3	33.9	8.9	51	<0.1	24.1	11.1	307	3.68	18.0	3.7	2.2	7	<0.1	0.8	0.2	73	0.12	0.025	9
1236514	Soil		1.4	92.6	20.9	81	0.1	45.2	48.2	1253	5.75	19.8	3.6	1.6	10	0.2	1.0	0.3	97	0.20	0.065	6
1236515	Soil		0.7	61.1	12.1	66	<0.1	41.4	21.1	517	4.63	10.8	0.9	1.4	6	0.1	0.4	0.2	128	0.17	0.031	6
1236516	Soil		0.9	69.7	11.2	62	<0.1	36.8	19.3	488	4.81	18.5	2.0	1.8	7	<0.1	0.8	0.2	90	0.15	0.038	7
1236517	Soil		0.8	116.3	8.4	90	<0.1	66.0	34.8	700	6.56	7.5	1.2	1.6	8	<0.1	2.2	0.1	112	0.18	0.030	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236881	Soil	54	1.15	98	0.099	2	2.28	0.006	0.19	<0.1	0.03	2.8	0.2	<0.05	7	<0.5	<0.2
1236882	Soil	55	1.13	105	0.133	2	2.49	0.008	0.19	<0.1	0.04	3.4	0.2	0.05	7	<0.5	<0.2
1236883	Soil	54	1.21	73	0.131	2	2.39	0.004	0.19	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2
1236884	Soil	52	1.00	78	0.157	1	2.10	0.005	0.16	<0.1	0.03	2.5	0.2	<0.05	7	<0.5	<0.2
1236885	Soil	58	1.24	83	0.148	1	2.41	0.005	0.16	<0.1	0.03	2.6	0.2	<0.05	9	<0.5	<0.2
1236886	Soil	50	1.14	58	0.163	2	2.38	0.004	0.16	<0.1	0.02	2.8	0.1	<0.05	8	<0.5	<0.2
1236887	Soil	47	1.06	71	0.105	2	2.26	0.004	0.18	<0.1	0.02	3.0	0.2	<0.05	7	<0.5	<0.2
1236888	Soil	51	0.94	70	0.124	1	2.08	0.004	0.13	0.1	0.02	2.3	0.2	<0.05	7	<0.5	<0.2
1236889	Soil	46	0.93	108	0.085	1	2.12	0.004	0.12	0.1	0.03	2.5	0.1	<0.05	7	<0.5	<0.2
1236890	Soil	61	1.38	58	0.175	1	2.49	0.004	0.20	<0.1	0.01	2.5	0.2	<0.05	8	<0.5	<0.2
1236891	Soil	52	1.01	87	0.059	2	2.15	0.004	0.18	<0.1	0.04	4.4	0.2	<0.05	6	<0.5	<0.2
1236892	Soil	52	1.17	85	0.095	2	2.53	0.004	0.21	0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
1236893	Soil	58	1.19	88	0.097	1	2.33	0.004	0.13	0.1	0.04	3.2	0.1	<0.05	7	<0.5	<0.2
1236501	Soil	70	1.50	132	0.111	1	2.75	0.005	0.29	<0.1	0.01	2.8	0.2	<0.05	8	<0.5	<0.2
1236502	Soil	79	1.58	137	0.089	1	3.03	0.006	0.26	0.1	0.04	3.9	0.2	<0.05	9	<0.5	<0.2
1236503	Soil	72	1.62	126	0.132	1	2.98	0.004	0.29	<0.1	<0.01	3.1	0.2	<0.05	8	<0.5	<0.2
1236504	Soil	80	1.83	91	0.184	<1	2.85	0.004	0.45	<0.1	<0.01	2.3	0.2	<0.05	6	<0.5	<0.2
1236505	Soil	59	1.25	112	0.112	<1	2.56	0.005	0.11	<0.1	0.03	2.1	0.2	<0.05	8	<0.5	<0.2
1236506	Soil	60	1.26	117	0.130	1	2.42	0.005	0.16	<0.1	0.02	2.2	0.2	<0.05	8	<0.5	<0.2
1236507	Soil	55	1.26	84	0.123	<1	2.25	0.004	0.20	<0.1	0.01	2.1	0.2	<0.05	7	<0.5	<0.2
1236508	Soil	79	1.78	97	0.146	<1	3.11	0.004	0.34	0.1	0.01	2.7	0.2	<0.05	8	<0.5	<0.2
1236509	Soil	101	2.29	70	0.145	<1	3.38	0.005	0.32	<0.1	<0.01	4.0	0.3	<0.05	11	<0.5	<0.2
1236510	Soil	43	0.90	100	0.120	<1	1.70	0.004	0.11	<0.1	0.02	1.8	0.1	<0.05	6	<0.5	<0.2
1236511	Soil	51	0.97	136	0.103	1	2.03	0.007	0.20	<0.1	0.02	2.3	0.2	<0.05	6	<0.5	<0.2
1236512	Soil	63	1.19	145	0.101	1	2.31	0.006	0.19	<0.1	0.03	2.6	0.2	0.07	7	<0.5	<0.2
1236513	Soil	39	0.76	89	0.139	<1	1.53	0.004	0.09	0.1	0.01	1.4	0.1	<0.05	6	<0.5	<0.2
1236514	Soil	67	1.36	127	0.213	1	2.45	0.006	0.25	<0.1	0.03	2.3	0.2	0.09	7	<0.5	<0.2
1236515	Soil	71	1.45	77	0.140	<1	2.42	0.004	0.23	<0.1	0.01	2.7	0.2	<0.05	8	<0.5	<0.2
1236516	Soil	55	1.23	89	0.161	<1	2.17	0.004	0.19	<0.1	0.02	1.7	0.1	0.06	6	<0.5	<0.2
1236517	Soil	77	1.99	75	0.169	<1	3.14	0.004	0.49	<0.1	<0.01	2.6	0.3	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236518	Soil	0.6	102.0	9.3	75	<0.1	57.7	33.1	633	5.56	15.6	1.3	2.4	6	<0.1	1.0	0.2	90	0.16	0.028	7
1236519	Soil	0.8	65.8	10.2	70	<0.1	49.8	25.5	606	5.24	12.8	1.3	1.7	5	<0.1	0.7	0.2	107	0.17	0.032	5
1236520	Soil	0.7	100.3	7.6	68	0.1	54.7	29.1	614	5.40	13.4	1.0	1.5	6	<0.1	1.2	0.2	103	0.16	0.042	6
1236521	Soil	1.0	63.3	11.0	65	<0.1	41.9	18.9	453	4.60	25.4	1.7	2.7	6	0.1	0.9	0.2	75	0.12	0.034	8
1236522	Soil	0.8	60.2	8.5	58	<0.1	37.7	18.9	430	4.53	25.5	2.0	3.1	5	0.1	1.0	0.2	78	0.11	0.028	10
1236523	Soil	1.3	46.7	9.6	51	<0.1	29.8	13.2	283	3.78	13.7	1.5	1.8	4	<0.1	0.9	0.3	83	0.07	0.028	8
1236524	Soil	0.5	91.3	8.5	71	<0.1	51.3	26.5	528	5.08	21.8	4.3	3.0	6	0.1	1.4	0.3	74	0.11	0.024	9
1236525	Soil	0.7	86.4	10.5	79	<0.1	36.4	23.3	613	6.28	5.4	3.6	0.9	9	<0.1	0.4	0.1	101	0.14	0.051	3
1236526	Soil	1.0	54.3	12.5	64	<0.1	32.2	13.4	383	4.35	23.9	3.6	3.0	6	0.1	1.5	0.3	65	0.08	0.031	11
1236527	Soil	1.0	51.8	12.1	63	<0.1	31.4	14.3	374	4.01	17.1	9.8	2.6	6	<0.1	0.9	0.2	75	0.10	0.026	8
1236528	Soil	0.5	120.5	7.0	78	<0.1	59.3	34.4	741	6.00	14.7	9.7	1.1	6	<0.1	0.4	0.1	127	0.19	0.034	3
1236529	Soil	1.0	90.8	10.7	64	<0.1	42.6	21.2	493	4.82	14.5	5.1	2.0	9	<0.1	0.8	0.2	88	0.15	0.035	7
1236530	Soil	0.6	66.6	9.3	63	<0.1	43.9	23.2	531	4.84	24.3	<0.5	2.4	5	<0.1	1.0	0.3	79	0.14	0.029	7
1236531	Soil	0.7	88.5	7.5	69	0.1	43.2	20.6	486	4.74	15.6	2.3	1.9	7	<0.1	0.8	0.2	79	0.17	0.035	6
1236532	Soil	0.5	106.9	5.4	81	<0.1	55.4	29.0	675	6.53	9.4	2.0	1.6	5	<0.1	2.5	0.1	119	0.19	0.033	5
1236533	Soil	0.7	103.7	6.5	70	<0.1	42.4	20.8	531	5.01	15.5	2.4	1.4	5	<0.1	1.0	0.2	87	0.10	0.035	6
1236534	Soil	1.0	125.0	9.6	85	<0.1	58.8	32.9	778	6.01	15.9	3.0	1.7	8	0.1	1.2	0.2	100	0.19	0.046	6
1236535	Soil	0.6	135.6	7.3	92	<0.1	65.9	37.0	765	6.83	10.7	1.4	1.4	8	0.1	1.0	0.1	106	0.18	0.035	4
1236536	Soil	0.6	106.5	9.0	86	<0.1	42.0	21.6	603	5.87	12.1	3.3	2.0	9	<0.1	0.7	0.2	80	0.15	0.029	5
1236537	Soil	0.6	90.8	9.8	69	<0.1	46.8	28.5	605	4.92	21.9	2.3	3.1	6	<0.1	1.0	0.2	82	0.16	0.029	8
1236538	Soil	0.8	52.0	9.9	61	<0.1	31.6	15.4	398	4.22	35.4	1.4	3.5	5	<0.1	1.2	0.3	63	0.10	0.023	11
1236539	Soil	0.9	89.8	8.9	71	<0.1	41.8	21.4	513	4.71	24.9	3.6	3.0	7	<0.1	0.9	0.2	81	0.14	0.024	9
1236540	Soil	1.2	43.9	11.2	54	0.1	24.2	11.6	315	3.83	20.6	1.6	2.3	5	<0.1	0.8	0.2	79	0.09	0.034	8
1236541	Soil	1.4	177.8	12.0	77	<0.1	43.3	22.0	571	4.72	24.6	7.5	2.0	10	<0.1	1.7	0.3	70	0.13	0.045	12
1236542	Soil	0.7	66.8	10.8	65	<0.1	44.8	22.7	554	4.39	17.3	1.2	2.1	5	<0.1	0.8	0.2	86	0.11	0.035	7
1236543	Soil	0.7	111.6	6.4	78	<0.1	52.9	26.9	619	5.93	15.2	2.8	1.5	6	<0.1	0.8	0.1	90	0.18	0.038	5
1236544	Soil	1.1	159.4	6.3	89	<0.1	58.8	35.5	751	6.59	16.5	2.2	2.1	6	<0.1	0.8	0.1	93	0.18	0.037	6
1236545	Soil	2.3	126.9	12.9	82	<0.1	53.5	29.0	569	5.51	16.7	5.7	3.1	8	0.2	1.1	0.3	75	0.08	0.039	11
1236546	Soil	0.9	80.1	8.9	75	0.1	44.2	23.0	668	5.25	17.8	3.3	1.5	6	0.1	1.0	0.2	98	0.12	0.039	7
1236547	Soil	0.8	76.8	9.3	73	<0.1	41.2	21.4	508	4.77	24.5	6.6	3.1	6	<0.1	1.1	0.2	75	0.09	0.027	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236518	Soil	62	1.61	72	0.159	<1	2.67	0.003	0.27	<0.1	<0.01	2.9	0.2	<0.05	7	<0.5	<0.2
1236519	Soil	73	1.70	56	0.154	<1	2.56	0.003	0.22	<0.1	<0.01	2.9	0.2	<0.05	7	<0.5	<0.2
1236520	Soil	74	1.71	75	0.117	<1	2.64	0.003	0.19	<0.1	0.01	2.4	0.1	<0.05	7	<0.5	<0.2
1236521	Soil	55	1.17	83	0.107	<1	2.09	0.004	0.19	0.1	0.01	2.1	0.1	<0.05	6	<0.5	<0.2
1236522	Soil	49	1.14	92	0.128	<1	2.15	0.003	0.18	<0.1	0.02	2.1	0.1	<0.05	6	<0.5	<0.2
1236523	Soil	35	0.74	53	0.130	<1	1.43	0.003	0.13	<0.1	0.02	1.8	0.1	<0.05	5	<0.5	<0.2
1236524	Soil	54	1.27	78	0.136	3	2.47	0.004	0.23	<0.1	0.03	2.4	0.1	<0.05	6	<0.5	<0.2
1236525	Soil	69	1.79	77	0.174	2	3.06	0.004	0.41	<0.1	0.02	1.7	0.2	0.08	9	<0.5	<0.2
1236526	Soil	41	0.79	71	0.109	3	1.78	0.004	0.16	0.1	0.03	2.0	0.1	<0.05	6	0.6	<0.2
1236527	Soil	45	0.94	74	0.135	2	1.90	0.003	0.20	0.1	0.02	1.7	0.1	<0.05	6	<0.5	<0.2
1236528	Soil	85	1.93	68	0.195	1	2.94	0.003	0.30	<0.1	<0.01	2.0	0.2	<0.05	8	<0.5	<0.2
1236529	Soil	56	1.29	101	0.113	2	2.33	0.004	0.20	0.1	0.02	2.6	0.1	<0.05	7	<0.5	<0.2
1236530	Soil	56	1.41	62	0.168	<1	2.24	0.002	0.21	<0.1	0.01	1.9	0.2	<0.05	6	<0.5	<0.2
1236531	Soil	57	1.41	93	0.122	1	2.32	0.003	0.22	<0.1	0.01	2.1	0.1	<0.05	6	<0.5	<0.2
1236532	Soil	81	1.99	91	0.135	<1	3.32	0.002	0.26	<0.1	<0.01	2.8	0.2	<0.05	8	<0.5	<0.2
1236533	Soil	62	1.45	78	0.103	1	2.67	0.003	0.14	<0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2
1236534	Soil	75	1.73	97	0.137	<1	2.80	0.004	0.27	<0.1	0.02	2.5	0.1	0.05	7	<0.5	<0.2
1236535	Soil	82	2.04	93	0.162	<1	3.27	0.004	0.24	<0.1	0.01	2.4	0.2	<0.05	9	<0.5	<0.2
1236536	Soil	58	1.63	109	0.205	<1	2.92	0.005	0.28	<0.1	0.01	2.4	0.2	0.10	8	<0.5	<0.2
1236537	Soil	58	1.32	96	0.137	<1	2.32	0.005	0.25	<0.1	<0.01	2.4	0.2	<0.05	6	<0.5	<0.2
1236538	Soil	41	1.04	84	0.103	<1	1.87	0.003	0.15	0.1	<0.01	1.7	0.1	<0.05	6	<0.5	<0.2
1236539	Soil	58	1.26	109	0.132	<1	2.28	0.004	0.25	<0.1	0.01	2.1	0.2	<0.05	6	<0.5	<0.2
1236540	Soil	42	0.81	66	0.141	<1	1.67	0.005	0.14	<0.1	0.03	1.5	0.1	<0.05	6	<0.5	<0.2
1236541	Soil	48	1.04	106	0.072	<1	2.21	0.005	0.21	<0.1	0.01	2.7	0.2	0.06	6	<0.5	<0.2
1236542	Soil	59	1.20	98	0.126	<1	2.17	0.004	0.25	<0.1	0.02	2.0	0.2	0.05	6	<0.5	<0.2
1236543	Soil	69	1.79	94	0.128	<1	2.84	0.004	0.20	<0.1	0.01	2.0	<0.1	<0.05	7	<0.5	<0.2
1236544	Soil	78	1.98	130	0.158	<1	3.18	0.005	0.27	0.1	0.01	2.3	0.2	<0.05	7	<0.5	<0.2
1236545	Soil	49	1.17	118	0.141	1	2.28	0.004	0.21	<0.1	0.02	2.9	0.2	0.07	6	0.7	<0.2
1236546	Soil	67	1.33	99	0.150	<1	2.53	0.004	0.21	<0.1	0.01	2.2	0.2	<0.05	7	<0.5	<0.2
1236547	Soil	53	1.29	125	0.124	<1	2.45	0.005	0.20	<0.1	0.02	2.4	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236548	Soil	0.6	102.1	7.9	75	<0.1	53.5	28.8	639	5.56	14.9	3.8	2.3	6	<0.1	0.9	0.2	96	0.15	0.038	7
1236549	Soil	0.6	92.9	9.8	76	<0.1	49.2	24.9	694	5.34	36.1	4.3	2.2	7	<0.1	3.8	0.2	92	0.15	0.025	6
1236550	Soil	0.6	105.1	8.2	81	<0.1	53.8	27.5	706	5.66	24.1	2.5	2.0	7	0.1	1.6	0.2	100	0.16	0.028	7
1236551	Soil	0.9	75.3	9.1	77	<0.1	43.2	22.7	582	5.01	16.9	2.4	1.9	8	<0.1	1.4	0.2	88	0.17	0.031	8
1236552	Soil	0.6	89.0	7.4	79	<0.1	47.2	26.0	617	5.75	16.0	2.6	1.8	6	<0.1	1.0	0.2	97	0.14	0.025	6
1236553	Soil	1.0	58.4	9.1	66	<0.1	34.3	16.8	460	4.70	16.8	2.5	1.8	5	<0.1	0.9	0.2	89	0.08	0.030	7
1236554	Soil	1.0	122.8	11.3	78	<0.1	46.7	23.3	562	4.74	32.8	5.7	3.8	7	<0.1	1.2	0.3	72	0.09	0.027	11
1236555	Soil	0.9	70.3	9.1	70	<0.1	37.6	19.9	609	4.83	20.3	2.6	1.8	5	<0.1	1.1	0.2	83	0.09	0.030	7
1236556	Soil	0.8	42.4	8.8	51	<0.1	28.2	15.6	493	3.94	13.6	4.6	2.1	4	<0.1	0.9	0.2	90	0.08	0.025	6
1236557	Soil	1.0	65.6	12.7	69	<0.1	34.4	17.1	438	4.32	30.1	2.3	3.4	7	0.1	1.4	0.3	68	0.13	0.031	10
1236558	Soil	1.0	67.8	11.4	64	<0.1	38.8	19.4	438	4.60	26.3	2.5	3.2	6	<0.1	1.1	0.3	71	0.09	0.027	9
1236559	Soil	0.6	82.4	8.1	67	<0.1	40.5	22.7	528	4.66	22.9	2.4	3.2	6	<0.1	1.1	0.2	70	0.14	0.020	10
1236560	Soil	1.0	113.9	10.9	67	<0.1	41.9	20.0	539	4.65	23.0	4.4	2.2	8	<0.1	1.0	0.3	72	0.13	0.040	8
1236561	Soil	1.5	108.7	11.5	72	0.1	34.2	16.5	456	5.35	19.5	2.7	2.7	9	0.1	0.7	0.3	71	0.11	0.040	7
1236562	Soil	1.1	113.2	15.1	86	<0.1	49.9	30.1	767	5.66	12.1	1.9	1.4	9	0.1	0.6	0.2	93	0.16	0.060	5
1236563	Soil	1.0	100.3	11.1	75	<0.1	44.5	21.8	513	5.15	22.9	3.4	2.4	8	<0.1	0.8	0.3	84	0.13	0.036	7
1236564	Soil	1.8	115.8	13.8	77	<0.1	42.4	17.8	459	4.40	33.5	4.1	3.0	8	0.1	1.4	0.3	75	0.10	0.041	11
1236565	Soil	1.0	67.2	9.3	67	<0.1	38.7	17.9	454	4.77	26.9	1.9	1.7	6	<0.1	1.1	0.3	84	0.13	0.036	8
1236566	Soil	0.5	102.4	7.5	66	<0.1	50.8	29.4	606	5.05	14.0	1.2	1.9	5	<0.1	0.7	0.1	87	0.19	0.039	6
1236567	Soil	0.7	136.8	6.0	81	<0.1	57.4	29.5	691	5.72	13.6	2.4	2.0	6	0.1	2.0	0.1	95	0.16	0.038	7
1236568	Soil	0.8	142.7	7.2	78	<0.1	47.4	27.7	787	5.22	13.9	2.7	1.8	5	<0.1	0.7	0.2	89	0.12	0.030	7
1236569	Soil	1.0	118.3	6.2	82	0.1	39.3	19.8	724	4.69	11.1	1.5	0.8	5	0.1	0.5	0.2	95	0.12	0.049	6
1236570	Soil	1.3	150.2	10.2	72	<0.1	48.3	19.5	512	4.05	15.0	1.9	1.7	9	<0.1	1.0	0.2	73	0.13	0.043	10
1236571	Soil	0.5	100.8	5.2	70	<0.1	50.4	25.1	561	5.51	12.1	5.9	1.6	6	<0.1	0.5	0.1	103	0.13	0.024	5
1236572	Soil	0.8	62.0	10.0	55	<0.1	34.3	16.4	410	4.83	21.8	0.9	2.6	5	<0.1	1.0	0.2	79	0.09	0.023	7
1236573	Soil	0.7	60.7	7.9	61	<0.1	42.7	20.0	490	4.76	21.5	<0.5	2.0	5	<0.1	0.8	0.2	91	0.16	0.029	6
1236574	Soil	1.0	89.3	8.1	55	0.1	23.2	11.4	299	4.32	10.8	22.5	1.8	11	<0.1	0.5	0.2	60	0.11	0.054	6
1236575	Soil	1.6	59.3	8.7	57	<0.1	33.4	16.6	371	4.28	15.9	0.8	2.3	7	0.1	0.9	0.2	75	0.09	0.032	7
1236576	Soil	0.4	97.0	8.5	70	<0.1	50.3	30.9	603	5.66	5.2	4.0	1.2	7	<0.1	0.8	0.1	113	0.14	0.036	3
1236577	Soil	1.4	38.7	9.1	54	0.1	28.9	14.0	331	3.90	12.1	0.6	2.3	6	0.1	0.7	0.2	85	0.08	0.020	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236548	Soil	73	1.56	93	0.162	<1	2.73	0.003	0.34	<0.1	<0.01	2.2	0.2	<0.05	7	<0.5	<0.2
1236549	Soil	67	1.49	100	0.122	<1	2.75	0.004	0.26	<0.1	0.01	2.7	0.2	<0.05	7	<0.5	<0.2
1236550	Soil	75	1.53	112	0.184	<1	2.76	0.006	0.27	<0.1	<0.01	2.4	0.2	<0.05	7	<0.5	<0.2
1236551	Soil	62	1.31	95	0.157	<1	2.43	0.004	0.22	<0.1	0.01	2.1	0.2	<0.05	7	0.6	<0.2
1236552	Soil	69	1.53	89	0.188	<1	2.82	0.004	0.28	<0.1	<0.01	2.2	0.2	<0.05	8	<0.5	<0.2
1236553	Soil	55	1.13	85	0.212	<1	2.19	0.006	0.18	<0.1	0.02	1.9	0.1	<0.05	7	<0.5	<0.2
1236554	Soil	50	1.19	137	0.119	1	2.39	0.005	0.21	<0.1	0.01	2.9	0.2	<0.05	6	<0.5	<0.2
1236555	Soil	54	1.19	92	0.145	<1	2.23	0.004	0.17	<0.1	0.01	2.0	0.1	<0.05	6	<0.5	<0.2
1236556	Soil	53	0.99	58	0.241	<1	1.72	0.003	0.19	<0.1	0.02	1.5	0.1	<0.05	7	<0.5	<0.2
1236557	Soil	43	0.96	95	0.113	1	1.82	0.005	0.19	0.1	0.02	2.2	0.1	<0.05	6	<0.5	<0.2
1236558	Soil	46	1.03	93	0.136	<1	2.03	0.005	0.23	<0.1	0.03	2.0	0.1	<0.05	6	<0.5	<0.2
1236559	Soil	50	1.30	89	0.132	<1	2.23	0.004	0.24	<0.1	<0.01	2.3	0.1	<0.05	6	<0.5	<0.2
1236560	Soil	51	1.21	118	0.114	1	2.24	0.004	0.20	<0.1	<0.01	2.3	0.2	<0.05	6	<0.5	<0.2
1236561	Soil	47	1.11	118	0.214	1	2.27	0.006	0.31	<0.1	0.02	2.3	0.2	0.11	6	<0.5	<0.2
1236562	Soil	62	1.32	120	0.172	1	2.47	0.008	0.45	<0.1	0.03	2.4	0.3	0.10	7	<0.5	<0.2
1236563	Soil	56	1.27	116	0.144	1	2.40	0.005	0.26	<0.1	0.02	2.7	0.2	0.05	7	<0.5	<0.2
1236564	Soil	48	0.87	134	0.065	2	2.18	0.006	0.13	0.2	0.03	2.5	0.2	<0.05	6	0.7	<0.2
1236565	Soil	55	1.23	88	0.105	1	2.30	0.003	0.13	0.1	0.01	2.1	0.2	<0.05	7	<0.5	<0.2
1236566	Soil	70	1.72	63	0.129	<1	2.63	0.003	0.30	<0.1	<0.01	1.9	0.1	<0.05	6	<0.5	<0.2
1236567	Soil	69	1.69	93	0.123	<1	2.73	0.004	0.32	<0.1	0.01	3.2	0.2	<0.05	7	<0.5	<0.2
1236568	Soil	62	1.46	75	0.107	<1	2.57	0.004	0.18	0.1	0.02	3.0	0.2	<0.05	7	<0.5	<0.2
1236569	Soil	70	1.26	61	0.100	<1	2.37	0.003	0.09	<0.1	0.01	2.1	0.1	<0.05	6	<0.5	<0.2
1236570	Soil	48	1.03	117	0.067	1	2.08	0.005	0.13	0.1	0.02	2.6	0.2	<0.05	6	0.6	<0.2
1236571	Soil	68	1.69	94	0.157	<1	2.79	0.003	0.30	0.1	<0.01	2.7	0.2	<0.05	8	<0.5	<0.2
1236572	Soil	44	1.10	62	0.195	<1	2.05	0.002	0.20	0.1	0.01	2.1	0.1	<0.05	6	<0.5	<0.2
1236573	Soil	56	1.36	84	0.170	<1	2.29	0.004	0.24	<0.1	<0.01	2.4	0.1	<0.05	7	<0.5	<0.2
1236574	Soil	37	0.85	121	0.160	<1	2.00	0.004	0.36	<0.1	0.02	2.1	0.2	0.19	5	<0.5	<0.2
1236575	Soil	45	0.97	94	0.158	<1	1.93	0.005	0.31	<0.1	0.02	1.9	0.2	0.07	6	<0.5	<0.2
1236576	Soil	66	1.60	89	0.193	<1	2.69	0.004	0.65	<0.1	<0.01	3.1	0.3	0.06	8	<0.5	<0.2
1236577	Soil	39	0.79	73	0.129	<1	1.78	0.004	0.20	0.1	0.02	2.4	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236578	Soil	1.1	70.2	11.0	67	<0.1	39.1	19.3	482	4.31	35.3	2.3	2.2	7	<0.1	1.2	0.3	68	0.12	0.039	10
1236579	Soil	1.3	61.2	10.4	61	<0.1	35.0	18.1	414	4.22	32.1	2.8	3.5	6	0.1	1.2	0.3	72	0.10	0.031	11
1236580	Soil	1.3	57.4	9.8	57	0.1	31.8	14.0	337	3.91	20.5	1.0	2.0	8	<0.1	1.0	0.3	79	0.13	0.040	9
1236581	Soil	1.5	69.4	10.2	69	0.1	30.2	16.2	862	4.59	9.2	2.9	1.0	7	<0.1	0.7	0.2	98	0.09	0.052	8
1236582	Soil	1.3	143.0	11.6	73	<0.1	46.7	20.4	491	4.10	16.9	1.9	2.0	9	<0.1	1.2	0.2	68	0.12	0.040	11
1236583	Soil	1.0	147.4	10.4	83	<0.1	52.2	23.5	608	4.54	24.8	2.6	3.5	7	0.1	1.1	0.3	74	0.11	0.030	12
1236584	Soil	0.7	56.4	7.1	65	<0.1	41.9	24.5	536	4.43	18.5	0.7	2.3	5	<0.1	0.7	0.2	76	0.12	0.028	7
1236585	Soil	0.9	73.2	7.1	68	<0.1	39.8	19.8	542	4.74	22.0	1.0	1.8	5	<0.1	0.7	0.2	92	0.14	0.026	7
1236586	Soil	0.6	167.9	5.6	71	<0.1	57.9	27.7	614	5.46	13.9	0.6	2.0	5	<0.1	0.9	0.1	98	0.15	0.021	6
1236587	Soil	0.6	199.2	5.8	96	<0.1	86.0	48.7	866	7.92	1.3	<0.5	0.8	10	<0.1	0.2	0.1	118	0.16	0.048	3
1236588	Soil	0.5	134.4	4.1	79	<0.1	62.4	33.2	689	6.25	6.7	0.5	0.9	6	<0.1	0.4	<0.1	119	0.23	0.035	4
1236589	Soil	1.0	93.9	8.9	70	0.1	44.4	22.4	515	4.92	26.5	2.3	2.1	7	<0.1	1.1	0.2	82	0.13	0.040	9
1236590	Soil	0.7	111.1	6.2	75	<0.1	54.0	30.2	596	5.38	14.6	1.4	2.4	6	<0.1	0.6	0.1	100	0.13	0.032	8
1236591	Soil	1.0	97.6	9.9	83	<0.1	56.1	30.2	628	5.66	17.4	<0.5	2.4	8	0.1	0.8	0.2	93	0.16	0.035	7
1236592	Soil	1.0	76.8	8.3	56	<0.1	39.9	19.4	510	4.22	9.9	1.4	1.5	7	<0.1	0.9	0.2	111	0.19	0.036	7
1236593	Soil	1.2	59.8	11.4	57	0.1	30.2	18.4	560	3.49	14.3	0.8	0.9	8	0.2	1.3	0.2	81	0.14	0.046	9
1236594	Soil	1.0	84.2	12.0	76	<0.1	44.5	21.6	532	5.45	51.0	2.6	3.3	8	0.1	1.0	0.3	84	0.19	0.029	9
1236595	Soil	0.8	72.8	9.3	67	<0.1	41.8	21.4	509	5.19	28.0	2.0	3.2	6	0.1	1.1	0.3	80	0.11	0.030	10
1236596	Soil	0.8	78.9	8.5	82	<0.1	52.2	25.2	552	5.22	19.4	2.5	1.8	5	0.2	0.9	0.2	94	0.08	0.042	7
1236597	Soil	0.7	84.7	8.9	83	<0.1	56.2	27.3	566	5.67	18.6	5.3	2.1	6	0.1	0.8	0.2	98	0.10	0.030	6
1236598	Soil	0.6	72.7	8.5	63	<0.1	37.9	20.5	459	4.28	25.5	3.5	3.5	5	0.1	1.0	0.3	65	0.08	0.027	10
1236599	Soil	0.9	80.3	9.5	71	<0.1	42.8	23.1	553	5.14	21.7	5.5	1.8	5	0.1	1.3	0.2	88	0.09	0.035	8
1236600	Soil	1.4	90.8	10.5	70	<0.1	41.8	22.5	528	4.97	12.6	2.2	3.2	7	0.1	1.3	0.2	78	0.10	0.033	9
1236601	Soil	0.9	55.3	7.9	66	<0.1	34.0	18.4	481	4.79	18.6	1.7	2.4	4	<0.1	1.0	0.2	85	0.08	0.025	6
1236602	Soil	0.8	67.8	8.7	72	<0.1	38.5	20.9	510	5.27	11.3	2.1	1.5	8	<0.1	0.9	0.2	93	0.18	0.039	5
1236603	Soil	0.9	74.9	7.1	66	<0.1	40.0	20.4	519	4.34	14.3	1.8	1.3	5	<0.1	0.8	0.2	85	0.10	0.036	6
1236604	Soil	1.0	66.5	8.3	72	<0.1	35.9	19.0	618	4.79	16.5	2.0	1.5	7	0.1	0.9	0.2	87	0.13	0.039	8
1236605	Soil	0.8	107.8	7.6	74	<0.1	50.7	24.4	462	4.08	15.6	4.6	2.3	6	<0.1	0.8	0.2	68	0.11	0.028	7
1236606	Soil	0.8	120.2	8.2	76	<0.1	43.9	19.2	451	4.37	17.0	2.2	1.7	6	<0.1	0.8	0.2	72	0.13	0.033	7
1236607	Soil	1.0	103.3	11.7	81	<0.1	45.5	24.3	581	5.12	27.5	4.2	2.9	7	<0.1	1.0	0.3	79	0.08	0.041	9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236578	Soil	45	1.01	90	0.064	<1	2.03	0.005	0.16	0.1	0.02	2.1	0.2	<0.05	6	<0.5	<0.2
1236579	Soil	41	0.92	82	0.090	<1	1.87	0.004	0.18	0.1	0.02	2.0	0.2	<0.05	6	<0.5	<0.2
1236580	Soil	42	0.86	108	0.089	1	1.80	0.004	0.15	0.1	0.03	2.3	0.2	<0.05	6	<0.5	<0.2
1236581	Soil	49	0.98	119	0.090	<1	2.18	0.004	0.11	0.1	0.02	2.7	0.2	0.06	8	<0.5	<0.2
1236582	Soil	42	0.92	108	0.053	1	2.04	0.005	0.15	0.1	0.02	3.0	0.2	<0.05	6	0.6	<0.2
1236583	Soil	49	1.15	106	0.099	<1	2.29	0.005	0.24	0.1	0.01	3.3	0.2	<0.05	6	<0.5	<0.2
1236584	Soil	53	1.28	81	0.145	<1	2.29	0.004	0.25	0.1	<0.01	1.8	0.2	<0.05	5	<0.5	<0.2
1236585	Soil	62	1.33	85	0.182	<1	2.29	0.003	0.16	0.1	0.01	1.8	0.1	<0.05	6	<0.5	<0.2
1236586	Soil	69	1.63	82	0.124	<1	2.70	0.003	0.28	0.1	<0.01	2.9	0.2	<0.05	7	<0.5	<0.2
1236587	Soil	77	1.84	153	0.244	<1	3.60	0.006	0.71	<0.1	<0.01	2.2	0.5	0.06	9	<0.5	<0.2
1236588	Soil	86	1.92	89	0.170	<1	2.98	0.004	0.34	<0.1	<0.01	2.8	0.2	<0.05	8	<0.5	<0.2
1236589	Soil	53	1.29	104	0.114	<1	2.44	0.004	0.24	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2
1236590	Soil	77	1.47	113	0.152	<1	2.80	0.005	0.19	<0.1	0.01	2.7	0.2	<0.05	7	<0.5	<0.2
1236591	Soil	62	1.47	101	0.146	<1	2.60	0.004	0.30	<0.1	0.01	3.0	0.2	<0.05	7	<0.5	<0.2
1236592	Soil	68	1.33	84	0.191	<1	2.12	0.004	0.20	<0.1	0.01	2.8	0.1	<0.05	7	<0.5	<0.2
1236593	Soil	43	0.80	91	0.100	<1	1.57	0.005	0.16	<0.1	0.03	1.8	0.1	<0.05	7	<0.5	<0.2
1236594	Soil	61	1.34	103	0.137	<1	2.55	0.005	0.22	0.1	0.02	2.7	0.2	<0.05	7	<0.5	<0.2
1236595	Soil	53	1.29	91	0.154	<1	2.34	0.004	0.23	0.1	0.01	2.5	0.2	<0.05	7	<0.5	<0.2
1236596	Soil	65	1.35	84	0.140	2	2.60	0.004	0.29	<0.1	0.01	2.6	0.2	<0.05	8	<0.5	<0.2
1236597	Soil	67	1.31	101	0.197	2	2.66	0.005	0.36	<0.1	0.01	2.7	0.3	<0.05	8	<0.5	<0.2
1236598	Soil	44	1.09	82	0.107	2	2.06	0.003	0.21	<0.1	0.01	2.6	0.2	<0.05	6	<0.5	<0.2
1236599	Soil	59	1.30	84	0.134	1	2.58	0.004	0.20	0.1	0.01	2.6	0.2	<0.05	7	<0.5	<0.2
1236600	Soil	53	1.25	84	0.146	<1	2.26	0.004	0.22	<0.1	0.01	2.9	0.2	<0.05	6	0.6	<0.2
1236601	Soil	53	1.12	72	0.216	<1	2.08	0.003	0.16	<0.1	<0.01	1.9	0.1	<0.05	7	<0.5	<0.2
1236602	Soil	59	1.10	67	0.261	1	2.14	0.003	0.34	<0.1	0.01	2.2	0.2	<0.05	8	<0.5	<0.2
1236603	Soil	57	1.15	81	0.131	1	2.11	0.003	0.23	<0.1	0.02	1.9	0.2	<0.05	6	<0.5	<0.2
1236604	Soil	55	1.10	114	0.166	1	2.10	0.004	0.20	<0.1	0.02	2.1	0.2	<0.05	7	<0.5	<0.2
1236605	Soil	47	1.09	84	0.105	1	1.95	0.004	0.23	0.1	<0.01	2.5	0.1	<0.05	5	<0.5	<0.2
1236606	Soil	49	1.20	79	0.085	<1	2.13	0.003	0.17	<0.1	0.01	2.5	0.1	<0.05	6	<0.5	<0.2
1236607	Soil	55	1.21	122	0.099	2	2.56	0.004	0.22	0.1	0.02	2.9	0.2	<0.05	7	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236608	Soil	0.9	81.9	9.5	72	<0.1	45.3	23.4	489	5.05	13.7	1.7	1.8	8	<0.1	0.6	0.2	84	0.14	0.037	6
1236609	Soil	0.9	97.0	9.1	77	0.1	52.0	27.1	578	5.31	15.9	1.7	1.9	7	0.1	0.9	0.2	88	0.14	0.033	6
1236610	Soil	1.1	115.2	6.9	78	<0.1	49.5	28.2	649	5.31	12.0	1.6	1.4	6	<0.1	0.6	0.2	92	0.12	0.032	6
1236611	Soil	0.9	67.9	7.9	74	<0.1	39.4	20.7	531	5.24	11.7	0.8	1.6	4	0.1	1.0	0.2	94	0.09	0.032	5
1236612	Soil	1.3	50.2	8.1	61	<0.1	28.9	14.5	415	4.47	9.4	0.9	1.5	6	<0.1	0.5	0.2	99	0.09	0.028	5
1236613	Soil	0.9	82.1	7.7	73	<0.1	48.4	24.9	511	4.77	24.4	1.8	2.8	5	<0.1	0.8	0.2	75	0.11	0.034	8
1236614	Soil	1.1	51.5	9.3	70	<0.1	35.5	17.9	450	4.13	24.4	1.7	1.7	5	0.2	0.8	0.2	78	0.09	0.036	7
1236615	Soil	1.1	42.5	8.4	61	<0.1	26.5	13.9	448	4.03	15.4	1.8	1.7	6	<0.1	0.7	0.2	82	0.13	0.029	6
1236616	Soil	1.2	83.9	12.2	77	<0.1	46.4	18.9	511	4.33	33.0	2.1	2.8	9	<0.1	1.1	0.3	79	0.17	0.034	10
1236617	Soil	1.1	64.2	11.8	65	<0.1	32.9	15.3	437	3.42	29.3	5.2	3.3	9	0.1	1.2	0.3	55	0.10	0.051	13
1236618	Soil	1.3	88.9	12.1	85	<0.1	46.8	17.2	520	3.59	19.3	2.1	3.2	10	0.1	1.0	0.3	57	0.13	0.037	13
1236619	Soil	0.4	83.1	6.2	74	<0.1	41.9	24.3	522	5.25	8.9	0.9	1.7	4	<0.1	0.5	0.1	105	0.12	0.016	7
1236620	Soil	1.0	123.8	10.5	84	<0.1	54.0	25.8	741	5.81	10.5	3.5	1.2	9	<0.1	1.3	0.2	102	0.14	0.055	6
1236621	Soil	0.7	109.7	9.7	73	0.1	45.0	26.6	537	5.36	16.1	9.5	2.4	18	<0.1	0.6	0.3	67	0.14	0.052	5
1236622	Soil	2.0	27.0	12.3	59	<0.1	20.1	9.6	345	3.95	16.4	1.6	2.8	8	<0.1	0.9	0.2	60	0.09	0.032	9
1236623	Soil	0.5	79.6	7.3	63	<0.1	43.1	26.3	591	4.39	32.4	69.5	3.5	6	<0.1	1.2	0.3	65	0.12	0.040	10
1236624	Soil	0.7	69.3	6.3	56	<0.1	38.6	21.3	464	4.16	16.9	1.5	1.1	4	<0.1	0.6	0.1	66	0.10	0.039	5
1236625	Soil	0.6	176.2	4.4	90	<0.1	124.8	75.8	901	6.40	8.7	1.9	1.1	7	0.1	0.4	<0.1	115	0.12	0.046	3
1236651	Soil	1.1	103.2	22.9	81	0.2	52.0	22.3	756	4.45	19.3	6.7	5.8	19	0.1	2.5	0.3	49	0.25	0.071	43
1236652	Soil	0.8	80.9	18.9	80	<0.1	48.7	24.6	740	4.61	26.8	4.1	5.5	15	0.1	2.8	0.2	56	0.11	0.058	15
1236653	Soil	0.9	80.7	20.3	89	0.3	53.0	20.9	667	4.86	64.9	6.1	2.9	11	0.1	6.8	0.3	72	0.13	0.086	26
1236654	Soil	0.7	145.0	31.2	99	0.2	73.2	36.2	1059	5.75	63.6	6.0	3.8	16	0.2	2.4	0.3	86	0.29	0.068	20
1236655	Soil	0.8	211.3	29.6	104	0.2	105.8	58.4	1416	6.24	38.8	6.7	4.5	18	0.3	1.7	0.4	84	0.34	0.069	20
1236656	Soil	1.2	169.6	24.1	102	0.2	67.8	43.9	1186	6.21	49.0	10.9	3.7	17	0.1	5.4	0.3	101	0.34	0.071	29
1236657	Soil	1.1	156.3	18.6	68	0.1	47.9	30.5	918	4.19	85.3	38.9	1.3	17	<0.1	3.9	0.3	69	0.64	0.105	31
1236658	Soil	0.9	162.4	19.1	93	0.3	70.9	34.6	953	7.24	5081	2433	4.6	24	0.2	70.8	0.3	54	0.18	0.043	20
1236659	Soil	0.9	120.7	14.3	93	0.1	56.7	30.5	756	5.26	369.1	176.0	2.3	12	0.2	5.3	0.3	75	0.26	0.064	11
1236660	Soil	0.9	145.7	19.6	99	0.1	54.8	30.9	883	5.55	49.2	10.1	1.6	10	0.1	1.7	0.3	111	0.22	0.073	10
1236661	Soil	1.0	131.0	13.3	84	<0.1	59.3	33.0	798	4.94	17.4	2.2	2.0	9	0.1	1.1	0.3	92	0.16	0.059	7
1236662	Soil	0.7	86.2	8.2	85	<0.1	54.8	28.8	879	5.42	19.7	2.9	1.8	8	0.1	0.8	0.1	117	0.25	0.043	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236608	Soil	54	1.25	94	0.146	1	2.26	0.006	0.22	<0.1	0.01	2.7	0.1	<0.05	7	<0.5	<0.2
1236609	Soil	59	1.38	87	0.126	<1	2.51	0.004	0.26	<0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2
1236610	Soil	64	1.37	87	0.147	<1	2.62	0.003	0.23	0.1	0.02	2.2	0.2	<0.05	7	<0.5	<0.2
1236611	Soil	63	1.41	77	0.145	1	2.66	0.003	0.19	<0.1	0.02	2.7	0.2	<0.05	7	<0.5	<0.2
1236612	Soil	51	1.11	75	0.197	1	2.04	0.004	0.12	<0.1	0.02	1.5	0.1	<0.05	8	<0.5	<0.2
1236613	Soil	55	1.30	103	0.121	1	2.39	0.004	0.32	0.1	0.01	2.1	0.2	<0.05	6	<0.5	<0.2
1236614	Soil	54	0.96	88	0.148	1	1.94	0.004	0.19	0.1	0.01	2.0	0.1	<0.05	6	<0.5	<0.2
1236615	Soil	44	0.96	95	0.155	1	1.89	0.004	0.16	0.1	0.01	1.7	0.2	<0.05	6	<0.5	<0.2
1236616	Soil	49	0.99	131	0.090	1	2.01	0.006	0.22	0.1	0.02	3.2	0.2	<0.05	6	<0.5	<0.2
1236617	Soil	34	0.74	142	0.050	1	1.77	0.005	0.14	0.2	0.03	2.6	0.2	<0.05	5	0.5	<0.2
1236618	Soil	37	0.79	164	0.048	2	1.71	0.006	0.11	0.2	0.02	3.2	0.1	<0.05	5	0.5	<0.2
1236619	Soil	65	1.47	100	0.183	<1	2.71	0.008	0.32	<0.1	<0.01	4.2	0.3	<0.05	8	<0.5	<0.2
1236620	Soil	59	1.31	118	0.112	<1	2.60	0.003	0.29	<0.1	0.02	3.7	0.3	<0.05	8	<0.5	<0.2
1236621	Soil	43	1.25	145	0.157	<1	2.29	0.005	0.58	<0.1	0.01	2.7	0.3	0.17	7	<0.5	<0.2
1236622	Soil	31	0.55	82	0.095	1	1.36	0.004	0.10	0.2	0.02	1.8	0.1	<0.05	6	<0.5	<0.2
1236623	Soil	48	1.19	91	0.103	1	2.10	0.003	0.23	<0.1	<0.01	2.6	0.1	<0.05	6	<0.5	<0.2
1236624	Soil	46	1.20	65	0.090	<1	2.05	0.003	0.23	0.1	0.02	1.5	0.1	<0.05	6	<0.5	<0.2
1236625	Soil	78	1.81	119	0.158	<1	3.05	0.004	0.49	<0.1	<0.01	2.6	0.3	<0.05	8	<0.5	<0.2
1236651	Soil	64	1.05	142	0.023	1	2.10	0.006	0.15	0.1	0.03	3.5	0.2	<0.05	6	0.6	<0.2
1236652	Soil	55	1.13	83	0.082	<1	2.12	0.006	0.27	<0.1	0.05	3.6	0.2	<0.05	7	<0.5	<0.2
1236653	Soil	79	1.09	141	0.050	<1	2.24	0.004	0.19	0.1	0.05	4.4	0.2	<0.05	7	<0.5	<0.2
1236654	Soil	96	1.40	156	0.083	<1	2.97	0.008	0.32	<0.1	0.04	5.5	0.3	<0.05	9	<0.5	<0.2
1236655	Soil	73	1.36	136	0.109	<1	3.00	0.034	0.48	<0.1	0.03	6.2	0.3	<0.05	9	<0.5	<0.2
1236656	Soil	73	1.48	164	0.074	<1	3.27	0.009	0.29	0.1	0.04	7.5	0.4	<0.05	11	<0.5	<0.2
1236657	Soil	51	0.97	130	0.037	3	2.23	0.011	0.16	<0.1	0.07	3.8	0.2	0.06	7	0.7	<0.2
1236658	Soil	43	0.90	111	0.034	2	1.81	0.006	0.25	0.1	0.03	6.4	0.2	<0.05	5	<0.5	<0.2
1236659	Soil	57	1.24	115	0.068	1	2.53	0.010	0.23	<0.1	0.04	4.0	0.2	<0.05	8	<0.5	<0.2
1236660	Soil	72	1.43	118	0.065	2	2.98	0.008	0.18	0.1	0.04	3.9	0.3	<0.05	9	<0.5	<0.2
1236661	Soil	62	1.07	110	0.096	1	2.55	0.009	0.23	0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2
1236662	Soil	96	1.89	93	0.097	1	2.89	0.004	0.20	<0.1	0.02	2.6	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236663	Soil		1.2	189.3	14.5	107	0.1	83.2	40.3	843	4.90	25.7	4.8	1.8	11	0.2	0.8	0.3	85	0.14	0.067	8
1236664	Soil		1.2	64.1	9.8	55	0.2	31.1	13.4	369	3.47	21.6	6.3	0.5	9	0.2	1.3	0.2	75	0.15	0.088	4
1236665	Soil		0.6	89.5	10.2	83	<0.1	56.5	29.7	911	5.56	7.4	2.2	1.4	7	0.1	0.4	0.1	138	0.18	0.036	3
1236666	Soil		0.1	121.9	5.4	81	<0.1	67.6	34.9	840	6.07	7.9	2.4	1.1	8	0.1	0.4	<0.1	151	0.40	0.032	2
1236667	Soil		0.6	135.1	7.9	98	0.1	67.2	35.7	969	6.61	30.4	3.9	1.6	9	<0.1	2.7	0.1	130	0.33	0.049	6
1236668	Soil		0.4	105.5	5.8	82	0.1	55.3	28.5	746	5.48	22.1	3.6	1.7	9	<0.1	2.6	0.1	105	0.36	0.039	6
1236669	Soil		0.7	129.6	7.7	94	0.2	62.3	29.8	738	6.36	18.0	4.4	2.1	7	<0.1	2.3	0.2	120	0.22	0.042	7
1236670	Soil		0.4	148.3	4.9	95	0.1	69.2	34.9	819	6.99	51.3	19.5	1.7	8	<0.1	7.8	<0.1	139	0.27	0.041	6
1236671	Soil		0.5	138.4	5.2	90	<0.1	66.0	35.0	805	6.73	33.5	4.8	1.5	6	<0.1	2.6	0.1	122	0.23	0.036	4
1236672	Soil		0.8	94.4	7.5	77	<0.1	47.3	28.4	745	5.62	20.0	2.4	1.7	6	<0.1	1.6	0.2	101	0.18	0.038	6
1236673	Soil		0.7	80.9	7.1	74	<0.1	42.2	24.2	624	5.37	27.0	2.1	1.6	6	<0.1	1.1	0.2	93	0.14	0.035	7
1236674	Soil		0.9	81.8	10.9	75	<0.1	42.1	22.0	636	5.07	21.7	4.0	1.7	7	<0.1	1.7	0.2	90	0.13	0.040	9
1236675	Soil		0.7	88.2	7.6	77	<0.1	44.2	22.9	568	5.10	14.9	1.9	1.9	6	<0.1	0.9	0.2	87	0.17	0.030	7
1236676	Soil		0.8	74.2	8.9	70	<0.1	39.5	20.4	534	4.78	26.1	0.7	2.4	6	<0.1	1.5	0.2	78	0.12	0.037	9
1236677	Soil		0.7	103.8	6.2	77	<0.1	48.6	25.0	604	5.77	15.2	1.4	1.8	5	<0.1	0.9	0.2	99	0.13	0.033	6
1236678	Soil		0.5	134.0	7.0	92	0.1	62.2	30.9	730	6.45	21.8	3.1	1.6	7	0.1	2.2	0.1	119	0.18	0.041	5
1236679	Soil		0.5	147.2	5.2	92	<0.1	68.7	35.8	787	6.64	33.9	4.9	1.5	7	<0.1	9.0	<0.1	119	0.27	0.037	4
1236680	Soil		0.4	172.2	4.9	90	0.1	75.7	38.9	812	6.91	35.7	6.2	1.4	11	<0.1	3.9	<0.1	131	0.36	0.052	4
1236681	Soil		0.4	177.7	4.7	93	0.1	71.9	37.6	861	6.94	91.6	22.2	1.2	10	0.1	2.4	<0.1	138	0.49	0.042	4
1236682	Soil		0.8	199.3	10.6	98	0.2	82.8	40.6	880	7.06	82.0	23.9	2.3	9	0.1	5.2	0.2	134	0.33	0.048	9
1236683	Soil		0.5	99.5	7.8	85	0.1	57.7	28.8	846	5.72	38.3	4.9	1.7	9	0.1	3.1	0.1	108	0.32	0.045	6
1236684	Soil		0.4	127.2	6.6	93	<0.1	63.4	35.5	960	6.50	19.2	1.4	1.4	10	0.1	0.8	0.1	133	0.34	0.047	4
1236685	Soil		0.5	141.0	15.2	95	0.4	79.5	37.9	1023	6.34	87.9	9.3	13.4	5	<0.1	28.2	0.2	47	0.13	0.056	19
1236686	Soil		1.0	68.1	16.8	63	0.1	40.3	17.4	481	4.13	42.7	2.2	2.8	6	<0.1	6.0	0.2	61	0.08	0.027	12
1236687	Soil		0.9	154.1	18.5	90	0.5	82.4	37.0	930	5.97	102.4	11.0	7.2	5	0.1	18.5	0.3	45	0.10	0.047	23
1236688	Soil		1.7	76.0	25.7	80	0.1	51.3	24.9	856	4.80	25.8	1.1	3.4	7	0.1	8.1	0.2	61	0.09	0.053	19
1236689	Soil		1.2	69.1	25.2	74	0.1	44.3	20.4	730	4.94	32.5	0.7	2.8	6	0.2	12.3	0.2	60	0.11	0.053	15
1236690	Soil		1.3	104.0	23.7	84	0.2	54.3	24.0	756	5.01	140.7	4.8	1.7	4	0.1	50.1	0.2	26	0.04	0.063	23
1236691	Soil		1.0	68.9	17.7	75	<0.1	48.7	28.5	903	5.20	28.1	8.7	3.4	5	0.1	6.2	0.2	77	0.10	0.042	13
1236692	Soil		1.2	82.2	21.9	76	0.1	50.7	23.6	832	4.85	62.7	1.8	2.7	6	0.2	26.3	0.2	44	0.08	0.052	20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236663	Soil	53	1.02	124	0.101	1	2.91	0.013	0.38	0.2	0.06	4.0	0.3	<0.05	8	<0.5	<0.2
1236664	Soil	45	0.74	87	0.074	2	1.54	0.006	0.15	0.1	0.11	1.6	0.1	0.07	6	<0.5	<0.2
1236665	Soil	98	1.64	93	0.138	<1	2.81	0.004	0.37	<0.1	0.02	3.2	0.3	<0.05	9	<0.5	<0.2
1236666	Soil	112	2.00	119	0.215	<1	3.18	0.011	0.72	<0.1	<0.01	3.8	0.5	<0.05	8	<0.5	<0.2
1236667	Soil	103	2.02	153	0.126	1	3.40	0.005	0.42	<0.1	0.02	4.1	0.3	<0.05	9	<0.5	<0.2
1236668	Soil	80	1.76	108	0.119	<1	2.94	0.004	0.35	<0.1	0.01	3.9	0.2	<0.05	7	<0.5	<0.2
1236669	Soil	96	1.97	115	0.133	<1	3.37	0.004	0.42	<0.1	0.02	4.4	0.3	<0.05	9	<0.5	<0.2
1236670	Soil	105	2.19	120	0.131	<1	3.64	0.004	0.46	<0.1	0.02	5.3	0.3	<0.05	9	<0.5	<0.2
1236671	Soil	99	2.17	123	0.150	<1	3.57	0.004	0.42	<0.1	<0.01	3.0	0.2	<0.05	9	<0.5	<0.2
1236672	Soil	72	1.64	100	0.130	<1	2.96	0.004	0.18	<0.1	0.02	3.0	0.2	<0.05	8	<0.5	<0.2
1236673	Soil	64	1.54	92	0.131	<1	2.70	0.003	0.15	<0.1	0.01	2.7	0.2	<0.05	7	<0.5	<0.2
1236674	Soil	63	1.36	88	0.118	<1	2.62	0.004	0.16	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
1236675	Soil	67	1.57	82	0.129	<1	2.62	0.004	0.14	<0.1	0.01	2.6	0.1	<0.05	7	<0.5	<0.2
1236676	Soil	56	1.28	75	0.133	<1	2.35	0.003	0.18	<0.1	<0.01	2.7	0.2	<0.05	6	<0.5	<0.2
1236677	Soil	73	1.65	79	0.139	<1	2.88	0.003	0.19	<0.1	<0.01	2.7	0.2	<0.05	8	<0.5	<0.2
1236678	Soil	91	2.09	108	0.130	<1	3.51	0.004	0.36	<0.1	<0.01	3.3	0.2	<0.05	9	<0.5	<0.2
1236679	Soil	97	2.15	137	0.161	<1	3.53	0.005	0.47	<0.1	<0.01	3.1	0.2	<0.05	8	<0.5	<0.2
1236680	Soil	98	2.13	124	0.153	<1	3.48	0.006	0.53	<0.1	0.01	3.5	0.3	<0.05	9	<0.5	<0.2
1236681	Soil	100	2.07	120	0.154	<1	3.46	0.006	0.57	<0.1	0.01	3.9	0.3	<0.05	9	<0.5	<0.2
1236682	Soil	91	1.81	85	0.137	<1	3.39	0.006	0.54	<0.1	0.02	6.3	0.4	<0.05	10	<0.5	<0.2
1236683	Soil	86	1.80	119	0.107	<1	3.07	0.004	0.33	<0.1	0.03	3.9	0.2	<0.05	8	<0.5	<0.2
1236684	Soil	97	1.99	134	0.164	<1	3.39	0.006	0.52	<0.1	0.02	3.5	0.4	<0.05	9	<0.5	<0.2
1236685	Soil	46	1.46	68	0.029	<1	2.80	0.003	0.23	<0.1	0.02	6.7	0.2	<0.05	8	<0.5	<0.2
1236686	Soil	42	0.83	53	0.105	<1	1.72	0.003	0.14	0.1	0.02	2.7	0.1	<0.05	6	<0.5	<0.2
1236687	Soil	41	0.94	63	0.036	2	1.98	0.004	0.17	<0.1	0.02	4.4	0.2	<0.05	5	<0.5	<0.2
1236688	Soil	51	0.80	81	0.059	1	1.74	0.005	0.15	<0.1	0.03	3.6	0.1	<0.05	6	<0.5	<0.2
1236689	Soil	42	0.68	64	0.086	1	1.48	0.003	0.13	<0.1	0.03	3.9	0.1	<0.05	5	<0.5	<0.2
1236690	Soil	20	0.16	57	0.007	<1	0.60	0.004	0.12	0.1	0.03	3.6	0.1	<0.05	2	<0.5	<0.2
1236691	Soil	59	1.20	74	0.088	<1	2.19	0.004	0.18	<0.1	0.02	4.1	0.1	<0.05	7	<0.5	<0.2
1236692	Soil	32	0.48	69	0.032	<1	1.17	0.003	0.14	<0.1	0.02	4.1	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236693	Soil	1.9	69.4	35.3	75	<0.1	46.2	22.3	861	4.89	60.9	5.5	2.4	4	0.1	25.2	0.2	58	0.04	0.058	16
1236694	Soil	1.2	86.8	27.4	75	<0.1	48.6	23.8	809	4.67	23.3	6.1	4.2	5	0.2	4.2	0.3	69	0.10	0.042	11
1236695	Soil	1.2	72.9	24.2	64	0.1	41.2	18.6	628	4.27	25.8	2.3	2.5	5	0.1	4.4	0.2	70	0.06	0.053	10
1236696	Soil	0.8	84.1	19.4	67	0.2	43.7	20.4	868	4.61	40.6	5.8	1.9	9	0.2	8.5	0.2	64	0.18	0.059	19
1236697	Soil	1.2	61.8	20.6	64	0.1	34.6	15.3	482	4.18	28.1	2.7	2.3	5	<0.1	2.8	0.3	73	0.07	0.043	10
1236698	Soil	1.2	101.6	22.2	76	<0.1	52.7	22.9	824	5.17	31.4	3.7	3.6	5	<0.1	7.6	0.2	60	0.07	0.043	14
1236699	Soil	1.6	56.1	21.7	63	0.1	36.8	17.5	597	4.57	24.4	3.1	2.7	5	0.1	4.1	0.2	72	0.08	0.038	10
1236700	Soil	0.9	65.4	16.1	63	<0.1	35.7	16.2	502	4.24	30.6	4.2	1.4	6	<0.1	3.2	0.2	71	0.07	0.050	10
1236701	Soil	0.8	49.9	11.9	52	0.1	30.5	14.1	421	3.73	28.6	3.3	1.1	5	0.1	2.4	0.2	66	0.07	0.048	7
1236702	Soil	1.1	59.8	14.8	67	0.1	37.4	18.2	523	4.70	53.3	4.9	1.8	6	0.2	3.2	0.2	82	0.08	0.041	8
1236703	Soil	1.4	103.4	26.3	80	<0.1	49.3	25.9	768	5.16	21.8	2.6	2.7	7	<0.1	1.9	0.2	79	0.11	0.058	9
1236704	Soil	1.1	62.9	14.9	63	<0.1	34.9	16.4	504	4.43	35.5	2.1	1.5	5	0.1	2.6	0.2	73	0.06	0.045	9
1236705	Soil	1.2	86.4	19.8	84	<0.1	46.6	21.8	653	4.94	29.0	4.3	2.3	6	0.2	1.8	0.2	80	0.08	0.039	8
1236706	Soil	0.9	166.1	20.8	91	0.3	72.0	33.0	1164	6.10	1430	666.9	3.8	7	0.2	30.3	0.2	71	0.11	0.040	19
1236707	Soil	1.1	64.3	13.1	68	<0.1	35.4	16.2	443	3.98	32.8	5.7	1.7	6	0.2	2.0	0.2	70	0.08	0.031	8
1236708	Soil	1.1	130.2	24.1	85	0.3	62.7	29.2	824	5.37	782.2	596.2	3.5	6	0.3	18.3	0.2	64	0.11	0.046	14
1236709	Soil	0.9	114.5	18.8	81	<0.1	61.0	29.0	879	5.41	110.9	31.5	2.6	7	0.1	9.0	0.2	85	0.12	0.035	8
1236710	Soil	1.2	110.3	21.7	81	0.2	51.9	27.2	814	5.21	1117	252.7	3.0	10	0.1	11.7	0.2	60	0.15	0.046	13
1236711	Soil	1.8	95.3	23.7	84	0.1	48.6	23.9	876	4.77	86.3	8.3	2.3	16	0.2	4.8	0.3	62	0.19	0.051	14
1236712	Soil	1.5	67.3	16.2	69	<0.1	38.5	19.8	693	4.38	35.4	6.4	1.9	7	0.2	2.5	0.2	72	0.09	0.041	8
1236713	Soil	1.0	83.8	18.5	69	<0.1	49.4	25.9	894	4.93	26.3	3.0	2.5	6	0.1	1.8	0.2	75	0.08	0.039	7
1236714	Soil	0.9	71.6	17.2	67	<0.1	45.9	22.9	823	4.57	24.6	4.1	2.2	6	0.2	1.4	0.2	75	0.09	0.044	7
1236715	Soil	1.4	126.0	25.1	79	0.3	57.4	33.9	881	5.90	6085	2349	4.6	15	0.2	822.2	0.4	37	0.07	0.043	19
1236716	Soil	1.2	200.6	25.5	93	0.7	95.2	47.3	739	6.78	4078	2538	7.3	26	0.4	146.2	0.5	32	0.07	0.047	33
1236717	Soil	1.5	118.9	20.8	76	0.1	62.3	31.1	755	4.97	643.0	268.3	4.3	11	0.1	15.7	0.3	54	0.10	0.036	16
1236718	Soil	1.0	136.8	18.1	80	0.2	71.4	32.8	800	5.30	1698	487.8	3.9	28	0.1	40.9	0.2	56	0.07	0.042	15
1236719	Soil	1.4	131.3	21.0	76	0.1	61.6	30.4	722	5.04	674.9	176.8	3.6	9	0.2	24.1	0.3	55	0.07	0.037	13
1236720	Soil	0.6	108.7	11.0	70	<0.1	50.2	26.3	575	4.74	69.2	20.2	3.2	5	<0.1	2.3	0.2	70	0.08	0.023	9
1236721	Soil	0.8	93.5	12.2	66	<0.1	45.8	24.8	624	4.89	660.1	245.5	3.0	7	0.1	8.6	0.2	68	0.08	0.025	10
1236722	Soil	1.2	104.8	15.2	75	<0.1	50.6	26.4	668	5.00	53.5	9.5	2.6	8	<0.1	1.7	0.2	79	0.13	0.037	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236693	Soil	41	0.53	60	0.075	1	1.19	0.004	0.13	0.1	0.03	3.9	0.1	<0.05	5	<0.5	<0.2
1236694	Soil	54	1.07	60	0.107	1	2.06	0.004	0.19	<0.1	0.02	3.7	0.1	<0.05	7	<0.5	<0.2
1236695	Soil	48	0.86	66	0.087	1	1.89	0.004	0.15	0.1	0.04	3.1	0.1	<0.05	7	<0.5	<0.2
1236696	Soil	45	0.88	103	0.056	1	1.94	0.005	0.14	0.1	0.04	3.9	0.2	<0.05	6	<0.5	<0.2
1236697	Soil	44	0.77	65	0.113	2	1.90	0.003	0.12	0.1	0.03	2.6	0.1	<0.05	7	0.8	<0.2
1236698	Soil	45	0.93	66	0.107	<1	2.07	0.003	0.15	<0.1	0.02	3.4	0.2	<0.05	6	<0.5	<0.2
1236699	Soil	46	0.89	63	0.112	1	1.92	0.004	0.14	<0.1	0.03	2.9	0.2	<0.05	7	<0.5	<0.2
1236700	Soil	48	0.92	67	0.086	1	2.06	0.005	0.11	<0.1	0.03	2.6	0.1	<0.05	7	<0.5	<0.2
1236701	Soil	45	0.84	68	0.093	<1	1.87	0.008	0.12	0.1	0.03	2.1	0.1	<0.05	6	<0.5	<0.2
1236702	Soil	53	1.09	75	0.104	<1	2.36	0.004	0.16	0.1	0.03	2.7	0.2	<0.05	7	<0.5	<0.2
1236703	Soil	58	1.25	80	0.106	<1	2.62	0.006	0.24	<0.1	0.03	3.7	0.2	<0.05	8	<0.5	<0.2
1236704	Soil	48	0.98	59	0.089	<1	2.16	0.004	0.12	<0.1	0.03	2.6	0.1	<0.05	7	0.6	<0.2
1236705	Soil	56	1.07	73	0.091	<1	2.40	0.004	0.20	0.1	0.03	3.2	0.2	<0.05	7	0.5	<0.2
1236706	Soil	55	1.28	112	0.056	<1	2.42	0.004	0.18	<0.1	0.03	5.5	0.2	<0.05	7	<0.5	<0.2
1236707	Soil	49	1.05	73	0.073	<1	2.20	0.006	0.14	<0.1	0.03	2.6	0.2	<0.05	6	<0.5	<0.2
1236708	Soil	54	1.13	71	0.053	<1	2.20	0.005	0.16	0.1	0.04	4.4	0.2	<0.05	7	<0.5	<0.2
1236709	Soil	64	1.48	87	0.088	<1	2.82	0.003	0.19	<0.1	0.02	3.7	0.2	<0.05	8	<0.5	<0.2
1236710	Soil	47	1.04	88	0.050	<1	2.04	0.004	0.16	0.1	0.02	4.1	0.1	<0.05	6	<0.5	<0.2
1236711	Soil	43	0.93	103	0.061	<1	2.12	0.005	0.12	0.1	0.04	3.6	0.1	<0.05	6	0.8	<0.2
1236712	Soil	49	1.00	62	0.130	<1	2.04	0.005	0.16	0.1	0.05	2.6	0.1	<0.05	7	0.8	<0.2
1236713	Soil	57	1.15	64	0.107	<1	2.32	0.005	0.18	0.1	0.02	3.3	0.1	<0.05	7	0.5	<0.2
1236714	Soil	52	1.04	63	0.118	<1	2.07	0.004	0.16	<0.1	0.04	3.0	0.1	<0.05	7	<0.5	<0.2
1236715	Soil	30	0.61	214	0.022	<1	1.40	0.005	0.15	<0.1	0.05	5.1	0.1	<0.05	4	<0.5	<0.2
1236716	Soil	26	0.46	219	0.023	1	1.21	0.008	0.16	0.1	0.05	5.4	0.2	0.12	3	1.2	<0.2
1236717	Soil	42	0.96	84	0.073	1	1.89	0.005	0.16	<0.1	0.02	3.5	0.1	<0.05	5	<0.5	<0.2
1236718	Soil	41	0.93	89	0.078	<1	1.85	0.010	0.17	<0.1	0.05	3.8	0.1	0.05	5	0.8	<0.2
1236719	Soil	42	0.99	95	0.067	<1	2.02	0.006	0.16	<0.1	0.03	3.3	0.1	<0.05	5	0.5	<0.2
1236720	Soil	54	1.30	74	0.094	<1	2.36	0.004	0.20	0.1	0.02	2.6	0.2	<0.05	6	0.8	<0.2
1236721	Soil	51	1.26	67	0.113	<1	2.24	0.004	0.20	<0.1	0.02	2.8	0.1	<0.05	6	<0.5	<0.2
1236722	Soil	58	1.29	82	0.128	<1	2.51	0.005	0.18	<0.1	0.03	3.0	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236723	Soil	1.0	107.0	10.9	72	<0.1	51.0	24.3	585	4.84	230.3	137.1	2.7	7	<0.1	11.1	0.2	76	0.11	0.029	10
1236724	Soil	1.1	99.3	19.3	73	<0.1	51.6	28.4	676	5.08	38.4	4.3	3.4	7	<0.1	1.7	0.2	72	0.11	0.029	9
1236725	Soil	0.9	109.8	15.4	79	<0.1	58.0	32.6	768	5.37	37.1	6.1	3.0	7	0.1	1.7	0.2	76	0.10	0.034	9
1236726	Soil	1.0	112.3	13.6	77	<0.1	53.4	26.1	694	5.27	160.2	53.3	3.2	7	<0.1	3.2	0.2	74	0.09	0.028	10
1236727	Soil	1.3	87.9	16.5	66	0.2	46.5	25.3	685	4.86	703.6	299.6	3.0	7	<0.1	7.7	0.2	76	0.07	0.031	10
1236728	Soil	1.1	89.9	15.4	72	<0.1	50.8	26.8	714	5.28	36.3	4.4	3.3	7	0.1	1.6	0.2	72	0.09	0.034	9
1236729	Soil	1.0	71.9	12.5	74	<0.1	44.4	22.5	661	5.67	46.2	2.9	2.4	6	<0.1	1.9	0.2	99	0.09	0.030	7
1236730	Soil	1.7	98.8	26.2	75	0.2	51.6	27.0	680	5.16	145.6	11.7	2.7	9	0.1	3.8	0.3	82	0.11	0.050	10
1236731	Soil	1.1	71.6	13.8	70	<0.1	42.9	20.7	628	5.33	35.3	6.4	2.7	7	0.2	1.7	0.2	86	0.10	0.032	8
1236732	Soil	1.5	60.0	18.4	68	0.1	41.7	19.2	607	5.02	93.7	25.9	2.0	6	0.1	2.7	0.2	86	0.10	0.042	7
1236733	Soil	1.1	110.9	13.2	78	0.2	55.2	28.2	702	5.39	174.6	12.6	2.7	8	0.1	5.7	0.2	81	0.14	0.036	10
1236734	Soil	1.3	88.3	16.5	72	<0.1	44.9	22.1	675	5.52	40.0	6.7	3.0	8	0.1	1.9	0.3	79	0.09	0.039	8
1236735	Soil	1.3	97.3	12.9	76	<0.1	47.4	23.2	621	5.05	63.4	6.5	3.0	8	0.2	2.4	0.3	72	0.09	0.037	10
1236736	Soil	1.3	128.1	18.9	86	0.1	57.4	29.9	806	5.77	500.7	101.0	3.0	11	0.1	7.0	0.3	80	0.12	0.052	12
1236737	Soil	2.0	99.1	20.1	54	0.7	49.4	27.1	433	4.44	2887	2549	4.7	61	0.2	85.2	0.4	38	0.06	0.052	25
1236738	Soil	1.4	93.0	17.7	73	0.2	48.0	23.9	675	5.26	548.9	232.4	3.0	13	0.1	11.7	0.3	70	0.08	0.040	11
1236739	Soil	1.4	107.1	18.3	66	0.2	50.1	24.0	624	5.10	894.5	787.6	3.6	15	<0.1	23.3	0.3	61	0.08	0.039	13
1236740	Soil	1.4	98.4	24.0	53	1.7	42.8	16.4	295	3.96	6605	11343	8.3	116	0.1	109.7	0.4	22	0.06	0.042	43
1236741	Soil	1.1	106.3	14.9	80	0.1	53.9	25.3	682	5.46	554.7	576.2	2.8	14	0.2	9.6	0.2	78	0.11	0.039	11
1236742	Soil	1.4	122.8	17.3	82	0.1	57.7	26.8	685	5.79	978.0	267.8	2.8	12	0.2	19.0	0.3	71	0.08	0.037	11
1236743	Soil	1.0	117.9	12.0	79	0.1	55.7	33.1	980	5.88	1606	318.7	3.3	10	0.2	22.5	0.2	68	0.09	0.045	12
1236744	Soil	1.4	74.4	16.2	66	<0.1	41.1	20.0	568	5.07	48.3	8.5	2.8	7	0.1	1.4	0.2	74	0.08	0.033	9
1236745	Soil	1.4	144.6	17.9	76	0.4	67.7	33.7	805	5.75	1558	683.4	3.5	15	0.1	15.1	0.3	76	0.17	0.044	15
1236746	Soil	1.1	97.1	18.8	67	<0.1	43.7	22.9	679	5.26	71.8	10.6	2.8	7	<0.1	1.7	0.3	70	0.10	0.033	8
1236747	Soil	1.1	125.8	17.3	78	0.3	56.0	29.0	943	6.69	3419	872.0	4.1	21	0.2	29.4	0.2	65	0.07	0.040	14
1236748	Soil	1.4	146.1	22.7	77	0.3	62.2	35.8	868	5.65	1403	299.0	4.1	13	0.1	17.0	0.3	64	0.11	0.037	13
1236749	Soil	1.2	79.3	14.8	58	<0.1	40.6	19.4	526	4.83	114.4	15.4	2.1	6	<0.1	2.3	0.2	68	0.08	0.035	7
1236750	Soil	1.2	82.1	17.0	76	0.1	46.3	26.4	1020	5.62	810.5	164.1	2.9	8	0.1	8.3	0.2	84	0.09	0.055	10
1236751	Soil	0.9	102.3	14.9	74	0.2	48.4	25.1	685	5.73	3296	824.8	2.9	15	0.1	32.6	0.2	65	0.10	0.043	14
1236752	Soil	1.0	97.9	17.0	76	0.3	47.2	26.2	1055	5.94	3060	1205	2.2	16	0.1	47.9	0.2	67	0.18	0.064	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236723	Soil	53	1.26	71	0.103	<1	2.48	0.004	0.17	<0.1	0.02	3.0	0.1	<0.05	6	0.6	<0.2
1236724	Soil	56	1.31	68	0.124	<1	2.46	0.005	0.19	<0.1	0.02	2.9	0.1	<0.05	7	0.8	<0.2
1236725	Soil	55	1.28	75	0.130	<1	2.51	0.004	0.19	<0.1	0.03	3.0	0.2	<0.05	7	0.8	<0.2
1236726	Soil	56	1.31	66	0.128	<1	2.43	0.005	0.20	<0.1	0.02	2.9	0.1	<0.05	7	<0.5	<0.2
1236727	Soil	50	1.04	77	0.114	1	2.06	0.004	0.18	<0.1	0.03	2.8	0.1	<0.05	7	0.6	<0.2
1236728	Soil	52	1.24	63	0.134	<1	2.35	0.005	0.20	<0.1	0.02	3.1	0.1	<0.05	7	<0.5	<0.2
1236729	Soil	65	1.40	57	0.244	1	2.59	0.007	0.21	<0.1	0.04	2.7	0.1	<0.05	9	0.6	<0.2
1236730	Soil	56	1.11	82	0.121	2	2.36	0.006	0.20	<0.1	0.07	3.1	0.2	0.06	8	0.5	<0.2
1236731	Soil	56	1.27	62	0.185	2	2.48	0.005	0.19	<0.1	0.03	2.9	0.1	<0.05	8	0.6	<0.2
1236732	Soil	60	1.29	75	0.151	1	2.41	0.006	0.22	<0.1	0.05	2.8	0.1	<0.05	8	<0.5	<0.2
1236733	Soil	53	1.20	75	0.150	2	2.38	0.005	0.21	<0.1	0.04	3.3	0.2	<0.05	7	0.8	<0.2
1236734	Soil	53	1.22	73	0.172	2	2.42	0.009	0.20	<0.1	0.02	2.9	0.2	<0.05	8	<0.5	<0.2
1236735	Soil	50	1.12	81	0.106	1	2.34	0.006	0.20	0.1	0.04	3.0	0.2	<0.05	7	0.8	<0.2
1236736	Soil	55	1.25	96	0.118	3	2.55	0.007	0.21	<0.1	0.04	3.9	0.2	0.07	8	0.6	<0.2
1236737	Soil	27	0.53	102	0.035	2	1.33	0.012	0.22	0.2	0.03	3.8	0.2	0.30	4	0.7	<0.2
1236738	Soil	48	1.02	66	0.142	1	1.99	0.006	0.18	<0.1	0.03	2.8	0.1	0.08	7	0.7	<0.2
1236739	Soil	43	0.98	78	0.068	2	1.94	0.006	0.18	0.1	0.04	3.3	0.1	0.09	6	<0.5	<0.2
1236740	Soil	18	0.35	256	0.016	3	0.84	0.009	0.23	0.2	0.05	5.3	0.2	0.25	2	1.0	<0.2
1236741	Soil	56	1.27	100	0.108	1	2.50	0.007	0.21	0.1	0.03	3.5	0.2	0.08	7	1.1	<0.2
1236742	Soil	48	1.01	79	0.099	1	2.12	0.007	0.18	0.1	0.03	3.2	0.2	0.06	6	0.8	<0.2
1236743	Soil	50	1.11	122	0.076	1	2.27	0.006	0.21	0.1	0.04	3.8	0.2	0.06	6	1.1	<0.2
1236744	Soil	46	0.93	70	0.109	<1	2.03	0.005	0.16	0.2	0.02	2.4	0.2	<0.05	7	<0.5	<0.2
1236745	Soil	54	1.19	141	0.094	2	2.40	0.007	0.19	0.1	0.04	4.1	0.2	0.09	7	0.7	<0.2
1236746	Soil	48	1.03	74	0.108	<1	2.19	0.006	0.17	<0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2
1236747	Soil	47	1.04	137	0.059	2	2.18	0.009	0.21	0.1	0.06	4.4	0.2	0.14	6	0.9	<0.2
1236748	Soil	49	1.19	81	0.103	<1	2.37	0.007	0.20	<0.1	0.03	4.1	0.2	0.09	6	0.6	<0.2
1236749	Soil	43	0.86	67	0.116	<1	1.86	0.004	0.13	<0.1	0.03	2.0	0.1	<0.05	6	<0.5	<0.2
1236750	Soil	54	1.15	99	0.141	<1	2.24	0.006	0.19	<0.1	0.05	3.5	0.1	0.08	8	0.8	<0.2
1236751	Soil	47	1.06	164	0.072	1	1.99	0.007	0.20	0.1	0.03	3.6	0.1	0.10	6	0.6	<0.2
1236752	Soil	45	0.92	188	0.071	2	1.95	0.006	0.16	<0.1	0.06	3.9	0.1	0.12	6	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236753	Soil	1.5	105.4	21.5	56	1.0	33.4	27.4	724	7.75	>10000	7518	7.2	93	0.1	159.4	0.3	15	0.04	0.066	24
1236754	Soil	1.2	98.6	15.4	61	0.3	42.2	21.7	620	5.17	5335	1652	3.8	19	0.1	90.8	0.2	51	0.08	0.041	15
1236755	Soil	1.9	222.7	21.8	109	0.1	134.2	70.4	1369	5.97	372.4	35.0	3.3	11	0.2	42.7	0.3	61	0.12	0.066	14
1236756	Soil	1.5	77.7	12.4	66	0.2	36.3	17.6	508	4.74	1988	923.9	2.4	17	<0.1	29.7	0.2	73	0.07	0.039	14
1236757	Soil	1.3	101.3	10.4	73	<0.1	51.4	24.9	611	5.29	93.6	20.3	2.8	7	0.1	5.1	0.1	84	0.11	0.030	10
1236758	Soil	1.3	111.7	20.4	69	0.8	41.4	20.5	430	5.62	6895	2390	2.4	34	0.4	147.3	0.3	38	0.11	0.070	27
1236759	Soil	1.7	213.8	23.0	84	1.7	88.1	34.8	704	8.46	4676	2389	8.9	69	0.2	206.3	0.3	35	0.06	0.040	32
1236760	Soil	1.4	117.3	25.7	58	2.0	38.6	20.1	474	6.50	>10000	9915	7.9	105	0.2	672.7	0.4	20	0.08	0.053	29
1235415	Soil	0.6	65.1	7.8	72	<0.1	43.6	23.6	703	5.04	19.3	5.8	1.2	11	<0.1	0.7	0.1	107	0.25	0.044	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

CERTIFICATE OF ANALYSIS WHI11001834.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236753	Soil	14	0.18	138	0.007	<1	0.63	0.011	0.29	0.2	0.05	6.4	0.2	0.45	1	1.0	<0.2
1236754	Soil	35	0.70	114	0.039	<1	1.51	0.007	0.19	0.1	0.02	3.9	0.1	0.24	5	<0.5	<0.2
1236755	Soil	46	0.89	96	0.062	<1	2.28	0.007	0.15	0.1	0.05	4.5	0.1	<0.05	6	1.0	<0.2
1236756	Soil	44	0.91	84	0.098	1	1.98	0.008	0.18	0.1	0.04	3.2	0.1	0.13	7	1.0	<0.2
1236757	Soil	55	1.24	64	0.152	1	2.47	0.006	0.18	<0.1	0.02	3.4	0.2	<0.05	7	<0.5	<0.2
1236758	Soil	27	0.47	221	0.017	<1	1.26	0.013	0.22	<0.1	0.04	3.3	0.2	0.36	4	<0.5	<0.2
1236759	Soil	29	0.54	157	0.015	12	1.45	0.013	0.32	0.2	0.04	5.8	0.3	0.59	4	1.1	<0.2
1236760	Soil	16	0.31	116	0.007	2	0.75	0.011	0.25	0.2	0.04	6.4	0.2	0.29	2	0.9	<0.2
1235415	Soil	79	1.37	112	0.121	<1	2.26	0.005	0.30	<0.1	0.03	1.7	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1236882	Soil	1.6	96.3	25.2	81	<0.1	56.8	28.5	981	5.21	52.7	8.4	2.6	10	0.2	1.7	0.3	76	0.15	0.053	10
REP 1236882	QC	1.6	93.7	22.7	76	<0.1	54.8	27.6	981	5.13	51.9	9.1	2.6	9	0.2	1.7	0.3	76	0.14	0.050	9
1236506	Soil	1.1	67.4	9.2	82	<0.1	39.9	19.8	605	5.23	20.4	4.0	1.3	7	0.1	1.3	0.2	94	0.14	0.045	8
REP 1236506	QC	1.1	65.3	8.8	76	<0.1	38.4	19.2	574	4.94	19.8	3.6	1.2	7	<0.1	1.3	0.2	89	0.14	0.043	8
1236539	Soil	0.9	89.8	8.9	71	<0.1	41.8	21.4	513	4.71	24.9	3.6	3.0	7	<0.1	0.9	0.2	81	0.14	0.024	9
REP 1236539	QC	0.9	90.5	9.0	72	<0.1	42.7	22.0	518	4.78	25.8	2.8	3.0	7	<0.1	0.8	0.2	83	0.15	0.025	9
1236554	Soil	1.0	122.8	11.3	78	<0.1	46.7	23.3	562	4.74	32.8	5.7	3.8	7	<0.1	1.2	0.3	72	0.09	0.027	11
REP 1236554	QC	0.9	123.4	11.6	80	<0.1	47.5	23.7	566	4.71	33.0	5.4	3.7	7	0.2	1.3	0.3	70	0.09	0.028	11
1236570	Soil	1.3	150.2	10.2	72	<0.1	48.3	19.5	512	4.05	15.0	1.9	1.7	9	<0.1	1.0	0.2	73	0.13	0.043	10
REP 1236570	QC	1.3	147.5	10.0	72	<0.1	47.2	18.6	499	4.01	14.5	3.3	1.7	9	0.1	1.0	0.2	72	0.13	0.041	10
1236588	Soil	0.5	134.4	4.1	79	<0.1	62.4	33.2	689	6.25	6.7	0.5	0.9	6	<0.1	0.4	<0.1	119	0.23	0.035	4
REP 1236588	QC	0.5	137.0	4.1	80	<0.1	62.4	33.3	691	6.27	6.6	<0.5	0.9	6	<0.1	0.4	<0.1	124	0.23	0.035	4
1236605	Soil	0.8	107.8	7.6	74	<0.1	50.7	24.4	462	4.08	15.6	4.6	2.3	6	<0.1	0.8	0.2	68	0.11	0.028	7
REP 1236605	QC	0.7	104.3	7.4	73	0.1	49.1	23.8	446	3.89	15.9	3.2	2.3	5	<0.1	0.8	0.2	66	0.10	0.027	7
1236656	Soil	1.2	169.6	24.1	102	0.2	67.8	43.9	1186	6.21	49.0	10.9	3.7	17	0.1	5.4	0.3	101	0.34	0.071	29
REP 1236656	QC	1.1	161.3	22.9	100	0.2	64.1	42.5	1185	6.10	48.1	9.9	3.7	17	0.1	5.4	0.3	99	0.33	0.070	28
1236659	Soil	0.9	120.7	14.3	93	0.1	56.7	30.5	756	5.26	369.1	176.0	2.3	12	0.2	5.3	0.3	75	0.26	0.064	11
REP 1236659	QC	0.9	118.5	13.5	92	0.1	54.5	29.3	741	5.09	354.6	185.3	2.3	12	0.2	5.2	0.3	71	0.25	0.064	10
1236683	Soil	0.5	99.5	7.8	85	0.1	57.7	28.8	846	5.72	38.3	4.9	1.7	9	0.1	3.1	0.1	108	0.32	0.045	6
REP 1236683	QC	0.5	101.7	8.1	88	0.1	58.0	30.8	877	5.92	38.8	4.6	1.7	10	0.1	3.3	0.1	113	0.34	0.045	6
1236694	Soil	1.2	86.8	27.4	75	<0.1	48.6	23.8	809	4.67	23.3	6.1	4.2	5	0.2	4.2	0.3	69	0.10	0.042	11
REP 1236694	QC	1.2	90.5	31.7	77	<0.1	51.9	25.1	839	5.00	24.1	3.0	4.2	5	<0.1	4.6	0.3	73	0.10	0.047	11
1236726	Soil	1.0	112.3	13.6	77	<0.1	53.4	26.1	694	5.27	160.2	53.3	3.2	7	<0.1	3.2	0.2	74	0.09	0.028	10
REP 1236726	QC	0.9	113.8	13.7	74	<0.1	53.8	26.6	682	5.30	157.5	55.2	3.1	7	0.1	3.0	0.2	75	0.10	0.027	9
1236735	Soil	1.3	97.3	12.9	76	<0.1	47.4	23.2	621	5.05	63.4	6.5	3.0	8	0.2	2.4	0.3	72	0.09	0.037	10
REP 1236735	QC	1.4	97.0	13.0	77	<0.1	47.2	23.4	615	5.02	63.1	7.9	3.0	8	0.2	2.3	0.3	72	0.09	0.035	10
1236751	Soil	0.9	102.3	14.9	74	0.2	48.4	25.1	685	5.73	3296	824.8	2.9	15	0.1	32.6	0.2	65	0.10	0.043	14
REP 1236751	QC	0.9	104.7	14.8	73	0.2	47.8	25.0	696	5.74	3288	791.5	3.1	15	0.3	32.1	0.2	65	0.09	0.042	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001834.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1236882	Soil	55	1.13	105	0.133	2	2.49	0.008	0.19	<0.1	0.04	3.4	0.2	0.05	7	<0.5	<0.2
REP 1236882	QC	55	1.07	104	0.130	2	2.40	0.008	0.19	<0.1	0.04	3.2	0.2	<0.05	7	<0.5	<0.2
1236506	Soil	60	1.26	117	0.130	1	2.42	0.005	0.16	<0.1	0.02	2.2	0.2	<0.05	8	<0.5	<0.2
REP 1236506	QC	57	1.19	113	0.126	<1	2.31	0.005	0.17	<0.1	<0.01	2.1	0.2	<0.05	7	<0.5	<0.2
1236539	Soil	58	1.26	109	0.132	<1	2.28	0.004	0.25	<0.1	0.01	2.1	0.2	<0.05	6	<0.5	<0.2
REP 1236539	QC	59	1.27	109	0.139	<1	2.30	0.004	0.25	<0.1	<0.01	2.1	0.2	0.06	6	<0.5	<0.2
1236554	Soil	50	1.19	137	0.119	1	2.39	0.005	0.21	<0.1	0.01	2.9	0.2	<0.05	6	<0.5	<0.2
REP 1236554	QC	49	1.22	139	0.119	<1	2.32	0.006	0.22	<0.1	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
1236570	Soil	48	1.03	117	0.067	1	2.08	0.005	0.13	0.1	0.02	2.6	0.2	<0.05	6	0.6	<0.2
REP 1236570	QC	46	0.99	115	0.065	1	2.00	0.005	0.13	0.2	0.03	2.6	0.2	<0.05	5	<0.5	<0.2
1236588	Soil	86	1.92	89	0.170	<1	2.98	0.004	0.34	<0.1	<0.01	2.8	0.2	<0.05	8	<0.5	<0.2
REP 1236588	QC	85	1.99	91	0.170	<1	3.08	0.004	0.35	<0.1	<0.01	2.9	0.2	<0.05	8	<0.5	<0.2
1236605	Soil	47	1.09	84	0.105	1	1.95	0.004	0.23	0.1	<0.01	2.5	0.1	<0.05	5	<0.5	<0.2
REP 1236605	QC	46	1.08	83	0.100	<1	1.96	0.003	0.23	<0.1	<0.01	2.3	0.1	<0.05	5	<0.5	<0.2
1236656	Soil	73	1.48	164	0.074	<1	3.27	0.009	0.29	0.1	0.04	7.5	0.4	<0.05	11	<0.5	<0.2
REP 1236656	QC	71	1.42	162	0.072	<1	3.20	0.010	0.29	0.1	0.03	7.4	0.3	<0.05	10	<0.5	<0.2
1236659	Soil	57	1.24	115	0.068	1	2.53	0.010	0.23	<0.1	0.04	4.0	0.2	<0.05	8	<0.5	<0.2
REP 1236659	QC	55	1.19	111	0.063	1	2.50	0.010	0.23	0.1	0.05	3.8	0.2	<0.05	7	<0.5	<0.2
1236683	Soil	86	1.80	119	0.107	<1	3.07	0.004	0.33	<0.1	0.03	3.9	0.2	<0.05	8	<0.5	<0.2
REP 1236683	QC	88	1.86	122	0.112	<1	3.16	0.004	0.34	<0.1	0.03	4.0	0.2	<0.05	8	<0.5	<0.2
1236694	Soil	54	1.07	60	0.107	1	2.06	0.004	0.19	<0.1	0.02	3.7	0.1	<0.05	7	<0.5	<0.2
REP 1236694	QC	57	1.16	65	0.110	1	2.29	0.004	0.21	0.1	0.03	4.1	0.2	<0.05	7	0.9	<0.2
1236726	Soil	56	1.31	66	0.128	<1	2.43	0.005	0.20	<0.1	0.02	2.9	0.1	<0.05	7	<0.5	<0.2
REP 1236726	QC	57	1.27	64	0.127	<1	2.42	0.005	0.20	<0.1	0.02	3.0	0.1	<0.05	6	<0.5	<0.2
1236735	Soil	50	1.12	81	0.106	1	2.34	0.006	0.20	0.1	0.04	3.0	0.2	<0.05	7	0.8	<0.2
REP 1236735	QC	49	1.12	82	0.109	1	2.38	0.006	0.19	0.2	0.03	2.9	0.2	<0.05	7	<0.5	<0.2
1236751	Soil	47	1.06	164	0.072	1	1.99	0.007	0.20	0.1	0.03	3.6	0.1	0.10	6	0.6	<0.2
REP 1236751	QC	47	1.05	166	0.066	<1	1.95	0.007	0.19	<0.1	0.03	3.5	0.1	0.11	6	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001834.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
Reference Materials																					
STD DS8	Standard	13.2	106.6	121.2	309	1.8	37.5	7.1	617	2.44	28.0	112.8	7.1	79	2.3	6.3	6.5	41	0.72	0.079	16
STD DS8	Standard	12.7	105.6	126.0	301	1.8	36.4	7.1	583	2.34	25.5	110.3	6.9	67	1.9	4.9	6.1	41	0.67	0.080	15
STD DS8	Standard	12.2	102.1	121.6	296	1.8	35.3	7.0	567	2.27	24.0	110.1	6.3	62	2.3	5.4	6.4	40	0.64	0.082	14
STD DS8	Standard	14.0	110.6	125.5	318	1.8	39.5	7.6	648	2.56	24.2	105.4	6.9	70	2.3	5.4	6.3	45	0.74	0.080	17
STD DS8	Standard	13.3	112.5	125.6	315	1.8	39.6	7.6	614	2.51	23.9	110.2	6.5	65	2.3	5.4	6.4	44	0.69	0.076	16
STD DS8	Standard	12.8	108.9	120.5	308	1.7	36.7	7.3	606	2.43	24.0	119.7	7.1	67	2.3	5.6	6.4	39	0.68	0.079	16
STD DS8	Standard	13.4	105.6	121.1	300	1.8	37.1	7.2	586	2.39	23.0	112.8	6.5	62	2.1	5.0	5.9	42	0.68	0.074	15
STD DS8	Standard	11.7	98.5	117.4	280	1.7	33.8	6.9	539	2.15	21.9	108.6	6.5	56	2.3	4.9	5.7	37	0.60	0.069	13
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 14, 2011

QUALITY CONTROL REPORT WHI11001834.1

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
Reference Materials																	
STD DS8	Standard	113	0.59	288	0.135	2	1.00	0.132	0.46	3.1	0.17	3.7	5.5	0.17	5	5.1	5.1
STD DS8	Standard	113	0.61	280	0.117	3	0.97	0.106	0.44	2.9	0.21	3.1	5.4	0.14	5	5.6	5.3
STD DS8	Standard	111	0.58	276	0.115	2	0.90	0.100	0.41	3.0	0.20	1.9	5.3	0.13	5	4.8	5.0
STD DS8	Standard	123	0.65	286	0.122	3	0.97	0.112	0.45	2.8	0.17	2.6	5.4	0.15	5	5.1	5.1
STD DS8	Standard	125	0.62	271	0.117	2	0.94	0.111	0.44	3.0	0.19	2.9	5.4	0.16	5	5.1	5.2
STD DS8	Standard	113	0.58	279	0.120	4	0.90	0.103	0.41	3.1	0.20	2.4	5.4	0.17	5	4.9	5.0
STD DS8	Standard	115	0.59	264	0.111	2	0.89	0.093	0.40	2.7	0.17	2.3	5.3	0.15	5	4.9	4.8
STD DS8	Standard	104	0.58	242	0.104	2	0.80	0.076	0.38	2.7	0.19	1.8	5.0	0.14	4	3.8	4.5
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 19, 2011
Report Date: November 18, 2011
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI11001843.1

CLIENT JOB INFORMATION

Project: Plateau West
Shipment ID: PLA-W-2
P.O. Number NA-10337
Number of Samples: 61

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	61	Dry at 60C			WHI
SS80	61	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	61	Saving all or part of Soil Reject			WHI
1DX2	61	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

CERTIFICATE OF ANALYSIS WHI11001843.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236626	Soil		0.4	40.2	25.2	92	<0.1	38.2	17.4	544	4.24	11.0	2.9	15.4	8	0.1	0.2	0.5	13	0.06	0.043	58
1236627	Soil		1.2	20.6	17.1	61	<0.1	18.4	6.1	226	3.13	11.8	2.5	4.7	6	<0.1	0.7	0.3	29	0.03	0.032	33
1236628	Soil		0.8	39.3	24.8	77	0.1	34.9	15.8	386	3.00	9.9	1.3	15.0	8	0.1	0.4	0.3	15	0.07	0.029	46
1236629	Soil		1.4	13.7	14.9	52	<0.1	14.8	6.3	225	2.34	10.9	1.6	4.2	8	0.3	1.0	0.2	36	0.06	0.036	20
1236630	Soil		1.3	21.1	15.2	66	<0.1	23.0	8.7	213	3.02	12.3	2.2	3.0	7	0.2	0.9	0.3	39	0.06	0.032	22
1236631	Soil		0.9	30.4	20.4	65	<0.1	18.2	7.0	179	3.04	8.5	2.8	3.0	8	<0.1	2.3	0.3	12	0.02	0.046	22
1236632	Soil		0.8	58.3	48.6	111	0.1	39.2	17.8	324	5.28	3.9	6.5	16.8	22	<0.1	3.0	0.6	3	0.04	0.041	28
1236633	Soil		0.3	19.9	12.8	96	<0.1	79.1	35.7	1230	2.43	2.1	0.9	10.1	6	0.4	0.2	<0.1	<2	0.02	0.016	10
1236634	Soil		0.4	35.3	18.1	112	<0.1	99.4	47.6	1260	2.44	2.4	0.9	10.8	6	0.3	0.3	0.1	<2	0.01	0.020	11
1236635	Soil		1.1	23.1	16.7	70	0.2	26.7	11.2	403	2.98	9.8	1.9	2.4	10	0.1	0.9	0.2	25	0.11	0.053	23
1236636	Soil		1.2	26.8	18.7	61	0.1	19.4	8.1	242	3.03	13.2	2.2	4.9	6	0.2	1.1	0.3	28	0.04	0.039	21
1236637	Soil		0.8	61.3	34.9	104	0.1	38.1	17.9	338	4.21	4.5	4.4	20.1	12	0.1	2.7	0.7	4	0.02	0.029	43
1236638	Soil		0.6	34.2	22.5	67	<0.1	25.3	16.0	446	3.27	6.6	1.8	13.7	6	<0.1	1.4	0.3	5	<0.01	0.025	38
1236639	Soil		0.8	35.4	22.8	66	0.1	14.5	6.2	183	3.20	5.3	1.7	10.5	9	<0.1	0.5	0.3	18	0.03	0.026	28
1236640	Soil		0.8	43.8	22.7	80	<0.1	20.7	8.8	257	3.86	4.0	2.0	13.0	6	<0.1	0.5	0.3	10	0.02	0.025	21
1235416	Soil		1.1	29.1	18.5	76	0.1	26.6	11.8	366	2.67	10.2	2.6	6.8	11	0.2	0.9	0.3	25	0.07	0.035	26
1235417	Soil		1.3	23.2	16.5	64	0.1	21.1	10.1	341	2.61	10.8	1.7	4.6	7	0.2	0.9	0.3	30	0.05	0.034	27
1235418	Soil		1.4	18.2	18.8	50	0.1	15.9	6.6	193	2.73	9.7	1.7	7.2	7	<0.1	0.8	0.3	32	0.04	0.033	24
1235419	Soil		1.1	26.3	16.8	70	<0.1	26.1	9.5	282	2.50	9.2	2.6	4.3	9	0.2	1.0	0.2	27	0.07	0.037	22
1235420	Soil		0.9	27.3	16.5	74	<0.1	28.2	11.7	330	2.63	9.8	2.5	6.5	12	0.2	0.9	0.2	24	0.10	0.046	22
1235421	Soil		1.3	27.1	21.8	85	<0.1	29.1	14.3	614	2.96	12.5	2.2	7.0	11	0.3	1.0	0.3	28	0.10	0.064	22
1235422	Soil		1.0	28.0	19.4	74	0.1	31.0	13.5	343	2.87	10.9	4.0	8.2	10	0.2	0.9	0.3	29	0.08	0.045	25
1235423	Soil		1.1	26.2	21.2	70	<0.1	27.1	11.4	371	2.85	10.5	1.2	4.6	7	0.2	0.8	0.3	25	0.05	0.037	24
1235424	Soil		0.9	47.8	33.5	68	<0.1	30.3	19.1	337	3.24	11.7	2.6	15.6	12	0.1	0.7	0.5	14	0.10	0.036	40
1235425	Soil		0.7	37.3	26.0	68	<0.1	18.2	9.7	286	3.56	7.9	1.8	12.7	7	<0.1	0.5	0.4	11	0.03	0.034	44
1235426	Soil		0.8	44.1	30.6	80	<0.1	31.3	16.5	330	3.57	10.1	3.0	11.2	9	0.1	1.0	0.3	13	0.06	0.038	35
1235427	Soil		0.7	29.7	27.1	67	<0.1	28.5	20.0	370	2.34	16.5	1.0	11.0	31	<0.1	1.5	0.3	4	0.04	0.012	17
1235428	Soil		1.5	34.0	22.7	85	0.1	29.3	9.6	271	3.08	14.4	1.6	3.7	9	0.3	0.9	0.3	28	0.07	0.046	23
1235429	Soil		1.5	25.5	25.2	71	<0.1	21.7	11.1	404	3.05	14.3	7.1	5.8	10	0.1	1.0	0.3	35	0.09	0.059	24
1235430	Soil		1.7	26.4	15.2	77	0.1	23.9	7.6	244	2.42	12.4	4.2	3.9	13	0.2	1.1	0.2	37	0.14	0.064	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

CERTIFICATE OF ANALYSIS WHI11001843.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236626	Soil	24	0.88	32	0.004	2	2.10	0.003	0.03	<0.1	0.02	1.3	<0.1	<0.05	6	<0.5	<0.2
1236627	Soil	16	0.31	48	0.008	2	1.12	0.003	0.03	0.1	0.02	1.0	<0.1	<0.05	5	<0.5	<0.2
1236628	Soil	16	0.46	103	0.004	1	1.40	0.004	0.04	<0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1236629	Soil	14	0.24	72	0.016	2	0.86	0.004	0.04	0.2	0.03	1.2	<0.1	<0.05	4	<0.5	<0.2
1236630	Soil	19	0.39	125	0.016	2	1.28	0.004	0.07	0.2	0.03	1.2	<0.1	<0.05	5	<0.5	<0.2
1236631	Soil	7	0.10	39	0.002	1	0.63	0.003	0.03	<0.1	0.03	0.6	<0.1	<0.05	2	<0.5	<0.2
1236632	Soil	3	0.03	23	<0.001	<1	0.28	0.012	0.04	<0.1	0.04	1.6	<0.1	<0.05	<1	<0.5	<0.2
1236633	Soil	3	0.11	18	<0.001	<1	0.82	0.003	0.01	<0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2
1236634	Soil	4	0.10	28	<0.001	<1	1.02	0.003	0.02	<0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2
1236635	Soil	15	0.30	136	0.007	1	0.95	0.004	0.04	0.1	0.05	0.8	<0.1	<0.05	3	<0.5	<0.2
1236636	Soil	14	0.21	72	0.008	<1	0.94	0.004	0.04	0.1	0.04	1.0	<0.1	<0.05	4	<0.5	<0.2
1236637	Soil	3	0.03	20	<0.001	1	0.20	0.005	0.03	<0.1	0.03	1.7	<0.1	<0.05	<1	<0.5	<0.2
1236638	Soil	5	0.05	24	<0.001	<1	0.52	0.004	0.04	<0.1	0.03	1.3	<0.1	<0.05	1	<0.5	<0.2
1236639	Soil	19	0.47	144	0.005	1	1.34	0.003	0.05	<0.1	0.02	1.7	<0.1	<0.05	4	0.5	<0.2
1236640	Soil	14	0.29	46	0.002	2	1.06	0.007	0.06	<0.1	0.01	1.4	<0.1	<0.05	3	<0.5	<0.2
1235416	Soil	16	0.35	153	0.012	1	1.02	0.005	0.05	0.2	0.04	1.6	<0.1	<0.05	3	0.7	<0.2
1235417	Soil	18	0.36	107	0.012	<1	1.22	0.004	0.05	0.2	0.03	1.5	<0.1	<0.05	4	<0.5	<0.2
1235418	Soil	15	0.25	78	0.008	2	1.07	0.004	0.04	0.1	0.02	1.3	0.1	<0.05	4	0.5	<0.2
1235419	Soil	17	0.37	108	0.013	1	1.08	0.006	0.04	0.2	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2
1235420	Soil	16	0.36	93	0.014	<1	1.04	0.005	0.04	0.1	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2
1235421	Soil	19	0.40	111	0.012	<1	1.31	0.005	0.06	0.2	0.03	1.6	<0.1	<0.05	3	<0.5	<0.2
1235422	Soil	19	0.43	135	0.012	<1	1.36	0.004	0.05	0.1	0.03	1.6	<0.1	<0.05	3	<0.5	<0.2
1235423	Soil	17	0.39	104	0.010	1	1.19	0.004	0.04	0.1	0.03	1.2	<0.1	<0.05	3	0.7	<0.2
1235424	Soil	15	0.43	100	0.005	<1	1.19	0.004	0.03	<0.1	0.02	1.4	<0.1	<0.05	3	0.7	<0.2
1235425	Soil	16	0.47	42	0.002	<1	1.35	0.003	0.03	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2
1235426	Soil	16	0.48	55	0.003	<1	1.37	0.003	0.03	<0.1	0.03	1.0	<0.1	<0.05	4	<0.5	<0.2
1235427	Soil	5	0.06	34	<0.001	<1	0.44	0.007	0.05	<0.1	<0.01	2.4	<0.1	<0.05	<1	<0.5	<0.2
1235428	Soil	20	0.38	99	0.011	<1	1.17	0.005	0.04	0.2	0.03	1.1	<0.1	<0.05	4	0.7	<0.2
1235429	Soil	20	0.34	59	0.021	1	1.04	0.004	0.04	0.4	0.04	1.3	<0.1	<0.05	4	1.1	<0.2
1235430	Soil	20	0.34	119	0.019	<1	0.93	0.005	0.04	0.4	0.04	1.7	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

CERTIFICATE OF ANALYSIS WHI11001843.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1235276	Soil	1.7	20.4	17.2	74	<0.1	23.2	8.5	309	2.69	11.8	2.2	2.5	11	0.2	1.1	0.2	38	0.10	0.051	17
1235277	Soil	1.5	11.8	16.8	61	<0.1	16.2	7.0	395	2.78	11.0	1.1	3.6	10	0.3	0.8	0.2	34	0.09	0.066	19
1235278	Soil	1.4	10.6	16.3	43	<0.1	10.5	4.1	231	2.56	13.1	1.8	1.6	8	<0.1	0.8	0.3	49	0.05	0.057	16
1235279	Soil	2.0	16.2	14.9	57	<0.1	15.0	5.3	204	2.48	13.8	1.6	0.7	9	<0.1	1.0	0.2	57	0.05	0.051	15
1235280	Soil	1.4	21.1	15.9	55	<0.1	16.5	6.2	251	2.16	8.9	1.9	0.7	10	<0.1	0.7	0.2	36	0.07	0.078	21
1235281	Soil	1.0	35.1	22.2	70	<0.1	24.4	10.4	157	2.19	7.7	4.0	7.6	11	<0.1	0.7	0.2	31	0.07	0.056	32
1235282	Soil	0.8	26.2	21.9	62	<0.1	22.7	7.4	138	2.27	7.3	4.0	6.3	12	<0.1	0.6	0.2	29	0.10	0.057	30
1235283	Soil	0.8	37.0	25.1	72	0.1	28.0	11.9	327	2.86	9.3	2.3	8.1	9	<0.1	0.5	0.3	26	0.06	0.051	41
1235284	Soil	0.7	49.6	27.5	85	0.1	32.2	15.9	260	3.16	7.1	1.8	10.8	7	<0.1	0.5	0.3	21	0.04	0.046	46
1235285	Soil	1.2	23.7	21.1	69	0.1	26.1	9.4	880	2.93	11.0	1.6	4.5	18	<0.1	0.7	0.2	35	0.17	0.050	23
1235286	Soil	1.0	33.1	15.9	71	<0.1	23.7	7.5	182	2.54	8.4	2.3	3.7	10	<0.1	0.8	0.2	34	0.08	0.063	23
1235287	Soil	1.2	41.2	20.8	80	0.1	31.7	12.9	486	3.00	12.1	3.1	3.8	10	<0.1	0.8	0.3	38	0.08	0.063	26
1235288	Soil	1.1	32.7	17.1	70	<0.1	24.1	9.8	346	2.59	9.7	2.1	4.3	11	<0.1	0.7	0.2	36	0.10	0.064	23
1235289	Soil	2.5	65.0	38.7	81	0.8	34.8	17.4	1329	4.03	17.6	4.8	3.0	14	<0.1	1.0	0.4	47	0.11	0.166	26
1235290	Soil	0.8	33.3	19.0	71	0.1	26.4	10.9	371	2.50	8.6	2.4	6.1	12	<0.1	0.6	0.2	30	0.13	0.061	30
1235291	Soil	1.2	23.3	14.2	71	0.1	21.2	7.0	287	2.42	9.9	2.3	2.7	12	<0.1	0.8	0.2	37	0.11	0.074	22
1235292	Soil	1.0	30.6	23.1	60	0.1	25.2	7.8	190	2.58	13.5	3.8	7.1	14	<0.1	0.7	0.3	31	0.13	0.059	40
1235293	Soil	1.3	21.8	22.5	65	<0.1	21.3	9.0	276	2.73	17.7	3.2	2.4	8	<0.1	0.8	0.2	35	0.05	0.047	27
1235294	Soil	1.0	23.6	16.9	68	<0.1	22.4	8.3	224	2.62	14.1	4.2	2.9	9	<0.1	0.8	0.2	32	0.08	0.060	24
1235295	Soil	1.2	27.3	20.5	61	0.2	22.7	9.4	292	2.97	25.9	6.0	2.0	9	<0.1	0.9	0.3	31	0.07	0.091	30
1235296	Soil	1.0	19.5	21.2	54	<0.1	19.0	5.5	238	2.76	13.9	6.2	1.7	8	<0.1	0.6	0.3	30	0.07	0.064	31
1235297	Soil	1.3	26.7	18.4	71	<0.1	29.3	11.8	492	3.44	14.5	1.5	4.7	8	<0.1	1.2	0.3	30	0.03	0.044	31
1235298	Soil	1.3	12.7	14.5	41	<0.1	10.9	4.4	253	2.20	10.7	2.6	0.9	6	<0.1	0.6	0.2	37	0.03	0.049	20
1235299	Soil	1.4	24.2	18.6	71	<0.1	24.4	13.4	726	2.82	12.3	1.2	3.4	8	<0.1	1.0	0.3	36	0.05	0.056	25
1235300	Soil	0.5	46.1	18.2	80	0.1	42.0	14.1	2033	3.10	11.4	2.5	10.4	15	<0.1	0.6	0.4	22	0.25	0.068	45
1236894	Soil	0.8	21.6	23.6	58	<0.1	19.9	8.5	465	3.16	12.1	1.3	6.6	7	<0.1	0.7	0.3	29	0.03	0.036	32
1236895	Soil	1.2	25.4	18.7	69	<0.1	22.9	11.7	945	2.86	13.1	1.5	2.2	16	<0.1	0.8	0.3	33	0.20	0.082	24
1236896	Soil	1.4	13.1	17.2	43	<0.1	13.2	5.4	318	2.29	12.2	1.4	1.4	9	<0.1	0.7	0.3	54	0.09	0.036	19
1236897	Soil	1.4	15.1	16.5	49	<0.1	17.5	7.2	296	2.71	13.8	1.0	1.5	9	<0.1	0.8	0.3	58	0.05	0.060	17
1236898	Soil	0.8	23.4	29.9	81	<0.1	23.8	12.4	519	2.91	18.5	1.1	9.8	15	0.2	0.6	0.2	16	0.11	0.056	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

CERTIFICATE OF ANALYSIS WHI11001843.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1235276	Soil	19	0.36	101	0.014	1	1.23	0.006	0.05	0.2	0.05	1.5	<0.1	<0.05	4	0.6	<0.2
1235277	Soil	20	0.37	83	0.010	<1	1.23	0.004	0.05	0.1	0.03	1.4	<0.1	<0.05	4	0.6	<0.2
1235278	Soil	19	0.28	88	0.021	2	1.01	<0.001	0.05	0.2	0.03	1.2	0.1	<0.05	5	0.6	<0.2
1235279	Soil	23	0.30	141	0.016	2	1.40	<0.001	0.05	0.2	0.04	1.3	0.2	<0.05	5	<0.5	<0.2
1235280	Soil	21	0.26	87	0.012	2	1.11	0.004	0.04	0.2	0.03	0.8	<0.1	<0.05	4	<0.5	<0.2
1235281	Soil	19	0.36	121	0.021	<1	1.22	<0.001	0.05	0.2	0.03	2.5	<0.1	<0.05	3	<0.5	<0.2
1235282	Soil	22	0.46	130	0.017	<1	1.40	<0.001	0.04	0.2	0.03	1.7	<0.1	<0.05	4	<0.5	<0.2
1235283	Soil	22	0.53	171	0.011	<1	1.54	<0.001	0.04	0.1	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
1235284	Soil	23	0.67	119	0.007	<1	1.68	<0.001	0.04	0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2
1235285	Soil	21	0.33	176	0.015	1	1.23	<0.001	0.04	0.2	0.05	2.3	0.1	<0.05	4	<0.5	<0.2
1235286	Soil	20	0.38	108	0.020	2	1.28	<0.001	0.04	0.2	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2
1235287	Soil	25	0.48	157	0.019	1	1.51	<0.001	0.05	0.2	0.05	2.2	<0.1	<0.05	4	<0.5	<0.2
1235288	Soil	23	0.46	111	0.023	<1	1.37	<0.001	0.05	0.2	0.04	1.9	<0.1	<0.05	4	0.5	<0.2
1235289	Soil	32	0.45	298	0.012	2	2.12	<0.001	0.07	0.2	0.13	3.0	0.2	0.06	5	1.1	<0.2
1235290	Soil	23	0.51	168	0.020	<1	1.31	<0.001	0.04	0.2	0.03	2.2	<0.1	<0.05	4	<0.5	<0.2
1235291	Soil	22	0.42	120	0.020	<1	1.17	<0.001	0.04	0.2	0.04	1.5	<0.1	<0.05	4	<0.5	<0.2
1235292	Soil	22	0.43	93	0.020	<1	1.18	<0.001	0.04	0.2	0.03	1.7	<0.1	<0.05	4	<0.5	<0.2
1235293	Soil	21	0.36	105	0.016	<1	1.27	<0.001	0.04	0.2	0.04	1.2	<0.1	<0.05	4	0.5	<0.2
1235294	Soil	20	0.39	86	0.016	1	1.26	<0.001	0.05	0.2	0.04	1.6	<0.1	<0.05	4	<0.5	<0.2
1235295	Soil	21	0.38	154	0.009	<1	1.34	<0.001	0.04	0.2	0.04	1.3	<0.1	<0.05	4	<0.5	<0.2
1235296	Soil	19	0.36	109	0.014	<1	1.18	<0.001	0.03	0.1	0.04	1.1	<0.1	<0.05	4	<0.5	<0.2
1235297	Soil	24	0.44	66	0.014	<1	1.29	<0.001	0.04	0.1	0.03	1.6	<0.1	<0.05	4	<0.5	<0.2
1235298	Soil	16	0.21	80	0.014	<1	0.85	<0.001	0.04	0.1	0.03	0.8	0.1	<0.05	5	<0.5	<0.2
1235299	Soil	23	0.38	151	0.014	<1	1.39	<0.001	0.05	0.2	0.04	1.6	0.1	<0.05	4	<0.5	<0.2
1235300	Soil	24	0.67	112	0.011	<1	1.53	<0.001	0.03	<0.1	0.03	2.9	<0.1	<0.05	4	<0.5	<0.2
1236894	Soil	19	0.35	82	0.013	<1	1.13	<0.001	0.03	0.2	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2
1236895	Soil	22	0.40	160	0.019	<1	1.13	0.002	0.05	0.1	0.04	1.6	<0.1	<0.05	4	<0.5	<0.2
1236896	Soil	19	0.25	100	0.031	<1	0.96	<0.001	0.04	0.2	0.03	1.3	0.2	<0.05	6	<0.5	<0.2
1236897	Soil	26	0.39	97	0.032	<1	1.33	<0.001	0.05	0.2	0.02	1.8	0.1	<0.05	7	<0.5	<0.2
1236898	Soil	13	0.20	65	0.007	<1	0.72	0.005	0.04	0.1	0.03	1.4	<0.1	<0.05	2	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

CERTIFICATE OF ANALYSIS WHI11001843.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236899	Soil		1.7	23.6	26.9	89	<0.1	30.7	12.1	798	3.34	17.5	0.7	5.9	10	0.3	0.8	0.3	31	0.08	0.061	26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy Co**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

CERTIFICATE OF ANALYSIS WHI11001843.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236899	Soil	27	0.38	94	0.017	2	1.27	0.006	0.05	0.1	0.05	1.5	<0.1	<0.05	4	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

QUALITY CONTROL REPORT WHI11001843.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1236635	Soil	1.1	23.1	16.7	70	0.2	26.7	11.2	403	2.98	9.8	1.9	2.4	10	0.1	0.9	0.2	25	0.11	0.053	23
REP 1236635	QC	1.3	22.3	16.6	69	0.2	26.0	11.2	398	2.93	9.4	1.1	2.3	10	0.1	0.8	0.2	25	0.11	0.052	24
1235427	Soil	0.7	29.7	27.1	67	<0.1	28.5	20.0	370	2.34	16.5	1.0	11.0	31	<0.1	1.5	0.3	4	0.04	0.012	17
REP 1235427	QC	0.7	30.1	26.8	67	<0.1	27.8	19.8	358	2.33	16.5	2.1	11.0	31	0.1	1.4	0.3	4	0.04	0.012	16
1235289	Soil	2.5	65.0	38.7	81	0.8	34.8	17.4	1329	4.03	17.6	4.8	3.0	14	<0.1	1.0	0.4	47	0.11	0.166	26
REP 1235289	QC	2.4	64.6	40.8	82	0.8	34.4	17.0	1329	4.04	17.2	7.1	2.4	15	<0.1	1.0	0.4	47	0.10	0.168	28
1236897	Soil	1.4	15.1	16.5	49	<0.1	17.5	7.2	296	2.71	13.8	1.0	1.5	9	<0.1	0.8	0.3	58	0.05	0.060	17
REP 1236897	QC	1.1	15.1	15.7	47	<0.1	17.3	7.0	294	2.74	13.4	1.2	1.5	9	<0.1	0.8	0.3	58	0.05	0.063	17
Reference Materials																					
STD DS8	Standard	11.4	98.1	118.1	287	1.8	33.9	6.5	565	2.28	23.6	103.5	6.0	68	2.3	5.5	6.3	37	0.64	0.073	14
STD DS8	Standard	12.9	114.1	121.6	294	1.7	36.8	7.4	578	2.32	24.5	112.6	7.1	66	1.9	5.7	6.7	42	0.64	0.077	15
STD DS8	Standard	13.1	115.0	123.3	309	1.8	36.3	7.5	619	2.49	23.9	110.4	7.8	74	2.2	5.9	6.8	43	0.71	0.078	17
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau West
Report Date: November 18, 2011

QUALITY CONTROL REPORT WHI11001843.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1236635	Soil	15	0.30	136	0.007	1	0.95	0.004	0.04	0.1	0.05	0.8	<0.1	<0.05	3	<0.5	<0.2
REP 1236635	QC	16	0.30	137	0.008	1	0.97	0.004	0.05	0.1	0.05	0.9	<0.1	<0.05	3	<0.5	<0.2
1235427	Soil	5	0.06	34	<0.001	<1	0.44	0.007	0.05	<0.1	<0.01	2.4	<0.1	<0.05	<1	<0.5	<0.2
REP 1235427	QC	6	0.06	32	<0.001	<1	0.43	0.007	0.05	<0.1	0.01	2.3	<0.1	<0.05	1	<0.5	<0.2
1235289	Soil	32	0.45	298	0.012	2	2.12	<0.001	0.07	0.2	0.13	3.0	0.2	0.06	5	1.1	<0.2
REP 1235289	QC	33	0.53	308	0.018	2	2.16	<0.001	0.07	0.3	0.11	3.0	0.2	<0.05	5	1.2	<0.2
1236897	Soil	26	0.39	97	0.032	<1	1.33	<0.001	0.05	0.2	0.02	1.8	0.1	<0.05	7	<0.5	<0.2
REP 1236897	QC	26	0.40	95	0.030	1	1.33	<0.001	0.05	0.2	0.02	1.8	0.1	<0.05	6	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	103	0.56	269	0.105	3	0.89	0.102	0.42	2.8	0.20	2.9	5.1	0.13	5	4.6	5.0
STD DS8	Standard	113	0.57	271	0.130	2	0.86	0.092	0.40	2.8	0.17	2.9	5.1	0.13	5	4.6	4.8
STD DS8	Standard	120	0.60	278	0.130	2	0.91	0.099	0.41	3.0	0.22	2.7	5.3	0.17	5	5.2	4.6
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 19, 2011
Report Date: November 19, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11001866.1

CLIENT JOB INFORMATION

Project: Plateau
Shipment ID: PLA - 6
P.O. Number
Number of Samples: 7

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	7	Dry at 60C			WHI
SS80	7	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	7	Saving all or part of Soil Reject			WHI
1DX2	7	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Goldstrike Resources (Petro One Energy Corp)
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 19, 2011

CERTIFICATE OF ANALYSIS WHI11001866.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1236761 Soil	1.0	103.0	23.6	84	<0.1	59.6	35.0	1770	4.94	295.5	83.5	2.4	7	0.2	11.6	0.3	86	0.13	0.070	13
1236762 Soil	0.9	128.2	17.0	71	1.0	41.6	20.6	518	6.38	>10000	4375	6.0	157	0.2	314.5	0.3	22	0.04	0.050	25
1236763 Soil	1.4	86.5	13.1	66	<0.1	43.1	19.5	795	5.30	266.9	24.4	2.1	7	<0.1	31.8	0.2	84	0.10	0.056	15
1236764 Soil	1.2	92.8	17.6	68	0.6	39.3	19.0	548	4.88	3984	1438	3.0	19	<0.1	87.1	0.2	60	0.02	0.043	16
1236765 Soil	0.8	130.5	16.0	75	0.1	55.8	26.7	740	5.52	426.1	204.2	3.3	7	<0.1	32.7	0.2	81	0.06	0.033	12
1236766 Soil	1.3	84.6	15.6	71	<0.1	39.8	20.3	584	4.76	83.3	16.8	2.4	6	<0.1	3.2	0.2	84	0.05	0.040	9
1236767 Soil	1.0	263.5	24.3	144	0.4	90.5	43.0	1216	10.95	8958	1974	8.3	106	<0.1	138.9	0.3	13	0.14	0.070	25

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 19, 2011

CERTIFICATE OF ANALYSIS WHI11001866.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1236761	Soil	56	0.95	99	0.037	2	2.34	0.004	0.13	<0.1	<0.01	5.4	0.1	0.09	7	<0.5	<0.2
1236762	Soil	18	0.28	250	0.008	2	0.80	0.008	0.24	0.2	0.03	3.7	0.2	0.38	2	<0.5	<0.2
1236763	Soil	45	0.79	76	0.102	<1	1.65	<0.001	0.11	<0.1	0.03	4.1	0.1	<0.05	7	<0.5	<0.2
1236764	Soil	32	0.59	138	0.086	<1	1.37	<0.001	0.12	0.1	0.04	3.8	0.1	0.07	5	<0.5	<0.2
1236765	Soil	55	1.28	82	0.114	1	2.53	<0.001	0.15	0.1	0.03	4.1	0.2	<0.05	7	<0.5	<0.2
1236766	Soil	49	0.95	57	0.148	<1	2.02	<0.001	0.10	0.2	0.02	3.0	0.1	<0.05	7	0.6	<0.2
1236767	Soil	10	0.18	60	0.006	<1	0.51	0.018	0.13	0.3	0.04	9.5	<0.1	0.14	1	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 19, 2011

QUALITY CONTROL REPORT WHI11001866.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Reference Materials																					
STD DS8	Standard	12.9	114.1	121.6	294	1.7	36.8	7.4	578	2.32	24.5	112.6	7.1	66	1.9	5.7	6.7	42	0.64	0.077	15
STD DS8	Standard	11.7	100.0	119.7	295	1.7	34.4	6.6	545	2.29	23.7	111.5	6.6	69	2.1	5.4	6.4	38	0.67	0.072	15
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Goldstrike Resources (Petro One Energy C**
1300 - 111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau
Report Date: November 19, 2011

QUALITY CONTROL REPORT WHI11001866.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Reference Materials																	
STD DS8	Standard	113	0.57	271	0.130	2	0.86	0.092	0.40	2.8	0.17	2.9	5.1	0.13	5	4.6	4.8
STD DS8	Standard	105	0.56	265	0.113	2	0.86	0.089	0.39	2.9	0.17	2.3	5.2	0.17	5	5.1	5.0
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

APPENDIX 2

DRUID EXPLORATION

Date	Observer	Observation	UTM Northing	UTM Easting	Type	Description
16-Jul-11	Daithi Mac Gearailt	1	7031097.57	584946.41	rock	bedded silicified fine grained sandstone/quartzite with small 1-2mm quartz augens, limonitic, rusty staining, dark grey, 4 - 20cm bedding, 218°/44° west, dark graphitic bands
12-Sep-11	Daithi Mac Gearailt	1	7031151.17	585194.79		dark grey calcareous shale to silicified silt/sandstone, sample 1236301
16-Jul-11	Daithi Mac Gearailt	2	7031247.65	585269.19	rock	thinley bedded monoclines?, grey shale/siltstone, 190°/45° w
12-Sep-11	Daithi Mac Gearailt	2	7031246.41	585265.96		shale/phyllite, some primary bedding still intact, more carbonaceous in some beds, weathers grey, finely laminated, some shale is black with minor oxi, bedding 012/45W
16-Jul-11	Daithi Mac Gearailt	3	7031491.06	585733.68	rock	thinley bedded shale/silt ston, 20°/21° w,
12-Sep-11	Daithi Mac Gearailt	3	7031269.30	585342.12		fault 8 degrees, blocky, more quartz, silicified, no sulphide, silt and shale
16-Jul-11	Daithi Mac Gearailt	4	7031353.15	585738.77	rock	phyllite, 198°/22° w
12-Sep-11	Daithi Mac Gearailt	4	7031432.17	585704.13		area of quartz muscovite schist, small linear feature 20 degrees, slight zone of resistant veins, possible fault, 005 bedding 020/28W
12-Sep-11	Daithi Mac Gearailt	5	7031434.33	585740.52		
12-Sep-11	Daithi Mac Gearailt	6	7029949.70	583250.03		fine to medium sanstone 030/18W, blocky looking cliff
12-Sep-11	Daithi Mac Gearailt	7	7036789.30	566376.83		large fault/rift depression cutting all the way through the ridge at 012, zone wide approximately going to west, flat lying chlorite schist to sandstone up to 007
12-Sep-11	Daithi Mac Gearailt	8	7036605.72	565787.00		004/30E, change in dip direction, bedding sed sequence with sheared black shale, pinched quartz vein, siliceous bedding sandstone
12-Sep-11	Daithi Mac Gearailt	9	7036580.59	565730.34		N/S stucture/fault 20 m
12-Sep-11	Daithi Mac Gearailt	10	7036420.51	565483.13		010/016/22W
12-Sep-11	Daithi Mac Gearailt	11	7036424.54	565439.83		fault N-S separately the sheared up oxi schist/rusty from more blocky phyllite/shale
24-Jul-11	Clayton Jones	Cc1	7016865.49	581733.02	gossan	oxidized rock gossan, ridge, mix of rocks
24-Jul-11	Clayton Jones	Cc2	7016838.15	581777.71	rock	fine tex'd black sericitic extrusive?
24-Jul-11	Clayton Jones	Cc3	7017294.58	581507.55	rock	quartz rich zone, subfloat, light grey silicified sandstone with quartz and feldspar clasts
24-Jul-11	Clayton Jones	Cc4	7017483.25	581212.48	rock	massive quartz feldsmere, white plateau, bull quartz, pretty dead, sampled
24-Jul-11	Clayton Jones	Cc5	7017999.69	580954.43	rock	silicified grey sandstone, foliated
24-Jul-11	Clayton Jones	Cc6	7018654.72	580834.13	fault	large gully, cuts plateau, out of place?, 270 trend but bends north west on the west slope

Date	Observer	Observation	UTM Northing	UTM Easting	Type	Description
16-Jul-11	Clayton Jones	Cj1	7028706.14	582150.10	structure	patchy quartz flaot/suboutcrop cuts across the ridge, 300° trend, 20 m wide
16-Jul-11	Clayton Jones	Cj2	7028778.22	582183.61	structure	patchy quartz flaot/suboutcrop cuts across the ridge, 340° trend,
16-Jul-11	Clayton Jones	Cj3	7028901.73	582400.54	picture	patchy quartz flaot/suboutcrop cuts across the ridge, 300° trend, 40 m wide
16-Jul-11	Clayton Jones	Cj5	7029806.07	583173.85	picture	picture looking ssw, soil line at 50 m spacing conducted along top of the ridge
12-Sep-11	Daithi Mac Gearailt	fuel	7023810.86	579155.61	fuel	2 barrels
12-Sep-11	Daithi Mac Gearailt	fuel 2	7030204.98	583543.32		3 barrels
12-Sep-11	Clayton Jones	Ob1	7031301.53	585462.39	rock	sed unit, 360/22E,
12-Sep-11	Clayton Jones	Ob2	7031282.04	585334.44	structure	200/25 W
12-Sep-11	Clayton Jones	Ob3	7031378.24	585577.02	structure	210/26W
14-Sep-11	Clayton Jones	Ob4	7031846.75	586101.95	fault	fault, minerlized (lewis sample 1212602 is locatd 2 meters down hill), trench, linear break across hillside,
14-Sep-11	Clayton Jones	Ob5	7036445.78	565554.05		
15-Sep-11	Clayton Jones	Ob6	7036446.60	565429.82	fault	fault, saddle, trend 165
15-Sep-11	Clayton Jones	Ob7	7017842.63	582442.86	rock	creek filled with granitic bolders
12-Sep-11	Daithi Mac Gearailt	s1	7031759.99	586076.87		
12-Sep-11	Daithi Mac Gearailt	s2	7031887.35	586106.76		
12-Sep-11	Daithi Mac Gearailt	s3	7031951.95	586116.98		

DRUID EXPLORATION

Lab Tag Number	Date	Sample UTM Coordinates				Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Easting	Northing	Elev.	Certificate	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	ppm	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
1211201	16-Jul-11	584963.26	7031035.66	1780	WHI11000864	0.4	<2	0.1	0.9	4.5	2	<0.1	0.7	0.3	59	0.32	<0.5	<0.5	0.1	1	<0.1	0.2	<0.1	<2	<0.01	0.002	<1	5	<0.01	6	<0.001	<20	0.02	<0.001	0.01	<0.1	0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
1211202	16-Jul-11	584924.17	7030962.26	1781	WHI11000864	0.6	<2	0.1	7	8.3	11	<0.1	4.9	1.9	179	0.74	0.6	1.1	3.8	8	<0.1	0.4	<0.1	2	0.23	0.007	9	6	0.05	66	0.002	<20	0.26	0.011	0.11	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1211203	16-Jul-11	584902.98	7030946.27	1778	WHI11000864	0.6	<2	<0.1	1.6	4.1	12	<0.1	6	1.9	399	1.13	<0.5	1.6	4	6	0.1	0.3	<0.1	3	0.44	0.008	10	5	0.05	49	0.001	<20	0.29	0.008	0.11	<0.1	<0.01	<0.1	<0.05	0.9	<0.5	<1	<0.2
1211204	16-Jul-11	584524.83	7030802.31	1719	WHI11000864	1.1	8	0.6	27.6	6.8	11	<0.1	10	5.9	88	1.31	712.9	11.7	5.1	12	<0.1	2	6.9	<2	0.1	0.057	8	6	<0.01	175	<0.001	<20	0.13	0.039	0.03	<0.1	<0.01	<0.1	0.18	0.4	<0.5	<1	<0.2
1211205	16-Jul-11	584420.24	7030849.40	1715	WHI11000864	0.8	203	0.2	15.9	6.9	28	<0.1	12.4	7.1	141	1.64	323.1	201.9	3.7	2	<0.1	1.5	0.3	<2	<0.01	0.003	9	5	0.02	43	<0.001	<20	0.23	<0.001	0.15	<0.1	0.03	<0.1	<0.05	1.1	<0.5	<1	<0.2
1211206	16-Jul-11	584439.63	7030823.36	1721	WHI11000864	0.5	<2	0.2	3.9	28.3	15	<0.1	5.1	2.4	451	1.13	7.2	8.4	1.2	11	<0.1	0.1	0.1	<2	0.06	0.023	2	6	0.05	36	<0.001	<20	0.17	0.013	<0.01	<0.1	<0.01	<0.1	<0.05	0.8	<0.5	<1	<0.2
1211207	16-Jul-11	584433.53	7030846.71	1720	WHI11000864	0.4	7	0.2	37	61	35	<0.1	6.3	3.1	199	0.79	21.9	8.4	2.5	2	<0.1	10	0.2	<2	<0.01	0.003	8	5	0.01	23	<0.001	<20	0.16	0.001	0.12	<0.1	0.01	<0.1	<0.05	0.7	<0.5	<1	<0.2
1211208	16-Jul-11	584286.53	7030777.80	1700	WHI11000864	0.7	10	0.2	10.6	1.9	5	<0.1	4	1.4	67	0.82	1117.4	11.4	2.1	6	<0.1	0.8	0.9	<2	0.01	0.009	5	5	0.04	221	<0.001	<20	0.19	0.002	0.03	<0.1	<0.01	<0.1	0.1	0.4	<0.5	<1	<0.2
1211209	16-Jul-11	584253.68	7030748.52	1702	WHI11000864	0.5	8	0.4	11.7	2.6	4	<0.1	1.9	0.4	55	1.07	13.6	3.5	0.3	14	<0.1	0.6	<0.1	3	0.01	0.021	1	9	<0.01	159	<0.001	<20	0.07	0.001	0.06	<0.1	0.03	0.2	0.27	0.2	<0.5	<1	<0.2
1211210	16-Jul-11	584216.22	7030657.61	1691	WHI11000864	0.9	<2	0.2	29	1.7	2	<0.1	1.3	1.3	65	0.94	35.4	6.7	0.2	6	<0.1	0.2	0.7	<2	0.03	0.018	2	15	0.01	176	<0.001	<20	0.03	<0.001	<0.01	<0.1	<0.01	<0.1	0.21	<0.1	<0.5	<1	<0.2
1211211	16-Jul-11	583836.25	7030598.25	1653	WHI11000864	0.4	13	0.7	15.5	4.3	17	0.1	12.1	2.1	77	4.82	358.7	13.6	1.7	<1	0.1	69.7	0.4	3	<0.01	0.016	4	6	<0.01	13	0.003	<20	0.13	<0.001	0.02	0.1	5.47	0.3	<0.05	0.4	1.7	<1	<0.2
1211212	16-Jul-11	583796.73	7030588.72	1651	WHI11000864	0.7	<2	0.2	6.9	29.2	11	0.2	4.6	1.9	112	0.8	4.9	1	3.7	4	<0.1	<0.1	0.3	2	0.02	0.008	8	6	0.02	128	0.002	<20	0.18	0.011	0.13	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1211213	16-Jul-11	583478.43	7030085.25	1613	WHI11000864	0.4	<2	0.1	3.5	5.2	22	<0.1	6.6	3.8	426	1.15	3.5	<0.5	6.4	56	<0.1	0.2	<0.1	10	0.67	0.011	13	12	0.19	32	0.01	<20	0.48	0.03	0.08	<0.1	0.05	<0.1	<0.05	1.2	<0.5	2	<0.2
1211214	16-Jul-11	583055.24	7029481.12	1705	WHI11000864	0.4	<2	0.2	12	10.9	20	<0.1	6.8	6.2	189	0.69	2.3	1.2	2.7	1	<0.1	0.4	0.1	<2	0.01	0.005	6	5	0.04	73	0.004	<20	0.19	0.004	0.07	<0.1	0.02	<0.1	<0.05	0.3	<0.5	<1	<0.2
1211801	16-Jul-11	582136.25	7028712.09	1788	WHI11000864	0.6	5	0.2	16	11.1	41	<0.1	6.4	1.5	49	0.73	174.7	5.1	2	2	0.9	0.5	<0.1	<2	0.01	0.003	2	2	<0.01	9	<0.001	<20	0.05	0.002	0.03	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
1211802	16-Jul-11	582395.63	7028920.77	1745	WHI11000864	0.8	25	0.1	17.2	11.3	29	<0.1	2	0.5	46	0.48	209.9	22.5	0.7	<1	0.2	3.5	<0.1	<2	<0.01	0.002	2	2	<0.01	14	<0.001	<20	0.09	0.002	0.07	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1211803	16-Jul-11	582467.42	7028889.75	1738	WHI11000864	0.9	14	0.2	8.9	9.5	13	<0.1	2.8	1.7	211	0.59	175.3	12.9	1	1	0.4	2.1	<0.1	<2	<0.01	0.002	3	3	<0.01	43	<0.001	<20	0.13	0.002	0.08	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1211804	16-Jul-11	583094.50	7029491.62	1708	WHI11000864	0.9	3	0.2	3.5	3.2	13	<0.1	2.8	1.4	158	0.92	10.4	1.4	5.9	1	<0.1	0.4	<0.1	2	<0.01	0.012	11	2	0.02	55	0.001	<20	0.21	0.002	0.16	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	<1	<0.2
1211805	23-Jul-11	581324.06	7028871.63	1597	WHI11000863	1.1	<2	0.2	39.7	8.8	61	<0.1	15.4	7.4	241	3.17	<0.5	0.8	7.7	6	<0.1	<0.1	0.1	18	0.04	0.015	18	22	0.8	90	0.022	<20	1.43	0.016	0.2	<0.1	<0.01	<0.1	<0.05	1.1	<0.5	4	<0.2
1211806	23-Jul-11	581494.06	7029023.81	1536	WHI11000863	0.5	<2	<0.1	12.5	14.6	26	<0.1	10.2	5.5	283	1.57	0.6	0.9	8.4	67	<0.1	<0.1	<0.1	16	0.64	0.018	14	17	0.34	56	0.066	<20	0.73	0.018	0.41	<0.1	<0.01	0.3	<0.05	0.9	<0.5	3	<0.2
1211807	23-Jul-11	581614.38	7029048.35	1529	WHI11000863	0.6	<2	0.2	39.2	17.8	65	0.1	30	14.5	562	3.51	8.7	<0.5	14.2	11	0.2	0.1	0.1	14	0.09	0.038	31	17	0.59	127	0.004	<20	1.4	0.006	0.43	<0.1	<0.01	0.1	<0.05	1.6	<0.5	4	<0.2
1211808	23-Jul-11	581617.14	7029056.36	1529	WHI11000863	0.8	3	0.1	45	9.2	91	<0.1	33.3	16.3	332	3.49	26.4	0.6	13.4	16	0.4	0.4	<0.1	28	0.12	0.037	36	31	0.79	142	0.004	<20	1.69	0.003	0.24	<0.1	<0.01	<0.1	<0.05	2.2	<0.5	6	<0.2
1211809	23-Jul-11	581754.91	7029133.47	1530	WHI11000863	0.7	9	0.2	9.8	10.4	28	<0.1	8.9	3.2	45	0.73	2	8.8	8.6	2	<0.1	<0.1	0.1	3	0.02	0.014	7	6	0.03	39	0.003	<20	0.32	<0.001	0.14	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1211810	23-Jul-11	582608.20	7029779.66	1521	WHI11000863	0.9	<2	0.1	8.2	15.1	43	<0.1	15.2	5.7	483	0.73	2.9	<0.5	6.9	2	0.2	0.2	0.1	<2	0.02	0.011	14	10	0.05	65	0.004	<20	0.25	0.012	0.17	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1211811	24-Jul-11	591911.07	7015112.07	1592	WHI11000863	0.4	13	0.2	33.5	5	30	<0.1	9.7	4.4	268	2.3	1.5	11.2	5.9	42	<0.1	<0.1	1	10	0.72	0.014	7	21	0.37	31	0.033	<20	1.48	0.097	0.12	0.2	<0.01	<0.1	0.74	1.2	<0.5	3	<0.2
1211812	24-Jul-11	591913.03	7015083.38	1594	WHI11000787	0.6	2	2.6	74.7	11.9	33	0.1	36.1	14.4	179	4.65	3.2	<0.5	4.3	148	<0.1	<0.1	0.4	69	1.73	0.028	5	35	0.67	90	0.063	<20	3.81	0.235	0.51	<0.1	<0.01	0.3	2.52	7.1	<0.5	10	<0.2
1211813	24-Jul-11	591914.13	7014944.42	1635	WHI11000787	0.6	<2	1.4	30	18.1	56	<0.1	22.9	9.5	329	3	<0.5	6.2	6.7	77	<0.1	<0.1	0.2	51	1.08	0.044	7	30	0.89	44	0.102	<20	2.7	0.154	0.78	<0.1	0.02	0.5	1.11	5.5	<0.5	8	<0.2
1211814	24-Jul-11	581571.36	7016992.95	1842	WHI11000863	1	<2	<0.1	26.9	4.5	10	<0.1	6	3.4	71	0.95	1.7	<0.5	3.3	975	<0.1	<0.1	0.1	6	29.59	0.008	4	7	0.21	3	0.025	<20	1.19	0.078	0.09	0.1	<0.01	<0.1	0.36	0.7	<0.5	3	<0.2
1211815	24-Jul-11	581732.23	7016868.77	1833	WHI11000863	1.1	4	0.3	39.9	3.8	33	<0.1	17.1	4.3	179	1.2	4	9.4	12.1	36	<0.1	<0.1	0.4	18	1.43	0.016	20	31	0.15	12	0.117	<20	0.67	0.031	0.09	0.4	<0.01	<0.1	0.21	1.5	<0.5	3	<0.2
1211816	24-Jul-11	581556.90	7017119.37	1820	WHI11000863	0.8	<2	0.3	3.8	2.2	11	<0.1	2.5	6	595	0.75	36.1	3.5	0.5	6	0.3	0.3	0.2	2	0.14	0.009	3	21	0.09	23	<0.001	<20	0.1	<0.001	0.03	1.3	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1211817	24-Jul-11	581527.16	7017237.80	1803	WHI11000863	0.9	7	0.2	28.6	6.7	95	0.1	35.6	9.3	820	4.35	16.9	8.9	15	14	<0.1	<0.1	0.5	23	0.08	0.055	48	30	1.16	54	0.04	<20	2.45	0.02	0.26	<0.1	<0.01	0.2	<0.05	2	0.7	7	<0.2
1211818	24-Jul-11	581501.01	7017299.23	1799	WHI11000863	0.8	<2	0.2	4.2	3.9	11	<0.1	3	0.8	78	0.71	44.4	3.5	6.5	3	<0.1	<0.1	<0.1	<2	0.03	0.006	13	13	0.06	29	<0.001	<20	0.24	0.01	0.05	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1211819	24-Jul-11	581145.77	7017533.35	1765	WHI11000863	0.6	<2	0.3	4.4	7.6	7	<0.1	2.3	0.9	68	0.66	31.2	<0.5	2.5	1	<0.1	0.1	<0.1	<2	<0.01	0.01	4	24	0.02	9	0.002	<20	0.09	<0.001	0.04	0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1211820	24-Jul-11	580944.30	7018108.91	1748	WHI11000863	0.5	13	0.2	14.7	7.1	26	<0.1	10.3	4.7	250	1.62	10.3	10.8	6.9	4	<0.1	0.2	<0.1	5	0.02	0.009	14	18	0.2	54	0.002	<20	0.56	0.019	0.11	<0.1	<0.01	<0.1	<0.05	0.8	<0.5	2	<0.2
1211821	24-Jul-11	580851.14	7018675.45	1685	WHI11000863	1	<2	0.1	18.8	108.9	37	0.5	9.2	3.4	229	2.31	<0.5	<0.5	3.4	8	<0.1	<0.1	1.8	3	0.07	0.045	9	19	0.24	23	0.003	<20	0.59	0.005	0.08	<0.1	<0.01	<0.1	<0.05	0.7	<0.5	1	0.3
1211822	24-Jul-11	580832.60	7018886.85	1652	WHI11000863	1.1	<2	0.2	16.4	7	69	<0.1	78.4	18.9	453	1.56	8.6	1.8	7.5	2	<0.1	0.6	<0.1	6	<0.01	0.008	12	24	0.2	17	<0.001	<20	0.81	0.014	0.02	<0.1	<0.01	<0.1	<0.05	1.6	0.6	1	<0.2
1211823	24-Jul-11	580701.51	7019025.64	1635	WHI11000863	0.9	<2	0.1	8.6	15.6	16	<0.1	10.7	2.5	70	0.74	2.5	<0.5	5.4	2	<0.1	<0.1	0.1	<2	0.01	0.006	6	24	0.07	8	<0.001	<20	0.29	0.021	0.02	<0.1	<0.01	<0.1	<0.05	0.5	0.6	<1	<0.2
1211824	24-Jul-11	592014.78	7015258.24	1502	WHI11000787	1.6	10	0.3	204.1	5.5	48	0.2	19.9	11.4	293	3.78	1.5	<0.5	5.8	88	0.2	<0.1	21.2	43	1.32	0.035	11	28	0.79	35	0.098	<20	2.53	0.183	0.54	33.2	<0.01	0.4	1.91	4.7	<0.5	8	0.2
1211825	24-Jul-11	592018.17	7015257.75	1590	WHI11000863	0.2	<2	0.7	43.5	6.6	77	0.1	33.1	15.2	329	3.57	1.3	<0.5	8.7	48	0.1	<0.1	0.3	97	1.45	0.044	18	74	1.47	43	0.195	<20	3.55	0.36	1.1	0.1	<0.01	0.5	1.36	9.2	0.9	13	<0.2
1211826	24-Jul-11	592028.82	7015226.34	1591	WHI11000787	0.8	2	0.2	5.6	7.4	5	0.1	3.5	1.1	123	0.8	1.2	<0.5	0.6	<1	<0.1	<0.1	0.4	<2	<0.01	0.003	2	3	0.04	5	<0.001	<20	0.09	0.002	0.03	<0.1	0.02	<0.1	<0.05	0.5	<0.5	<1	<0.2
1211827	24-Jul-11	592113.66	7015185.07	1598	WHI11000787	0.8	2	0.3	27.5	3.1	77	<0.1	31.7	10.7	230	2.92	<0.5	3.9	7.1	5	<0.1	<0.1	0.3	35	0.06	0.046	13	30	1.1	86	0.126	<20	1.65	0.029	1.24	<0.1	0.02	0.8	0.66	3.2	<0.5	6	<0.2
1211828	24-Jul-11	591729.35	7015272.46	1583	WHI11000787	1.2	<2	0.1	189.9	4.9	19	<0.1	10.5	4.7	94	1.8	<0.5	3.2	4.5	2	<0.1	<0.1	0.2	12	0.06	0.026	5	10	0.38	17	0.021	<20	0.58	0.007	0.11	<0.1	0.02	<0.1	0.4	1.3	<0.5	2	<0.2
1211829	24-Jul-11	583597.05	7016937.45	1659	WHI11000787	0.6	<2	0.5	43.8	23.1	70	0.1	20.3	12	577	3.59	2	3.9	11	163	<0.1	<0.1	0.4	51	2.91	0.098	20	47	1	40	0.148	<20	4.7	0.204	0.76	<0.1	0.01	0.4	1	7.7	<0.5	15	<0.2
1211830	24-Jul-11	591725.36	7015270.82	1583	WHI11000863	0.8	156	0.2	26.4	8.4	44	<0.1	7.2	3.3	499	1.62	2472.5	158.8	2.8	7	<0.1	1	1.5	2	0.11	0.004	4	20	0.18	37	0.001	<20	0.34	0.035	0.07	0.2	<0.01	<0.1	0.15	1.3	<0.5	<1	<0.2
1211831	24-Jul-11	591640.26	7015296.14	1617	WHI11000863	0.9	<2	0.1	1.5	1	<1	<0.1	1.2	0.3	33	0.26	2.4	1.5	<0.1	<1	<0.1	<0.1	0.4	<2	<0.01	<0.001	<1	39	<0.01	<1	<0.001	<20	0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
1211832	24-Jul-11	591641.45	7015292.18	1624	WHI11000863	0.8	<2	0.2	19.1	5.5	18	<0.1	2.8	1.3	87	1.91	3.3	1.3	3	1	<0.1	0.1	0.1	13	0.03	0.022	6	21	0.37	33	0.003	<20	0.62	0.009	0.09	<0.1	<0.01	<0.1	0.16	1	<0.5	3	<0.2

Lab Tag	Date	Sample UTM Coordinates				Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Number		Easting	Northing	Elev.	Certificate	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	ppm	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
1211833	24-Jul-11	581395.75	7017456.80	1780	WHI11000863	0.5	1240	<0.1	4.2	27.8	41	0.5	11.6	7.8	761	2.87	>10000.0	1292.1	9.9	25	0.2	5	6.3	<2	0.49	0.003	8	7	0.05	195	0.002	<20	0.38	0.054	0.23	0.2	<0.01	<0.1	0.66	1.1	<0.5	<1	0.4
1211834	24-Jul-11	581374.45	7017471.08	1774	WHI11000863	0.7	<2	0.2	3.3	3.1	5	<0.1	3.9	2	391	0.68	25	0.6	1.2	3	<0.1	<0.1	<0.1	<2	0.13	0.005	6	12	0.1	38	0.001	<20	0.14	<0.001	0.03	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1211835	24-Jul-11	581078.91	7018216.88	1754	WHI11000863	0.6	<2	0.2	4.9	2.8	11	<0.1	3.6	1.2	230	0.62	2.4	<0.5	1.1	6	<0.1	<0.1	<0.1	<2	0.23	0.003	2	31	0.06	37	<0.001	<20	0.12	<0.001	0.03	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1211836	24-Jul-11	589116.57	7029137.35	1489	WHI11000863	0.5	57	1.2	19.8	4.3	8	<0.1	6.5	3.6	72	1.38	3742.6	55	7.2	4	<0.1	0.9	1.4	<2	0.02	0.011	10	18	0.01	37	<0.001	<20	0.21	0.003	0.1	<0.1	<0.01	<0.1	0.16	0.3	<0.5	<1	<0.2
1211837	24-Jul-11	589109.17	7029142.11	1488	WHI11000863	0.8	27	0.9	11.6	3.1	4	<0.1	2.8	2	50	1.24	5374.6	30.5	6.6	5	<0.1	1.1	0.5	<2	<0.01	0.01	8	20	<0.01	31	<0.001	<20	0.14	0.002	0.09	<0.1	<0.01	<0.1	0.13	0.3	0.8	<1	<0.2
1211838	24-Jul-11	590042.84	7029821.03	1492	WHI11000863	0.5	24	0.3	2.5	19.6	3	0.2	2.3	0.8	50	1.23	34.1	14.7	3.1	27	<0.1	3.5	0.1	2	<0.01	0.014	5	8	0.01	76	0.002	<20	0.15	0.001	0.23	<0.1	0.23	0.8	0.28	0.2	<0.5	<1	<0.2
1211839	24-Jul-11	589570.03	7029652.98	1517	WHI11000863	0.6	<2	0.2	20.4	7.6	33	<0.1	25.6	9.5	284	1.31	12.8	<0.5	2.3	14	<0.1	0.1	0.3	5	0.38	0.167	6	29	0.2	42	0.002	<20	0.44	0.008	0.04	<0.1	<0.01	<0.1	<0.05	0.8	<0.5	1	<0.2
1212751	16-Jul-11	581372.80	7028408.89	1711	WHI11000864	0.3	<2	0.1	11.7	12.4	34	<0.1	14.8	5.3	451	1.07	4	0.9	9.2	14	0.6	0.1	0.1	4	0.41	0.014	16	4	0.07	118	0.016	<20	0.35	0.011	0.23	<0.1	<0.01	<0.1	<0.05	0.9	<0.5	1	<0.2
1212752	16-Jul-11	581802.71	7028363.14	1746	WHI11000864	0.5	<2	0.4	63.1	41.5	102	<0.1	22.9	10.1	178	4.17	1.4	0.9	16.4	10	<0.1	<0.1	0.8	13	0.03	0.024	37	13	0.62	168	0.016	<20	1.57	0.006	0.45	<0.1	<0.01	0.2	<0.05	1.4	<0.5	4	<0.2
1212753	16-Jul-11	581849.55	7028340.12	1746	WHI11000864	0.6	<2	0.2	4.6	6.2	20	<0.1	2.2	1.6	207	0.74	2.4	0.8	3.8	9	<0.1	0.2	<0.1	<2	0.08	0.043	13	2	0.02	36	0.001	<20	0.14	0.019	0.05	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1212754	16-Jul-11	582196.29	7028566.08	1759	WHI11000864	0.8	<2	0.1	11.2	12.6	25	<0.1	4.3	1.1	88	1.04	25.4	1.4	5.3	<1	<0.1	0.3	0.2	<2	<0.01	0.009	12	<1	0.02	43	0.002	<20	0.27	0.002	0.22	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1212755	16-Jul-11	582312.32	7028684.06	1755	WHI11000864	0.9	<2	0.2	4	21.5	35	<0.1	6.7	3.5	1105	0.95	1.3	<0.5	3.4	423	0.4	<0.1	<0.1	<2	7.64	0.008	10	4	0.11	83	0.001	<20	0.12	0.007	0.03	<0.1	<0.01	<0.1	<0.05	1	<0.5	<1	<0.2
1212756	16-Jul-11	582481.97	7028797.72	1727	WHI11000864	0.8	<2	0.3	8.9	15.8	13	0.3	2.2	0.6	70	1.28	7.7	0.5	7.5	5	0.1	0.6	0.6	3	0.03	0.012	25	6	0.02	61	0.002	<20	0.3	0.005	0.26	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1212757	16-Jul-11	582514.21	7028850.21	1727	WHI11000864	0.9	11	0.1	4.7	1	11	0.1	1.9	0.5	29	0.5	95.3	23.5	0.6	<1	<0.1	0.5	<0.1	<2	0.02	0.002	2	4	<0.01	11	<0.001	<20	0.07	0.001	0.05	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1212758	16-Jul-11	582517.02	7028853.36	1726	WHI11000864	1.6	14	0.2	2.5	12.8	11	<0.1	1.9	0.6	37	0.47	56	19.7	1	1	<0.1	0.7	<0.1	<2	<0.01	0.001	4	6	<0.01	15	<0.001	<20	0.1	0.002	0.07	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1212759	16-Jul-11	582605.62	7029281.33	1703	WHI11000864	0.8	<2	0.1	2	2.3	14	<0.1	4.7	4.7	284	0.49	9.5	5.7	6.4	<1	<0.1	<0.1	<0.1	<2	<0.01	0.006	24	4	0.01	52	0.001	<20	0.22	0.002	0.21	<0.1	0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1212760	16-Jul-11	582677.21	7029272.82	1709	WHI11000864	1.2	28	0.2	15.1	10.2	85	0.8	12.2	13.5	961	1.78	66.8	32	6.3	2	0.2	2.8	0.1	2	<0.01	0.012	14	5	0.01	56	0.001	<20	0.28	0.003	0.22	<0.1	<0.01	0.9	<0.05	0.8	<0.5	<1	<0.2
1212761	16-Jul-11	583129.78	7029619.41	1695	WHI11000864	1.1	<2	0.2	11.9	8.2	17	<0.1	3.9	1.7	154	0.99	8.6	2.8	4.9	1	<0.1	0.7	0.2	<2	<0.01	0.008	14	5	0.01	33	<0.001	<20	0.2	0.003	0.15	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1212762	17-Jul-11	583287.29	7029739.55	1672	WHI11000864	0.4	<2	0.3	18.2	4.8	23	<0.1	8	2.8	161	1.14	10.8	3	6.1	1	<0.1	1.4	0.2	<2	<0.01	0.006	15	4	0.02	37	<0.001	<20	0.25	0.003	0.21	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1212763	17-Jul-11	583743.37	7030378.05	1630	WHI11000864	0.4	8	0.3	1.9	6.9	40	<0.1	8.5	3.5	142	1.67	43	9.7	6.6	1	<0.1	0.4	<0.1	3	<0.01	0.008	16	5	0.02	56	0.001	<20	0.26	0.002	0.23	<0.1	<0.01	<0.1	<0.05	1	<0.5	<1	<0.2
1212764	17-Jul-11	583843.51	7030448.22	1639	WHI11000864	0.4	<2	1	2.7	1	13	<0.1	4.9	1.4	310	1.2	2.4	0.9	2.6	2	<0.1	0.5	<0.1	4	0.01	0.008	6	5	0.09	31	0.001	<20	0.29	0.008	0.07	<0.1	<0.01	<0.1	<0.05	0.7	<0.5	<1	<0.2
1212765	17-Jul-11	583923.43	7030515.76	1649	WHI11000864	0.4	3	0.1	21.1	0.9	5	<0.1	1.9	1.8	335	0.87	5.4	3	<0.1	7	<0.1	0.2	<0.1	<2	0.31	0.002	<1	4	0.01	19	<0.001	<20	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	0.15	0.3	<0.5	<1	<0.2
1212766	17-Jul-11	584717.85	7030735.54	1721	WHI11000864	1	4	0.2	18.9	20.5	19	<0.1	7.6	4.2	205	1.27	3.3	3.4	3.6	6	<0.1	<0.1	0.3	4	0.05	0.006	8	9	0.14	50	0.009	<20	0.34	0.009	0.12	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	1	<0.2
1212767	17-Jul-11	584918.68	7030797.08	1760	WHI11000864	0.7	60	0.2	10.8	106.3	9	0.3	3.6	1.2	45	0.84	367.9	55.7	2.4	3	0.1	11.2	1.3	<2	<0.01	0.005	6	5	<0.01	49	<0.001	<20	0.11	0.002	0.09	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1212768	17-Jul-11	585323.12	7031101.83	1783	WHI11000864	0.5	<2	0.1	5.5	1.5	15	<0.1	7.8	4.7	167	1.31	5.5	1.1	7.2	12	<0.1	1	<0.1	5	0.26	0.013	15	7	0.08	53	0.002	<20	0.31	0.011	0.15	<0.1	<0.01	<0.1	<0.05	0.9	<0.5	<1	<0.2
1212769	17-Jul-11	585593.62	7031320.86	1800	WHI11000864	0.9	<2	0.2	1.8	2	14	<0.1	2.5	0.9	286	0.87	3.6	1.1	2.1	1	<0.1	<0.1	<0.1	<2	0.01	0.005	5	5	0.01	29	<0.001	<20	0.08	0.003	0.05	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1212770	17-Jul-11	585693.58	7031326.51	1791	WHI11000864	0.8	<2	0.1	1.7	0.6	3	<0.1	2.6	1.5	220	0.37	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	0.01	<0.001	<1	5	0.05	11	<0.001	<20	0.09	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
1212771	17-Jul-11	585783.05	7031293.41	1748	WHI11000864	0.6	<2	0.3	35.8	14.5	79	<0.1	9.1	5	292	3.31	<0.5	<0.5	19.6	31	<0.1	<0.1	0.3	11	0.02	0.03	51	14	0.67	68	0.016	<20	1.46	0.007	0.34	<0.1	0.01	<0.1	<0.05	1.3	<0.5	4	<0.2
1212772	17-Jul-11	585987.79	7031615.39	1720	WHI11000864	1	<2	0.4	63.7	3.8	42	<0.1	47.6	18.6	432	2.9	6.4	<0.5	6.8	5	<0.1	<0.1	<0.1	28	0.14	0.034	15	21	0.7	66	0.063	<20	1.42	0.004	0.33	<0.1	<0.01	<0.1	<0.05	3.3	<0.5	4	<0.2
1212773	17-Jul-11	585998.35	7031640.65	1718	WHI11000864	1.3	146	0.2	6.3	1.3	10	1.7	6.2	2.8	55	1.51	897.1	158.6	1.2	3	<0.1	65.5	<0.1	4	0.01	0.001	3	<1	<0.01	20	<0.001	<20	0.12	0.001	0.05	<0.1	0.12	0.1	<0.05	0.7	<0.5	<1	<0.2
1212774	23-Jul-11	586377.72	7033226.24	1304	WHI11000863	0.8	8	0.2	3.5	3.6	9	<0.1	3.9	0.8	34	0.44	27.2	9.6	4.2	15	<0.1	5.4	<0.1	<2	0.02	0.008	6	22	<0.01	22	0.001	<20	0.1	<0.001	0.08	<0.1	0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1212775	23-Jul-11	586539.05	7035788.42	934	WHI11000863	0.4	<2	0.2	23.2	6.6	18	<0.1	7.6	3.7	161	1.71	0.8	<0.5	0.8	4	<0.1	<0.1	<0.1	13	0.24	0.005	3	25	0.31	15	0.056	<20	0.58	<0.001	0.1	<0.1	<0.01	<0.1	0.06	1.1	<0.5	2	<0.2
1212776	23-Jul-11	586536.94	7035790.95	936	WHI11000863	0.4	<2	<0.1	102.4	5.1	100	0.2	66.3	36.5	928	8.45	3.1	<0.5	4.2	10	<0.1	0.4	<0.1	108	0.52	0.049	12	98	3.38	42	0.206	<20	4.52	0.005	0.23	<0.1	<0.01	<0.1	<0.05	6.3	<0.5	14	<0.2
1212901	16-Jul-11	584983.08	7031108.67	1779	WHI11000864	0.8	2	0.3	3.6	5.8	9	<0.1	4.3	1.7	246	0.78	2.7	2	2.9	4	<0.1	0.3	0.1	3	0.26	0.008	8	7	0.02	32	<0.001	<20	0.19	<0.001	0.05	<0.1	0.03	<0.1	<0.05	0.7	<0.5	<1	<0.2
1212902	16-Jul-11	585268.01	7031261.95	1761	WHI11000864	0.5	<2	0.2	1.2	17.2	12	<0.1	15.4	4	2438	1.72	3.3	2.9	0.2	323	<0.1	0.3	0.2	<2	5.5	0.004	3	6	1.11	10	0.001	<20	0.06	0.003	0.02	<0.1	<0.01	<0.1	<0.05	1.9	<0.5	<1	<0.2
1212903	16-Jul-11	586097.58	7032033.92	1667	WHI11000864	0.4	12	0.1	22.1	7.4	28	<0.1	23.2	11	534	2.32	105.9	12.6	2.6	7	0.1	14.3	0.1	16	2	0.008	4	11	0.22	7	0.002	<20	0.17	0.001	0.11	<0.1	0.02	<0.1	0.17	4.1	<0.5	<1	<0.2
1212904	16-Jul-11	586982.10	7032711.01	1536	WHI11000864	0.9	<2	0.2	2.3	0.7	2	<0.1	2.1	0.9	67	0.38	2	1.5	<0.1	2	<0.1	<0.1	<0.1	<2	0.09	0.003	<1	6	0.03	3	<0.001	<20	0.06	<0.001	0.01	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1212905	16-Jul-11	585604.48	7031220.31	1798	WHI11000864	0.9	<2	0.2	7.3	10.2	18	<0.1	5.1	3.1	310	0.97	1.4	3.5	6.3	23	0.1	0.6	<0.1	4	0.41	0.009	14	7	0.08	64	0.005	<20	0.28	0.016	0.17	<0.1	0.02	<0.1	<0.05	0.5	<0.5	<1	<0.2
1212906	16-Jul-11	584807.14	7031016.53	1769	WHI11000864	0.7	<2	0.2	7.1	0.9	1	<0.1	4.7	1.7	46	0.52	4.9	1.8	0.4	<1	<0.1	0.4	<0.1	<2	<0.01	0.002	<1	5	<0.01	7	<0.001	<20	0.04	0.001	0.03	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
1213812	24-Jul-11	591913.03	7015083.38	1594																																							
1219901	12-Sep-11	585738.15	7031434.62	1764	WHI11001727	1.1	<2	0.2	24.5	10.4	50	<0.1	21.1	10.9	162	2.41	3.6	0.8	11.9	15	<0.1	<0.1	0.4	12	0.08	0.029	22	14	0.58	65	0.01	<20	1.39	0.009	0.39	<0.1	<0.01	<0.1	<0.05	1	<0.5	3	<0.2
1219902	12-Sep-11	585957.35	7031596.16	1720	WHI11001727	0.9	<2	<0.1	20.3	2.9	31	<0.1	23.9	11.1	473	2.38	<0.5	<0.5	2.7	20	<0.1	<0.1	<0.1	66	0.71	0.01	6	56	0.63	17	0.109	<20	1.09	0.013	0.06	<0.1	<0.01	<0.1	<0.05	3.9	<0.5	3	<0.2
1219903	12-Sep-11	586107.02	7031832.99	1690	WHI11001727	1	<2	0.1	40.4	3.5	57	<0.1	38.8	18.8	1145	4.11	60.6	4.2	2.9	6	<0.1	1.5	<0.1	35	0.37	0.012	10	31	0.75	15	0.002	<20	1.19	0.004	0.14	<0.1	<0.01	<0.1	<0.05	4.8	<0.5	3	<0.2
1219904	12-Sep-11	586074.12	7031741.92	1689	WHI11001727	1.3	5	0.5	100	25.1	86	<0.1	58.4	36.5	917	6.13	2.4	<0.5	7.5	4	<0.1	<0.1	0.4	48	0.14	0.035	13	39	1.58	48	0.122	<20	2.9	0.001	0.24	<0.1	<0.01	<0.1	<0.05	4.4	<0.5	8	<0.2
1219905	12-Sep-11	586060.90	7031712.68	1690	WHI11001727	0.7	<2	0.4	94.1	8.4	75	<0.1	26.3	17.6	708	5.31	2.6	<0.5	5	7	<0.1	0.2	0.2	58	0.23	0.036	10	45	1.4	55	0.187	<20	2.65	0.001	0.34	<0.1	<0.01	<0.1	<0.05	3.7	<0.5	7	<0.2
1219906	13-Sep-11	583197.28	7029448.74	1700	WHI11001727	1.2	<2	0.2	7.9	2.6	10	<0.1	3.1	1.3	82	0.69	8.1	<0.5	4.7	1	<0.1	0.3	<0.1	<2	<0.01	0.008	12	3	0.02	26	<0.001	<20	0.21	0.002	0.14	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1219907	13-Sep-11	583372.28	7030112.84	1608	WHI11001727	1.1	<2	<0.1	50.8	9.4	42	0.2	16.8	9.6	134	2.49	7.5	<0.5	6.2	5	0.1	0.2	0.1	15	0.07	0.017	11	11	0.47	67	0.007	<20	1.12	0.001	0.33	<0.1	<0.01	<0.1	0.1	1.1	<0.5	3	<0.2
1219908	13-Sep-11	586109.79	7031846.33	1686	WHI11001727	1.2	11	0.7	68.8	7.6	67	<0.1	49.9	25.7	984	4.09	251.6	7.9	3.8	3	<0.1	11.6	0.1	65	0.05	0.02	10	55	1.1	30	0.012	<20	1.91	0.01	0.14	<0.1	<0.01	<0.1	<0.05	5.1	<0.5	6	<0.2
1219909	13-Sep-11	586124.16	7031947.02	1681	WHI11001727	0.6	53	<0.1	1.3	3.2	2	<0.1	0.8	0.5	23	0.31	1019.5	53.1	2.4	2	<0.1	1.3	1	<2	<0.01	0.004	12	2	0.02	44	0.001	<20	0.2	0.001	0.13	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1219910	13-Sep-11	586102.78	7031859.01	1689	WHI11001727	0.9	<2	0.5	98.6	11.6	69	<0.1	35.5	21.6	875	4.75	5.9	1.6	4.4	3	<0.1	0.3	0.2	62	0.12	0.015	8	48	1.26	50	0.068	<20	2.22	0.001	0.08	<0.1	<0.01	<0.1	0.11	2.9	<0.5	6	<0.2
1219911	13-Sep-11	586084.96	7031780.93	1689	WHI11001727	0.7	<2	0.3	56.4	4.5	68	<0.1	29	19.1	820	5.03	11.5	<0.5	4.4	9	<0.1	<0.1	0.2	54	0.18	0.027	8	48	1.35	58	0.176	<20	2.48	0.005	0.29	<0.1	<0.01	<0.1	<0.05	3.7	<0.5	7	<0.2
1219912	13-Sep-11	581302.45	7018063.99	1771	WHI11001728	0.6	529	0.2	10.2	3.1	9	<0.1	4.6	1.7	85	0.98	2484.9	475.3	5.8	12	0.3	0.3	<0.1	<2	0.02	0.013	12	3	0.01	153	<0.001	<20	0.19	0.007	0.11	0.4	<0.01	<0.1	0.08	0.5	<0.5	<1	0.3
1219913	14-Sep-11	566876.88	7036825.80	1650	WHI11001807	0.7	<2	<0.1	5	3.6	15	<0.1	2.4	1.3	571	0.59	1.1	3.3	1.3	44	<0.1	<0.1	<0.1	<2	0.37	0.039	8	<1	0.2	18	<0.001	<20	0.09	0.004	0.06	<0.1	<0.01	<0.1	0.07	0.3	<0.5	<1	<0.2
1219914	14-Sep-11	566031.72	7036778.74	1648	WHI11001807	1.4	<2	<0.1	6.3	8.8	23	<0.1	8.5	3.9	155	1.2	2	2.7	5.2	10	<0.1	<0.1	<0.1	4	0.02	0.009	15	13	0.2	64	<0.001	<20	0.62	0.021	0.12	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	2	<0.2
1219915	14-Sep-11	565486.92	7036439.61	1600	WHI11001807	0.9	<2	0.1	42.7	66.1	68	0.1	31	16.9	401	3.02	<0.5	2.5	4.1	10	0.1	0.2	0.3	4	0.09	0.008	8	13	0.3	13	<0.001	<20	0.6	0.007	0.03	<0.1	<0.01	<0.1	0.59	0.9	<0.5	1	<0.2

Lab Tag	Date	Sample UTM Coordinates				Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Number		Easting	Northing	Elev.	Certificate	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	ppm	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
1235573	5-Sep-11	586110.97	7031847.56		WHI11001727	0.9	44	0.7	58.5	17.4	70	<0.1	20.1	14	762	5.19	156	31.2	6.4	20	<0.1	2.3	0.4	50	0.1	0.033	15	43	1.51	69	0.216	<20	2.66	0.009	0.36	<0.1	<0.01	<0.1	0.07	4.2	<0.5	8	<0.2
1235574	6-Sep-11	586096.58	7031816.21	1680	WHI11001727	3.2	<2	0.3	12.5	14	8	<0.1	9	4.3	181	0.7	12.6	3.3	0.3	<1	<0.1	0.2	0.2	4	0.03	0.004	1	5	0.14	6	0.006	<20	0.23	0.002	0.03	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1235575	6-Sep-11	586115.30	7031919.18	1667	WHI11001727	1.4	3	1.7	167.4	15.8	90	<0.1	81	43.6	895	5.91	8.6	2.3	11.6	7	<0.1	0.5	0.3	31	0.08	0.056	39	28	1.16	57	0.004	<20	2.21	0.009	0.31	<0.1	<0.01	<0.1	<0.05	5.2	<0.5	6	<0.2
1235576	6-Sep-11	585824.43	7031593.36	1715	WHI11001727	1.7	<2	0.4	137.3	61	14	0.3	12.3	7.2	411	0.8	3.7	3.2	0.8	9	<0.1	0.5	1	3	0.19	0.013	5	6	0.08	15	0.002	<20	0.18	0.002	0.06	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	<1	<0.2
1235577	7-Sep-11	581313.51	7018331.16	1712	WHI11001728	2.5	492	0.3	16.6	26.4	32	<0.1	11	4.3	268	1.77	87	155.4	11.6	3	<0.1	0.1	0.2	6	<0.01	0.008	17	12	0.18	65	0.001	<20	0.58	0.027	0.1	0.1	0.01	<0.1	<0.05	1.1	<0.5	2	<0.2
1235578	7-Sep-11	581317.60	7018341.52	1703	WHI11001728	2.7	278	0.5	29.3	16.1	79	<0.1	23.8	6.8	267	4.16	1588	164.3	11.9	13	0.1	0.2	0.2	19	0.01	0.012	20	25	0.83	103	0.003	<20	2.05	0.026	0.19	<0.1	0.01	<0.1	<0.05	2.2	<0.5	7	0.2
1235579	7-Sep-11	581317.60	7018341.517	1703	WHI11001728	1.3	28	<0.1	18.1	8.2	29	<0.1	12	6	223	1.8	31.2	26.1	7.1	3	<0.1	<0.1	<0.1	6	0.01	0.009	14	12	0.21	43	0.001	<20	0.67	0.025	0.09	0.1	0.01	<0.1	<0.05	1	0.5	2	<0.2
1235580	7-Sep-11	581317.60	7018341.517	1703	WHI11001728	1.5	470	0.2	22.9	6.8	18	<0.1	10.3	6.7	125	1.25	139.5	387.2	3.2	2	<0.1	0.1	<0.1	4	<0.01	0.002	7	12	0.11	73	<0.001	<20	0.35	0.004	0.07	<0.1	0.02	<0.1	<0.05	0.6	<0.5	1	<0.2
1235581	8-Sep-11	581232.56	7018177.49	1762	WHI11001728	2.1	40	0.1	13.6	3	6	<0.1	2.4	1.1	101	0.8	17.7	56.2	0.6	4	<0.1	0.1	<0.1	<2	0.14	0.003	1	7	0.02	73	<0.001	<20	0.09	0.002	0.02	0.2	0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1235582	8-Sep-11	581230.35	7018171.15	1764	WHI11001728	1.9	2777	0.3	14.8	9.6	32	<0.1	8.1	3	74	1.56	44.5	125	3.6	3	<0.1	0.1	<0.1	2	<0.01	0.005	10	5	0.16	38	<0.001	<20	0.38	0.003	0.08	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	1	<0.2
1235583	8-Sep-11	581213.07	7018129.93	1767	WHI11001728	2.5	5928	0.2	2.1	9.6	16	0.7	8.3	3.4	91	2.09	>10000.0	8692.4	7.4	18	0.1	3	1	<2	0.06	0.007	8	9	0.09	81	0.003	<20	0.34	0.037	0.07	0.6	0.02	0.1	0.65	0.5	0.5	<1	0.6
1235584	8-Sep-11	581224.79	7018114.05	1775	WHI11001728	1.9	454	0.3	8.6	12.7	17	0.1	8.6	4.4	101	1.54	7867.8	412.7	8.9	14	0.2	1.3	0.7	<2	0.05	0.004	12	4	0.05	144	<0.001	<20	0.35	0.054	0.09	0.2	0.02	<0.1	0.25	0.5	<0.5	<1	0.7
1235585	9-Sep-11	588086.41	7017443.38	1399	WHI11001730	1.2	<2	3.2	94.3	11.7	79	0.2	43.5	18.1	662	4.62	1.3	<0.5	2.7	130	0.2	<0.1	0.9	109	2.14	0.06	6	70	1.73	144	0.199	<20	5.25	0.35	1.55	<0.1	<0.01	0.5	2.18	12.4	0.7	16	<0.2
1235586	9-Sep-11	588090.25	7017445.93	1404	WHI11001730	1.5	3	3.3	48.5	18.7	98	0.2	38.8	16	887	4.4	1.8	<0.5	4.3	193	0.2	<0.1	1.5	113	3.12	0.06	7	71	1.83	142	0.21	<20	6.34	0.251	1.59	<0.1	<0.01	0.5	2.11	12.6	0.7	17	<0.2
1235587	9-Sep-11	588095.93	7017470.39	1408	WHI11001730	1.8	1149	1	31	79.5	8	2.7	2.2	0.9	31	2.25	9.3	569.6	11.7	4	<0.1	0.2	131	3	0.01	0.033	28	5	0.12	20	0.004	42	0.31	0.014	0.08	<0.1	<0.01	<0.1	0.06	0.6	<0.5	1	2.2
1235588	10-Sep-11	581316.43	7018066.38	1763	WHI11001728	2.5	1845	0.1	24.1	12.3	52	<0.1	21.7	9.6	245	2.39	2966.5	780.1	4.9	8	0.2	0.5	0.2	5	0.01	0.003	8	15	0.49	85	0.003	<20	0.91	0.063	0.08	0.7	<0.01	<0.1	0.12	1.8	<0.5	2	0.2
1235589	10-Sep-11	581460.85	7018057.26	1727	WHI11001728	2.6	44	<0.1	2.1	6.7	10	<0.1	3.9	1.5	134	0.5	564.8	8.2	2.6	2	0.1	0.2	0.1	<2	0.01	0.004	5	2	<0.01	48	<0.001	<20	0.14	0.03	0.04	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1235590	11-Sep-11	578339.29	7016177.92	1474	WHI11001728	2.4	<2	0.2	19.9	11.9	18	<0.1	5.1	2	430	1.22	9.1	<0.5	1.3	23	<0.1	<0.1	0.3	<2	0.48	0.029	2	5	0.18	8	<0.001	<20	0.29	0.003	0.07	<0.1	0.01	<0.1	0.12	0.5	<0.5	<1	<0.2
1235591	11-Sep-11	578392.79	7016403.34	1488	WHI11001728	1.4	60	0.6	31.5	6.1	116	<0.1	45.3	27.4	879	5.3	34.4	1.6	6.1	13	<0.1	0.1	0.5	62	0.18	0.061	17	55	1	145	0.129	<20	3.97	0.078	1.08	<0.1	<0.01	0.5	0.58	6.6	<0.5	13	<0.2
1235592	13-Sep-11	586010.55	7031795.06	1695	WHI11001728	1.7	<2	<0.1	4.9	1.4	14	<0.1	9	4.6	193	1.22	2.4	2.5	0.8	<1	<0.1	<0.1	<0.1	21	0.01	0.004	2	19	0.33	9	0.011	<20	0.53	0.009	0.04	<0.1	<0.01	<0.1	<0.05	1.4	<0.5	2	<0.2
1235593	13-Sep-11	586010.55	7031795.059	1695	WHI11001728	1.7	6	0.2	34.3	7.8	12	<0.1	7	3.3	135	0.99	3.6	<0.5	0.5	<1	<0.1	0.5	0.1	7	0.02	0.005	1	5	0.17	6	0.005	<20	0.34	0.004	0.03	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	<1	<0.2
1235594	13-Sep-11	581276.77	7018113.86	1770																																							
1235595	13-Sep-11	581368.59	7017780.74	1763	WHI11001728	2	4	0.2	107.6	9	31	0.1	10.3	4.9	511	2.92	4.1	4.6	2.9	27	<0.1	<0.1	0.2	12	0.28	0.026	6	10	0.6	55	0.025	<20	1.02	0.014	0.09	0.1	<0.01	<0.1	0.1	1.9	<0.5	3	<0.2
1235596	14-Sep-11	565800.97	7036637.79	1627	WHI11001807	1.2	<2	0.1	2.3	26.2	41	<0.1	15.5	5.9	533	2.31	1.8	2.1	12.4	10	<0.1	<0.1	<0.1	7	0.03	0.008	23	21	0.38	59	0.001	<20	0.95	0.027	0.1	<0.1	<0.01	<0.1	<0.05	1.2	<0.5	3	<0.2
1235597	14-Sep-11	565207.31	7036738.89	1478	WHI11001807	2.2	<2	<0.1	2.8	30.4	9	<0.1	2.9	1.4	317	0.73	1.7	1.5	2	8	<0.1	<0.1	0.2	<2	0.3	0.007	4	22	0.01	20	<0.001	<20	0.08	0.029	0.01	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1235598	10-Sep-11	592094.00	7015361.00		WHI11001730	2.4	2	0.9	75.3	10.4	50	0.3	43.5	18.3	215	3.64	0.8	<0.5	7	138	0.2	<0.1	0.5	61	2.38	0.065	17	51	0.7	27	0.143	<20	3.92	0.278	0.59	0.2	<0.01	0.1	1.89	6	0.7	12	<0.2
1235599	16-Sep-11	581276.77	7018113.86	1770																																						
1235651	12-Sep-11	586094.99	7031824.27	1697	WHI11001727	0.9	<2	0.6	89.2	12.1	87	<0.1	34.4	22.1	1071	6.13	29.2	<0.5	5.9	7	<0.1	<0.1	0.2	57	0.17	0.046	15	47	1.56	51	0.112	<20	2.89	0.003	0.27	<0.1	<0.01	<0.1	<0.05	4.7	<0.5	8	<0.2
1235652	12-Sep-11	586059.47	7031718.16	1699	WHI11001727	1.3	<2	<0.1	28.6	15.8	6	<0.1	5.5	2.9	98	0.56	0.6	1.7	0.5	3	<0.1	0.2	0.2	4	0.11	0.004	1	3	0.12	13	0.016	<20	0.21	0.004	0.06	0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1235653	13-Sep-11	586119.94	7031934.50	1685	WHI11001728	1.2	<2	0.4	87.9	12.4	71	<0.1	33.7	21.8	825	5.05	3.9	0.5	3.8	6	<0.1	<0.1	0.2	57	0.2	0.03	7	50	1.49	54	0.154	<20	2.64	0.013	0.27	<0.1	<0.01	<0.1	<0.05	3.9	<0.5	8	<0.2
1235654	13-Sep-11	581234.18	7018138.63	1780	WHI11001728	1.3	121	0.4	31	6.6	29	<0.1	8	4.4	258	1.89	29.1	37	5.5	8	<0.1	0.1	0.1	3	0.06	0.026	12	4	0.26	62	0.002	<20	0.61	0.031	0.12	0.2	<0.01	<0.1	<0.05	0.9	<0.5	1	<0.2
1235655	14-Sep-11	565782.07	7036637.92	1621	WHI11001807	1.4	<2	0.1	17	19	13	<0.1	20.1	9.1	221	0.56	2.2	2.1	1.3	12	<0.1	0.1	0.1	<2	0.07	0.028	5	27	0.04	11	<0.001	<20	0.13	0.005	0.03	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1235656	14-Sep-11	565543.68	7036531.17	1593	WHI11001807	1	<2	0.1	9.7	15.1	28	<0.1	10.7	5.6	268	1.45	5	1.4	11.1	11	<0.1	0.3	<0.1	3	0.26	0.008	24	10	0.08	27	<0.001	<20	0.38	0.026	0.09	<0.1	<0.01	<0.1	<0.05	0.8	<0.5	<1	<0.2
1235657	15-Sep-11	586096.05	7031833.99	1705	WHI11001727	1.1	<2	0.6	118.1	21	82	<0.1	46.3	24.2	1025	5.39	46.4	0.9	4.7	5	<0.1	<0.1	0.3	44	0.12	0.042	11	35	1.24	47	0.072	<20	2.33	0.008	0.27	<0.1	<0.01	<0.1	<0.05	3.9	<0.5	6	<0.2
1235658	15-Sep-11	586105.67	7031888.08	1697	WHI11001727	0.9	<2	0.1	47.9	9.3	54	<0.1	34.9	18.8	1075	3.78	3.6	1.2	3.7	18	0.1	6.8	0.1	69	1.77	0.02	13	49	0.93	31	0.008	<20	1.7	<0.001	0.1	<0.1	<0.01	<0.1	<0.05	6.3	<0.5	5	<0.2
1235659	15-Sep-11	586121.37	7031941.08	1694	WHI11001727	0.7	<2	0.2	86.7	6.4	51	<0.1	39.9	18.8	1076	3.61	<0.5	1.5	4.3	31	0.1	0.2	<0.1	49	2.59	0.026	12	44	0.89	43	0.007	<20	1.63	0.012	0.17	<0.1	<0.01	0.1	0.1	6	<0.5	5	<0.2
1235660	15-Sep-11	586110.28	7032000.48	1683	WHI11001727	1	<2	0.3	81.6	22.7	84	0.1	34	20.9	838	5.77	1.3	0.8	11.8	9	<0.1	0.1	0.4	48	0.18	0.068	19	42	1.71	69	0.169	<20	3.12	0.003	0.42	<0.1	<0.01	0.1	<0.05	4.8	<0.5	9	<0.2
1235661	15-Sep-11	585980.60	7031905.99	1674	WHI11001727	1.1	<2	0.3	32.1	5.5	28	<0.1	20.9	10.5	537	2.12	0.8	0.7	3	36	<0.1	<0.1	<0.1	52	2.15	0.021	6	37	0.55	28	0.127	<20	1.03	0.017	0.14	<0.1	<0.01	<0.1	<0.05	2.9	<0.5	3	<0.2
1235662	15-Sep-11	585817.67	7031787.23	1688	WHI11001727	0.7	<2	0.1	36.2	11.7	51	<0.1	28	13.7	531	3.02	1.8	0.6	6.8	15	<0.1	0.3	0.2	27	0.35	0.018	12	28	0.74	58	0.038	<20	1.53	0.019	0.29	<0.1	<0.01	<0.1	<0.05	2.2	<0.5	4	<0.2
1235663	15-Sep-11	586195.61	7032085.13	1664	WHI11001727	1.1	<2	0.4	105.5	2.8	86	<0.1	62.6	35.1	1076	6.16	<0.5	1.6	2.3	4	<0.1	<0.1	<0.1	98	0.25	0.023	2	77	1.56	73	0.244	<20	3.07	0.026	0.52	<0.1	<0.01	0.1	0.17	4.3	<0.5	8	<0.2
1235664	15-Sep-11	586207.18	7032122.19	1666	WHI11001727	0.9	45	0.2	1554.3	2.3	93	1.6	66	38.4	688	4.59	19.7	20.7	2.8	14	1.4	0.2	<0.1	102	0.83	0.011	4	107	1.69	14	0.27	<20	2.46	<0.001	0.07	<0.1	0.02	<0.1	0.18	4.1	<0.5	6	<0.2
1235665	15-Sep-11	586591.64	7032333.57	1592	WHI11001727	0.9	<2	0.2	70.9	4.8	42	<0.1	17.3	9.6	339	3.47	<0.5	1	1.4	3	<0.1	0.2	<0.1	52	0.12	0.016	3	42	0.97	32	0.22	<20	1.55	0.006	0.13	<0.1	<0.01	<0.1	<0.05	2.4	<0.5	4	<0.2
1236301	12-Sep-11	585197.27	7031147.68	1767	WHI11001727	0.8	2	0.1	4.2	16.8	9	<0.1	3.3	2.2	494	0.81	<0.5	<0.5	3.7	503	<0.1	<0.1	<0.1	<2	10.95	0.032	11	1	0.2	26	0.001	<20	0.17	0.008	0.11	<0.1	<0.01	<0.1	<0.05	1.4	<0.5	<1	<0.2
1236302	12-Sep-11	585666.27	7031395.93	1784	WHI11001727	0.7	56	0.2	9.5	3.2	15	0.3	9.4	5.3	846	1.25	513.9	49.4	4.7	5	<0.1	8.3	<0.1	5	0.07	0.007	15	4	0.02	70	<0.001	<20	0.26	0.003	0.14	<0.1	0.06	0.2	<0.05	2.5	<0.5	<1	<0.2
1236303	12-Sep-11	585808.15	7031564.61	1734	WHI11001727	0.8	<2	0.2	35	10.7	41	<0.1	12.3	5.9	210	4.35	9.7	2.9	5.5	10	<0.1	5	0.1	17	0.17	0.014	4	14	0.37	33	0.003	<20	0.9	<0.001	0.08	<0.1	0.04	0.1	0.07	0.8	<0.5	3	<0.2
1236304	12-Sep-11	586132.58	7031867.95	1684	WHI11001727	0.9	3	<0.1	52.6	2.8	62	<0.1	8.1	6.9	770	4.15	1.6	1.3	3.4	5	<0.1	<0.1	0.1	36	0.13	0.007	5	55	1.18	26	0.113	<20	2.03	0.004	0.23	<0.1	<0.01	<0.1	0.06	3.9	<0.5	6	<0.2
1236305	12-Sep-11	586099.36	7031809.96	1693	WHI11001727	0.9	<2	0.3	103.2	7	78	<0.1	87.8	36	2085	4.88	0.7	<0.5	4.6	6	0.2	<0.1	<0.1	37	0.25	0.035	15	40	1.11	70	0.021	<20	2.14	0.009	0.22	<0.1	<0.01	<0.1	<0.05	4.8	<0.5	6	<0.2
1236306	12-Sep-11	586110.69	7031847.81	1689	WHI11001727	1	14	0.2	45.3	6.2	60	<0.1	46.2	22.1	719	3.84	307.8	9.3	3.7	3	<0.1	6.3	<0.1	59	0.07	0.014	8	51	1.13	29	0.036	<20	1.88	0.008	0.12	<0.1	<0.01	<0.1	<0.05	4.5	<0.5	6	<0.2
1236307	12-Sep-11	586109.14	7031848.11	1690	WHI11001727	1.2	<2	0.5	119.2	5.2	63	<0.1	41.6	23.3	659	4.61	35.8	<0.5	4.8	5	<0.1	0.2	<0.1	65	0.2	0.026	9	55	1.47	54	0.126	<20	2.51	0.008	0.26	<0.1	<0.01	<0.1	<0.05	5.3	<0.5	7	<0.2
1236308	12-Sep-11	586109.11	7031848.14	1691	WHI11001727	0.3	18	1.1	122.4	67.1	60	0.2	72.3	31.2	800	4.41	273.5	7.5	6	11	<0.1	2.4	1	40	0.22	0.031	17	31	1.13	81	0.156	<20	2.17	0.004	0.42	<0.1	<0.01	0.1	<0.05	3.8	<0.5	7	<0.2
1236309	12-Sep-11	586099.00	7031852.00		WHI11001727	0.8	3	0.9	38.7	14.7	51	<0.1	18.9	13.7	570	3.37	6.5	<0.5	4.2	7	<0.1	<0.1	0.3	26	0.17	0.022	22	20	0.81	52	0.15	<20	1.68	0.004	0.36	<0.1	<0.01	<0.1	<0.05	2.7	<0.5	5	<0.2
1236310	12-Sep-11	586150.50	7031849.35	1668	WHI11001727	0.6	5	0.1	159.2	10.6	85	0.1	63.1	33	894	6.37	5.7	3.4	1.4	8	0.1	<0.1	0.1	103	0.48	0.033	3	89	1.87	61	0.201	<20	3.38	0.047	0.22	<0.1	<0.01	<0.1	0.06	4.9	<0.5	11	<0.2
1236311	12-Sep-11	586148.51	7031867.01	1669	WHI11001727	0.7	4	<0.1	110.4	6.6	87	<0.1	32.7	23.3	879	6.9	0.8	1.9	3.8	14	<0.1	<0.1	0.2	52	0.24	0.036	8	58	1.69	102	0.206	<20	3.33	0.006	0.69	<0.1	<0.01	0.2	0.08	4.6	<0.5	9	<0.2
1236312	12-Sep-11	586131.91	7031887.11	1677	WHI11001727	0.8	8	0.1	71.7	5.9	73	<0.1	48.7	24	795	5.35	22	1.5	5	5	<0.1	0.3	0.1	53	0.22	0.037	11	44	1.58	56	0.132	<20	2.83	0.004	0.36	<0.1	<0.01	<0.1	<0.05	4.8	<0.5	8	<0.2
1236313	12-Sep-11	586109.66	7031878.73	1683	WHI11001727	1	184	0.6	90	7.8	70	0.1	53.2	18	533	4.64	952.8	123.7	4.4	6	<0.1	13.1	0.1	13	0.08	0.019	18	14	0.07	28	<0.001	<20	0.47	0.004	0.22	<0.1	<0.01	<0.1	<0.05	5.4	<0.5	<1	<0.2

Lab Tag	Date	Sample UTM Coordinates				Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Number		Easting	Northing	Elev.	Certificate	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	ppm	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
1236314	12-Sep-11	586107.24	7031856.14	1686	WHI11001727	1	15	0.4	56.6	9.1	53	<0.1	45.3	22.6	1747	3.67	129.4	17.7	2.7	12	0.1	0.2	<0.1	56	0.75	0.014	7	55	0.93	54	0.063	<20	1.72	0.006	0.13	<0.1	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1236315	12-Sep-11	586235.00	7032123.59	1641	WHI11001727	0.7	<2	<0.1	44.6	3	42	<0.1	36.4	18	486	3.22	4.2	4.3	1.4	8	<0.1	<0.1	<0.1	61	0.51	0.013	2	52	1.26	54	0.17	<20	1.93	0.008	0.35	<0.1	<0.01	<0.1	<0.05	2.2	<0.5	6	<0.2
1236316	13-Sep-11	583167.91	7029401.79	1702	WHI11001727	1	<2	0.2	5.1	8.6	14	<0.1	4.8	3.2	255	0.66	3.7	1.1	5.2	3	<0.1	0.2	0.1	3	0.03	0.007	12	3	0.08	85	0.005	<20	0.27	0.018	0.14	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1236317	13-Sep-11	583192.32	7029440.95	1708	WHI11001727	0.8	7	0.1	2.3	1.6	11	<0.1	3.3	1	64	0.55	36.3	7.6	4	1	<0.1	0.2	<0.1	<2	<0.01	0.008	13	2	0.02	34	<0.001	<20	0.22	0.001	0.16	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1236318	13-Sep-11	583332.44	7029564.03	1691	WHI11001727	0.5	<2	<0.1	9.3	8.8	22	<0.1	4.5	2	88	0.87	11.2	<0.5	4.1	2	<0.1	0.4	0.2	<2	0.01	0.009	12	2	0.02	35	<0.001	<20	0.25	0.002	0.17	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
1236319	13-Sep-11	586112.04	7031899.83	1694	WHI11001727	0.8	<2	0.3	62.7	6.1	86	<0.1	59.1	30.3	1179	5.67	2	0.5	10	5	<0.1	<0.1	0.1	39	0.13	0.048	27	35	1.56	55	0.006	<20	2.86	<0.001	0.31	<0.1	<0.01	<0.1	<0.05	5	<0.5	8	<0.2
1236320	13-Sep-11	586118.30	7031942.97	1688	WHI11001727	0.9	<2	0.2	98.6	3	78	<0.1	49.5	31.9	775	5.72	1.5	<0.5	3.4	4	<0.1	<0.1	<0.1	69	0.22	0.03	6	61	1.69	59	0.125	<20	2.83	0.008	0.22	<0.1	<0.01	<0.1	0.14	4.8	<0.5	8	<0.2
1236321	13-Sep-11	586081.81	7031770.92	1693	WHI11001727	0.6	<2	0.1	95.5	3.2	81	<0.1	62.5	34.8	927	5.29	0.9	<0.5	9.1	6	<0.1	<0.1	<0.1	35	0.22	0.052	19	35	1.33	54	0.16	<20	2.56	0.001	0.3	<0.1	<0.01	<0.1	<0.05	4.4	<0.5	7	<0.2
1236322	13-Sep-11	581287.48	7018102.16	1774	WHI11001728	0.8	4	0.2	9	7.4	19	<0.1	7.2	2.6	417	1.14	6.9	1.2	6.8	3	<0.1	0.1	<0.1	<2	0.02	0.011	13	5	0.02	82	0.001	<20	0.21	0.033	0.09	<0.1	0.02	<0.1	<0.05	0.5	<0.5	<1	<0.2
1236323	13-Sep-11	581251.73	7018102.70	1770	WHI11001728	0.7	35	0.2	29.5	5.8	11	<0.1	21.8	6.6	395	1.37	27.6	50.8	0.3	7	<0.1	1.4	0.2	<2	0.58	0.003	<1	1	0.02	29	<0.001	<20	0.08	0.005	0.02	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
1236324	13-Sep-11	581404.40	7017451.31	1769	WHI11001728	1.2	97	<0.1	11.3	13	30	<0.1	6.5	3	297	1.32	2066.3	75.8	6.4	5	<0.1	0.6	1.2	4	0.07	0.007	10	8	0.12	27	0.002	<20	0.34	0.036	0.1	0.3	<0.01	<0.1	0.09	1.1	<0.5	<1	<0.2
1236325	13-Sep-11	581393.90	7017453.74	1767	WHI11001728	1.3	87	0.2	28.6	11.7	42	0.1	15.6	6.7	369	2.01	1933.4	65.2	9.7	21	<0.1	0.7	1	9	0.44	0.006	11	20	0.34	17	0.008	<20	0.56	0.068	0.09	3.8	0.01	<0.1	0.44	2.2	<0.5	2	<0.2
1236326	13-Sep-11	581389.12	7017456.10	1766	WHI11001728	0.8	518	0.1	7.5	28.2	78	0.2	17	9.9	872	3.79	>10000.0	376.4	10.1	58	0.1	7.8	2	3	1.38	0.002	8	12	0.39	57	0.003	<20	0.63	0.062	0.2	0.3	<0.01	<0.1	1.23	2	0.5	1	0.5
1236327	14-Sep-11	565779.20	7036607.05	1616	WHI11001807	0.7	<2	0.3	13.6	38.9	10	<0.1	11.6	8.3	1109	1.24	10.8	2.7	1.2	905	<0.1	0.4	0.3	<2	32.46	0.086	6	1	0.22	10	<0.001	<20	0.05	0.003	0.03	<0.1	<0.01	<0.1	0.18	1.1	<0.5	<1	<0.2
1236328	14-Sep-11	565686.24	7036526.04	1606	WHI11001807	0.4	<2	<0.1	7.4	9.6	21	<0.1	8.8	4.1	211	0.93	2.3	2.6	6.2	5	<0.1	<0.1	<0.1	<2	0.33	0.008	13	6	0.04	25	<0.001	<20	0.3	0.021	0.09	<0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2
1236329	14-Sep-11	565588.07	7036454.15	1611	WHI11001807	0.7	<2	0.1	10.5	9.9	37	<0.1	23.3	14.5	477	1.24	<0.5	1.6	5.9	10	<0.1	<0.1	<0.1	<2	0.17	0.007	11	7	0.09	68	<0.001	<20	0.38	0.015	0.09	<0.1	<0.01	<0.1	0.06	0.5	<0.5	<1	<0.2
1236330	14-Sep-11	565450.87	7036418.28	1600	WHI11001807	0.8	<2	0.1	18.2	3.5	36	<0.1	25.3	12	596	1.62	<0.5	2	6.5	22	<0.1	<0.1	<0.1	<2	0.24	0.015	10	7	0.02	27	<0.001	<20	0.23	0.017	0.1	<0.1	<0.01	<0.1	0.09	0.5	<0.5	<1	<0.2
1236331	14-Sep-11	565292.96	7036397.76	1587	WHI11001807	0.8	<2	0.1	6.4	6.4	20	<0.1	9.1	2.6	222	1.18	13.6	4	5.3	15	<0.1	0.2	<0.1	<2	0.03	0.008	6	12	0.01	23	<0.001	<20	0.16	0.01	0.06	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
1236332	15-Sep-11	565076.25	7036505.67	1569	WHI11001728	1	4	1.7	71.3	43.9	97	0.1	56.1	26.5	189	3.14	21.8	<0.5	15.4	21	<0.1	<0.1	0.7	4	0.06	0.025	31	5	0.08	49	<0.001	<20	0.59	0.037	0.2	<0.1	0.01	<0.1	<0.05	1.4	<0.5	<1	<0.2
1236333	15-Sep-11	582509.76	7017936.21	1411	WHI11001728	1	10	0.2	10.4	5.1	47	<0.1	19.9	7.2	482	2.41	32.5	9	7.9	26	<0.1	<0.1	0.2	27	0.35	0.01	14	27	0.57	100	0.061	<20	1.73	0.104	0.46	<0.1	0.01	0.2	0.08	2.3	<0.5	5	<0.2
1236334	15-Sep-11	582421.99	7018149.66	1390	WHI11001728	1.6	31	0.3	17.1	13.2	39	<0.1	12.1	5.6	518	2.01	3.7	15.2	7.8	19	0.2	<0.1	0.8	17	0.25	0.021	9	19	0.67	41	0.074	<20	1.08	0.076	0.15	0.1	0.01	<0.1	0.36	1.6	0.5	3	<0.2
1236335	15-Sep-11	582384.65	7018513.93	1320	WHI11001728	0.6	3	0.7	31	15.8	91	<0.1	22.4	12.6	352	4.47	11.6	0.8	17.3	8	<0.1	<0.1	0.3	26	0.17	0.032	12	36	1.33	77	0.145	<20	2.44	0.023	0.2	<0.1	0.01	<0.1	0.17	2.2	<0.5	7	<0.2
1236336	15-Sep-11	582319.38	7018703.54	1287	WHI11001728	1	<2	1.1	60.7	32.3	49	0.1	19.9	11.1	260	3.71	3.9	<0.5	15	12	<0.1	<0.1	0.6	16	0.22	0.026	16	18	0.7	80	0.125	<20	1.59	0.02	0.33	0.1	0.01	<0.1	0.79	1	0.7	4	<0.2
1236337	15-Sep-11	582280.33	7018831.25	1258	WHI11001728	0.5	<2	0.1	35.6	7.8	129	<0.1	28.8	13.6	454	4.87	3	<0.5	10.4	12	<0.1	<0.1	0.2	28	0.19	0.023	21	34	1.45	45	0.05	<20	2.43	0.03	0.21	<0.1	<0.01	0.1	0.61	2.9	<0.5	8	<0.2
1236338	15-Sep-11	582243.91	7018903.11	1239	WHI11001728	1.1	<2	0.3	23.4	11.8	117	<0.1	22.7	11.8	176	4.14	3.6	<0.5	11.8	8	<0.1	<0.1	0.2	18	0.05	0.022	13	24	1.26	41	0.017	<20	2.22	0.022	0.16	<0.1	<0.01	<0.1	0.33	1.4	<0.5	6	<0.2
1236339	15-Sep-11	582215.24	7019052.10	1217	WHI11001728	1	<2	0.4	17	15.2	38	<0.1	14.4	5.1	419	1.93	3.3	<0.5	8.6	16	<0.1	<0.1	0.2	11	0.29	0.013	15	17	0.55	35	0.007	<20	0.97	0.057	0.1	<0.1	0.01	<0.1	0.21	1.3	<0.5	3	<0.2
1236340	15-Sep-11	582219.01	7019052.10	1202	WHI11001728	1.3	11	0.3	84.9	7.8	25	<0.1	20.7	14.5	180	2.81	24.5	<0.5	9	23	<0.1	<0.1	0.1	5	0.29	0.105	21	11	0.34	21	0.002	<20	0.7	0.006	0.1	<0.1	<0.01	<0.1	1.36	0.7	1	2	<0.2
1236341	15-Sep-11	581965.70	7020433.99	980	WHI11001728	0.8	<2	0.9	32.2	6.1	61	<0.1	4.1	2.9	170	3.8	1.4	<0.5	15.7	11	<0.1	<0.1	0.3	12	0.02	0.035	32	15	0.69	117	0.002	<20	1.47	0.013	0.25	<0.1	<0.01	<0.1	<0.05	0.9	<0.5	4	<0.2
1236342	12-Sep-11	585992.83	7031905.32	1670	WHI11001727	0.9	4	0.5	49	30.2	36	0.2	26.2	14.7	700	1.99	81.3	5.8	2.4	3	<0.1	21.3	0.4	10	0.05	0.005	9	6	0.03	52	<0.001	<20	0.22	0.002	0.15	<0.1	0.09	0.2	<0.05	1.9	<0.5	<1	<0.2
1236343	12-Sep-11	585958.21	7031862.92	1674	WHI11001727	0.7	70	0.4	43.7	10.4	24	1.6	14.6	3.6	278	4.32	1342.7	73.4	5.6	3	0.2	53.2	0.2	25	0.04	0.011	12	14	0.01	23	0.001	<20	0.22	0.002	0.07	<0.1	0.15	0.4	<0.05	1	<0.5	1	<0.2
1236344	12-Sep-11	586061.56	7032047.74	1650	WHI11001727	0.8	<2	1.1	15.1	15.6	3	1.4	8.7	1.3	34	2.39	24.4	1.4	0.5	33	<0.1	5.2	<0.1	23	0.08	0.048	3	12	0.01	148	0.002	<20	0.11	0.003	0.05	0.3	0.18	0.8	2.24	0.3	9.6	<1	<0.2
1236345	12-Sep-11	585912.15	7032034.50	1611	WHI11001727	1	8	0.6	168.2	3.3	28	<0.1	25.8	14.8	338	3.3	96.6	7.4	5.6	4	0.1	0.5	<0.1	28	0.07	0.025	16	27	0.52	44	0.013	<20	1.09	0.015	0.23	<0.1	<0.01	<0.1	<0.05	2.9	<0.5	3	<0.2
1236346	12-Sep-11	582207.72	7033104.25	1430	WHI11001727	1.3	<2	0.1	6.1	7.4	19	<0.1	16.8	6.7	474	1.46	2.1	0.7	6.5	6	<0.1	0.2	<0.1	4	0.23	0.006	27	6	0.2	73	0.002	<20	0.42	0.042	0.04	<0.1	<0.01	<0.1	0.11	1.1	<0.5	1	<0.2
1236347	12-Sep-11	585862.56	7032076.07	1583	WHI11001727	0.9	<2	0.6	173	7.3	58	<0.1	38.4	22	503	4.67	1.1	0.6	3.1	3	<0.1	0.1	0.2	85	0.12	0.016	5	72	1.34	41	0.159	<20	2.15	0.026	0.29	<0.1	<0.01	<0.1	0.38	5.2	<0.5	6	<0.2
1236348	12-Sep-11	586071.39	7032317.81	1569	WHI11001727	0.8	<2	0.6	152.1	6.4	62	0.1	34.5	20.1	384	4.84	0.6	<0.5	4.2	13	<0.1	0.3	0.2	132	0.11	0.019	6	84	1.32	68	0.101	<20	2.36	0.041	0.38	<0.1	<0.01	<0.1	0.18	9	<0.5	7	<0.2

DRUID EXPLORATION

Date	Silt Sampler	Lab Tag Number	UTM Northing	UTM Easting	Elevation	Sample Environment	Medium	Medium Depth (m)	Medium Width (m)	Bank Type	Water color	Vegetation Cover	Comments		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
														Certificate	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
24-Jul-11	Inyo Youngreen	1212852	7035266.672	586124.919	1004								no description	WHI11000896	0.5	44.6	9.4	51	0.1	23.1	11.3	347	2.08	19
25-Jul-11	Inyo Youngreen	1212853	7036011.148	587105.53	871								no description	WHI11000896	0.4	25.8	5.7	39	<0.1	16	8.1	229	1.59	16.3
15-Sep-11	Clayton Jones	1236353	7017778.375	582412.708	1422								no description	WHI11001844	1.2	36.6	17.1	107	0.2	34.1	17.4	618	4.6	106
15-Sep-11	Clayton Jones	1236354	7017842.527	582441.609	1422								no description	WHI11001844	1.6	33.4	17.4	102	0.3	36	25.5	2351	5.27	139
15-Sep-11	Clayton Jones	1236355	7017936.81	582510.566	1412								no description	WHI11001844	2	39.7	18.7	116	0.3	41.1	27.6	2661	5.55	178
15-Sep-11	Clayton Jones	1236356	7018486.235	582395.533	1323								no description	WHI11001844	1.2	79.1	16.8	341	0.2	252	166	3099	3.15	35
15-Sep-11	Clayton Jones	1236357	7018525.529	582371.714	1317								no description	WHI11001844	1.2	37.5	19.7	147	0.2	85	24.9	1195	4.22	88
15-Sep-11	Clayton Jones	1236358	7019074.925	582214.162	1199								no description	WHI11001844	1.3	33.5	17.4	123	0.2	69.9	31.9	738	3.59	40.4
15-Sep-11	Clayton Jones	1236359	7019548.477	582112.453	1118								no description	WHI11001844	1.2	60.8	23.6	203	0.2	135	94	1823	3.95	46.4

Lab Tag Number	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Project
1212852	1.8	3	15	0.3	1.1	0.1	29	0.23	0.057	8	18	0.47	164	0.033	<1	0.77	0.002	0.08	<0.1	0.02	1.5	<0.1	<0.05	2	<0.5	<0.2	North
1212853	2.3	3.1	13	0.1	0.9	<0.1	24	0.21	0.051	9	15	0.41	99	0.033	<1	0.71	0.002	0.06	0.1	<0.01	1.4	<0.1	<0.05	2	<0.5	<0.2	North
1236353	10.8	5.1	46	0.5	0.3	0.7	40	0.47	0.082	20	33	0.67	169	0.048	1	2.08	0.02	0.13	1.3	0.07	3.7	0.2	0.07	6	<0.5	<0.2	South
1236354	21.3	4.6	37	0.7	0.5	0.6	41	0.43	0.081	21	31	0.57	210	0.044	1	1.96	0.012	0.14	1.2	0.07	3.4	0.2	<0.05	6	1.3	<0.2	South
1236355	17.7	4.9	46	0.9	0.4	0.8	42	0.53	0.087	21	31	0.61	229	0.04	1	2.04	0.014	0.13	1.4	0.07	3.6	0.2	0.06	6	<0.5	<0.2	South
1236356	47.1	8.2	17	1.5	0.4	0.3	24	0.18	0.06	146	18	0.49	107	0.023	<1	2.25	0.006	0.05	0.5	0.03	2.1	<0.1	<0.05	3	0.9	<0.2	South
1236357	9.6	5.3	31	0.9	0.4	0.6	32	0.36	0.076	25	26	0.53	171	0.03	3	1.68	0.014	0.09	1	0.05	2.5	0.1	<0.05	5	0.7	<0.2	South
1236358	4.2	4.1	24	0.8	0.4	0.4	29	0.28	0.069	29	23	0.52	179	0.022	2	1.63	0.008	0.06	0.6	0.06	2	0.1	<0.05	4	<0.5	<0.2	South
1236359	6.2	10.2	18	1.1	0.4	0.4	27	0.17	0.059	74	22	0.51	102	0.031	1	1.74	0.009	0.08	0.6	0.04	2.4	0.1	<0.05	4	<0.5	<0.2	South

DRUID EXPLORATION

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
16-Jul-11	C. Jones	1211651	7028555.66	582041.97	1812	20-30	b/c	dark brown	30			10	60		weathered bedrock	moist	alpine	alpine	
16-Jul-11	C. Jones	1211652	7028593.98	582076.17	1808	20-30	b/c	dark brown	30			10	60		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211653	7028634.95	582103.33	1794	20-30	b/c	dark brown	30	10		10	50		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211654	7028671.88	582132.89	1791	30-40	b/c	dark brown		25		25	50						limited sample description
16-Jul-11	C. Jones	1211655	7028719.62	582143.42	1786	20-30	b/c	dark brown		30		30	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211656	7028769.59	582156.69	1780	30-40	c	dark brown		30		30	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211657	7028789.35	582206.50	1762	40-50	c	dark brown		40		40	20		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211658	7028809.54	582258.73	1762	20-30	b/c	dark brown		10		50	30	10	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211659	7028819.20	582313.65	1760	70-80	c	dark brown		30		30	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211660	7028836.95	582377.80	1749	40-50	b/c	dark brown		30		40	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211661	7028889.71	582406.58	1743	30-40	c	dark brown		40		30	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211662	7028886.62	582467.18	1740	30-40	b/c	dark brown	25	25		25	25		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211663	7028899.88	582501.54	1736	20-30	c	dark brown		50		25	25		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211664	7028922.39	582547.66	1732	50-60	c	light brown			20	50	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211665	7028947.04	582594.77	1729	20-30	b/c	light brown	10	20		30	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211666	7028959.18	582635.06	1721	20-30	b/c	dark brown	10	25		25	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211667	7028987.44	582687.32	1711	40-50	b/c	dark brown		30		30	30	10	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211668	7029015.72	582730.33	1706	30-40	b/c	dark brown	10	20		50	20		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	C. Jones	1211669	7029038.54	582771.38	1703	40-50	b/c	dark brown	10	20		50	20						limited sample description
16-Jul-11	C. Jones	1211670	7029073.27	582803.20	1706	70-80	c	dark brown		40		30	30		weathered bedrock	moist	alpine	ridge top	
25-Jul-11	C. Jones	1211671	7016865.62	581732.84	1833														no sample description information
25-Jul-11	C. Jones	1211672	7017486.03	581169.52	1763														no sample description information
25-Jul-11	C. Jones	1211673	7019045.24	580278.78	1573														no sample description information
16-Jul-11	B. Osmond	1212151	7031051.08	584882.65	1780	50-60	b/c	dark brown		30	25		20	25	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212152	7031035.50	584812.74	1771	40-50	b/c	dark brown		30	30		20	20	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212153	7031011.77	584777.91	1766	50-60	c	dark brown		30	30		30	10	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212154	7030997.12	584736.58	1758	50-60	c	dark brown		30	30		20	20	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212155	7030977.49	584697.04	1752	50-60	c	dark brown		30	30		20	20	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212156	7030958.31	584648.89	1744	50-60	c	dark brown		25	25		25	25	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212157	7030957.44	584594.16	1736	60-70	c	dark brown		30	20		20	30	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212158	7030923.99	584553.61	1734	50-60	b/c	dark brown		30	20		20	30	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212159	7030894.79	584511.87	1732	40-50	c	dark brown		30	30		20	20	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212160	7030873.47	584468.01	1725	40-50	b/c	dark brown		25	25		25	25	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212161	7030847.50	584427.02	1716	60-70	c	dark brown		25	50			25	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212162	7030820.83	584376.74	1709	50-60	c	light brown		25	50			25	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212163	7030798.63	584339.42	1704	50-60	c	dark brown		25	50			25	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212164	7030777.44	584289.34	1698	30-40	c	dark brown		30	30		20	20	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212165	7030749.84	584257.33	1697	60-70	c	dark brown		25	50			25	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212166	7030726.28	584204.85	1699	40-50	b/c	light brown		30	30		10	30	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212167	7030696.29	584158.59	1694	60-70	b/c	light brown		30	30			40	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212168	7030689.65	584112.20	1688	40-50	b/c	light brown		30	30		10	30	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212169	7030657.05	584071.82	1669	30-40	b/c	dark brown		30	30		10	30	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212170	7030640.43	584026.17	1663	50-60	c	light brown		25	25		25	25	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212171	7030610.97	583985.51	1658	40-50	c	light brown		25	25		10	40	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	B. Osmond	1212172	7030595.54	583931.33	1655	50-60	c	light brown		30	30		10	30	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212173	7030566.85	583894.46	1654	60-70	c	dark brown		25	25			50	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212174	7030551.30	583845.29	1654	40-50	c	dark brown		25	25		25	25	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212175	7030530.30	583807.80	1649	50-60	c	light brown		30	20		20	30	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	B. Osmond	1212176	7030500.88	583764.98	1645	40-50	c	light brown		30	30		10	30	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212177	7030459.79	583734.15	1643	50-60	c	reddish		25	25		25	25	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212178	7030407.98	583718.43	1639	50-60	b/c	light brown		20	20		30	30	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	B. Osmond	1212179	7030363.61	583695.20	1630	30-40	c	light brown		25	25		25	25	weathered bedrock	dry	alpine	ridge top	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
17-Jul-11	B. Osmond	1212180	7032522.92	586643.19	1554	60-70	b/c	light brown		25	25			50	weathered bedrock	moist	alpine	ridge top	
17-Jul-11	B. Osmond	1212181	7032551.72	586680.17	1550	60-70	c	light brown		40	20		20	20	weathered bedrock	dry	alpine	mid slope	
17-Jul-11	B. Osmond	1212182	7032583.05	586720.61	1542	60-70	c	light brown		30	30		10	30	weathered bedrock	moist	alpine	mid slope	
17-Jul-11	B. Osmond	1212183	7032612.68	586762.52	1536	50-60	c	dark brown		30	30		10	30	weathered bedrock	dry	alpine	mid slope	
17-Jul-11	B. Osmond	1212184	7032649.21	586805.70	1535	40-50	c	dark brown		30	20		20	30	weathered bedrock	dry	alpine	mid slope	
17-Jul-11	B. Osmond	1212185	7032671.59	586843.87	1531	40-50	c	light brown		30	20		20	30	weathered bedrock	dry	alpine	mid slope	
17-Jul-11	B. Osmond	1212186	7032709.97	586886.84	1527	40-50	c	dark brown		30	20		20	30	weathered bedrock	moist	alpine	mid slope	
17-Jul-11	B. Osmond	1212187	7032737.65	586924.23	1523	60-70	c	dark brown		20	20		20	40	weathered bedrock	moist	alpine	mid slope	
17-Jul-11	B. Osmond	1212188	7032765.58	586963.02	1519	>80	c	dark brown		30	30		10	30	weathered bedrock	dry	alpine	mid slope	
17-Jul-11	B. Osmond	1212189	7032798.61	587004.85	1513	60-70	c	dark brown		30	20		10	40	weathered bedrock	moist	alpine	mid slope	
17-Jul-11	B. Osmond	1212190	7032824.37	587044.97	1505	50-60	c	dark brown		30	30		10	30	weathered bedrock	dry	alpine	mid slope	
17-Jul-11	B. Osmond	1212191	7032857.46	587084.17	1495	>80	c	light brown		25	25		25	25	weathered bedrock	moist	alpine	mid slope	
17-Jul-11	B. Osmond	1212192	7032886.83	587119.77	1479	50-60	c	dark brown		30	15	10	15	30	weathered bedrock	dry	alpine	mid slope	
17-Jul-11	B. Osmond	1212193	7032929.67	587138.90	1458	60-70	c	olive grey		25	25		25	25	weathered bedrock	moist	alpine	mid slope	
17-Jul-11	B. Osmond	1212194	7032985.00	587167.09	1437	70-80	c	dark brown		25	25		20	30	weathered bedrock	moist	alpine	mid slope	
17-Jul-11	B. Osmond	1212195	7033032.92	587173.00	1415	50-60	c	light brown		25	25		25	25	weathered bedrock	dry	alpine	mid slope	
17-Jul-11	B. Osmond	1212196	7033072.16	587197.41	1399	60-70	c	dark brown		30	20		10	40	weathered bedrock	moist	alpine	mid slope	
17-Jul-11	B. Osmond	1212197	7033116.49	587220.44	1380	50-60	c	light brown		20	30		20	30	weathered bedrock	dry	alpine	mid slope	
17-Jul-11	B. Osmond	1212198	7033161.72	587235.31	1360	60-70	c	dark brown		20	30		10	40	weathered bedrock	moist	alpine	mid slope	
17-Jul-11	B. Osmond	1212199	7033209.08	587256.20	1335	40-50	b/c	light brown		25	25		25	25	weathered bedrock	dry	evergreen	mid slope	
17-Jul-11	B. Osmond	1212200	7033254.63	587278.00	1308	60-70	c	light brown		25	25	25		25	weathered bedrock	dry	evergreen	mid slope	
17-Jul-11	B. Osmond	1212201	7033296.84	587298.69	1287	70-80	c	light brown		30	20	15	15	20	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	B. Osmond	1212202	7033343.00	587316.63	1264	60-70	c	light brown		20	40		20	20	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	B. Osmond	1212203	7033391.18	587332.53	1242	50-60	b/c	light brown		20	30	10	10	30	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	B. Osmond	1212204	7033443.99	587337.62	1220	50-60	b/c	light brown		20	40		20	20	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	B. Osmond	1212205	7033496.87	587343.13	1206	40-50	c	light brown		20	40			40	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	B. Osmond	1212206	7033544.30	587351.92	1197	>80	c	light brown		20	40		20	20	weathered bedrock	wet	evergreen	mid slope	
17-Jul-11	B. Osmond	1212207	7033595.37	587355.11	1189	60-70	b/c	light brown		25	25		25	25	weathered bedrock	wet	evergreen	mid slope	
17-Jul-11	B. Osmond	1212208	7033643.80	587357.97	1183	50-60	b/c	light brown		25	25		25	25	weathered bedrock	wet	evergreen	mid slope	
17-Jul-11	B. Osmond	1212209	7033692.77	587364.94	1178	60-70	c	light brown		25	25		25	25	weathered bedrock	dry	evergreen	mid slope	
17-Jul-11	B. Osmond	1212210	7033743.72	587372.71	1171	60-70	c	olive grey		25	25		25	25	weathered bedrock	moist	evergreen	mid slope	
23-Jul-11	B. Osmond	1212211	7030335.91	590623.04	1378	50-60	c	light grey		30		30	10	30	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212212	7030248.31	590583.09	1397	40-50	c	olive grey		10	30	30		30	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212213	7030153.34	590527.98	1410	60-70	c	olive grey		30	30		10	30	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212214	7030084.52	590471.21	1423	50-60	c	light brown		20	20	20		40	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212215	7030028.00	590389.56	1435	40-50	c	light brown		20	30	20		30	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212216	7029974.58	590302.25	1448	60-70	c	dark grey		20	20	20	10	30	weathered bedrock	moist	alpine	ridge top	
23-Jul-11	B. Osmond	1212217	7029912.97	590224.68	1460	40-50	c	light brown		25	25	25		25	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212218	7029855.57	590142.39	1483	30-40	c	light brown		25	25	25		25	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212219	7029821.08	590042.39	1490	50-60	c	black		40	30	20	10		weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212220	7029799.91	589942.61	1500	50-60	c	dark brown		40	20	15		25	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212221	7029774.83	589854.81	1514	60-70	c	dark grey		20		20	20	40	weathered bedrock	moist	alpine	ridge top	
23-Jul-11	B. Osmond	1212222	7029741.38	589756.44	1521	40-50	c	light brown		40	20		20	20	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212223	7029699.03	589667.16	1523	70-80	c	dark brown		20		20	20	40	weathered bedrock	moist	alpine	ridge top	
23-Jul-11	B. Osmond	1212224	7029657.19	589571.27	1518	50-60	c	ellowish orange		30	30	30	10		weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212225	7029610.77	589482.79	1514	40-50	c	light brown		10	20	20	20	30	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212226	7029549.22	589405.91	1510	50-60	c	light brown		20	30		20	30	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212227	7029482.65	589331.17	1507	40-50	b/c	light brown		20	30	20		30	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212228	7029402.39	589272.19	1498	50-60	c	light brown		20	30	30		20	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212229	7029313.89	589223.33	1495	60-70	c	light brown		20	40		20	20	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212230	7029235.14	589175.79	1491	40-50	c	light brown		20	30	30		20	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212231	7029150.92	589112.88	1490	50-60	c	light brown		25	25	25		25	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212232	7029067.67	589062.05	1476	40-50	c	light brown		20	20	20	20	20	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212233	7028974.76	589015.00	1465	50-60	c	light brown		20	40	20		20	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212234	7028885.01	588968.90	1451	50-60	c	light brown		20	30	30		20	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212235	7028795.38	588929.62	1446	40-50	c	light brown		20	30	30		20	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212236	7028712.20	588882.35	1431	40-50	c	light brown		40	20	20		20	weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212237	7028627.86	588829.09	1417	50-60	c	light brown		30	20	30	20		weathered bedrock	dry	alpine	ridge top	
23-Jul-11	B. Osmond	1212238	7028546.82	588752.33	1388	50-60	c	light brown		25	25	25		25	weathered bedrock	dry	alpine	mid slope	
23-Jul-11	B. Osmond	1212239	7028483.36	588679.95	1360	50-60	c	dark brown		20	20		20	40	weathered bedrock	dry	alpine	mid slope	
23-Jul-11	B. Osmond	1212240	7028431.02	588600.66	1345	60-70	c	light brown			20	30	30	20	weathered bedrock	dry	alpine	mid slope	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
23-Jul-11	B. Osmond	1212241	7028363.98	588525.72	1326	40-50	c	light brown		25		25	25	25	weathered bedrock	dry	alpine	mid slope	
23-Jul-11	B. Osmond	1212242	7028322.89	588432.08	1314	50-60	c	light brown		30	20	20	20	10	weathered bedrock	dry	buck bush	mid slope	
24-Jul-11	B. Osmond	1212243	7016982.37	581511.29	1844	40-50	b/c	dark brown	20	20			30	30	weathered bedrock	dry	alpine	ridge top	
24-Jul-11	B. Osmond	1212244	7017059.07	581463.40	1830	30-40	b/c	light brown		20	20	40		20	weathered bedrock	dry	alpine	ridge top	
24-Jul-11	B. Osmond	1212245	7017159.38	581433.13	1814	70-80	c	grey		10		30	30	30	weathered bedrock	moist	alpine	ridge top	
24-Jul-11	B. Osmond	1212246	7017256.35	581415.51	1810	40-50	b/c	dark brown		10		30	30	30	weathered bedrock	dry	alpine	ridge top	
24-Jul-11	B. Osmond	1212247	7017365.55	581410.76	1798	40-50	c	dark brown		25		25	25	25	weathered bedrock	moist	alpine	ridge top	
24-Jul-11	B. Osmond	1212248	7017459.36	581398.32	1777	40-50	c	dark brown		10		30	30	30	weathered bedrock	dry	alpine	ridge top	
24-Jul-11	B. Osmond	1212249	7017555.42	581375.01	1773	70-80	c	light brown		20		20	20	40	weathered bedrock	moist	alpine	bench	
24-Jul-11	B. Osmond	1212250	7017649.03	581346.66	1774	50-60	b/c	dark grey		10		20	20	50	weathered bedrock	dry	alpine	ridge top	
24-Jul-11	B. Osmond	1212251	7017752.20	581315.84	1774	60-70	b/c	dark grey		20		20	20	40	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212252	7017842.33	581273.94	1774	50-60	c	dark brown		30	20	20		30	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212253	7017929.12	581230.51	1774	60-70	b/c	light brown		20		20	20	40	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212254	7018015.84	581192.74	1776	60-70	b/c	light brown		10		20	20	50	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212255	7018101.26	581131.26	1778	60-70	c	dark brown		25		25	25	25	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212256	7018197.79	581092.16	1759	40-50	c	dark brown		25		25	25	25	weathered bedrock	dry	alpine	mid slope	
24-Jul-11	B. Osmond	1212257	7018282.52	581038.24	1744	50-60	c	light brown				25	25	50	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212258	7018363.22	580996.05	1742	50-60	b/c	light brown		20		20	20	40	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212259	7018452.23	580949.55	1737	40-50	b/c	dark brown		25		25	25	25	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212260	7018536.07	580892.03	1736	40-50	b/c	dark brown	10	20		10	20	40	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212261	7018632.22	580821.09	1690	50-60	b/c	dark brown		10		30	30	30	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212262	7018697.91	580759.82	1689	40-50	b/c	dark brown		25		25	25	25	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212263	7018768.80	580701.63	1685	50-60	c	dark brown		20	30	30		20	weathered bedrock	dry	alpine	plateau	
24-Jul-11	B. Osmond	1212264	7018835.55	580609.44	1667	40-50	c	light brown		20		20	20	40	weathered bedrock	moist	alpine	mid slope	
24-Jul-11	B. Osmond	1212265	7018885.07	580539.42	1651	50-60	c	dark brown		20	30		30	20	weathered bedrock	dry	alpine	mid slope	
24-Jul-11	B. Osmond	1212266	7018954.45	580436.82	1633	40-50	c	dark brown		40		20	20	20	weathered bedrock	dry	alpine	mid slope	
24-Jul-11	B. Osmond	1212267	7018999.98	580371.92	1609	50-60	b/c	dark brown	25	25			25	25	weathered bedrock	dry	alpine	mid slope	
16-Jul-11	D. Blampkin	1212301	7029094.27	582812.15	1715	40-50	b/c	dark brown	10	10		50		30	till	moist	alpine	plateau	
16-Jul-11	D. Blampkin	1212302	7029153.19	582875.24	1715	50-60	b/c	dark brown	20		10	50		20	till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212303	7029189.86	582917.15	1714	50-60	b/c	dark brown	10	10	10	50	20		till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212304	7029224.16	582953.47	1714	50-60	b/c	dark brown	10	10		50	30		till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212305	7029268.96	582967.81	1720	40-50	b/c	dark brown	10	10		50	30		till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212306	7029308.74	583015.45	1721	30-40	b/c	dark brown	10	10		50		30	till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212307	7029355.45	583019.89	1722	50-60	b/c	dark brown		10		50	40		till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212308	7029354.84	583103.62	1712	70-80	b/c	dark brown			50	10	40		till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212309	7029383.97	583139.50	1713	60-70	b/c	light brown	10	20	10	10	10	40	till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212310	7029402.74	583173.32	1713	60-70	b/c	dark brown		10		50	20	20	till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212311	7029452.95	583194.05	1713	60-70	b/c	dark brown		10		50		40	till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212312	7029521.21	583242.33	1712	30-40	b/c	light brown		10		50	40		till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212313	7029549.98	583279.24	1707	50-60	b/c	light brown		10		50	40		till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212314	7029581.86	583291.16	1704	50-60	b/c	dark brown		10		50		40	till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212315	7029625.59	583316.82	1690	50-60	b/c	dark brown	20	10		50	20		till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212316	7029643.23	583351.68	1681	50-60	b/c	dark brown	10	10		50	20	10	till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212317	7029709.11	583381.64	1662	70-80	b/c	dark brown		10		50		40	till	moist	alpine	ridge top	
16-Jul-11	D. Blampkin	1212318	7029735.53	583408.47	1647	70-80	b/c	dark brown		10		50		40	till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212319	7029774.32	583436.55	1634	60-70	b/c	light brown		10		50		40	till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212320	7029810.07	583459.73	1624	50-60	b/c	dark grey	10	10		50	20	10	till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212321	7029859.97	583483.09	1613	70-80	b/c	dark brown	10	20		50		20	till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212322	7029911.98	583497.76	1606	50-60	b/c	dark grey	10	10		30		50	till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212323	7029965.45	583513.19	1603	60-70	b/c	dark brown	10	10		50	30		till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212324	7030008.82	583532.66	1599	>80-	b/c	dark grey		10		40		50	till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212325	7030043.02	583545.34	1598	50-60	b/c	dark brown		10		50		40	till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212326	7030089.81	583572.94	1595	60-70	b/c	light grey		10	10	50		30	till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212327	7030142.87	583578.01	1599	60-70	b/c	dark grey		10		50		40	till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212328	7030188.73	583599.09	1602	40-50	b/c	dark brown	10	10	10	50	20		till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212329	7030234.41	583627.60	1606	50-60	b/c	light brown	10	10	10	50	20		till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212330	7030280.94	583644.48	1612	40-50	b/c	light brown	10	10		50	20		till	moist	alpine	mid slope	
16-Jul-11	D. Blampkin	1212331	7030331.14	583663.81	1623	50-60	b/c	light brown				50	10	40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212332	7032287.80	586436.21	1606	50-60	b/c	dark brown			50	50			till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212333	7032333.62	586457.48	1599	50-60	b/c	dark grey				50		50	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212334	7032370.63	586485.72	1591	50-60	b/c	dark grey		10		40		50	till	wet	alpine	mid slope	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
17-Jul-11	D. Blampkin	1212335	7032411.62	586495.27	1581	50-60	b/c	dark grey		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212336	7032455.27	586521.64	1570	50-60	b/c	dark grey		10		40		50	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212337	7032496.46	586548.75	1558	60-70	b/c	dark grey		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212338	7032545.88	586580.37	1543	60-70	b/c	dark brown		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212339	7032589.84	586599.40	1525	50-60	b/c	dark grey		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212340	7032618.06	586632.51	1515	50-60	b/c	light brown		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212341	7032655.56	586670.74	1506	60-70	b/c	light brown		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212342	7032709.75	586702.70	1500	60-70	b/c	dark brown		10		40	10	40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212343	7032746.43	586730.69	1494	60-70	b/c	light brown		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212344	7032779.21	586765.33	1486	60-70	b/c	dark brown	10			40	10	40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212345	7032819.30	586782.76	1473	50-60	b/c	dark brown		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212346	7032865.87	586830.49	1461	70-80	b/c	dark brown		10		50	40		till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212347	7032897.75	586854.03	1454	60-70	b/c	light brown		10		40	40	10	till	wet	alpine	mid slope	
17-Jul-11	D. Blampkin	1212348	7032932.58	586889.90	1447	60-70	b/c	dark brown		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212349	7032977.93	586916.94	1436	50-60	b/c	dark brown		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212350	7033025.19	586948.37	1419	50-60	b/c	light brown		10	10	40		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212351	7033069.02	586950.81	1399	50-60	b/c	light brown		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212352	7033119.31	586958.24	1381	50-60	b/c	dark brown	10	10		40		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212353	7033169.10	586965.89	1364	50-60	b/c	dark brown	10	10		40		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212354	7033222.39	586961.35	1351	50-60	b/c	dark brown		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212355	7033271.60	586971.65	1336	50-60	b/c	dark brown		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212356	7033315.22	586977.82	1322	50-60	b/c	dark brown		10		50	40	10	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212357	7033357.88	586986.46	1308	50-60	b/c	dark brown		10		50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212358	7033419.90	586994.58	1294	30-40	b/c	light brown	10			40		50	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212359	7033468.29	587003.38	1281	40-50	b/c	dark brown	10	10		40		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212360	7033505.01	586999.41	1266	20-30	b/c	dark brown	10			50		40	till	moist	alpine	mid slope	
17-Jul-11	D. Blampkin	1212361	7033563.99	587009.10	1249	70-80	b/c	dark brown	10			50		40	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212362	7028476.80	581726.48	1734	60-70	b/c	dark grey		10		50		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212363	7028500.01	581642.42	1726	30-40	b/c	dark grey		10		20		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212364	7028477.64	581469.33	1724	40-50	b/c	dark grey		10		50		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212365	7028401.08	581407.65	1721	50-60	b/c	light brown		10		50		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212366	7028351.39	581285.98	1711	40-50	b/c	dark grey		10		50		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212367	7028319.66	581222.54	1707	60-70	b/c	light brown		10		50		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212368	7028262.53	581142.48	1694	40-50	b/c	dark brown	10	10		50		30	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212369	7028243.30	581038.95	1679	30-40	b/c	light brown		10		50		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212370	7028203.83	580957.61	1668	20-30	b/c	light brown	10	10		40		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212371	7028149.58	580860.69	1652	40-50	b/c	dark brown	10	10		40		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212372	7028107.18	580744.63	1628	50-60	b/c	dark brown	10	10		40		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212373	7028073.84	580673.41	1626	40-50	b/c	dark grey		10		30	10	30	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212374	7028026.41	580601.94	1617	40-50	b/c	dark brown		10		50		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212375	7028004.32	580499.23	1584	40-50	b/c	light brown	10	10		30		50	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212376	7027936.38	580400.14	1584	40-50	b/c	dark brown	10	10		50		30	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212377	7027887.61	580323.98	1578	50-60	b/c	light grey		20		50		30	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212378	7027864.07	580248.39	1575	50-60	b/c	light brown	10	10		50		30	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212379	7027802.81	580136.75	1550	40-50	b/c	light brown	10	10		40		40	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212380	7027757.07	580061.10	1538	50-60	b/c	light brown	10	10		40		40	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212381	7027728.09	579959.22	1517	40-50	b/c	light brown	10	10		40		40	till	moist	alpine	ridge top	
23-Jul-11	D. Blampkin	1212382	7027682.57	579878.40	1513	30-40	b/c	light brown		10		70		20	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212383	7027633.02	579795.74	1501	50-60	b/c	light grey	10	10		40		40	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212384	7027604.03	579707.16	1488	50-60	b/c	dark brown		10		70			till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212385	7027544.25	579580.65	1475	40-50	b/c	light grey		10		50		40	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212386	7027481.09	579464.09	1445	50-60	b/c	light brown		10		50		40	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212387	7027457.14	579387.06	1430	40-50	b/c	light brown	10			50		40	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212388	7027409.67	579308.77	1412	60-70	b/c	light grey		10		50		40	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212389	7027334.02	579219.75	1412	60-70	b/c	light grey		10		50		40	till	moist	alpine	mid slope	
23-Jul-11	D. Blampkin	1212390	7027272.15	579131.00	1381	60-70	b/c	dark grey		10		40		50	till	moist	evergreen	mid slope	
24-Jul-11	D. Blampkin	1212391	7016672.16	583575.48	1873	40-50	b/c	light brown		10		70		20	till	moist	alpine	ridge top	
24-Jul-11	D. Blampkin	1212392	7016773.31	583583.32	1844	50-60	b/c	light brown		10		70		20	till	moist	alpine	ridge top	
24-Jul-11	D. Blampkin	1212393	7017021.73	583593.89	1739	40-50	b/c	dark brown		10		70		20	till	moist	alpine	ridge top	
24-Jul-11	D. Blampkin	1212394	7017131.38	583575.05	1705	40-50	b/c	dark brown		10	10	70		10	till	moist	alpine	ridge top	
24-Jul-11	D. Blampkin	1212395	7017212.95	583531.21	1696	40-50	b/c	light brown	10	10	10	50	10	10	till	moist	alpine	ridge top	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
24-Jul-11	D. Blampkin	1212396	7017408.29	583453.60	1669	50-60	b/c	light brown		10		70		20	till	moist	alpine	ridge top	
24-Jul-11	D. Blampkin	1212397	7017499.57	583416.25	1653	40-50	b/c	dark brown	10	10		70		10	till	moist	alpine	ridge top	
24-Jul-11	D. Blampkin	1212398	7017573.91	583368.82	1647	40-50	b/c	light brown	10	10		70		10	till	moist	alpine	ridge top	
24-Jul-11	D. Blampkin	1212399	7017782.88	583391.24	1634	50-60	b/c	light grey		10		70		20	till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212400	7017875.97	583420.48	1630	40-50	b/c	dark grey	10	10		70		10	till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212401	7017975.31	583431.01	1627	50-60	b/c	light grey		10		70		20	till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212402	7018083.94	583424.14	1624	50-60	b/c	light grey		10		40		30	till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212403	7018184.40	583436.86	1614	50-60	b/c	light grey		10		40		50	till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212404	7018284.45	583499.09	1606	50-60	b/c	dark grey		70		20		10	till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212405	7018412.41	583436.28	1603	40-50	b/c	light brown	10	50		40			till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212406	7018518.46	583400.70	1589	50-60	b/c	light brown		10		50		40	till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212407	7018594.21	583405.24	1580	30-40	b/c	light brown	10	10		40		40	till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212408	7018755.63	583409.35	1552	30-40	b/c	light brown	10	10		40		40	till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212409	7018876.10	583402.87	1538	30-40	b/c	light grey	10	10		50		30	till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212410	7019072.16	583377.05	1511	50-60	b/c	light grey	10	10		40		40	till	moist	alpine	plateau	
24-Jul-11	D. Blampkin	1212411	7019165.73	583346.12	1502	50-60	b/c	light brown	10	10		40		40	till	moist	alpine	plateau	
16-Jul-11	G. Galloway	1212451	7031078.17	584910.02	1786	50-60	c	dark brown		40			40	20	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212452	7031086.15	584962.21	1792	30-40	c	dark brown		30			50	20	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	G. Galloway	1212453	7031091.60	585010.84	1791	20-30	c	dark brown		30			50	20	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	G. Galloway	1212454	7031097.71	585059.38	1790	40-50	c	dark brown		20			50	30	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212455	7031102.16	585109.60	1789	40-50	c	dark brown		30			50	20	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212456	7031105.34	585157.06	1786	50-60	c	dark brown		20			50	30	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212457	7031115.59	585209.22	1786	30-40	c	dark brown		50			40	10	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	G. Galloway	1212458	7031131.22	585256.48	1783	30-40	c	dark brown	20	30			20	30	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212459	7031149.96	585302.83	1781	60-70	c	light brown	10	20			30	40	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212460	7031173.34	585348.22	1783	30-40	c	dark brown	20	20			40	20	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212461	7031195.98	585390.95	1784	60-70	c	light brown	10	20			30	40	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212462	7031216.50	585435.31	1790	30-40	c	dark brown		40			30	30	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	G. Galloway	1212463	7031239.24	585480.74	1796	40-50	c	dark brown		30			30	40	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212464	7031266.61	585524.04	1803	40-50	c	dark brown		30			40	30	weathered bedrock	dry	alpine	ridge top	
16-Jul-11	G. Galloway	1212465	7031288.55	585566.23	1805	20-30	b/c	dark brown	10	30			30	30	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212466	7031313.80	585611.14	1800	30-40	c	dark brown	10	20			40	30	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212467	7031332.51	585656.20	1796	30-40	c	dark brown		40			40	20	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212468	7031355.36	585697.92	1789	40-50	c	dark brown		20			50	30	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212469	7031374.31	585733.96	1780	50-60	c	light brown		40		30	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212470	7031394.02	585796.90	1749	40-50	c	dark brown		20			30	50	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212471	7031435.27	585831.88	1737	40-50	c	dark grey		40			30	30	weathered bedrock	wet	alpine	ridge top	
16-Jul-11	G. Galloway	1212472	7031475.19	585855.74	1734	40-50	c	dark grey		40			30	30	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212473	7031516.88	585879.97	1730	50-60	c	dark grey		30			30	40	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212474	7031557.02	585908.46	1726	20-30	c	light brown	10	20			20	50	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212475	7031601.45	585939.11	1721	30-40	b/c	dark brown		30			40	30	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212476	7031638.63	585967.21	1717	30-40	c	dark brown		40			30	30	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212477	7031680.29	585997.18	1712	30-40	c	dark brown		20			40	40	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212478	7031720.35	586024.91	1706	30-40	b/c	dark brown	10	20			20	50	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212479	7031763.78	586053.84	1699	30-40	c	dark brown		30			30	40	weathered bedrock	moist	alpine	ridge top	
16-Jul-11	G. Galloway	1212480	7031892.33	586180.88	1660	20-30	b/c	light brown		20			30	50	weathered bedrock	moist	alpine	mid slope	
16-Jul-11	G. Galloway	1212481	7031865.31	586222.95	1642	50-60	b/c	dark brown		20			30	50	weathered bedrock	moist	alpine	mid slope	
16-Jul-11	G. Galloway	1212482	7031850.55	586269.36	1629	60-70	c	light brown	10	30			40	20	weathered bedrock	moist	alpine	mid slope	
16-Jul-11	G. Galloway	1212483	7031824.03	586308.12	1620	50-60	c	light brown		10			40	50	weathered bedrock	moist	alpine	mid slope	
16-Jul-11	G. Galloway	1212484	7031802.23	586355.79	1609	30-40	c	dark brown		30			20	50	weathered bedrock	moist	alpine	mid slope	
16-Jul-11	G. Galloway	1212485	7031780.94	586397.31	1600	60-70	c	light brown					50	50	weathered bedrock	moist	alpine	mid slope	
16-Jul-11	G. Galloway	1212486	7031754.98	586464.24	1584	50-60	c	light brown											limited sample description
17-Jul-11	G. Galloway	1212487	7032787.25	587792.36	1411	50-60	c	dark grey		40			40	20	weathered bedrock	moist	alpine	mid slope	
17-Jul-11	G. Galloway	1212488	7032792.17	587841.31	1406	20-30	b/c	dark brown	10	20			35	35	weathered bedrock	moist	alpine	mid slope	
17-Jul-11	G. Galloway	1212489	7032810.69	587905.23	1400	30-40	c	dark brown		30			40	30	weathered bedrock	moist	buck bush	mid slope	
17-Jul-11	G. Galloway	1212490	7032810.39	587948.99	1394	30-40	b/c	light brown	10	10			40	40	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212491	7032819.83	587992.54	1383	40-50	c	light brown	10	10			40	40	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212492	7032832.52	588038.73	1378	20-30	b/c	light brown	10	10		20	60		weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212493	7032837.98	588089.81	1370	50-60	c	light brown		20			40	40	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212494	7032848.15	588139.60	1365	50-60	c	light brown	10	20		20	50		weathered bedrock	dry	evergreen	mid slope	
17-Jul-11	G. Galloway	1212495	7032854.36	588186.27	1358	60-70	c	light brown		10		30	50	10	weathered bedrock	moist	evergreen	mid slope	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
17-Jul-11	G. Galloway	1212496	7032861.23	588239.09	1345	40-50	c	light brown		30		20	40	10	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212497	7032876.18	588283.32	1340	50-60	c	light grey		40		20	20	20	weathered bedrock	wet	evergreen	mid slope	
17-Jul-11	G. Galloway	1212498	7032880.55	588333.31	1333	40-50	c	light brown		20		20	40	20	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212499	7032889.40	588386.92	1329	40-50	c	light grey		30		30	40		weathered bedrock	wet	evergreen	mid slope	
17-Jul-11	G. Galloway	1212500	7032896.11	588433.75	1326	60-70	c	ellowish orange		20		10	40	30	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212501	7032915.27	588482.25	1320	50-60	c	light brown		20			50	30	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212502	7032926.98	588529.64	1307	40-50	c	light brown		20		10	50	20	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212503	7032938.01	588580.34	1298	40-50	b/c	light brown	20	10			30	40	weathered bedrock	frozen	evergreen	mid slope	
17-Jul-11	G. Galloway	1212504	7032960.21	588627.05	1292	40-50	c	light brown	30				30	40	weathered bedrock	frozen	evergreen	mid slope	
17-Jul-11	G. Galloway	1212505	7032961.00	588679.56	1288	40-50	c	light brown	10	20			30	40	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212506	7032973.26	588729.36	1284	20-30	b/c	light brown		30		40	30		weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212507	7032986.46	588772.07	1283	60-70	c	light brown		30			50	20	weathered bedrock	wet	evergreen	mid slope	
17-Jul-11	G. Galloway	1212508	7033008.43	588825.54	1277	50-60	c	light brown		20		30	40	10	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212509	7033017.87	588870.76	1279	30-40	c	light brown		20		20	40	20	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212510	7033027.34	588916.49	1279	40-50	c	light grey		30			40	20	weathered bedrock	moist	evergreen	ridge top	
17-Jul-11	G. Galloway	1212511	7033039.67	588963.56	1276	40-50	c	light brown		30		10	40	20	weathered bedrock	moist	evergreen	ridge top	
17-Jul-11	G. Galloway	1212512	7033051.79	589015.99	1266	50-60	c	light brown		30		10	40	20	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212513	7033063.64	589065.22	1252	50-60	c	light brown		20		20	50	10	weathered bedrock	moist	evergreen	mid slope	
17-Jul-11	G. Galloway	1212514	7033076.17	589115.17	1237	40-50	c	light brown	10	20		10	30	30	weathered bedrock	moist	evergreen	mid slope	
23-Jul-11	G. Galloway	1212515	7035545.64	592782.54	1170	40-50	c	light brown		30		40	30		weathered bedrock	dry	buck bush	ridge top	
23-Jul-11	G. Galloway	1212516	7035534.86	592684.91	1165	40-50	c	light brown		30		30	40		weathered bedrock	moist	buck bush	ridge top	
23-Jul-11	G. Galloway	1212517	7035523.09	592585.62	1170	40-50	c	light brown		20			30	50	weathered bedrock	saturated	buck bush	ridge top	
23-Jul-11	G. Galloway	1212518	7035528.85	592486.95	1178	50-60	c	light grey	10				40	50	weathered bedrock	moist	buck bush	ridge top	
23-Jul-11	G. Galloway	1212519	7035539.69	592385.50	1181	60-70	c	light brown	10	30		30		30	weathered bedrock	wet	buck bush	ridge top	
23-Jul-11	G. Galloway	1212520	7035551.04	592290.69	1176	60-70	c	light brown	10	20		30	20	20	weathered bedrock	moist	buck bush	ridge top	
23-Jul-11	G. Galloway	1212521	7035564.51	592188.19	1158	60-70	c	light brown	10	20			40	30	weathered bedrock	wet	evergreen	mid slope	
23-Jul-11	G. Galloway	1212522	7035593.60	592094.13	1144	40-50	c	light brown	10	30		20	40		weathered bedrock	moist	evergreen	mid slope	
23-Jul-11	G. Galloway	1212523	7035613.77	592049.83	1135	40-50	c	light brown	20	10		20	50		weathered bedrock	moist	evergreen	mid slope	
23-Jul-11	G. Galloway	1212524	7035630.43	592000.07	1131	40-50	c	light brown	10	20		40	30		weathered bedrock	dry	evergreen	mid slope	
23-Jul-11	G. Galloway	1212525	7035649.95	591958.96	1122	40-50	c	light brown	10	20		20	50		weathered bedrock	dry	evergreen	mid slope	
23-Jul-11	G. Galloway	1212526	7035685.49	591919.01	1109	60-70	c	light brown		20		40	40		weathered bedrock	dry	evergreen	mid slope	
23-Jul-11	G. Galloway	1212527	7035718.92	591878.71	1094	50-60	c	light brown		40		30	30		weathered bedrock	moist	evergreen	mid slope	
23-Jul-11	G. Galloway	1212528	7035780.65	591822.07	1076	40-50	c	light brown		30		20	50		weathered bedrock	moist	evergreen	mid slope	
23-Jul-11	G. Galloway	1212529	7035815.95	591767.38	1083	30-40	c	ellowish orang	10			20	70		weathered bedrock	moist	evergreen	ridge top	
23-Jul-11	G. Galloway	1212530	7035840.40	591722.10	1076	40-50	c	light brown		10		20	50	20	weathered bedrock	dry	evergreen	ridge top	
23-Jul-11	G. Galloway	1212531	7035885.37	591695.36	1061	50-60	c	light brown	10	20		10	50	10	weathered bedrock	moist	evergreen	ridge top	
23-Jul-11	G. Galloway	1212532	7035934.20	591600.67	1019	>80	c	light grey		10			40	50	weathered bedrock	dry	evergreen	mid slope	
23-Jul-11	G. Galloway	1212533	7035954.36	591574.32	1030	30-40	c	light brown		20		30	50		weathered bedrock	moist	evergreen	ridge top	
23-Jul-11	G. Galloway	1212534	7035979.65	591515.54	1036	40-50	c	light brown	20	20			40	20	weathered bedrock	moist	evergreen	ridge top	
23-Jul-11	G. Galloway	1212535	7036098.17	591358.23	962	40-50	c	light brown		10			30	60	weathered bedrock	moist	evergreen	mid slope	
23-Jul-11	G. Galloway	1212536	7036147.58	591315.99	966	50-60	c	light brown		20		20	40	20	weathered bedrock	moist	evergreen	mid slope	
23-Jul-11	G. Galloway	1212537	7036166.07	591269.26	960	30-40	c	light brown		20		20	30	30	weathered bedrock	moist	evergreen	mid slope	
23-Jul-11	G. Galloway	1212538	7036205.78	591169.52	906	50-60	c	light grey	10	10			30	50	weathered bedrock	moist	evergreen	mid slope	
23-Jul-11	G. Galloway	1212539	7036265.37	591104.31	892	30-40	c	light brown		20			40	40	weathered bedrock	moist	evergreen	mid slope	
23-Jul-11	G. Galloway	1212540	7036317.94	591012.62	868	50-60	c	light brown		40		30	30		weathered bedrock	dry	evergreen	mid slope	
23-Jul-11	G. Galloway	1212541	7036351.64	590923.67	878	40-50	c	light brown	10	10			30	50	weathered bedrock	dry	evergreen	mid slope	
23-Jul-11	G. Galloway	1212542	7036459.85	590659.16	797	40-50	c	light grey		20			30	50	weathered bedrock	moist	evergreen	mid slope	
16-Jul-11	Sam Lewis	1212601	7031801.48	586084.15	1699	40-50	c	light brown		30		30	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212602	7031847.56	586110.97	1696	40-50	c	light brown		30		30	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212603	7031887.45	586136.84	1688	30-40	c	light brown		30		30	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212604	7031926.88	586172.05	1674	30-40	c	light brown		40		40	20		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212605	7031969.38	586202.90	1661	30-40	c	light brown		30		30	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212606	7032005.97	586238.11	1648	40-50	c	light brown		50		30	20		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212607	7032039.95	586270.64	1647	60-70	c	light brown		10		60	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212608	7032081.48	586300.82	1645	30-40	c	light brown		30		40	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212609	7032120.36	586332.34	1637	50-60	c	light brown				60	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212610	7032153.19	586367.54	1629	40-50	c	light brown		20	30	20	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212611	7032192.67	586397.74	1624	50-60	c	light brown		10		40	50		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212612	7032229.05	586432.81	1614	40-50	c	light brown		30		40	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212613	7032275.34	586456.97	1606	>80	c	light brown		10		50	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212614	7032308.04	586496.70	1598	30-40	c	light brown		30		40	30		weathered bedrock	moist	alpine	ridge top	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
16-Jul-11	Sam Lewis	1212615	7032345.46	586527.20	1591	30-40	c	light brown		20	10	30	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212616	7032371.80	586582.38	1584	30-40	c	light brown		20		40	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212617	7032390.65	586618.41	1579	60-70	c	light brown		10		50	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212618	7032412.33	586660.28	1575	30-40	c	light brown		10		40	50		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212619	7032437.65	586705.48	1572	30-40	c	light brown		20	20	20	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212620	7032460.12	586745.98	1569	20-30	c	ellowish orange				70	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212621	7032484.51	586796.17	1567	40-50	c	light brown		30	10	30	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212622	7032506.91	586836.90	1568	40-50	c	light brown		20		40	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212623	7032530.31	586883.11	1569	40-50	c	light brown		10		60	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212624	7032547.24	586929.75	1572	40-50	c	light brown		30		30	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212625	7032561.27	586979.58	1570	40-50	c	light brown		40		30	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212626	7032576.32	587028.16	1565	30-40	c	light brown		30	40	30			weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212627	7032587.94	587073.67	1555	40-50	c	light brown		20		50	30		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212628	7032601.78	587121.29	1542	40-50	c	light brown		10		50	40		weathered bedrock	moist	alpine	ridge top	
16-Jul-11	Sam Lewis	1212629	7032618.83	587169.77	1532	50-60	c	light brown		10		50	40		weathered bedrock	saturated	alpine	ridge top	
16-Jul-11	Sam Lewis	1212630	7032629.67	587217.92	1521	50-60	c	light brown		20	20	60			weathered bedrock	wet	alpine	mid slope	
16-Jul-11	Sam Lewis	1212631	7032640.82	587267.45	1513	50-60	c	light brown		10		50	40		weathered bedrock	moist	alpine	mid slope	
16-Jul-11	Sam Lewis	1212632	7032659.76	587315.14	1502	40-50	c	light brown		30	30	40			weathered bedrock	saturated	alpine	mid slope	
16-Jul-11	Sam Lewis	1212633	7032676.84	587361.24	1491	60-70	c	light brown		20	10	70			weathered bedrock	saturated	alpine	mid slope	
16-Jul-11	Sam Lewis	1212634	7032685.97	587405.63	1480	60-70	c	light brown		20		20	60		weathered bedrock	moist	alpine	mid slope	
16-Jul-11	Sam Lewis	1212635	7032703.99	587458.14	1469	70-80	c	light brown		10		40	50		weathered bedrock	saturated	alpine	mid slope	
16-Jul-11	Sam Lewis	1212636	7032724.73	587501.57	1460	50-60	c	light brown		10		40	20		weathered bedrock	saturated	alpine	mid slope	
16-Jul-11	Sam Lewis	1212637	7032728.41	587553.99	1451	50-60	c	light brown		10		50	40		weathered bedrock	moist	alpine	mid slope	
16-Jul-11	Sam Lewis	1212638	7032745.37	587597.66	1443	30-40	c	light brown		40		20	40		weathered bedrock	moist	alpine	mid slope	
16-Jul-11	Sam Lewis	1212639	7032759.78	587648.55	1435	30-40	c	light brown		40		30	30		weathered bedrock	moist	alpine	mid slope	
16-Jul-11	Sam Lewis	1212640	7032771.98	587695.68	1427	40-50	c	light brown		20		50	30		weathered bedrock	moist	alpine	mid slope	
16-Jul-11	Sam Lewis	1212641	7032775.59	587748.56	1420	30-40	c	light brown		30		30	40		weathered bedrock	moist	alpine	mid slope	
23-Jul-11	Sam Lewis	1212642	7033741.45	586904.87	1219	40-50	c	light brown		10		70	20		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212643	7033837.99	586879.24	1205	50-60	c	dark brown		10		80	10		weathered bedrock	partially frozen	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212644	7033934.93	586851.69	1196	40-50	c	light brown		10		80	10		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212645	7033984.68	586837.38	1187	50-60	c	light brown		10		70	20		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212646	7034086.23	586822.72	1179	20-30	c	ellowish orange		10		60	30		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212647	7034127.98	586809.49	1175	60-70	c	light brown		10		60	30		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212648	7034179.56	586785.64	1168	60-70	c	light brown		10		60	30		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212649	7034275.72	586762.38	1151	40-50	c	light brown		10		60	30		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212650	7034374.29	586737.69	1137	50-60	c	light brown		10		60	30		weathered bedrock	wet	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212651	7034462.88	586715.47	1121	60-70	c	light brown		10		60	30		weathered bedrock	saturated	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212652	7034516.53	586711.19	1111	50-60	c	light brown		10		60	30		weathered bedrock	saturated	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212653	7034571.74	586716.37	1103	50-60	c	light brown		10		60	30		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212654	7034619.56	586701.99	1098	40-50	c	light brown	10	10		50	30		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212655	7034668.86	586703.08	1090	60-70	c	light brown		10		60	30		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212656	7034722.20	586708.20	1082	50-60	c	light brown		10		60	30		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212657	7034771.28	586708.54	1073	50-60	c	light brown		10		70	20		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212658	7034810.67	586710.24	1069	50-60	c	light brown		10		70	20		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212659	7034868.68	586716.72	1062	50-60	c	light brown		10		70	20		weathered bedrock	dry	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212660	7034956.74	586746.70	1051	50-60	c	light brown		10		80	10		weathered bedrock	dry	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212661	7035014.84	586757.56	1047	30-40	c	light brown		10		60	30		weathered bedrock	dry	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212662	7035105.64	586784.19	1037	>80	c	light brown		10		60	30		weathered bedrock	partially frozen	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212663	7035193.97	586807.93	1027	50-60	c	light brown		10		70	20		weathered bedrock	dry	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212664	7035312.16	586912.09	1007	>80	b/c	light brown	10			60	20	10	weathered bedrock	partially frozen	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212665	7035357.84	586936.51	1000	60-70	c	dark brown	10	10		70	10		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212666	7035407.19	586960.42	994	60-70	c	light brown		30	10	60			weathered bedrock	dry	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212667	7035441.93	586987.26	983	70-80	c	light brown		10		70	20		weathered bedrock	dry	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212668	7035479.26	587019.22	976	40-50	c	light brown		10		60	30		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212669	7035526.79	587044.63	974	50-60	c	light brown		10	10	70	10		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212670	7035552.73	587080.34	969	60-70	c	light brown		10		70	20		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212671	7035596.59	587117.26	957	60-70	b/c	dark brown	10			50	40		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212672	7035630.49	587158.90	950	50-60	c	light brown		10		70	20		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212673	7035657.89	587195.32	946	50-60	c	light brown		10		70	20		weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212674	7035688.00	587233.63	936	40-50	c	light brown		10		90			weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212675	7035733.27	587255.34	930	>80	c	light brown		10		90			weathered bedrock	moist	evergreen forest	bench	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
23-Jul-11	Sam Lewis	1212676	7035765.26	587302.14	928	70-80	c	light brown		10		90			weathered bedrock	moist	evergreen forest	mid slope	
23-Jul-11	Sam Lewis	1212677	7035800.72	587336.67	923	50-60	c	light brown		10		90			weathered bedrock	moist	evergreen forest	bench	
12-Sep-11	T. Barrette	1235151	7031729.72	585985.08	1712	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	ridge top	
12-Sep-11	T. Barrette	1235152	7031769.64	586015.36	1706	40-50	b/c	dark brown	30					70	weathered bedrock	moist	alpine	ridge top	
12-Sep-11	T. Barrette	1235153	7031805.72	586041.41	1704	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	ridge top	
12-Sep-11	T. Barrette	1235154	7031844.26	586074.41	1697	30-40	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235155	7031879.94	586109.53	1687	40-50	b/c	dark grey		20				80	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235156	7031918.14	586136.08	1678	40-50	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235157	7031959.49	586174.42	1662	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235158	7031989.31	586208.83	1649	40-50	b/c	dark brown	30					70	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235159	7032040.18	586237.55	1638	30-40	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235160	7032076.49	586269.29	1637	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235161	7032107.90	586300.69	1634	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235162	7032151.01	586331.81	1627	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235163	7032187.50	586366.53	1618	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235164	7032224.03	586394.84	1613	40-50	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235165	7032261.09	586429.28	1602	50-60	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235166	7032300.14	586461.93	1593	50-60	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235167	7032341.67	586490.29	1583	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235168	7032383.75	586524.21	1573	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235169	7032419.22	586558.53	1563	40-50	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235170	7032456.77	586591.26	1554	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235171	7032494.56	586622.58	1547	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235172	7032531.65	586655.64	1540	60-70	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235173	7032574.06	586686.34	1530	40-50	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235174	7032606.47	586714.21	1520	60-70	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235175	7032649.73	586747.73	1514	60-70	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235176	7032608.42	586779.61	1531	50-60	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235177	7032578.18	586751.66	1534	50-60	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235178	7032539.19	586725.76	1544	40-50	b/c	dark brown		25				75	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235179	7032500.97	586698.22	1557	60-70	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235180	7032461.76	586652.89	1563	60-70	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235181	7032423.93	586623.37	1572	60-70	b/c	dark brown	30					70	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235182	7032385.11	586593.74	1578	50-60	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235183	7032347.82	586569.71	1584	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235184	7032315.72	586530.52	1591	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235185	7032275.72	586501.56	1595	70-80	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235186	7032235.07	586470.61	1600	60-70	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235187	7032199.60	586436.41	1605	40-50	b/c	dark brown	30					70	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235188	7032153.48	586399.89	1614	50-60	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235189	7032116.17	586371.97	1619	50-60	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235190	7032085.46	586337.52	1627	40-50	b/c	dark brown	30					70	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235191	7032043.74	586307.53	1634	40-50	b/c	dark brown	30					70	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235192	7032008.63	586277.98	1635	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	T. Barrette	1235193	7031967.87	586244.88	1638	30-40	b/c	dark brown	50					50	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235194	7031927.77	586204.27	1652	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235195	7031892.77	586176.19	1664	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235196	7031853.98	586148.93	1673	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235197	7031809.41	586118.23	1684	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235198	7031777.40	586083.73	1691	40-50	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235199	7031735.11	586054.74	1698	50-60	b/c	light grey		10				90	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235200	7031693.34	586022.59	1706	40-50	b/c	dark brown	40					60	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235201	7031665.57	586059.50	1687	40-50	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235202	7031699.95	586089.53	1679	60-70	b/c	dark brown	40					60	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235203	7031737.30	586123.33	1672	50-60	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235204	7031772.94	586152.46	1663	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235205	7031821.44	586187.64	1651	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235206	7031850.10	586215.99	1643	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235207	7031895.59	586247.22	1633	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235208	7031936.08	586283.52	1626	40-50	b/c	dark brown	20					80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235209	7031972.67	586314.65	1625	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
13-Sep-11	T. Barrette	1235210	7032007.74	586347.47	1623	30-40	b/c	dark brown	50					50	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235211	7032043.08	586382.77	1614	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235212	7032086.33	586410.05	1612	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235213	7032116.56	586436.77	1608	30-40	b/c	dark brown	40					60	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235214	7032161.77	586472.70	1600	50-60	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235215	7032193.65	586501.30	1594	60-70	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235216	7032240.38	586536.29	1589	50-60	b/c	dark grey		20				80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235217	7032270.63	586566.71	1585	40-50	b/c	dark grey	30					70	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235218	7032313.41	586597.20	1579	50-60	b/c	dark brown	20					80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235219	7032346.41	586632.88	1576	30-40	b/c	dark brown	20					80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235220	7032385.40	586660.81	1570	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235221	7032429.27	586696.72	1563	50-60	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235222	7032467.38	586732.06	1556	40-50	b/c	dark brown	30					70	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235223	7032500.30	586760.70	1551	60-70	b/c	dark brown	20					80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235224	7032540.92	586791.69	1547	50-60	b/c	dark brown	20					80	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	T. Barrette	1235225	7032586.31	586828.30	1541	40-50	b	black	80					20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235226	7032551.10	586862.99	1554	40-50	b	dark brown		25				75	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235227	7032515.39	586836.60	1556	30-40	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235228	7032475.56	586798.90	1556	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235229	7032440.84	586773.65	1559	30-40	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235230	7032399.86	586736.65	1562	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235231	7032362.95	586706.84	1565	40-50	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235232	7032322.48	586677.38	1570	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235233	7032287.34	586641.12	1575	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235234	7032247.56	586604.95	1580	50-60	b/c	dark brown	40					60	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235235	7032212.25	586575.73	1589	40-50	b	dark grey	40					60	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235236	7032172.11	586545.29	1594	50-60	b/c	dark brown	20					80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	T. Barrette	1235237	7032129.95	586509.91	1598	40-50	b/c	dark brown	20					80	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235238	7032095.08	586477.42	1600	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235239	7032056.26	586450.60	1603	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235240	7032014.00	586416.91	1607	40-50	b/c	dark brown	20					80	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235241	7031979.24	586383.82	1613	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235242	7031941.10	586351.06	1617	70-80	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235243	7031901.87	586321.67	1618	60-70	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235244	7031866.13	586294.85	1622	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235245	7031823.30	586258.78	1629	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235246	7031784.46	586225.85	1636	70-80	b/c	dark brown	30					70	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235247	7031755.42	586199.98	1643	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235248	7031706.37	586161.29	1653	40-50	b/c	dark brown	20					80	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235249	7031669.21	586122.13	1661	50-60	b/c	dark brown		20				80	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235250	7031629.83	586106.51	1660	60-70	b/c	dark grey		15				85	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235251	7031601.17	586128.96	1647	50-60	b/c	dark grey	30					70	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235252	7031641.58	586164.42	1640	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235253	7031680.41	586193.29	1637	40-50	b/c	dark brown	50					50	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235254	7031708.43	586227.85	1627	60-70	b/c	dark brown	20					80	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235255	7031749.52	586260.68	1622	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235256	7031787.80	586293.55	1614	60-70	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235257	7031827.71	586326.20	1612	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235258	7031871.34	586361.77	1608	30-40	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235259	7031906.03	586387.98	1606	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235260	7031945.06	586421.61	1603	40-50	b/c	dark brown	20					80	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235261	7031983.18	586450.79	1601	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235262	7032023.64	586486.46	1596	60-70	b/c	dark brown	30					70	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235263	7032063.34	586517.07	1592	40-50	b/c	dark brown	30					70	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235264	7032101.44	586551.94	1587	30-40	b/c	dark brown	20					80	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235265	7032135.02	586581.63	1581	40-50	b/c	dark brown	30					70	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235266	7032173.61	586609.27	1578	40-50	b/c	dark brown		5				95	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235267	7032212.01	586646.09	1570	30-40	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235268	7032246.59	586676.79	1568	40-50	b/c	dark brown	30					70	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235269	7032289.33	586706.93	1564	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235270	7032331.83	586741.94	1563	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
14-Sep-11	T. Barrette	1235271	7032363.18	586766.56	1560	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235272	7032405.75	586802.77	1561	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235273	7032444.50	586839.33	1561	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235274	7032485.63	586866.64	1562	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	T. Barrette	1235275	7032515.35	586898.86	1563	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	mid slope	
15-Sep-11	T. Barrette	1235276	7036692.00	565951.37	1651	30-40	b/c	dark brown		15				85	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235277	7036690.53	566001.26	1649	40-50	b/c	dark brown		40				60	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235278	7036692.94	566050.38	1648	40-50	b/c	dark brown		20				80	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235279	7036712.01	566101.09	1648	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235280	7036719.20	566152.77	1639	30-40	b	dark brown	70	30					weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235281	7036733.71	566199.71	1637	50-60	b/c	dark grey		5				95	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235282	7036742.12	566243.84	1633	50-60	b/c	dark brown		15				85	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235283	7036757.01	566297.30	1634	40-50	b/c	dark brown		25				75	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235284	7036760.85	566341.23	1630	50-60	b/c	light grey		10				90	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235285	7036767.46	566404.18	1636	40-50	b/c	light grey		10				90	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235286	7036783.75	566436.23	1637	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235287	7036815.11	566482.19	1641	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235288	7036838.86	566525.72	1643	40-50	b/c	dark brown		20				80	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235289	7036867.37	566568.42	1643	50-60	b/c	dark brown		20				80	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235290	7036892.79	566605.30	1642	50-60	b/c	dark brown		10				90	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235291	7036923.77	566653.26	1640	50-60	b/c	dark brown		25				75	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235292	7036960.46	566687.58	1640	30-40	b/c	dark brown	70					30	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235293	7036995.07	566723.56	1645	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235294	7037027.10	566754.43	1643	40-50	b/c	dark brown		15				85	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235295	7037067.37	566787.59	1643	40-50	b/c	black	80					20	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235296	7037110.08	566826.18	1643	40-50	b/c	dark brown	50					50	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235297	7037146.23	566853.59	1643	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235298	7037187.84	566882.89	1643	40-50	b/c	dark brown		20				80	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235299	7037219.23	566921.43	1640	40-50	b/c	dark brown		10				90	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1235300	7037235.72	566961.58	1638	60-70	b/c	light grey		20				80	weathered bedrock	moist	alpine	ridge top	
12-Sep-11	B. Osmond	1235301	7031759.64	585946.62	1693	50-60	c	dark brown		20	20	20		40	weathered bedrock	moist	alpine	ridge top	
12-Sep-11	B. Osmond	1235302	7031798.34	585973.51	1693	40-50	b/c	dark brown		20	20	20		40	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235303	7031836.95	586004.24	1692	40-50	c	dark brown		20		30	20	30	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235304	7031873.59	586040.33	1690	40-50	c	dark brown		20		30	20	30	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235305	7031913.14	586069.47	1690	40-50	c	dark brown		20		30	20	30	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235306	7031951.81	586100.78	1683	40-50	c	dark brown		20		30	20	30	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235307	7031989.70	586133.20	1674	50-60	c	light brown		20		30	20	30	weathered bedrock	moist	alpine	ridge top	
12-Sep-11	B. Osmond	1235308	7032023.83	586163.43	1662	50-60	c	dark brown		25		25	25	25	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235309	7032069.76	586198.79	1656	60-70	c	light brown		20	30	30		20	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235310	7032104.37	586228.06	1645	50-60	c	dark brown		25		25	20	30	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235311	7032141.09	586259.29	1640	50-60	c	dark brown		25		25	25	25	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235312	7032179.43	586294.22	1637	50-60	c	light brown		20	30	30		20	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235313	7032220.35	586325.21	1631	60-70	c	light brown		25	25	25		25	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235314	7032256.22	586358.36	1615	50-60	c	dark brown		25		25	25	25	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235315	7032295.00	586388.62	1613	50-60	c	olive grey		20	30	30		20	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235316	7032333.50	586421.33	1600	50-60	c	light brown		25	25	25		25	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235317	7032371.54	586454.37	1585	50-60	c	dark grey				30	30	40	weathered bedrock	moist	alpine	ridge top	
12-Sep-11	B. Osmond	1235318	7032410.39	586486.99	1570	70-80		dark grey			20	20	20	40	weathered bedrock	moist	alpine	ridge top	no horizon sampled description in field notes
12-Sep-11	B. Osmond	1235319	7032449.63	586517.49	1563	70-80	c	dark grey		10		20	20	50	weathered bedrock	moist	alpine	ridge top	
12-Sep-11	B. Osmond	1235320	7032487.56	586551.37	1552	60-70	c	dark grey		20	20	20		40	weathered bedrock	moist	alpine	ridge top	
12-Sep-11	B. Osmond	1235321	7032528.12	586583.99	1540	70-80	c	dark brown		20		30	20	30	weathered bedrock	dry	alpine	mid slope	
12-Sep-11	B. Osmond	1235322	7032564.72	586613.18	1527	60-70	c	dark grey		20		20	20	40	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	B. Osmond	1235323	7032600.80	586646.17	1516	50-60	c	olive grey		20		20	20	40	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	B. Osmond	1235324	7032641.37	586677.42	1505	>80	c	dark grey		10	20	30		40	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	B. Osmond	1235325	7032687.01	586717.34	1500														no sample description information
12-Sep-11	B. Osmond	1235326	7032711.23	586677.21	1483	50-60	c	dark grey		20		20	20	40	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	B. Osmond	1235327	7032675.79	586641.57	1486	60-70	c	olive grey		20	30	30		20	weathered bedrock	dry	alpine	mid slope	
12-Sep-11	B. Osmond	1235328	7032636.74	586610.82	1500	70-80	c	light brown			20	20	20	40	weathered bedrock	dry	alpine	mid slope	
12-Sep-11	B. Osmond	1235329	7032597.76	586576.25	1516	50-60	c	olive grey			20	20	20	40	weathered bedrock	dry	alpine	mid slope	
12-Sep-11	B. Osmond	1235330	7032561.07	586543.95	1531	50-60	c	dark grey		10		30	30	30	weathered bedrock	dry	alpine	mid slope	
12-Sep-11	B. Osmond	1235331	7032520.43	586514.02	1544	60-70	c	dark grey			20	20	20	40	weathered bedrock	moist	alpine	mid slope	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
12-Sep-11	B. Osmond	1235332	7032484.72	586478.94	1558	50-60	c	dark grey		25		25		50	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	B. Osmond	1235333	7032448.17	586450.03	1575	60-70	c	dark grey		10		20	20	50	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	B. Osmond	1235334	7032407.69	586416.84	1590	70-80	c	dark grey			20	20	20	40	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	B. Osmond	1235335	7032369.12	586385.68	1603	60-70	c	dark brown		25		25	25	25	weathered bedrock	dry	alpine	mid slope	
12-Sep-11	B. Osmond	1235336	7032328.18	586353.56	1609	40-50	b/c	dark brown			25	25	25	25	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235337	7032291.04	586321.98	1618	40-50	b/c	dark brown			25	25	25	25	weathered bedrock	dry	alpine	mid slope	
12-Sep-11	B. Osmond	1235338	7032253.15	586289.41	1629	50-60	c	dark brown		20		30	20	30	weathered bedrock	dry	alpine	mid slope	
12-Sep-11	B. Osmond	1235339	7032213.90	586256.35	1641	40-50	b/c	dark brown			25	25	25	25	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235340	7032178.16	586223.90	1648	50-60	c	dark brown			20	30	20	30	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235341	7032137.98	586196.47	1659	40-50	c	dark brown		20		30	20	30	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	B. Osmond	1235342	7032097.99	586159.14	1666	40-50	b/c	dark brown		20		20	20	40	weathered bedrock	moist	alpine	ridge top	
13-Sep-11	B. Osmond	1235343	7032057.54	586127.15	1648	40-50	c	light brown			20	30	20	30	weathered bedrock	dry	alpine	ridge top	
13-Sep-11	B. Osmond	1235344	7032021.32	586096.22	1653	60-70	b/c	dark brown	20			30	20	30	weathered bedrock	dry	alpine	ridge top	
13-Sep-11	B. Osmond	1235345	7031986.51	586059.96	1661	50-60	c	dark grey		25		25	25	25	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235346	7031947.76	586029.09	1663	50-60	c	dark grey		20		20	20	40	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235347	7031911.16	586001.53	1670	40-50	c	dark grey		25	25			50	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235348	7031871.69	585966.70	1673	50-60	c	light brown		25		25	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235349	7031828.67	585940.01	1679	60-70	c	dark brown		25		25	25	25	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235350	7031792.17	585905.25	1685	70-80	c	dark grey			30		20	50	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	B. Osmond	1235351	7031819.23	585867.61	1674	40-50	b/c	dark brown	20			30	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235352	7031860.26	585893.87	1667	60-70	c	dark grey		20		30	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235353	7031900.02	585929.23	1662	40-50	b/c	dark brown	20			30	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235354	7031939.53	585963.19	1657	40-50	b/c	dark grey			20	20	20	40	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235355	7031982.40	585994.83	1652	50-60	c	dark brown			25	25	25	25	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235356	7032005.99	586028.34	1656	40-50	b/c	dark brown	20			30	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235357	7032047.36	586060.18	1650	40-50	c	light brown		20	30	30		20	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235358	7032089.02	586088.37	1653	30-40	b/c	light brown			20	30	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235359	7032133.25	586123.70	1649	50-60	b/c	dark brown	20			30	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235360	7032167.92	586158.19	1643	50-60	c	dark brown			20	30	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235361	7032207.23	586182.80	1636	40-50	b/c	dark brown		20		30	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235362	7032246.08	586214.70	1633	50-60	c	light brown		20		30	20	30	weathered bedrock	dry	alpine	ridge top	
13-Sep-11	B. Osmond	1235363	7032286.11	586251.20	1625	40-50	b/c	dark brown		20		30	20	30	weathered bedrock	moist	alpine	ridge top	
13-Sep-11	B. Osmond	1235364	7032324.49	586279.71	1607	50-60	c	olive grey		10		20	20	50	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	B. Osmond	1235365	7032362.83	586311.75	1597	50-60	c	light brown		20	30	30		20	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235366	7032397.34	586346.94	1589	50-60	c	light brown		25	25	25		25	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235367	7032433.37	586378.13	1576	40-50	b/c	dark brown			20	20	30	30	talus	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235368	7032476.78	586408.70	1555	60-70	c	olive grey		20		20	20	40	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	B. Osmond	1235369	7032514.91	586439.87	1541	60-70	c	olive grey		20		20	20	40	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235370	7032550.32	586472.16	1525	>80	c	dark grey			25	25		50	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235371	7032589.94	586505.25	1507	50-60	c	dark grey				25	25	50	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235372	7032628.39	586538.62	1497	60-70	c	dark grey				25	25	50	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235373	7032665.72	586567.71	1481	>80	c	light brown			30	20	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235374	7032704.92	586597.80	1473	>80	c	light brown			20	20	20	40	weathered bedrock	dry	buck brush	mid slope	
13-Sep-11	B. Osmond	1235375	7032741.79	586634.96	1466	70-80	c	light brown			20	30	20	30	weathered bedrock	dry	buck brush	mid slope	
13-Sep-11	B. Osmond	1235376	7032777.95	586597.14	1451	>80	c	light brown			20	20	20	40	weathered bedrock	dry	buck brush	mid slope	
13-Sep-11	B. Osmond	1235377	7032739.99	586560.96	1456	>80	c	light brown			20	20	20	40	weathered bedrock	dry	buck brush	mid slope	
13-Sep-11	B. Osmond	1235378	7032701.50	586531.02	1463	>80	c	olive grey			20	20	20	40	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235379	7032665.11	586502.25	1476	60-70	c	olive grey			20	20	20	40	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235380	7032625.26	586467.47	1490	50-60	c	light brown		20		30	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235381	7032587.74	586438.14	1505	50-60	c	olive grey			20	20	20	40	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235382	7032546.06	586405.56	1525	60-70	c	olive grey			20	20	20	40	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235383	7032510.19	586372.01	1544	70-80	c	dark brown			20	30	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235384	7032468.37	586338.23	1559	50-60	c	light brown			20	30	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235385	7032434.28	586309.43	1573	50-60	c	dark brown			20	20	20	40	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235386	7032395.61	586277.64	1593	50-60	c	dark brown			30	20	20	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235387	7032355.44	586243.03	1607	40-50	c	light brown			25	25	25	25	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235388	7032314.70	586214.01	1621	40-50	b/c	dark brown	20			20	20	40	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	B. Osmond	1235389	7032278.48	586182.05	1624	50-60	c	olive grey			30	20	20	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235390	7032238.30	586144.34	1623	50-60	b/c	dark brown	10		20	20	20	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235391	7032196.72	586115.56	1623	50-60	b/c	dark brown			20	30	20	30	loess - organic rich	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235392	7032159.15	586083.28	1628	50-60	b/c	dark brown	20			30	20	30	weathered bedrock	dry	alpine	mid slope	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
14-Sep-11	B. Osmond	1235393	7032120.35	586051.28	1628	50-60	b/c	dark brown	25			25	25	25	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235394	7032092.71	586025.14	1622	40-50	b/c	dark brown	25			25	25	25	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235395	7032042.26	585975.11	1621	40-50	c	olive grey	20			30	20	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235396	7032012.57	585953.77	1634	40-50	b/c	dark brown	25			25	25	25	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235397	7031972.37	585924.71	1649	40-50	c	light brown		25	25	25		25	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235398	7031933.51	585891.31	1652	50-60	b/c	dark brown	20			20	40	20	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235399	7031891.20	585858.93	1656	40-50	b/c	dark brown	20			30	20	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235400	7031859.39	585828.23	1660	40-50	b/c	dark brown	20			20	30	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235401	7031885.49	585792.06	1643	50-60	c	dark brown	20			30	20	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235402	7031928.42	585821.78	1637	60-70	c	light brown		20		20	20	40	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235403	7031960.16	585851.66	1635	60-70	c	dark grey		20		20	20	40	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235404	7032005.38	585881.36	1628	50-60	b/c	black	25			25	25	25	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235405	7032033.44	585920.83	1613	40-50	c	dark grey		30	20	20		30	talus	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235406	7032074.32	585945.51	1594	>80	c	light brown			20	20	20	40	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235407	7032122.92	585978.60	1594	40-50	b/c	black	30			20	30	20	loess - organic rich	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235408	7032166.52	586016.50	1601	70-80	c	light brown		20		20	20	40	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235409	7032193.52	586042.95	1604	50-60	b/c	dark brown	20			20	20	40	loess - organic rich	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235410	7032230.25	586075.73	1600	60-70	b/c	dark brown	20			10	30	40	loess - organic rich	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235411	7032272.89	586112.38	1603	50-60	b/c	dark brown	20			20	30	30	loess - organic rich	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235412	7032310.88	586142.19	1605	40-50	b/c	black	30			20	20	30	loess - organic rich	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235413	7032346.54	586173.80	1608	40-50	c	dark brown	25	25			25	25	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235414	7032381.99	586204.46	1606	40-50	c	dark brown	20			30	20	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	B. Osmond	1235415	7032421.55	586240.04	1596	60-70	c	light brown		20		40	20	20	weathered bedrock	dry	alpine	mid slope	
15-Sep-11	J. Henderson	1235416	7036385.07	565119.05	1592	30-40	c	light brown	20	40		40			weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1235417	7036385.13	565065.62	1591	30-40	c	light brown		50		30		20	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1235418	7036383.55	565013.41	1586	20-30	b/c	light brown	30			50		20	talus	moist	alpine	mid slope	
15-Sep-11	J. Henderson	1235419	7036383.66	564970.23	1588	10-20	b/c	light brown	40	10		50			talus	moist	alpine	mid slope	
15-Sep-11	J. Henderson	1235420	7036384.01	564919.00	1600	30-40	c	light brown	20	30		40		10	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1235421	7036384.07	564865.33	1607	40-50	c	light brown		50		40		10	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1235422	7036383.09	564820.77	1608	40-50	c	light brown		60		40			weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1235423	7036392.04	564767.12	1608	20-30	b/c	light brown	15	50		25		10	talus	moist	alpine	mid slope	
15-Sep-11	J. Henderson	1235424	7036393.83	564723.15	1612	50-60	c	light grey		90		10			weathered bedrock	moist	alpine	mid slope	
15-Sep-11	J. Henderson	1235425	7036415.67	564677.46	1625	50-60	c	light grey		90		10			weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1235426	7036404.07	564621.90	1633	30-40	c	dark grey	10	70				20	weathered bedrock	moist	alpine	mid slope	
15-Sep-11	J. Henderson	1235427	7036402.35	564566.48	1646	40-50	c	dark grey		70				30	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1235428	7036396.07	564522.67	1649	20-30	c	dark grey		50		25		25	talus	moist	alpine	mid slope	
15-Sep-11	J. Henderson	1235429	7036387.79	564473.62	1665	10-20	b/c	dark grey	25	50		25			talus	dry	alpine	mid slope	
15-Sep-11	J. Henderson	1235430	7036378.82	564428.64	1675	10-20	b/c	dark brown	30	40		30			talus	moist	alpine	mid slope	
12-Sep-11	Clayton Jones	1236351	7031887.52	586133.59															no sample descriptions
12-Sep-11	Clayton Jones	1236352	7031848.69	586108.25															no sample descriptions
15-Sep-11	Clayton Jones	1236356	7018486.23	582395.53	1323														no sample descriptions
12-Sep-11	J. Henderson	1236501	7031568.39	586168.42	1621	20-30	c	dark grey	20	20		40		20	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236502	7031609.48	586204.91	1619	30-40	c	dark grey	30	20		30		20	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236503	7031647.02	586236.48	1623	20-30	c	dark brown	10	10		30		50	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236504	7031679.99	586269.89	1612	30-40	c	dark grey	20	40		30		10	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236505	7031721.09	586302.37	1607	30-40	c	light brown				30		70	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236506	7031760.55	586333.77	1604	30-40	c	light brown	15	15		25		45	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236507	7031798.91	586365.76	1603	30-40	c	light brown	20	10		35		35	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236508	7031836.24	586395.99	1605	30-40	c	light brown	30	10		20		40	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236509	7031877.86	586431.41	1603	30-40	c	light brown	10	40				50	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236510	7031915.08	586461.40	1600	30-40	c	dark brown	25	25		25		25	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236511	7031950.67	586492.29	1594	30-40	c	light brown	10	30		20		40	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236512	7031989.85	586524.83	1591	30-40	c	dark brown	20	20		20		40	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236513	7032030.81	586558.64	1585	40-50	c	light brown		20		30		50	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236514	7032069.57	586588.89	1582	40-50	c	light brown		50		25		25	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236515	7032110.18	586621.35	1575	30-40	b/c	dark brown	60	25		15			talus	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236516	7032144.89	586654.44	1570	30-40	c	light brown	20	20		20		40	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236517	7032182.12	586685.77	1569	30-40	c	light brown		30		20		50	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236518	7032225.11	586719.46	1567	30-40	c	light brown		40		50		10	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236519	7032261.43	586749.64	1562	30-40	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236520	7032300.61	586782.44	1560	30-40	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
12-Sep-11	J. Henderson	1236521	7032334.40	586811.64	1563	30-40	c	light brown	20	30		50			weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236522	7032374.98	586847.74	1563	50-60	c	light brown		10		30		60	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236523	7032411.79	586874.27	1565	30-40	c	light brown		30		40		30	weathered bedrock	moist	alpine	mid slope	
12-Sep-11	J. Henderson	1236524	7032453.23	586908.95	1567	30-40	c	light brown				50		50	weathered bedrock	moist	alpine	ridge top	
12-Sep-11	J. Henderson	1236525	7032489.45	586938.64	1568	30-40	c	light brown		50		25		25	weathered bedrock	moist	alpine	ridge top	
12-Sep-11	J. Henderson	1236526	7032454.97	586982.05	1571	40-50	c	dark brown		20		30		50	weathered bedrock	moist	alpine	ridge top	
13-Sep-11	J. Henderson	1236527	7032419.14	586950.89	1568	40-50	c	light brown		20		30		50	weathered bedrock	moist	alpine	ridge top	
13-Sep-11	J. Henderson	1236528	7032380.54	586916.84	1563	40-50	c	light brown		40		30		30	weathered bedrock	moist	alpine	ridge top	
13-Sep-11	J. Henderson	1236529	7032342.03	586884.30	1562	40-50	c	light brown		40		20		40	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236530	7032302.77	586855.35	1557	30-40	c	light brown		30		40		30	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236531	7032266.73	586825.75	1558	30-40	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236532	7032225.36	586790.88	1556	40-50	c	light brown				20		80	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236533	7032191.18	586751.86	1562	30-40	c	light brown	25	25		25		25	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236534	7032149.06	586725.81	1561	30-40	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236535	7032107.48	586694.69	1566	40-50	c	light brown		40		20		40	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236536	7032079.35	586656.96	1557	40-50	c	dark grey		40		30		30	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236537	7032032.27	586629.12	1565	70-80	c	light grey		40		60			weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236538	7031994.65	586597.09	1576	50-60	c	light brown				50		50	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236539	7031958.23	586562.82	1579	40-50	c	light brown		30		40		30	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236540	7031923.34	586534.00	1581	30-40	c	dark brown	20	20		60			weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236541	7031881.49	586498.02	1588	40-50	c	light brown		40		30		30	weathered bedrock	wet	alpine	mid slope	
13-Sep-11	J. Henderson	1236542	7031840.82	586463.55	1587	30-40	c	light grey		60		20		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236543	7031802.26	586434.29	1592	30-40	c	dark grey		50		30		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236544	7031765.86	586403.27	1593	30-40	c	dark grey		50		35		15	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236545	7031728.96	586366.54	1594	50-60	c	dark grey		20		50		30	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236546	7031687.58	586337.56	1590	40-50	c	light grey		40		20		40	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236547	7031648.56	586306.09	1594	40-50	c	light grey		60		20		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236548	7031614.52	586277.85	1597	40-50	c	dark grey		60		30		10	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236549	7031576.76	586243.63	1601	40-50	c	dark grey		50		20		30	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236550	7031534.66	586211.75	1607	30-40	c	dark grey		60		20		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236551	7031502.95	586250.97	1589	40-50	c	light brown		30		40		30	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236552	7031543.37	586281.46	1588	30-40	c	light grey		60		30		10	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236553	7031582.08	586313.57	1586	30-40	c	light brown		34		33		33	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236554	7031619.60	586345.12	1586	30-40	c	light brown	20	20		30		30	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236555	7031654.65	586375.78	1582	30-40	c	light brown		34		33		33	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236556	7031694.66	586408.73	1582	30-40	c	light brown	20	20		30		30	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236557	7031734.02	586443.01	1581	40-50	c	light brown		34		33		33	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236558	7031767.22	586476.00	1579	40-50	c	light brown		50		30		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236559	7031811.30	586506.66	1580	40-50	c	light grey		50		20		30	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236560	7031851.61	586537.78	1575	30-40	c	light brown		50				50	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236561	7031888.11	586571.86	1575	30-40	c	light brown		60				40	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236562	7031925.54	586601.76	1570	30-40	c	light brown	20	40		10		30					no sample description in field notes
13-Sep-11	J. Henderson	1236563	7031967.57	586633.05	1575	30-40	c	light brown		30		30		40	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236564	7032002.66	586666.13	1560	30-40	c	dark brown		30		50		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236565	7032041.90	586697.87	1556	40-50	c	light brown		40		30		30	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236566	7032079.60	586730.61	1551	40-50	c	light brown		50		50			weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236567	7032118.21	586762.45	1544	40-50	c	light brown		60		40			weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236568	7032154.51	586793.38	1540	30-40	c	light brown		50		20		30	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236569	7032196.76	586830.34	1539	40-50	c	dark brown		60				40	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236570	7032234.10	586856.95	1537	60-70	c	light brown		30				70	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236571	7032270.25	586894.26	1538	40-50	c	light brown		60				40	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236572	7032308.99	586920.23	1543	40-50	c	light brown		40		20		40	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236573	7032348.42	586950.99	1547	30-40	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236574	7032390.91	586986.24	1555	40-50	c	light brown		40				60	weathered bedrock	moist	alpine	ridge top	
13-Sep-11	J. Henderson	1236575	7032426.02	587018.28	1564	40-50	c	light brown		50		25		25	weathered bedrock	moist	alpine	ridge top	
13-Sep-11	J. Henderson	1236576	7032393.94	587055.37	1548	40-50	c	light brown	20	40		20		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236577	7032353.00	587021.56	1545	40-50	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236578	7032317.79	586992.23	1539	40-50	c	dark grey		50		25		25	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236579	7032277.76	586960.89	1532	40-50	c	light brown		60		20		20	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236580	7032239.62	586925.38	1528	50-60	c	light brown		40				60	weathered bedrock	moist	alpine	mid slope	
13-Sep-11	J. Henderson	1236581	7032203.45	586893.90	1528	40-50	c	dark brown	20			40		40	weathered bedrock	moist	alpine	mid slope	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
14-Sep-11	J. Henderson	1236582	7032163.36	586859.90	1528	40-50	c	light brown		40		30		30	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236583	7032128.18	586834.41	1524	50-60	c	light brown		40		30		30	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236584	7032085.71	586799.95	1532	50-60	c	light brown		60		25		15	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236585	7032045.39	586769.36	1538	40-50	c	light brown		50		25		25	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236586	7032006.00	586734.28	1546	50-60	c	light brown		50		25		25	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236587	7031968.61	586704.95	1550	40-50	c	light brown		50		50			weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236588	7031932.07	586673.32	1557	40-50	c	light brown		50		30		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236589	7031897.66	586640.85	1561	40-50	c	light brown		50		20		30	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236590	7031855.30	586608.39	1563	50-60	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236591	7031818.44	586578.45	1568														no sample description in field notes
14-Sep-11	J. Henderson	1236592	7031777.61	586547.71	1566	40-50	c	light brown		50		30		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236593	7031739.97	586513.23	1566	40-50	c	light brown		30		40		30	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236594	7031701.28	586482.46	1568	40-50	c	light brown		30		20		50	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236595	7031662.40	586444.82	1569	40-50	c	light brown		30		50		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236596	7031626.66	586417.18	1569	40-50	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236597	7031587.69	586387.34	1570	40-50	c	light brown		60		30		10	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236598	7031547.89	586350.55	1572	40-50	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236599	7031509.59	586320.04	1573	30-40	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236600	7031472.20	586292.70	1576	50-60	c	light brown	10	70		20			weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236601	7031442.08	586326.37	1566	50-60	c	light brown		30		40		30	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236602	7031477.89	586361.34	1563	40-50	c	light brown		60		20		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236603	7031517.49	586388.87	1562	40-50	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236604	7031555.79	586420.81	1560	40-50	c	light brown	20	40		30		10	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236605	7031592.73	586454.50	1560	40-50	c	light brown		20		50		30	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236606	7031637.37	586486.79	1557	40-50	c	light brown		40		30		30	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236607	7031669.72	586520.20	1554	50-60	c	light brown		50		30		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236608	7031709.71	586551.37	1553	40-50	c	light brown		50		30		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236609	7031747.07	586580.36	1557	70-80	c	light brown		70		20		10	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236610	7031783.09	586614.27	1548	50-60	c	light brown		20		50		30	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236611	7031823.22	586647.14	1545	50-60	c	light brown		30		50		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236612	7031861.02	586682.88	1541	50-60	c	light brown		20		40		40	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236613	7031897.96	586711.33	1542	60-70	c	light brown		30		30		40	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236614	7031937.38	586742.15	1538	50-60	c	light brown		35		25		40	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236615	7031977.73	586773.08	1534	50-60	c	light brown		40		30		30	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236616	7032016.36	586808.12	1528	40-50	c	light brown		40		30		30	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236617	7032051.30	586835.24	1524	60-70	c	light brown		40		40		20	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236618	7032093.80	586865.18	1518	50-60	c	light brown		50		25		25	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236619	7032132.37	586899.68	1510	40-50	c	light brown		20		40		40	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236620	7032169.06	586929.95	1513	40-50	c	light brown		25		50		25	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236621	7032208.17	586967.25	1523	10-20	c	light brown		75		25			weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236622	7032244.99	587000.91	1530	40-50	c	light brown		50				50	weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236623	7032285.33	587035.41	1531	40-50	c	light brown		50		50			weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236624	7032324.99	587063.86	1538	20-30	c	light brown		60		40			weathered bedrock	moist	alpine	mid slope	
14-Sep-11	J. Henderson	1236625	7032363.23	587094.11	1539	40-50	c	light brown		40		30		30	weathered bedrock	moist	alpine	mid slope	
15-Sep-11	J. Henderson	1236626	7036566.32	565774.77	1623	40-50	c	dark grey		90		100			weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236627	7036547.61	565735.56	1608	40-50	c	light brown		60		40			weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236628	7036520.52	565682.57	1610	50-60	c	light grey		70				30	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236629	7036498.71	565642.31	1625	20-30	c	light brown	10	60		30			weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236630	7036479.64	565603.15	1624	40-50	c	light brown		40		30		30	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236631	7036454.30	565556.83	1607	20-30	c	dark grey	20	80					weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236632	7036430.49	565507.45	1602	20-30	c	light grey	10	90					weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236633	7036406.81	565463.25	1595	40-50	c	light brown		75		25			weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236634	7036402.40	565444.46	1601	30-40	c	light brown		85		15			weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236635	7036403.72	565415.84	1611	30-40	c	light brown	30	30		40			weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236636	7036393.17	565366.10	1604	30-40	c	light brown		70		30			weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236637	7036386.93	565319.78	1594	30-40	c	light grey		100					weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236638	7036384.00	565268.66	1586	20-30	c	light grey		70				30	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	J. Henderson	1236639	7036382.89	565216.48	1586	>80	c	light grey		40				60	weathered bedrock	wet	alpine	ridge top	
15-Sep-11	J. Henderson	1236640	7036382.41	565170.61	1585	30-40	c	light grey		40				60	weathered bedrock	wet	alpine	ridge top	
12-Sep-11	D. Blampkin	1236651	7031889.69	585760.04	1625	40-50	b/c	dark grey	10	10		70		10	till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236652	7031958.85	585785.88	1611	30-40	b/c	dark grey	10	90					till	moist	alpine	mid slope	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
12-Sep-11	D. Blampkin	1236653	7031992.49	585812.80	1606	40-50	b/c	dark brown	10			70	20		till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236654	7032034.68	585837.97	1599	40-50	b/c	dark grey	10	10		10		70	till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236655	7032076.27	585858.67	1582	40-50	b/c	light grey	10	10		50	30		till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236656	7032100.87	585895.89	1579	30-40	b/c	light brown	10	10		70	10		till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236657	7032174.28	585910.83	1565	30-40	b/c	dark brown	10	10		40	40		till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236658	7032212.22	585975.86	1573	30-40	b/c	light brown		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236659	7032245.91	586010.63	1570	40-50	b/c	dark grey		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236660	7032264.55	586040.31	1574	40-50	b/c	dark brown	10			40	50		till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236661	7032310.62	586066.18	1570	40-50	b/c	dark brown		10		70	20		till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236662	7032383.40	586131.50	1574	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236663	7032411.60	586167.40	1578	20-30	b/c	light brown		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236664	7032457.64	586208.76	1570	40-50	b/c	dark brown		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236665	7032484.95	586234.43	1562	40-50	b/c	light brown	10	10		80			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236666	7032506.18	586273.20	1543	50-60	b/c	dark grey		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236667	7032567.11	586298.60	1519	50-60	b/c	dark grey		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236668	7032607.03	586316.46	1503	40-50	b/c	dark grey		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236669	7032653.68	586340.77	1485	50-60	b/c	dark grey		10		80		10	till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236670	7032686.86	586389.40	1469	50-60	b/c	dark grey		10		80		10	till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236671	7032726.37	586428.63	1457	50-60	b/c	light grey		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236672	7032760.92	586453.64	1444	50-60	b/c	dark grey		10		80		10	till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236673	7032805.11	586483.49	1432	50-60	b/c	dark grey		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236674	7032804.51	586553.89	1437	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236675	7032775.70	586530.98	1444	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236676	7032831.87	586524.71	1428	50-60	b/c	light brown		10		90			till	moist	buck brush	mid slope	
12-Sep-11	D. Blampkin	1236677	7032734.51	586492.84	1456	50-60	b/c	light brown		10		90			till	moist	buck brush	mid slope	
12-Sep-11	D. Blampkin	1236678	7032693.28	586467.40	1470	50-60	b/c	dark grey	10	10		80			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236679	7032650.03	586428.67	1485	60-70	b/c	light brown		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236680	7032621.50	586398.32	1497	60-70	b/c	light brown		10		90			till	moist	buck brush	mid slope	
12-Sep-11	D. Blampkin	1236681	7032581.88	586368.62	1518	60-70	b/c	dark brown		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236682	7032537.95	586339.50	1536	60-70	b/c	light brown		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236683	7032509.87	586307.96	1546	60-70	b/c	dark grey		10		90			till	moist	alpine	mid slope	
12-Sep-11	D. Blampkin	1236684	7032469.80	586272.23	1574	60-70	b/c	light brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236685	7031643.81	586003.77	1704	50-60	b/c	light grey		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236686	7031640.49	586006.65	1704	50-60	b/c	dark brown		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236687	7031647.03	586007.46	1706	60-70	b/c	dark grey		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236688	7031650.74	586007.35	1705	70-80	b/c	dark grey		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236689	7031653.66	586012.76	1705	40-50	b/c	light grey		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236690	7031650.11	586018.55	1705	50-60	b/c	dark grey		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236691	7031664.43	586016.61	1705	50-60	b/c	dark grey		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236692	7031656.55	586022.83	1704	50-60	b/c	dark grey		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236693	7031658.90	586030.80	1704	50-60	b/c	dark grey		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236694	7031666.76	586024.18	1704	50-60	b/c	dark grey		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236695	7031672.70	586029.01	1701	50-60	b/c	dark grey		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236696	7031664.86	586036.67	1700	50-60	b/c	dark grey		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236697	7031670.49	586035.42	1699	50-60	b/c	dark grey		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236698	7031676.45	586041.42	1696	50-60	b/c	dark brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236699	7031671.16	586046.64	1697	50-60	b/c	dark grey		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236700	7031678.71	586051.67	1693	50-60	b/c	dark brown		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236701	7031685.99	586050.33	1695	50-60	b/c	dark brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236702	7031683.19	586062.59	1690	50-60	b/c	dark brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236703	7031690.93	586061.31	1690	50-60	b/c	dark grey		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236704	7031694.41	586068.71	1687	50-60	b/c	dark brown		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236705	7031700.89	586069.30	1688	50-60	b/c	dark grey		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236706	7031699.91	586078.84	1686	60-70	b/c	light brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236707	7031710.95	586078.67	1684	60-70	b/c	light brown		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236708	7031710.36	586087.36	1678	60-70	b/c	dark brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236709	7031719.45	586087.77	1678	50-60	b/c	light brown		10		90			till	moist	buck brush	ridge top	
13-Sep-11	D. Blampkin	1236710	7031719.23	586095.14	1673	60-70	b/c	light brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236711	7031744.06	586082.70	1680	50-60	b/c	light grey		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236712	7031748.86	586078.19	1685	60-70	b/c	dark brown		10		90			till	moist	alpine	ridge top	
13-Sep-11	D. Blampkin	1236713	7031757.87	586084.19	1682	50-60	b/c	dark brown		10		90			till	moist	alpine	ridge top	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
13-Sep-11	D. Blampkin	1236714	7031762.97	586080.38	1684	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236715	7031765.99	586087.68	1683	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236716	7031771.11	586082.21	1686	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236717	7031774.50	586090.78	1682	60-70	b/c	dark grey		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236718	7031780.92	586087.35	1686	40-50	b/c	light brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236719	7031783.25	586091.96	1683	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236720	7031787.21	586086.19	1687	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236721	7031790.53	586089.98	1686	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236722	7031793.17	586087.99	1690	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
13-Sep-11	D. Blampkin	1236723	7031794.00	586087.00		50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	no coordinates in gps, location from field notes and sample book
14-Sep-11	D. Blampkin	1236723	7031789.69	586097.13	1677	60-70	b/c	dark brown		10		90			till	moist	alpine	mid slope	duplicate sample name, doesn't match coordinates in sample book
14-Sep-11	D. Blampkin	1236724	7031792.72	586093.77	1682	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236725	7031799.10	586093.61	1686	50-60	b/c	dark brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236726	7031798.76	586100.05	1686	50-60	b/c	dark grey		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236727	7031797.55	586104.16	1684	50-60	b/c	dark brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236728	7031801.94	586094.53	1689	50-60	b/c	dark grey		10		70			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236729	7031801.44	586100.51	1687	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236730	7031801.66	586104.09	1686	50-60	b/c	dark brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236731	7031804.37	586096.05	1689	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236732	7031805.71	586101.86	1687	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236733	7031805.22	586104.28	1686	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236734	7031809.44	586097.53	1689	50-60	b/c	dark brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236735	7031809.54	586100.68	1689	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236736	7031810.73	586105.10	1686	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236737	7031813.92	586097.38	1690	50-60	b/c	dark grey		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236738	7031813.22	586101.01	1688	50-60	b/c	dark brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236739	7031818.04	586105.35	1687	60-70	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236740	7031816.58	586101.52	1692	50-60	b/c	dark grey		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236741	7031817.49	586101.70	1689	60-70	b/c	dark brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236742	7031816.25	586104.83	1687	50-60	b/c	dark brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236743	7031821.10	586101.94	1690	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236744	7031824.64	586098.52	1690	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236745	7031822.36	586107.15	1689	50-60	b/c	dark grey		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236746	7031825.82	586099.97	1692	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236747	7031827.88	586104.40	1690	50-60	b/c	light brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236748	7031827.81	586111.61	1689	50-60	b/c	dark brown		10		90			till	moist	alpine	mid slope	
14-Sep-11	D. Blampkin	1236749	7031830.44	586101.30	1690	60-70	b/c	light brown		10		90			till	moist	buck brush	mid slope	
14-Sep-11	D. Blampkin	1236750	7031831.44	586108.94	1689	50-60	b/c	light brown		10		90			till	moist	buck brush	mid slope	
14-Sep-11	C. Jones	1236751	7031830.75	586111.22	1689														no sample descriptions
14-Sep-11	C. Jones	1236752	7031834.04	586110.60	1688														no sample descriptions
14-Sep-11	C. Jones	1236753	7031840.02	586107.25	1689														no sample descriptions
14-Sep-11	C. Jones	1236754	7031841.84	586110.59	1688														no sample descriptions
14-Sep-11	C. Jones	1236755	7031846.10	586106.31	1690														no sample descriptions
14-Sep-11	C. Jones	1236756	7031852.33	586111.75	1686														no sample descriptions
14-Sep-11	C. Jones	1236757	7031854.13	586106.96	1687														no sample descriptions
14-Sep-11	C. Jones	1236758	7031861.01	586111.61	1684														no sample descriptions
14-Sep-11	C. Jones	1236759	7031865.29	586107.21	1687														no sample descriptions
14-Sep-11	C. Jones	1236760	7031869.06	586113.41	1682														no sample descriptions
14-Sep-11	C. Jones	1236761	7031874.69	586106.79	1677														no sample descriptions
14-Sep-11	C. Jones	1236762	7031881.10	586116.00	1675														no sample descriptions
14-Sep-11	C. Jones	1236763	7031888.34	586111.08	1678														no sample descriptions
14-Sep-11	C. Jones	1236764	7031898.79	586118.25	1678														no sample descriptions
14-Sep-11	C. Jones	1236765	7031910.17	586117.87	1678														no sample descriptions
14-Sep-11	C. Jones	1236766	7031922.30	586118.43	1675														no sample descriptions
14-Sep-11	C. Jones	1236767	7031933.63	586122.05	1675														no sample descriptions
12-Sep-11	G. Genois	1236801	7033144.98	582271.34	1434	60-70	c	light brown		10		90			weathered bedrock	dry	tundra	ridge top	
12-Sep-11	G. Genois	1236802	7033118.71	582229.60	1435	20-30	c	light brown	5	10				85	weathered bedrock	dry	tundra	ridge top	
12-Sep-11	G. Genois	1236803	7033075.84	582142.08	1427	40-50	c	light brown		20				80	weathered bedrock	dry	tundra	ridge top	
12-Sep-11	G. Genois	1236804	7033046.44	582099.79	1426	30-40	c	light brown		40				60	weathered bedrock	dry	tundra	ridge top	
12-Sep-11	G. Genois	1236805	7033024.23	582050.26	1424	30-40	c	light brown		30			10	60	weathered bedrock	dry	tundra	ridge top	
12-Sep-11	G. Genois	1236806	7033002.29	582013.59	1421	30-40	c	light brown		30				70	weathered bedrock	dry	tundra	ridge top	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
12-Sep-11	G. Genois	1236807	7032983.06	581969.59	1411	20-30	c	light brown	5	20				75	weathered bedrock	dry	tundra	ridge top	
12-Sep-11	G. Genois	1236808	7032952.83	581924.05	1408	60-70	c	light brown		10				90	weathered bedrock	dry	tundra	mid slope	
12-Sep-11	G. Genois	1236809	7032924.54	581881.20	1405	50-60	c	light brown	5	15				80	weathered bedrock	dry	tundra	mid slope	
12-Sep-11	G. Genois	1236810	7032900.40	581831.35	1395	60-70	c	light brown		30				70	weathered bedrock	moist	tundra	mid slope	
12-Sep-11	G. Genois	1236811	7032879.92	581790.62	1391	30-40	c	light brown		20				80	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236812	7032852.32	581748.17	1388	40-50	c	light brown		20			20	60	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236813	7032827.29	581707.81	1385	40-50	c	light brown		40				60	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236814	7032803.95	581665.00	1382	40-50	c	light brown		20			20	60	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236815	7032777.36	581619.40	1379	50-60	c			10				90	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236816	7032748.93	581577.98	1380	60-70	c	light grey		10				90	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236817	7032730.69	581536.49	1378	50-60	c	light brown		10			30	60	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236818	7032711.23	581490.34	1376	50-60	c	light grey		50				50	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236819	7032693.81	581436.46	1376	50-60	c	light brown		30				70	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236820	7032669.83	581395.58	1376	50-60	c	light brown		50				50	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236821	7032650.56	581343.73	1373	50-60	c	light brown		10				90	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236822	7032630.79	581301.37	1373	30-40	c	light brown		30			30	40	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236823	7032616.68	581254.68	1366	30-40	b/c	light brown		30			30	40	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236824	7032586.72	581215.65	1364	40-50	c	light brown		10				90	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236825	7032569.73	581168.58	1359	50-60	b/c	dark brown		30			20	50	weathered bedrock	dry	buck brush	mid slope	
12-Sep-11	G. Genois	1236826	7029365.70	583118.18	1701	60-70	c	light brown		30				70	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	G. Genois	1236827	7029371.69	583165.12		40-50	c	light brown		30			20	50	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	G. Genois	1236828	7029509.50	583204.73	1706	30-40	c	light brown		30			20	50	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	G. Genois	1236829	7029549.57	583228.03	1706	20-30	c	dark brown		20				80	weathered bedrock	wet	alpine	ridge top	
12-Sep-11	G. Genois	1236830	7029585.38	583255.52	1703	50-60	c	light brown		20			50	30	weathered bedrock	dry	alpine	ridge top	
12-Sep-11	G. Genois	1236831	7031646.66	586001.26	1716	30-40	c	light brown	10	60			30		weathered bedrock	dry	alpine	ridge top	
12-Sep-11	G. Genois	1236832	7031652.26	585999.88	1721	30-40	c	light brown	10	50			40		weathered bedrock	dry	alpine	ridge top	
12-Sep-11	G. Genois	1236833	7031654.81	586002.35	1719	30-40	c	light brown	10	50			40		weathered bedrock				no sample description in field notes
12-Sep-11	G. Genois	1236834	7031659.82	586000.87	1718	20-30	c	light brown	10	50			40		weathered bedrock				no sample description in field notes
12-Sep-11	G. Genois	1236835	7031658.78	586007.25	1709	20-30	b/c	dark brown	10	60			30						no sample description in field notes
12-Sep-11	G. Genois	1236836	7031663.48	586004.92	1716	40-50		light brown	15	65			20		weathered bedrock	dry	alpine	ridge top	
12-Sep-11	G. Genois	1236837	7031668.07	586014.93	1709	40-50	c	light brown	15	45			40		weathered bedrock	dry	alpine	mid slope	
12-Sep-11	G. Genois	1236838	7031672.98	586011.64	1711	50-60	c	light brown	5	20			25	50	weathered bedrock	dry	alpine	mid slope	
12-Sep-11	G. Genois	1236839	7031676.74	586018.32	1710	20-30	c	light brown	10	40		20	30		weathered bedrock	dry	alpine	mid slope	
12-Sep-11	G. Genois	1236840	7031681.68	586014.69	1709	40-50	c	light brown		40			40	20	weathered bedrock	dry	alpine	mid slope	
12-Sep-11	G. Genois	1236841	7031679.59	586026.67	1707	40-50	c	light brown	10	30				60	weathered bedrock	dry	alpine	mid slope	
12-Sep-11	G. Genois	1236842	7031691.74	586012.66	1706	10-20	c	light brown	10	25			65		weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236843	7031678.28	586032.51	1696	20-30	c	light brown	20	50			30		weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236844	7031684.69	586034.34	1699	30-40	c	light brown	10	40		30			weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236845	7031683.59	586038.74	1697	20-30	c	light brown	10	20		40	30		weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236846	7031692.74	586036.11	1705	30-40	c	light brown	10	40		10		40	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236847	7031696.11	586047.40	1697	20-30	b/c	dark brown	20	20			60		weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236848	7031704.73	586044.29	1701	30-40	c	light brown	10	30			40	20	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236849	7031710.38	586057.21	1696	20-30	c	light brown		20		80			weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236850	7031711.64	586068.01	1691	20-30	c	light brown	10	40			50		weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236851	7031722.43	586068.06	1694	40-50	c	light brown		20		40	40		weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236852	7031722.24	586085.85	1682	30-40	c	light brown	10	30			10	50	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236853	7031734.19	586076.79	1688	30-40	c	light brown	10	30			40	20	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236854	7031747.81	586074.46	1684	30-40	b/c	light brown		30			50	20	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236855	7031757.08	586072.34	1688														no gps location, no field description, averaged location based
13-Sep-11	G. Genois	1236856	7031766.36	586070.21	1692	20-30	c	light brown		40		30		30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236857	7031774.85	586069.02	1686	20-30	b/c	light brown	15	25				60	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236858	7031774.71	586080.23	1683	30-40	c	light brown	10	30			30	30	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236859	7031783.34	586077.03	1685	20-30	c	dark brown	10	30			40	20	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236860	7031787.27	586084.44	1684	20-30	c	light brown	15	25				60	weathered bedrock	dry	alpine	mid slope	
13-Sep-11	G. Genois	1236861	7031791.56	586081.79	1687	50-60	c	light brown	10	30			30	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236862	7031795.61	586089.16	1686	20-30	b/c	dark brown	10	50			40		weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236863	7031798.51	586086.14	1688	30-40	c	light brown		40				60	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236864	7031801.11	586092.35	1688	30-40	c	light brown	10	30			40	20	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236865	7031805.47	586087.92	1690	30-40	c	light brown		30				70	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236866	7031806.29	586092.97	1692	40-50	c	light brown	5	45				50	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236867	7031809.73	586090.70	1693	50-60	c	light brown		35				65	weathered bedrock	dry	alpine	mid slope	

Date	Soil Sampler	Sample Number	UTM Northing	UTM Easting	Elevation	Sample Depth (cm)	Horizon Sampled	Sample Colour	Sample Comp. %						Parent Material	Moisture Content	Vegetation Cover	Topo Position	Comment
									Organics	Ang.	Gravel	Sand	Silt	Clay					
14-Sep-11	G. Genois	1236868	7031813.98	586095.33	1691	30-40	c	light brown		30			20	50	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236869	7031815.41	586091.74	1693	30-40	c	light brown	10	40				50	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236870	7031818.60	586095.00	1692	20-30	b/c	light brown	15	35				50	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236871	7031821.51	586091.73	1695	20-30	c	light brown		40			60		weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236872	7031822.39	586098.60	1690	20-30	c	light brown		30		20		50	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236873	7031827.14	586091.33	1697	30-40	c	light brown	10	40			50		weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236874	7031828.48	586096.25	1693	10-20	b/c	dark brown	10	40			50		weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236875	7031830.60	586092.52	1694	20-30	c	light brown		50			50		weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236876	7031831.06	586097.48	1693	20-30	c	light brown		40				60	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236877	7031835.13	586093.00	1698	50-60	c	light brown		30				70	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236878	7031833.90	586098.77	1693	40-50	c	light brown		40			60		weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236879	7031839.28	586096.47	1696	40-50	c	light brown		40			60		weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236880	7031838.17	586101.89	1692	40-50	c	light brown		30		20	50		weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236881	7031843.35	586099.39	1695	30-40	c	light brown	5	35			60		weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236882	7031843.37	586101.96	1688	20-30	c	light brown	10	30				70	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236883	7031849.60	586099.41	1690	30-40	c	light brown		30			70		weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236884	7031851.82	586103.56	1690	40-50	b/c	light brown		30			30	70	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236885	7031853.12	586098.60	1689	30-40	c	light brown	10	30			30	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236886	7031858.33	586102.25	1688	20-30	c	light brown		30			40	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236887	7031864.76	586098.78	1687	20-30	c	light brown		30			40	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236888	7031869.05	586103.01	1684	20-30	c	light brown		40			30	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236889	7031870.18	586100.39	1689	20-30	c	light brown		40			30	30	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236890	7031885.31	586106.52	1684	20-30	c	light brown		40			20	40	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236891	7031896.58	586106.32	1684	30-40	c	light brown		40			30	30	weathered bedrock	dry	alpine	mid slope	no coordinates recorded, coordinates averaged based on
14-Sep-11	G. Genois	1236892	7031907.85	586106.12	1684	30-40	c	light brown		30			30	40	weathered bedrock	dry	alpine	mid slope	
14-Sep-11	G. Genois	1236893	7031921.09	586107.31	1683	40-50	b/c	dark brown	25	35			20	20	weathered bedrock	dry	alpine	mid slope	
15-Sep-11	T. Barrette	1236894	7037264.29	567006.87	1640	40-50	b/c	dark brown		25				85	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1236895	7037288.78	567046.58	1640	40-50	b/c	dark brown	40					60	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1236896	7037305.53	567089.48	1637	40-50	b/c	dark brown	40					60	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1236897	7037330.28	567135.17	1637	40-50	b/c	dark brown	50					50	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1236898	7037337.21	567189.25	1636	30-40	b/c	dark brown		20				80	weathered bedrock	moist	alpine	ridge top	
15-Sep-11	T. Barrette	1236899	7037358.15	567251.09	1642	30-40	b/c	dark brown		40				60	weathered bedrock	moist	alpine	ridge top	

DRUID EXPLORATION

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1211651	16-Jul-11	7028555.66	582041.97	1812	1.9	17.3	17	80	<0.1	18.3	6.1	238	2.69	14.3	1.3	0.7	9	0.3	1.3	0.2	58	0.08	0.044	10	24	0.3	112	0.032	2	1.15	0.004	0.06	0.3	0.05	1.4	0.1	0.05	5	<0.5	<0.2	WHI11000910
1211652	16-Jul-11	7028593.98	582076.17	1808	2.3	17.4	19.3	70	0.1	15.7	5.8	202	2.27	13.6	2.3	0.7	8	0.2	1.1	0.3	52	0.05	0.051	11	21	0.22	90	0.015	1	1.29	0.004	0.04	0.4	0.05	1	0.2	<0.05	5	0.6	<0.2	WHI11000910
1211653	16-Jul-11	7028634.95	582103.33	1794	2.1	19.7	19.6	57	<0.1	14.3	4.9	192	2.05	12	3.8	0.7	9	0.2	1.3	0.3	47	0.04	0.057	17	17	0.11	79	0.017	<1	0.76	0.004	0.05	0.4	0.03	0.8	0.2	0.06	4	<0.5	<0.2	WHI11000910
1211654	16-Jul-11	7028671.88	582132.89	1791	1.3	27.1	31.1	133	0.2	31.7	13.1	531	2.12	25.6	2.6	7	15	0.8	1.8	0.2	28	0.14	0.058	29	15	0.27	169	0.03	<1	0.77	0.005	0.09	0.3	0.02	1.8	0.1	<0.05	2	<0.5	<0.2	WHI11000910
1211655	16-Jul-11	7028719.62	582143.42	1786	1.4	23.5	20.4	118	<0.1	37.3	17.5	652	1.89	27.6	2.7	4.9	14	1	1.2	0.2	29	0.16	0.068	21	15	0.27	126	0.028	<1	0.8	0.004	0.07	0.3	0.02	1.9	<0.1	<0.05	2	<0.5	<0.2	WHI11000910
1211656	16-Jul-11	7028769.59	582156.69	1780	1.6	29.4	29.1	139	0.2	41.6	26.9	1222	2.35	24.2	2.8	7.9	14	1	1.4	0.2	31	0.14	0.068	21	17	0.27	187	0.028	<1	0.88	0.004	0.08	0.3	0.02	2	0.1	<0.05	2	<0.5	<0.2	WHI11000910
1211657	16-Jul-11	7028789.35	582206.50	1762	1.4	36	29.4	135	0.2	46.6	17	1261	2.62	30.6	5.2	11.8	14	0.6	1.4	0.3	23	0.16	0.064	46	15	0.29	124	0.02	1	0.79	0.004	0.1	0.3	0.03	2.1	0.2	<0.05	2	<0.5	<0.2	WHI11000910
1211658	16-Jul-11	7028809.54	582258.73	1762	1.2	23.2	26.8	104	0.1	22.7	9.7	565	2.1	41.2	10.8	5.9	14	0.7	1.4	0.2	26	0.14	0.059	27	16	0.27	189	0.019	<1	0.8	0.004	0.07	0.3	0.02	1.7	0.1	<0.05	2	<0.5	<0.2	WHI11000910
1211659	16-Jul-11	7028819.20	582313.65	1760	1.2	46.1	25.7	105	0.1	42.4	15.3	967	3.04	13.5	1.4	9	17	0.6	1.7	0.4	23	0.29	0.065	39	16	0.44	171	0.027	1	1.03	0.004	0.14	0.2	0.02	2.4	0.2	<0.05	3	<0.5	<0.2	WHI11000910
1211660	16-Jul-11	7028836.95	582377.80	1749	1.8	28.6	18.8	84	0.1	25.9	9.7	419	2.65	12.9	2.7	4.6	14	0.3	1.4	0.3	35	0.12	0.06	22	19	0.36	117	0.022	<1	1	0.007	0.07	0.5	0.02	1.7	0.1	<0.05	3	<0.5	<0.2	WHI11000910
1211661	16-Jul-11	7028889.71	582406.58	1743	1.4	22	26.8	82	<0.1	22.1	12.2	594	3.08	85.6	15.7	3.2	8	0.3	2.2	0.3	31	0.06	0.046	20	20	0.32	75	0.015	1	1.12	0.004	0.06	0.2	0.02	1.5	0.2	<0.05	3	<0.5	<0.2	WHI11000910
1211662	16-Jul-11	7028886.62	582467.18	1740	3.8	19.8	53.7	97	0.5	21.8	22.4	3482	4.16	170.7	10.4	1.1	8	0.7	2.2	0.6	38	0.13	0.181	14	22	0.11	252	0.006	2	1.1	0.005	0.11	0.3	0.08	1.1	0.2	0.11	4	<0.5	<0.2	WHI11000910
1211663	16-Jul-11	7028899.88	582501.54	1736	1.1	20.3	36.8	124	0.1	30.2	13.5	724	2.25	30.9	6.8	6.7	7	0.6	1.8	0.3	19	0.07	0.046	32	13	0.2	73	0.015	<1	0.8	0.003	0.1	0.1	0.02	1.3	0.2	<0.05	2	<0.5	<0.2	WHI11000910
1211664	16-Jul-11	7028922.39	582547.66	1732	0.7	31.6	22.4	123	0.3	31.5	10.6	715	2.85	226.6	102	6.7	5	0.4	3.2	0.3	14	0.09	0.044	33	9	0.13	71	0.007	1	0.67	0.003	0.1	0.1	0.04	1.8	0.1	<0.05	2	<0.5	<0.2	WHI11000910
1211665	16-Jul-11	7028947.04	582594.77	1729	1.4	29.7	22.3	97	0.2	24.4	8.9	378	2.32	88.5	25.7	5.4	9	0.4	1.9	0.3	27	0.09	0.057	23	14	0.23	93	0.021	1	0.81	0.004	0.08	0.3	0.03	1.9	0.1	<0.05	2	<0.5	<0.2	WHI11000910
1211666	16-Jul-11	7028959.18	582635.06	1721	1.5	22.5	16.3	57	<0.1	19.7	6.5	212	2.47	72.1	0.9	0.9	7	0.1	1.5	0.3	41	0.04	0.036	19	19	0.17	81	0.012	<1	1	0.003	0.04	0.2	0.02	0.9	0.2	<0.05	4	<0.5	<0.2	WHI11000910
1211667	16-Jul-11	7028987.44	582687.32	1711	1.2	33.8	20.6	88	0.2	28.8	11.4	539	2.68	25.7	3.1	5.9	8	0.3	1.6	0.3	25	0.06	0.052	30	16	0.26	124	0.014	<1	0.94	0.004	0.08	0.2	0.03	1.7	0.2	<0.05	3	<0.5	<0.2	WHI11000910
1211668	16-Jul-11	7029015.72	582730.33	1706	1.9	29.7	22	93	0.1	27.8	10.8	524	3.04	20.3	5.5	1.3	12	0.4	1.3	0.3	52	0.1	0.083	18	27	0.42	119	0.024	2	1.5	0.006	0.07	0.3	0.05	1.8	0.2	<0.05	5	0.6	<0.2	WHI11000910
1211669	16-Jul-11	7029038.54	582771.38	1703	1.6	31.7	18.7	87	0.2	30.7	12.5	613	2.63	27.6	6.1	6.2	14	0.4	1.7	0.2	32	0.15	0.067	23	19	0.33	119	0.029	1	0.94	0.005	0.06	0.4	0.05	2.1	0.1	<0.05	3	<0.5	<0.2	WHI11000910
1211670	16-Jul-11	7029073.27	582803.20	1706	1.7	25.4	15.6	79	<0.1	25.2	8.4	318	2.74	44	5.7	2.3	11	0.3	1.5	0.3	45	0.08	0.043	18	27	0.36	152	0.023	<1	1.17	0.005	0.07	0.3	0.02	1.8	0.1	<0.05	4	<0.5	<0.2	WHI11000910
1211671	25-Jul-11	7016865.62	581732.84	1833	1.1	109.1	8.8	106	0.3	65.7	17	608	5.92	27.7	106.9	9.8	33	0.3	0.6	1.3	42	0.4	0.079	21	38	0.39	91	0.063	2	1.65	0.011	0.08	0.9	0.03	3.8	0.1	0.14	6	<0.5	0.3	WHI11000896
1211672	25-Jul-11	7017486.03	581169.52	1763	1.2	24.4	45.2	77	<0.1	24.8	8.8	415	2.12	164.1	113.1	3.3	10	0.4	0.8	0.3	38	0.12	0.061	14	19	0.24	98	0.027	<1	1.17	0.004	0.06	1.4	0.04	1.5	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1211673	25-Jul-11	7019045.24	580278.78	1573	1.9	107.8	45.8	63	0.6	24.4	14.1	216	2.59	16.3	5.1	0.6	10	0.2	0.8	0.8	47	0.06	0.055	13	21	0.23	83	0.022	<1	1.03	0.004	0.05	0.2	0.06	0.8	0.1	0.08	5	<0.5	<0.2	WHI11000896
1212151	16-Jul-11	7031051.08	584882.65	1780	1.3	26.8	16.3	56	<0.1	20	8.5	271	2.75	31.3	2.7	1.5	6	0.1	1.8	0.5	37	0.03	0.041	14	21	0.33	99	0.018	1	1.01	0.002	0.09	0.2	0.04	1	0.2	<0.05	4	<0.5	<0.2	WHI11000910
1212152	16-Jul-11	7031035.50	584812.74	1771	1.2	31	12.2	53	<0.1	21.5	9.3	286	2.79	22.3	2.2	1.6	7	0.1	1.2	0.3	46	0.05	0.035	12	26	0.5	106	0.039	<1	1.19	0.003	0.11	0.2	0.04	1.3	0.1	<0.05	4	<0.5	<0.2	WHI11000910
1212153	16-Jul-11	7031011.77	584777.91	1766	0.9	33.5	25.9	63	<0.1	36.6	16.7	383	2.68	13.1	3.6	8.4	9	0.1	1.8	0.2	39	0.08	0.034	22	30	0.48	98	0.052	<1	1.11	0.003	0.26	<0.1	0.02	2.2	0.3	<0.05	3	<0.5	<0.2	WHI11000910
1212154	16-Jul-11	7030997.12	584736.58	1758	0.8	32.5	15	56	<0.1	27.2	12.7	356	3	21.1	4.6	4	6	<0.1	1.3	0.3	43	0.05	0.026	15	32	0.61	86	0.044	<1	1.25	0.002	0.17	0.1	0.03	1.7	0.2	<0.05	4	<0.5	<0.2	WHI11000910
1212155	16-Jul-11	7030977.49	584697.04	1752	0.8	29.8	18.8	56	<0.1	26.9	12	433	2.84	16.3	2.4	3.7	6	<0.1	1.4	0.3	38	0.04	0.031	16	33	0.5	98	0.043	<1	1.13	0.002	0.19	0.1	0.03	1.5	0.2	<0.05	4	<0.5	<0.2	WHI11000910
1212156	16-Jul-11	7030958.31	584648.89	1744	0.6	44.4	20.2	67	<0.1	118.1	28	749	4.47	21.4	0.7	9.5	19	<0.1	5.5	0.2	123	0.21	0.072	22	321	2.09	165	0.068	<1	2.38	0.003	0.26	<0.1	0.02	8	0.3	<0.05	7	<0.5	<0.2	WHI11000910
1212157	16-Jul-11	7030957.44	584594.16	1736	0.7	49.4	25.7	79	0.1	44.2	21.2	939	3.96	8.8	3.2	12.5	25	<0.1	1.5	0.4	57	0.2	0.047	42	57	1.19	113	0.063	<1	1.91	0.003	0.46	<0.1	0.03	4.2	0.3	<0.05	6	<0.5	<0.2	WHI11000910
1212158	16-Jul-11	7030923.99	584553.61	1734	0.7	33.3	21.2	65	<0.1	34.4	14.8	396	3.19	9.9	1.6	7.6	7	0.1	1.3	0.3	41	0.03	0.023	20	42	0.71	95	0.048	<1	1.41	0.002	0.27	<0.1	0.02	2.3	0.3	<0.05	4	<0.5	<0.2	WHI11000910
1212159	16-Jul-11	7030894.79	584511.87	1732	0.8	40.7	24.6	70	<0.1	38.7	17	536	3.27	16.7	9.5	8.9	9	0.1	1.7	0.5	36	0.05	0.032	27	44	0.73	107	0.049	2	1.47	0.003	0.28	<0.1	0.03	2.6	0.3	0.14	4	<0.5	<0.2	WHI11000910
1212160	16-Jul-11	7030873.47	584468.01	1725	1.2	35.9	22.3	62	<0.1	29.4	13.1	511	3.23	25.6	4.9	3.7	8	0.1	1.8	0.5	37	0.04	0.036	19	33	0.48	115	0.026	1	1.27	0.003	0.16	0.1	0.03	1.7	0.2	0.05	4	0.8	<0.2	WHI11000910
1212161	16-Jul-11	7030847.50	584427.02	1716	0.9	45.1	21.6	68	0.2	38.9	17	501	3.58	20.7	4.3	7.3	12	0.1	1.6	0.5	43	0.09	0.042	22	46	0.74	158	0.046	2	1.55	0.004	0.21	0.1	0.04	2.6	0.2	<0.05	4	0.6	<0.2	WHI11000910
1212162	16-Jul-11	7030820.83	584376.74	1709	1.3	30.2	15	66	0.1	25.3	10.9	422	3.15	37.3	2.4	3.1	6	0.1	1.7	0.5	43	0.05	0.036	17	29	0.53	96	0.042	<1	1.32	0.003	0.1	0.2	0.03	1.7	0.1	0.05	4	0.6	<0.2	WHI11000910
1212163	16-Jul-11	7030798.63	584339.42	1704	1	37.8	19.8	66	0.1	34.7	13.8	452	3.59	24.1	2.9	4.7	6	<0.1	2.6	0.4	39	0.04	0.034	20	49	0.63	92	0.038	<1	1.42	0.003	0.18	<0.1	0.03	2.2	0.2	0.1	4	<0.5	<0.2	WHI11000910
1212164	16-Jul-11	7030777.44	584289.34	1698	0.8	38.3	17.9	67	<0.1	35.5	16.6	535	3.25	25.4	3.8	7.1	6	0.2	2.8	0.3	36	0.06	0.03	19	39	0.68	91	0.04	<1	1.43	0.003	0.17	0.2	0.03	2.3	0.2	0.1	4	0.5	<0.2	WHI11000910
1212165	16-Jul-11	7030749.84	584257.33	1697	1.2	36.3	20.4	70	0.1	40.4	16.2	519	3.27	26.1	4.4	8.2	8	0.2	3.4	0.4	32	0.05	0.036	24	41	0.59	137	0.027	<1	1.37	0.003	0.2	0.1	0.04	2.5	0.2	0.12	4	<0.5	<0.2	WHI11000910
1212166	16-Jul-11	7030726.28	584204.85	1699	1.5	28.8	17.8	63	<0.1	18.9	8.4	340	2.7	32.5	2.6	1.5	6	0.1	1.8	0.5	33	0.03	0.044	19	21	0.34	108	0.011	<1	1.18	0.003	0.1	0.2	0.06	1.1	0.1	0.19	4	<0.5	<0.2	WHI11000910
1212167	16-Jul-11	7030696.29	584158.59	1694	1.2	31.6	19.5	74	<0.1	31.2	15.1	502	2.88	28.9	2.9	9	7	0.2	2.3	0.5	31	0.04	0.026	27	31	0.47	124	0.023	1	1.37	0.004	0.13	0.2	0.04	2	0.2	0.08	3	0.6	<0.2	WHI11000910
1212168	16-Jul-11	7030689.65	584112.20	1688	1.3	27.6	19.2	60	<0.1	23.3	9.5	391	3.02	15.7	1.5	2.3	6	0.1	2.1	0.4	35	0.03	0.036	19	34	0.37	82	0.012	<1	1.29	0.003	0.13	0.2	0.05	1.3	0.1	0.21	4	0.8	<0.2	WHI11000910
1212169	16-Jul-11	7030657.05	584071.82	1669	0.8	39.7	26.1	71	0.1	36.5	15.6	531	3.45	12.9	1.5	7.3	7	<0.1	2	0.4	32	0.04	0.027	24	38	0.59	85	0.031	1	1.52	0.003	0.18	0.1	0.03	2	0.2	0.06	4	<0.5	<0.2	WHI11000910
1212170	16-Jul-11	7030640.43	584026.17	1663	1.1	37.2	19.7	68	<0.1	32.9	13.6	447	3.03	16.9	3.9	4.6	7	0.1	1.6	0.3	37	0.05	0.026	24	35	0.5	75	0.032	<1	1.36	0.004	0.11	0.3	0.04	1.7	0.1	0.07	4	0.6	<0.2	WHI11000910
1212171	16-Jul-11	7030610.97	583985.51	1658	1.1	33.1	20.1	61	0.2	28.7	13	393	2.97	18.1	1.6	4.7	7	0.1	1.8	0.3	32	0.04	0.026	22	29	0.48	73	0.025	<1	1.37	0.003	0.1	0.2	0.06	1.6	0.1	0.09	4	0.7	<0.2	WHI11000910
1212172	16-Jul-11	7030595.54	583931.33	1655	1.6	23.3	18.3	69	<0.1	25	11.8	459	3.04	18.5	2	4	8	0.2	1.5	0.3	44	0.06	0.031	17	28	0.5	106	0.034	1	1.5	0.004	0.11	0.2	0.04	2	0.1	0.07	5	0.6	<0.2	WHI11000910
1212173	16-Jul-11	7030566.85	583894.46	1654	1.8	26.3	16.3	65	0.2	21.3	9.4	318	2.91	19.1	2.8	2.7	9	<0.1	1.4	0.3	45	0.06	0.053	17	26	0.44	150	0.018	1	1.61	0.005	0.08	0.2	0.06	2.1	0.2	0.08	5	0.7	<0.2	WHI11000910
1212174	16-Jul-11	7030551.30	583845.29	1654	1	37	18.2	65	<0.1	31.9	13.9	370	3.13	22.3	<0.5	4.2	7	0.2	1.6	0.3	40	0.06	0.029	17	33	0.57	111	0.034	1	1.52	0.004	0.1	0.2	0.03	1.8	0.2	<0.05	4	<0.5	<0.2	WHI11000910
1212175	16-Jul-11	7030530.30	583807.80	1649	1.1	32.9	13.9	64	<0.1	26.8	10.3	304	2.94	40.9	2.6	3.8	7	0.1	1.4	0.5	44	0.06	0.023	17	30	0.56	89	0.037	<1	1.48	0.004	0.1	0.2	0.05	1.8	0.1	0.16	4	<0.5	<0.2	WHI11000910
1212176	16-Jul-11	7030500.88	583764.98	1645	1.1	30.5	11.1	57	<0.1	22.6	9.6	340	2.75	28.3	1.5	2.8	6	0.1	1.2	0.3	46	0.06	0.024	14	28	0.52	66	0.066	<1	1.32	0.003	0.08	0.2	0.03	1.6	0.1	0.07	4	<0.5	<0.2	WHI11000910
1212177	16-Jul-11	7030459.79	583734.15	1643	1	25.2	13.3	64	0.2	27.4	12.1	402	2.64	26	4.6	3.8	9	0.2	1.2	0.2	37	0.09	0.039	13	29	0.5	97	0.043	1	1.57	0.006	0.08	0.2	0.05	2.1	0.1	0.15	4	0.7	<0.2	WHI11000910
1212178	16-Jul-11	7030407.98	583718.43	1639	0.9	24.9	9.1	57	<0.1	25	9.4	265	1.96	12.3	2.4	3.6	8	0.1	0.9	0.2	35	0.09	0.022	11	21	0.4	89	0.036	2	1.16	0.006	0.07	0.2	0.04	1.9	<0.1	0.15	3	<0.5	<0.2	WHI11000910
1212179	16-Jul-11	7030363.61	583695.20	1630	1	43.5	21.1	74	<0.1	37.4	16.5	456	3.2	18.2	2.2	6	9	0.1	1.4	0.3	43	0.08	0.035	23	40	0.68	120	0.044	2	1.81	0.006	0.15	0.3	0.04	2.6	0.2	0.15	5	<0.5	<0.2	WHI11000910
1212180	17-Jul-11	7032522.92	586643.19	1554	1	128.3	15	92	0.4	58	35.3	1157	6.34	205.4	17	2.3	10	0.1	12.7	0.3	106	0.19	0.071	10	74	1.43	125	0.07	1	2.73	0.004	0.27	<0.1	0.05	6.2	0.3	0.21	8	<0.5	<0.2	WHI11000910
1212181	17-Jul-11	7032551.72	586680.17	1550	1.1	106.7	13	89	0.1	69.7	32.8	766	5.75	25.3	0.7	2.8	6	0.1	8.5	0.2	92	0.16	0.039	10	67	1.31	78	0.115	<1	2.48	0.003	0.4	<0.1	0.02	4	0.3	0.17	7	<0.5	<0.2	WHI11000910
1212182	17-Jul-11	7032583.05	586720.61	1542	0.8	141.1	9.9	86	0.1	80.7	37.6	620	5.41	10.1	1.1	2.2	6	0.1	2.5	0.2	87	0.13	0.027	7	62	1.3	75	0.146	<1	2.49	0.003	0.34	<0.1	0.01	3.3	0.3	0.14	7	<0.5	<0.2	WHI11000910
1212183	17-Jul-11	7032612.68	586762.52	1536	0.6	97.2	8.2	78	<0.1	68.1	30.4	577	5.37	7.8	0.7	1.5	6	<0.1	0.6	0.1	97	0.12	0.038	4	69	1.39	71	0.129	<1	2.63	0.004	0.3	<0.1	0.02	2.9	0.3	0.12	7	<0.5	<0.2	WHI11000910
1212184	17-Jul-11	7032649.21	586805.70	1535	1	189.8	11.4	109	0.2	66.2	36.1	790	6.87	11	2.5	1.8	13	0.2	0.5	0.2	136	0.21	0.059	4	93	1.99	106	0.196	<1	3.45	0.006	0.33	<0.1	0.03	4.2	0.2	0.22	10	<0.5	<0.2	WHI11000910
1212185	17-Jul-11	7032671.59	586843.87	1531	0.7	99.6	7.9	82	<0.1	57.2	30.3	714	6.02	25.2	3.4	1.8	6	0.2	2.1	0.2	109	0.17	0.034	6	67	1.36	79	0.163	1	2.49	0.002	0.14	<0.1	0.02	4.4	<0.1	0.16	7	<0.5	<0.2	WHI11000910

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1212186	17-Jul-11	7032709.97	586886.84	1527	0.9	134.8	5.6	87	<0.1	57.7	33.7	694	5.96	11.3	0.9	1.4	8	<0.1	0.5	0.1	94	0.18	0.038	4	70	1.67	93	0.152	<1	2.78	0.006	0.5	<0.1	0.02	2.4	0.2	0.16	8	<0.5	<0.2	WHI11000910
1212187	17-Jul-11	7032737.65	586924.23	1523	0.5	135.2	6.7	85	0.1	53.3	31.2	656	5.87	9.7	1.5	1.6	10	<0.1	1.3	0.1	94	0.21	0.039	4	65	1.63	96	0.14	<1	2.88	0.004	0.52	<0.1	0.03	2.7	0.3	0.1	8	<0.5	<0.2	WHI11000910
1212188	17-Jul-11	7032765.58	586963.02	1519	0.4	148.9	4.5	85	0.1	62.9	31.9	654	5.9	9	1.9	1.2	6	<0.1	1.8	<0.1	120	0.24	0.031	4	78	1.64	92	0.144	<1	2.82	0.003	0.56	<0.1	0.01	3.9	0.3	0.13	7	<0.5	<0.2	WHI11000910
1212189	17-Jul-11	7032798.61	587004.85	1513	0.5	119	11.6	79	0.2	49.7	25.3	632	5.91	11.3	<0.5	1.9	7	0.1	3.6	0.3	108	0.25	0.042	6	63	1.58	68	0.118	<1	2.72	0.003	0.56	<0.1	0.02	4.6	0.4	0.14	8	<0.5	<0.2	WHI11000910
1212190	17-Jul-11	7032824.37	587044.97	1505	0.5	92.5	10.9	76	0.1	50.9	28.8	662	5.18	9.6	1.8	1.6	8	<0.1	1.4	0.2	112	0.29	0.031	4	69	1.57	92	0.14	<1	2.63	0.005	0.53	<0.1	0.02	3.2	0.3	0.09	8	<0.5	<0.2	WHI11000910
1212191	17-Jul-11	7032857.46	587084.17	1495	0.5	82	5.7	77	<0.1	43.9	20.9	498	4.96	8.6	2.5	1.8	7	<0.1	0.7	0.2	101	0.19	0.025	4	65	1.5	72	0.136	<1	2.45	0.003	0.48	<0.1	0.02	3	0.3	0.14	7	<0.5	<0.2	WHI11000910
1212192	17-Jul-11	7032886.83	587119.77	1479	0.7	81.5	6.6	76	<0.1	42.1	25.7	622	5.04	10.3	2.5	1.8	8	0.1	0.9	0.2	93	0.22	0.04	5	63	1.54	95	0.121	<1	2.44	0.004	0.42	<0.1	0.02	2.9	0.3	0.14	7	<0.5	<0.2	WHI11000910
1212193	17-Jul-11	7032929.67	587138.90	1458	0.7	71.8	7.2	68	0.1	34.7	20.6	481	4.37	10.3	2.3	2.1	7	<0.1	0.7	0.2	83	0.16	0.034	6	57	1.36	82	0.113	<1	2.33	0.003	0.3	<0.1	0.03	2.7	0.2	0.08	7	<0.5	<0.2	WHI11000910
1212194	17-Jul-11	7032985.00	587167.09	1437	0.7	78.4	6.7	77	0.1	43.4	21.3	520	5.19	8.7	2.1	1.7	8	<0.1	0.6	0.1	88	0.19	0.04	5	63	1.47	70	0.141	<1	2.63	0.003	0.33	<0.1	0.03	2.2	0.3	0.21	7	<0.5	<0.2	WHI11000910
1212195	17-Jul-11	7033032.92	587173.00	1415	0.5	130.1	6.6	86	<0.1	63.5	41.6	887	5.96	28.2	4.7	1.3	7	0.1	1.7	0.1	113	0.37	0.036	3	82	1.99	78	0.101	3	2.88	0.007	0.27	<0.1	0.01	3.2	0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212196	17-Jul-11	7033072.16	587197.41	1399	1.4	118.9	13.2	91	0.2	55.3	34.4	560	5.68	16.1	5.7	2.4	9	0.1	1.3	0.3	78	0.15	0.057	8	56	1.27	80	0.094	3	2.38	0.004	0.18	<0.1	0.05	3.1	0.1	<0.05	7	0.6	<0.2	WHI11000910
1212197	17-Jul-11	7033116.49	587220.44	1380	0.6	170.8	5.3	84	0.1	71.7	40.9	633	5.89	82.5	19.2	1	8	0.2	3.6	0.1	103	0.27	0.043	3	73	1.74	61	0.138	2	2.7	0.004	0.35	<0.1	0.02	2.8	0.2	0.05	7	<0.5	<0.2	WHI11000910
1212198	17-Jul-11	7033161.72	587235.31	1360	0.6	125.2	4.1	78	0.1	52.1	33.1	691	5.98	47.8	10.5	0.9	6	0.1	3.3	<0.1	100	0.18	0.05	3	78	1.78	64	0.102	4	2.74	0.007	0.19	0.1	0.02	2.5	<0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212199	17-Jul-11	7033209.08	587256.20	1335	0.8	96.4	4.3	80	<0.1	49.8	29.5	661	6.07	12.4	7.2	0.9	6	<0.1	0.8	<0.1	102	0.14	0.036	3	75	1.83	55	0.16	2	2.93	0.003	0.22	<0.1	0.01	1.8	<0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212200	17-Jul-11	7033254.63	587278.00	1308	0.7	105.5	7.1	73	<0.1	47.6	29.3	612	4.99	10.5	3.7	1.3	8	0.1	0.8	0.1	97	0.17	0.033	4	64	1.38	71	0.132	3	2.26	0.003	0.31	<0.1	<0.01	2.4	0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212201	17-Jul-11	7033296.84	587298.69	1287	0.5	113.1	5.9	74	<0.1	55.6	26.6	557	4.89	8.6	2.4	1.3	8	0.2	0.9	0.1	121	0.22	0.04	4	76	1.44	78	0.151	2	2.31	0.004	0.69	<0.1	<0.01	2.8	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212202	17-Jul-11	7033343.00	587316.63	1264	0.9	71.5	6.6	57	<0.1	36.2	17.6	393	3.6	9.8	3.5	1.6	9	<0.1	0.6	0.1	90	0.22	0.029	6	55	1.05	93	0.112	2	1.83	0.004	0.33	0.1	0.02	2.5	0.1	<0.05	6	<0.5	<0.2	WHI11000910
1212203	17-Jul-11	7033391.18	587332.53	1242	0.7	58.4	6.1	56	0.1	33	17.1	442	3.53	12.1	2	1.1	10	<0.1	0.5	0.1	106	0.32	0.04	6	63	1.07	113	0.112	3	1.75	0.004	0.34	0.1	0.02	2.5	<0.1	<0.05	6	<0.5	<0.2	WHI11000910
1212204	17-Jul-11	7033443.99	587337.62	1220	0.7	75.8	6.4	71	0.1	35.8	18.7	427	4.03	9.3	10.2	1.8	11	0.2	0.5	0.2	107	0.28	0.031	6	61	1.12	112	0.133	2	1.95	0.005	0.43	0.1	0.01	3.1	0.1	0.05	7	<0.5	<0.2	WHI11000910
1212205	17-Jul-11	7033496.87	587343.13	1206	0.8	68.3	6.1	67	<0.1	37.2	19	414	4	9.2	4.3	1.4	10	0.1	0.4	0.1	105	0.29	0.038	6	59	1.15	109	0.117	3	1.95	0.004	0.38	0.1	0.02	2.6	0.1	<0.05	6	<0.5	<0.2	WHI11000910
1212206	17-Jul-11	7033544.30	587351.92	1197	0.6	68.1	6.4	71	0.2	36.5	19.5	454	4	16.4	4.9	2.6	9	<0.1	0.6	0.2	84	0.22	0.05	8	54	1.18	95	0.08	1	1.94	0.004	0.33	0.1	0.01	3.2	0.1	<0.05	6	<0.5	<0.2	WHI11000910
1212207	17-Jul-11	7033595.37	587355.11	1189	0.8	38.9	8.5	46	<0.1	20.2	9.3	255	2.22	53.7	2.5	3.7	9	<0.1	1.6	0.5	30	0.14	0.044	13	18	0.41	53	0.026	2	0.83	0.003	0.09	0.3	0.01	1.4	<0.1	<0.05	3	<0.5	<0.2	WHI11000910
1212208	17-Jul-11	7033643.80	587357.97	1183	1	55.2	9	64	0.2	29.9	13.8	350	2.99	55.8	4.4	3.8	12	0.1	1.4	0.6	53	0.18	0.058	13	33	0.69	100	0.049	2	1.29	0.005	0.19	0.2	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2	WHI11000910
1212209	17-Jul-11	7033692.77	587364.94	1178	1.3	45.7	12	68	<0.1	24.4	11.6	351	2.68	46.6	7.3	4.2	14	0.2	1.4	0.5	41	0.15	0.06	16	24	0.42	142	0.026	3	1.22	0.004	0.08	0.3	0.04	2.1	<0.1	<0.05	3	<0.5	<0.2	WHI11000910
1212210	17-Jul-11	7033743.72	587372.71	1171	0.8	72.2	7.2	61	<0.1	37.9	17.8	434	3.79	60.4	6.7	2.8	8	<0.1	1.6	0.5	64	0.16	0.042	8	45	1.03	65	0.051	1	1.7	0.003	0.17	0.1	<0.01	2.1	<0.1	<0.05	5	<0.5	<0.2	WHI11000910
1212211	23-Jul-11	7030335.91	590623.04	1378	1.9	41.4	24.5	69	0.1	19.2	10.3	265	3.59	34	3.9	7.3	14	0.1	1.9	0.5	30	0.03	0.061	30	21	0.42	85	0.008	<1	1.46	0.005	0.06	0.2	0.02	1.4	0.2	0.05	4	0.7	<0.2	WHI11000896
1212212	23-Jul-11	7030248.31	590583.09	1397	1.5	35.7	17.5	63	<0.1	16.3	6.2	166	3.3	28.7	3	9.3	7	<0.1	0.9	0.4	24	0.02	0.035	23	16	0.4	64	0.005	<1	1.15	0.004	0.05	0.1	0.01	1	<0.1	<0.05	4	0.5	<0.2	WHI11000896
1212213	23-Jul-11	7030153.34	590527.98	1410	1.9	60	35.4	84	0.1	18.4	7.5	174	4.57	43.5	3.8	11.6	20	<0.1	1	0.6	23	0.03	0.071	23	24	0.58	114	0.004	<1	1.71	0.006	0.08	0.1	0.03	1.4	<0.1	0.11	5	0.7	<0.2	WHI11000896
1212214	23-Jul-11	7030084.52	590471.21	1423	1.7	24.6	21.1	70	<0.1	21.2	10.9	335	3.58	40.1	2.2	8.8	9	0.1	1	0.4	33	0.04	0.052	20	21	0.4	66	0.016	<1	1.24	0.005	0.04	0.2	0.01	1.2	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212215	23-Jul-11	7030028.00	590389.56	1435	1.9	33.7	17.2	56	<0.1	13.4	5.9	155	3.38	27.5	1.7	9.2	7	<0.1	1	0.4	26	0.01	0.047	26	17	0.4	48	0.009	<1	1.05	0.004	0.05	<0.1	<0.01	0.9	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212216	23-Jul-11	7029974.58	590302.25	1448	1.7	34.9	18.9	56	<0.1	8.5	3.5	140	3.51	26	2.2	12.9	7	<0.1	0.8	0.6	18	0.02	0.038	32	20	0.57	56	0.003	<1	1.38	0.005	0.04	<0.1	0.01	1	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212217	23-Jul-11	7029912.97	590224.68	1460	1.3	37.5	47	94	0.2	38	13.1	258	3.66	43.3	4.7	15.6	19	0.2	2	1.1	15	0.04	0.056	36	16	0.37	140	0.027	<1	0.99	0.006	0.08	<0.1	<0.01	1.4	<0.1	0.09	3	<0.5	<0.2	WHI11000896
1212218	23-Jul-11	7029855.57	590142.39	1483	1.8	17.4	18.9	58	<0.1	17.1	6.9	214	3.47	28.2	2.1	3.6	6	0.1	1	0.6	42	0.05	0.035	15	17	0.25	67	0.015	2	1.04	0.003	0.06	0.2	0.03	1	0.1	0.06	5	<0.5	<0.2	WHI11000896
1212219	23-Jul-11	7029821.08	590042.39	1490	0.4	8.1	12.3	15	0.1	13.5	7.4	518	1.04	8.1	21.7	5.8	14	<0.1	12.4	0.2	3	<0.01	0.013	17	4	0.02	60	0.003	1	0.19	0.002	0.07	<0.1	0.35	0.5	1.4	0.11	<1	<0.5	<0.2	WHI11000896
1212220	23-Jul-11	7029799.91	589942.61	1500	2.1	47.4	28.9	78	0.2	34	13.2	317	3.51	52	2.4	3.4	14	0.2	1	0.4	32	0.06	0.082	26	18	0.33	69	0.009	1	1.1	0.004	0.04	0.2	0.03	0.9	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212221	23-Jul-11	7029774.83	589854.81	1514	1.8	61.9	30.1	68	0.1	10.5	5.3	163	3.89	39.7	3.1	18.1	32	<0.1	0.5	0.6	14	0.02	0.056	27	17	0.7	148	0.002	<1	1.54	0.008	0.13	<0.1	0.02	1.4	<0.1	0.27	4	<0.5	<0.2	WHI11000896
1212222	23-Jul-11	7029741.38	589756.44	1521	2.6	25.9	21.5	69	<0.1	17.6	7.5	259	3.77	23.4	1.2	7.3	12	<0.1	0.9	0.4	35	0.04	0.061	26	22	0.51	72	0.014	1	1.19	0.006	0.06	0.1	0.03	1	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212223	23-Jul-11	7029699.03	589667.16	1523	2	41.7	19.5	80	0.2	25.1	11.9	300	3.36	27.2	5	6.2	13	0.1	1.2	0.4	37	0.1	0.081	20	23	0.47	189	0.011	1	1.55	0.005	0.07	0.3	0.07	2.2	0.1	<0.05	4	1.1	<0.2	WHI11000896
1212224	23-Jul-11	7029657.19	589571.27	1518	1	32.7	24.3	110	<0.1	18.5	9.6	283	4.85	8.7	2.5	14.3	7	<0.1	0.4	0.6	19	0.02	0.046	36	26	1.06	61	0.006	1	1.96	0.005	0.04	<0.1	0.02	1.4	<0.1	<0.05	6	<0.5	<0.2	WHI11000896
1212225	23-Jul-11	7029610.77	589482.79	1514	1.3	34.4	25.7	72	0.2	26.7	13.1	220	3.76	41.3	3.8	12.8	6	0.1	0.7	0.5	22	0.02	0.031	31	23	0.57	104	0.005	1	1.68	0.004	0.06	0.1	0.04	1.4	<0.1	<0.05	4	0.6	<0.2	WHI11000896
1212226	23-Jul-11	7029549.22	589405.91	1510	1.4	24.9	18.9	66	<0.1	23.1	10.8	261	3.4	40.6	4	10.9	6	0.1	0.6	0.5	24	0.04	0.035	33	23	0.55	100	0.008	<1	1.56	0.004	0.05	0.1	0.04	1.4	<0.1	<0.05	4	0.5	<0.2	WHI11000896
1212227	23-Jul-11	7029482.65	589331.17	1507	1.8	16	9.9	43	0.1	14.2	5.7	146	2.66	17	0.9	4.3	4	<0.1	0.8	0.3	49	0.02	0.024	19	15	0.23	68	0.021	<1	0.8	0.003	0.05	0.2	0.03	1.1	<0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212228	23-Jul-11	7029402.39	589272.19	1498	0.9	46.4	16.2	70	<0.1	33.8	15.4	294	3.32	34.6	2.5	11.9	6	0.1	0.6	0.5	19	0.04	0.034	29	19	0.6	98	0.009	<1	1.53	0.004	0.07	<0.1	0.04	1.4	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212229	23-Jul-11	7029313.89	589223.33	1495	1.3	39.9	20.3	60	0.1	20	9.8	233	3.66	34.5	2.7	12.1	6	0.1	0.7	0.6	20	0.02	0.039	23	18	0.51	69	0.006	<1	1.48	0.004	0.06	<0.1	0.04	1.2	<0.1	<0.05	4	0.5	<0.2	WHI11000896
1212230	23-Jul-11	7029235.14	589175.79	1491	1	31.4	18.5	72	0.2	28.3	12.6	269	3.53	31.8	1.9	8.9	5	<0.1	0.9	0.7	23	0.02	0.028	25	19	0.54	71	0.005	<1	1.43	0.004	0.05	<0.1	0.03	1.3	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212231	23-Jul-11	7029150.92	589112.88	1490	0.7	39.6	23.5	74	<0.1	38.8	20.3	342	3.61	76.2	3.5	12.8	5	<0.1	0.7	0.8	16	0.03	0.029	33	18	0.61	84	0.004	<1	1.61	0.004	0.07	0.1	0.03	1.3	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212232	23-Jul-11	7029067.67	589062.05	1476	1.5	38.7	19.2	76	0.2	26	9.9	177	3.53	18	3.4	5.9	8	0.1	0.8	0.5	35	0.03	0.039	22	24	0.53	50	0.012	<1	1.63	0.005	0.05	0.2	0.05	1.3	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212233	23-Jul-11	7028974.76	589015.00	1465	1.4	16.7	13.8	56	<0.1	21	9.5	325	2.9	39.5	0.7	5.4	4	0.1	0.6	0.4	30	0.03	0.029	20	20	0.43	48	0.014	<1	1.24	0.004	0.05	0.2	0.03	1.2	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212234	23-Jul-11	7028885.01	588968.90	1451	1.8	42.4	43.6	72	0.2	16.1	7.6	194	4.06	28	4.8	17.9	14	<0.1	0.7	1	27	0.02	0.047	42	24	0.61	70	0.009	<1	1.62	0.005	0.06	0.1	0.03	1.4	<0.1	<0.05	5	0.6	<0.2	WHI11000896
1212235	23-Jul-11	7028795.38	588929.62	1446	1.5	25.8	16.7	66	0.1	24.1	10.4	235	3.28	58.1	1.9	9.4	8	0.1	0.9	0.6	34	0.03	0.028	23	20	0.51	105	0.011	<1	1.61	0.004	0.06	0.2	0.03	1.5	0.2	<0.05	4	0.6	<0.2	WHI11000896
1212236	23-Jul-11	7028712.20	588882.35	1431	1.9	13.8	15.1	42	<0.1	10.2	3.9	107	2.14	28.4	2.1	6.2	9	<0.1	0.8	0.9	47	0.03	0.026	26	15	0.22	63	0.012	<1	1.15	0.004	0.03	0.2	0.02	1.1	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212237	23-Jul-11	7028627.86	588829.09	1417	1.3	20.7	19.2	93	<0.1	11.6	5.6	278	5.25	16.7	1.8	14.6	10	<0.1	0.5	0.6	22	0.02	0.058	27	23	1	40	0.007	<1	1.89	0.005	0.04	<0.1	0.02	1.2	<0.1	<0.05	6	0.5	<0.2	WHI11000896
1212238	23-Jul-11	7028546.82	588752.33	1388	2.4	21.2	19.6	84	0.1	21.1	10.2	308	3.24	129.3	3.9	1.8	8	0.2	1.1	0.4	54	0.04	0.082	16	23	0.34	111	0.011	<1	1.42	0.004	0.05	0.2	0.02	1.2	0.2	<0.05	5	0.5	<0.2	WHI11000896
1212239	23-Jul-11	7028483.36	588679.95	1360	1.4	23.2	17.5	71	0.1	27	11.6	213	3.27	26.5	0.7	9.3	5	<0.1	0.5	0.4	24	0.03	0.027	26	17	0.5	71	0.008	<1	1.28	0.003	0.04	0.1	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212240	23-Jul-11	7028431.02	588600.66	1345	2.5	29.9	18.5	69	0.2	23.8	11.2	224	2.76	20.4	2.3	6.7	11	<0.1	0.8	0.3	54	0.05	0.021	16	25	0.4	179	0.014	<1	1.7	0.005	0.04	0.3	0.04	2	0.2	<0.05	5	0.5	<0.2	WHI11000896
1212241	23-Jul-11	7028363.98	588525.72	1326	2.4	43.3	37.1	89	0.3	54.6	18.1	181	3.71	28.9	3.7	7	43	0.1	0.9	0.4	42	0.04	0.038	17	25	0.43	211	0.018	1	1.83	0.009	0.07	0.3	0.06	1.9	0.1	0.06	5	0.6	<0.2	WHI11000896
1212242	23-Jul-11	7028322.89	588432.08	1314	1.4	45.7	37.6	112	<0.1	44.5	28.9	1510	5.37	30.2	0.8	16.7	4	<0.1	0.5	0.6	23	0.04	0.05	50	23	0.69	78	0.006	<1	1.64	0.003	0.06	<0.1	0.02	1.7	<0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212243	24-Jul-11	7016982.37	581511.29	1844	0.2	119.6	13.7	103	0.2	28.5	10.4	146	2.42	10.1	5.6	9.5	65	0.9	0.4	1	33	0.67	0.085	20	25	0.56	136	0.037	<1	1.62	0.021	0.06	0.9	0.03	3.1	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212244	24-Jul-11	7017059.07	581463.40	1830	1	43.9	10.9	91	0.1	40.8	17.4	479	2.95	26.5	8.9	8.3	29	0.4	0.6	0.4	36	0.17	0.089	18	21	0.51	125	0.055	<1	1.43	0.007	0.12	0.5	0.02	2.4	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212245	24-Jul-11	7017159.38	581433.13	1814	1.1	34.3	10.6	79	<0.1	25.8	12.3	297	2.27	17.2	7.6	5.5	16	0.3	0.6	0.2	41	0.2	0.074	20	23	0.47	133	0.061	<1	1.34	0.007	0.08	0.4	0.02	2.6	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212246	24-Jul-11	7017256.35	581415.51	1810	1	27.3	8.1	89	<0.1	27.6	12.3	446	2.31	18.6	49.5	6.8	13	0.4	0.5	0.2	34	0.17	0.07	19	22	0.42	117	0.057	<1	1.32	0.007	0.09	0.3	0.03	2.1	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212247	24-Jul-11	7017365.55	581410.76	1798	1.1	65	10.1	111	0.1	40.1	21.9	553	2.9	46.9	10.4	7.9	11	0.2	0.5	0.3	34	0.13	0.071	20	25	0.5	141	0.069	<1	1.59	0.006	0.19	0.3	0.01	2.2	0.2	<0.05	4	<0.5	<0.2	WHI11000896
1212248	24-Jul-11	7017459.36	581398.32	1777	1.3	35.7	13.7	97	0.1	45.5	19.6	460	3.02	187.2	126.9	6	17	0.3	0.6	0.4	54	0.23	0.092	18	46	0.65	182	0.082	<1	1.87	0.009	0.16	0.6	0.05	3.3	0.2	<0.05	6	<0.5	<0.2	WHI11000896
1212249	24-Jul-11	7017555.42	581375.01	1773	0.9	18.1	11	60	0.1	19.3	12.4	374	2.47	86.4	23.8	4.8	12	0.2	0.5	0.2	36	0.12	0.047	17	26	0.4	194	0.046	<1	1.41	0.008	0.09	0.3	0.02	2.5	0.2	<0.05	4	<0.5	<0.2	WHI11000896
1212250	24-Jul-11	7017649.03	581346.66	1774	0.5

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1212252	24-Jul-11	7017842.33	581273.94	1774	0.9	19.3	12.8	63	<0.1	22.3	11.6	914	2.32	11.1	2.8	4.6	9	0.2	0.5	0.2	32	0.09	0.039	18	24	0.41	159	0.033	<1	1.37	0.005	0.07	0.3	0.03	2	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212253	24-Jul-11	7017929.12	581230.51	1774	0.7	18	11.3	56	<0.1	17.3	7.3	168	1.98	10.9	6.5	5.9	12	0.2	0.5	0.1	31	0.14	0.052	18	19	0.33	181	0.043	<1	1.07	0.007	0.05	0.2	0.01	2.2	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212254	24-Jul-11	7018015.84	581192.74	1776	0.6	22	11.2	62	<0.1	20.8	8.3	218	1.89	8.7	4.2	6.4	14	0.1	0.5	0.2	32	0.17	0.053	20	21	0.4	182	0.046	<1	1.18	0.007	0.07	0.2	0.01	2.3	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212255	24-Jul-11	7018101.26	581131.26	1778	1.2	22.5	12.3	75	<0.1	23.8	9.3	335	2.08	11.4	2.1	5.7	20	0.2	0.7	0.1	39	0.23	0.079	19	23	0.41	189	0.053	<1	1.17	0.008	0.08	0.3	0.03	2.8	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212256	24-Jul-11	7018197.79	581092.16	1759	0.7	32.8	15.9	84	0.1	34	14.7	464	3.07	18.2	68	9.6	62	0.3	0.4	0.2	34	0.73	0.066	22	29	0.7	220	0.107	<1	2.3	0.078	0.4	0.3	0.02	3.7	0.3	<0.05	6	<0.5	<0.2	WHI11000896
1212257	24-Jul-11	7018282.52	581038.24	1744	1.1	25.3	15.4	75	<0.1	24.6	14.1	356	2.47	16.7	9.7	5.2	14	0.2	0.7	0.2	43	0.18	0.065	21	27	0.47	178	0.041	<1	1.49	0.006	0.06	0.4	0.01	3	0.2	<0.05	5	<0.5	<0.2	WHI11000896
1212258	24-Jul-11	7018363.22	580996.05	1742	0.8	18.2	9.7	57	<0.1	20.2	12.2	2356	2.13	11.8	17.1	5.8	13	0.2	0.6	0.1	33	0.13	0.053	20	20	0.33	173	0.043	<1	1.05	0.006	0.05	0.3	0.02	2.1	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212259	24-Jul-11	7018452.23	580949.55	1737	1.3	12.6	9.4	49	<0.1	13.6	5.4	129	2.06	17.7	3.6	4.2	8	0.2	0.7	0.1	42	0.08	0.033	15	18	0.27	68	0.026	<1	1.23	0.005	0.05	0.3	0.02	1.3	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212260	24-Jul-11	7018536.07	580892.03	1736	1.5	17.4	11.1	76	<0.1	22.3	7.6	244	2.18	10.3	3.9	2.9	11	0.3	1	0.1	45	0.12	0.042	11	22	0.37	116	0.038	<1	1.26	0.008	0.06	0.3	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212261	24-Jul-11	7018632.22	580821.09	1690	1.4	22.3	15.1	63	<0.1	20.5	9.4	271	2.6	11.4	1.7	1.5	14	<0.1	0.7	0.3	53	0.13	0.051	16	29	0.5	152	0.035	<1	1.68	0.008	0.06	0.3	0.04	2.4	0.2	<0.05	6	<0.5	<0.2	WHI11000896
1212262	24-Jul-11	7018697.91	580759.82	1689	1.3	17.2	12.4	58	<0.1	20.1	7.5	288	2.09	10	2.8	2.3	10	0.3	0.7	0.1	36	0.1	0.047	13	20	0.32	86	0.03	<1	1.09	0.005	0.05	0.3	0.05	1.2	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212263	24-Jul-11	7018768.80	580701.63	1685	1.3	17.7	12.5	64	<0.1	21.2	7.7	252	2.2	14	1.1	2.3	10	0.2	0.7	0.2	42	0.1	0.04	14	23	0.35	111	0.03	<1	1.33	0.006	0.07	0.2	0.04	1.8	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212264	24-Jul-11	7018835.55	580609.44	1667	1.2	26.9	13.1	70	0.1	24	10.4	348	2.33	11.8	6	5.2	13	0.2	0.7	0.1	36	0.15	0.068	21	22	0.38	146	0.033	<1	1.2	0.006	0.05	0.3	0.03	2	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212265	24-Jul-11	7018885.07	580539.42	1651	1.9	24.8	23.3	52	<0.1	16.5	10.7	565	2.45	19.6	2.1	1.3	8	<0.1	0.8	0.4	55	0.06	0.06	14	22	0.26	132	0.032	<1	1.24	0.005	0.06	0.3	0.03	1.4	0.2	<0.05	7	<0.5	<0.2	WHI11000896
1212266	24-Jul-11	7018954.45	580436.82	1633	1.7	57.4	19.7	68	<0.1	17.2	8.3	156	4.19	19.8	3.1	3.9	9	<0.1	0.6	0.5	30	0.04	0.058	18	25	0.38	51	0.012	<1	1.28	0.004	0.04	0.1	0.02	0.8	<0.1	0.12	5	0.9	<0.2	WHI11000896
1212267	24-Jul-11	7018999.98	580371.92	1609	2.2	43.9	19.6	48	0.2	14.8	5.8	91	1.72	19.8	4.3	0.4	13	<0.1	0.9	0.3	46	0.11	0.093	13	14	0.07	73	0.012	1	0.57	0.003	0.04	0.3	0.04	0.5	<0.1	0.08	3	0.8	<0.2	WHI11000896
1212301	16-Jul-11	7029094.27	582812.15	1715	1.7	28.9	15.6	84	0.2	28.2	10.9	430	2.54	23.3	6.1	2.9	12	0.2	1.2	0.2	41	0.13	0.068	20	22	0.38	153	0.028	2	1.23	0.007	0.1	0.3	0.03	2.1	0.1	<0.05	3	1	<0.2	WHI11000910
1212302	16-Jul-11	7029153.19	582875.24	1715	2	27.4	17.8	83	0.3	26.8	10.2	415	2.94	17.2	3.7	3	11	0.3	1.2	0.2	47	0.11	0.06	21	25	0.4	237	0.024	2	1.52	0.006	0.08	0.4	0.06	2.3	0.2	<0.05	4	0.8	<0.2	WHI11000910
1212303	16-Jul-11	7029189.86	582917.15	1714	1.9	21.7	16.8	76	<0.1	23.1	9.5	392	3.05	16.3	2.5	1.8	10	0.2	1.2	0.2	50	0.09	0.052	13	25	0.38	185	0.017	1	1.56	0.005	0.07	0.2	0.04	2	0.2	<0.05	5	1.1	<0.2	WHI11000910
1212304	16-Jul-11	7029224.16	582953.47	1714	2.1	17.3	17.1	54	<0.1	16	5.7	255	2.64	18.7	1.7	1.4	7	0.2	1.1	0.3	56	0.06	0.041	14	21	0.2	89	0.022	1	1.14	0.004	0.08	0.3	0.03	1.3	0.2	<0.05	5	0.8	<0.2	WHI11000910
1212305	16-Jul-11	7029268.96	582967.81	1720	1.4	15.3	8.9	50	<0.1	15.3	5.6	200	1.67	9.3	3.9	1.8	10	0.1	0.9	0.1	32	0.1	0.042	13	15	0.22	77	0.026	2	0.81	0.006	0.07	0.2	0.02	1.1	0.1	<0.05	2	<0.5	<0.2	WHI11000910
1212306	16-Jul-11	7029308.74	583015.45	1721	2	19.4	17.1	86	<0.1	22.1	7.9	319	2.7	14.3	3.6	1.6	9	0.2	1.2	0.2	49	0.08	0.046	11	22	0.32	109	0.025	2	1.38	0.006	0.09	0.3	0.07	1.8	0.1	<0.05	4	1	<0.2	WHI11000910
1212307	16-Jul-11	7029355.45	583019.89	1722	1.5	19.8	13.3	84	<0.1	23.7	7.9	308	2.38	13.5	4.5	3.2	13	0.3	1	0.2	45	0.15	0.048	12	22	0.38	121	0.041	3	1.18	0.006	0.07	0.3	0.03	2.1	0.1	<0.05	4	0.7	<0.2	WHI11000910
1212308	16-Jul-11	7029354.84	583103.62	1712	1.3	31.4	15.7	88	0.1	25.4	9.5	523	2.57	24.8	9.1	4.8	12	0.3	2	0.2	39	0.15	0.064	22	19	0.31	185	0.028	2	1.13	0.011	0.08	0.3	0.03	2.7	0.1	<0.05	3	0.8	<0.2	WHI11000910
1212309	16-Jul-11	7029383.97	583139.50	1713	1.1	24.3	18.5	67	0.1	17.2	7.4	197	2.46	47.3	38.7	5.5	10	0.2	2	0.3	29	0.1	0.054	24	15	0.25	86	0.018	1	1.04	0.004	0.09	0.2	0.03	1.5	0.1	<0.05	3	0.7	<0.2	WHI11000910
1212310	16-Jul-11	7029402.74	583173.32	1713	0.9	58.8	23.9	83	0.1	34.7	17.3	895	4.17	7.5	9	7.5	8	<0.1	10.6	0.4	19	0.11	0.051	40	12	0.13	139	0.004	2	0.69	0.003	0.09	0.2	0.05	3.9	0.2	<0.05	2	0.6	<0.2	WHI11000910
1212311	16-Jul-11	7029452.95	583194.05	1713	1	45.1	29.3	94	0.1	28.4	13.7	217	3.37	68.7	22.5	8.5	6	0.1	5	0.5	17	0.03	0.036	37	10	0.11	62	0.006	2	0.61	0.003	0.12	0.1	0.01	1.9	0.1	<0.05	2	<0.5	<0.2	WHI11000910
1212312	16-Jul-11	7029521.21	583242.33	1712	1.8	21.6	15.2	78	<0.1	23.5	7.9	270	2.55	19.1	5.1	2.1	9	0.3	1.6	0.2	47	0.08	0.034	13	22	0.29	108	0.029	2	1.19	0.006	0.08	0.3	0.04	1.8	0.1	<0.05	4	1	<0.2	WHI11000910
1212313	16-Jul-11	7029549.98	583279.24	1707	1.6	28.1	16	86	0.2	25.3	9.8	392	2.28	28.7	10	6.6	18	0.3	1.8	0.2	37	0.21	0.084	23	17	0.29	236	0.039	1	0.85	0.01	0.08	0.3	0.03	2.3	<0.1	<0.05	3	<0.5	<0.2	WHI11000910
1212314	16-Jul-11	7029581.86	583291.16	1704	1.6	23.7	18.9	78	0.2	23.1	10.4	507	2.39	72.2	38.9	2.2	13	0.2	2.4	0.2	28	0.14	0.065	24	16	0.21	226	0.014	2	0.77	0.005	0.08	0.2	0.03	1.8	<0.1	<0.05	2	0.6	<0.2	WHI11000910
1212315	16-Jul-11	7029625.59	583316.82	1690	1.9	16.3	17	68	<0.1	16.9	6.4	236	2.46	14.3	3.5	0.9	9	0.2	1.1	0.2	52	0.08	0.047	13	24	0.26	110	0.023	1	1.24	0.005	0.06	0.3	0.06	1.3	0.2	<0.05	5	0.8	<0.2	WHI11000910
1212316	16-Jul-11	7029643.23	583351.68	1681	1.9	30	68.5	144	0.2	27.5	11.1	442	3.97	136.2	27.1	1.2	6	0.5	12.6	0.5	30	0.05	0.075	20	17	0.08	65	0.007	1	0.57	0.004	0.06	0.3	0.04	1.2	0.2	<0.05	3	0.7	<0.2	WHI11000910
1212317	16-Jul-11	7029709.11	583381.64	1662	1.3	51.5	89.5	145	0.5	49.5	20.2	1095	3.56	18.2	5.2	10	20	0.8	2.1	0.5	34	0.26	0.055	34	48	0.65	187	0.047	1	1.32	0.006	0.23	0.3	0.04	3.1	0.3	<0.05	4	0.6	<0.2	WHI11000910
1212318	16-Jul-11	7029735.53	583408.47	1647	1.6	24.7	22.9	87	0.1	23.8	10.9	395	2.71	16.9	8.5	3.1	11	0.4	1.5	0.3	45	0.11	0.055	18	25	0.44	204	0.024	2	1.38	0.005	0.06	0.5	0.05	2	0.1	<0.05	4	0.6	<0.2	WHI11000910
1212319	16-Jul-11	7029774.32	583436.55	1634	1.9	22.8	29.3	78	0.2	21.8	9.7	358	2.78	17.3	3.9	3.6	8	0.4	1.5	0.3	58	0.07	0.032	14	27	0.36	126	0.025	1	1.46	0.005	0.07	0.3	0.04	2	0.2	<0.05	5	0.5	<0.2	WHI11000910
1212320	16-Jul-11	7029810.07	583459.73	1624	1.7	31.1	15.6	87	0.2	28.9	10.4	371	2.49	15.6	13.3	7.5	19	0.5	1.7	0.2	41	0.22	0.088	22	22	0.38	124	0.036	<1	0.94	0.005	0.07	0.4	0.03	2.2	0.1	<0.05	3	0.8	<0.2	WHI11000910
1212321	16-Jul-11	7029859.97	583483.09	1613	1.6	33.4	21.4	79	0.2	27.8	10.1	326	2.56	13.4	2.3	3.9	15	0.3	1.8	0.3	42	0.16	0.067	24	25	0.33	165	0.024	<1	0.95	0.004	0.08	0.4	0.04	1.7	0.1	<0.05	3	0.8	<0.2	WHI11000910
1212322	16-Jul-11	7029911.98	583497.76	1606	1.6	31	22.1	86	0.2	27.8	11	439	2.77	15.2	2.2	2.4	15	0.3	1.4	0.3	47	0.17	0.071	22	30	0.44	233	0.022	<1	1.27	0.005	0.1	0.3	0.04	1.9	0.2	<0.05	5	0.5	<0.2	WHI11000910
1212323	16-Jul-11	7029965.45	583513.19	1603	1.7	27.2	18.2	81	0.1	24.3	9.7	377	2.55	14.7	3.4	3.8	11	0.2	1.4	0.3	41	0.1	0.052	17	24	0.38	195	0.023	<1	1.07	0.004	0.08	0.4	0.03	2	0.1	<0.05	4	0.6	<0.2	WHI11000910
1212324	16-Jul-11	7030008.82	583532.66	1599	1.6	29.5	18.6	81	0.1	26.3	11.2	388	2.8	15.1	3.1	3.8	14	0.2	1.3	0.3	47	0.14	0.057	21	31	0.55	244	0.029	<1	1.46	0.005	0.11	0.3	0.04	2.1	0.1	<0.05	5	0.6	<0.2	WHI11000910
1212325	16-Jul-11	7030043.02	583545.34	1598	2.3	29	18.7	65	<0.1	23.1	12.3	415	3.46	23.3	1	4.1	8	0.2	1.7	0.4	63	0.08	0.045	14	33	0.59	105	0.072	<1	1.33	0.004	0.1	0.2	0.03	1.8	0.1	<0.05	6	0.6	<0.2	WHI11000910
1212326	16-Jul-11	7030089.81	583572.94	1595	1	38.3	15.9	64	0.1	28.9	12	353	2.48	8.9	4.5	8.4	13	0.3	1.2	0.2	37	0.14	0.054	24	31	0.49	150	0.048	<1	1.07	0.004	0.14	0.2	0.02	2.6	0.1	<0.05	3	<0.5	<0.2	WHI11000910
1212327	16-Jul-11	7030142.87	583578.01	1599	0.9	44.6	26.5	78	0.1	45.4	20.9	520	3.13	15.1	5.2	8.3	10	0.3	1.1	0.4	36	0.09	0.044	20	85	0.7	133	0.026	<1	1.52	0.004	0.1	0.2	0.02	2.1	0.1	<0.05	4	<0.5	<0.2	WHI11000910
1212328	16-Jul-11	7030188.73	583599.09	1602	1.2	44.1	19.9	76	<0.1	34	18.6	558	3.47	20.4	2.2	6.3	7	0.2	2.3	0.3	43	0.07	0.043	16	40	0.68	77	0.039	<1	1.73	0.004	0.16	0.2	0.04	2.2	0.2	<0.05	4	<0.5	<0.2	WHI11000910
1212329	16-Jul-11	7030234.41	583627.60	1606	1.1	39.4	18.8	65	<0.1	30.5	15.6	545	3.53	25.3	2.1	4.5	6	0.2	2.2	0.3	48	0.06	0.035	15	37	0.69	63	0.062	<1	1.4	0.003	0.11	0.2	0.04	1.9	0.1	<0.05	5	<0.5	<0.2	WHI11000910
1212330	16-Jul-11	7030280.94	583644.48	1612	1.2	47.1	23.2	73	<0.1	34.4	16.1	520	3.74	21.8	1.7	5.5	7	0.2	2.1	0.4	50	0.06	0.046	16	44	0.72	81	0.051	<1	1.69	0.003	0.17	0.2	0.04	2.3	0.2	<0.05	5	<0.5	<0.2	WHI11000910
1212331	16-Jul-11	7030331.14	583663.81	1623	2.7	21.7	25.2	82	<0.1	20.1	8.1	281	3.07	19.8	1.6	3.7	10	0.3	1.3	0.4	60	0.05	0.035	14	26	0.32	111	0.022	1	1.35	0.004	0.07	0.2	0.08	1.9	0.2	<0.05	5	1	<0.2	WHI11000910
1212332	17-Jul-11	7032287.80	586436.21	1606	0.6	128.7	5.6	83	0.1	58	31.4	760	5.69	23.8	3.6	1.7	6	<0.1	2.3	0.1	120	0.21	0.036	4	85	1.79	133	0.148	<1	3.08	0.005	0.44	<0.1	0.01	3.2	0.3	<0.05	8	<0.5	<0.2	WHI11000910
1212333	17-Jul-11	7032333.62	586457.48	1599	0.6	164.4	4.8	88	0.1	66.5	35.5	710	6.35	27.9	6.4	1.4	5	<0.1	3.7	0.1	120	0.22	0.024	3	87	1.8	123	0.154	<1	3.29	0.004	0.55	<0.1	0.01	2.8	0.3	<0.05	8	<0.5	<0.2	WHI11000910
1212334	17-Jul-11	7032370.63	586485.72	1591	0.5	118.4	4.2	88	0.1	59.8	33.1	767	6.25	19.5	3.9	1.3	6	0.1	4.1	<0.1	115	0.22	0.028	3	86	1.95	141	0.145	<1	3.27	0.004	0.49	<0.1	0.02	3	0.3	<0.05	8	<0.5	<0.2	WHI11000910
1212335	17-Jul-11	7032411.62	586495.27	1581	0.6	105.7	5.4	75	0.2	48.1	27.2	617	5.27	29.4	4	2	6	<0.1	4.2	0.2	99	0.16	0.036	6	74	1.64	104	0.098	<1	2.75	0.003	0.31	<0.1	0.04	3.1	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212336	17-Jul-11	7032455.27	586521.64	1570	0.7	134.1	6.5	79	0.3	51.1	29.7	592	5.7	19.7	4.6	1.6	6	<0.1	2.4	0.2	105	0.14	0.048	5	70	1.65	117	0.106	<1	3	0.004	0.38	<0.1	0.04	3	0.3	<0.05	8	<0.5	<0.2	WHI11000910
1212337	17-Jul-11	7032496.46	586548.75	1558	0.7	129.4	5.8	77	0.3	52.8	30	644	5.47	41.9	7.9	1.8	6	<0.1	1.7	0.2	110	0.21	0.039	6	86	1.64	89	0.098	<1	2.67	0.003	0.24	<0.1	0.04	3.8	0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212338	17-Jul-11	7032545.88	586580.37	1543	1.4	163.1	7	90	0.2	50.4	29.9	673	6.43	13.8	5.4	1.7	8	0.1	2.3	0.2	98	0.2	0.043	5	66	1.71	95	0.143	<1	2.86	0.004	0.27	<0.1	0.02	3.2	0.2	<0.05	8	0.6	<0.2	WHI11000910
1212339	17-Jul-11	7032589.84	586599.40	1525	0.5	176.4	4.4	81	0.1	70.1	36.5	697	5.86	9.9	2.6	1.1	5	0.1	1	<0.1	98	0.22	0.042	3	74	1.9	71	0.108	<1	2.88	0.004	0.24	<0.1	0.01	2.5	0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212340	17-Jul-11	7032618.06	586632.51	1515	0.9	107.3	11.3	84	0.3	51.4	32	733	5.28	46.3	8.2	2.3	7	<0.1	3.6	0.2	94	0.13	0.042	8	67	1.4	100	0.109	<1	2.58	0.003	0.31	<0.1	0.03	4.3	0.3	<0.05	7	<0.5	<0.2	WHI11000910
1212341	17-Jul-11	7032655.56	586670.74	1506	1	102.9	11.2	80	0.1	50.1	26.6	550	4.79	20.9	2.9	2.5	8	0.1	2.5	0.2	90	0.14	0.04	9	58	1.24	109	0.092	<1	2.4	0.004	0.18	<0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212342	17-Jul-11	7032709.75	586702.70	1500	1.1	95.1	10.2	82	0.2	47.8	24.8	567	4.77	19.3	3.5	1.9	8	0.1	1.3	0.2	97	0.19	0.042	7	65	1.43	93	0.1	<1	2.4	0.004	0.18	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212343	17-Jul-11	7032746.43	586730.69	1494	1.1	124	12.3	75	0.1	46.4	25.8	568	5.55	18.1	3.8	2.4	7	<0.1	3.9	0.2	74	0.12	0.031	7	50	1.26	73	0.119	<1	2.22	0.003	0.23	<0.1	0.02	3.4	0.2	<0.05	6	<0.5	<0.2	WHI11000910
1212344	17-Jul-11	7032779.21	586765.33	1486	0.8	106.1	9.1	74	0.1	45.9	27.3	597	5.04	23.7	2.8	1.7	7	0.1	2.5	0.2	92	0.17	0.041	7	59	1.37	83	0.088	<1	2.32	0.003	0.18	<0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212345	17-Jul-11	7032819.30	586782.76	1473	0.7	113	9.9	75	0.1	57.1	31	615	5.75	68.9	10.7	2.2	8	<0.1	4.6	0.2	86	0.2	0.034	6	59	1.4	69	0.121	<1	2.32	0.003	0.28	<0.1	0.02	4.2	0.2	<0.05	6	<0.5	<0.2	WHI11000910
1212346	17-Jul-11	7032865.87	586830.49	1461	0.6	137.9	5.4	77	0.2	61.9	33.9	662	6.08	105.7	10.2	1.5	8	<0.1	5.8	0.1	117	0.23	0.03	4	77	1.79	71	0.113	<1	2.74	0.003	0.34	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212347	17-Jul-11	7032897.75	586854.03	1454	0.5	118.1	5.3	69	<0.1	51.9	30.3	589	4.97	33.2	3.9	2.1	7	0.1	1.9	0.1	87	0.24	0.04	5	58	1.62	73	0.121	<1	2.4	0.003	0.35	<0.1	0.01	2.8	0.2	<0.05	6	<0.5	<0.2	WHI11000910
1212348	17-Jul-11	7032932.58	586889.90	1447	0.8	87.8	7.4	74	0.1	42.6	25.6	525	4.96	22.6	2.7	1.7	7	<0.1	1.9	0.2	102	0.17	0.034	5	63	1.4	90	0.141	<1	2.42	0.003	0.46	<0.1	0.01	3	0.3	<0.05	7	<0.5	<0.2	WHI11000910
1212349	17-Jul-11	7032977.93	586916.94	1436	0.7	76.7

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1212351	17-Jul-11	7033069.02	586950.81	1399	0.7	95.8	7.5	72	0.1	46	30.3	631	5.15	10.4	1.2	1.2	8	<0.1	0.6	0.1	120	0.28	0.036	3	67	1.51	101	0.145	<1	2.48	0.004	0.49	<0.1	0.01	3.6	0.3	<0.05	7	<0.5	<0.2	WHI11000910
1212352	17-Jul-11	7033119.31	586958.24	1381	0.5	93.4	5.9	70	0.1	46.4	26	576	5.01	9.5	1.2	1.1	7	<0.1	0.5	0.1	106	0.25	0.038	3	68	1.55	88	0.135	<1	2.46	0.004	0.42	<0.1	<0.01	3.1	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212353	17-Jul-11	7033169.10	586965.89	1364	0.6	93.1	4.4	81	<0.1	48.7	26.3	601	5.82	8.9	0.9	0.9	7	0.1	0.3	<0.1	107	0.27	0.036	3	80	1.86	82	0.135	<1	2.89	0.004	0.37	<0.1	0.01	2.2	0.2	<0.05	8	<0.5	<0.2	WHI11000910
1212354	17-Jul-11	7033222.39	586961.35	1351	0.7	119.8	3.5	90	<0.1	60	34.3	596	5.89	45.4	<0.5	0.9	6	<0.1	0.3	0.3	105	0.15	0.034	2	78	1.84	77	0.158	<1	2.87	0.004	0.47	<0.1	<0.01	1.8	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212355	17-Jul-11	7033271.60	586971.65	1336	2	110.7	9.4	74	0.4	56.2	25.8	474	5.68	444.9	20.6	2.1	6	0.2	14.9	2.8	88	0.15	0.046	9	56	0.92	75	0.049	<1	1.77	0.004	0.22	0.1	0.03	4.6	0.2	<0.05	5	0.7	<0.2	WHI11000910
1212356	17-Jul-11	7033315.22	586977.82	1322	1.6	82.5	10.8	55	0.5	28.9	13.7	325	3.74	141.5	10.2	2.1	8	0.2	3	1	76	0.13	0.032	10	42	0.65	93	0.055	2	1.76	0.004	0.16	0.2	0.05	2.6	0.2	<0.05	6	<0.5	<0.2	WHI11000910
1212357	17-Jul-11	7033357.88	586986.46	1308	1.6	85.3	11.6	63	0.1	39.8	28.3	259	3.6	51.6	6.9	3.6	8	0.1	1.9	0.7	52	0.09	0.037	12	33	0.61	83	0.04	2	1.44	0.005	0.1	0.1	0.03	2.5	0.1	<0.05	5	0.5	<0.2	WHI11000910
1212358	17-Jul-11	7033419.90	586994.58	1294	1.7	18.6	9.4	35	<0.1	10.4	4.7	148	2.65	32.6	1.2	3.1	5	<0.1	1.7	0.6	88	0.04	0.019	11	18	0.23	44	0.121	<1	0.77	0.003	0.06	0.2	0.03	1.1	<0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212359	17-Jul-11	7033468.29	587003.38	1281	0.8	64	5.9	49	<0.1	30.3	13.8	305	3.68	36.9	1.4	1.7	6	0.1	1	0.5	75	0.13	0.032	7	45	0.97	54	0.113	<1	1.87	0.005	0.16	<0.1	0.02	1.8	0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212360	17-Jul-11	7033505.01	586999.41	1266	0.9	99.2	7.6	63	0.3	40.9	21.5	413	3.89	56.1	4.8	1.8	12	<0.1	1.4	1.6	72	0.32	0.038	9	48	1	86	0.084	1	1.93	0.009	0.2	0.1	0.02	2.5	0.2	0.06	6	<0.5	<0.2	WHI11000910
1212361	17-Jul-11	7033563.99	587009.10	1249	0.9	94.4	10.8	81	<0.1	38.5	27.3	527	4.07	151.6	8.2	3	9	<0.1	3.5	0.5	79	0.21	0.038	12	51	1.03	104	0.066	2	2.14	0.006	0.17	0.2	0.02	3.7	0.2	<0.05	6	<0.5	<0.2	WHI11000910
1212362	23-Jul-11	7028476.80	581726.48	1734	1.5	38.4	18.3	77	0.1	19.2	8.3	281	2.92	7.1	2.9	7.8	19	0.2	1	0.4	27	0.16	0.068	19	17	0.33	200	0.028	2	0.84	0.006	0.1	0.2	0.03	1.7	0.1	0.11	3	<0.5	<0.2	WHI11000896
1212363	23-Jul-11	7028500.01	581642.42	1726	2.2	36.1	32.8	130	0.2	33.2	14.4	668	2.97	26	7	7	21	0.7	1.7	0.4	48	0.22	0.129	25	24	0.39	368	0.033	2	1.25	0.007	0.08	0.8	0.05	2.9	0.1	<0.05	4	0.8	<0.2	WHI11000896
1212364	23-Jul-11	7028477.64	581469.33	1724	1.3	29	20.4	83	0.1	21.5	11.2	283	2.06	12	6.5	5.9	15	0.4	1	0.3	33	0.16	0.074	20	18	0.33	178	0.028	1	0.91	0.006	0.07	0.2	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212365	23-Jul-11	7028401.08	581407.65	1721	1.5	17.7	17.4	71	<0.1	19.2	8.1	263	2.25	12.6	3	4.6	9	0.4	1.2	0.2	36	0.07	0.031	15	18	0.28	97	0.029	2	1.07	0.006	0.05	0.3	0.02	1.4	0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212366	23-Jul-11	7028351.39	581285.98	1711	1.5	27.6	30	77	0.1	19.6	10.1	312	2.85	37.1	17.1	6.4	10	0.3	1.9	0.3	31	0.08	0.064	24	16	0.25	148	0.023	1	0.94	0.004	0.06	0.3	0.04	1.9	0.1	<0.05	3	0.5	<0.2	WHI11000896
1212367	23-Jul-11	7028319.66	581222.54	1707	1.6	25	24	77	<0.1	18.8	7.2	183	2.3	51.7	15.6	3.8	12	0.3	1.5	0.2	36	0.12	0.069	21	18	0.27	88	0.021	1	1.01	0.005	0.06	0.3	0.03	1.6	0.1	<0.05	3	0.5	<0.2	WHI11000896
1212368	23-Jul-11	7028262.53	581142.48	1694	2	26	19.6	91	0.1	25.6	9.6	273	2.4	29.5	5.5	3.5	11	0.4	1.5	0.2	43	0.08	0.039	15	22	0.39	141	0.029	2	1.24	0.007	0.07	0.4	0.04	1.9	0.1	<0.05	3	0.7	<0.2	WHI11000896
1212369	23-Jul-11	7028243.30	581038.95	1679	2.2	11.8	18.4	51	0.1	10.1	3.5	188	2.1	55.8	2.8	1.1	7	0.2	1.3	0.3	64	0.05	0.052	11	13	0.09	73	0.041	2	0.49	0.005	0.07	0.3	0.07	0.7	0.1	0.05	5	<0.5	<0.2	WHI11000896
1212370	23-Jul-11	7028203.83	580957.61	1668	2.1	15.2	20.9	51	0.1	14.2	4.6	206	2.39	60.6	2.7	1.1	6	0.1	1.3	0.4	52	0.04	0.05	12	18	0.14	78	0.034	1	0.65	0.005	0.07	0.3	0.06	0.8	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212371	23-Jul-11	7028149.58	580860.69	1652	2	24.9	17.1	92	<0.1	25.5	9.2	312	2.57	17.5	3.7	2.3	8	0.2	1.5	0.2	42	0.05	0.034	13	21	0.34	98	0.025	1	1.17	0.005	0.06	0.4	0.04	1.5	0.1	<0.05	3	0.6	<0.2	WHI11000896
1212372	23-Jul-11	7028107.18	580744.63	1628	2.1	27.9	18.7	90	0.2	29	9.6	365	2.47	21.2	3.7	1.7	13	0.5	1.7	0.2	42	0.12	0.073	17	24	0.37	146	0.023	2	1.17	0.007	0.1	0.3	0.04	1.7	0.1	<0.05	4	0.5	<0.2	WHI11000896
1212373	23-Jul-11	7028073.84	580673.41	1626	1	54	110.7	136	0.3	38.8	20.2	1985	3.64	111.8	12.3	4.5	6	0.5	3	0.4	17	0.02	0.053	33	10	0.14	104	0.007	<1	0.69	0.003	0.07	0.1	0.04	2.4	0.1	<0.05	2	0.6	<0.2	WHI11000896
1212374	23-Jul-11	7028026.41	580601.94	1617	2.3	39.9	36.6	118	0.3	37.1	14.4	660	2.85	50.5	22.2	4.5	11	0.4	2.3	0.4	36	0.06	0.04	19	19	0.31	148	0.017	2	1.1	0.006	0.06	0.6	0.05	2	0.1	<0.05	3	0.7	<0.2	WHI11000896
1212375	23-Jul-11	7028004.32	580499.23	1584	0.9	9.5	11.9	18	0.2	8.5	2.5	86	0.8	12.4	7.9	0.3	6	0.1	0.6	0.3	16	0.06	0.061	13	16	0.11	104	0.012	<1	0.56	0.005	0.05	0.2	0.03	0.4	<0.1	0.06	3	<0.5	<0.2	WHI11000896
1212376	23-Jul-11	7027936.38	580400.14	1584	1.3	21.7	14.4	56	<0.1	21.4	8.5	255	2.69	16.9	4.6	1.9	6	0.2	0.9	0.2	53	0.05	0.028	15	28	0.46	108	0.03	<1	1.35	0.005	0.06	0.2	0.03	1.3	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212377	23-Jul-11	7027887.61	580323.98	1578	0.8	33.6	12.2	64	<0.1	24.8	9.6	343	2.43	20.4	4.4	4.5	13	0.2	0.9	0.3	38	0.16	0.065	21	25	0.51	210	0.033	1	1.26	0.006	0.06	0.2	0.03	2.1	0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212378	23-Jul-11	7027864.07	580248.39	1575	1.4	28.2	20.5	65	0.3	23	9.3	319	2.95	24.5	2.4	1.4	6	0.2	1	0.3	48	0.05	0.046	14	27	0.45	106	0.028	<1	1.33	0.005	0.08	0.2	0.05	1.4	0.1	0.06	4	<0.5	<0.2	WHI11000896
1212379	23-Jul-11	7027802.81	580136.75	1550	1	36.1	17.6	73	<0.1	30.7	14.1	468	2.78	15.7	4.6	6.2	8	0.3	1.1	0.3	40	0.08	0.042	20	29	0.53	134	0.032	<1	1.53	0.005	0.09	0.2	0.02	2.1	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212380	23-Jul-11	7027757.07	580061.10	1538	1.4	32.4	18.3	74	<0.1	27.7	11.7	445	2.81	27.5	4	1.7	8	0.2	1.2	0.3	39	0.07	0.061	19	25	0.42	191	0.016	<1	1.27	0.006	0.07	0.3	0.04	1.5	0.1	0.06	4	<0.5	<0.2	WHI11000896
1212381	23-Jul-11	7027728.09	579959.22	1517	1.6	24.3	23	76	<0.1	24.3	13.2	606	3.46	24	3.7	5.8	6	0.1	1.2	0.4	39	0.04	0.04	16	26	0.44	75	0.019	1	1.4	0.005	0.07	0.2	0.03	1.8	0.1	<0.05	4	0.5	<0.2	WHI11000896
1212382	23-Jul-11	7027682.57	579878.40	1513	1.9	13.8	15.1	45	0.1	13.1	5.1	149	2.37	16.1	2	3.9	7	<0.1	0.9	0.3	49	0.03	0.025	17	16	0.21	79	0.013	<1	1.13	0.004	0.05	0.2	0.03	1.1	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212383	23-Jul-11	7027633.02	579795.74	1501	1.6	22	20.3	51	0.2	19.9	8.9	269	2.88	17.6	4.5	6.1	7	0.1	0.9	0.4	37	0.04	0.037	20	23	0.32	117	0.011	<1	1.37	0.005	0.07	0.2	0.04	1.5	0.2	<0.05	4	<0.5	<0.2	WHI11000896
1212384	23-Jul-11	7027604.03	579707.16	1488	1.2	26.3	19.1	65	<0.1	24.5	11.1	303	3.17	24.6	9.9	5	7	0.1	1.1	0.3	32	0.04	0.034	21	25	0.5	83	0.016	1	1.51	0.006	0.08	0.2	0.03	1.4	0.1	<0.05	4	0.5	<0.2	WHI11000896
1212385	23-Jul-11	7027544.25	579580.65	1475	0.7	28.7	16.7	59	<0.1	28.9	13.3	272	2.9	17.8	4.2	7.5	6	<0.1	0.9	0.3	31	0.04	0.018	22	24	0.54	118	0.021	4	1.56	0.005	0.08	0.1	0.02	1.6	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212386	23-Jul-11	7027481.09	579464.09	1445	0.9	23.4	18.1	50	<0.1	19.8	8.6	298	3.4	19.2	1.7	6	7	<0.1	0.8	0.3	28	0.06	0.043	20	20	0.41	70	0.015	<1	1.12	0.004	0.05	0.1	<0.01	1	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212387	23-Jul-11	7027457.14	579387.06	1430	1.9	9.2	13	37	0.1	9.4	3.9	202	2.25	16.9	1	2	8	0.1	0.8	0.3	51	0.07	0.039	13	15	0.16	101	0.024	<1	0.82	0.005	0.05	0.2	0.06	0.9	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212388	23-Jul-11	7027409.67	579308.77	1412	2.4	23.8	23.1	54	0.1	20.1	8.7	250	2.86	19	8.6	6.9	8	0.1	1.5	0.4	32	0.05	0.043	25	21	0.4	99	0.012	<1	1.44	0.004	0.06	0.2	0.02	1.4	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212389	23-Jul-11	7027334.02	579219.75	1412	1.1	30.9	17.5	53	<0.1	24.8	11.4	327	2.81	17	3.8	8.6	7	<0.1	0.6	0.4	18	0.06	0.038	27	16	0.49	79	0.009	<1	1.12	0.003	0.06	<0.1	0.01	1.2	0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212390	23-Jul-11	7027272.15	579131.00	1381	1	26.1	14.4	47	0.1	20.3	8.2	229	2.55	11	3.1	2.4	6	<0.1	0.5	0.3	30	0.04	0.04	22	23	0.5	101	0.011	<1	1.32	0.003	0.07	0.1	0.02	1.2	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212391	24-Jul-11	7016672.16	583575.48	1873	1	39.9	15.8	112	<0.1	25.3	13.8	709	2.68	8.7	3.8	7.5	14	0.3	0.6	0.3	38	0.15	0.074	20	22	0.38	130	0.072	<1	1.32	0.006	0.2	0.5	0.03	3.3	0.2	<0.05	4	<0.5	<0.2	WHI11000896
1212392	24-Jul-11	7016773.31	583583.32	1844	1.2	34.1	17.1	109	0.1	27.5	15.6	565	2.89	78.7	6.8	7.6	15	0.3	0.6	0.4	38	0.11	0.068	18	22	0.41	127	0.077	<1	1.61	0.007	0.26	0.6	0.03	3.1	0.3	<0.05	5	<0.5	<0.2	WHI11000896
1212393	24-Jul-11	7017021.73	583593.89	1739	0.7	36.2	12	99	<0.1	33.6	17.7	609	3.46	12.5	2.4	7	38	0.1	0.3	0.5	40	0.15	0.062	22	28	0.57	138	0.097	<1	1.79	0.009	0.31	0.3	0.03	2.9	0.3	<0.05	7	<0.5	<0.2	WHI11000896
1212394	24-Jul-11	7017131.38	583575.05	1705	1.1	27.3	13.6	94	<0.1	27.9	12.4	480	3.02	11.7	2	6.2	15	0.3	0.5	0.4	43	0.14	0.068	23	27	0.47	138	0.068	<1	1.72	0.007	0.21	0.4	0.03	2.5	0.2	<0.05	6	<0.5	<0.2	WHI11000896
1212395	24-Jul-11	7017212.95	583531.21	1696	0.8	12.6	9	39	<0.1	8.7	3.2	105	1.87	10.9	2.2	4	6	<0.1	0.4	0.4	48	0.04	0.032	17	13	0.14	52	0.057	<1	0.89	0.004	0.12	0.3	0.04	1.4	0.2	<0.05	7	<0.5	<0.2	WHI11000896
1212396	24-Jul-11	7017408.29	583453.60	1669	0.8	24.2	10.7	66	<0.1	22.4	10	367	2.28	18	7.9	6.7	10	0.1	0.5	0.4	33	0.08	0.038	23	22	0.43	105	0.062	<1	1.4	0.006	0.14	0.5	0.02	2.4	0.2	<0.05	5	<0.5	<0.2	WHI11000896
1212397	24-Jul-11	7017499.57	583416.25	1653	1	13	9.3	50	<0.1	14.8	5.3	166	2	9	2.5	2.9	8	0.1	0.4	0.3	37	0.06	0.031	16	20	0.31	56	0.049	<1	1.12	0.004	0.08	0.4	0.02	1.4	0.2	<0.05	5	<0.5	<0.2	WHI11000896
1212398	24-Jul-11	7017573.91	583368.82	1647	1.1	18.6	11.4	64	<0.1	23.6	11	351	2.62	11.6	5.5	5.1	10	0.1	0.6	0.3	39	0.1	0.045	18	25	0.42	99	0.052	1	1.58	0.006	0.14	0.3	0.02	2.2	0.2	<0.05	5	<0.5	<0.2	WHI11000896
1212399	24-Jul-11	7017782.88	583391.24	1634	1.4	26.1	13	74	<0.1	25.4	9.2	307	2.63	15.3	3.3	7.2	20	0.2	0.9	0.2	40	0.21	0.073	24	23	0.4	181	0.048	<1	1.21	0.008	0.07	0.5	0.02	2.8	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212400	24-Jul-11	7017875.97	583420.48	1630	1	22.7	13	57	0.1	18.5	7.8	186	2.17	17.1	8.4	6.7	17	0.2	0.8	0.2	32	0.18	0.057	25	19	0.33	141	0.036	<1	1.01	0.006	0.06	0.3	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212401	24-Jul-11	7017975.31	583431.01	1627	0.7	22.4	13.3	60	<0.1	14.4	6.4	226	2.54	6.4	5.8	8.2	13	0.1	0.5	0.2	28	0.09	0.037	29	22	0.45	118	0.038	<1	1.25	0.005	0.1	0.1	0.03	2	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212402	24-Jul-11	7018083.94	583424.14	1624	0.8	22.5	12.3	57	<0.1	14.6	4.7	152	2.53	11.9	7.7	8.9	9	0.2	1	0.2	22	0.07	0.038	22	18	0.32	94	0.024	<1	0.93	0.006	0.07	0.2	<0.01	1.5	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212403	24-Jul-11	7018184.40	583436.86	1614	1.1	33.4	11.5	70	<0.1	17.8	6.4	189	2.63	10.1	4.2	9.3	11	0.3	0.6	0.3	28	0.1	0.056	27	22	0.48	97	0.026	<1	1.27	0.005	0.05	0.1	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212404	24-Jul-11	7018284.45	583499.09	1606	1.9	15.4	20.3	32	<0.1	6.8	3.1	112	2.25	4.4	6.7	6	12	<0.1	0.7	1.1	26	0.02	0.042	30	18	0.26	36	0.045	<1	0.72	0.008	0.04	<0.1	0.04	0.8	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212405	24-Jul-11	7018412.41	583436.28	1603	1.7	25.8	15	71	<0.1	17.5	5.8	223	3.09	11	1.6	4.8	9	0.2	0.7	0.3	43	0.04	0.04	17	27	0.41	61	0.031	1	1.53	0.006	0.06	0.2	0.05	1.5	<0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212406	24-Jul-11	7018518.46	583400.70	1589	1.9	10.9	9.9	34	<0.1	8.2	2.6	100	1.66	8.4	1	1.8	6	0.1	0.7	0.3	56	0.03	0.02	14	15	0.11	48	0.029	<1	0.76	0.003	0.03	0.2	0.02	0.8	0.1	<0.05	6	0.6	<0.2	WHI11000896
1212407	24-Jul-11	7018594.21	583405.24	1580	1.8	18.4	13.6	68	<0.1	17.8	7.2	207	2.54	13	2.4	3.7	9	0.1	0.9	0.3	59	0.07	0.03	14	24	0.31	104	0.03	<1	1.5	0.005	0.05	0.3	0.03	1.8	0.1	<0.05	5	0.6	<0.2	WHI11000896
1212408	24-Jul-11	7018755.63	583409.35	1552	1.5	23.6	13.2	66	<0.1	16.8	6.2	189	2.6	10.8	4.1	3.5	12	0.2	0.7	0.3	41	0.11	0.057	16	25	0.42	102	0.027	<1	1.44	0.006	0.05	0.3	0.04	1.7	0.1	<0.05	4	0.6	<0.2	WHI11000896
1212409	24-Jul-11	7018876.10	583402.87	1538	1	34	13.7	67	<0.1	17.4	7.5	185	2.87	6.6	1.7	8.2	16	0.2	0.5	0.2	30	0.1	0.05	32	22	0.49	95	0.029	<1	1.22	0.005	0.04	0.2	<0.01	1.5	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212410	24-Jul-11	7019072.16	583377.05	1511	1.2	38.9	15.4	70	0.1	22	9.2	209	2.83	8.8	4	11	17	0.3	0.5	0.3	28	0.11	0.051	29	22	0.51	142	0.031	<1	1.24	0.007	0.05	0.2	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212411	24-Jul-11	7019165.73	583346.12	1502	1.2	32.5	18	60	0.1	15.1	10.7	205	3.07	14.1	2.4	10.5	11	0.1	0.4	0.3	26	0.06	0.035	28	21	0.5	100	0.027	<1	1.3	0.005	0.05	0.2	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212451	16-Jul-11	7031078.17	584910.02	1786	0.9	50.9	16.2	68	<0.1	35.4	17.4	565	4.07	13.9	2.2	3.4	7	0.1	1.6	0.3	66	0.06	0.039	14	58	0.91	78	0.081	1	1.68	0.003	0.22	<0.1	0.04	2.2	0.2	0.07	5	0.6	<0.2	WHI11000910
1212452	16-Jul-11	7031086.15	584962.21	1792	1	44.4	18.8	67	<0.1	34.3	16.2	503	3.42	21	2.4	5.1	9	0.1	2.3	0.4	39	0.06	0.039	21	37	0.66	95	0.034	1	1.33	0.005	0.17	0.1	0.03	1.6	0.2	<0.05	4	<0.5	<0.2	WHI11000910
1212453	16-Jul-11	7031091.60	585010.84	1791	1.5	28.8	16.8	71	0.1	25.2	11.7	540	2.93	36.9	2.9	2.4	9	0.2	1.5	0.4	40	0.08	0.054	12	23	0.45	109	0.021	1	1.14	0.003	0.08	0.2	0.05	1.3	0.1	<0.05	4	0.7	<0.2	WHI11000910
1212454	16-Jul-11	7031097.71	585059.38	1790	1.4	38.5	13.4	79	0.2	28.5	13.4	443	3.11	50.4

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1212456	16-Jul-11	7031105.34	585157.06	1786	0.9	49.5	10.7	71	0.1	33.4	16	437	3.64	34.6	7.8	3.4	7	0.1	1.4	0.3	52	0.1	0.046	13	36	0.86	135	0.04	2	1.65	0.003	0.14	0.2	0.04	1.8	0.1	<0.05	5	<0.5	<0.2	WHI11000910
1212457	16-Jul-11	7031115.59	585209.22	1786	1.1	46.9	15.8	73	<0.1	35.5	17.7	646	3.69	16	3.4	3.1	7	0.2	2.6	0.3	52	0.08	0.05	12	37	0.79	87	0.049	<1	1.5	0.003	0.16	0.2	0.03	1.7	0.1	<0.05	4	0.6	<0.2	WHI11000910
1212458	16-Jul-11	7031131.22	585256.48	1783	1.1	47.5	11.3	63	<0.1	32.4	14.8	412	3.75	17.6	2.1	1.5	6	0.2	1.4	0.2	67	0.07	0.05	8	42	0.85	100	0.053	<1	1.72	0.003	0.13	0.1	0.03	1.7	0.1	<0.05	5	0.5	<0.2	WHI11000910
1212459	16-Jul-11	7031149.96	585302.83	1781	0.8	52.6	8.6	65	<0.1	33.7	17.2	470	4.06	16.6	2.2	2	6	0.1	1.2	0.2	66	0.08	0.041	9	45	1.07	88	0.063	<1	1.93	0.002	0.18	0.1	0.02	1.9	0.1	<0.05	6	<0.5	<0.2	WHI11000910
1212460	16-Jul-11	7031173.34	585348.22	1783	1.2	31.8	14.7	57	<0.1	24	11.3	368	3.06	14.7	1.9	2.2	6	0.2	1.3	0.2	56	0.06	0.033	10	30	0.58	63	0.062	<1	1.21	0.003	0.12	0.1	0.03	1.4	0.1	<0.05	5	<0.5	<0.2	WHI11000910
1212461	16-Jul-11	7031195.98	585390.95	1784	0.7	40.7	13.7	57	<0.1	29.5	13.2	336	3.42	15.7	2.8	2.8	7	<0.1	1.2	0.2	53	0.07	0.04	12	36	0.79	86	0.045	1	1.6	0.002	0.13	0.2	0.02	1.6	0.2	<0.05	5	<0.5	<0.2	WHI11000910
1212462	16-Jul-11	7031216.50	585435.31	1790	1.2	33.5	19.8	65	<0.1	28.5	14.1	893	2.94	10.9	1	3.8	10	0.1	1.2	0.3	41	0.07	0.044	14	29	0.57	86	0.042	<1	1.16	0.003	0.16	0.1	0.03	1.3	0.1	<0.05	4	<0.5	<0.2	WHI11000910
1212463	16-Jul-11	7031239.24	585480.74	1796	1.3	48.7	19.2	72	0.2	34.4	15.6	456	3.86	16.3	1.9	2.6	8	0.1	1.6	0.3	57	0.07	0.06	14	42	0.74	182	0.029	<1	1.74	0.003	0.15	0.2	0.03	1.8	0.2	<0.05	5	<0.5	<0.2	WHI11000910
1212464	16-Jul-11	7031266.61	585524.04	1803	0.9	47.6	13.6	62	<0.1	32.3	15.5	490	3.47	13.1	1.1	2.9	7	0.2	1.6	0.2	54	0.09	0.048	10	38	0.8	67	0.063	<1	1.51	0.003	0.15	0.2	0.02	1.6	0.1	<0.05	4	<0.5	<0.2	WHI11000910
1212465	16-Jul-11	7031288.55	585566.23	1805	1.1	48.4	13.7	60	<0.1	31.2	14.4	418	3.4	13.7	1.9	2.3	6	0.1	1.6	0.2	53	0.06	0.039	11	38	0.72	78	0.038	1	1.58	0.003	0.13	0.1	0.05	1.5	0.1	<0.05	5	<0.5	<0.2	WHI11000910
1212466	16-Jul-11	7031313.80	585611.14	1800	1	38.4	12.4	58	<0.1	28.5	12.4	321	3.47	12.3	3.4	2.4	6	0.1	1.5	0.2	54	0.07	0.038	10	38	0.77	72	0.054	<1	1.55	0.003	0.11	0.1	0.03	1.5	0.1	<0.05	5	<0.5	<0.2	WHI11000910
1212467	16-Jul-11	7031332.51	585656.20	1796	0.8	46.5	12.7	63	<0.1	34.4	15.8	464	3.85	14.1	3.1	3.6	7	0.1	2	0.2	57	0.09	0.044	13	45	1	75	0.054	<1	1.87	0.003	0.18	0.1	0.03	1.8	0.1	<0.05	5	<0.5	<0.2	WHI11000910
1212468	16-Jul-11	7031355.36	585697.92	1789	0.6	115.9	22.7	170	0.2	236.3	68.9	2815	7.61	56.9	3	9.4	112	0.2	1	0.5	173	0.66	0.157	39	690	3.13	446	0.156	<1	5.07	0.017	1.08	0.2	0.04	5.3	0.7	<0.05	13	<0.5	<0.2	WHI11000910
1212469	16-Jul-11	7031374.31	585733.96	1780	1.1	81.1	34.2	79	<0.1	48.7	20.5	563	4.26	8.7	2.1	10.4	31	0.2	2.1	0.4	18	0.03	0.046	35	18	0.2	89	0.004	<1	0.83	0.003	0.13	0.1	0.02	1.8	0.2	<0.05	2	<0.5	<0.2	WHI11000910
1212470	16-Jul-11	7031394.02	585796.90	1749	1.1	72.2	34.4	90	0.1	49.8	23	764	4.13	16.1	2.3	5.1	25	0.2	2.1	0.5	41	0.17	0.063	26	47	0.81	118	0.012	<1	1.85	0.004	0.13	<0.1	0.04	1.8	0.1	<0.05	5	<0.5	<0.2	WHI11000910
1212471	16-Jul-11	7031435.27	585831.88	1737	1	55.9	25.4	68	0.1	39.3	17.1	544	3.87	12	2.4	5.1	11	<0.1	2.5	0.3	41	0.07	0.054	24	45	0.79	78	0.019	<1	1.69	0.003	0.13	<0.1	0.01	1.7	0.1	<0.05	5	<0.5	<0.2	WHI11000910
1212472	16-Jul-11	7031475.19	585855.74	1734	1	62.4	24.8	70	<0.1	38.3	18.6	555	3.93	12.9	4	7	12	<0.1	2.1	0.3	40	0.08	0.046	23	46	0.87	67	0.02	<1	1.74	0.003	0.14	<0.1	0.02	1.9	0.1	<0.05	5	<0.5	<0.2	WHI11000910
1212473	16-Jul-11	7031516.88	585879.97	1730	1	66.4	20.5	61	0.1	33.3	17.4	493	4.41	14.8	6.6	5.6	7	<0.1	3	0.3	51	0.07	0.038	19	45	0.91	81	0.044	<1	1.85	0.003	0.16	<0.1	0.02	2.1	0.2	<0.05	5	<0.5	<0.2	WHI11000910
1212474	16-Jul-11	7031557.02	585908.46	1726	0.7	66.8	13.3	63	<0.1	38.4	17.1	441	4.16	24.4	7.7	3.2	5	<0.1	4.3	0.2	61	0.06	0.027	10	44	1.05	57	0.072	<1	1.94	0.002	0.19	<0.1	0.03	1.9	0.2	<0.05	6	<0.5	<0.2	WHI11000910
1212475	16-Jul-11	7031601.45	585939.11	1721	1.2	51.1	12.5	63	<0.1	39	18.9	662	4.47	26.6	1.4	3.5	5	0.1	5	0.2	83	0.08	0.039	8	60	1.11	69	0.102	<1	2.02	0.003	0.22	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212476	16-Jul-11	7031638.63	585967.21	1717	1	58.4	12.8	68	0.1	40.5	18.8	579	4.35	46.1	2.3	2.9	5	0.1	12.3	0.2	64	0.08	0.042	11	47	1.07	66	0.07	<1	1.88	0.002	0.23	<0.1	0.03	2.3	0.2	<0.05	6	0.5	<0.2	WHI11000910
1212477	16-Jul-11	7031680.29	585997.18	1712	1.1	85.9	17	75	<0.1	49.3	22.4	557	4.49	21.7	2.7	3.3	6	0.1	1.7	0.3	64	0.08	0.026	9	47	1.04	73	0.089	<1	2.09	0.003	0.18	<0.1	0.03	2.4	0.2	<0.05	6	<0.5	<0.2	WHI11000910
1212478	16-Jul-11	7031720.35	586024.91	1706	1.3	58.2	13.6	66	<0.1	38.9	16.7	495	4.24	20.1	2.8	2.1	5	0.2	1.5	0.3	69	0.07	0.029	7	42	0.91	70	0.111	1	1.82	0.003	0.16	0.1	0.03	1.9	0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212479	16-Jul-11	7031763.78	586053.84	1699	1.2	73.6	13.4	75	<0.1	47.5	22.5	607	4.6	31.8	3.4	2.8	6	0.1	1.8	0.2	71	0.09	0.031	8	51	1.15	70	0.104	<1	2.16	0.003	0.17	0.1	0.04	2.6	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212480	16-Jul-11	7031892.33	586180.88	1660	1	64.5	9.2	66	<0.1	36.7	17.5	471	4.27	40.9	5.8	2.1	6	0.1	2.8	0.2	71	0.08	0.025	7	47	1.02	85	0.073	<1	2.05	0.003	0.14	0.1	0.02	2	0.1	<0.05	6	0.6	<0.2	WHI11000910
1212481	16-Jul-11	7031865.31	586222.95	1642	1.2	67.2	11.7	69	0.2	40.3	18.8	593	4.69	108.6	18.7	2.3	6	0.1	8.7	0.2	77	0.12	0.036	10	50	1.05	88	0.06	1	2.05	0.003	0.13	0.1	0.02	3.1	0.2	<0.05	6	<0.5	<0.2	WHI11000910
1212482	16-Jul-11	7031850.55	586269.36	1629	0.7	89	7.5	77	<0.1	54.8	28.4	856	5.66	64.6	13.7	1.9	6	<0.1	4.1	0.1	96	0.13	0.03	6	74	1.59	112	0.121	<1	2.79	0.003	0.33	<0.1	<0.01	3.3	0.2	<0.05	8	<0.5	<0.2	WHI11000910
1212483	16-Jul-11	7031824.03	586308.12	1620	1.1	60.5	9.9	75	<0.1	33.7	17	502	4.2	23.7	4.8	1.8	7	0.1	1.4	0.2	75	0.09	0.041	7	49	1.03	112	0.064	<1	2.14	0.004	0.14	0.2	0.02	2.1	0.2	<0.05	6	0.5	<0.2	WHI11000910
1212484	16-Jul-11	7031802.23	586355.79	1609	1.1	56	7.9	61	<0.1	31.3	15.2	403	4.18	29.1	3.2	2.1	5	0.1	1.4	0.2	73	0.09	0.031	7	44	0.99	88	0.097	<1	1.88	0.004	0.16	0.1	0.02	1.7	0.1	<0.05	6	<0.5	<0.2	WHI11000910
1212485	16-Jul-11	7031780.94	586397.31	1600	0.8	95	6.7	67	<0.1	40.1	21.6	492	4.94	20	5	2.7	5	<0.1	0.9	0.2	79	0.11	0.025	8	56	1.39	77	0.102	<1	2.34	0.003	0.2	<0.1	<0.01	2.1	0.2	<0.05	6	<0.5	<0.2	WHI11000910
1212486	16-Jul-11	7031754.98	586464.24	1584	0.7	77.5	9.1	81	<0.1	88.5	43.1	695	5	14.8	1.6	2.1	7	<0.1	0.6	0.2	88	0.11	0.031	4	60	1.2	98	0.161	<1	2.2	0.004	0.43	<0.1	0.01	2	0.3	<0.05	6	<0.5	<0.2	WHI11000910
1212487	17-Jul-11	7032787.25	587792.36	1411	1.3	43.5	22.1	75	0.2	31.5	14.8	457	3.41	60.9	11.6	7.9	10	0.1	3	0.6	33	0.07	0.048	17	25	0.53	140	0.008	1	1.57	0.003	0.11	0.1	0.1	1.8	0.3	<0.05	4	0.7	<0.2	WHI11000910
1212488	17-Jul-11	7032792.17	587841.31	1406	1.1	23.8	16.9	50	<0.1	19.4	8.7	283	2.87	39.9	1.6	4.5	6	0.1	1.5	0.6	34	0.05	0.032	16	20	0.41	68	0.02	1	1.13	0.003	0.08	0.2	0.04	1.3	0.1	<0.05	4	0.6	<0.2	WHI11000910
1212489	17-Jul-11	7032810.69	587905.23	1400	1.5	12.9	15.7	33	0.2	10.9	3.9	102	1.71	25.1	1.7	2.5	8	<0.1	0.8	0.4	39	0.04	0.024	16	13	0.21	80	0.019	1	0.89	0.003	0.09	0.1	0.03	0.7	0.2	<0.05	5	<0.5	<0.2	WHI11000910
1212490	17-Jul-11	7032810.39	587948.99	1394	1.5	10.6	18.3	41	<0.1	9.6	3.9	139	2.03	26.5	2.1	1	8	<0.1	1	0.4	48	0.04	0.027	11	13	0.13	80	0.029	2	0.69	0.003	0.06	0.2	0.03	0.7	0.1	<0.05	5	<0.5	<0.2	WHI11000910
1212491	17-Jul-11	7032819.83	587992.54	1383	1.4	26.4	21.7	53	<0.1	22.4	9.5	283	2.77	37.9	2.8	4.7	12	0.1	1.5	0.7	34	0.1	0.043	18	21	0.44	130	0.012	<1	1.33	0.003	0.07	0.2	0.03	1.5	0.1	<0.05	4	0.6	<0.2	WHI11000910
1212492	17-Jul-11	7032832.52	588038.73	1378	1.9	23.4	20.2	53	<0.1	15.6	5.6	138	2.58	22.2	1.9	3.6	6	0.1	1.1	0.4	48	0.04	0.028	12	17	0.22	72	0.019	2	0.98	0.002	0.05	0.3	0.04	1.1	0.1	<0.05	4	0.7	<0.2	WHI11000910
1212493	17-Jul-11	7032837.98	588089.81	1370	0.9	42.7	20.5	55	0.1	24.3	10.1	268	2.69	50.9	5.1	6.7	10	0.1	2.3	1.1	22	0.08	0.041	21	16	0.44	81	0.008	1	1.13	0.002	0.08	0.2	0.04	1.3	0.2	<0.05	3	<0.5	<0.2	WHI11000910
1212494	17-Jul-11	7032848.15	588139.60	1365	1.4	52	42.2	70	<0.1	40.5	21.4	820	3.61	42.1	4.8	9.4	8	0.2	1.3	0.8	26	0.08	0.046	20	19	0.5	83	0.03	<1	1	0.004	0.15	0.1	0.01	1.8	0.2	<0.05	3	0.7	<0.2	WHI11000910
1212495	17-Jul-11	7032854.36	588186.27	1358	0.9	52.3	17.9	58	<0.1	31.9	14	377	2.96	50.3	14.7	7.3	18	0.1	2.5	1.5	31	0.14	0.042	29	22	0.51	213	0.015	1	1.3	0.005	0.11	0.3	0.03	2.1	0.2	<0.05	3	0.5	<0.2	WHI11000910
1212496	17-Jul-11	7032861.23	588239.09	1345	1.7	32.1	20.1	61	0.1	22.4	10.6	292	2.79	37.7	4.4	4.2	16	0.1	1.3	0.5	47	0.12	0.041	19	22	0.38	208	0.013	1	1.39	0.004	0.06	0.2	0.03	1.6	0.2	<0.05	4	0.7	<0.2	WHI11000910
1212497	17-Jul-11	7032876.18	588283.32	1340	2.2	42.1	15.6	53	0.2	33.5	19.4	520	3.27	95.8	7.3	3.7	43	0.2	9.8	0.9	26	0.39	0.05	15	15	0.17	266	0.005	<1	0.83	0.003	0.06	0.2	0.05	1.8	0.2	<0.05	3	0.9	<0.2	WHI11000910
1212498	17-Jul-11	7032880.55	588333.31	1333	0.8	43	14.6	52	<0.1	26.5	13.2	311	3.21	79.3	4.1	8.5	9	0.1	2.3	1.6	30	0.05	0.022	20	23	0.57	131	0.016	<1	1.42	0.002	0.12	0.3	0.02	1.8	0.2	<0.05	4	<0.5	<0.2	WHI11000910
1212499	17-Jul-11	7032889.40	588386.92	1329	0.6	23.3	25.5	162	0.2	30	14.6	435	3.48	18	2.2	11.6	36	1.1	9	0.5	11	0.3	0.059	28	12	0.09	104	0.004	<1	0.73	0.003	0.09	<0.1	0.04	1.7	0.1	<0.05	1	<0.5	<0.2	WHI11000910
1212500	17-Jul-11	7032896.11	588433.75	1326	1.4	50.5	14	46	<0.1	21.2	10.2	360	4.29	35.9	1.9	12.8	39	<0.1	1.2	3.4	23	0.08	0.046	19	16	0.87	141	0.022	<1	1.2	0.004	0.23	0.1	0.01	1.8	0.2	0.26	4	0.9	<0.2	WHI11000910
1212501	17-Jul-11	7032915.27	588482.25	1320	0.9	43.6	54.1	64	<0.1	24.8	9.1	336	3.52	105.5	23.2	7.7	9	0.2	2.6	2.2	23	0.08	0.048	19	18	0.4	97	0.007	<1	1.09	0.003	0.09	0.5	0.03	1.3	0.1	<0.05	4	<0.5	<0.2	WHI11000910
1212502	17-Jul-11	7032926.98	588529.64	1307	1.2	19.4	23.4	54	0.1	16.2	7.6	215	2.34	47	2.1	7.2	11	0.2	1.1	1	31	0.1	0.035	18	17	0.35	130	0.012	<1	1.15	0.004	0.06	0.3	0.03	1.3	0.1	<0.05	4	0.6	<0.2	WHI11000910
1212503	17-Jul-11	7032938.01	588580.34	1298	1.1	23.9	23.5	37	0.2	14.1	6.6	228	1.68	38.7	1.5	0.3	25	0.2	0.7	1.1	23	0.29	0.053	27	13	0.18	190	0.005	1	0.85	0.004	0.05	0.3	0.04	0.4	0.1	<0.05	3	<0.5	<0.2	WHI11000910
1212504	17-Jul-11	7032960.21	588627.05	1292	1.3	22.1	22	62	0.2	19.7	8.9	286	2.5	67.9	2.7	3	17	0.2	1	0.8	39	0.18	0.05	14	22	0.41	168	0.016	1	1.21	0.004	0.06	0.4	0.04	1.5	0.1	<0.05	4	0.6	<0.2	WHI11000910
1212505	17-Jul-11	7032961.00	588679.56	1288	0.7	36	22.5	56	<0.1	26.3	11.6	334	2.75	291.3	3.8	8.9	13	0.2	2.3	2.1	19	0.12	0.037	21	16	0.4	181	0.007	<1	1.11	0.003	0.09	0.3	0.02	1.3	0.1	<0.05	3	<0.5	<0.2	WHI11000910
1212506	17-Jul-11	7032973.26	588729.36	1284	0.9	20.4	16.7	48	0.1	14.5	9.6	358	2.15	96.8	3	4.4	16	0.2	1.5	1.3	22	0.19	0.051	17	16	0.34	150	0.013	<1	0.79	0.003	0.07	0.4	0.02	1	<0.1	<0.05	3	<0.5	<0.2	WHI11000910
1212507	17-Jul-11	7032986.46	588772.07	1283	0.8	25.9	14.4	46	<0.1	19.1	9.7	310	2.07	64.3	4.8	8.8	7	0.1	1	1.1	18	0.06	0.037	24	13	0.34	116	0.009	<1	0.91	0.003	0.05	0.3	0.03	1.2	<0.1	<0.05	3	<0.5	<0.2	WHI11000910
1212508	17-Jul-11	7033008.43	588825.54	1277	0.7	26.9	11.8	47	<0.1	18.5	8.6	249	2.27	68.9	4.8	7.4	12	<0.1	1.1	1.2	20	0.13	0.04	25	18	0.46	152	0.013	1	1.04	0.004	0.08	0.3	0.03	1.4	0.1	<0.05	3	<0.5	<0.2	WHI11000910
1212509	17-Jul-11	7033017.87	588870.76	1279	1.4	17.1	13.9	54	0.1	18.1	9.2	245	2.61	80.3	2.7	7	8	0.2	1.2	1.1	37	0.06	0.035	15	23	0.41	121	0.017	<1	1.55	0.004	0.06	0.3	0.04	1.6	0.1	<0.05	4	0.8	<0.2	WHI11000910
1212510	17-Jul-11	7033027.34	588916.49	1279	1	12.6	10.1	25	<0.1	8.1	3.3	88	1.46	43.6	6.6	4.3	7	0.1	0.7	0.8	32	0.05	0.017	19	11	0.1	153	0.006	<1	1	0.003	0.03	0.2	0.03	0.9	<0.1	<0.05	4	<0.5	<0.2	WHI11000910
1212511	17-Jul-11	7033039.67	588963.56	1276	1.8	14.3	12.9	61	<0.1	17.6	6.6	212	3.31	83.9	2.7	6.4	7	0.2	1.7	1.5	45	0.04	0.031	16	18	0.24	143	0.013	<1	1.21	0.003	0.07	0.4	0.02	1.3	0.1	<0.05	4	0.6	<0.2	WHI11000910
1212512	17-Jul-11	7033051.79	589015.99	1266	1.4	22.3	12.8	49	0.2	15.6	6.7	171	2.65	49.5	2.8	8.2	8	0.1	1	0.7	34	0.07	0.039	16	21	0.32	107	0.013	1	1.41	0.004	0.05	0.2	0.04	1.4	0.1	<0.05	4	0.7	<0.2	WHI11000910
1212513	17-Jul-11	7033063.64	589065.22	1252	1.2	53.4	13.4	61	<0.1	33.3	16.8	246	2.94	165.5	4.9	9.1	7	0.1	1.2	1.2	19	0.03	0.04	21	14	0.35	103	0.005	<1	1.14	0.003	0.06	0.7	0.03	1.2	<0.1	<0.05	3	0.8	<0.2	WHI11000910
1212514	17-Jul-11	7033076.17	589115.17	1237	2.1	51.7	15.3	63	0.2	21	9.2	221	4	162.1	7.8	9.2	19	<0.1	1.1	1.3	30	0.03	0.043	20	20	0.42	138	0.005	<1	1.54	0.003	0.07	0.3	0.04	1.3	<0.1	<0.05	4	0.6	<0.2	WHI11000910
1212515	23-Jul-11	7035545.64	592782.54	1170	0.9	26.6	21.9	100	0.3	30.7	12.7	927	3.22	15.2	1.4	4.5	29	0.3	1.5	0.3	36	0.39	0.049	19	19	0.26	391	0.008	1	1.33	0.006	0.07	0.1	0.04	3.1	<0.1	0.05	4	0.7	<0.2	WHI11000896
1212516	23-Jul-11	7035534.86	592684.91	1165	2.3	41.5	27.4	87	0.5	32.6	13.7	696	3.67	33	2.4	5.7	23	0.2	3	0.3	32	0.24	0.05	19	21	0.36	271	0.006	<1	1.5	0.005	0.06	0.2	0.05	2.7	<0.1	<0.05	3	0.9	<0.2	WHI11000896
1212517	23-Jul-11	7035523.09	592585.62	1170	1.2	31.5	16.3	73	0.2	28.9	11.3	359	2.46	19.5	2	4.9	33	0.2	1.5	0.3	32	0.41	0.086	18	21	0.36	326	0.01	2	1.16	0.005	0.05	0.2	0.06	2.5	<0.1	<0.05	4	0.9	<0.2	WHI11000896
1212518	23-Jul-11	7035528.85	592486.95	1178	1.5	37	18.8	90	0.3	31.9	14.2	581	3.18	27.1	3.9	5.1	52	0.4	2.1	0.3	32	0.54	0.099	17	21	0.38	314	0.01	2	1.19	0.006	0.06	0.2	0.06	2.7	<0.1	0.07	4	1.4	<0.2	WHI11000896
1212519	23-Jul-11	7035539.69	592385.50	1181	5	46.8	19.3	100	0.5	35.9	14.2	383	3.39	37.3	2.9	5	35	0.2	6.1	0.3	35	0.36	0.105	19	20	0.33	287	0.007	<1	1.19	0.006	0.05	0.2	0.06	2.1	<0.1	0.06	3	1.8	<0.2	WHI11000896
1212520	23-Jul-11	7035551.04	592290.69	1176	1	66.1	17	87	0.3	32

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1212522	23-Jul-11	7035593.60	592094.13	1144	2	21.8	23.6	71	0.3	19.3	8.5	273	3.16	50.3	0.8	5.7	6	0.3	1.9	0.3	39	0.05	0.038	19	18	0.24	186	0.007	1	1.26	0.003	0.04	0.2	0.03	1.5	<0.1	<0.05	4	1	<0.2	WHI11000896
1212523	23-Jul-11	7035613.77	592049.83	1135	1.3	12.8	11.6	41	<0.1	10.3	5.1	212	1.88	25.7	2.9	3.2	5	0.2	1.3	0.2	38	0.04	0.041	20	10	0.13	59	0.012	<1	0.68	0.002	0.04	0.2	<0.01	0.7	<0.1	<0.05	5	0.5	<0.2	WHI11000896
1212524	23-Jul-11	7035630.43	592000.07	1131	1.3	40	26.4	72	0.1	30.4	14	256	3.55	85	2	6.8	7	0.3	2.3	0.3	30	0.05	0.038	20	19	0.31	114	0.008	<1	1.44	0.003	0.04	0.1	0.03	1.5	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212525	23-Jul-11	7035649.95	591958.96	1122	1.5	14.7	18.1	71	<0.1	17.6	8.3	256	3.07	33.6	0.9	4.7	8	0.2	1.6	0.2	38	0.07	0.055	19	17	0.24	120	0.013	<1	0.99	0.003	0.04	0.2	0.02	1.1	<0.1	<0.05	4	0.6	<0.2	WHI11000896
1212526	23-Jul-11	7035685.49	591919.01	1109	1.3	29.1	21.7	97	0.2	35.6	13.5	409	3.26	39.7	3.4	6.6	13	0.3	1.8	0.3	42	0.12	0.06	19	23	0.36	260	0.014	2	1.51	0.004	0.06	0.3	0.02	2.2	<0.1	<0.05	4	0.8	<0.2	WHI11000896
1212527	23-Jul-11	7035718.92	591878.71	1094	1.5	64.9	24.3	94	0.1	33.1	17.9	447	4.3	43.1	<0.5	6.3	6	0.2	3.4	0.3	39	0.07	0.075	17	20	0.34	71	0.009	<1	1.32	0.003	0.06	0.2	0.03	1.6	<0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212528	23-Jul-11	7035780.65	591822.07	1076	1.7	18.7	18.9	70	0.2	19.3	8.7	182	3.3	35.1	2.7	6	11	<0.1	1.7	0.3	47	0.12	0.021	22	19	0.32	202	0.012	<1	1.24	0.003	0.06	0.2	<0.01	1.3	<0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212529	23-Jul-11	7035815.95	591767.38	1083	1.2	9.5	11.6	45	0.2	14.6	9.2	199	2.45	11	0.6	3.8	7	<0.1	0.9	0.2	57	0.06	0.014	15	18	0.25	172	0.013	<1	1.3	0.003	0.04	0.2	0.01	1.4	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212530	23-Jul-11	7035840.40	591722.10	1076	1.1	12.6	14.8	74	0.3	14.8	10.2	551	2.37	13.8	<0.5	3.9	8	0.1	0.8	0.2	43	0.08	0.022	20	17	0.28	200	0.014	<1	1.2	0.004	0.07	0.2	0.02	1.3	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212531	23-Jul-11	7035885.37	591695.36	1061	1.6	47.9	15.7	81	0.2	27.3	11.4	313	3.23	22.4	1.2	5	14	0.1	2	0.3	42	0.18	0.052	18	23	0.49	261	0.01	<1	1.37	0.004	0.07	0.2	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212532	23-Jul-11	7035934.20	591600.67	1019	1.2	41.2	16.8	94	0.2	32.1	13.2	518	2.93	27.9	3.9	7	47	0.3	3.1	0.2	38	0.94	0.081	20	21	0.49	343	0.026	2	1.15	0.013	0.11	0.2	0.05	3	0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212533	23-Jul-11	7035954.36	591574.32	1030	1.5	50.6	16.3	53	<0.1	33.7	16.8	310	3.67	21.4	6.7	4.5	15	<0.1	1.7	0.2	65	0.26	0.016	16	35	0.58	178	0.016	<1	1.76	0.004	0.08	<0.1	0.01	2.4	0.1	<0.05	6	<0.5	<0.2	WHI11000896
1212534	23-Jul-11	7035979.65	591515.54	1036	1.4	36.3	18	76	<0.1	29.7	13.8	321	3.3	38.9	1.6	5	11	0.1	1.7	0.3	44	0.15	0.025	18	23	0.38	286	0.013	1	1.43	0.004	0.07	0.1	0.02	1.8	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212535	23-Jul-11	7036098.17	591358.23	962	1.5	45.2	26.5	81	0.2	30.3	16.4	341	4.14	28.9	1.9	6.3	18	0.1	4.5	0.3	36	0.27	0.077	21	26	0.57	143	0.007	2	1.4	0.004	0.1	<0.1	0.04	2.4	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212536	23-Jul-11	7036147.58	591315.99	966	1.1	41.9	26.4	75	<0.1	26.8	11.5	385	3.58	34.1	3.1	8.1	7	<0.1	3.1	0.3	33	0.07	0.015	28	20	0.34	305	0.005	<1	1.62	0.004	0.06	<0.1	0.04	2.7	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212537	23-Jul-11	7036166.07	591269.26	960	1.2	22.1	17.2	61	<0.1	18.9	7.9	186	2.7	22.7	<0.5	5.6	8	0.1	2.2	0.2	40	0.08	0.02	22	17	0.22	245	0.009	<1	1.23	0.003	0.05	0.1	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212538	23-Jul-11	7036205.78	591169.52	906	1.7	123.5	25.3	128	0.3	49.5	19.8	639	3.77	36.3	4.7	7.6	34	0.6	4.5	0.3	35	0.52	0.074	21	22	0.49	288	0.011	2	1.34	0.006	0.18	<0.1	0.1	3.4	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212539	23-Jul-11	7036265.37	591104.31	892	1.9	36.2	14.8	60	<0.1	24.8	13.3	159	2.87	21	2.6	4.3	9	<0.1	1.1	0.2	53	0.08	0.015	13	26	0.38	263	0.022	<1	1.75	0.004	0.04	0.2	0.01	2	0.1	<0.05	5	0.5	<0.2	WHI11000896
1212540	23-Jul-11	7036317.94	591012.62	868	1.2	48.4	16.1	97	<0.1	46.5	33.5	707	7.02	16.2	0.6	2.1	4	0.2	1.6	0.3	193	0.1	0.056	7	101	1.75	77	0.079	<1	2.67	0.003	0.06	0.1	<0.01	10.1	<0.1	<0.05	10	<0.5	<0.2	WHI11000896
1212541	23-Jul-11	7036351.64	590923.67	878	1.5	17.9	14.3	67	<0.1	15.1	8.1	150	2.7	18.8	1.3	3.8	7	0.1	1.1	0.2	57	0.08	0.018	15	19	0.24	163	0.016	<1	1.22	0.003	0.04	0.2	<0.01	1.3	<0.1	<0.05	4	0.6	<0.2	WHI11000896
1212542	23-Jul-11	7036459.85	590659.16	797	1.5	96.7	20.7	110	0.2	46.7	20	621	4.09	31.8	3.5	7.9	28	0.3	4.4	0.3	43	0.36	0.067	22	28	0.61	225	0.02	<1	1.48	0.005	0.16	<0.1	0.05	3.2	0.1	<0.05	4	<0.5	0.2	WHI11000896
1212601	16-Jul-11	7031801.48	586084.15	1699	1	112.2	13.9	77	<0.1	56.4	28.8	680	5.11	31.5	5.5	2.5	7	0.1	1.6	0.2	82	0.11	0.03	7	57	1.28	75	0.129	<1	2.48	0.004	0.22	0.1	0.02	3	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212602	16-Jul-11	7031847.56	586110.97	1696	1	131.8	14.7	63	0.4	56	28.6	643	4.85	2822	1544	3.8	15	0.2	145.8	0.2	56	0.09	0.027	12	42	0.94	81	0.055	3	1.78	0.006	0.2	<0.1	0.03	3.2	0.1	0.13	5	<0.5	<0.2	WHI11000910
1212603	16-Jul-11	7031887.45	586136.84	1688	0.8	121.5	15.6	76	0.1	54.6	29.6	728	4.96	1036	294.4	2.7	12	0.1	52.3	0.2	68	0.12	0.034	10	48	1.07	106	0.05	2	2.15	0.004	0.16	<0.1	0.03	3.2	0.1	<0.05	6	<0.5	<0.2	WHI11000910
1212604	16-Jul-11	7031926.88	586172.05	1674	0.7	104.4	12.7	75	<0.1	51.4	27.2	707	5.45	124.6	18.6	1.9	9	0.1	3.1	0.2	99	0.18	0.035	7	68	1.39	95	0.115	2	2.6	0.005	0.18	0.1	0.01	3.1	0.1	<0.05	8	<0.5	<0.2	WHI11000910
1212605	16-Jul-11	7031969.38	586202.90	1661	0.4	122.9	7.7	70	<0.1	52.9	25.9	639	4.82	46.4	10.8	2	6	0.1	2.5	0.1	89	0.15	0.025	6	62	1.39	89	0.104	2	2.43	0.003	0.21	0.1	<0.01	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212606	16-Jul-11	7032005.97	586238.11	1648	0.8	103.4	12.3	84	<0.1	52.9	28.5	917	6.03	85.3	9.2	2.2	6	0.1	7.6	0.2	102	0.11	0.043	8	68	1.41	94	0.113	2	2.66	0.003	0.22	<0.1	0.01	4.5	0.1	<0.05	8	<0.5	<0.2	WHI11000910
1212607	16-Jul-11	7032039.95	586270.64	1647	0.8	93.7	7.4	74	0.1	46.3	23.2	576	5.21	35	6.4	2.6	7	<0.1	6.4	0.2	94	0.14	0.031	9	68	1.56	93	0.113	<1	2.71	0.004	0.24	<0.1	<0.01	3.3	0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212608	16-Jul-11	7032081.48	586300.82	1645	1.1	75.2	8	78	<0.1	48.7	25.9	740	5.53	60.6	5.1	1.8	8	<0.1	6.9	0.2	103	0.18	0.043	6	72	1.52	127	0.121	2	2.56	0.004	0.21	0.1	<0.01	2.8	<0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212609	16-Jul-11	7032120.36	586332.34	1637	1	100.9	9.7	80	0.1	50.5	25.3	637	5.67	73.5	5	2.9	8	0.1	3.8	0.3	97	0.15	0.031	9	65	1.32	131	0.139	2	2.5	0.005	0.27	0.1	0.03	3.1	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212610	16-Jul-11	7032153.19	586367.54	1629	0.8	84.4	9.3	73	<0.1	45.6	22.8	599	5.25	46.4	6.1	2.9	6	<0.1	4.4	0.3	90	0.12	0.03	8	63	1.3	98	0.149	1	2.36	0.004	0.23	0.1	0.01	2.7	0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212611	16-Jul-11	7032192.67	586397.74	1624	1.1	135.1	11.5	81	0.4	53.5	27.2	699	5.48	82.9	15.7	3.1	8	<0.1	17.6	0.3	92	0.14	0.048	10	64	1.34	154	0.067	2	2.71	0.005	0.24	0.1	0.02	4.2	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212612	16-Jul-11	7032229.05	586432.81	1614	0.8	132.2	7.9	84	0.3	56.3	27.4	718	5.87	147	16.6	2.6	8	0.1	12.8	0.2	103	0.16	0.041	8	70	1.35	144	0.103	2	2.67	0.004	0.38	0.1	0.02	4.5	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212613	16-Jul-11	7032275.34	586456.97	1606	0.3	170.6	3	91	0.1	72.7	36	771	6.71	45.9	8.5	1.5	7	<0.1	5.8	<0.1	120	0.25	0.033	3	96	2.07	116	0.164	2	3.36	0.004	0.59	<0.1	<0.01	2.9	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212614	16-Jul-11	7032308.04	586496.70	1598	0.5	96.6	8.4	73	<0.1	48.8	25.7	593	6.05	12.1	4.3	0.7	4	0.1	1	0.1	130	0.12	0.041	2	67	1.56	43	0.231	2	2.7	0.004	0.34	<0.1	0.02	1.9	0.1	<0.05	10	<0.5	<0.2	WHI11000910
1212615	16-Jul-11	7032345.46	586527.20	1591	0.8	87.8	5.7	64	<0.1	43.8	22.2	553	5.36	14.5	5.9	1.2	5	<0.1	1.2	0.1	104	0.11	0.041	3	65	1.35	59	0.222	<1	2.35	0.004	0.32	0.1	0.04	1.8	0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212616	16-Jul-11	7032371.80	586582.38	1584	7.5	373.5	32.7	153	0.3	106	53.6	561	12.73	270	49.7	7.9	5	0.6	14.3	0.5	46	0.09	0.072	30	29	0.42	60	0.007	3	1.05	0.003	0.16	0.1	0.03	10.7	0.2	<0.05	3	2.2	<0.2	WHI11000910
1212617	16-Jul-11	7032390.65	586618.41	1579	0.8	136.6	6.2	84	0.5	58	28.9	732	6.27	97.6	25.4	2	7	0.1	8	0.1	99	0.2	0.049	8	81	1.8	91	0.064	1	2.85	0.003	0.18	<0.1	0.04	6.2	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212618	16-Jul-11	7032412.33	586660.28	1575	0.8	65	7.9	65	<0.1	39.8	19.5	408	4.52	9.8	1.2	1.8	6	0.2	0.7	0.2	84	0.1	0.033	6	53	1.13	73	0.14	2	2.18	0.004	0.26	<0.1	0.02	2.4	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212619	16-Jul-11	7032437.65	586705.48	1572	0.5	119.4	5	80	<0.1	21.5	16.3	649	6.69	2.3	1.8	1.6	9	<0.1	0.3	0.2	75	0.06	0.048	4	54	1.55	60	0.334	2	2.72	0.004	0.37	<0.1	0.01	2.3	0.1	0.1	8	<0.5	<0.2	WHI11000910
1212620	16-Jul-11	7032460.12	586745.98	1569	1.8	40.4	12.3	70	<0.1	27	11.7	361	3.96	20	2.9	2.6	8	0.1	1.2	0.2	73	0.1	0.031	9	39	0.77	76	0.094	1	1.7	0.004	0.12	0.2	0.03	1.9	<0.1	<0.05	6	<0.5	<0.2	WHI11000910
1212621	16-Jul-11	7032484.51	586796.17	1567	1	103.9	14.6	102	<0.1	44.8	40.3	874	7.74	6.1	3.4	4.7	9	0.1	1	0.3	86	0.09	0.059	13	54	1.69	51	0.208	2	3.06	0.004	0.24	<0.1	0.02	4.3	0.1	<0.05	9	<0.5	<0.2	WHI11000910
1212622	16-Jul-11	7032506.91	586836.90	1568	0.5	80	4.3	88	<0.1	59.5	34.3	873	6.55	18.2	5.1	1	3	<0.1	0.2	<0.1	177	0.14	0.039	2	106	2.43	59	0.104	2	3.53	0.003	0.26	<0.1	<0.01	4.2	0.1	<0.05	11	0.5	<0.2	WHI11000910
1212623	16-Jul-11	7032530.31	586883.11	1569	0.4	114.2	2.6	78	<0.1	59.9	40.6	766	6.09	6.4	2	0.8	4	<0.1	0.4	<0.1	102	0.22	0.042	2	91	1.93	79	0.124	1	2.92	0.004	0.25	<0.1	0.02	1.9	0.1	<0.05	7	<0.5	<0.2	WHI11000910
1212624	16-Jul-11	7032547.24	586929.75	1572	0.7	84.6	3.8	83	<0.1	55.2	36.1	890	6.67	14.8	1.4	0.7	4	<0.1	0.3	<0.1	140	0.15	0.03	2	105	2.04	67	0.207	2	3.17	0.003	0.32	<0.1	<0.01	1.9	0.1	<0.05	8	<0.5	<0.2	WHI11000910
1212625	16-Jul-11	7032561.27	586979.58	1570	0.6	129.4	4.7	83	<0.1	59.5	33.5	752	5.97	13.1	1.8	1.4	5	0.1	2.8	<0.1	93	0.19	0.042	5	70	1.68	94	0.116	2	2.76	0.003	0.41	0.1	0.01	3	0.2	<0.05	6	<0.5	<0.2	WHI11000910
1212626	16-Jul-11	7032576.32	587028.16	1565	0.6	133.1	7.2	95	<0.1	66.6	39.4	813	5.78	9.9	2.2	1.7	6	0.1	0.9	0.1	110	0.15	0.039	5	65	1.52	97	0.178	2	2.66	0.004	0.67	<0.1	0.02	2.8	0.3	<0.05	7	0.7	<0.2	WHI11000910
1212627	16-Jul-11	7032587.94	587073.67	1555	1	104.5	5	74	<0.1	53.5	30.4	578	5.66	7.8	1.1	1.1	7	<0.1	0.3	<0.1	127	0.17	0.026	3	72	1.64	83	0.198	<1	2.72	0.005	0.58	<0.1	<0.01	2.8	0.3	<0.05	8	<0.5	<0.2	WHI11000910
1212628	16-Jul-11	7032601.78	587121.29	1542	1.1	89	6.1	69	<0.1	38.5	20.9	509	5.42	10.7	2.8	1.5	7	<0.1	0.6	0.1	102	0.16	0.029	4	57	1.44	99	0.205	2	2.39	0.004	0.44	<0.1	<0.01	2.1	0.2	0.08	7	<0.5	<0.2	WHI11000910
1212629	16-Jul-11	7032618.83	587169.77	1532	0.9	151.3	5.3	83	0.2	56.6	31.2	584	5.48	11.5	3.3	1.7	6	0.1	1.1	0.1	88	0.2	0.047	6	66	1.63	92	0.111	1	2.68	0.003	0.38	<0.1	0.04	2.6	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212630	16-Jul-11	7032629.67	587217.92	1521	0.9	121.1	7.3	84	0.1	53	27.9	661	5.66	20.4	3.3	2.2	8	<0.1	7.1	0.2	85	0.21	0.043	9	56	1.26	100	0.062	3	2.27	0.003	0.21	0.1	0.02	4.7	0.1	<0.05	6	0.6	<0.2	WHI11000910
1212631	16-Jul-11	7032640.82	587267.45	1513	1.3	97.7	11.4	79	0.1	42.2	20.7	493	4.71	33	4	2.7	8	<0.1	1.1	0.3	80	0.12	0.038	11	51	1.05	121	0.088	2	2.23	0.005	0.22	0.1	0.02	2.6	0.2	<0.05	7	0.7	<0.2	WHI11000910
1212632	16-Jul-11	7032659.76	587315.14	1502	0.9	147.3	6.7	93	<0.1	64.5	34.3	702	6.31	17.1	2.9	2.4	7	0.1	5.7	0.1	95	0.21	0.043	9	65	1.54	90	0.08	1	2.58	0.003	0.32	0.1	0.02	4.3	0.1	<0.05	7	0.5	<0.2	WHI11000910
1212633	16-Jul-11	7032676.84	587361.24	1491	0.7	115.4	5.4	85	0.1	56.2	28.4	638	5.74	31.7	4.8	2.1	6	<0.1	1.1	0.1	95	0.14	0.029	6	69	1.71	79	0.135	2	2.75	0.003	0.35	<0.1	<0.01	2.6	0.2	<0.05	7	<0.5	<0.2	WHI11000910
1212634	16-Jul-11	7032685.97	587405.63	1480	0.9	83.4	10	77	0.1	43.5	23.5	506	5	27.8	4.3	2.7	7	<0.1	0.9	0.2	88	0.13	0.035	10	58	1.29	110	0.121	2	2.37	0.004	0.3	0.1	0.03	2.4	0.2	<0.05	7	0.7	<0.2	WHI11000910
1212635	16-Jul-11	7032703.99	587458.14	1469	0.7	99	7.4	76	<0.1	53.2	30.7	667	5.45	10.8	2.3	1.8	6	<0.1	0.5	0.1	123	0.13	0.035	5	72	1.54	75	0.161	2	2.48	0.003	0.63	<0.1	<0.01	3.5	0.2	<0.05	8	0.7	<0.2	WHI11000910
1212636	16-Jul-11	7032724.73	587501.57	1460	0.6	88.7	10.6	78	0.1	49.1	27	702	5.52	18.8	1.9	2.6	7	<0.1	1.1	0.2	137	0.16	0.028	8	76	1.6	115	0.157	<1	2.6	0.004	0.66	<0.1	<0.01	4.6	0.2	<0.05	8	0.5	<0.2	WHI11000910
1212637	16-Jul-11	7032728.41	587553.99	1451	1.5	115	10.9	84	0.2	52.7	28.7	684	5.93	31.3	5.6	2.8	8	0.1	2.8	0.3	96	0.12	0.052	13	56	1.16	132	0.077	1	2.35	0.004	0.35	0.1	0.02	4.1	0.2	<0.05	7	0.5	<0.2	WHI11000910
1212638	16-Jul-11	7032745.37	587597.66	1443	1.1	60.7	8.8	59	<0.1	33	17.7	453	3.94	18.9	3.2	2.4	7	<0.1	0.9	0.2	75	0.11	0.034	11	47	0.88	107	0.085	1	1.77	0.004	0.22	0.2	0.02	1.5	0.1	<0.05	6	0.6	<0.2	WHI11000910
1212639	16-Jul-11	7032759.78	587648.55	1435	1.3	40	19.9	78	<0.1	29.1	14.8	490	3.77	46	2.3	4.7	10	0.2	1.8	0.4	46	0.08	0.036	16	26	0.51	144	0.036	1	1.46	0.004	0.13	0.2	0.03	2.1	0.2	<0.05	5	0.8	<0.2	WHI11000910
1212640	16-Jul-11	7032771.98	587695.68	1427	2	44.5	20.1	70	0.2	23.2	9.5	318	3.63	51.8	5.3	4.5	12	0.1	1.8	0.5	58	0.08	0.042	15	25	0.38	158	0.016	1	1.65	0.005	0.12	0.2	0.04	2.2	0.2	<0.05	6	1.4	<0.2	WHI11000910
1212641	16-Jul-11	7032775.59	587748.56	1420	0.8	31.8	17.1	57	<0.1	24.3	11.6	391	3.5	57.8	25.3	8.4	9	0.1	3.4	0.7	21	0.04	0.035	25	18	0.46	67	0.016	<1	1.21	0.004	0.12	0.3	0.02	1.7	0.2	<0.05	4	<0.5	<0.2	WHI11000910
1212642	23-Jul-11	7033741.45	586904.87	1219	1.5	100	9.8	80	0.1	39.1	19.8	421	3.82	30.3	6.7	2.3	8	<0.1	1.5	0.4	61	0.18	0.037	11	38	0.84	95	0.046	2	1.54	0.003	0.13	0.2	0.02	2.7	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212643	23-Jul-11	7033837.99	586879.24	1205	1.3	98.1	10.4	66	0.1	37.4	18.3	434	3.99	55.2	6.8	2.6	10	<0.1	1.1	0.4	74	0.35	0.043	11	48	0.92	102	0.06	1	1.72	0.004	0.16	0.2	0.03	3.2	0.2	<0.05	6	<0.5	<0.2	WHI11000896
1212644	23-Jul-11	7033934.93	586851.69	1196	1.1	109.7	10.8	94	<0.1	56.7

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1212646	23-Jul-11	7034086.23	586822.72	1179	2.2	29.2	18	74	0.1	28.8	12.2	263	4.93	25.7	2.7	3.6	6	0.2	1.2	0.3	71	0.07	0.026	10	38	0.5	118	0.054	<1	2.12	0.005	0.06	0.3	0.04	2.2	0.1	<0.05	6	0.6	<0.2	WHI11000896
1212647	23-Jul-11	7034127.98	586809.49	1175	1.2	95.1	8.3	102	<0.1	61.1	37.7	1081	6.17	15	1.2	1.2	7	0.2	1	0.1	130	0.27	0.048	4	87	1.56	286	0.132	<1	2.91	0.003	0.3	<0.1	<0.01	3.8	0.3	<0.05	7	<0.5	<0.2	WHI11000896
1212648	23-Jul-11	7034179.56	586785.64	1168	0.9	168.3	9.1	91	0.2	67.3	29.1	579	5.7	62.8	11.5	2.9	10	0.3	4.1	0.2	100	0.32	0.043	7	67	1.53	112	0.096	<1	2.46	0.003	0.31	<0.1	0.03	3.8	0.2	<0.05	6	<0.5	<0.2	WHI11000896
1212649	23-Jul-11	7034275.72	586762.38	1151	0.8	115	4.5	82	<0.1	57.6	33	648	6.06	11.8	3.4	1.1	8	0.1	0.7	<0.1	89	0.44	0.046	3	71	2.05	103	0.109	<1	2.95	0.003	0.2	<0.1	0.01	1.5	<0.1	<0.05	6	<0.5	<0.2	WHI11000896
1212650	23-Jul-11	7034374.29	586737.69	1137	1.2	152.1	13.3	76	0.1	60.6	24.6	418	4.54	40.9	4.3	2.7	9	0.2	1.6	0.3	70	0.24	0.037	9	48	1.13	88	0.063	1	1.89	0.003	0.2	0.2	0.01	2.6	0.2	<0.05	5	<0.5	<0.2	WHI11000896
1212651	23-Jul-11	7034462.88	586715.47	1121	0.8	127.5	9.4	87	0.1	54.4	27.9	605	5.66	29.9	1.8	2	8	0.2	1	0.2	89	0.32	0.057	6	57	1.55	80	0.09	<1	2.44	0.002	0.37	0.1	<0.01	3.5	0.2	<0.05	7	<0.5	<0.2	WHI11000896
1212652	23-Jul-11	7034516.53	586711.19	1111	1.2	190.3	13.3	100	0.4	70.4	25.7	569	4.98	50.7	6.5	2.1	12	0.3	1.7	0.3	78	0.42	0.054	9	49	1.12	137	0.05	<1	2.08	0.004	0.25	0.1	0.04	4.6	0.2	<0.05	6	<0.5	<0.2	WHI11000896
1212653	23-Jul-11	7034571.74	586716.37	1103	0.8	99.3	12.1	92	<0.1	54.3	28.3	655	5.6	33.8	1.2	2.1	11	0.3	1.2	0.2	137	0.36	0.028	6	74	1.48	110	0.125	<1	2.34	0.003	0.26	<0.1	<0.01	3.1	0.2	<0.05	6	<0.5	<0.2	WHI11000896
1212654	23-Jul-11	7034619.56	586701.99	1098	0.8	139.5	11.7	84	0.2	61.2	27.3	576	5.11	35.9	2.7	2.2	14	0.2	1.5	0.2	89	0.51	0.048	9	58	1.33	138	0.067	<1	2.22	0.004	0.22	0.1	0.03	3.8	0.1	<0.05	6	0.7	<0.2	WHI11000896
1212655	23-Jul-11	7034668.86	586703.08	1090	0.7	129.9	18.9	95	<0.1	63.6	33.5	675	5.94	36.3	1.7	1.9	8	0.2	1.7	0.2	98	0.29	0.045	5	65	1.58	75	0.114	<1	2.48	0.003	0.29	<0.1	<0.01	2.9	0.2	<0.05	6	<0.5	<0.2	WHI11000896
1212656	23-Jul-11	7034722.20	586708.20	1082	1.1	186.1	17	92	0.2	87.5	37.8	598	6.29	36.7	1.9	2.4	8	0.2	2.1	0.2	100	0.28	0.04	7	68	1.61	89	0.098	<1	2.56	0.003	0.31	0.1	0.01	3.4	0.3	<0.05	6	<0.5	<0.2	WHI11000896
1212657	23-Jul-11	7034771.28	586708.54	1073	1.2	99.6	11.3	62	<0.1	43.1	19.1	428	4.22	16.6	2	2.8	10	<0.1	1	0.2	78	0.23	0.032	11	48	1.13	145	0.071	1	2.06	0.005	0.12	0.2	0.03	3.1	0.1	<0.05	6	<0.5	<0.2	WHI11000896
1212658	23-Jul-11	7034810.67	586710.24	1069	0.7	215.4	4.6	83	<0.1	83.5	42.4	696	6.71	10.7	1.7	1.5	8	0.1	0.7	<0.1	104	0.31	0.037	4	76	1.98	95	0.155	<1	3	0.003	0.46	<0.1	<0.01	2.6	0.3	<0.05	7	<0.5	<0.2	WHI11000896
1212659	23-Jul-11	7034868.68	586716.72	1062	0.5	132.9	9.5	76	<0.1	55	30.7	652	5.68	19.6	3.3	2.8	7	<0.1	1.2	0.1	95	0.24	0.033	8	62	1.64	89	0.137	<1	2.5	0.003	0.31	<0.1	<0.01	3.8	0.2	<0.05	7	<0.5	<0.2	WHI11000896
1212660	23-Jul-11	7034956.74	586746.70	1051	0.7	136.5	16	91	<0.1	56.9	31.1	659	5.81	33.4	4.6	3	8	0.3	2	0.2	90	0.18	0.055	8	61	1.45	113	0.103	<1	2.4	0.003	0.3	0.1	<0.01	3.7	0.2	<0.05	6	<0.5	<0.2	WHI11000896
1212661	23-Jul-11	7035014.84	586757.56	1047	1.1	46.1	8.3	80	<0.1	34.3	16.7	503	4.34	13.8	<0.5	2.1	10	0.5	1.1	0.2	93	0.29	0.024	7	50	1.08	90	0.078	<1	1.69	0.003	0.23	0.2	<0.01	3.3	0.1	<0.05	7	<0.5	<0.2	WHI11000896
1212662	23-Jul-11	7035105.64	586784.19	1037	1.1	145.7	16.8	100	0.2	64.8	26.1	579	4.91	37.3	5.5	2.9	13	0.3	2.7	0.3	82	0.36	0.038	11	54	1.19	115	0.07	<1	2.02	0.005	0.26	0.1	0.03	4.8	0.2	<0.05	6	<0.5	<0.2	WHI11000896
1212663	23-Jul-11	7035193.97	586807.93	1027	0.9	186.5	16.1	74	0.2	56.1	28.5	549	4.79	21.2	5.4	3	12	0.2	1.2	0.2	92	0.26	0.045	14	55	1.19	187	0.082	<1	2.21	0.005	0.2	0.1	0.03	5.5	0.2	<0.05	7	<0.5	<0.2	WHI11000896
1212664	23-Jul-11	7035312.16	586912.09	1007	0.8	174.2	14.9	84	0.4	66.6	25.4	537	4.66	35.4	4.1	2.5	14	0.4	1.7	0.3	75	0.49	0.058	13	45	1.07	124	0.053	2	1.92	0.004	0.25	0.1	0.04	5	0.2	<0.05	6	<0.5	<0.2	WHI11000896
1212665	23-Jul-11	7035357.84	586936.51	1000	1	133	17.1	79	0.3	60.9	16.9	545	3.7	31	2.5	2.7	17	0.5	1.9	0.2	54	0.5	0.055	12	33	0.75	137	0.036	1	1.43	0.005	0.14	0.1	0.05	3.7	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212666	23-Jul-11	7035407.19	586960.42	994	1.3	82.5	18.6	76	<0.1	39.8	19.1	472	5.08	55.6	3.1	4	6	0.2	2	0.4	79	0.08	0.032	11	45	0.91	84	0.086	1	1.84	0.004	0.15	0.1	0.01	3.1	0.1	<0.05	6	<0.5	<0.2	WHI11000896
1212667	23-Jul-11	7035441.93	586987.26	983	0.9	121.4	14.2	70	0.3	58.2	18.1	456	3.86	33.5	5.8	3	14	0.2	1.4	0.4	55	0.33	0.049	13	37	0.86	110	0.041	1	1.57	0.004	0.15	0.1	0.03	3.6	0.2	<0.05	4	<0.5	<0.2	WHI11000896
1212668	23-Jul-11	7035479.26	587019.22	976	0.7	113.6	14.4	67	0.3	50.3	20.3	493	3.95	31.5	6.1	3.9	12	0.3	1.6	0.3	50	0.32	0.036	13	33	0.84	102	0.039	1	1.49	0.003	0.15	0.1	0.04	3.4	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212669	23-Jul-11	7035526.79	587044.63	974	1.2	99.1	28.8	85	0.2	56.3	22.9	569	5.05	54.1	4.5	3.8	16	0.2	2.5	0.4	72	0.46	0.052	12	48	1.05	126	0.055	<1	1.79	0.004	0.18	0.1	0.03	3.8	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212670	23-Jul-11	7035552.73	587080.34	969	0.8	110.9	16.9	84	0.3	49.7	20.9	592	4.37	43.1	7.4	3.4	16	0.3	1.6	0.3	63	0.48	0.056	15	41	0.96	125	0.046	1	1.72	0.004	0.18	0.1	0.03	4.1	0.1	<0.05	5	<0.5	<0.2	WHI11000896
1212671	23-Jul-11	7035596.59	587117.26	957	1	163.5	17.6	71	0.5	61.2	19.9	549	3.98	41.5	4.7	1.9	23	0.4	1.5	0.3	58	0.78	0.07	16	36	0.81	169	0.033	2	1.57	0.006	0.17	<0.1	0.07	4	0.1	<0.05	5	0.8	<0.2	WHI11000896
1212672	23-Jul-11	7035630.49	587158.90	950	0.8	134.6	11.2	79	0.3	55.8	26.4	833	5.5	23.6	3.9	1.7	24	0.3	1.1	0.3	86	0.91	0.058	7	64	1.43	147	0.061	<1	2.28	0.004	0.21	<0.1	0.06	3.5	0.2	<0.05	7	0.5	<0.2	WHI11000896
1212673	23-Jul-11	7035657.89	587195.32	946	1.5	31	15.8	78	<0.1	19	10.6	356	2.46	38.1	1.8	2.9	13	0.3	1.2	0.4	39	0.36	0.03	13	20	0.33	93	0.022	2	0.82	0.004	0.08	0.3	0.01	1.6	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212674	23-Jul-11	7035688.00	587233.63	936	1.2	34.3	18	73	<0.1	27	14.3	385	3	57.5	3.3	4.4	15	0.3	1.6	0.4	30	0.27	0.065	13	19	0.48	86	0.019	<1	0.95	0.003	0.06	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2	WHI11000896
1212675	23-Jul-11	7035733.27	587255.34	930	0.8	160.4	17.2	90	0.4	54.1	17.9	462	3.67	45.5	3.3	3.2	21	0.6	1.2	0.3	47	0.54	0.054	15	29	0.57	154	0.029	1	1.29	0.005	0.11	0.2	0.04	3.2	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212676	23-Jul-11	7035765.26	587302.14	928	1.3	52.6	25.2	85	0.1	35.7	16.5	785	4	33.9	2.3	5.5	15	0.4	1.8	0.3	46	0.17	0.061	15	30	0.72	375	0.029	<1	1.59	0.005	0.09	0.2	0.04	3.4	0.1	<0.05	4	<0.5	<0.2	WHI11000896
1212677	23-Jul-11	7035800.72	587336.67	923	2	35.1	25.2	78	0.4	35.3	14.6	542	4.19	40.7	1.9	4.8	10	0.3	1.9	0.3	55	0.09	0.056	15	33	0.5	278	0.022	2	1.86	0.005	0.08	0.1	0.02	2.6	0.2	<0.05	5	<0.5	<0.2	WHI11000896
1235151	12-Sep-11	7031729.72	585985.08	1712	0.7	64.1	10.1	72	<0.1	39.1	19.6	619	4.77	23.5	1.4	2.4	6	0.1	2	0.2	80	0.1	0.029	7	54	1.2	59	0.152	1	2.29	0.003	0.17	<0.1	0.03	2.5	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235152	12-Sep-11	7031769.64	586015.36	1706	1	59.6	14.3	73	<0.1	33.6	15.5	677	4.94	8.7	4.4	2.1	8	0.1	0.8	0.3	67	0.1	0.055	8	40	0.84	97	0.144	1	1.98	0.005	0.2	<0.1	0.04	2.4	0.1	0.06	7	0.7	<0.2	WHI11001833
1235153	12-Sep-11	7031805.72	586041.41	1704	0.7	107.9	12.9	80	<0.1	56.1	27.6	656	5.15	60.8	6.8	4.2	6	0.1	2.7	0.3	80	0.09	0.021	11	61	1.37	82	0.136	<1	2.64	0.003	0.24	0.1	0.02	3.1	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235154	12-Sep-11	7031844.26	586074.41	1697	0.7	88.7	13.1	77	<0.1	44.4	21.2	626	4.92	18.7	1.3	2.4	5	0.1	1.2	0.2	88	0.08	0.037	7	57	1.17	71	0.145	1	2.29	0.003	0.24	0.1	0.04	3.2	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235155	12-Sep-11	7031879.94	586109.53	1687	0.9	45.3	9.1	57	<0.1	31.1	14.7	460	3.99	409.7	138.4	1.4	7	<0.1	13.2	0.2	73	0.11	0.047	7	44	0.92	101	0.094	<1	1.83	0.003	0.11	<0.1	0.02	2.2	0.1	0.05	7	<0.5	<0.2	WHI11001833
1235156	12-Sep-11	7031918.14	586136.08	1678	0.7	87.3	15.5	71	0.2	41.7	20.5	557	5.04	2890	1125	1.8	18	0.2	330.5	0.2	69	0.07	0.039	10	47	1.05	163	0.047	<1	1.98	0.004	0.16	<0.1	0.02	2.8	0.1	0.07	6	<0.5	<0.2	WHI11001833
1235157	12-Sep-11	7031959.49	586174.42	1662	0.8	73.5	9.2	72	<0.1	40.7	20.4	537	5.08	44.6	4.4	2.4	5	0.1	3	0.2	96	0.09	0.027	7	56	1.25	74	0.175	<1	2.36	0.003	0.16	<0.1	0.02	2.6	0.1	<0.05	8	<0.5	<0.2	WHI11001833
1235158	12-Sep-11	7031989.31	586208.83	1649	0.6	128.4	10.6	80	<0.1	56.3	30.2	750	5.53	40.4	4.8	2	8	<0.1	2.9	0.2	90	0.14	0.036	7	64	1.47	105	0.127	<1	2.73	0.004	0.24	<0.1	0.01	2.9	0.2	<0.05	7	0.6	<0.2	WHI11001833
1235159	12-Sep-11	7032040.18	586237.55	1638	1.3	70.7	13.4	76	<0.1	35.8	16.7	452	4.51	43.1	4.2	2.6	7	0.2	2	0.3	73	0.09	0.037	11	44	0.92	103	0.053	<1	2.09	0.004	0.12	0.2	0.02	2.3	0.2	<0.05	6	0.5	<0.2	WHI11001833
1235160	12-Sep-11	7032076.49	586269.29	1637	0.6	43.2	6.3	56	<0.1	34.9	17.5	446	4.34	23.8	<0.5	1.9	4	<0.1	4.4	0.2	101	0.1	0.024	6	60	1.21	69	0.171	<1	2.09	0.002	0.19	<0.1	0.01	2.4	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235161	12-Sep-11	7032107.90	586300.69	1634	0.5	87.3	6.5	76	<0.1	53.4	29.1	684	5.49	58	3.2	3.1	6	0.1	3.3	0.2	94	0.13	0.025	7	72	1.61	89	0.191	<1	2.7	0.003	0.4	0.1	0.01	2.5	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235162	12-Sep-11	7032151.01	586331.81	1627	0.4	84.9	8.8	82	0.2	54.9	28	862	5.57	34	2.7	1.5	9	0.2	3.2	0.1	106	0.3	0.035	4	78	1.73	102	0.23	<1	2.73	0.004	0.29	<0.1	0.02	2.5	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235163	12-Sep-11	7032187.50	586366.53	1618	0.5	107.8	8	78	<0.1	51.5	25.9	616	5.14	36.3	3.3	2.6	7	<0.1	3	0.2	83	0.15	0.04	8	62	1.42	114	0.104	<1	2.56	0.004	0.27	<0.1	0.01	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235164	12-Sep-11	7032224.03	586394.84	1613	0.5	128	8.3	83	<0.1	59.9	30.8	740	5.94	30.5	2.2	2.1	7	0.1	3	0.2	100	0.17	0.036	6	72	1.62	97	0.153	<1	2.89	0.004	0.4	<0.1	0.01	2.9	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235165	12-Sep-11	7032261.09	586429.28	1602	0.5	86.4	5.9	80	<0.1	52.9	28.2	750	5.89	23.3	1.7	1.6	6	0.1	2.8	0.1	119	0.18	0.03	4	84	1.75	79	0.2	<1	2.95	0.003	0.33	<0.1	<0.01	2.4	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235166	12-Sep-11	7032300.14	586461.93	1593	0.4	144.1	5	93	0.1	65.1	34.8	765	6.53	34	3.7	1.7	8	0.1	4.7	<0.1	119	0.26	0.04	5	93	2.05	127	0.157	<1	3.43	0.004	0.48	<0.1	0.02	2.9	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235167	12-Sep-11	7032341.67	586490.29	1583	0.4	112	4.2	84	<0.1	56.5	29.5	681	6.39	23.6	1.2	1.2	5	<0.1	4.4	<0.1	108	0.15	0.035	3	76	1.88	78	0.188	<1	3.3	0.003	0.48	<0.1	<0.01	2.4	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235168	12-Sep-11	7032383.75	586524.21	1573	0.4	153.6	3.7	86	0.1	63.2	32.2	667	6.18	15.1	5	1.5	6	0.1	1.5	<0.1	102	0.15	0.037	4	81	1.92	79	0.147	<1	3.1	0.002	0.53	<0.1	0.01	2.2	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235169	12-Sep-11	7032419.22	586558.53	1563	0.4	131	4.4	80	0.1	57.9	30.1	735	5.92	18.1	1.3	0.8	7	<0.1	1	<0.1	116	0.21	0.053	3	91	1.91	88	0.135	<1	2.96	0.003	0.26	<0.1	0.02	2.7	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235170	12-Sep-11	7032456.77	586591.26	1554	0.7	170.2	8	92	0.2	57.9	30.4	632	6.76	28.2	4.9	2.2	7	<0.1	5	0.2	105	0.18	0.05	8	68	1.72	84	0.094	<1	2.92	0.003	0.24	<0.1	0.03	4.4	0.2	<0.05	8	0.7	<0.2	WHI11001833
1235171	12-Sep-11	7032494.56	586622.58	1547	0.5	128.9	6.2	94	0.2	60.9	32.4	834	6.6	40.1	7.1	1.8	7	<0.1	4.6	0.2	98	0.24	0.047	5	75	2.03	86	0.083	<1	3.16	0.003	0.17	<0.1	0.02	3.9	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235172	12-Sep-11	7032531.65	586655.64	1540	0.9	127.2	12.8	91	0.5	58.3	28.7	676	5.94	57	10.6	2.5	8	<0.1	4.6	0.2	102	0.15	0.05	8	71	1.58	99	0.114	<1	2.81	0.004	0.28	<0.1	0.04	4.3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235173	12-Sep-11	7032574.06	586686.34	1530	0.6	168.4	12.5	92	0.2	70.9	34.1	741	6.66	20.5	1.4	2.5	7	0.1	4.4	0.2	105	0.16	0.055	9	76	1.79	84	0.122	<1	3	0.003	0.29	<0.1	0.02	4.6	0.2	<0.05	8	0.6	<0.2	WHI11001833
1235174	12-Sep-11	7032606.47	586714.21	1520	1	160	12.5	94	0.2	74.4	37.5	703	6.53	45.7	5.5	2.5	8	0.1	6	0.2	91	0.16	0.055	9	63	1.57	86	0.114	<1	2.71	0.004	0.26	<0.1	0.03	4.1	0.2	0.06	7	<0.5	<0.2	WHI11001833
1235175	12-Sep-11	7032649.73	586747.73	1514	0.8	143	12	93	0.2	67.3	33.4	688	6.03	17.2	1.8	2.3	9	<0.1	1.2	0.2	113	0.22	0.039	7	78	1.74	90	0.144	<1	2.9	0.004	0.31	<0.1	0.01	4	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235176	12-Sep-11	7032608.42	586779.61	1531	0.8	103.5	11.2	80	<0.1	55.9	31.9	634	5.32	8.3	4.2	1.4	6	0.1	0.6	0.1	90	0.12	0.047	5	61	1.47	59	0.139	<1	2.6	0.004	0.31	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235177	12-Sep-11	7032578.18	586751.66	1534	0.4	114.1	7.4	83	0.1	61.7	40.3	706	5.14	7.7	<0.5	1.3	6	0.1	0.4	<0.1	120	0.14	0.031	3	76	1.38	79	0.171	<1	2.56	0.004	0.51	<0.1	0.01	3.3	0.3	<0.05	7	<0.5	<0.2	WHI11001833
1235178	12-Sep-11	7032539.19	586725.76	1544	1.1	90.6	12.2	67	<0.1	43.1	20.6	442	4.81	10.8	1.2	1.7	8	0.1	1	0.2	88	0.13	0.044	7	52	1.17	71	0.182	<1	2.14	0.004	0.2	<0.1	0.02	2.1	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235179	12-Sep-11	7032500.97	586698.22	1557	0.6	75	7.8	67	<0.1	41.1	22.2	512	4.68	15.4	5.2	2.4	6	0.1	1.2	0.1	76	0.12	0.036	8	49	1.3	69	0.127	<1	2.16	0.003	0.21	<0.1	0.01	2.2	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235180	12-Sep-11	7032461.76	586652.89	1563	1.2	99.7	11.3	77	0.2	45.1	21.3	563	4.85	46.5	8	2.2	10	<0.1	3.2	0.2	81	0.19	0.058	9	57	1.23	100	0.08	<1	2.2	0.004	0.2	<0.1	0.03	3.8	0.2	<0.05	6	0.6	<0.2	WHI11001833
1235181	12-Sep-11	7032423.93	586623.37	1572	0.5	113	5.7	73	0.5	55.6	27.7	747	6.12	34.5	9.2	1.2	10	<0.1	3.1	<0.1	124	0.27	0.098	8	86	1.95	114	0.041	2	2.98	0.004	0.09	<0.1	0.04	7.2	0.1	0.06	8	0.5	<0.2	WHI11001833
1235182	12-Sep-11	7032385.11	586593.74	1578	1.6	122.1	10.5	83	0.3	48.9	23.4	516	5.98	521.6	228.3	3.2	6	0.2	19.9	0.2	75	0.12	0.043	15	50	1.1	83	0.047	<1	1.89	0.003	0.16	<0.1	0.03	5.7	0.2	<0.05	5	<0.5	<0.2	WHI11001833
1235183	12-Sep-11	7032347.82	586569.71	1584	0.8	145	10.4	93	0.1	56.1	31.5	693

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1235185	12-Sep-11	7032275.72	586501.56	1595	0.5	188.5	10.8	102	0.2	77.9	37.2	839	7.35	59.6	8.9	2	8	0.2	9.4	0.1	115	0.31	0.05	6	86	2.12	98	0.107	<1	3.37	0.003	0.51	<0.1	0.01	4.9	0.3	<0.05	8	<0.5	<0.2	WHI11001833
1235186	12-Sep-11	7032235.07	586470.61	1600	0.3	150.9	5.6	87	0.1	68.4	35.3	828	6.47	136.8	32.9	1.8	5	<0.1	20.8	<0.1	114	0.18	0.039	5	89	2.17	114	0.129	<1	3.29	0.003	0.46	<0.1	<0.01	3.7	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235187	12-Sep-11	7032199.60	586436.41	1605	1	61	8.3	69	<0.1	37.5	19.4	564	4.82	30.1	4	2.1	7	0.4	3.2	0.5	93	0.11	0.033	7	54	1.15	78	0.192	2	2.12	0.004	0.25	0.1	0.01	2.1	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235188	12-Sep-11	7032153.48	586399.89	1614	1.4	50.6	10.2	59	<0.1	31.5	15	379	4.09	23.4	2.6	2.6	8	0.2	2	0.4	81	0.13	0.029	9	47	0.88	101	0.125	2	1.7	0.004	0.15	0.1	<0.01	1.9	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235189	12-Sep-11	7032116.17	586371.97	1619	0.7	122.3	9.7	88	<0.1	57.7	29.4	735	6.13	45.3	3	3	7	0.2	4.1	0.3	103	0.15	0.032	8	80	1.63	118	0.158	2	3	0.005	0.38	<0.1	0.01	3.3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235190	12-Sep-11	7032085.46	586337.52	1627	0.3	64.4	5	75	<0.1	51.1	26.4	668	5.19	16.3	1.9	1.1	7	0.2	2	0.2	104	0.21	0.032	3	86	1.71	116	0.223	<1	2.6	0.004	0.33	<0.1	0.02	1.8	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235191	12-Sep-11	7032043.74	586307.53	1634	1.2	74.8	12.6	72	<0.1	44	21.9	545	5.03	34.4	3.3	3.1	8	0.2	2.6	0.4	110	0.1	0.04	8	67	1.11	91	0.161	2	2.26	0.005	0.3	0.1	0.02	2.4	0.3	<0.05	8	<0.5	<0.2	WHI11001833
1235192	12-Sep-11	7032008.63	586277.98	1635	0.6	96.2	8	76	0.1	46.6	23.9	613	5.22	30.1	6	3.1	7	<0.1	3	0.2	92	0.15	0.031	8	70	1.56	89	0.124	2	2.67	0.004	0.27	<0.1	0.01	3.2	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235193	12-Sep-11	7031967.87	586244.88	1638	0.8	110.6	12	79	<0.1	54.6	27.6	767	5.83	50.9	6.5	2.1	9	0.2	8.9	0.3	102	0.17	0.052	10	72	1.41	123	0.105	2	2.76	0.005	0.27	<0.1	0.02	4.3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235194	13-Sep-11	7031927.77	586204.27	1652	0.6	103	8.7	76	<0.1	50.8	26.7	612	5.17	39	5.8	2.7	5	0.1	2.7	0.3	82	0.11	0.022	7	62	1.32	87	0.138	1	2.51	0.003	0.22	<0.1	0.01	2.4	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235195	13-Sep-11	7031892.77	586176.19	1664	1.1	77.1	11.2	75	<0.1	41.5	22	589	4.82	39.2	5	2.1	7	0.1	3.4	0.3	89	0.09	0.035	7	58	1.23	74	0.129	<1	2.36	0.005	0.17	<0.1	0.02	2.3	0.1	<0.05	8	<0.5	<0.2	WHI11001833
1235196	13-Sep-11	7031853.98	586148.93	1673	1	102.8	15.8	71	<0.1	49.4	22.3	564	4.83	460	108.2	2.3	9	0.2	9	0.3	71	0.09	0.041	9	52	1.13	83	0.076	1	2.28	0.006	0.15	<0.1	0.02	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235197	13-Sep-11	7031809.41	586118.23	1684	0.9	110.3	14	69	<0.1	58.6	24.6	618	5.02	305	28.6	3.1	7	0.1	5.6	0.2	72	0.07	0.028	9	51	1.16	60	0.121	1	2.3	0.004	0.19	<0.1	0.02	2.6	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235198	13-Sep-11	7031777.40	586083.73	1691	1.3	85.9	16.6	70	<0.1	48	21.3	594	4.99	38.3	6.1	2.7	7	<0.1	2.5	0.2	83	0.08	0.033	8	57	1.16	73	0.147	<1	2.37	0.004	0.18	<0.1	0.02	3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235199	13-Sep-11	7031735.11	586054.74	1698	0.5	137.2	16.6	72	<0.1	78	36.2	859	5.01	9.8	1.6	3.5	9	<0.1	47	0.2	66	0.22	0.022	8	51	1.26	59	0.063	<1	2.47	0.003	0.14	<0.1	<0.01	3.4	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235200	13-Sep-11	7031693.34	586022.59	1706	0.9	85.1	18.4	69	<0.1	50.7	23.6	804	4.76	35.2	5.8	3	9	0.1	5	0.3	75	0.1	0.033	9	51	1.09	73	0.139	<1	2.07	0.004	0.19	0.1	0.02	2.8	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235201	13-Sep-11	7031665.57	586059.50	1687	0.8	87.5	17.5	79	<0.1	46.8	23.5	805	4.96	38.3	4.1	4.1	7	0.2	21	0.3	52	0.13	0.044	19	36	0.75	79	0.043	<1	1.45	0.004	0.14	<0.1	0.02	4.1	0.1	<0.05	5	<0.5	<0.2	WHI11001833
1235202	13-Sep-11	7031699.95	586089.53	1679	0.9	122.6	16.9	85	0.2	55.7	28.7	799	6.29	2046	825.2	3.3	13	0.2	27.4	0.5	70	0.08	0.04	14	53	1.15	185	0.066	2	2.3	0.004	0.18	0.1	0.02	4.3	0.1	0.11	6	0.7	<0.2	WHI11001833
1235203	13-Sep-11	7031737.30	586123.33	1672	0.7	131.8	16.3	100	0.1	72.1	36	603	4.29	188.8	6.6	7.9	4	0.3	59.8	0.3	24	0.03	0.047	30	17	0.19	57	0.005	2	0.77	0.004	0.16	0.1	0.01	5.4	0.1	<0.05	2	<0.5	<0.2	WHI11001833
1235204	13-Sep-11	7031772.94	586152.46	1663	0.9	58.2	11	60	<0.1	33.5	15.5	420	4.12	32.3	6.5	1.8	6	0.2	1.9	0.2	75	0.07	0.031	7	47	0.92	61	0.123	<1	2.01	0.004	0.11	<0.1	0.02	2	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235205	13-Sep-11	7031821.44	586187.64	1651	0.8	62.5	9.4	63	<0.1	37.2	18.5	476	4.62	101.6	8.1	1.6	6	0.1	7.6	0.2	86	0.07	0.032	7	56	1.09	71	0.136	<1	2.1	0.003	0.12	<0.1	0.02	2.5	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235206	13-Sep-11	7031850.10	586215.99	1643	1.1	71.1	11.4	68	<0.1	38.3	18.2	496	4.4	48.1	7.2	2.6	7	0.2	4	0.2	78	0.08	0.026	9	51	1.08	91	0.095	<1	2.19	0.004	0.12	0.1	0.02	2.5	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235207	13-Sep-11	7031895.59	586247.22	1633	0.9	80.6	11.6	71	0.1	42.9	21.9	583	4.81	111.6	11.5	2.2	7	0.1	7.7	0.2	78	0.14	0.032	7	57	1.22	79	0.104	1	2.25	0.005	0.18	<0.1	0.02	2.8	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235208	13-Sep-11	7031936.08	586283.52	1626	0.7	92.1	7.9	74	<0.1	51.7	26.1	660	5.39	50.3	5.7	2	6	0.1	9.5	0.1	94	0.15	0.028	5	71	1.58	89	0.13	<1	2.7	0.004	0.28	<0.1	0.01	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235209	13-Sep-11	7031972.67	586314.65	1625	0.5	89.7	9.3	76	0.1	48.2	25.6	692	5.38	29.7	3.8	2.2	7	<0.1	3.4	0.1	94	0.18	0.032	6	75	1.63	97	0.116	<1	2.72	0.003	0.3	<0.1	0.01	3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235210	13-Sep-11	7032007.74	586347.47	1623	1.2	55.5	12	63	<0.1	32	16	411	4.2	28.7	2.9	2.8	6	0.2	1.7	0.2	75	0.07	0.027	9	45	0.9	63	0.108	<1	1.83	0.004	0.17	0.1	0.02	2	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235211	13-Sep-11	7032043.08	586382.77	1614	1.1	85.2	11.1	71	0.1	42.9	21.5	536	4.98	41.1	3.4	3	8	0.1	2.7	0.3	90	0.12	0.029	10	59	1.2	134	0.111	1	2.4	0.004	0.2	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235212	13-Sep-11	7032086.33	586410.05	1612	0.5	63	8	65	<0.1	39.4	19.3	477	4.78	46.2	2.4	2.9	6	<0.1	5	0.3	84	0.13	0.024	8	56	1.22	67	0.162	<1	2.11	0.004	0.21	<0.1	<0.01	2.3	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235213	13-Sep-11	7032116.56	586436.77	1608	0.5	118.8	7.5	87	<0.1	58.2	32.2	824	5.79	144.8	25.6	1.7	7	0.2	10.8	0.1	90	0.15	0.04	5	65	1.43	91	0.115	<1	2.4	0.004	0.34	<0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235214	13-Sep-11	7032161.77	586472.70	1600	0.6	153.3	10.2	85	0.1	63.2	33.3	705	6.18	37.9	4.1	3.6	7	0.1	16	0.2	80	0.13	0.038	12	57	1.14	120	0.052	1	1.98	0.003	0.18	<0.1	<0.01	5.9	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235215	13-Sep-11	7032193.65	586501.30	1594	0.8	94.5	9.3	72	0.3	40	18.5	420	4.21	106.5	13.2	3	8	<0.1	7.7	0.2	71	0.13	0.036	11	50	1.06	112	0.054	<1	2.08	0.004	0.14	<0.1	0.02	3.2	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235216	13-Sep-11	7032240.38	586536.29	1589	0.5	107.2	6.1	73	<0.1	36.4	21.7	465	4.65	20.2	2.5	2.6	8	0.1	1.6	0.2	66	0.1	0.024	6	47	1.25	173	0.193	<1	2.34	0.005	0.46	<0.1	<0.01	1.9	0.3	<0.05	6	<0.5	<0.2	WHI11001833
1235217	13-Sep-11	7032270.63	586566.71	1585	0.9	72.1	9.2	80	0.1	23.7	13.2	431	5.43	3.6	53.9	2.2	11	<0.1	1	0.2	75	0.14	0.038	6	47	1.14	128	0.243	<1	2.33	0.005	0.44	<0.1	0.01	2.4	0.3	0.07	8	<0.5	<0.2	WHI11001833
1235218	13-Sep-11	7032313.41	586597.20	1579	1.1	75	10.8	56	0.2	27.5	15.3	366	3.58	10.9	2.8	2.4	8	<0.1	1.7	0.2	61	0.11	0.031	11	40	0.95	129	0.05	1	1.89	0.004	0.11	0.2	0.03	2.3	0.1	<0.05	5	<0.5	<0.2	WHI11001833
1235219	13-Sep-11	7032346.41	586632.88	1576	1.1	41	9	59	<0.1	28.2	13.7	396	3.93	11.8	1.3	1.8	5	0.1	1.3	0.2	80	0.07	0.021	5	47	0.97	45	0.198	<1	1.68	0.003	0.11	0.1	0.02	1.5	<0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235220	13-Sep-11	7032385.40	586660.81	1570	0.5	83.8	8.1	77	<0.1	52.6	27.1	540	5.63	3.8	<0.5	1.6	5	0.1	0.9	0.1	97	0.08	0.025	3	64	1.47	48	0.177	<1	2.7	0.004	0.58	<0.1	<0.01	3.3	0.4	<0.05	8	<0.5	<0.2	WHI11001833
1235221	13-Sep-11	7032429.27	586696.72	1563	0.7	150.9	7.6	87	<0.1	40.6	24.2	611	6.94	3.9	1.1	2.5	12	0.2	6.8	0.1	87	0.08	0.039	7	60	1.57	80	0.212	<1	2.8	0.003	0.29	<0.1	0.02	2.4	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235222	13-Sep-11	7032467.38	586732.06	1556	0.8	58.4	8.2	69	<0.1	38.6	18.1	474	4.57	6.9	<0.5	1.5	5	0.2	1	0.1	88	0.09	0.031	4	56	1.46	47	0.142	<1	2.26	0.003	0.22	<0.1	<0.01	2.3	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235223	13-Sep-11	7032500.30	586760.70	1551	0.4	138.7	27.5	99	<0.1	115.5	60.2	1376	5.05	11.5	2	1.3	4	0.4	0.2	0.1	112	0.13	0.038	3	83	1.46	76	0.137	2	2.77	0.003	0.44	<0.1	0.02	3.1	0.3	<0.05	7	<0.5	<0.2	WHI11001833
1235224	13-Sep-11	7032540.92	586791.69	1547	0.3	115	13.8	92	<0.1	85.6	41.6	666	6.22	4.7	3.1	1.2	5	0.2	0.2	<0.1	136	0.16	0.03	3	90	1.65	105	0.184	1	3.04	0.004	0.7	<0.1	<0.01	3.7	0.5	<0.05	8	<0.5	<0.2	WHI11001833
1235225	13-Sep-11	7032586.31	586828.30	1541	1.1	137.2	9.5	68	0.2	44	20.4	467	5.05	9.7	2	0.7	9	0.1	0.8	0.2	94	0.15	0.066	5	57	1.3	72	0.125	1	2.29	0.005	0.13	<0.1	0.04	2.2	0.1	0.09	8	<0.5	<0.2	WHI11001833
1235226	13-Sep-11	7032551.10	586862.99	1554	0.8	66.1	7.6	66	<0.1	39.6	21.5	514	4.7	11.7	0.8	1.6	5	<0.1	1.1	0.1	76	0.13	0.033	5	59	1.37	57	0.138	<1	2.24	0.003	0.2	0.1	0.03	1.8	0.1	<0.05	5	<0.5	<0.2	WHI11001833
1235227	13-Sep-11	7032515.39	586836.60	1556	0.8	98.6	7.2	78	<0.1	52.1	28.6	629	5.48	12.7	3.4	2	6	<0.1	0.9	0.2	83	0.1	0.044	6	57	1.46	65	0.096	2	2.63	0.004	0.21	<0.1	0.03	2.4	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235228	13-Sep-11	7032475.56	586798.90	1556	0.4	54.6	5.5	66	<0.1	51	23.8	472	5.04	12.2	2	1.1	3	0.1	0.3	<0.1	116	0.11	0.028	3	67	1.6	29	0.159	<1	2.7	0.003	0.45	<0.1	0.01	3.6	0.4	<0.05	8	<0.5	<0.2	WHI11001833
1235229	13-Sep-11	7032440.84	586773.65	1559	0.5	67.7	13.3	66	<0.1	66	28.3	797	4.91	9.5	2.4	1.7	4	0.2	0.4	0.1	139	0.11	0.034	5	90	1.51	30	0.138	<1	2.39	0.003	0.23	<0.1	0.02	5	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235230	13-Sep-11	7032399.86	586736.65	1562	0.6	77.1	5.8	70	<0.1	48.7	23.5	614	5.33	9.5	<0.5	1.2	4	<0.1	3.7	<0.1	93	0.14	0.031	4	70	1.82	47	0.131	<1	2.93	0.003	0.24	<0.1	0.02	1.7	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235231	13-Sep-11	7032362.95	586706.84	1565	3.2	145.3	18.7	80	<0.1	56.3	23.7	324	6.74	6.1	3.9	4.4	10	0.1	1.2	0.4	73	0.04	0.051	13	37	0.66	65	0.13	<1	1.93	0.004	0.21	<0.1	0.02	3.3	0.2	0.07	7	0.6	<0.2	WHI11001833
1235232	13-Sep-11	7032322.48	586677.38	1570	1.6	62.1	10.5	65	0.1	29.5	11.5	334	3.77	11.1	1.6	2.8	16	0.1	0.8	0.3	71	0.13	0.032	9	53	0.8	71	0.129	1	1.78	0.005	0.13	0.2	0.03	1.8	0.2	<0.05	6	1	<0.2	WHI11001833
1235233	13-Sep-11	7032287.34	586641.12	1575	1.2	91.4	10	84	<0.1	35.9	18.3	473	5.74	6.1	3.3	1.6	12	<0.1	0.4	0.2	78	0.09	0.035	4	52	1.17	106	0.324	<1	2.42	0.01	0.42	<0.1	0.01	2	0.3	0.18	8	<0.5	<0.2	WHI11001833
1235234	13-Sep-11	7032247.56	586604.95	1580	0.7	93.8	8.9	73	0.2	56.7	25.1	555	5.1	8.8	3.6	1.4	11	<0.1	0.5	0.2	104	0.16	0.055	5	80	1.55	96	0.132	<1	2.65	0.004	0.34	<0.1	0.02	2.8	0.2	0.05	8	<0.5	<0.2	WHI11001833
1235235	13-Sep-11	7032212.25	586575.73	1589	0.6	52.8	6.3	86	0.2	62.5	31.5	642	5.68	8.1	1.9	1.1	6	<0.1	0.2	<0.1	121	0.17	0.044	3	90	1.76	85	0.157	1	3.09	0.005	0.43	<0.1	0.01	2.9	0.3	<0.05	8	<0.5	<0.2	WHI11001833
1235236	13-Sep-11	7032172.11	586545.29	1594	1.1	76.1	7.9	63	0.1	45.6	20.5	525	4.66	6.9	2.5	1.7	14	<0.1	0.3	0.2	94	0.16	0.035	4	79	1.44	77	0.161	<1	2.49	0.004	0.29	<0.1	<0.01	2.2	0.2	0.05	7	0.6	<0.2	WHI11001833
1235237	13-Sep-11	7032129.95	586509.91	1598	0.5	107.9	4.6	71	<0.1	53	28.2	629	5.48	14.3	4.4	1.2	4	<0.1	0.5	0.1	83	0.17	0.033	3	71	1.87	60	0.131	<1	2.76	0.003	0.16	0.1	0.01	1.7	<0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235238	14-Sep-11	7032095.08	586477.42	1600	0.5	134.7	5.6	88	0.1	58.3	28.6	692	6.81	138.7	15	2.9	5	<0.1	8.7	0.1	101	0.17	0.041	9	73	1.88	88	0.073	<1	3.2	0.003	0.24	<0.1	0.02	5.1	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235239	14-Sep-11	7032056.26	586450.60	1603	0.3	113.3	6.8	78	<0.1	58.5	32.8	1070	6.31	18.3	3.3	1.4	4	0.1	0.6	<0.1	119	0.17	0.039	4	87	1.98	76	0.159	<1	3.25	0.003	0.44	<0.1	<0.01	2.5	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235240	14-Sep-11	7032014.00	586416.91	1607	0.5	108.1	6.2	78	0.1	57	30.5	784	6.72	118.2	11.9	1.6	6	<0.1	7.4	0.1	118	0.13	0.042	6	83	1.84	92	0.083	1	3.21	0.003	0.17	<0.1	0.02	4.7	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235241	14-Sep-11	7031979.24	586383.82	1613	1.4	51.3	10	63	<0.1	31.9	16.1	390	4.27	22.6	2.8	2.4	7	0.1	0.9	0.2	75	0.1	0.028	8	45	0.98	92	0.092	1	2.11	0.004	0.12	0.2	0.03	2.1	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235242	14-Sep-11	7031941.10	586351.06	1617	0.7	102	7.2	83	0.1	50.3	26.9	737	5.71	37.1	6.8	2.4	6	<0.1	2.3	0.2	94	0.15	0.039	8	72	1.66	103	0.125	<1	2.95	0.003	0.3	<0.1	0.02	3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235243	14-Sep-11	7031901.87	586321.67	1618	0.8	106.1	7.3	79	<0.1	54.5	30.3	709	5.99	43.4	7.2	1.7	6	<0.1	4.9	0.1	98	0.15	0.039	6	74	1.69	115	0.115	1	2.93	0.003	0.23	<0.1	0.01	3	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235244	14-Sep-11	7031866.13	586294.85	1622	0.7	90.3	6.8	80	<0.1	49.3	26.9	713	5.57	32.3	6.4	2.2	6	<0.1	2.2	0.1	104	0.16	0.03	7	76	1.66	115	0.138	<1	2.89	0.003	0.23	<0.1	<0.01	2.9	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235245	14-Sep-11	7031823.30	586258.78	1629	0.8	113.6	8.7	83	0.2	53.5	28.3	740	5.75	62.2	12.7	2.5	6	<0.1	4.4	0.2	99	0.13	0.032	9	72	1.56	119	0.111	1	2.88	0.004	0.3	<0.1	0.02	3.7	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235246	14-Sep-11	7031784.46	586225.85	1636	1	66.5	9.2	67	0.1	35.6	17.7	501	4.5	61.8	8.8	1.7	7	<0.1	2.5	0.2	87	0.11	0.039	7	53	1.04	85	0.103	1	2.22	0.004	0.19	0.1	0.03	2.3	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235247	14-Sep-11	7031755.42	586199.98	1643	1.7	74.3	13.3	72	0.2	35.6	17.2	505	4.77	67.9	8.5	2	7	<0.1	5.9	0.3	85	0.08	0.038	11	49	0.93	108	0.063	<1	2.3	0.004	0.13	0.1	0.03	2.9	0.2	<0.05	7	0.6	<0.2	WHI11001833
1235248	14-Sep-11	7031706.37	586161.29	1653	1.2	81.1	11.3	68	0.1	41.1	21	562	5.16	39.2	5.2	2.2	7	0.1	2.1	0.2	85	0.1	0.031	7	53	1.11	81	0.129	<1	2.38	0.004	0.19	<0.1	0.02	2.5	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235249	14-Sep-11	7031669.21	586122.13	1661	0.6	149.3	17.9	98	<0.1	66.6	32.7	955	6.65

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1235251	14-Sep-11	7031601.17	586128.96	1647	0.9	136.3	13.4	91	<0.1	62.3	30.8	878	5.75	67.6	7.6	2.3	9	0.3	8.7	0.5	89	0.2	0.047	8	63	1.53	114	0.103	<1	3	0.012	0.27	<0.1	0.01	3.6	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235252	14-Sep-11	7031641.58	586164.42	1640	0.8	137.7	13.7	94	<0.1	62.3	32.3	965	6.6	76.9	9.2	3.3	8	0.2	6.3	0.4	93	0.21	0.039	11	71	1.63	101	0.093	<1	3.05	0.003	0.25	<0.1	0.02	5.2	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235253	14-Sep-11	7031680.41	586193.29	1637	1	107.7	13.5	92	0.1	53.3	28.3	936	6.38	181	16.8	2.1	9	0.3	3.2	0.4	101	0.2	0.051	8	70	1.5	123	0.135	1	2.97	0.005	0.33	<0.1	0.03	4.1	0.3	<0.05	9	<0.5	<0.2	WHI11001833
1235254	14-Sep-11	7031708.43	586227.85	1627	0.9	112.4	9.5	88	<0.1	56.2	29.4	813	6.41	50.5	5.1	2.1	7	0.2	5.7	0.3	104	0.17	0.04	7	77	1.68	139	0.143	<1	3.37	0.007	0.42	<0.1	0.02	3.7	0.3	<0.05	9	<0.5	<0.2	WHI11001833
1235255	14-Sep-11	7031749.52	586260.68	1622	0.9	111.2	9.4	83	<0.1	53.3	27.8	750	5.65	47	10.6	2.2	8	<0.1	3	0.2	102	0.15	0.035	9	71	1.48	128	0.121	1	2.87	0.004	0.27	0.1	0.02	3.7	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235256	14-Sep-11	7031787.80	586293.55	1614	0.8	91.6	8.1	76	0.1	46.9	24.2	679	5.58	37.1	4.9	1.7	7	<0.1	2.4	0.2	98	0.14	0.034	7	68	1.42	113	0.135	<1	2.78	0.004	0.19	<0.1	0.01	2.9	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235257	14-Sep-11	7031827.71	586326.20	1612	0.4	196.4	4.4	91	0.1	51	29.1	713	6.83	9.7	4.1	1.5	11	<0.1	0.6	<0.1	122	0.22	0.035	5	82	1.83	222	0.246	<1	3.72	0.007	0.71	<0.1	<0.01	2.9	0.5	0.07	9	<0.5	<0.2	WHI11001833
1235258	14-Sep-11	7031871.34	586361.77	1608	0.7	126	6.7	86	<0.1	60.3	31.9	757	6.76	29.3	4.1	1.6	6	0.1	1.7	0.1	121	0.15	0.037	4	86	1.9	92	0.177	<1	3.35	0.003	0.32	0.1	0.02	2.2	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235259	14-Sep-11	7031906.03	586387.98	1606	0.9	81.5	8.3	73	<0.1	45.1	23.2	530	5.16	25.9	3.6	2	6	<0.1	0.8	0.2	97	0.14	0.033	6	64	1.44	88	0.137	1	2.49	0.004	0.25	0.1	0.01	2.3	0.2	<0.05	7	0.5	<0.2	WHI11001833
1235260	14-Sep-11	7031945.06	586421.61	1603	0.5	161.7	4.6	98	<0.1	69	39.3	854	6.85	19.9	3.8	1.4	6	0.1	1	0.1	110	0.2	0.036	3	87	2.13	91	0.154	1	3.51	0.004	0.48	<0.1	0.01	2.3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235261	14-Sep-11	7031983.18	586450.79	1601	0.7	121	5.9	87	0.1	49.8	26	594	6.52	18.2	3.5	1.4	6	<0.1	0.8	0.1	108	0.13	0.037	4	74	1.7	99	0.185	1	3.29	0.004	0.34	<0.1	0.02	2.2	0.3	<0.05	9	<0.5	<0.2	WHI11001833
1235262	14-Sep-11	7032023.64	586486.46	1596	1	95.7	9	79	0.1	44.4	23	619	5.4	33.5	7.3	2.2	7	<0.1	1.2	0.2	91	0.15	0.043	6	64	1.49	103	0.112	1	2.6	0.004	0.18	0.1	0.02	2.8	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235263	14-Sep-11	7032063.34	586517.07	1592	1.7	96.6	7.2	78	<0.1	47.8	24.7	653	5.63	13.5	2.3	1.8	6	<0.1	0.4	0.1	113	0.16	0.032	5	85	1.78	92	0.16	<1	2.82	0.004	0.24	<0.1	0.01	2.3	0.1	<0.05	8	<0.5	<0.2	WHI11001833
1235264	14-Sep-11	7032101.44	586551.94	1587	1.2	55.5	9.6	63	<0.1	34.8	17.6	448	4.64	17.7	1.8	2	6	0.1	0.6	0.2	98	0.14	0.027	6	59	1.13	86	0.174	1	1.99	0.005	0.16	0.1	0.02	1.7	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235265	14-Sep-11	7032135.02	586581.63	1581	1.2	83.5	15.1	72	0.2	49.9	31.7	807	5.21	14.9	2.8	1.9	9	<0.1	0.5	0.2	109	0.2	0.052	5	70	1.32	125	0.147	<1	2.41	0.005	0.27	<0.1	0.03	3	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235266	14-Sep-11	7032173.61	586609.27	1578	0.5	56.7	5.4	78	<0.1	45.3	22.4	469	5.42	3.9	0.8	1	4	<0.1	0.2	0.1	120	0.12	0.022	2	76	1.26	56	0.278	<1	2.46	0.004	0.65	<0.1	0.01	2	0.5	<0.05	7	<0.5	<0.2	WHI11001833
1235267	14-Sep-11	7032212.01	586646.09	1570	1.3	114.9	9.2	76	<0.1	42.6	20.4	450	4.84	17.1	2.1	2.4	8	<0.1	1.5	0.2	86	0.15	0.032	7	58	1.26	97	0.119	<1	2.26	0.004	0.19	<0.1	0.02	2.2	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235268	14-Sep-11	7032246.59	586676.79	1568	1.3	96.8	10.5	78	0.1	50.2	21.6	470	5.4	10.5	1.2	2.2	7	0.1	1	0.2	98	0.12	0.042	7	61	1.33	77	0.145	<1	2.34	0.004	0.23	0.1	0.01	3	0.2	<0.05	8	0.7	<0.2	WHI11001833
1235269	14-Sep-11	7032289.33	586706.93	1564	1	82.7	12.8	68	0.1	39.7	19.5	450	4.73	16.6	2.9	2.7	7	<0.1	1.3	0.2	77	0.1	0.033	8	51	1.27	80	0.11	1	2.34	0.004	0.17	0.1	0.01	2.3	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235270	14-Sep-11	7032331.83	586741.94	1563	1.2	41.9	10.4	49	<0.1	28.2	14.1	366	3.98	13.1	0.9	2.7	5	<0.1	0.6	0.2	117	0.11	0.023	8	57	1.04	54	0.148	1	1.92	0.003	0.1	0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235271	14-Sep-11	7032363.18	586766.56	1560	1.1	54.3	9.1	54	<0.1	35.3	17.5	410	4.46	15.6	1.5	2	6	<0.1	0.7	0.2	92	0.12	0.03	7	59	1.16	77	0.138	2	2.12	0.003	0.12	<0.1	0.02	1.8	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235272	14-Sep-11	7032405.75	586802.77	1561	0.6	92.2	8.1	68	<0.1	51.1	30.2	605	5.11	26.6	1.5	3.6	6	0.1	0.8	0.2	92	0.11	0.033	8	62	1.4	103	0.129	1	2.57	0.004	0.23	<0.1	0.01	2.6	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235273	14-Sep-11	7032444.50	586839.33	1561	0.6	67.8	6.5	66	<0.1	38.1	18.6	485	4.94	16	1.4	1.9	5	0.1	0.8	0.1	82	0.1	0.034	6	56	1.34	60	0.14	<1	2.34	0.003	0.18	<0.1	0.02	1.9	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235274	14-Sep-11	7032485.63	586866.64	1562	0.7	81	9.3	69	<0.1	48.1	24.2	514	5.2	19.4	1.9	3.4	7	<0.1	1.2	0.2	83	0.1	0.027	9	52	1.3	91	0.14	1	2.42	0.004	0.23	<0.1	0.01	2.4	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235275	14-Sep-11	7032515.35	586898.86	1563	0.3	192.9	4.5	85	<0.1	100.3	49.5	778	6.96	7	0.7	1.4	7	0.1	0.3	<0.1	201	0.28	0.03	3	120	2.05	166	0.229	<1	3.25	0.004	0.6	<0.1	<0.01	3.9	0.4	<0.05	9	<0.5	<0.2	WHI11001833
1235276	15-Sep-11	7036692.00	565951.37	1651	1.7	20.4	17.2	74	<0.1	23.2	8.5	309	2.69	11.8	2.2	2.5	11	0.2	1.1	0.2	38	0.1	0.051	17	19	0.36	101	0.014	1	1.23	0.006	0.05	0.2	0.05	1.5	<0.1	<0.05	4	0.6	<0.2	WHI11001843
1235277	15-Sep-11	7036690.53	566001.26	1649	1.5	11.8	16.8	61	<0.1	16.2	7	395	2.78	11	1.1	3.6	10	0.3	0.8	0.2	34	0.09	0.066	19	20	0.37	83	0.01	<1	1.23	0.004	0.05	0.1	0.03	1.4	<0.1	<0.05	4	0.6	<0.2	WHI11001843
1235278	15-Sep-11	7036692.94	566050.38	1648	1.4	10.6	16.3	43	<0.1	10.5	4.1	231	2.56	13.1	1.8	1.6	8	<0.1	0.8	0.3	49	0.05	0.057	16	19	0.28	88	0.021	2	1.01	<0.001	0.05	0.2	0.03	1.2	0.1	<0.05	5	0.6	<0.2	WHI11001843
1235279	15-Sep-11	7036712.01	566101.09	1648	2	16.2	14.9	57	<0.1	15	5.3	204	2.48	13.8	1.6	0.7	9	<0.1	1	0.2	57	0.05	0.051	15	23	0.3	141	0.016	2	1.4	<0.001	0.05	0.2	0.04	1.3	0.2	<0.05	5	<0.5	<0.2	WHI11001843
1235280	15-Sep-11	7036719.20	566152.77	1639	1.4	21.1	15.9	55	<0.1	16.5	6.2	251	2.16	8.9	1.9	0.7	10	<0.1	0.7	0.2	36	0.07	0.078	21	21	0.26	87	0.012	2	1.11	0.004	0.04	0.2	0.03	0.8	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235281	15-Sep-11	7036733.71	566199.71	1637	1	35.1	22.2	70	<0.1	24.4	10.4	157	2.19	7.7	4	7.6	11	<0.1	0.7	0.2	31	0.07	0.056	32	19	0.36	121	0.021	<1	1.22	<0.001	0.05	0.2	0.03	2.5	<0.1	<0.05	3	<0.5	<0.2	WHI11001843
1235282	15-Sep-11	7036742.12	566243.84	1633	0.8	26.2	21.9	62	<0.1	22.7	7.4	138	2.27	7.3	4	6.3	12	<0.1	0.6	0.2	29	0.1	0.057	30	22	0.46	130	0.017	<1	1.4	<0.001	0.04	0.2	0.03	1.7	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235283	15-Sep-11	7036757.01	566297.30	1634	0.8	37	25.1	72	0.1	28	11.9	327	2.86	9.3	2.3	8.1	9	<0.1	0.5	0.3	26	0.06	0.051	41	22	0.53	171	0.011	<1	1.54	<0.001	0.04	0.1	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235284	15-Sep-11	7036760.85	566341.23	1630	0.7	49.6	27.5	85	0.1	32.2	15.9	260	3.16	7.1	1.8	10.8	7	<0.1	0.5	0.3	21	0.04	0.046	46	23	0.67	119	0.007	<1	1.68	<0.001	0.04	0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2	WHI11001843
1235285	15-Sep-11	7036767.46	566404.18	1636	1.2	23.7	21.1	69	0.1	26.1	9.4	880	2.93	11	1.6	4.5	18	<0.1	0.7	0.2	35	0.17	0.05	23	21	0.33	176	0.015	1	1.23	<0.001	0.04	0.2	0.05	2.3	0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235286	15-Sep-11	7036783.75	566436.23	1637	1	33.1	15.9	71	<0.1	23.7	7.5	182	2.54	8.4	2.3	3.7	10	<0.1	0.8	0.2	34	0.08	0.063	23	20	0.38	108	0.02	2	1.28	<0.001	0.04	0.2	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2	WHI11001843
1235287	15-Sep-11	7036815.11	566482.19	1641	1.2	41.2	20.8	80	0.1	31.7	12.9	486	3	12.1	3.1	3.8	10	<0.1	0.8	0.3	38	0.08	0.063	26	25	0.48	157	0.019	1	1.51	<0.001	0.05	0.2	0.05	2.2	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235288	15-Sep-11	7036838.86	566525.72	1643	1.1	32.7	17.1	70	<0.1	24.1	9.8	346	2.59	9.7	2.1	4.3	11	<0.1	0.7	0.2	36	0.1	0.064	23	23	0.46	111	0.023	<1	1.37	<0.001	0.05	0.2	0.04	1.9	<0.1	<0.05	4	0.5	<0.2	WHI11001843
1235289	15-Sep-11	7036867.37	566568.42	1643	2.5	65	38.7	81	0.8	34.8	17.4	1329	4.03	17.6	4.8	3	14	<0.1	1	0.4	47	0.11	0.166	26	32	0.45	298	0.012	2	2.12	<0.001	0.07	0.2	0.13	3	0.2	0.06	5	1.1	<0.2	WHI11001843
1235290	15-Sep-11	7036892.79	566605.30	1642	0.8	33.3	19	71	0.1	26.4	10.9	371	2.5	8.6	2.4	6.1	12	<0.1	0.6	0.2	30	0.13	0.061	30	23	0.51	168	0.02	<1	1.31	<0.001	0.04	0.2	0.03	2.2	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235291	15-Sep-11	7036923.77	566653.26	1640	1.2	23.3	14.2	71	0.1	21.2	7	287	2.42	9.9	2.3	2.7	12	<0.1	0.8	0.2	37	0.11	0.074	22	22	0.42	120	0.02	<1	1.17	<0.001	0.04	0.2	0.04	1.5	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235292	15-Sep-11	7036960.46	566687.58	1640	1	30.6	23.1	60	0.1	25.2	7.8	190	2.58	13.5	3.8	7.1	14	<0.1	0.7	0.3	31	0.13	0.059	40	22	0.43	93	0.02	<1	1.18	<0.001	0.04	0.2	0.03	1.7	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235293	15-Sep-11	7036995.07	566723.56	1645	1.3	21.8	22.5	65	<0.1	21.3	9	276	2.73	17.7	3.2	2.4	8	<0.1	0.8	0.2	35	0.05	0.047	27	21	0.36	105	0.016	<1	1.27	<0.001	0.04	0.2	0.04	1.2	<0.1	<0.05	4	0.5	<0.2	WHI11001843
1235294	15-Sep-11	7037027.10	566754.43	1643	1	23.6	16.9	68	<0.1	22.4	8.3	224	2.62	14.1	4.2	2.9	9	<0.1	0.8	0.2	32	0.08	0.06	24	20	0.39	86	0.016	1	1.26	<0.001	0.05	0.2	0.04	1.6	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235295	15-Sep-11	7037067.37	566787.59	1643	1.2	27.3	20.5	61	0.2	22.7	9.4	292	2.97	25.9	6	2	9	<0.1	0.9	0.3	31	0.07	0.091	30	21	0.38	154	0.009	<1	1.34	<0.001	0.04	0.2	0.04	1.3	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235296	15-Sep-11	7037110.08	566826.18	1643	1	19.5	21.2	54	<0.1	19	5.5	238	2.76	13.9	6.2	1.7	8	<0.1	0.6	0.3	30	0.07	0.064	31	19	0.36	109	0.014	<1	1.18	<0.001	0.03	0.1	0.04	1.1	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235297	15-Sep-11	7037146.23	566853.59	1643	1.3	26.7	18.4	71	<0.1	29.3	11.8	492	3.44	14.5	1.5	4.7	8	<0.1	1.2	0.3	30	0.03	0.044	31	24	0.44	66	0.014	<1	1.29	<0.001	0.04	0.1	0.03	1.6	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235298	15-Sep-11	7037187.84	566882.89	1643	1.3	12.7	14.5	41	<0.1	10.9	4.4	253	2.2	10.7	2.6	0.9	6	<0.1	0.6	0.2	37	0.03	0.049	20	16	0.21	80	0.014	<1	0.85	<0.001	0.04	0.1	0.03	0.8	0.1	<0.05	5	<0.5	<0.2	WHI11001843
1235299	15-Sep-11	7037219.23	566921.43	1640	1.4	24.2	18.6	71	<0.1	24.4	13.4	726	2.82	12.3	1.2	3.4	8	<0.1	1	0.3	36	0.05	0.056	25	23	0.38	151	0.014	<1	1.39	<0.001	0.05	0.2	0.04	1.6	0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235300	15-Sep-11	7037235.72	566961.58	1638	0.5	46.1	18.2	80	0.1	42	14.1	2033	3.1	11.4	2.5	10.4	15	<0.1	0.6	0.4	22	0.25	0.068	45	24	0.67	112	0.011	<1	1.53	<0.001	0.03	<0.1	0.03	2.9	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235301	12-Sep-11	7031759.64	585946.62	1693	1.1	75	15	86	<0.1	45	21.4	613	4.97	33.8	2.5	3.1	7	0.1	2.3	0.2	90	0.09	0.059	11	61	1.2	119	0.086	<1	2.41	0.004	0.18	<0.1	0.03	2.9	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235302	12-Sep-11	7031798.34	585973.51	1693	1.2	123	20.3	81	0.1	54.5	26.4	584	4.72	27.9	3.4	2.6	8	0.1	1.5	0.3	72	0.11	0.059	13	59	1.17	95	0.064	<1	2.31	0.005	0.15	0.1	0.02	2.7	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235303	12-Sep-11	7031836.95	586004.24	1692	0.8	85.4	12.2	71	<0.1	48.3	24.6	596	4.87	41.3	4.9	2.5	8	0.1	1.6	0.2	86	0.12	0.041	8	59	1.2	122	0.083	1	2.32	0.005	0.17	0.1	0.02	2.9	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235304	12-Sep-11	7031873.59	586040.33	1690	1.1	65.7	15.2	69	<0.1	39.3	18.9	591	4.7	33.1	5.5	2.1	6	0.2	2.3	0.2	87	0.1	0.047	7	53	1.05	72	0.117	<1	2.03	0.004	0.13	0.1	0.04	2.5	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235305	12-Sep-11	7031913.14	586069.47	1690	1.1	87.1	14.9	85	<0.1	44.6	20.9	633	4.95	48.6	12.3	2.4	7	0.1	4.5	0.2	92	0.1	0.054	8	57	1.13	102	0.105	<1	2.46	0.005	0.24	0.1	0.06	3.5	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235306	12-Sep-11	7031951.81	586100.78	1683	1.2	53.4	13.7	62	<0.1	32	15.1	438	4.06	30.2	4.5	1.9	6	0.1	2.7	0.2	79	0.08	0.037	7	44	0.88	75	0.082	<1	1.83	0.004	0.12	0.1	0.04	2	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235307	12-Sep-11	7031989.70	586133.20	1674	0.8	111.5	15.3	75	<0.1	54.2	27.5	634	4.98	53.2	5.1	3.2	5	0.1	2.3	0.2	83	0.08	0.024	9	58	1.23	61	0.095	1	2.42	0.004	0.13	0.1	0.03	3.1	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235308	12-Sep-11	7032023.83	586163.43	1662	0.6	107.1	12.4	78	<0.1	53.8	27.5	734	5.56	60.8	9.5	2.6	6	0.2	4.6	0.2	90	0.11	0.031	8	61	1.4	84	0.114	<1	2.51	0.004	0.18	0.1	0.02	3	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235309	12-Sep-11	7032069.76	586198.79	1656	1.3	185.2	19.1	128	0.2	88.3	45.5	1785	7.24	90.2	5.2	8	10	0.5	53.2	0.2	62	0.11	0.052	31	35	0.53	112	0.01	<1	1.26	0.003	0.17	0.1	0.01	8.4	0.3	<0.05	4	<0.5	<0.2	WHI11001833
1235310	12-Sep-11	7032104.37	586228.06	1645	1.2	65.5	13.1	73	<0.1	36.3	17.2	484	4.3	26.2	2.7	2.1	6	0.2	3.1	0.2	80	0.08	0.034	9	50	0.97	92	0.063	<1	2.2	0.005	0.13	0.1	0.03	2.7	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235311	12-Sep-11	7032141.09	586259.29	1640	1.1	42.7	10.2	60	<0.1	29.7	14.2	382	3.81	18.3	1.7	1.9	7	0.1	2.5	0.2	75	0.1	0.037	8	46	0.88	92	0.079	<1	1.76	0.004	0.11	0.1	0.03	2.1	<0.1	<0.05	6	0.6	<0.2	WHI11001833
1235312	12-Sep-11	7032179.43	586294.22	1637	0.5	79.9	6	69	<0.1	51.3	26.2	610	4.67	19.7	1.7	2	5	0.1	1.6	0.1	94	0.16	0.026	3	81	1.44	112	0.176	<1	2.36	0.003	0.37	<0.1	0.01	1.3	0.1	<0.05	5	<0.5	<0.2	WHI11001833
1235313	12-Sep-11	7032220.35	586325.21	1631	0.9	70.5	9.2	72	<0.1	43.6	21.4	553	5.12	36.1	3.9	2.4	5	0.2	2.8	0.2	104	0.11	0.036	6	67	1.26	99	0.176	<1	2.17	0.004	0.26	<0.1	0.03	2.2	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235314	12-Sep-11	7032256.22	586358.36	1615	0.5	109	13.2	95	0.1	61.1	31.8	851	6.24	13	2.3	1.4	10	0.2	0.9	0.1	110	0.33	0.049	3	95	1.87	142	0.169	<1	3.13	0.006	0.37	<0.1	0.01	2.4	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235315	12-Sep-11	7032295.00	586388.62	1613	0.7	112.1	7.7	86	<0.1

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1235317	12-Sep-11	7032371.54	586454.37	1585	0.4	166.8	4.2	91	0.1	68.5	34.8	743	6.62	61	25.8	1.7	7	0.2	4.1	<0.1	118	0.28	0.038	4	91	2.06	113	0.143	<1	3.34	0.004	0.56	<0.1	0.02	3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235318	12-Sep-11	7032410.39	586486.99	1570	0.6	129.8	5.7	86	0.2	61.2	32.8	744	6.27	27.3	6.1	1.9	7	<0.1	3.3	0.1	109	0.25	0.04	5	88	1.95	109	0.121	<1	3.1	0.004	0.41	<0.1	0.03	2.9	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235319	12-Sep-11	7032449.63	586517.49	1563	0.7	157.6	6.2	89	0.3	59	33.3	767	6.22	19	3	1.6	7	<0.1	2.1	0.1	107	0.27	0.069	6	80	1.82	115	0.108	<1	3.1	0.005	0.39	<0.1	0.04	3.4	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235320	12-Sep-11	7032487.56	586551.37	1552	0.6	164.8	6.6	94	0.2	70.2	36.2	830	6.79	23.6	3.9	1.4	8	0.1	1.4	0.1	127	0.29	0.057	5	103	2.21	93	0.134	2	3.44	0.004	0.35	<0.1	0.03	3.2	0.2	0.05	9	<0.5	<0.2	WHI11001833
1235321	12-Sep-11	7032528.12	586583.99	1540	1.9	191.1	7.7	102	0.2	60.1	35.4	805	7.41	14.8	2.9	2	11	0.1	2.4	0.2	101	0.27	0.05	6	72	1.92	98	0.174	1	3.14	0.005	0.3	<0.1	0.03	3.3	0.2	0.11	9	0.6	<0.2	WHI11001833
1235322	12-Sep-11	7032564.72	586613.18	1527	0.5	185.1	5.1	89	0.1	66.8	36.9	708	6.43	6.7	1.9	1.1	7	<0.1	1.3	<0.1	104	0.28	0.046	3	81	2.06	88	0.16	<1	3.1	0.005	0.38	<0.1	0.02	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235323	12-Sep-11	7032600.80	586646.17	1516	0.7	118.4	11.2	90	0.3	58.2	37.8	850	5.87	34.4	4.3	2.7	8	0.2	2.7	0.2	111	0.19	0.05	8	79	1.74	96	0.126	2	2.93	0.004	0.33	<0.1	0.03	3.8	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235324	12-Sep-11	7032641.37	586677.42	1505	1	120.9	14.1	84	0.2	51.3	26.2	553	4.98	30.1	3.4	3.5	10	<0.1	2.5	0.2	83	0.14	0.045	13	55	1.23	111	0.094	3	2.38	0.005	0.16	<0.1	0.04	3.9	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235325	12-Sep-11	7032687.01	586717.34	1500	1.1	120.2	9.6	83	0.1	56.2	28.2	577	5.45	14.1	1.1	2.5	8	<0.1	0.9	0.1	93	0.17	0.032	7	64	1.49	85	0.161	1	2.61	0.004	0.25	<0.1	0.02	3	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235326	12-Sep-11	7032711.23	586677.21	1483	1	69.2	10.4	69	<0.1	42.7	21.2	474	4.57	37.4	1.7	2.2	7	0.1	1.7	0.1	90	0.15	0.039	7	59	1.25	75	0.103	1	2.13	0.003	0.15	<0.1	0.02	2.3	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235327	12-Sep-11	7032675.79	586641.57	1486	1.1	143.6	12.7	89	0.1	60.3	29.3	572	5.76	14	5.3	3.8	11	0.2	1.5	0.2	84	0.17	0.046	11	58	1.35	104	0.134	1	2.43	0.006	0.28	<0.1	0.02	3.7	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235328	12-Sep-11	7032636.74	586610.82	1500	0.6	123.3	8	87	0.1	54.7	29.7	656	5.42	13.9	4.1	2.8	9	0.1	1.5	0.1	99	0.2	0.036	7	73	1.6	104	0.135	1	2.68	0.005	0.25	<0.1	0.03	3.5	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235329	12-Sep-11	7032597.76	586576.25	1516	0.5	152.6	5.2	85	0.2	58.3	35	775	6.35	14.5	1.8	1.6	6	<0.1	1.3	<0.1	107	0.26	0.05	5	85	2.05	88	0.118	1	3.08	0.004	0.2	<0.1	0.03	3.3	0.1	<0.05	8	<0.5	<0.2	WHI11001833
1235330	12-Sep-11	7032561.07	586543.95	1531	2.1	174.7	11.4	92	0.2	75.8	36	631	6.83	27.6	8.1	2.9	11	0.3	4.2	0.2	99	0.18	0.044	8	71	1.6	77	0.145	<1	2.63	0.003	0.33	<0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235331	12-Sep-11	7032520.43	586514.02	1544	0.4	178.9	4.1	96	0.2	73.2	40	824	7.08	13.2	2.8	1.4	6	0.1	1.2	0.1	123	0.24	0.045	4	100	2.29	98	0.152	<1	3.57	0.004	0.47	<0.1	0.02	2.6	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235332	12-Sep-11	7032484.72	586478.94	1558	0.5	162.6	5.8	95	0.2	68.2	36.8	826	6.74	49.6	14.3	1.7	8	<0.1	3.9	0.1	116	0.32	0.043	5	93	2.11	118	0.143	<1	3.46	0.005	0.47	<0.1	0.02	3.4	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235333	12-Sep-11	7032448.17	586450.03	1575	0.4	146.3	4.1	88	0.1	63.9	33.9	740	6.15	37	15.3	1.6	7	<0.1	6.1	<0.1	116	0.3	0.042	4	90	2	115	0.158	<1	3.1	0.004	0.52	<0.1	0.02	3.1	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235334	12-Sep-11	7032407.69	586416.84	1590	0.5	208.4	5.7	101	0.1	83.8	41.2	877	7.32	10.2	1.9	1.5	9	0.1	1.3	<0.1	136	0.34	0.041	3	101	1.99	124	0.215	<1	3.62	0.006	0.76	<0.1	0.01	3.2	0.4	<0.05	9	<0.5	<0.2	WHI11001833
1235335	12-Sep-11	7032369.12	586385.68	1603	1	153.3	9.9	96	<0.1	66.4	39.1	824	6.59	266.6	44.2	2.2	9	0.1	7.4	0.2	94	0.14	0.048	7	68	1.41	95	0.154	<1	2.83	0.006	0.42	0.1	0.03	3.5	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235336	12-Sep-11	7032328.18	586353.56	1609	0.8	60.5	7.8	70	<0.1	42.8	22.2	619	5.06	21.5	1.9	1.4	6	<0.1	2	0.1	108	0.16	0.044	4	70	1.4	71	0.188	2	2.29	0.004	0.21	<0.1	0.04	2	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235337	12-Sep-11	7032291.04	586321.98	1618	0.6	82.8	6.6	80	<0.1	50.7	28.5	780	5.62	11	1.6	1.6	7	<0.1	1.2	<0.1	120	0.2	0.039	4	84	1.55	107	0.186	<1	2.77	0.005	0.41	<0.1	0.03	2.8	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235338	12-Sep-11	7032253.15	586289.41	1629	0.6	72.7	8.4	72	<0.1	49	25.4	611	5.23	50.7	2.1	1.7	9	0.1	2.4	0.1	102	0.24	0.042	5	84	1.56	133	0.151	1	2.55	0.005	0.19	0.1	0.03	2.1	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1235339	12-Sep-11	7032213.90	586256.35	1641	0.8	55.9	10.3	64	<0.1	40.4	22.3	608	4.35	13.9	1	1.4	7	0.1	2.3	0.1	97	0.16	0.047	6	61	1.16	80	0.165	1	2.1	0.007	0.24	<0.1	0.03	2.1	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235340	12-Sep-11	7032178.16	586223.90	1648	0.8	124.7	12.5	83	<0.1	58.9	29.6	689	5.51	54.5	4.3	3	6	<0.1	2.1	0.2	88	0.12	0.029	9	62	1.28	93	0.171	2	2.67	0.005	0.27	0.1	0.03	3.2	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235341	12-Sep-11	7032137.98	586196.47	1659	1.1	120.6	19.3	87	0.1	62.8	33	1404	4.9	15.9	3.6	2.3	9	0.2	1.2	0.2	81	0.14	0.048	8	51	0.9	144	0.129	2	2.93	0.013	0.3	0.2	0.06	3.3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235342	12-Sep-11	7032097.99	586159.14	1666	1.3	99.4	12.9	81	<0.1	42.6	20	568	4.92	19.2	2.4	2.2	7	0.1	1.9	0.2	82	0.11	0.035	8	48	1.03	72	0.168	2	2.21	0.005	0.18	0.2	0.04	2.4	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235343	13-Sep-11	7032057.54	586127.15	1648	0.9	85.6	18.2	75	<0.1	50.1	18.8	433	4.3	30	5.1	3.1	7	0.2	1.5	0.2	71	0.11	0.029	11	43	0.92	68	0.127	2	1.98	0.005	0.15	0.1	0.03	2.4	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235344	13-Sep-11	7032021.32	586096.22	1653	1.3	104.1	23.6	67	0.2	44.2	24.7	572	4.4	17.7	4.6	1.5	14	0.1	2.5	0.3	58	0.29	0.107	22	48	1.01	136	0.047	3	2.17	0.007	0.19	<0.1	0.05	3.4	0.2	0.08	7	<0.5	<0.2	WHI11001833
1235345	13-Sep-11	7031986.51	586059.96	1661	0.7	94.8	15	85	<0.1	52.5	26	736	5.34	33	7.5	3.8	8	0.3	1.9	0.2	82	0.19	0.068	11	57	1.31	112	0.066	2	2.6	0.006	0.28	<0.1	0.03	4.5	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235346	13-Sep-11	7031947.76	586029.09	1663	1.2	185.5	22	100	0.2	86.7	38.9	859	4.81	47.9	17	4.9	14	0.2	1.9	0.2	73	0.26	0.065	17	51	1.17	121	0.088	2	2.51	0.011	0.24	0.1	0.02	5	0.2	<0.05	8	0.6	<0.2	WHI11001833
1235347	13-Sep-11	7031911.16	586001.53	1670	1	143.5	28.2	104	0.2	77.5	32.9	951	5.29	41.3	9.9	4	13	0.3	1.8	0.3	75	0.27	0.076	18	95	1.38	109	0.081	2	2.66	0.011	0.19	<0.1	0.03	4.3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235348	13-Sep-11	7031871.69	585966.70	1673	0.6	68.6	13.7	74	<0.1	44.4	22.1	657	4.67	40	4.3	2.6	8	<0.1	1.4	0.2	99	0.17	0.049	9	71	1.32	99	0.106	2	2.5	0.006	0.17	<0.1	0.03	4.2	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235349	13-Sep-11	7031828.67	585940.01	1679	1.2	92.6	20.3	77	0.1	49.6	23.5	759	4.72	40.3	4.2	1.7	11	0.1	4.8	0.2	68	0.14	0.099	22	69	1.04	148	0.046	3	2.31	0.01	0.2	0.1	0.04	3.3	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235350	13-Sep-11	7031792.17	585905.25	1685	1.1	152.4	34.8	119	0.5	83	36.6	1065	6.96	131.6	8.4	9.4	16	0.1	15.3	0.4	80	0.19	0.077	34	88	1.48	152	0.085	2	3.12	0.005	0.33	<0.1	0.05	5.1	0.5	<0.05	9	<0.5	<0.2	WHI11001833
1235351	13-Sep-11	7031819.23	585867.61	1674	1	81.8	23.6	76	0.3	46.4	19.5	583	4.51	26	5	2.4	10	0.1	5.2	0.2	75	0.13	0.097	19	71	1.05	108	0.069	3	2.13	0.01	0.23	0.1	0.06	3.1	0.2	0.07	7	<0.5	<0.2	WHI11001833
1235352	13-Sep-11	7031860.26	585893.87	1667	1.2	108.6	26	100	0.2	64.2	31.1	978	6.25	68.2	5.7	6.9	12	<0.1	7.5	0.3	82	0.16	0.07	22	74	1.41	107	0.083	1	2.84	0.005	0.29	<0.1	0.03	4	0.3	<0.05	8	<0.5	<0.2	WHI11001833
1235353	13-Sep-11	7031900.02	585929.23	1662	1.5	66.8	18.3	72	0.2	44	20.8	810	4.69	40.3	2.4	2	13	<0.1	4.7	0.3	84	0.21	0.107	16	75	0.99	129	0.058	2	2.04	0.007	0.19	0.1	0.04	3.4	0.2	0.09	7	<0.5	<0.2	WHI11001833
1235354	13-Sep-11	7031939.53	585963.19	1657	1.5	138.7	22.7	108	0.2	59.7	30.6	957	5.45	43.4	7.6	4.1	13	0.2	3.2	0.3	87	0.22	0.08	22	64	1.31	144	0.072	2	2.94	0.009	0.27	0.1	0.04	5.3	0.3	<0.05	9	0.7	<0.2	WHI11001833
1235355	13-Sep-11	7031982.40	585994.83	1652	1.2	113.2	20.5	100	0.1	56.2	28.3	879	5.1	103.1	26	2.7	13	0.1	2.8	0.2	101	0.28	0.079	13	66	1.24	145	0.067	1	2.87	0.011	0.25	0.1	0.05	5.1	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235356	13-Sep-11	7032005.99	586028.34	1656	1.7	63.9	18.4	85	<0.1	38	19.5	700	4.64	44.3	5.1	2.4	10	0.4	2.6	0.5	89	0.1	0.068	12	54	1	125	0.072	3	2.21	0.005	0.13	0.2	0.05	3.3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235357	13-Sep-11	7032047.36	586060.18	1650	1.2	75.4	11.7	83	<0.1	41.1	22.3	602	4.9	51.3	6.8	3	8	0.6	2.8	0.4	84	0.11	0.035	11	58	1.23	78	0.127	2	2.34	0.011	0.2	0.2	0.01	2.9	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235358	13-Sep-11	7032089.02	586088.37	1653	1	67.1	12.4	65	<0.1	36.9	17.3	464	5.16	182.9	39.7	2.5	6	0.4	3.9	0.4	99	0.08	0.032	6	52	1.04	62	0.23	2	2.24	0.005	0.17	0.1	0.05	2.9	0.1	<0.05	9	<0.5	<0.2	WHI11001833
1235359	13-Sep-11	7032133.25	586123.70	1649	1	98.3	17.4	83	0.1	45.3	22.4	576	4.76	52.8	4	2.1	10	0.4	5	0.4	87	0.17	0.053	8	56	1.15	114	0.087	2	2.32	0.006	0.17	<0.1	0.04	3.3	0.1	<0.05	8	<0.5	<0.2	WHI11001833
1235360	13-Sep-11	7032167.92	586158.19	1643	1	65.9	15.4	83	0.1	50.7	25.1	785	5.2	13.2	1.9	2	8	0.4	0.9	0.3	123	0.15	0.035	6	75	1.49	84	0.127	1	2.65	0.005	0.2	0.1	0.03	4	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235361	13-Sep-11	7032207.23	586182.80	1636	3.4	132.3	13.8	77	0.1	37.2	22	512	4.86	10.9	2.4	3.2	14	0.5	1.3	0.6	61	0.08	0.052	11	38	0.74	125	0.18	2	2.01	0.011	0.3	<0.1	0.04	3.3	0.2	0.1	7	0.6	<0.2	WHI11001833
1235362	13-Sep-11	7032246.08	586214.70	1633	0.9	67.9	10.5	77	<0.1	43.2	21.4	632	5.15	29.3	1.6	2.4	7	0.3	3.4	0.4	104	0.14	0.031	6	69	1.35	83	0.189	2	2.3	0.009	0.16	<0.1	0.02	2.7	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235363	13-Sep-11	7032286.11	586251.20	1625	1.8	100.1	13.5	90	<0.1	51.6	25.4	654	5.15	11.5	1	2.2	12	0.4	1	0.4	83	0.13	0.047	7	49	0.95	102	0.173	2	2.24	0.009	0.34	0.1	0.03	2.6	0.2	0.05	8	<0.5	<0.2	WHI11001833
1235364	13-Sep-11	7032324.49	586279.71	1607	0.4	140.4	13.2	94	0.1	65.1	33.4	899	6.25	24.8	4.1	2.7	7	0.3	3.2	0.2	114	0.23	0.033	6	87	1.91	104	0.157	<1	3.25	0.005	0.51	<0.1	<0.01	4.4	0.3	<0.05	10	<0.5	<0.2	WHI11001833
1235365	13-Sep-11	7032362.83	586311.75	1597	0.6	91.5	11.6	85	<0.1	57.9	28.3	825	5.64	79.7	7	2.4	10	0.2	8.4	0.2	106	0.25	0.036	5	84	1.79	114	0.104	1	2.84	0.005	0.33	<0.1	<0.01	4	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235366	13-Sep-11	7032397.34	586346.94	1589	0.5	147.2	6.8	96	0.1	71	37	896	6.51	16.9	1.6	1.9	8	0.3	1.8	0.2	122	0.2	0.037	4	95	1.92	109	0.193	<1	3.45	0.005	0.62	<0.1	0.01	3.1	0.3	<0.05	9	<0.5	<0.2	WHI11001833
1235367	13-Sep-11	7032433.37	586378.13	1576	0.7	162.8	10.3	98	0.2	73.2	35.7	829	6.69	55.7	11.3	1.9	10	0.2	2.5	0.2	133	0.2	0.05	5	91	1.72	108	0.164	2	3.16	0.007	0.48	<0.1	0.03	4.6	0.3	<0.05	10	<0.5	<0.2	WHI11001833
1235368	13-Sep-11	7032476.78	586408.70	1555	0.5	183.7	4.9	99	0.2	73.6	37.4	806	6.86	87.3	36	1.1	10	0.3	3.6	0.1	128	0.32	0.05	3	95	1.89	132	0.184	1	3.38	0.008	0.69	<0.1	0.02	2.9	0.3	<0.05	9	<0.5	<0.2	WHI11001833
1235369	13-Sep-11	7032514.91	586439.87	1541	0.3	157.3	4.1	87	0.2	68.4	34.5	736	6.49	128.5	24	1.4	7	0.2	19.9	0.1	108	0.28	0.04	3	84	1.93	108	0.153	<1	3.12	0.004	0.61	<0.1	<0.01	3.3	0.3	<0.05	8	<0.5	<0.2	WHI11001833
1235370	13-Sep-11	7032550.32	586472.16	1525	0.5	138.6	4.6	92	0.2	62.6	31.9	725	6.17	29.5	10.1	1.7	9	0.3	3.4	0.2	109	0.26	0.037	4	88	1.97	116	0.144	2	3.22	0.004	0.45	<0.1	0.02	3.1	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235371	13-Sep-11	7032589.94	586505.25	1507	0.4	151	5	88	0.1	67.1	33.9	717	6.37	19.2	4.4	1.6	7	0.1	1.3	0.2	119	0.21	0.04	4	86	2.03	86	0.146	1	3.21	0.004	0.42	<0.1	0.02	2.9	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235372	13-Sep-11	7032628.39	586538.62	1497	0.8	171.3	7.3	97	0.2	72.3	38.2	768	6.92	22	7.1	1.9	10	0.3	1.6	0.2	123	0.26	0.049	6	87	2.16	94	0.15	<1	3.39	0.005	0.3	<0.1	0.01	4.2	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235373	13-Sep-11	7032665.72	586567.71	1481	0.5	144.1	5.4	89	<0.1	61.6	32.2	716	6.17	10	1.9	1.6	7	0.1	1	0.2	104	0.24	0.036	4	83	2.03	74	0.155	<1	3.03	0.004	0.22	<0.1	0.01	2.8	<0.1	<0.05	8	<0.5	<0.2	WHI11001833
1235374	13-Sep-11	7032704.92	586597.80	1473	0.5	117.7	9.8	88	0.2	58	29.5	657	5.61	23.4	5.2	2.4	8	0.1	2.9	0.2	97	0.13	0.032	7	70	1.66	75	0.155	<1	2.82	0.004	0.37	<0.1	0.01	3.9	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235375	13-Sep-11	7032741.79	586634.96	1466	0.6	76.1	9.8	77	0.1	45.4	21.7	545	5.1	37.8	2	2.3	9	0.1	2.3	0.2	95	0.22	0.036	7	65	1.54	99	0.118	<1	2.59	0.004	0.15	<0.1	0.01	3	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235376	13-Sep-11	7032777.95	586597.14	1451	0.9	87.3	10.5	84	0.1	41.2	21.5	530	4.88	22.9	3.7	2.9	8	0.1	2	0.2	84	0.1	0.035	9	57	1.24	79	0.123	1	2.39	0.01	0.16	<0.1	0.02	3.4	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235377	13-Sep-11	7032739.99	586560.96	1456	0.6	101.5	8.1	78	0.1	44	21.1	514	5.04	15.9	4.3	2.5	7	<0.1	1.7	0.2	88	0.12	0.026	8	63	1.4	73	0.155	<1	2.61	0.008	0.17	<0.1	0.02	3.4	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235378	13-Sep-11	7032701.50	586531.02	1463	0.6	137.4	6.1	86	<0.1	56	29.9	662	6.05	13.2	2.4	1.9	7	0.1	1	0.2	110	0.17	0.036	5	78	1.93	82	0.149	<1	3.15	0.004	0.19	<0.1	0.01	3.5	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235379	13-Sep-11	7032665.11	586502.25	1476	0.9	114.1	7.8	83	<0.1	50.5	27.2	623	5.37	17.4	5	2.5	8	<0.1	1	0.2	92	0.17	0.032	7	66	1.65	93	0.159	<1	2.83	0.005	0.21	<0.1	0.01	3	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235380	13-Sep-11	7032625.26	586467.47	1490	0.4	122.5	5.9	87	<0.1	57.3	30	684	5.77	16.7	3.8	1.8	8	0.1	1.9	0.1	101	0.21	0.035	4	76	1.81	103	0.139	<1	3	0.005	0.35	<0.1	<0.01	2.8	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235381	13-Sep-11	7032587.74	586438.14	1505	0.4	157.7	4.4	94	<0.1	69.4	36.6	800	6.84	47.4

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1235383	13-Sep-11	7032510.19	586372.01	1544	0.4	173.9	5.7	96	0.2	77	37.4	878	6.42	7.9	2.2	1.4	11	0.2	0.7	<0.1	127	0.37	0.038	3	97	1.88	104	0.197	1	3.31	0.009	0.62	<0.1	0.01	3.5	0.3	<0.05	9	<0.5	<0.2	WHI11001833
1235384	13-Sep-11	7032468.37	586338.23	1559	0.7	142.7	8.5	107	<0.1	75.2	38.3	883	6.87	10.4	4.1	1.8	9	0.2	0.9	0.2	142	0.26	0.041	4	109	1.96	124	0.224	<1	3.56	0.008	0.66	<0.1	0.02	3.5	0.4	<0.05	10	<0.5	<0.2	WHI11001833
1235385	13-Sep-11	7032434.28	586309.43	1573	0.6	102.6	8.1	87	<0.1	58	28.9	810	5.99	18.5	2.6	2.2	8	<0.1	2.4	0.1	106	0.23	0.03	5	81	1.74	106	0.149	<1	3.07	0.005	0.41	<0.1	0.01	3.1	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235386	13-Sep-11	7032395.61	586277.64	1593	0.8	117.5	9.8	83	0.1	57.4	27.8	847	5.93	22.4	3.3	2.6	9	0.1	6.7	0.1	102	0.33	0.048	9	80	1.63	97	0.102	<1	2.87	0.005	0.4	<0.1	0.04	5.3	0.3	<0.05	8	<0.5	<0.2	WHI11001833
1235387	13-Sep-11	7032355.44	586243.03	1607	0.3	48.2	6.5	68	<0.1	37	19.2	655	3.58	10.1	1.3	1.4	9	0.2	0.8	<0.1	68	0.18	0.039	3	56	1.15	48	0.164	<1	1.95	0.004	0.11	0.1	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2	WHI11001833
1235388	13-Sep-11	7032314.70	586214.01	1621	0.8	84	9.9	77	<0.1	45.5	23.1	617	4.87	15.7	1.8	2.4	7	0.1	1.9	0.3	86	0.12	0.031	7	55	1.14	80	0.155	1	2.31	0.004	0.31	0.1	0.02	2.8	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235389	13-Sep-11	7032278.48	586182.05	1624	0.3	93.7	8.1	83	<0.1	58	29.5	1008	5.79	13.3	2	1.8	7	0.2	0.9	<0.1	129	0.17	0.032	4	90	1.79	117	0.133	<1	3.04	0.008	0.35	<0.1	0.02	4.7	0.3	<0.05	9	<0.5	<0.2	WHI11001833
1235390	14-Sep-11	7032238.30	586144.34	1623	0.8	69.6	13.6	78	<0.1	46.1	23	730	4.92	12.7	0.6	2.3	10	<0.1	0.7	0.2	92	0.15	0.049	7	60	1.35	111	0.11	1	2.49	0.005	0.21	0.1	0.03	3.9	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1235391	14-Sep-11	7032196.72	586115.56	1623	0.6	106.8	13.8	87	<0.1	56.7	28.4	966	5.48	20.1	4.2	2.2	11	0.2	3	0.1	114	0.31	0.052	6	85	1.83	101	0.104	1	3.08	0.009	0.21	<0.1	0.03	3.7	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1235392	14-Sep-11	7032159.15	586083.28	1628	1.4	165.1	18.8	92	0.1	70.3	36.4	820	5.57	81.4	7.8	3	11	0.2	3.2	0.4	75	0.17	0.071	12	56	1.2	114	0.093	2	2.7	0.009	0.29	<0.1	0.04	4.1	0.2	<0.05	8	0.6	<0.2	WHI11001833
1235393	14-Sep-11	7032120.35	586051.28	1628	1	65.7	13.4	69	<0.1	38.6	19.1	609	4.83	184.3	73.6	1.8	6	0.2	5.8	0.3	83	0.07	0.053	8	50	1.01	58	0.099	1	2.44	0.004	0.13	0.1	0.04	3.3	0.2	<0.05	8	0.6	<0.2	WHI11001833
1235394	14-Sep-11	7032092.71	586025.14	1622	1.4	82.3	22.6	72	<0.1	41	18.1	569	5.23	222.3	79.1	2.7	7	0.2	3.7	0.4	93	0.09	0.058	12	56	1.15	108	0.078	1	2.94	0.005	0.21	0.1	0.04	4.8	0.2	<0.05	10	<0.5	<0.2	WHI11001833
1235395	14-Sep-11	7032042.26	585975.11	1621	0.9	118.4	18	89	0.2	55.1	29.7	907	5.5	76.7	17.1	3.7	11	0.1	11.7	0.3	93	0.2	0.063	20	61	1.25	124	0.066	1	2.75	0.008	0.25	0.1	0.05	6.1	0.3	<0.05	8	<0.5	<0.2	WHI11001833
1235396	14-Sep-11	7032012.57	585953.77	1634	0.9	173.6	21.2	105	0.2	77.9	42.8	1305	6.07	22.6	5.4	4.7	38	0.3	2.1	0.3	114	0.72	0.072	16	76	1.58	194	0.122	2	4.24	0.091	0.62	0.2	0.03	8	0.3	<0.05	11	<0.5	<0.2	WHI11001833
1235397	14-Sep-11	7031972.37	585924.71	1649	1	77.5	17.8	87	<0.1	57.3	27.5	795	5.01	32.7	3.1	3.4	9	0.2	3.6	0.3	82	0.13	0.046	11	101	1.25	100	0.099	1	2.4	0.004	0.24	0.2	0.04	3.9	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235398	14-Sep-11	7031933.51	585891.31	1652	1.3	70.4	20.9	88	0.1	46.1	26.5	1217	4.83	50.1	3.8	2	15	0.2	4.9	0.3	74	0.21	0.087	23	66	1.01	168	0.044	2	2.21	0.007	0.16	0.1	0.06	3.2	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235399	14-Sep-11	7031891.20	585858.93	1656	1	77.8	16.6	83	0.1	47.9	22.1	662	5.23	37.2	6.7	4	10	0.1	7.2	0.3	79	0.11	0.062	23	66	1.2	99	0.083	1	2.25	0.005	0.22	0.1	0.04	3.6	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1235400	14-Sep-11	7031859.39	585828.23	1660	1.2	85.9	25.5	82	0.2	69.7	22.4	1021	5.01	36.3	2.2	3.1	21	0.2	43.5	0.3	50	0.28	0.074	45	69	0.76	146	0.033	4	1.36	0.005	0.19	0.1	0.04	4.7	0.2	<0.05	4	<0.5	<0.2	WHI11001833
1235401	14-Sep-11	7031885.49	585792.06	1643	0.7	114.2	24.9	100	0.1	69.3	31.6	882	6.17	61	12.2	9.5	16	0.1	7.5	0.3	63	0.2	0.057	28	71	1.28	100	0.101	1	2.48	0.006	0.32	0.2	0.03	5	0.3	<0.05	7	<0.5	<0.2	WHI11001833
1235402	14-Sep-11	7031928.42	585821.78	1637	1.1	108.7	24.9	103	0.3	61.1	29	1101	7	88.7	20.8	5.4	15	0.2	11	0.3	65	0.15	0.075	35	54	1.02	130	0.05	2	2.14	0.005	0.23	0.2	0.04	4.9	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1235403	14-Sep-11	7031960.16	585851.66	1635	0.8	101	21	84	0.2	57.4	25.1	746	4.83	53.2	5.7	6.7	9	0.1	6.7	0.3	55	0.1	0.044	24	51	1.02	92	0.065	1	1.94	0.004	0.22	<0.1	0.04	3.6	0.2	<0.05	5	<0.5	<0.2	WHI11001833
1235404	14-Sep-11	7032005.38	585881.36	1628	0.9	40	13.4	58	<0.1	28	12.7	413	3.58	23.6	3.7	1.3	7	0.2	1.7	0.2	86	0.11	0.064	8	47	0.74	61	0.109	1	1.61	0.004	0.16	<0.1	0.04	2.5	<0.1	0.06	7	<0.5	<0.2	WHI11001833
1235405	14-Sep-11	7032033.44	585920.83	1613	1	206.5	41.5	120	0.2	104.5	54.1	1285	6.4	37.6	5.4	5.2	23	0.3	3.6	0.4	98	0.29	0.079	21	110	1.62	158	0.098	<1	3.29	0.016	0.35	<0.1	0.04	6.8	0.3	<0.05	9	<0.5	<0.2	WHI11001833
1235406	14-Sep-11	7032074.32	585945.51	1594	0.9	125.6	16.8	99	0.1	65	34	977	6.23	50.9	7.6	5	12	0.1	9.3	0.2	100	0.23	0.05	16	73	1.58	119	0.092	1	3.2	0.007	0.27	0.1	0.03	6.8	0.3	<0.05	9	<0.5	<0.2	WHI11001833
1235407	14-Sep-11	7032122.92	585978.60	1594	0.6	37.4	12.1	42	<0.1	20.3	9.9	422	3.32	38.9	16.7	0.7	6	0.1	1.1	0.2	58	0.07	0.067	7	34	0.67	61	0.07	1	1.75	0.006	0.1	0.1	0.08	2.6	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1235408	14-Sep-11	7032166.52	586016.50	1601	0.7	177.1	20.5	95	0.4	71.2	36	1002	7.05	3425	1765	5.6	32	0.1	52.8	0.3	53	0.23	0.053	24	42	0.87	124	0.047	1	1.77	0.008	0.25	0.1	0.04	6.4	0.2	0.08	5	<0.5	<0.2	WHI11001833
1235409	14-Sep-11	7032193.52	586042.95	1604	0.9	160.6	20.3	97	0.2	60	32.4	851	5.58	213.9	31.4	2.9	13	0.1	5.9	0.3	75	0.28	0.082	13	58	1.3	115	0.064	1	2.76	0.011	0.22	<0.1	0.04	4.6	0.2	0.05	8	<0.5	<0.2	WHI11001833
1235410	14-Sep-11	7032230.25	586075.73	1600	0.7	129.3	19.4	98	<0.1	53.2	32.3	838	5.27	42.1	8.8	1.9	15	0.1	1.8	0.3	91	0.33	0.078	10	61	1.24	159	0.08	2	2.73	0.009	0.2	0.1	0.04	4.1	0.3	0.05	9	<0.5	<0.2	WHI11001833
1235411	14-Sep-11	7032272.89	586112.38	1603	1.6	102.9	15.9	76	0.1	33.9	17	459	3.9	14.2	2.7	0.9	13	<0.1	1.1	0.2	68	0.16	0.102	10	41	0.73	141	0.06	2	2.08	0.007	0.13	0.2	0.04	2.4	0.2	0.08	7	<0.5	<0.2	WHI11001833
1235412	14-Sep-11	7032310.88	586142.19	1605	1	97.8	11.8	79	0.2	45.8	24.4	757	4.38	14.1	2.4	1.5	12	0.2	1.1	0.2	92	0.24	0.072	8	61	0.96	143	0.101	2	2.49	0.012	0.24	0.1	0.05	3.6	0.2	0.05	8	<0.5	<0.2	WHI11001833
1235413	14-Sep-11	7032346.54	586173.80	1608	0.8	128.9	12.1	94	0.1	45.9	28.8	1274	4.7	24.9	2.5	1.2	17	0.3	2	0.1	96	0.6	0.079	8	72	1.36	133	0.063	2	2.55	0.007	0.16	0.1	0.05	3.3	0.1	0.06	6	<0.5	<0.2	WHI11001833
1235414	14-Sep-11	7032381.99	586204.46	1606	2.4	208.3	15	102	0.3	105.6	50.4	1327	4.99	15.4	4.7	2.3	35	0.2	0.7	0.2	118	0.46	0.06	9	76	1.05	126	0.138	<1	2.88	0.029	0.32	<0.1	0.06	4.4	0.3	<0.05	8	<0.5	<0.2	WHI11001833
1235415	14-Sep-11	7032421.55	586240.04	1596	0.6	65.1	7.8	72	<0.1	43.6	23.6	703	5.04	19.3	5.8	1.2	11	<0.1	0.7	0.1	107	0.25	0.044	3	79	1.37	112	0.121	<1	2.26	0.005	0.3	<0.1	0.03	1.7	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1235416	15-Sep-11	7036385.07	565119.05	1592	1.1	29.1	18.5	76	0.1	26.6	11.8	366	2.67	10.2	2.6	6.8	11	0.2	0.9	0.3	25	0.07	0.035	26	16	0.35	153	0.012	1	1.02	0.005	0.05	0.2	0.04	1.6	<0.1	<0.05	3	0.7	<0.2	WHI11001843
1235417	15-Sep-11	7036385.13	565065.62	1591	1.3	23.2	16.5	64	0.1	21.1	10.1	341	2.61	10.8	1.7	4.6	7	0.2	0.9	0.3	30	0.05	0.034	27	18	0.36	107	0.012	<1	1.22	0.004	0.05	0.2	0.03	1.5	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235418	15-Sep-11	7036383.55	565013.41	1586	1.4	18.2	18.8	50	0.1	15.9	6.6	193	2.73	9.7	1.7	7.2	7	<0.1	0.8	0.3	32	0.04	0.033	24	15	0.25	78	0.008	2	1.07	0.004	0.04	0.1	0.02	1.3	0.1	<0.05	4	0.5	<0.2	WHI11001843
1235419	15-Sep-11	7036383.66	564970.23	1588	1.1	26.3	16.8	70	<0.1	26.1	9.5	282	2.5	9.2	2.6	4.3	9	0.2	1	0.2	27	0.07	0.037	22	17	0.37	108	0.013	1	1.08	0.006	0.04	0.2	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2	WHI11001843
1235420	15-Sep-11	7036384.01	564919.00	1600	0.9	27.3	16.5	74	<0.1	28.2	11.7	330	2.63	9.8	2.5	6.5	12	0.2	0.9	0.2	24	0.1	0.046	22	16	0.36	93	0.014	<1	1.04	0.005	0.04	0.1	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2	WHI11001843
1235421	15-Sep-11	7036384.07	564865.33	1607	1.3	27.1	21.8	85	<0.1	29.1	14.3	614	2.96	12.5	2.2	7	11	0.3	1	0.3	28	0.1	0.064	22	19	0.4	111	0.012	<1	1.31	0.005	0.06	0.2	0.03	1.6	<0.1	<0.05	3	<0.5	<0.2	WHI11001843
1235422	15-Sep-11	7036383.09	564820.77	1608	1	28	19.4	74	0.1	31	13.5	343	2.87	10.9	4	8.2	10	0.2	0.9	0.3	29	0.08	0.045	25	19	0.43	135	0.012	<1	1.36	0.004	0.05	0.1	0.03	1.6	<0.1	<0.05	3	<0.5	<0.2	WHI11001843
1235423	15-Sep-11	7036392.04	564767.12	1608	1.1	26.2	21.2	70	<0.1	27.1	11.4	371	2.85	10.5	1.2	4.6	7	0.2	0.8	0.3	25	0.05	0.037	24	17	0.39	104	0.01	1	1.19	0.004	0.04	0.1	0.03	1.2	<0.1	<0.05	3	0.7	<0.2	WHI11001843
1235424	15-Sep-11	7036393.83	564723.15	1612	0.9	47.8	33.5	68	<0.1	30.3	19.1	337	3.24	11.7	2.6	15.6	12	0.1	0.7	0.5	14	0.1	0.036	40	15	0.43	100	0.005	<1	1.19	0.004	0.03	<0.1	0.02	1.4	<0.1	<0.05	3	0.7	<0.2	WHI11001843
1235425	15-Sep-11	7036415.67	564677.46	1625	0.7	37.3	26	68	<0.1	18.2	9.7	286	3.56	7.9	1.8	12.7	7	<0.1	0.5	0.4	11	0.03	0.034	44	16	0.47	42	0.002	<1	1.35	0.003	0.03	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235426	15-Sep-11	7036404.07	564621.90	1633	0.8	44.1	30.6	80	<0.1	31.3	16.5	330	3.57	10.1	3	11.2	9	0.1	1	0.3	13	0.06	0.038	35	16	0.48	55	0.003	<1	1.37	0.003	0.03	<0.1	0.03	1	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1235427	15-Sep-11	7036402.35	564566.48	1646	0.7	29.7	27.1	67	<0.1	28.5	20	370	2.34	16.5	1	11	31	<0.1	1.5	0.3	4	0.04	0.012	17	5	0.06	34	<0.001	<1	0.44	0.007	0.05	<0.1	<0.01	2.4	<0.1	<0.05	<1	<0.5	<0.2	WHI11001843
1235428	15-Sep-11	7036396.07	564522.67	1649	1.5	34	22.7	85	0.1	29.3	9.6	271	3.08	14.4	1.6	3.7	9	0.3	0.9	0.3	28	0.07	0.046	23	20	0.38	99	0.011	<1	1.17	0.005	0.04	0.2	0.03	1.1	<0.1	<0.05	4	0.7	<0.2	WHI11001843
1235429	15-Sep-11	7036387.79	564473.62	1665	1.5	25.5	25.2	71	<0.1	21.7	11.1	404	3.05	14.3	7.1	5.8	10	0.1	1	0.3	35	0.09	0.059	24	20	0.34	59	0.021	1	1.04	0.004	0.04	0.4	0.04	1.3	<0.1	<0.05	4	1.1	<0.2	WHI11001843
1235430	15-Sep-11	7036378.82	564428.64	1675	1.7	26.4	15.2	77	0.1	23.9	7.6	244	2.42	12.4	4.2	3.9	13	0.2	1.1	0.2	37	0.14	0.064	15	20	0.34	119	0.019	<1	0.93	0.005	0.04	0.4	0.04	1.7	<0.1	<0.05	3	<0.5	<0.2	WHI11001843
1236351	12-Sep-11	7031887.52	586133.59		0.9	117.7	20	80	0.1	54.6	28.7	776	5.22	1307	395.4	2.9	15	<0.1	80.4	0.2	73	0.13	0.042	12	53	1.16	127	0.06	1	2.35	0.005	0.17	0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236352	12-Sep-11	7031848.69	586108.25		1.1	134.4	23.6	63	0.5	56.1	27.6	665	4.98	2987	1783	4.4	16	<0.1	181.6	0.2	53	0.08	0.03	15	42	0.98	82	0.068	1	1.85	0.006	0.2	<0.1	0.03	3.5	0.1	0.12	5	<0.5	<0.2	WHI11001833
1236356	15-Sep-11	7018486.23	582395.53	1323																																				
1236501	12-Sep-11	7031568.39	586168.42	1621	0.7	94.8	8.1	76	<0.1	50.8	25.9	780	5.34	50.5	4.5	1.5	9	<0.1	3.1	0.2	97	0.27	0.038	6	70	1.5	132	0.111	1	2.75	0.005	0.29	<0.1	0.01	2.8	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236502	12-Sep-11	7031609.48	586204.91	1619	1.7	112.1	21.1	89	0.1	62.3	30.7	901	6.08	49.7	7.1	2	10	0.1	4.8	0.2	99	0.26	0.053	10	79	1.58	137	0.089	1	3.03	0.006	0.26	0.1	0.04	3.9	0.2	<0.05	9	<0.5	<0.2	WHI11001834
1236503	12-Sep-11	7031647.02	586236.48	1623	0.9	107.3	8.9	79	<0.1	53.6	26.8	750	5.71	46.1	8.3	1.9	8	<0.1	2.2	0.2	105	0.21	0.032	7	72	1.62	126	0.132	1	2.98	0.004	0.29	<0.1	<0.01	3.1	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236504	12-Sep-11	7031679.99	586269.89	1612	0.6	109.4	6	74	<0.1	61.4	31.8	735	5.64	39.3	4.7	1.1	4	0.1	2.9	<0.1	100	0.15	0.033	3	80	1.83	91	0.184	<1	2.85	0.004	0.45	<0.1	<0.01	2.3	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236505	12-Sep-11	7031721.09	586302.37	1607	1	64.2	8.3	70	<0.1	39.7	20	580	5.09	18.9	3.3	1.1	7	<0.1	1.1	0.2	90	0.12	0.044	8	59	1.25	112	0.112	<1	2.56	0.005	0.11	<0.1	0.03	2.1	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236506	12-Sep-11	7031760.55	586333.77	1604	1.1	67.4	9.2	82	<0.1	39.9	19.8	605	5.23	20.4	4	1.3	7	0.1	1.3	0.2	94	0.14	0.045	8	60	1.26	117	0.13	1	2.42	0.005	0.16	<0.1	0.02	2.2	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236507	12-Sep-11	7031798.91	586365.76	1603	0.8	63.4	7.8	67	<0.1	38.8	19.2	472	4.69	23.8	2.8	1.8	6	0.1	1	0.2	84	0.14	0.028	7	55	1.26	84	0.123	<1	2.25	0.004	0.2	<0.1	0.01	2.1	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236508	12-Sep-11	7031836.24	586395.99	1605	0.7	114.5	6.7	81	0.1	56.1	28	648	6.18	25.3	6.7	1.7	6	<0.1	1.5	0.1	112	0.15	0.033	6	79	1.78	97	0.146	<1	3.11	0.004	0.34	0.1	0.01	2.7	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236509	12-Sep-11	7031877.86	586431.41	1603	0.6	165.6	9.5	80	<0.1	80	47.1	1061	7.04	27.1	5.2	1.2	5	0.1	0.7	0.1	169	0.22	0.047	4	101	2.29	70	0.145	<1	3.38	0.005	0.32	<0.1	<0.01	4	0.3	<0.05	11	<0.5	<0.2	WHI11001834
1236510	12-Sep-11	7031915.08	586461.40	1600	1.1	59.6	9.4	59	0.1	30.2	13.9	376	3.91	17.9	2	1.6	6	<0.1	0.8	0.2	82	0.12	0.033	7	43	0.9	100	0.12	<1	1.7	0.004	0.11	<0.1	0.02	1.8	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236511	12-Sep-11	7031950.67	586492.29	1594	1.4	98.2	13.2	67	0.2	43.5	25.2	782	4.56	27.2	4.3	1.8	8	0.1	1.1	0.3	85	0.2	0.047	9	51	0.97	136	0.103	1	2.03	0.007	0.2	<0.1	0.02	2.3	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236512	12-Sep-11	7031989.85	586524.83	1591	1.3	93.6	13.3	69	0.2	44.1	37.8	1353	5.29	21.6	4.6	1.3	8	0.1	0.8	0.2	95	0.17	0.071	7	63	1.19	145	0.101	1	2.31	0.006	0.19	<0.1	0.03	2.6	0.2	0.07	7	<0.5	<0.2	WHI11001834
1236513	12-Sep-11	7032030.81	586558.64	1585	1.3	33.9	8.9	51	<0.1	24.1	11.1	307	3.68	18	3.7	2.2	7	<0.1	0.8	0.2	73	0.12	0.025	9	39	0.76	89	0.139	<1	1.53	0.004	0.09	0.1	0.01	1.4	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236514	12-Sep-11	7032069.57	586588.89	1582	1.4	92.6	20.9	81	0.1	45.2	48.2	1253	5.75	19.8	3.6	1.6	10	0.2	1	0.3	97	0.2	0.065	6	67	1.36	127	0.213	1	2.45	0.006	0.25	<0.1	0.03	2.3	0.2	0.09	7	<0.5	<0.2	WH

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1236516	12-Sep-11	7032144.89	586654.44	1570	0.9	69.7	11.2	62	<0.1	36.8	19.3	488	4.81	18.5	2	1.8	7	<0.1	0.8	0.2	90	0.15	0.038	7	55	1.23	89	0.161	<1	2.17	0.004	0.19	<0.1	0.02	1.7	0.1	0.06	6	<0.5	<0.2	WHI11001834
1236517	12-Sep-11	7032182.12	586685.77	1569	0.8	116.3	8.4	90	<0.1	66	34.8	700	6.56	7.5	1.2	1.6	8	<0.1	2.2	0.1	112	0.18	0.03	4	77	1.99	75	0.169	<1	3.14	0.004	0.49	<0.1	<0.01	2.6	0.3	<0.05	8	<0.5	<0.2	WHI11001834
1236518	12-Sep-11	7032225.11	586719.46	1567	0.6	102	9.3	75	<0.1	57.7	33.1	633	5.56	15.6	1.3	2.4	6	<0.1	1	0.2	90	0.16	0.028	7	62	1.61	72	0.159	<1	2.67	0.003	0.27	<0.1	<0.01	2.9	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236519	12-Sep-11	7032261.43	586749.64	1562	0.8	65.8	10.2	70	<0.1	49.8	25.5	606	5.24	12.8	1.3	1.7	5	<0.1	0.7	0.2	107	0.17	0.032	5	73	1.7	56	0.154	<1	2.56	0.003	0.22	<0.1	<0.01	2.9	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236520	12-Sep-11	7032300.61	586782.44	1560	0.7	100.3	7.6	68	0.1	54.7	29.1	614	5.4	13.4	1	1.5	6	<0.1	1.2	0.2	103	0.16	0.042	6	74	1.71	75	0.117	<1	2.64	0.003	0.19	<0.1	0.01	2.4	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236521	12-Sep-11	7032334.40	586811.64	1563	1	63.3	11	65	<0.1	41.9	18.9	453	4.6	25.4	1.7	2.7	6	0.1	0.9	0.2	75	0.12	0.034	8	55	1.17	83	0.107	<1	2.09	0.004	0.19	0.1	0.01	2.1	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236522	12-Sep-11	7032374.98	586847.74	1563	0.8	60.2	8.5	58	<0.1	37.7	18.9	430	4.53	25.5	2	3.1	5	0.1	1	0.2	78	0.11	0.028	10	49	1.14	92	0.128	<1	2.15	0.003	0.18	<0.1	0.02	2.1	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236523	12-Sep-11	7032411.79	586874.27	1565	1.3	46.7	9.6	51	<0.1	29.8	13.2	283	3.78	13.7	1.5	1.8	4	<0.1	0.9	0.3	83	0.07	0.028	8	35	0.74	53	0.13	<1	1.43	0.003	0.13	<0.1	0.02	1.8	0.1	<0.05	5	<0.5	<0.2	WHI11001834
1236524	12-Sep-11	7032453.23	586908.95	1567	0.5	91.3	8.5	71	<0.1	51.3	26.5	528	5.08	21.8	4.3	3	6	0.1	1.4	0.3	74	0.11	0.024	9	54	1.27	78	0.136	3	2.47	0.004	0.23	<0.1	0.03	2.4	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236525	12-Sep-11	7032489.45	586938.64	1568	0.7	86.4	10.5	79	<0.1	36.4	23.3	613	6.28	5.4	3.6	0.9	9	<0.1	0.4	0.1	101	0.14	0.051	3	69	1.79	77	0.174	2	3.06	0.004	0.41	<0.1	0.02	1.7	0.2	0.08	9	<0.5	<0.2	WHI11001834
1236526	12-Sep-11	7032454.97	586982.05	1571	1	54.3	12.5	64	<0.1	32.2	13.4	383	4.35	23.9	3.6	3	6	0.1	1.5	0.3	65	0.08	0.031	11	41	0.79	71	0.109	3	1.78	0.004	0.16	0.1	0.03	2	0.1	<0.05	6	0.6	<0.2	WHI11001834
1236527	13-Sep-11	7032419.14	586950.89	1568	1	51.8	12.1	63	<0.1	31.4	14.3	374	4.01	17.1	9.8	2.6	6	<0.1	0.9	0.2	75	0.1	0.026	8	45	0.94	74	0.135	2	1.9	0.003	0.2	0.1	0.02	1.7	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236528	13-Sep-11	7032380.54	586916.84	1563	0.5	120.5	7	78	<0.1	59.3	34.4	741	6	14.7	9.7	1.1	6	<0.1	0.4	0.1	127	0.19	0.034	3	85	1.93	68	0.195	1	2.94	0.003	0.3	<0.1	<0.01	2	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236529	13-Sep-11	7032342.03	586884.30	1562	1	90.8	10.7	64	<0.1	42.6	21.2	493	4.82	14.5	5.1	2	9	<0.1	0.8	0.2	88	0.15	0.035	7	56	1.29	101	0.113	2	2.33	0.004	0.2	0.1	0.02	2.6	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236530	13-Sep-11	7032302.77	586855.35	1557	0.6	66.6	9.3	63	<0.1	43.9	23.2	531	4.84	24.3	<0.5	2.4	5	<0.1	1	0.3	79	0.14	0.029	7	56	1.41	62	0.168	<1	2.24	0.002	0.21	<0.1	0.01	1.9	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236531	13-Sep-11	7032266.73	586825.75	1558	0.7	88.5	7.5	69	0.1	43.2	20.6	486	4.74	15.6	2.3	1.9	7	<0.1	0.8	0.2	79	0.17	0.035	6	57	1.41	93	0.122	1	2.32	0.003	0.22	<0.1	0.01	2.1	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236532	13-Sep-11	7032225.36	586790.88	1556	0.5	106.9	5.4	81	<0.1	55.4	29	675	6.53	9.4	2	1.6	5	<0.1	2.5	0.1	119	0.19	0.033	5	81	1.99	91	0.135	<1	3.32	0.002	0.26	<0.1	<0.01	2.8	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236533	13-Sep-11	7032191.18	586751.86	1562	0.7	103.7	6.5	70	<0.1	42.4	20.8	531	5.01	15.5	2.4	1.4	5	<0.1	1	0.2	87	0.1	0.035	6	62	1.45	78	0.103	1	2.67	0.003	0.14	<0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236534	13-Sep-11	7032149.06	586725.81	1561	1	125	9.6	85	<0.1	58.8	32.9	778	6.01	15.9	3	1.7	8	0.1	1.2	0.2	100	0.19	0.046	6	75	1.73	97	0.137	<1	2.8	0.004	0.27	<0.1	0.02	2.5	0.1	0.05	7	<0.5	<0.2	WHI11001834
1236535	13-Sep-11	7032107.48	586694.69	1566	0.6	135.6	7.3	92	<0.1	65.9	37	765	6.83	10.7	1.4	1.4	8	0.1	1	0.1	106	0.18	0.035	4	82	2.04	93	0.162	<1	3.27	0.004	0.24	<0.1	0.01	2.4	0.2	<0.05	9	<0.5	<0.2	WHI11001834
1236536	13-Sep-11	7032079.35	586656.96	1557	0.6	106.5	9	86	<0.1	42	21.6	603	5.87	12.1	3.3	2	9	<0.1	0.7	0.2	80	0.15	0.029	5	58	1.63	109	0.205	<1	2.92	0.005	0.28	<0.1	0.01	2.4	0.2	0.1	8	<0.5	<0.2	WHI11001834
1236537	13-Sep-11	7032032.27	586629.12	1565	0.6	90.8	9.8	69	<0.1	46.8	28.5	605	4.92	21.9	2.3	3.1	6	<0.1	1	0.2	82	0.16	0.029	8	58	1.32	96	0.137	<1	2.32	0.005	0.25	<0.1	<0.01	2.4	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236538	13-Sep-11	7031994.65	586597.09	1576	0.8	52	9.9	61	<0.1	31.6	15.4	398	4.22	35.4	1.4	3.5	5	<0.1	1.2	0.3	63	0.1	0.023	11	41	1.04	84	0.103	<1	1.87	0.003	0.15	0.1	<0.01	1.7	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236539	13-Sep-11	7031958.23	586562.82	1579	0.9	89.8	8.9	71	<0.1	41.8	21.4	513	4.71	24.9	3.6	3	7	<0.1	0.9	0.2	81	0.14	0.024	9	58	1.26	109	0.132	<1	2.28	0.004	0.25	<0.1	0.01	2.1	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236540	13-Sep-11	7031923.34	586534.00	1581	1.2	43.9	11.2	54	0.1	24.2	11.6	315	3.83	20.6	1.6	2.3	5	<0.1	0.8	0.2	79	0.09	0.034	8	42	0.81	66	0.141	<1	1.67	0.005	0.14	<0.1	0.03	1.5	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236541	13-Sep-11	7031881.49	586498.02	1588	1.4	177.8	12	77	<0.1	43.3	22	571	4.72	24.6	7.5	2	10	<0.1	1.7	0.3	70	0.13	0.045	12	48	1.04	106	0.072	<1	2.21	0.005	0.21	<0.1	0.01	2.7	0.2	0.06	6	<0.5	<0.2	WHI11001834
1236542	13-Sep-11	7031840.82	586463.55	1587	0.7	66.8	10.8	65	<0.1	44.8	22.7	554	4.39	17.3	1.2	2.1	5	<0.1	0.8	0.2	86	0.11	0.035	7	59	1.2	98	0.126	<1	2.17	0.004	0.25	<0.1	0.02	2	0.2	0.05	6	<0.5	<0.2	WHI11001834
1236543	13-Sep-11	7031802.26	586434.29	1592	0.7	111.6	6.4	78	<0.1	52.9	26.9	619	5.93	15.2	2.8	1.5	6	<0.1	0.8	0.1	90	0.18	0.038	5	69	1.79	94	0.128	<1	2.84	0.004	0.2	<0.1	0.01	2	<0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236544	13-Sep-11	7031765.86	586403.27	1593	1.1	159.4	6.3	89	<0.1	58.8	35.5	751	6.59	16.5	2.2	2.1	6	<0.1	0.8	0.1	93	0.18	0.037	6	78	1.98	130	0.158	<1	3.18	0.005	0.27	0.1	0.01	2.3	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236545	13-Sep-11	7031728.96	586366.54	1594	2.3	126.9	12.9	82	<0.1	53.5	29	569	5.51	16.7	5.7	3.1	8	0.2	1.1	0.3	75	0.08	0.039	11	49	1.17	118	0.141	1	2.28	0.004	0.21	<0.1	0.02	2.9	0.2	0.07	6	0.7	<0.2	WHI11001834
1236546	13-Sep-11	7031687.58	586337.56	1590	0.9	80.1	8.9	75	0.1	44.2	23	668	5.25	17.8	3.3	1.5	6	0.1	1	0.2	98	0.12	0.039	7	67	1.33	99	0.15	<1	2.53	0.004	0.21	<0.1	0.01	2.2	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236547	13-Sep-11	7031648.56	586306.09	1594	0.8	76.8	9.3	73	<0.1	41.2	21.4	508	4.77	24.5	6.6	3.1	6	<0.1	1.1	0.2	75	0.09	0.027	10	53	1.29	125	0.124	<1	2.45	0.005	0.2	<0.1	0.02	2.4	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236548	13-Sep-11	7031614.52	586277.85	1597	0.6	102.1	7.9	75	<0.1	53.5	28.8	639	5.56	14.9	3.8	2.3	6	<0.1	0.9	0.2	96	0.15	0.038	7	73	1.56	93	0.162	<1	2.73	0.003	0.34	<0.1	<0.01	2.2	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236549	13-Sep-11	7031576.76	586243.63	1601	0.6	92.9	9.8	76	<0.1	49.2	24.9	694	5.34	36.1	4.3	2.2	7	<0.1	3.8	0.2	92	0.15	0.025	6	67	1.49	100	0.122	<1	2.75	0.004	0.26	<0.1	0.01	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236550	13-Sep-11	7031534.66	586211.75	1607	0.6	105.1	8.2	81	<0.1	53.8	27.5	706	5.66	24.1	2.5	2	7	0.1	1.6	0.2	100	0.16	0.028	7	75	1.53	112	0.184	<1	2.76	0.006	0.27	<0.1	<0.01	2.4	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236551	13-Sep-11	7031502.95	586250.97	1589	0.9	75.3	9.1	77	<0.1	43.2	22.7	582	5.01	16.9	2.4	1.9	8	<0.1	1.4	0.2	88	0.17	0.031	8	62	1.31	95	0.157	<1	2.43	0.004	0.22	<0.1	0.01	2.1	0.2	<0.05	7	0.6	<0.2	WHI11001834
1236552	13-Sep-11	7031543.37	586281.46	1588	0.6	89	7.4	79	<0.1	47.2	26	617	5.75	16	2.6	1.8	6	<0.1	1	0.2	97	0.14	0.025	6	69	1.53	89	0.188	<1	2.82	0.004	0.28	<0.1	<0.01	2.2	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236553	13-Sep-11	7031582.08	586313.57	1586	1	58.4	9.1	66	<0.1	34.3	16.8	460	4.7	16.8	2.5	1.8	5	<0.1	0.9	0.2	89	0.08	0.03	7	55	1.13	85	0.212	<1	2.19	0.006	0.18	<0.1	0.02	1.9	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236554	13-Sep-11	7031619.60	586345.12	1586	1	122.8	11.3	78	<0.1	46.7	23.3	562	4.74	32.8	5.7	3.8	7	<0.1	1.2	0.3	72	0.09	0.027	11	50	1.19	137	0.119	1	2.39	0.005	0.21	<0.1	0.01	2.9	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236555	13-Sep-11	7031654.65	586375.78	1582	0.9	70.3	9.1	70	<0.1	37.6	19.9	609	4.83	20.3	2.6	1.8	5	<0.1	1.1	0.2	83	0.09	0.03	7	54	1.19	92	0.145	<1	2.23	0.004	0.17	<0.1	0.01	2	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236556	13-Sep-11	7031694.66	586408.73	1582	0.8	42.4	8.8	51	<0.1	28.2	15.6	493	3.94	13.6	4.6	2.1	4	<0.1	0.9	0.2	90	0.08	0.025	6	53	0.99	58	0.241	<1	1.72	0.003	0.19	<0.1	0.02	1.5	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236557	13-Sep-11	7031734.02	586443.01	1581	1	65.6	12.7	69	<0.1	34.4	17.1	438	4.32	30.1	2.3	3.4	7	0.1	1.4	0.3	68	0.13	0.031	10	43	0.96	95	0.113	1	1.82	0.005	0.19	0.1	0.02	2.2	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236558	13-Sep-11	7031767.22	586476.00	1579	1	67.8	11.4	64	<0.1	38.8	19.4	438	4.6	26.3	2.5	3.2	6	<0.1	1.1	0.3	71	0.09	0.027	9	46	1.03	93	0.136	<1	2.03	0.005	0.23	<0.1	0.03	2	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236559	13-Sep-11	7031811.30	586506.66	1580	0.6	82.4	8.1	67	<0.1	40.5	22.7	528	4.66	22.9	2.4	3.2	6	<0.1	1.1	0.2	70	0.14	0.02	10	50	1.3	89	0.132	<1	2.23	0.004	0.24	<0.1	<0.01	2.3	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236560	13-Sep-11	7031851.61	586537.78	1575	1	113.9	10.9	67	<0.1	41.9	20	539	4.65	23	4.4	2.2	8	<0.1	1	0.3	72	0.13	0.04	8	51	1.21	118	0.114	1	2.24	0.004	0.2	<0.1	<0.01	2.3	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236561	13-Sep-11	7031888.11	586571.86	1575	1.5	108.7	11.5	72	0.1	34.2	16.5	456	5.35	19.5	2.7	2.7	9	0.1	0.7	0.3	71	0.11	0.04	7	47	1.11	118	0.214	1	2.27	0.006	0.31	<0.1	0.02	2.3	0.2	0.11	6	<0.5	<0.2	WHI11001834
1236562	13-Sep-11	7031925.54	586601.76	1570	1.1	113.2	15.1	86	<0.1	49.9	30.1	767	5.66	12.1	1.9	1.4	9	0.1	0.6	0.2	93	0.16	0.06	5	62	1.32	120	0.172	1	2.47	0.008	0.45	<0.1	0.03	2.4	0.3	0.1	7	<0.5	<0.2	WHI11001834
1236563	13-Sep-11	7031967.57	586633.05	1575	1	100.3	11.1	75	<0.1	44.5	21.8	513	5.15	22.9	3.4	2.4	8	<0.1	0.8	0.3	84	0.13	0.036	7	56	1.27	116	0.144	1	2.4	0.005	0.26	<0.1	0.02	2.7	0.2	0.05	7	<0.5	<0.2	WHI11001834
1236564	13-Sep-11	7032002.66	586666.13	1560	1.8	115.8	13.8	77	<0.1	42.4	17.8	459	4.4	33.5	4.1	3	8	0.1	1.4	0.3	75	0.1	0.041	11	48	0.87	134	0.065	2	2.18	0.006	0.13	0.2	0.03	2.5	0.2	<0.05	6	0.7	<0.2	WHI11001834
1236565	13-Sep-11	7032041.90	586697.87	1556	1	67.2	9.3	67	<0.1	38.7	17.9	454	4.77	26.9	1.9	1.7	6	<0.1	1.1	0.3	84	0.13	0.036	8	55	1.23	88	0.105	1	2.3	0.003	0.13	0.1	0.01	2.1	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236566	13-Sep-11	7032079.60	586730.61	1551	0.5	102.4	7.5	66	<0.1	50.8	29.4	606	5.05	14	1.2	1.9	5	<0.1	0.7	0.1	87	0.19	0.039	6	70	1.72	63	0.129	<1	2.63	0.003	0.3	<0.1	<0.01	1.9	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236567	13-Sep-11	7032118.21	586762.45	1544	0.7	136.8	6	81	<0.1	57.4	29.5	691	5.72	13.6	2.4	2	6	0.1	2	0.1	95	0.16	0.038	7	69	1.69	93	0.123	<1	2.73	0.004	0.32	<0.1	0.01	3.2	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236568	13-Sep-11	7032154.51	586793.38	1540	0.8	142.7	7.2	78	<0.1	47.4	27.7	787	5.22	13.9	2.7	1.8	5	<0.1	0.7	0.2	89	0.12	0.03	7	62	1.46	75	0.107	<1	2.57	0.004	0.18	0.1	0.02	3	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236569	13-Sep-11	7032196.76	586830.34	1539	1	118.3	6.2	82	0.1	39.3	19.8	724	4.69	11.1	1.5	0.8	5	0.1	0.5	0.2	95	0.12	0.049	6	70	1.26	61	0.1	<1	2.37	0.003	0.09	<0.1	0.01	2.1	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236570	13-Sep-11	7032234.10	586856.95	1537	1.3	150.2	10.2	72	<0.1	48.3	19.5	512	4.05	15	1.9	1.7	9	<0.1	1	0.2	73	0.13	0.043	10	48	1.03	117	0.067	1	2.08	0.005	0.13	0.1	0.02	2.6	0.2	<0.05	6	0.6	<0.2	WHI11001834
1236571	13-Sep-11	7032270.25	586894.26	1538	0.5	100.8	5.2	70	<0.1	50.4	25.1	561	5.51	12.1	5.9	1.6	6	<0.1	0.5	0.1	103	0.13	0.024	5	68	1.69	94	0.157	<1	2.79	0.003	0.3	0.1	<0.01	2.7	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236572	13-Sep-11	7032308.99	586920.23	1543	0.8	62	10	55	<0.1	34.3	16.4	410	4.83	21.8	0.9	2.6	5	<0.1	1	0.2	79	0.09	0.023	7	44	1.1	62	0.195	<1	2.05	0.002	0.2	0.1	0.01	2.1	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236573	13-Sep-11	7032348.42	586950.99	1547	0.7	60.7	7.9	61	<0.1	42.7	20	490	4.76	21.5	<0.5	2	5	<0.1	0.8	0.2	91	0.16	0.029	6	56	1.36	84	0.17	<1	2.29	0.004	0.24	<0.1	<0.01	2.4	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236574	13-Sep-11	7032390.91	586986.24	1555	1	89.3	8.1	55	0.1	23.2	11.4	299	4.32	10.8	22.5	1.8	11	<0.1	0.5	0.2	60	0.11	0.054	6	37	0.85	121	0.16	<1	2	0.004	0.36	<0.1	0.02	2.1	0.2	0.19	5	<0.5	<0.2	WHI11001834
1236575	13-Sep-11	7032426.02	587018.28	1564	1.6	59.3	8.7	57	<0.1	33.4	16.6	371	4.28	15.9	0.8	2.3	7	0.1	0.9	0.2	75	0.09	0.032	7	45	0.97	94	0.158	<1	1.93	0.005	0.31	<0.1	0.02	1.9	0.2	0.07	6	<0.5	<0.2	WHI11001834
1236576	13-Sep-11	7032393.94	587055.37	1548	0.4	97	8.5	70	<0.1	50.3	30.9	603	5.66	5.2	4	1.2	7	<0.1	0.8	0.1	113	0.14	0.036	3	66	1.6	89	0.193	<1	2.69	0.004	0.65	<0.1	<0.01	3.1	0.3	0.06	8	<0.5	<0.2	WHI11001834
1236577	13-Sep-11	7032353.00	587021.56	1545	1.4	38.7	9.1	54	0.1	28.9	14	331	3.9	12.1	0.6	2.3	6	0.1	0.7	0.2	85	0.08	0.02	8	39	0.79	73	0.129	<1	1.78	0.004	0.2	0.1	0.02	2.4	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236578	13-Sep-11	7032317.79	586992.23	1539	1.1	70.2	11	67	<0.1	39.1	19.3	482	4.31	35.3	2.3	2.2	7	<0.1	1.2	0.3	68	0.12	0.039	10	45	1.01	90	0.064	<1	2.03	0.005	0.16	0.1	0.02	2.1	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236579	13-Sep-11	7032277.76	586960.89	1532	1.3	61.2	10.4	61	<0.1	35	18.1	414	4.22	32.1	2.8	3.5	6	0.1	1.2	0.3	72	0.1	0.031	11	41	0.92	82	0.09	<1	1.87	0.004	0.18	0.1	0.02	2	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236580	13-Sep-11	7032239.62	586925.38	1528	1.3	57.4	9.8	57	0.1	31.8	14	337	3.91	20.5	1	2

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1236582	14-Sep-11	7032163.36	586859.90	1528	1.3	143	11.6	73	<0.1	46.7	20.4	491	4.1	16.9	1.9	2	9	<0.1	1.2	0.2	68	0.12	0.04	11	42	0.92	108	0.053	1	2.04	0.005	0.15	0.1	0.02	3	0.2	<0.05	6	0.6	<0.2	WHI11001834
1236583	14-Sep-11	7032128.18	586834.41	1524	1	147.4	10.4	83	<0.1	52.2	23.5	608	4.54	24.8	2.6	3.5	7	0.1	1.1	0.3	74	0.11	0.03	12	49	1.15	106	0.099	<1	2.29	0.005	0.24	0.1	0.01	3.3	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236584	14-Sep-11	7032085.71	586799.95	1532	0.7	56.4	7.1	65	<0.1	41.9	24.5	536	4.43	18.5	0.7	2.3	5	<0.1	0.7	0.2	76	0.12	0.028	7	53	1.28	81	0.145	<1	2.29	0.004	0.25	0.1	<0.01	1.8	0.2	<0.05	5	<0.5	<0.2	WHI11001834
1236585	14-Sep-11	7032045.39	586769.36	1538	0.9	73.2	7.1	68	<0.1	39.8	19.8	542	4.74	22	1	1.8	5	<0.1	0.7	0.2	92	0.14	0.026	7	62	1.33	85	0.182	<1	2.29	0.003	0.16	0.1	0.01	1.8	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236586	14-Sep-11	7032006.00	586734.28	1546	0.6	167.9	5.6	71	<0.1	57.9	27.7	614	5.46	13.9	0.6	2	5	<0.1	0.9	0.1	98	0.15	0.021	6	69	1.63	82	0.124	<1	2.7	0.003	0.28	0.1	<0.01	2.9	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236587	14-Sep-11	7031968.61	586704.95	1550	0.6	199.2	5.8	96	<0.1	86	48.7	866	7.92	1.3	<0.5	0.8	10	<0.1	0.2	0.1	118	0.16	0.048	3	77	1.84	153	0.244	<1	3.6	0.006	0.71	<0.1	<0.01	2.2	0.5	0.06	9	<0.5	<0.2	WHI11001834
1236588	14-Sep-11	7031932.07	586673.32	1557	0.5	134.4	4.1	79	<0.1	62.4	33.2	689	6.25	6.7	0.5	0.9	6	<0.1	0.4	<0.1	119	0.23	0.035	4	86	1.92	89	0.17	<1	2.98	0.004	0.34	<0.1	<0.01	2.8	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236589	14-Sep-11	7031897.66	586640.85	1561	1	93.9	8.9	70	0.1	44.4	22.4	515	4.92	26.5	2.3	2.1	7	<0.1	1.1	0.2	82	0.13	0.04	9	53	1.29	104	0.114	<1	2.44	0.004	0.24	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236590	14-Sep-11	7031855.30	586608.39	1563	0.7	111.1	6.2	75	<0.1	54	30.2	596	5.38	14.6	1.4	2.4	6	<0.1	0.6	0.1	100	0.13	0.032	8	77	1.47	113	0.152	<1	2.8	0.005	0.19	<0.1	0.01	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236591	14-Sep-11	7031818.44	586578.45	1568	1	97.6	9.9	83	<0.1	56.1	30.2	628	5.66	17.4	<0.5	2.4	8	0.1	0.8	0.2	93	0.16	0.035	7	62	1.47	101	0.146	<1	2.6	0.004	0.3	<0.1	0.01	3	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236592	14-Sep-11	7031777.61	586547.71	1566	1	76.8	8.3	56	<0.1	39.9	19.4	510	4.22	9.9	1.4	1.5	7	<0.1	0.9	0.2	111	0.19	0.036	7	68	1.33	84	0.191	<1	2.12	0.004	0.2	<0.1	0.01	2.8	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236593	14-Sep-11	7031739.97	586513.23	1566	1.2	59.8	11.4	57	0.1	30.2	18.4	560	3.49	14.3	0.8	0.9	8	0.2	1.3	0.2	81	0.14	0.046	9	43	0.8	91	0.1	<1	1.57	0.005	0.16	<0.1	0.03	1.8	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236594	14-Sep-11	7031701.28	586482.46	1568	1	84.2	12	76	<0.1	44.5	21.6	532	5.45	51	2.6	3.3	8	0.1	1	0.3	84	0.19	0.029	9	61	1.34	103	0.137	<1	2.55	0.005	0.22	0.1	0.02	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236595	14-Sep-11	7031662.40	586444.82	1569	0.8	72.8	9.3	67	<0.1	41.8	21.4	509	5.19	28	2	3.2	6	0.1	1.1	0.3	80	0.11	0.03	10	53	1.29	91	0.154	<1	2.34	0.004	0.23	0.1	0.01	2.5	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236596	14-Sep-11	7031626.66	586417.18	1569	0.8	78.9	8.5	82	<0.1	52.2	25.2	552	5.22	19.4	2.5	1.8	5	0.2	0.9	0.2	94	0.08	0.042	7	65	1.35	84	0.14	2	2.6	0.004	0.29	<0.1	0.01	2.6	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236597	14-Sep-11	7031587.69	586387.34	1570	0.7	84.7	8.9	83	<0.1	56.2	27.3	566	5.67	18.6	5.3	2.1	6	0.1	0.8	0.2	98	0.1	0.03	6	67	1.31	101	0.197	2	2.66	0.005	0.36	<0.1	0.01	2.7	0.3	<0.05	8	<0.5	<0.2	WHI11001834
1236598	14-Sep-11	7031547.89	586350.55	1572	0.6	72.7	8.5	63	<0.1	37.9	20.5	459	4.28	25.5	3.5	3.5	5	0.1	1	0.3	65	0.08	0.027	10	44	1.09	82	0.107	2	2.06	0.003	0.21	<0.1	0.01	2.6	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236599	14-Sep-11	7031509.59	586320.04	1573	0.9	80.3	9.5	71	<0.1	42.8	23.1	553	5.14	21.7	5.5	1.8	5	0.1	1.3	0.2	88	0.09	0.035	8	59	1.3	84	0.134	1	2.58	0.004	0.2	0.1	0.01	2.6	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236600	14-Sep-11	7031472.20	586292.70	1576	1.4	90.8	10.5	70	<0.1	41.8	22.5	528	4.97	12.6	2.2	3.2	7	0.1	1.3	0.2	78	0.1	0.033	9	53	1.25	84	0.146	<1	2.26	0.004	0.22	<0.1	0.01	2.9	0.2	<0.05	6	0.6	<0.2	WHI11001834
1236601	14-Sep-11	7031442.08	586326.37	1566	0.9	55.3	7.9	66	<0.1	34	18.4	481	4.79	18.6	1.7	2.4	4	<0.1	1	0.2	85	0.08	0.025	6	53	1.12	72	0.216	<1	2.08	0.003	0.16	<0.1	<0.01	1.9	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236602	14-Sep-11	7031477.89	586361.34	1563	0.8	67.8	8.7	72	<0.1	38.5	20.9	510	5.27	11.3	2.1	1.5	8	<0.1	0.9	0.2	93	0.18	0.039	5	59	1.1	67	0.261	1	2.14	0.003	0.34	<0.1	0.01	2.2	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236603	14-Sep-11	7031517.49	586388.87	1562	0.9	74.9	7.1	66	<0.1	40	20.4	519	4.34	14.3	1.8	1.3	5	<0.1	0.8	0.2	85	0.1	0.036	6	57	1.15	81	0.131	1	2.11	0.003	0.23	<0.1	0.02	1.9	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236604	14-Sep-11	7031555.79	586420.81	1560	1	66.5	8.3	72	<0.1	35.9	19	618	4.79	16.5	2	1.5	7	0.1	0.9	0.2	87	0.13	0.039	8	55	1.1	114	0.166	1	2.1	0.004	0.2	<0.1	0.02	2.1	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236605	14-Sep-11	7031592.73	586454.50	1560	0.8	107.8	7.6	74	<0.1	50.7	24.4	462	4.08	15.6	4.6	2.3	6	<0.1	0.8	0.2	68	0.11	0.028	7	47	1.09	84	0.105	1	1.95	0.004	0.23	0.1	<0.01	2.5	0.1	<0.05	5	<0.5	<0.2	WHI11001834
1236606	14-Sep-11	7031637.37	586486.79	1557	0.8	120.2	8.2	76	<0.1	43.9	19.2	451	4.37	17	2.2	1.7	6	<0.1	0.8	0.2	72	0.13	0.033	7	49	1.2	79	0.085	<1	2.13	0.003	0.17	<0.1	0.01	2.5	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236607	14-Sep-11	7031669.72	586520.20	1554	1	103.3	11.7	81	<0.1	45.5	24.3	581	5.12	27.5	4.2	2.9	7	<0.1	1	0.3	79	0.08	0.041	9	55	1.21	122	0.099	2	2.56	0.004	0.22	0.1	0.02	2.9	0.2	<0.05	7	0.5	<0.2	WHI11001834
1236608	14-Sep-11	7031709.71	586551.37	1553	0.9	81.9	9.5	72	<0.1	45.3	23.4	489	5.05	13.7	1.7	1.8	8	<0.1	0.6	0.2	84	0.14	0.037	6	54	1.25	94	0.146	1	2.26	0.006	0.22	<0.1	0.01	2.7	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236609	14-Sep-11	7031747.07	586580.36	1557	0.9	97	9.1	77	0.1	52	27.1	578	5.31	15.9	1.7	1.9	7	0.1	0.9	0.2	88	0.14	0.033	6	59	1.38	87	0.126	<1	2.51	0.004	0.26	<0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236610	14-Sep-11	7031783.09	586614.27	1548	1.1	115.2	6.9	78	<0.1	49.5	28.2	649	5.31	12	1.6	1.4	6	<0.1	0.6	0.2	92	0.12	0.032	6	64	1.37	87	0.147	<1	2.62	0.003	0.23	0.1	0.02	2.2	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236611	14-Sep-11	7031823.22	586647.14	1545	0.9	67.9	7.9	74	<0.1	39.4	20.7	531	5.24	11.7	0.8	1.6	4	0.1	1	0.2	94	0.09	0.032	5	63	1.41	77	0.145	1	2.66	0.003	0.19	<0.1	0.02	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236612	14-Sep-11	7031861.02	586682.88	1541	1.3	50.2	8.1	61	<0.1	28.9	14.5	415	4.47	9.4	0.9	1.5	6	<0.1	0.5	0.2	99	0.09	0.028	5	51	1.11	75	0.197	1	2.04	0.004	0.12	<0.1	0.02	1.5	0.1	<0.05	8	<0.5	<0.2	WHI11001834
1236613	14-Sep-11	7031897.96	586711.33	1542	0.9	82.1	7.7	73	<0.1	48.4	24.9	511	4.77	24.4	1.8	2.8	5	<0.1	0.8	0.2	75	0.11	0.034	8	55	1.3	103	0.121	1	2.39	0.004	0.32	0.1	0.01	2.1	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236614	14-Sep-11	7031937.38	586742.15	1538	1.1	51.5	9.3	70	<0.1	35.5	17.9	450	4.13	24.4	1.7	1.7	5	0.2	0.8	0.2	78	0.09	0.036	7	54	0.96	88	0.148	1	1.94	0.004	0.19	0.1	0.01	2	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236615	14-Sep-11	7031977.73	586773.08	1534	1.1	42.5	8.4	61	<0.1	26.5	13.9	448	4.03	15.4	1.8	1.7	6	<0.1	0.7	0.2	82	0.13	0.029	6	44	0.96	95	0.155	1	1.89	0.004	0.16	0.1	0.01	1.7	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236616	14-Sep-11	7032016.36	586808.12	1528	1.2	83.9	12.2	77	<0.1	46.4	18.9	511	4.33	33	2.1	2.8	9	<0.1	1.1	0.3	79	0.17	0.034	10	49	0.99	131	0.09	1	2.01	0.006	0.22	0.1	0.02	3.2	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236617	14-Sep-11	7032051.30	586835.24	1524	1.1	64.2	11.8	65	<0.1	32.9	15.3	437	3.42	29.3	5.2	3.3	9	0.1	1.2	0.3	55	0.1	0.051	13	34	0.74	142	0.05	1	1.77	0.005	0.14	0.2	0.03	2.6	0.2	<0.05	5	0.5	<0.2	WHI11001834
1236618	14-Sep-11	7032093.80	586865.18	1518	1.3	88.9	12.1	85	<0.1	46.8	17.2	520	3.59	19.3	2.1	3.2	10	0.1	1	0.3	57	0.13	0.037	13	37	0.79	164	0.048	2	1.71	0.006	0.11	0.2	0.02	3.2	0.1	<0.05	5	0.5	<0.2	WHI11001834
1236619	14-Sep-11	7032132.37	586899.68	1510	0.4	83.1	6.2	74	<0.1	41.9	24.3	522	5.25	8.9	0.9	1.7	4	<0.1	0.5	0.1	105	0.12	0.016	7	65	1.47	100	0.183	<1	2.71	0.008	0.32	<0.1	<0.01	4.2	0.3	<0.05	8	<0.5	<0.2	WHI11001834
1236620	14-Sep-11	7032169.06	586929.95	1513	1	123.8	10.5	84	<0.1	54	25.8	741	5.81	10.5	3.5	1.2	9	<0.1	1.3	0.2	102	0.14	0.055	6	59	1.31	118	0.112	<1	2.6	0.003	0.29	<0.1	0.02	3.7	0.3	<0.05	8	<0.5	<0.2	WHI11001834
1236621	14-Sep-11	7032208.17	586967.25	1523	0.7	109.7	9.7	73	0.1	45	26.6	537	5.36	16.1	9.5	2.4	18	<0.1	0.6	0.3	67	0.14	0.052	5	43	1.25	145	0.157	<1	2.29	0.005	0.58	<0.1	0.01	2.7	0.3	0.17	7	<0.5	<0.2	WHI11001834
1236622	14-Sep-11	7032244.99	587000.91	1530	2	27	12.3	59	<0.1	20.1	9.6	345	3.95	16.4	1.6	2.8	8	<0.1	0.9	0.2	60	0.09	0.032	9	31	0.55	82	0.095	1	1.36	0.004	0.1	0.2	0.02	1.8	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236623	14-Sep-11	7032285.33	587035.41	1531	0.5	79.6	7.3	63	<0.1	43.1	26.3	591	4.39	32.4	69.5	3.5	6	<0.1	1.2	0.3	65	0.12	0.04	10	48	1.19	91	0.103	1	2.1	0.003	0.23	<0.1	<0.01	2.6	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236624	14-Sep-11	7032324.99	587063.86	1538	0.7	69.3	6.3	56	<0.1	38.6	21.3	464	4.16	16.9	1.5	1.1	4	<0.1	0.6	0.1	66	0.1	0.039	5	46	1.2	65	0.09	<1	2.05	0.003	0.23	0.1	0.02	1.5	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236625	14-Sep-11	7032363.23	587094.11	1539	0.6	176.2	4.4	90	<0.1	124.8	75.8	901	6.4	8.7	1.9	1.1	7	0.1	0.4	<0.1	115	0.12	0.046	3	78	1.81	119	0.158	<1	3.05	0.004	0.49	<0.1	<0.01	2.6	0.3	<0.05	8	<0.5	<0.2	WHI11001834
1236626	15-Sep-11	7036566.32	565774.77	1623	0.4	40.2	25.2	92	<0.1	38.2	17.4	544	4.24	11	2.9	15.4	8	0.1	0.2	0.5	13	0.06	0.043	58	24	0.88	32	0.004	2	2.1	0.003	0.03	<0.1	0.02	1.3	<0.1	<0.05	6	<0.5	<0.2	WHI11001843
1236627	15-Sep-11	7036547.61	565735.56	1608	1.2	20.6	17.1	61	<0.1	18.4	6.1	226	3.13	11.8	2.5	4.7	6	<0.1	0.7	0.3	29	0.03	0.032	33	16	0.31	48	0.008	2	1.12	0.003	0.03	0.1	0.02	1	<0.1	<0.05	5	<0.5	<0.2	WHI11001843
1236628	15-Sep-11	7036520.52	565682.57	1610	0.8	39.3	24.8	77	0.1	34.9	15.8	386	3	9.9	1.3	15	8	0.1	0.4	0.3	15	0.07	0.029	46	16	0.46	103	0.004	1	1.4	0.004	0.04	<0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2	WHI11001843
1236629	15-Sep-11	7036498.71	565642.31	1625	1.4	13.7	14.9	52	<0.1	14.8	6.3	225	2.34	10.9	1.6	4.2	8	0.3	1	0.2	36	0.06	0.036	20	14	0.24	72	0.016	2	0.86	0.004	0.04	0.2	0.03	1.2	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1236630	15-Sep-11	7036479.64	565603.15	1624	1.3	21.1	15.2	66	<0.1	23	8.7	213	3.02	12.3	2.2	3	7	0.2	0.9	0.3	39	0.06	0.032	22	19	0.39	125	0.016	2	1.28	0.004	0.07	0.2	0.03	1.2	<0.1	<0.05	5	<0.5	<0.2	WHI11001843
1236631	15-Sep-11	7036454.30	565556.83	1607	0.9	30.4	20.4	65	<0.1	18.2	7	179	3.04	8.5	2.8	3	8	<0.1	2.3	0.3	12	0.02	0.046	22	7	0.1	39	0.002	1	0.63	0.003	0.03	<0.1	0.03	0.6	<0.1	<0.05	2	<0.5	<0.2	WHI11001843
1236632	15-Sep-11	7036430.49	565507.45	1602	0.8	58.3	48.6	111	0.1	39.2	17.8	324	5.28	3.9	6.5	16.8	22	<0.1	3	0.6	3	0.04	0.041	28	3	0.03	23	<0.001	<1	0.28	0.012	0.04	<0.1	0.04	1.6	<0.1	<0.05	<1	<0.5	<0.2	WHI11001843
1236633	15-Sep-11	7036406.81	565463.25	1595	0.3	19.9	12.8	96	<0.1	79.1	35.7	1230	2.43	2.1	0.9	10.1	6	0.4	0.2	<0.1	<2	0.02	0.016	10	3	0.11	18	<0.001	<1	0.82	0.003	0.01	<0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2	WHI11001843
1236634	15-Sep-11	7036402.40	565444.46	1601	0.4	35.3	18.1	112	<0.1	99.4	47.6	1260	2.44	2.4	0.9	10.8	6	0.3	0.3	0.1	<2	0.01	0.02	11	4	0.1	28	<0.001	<1	1.02	0.003	0.02	<0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2	WHI11001843
1236635	15-Sep-11	7036403.72	565415.84	1611	1.1	23.1	16.7	70	0.2	26.7	11.2	403	2.98	9.8	1.9	2.4	10	0.1	0.9	0.2	25	0.11	0.053	23	15	0.3	136	0.007	1	0.95	0.004	0.04	0.1	0.05	0.8	<0.1	<0.05	3	<0.5	<0.2	WHI11001843
1236636	15-Sep-11	7036393.17	565366.10	1604	1.2	26.8	18.7	61	0.1	19.4	8.1	242	3.03	13.2	2.2	4.9	6	0.2	1.1	0.3	28	0.04	0.039	21	14	0.21	72	0.008	<1	0.94	0.004	0.04	0.1	0.04	1	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1236637	15-Sep-11	7036386.93	565319.78	1594	0.8	61.3	34.9	104	0.1	38.1	17.9	338	4.21	4.5	4.4	20.1	12	0.1	2.7	0.7	4	0.02	0.029	43	3	0.03	20	<0.001	1	0.2	0.005	0.03	<0.1	0.03	1.7	<0.1	<0.05	<1	<0.5	<0.2	WHI11001843
1236638	15-Sep-11	7036384.00	565268.66	1586	0.6	34.2	22.5	67	<0.1	25.3	16	446	3.27	6.6	1.8	13.7	6	<0.1	1.4	0.3	5	<0.01	0.025	38	5	0.05	24	<0.001	<1	0.52	0.004	0.04	<0.1	0.03	1.3	<0.1	<0.05	1	<0.5	<0.2	WHI11001843
1236639	15-Sep-11	7036382.89	565216.48	1586	0.8	35.4	22.8	66	0.1	14.5	6.2	183	3.2	5.3	1.7	10.5	9	<0.1	0.5	0.3	18	0.03	0.026	28	19	0.47	144	0.005	1	1.34	0.003	0.05	<0.1	0.02	1.7	<0.1	<0.05	4	0.5	<0.2	WHI11001843
1236640	15-Sep-11	7036382.41	565170.61	1585	0.8	43.8	22.7	80	<0.1	20.7	8.8	257	3.86	4	2	13	6	<0.1	0.5	0.3	10	0.02	0.025	21	14	0.29	46	0.002	2	1.06	0.007	0.06	<0.1	0.01	1.4	<0.1	<0.05	3	<0.5	<0.2	WHI11001843
1236651	12-Sep-11	7031889.69	585760.04	1625	1.1	103.2	22.9	81	0.2	52	22.3	756	4.45	19.3	6.7	5.8	19	0.1	2.5	0.3	49	0.25	0.071	43	64	1.05	142	0.023	1	2.1	0.006	0.15	0.1	0.03	3.5	0.2	<0.05	6	0.6	<0.2	WHI11001834
1236652	12-Sep-11	7031958.85	585785.88	1611	0.8	80.9	18.9	80	<0.1	48.7	24.6	740	4.61	26.8	4.1	5.5	15	0.1	2.8	0.2	56	0.11	0.058	15	55	1.13	83	0.082	<1	2.12	0.006	0.27	<0.1	0.05	3.6	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236653	12-Sep-11	7031992.49	585812.80	1606	0.9	80.7	20.3	89	0.3	53	20.9	667	4.86	64.9	6.1	2.9	11	0.1	6.8	0.3	72	0.13	0.086	26	79	1.09	141	0.05	<1	2.24	0.004	0.19	0.1	0.05	4.4	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236654	12-Sep-11	7032034.68	585837.97	1599	0.7	145	31.2	99	0.2	73.2	36.2	1059	5.75	63.6	6	3.8	16	0.2	2.4	0.3	86	0.29	0.068	20	96	1.4	156	0.083	<1	2.97	0.008	0.32	<0.1	0.04	5.5	0.3	<0.05	9	<0.5	<0.2	WHI11001834
1236655	12-Sep-11	7032076.27	585858.67	1582	0.8	211.3	29.6	104	0.2	105.8	58.4	1416	6.24	38.8	6.7	4.5	18	0.3	1.7	0.4	84	0.34	0.069	20	73	1.36	136	0.109	<1	3	0.034	0.48	<0.1	0.03	6.2	0.3	<0.05	9	<0.5	<0.2	WHI11001834
1236656	12-Sep-11	7032100.87	585895.89	1579	1.2	169.6	24.1

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1236658	12-Sep-11	7032212.22	585975.86	1573	0.9	162.4	19.1	93	0.3	70.9	34.6	953	7.24	5081	2433	4.6	24	0.2	70.8	0.3	54	0.18	0.043	20	43	0.9	111	0.034	2	1.81	0.006	0.25	0.1	0.03	6.4	0.2	<0.05	5	<0.5	<0.2	WHI11001834
1236659	12-Sep-11	7032245.91	586010.63	1570	0.9	120.7	14.3	93	0.1	56.7	30.5	756	5.26	369.1	176	2.3	12	0.2	5.3	0.3	75	0.26	0.064	11	57	1.24	115	0.068	1	2.53	0.01	0.23	<0.1	0.04	4	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236660	12-Sep-11	7032264.55	586040.31	1574	0.9	145.7	19.6	99	0.1	54.8	30.9	883	5.55	49.2	10.1	1.6	10	0.1	1.7	0.3	111	0.22	0.073	10	72	1.43	118	0.065	2	2.98	0.008	0.18	0.1	0.04	3.9	0.3	<0.05	9	<0.5	<0.2	WHI11001834
1236661	12-Sep-11	7032310.62	586066.18	1570	1	131	13.3	84	<0.1	59.3	33	798	4.94	17.4	2.2	2	9	0.1	1.1	0.3	92	0.16	0.059	7	62	1.07	110	0.096	1	2.55	0.009	0.23	0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236662	12-Sep-11	7032383.40	586131.50	1574	0.7	86.2	8.2	85	<0.1	54.8	28.8	879	5.42	19.7	2.9	1.8	8	0.1	0.8	0.1	117	0.25	0.043	5	96	1.89	93	0.097	1	2.89	0.004	0.2	<0.1	0.02	2.6	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236663	12-Sep-11	7032411.60	586167.40	1578	1.2	189.3	14.5	107	0.1	83.2	40.3	843	4.9	25.7	4.8	1.8	11	0.2	0.8	0.3	85	0.14	0.067	8	53	1.02	124	0.101	1	2.91	0.013	0.38	0.2	0.06	4	0.3	<0.05	8	<0.5	<0.2	WHI11001834
1236664	12-Sep-11	7032457.64	586208.76	1570	1.2	64.1	9.8	55	0.2	31.1	13.4	369	3.47	21.6	6.3	0.5	9	0.2	1.3	0.2	75	0.15	0.088	4	45	0.74	87	0.074	2	1.54	0.006	0.15	0.1	0.11	1.6	0.1	0.07	6	<0.5	<0.2	WHI11001834
1236665	12-Sep-11	7032484.95	586234.43	1562	0.6	89.5	10.2	83	<0.1	56.5	29.7	911	5.56	7.4	2.2	1.4	7	0.1	0.4	0.1	138	0.18	0.036	3	98	1.64	93	0.138	<1	2.81	0.004	0.37	<0.1	0.02	3.2	0.3	<0.05	9	<0.5	<0.2	WHI11001834
1236666	12-Sep-11	7032506.18	586273.20	1543	0.1	121.9	5.4	81	<0.1	67.6	34.9	840	6.07	7.9	2.4	1.1	8	0.1	0.4	<0.1	151	0.4	0.032	2	112	2	119	0.215	<1	3.18	0.011	0.72	<0.1	<0.01	3.8	0.5	<0.05	8	<0.5	<0.2	WHI11001834
1236667	12-Sep-11	7032567.11	586298.60	1519	0.6	135.1	7.9	98	0.1	67.2	35.7	969	6.61	30.4	3.9	1.6	9	<0.1	2.7	0.1	130	0.33	0.049	6	103	2.02	153	0.126	1	3.4	0.005	0.42	<0.1	0.02	4.1	0.3	<0.05	9	<0.5	<0.2	WHI11001834
1236668	12-Sep-11	7032607.03	586316.46	1503	0.4	105.5	5.8	82	0.1	55.3	28.5	746	5.48	22.1	3.6	1.7	9	<0.1	2.6	0.1	105	0.36	0.039	6	80	1.76	108	0.119	<1	2.94	0.004	0.35	<0.1	0.01	3.9	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236669	12-Sep-11	7032653.68	586340.77	1485	0.7	129.6	7.7	94	0.2	62.3	29.8	738	6.36	18	4.4	2.1	7	<0.1	2.3	0.2	120	0.22	0.042	7	96	1.97	115	0.133	<1	3.37	0.004	0.42	<0.1	0.02	4.4	0.3	<0.05	9	<0.5	<0.2	WHI11001834
1236670	12-Sep-11	7032686.86	586389.40	1469	0.4	148.3	4.9	95	0.1	69.2	34.9	819	6.99	51.3	19.5	1.7	8	<0.1	7.8	<0.1	139	0.27	0.041	6	105	2.19	120	0.131	<1	3.64	0.004	0.46	<0.1	0.02	5.3	0.3	<0.05	9	<0.5	<0.2	WHI11001834
1236671	12-Sep-11	7032726.37	586428.63	1457	0.5	138.4	5.2	90	<0.1	66	35	805	6.73	33.5	4.8	1.5	6	<0.1	2.6	0.1	122	0.23	0.036	4	99	2.17	123	0.15	<1	3.57	0.004	0.42	<0.1	<0.01	3	0.2	<0.05	9	<0.5	<0.2	WHI11001834
1236672	12-Sep-11	7032760.92	586453.64	1444	0.8	94.4	7.5	77	<0.1	47.3	28.4	745	5.62	20	2.4	1.7	6	<0.1	1.6	0.2	101	0.18	0.038	6	72	1.64	100	0.13	<1	2.96	0.004	0.18	<0.1	0.02	3	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236673	12-Sep-11	7032805.11	586483.49	1432	0.7	80.9	7.1	74	<0.1	42.2	24.2	624	5.37	27	2.1	1.6	6	<0.1	1.1	0.2	93	0.14	0.035	7	64	1.54	92	0.131	<1	2.7	0.003	0.15	<0.1	0.01	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236674	12-Sep-11	7032804.51	586553.89	1437	0.9	81.8	10.9	75	<0.1	42.1	22	636	5.07	21.7	4	1.7	7	<0.1	1.7	0.2	90	0.13	0.04	9	63	1.36	88	0.118	<1	2.62	0.004	0.16	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236675	12-Sep-11	7032775.70	586530.98	1444	0.7	88.2	7.6	77	<0.1	44.2	22.9	568	5.1	14.9	1.9	1.9	6	<0.1	0.9	0.2	87	0.17	0.03	7	67	1.57	82	0.129	<1	2.62	0.004	0.14	<0.1	0.01	2.6	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236676	12-Sep-11	7032831.87	586524.71	1428	0.8	74.2	8.9	70	<0.1	39.5	20.4	534	4.78	26.1	0.7	2.4	6	<0.1	1.5	0.2	78	0.12	0.037	9	56	1.28	75	0.133	<1	2.35	0.003	0.18	<0.1	<0.01	2.7	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236677	12-Sep-11	7032734.51	586492.84	1456	0.7	103.8	6.2	77	<0.1	48.6	25	604	5.77	15.2	1.4	1.8	5	<0.1	0.9	0.2	99	0.13	0.033	6	73	1.65	79	0.139	<1	2.88	0.003	0.19	<0.1	<0.01	2.7	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236678	12-Sep-11	7032693.28	586467.40	1470	0.5	134	7	92	0.1	62.2	30.9	730	6.45	21.8	3.1	1.6	7	0.1	2.2	0.1	119	0.18	0.041	5	91	2.09	108	0.13	<1	3.51	0.004	0.36	<0.1	<0.01	3.3	0.2	<0.05	9	<0.5	<0.2	WHI11001834
1236679	12-Sep-11	7032650.03	586428.67	1485	0.5	147.2	5.2	92	<0.1	68.7	35.8	787	6.64	33.9	4.9	1.5	7	<0.1	9	<0.1	119	0.27	0.037	4	97	2.15	137	0.161	<1	3.53	0.005	0.47	<0.1	<0.01	3.1	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236680	12-Sep-11	7032621.50	586398.32	1497	0.4	172.2	4.9	90	0.1	75.7	38.9	812	6.91	35.7	6.2	1.4	11	<0.1	3.9	<0.1	131	0.36	0.052	4	98	2.13	124	0.153	<1	3.48	0.006	0.53	<0.1	0.01	3.5	0.3	<0.05	9	<0.5	<0.2	WHI11001834
1236681	12-Sep-11	7032581.88	586368.62	1518	0.4	177.7	4.7	93	0.1	71.9	37.6	861	6.94	91.6	22.2	1.2	10	0.1	2.4	<0.1	138	0.49	0.042	4	100	2.07	120	0.154	<1	3.46	0.006	0.57	<0.1	0.01	3.9	0.3	<0.05	9	<0.5	<0.2	WHI11001834
1236682	12-Sep-11	7032537.95	586339.50	1536	0.8	199.3	10.6	98	0.2	82.8	40.6	880	7.06	82	23.9	2.3	9	0.1	5.2	0.2	134	0.33	0.048	9	91	1.81	85	0.137	<1	3.39	0.006	0.54	<0.1	0.02	6.3	0.4	<0.05	10	<0.5	<0.2	WHI11001834
1236683	12-Sep-11	7032509.87	586307.96	1546	0.5	99.5	7.8	85	0.1	57.7	28.8	846	5.72	38.3	4.9	1.7	9	0.1	3.1	0.1	108	0.32	0.045	6	86	1.8	119	0.107	<1	3.07	0.004	0.33	<0.1	0.03	3.9	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236684	12-Sep-11	7032469.80	586272.23	1574	0.4	127.2	6.6	93	<0.1	63.4	35.5	960	6.5	19.2	1.4	1.4	10	0.1	0.8	0.1	133	0.34	0.047	4	97	1.99	134	0.164	<1	3.39	0.006	0.52	<0.1	0.02	3.5	0.4	<0.05	9	<0.5	<0.2	WHI11001834
1236685	13-Sep-11	7031643.81	586003.77	1704	0.5	141	15.2	95	0.4	79.5	37.9	1023	6.34	87.9	9.3	13.4	5	<0.1	28.2	0.2	47	0.13	0.056	19	46	1.46	68	0.029	<1	2.8	0.003	0.23	<0.1	0.02	6.7	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236686	13-Sep-11	7031640.49	586006.65	1704	1	68.1	16.8	63	0.1	40.3	17.4	481	4.13	42.7	2.2	2.8	6	<0.1	6	0.2	61	0.08	0.027	12	42	0.83	53	0.105	<1	1.72	0.003	0.14	0.1	0.02	2.7	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236687	13-Sep-11	7031647.03	586007.46	1706	0.9	154.1	18.5	90	0.5	82.4	37	930	5.97	102.4	11	7.2	5	0.1	18.5	0.3	45	0.1	0.047	23	41	0.94	63	0.036	2	1.98	0.004	0.17	<0.1	0.02	4.4	0.2	<0.05	5	<0.5	<0.2	WHI11001834
1236688	13-Sep-11	7031650.74	586007.35	1705	1.7	76	25.7	80	0.1	51.3	24.9	856	4.8	25.8	1.1	3.4	7	0.1	8.1	0.2	61	0.09	0.053	19	51	0.8	81	0.059	1	1.74	0.005	0.15	<0.1	0.03	3.6	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236689	13-Sep-11	7031653.66	586012.76	1705	1.2	69.1	25.2	74	0.1	44.3	20.4	730	4.94	32.5	0.7	2.8	6	0.2	12.3	0.2	60	0.11	0.053	15	42	0.68	64	0.086	1	1.48	0.003	0.13	<0.1	0.03	3.9	0.1	<0.05	5	<0.5	<0.2	WHI11001834
1236690	13-Sep-11	7031650.11	586018.55	1705	1.3	104	23.7	84	0.2	54.3	24	756	5.01	140.7	4.8	1.7	4	0.1	50.1	0.2	26	0.04	0.063	23	20	0.16	57	0.007	<1	0.6	0.004	0.12	0.1	0.03	3.6	0.1	<0.05	2	<0.5	<0.2	WHI11001834
1236691	13-Sep-11	7031664.43	586016.61	1705	1	68.9	17.7	75	<0.1	48.7	28.5	903	5.2	28.1	8.7	3.4	5	0.1	6.2	0.2	77	0.1	0.042	13	59	1.2	74	0.088	<1	2.19	0.004	0.18	<0.1	0.02	4.1	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236692	13-Sep-11	7031656.55	586022.83	1704	1.2	82.2	21.9	76	0.1	50.7	23.6	832	4.85	62.7	1.8	2.7	6	0.2	26.3	0.2	44	0.08	0.052	20	32	0.48	69	0.032	<1	1.17	0.003	0.14	<0.1	0.02	4.1	0.1	<0.05	4	<0.5	<0.2	WHI11001834
1236693	13-Sep-11	7031658.90	586030.80	1704	1.9	69.4	35.3	75	<0.1	46.2	22.3	861	4.89	60.9	5.5	2.4	4	0.1	25.2	0.2	58	0.04	0.058	16	41	0.53	60	0.075	1	1.19	0.004	0.13	0.1	0.03	3.9	0.1	<0.05	5	<0.5	<0.2	WHI11001834
1236694	13-Sep-11	7031666.76	586024.18	1704	1.2	86.8	27.4	75	<0.1	48.6	23.8	809	4.67	23.3	6.1	4.2	5	0.2	4.2	0.3	69	0.1	0.042	11	54	1.07	60	0.107	1	2.06	0.004	0.19	<0.1	0.02	3.7	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236695	13-Sep-11	7031672.70	586029.01	1701	1.2	72.9	24.2	64	0.1	41.2	18.6	628	4.27	25.8	2.3	2.5	5	0.1	4.4	0.2	70	0.06	0.053	10	48	0.86	66	0.087	1	1.89	0.004	0.15	0.1	0.04	3.1	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236696	13-Sep-11	7031664.86	586036.67	1700	0.8	84.1	19.4	67	0.2	43.7	20.4	868	4.61	40.6	5.8	1.9	9	0.2	8.5	0.2	64	0.18	0.059	19	45	0.88	103	0.056	1	1.94	0.005	0.14	0.1	0.04	3.9	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236697	13-Sep-11	7031670.49	586035.42	1699	1.2	61.8	20.6	64	0.1	34.6	15.3	482	4.18	28.1	2.7	2.3	5	<0.1	2.8	0.3	73	0.07	0.043	10	44	0.77	65	0.113	2	1.9	0.003	0.12	0.1	0.03	2.6	0.1	<0.05	7	0.8	<0.2	WHI11001834
1236698	13-Sep-11	7031676.45	586041.42	1696	1.2	101.6	22.2	76	<0.1	52.7	22.9	824	5.17	31.4	3.7	3.6	5	<0.1	7.6	0.2	60	0.07	0.043	14	45	0.93	66	0.107	<1	2.07	0.003	0.15	<0.1	0.02	3.4	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236699	13-Sep-11	7031671.16	586046.64	1697	1.6	56.1	21.7	63	0.1	36.8	17.5	597	4.57	24.4	3.1	2.7	5	0.1	4.1	0.2	72	0.08	0.038	10	46	0.89	63	0.112	1	1.92	0.004	0.14	<0.1	0.03	2.9	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236700	13-Sep-11	7031678.71	586051.67	1693	0.9	65.4	16.1	63	<0.1	35.7	16.2	502	4.24	30.6	4.2	1.4	6	<0.1	3.2	0.2	71	0.07	0.05	10	48	0.92	67	0.086	1	2.06	0.005	0.11	<0.1	0.03	2.6	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236701	13-Sep-11	7031685.99	586050.33	1695	0.8	49.9	11.9	52	0.1	30.5	14.1	421	3.73	28.6	3.3	1.1	5	0.1	2.4	0.2	66	0.07	0.048	7	45	0.84	68	0.093	<1	1.87	0.008	0.12	0.1	0.03	2.1	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236702	13-Sep-11	7031683.19	586062.59	1690	1.1	59.8	14.8	67	0.1	37.4	18.2	523	4.7	53.3	4.9	1.8	6	0.2	3.2	0.2	82	0.08	0.041	8	53	1.09	75	0.104	<1	2.36	0.004	0.16	0.1	0.03	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236703	13-Sep-11	7031690.93	586061.31	1690	1.4	103.4	26.3	80	<0.1	49.3	25.9	768	5.16	21.8	2.6	2.7	7	<0.1	1.9	0.2	79	0.11	0.058	9	58	1.25	80	0.106	<1	2.62	0.006	0.24	<0.1	0.03	3.7	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236704	13-Sep-11	7031694.41	586068.71	1687	1.1	62.9	14.9	63	<0.1	34.9	16.4	504	4.43	35.5	2.1	1.5	5	0.1	2.6	0.2	73	0.06	0.045	9	48	0.98	59	0.089	<1	2.16	0.004	0.12	<0.1	0.03	2.6	0.1	<0.05	7	0.6	<0.2	WHI11001834
1236705	13-Sep-11	7031700.89	586069.30	1688	1.2	86.4	19.8	84	<0.1	46.6	21.8	653	4.94	29	4.3	2.3	6	0.2	1.8	0.2	80	0.08	0.039	8	56	1.07	73	0.091	<1	2.4	0.004	0.2	0.1	0.03	3.2	0.2	<0.05	7	0.5	<0.2	WHI11001834
1236706	13-Sep-11	7031699.91	586078.84	1686	0.9	166.1	20.8	91	0.3	72	33	1164	6.1	1430	666.9	3.8	7	0.2	30.3	0.2	71	0.11	0.04	19	55	1.28	112	0.056	<1	2.42	0.004	0.18	<0.1	0.03	5.5	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236707	13-Sep-11	7031710.95	586078.67	1684	1.1	64.3	13.1	68	<0.1	35.4	16.2	443	3.98	32.8	5.7	1.7	6	0.2	2	0.2	70	0.08	0.031	8	49	1.05	73	0.073	<1	2.2	0.006	0.14	<0.1	0.03	2.6	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236708	13-Sep-11	7031710.36	586087.36	1678	1.1	130.2	24.1	85	0.3	62.7	29.2	824	5.37	782.2	596.2	3.5	6	0.3	18.3	0.2	64	0.11	0.046	14	54	1.13	71	0.053	<1	2.2	0.005	0.16	0.1	0.04	4.4	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236709	13-Sep-11	7031719.45	586087.77	1678	0.9	114.5	18.8	81	<0.1	61	29	879	5.41	110.9	31.5	2.6	7	0.1	9	0.2	85	0.12	0.035	8	64	1.48	87	0.088	<1	2.82	0.003	0.19	<0.1	0.02	3.7	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236710	13-Sep-11	7031719.23	586095.14	1673	1.2	110.3	21.7	81	0.2	51.9	27.2	814	5.21	1117	252.7	3	10	0.1	11.7	0.2	60	0.15	0.046	13	47	1.04	88	0.05	<1	2.04	0.004	0.16	0.1	0.02	4.1	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236711	13-Sep-11	7031744.06	586082.70	1680	1.8	95.3	23.7	84	0.1	48.6	23.9	876	4.77	86.3	8.3	2.3	16	0.2	4.8	0.3	62	0.19	0.051	14	43	0.93	103	0.061	<1	2.12	0.005	0.12	0.1	0.04	3.6	0.1	<0.05	6	0.8	<0.2	WHI11001834
1236712	13-Sep-11	7031748.86	586078.19	1685	1.5	67.3	16.2	69	<0.1	38.5	19.8	693	4.38	35.4	6.4	1.9	7	0.2	2.5	0.2	72	0.09	0.041	8	49	1	62	0.13	<1	2.04	0.005	0.16	0.1	0.05	2.6	0.1	<0.05	7	0.8	<0.2	WHI11001834
1236713	13-Sep-11	7031757.87	586084.19	1682	1	83.8	18.5	69	<0.1	49.4	25.9	894	4.93	26.3	3	2.5	6	0.1	1.8	0.2	75	0.08	0.039	7	57	1.15	64	0.107	<1	2.32	0.005	0.18	0.1	0.02	3.3	0.1	<0.05	7	0.5	<0.2	WHI11001834
1236714	13-Sep-11	7031762.97	586080.38	1684	0.9	71.6	17.2	67	<0.1	45.9	22.9	823	4.57	24.6	4.1	2.2	6	0.2	1.4	0.2	75	0.09	0.044	7	52	1.04	63	0.118	<1	2.07	0.004	0.16	<0.1	0.04	3	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236715	13-Sep-11	7031765.99	586087.68	1683	1.4	126	25.1	79	0.3	57.4	33.9	881	5.9	6085	2349	4.6	15	0.2	822.2	0.4	37	0.07	0.043	19	30	0.61	214	0.022	<1	1.4	0.005	0.15	<0.1	0.05	5.1	0.1	<0.05	4	<0.5	<0.2	WHI11001834
1236716	13-Sep-11	7031771.11	586082.21	1686	1.2	200.6	25.5	93	0.7	95.2	47.3	739	6.78	4078	2538	7.3	26	0.4	146.2	0.5	32	0.07	0.047	33	26	0.46	219	0.023	1	1.21	0.008	0.16	0.1	0.05	5.4	0.2	0.12	3	1.2	<0.2	WHI11001834
1236717	13-Sep-11	7031774.50	586090.78	1682	1.5	118.9	20.8	76	0.1	62.3	31.1	755	4.97	643	268.3	4.3	11	0.1	15.7	0.3	54	0.1	0.036	16	42	0.96	84	0.073	1	1.89	0.005	0.16	<0.1	0.02	3.5	0.1	<0.05	5	<0.5	<0.2	WHI11001834
1236718	13-Sep-11	7031780.92	586087.35	1686	1	136.8	18.1	80	0.2	71.4	32.8	800	5.3	1698	487.8	3.9	28	0.1	40.9	0.2	56	0.07	0.042	15	41	0.93	89	0.078	<1	1.85	0.01	0.17	<0.1	0.05	3.8	0.1	0.05	5	0.8	<0.2	WHI11001834
1236719	13-Sep-11	7031783.25	586091.96	1683	1.4	131.3	21	76	0.1	61.6	30.4	722	5.04	674.9	176.8	3.6	9	0.2	24.1	0.3	55	0.07	0.037	13	42	0.99	95	0.067	<1	2.02	0.006	0.16	<0.1	0.03	3.3	0.1	<0.05	5	0.5	<0.2	WHI11001834
1236720	13-Sep-11	7031787.21	586086.19	1687	0.6	108.7	11	70	<0.1	50.2	26.3	575	4.74	69.2	20.2	3.2	5	<0.1	2.3	0.2	70	0.08	0.023	9	54	1.3	74	0.094	<1	2.36	0.004	0.2	0.1	0.02	2.6	0.2	<0.05	6	0.8	<0.2	WHI11001834
1236721	13-Sep-11	7031790.53	586089.98	1686	0.8	93.5	12.2	66	<0.1	45.8	24.8	624	4.89	660.1	245.5	3	7	0.1	8.6	0.2	68	0.08	0.025	10	51	1.26	67	0.113	<1	2.24	0.004	0.2	<0.1	0.02	2.8	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236722	13-Sep-11	7031793.17	586087.99	1690	1.2

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1236724	14-Sep-11	7031792.72	586093.37	1682	1.1	99.3	19.3	73	<0.1	51.6	28.4	676	5.08	38.4	4.3	3.4	7	<0.1	1.7	0.2	72	0.11	0.029	9	56	1.31	68	0.124	<1	2.46	0.005	0.19	<0.1	0.02	2.9	0.1	<0.05	7	0.8	<0.2	WHI11001834
1236725	14-Sep-11	7031799.10	586093.61	1686	0.9	109.8	15.4	79	<0.1	58	32.6	768	5.37	37.1	6.1	3	7	0.1	1.7	0.2	76	0.1	0.034	9	55	1.28	75	0.13	<1	2.51	0.004	0.19	<0.1	0.03	3	0.2	<0.05	7	0.8	<0.2	WHI11001834
1236726	14-Sep-11	7031798.76	586100.05	1686	1	112.3	13.6	77	<0.1	53.4	26.1	694	5.27	160.2	53.3	3.2	7	<0.1	3.2	0.2	74	0.09	0.028	10	56	1.31	66	0.128	<1	2.43	0.005	0.2	<0.1	0.02	2.9	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236727	14-Sep-11	7031797.55	586104.16	1684	1.3	87.9	16.5	66	0.2	46.5	25.3	685	4.86	703.6	299.6	3	7	<0.1	7.7	0.2	76	0.07	0.031	10	50	1.04	77	0.114	1	2.06	0.004	0.18	<0.1	0.03	2.8	0.1	<0.05	7	0.6	<0.2	WHI11001834
1236728	14-Sep-11	7031801.94	586094.53	1689	1.1	89.9	15.4	72	<0.1	50.8	26.8	714	5.28	36.3	4.4	3.3	7	0.1	1.6	0.2	72	0.09	0.034	9	52	1.24	63	0.134	<1	2.35	0.005	0.2	<0.1	0.02	3.1	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236729	14-Sep-11	7031801.44	586100.51	1687	1	71.9	12.5	74	<0.1	44.4	22.5	661	5.67	46.2	2.9	2.4	6	<0.1	1.9	0.2	99	0.09	0.03	7	65	1.4	57	0.244	1	2.59	0.007	0.21	<0.1	0.04	2.7	0.1	<0.05	9	0.6	<0.2	WHI11001834
1236730	14-Sep-11	7031801.66	586104.09	1686	1.7	98.8	26.2	75	0.2	51.6	27	680	5.16	145.6	11.7	2.7	9	0.1	3.8	0.3	82	0.11	0.05	10	56	1.11	82	0.121	2	2.36	0.006	0.2	<0.1	0.07	3.1	0.2	0.06	8	0.5	<0.2	WHI11001834
1236731	14-Sep-11	7031804.37	586096.05	1689	1.1	71.6	13.8	70	<0.1	42.9	20.7	628	5.33	35.3	6.4	2.7	7	0.2	1.7	0.2	86	0.1	0.032	8	56	1.27	62	0.185	2	2.48	0.005	0.19	<0.1	0.03	2.9	0.1	<0.05	8	0.6	<0.2	WHI11001834
1236732	14-Sep-11	7031805.71	586101.86	1687	1.5	60	18.4	68	0.1	41.7	19.2	607	5.02	93.7	25.9	2	6	0.1	2.7	0.2	86	0.1	0.042	7	60	1.29	75	0.151	1	2.41	0.006	0.22	<0.1	0.05	2.8	0.1	<0.05	8	<0.5	<0.2	WHI11001834
1236733	14-Sep-11	7031805.22	586104.28	1686	1.1	110.9	13.2	78	0.2	55.2	28.2	702	5.39	174.6	12.6	2.7	8	0.1	5.7	0.2	81	0.14	0.036	10	53	1.2	75	0.15	2	2.38	0.005	0.21	<0.1	0.04	3.3	0.2	<0.05	7	0.8	<0.2	WHI11001834
1236734	14-Sep-11	7031809.44	586097.53	1689	1.3	88.3	16.5	72	<0.1	44.9	22.1	675	5.52	40	6.7	3	8	0.1	1.9	0.3	79	0.09	0.039	8	53	1.22	73	0.172	2	2.42	0.009	0.2	<0.1	0.02	2.9	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236735	14-Sep-11	7031809.54	586100.68	1689	1.3	97.3	12.9	76	<0.1	47.4	23.2	621	5.05	63.4	6.5	3	8	0.2	2.4	0.3	72	0.09	0.037	10	50	1.12	81	0.106	1	2.34	0.006	0.2	0.1	0.04	3	0.2	<0.05	7	0.8	<0.2	WHI11001834
1236736	14-Sep-11	7031810.73	586105.10	1686	1.3	128.1	18.9	86	0.1	57.4	29.9	806	5.77	500.7	101	3	11	0.1	7	0.3	80	0.12	0.052	12	55	1.25	96	0.118	3	2.55	0.007	0.21	<0.1	0.04	3.9	0.2	0.07	8	0.6	<0.2	WHI11001834
1236737	14-Sep-11	7031813.92	586097.38	1690	2	99.1	20.1	54	0.7	49.4	27.1	433	4.44	2887	2549	4.7	61	0.2	85.2	0.4	38	0.06	0.052	25	27	0.53	102	0.035	2	1.33	0.012	0.22	0.2	0.03	3.8	0.2	0.3	4	0.7	<0.2	WHI11001834
1236738	14-Sep-11	7031813.22	586101.01	1688	1.4	93	17.7	73	0.2	48	23.9	675	5.26	548.9	232.4	3	13	0.1	11.7	0.3	70	0.08	0.04	11	48	1.02	66	0.142	1	1.99	0.006	0.18	<0.1	0.03	2.8	0.1	0.08	7	0.7	<0.2	WHI11001834
1236739	14-Sep-11	7031818.04	586105.35	1687	1.4	107.1	18.3	66	0.2	50.1	24	624	5.1	894.5	787.6	3.6	15	<0.1	23.3	0.3	61	0.08	0.039	13	43	0.98	78	0.068	2	1.94	0.006	0.18	0.1	0.04	3.3	0.1	0.09	6	<0.5	<0.2	WHI11001834
1236740	14-Sep-11	7031816.58	586101.52	1692	1.4	98.4	24	53	1.7	42.8	16.4	295	3.96	6605	11343	8.3	116	0.1	109.7	0.4	22	0.06	0.042	43	18	0.35	256	0.016	3	0.84	0.009	0.23	0.2	0.05	5.3	0.2	0.25	2	1	<0.2	WHI11001834
1236741	14-Sep-11	7031817.49	586101.70	1689	1.1	106.3	14.9	80	0.1	53.9	25.3	682	5.46	554.7	576.2	2.8	14	0.2	9.6	0.2	78	0.11	0.039	11	56	1.27	100	0.108	1	2.5	0.007	0.21	0.1	0.03	3.5	0.2	0.08	7	1.1	<0.2	WHI11001834
1236742	14-Sep-11	7031816.25	586104.83	1687	1.4	122.8	17.3	82	0.1	57.7	26.8	685	5.79	978	267.8	2.8	12	0.2	19	0.3	71	0.08	0.037	11	48	1.01	79	0.099	1	2.12	0.007	0.18	0.1	0.03	3.2	0.2	0.06	6	0.8	<0.2	WHI11001834
1236743	14-Sep-11	7031821.10	586101.94	1690	1	117.9	12	79	0.1	55.7	33.1	980	5.88	1606	318.7	3.3	10	0.2	22.5	0.2	68	0.09	0.045	12	50	1.11	122	0.076	1	2.27	0.006	0.21	0.1	0.04	3.8	0.2	0.06	6	1.1	<0.2	WHI11001834
1236744	14-Sep-11	7031824.64	586098.52	1690	1.4	74.4	16.2	66	<0.1	41.1	20	568	5.07	48.3	8.5	2.8	7	0.1	1.4	0.2	74	0.08	0.033	9	46	0.93	70	0.109	<1	2.03	0.005	0.16	0.2	0.02	2.4	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236745	14-Sep-11	7031822.36	586107.15	1689	1.4	144.6	17.9	76	0.4	67.7	33.7	805	5.75	1558	683.4	3.5	15	0.1	15.1	0.3	76	0.17	0.044	15	54	1.19	141	0.094	2	2.4	0.007	0.19	0.1	0.04	4.1	0.2	0.09	7	0.7	<0.2	WHI11001834
1236746	14-Sep-11	7031825.82	586099.97	1692	1.1	97.1	18.8	67	<0.1	43.7	22.9	679	5.26	71.8	10.6	2.8	7	<0.1	1.7	0.3	70	0.1	0.033	8	48	1.03	74	0.108	<1	2.19	0.006	0.17	<0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236747	14-Sep-11	7031827.88	586104.40	1690	1.1	125.8	17.3	78	0.3	56	29	943	6.69	3419	872	4.1	21	0.2	29.4	0.2	65	0.07	0.04	14	47	1.04	137	0.059	2	2.18	0.009	0.21	0.1	0.06	4.4	0.2	0.14	6	0.9	<0.2	WHI11001834
1236748	14-Sep-11	7031827.81	586111.61	1689	1.4	146.1	22.7	77	0.3	62.2	35.8	868	5.65	1403	299	4.1	13	0.1	17	0.3	64	0.11	0.037	13	49	1.19	81	0.103	<1	2.37	0.007	0.2	<0.1	0.03	4.1	0.2	0.09	6	0.6	<0.2	WHI11001834
1236749	14-Sep-11	7031830.44	586101.30	1690	1.2	79.3	14.8	58	<0.1	40.6	19.4	526	4.83	114.4	15.4	2.1	6	<0.1	2.3	0.2	68	0.08	0.035	7	43	0.86	67	0.116	<1	1.86	0.004	0.13	<0.1	0.03	2	0.1	<0.05	6	<0.5	<0.2	WHI11001834
1236750	14-Sep-11	7031831.44	586108.94	1689	1.2	82.1	17	76	0.1	46.3	26.4	1020	5.62	810.5	164.1	2.9	8	0.1	8.3	0.2	84	0.09	0.055	10	54	1.15	99	0.141	<1	2.24	0.006	0.19	<0.1	0.05	3.5	0.1	0.08	8	0.8	<0.2	WHI11001834
1236751	14-Sep-11	7031830.75	586111.22	1689	0.9	102.3	14.9	74	0.2	48.4	25.1	685	5.73	3296	824.8	2.9	15	0.1	32.6	0.2	65	0.1	0.043	14	47	1.06	164	0.072	1	1.99	0.007	0.2	0.1	0.03	3.6	0.1	0.1	6	0.6	<0.2	WHI11001834
1236752	14-Sep-11	7031834.04	586110.60	1688	1	97.9	17	76	0.3	47.2	26.2	1055	5.94	3060	1205	2.2	16	0.1	47.9	0.2	67	0.18	0.064	15	45	0.92	188	0.071	2	1.95	0.006	0.16	<0.1	0.06	3.9	0.1	0.12	6	1.1	<0.2	WHI11001834
1236753	14-Sep-11	7031840.02	586107.25	1689	1.5	105.4	21.5	56	1	33.4	27.4	724	7.75	>10000.0	7519	7.2	93	0.1	159.4	0.3	15	0.04	0.066	24	14	0.18	138	0.007	<1	0.63	0.011	0.29	0.2	0.05	6.4	0.2	0.45	1	1	<0.2	WHI11001834
1236754	14-Sep-11	7031841.84	586110.59	1688	1.2	98.6	15.4	61	0.3	42.2	21.7	620	5.17	5335	1652	3.8	19	0.1	90.8	0.2	51	0.08	0.041	15	35	0.7	114	0.039	<1	1.51	0.007	0.19	0.1	0.02	3.9	0.1	0.24	5	<0.5	<0.2	WHI11001834
1236755	14-Sep-11	7031846.10	586106.31	1690	1.9	222.7	21.8	109	0.1	134.2	70.4	1369	5.97	372.4	35	3.3	11	0.2	42.7	0.3	61	0.12	0.066	14	46	0.89	96	0.062	<1	2.28	0.007	0.15	0.1	0.05	4.5	0.1	<0.05	6	1	<0.2	WHI11001834
1236756	14-Sep-11	7031852.33	586111.75	1686	1.5	77.7	12.4	66	0.2	36.3	17.6	508	4.74	1988	923.9	2.4	17	<0.1	29.7	0.2	73	0.07	0.039	14	44	0.91	84	0.098	1	1.98	0.008	0.18	0.1	0.04	3.2	0.1	0.13	7	1	<0.2	WHI11001834
1236757	14-Sep-11	7031854.13	586106.96	1687	1.3	101.3	10.4	73	<0.1	51.4	24.9	611	5.29	93.6	20.3	2.8	7	0.1	5.1	0.1	84	0.11	0.03	10	55	1.24	64	0.152	1	2.47	0.006	0.18	<0.1	0.02	3.4	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236758	14-Sep-11	7031861.01	586111.61	1684	1.3	111.7	20.4	69	0.8	41.4	20.5	430	5.62	6895	2390	2.4	34	0.4	147.3	0.3	38	0.11	0.07	27	27	0.47	221	0.017	<1	1.26	0.013	0.22	<0.1	0.04	3.3	0.2	0.36	4	<0.5	<0.2	WHI11001834
1236759	14-Sep-11	7031865.29	586107.21	1687	1.7	213.8	23	84	1.7	88.1	34.8	704	8.46	4676	2389	8.9	69	0.2	206.3	0.3	35	0.06	0.04	32	29	0.54	157	0.015	12	1.45	0.013	0.32	0.2	0.04	5.8	0.3	0.59	4	1.1	<0.2	WHI11001834
1236760	14-Sep-11	7031869.06	586113.41	1682	1.4	117.3	25.7	58	2	38.6	20.1	474	6.5	>10000.0	9915	7.9	105	0.2	672.7	0.4	20	0.08	0.053	29	16	0.31	116	0.007	2	0.75	0.011	0.25	0.2	0.04	6.4	0.2	0.29	2	0.9	<0.2	WHI11001834
1236761	14-Sep-11	7031874.69	586106.79	1677	1	103	23.6	84	<0.1	59.6	35	1770	4.94	295.5	83.5	2.4	7	0.2	11.6	0.3	86	0.13	0.07	13	56	0.95	99	0.037	2	2.34	0.004	0.13	<0.1	<0.01	5.4	0.1	0.09	7	<0.5	<0.2	WHI11001866
1236762	14-Sep-11	7031881.10	586116.00	1675	0.9	128.2	17	71	1	41.6	20.6	518	6.38	>10000.0	4375	6	157	0.2	314.5	0.3	22	0.04	0.05	25	18	0.28	250	0.008	2	0.8	0.008	0.24	0.2	0.03	3.7	0.2	0.38	2	<0.5	<0.2	WHI11001866
1236763	14-Sep-11	7031888.34	586111.08	1678	1.4	86.5	13.1	66	<0.1	43.1	19.5	795	5.3	266.9	24.4	2.1	7	<0.1	31.8	0.2	84	0.1	0.056	15	45	0.79	76	0.102	<1	1.65	<0.001	0.11	<0.1	0.03	4.1	0.1	<0.05	7	<0.5	<0.2	WHI11001866
1236764	14-Sep-11	7031898.79	586118.25	1678	1.2	92.8	17.6	68	0.6	39.3	19	548	4.88	3984	1438	3	19	<0.1	87.1	0.2	60	0.02	0.043	16	32	0.59	138	0.086	<1	1.37	<0.001	0.12	0.1	0.04	3.8	0.1	0.07	5	<0.5	<0.2	WHI11001866
1236765	14-Sep-11	7031910.17	586117.87	1678	0.8	130.5	16	75	0.1	55.8	26.7	740	5.52	426.1	204.2	3.3	7	<0.1	32.7	0.2	81	0.06	0.033	12	55	1.28	82	0.114	1	2.53	<0.001	0.15	0.1	0.03	4.1	0.2	<0.05	7	<0.5	<0.2	WHI11001866
1236766	14-Sep-11	7031922.30	586118.43	1675	1.3	84.6	15.6	71	<0.1	39.8	20.3	584	4.76	83.3	16.8	2.4	6	<0.1	3.2	0.2	84	0.05	0.04	9	49	0.95	57	0.148	<1	2.02	<0.001	0.1	0.2	0.02	3	0.1	<0.05	7	0.6	<0.2	WHI11001866
1236767	14-Sep-11	7031933.63	586122.05	1675	1	263.5	24.3	144	0.4	90.5	43	1216	10.95	8958	1974	8.3	106	<0.1	138.9	0.3	13	0.14	0.07	25	10	0.18	60	0.006	<1	0.51	0.018	0.13	0.3	0.04	9.5	<0.1	0.14	1	0.7	<0.2	WHI11001866
1236801	12-Sep-11	7033144.98	582271.34	1434	0.7	38.7	14.7	55	<0.1	16.5	7.2	186	2.68	17.8	6.7	10.7	8	<0.1	1.9	0.7	23	0.04	0.024	29	20	0.5	97	0.025	<1	1.33	0.004	0.08	0.2	0.02	1.6	0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236802	12-Sep-11	7033118.71	582229.60	1435	1.2	23.5	17.8	59	<0.1	21.3	12.3	236	2.97	26.3	6.4	10.2	9	0.1	2.2	0.6	33	0.07	0.04	19	26	0.53	108	0.027	<1	1.82	0.005	0.07	0.4	0.02	2.1	0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236803	12-Sep-11	7033075.84	582142.08	1427	0.7	38.7	16.1	60	<0.1	18.1	8.6	212	3.01	15.1	1.6	11.9	7	<0.1	1.4	0.7	25	0.03	0.023	29	23	0.55	104	0.027	<1	1.6	0.005	0.07	0.2	0.01	1.8	0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236804	12-Sep-11	7033046.44	582099.79	1426	0.7	38.4	16.3	57	0.1	16.9	9.2	222	2.96	16.8	4	12.6	8	<0.1	1.2	0.8	22	0.04	0.031	22	22	0.52	93	0.022	1	1.49	0.006	0.08	0.2	0.02	1.5	<0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236805	12-Sep-11	7033024.23	582050.26	1424	0.7	33.7	16.7	47	<0.1	19.9	12.3	216	2.63	17.8	3	9.2	8	<0.1	1.8	0.7	24	0.06	0.033	21	20	0.44	77	0.025	1	1.47	0.006	0.08	0.2	0.03	1.4	<0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236806	12-Sep-11	7033002.29	582013.59	1421	1.6	28	16.7	50	<0.1	18.3	8.1	195	2.63	16.8	1.8	6.2	10	0.1	1.2	0.4	51	0.07	0.028	19	25	0.38	176	0.022	1	2.03	0.006	0.06	0.2	0.04	2.1	0.2	<0.05	5	<0.5	<0.2	WHI11001833
1236807	12-Sep-11	7032983.06	581969.59	1411	1.4	33.5	20.1	59	0.2	24.9	11.4	225	3.38	24.4	2.8	9.3	8	0.1	1.9	1	36	0.04	0.036	19	27	0.48	121	0.023	2	2.04	0.005	0.09	1.2	0.03	2	0.1	<0.05	5	<0.5	<0.2	WHI11001833
1236808	12-Sep-11	7032952.83	581924.05	1408	0.5	30	11.3	47	<0.1	17.6	8.2	218	2.43	19.5	2.8	6.8	7	<0.1	3.9	0.5	30	0.08	0.031	21	22	0.53	102	0.047	<1	1.34	0.004	0.09	0.2	0.02	1.8	<0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236809	12-Sep-11	7032924.54	581881.20	1405	0.9	55.3	22.3	92	0.1	36.1	18	400	3.19	25.9	3.4	10.9	17	0.2	1.8	0.6	46	0.15	0.061	24	32	0.58	178	0.043	2	2.2	0.01	0.11	0.4	0.02	2.7	0.2	<0.05	5	<0.5	<0.2	WHI11001833
1236810	12-Sep-11	7032900.40	581831.35	1395	1.3	33.2	15.9	56	0.2	21	9.5	224	2.75	17.7	3.4	3.6	14	<0.1	1.5	0.4	48	0.14	0.071	23	29	0.51	187	0.028	2	1.66	0.006	0.06	0.3	0.05	2.4	0.1	<0.05	5	<0.5	<0.2	WHI11001833
1236811	12-Sep-11	7032879.92	581790.62	1391	0.5	45.4	15.2	62	<0.1	24.8	14.1	375	2.94	24.5	9	8.9	10	<0.1	2.6	0.5	33	0.12	0.046	39	25	0.66	150	0.057	2	1.47	0.005	0.09	0.3	0.02	2.5	0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236812	12-Sep-11	7032852.32	581748.17	1388	0.7	32.3	13	46	<0.1	18.9	9.2	260	2.57	22.1	5.7	4.5	7	0.2	2.1	0.7	34	0.09	0.037	21	24	0.52	79	0.042	1	1.33	0.004	0.09	0.3	0.02	1.8	<0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236813	12-Sep-11	7032827.29	581707.81	1385	0.7	40.4	13.3	54	<0.1	22.8	12.6	317	2.64	21.5	4.2	8.1	8	0.2	2.8	0.8	32	0.08	0.033	24	24	0.56	96	0.051	1	1.43	0.005	0.1	0.2	0.03	2.2	0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236814	12-Sep-11	7032803.95	581665.00	1382	0.8	30	12.1	45	<0.1	17.7	7.3	219	2.45	19.9	2.6	5.5	8	0.2	2.6	0.8	30	0.07	0.034	19	22	0.49	90	0.035	<1	1.27	0.004	0.09	0.3	0.02	1.6	0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236815	12-Sep-11	7032777.36	581619.40	1379	0.7	28.8	13.6	47	0.1	17.3	6.9	185	2.53	17.5	2.1	3.6	8	<0.1	2.3	0.6	31	0.07	0.043	18	24	0.49	84	0.024	1	1.42	0.004	0.07	0.3	0.02	1.5	0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236816	12-Sep-11	7032748.93	581577.98	1380	1.1	43.4	17.8	65	<0.1	15.7	7	178	3.17	9.5	2.3	14	11	<0.1	0.9	0.5	19	0.03	0.025	29	22	0.59	81	0.018	<1	1.36	0.007	0.09	0.2	<0.01	1.7	<0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236817	12-Sep-11	7032730.69	581536.49	1378	1.7	62.1	21	67	<0.1	47.2	24.3	283	3.65	26.4	5.6	12.6	10	0.1	1.9	0.8	53	0.05	0.037	33	36	0.56	173	0.039	2	2.21	0.007	0.13	0.4	0.05	3.5	0.2	<0.05	5	0.7	<0.2	WHI11001833
1236818	12-Sep-11	7032711.23	581490.34	1376	1.1	38.9	16.5	74	<0.1	13.9	8.3	222	3.56	9.7	1.8	16.6	8	<0.1	0.8	0.5	19	0.02	0.027	21	23	0.7	82	0.019	<1	1.58	0.007	0.06	0.1	0.01	1.9	<0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236819	12-Sep-11	7032693.81	581436.46	1376	0.8	37.2	16.2	57	<0.1	17.7	10.3	233	3.03	12.7	4.2	12.1	7	<0.1	1.2	0.5	22	0.04	0.029	26	21	0.56	87	0.034	<1	1.32	0.006	0.09	0.2	0.01	2	<0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236820	12-Sep-11	7032669.83	581395.58	1376	0.8	46	18.1	63	<0.1	21.6	11	272	3.09	16.5	1	13.1	13	<0.1	1.5	0.6	25	0.06	0.028	27	23	0.6	145	0.036	1	1.42	0.009	0.13	0.2	<0.01	2.1	<0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236821	12-Sep-11	7032650.56	581343.73	1373	0.6	32.3	12.6	51	<0.1	17	8.8	234	2.49	14.8	1.7	10

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1236823	12-Sep-11	7032616.68	581254.68	1366	1.5	14.1	20.5	35	<0.1	12.6	4.4	132	2.45	13.6	2	1.3	10	<0.1	0.8	0.3	43	0.07	0.048	20	23	0.33	69	0.015	<1	1.52	0.005	0.04	0.3	0.04	0.9	0.1	<0.05	5	<0.5	<0.2	WHI11001833
1236824	12-Sep-11	7032586.72	581215.65	1364	0.9	33.9	15.2	57	<0.1	17.8	8.9	222	2.82	12.1	1.7	10.7	6	<0.1	1.3	0.6	25	0.03	0.027	26	22	0.57	93	0.032	<1	1.47	0.006	0.11	0.2	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236825	12-Sep-11	7032569.73	581168.58	1359	1.2	32.8	18.6	57	0.1	17.7	7.5	218	2.77	13.7	3.3	2	10	<0.1	1.3	0.5	33	0.07	0.066	22	23	0.52	97	0.013	<1	1.53	0.005	0.07	0.2	0.04	1	0.1	<0.05	4	0.5	<0.2	WHI11001833
1236826	12-Sep-11	7029365.70	583118.18	1701	1.1	29.5	19.9	67	0.1	19.2	7.9	212	2.35	32.4	14.9	7.8	15	0.1	2.6	0.4	28	0.16	0.045	27	16	0.25	204	0.013	1	0.93	0.005	0.08	0.3	0.03	2.4	0.1	<0.05	3	<0.5	<0.2	WHI11001833
1236827	12-Sep-11	7029371.69	583165.12		0.9	30.3	26.3	53	0.1	15.1	10.4	277	2.83	10.4	8.6	6.3	9	<0.1	1.5	0.4	15	0.03	0.041	44	10	0.18	84	0.008	1	0.72	0.004	0.11	0.1	0.03	1.2	0.2	<0.05	2	<0.5	<0.2	WHI11001833
1236828	12-Sep-11	7029509.50	583204.73	1706	0.7	11.2	13.2	65	0.2	23.2	14.3	1208	2.54	201.5	129.8	3.2	6	0.4	5.7	0.5	13	0.02	0.034	18	8	0.07	106	0.005	1	0.52	0.004	0.08	0.2	0.03	1.2	0.1	<0.05	1	<0.5	<0.2	WHI11001833
1236829	12-Sep-11	7029549.57	583228.03	1706	1.5	21.3	17.8	78	<0.1	21.4	9.5	302	2.73	24.8	8.8	4.4	13	0.2	1.7	0.3	42	0.13	0.075	18	22	0.39	109	0.026	1	1.32	0.007	0.08	0.3	0.05	2	0.1	<0.05	3	0.5	<0.2	WHI11001833
1236830	12-Sep-11	7029585.38	583255.52	1703	0.6	17	31.3	98	<0.1	13.7	9	630	1.88	20.3	4.8	12.2	4	0.4	2	0.3	7	0.02	0.029	28	6	0.07	51	0.004	2	0.45	0.003	0.09	<0.1	0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2	WHI11001833
1236831	12-Sep-11	7031646.66	586001.26	1716	1	80	24.5	82	0.2	56.6	25.4	977	5.04	95.6	7.3	4.3	8	0.2	26.5	0.3	48	0.09	0.049	19	45	0.54	80	0.049	1	1.19	0.004	0.14	0.1	0.06	3.5	0.1	<0.05	4	<0.5	<0.2	WHI11001833
1236832	12-Sep-11	7031652.26	585999.88	1721	0.9	74.9	19.8	74	0.1	56.9	23.1	668	4.86	25.6	3.9	4.1	8	0.1	5	0.3	66	0.09	0.036	14	84	1.07	75	0.078	<1	1.89	0.005	0.16	<0.1	0.03	3.5	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236833	12-Sep-11	7031654.81	586002.35	1719	0.9	71.6	18.7	75	<0.1	49.8	23.1	749	4.87	20.9	2.1	4.4	8	0.1	10	0.2	64	0.1	0.039	14	58	0.95	82	0.084	1	1.84	0.004	0.17	<0.1	0.03	3.6	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236834	12-Sep-11	7031659.82	586000.87	1718	0.9	87.6	26.4	69	<0.1	56.2	23.8	587	4.17	28.7	2.6	4.3	7	0.2	3.9	0.3	60	0.08	0.03	12	74	0.94	61	0.11	<1	1.86	0.007	0.2	0.1	0.02	2.8	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236835	12-Sep-11	7031658.78	586007.25	1709	0.8	91.5	16.9	76	0.1	47.3	23	657	5.12	22.9	2.3	3.8	8	0.1	4.9	0.3	67	0.1	0.038	13	48	1.1	77	0.153	1	2.28	0.004	0.23	<0.1	0.03	3.3	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236836	12-Sep-11	7031663.48	586004.92	1716	1	71.3	19.3	78	0.1	59	25.4	735	4.95	22	5.6	3.7	8	0.2	2.6	0.3	76	0.08	0.035	11	92	1.22	62	0.153	<1	2.26	0.005	0.19	<0.1	0.04	3.1	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236837	12-Sep-11	7031668.07	586014.93	1709	0.8	91.5	20.8	77	0.1	48	22.8	626	4.64	23.6	2	3.8	7	0.2	2.4	0.3	77	0.09	0.033	12	51	1.07	69	0.123	<1	2.23	0.004	0.18	0.1	0.03	3.4	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236838	12-Sep-11	7031672.98	586011.64	1711	0.7	110.3	19.2	72	<0.1	55.5	24.6	623	4.91	33.1	4.6	4.3	7	0.1	3.6	0.3	71	0.1	0.029	12	55	1.2	68	0.12	<1	2.42	0.004	0.21	0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236839	12-Sep-11	7031676.74	586018.32	1710	0.9	72.4	16.8	69	<0.1	40.8	19.3	592	4.39	23.3	1.9	3.3	7	<0.1	2.4	0.3	75	0.09	0.033	10	52	1	62	0.127	<1	2.04	0.004	0.18	<0.1	0.05	2.9	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236840	12-Sep-11	7031681.68	586014.69	1709	0.6	106.1	21.1	74	<0.1	58.3	29.6	800	5.17	24.1	2.6	5.1	7	<0.1	4.8	0.3	87	0.12	0.029	13	66	1.36	84	0.138	<1	2.57	0.004	0.31	<0.1	0.02	4.5	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236841	12-Sep-11	7031679.59	586026.67	1707	0.8	79	17.9	69	<0.1	43.6	21.8	639	4.42	28.6	3.8	3.4	7	0.1	3.4	0.2	66	0.11	0.032	10	45	1.03	65	0.118	<1	2.04	0.004	0.19	0.1	0.03	2.8	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1236842	12-Sep-11	7031691.74	586012.66	1706	0.7	79.6	15	70	<0.1	45.3	21.8	600	4.55	29.1	4.6	3.1	10	0.1	2.4	0.2	72	0.12	0.034	9	53	1.05	72	0.142	<1	2.04	0.005	0.2	0.1	0.03	3	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236843	13-Sep-11	7031678.28	586032.51	1696	0.8	99.7	20.1	70	<0.1	50	24.5	636	4.62	32.2	3.7	3.9	7	0.1	4.1	0.3	69	0.1	0.031	11	48	1.03	68	0.114	<1	2.16	0.004	0.17	0.1	0.01	3	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236844	13-Sep-11	7031684.69	586034.34	1699	0.8	91.8	16	67	<0.1	46.7	22.2	589	4.5	39.6	5	3.5	7	<0.1	4.6	0.2	71	0.1	0.028	10	47	1.07	67	0.124	<1	2.11	0.004	0.18	<0.1	0.02	3	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236845	13-Sep-11	7031683.59	586038.74	1697	0.7	90.3	17.5	67	<0.1	44.6	23.3	602	4.23	35	3	3.2	8	0.1	3.7	0.2	64	0.11	0.032	9	45	1.01	73	0.106	1	1.96	0.004	0.18	<0.1	0.04	2.7	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1236846	13-Sep-11	7031692.74	586036.11	1705	0.8	103	18.2	75	0.2	54.3	24.3	635	4.92	36.9	3	3.4	9	0.1	3.4	0.3	78	0.15	0.033	14	55	1.15	85	0.131	<1	2.31	0.004	0.2	0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236847	13-Sep-11	7031696.11	586047.40	1697	0.9	64.9	15	66	0.1	38.3	19.5	662	4.25	27	2.3	2	7	0.1	2.5	0.2	68	0.09	0.049	9	46	0.95	73	0.121	<1	2.08	0.005	0.15	<0.1	0.03	2.6	0.1	0.05	7	<0.5	<0.2	WHI11001833
1236848	13-Sep-11	7031704.73	586044.29	1701	1.3	109.7	20.5	83	<0.1	57.8	27.3	721	5.16	35.3	4.3	3	9	0.1	2.8	0.3	77	0.11	0.037	10	54	1.17	81	0.105	2	2.44	0.005	0.2	0.1	0.02	3	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236849	13-Sep-11	7031710.38	586057.21	1696	0.9	130.1	18.7	82	<0.1	80.4	32.6	974	4.92	25.7	3.6	2.9	6	0.2	2.9	0.3	78	0.07	0.035	8	56	1.1	90	0.092	<1	2.45	0.004	0.27	0.1	0.01	3.4	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236850	13-Sep-11	7031711.64	586068.01	1691	0.9	93.4	11.2	67	<0.1	43.2	22.6	607	4.07	35.5	3.9	2.2	6	0.2	2.8	0.2	66	0.07	0.035	8	47	1.01	65	0.085	2	2.05	0.006	0.16	0.1	0.02	2.5	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236851	13-Sep-11	7031722.43	586068.06	1694	0.7	90.8	12.7	71	<0.1	50.2	23.4	668	5.07	20.9	2.7	2.2	7	0.1	1.8	0.2	85	0.12	0.034	7	61	1.28	76	0.111	<1	2.56	0.004	0.21	<0.1	0.01	3	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236852	13-Sep-11	7031722.24	586085.85	1682	1.1	98.7	16.1	72	<0.1	47.3	21.9	624	5.06	340.6	132.6	2.1	8	0.1	16.5	0.2	85	0.08	0.033	9	58	1.13	97	0.116	<1	2.5	0.004	0.17	<0.1	0.02	3	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1236853	13-Sep-11	7031734.19	586076.79	1688	1	87.4	13.6	75	<0.1	47.1	21.4	603	4.87	31.9	0.7	2.3	8	0.1	2.8	0.2	81	0.1	0.036	10	54	1.13	101	0.091	2	2.34	0.005	0.15	0.1	0.02	2.9	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236854	13-Sep-11	7031747.81	586074.46	1684	1.2	80.9	13.5	67	0.1	42.2	19.8	580	4.77	25	2.3	1.7	6	0.2	2.1	0.2	88	0.07	0.043	7	56	1.03	66	0.132	1	2.19	0.004	0.14	0.1	0.03	2.8	0.1	<0.05	8	<0.5	<0.2	WHI11001833
1236855	13-Sep-11	7031757.08	586072.34	1688																																				
1236856	13-Sep-11	7031766.36	586070.21	1692	0.9	102.3	16	74	<0.1	53.8	27.4	942	4.94	38.4	4.1	2.7	7	0.1	2.5	0.2	79	0.1	0.036	8	54	1.11	79	0.124	1	2.3	0.005	0.18	0.1	0.02	3.1	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236857	13-Sep-11	7031774.85	586069.02	1686	0.7	106	14.8	73	<0.1	54.7	26.1	676	5.06	39.1	3.9	2.7	7	0.1	2.8	0.2	82	0.1	0.032	8	56	1.22	79	0.134	<1	2.46	0.004	0.21	0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236858	13-Sep-11	7031774.71	586080.23	1683	1.1	67	13	66	<0.1	40.2	19.8	585	4.69	39.9	4.9	1.7	7	<0.1	2.3	0.2	82	0.08	0.042	7	53	1.03	62	0.133	<1	2	0.004	0.14	<0.1	0.03	2.4	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1236859	13-Sep-11	7031783.34	586077.03	1685	1.1	118.3	15	74	<0.1	58.2	27.4	588	4.76	33.1	3.6	2.7	7	0.1	2.5	0.2	72	0.08	0.03	8	50	1.06	75	0.106	<1	2.12	0.004	0.19	<0.1	0.02	2.9	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236860	13-Sep-11	7031787.27	586084.44	1684	1	100.6	13.9	75	<0.1	48.8	23.4	620	5.17	31.1	3	2.3	7	0.1	1.7	0.2	87	0.09	0.036	7	56	1.22	70	0.149	1	2.47	0.005	0.18	<0.1	0.03	2.9	0.2	<0.05	8	<0.5	<0.2	WHI11001833
1236861	13-Sep-11	7031791.56	586081.79	1687	1.2	109.3	15.6	73	<0.1	51	26.4	645	5	33.2	4.6	2.6	7	0.1	1.8	0.2	77	0.09	0.033	8	52	1.12	67	0.144	<1	2.21	0.005	0.19	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236862	14-Sep-11	7031795.61	586089.16	1686	1.1	105.2	15.2	70	<0.1	46.4	22.3	572	4.54	39.3	4.8	2.5	8	0.2	2	0.2	71	0.09	0.038	9	49	1.05	68	0.12	1	2.08	0.006	0.16	<0.1	0.02	2.5	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1236863	14-Sep-11	7031798.51	586086.14	1688	1.1	118.1	14.4	74	<0.1	56.8	29.5	644	5.08	34	7.7	2.7	7	0.1	1.9	0.2	80	0.1	0.027	9	56	1.18	69	0.129	<1	2.32	0.004	0.18	<0.1	0.02	2.7	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1236864	14-Sep-11	7031801.11	586092.35	1688	1	98.3	14.1	74	<0.1	53.3	26.1	716	5.13	33.4	4.1	2.5	7	0.2	1.9	0.2	82	0.1	0.033	7	57	1.25	74	0.123	1	2.33	0.004	0.18	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236865	14-Sep-11	7031805.47	586087.92	1690	1	131.7	14.7	73	<0.1	69	37.8	819	4.87	39.4	3.3	3.1	7	<0.1	2.3	0.2	71	0.08	0.031	9	51	1.09	70	0.1	1	2.2	0.005	0.19	0.1	0.01	2.7	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236866	14-Sep-11	7031806.29	586092.97	1692	1.3	85.5	15	79	<0.1	47.3	23.3	697	5.51	34.8	4.8	2.2	8	0.1	1.9	0.2	93	0.1	0.044	7	60	1.21	83	0.165	<1	2.39	0.005	0.19	0.1	0.03	2.7	0.2	<0.05	9	<0.5	<0.2	WHI11001833
1236867	14-Sep-11	7031809.73	586090.70	1693	1	100.8	16.7	69	<0.1	53.6	27.8	667	4.73	30.8	3	2.7	8	0.1	1.9	0.2	75	0.09	0.028	8	51	1.1	67	0.13	<1	2.18	0.005	0.18	<0.1	0.01	2.5	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1236868	14-Sep-11	7031813.98	586095.33	1691	1.3	87.9	16.6	63	<0.1	43.5	19.8	578	4.72	28.7	3.2	2.6	7	<0.1	1.7	0.3	71	0.08	0.04	9	45	0.98	60	0.164	<1	1.95	0.006	0.15	<0.1	0.02	2.2	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1236869	14-Sep-11	7031815.41	586091.74	1693	1	118.2	16.8	75	<0.1	63.4	31.2	660	4.78	34.2	4.6	2.8	8	0.2	1.9	0.2	70	0.09	0.035	8	50	1.03	73	0.116	1	2.05	0.005	0.18	<0.1	0.03	2.5	0.1	<0.05	6	<0.5	<0.2	WHI11001833
1236870	14-Sep-11	7031818.60	586095.00	1692	1.1	88.8	16.3	74	0.1	49	24.1	689	5.05	43.2	3.9	2.4	9	0.1	1.5	0.2	83	0.13	0.046	8	56	1.14	95	0.136	1	2.22	0.006	0.19	0.1	0.05	2.7	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236871	14-Sep-11	7031821.51	586091.73	1695	1	113.8	17.6	70	<0.1	60.3	31.3	762	4.66	55.6	4.3	2.9	9	<0.1	2.2	0.2	70	0.07	0.032	8	49	1.06	77	0.1	<1	2.14	0.005	0.19	0.1	0.02	2.7	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236872	14-Sep-11	7031822.39	586098.60	1690	1.2	104.6	18	74	0.1	63.3	32.5	1215	5.1	40.9	4.7	2.7	12	0.2	1.5	0.2	80	0.23	0.043	9	55	1.1	117	0.121	<1	2.4	0.007	0.18	0.1	0.02	3.1	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236873	14-Sep-11	7031827.14	586091.33	1697	1.2	70.3	17.2	76	0.1	47.6	22.6	674	5.11	35	2.9	1.9	7	0.1	1.3	0.2	87	0.11	0.038	6	59	1.18	68	0.143	1	2.3	0.004	0.17	0.1	0.04	2.4	0.1	<0.05	8	<0.5	<0.2	WHI11001833
1236874	14-Sep-11	7031828.48	586096.25	1693	1.4	144.2	22.6	81	0.2	63.2	34.7	984	5.53	60.7	5.2	3.1	11	0.2	2.2	0.3	76	0.15	0.043	11	55	1.08	105	0.111	<1	2.37	0.008	0.19	<0.1	0.03	3.1	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236875	14-Sep-11	7031830.60	586092.52	1694	1.2	83.2	14.3	67	<0.1	45.2	21.7	562	4.4	45.6	3.4	2.5	6	0.1	1.5	0.2	72	0.07	0.028	7	48	0.99	64	0.101	<1	2.04	0.004	0.18	0.1	0.02	2.5	0.2	<0.05	6	<0.5	<0.2	WHI11001833
1236876	14-Sep-11	7031831.06	586097.48	1693	1.6	99.4	18.2	69	0.1	47.8	23.1	690	4.99	65.5	5.7	2.9	8	<0.1	2.4	0.3	74	0.08	0.037	9	48	0.89	80	0.118	<1	2.06	0.006	0.15	0.1	0.02	2.6	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1236877	14-Sep-11	7031835.13	586093.00	1698	1.2	96.3	15.6	76	<0.1	54.8	28.6	752	4.96	62.8	3	2.5	7	0.1	2.4	0.2	82	0.12	0.032	8	56	1.16	77	0.128	1	2.37	0.004	0.18	0.1	0.03	2.5	0.2	<0.05	7	<0.5	<0.2	WHI11001833
1236878	14-Sep-11	7031833.90	586098.77	1693	1.4	91.5	17	76	<0.1	50.7	25.2	717	5.11	76.3	7.1	2.7	7	<0.1	2.5	0.3	80	0.08	0.035	7	53	1.09	81	0.129	<1	2.22	0.005	0.17	0.1	0.03	2.4	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1236879	14-Sep-11	7031839.28	586096.47	1696	1.2	112.9	15.2	64	<0.1	62.1	33.1	693	4.24	56.7	10.4	2.9	7	<0.1	2.8	0.2	64	0.07	0.03	8	45	0.97	70	0.082	<1	1.95	0.006	0.17	0.1	0.02	2.6	0.1	<0.05	5	<0.5	<0.2	WHI11001833
1236880	14-Sep-11	7031838.17	586101.89	1692	1.4	75.7	14.9	66	<0.1	41.9	21.4	612	5.06	64.5	4.5	2.7	6	0.1	2.5	0.3	80	0.08	0.031	7	51	1.08	60	0.173	<1	2.02	0.005	0.17	<0.1	0.02	2.5	0.1	<0.05	7	<0.5	<0.2	WHI11001833
1236881	14-Sep-11	7031843.35	586099.39	1695	1.2	79.3	17.4	77	<0.1	56	30.8	851	4.94	48.7	6.1	1.9	10	0.2	1.3	0.3	75	0.23	0.044	8	54	1.15	98	0.099	2	2.28	0.006	0.19	<0.1	0.03	2.8	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236882	14-Sep-11	7031843.37	586101.96	1688	1.6	96.3	25.2	81	<0.1	56.8	28.5	981	5.21	52.7	8.4	2.6	10	0.2	1.7	0.3	76	0.15	0.053	10	55	1.13	105	0.133	2	2.49	0.008	0.19	<0.1	0.04	3.4	0.2	0.05	7	<0.5	<0.2	WHI11001834
1236883	14-Sep-11	7031849.60	586099.41	1690	1.1	76.8	13.5	75	<0.1	45.3	21.8	592	5.21	93	7.5	2.2	6	<0.1	2.6	0.2	84	0.09	0.029	8	54	1.21	73	0.131	2	2.39	0.004	0.19	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236884	14-Sep-11	7031851.82	586103.56	1690	1.6	68.1	18.6	68	0.2	45.1	20.9	640	4.95	84.3	15.4	2.1	7	0.1	2.7	0.3	83	0.1	0.046	9	52	1	78	0.157	1	2.1	0.005	0.16	<0.1	0.03	2.5	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236885	14-Sep-11	7031853.12	586098.60	1689	1.4	61.7	16.8	75	0.1	43.7	20.8	690	5.39	63.3	9.5	1.7	8	0.1	1.9	0.2	95	0.13	0.045	7	58	1.24	83	0.148	1	2.41	0.005	0.16	<0.1	0.03	2.6	0.2	<0.05	9	<0.5	<0.2	WHI11001834
1236886	14-Sep-11	7031858.33	586102.25	1688	1.1	72.6	16	72	<0.1	42.5	20.8	652	5.34	79.8	19.6	2.7	6	0.1	2.7	0.2	77	0.09	0.034	8	50	1.14	58	0.163	2	2.38	0.004	0.16	<0.1	0.02	2.8	0.1	<0.05	8	<0.5	<0.2	WHI11001834
1236887	14-Sep-11	7031864.76	586098.78	1687	1.4	106.3	18	78	<0.1	57.8	26.5	659	5.02	47.2	8.5	2.8	7	0.1	3.1	0.2	68	0.09	0.034	11	47	1.06	71	0.105	2	2.26	0.004	0.18	<0.1	0.02	3	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236

Sample Number	Date	Sample UTM Coordinates			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Northing	Easting	Elev.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	Certificate
1236889	14-Sep-11	7031870.18	586100.39	1689	1.4	60.3	16	80	<0.1	41.7	20.6	643	4.71	73.7	11.8	2.1	8	0.2	2.4	0.2	74	0.13	0.037	9	46	0.93	108	0.085	1	2.12	0.004	0.12	0.1	0.03	2.5	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236890	14-Sep-11	7031885.31	586106.52	1684	1	56.4	11.7	71	<0.1	42.5	19.9	544	5.23	138	24	2.2	5	0.1	4.6	0.2	98	0.09	0.025	6	61	1.38	58	0.175	1	2.49	0.004	0.2	<0.1	0.01	2.5	0.2	<0.05	8	<0.5	<0.2	WHI11001834
1236891	14-Sep-11	7031896.58	586106.32	1684	1.4	84.2	21.1	83	0.2	57.7	27.1	849	5.8	208	53	2.8	7	0.3	14.2	0.2	69	0.09	0.055	17	52	1.01	87	0.059	2	2.15	0.004	0.18	<0.1	0.04	4.4	0.2	<0.05	6	<0.5	<0.2	WHI11001834
1236892	14-Sep-11	7031907.85	586106.12	1684	1	120.6	17.8	75	<0.1	58.2	29.4	735	4.97	79.2	14.9	3.1	7	0.1	3.6	0.2	76	0.1	0.03	11	52	1.17	85	0.095	2	2.53	0.004	0.21	0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2	WHI11001834
1236893	14-Sep-11	7031921.09	586107.31	1683	0.9	69	14.8	77	0.1	42.5	21.2	686	4.84	51.9	9.7	1.6	7	0.2	2.9	0.2	83	0.11	0.054	9	58	1.19	88	0.097	1	2.33	0.004	0.13	0.1	0.04	3.2	0.1	<0.05	7	<0.5	<0.2	WHI11001834
1236894	15-Sep-11	7037264.29	567006.87	1640	0.8	21.6	23.6	58	<0.1	19.9	8.5	465	3.16	12.1	1.3	6.6	7	<0.1	0.7	0.3	29	0.03	0.036	32	19	0.35	82	0.013	<1	1.13	<0.001	0.03	0.2	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1236895	15-Sep-11	7037288.78	567046.58	1640	1.2	25.4	18.7	69	<0.1	22.9	11.7	945	2.86	13.1	1.5	2.2	16	<0.1	0.8	0.3	33	0.2	0.082	24	22	0.4	160	0.019	<1	1.13	0.002	0.05	0.1	0.04	1.6	<0.1	<0.05	4	<0.5	<0.2	WHI11001843
1236896	15-Sep-11	7037305.53	567089.48	1637	1.4	13.1	17.2	43	<0.1	13.2	5.4	318	2.29	12.2	1.4	1.4	9	<0.1	0.7	0.3	54	0.09	0.036	19	19	0.25	100	0.031	<1	0.96	<0.001	0.04	0.2	0.03	1.3	0.2	<0.05	6	<0.5	<0.2	WHI11001843
1236897	15-Sep-11	7037330.28	567135.17	1637	1.4	15.1	16.5	49	<0.1	17.5	7.2	296	2.71	13.8	1	1.5	9	<0.1	0.8	0.3	58	0.05	0.06	17	26	0.39	97	0.032	<1	1.33	<0.001	0.05	0.2	0.02	1.8	0.1	<0.05	7	<0.5	<0.2	WHI11001843
1236898	15-Sep-11	7037337.21	567189.25	1636	0.8	23.4	29.9	81	<0.1	23.8	12.4	519	2.91	18.5	1.1	9.8	15	0.2	0.6	0.2	16	0.11	0.056	35	13	0.2	65	0.007	<1	0.72	0.005	0.04	0.1	0.03	1.4	<0.1	<0.05	2	0.6	<0.2	WHI11001843
1236899	15-Sep-11	7037358.15	567251.09	1642	1.7	23.6	26.9	89	<0.1	30.7	12.1	798	3.34	17.5	0.7	5.9	10	0.3	0.8	0.3	31	0.08	0.061	26	27	0.38	94	0.017	2	1.27	0.006	0.05	0.1	0.05	1.5	<0.1	<0.05	4	0.6	<0.2	WHI11001843

Sample Number	Date	Rock Sampler	Sample UTM Coordinates			Description
			Easting	Northing	Elev.	
1211201	July 16, 2011	F. Vidmar	584963.26	7031035.66	1780	quartz with limonite
1211202	July 16, 2011	F. Vidmar	584924.17	7030962.26	1781	silicified sediment with sulphides
1211203	July 16, 2011	F. Vidmar	584902.98	7030946.27	1778	silicified sediment with limonite
1211204	July 16, 2011	F. Vidmar	584524.83	7030802.31	1719	quartz with pyrite
1211205	July 16, 2011	F. Vidmar	584420.24	7030849.40	1715	sediment with quartz veining and sulphides
1211206	July 16, 2011	F. Vidmar	584439.63	7030823.36	1721	quartz with limonite and galena
1211207	July 16, 2011	F. Vidmar	584433.53	7030846.71	1720	residual breccia with limonite, drusy
1211208	July 16, 2011	F. Vidmar	584286.53	7030777.80	1700	sediment with quartz veining, sulphides or sulphosalts
1211209	July 16, 2011	F. Vidmar	584253.68	7030748.52	1702	black chert with sulphides, yellow oxidation
1211210	July 16, 2011	F. Vidmar	584216.22	7030657.61	1691	abundant quartz with sulphides
1211211	July 16, 2011	F. Vidmar	583836.25	7030598.25	1653	oxidized breccia
1211212	July 16, 2011	F. Vidmar	583796.73	7030588.72	1651	silicified sediment with quartz veining, sulphide
1211213	July 16, 2011	F. Vidmar	583478.43	7030085.25	1613	silicified sediment with limonite, and pyrite
1211214	July 16, 2011	F. Vidmar	583055.24	7029481.12	1705	abundant quartz with oxidation
1211801	July 16, 2011	C. Jones	582136.25	7028712.09	1788	quartz vein, black oxidized outside, trace sulphides
1211802	July 16, 2011	C. Jones	582395.63	7028920.77	1745	quartz vein, 2-5mm crystals, vuggy, moderate oxidation
1211803	July 16, 2011	C. Jones	582467.42	7028889.75	1738	found in soil, intense oxidation throughout,
1211804	July 16, 2011	C. Jones	583094.50	7029491.62	1708	quartz, rusty, dark black cub cavities and limonite (pyrite replaced)
1211805	July 23, 2011	C. Jones	581324.06	7028871.63	1597	silicified grey sandstone, limonite staining, disseminated pyrite, scree slope
1211806	July 23, 2011	C. Jones	581494.06	7029023.81	1536	silicified sandstone, abundant, talus slope above creek, slight oxidation, no sulphides
1211807	July 23, 2011	C. Jones	581614.38	7029048.35	1529	silicified phyllite, strong fabric, slight folding in bedding, limonite stained throughout
1211808	July 23, 2011	C. Jones	581617.14	7029056.36	1529	increased oxidation, rusty with metallic blue manganese oxide throughout, silicified sandstone
1211809	July 23, 2011	C. Jones	581754.91	7029133.47	1530	beige sandstone, orange yellow staining throughout
1211810	July 23, 2011	C. Jones	582608.20	7029779.66	1521	silicified sandstone with quartz augens and plagioclase clasts, limonitic, black wispy veins near outside edges, porphyritic looking
1211811	July 24, 2011	C. Jones	591911.07	7015112.07	1592	Gossan, abundant, fine textured, black silicified sandstone/phyllite, lots of fine disseminated pyrite and few blebs,
1211812	July 24, 2011	C. Jones	591913.03	7015083.38	1594	location copied from gaps download 1213812 assuming a gaps typo because of time samples were taken, not a silt nor a soil either
1211813	July 24, 2011	C. Jones	591914.13	7014944.42	1635	Gossan, abundant, fine textured, black silicified sandstone/phyllite, lots of fine disseminated pyrite and few blebs,
1211814	July 24, 2011	C. Jones	581571.36	7016992.95	1842	medium textured limestone (crystalline), orange staining, alternating dark light bands, trace sulphides, 240/48 S
1211815	July 24, 2011	C. Jones	581732.23	7016868.77	1833	Dolostone, white with cracks, no mineralization, stratigraphically below well oxidized sed unit, rusty fractures
1211816	July 24, 2011	C. Jones	581556.90	7017119.37	1820	quartz, oxidized fractures, trace sulphides, voids with vuggs, abundant, host is a pale rhyolite
1211817	July 24, 2011	C. Jones	581527.16	7017237.80	1803	dark grey phyllite/schist, strong flow fabric, dark grey/black porphyroblast throughout, oxidized with fractures, limonitic, abundant
1211818	July 24, 2011	C. Jones	581501.01	7017299.23	1799	light grey silicified sandstone, with quartz and feldspar clasts?
1211819	July 24, 2011	C. Jones	581145.77	7017533.35	1765	abundant, bull quartz and quartz sandstone (silicified), limonite fractures, rusted out pyrite cubes,
1211820	July 24, 2011	C. Jones	580944.30	7018108.91	1748	silicified sandstone, quartz augens, 1 -2 mm quartz veins, cubic pyrite, limonitic
1211821	July 24, 2011	C. Jones	580851.14	7018675.45	1685	quartz vein (bed) in phyllite, oxidized, orange and black crystals, side of gully
1211822	July 24, 2011	C. Jones	580832.60	7018886.85	1652	silicified sandstone, light beige, pyrite cubes (1 -5 mm), limonite and manganese oxide staining, host is phyllite, 250/24 N,
1211823	July 24, 2011	C. Jones	580701.51	7019025.64	1635	quartz in silicified sandstone,
1211824	July 24, 2011	J. Blampton	592014.78	7015258.24	1502	? sulphides
1211825	July 24, 2011	J. Blampton	592018.17	7015257.75	1590	? Sulphides
1211826	July 24, 2011	J. Blampton	592028.82	7015226.34	1591	? sulphides
1211827	July 24, 2011	J. Blampton	592113.66	7015185.07	1598	? Sulphides
1211828	July 24, 2011	J. Blampton	591729.35	7015272.46	1583	? Sulphides
1211829	July 24, 2011	J. Blampton	583597.05	7016937.45	1659	? sulphides
Sample Number	Date	Rock Sampler	Sample UTM Coordinates			Description
			Easting	Northing	Elev.	

Sample Number	Date	Rock Sampler	Sample UTM Coordinates Easting	Northing	Elev.	Description
1211830	July 24, 2011	B. Osmond	591725.36	7015270.82	1583	? sulphides
1211831	July 24, 2011	B. Osmond	591640.26	7015296.14	1617	? Sulphides
1211832	July 24, 2011	B. Osmond	591641.45	7015292.18	1624	? sulphides
1211833	July 24, 2011	B. Osmond	581395.75	7017456.80	1780	? Sulphides
1211834	July 24, 2011	B. Osmond	581374.45	7017471.08	1774	? sulphides
1211835	July 24, 2011	B. Osmond	581078.91	7018216.88	1754	? Sulphides
1211836	July 24, 2011	B. Osmond	589116.57	7029137.35	1489	? Sulphides
1211837	July 24, 2011	B. Osmond	589109.17	7029142.11	1488	? sulphides
1211838	July 24, 2011	B. Osmond	590042.84	7029821.03	1492	? Sulphides
1211839	July 24, 2011	B. Osmond	589570.03	7029652.98	1517	? sulphides
1212751	July 16, 2011	I. Youngreen	581372.80	7028408.89	1711	oxidized quartzite, layered rusty, possible hematite staining on edges (red)
1212752	July 16, 2011	I. Youngreen	581802.71	7028363.14	1746	oxidized shale,
1212753	July 16, 2011	I. Youngreen	581849.55	7028340.12	1746	qtz, rusty fractures and oxidized
1212754	July 16, 2011	I. Youngreen	582196.29	7028566.08	1759	qtz veining, little oxidation, crystals in vuggs
1212755	July 16, 2011	I. Youngreen	582312.32	7028684.06	1755	dolomitic limestone
1212756	July 16, 2011	I. Youngreen	582481.97	7028797.72	1727	oxidized quartz with microcline cavities, rusty on fractures
1212757	July 16, 2011	I. Youngreen	582514.21	7028850.21	1727	quartz conglomerate/breccia, rusty vuggs, heavy
1212758	July 16, 2011	I. Youngreen	582517.02	7028853.36	1726	breccia with rust quartz crystals
1212759	July 16, 2011	I. Youngreen	582605.62	7029281.33	1703	quartzite?, limonite staining, possible oxidized sulphides
1212760	July 16, 2011	I. Youngreen	582677.21	7029272.82	1709	sulphide staining, fractured and cavitated, yellow sulphuric staining also
1212761	July 16, 2011	I. Youngreen	583129.78	7029619.41	1695	quartzite?, slickensides, no other rock appear to have slicken slides
1212762	July 17, 2011	I. Youngreen	583287.29	7029739.55	1672	rusty layered sandstone, vg disseminated pyrite
1212763	July 17, 2011	I. Youngreen	583743.37	7030378.05	1630	rusty quartz, granular and rusty throughout
1212764	July 17, 2011	I. Youngreen	583843.51	7030448.22	1639	rusty fractured quartz, no sulphides, small dark cavities
1212765	July 17, 2011	I. Youngreen	583923.43	7030515.76	1649	bull quartz, sulphide staining yellow, visible sulphides in oxidized vuggs
1212766	July 17, 2011	I. Youngreen	584717.85	7030735.54	1721	quartz, crystals, increase oxidation in vein, boundary between sandstone and slate
1212767	July 17, 2011	I. Youngreen	584918.68	7030797.08	1760	breccia, large boulder, rust throughout, no sulphides, slate clasts
1212768	July 17, 2011	I. Youngreen	585323.12	7031101.83	1783	very rust silicified quartz, multi fractured
1212769	July 17, 2011	I. Youngreen	585593.62	7031320.86	1800	veined quartz, (stockwork),
1212770	July 17, 2011	I. Youngreen	585693.58	7031326.51	1791	quartz with vuggy fractures, oxidized
1212771	July 17, 2011	I. Youngreen	585783.05	7031293.41	1748	shale/sandstone, oxidized in layers
1212772	July 17, 2011	I. Youngreen	585987.79	7031615.39	1720	fractured quartz, host is folded shale
1212773	July 17, 2011	I. Youngreen	585998.35	7031640.65	1718	partial oxidized conglomerate, very rusty and brecciated, strike = 60 N
1212774	July 23, 2011	I. Youngreen	586377.72	7033226.24	1304	fractured rust quartz in creek, dark grey
1212775	July 23, 2011	I. Youngreen	586539.05	7035788.42	934	rusty quartz, shale intrusions in places,
1212776	July 23, 2011	I. Youngreen	586536.94	7035790.95	936	shale with veined quartz (stockwork), red staining in parts
1212901	July 16, 2011	D. Mac Gearailt	584983.08	7031108.67	1779	silicified quartz/siltstone, from oxidized section of scree slope
1212902	July 16, 2011	D. Mac Gearailt	585268.01	7031261.95	1761	quartz/calcite vein with some graphitic shale, slightly oxidized
1212903	July 16, 2011	D. Mac Gearailt	586097.58	7032033.924	1667	fine to medium grained red sandstone with minor quartz veinlets, limonite and fresh pyrite
1212904	July 16, 2011	D. Mac Gearailt	586982.10	7032711.006	1536	quartz vein
1212905	July 16, 2011	D. Mac Gearailt	585604.48	7031220.311	1798	oxidized silicified siltstone, sample taken just see
1212906	July 16, 2011	D. Mac Gearailt	584807.14	7031016.528	1769	quartz vein, no visible sulphides, oxidized
1213812	July 24, 2011	C. Jones	591913.03	7015083.381	1594	Gossan, abundant, fine textured, black silicified sandstone/phyllite, lots of fine disseminated pyrite and few blebs,
1219901	September 12, 2011	D. Mac Gearailt	585738.15	7031434.62	1764	quartz-sericite-muscovite-schist, no carbonates, heavily sheared, taken from a bed in what could be a thrust fault, N/S
1219902	September 12, 2011	D. Mac Gearailt	585957.35	7031596.16	1720	fine grained sand/siltstone, minor pyrite/oxi blebs, muscovite
1219903	September 12, 2011	D. Mac Gearailt	586107.02	7031832.99	1690	oxi siltstone, taken near high soil sample, quartz-muscovite-limonite, purple wine hue on weathered surface
1219904	September 12, 2011	D. Mac Gearailt	586074.12	7031741.92	1689	quartz-sericite-schist with crosscutting quartz veinlets, oxi along fractures

Sample Number	Date	Rock Sampler	Sample UTM Coordinates Easting	Northing	Elev.	Description
1219905	September 12, 2011	D. Mac Gearailt	586060.90	7031712.675	1690	some wall rock, quartz-sericite-little chlorite-schist, soft platy, lots of isocline nodes, sheeted veins
1219906	September 13, 2011	D. Mac Gearailt	583197.28	7029448.74	1700	alteration rusty sandstone, limonitic along fractures, small 2-4 mm cubic pyrite, developing schistocity, no carbonates
1219907	September 13, 2011	D. Mac Gearailt	583372.28	7030112.839	1608	siliceous sandstone with oxi rind on weathered surface, almost argillitic in places, disseminated sulphide + chlorite
1219908	September 13, 2011	D. Mac Gearailt	586109.79	7031846.333	1686	dark grey-green phyllite/schist with stockwork quartz veins + vuggy textured + oxi vuggs
1219909	September 13, 2011	D. Mac Gearailt	586124.16	7031947.025	1681	quartz vein, float with arsenopyrite, Tom
1219910	September 13, 2011	D. Mac Gearailt	586102.78	7031859.011	1689	quartz-chlorite schist, no carbonates, very hard, slightly oxi rind, hanging wall, pyrite, pyrrhotite, arsenopyrite?
1219911	September 13, 2011	D. Mac Gearailt	586084.96	7031780.932	1689	hanging wall, quartz-chlorite schist, no visible sulphide, hard, platy, looks sheared + silicified
1219912	September 13, 2011	D. Mac Gearailt	581302.45	7018063.992	1771	quartz vein with arsenopyrite, rusty vuggs, glassy quartz, chlorite sed
1219913	September 14, 2011	D. Mac Gearailt	566876.88	7036825.796	1650	bleached white looking subcrop when weathered, hard cherty + sericite with fine disseminated sulphides
1219914	September 14, 2011	D. Mac Gearailt	566031.72	7036778.742	1648	siliceous sed/schist with minor pinhead sulphides
1219915	September 14, 2011	D. Mac Gearailt	565486.92	7036439.612	1600	coarse grained to quartz pebble conglomerate-sericite, pyrite with limonitic matrix, pyrite is fresh, area is a recessive saddle with dip direction from east , dip on east side of fault to west dip on west side of fault
1235573	September 5, 2011	T.Morgan	586110.97	7031847.561		sample at 1212602, anomalous Au soil sample, micaceous fracture schist, min fracture filled
1235574	September 6, 2011	T.Morgan	586096.58	7031816.21	1680	quartz vein in pyrite and arsenopyrite + grey sulphide
1235575	September 6, 2011	T.Morgan	586115.30	7031919.176	1667	fractured micaceous schist with pyrite + arsenopyrite some quartz in fracture fills
1235576	September 6, 2011	T.Morgan	585824.43	7031593.359	1715	quartz vein in micaceous grey schist, pyrite, chalcopyrite, arsenopyrite
1235577	September 7, 2011	T.Morgan	581313.51	7018331.164	1712	stockworked quartzite schist, pyrite, hematite and sericite along wide quartz vein
1235578	September 7, 2011	T.Morgan	581317.60	7018341.517	1703	stockworked brecciated phyllitic chloritic schist with oxidized sulphides
1235579	September 7, 2011	T.Morgan	581317.60	7018341.517	1703	pyritic fracture fills in chloritic sandstone-schist
1235580	September 7, 2011	T.Morgan	581317.60	7018341.517	1703	vuggy contact quartz in schist, pyrite and yellow-green oxide
1235581	September 8, 2011	T.Morgan	581232.56	7018177.491	1762	hematitic quartz, goethite cubes, rusty open spaces
1235582	September 8, 2011	T.Morgan	581230.35	7018171.147	1764	rusty quartz with chlorite and grey sulphide
1235583	September 8, 2011	T.Morgan	581213.07	7018129.929	1767	semi-massive arsenopyrite in stockworked quartzite schist to sheared sandstone
1235584	September 8, 2011	T.Morgan	581224.79	7018114.052	1775	disseminations, fracture fills and 1 cm wide blebs of arsenopyrite in sandstone/schistose
1235585	September 9, 2011	T.Morgan	588086.41	7017443.378	1399	30% disseminated pyrite-pyrrhotite bandings, minor chalcopyrite in quartzite schist
1235586	September 9, 2011	T.Morgan	588090.25	7017445.931	1404	pyrite, pyrrhotite dissemination in quartzite schist
1235587	September 9, 2011	T.Morgan	588095.93	7017470.389	1408	vein in pyritic quartzite, actinolite?, arsenopyrite stringers and massive 3 cm lens
1235588	September 10, 2011	T.Morgan	581316.43	7018066.382	1763	quartz vein and sugary bleached sandstone (white), disseminated limonite and arsenopyrite blebs, mineralization is more abundant in sandstone rather than quartz vein
1235589	September 10, 2011	T.Morgan	581460.85	7018057.255	1727	bleached white-beige sandstone (sugary) with disseminated limonite, large 1cm blebs of arsenopyrite, small quartz veins less than 1cm cut rock, sub rounded
1235590	September 11, 2011	T.Morgan	578339.29	7016177.921	1474	contact granite/quartzite, quartz vein with pyrite
1235591	September 11, 2011	T.Morgan	578392.79	7016403.336	1488	pyritic quartzite, disseminations + stockworking
1235592	September 13, 2011	T.Morgan	586010.55	7031795.059	1695	quartz vein with chlorite + grey sulphide
1235593	September 13, 2011	T.Morgan	586010.55	7031795.059	1695	rusty oxidized quartz vein, vitreous lustre, dark brown limonite or staining, trace sulphide
1235594	September 13, 2011	T.Morgan	581276.77	7018113.86	1770	sandstone with fine gold metallic, looks like visible gold, wire gold
1235595	September 13, 2011	T.Morgan	581368.59	7017780.74	1763	oxidized quartz vein with pyrite and open-spaced leached areas
1235596	September 14, 2011	T.Morgan	565800.97	7036637.79	1627	limonitic-chloritic quartz and micaceous schist, minor pyrite + grey sulphide with chlorite
1235597	September 14, 2011	T.Morgan	565207.31	7036738.89	1478	quartz vein in sandstone, some shearing with minor pyrite
1235598	September 10, 2011		592094.00	7015361.00		grab of sulphide-rich quartzite schist at post location while witness staking at posts
1235599	September 16, 2011	T.Morgan	581276.77	7018113.86	1770	2nd samples of 1235594, little broken off piece of high-graded wire gold?
1235651	September 12, 2011	S. Roach	586094.99	7031824.27	1697	Fractured Quartz-Sericite-(Chlorite) Schist - grayish-brown weathered and brownish-gray fresh color, strong sil-ser-(chl) alteration and sheared, 5% to 10% qcs/cs parallel to sh, < 1% py
1235652	September 12, 2011	S. Roach	586059.47	7031718.16	1699	Quartz Vein - white color, quartz composition, sugary/granular texture, weakly fractured vn, ≤1% to 2% wallrock septae, < 1% py and spec/splash of cpy (< 0.5%)
1235653	September 13, 2011	S. Roach	586119.94	7031934.50	1685	Quartz-Sericite-Chlorite Schist - brown weathered ans grayish white fresh color, strong sil>ser>chl with strong sheared controlled sil, no cb, vfg and strongly sheared, <1% qs, ≤1% py-po>aspy
1235654	September 13, 2011	S. Roach	581234.18	7018138.63	1780	Silicified Arenaceous Sandstone - brown weathered and bleached white fresh colors, strong pervasive sil alteration being vfg, < 1% qs, possible aspy up to 1% with < 1% py

Sample Number	Date	Rock Sampler	Sample UTM Coordinates Easting	Northing	Elev.	Description
1235655	September 14, 2011	S. Roach	565782.07	7036637.92	1621	Quartz Vein - white to milky white color, quartz composition, mod fractured with hem fractures, ≤1% py-(aspy) in fractures and scorordite?
1235656	September 14, 2011	S. Roach	565543.68	7036531.17	1593	Sheared Sandstone - brown weathered and brownish-gray fresh color, hematitic with hem-ser-sil with 40% to 45% fg to mg quartz, strongly sheared with occasional py-aspy < 1%
1235657	September 15, 2011	S. Roach	586096.05	7031833.99	1705	Fractured Chlorite-Carbonaceous Argillaceous Schist - brown weathered and black to dark gray fresh colors, argillaceous composition with chlorite>ser>sil, no carbonate, 10% cross-cutting qs, < 1% py-aspy
1235658	September 15, 2011	S. Roach	586105.67	7031888.08	1697	Silicified/Sheared Chlorite Schist - brown weathered and grayish-white fresh color, strong hem along joints/fractures in wallrock and mod sil along shears (qs?) with overall moderate ser-sil, strong calcite carbonate, strongly sheared, ≤1% py-aspy and spec of cpy
1235659	September 15, 2011	S. Roach	586121.37	7031941.08	1694	Weakly Fractured/Silicified Sericite Schist - brown rusty weathered and light greenish-gray fresh colors, strongly silicified along shears with < 1% to 5% qs fractures and joints, strong ser altered sheared matrix, <1% to 3% py-(aspy) with po? Along sil-hem shear planes
1235660	September 15, 2011	S. Roach	586110.28	7032000.48	1683	Sheared Carbonaceous Argillite/Shale - rusty brown weathered and black color, moderately carbonaceous-(chlorite) argillaceous composition, strong and local ser-sil along shear planes, vfg and strongly sheared, < 1% qs, < 1% po-aspy
1235661	September 15, 2011	S. Roach	585980.60	7031905.99	1674	Quartz-Carbonate Veinlet/Sheared Argillite - white, greenish-gray and smoky gray fresh colors, strongly sil smoky gray bands parallel to qcs (5 cm wide), strongly sheared, ≤15 cpy-po coarse splashes in qcv with possible aspy-gn?? In smoky sil wallrock bands
1235662	September 15, 2011	S. Roach	585817.67	7031787.23	1688	Silicified Argillite - light greenish-gray fresh color, strong pervasive sil in strongly sheared matrix, < 1% qs parallel to sh, < 1% py-aspy
1235663	September 15, 2011	S. Roach	586195.61	7032085.13	1664	Sheared and Fractured Carbonaceous Argillite/Shale - brown weathered and black fresh surface colors, carbonaceous argillaceous composition, strongly sheared, 5% to 10% boudinaged qs with < 1% to 2% vfg disseminated aspy-py-po
1235664	September 15, 2011	S. Roach	586207.18	7032122.19	1666	Quartz Vein - white color, quartz composition with no carbonate, in contact with strongly chl wallrock, moderately fractured glassy vn, 2% to 3% mg to cg cpy splashes and disseminations along quartz fractures adjacent to chl altered wallrock, < 1& po-py
1235665	September 15, 2011	S. Roach	586591.64	7032333.57	1592	Quartz Veinlet/Fractured Argillite - greenish-gray and brownish white fresh color, argillaceous composition with weak to moderate sil with an overall muscovite-sericitic composition, strongly sheared. 5 to 6 cm wide qs/qv parallel to shears, ≤1% py-po disseminations in wallrock and < 1% py-po in vn
1236301	September 12, 2011	C. Jones	585197.27	7031147.68	1767	dark grey calcareous shale to silicified silt/sandstone, limey silicic sandstone, rotten phyllite contact also
1236302	September 12, 2011	C. Jones	585666.27	7031395.93	1784	sub breccia, silic sandstone, limonitic with increased mica, phyllite sandstone mix
1236303	September 12, 2011	C. Jones	585808.15	7031564.61	1734	oxidized orange stained phyllite, grey metallic vuggs,
1236304	September 12, 2011	C. Jones	586132.58	7031867.95	1684	very foliated fine textured dark grey sandstone, limonitic fractures
1236305	September 12, 2011	C. Jones	586099.36	7031809.96	1693	oxidized brown/grey phyllite
1236306	September 12, 2011	C. Jones	586110.69	7031847.81	1689	oxidized brown/grey phyllite/schist, maybe really foliated fine textured sandstone? Limonitic outside with manganese oxide, inside lucky Lewis hole
1236307	September 12, 2011	C. Jones	586109.14	7031848.11	1690	grey fine textured sandstone/schist, foliated, dark limonite staining along foliations
1236308	September 12, 2011	C. Jones	586109.11	7031848.14	1691	phyllite with quartz vein
1236309	September 12, 2011	C. Jones	586099.00	7031852.00		graphitic finer textured sediment/schist, border line shale?, orange quartz veinlets, limonitic
1236310	September 12, 2011	C. Jones	586150.50	7031849.35	1668	grey white speckled phyllite/fine textured sandstone (increased foliation), phyllitic foliation surface (waxy schistose lustre), fresh massive pyrite localized
1236311	September 12, 2011	C. Jones	586148.51	7031867.01	1669	fine textured sandstone (increased foliation), fine grained silver mica on outer surface (kaolinite/alunite alteration?), limonitic
1236312	September 12, 2011	C. Jones	586131.91	7031887.11	1677	same as 1236312 but from soil sample 1212603
1236313	September 12, 2011	C. Jones	586109.66	7031878.73	1683	same as 1236312
1236314	September 12, 2011	C. Jones	586107.24	7031856.14	1686	limonitic fine textured sandstone with flow/phyllitic fabric, maybe even schist?, dark limonite streak along foliation,
1236315	September 12, 2011	C. Jones	586235.00	7032123.59	1641	carbonaceous schist, light grey, increased sericite,
1236316	September 13, 2011	C. Jones	583167.91	7029401.79	1702	silic sandstone, limonitic with arsenopyrite disseminated (minor), flat weathered plateau
1236317	September 13, 2011	C. Jones	583192.32	7029440.95	1708	silic sandstone with black cubic pyrite, limonitic, light grey brown
1236318	September 13, 2011	C. Jones	583332.44	7029564.03	1691	silic sandstone with 2 mm quartz stringers (stockwork), oxidized, minor pyrite in cubic form, increased manganese oxide
1236319	September 13, 2011	C. Jones	586112.04	7031899.83	1694	grey schist/phyllite, sandstone protolith (see grains when broke perpendicular to foliation), waxy along foliation planes, limonite stockwork (<1mm)
1236320	September 13, 2011	C. Jones	586118.30	7031942.97	1688	grey schist, with very fine disseminated pyrite/ arsenopyrite and blebs of massive sulphide, oxidized with disseminated limonite
1236321	September 13, 2011	C. Jones	586081.81	7031770.92	1693	dark grey schist (darker than other trench rock), limonitic with small quartz inclusion or grains

1236322	September 13, 2011	C. Jones	581287.48	7018102.16	1774	sugary white quartz sandstone with disseminated limonite and arsenopyrite (less arsenopyrite and typically found in limonite),
1236323	September 13, 2011	C. Jones	581251.73	7018102.70	1770	brown quartz vein, oxidized with dark brown staining, cubic pyrite (minor), manganese oxide, dark black quartz crystal growth,
1236324	September 13, 2011	C. Jones	581404.40	7017451.31	1769	silic sandstone, bleached out similar to 1236322, limonite riddled, arsenopyrite blebs
1236325	September 13, 2011	C. Jones	581393.90	7017453.74	1767	bleached white-beige sandstone (sugary) with disseminated limonite, large 1cm blebs of arsenopyrite and disseminated, small quartz veins less than 1cm cut rock, sub rounded
1236326	September 13, 2011	C. Jones	581389.12	7017456.10	1766	same as above, very distinct rock type for area however moss/liken cover makes it difficult to tell without breaking
1236327	September 14, 2011	C. Jones	565779.20	7036607.05	1616	grey limestone, thin bedding in phyllite/siltstone unit, minor pyrite (cubic), wispy calcite veins (<1mm)
1236328	September 14, 2011	C. Jones	565686.24	7036526.04	1606	well foliated, silic sandstone with quartz pebble texture, phyllitic foliation surfaces, good clay alteration, riddled with limonite
1236329	September 14, 2011	C. Jones	565588.07	7036454.15	1611	shale/fine textured sandstone, pyrite blebs (cubic), very gossanous ridge top, phyllitic foliation planes
1236330	September 14, 2011	C. Jones	565450.87	7036418.28	1600	border of interpreted fault (saddle), limonite riddled sandstone with minor pyrite, foliated
1236331	September 14, 2011	C. Jones	565292.96	7036397.76	1587	very oxidized silic sandstone, sericitic, limonite riddled, trace pyrite
1236332	September 15, 2011	C. Jones	565076.25	7036505.67	1569	grey soapy siltstone, rusty, trace pyrite
1236333	September 15, 2011	C. Jones	582509.76	7017936.21	1411	dark silic sandstone, slight flow fabric with foliation planes filled with massive silver sulphide and also very fine throughout, found in creek, very abundant
1236334	September 15, 2011	C. Jones	582421.99	7018149.66	1390	same as 1236333 but increased pyrite
1236335	September 15, 2011	C. Jones	582384.65	7018513.93	1320	similar rock to plateau trench, increased foliated fine textured sandstone, borderline schist?, oxidized with 30% massive pyrite
1236336	September 15, 2011	C. Jones	582319.38	7018703.54	1287	near dead half eaten caribou, didn't get good look, very similar to trench rock on plateau property (north), outcrop, abundant, similar to 12336335
1236337	September 15, 2011	C. Jones	582280.33	7018831.25	1258	silic sandstone, same as 1236333
1236338	September 15, 2011	C. Jones	582243.91	7018903.11	1239	same as 1236333 but loaded with pyrite
1236339	September 15, 2011	C. Jones	582215.24	7019052.10	1217	same as 1236333 but loaded with pyrite
1236340	September 15, 2011	C. Jones	582219.01	7019052.10	1202	large quartz vein in bedded unit (phyllite), lots of pyrite (very oxidized)
1236341	September 15, 2011	C. Jones	581965.70	7020433.99	980	trench rock, pyritic schist (minor),
1236342	September 12, 2011	B. Osmond	585992.83	7031905.32	1670	
1236343	September 12, 2011	B. Osmond	585958.21	7031862.92	1674	
1236344	September 12, 2011	B. Osmond	586061.56	7032047.74	1650	
1236345	September 12, 2011	B. Osmond	585912.15	7032034.50	1611	
1236346	September 12, 2011	G. Genois	582207.72	7033104.25	1430	
1236347	September 12, 2011	D. Blampkin	585862.56	7032076.07	1583	
1236348	September 12, 2011	D. Blampkin	586071.39	7032317.81	1569	

APPENDIX 3

Elmer Creek/Duo Lake Formation

Yusezyu Formation PCH

See Target Map for sample names

Hess River

Q

PCH

0.25 (1212775) 0.25 (1212776)
0.7 (1236346)
0.6 (1212774)
1.5 (1212904)
0.25 (1236348) 1 (1235665)
20.7 (1235664) 1.4 (1236344) 0.6 (1236347) 5.8 (1236342) 7.4 (1236345) 0.7 (1235661) 4.3 (1236315) 1.6 (1235663) 12.6 (1212903) 0.8 (1235660) 1.9 (1236311)
49.4 (1236302) 0.6 (1235662) 2.5 (1235592) 3.2 (1235576) 2.9 (1236303) 158.6 (1212773) 0.25 (1212772) 0.25 (1219902) 0.8 (1219901) 0.25 (1212771)
8.4 (1211207) 8.4 (1211206) 201.9 (1211205) 2.9 (1212902) 2.9 (1212901) 0.8 (1212906) 1.8 (1212906) 11.4 (1211208) 0.6 (1211211) 3.5 (1211209) 6.7 (1211210) 1.7 (1211204) 1 (1211212) 3 (1212765) 0.9 (1212764) 9.7 (1212763) 0.9 (1212764) 0.25 (1219907) 0.25 (1211213) 0.25 (1211810) 3 (1212762) 2.8 (1212761) 1.4 (1211804) 1.2 (1211214) 1.1 (1236316) 0.25 (1236318) 0.25 (1219906) 7.6 (1236317) 5.7 (1212759) 32 (1212760) 0.25 (1211807) 8.8 (1211809) 0.9 (1211806) 0.6 (1211808) 0.8 (1211805) 22.5 (1211802) 12.8 (1211803) 5.1 (1211801) 19.7 (1212758) & 23.5 (1212757) 0.5 (1212756) 0.25 (1212755) 1.4 (1212754) 0.9 (1212751) 0.8 (1212753)
0.25 (1236301) 1.1 (1212769) 3.5 (1212905) 0.25 (1212770) 0.25 (1211201) 1.1 (1211202) 1.6 (1211203) 55.7 (1212767) 3.4 (1212766)
14.7 (1211838) 0.25 (1211839) 30.5 (1211837) 55 (1211836)

Features

Rock Samples (117)

Type
- unkown
- float
- subcrop
- outcrop

Rock Geochemistry

Au ppb (Natural Breaks)
- 0.25* - 0.6
- 0.7 - 1.3
- 1.4 - 2.5
- 2.6 - 5.1
- 5.2 - 9.7
- 9.8 - 14.7
- 14.8 - 23.5
- 23.6 - 32.0
- 32.1 - 73.4
- 73.5 - 201.9

Lithology

Cenozoic
- Q — Quaternary cover - silt/sand/gravel

Ordovician - Lower Devonian
- Elmer Creek/Duo Lake Formation - shale with chert and minor limestone

Upper - Mid Cambrian
- PCH — Yusezyu Formation - sands., congl., argillite/phyllite (calc. /moncalc.), carbonaceous shale

*Gold Detection Limit (DL) = 0.5 ppb; 1/2 DL (0.25 ppb) used for statistical purposes





GOLDSTRIKE RESOURCES LTD TSX.V:GSR

Plateau North Rock Samples

Legend
- Contours (20 ft)
- Index Contours (100 ft)
- River
- Lake
- Wetland
- Plateau North Outline
- Plateau Claims

Coordinate System:
NAD 1983 UTM Zone 8N
Scale: 1:25,000
Mapsheets: 105N02-4,5-6,10-12
Drawn by: DRUID-6
Checked by:
Date: 28 Mar 2012 at 11:48:AM

0 0.25 0.5 1 1.5 2 Kilometers

Yusezyu Formation PCH

Elmer Creek/Duo Lake Formation

See Target Map for sample names

Hess River

*Gold Detection Limit (DL) = 0.5 ppb; 1/2 DL (0.25 ppb) used for statistical purposes

Map Extents

Plateau North Claim Outline

Mayo

Silver Trail Hwy

Klondike Highway

Mayo Lake

Elliott Lake

Lake

Wetland

Plateau North Outline

Plateau Claims

Contours (20 ft)

Index Contours (100 ft)

River

Kilometers

Meters

1:5,000

Geochemistry

Soil Samples (947)

Au ppb (Natural Breaks)

- 0.25* - 3.7
- 3.8 - 8.4
- 8.5 - 18.7
- 18.8 - 39.7
- 39.8 - 79.1
- 79.2 - 176.8
- 176.9 - 487.8
- 487.9 - 1204.7
- 1204.8 - 2549.2
- 2549.3 - 11343.3

Silt Samples (2)

Au ppb

- □ 1.80 - 2.30

Lithology

Cenozoic

Q — Quaternary cover
- silt/sand/gravel

Ordovician - Lower Devonian

Elmer Creek/Duo Lake Formation
- shale with chert and minor limestone

Upper - Mid Cambrian

PCH — Yusezyu Formation
- sands., congl., argillite/phyllite (calc. /noncalc.), carbonaceous shale

Plateau North Silt and Soil Samples

GOLDSTRIKE RESOURCES LTD TSX.V:GSR

Coordinate System:
NAD 1983 UTM Zone 8N
Scale: 1:25,000
Mapsheets: 105N02-4,5-6,10-12
Drawn by: DRUID-6
Checked by:
Date: 28 Mar 2012 at 12:20:PM

APPENDIX 4



Features

Rock Samples (64)

Type
- unkown
- float
- subcrop
- outcrop

Rock Geochemistry

Au ppb (Natural Breaks)
- 0.25* - 0.6
- 0.7 - 1.3
- 1.4 - 2.5
- 2.6 - 5.1
- 5.2 - 9.7
- 9.8 - 14.7
- 14.8 - 23.5
- 23.6 - 32.0
- 32.1 - 73.4
- 73.5 - 201.9

Lithology

Cenozoic
- Q — Quaternary cover - silt/sand/gravel

Ordovician - Lower Devonian
- Elmer Creek/Duo Lake Formation - shale with chert and minor limestone

Upper - Mid Cambrian
- PCH — Yusezyu Formation - sands., congl., argillite/phyllite (calc. /honcalc.), carbonaceous shale

*Gold Detection Limit (DL) = 0.5 ppb; 1/2 DL (0.25 ppb) used for statistical purposes





N

GOLDSTRIKE RESOURCES LTD TSX.V:GSR

Plateau North Target Rock Samples

Legend
- Contours (20 ft)
- Index Contours (100 ft)
- River
- Lake
- Wetland
- Plateau North Outline
- Plateau Claims

Coordinate System:
NAD 1983 UTM Zone 8N
Scale: 1:5,000
Mapsheets: 105N02-4,5-6,10-12
Drawn by: DRUID-6
Checked by:
Date: 29 Mar 2012 at 09:13:AM

0 125 250 500 Meters





*Gold Detection Limit (DL) = 0.5 ppb; 1/2 DL (0.25 ppb) used for statistical purposes





GOLDSTRIKE RESOURCES LTD TSX.V:GSR

Plateau North Target Silt and Soil Samples

Legend

- Contours (20 ft)
- Index Contours (100 ft)
- River
- Lake
- Wetland
- Plateau Claims
- Plateau North Outline

Coordinate System:
NAD 1983 UTM Zone 8N
Scale: 1:5,000
Mapsheets: 105N02-4,5-6,10-12
Drawn by: DRUID-6
Checked by:
Date: 28 Mar 2012 at 01:01:PM

0 125 250 500 Meters

APPLICATION FOR CERTIFICATE OF WORK AND GROUPING DOCUMENTS

Yukon
Energy, Mines and Resources

QUARTZ MINING ACT FORM 4 SECTION 56

APPLICATION FOR A CERTIFICATE OF WORK

Version française

Office Date Stamp

I, Daithi Mac Gearailt ,

of Box 1485, Dawson City, YT Y0B 1G0

Phone 867-993-5202

make oath and say that:

1. I am the owner, or agent of the owner, of the mineral claim(s) to which reference is made herein.

2. I have done, or caused to be done, work, on the following mineral claim(s): (Here list claims on which work was actually done by number and name)

Please see attached "LIS OF CLAIMS WORKED"

situated at Between Hess R. & Pleasant Creek Claim sheet No. 105-N-05 and 105-N-06

in the Mayo Mining District, to the value of at least $103,444.56 dollars,

since the 15th day of July 20 11 ,

to represent the following mineral claims under the authority of Grouping Certificate No. _____.
(Here list claims to be renewed in numerical order, by grant number and claim name, showing renewal period requested).

Plat 1 to 180, YE14001-YE14138 and YE15325 - YE15366

Please renew all Plat claims for 5 years

3. The following is a detailed statement of such work: (Set out full particulars of the work done indicating dates work commenced and ended in the twelve months in which such work is required to be done as shown by Section 56).

A prospecting soil, silt and rock sampling program was conducted on behalf of Goldstrike Resources Ltd. on

the Plateau North Property between July 15 and September 25, 2011 by Druid Exploration Ltd.

Sworn before me at Dawson City, YT this 9 day of March 20 12 .

Notary Public

Owner or Authorized Agent

Access to Information and Protection of Privacy Act

The personal information requested on this form is collected under the authority of and used for the purpose of administering the *Quartz Mining Act*. Questions about the collection and use of this information can be directed to the Mining Recorders Office, Mineral Resources, Department of Energy, Mines and Resources, Yukon Government, Box 2703, Whitehorse, Yukon Territory, Y1A 2C6 (867) 667-3190

YG(5049Q) F2 04/2003

EXPLORATION COSTS ASSOCIATED WITH THE Plateau North PROPERTIE BETWEEN July 15th and Sep15th 2011	MAYO	13 xdays work	
ITEM	**COST/ UNIT**	**UNIT AMOUNT**	**TOTAL**
HELICOPTER Longranger (Heli-D)	$ 1,200.00	64.153	$ 76,983.60
ROCK ASSAY	$ 28.88	117	$ 3,378.96
SOIL ASSAY	$ 18.00	947	$ 17,046.00
SILT ASSAY	$ 18.00	2	$ 36.00
Report preperation - Stephen Roach	$ 6,000.00	1	$ 6,000.00
		TOTAL	**$ 103,444.56**

March 9th - 2012 Justin MacDonald

List of claims wanted

GRANT_NUMB	REGULATION	TENURE_STA	CLAIM_LABE	CLAIM_NAME	CLAIM_NUMB	OWNER_NAME	STAKING_DA	RECORDED_D	EXPIRY_DAT	DISTRICT_N
YE14008	Q	Active	Plat 8	Plat	8	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14010	Q	Active	Plat 10	Plat	10	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14027	Q	Active	Plat 27	Plat	27	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14029	Q	Active	Plat 29	Plat	29	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14031	Q	Active	Plat 31	Plat	31	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14032	Q	Active	Plat 32	Plat	32	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14033	Q	Active	Plat 33	Plat	33	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14034	Q	Active	Plat 34	Plat	34	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14035	Q	Active	Plat 35	Plat	35	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14036	Q	Active	Plat 36	Plat	36	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14037	Q	Active	Plat 37	Plat	37	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14038	Q	Active	Plat 38	Plat	38	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14039	Q	Active	Plat 39	Plat	39	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14040	Q	Active	Plat 40	Plat	40	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14041	Q	Active	Plat 41	Plat	41	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14043	Q	Active	Plat 43	Plat	43	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14044	Q	Active	Plat 44	Plat	44	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14045	Q	Active	Plat 45	Plat	45	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14046	Q	Active	Plat 46	Plat	46	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14047	Q	Active	Plat 47	Plat	47	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14048	Q	Active	Plat 48	Plat	48	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14050	Q	Active	Plat 50	Plat	50	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14052	Q	Active	Plat 52	Plat	52	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14053	Q	Active	Plat 53	Plat	53	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14054	Q	Active	Plat 54	Plat	54	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14055	Q	Active	Plat 55	Plat	55	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14056	Q	Active	Plat 56	Plat	56	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14057	Q	Active	Plat 57	Plat	57	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14058	Q	Active	Plat 58	Plat	58	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14059	Q	Active	Plat 59	Plat	59	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14061	Q	Active	Plat 61	Plat	61	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14062	Q	Active	Plat 62	Plat	62	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14073	Q	Active	Plat 73	Plat	73	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14075	Q	Active	Plat 75	Plat	75	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14076	Q	Active	Plat 76	Plat	76	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14077	Q	Active	Plat 77	Plat	77	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14078	Q	Active	Plat 78	Plat	78	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14079	Q	Active	Plat 79	Plat	79	Terrence King - 100%	23/02/2011	15/03/2011	15/03/2012	Mayo
YE14081	Q	Active	Plat 81	Plat	81	Terrence King - 100%	24/02/2011	15/03/2011	15/03/2012	Mayo
YE14116	Q	Active	Plat 116	Plat	116	Terrence King - 100%	24/02/2011	15/03/2011	15/03/2012	Mayo
YE14117	Q	Active	Plat 117	Plat	117	Terrence King - 100%	24/02/2011	15/03/2011	15/03/2012	Mayo
YE14118	Q	Active	Plat 118	Plat	118	Terrence King - 100%	24/02/2011	15/03/2011	15/03/2012	Mayo
YE14119	Q	Active	Plat 119	Plat	119	Terrence King - 100%	24/02/2011	15/03/2011	15/03/2012	Mayo
YE14127	Q	Active	Plat 127	Plat	127	Terrence King - 100%	24/02/2011	15/03/2011	15/03/2012	Mayo
YE14129	Q	Active	Plat 129	Plat	129	Terrence King - 100%	24/02/2011	15/03/2011	15/03/2012	Mayo
YE14130	Q	Active	Plat 130	Plat	130	Terrence King - 100%	24/02/2011	15/03/2011	15/03/2012	Mayo
YE14131	Q	Active	Plat 131	Plat	131	Terrence King - 100%	24/02/2011	15/03/2011	15/03/2012	Mayo
YE14132	Q	Active	Plat 132	Plat	132	Terrence King - 100%	24/02/2011	15/03/2011	15/03/2012	Mayo
YE14134	Q	Active	Plat 134	Plat	134	Terrence King - 100%	24/02/2011	15/03/2011	15/03/2012	Mayo
YE15326	Q	Active	Plat 140	Plat	140	Terrence King - 100%	25/02/2011	15/03/2011	15/03/2012	Mayo
YE15328	Q	Active	Plat 142	Plat	142	Terrence King - 100%	25/02/2011	15/03/2011	15/03/2012	Mayo
YE15341	Q	Active	Plat 155	Plat	155	Terrence King - 100%	25/02/2011	15/03/2011	15/03/2012	Mayo
YE15344	Q	Active	Plat 158	Plat	158	Terrence King - 100%	25/02/2011	15/03/2011	15/03/2012	Mayo
YE15357	Q	Active	Plat 171	Plat	171	Terrence King - 100%	25/02/2011	15/03/2011	15/03/2012	Mayo
YE15358	Q	Active	Plat 172	Plat	172	Terrence King - 100%	25/02/2011	15/03/2011	15/03/2012	Mayo
YE15360	Q	Active	Plat 174	Plat	174	Terrence King - 100%	25/02/2011	15/03/2011	15/03/2012	Mayo

March 9th 2012 Terrence MacDonald.

Yukon
Energy, Mines and Resources

Claim Status Report

09 March 2012

Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s
P PL 1 - 24	YE84601 - YE84624	2012/12/14	Terrence King	100.00	105N06
Plat 1 - 138	YE14001 - YE14138	2012/03/15	Terrence King	100.00	105N06
Plat 139 - 180	YE15325 - YE15366	2012/03/15	Terrence King	100.00	105N06
P PLN 1 - 39	YE84461 - YE84499	2012/12/14	Terrence King	100.00	105N06
P PLN 39 - 45	YE84739 - YE84745	2013/02/14	Terrence King	100.00	105N06
P PLN 46 - 64	YC97846 - YC97864	2013/02/14	Terrence King	100.00	105N06
P PLN 65 - 70	YD65745 - YD65750	2013/02/14	Terrence King	100.00	105N06
P PLN 71 - 77	YE25291 - YE25297	2013/02/14	Terrence King	100.00	105N06
P PLN 78	YC97845	2013/02/14	Terrence King	100.00	105N06
P PT 1 - 200	YE79001 - YE79200	2012/09/19	Terrence King	100.00	105N06
P PT 201 - 293	YF20601 - YF20693	2012/09/19	Terrence King	100.00	105N06
P PT 426 - 477	YE84746 - YE84797	2013/02/14	Terrence King	100.00	105N06
P PTT 1 - 100	YE84501 - YE84600	2012/12/14	Terrence King	100.00	105N05
P PTT 101	YE69561	2012/12/14	Terrence King	100.00	105N05
P PTT 102	YE69390	2012/12/14	Terrence King	100.00	105N06

Criteria(s) used for search:

CLAIM DISTRICT: 1000003 CLAIM STATUS: ACTIVE & PENDING OWNER(S): GOLDSTRIKE RESOURCES LTD., KING TERRENCE REGULATION TYPE: QUARTZ

Total claims selected : 730

Left column indicator legend:

R - Indicates the claim is on one or more pending renewal(s).

P - Indicates the claim is pending.

Right column indicator legend:

L - Indicates the Quartz Lease.

F - Indicates Full Quartz fraction (25+ acres)

P - Indicates Partial Quartz fraction (<25 acres)

D - Indicates Placer Discovery

C - Indicates Placer Codiscovery

B - Indicates Placer Fraction


PT 1-68
YE79001-YE79068
PL 1-24
YE84601-YE84624
Plat 1-180
YE14001-YE14138
YE15325-YE15366
PLN 1-39
YE84461-YE84499
PLN 39-78
YC97845-YC97864
YD65745-YD65750
YE25291-YE25297
YE84739-YE84745
PT 426-477
YE84746-YE84797
PT 69-293
YE79069-YE79200
YE20601-YF20693
PTT 1-102
YE69390, YE69561
YE84501-YE84600
Hess River
2011 Field Activities
Rock (118)
Soil (947)
Silt (2)
Plateau North Claims Worked (77)
Plateau North Claims (730)
Claim Name
PL: 24 claims recorded 14/12/2011
PTT: 102 claims recorded 14/12/2011
Plat: 180 claims recorded 15/03/2011
PLN: 39 claims recorded 14/12/2011
PT: 68 claims recorded 19/09/2011
PT: 52 claims recorded 14/02/2012
PT: 67 claims recorded 19/09/2011
PLN: 40 claims recorded 14/02/2012
GOLDSTRIKE
RESOURCES LTD TSX.V:GSR
Plateau North Samples
Legend
Index Contour (100 ft)
River
Lake
Wetland
Plateau North Outline
Surrounding Quartz Claims
Coordinate System:
NAD 1983 UTM Zone 8N
Scale: 1:150,000
NTS Map Sheets: 105N02,5-7,10-12
Drawn by: DRUID-6
Date: 09 Mar 2012 at 11:00:AM
DRUID EXPLORATION
0 0.5 1 2 3 4 5
Kilometers
565000
570000
575000
580000
585000
590000
595000
600000
7040000
7035000
7030000
7025000
7020000
7015000

Yukon
Energy, Mines and Resources

Office Use Only

QUARTZ MINING ACT FORM 12 SECTION 55

APPLICATION TO GROUP MINERAL CLAIMS

Mayo MINING DISTRICT

Office Date Stamp

I, (We) the undersigned owners or agent(s) of the owners of following mineral claims.

(Additional sheets or an appendix may be used) (Claim names and grant numbers to be listed in sequence eg. TOM 1-40, YC10001 - YC10040)

GRANT NUMBER	CLAIM NAME	MAP SHEET
	Please see attached list.	105-N05 + N06

Give notice of intention to group the said claims for the performance of work and do hereby apply under the provisions of section 55 of the *Quartz Mining Act* for a certificate in form 6.

I (We) hereby certify that the above claims are adjoining as shown on the attached sketch

Dated at Dawson City

This 9 day of March, 2012

Applicant(s)

Access to Information and Protection of Privacy Act

The personal information requested on this form is collected under the authority of and used for the purpose of administering the *Quartz Mining Act*. Questions about the collection and use of this information can be directed to the Mining Recorders Office, Mineral Resources, Department of Energy, Mines and Resources, Yukon Government, Box 2703, Whitehorse, Yukon Territory, Y1A 2C6 (867) 667-3190

Groupings list.

Yukon
Energy, Mines and Resources

Claim Status Report

09 March 2012

Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s
P PL 1 - 24	YE84601 - YE84624	2012/12/14	Terrence King	100.00	105N06
Plat 1 - 138	YE14001 - YE14138	2012/03/15	Terrence King	100.00	105N06
Plat 139 - 180	YE15325 - YE15366	2012/03/15	Terrence King	100.00	105N06
P PLN 1 - 39	YE84461 - YE84499	2012/12/14	Terrence King	100.00	105N06
P PLN 39 - 45	YE84739 - YE84745	2013/02/14	Terrence King	100.00	105N06
P PLN 46 - 64	YC97846 - YC97864	2013/02/14	Terrence King	100.00	105N06
P PLN 65 - 70	YD65745 - YD65750	2013/02/14	Terrence King	100.00	105N06
P PLN 71 - 77	YE25291 - YE25297	2013/02/14	Terrence King	100.00	105N06
P PLN 78	YC97845	2013/02/14	Terrence King	100.00	105N06
P PT 1 - 200	YE79001 - YE79200	2012/09/19	Terrence King	100.00	105N06
P PT 201 - 293	YF20601 - YF20693	2012/09/19	Terrence King	100.00	105N06
P PT 426 - 477	YE84746 - YE84797	2013/02/14	Terrence King	100.00	105N06
P PTT 1 - 100	YE84501 - YE84600	2012/12/14	Terrence King	100.00	105N05
P PTT 101	YE69561	2012/12/14	Terrence King	100.00	105N05
P PTT 102	YE69390	2012/12/14	Terrence King	100.00	105N06

Criteria(s) used for search:

CLAIM DISTRICT: 1000003 CLAIM STATUS: ACTIVE & PENDING OWNER(S): GOLDSTRIKE RESOURCES LTD., KING TERRENCE REGULATION TYPE: QUARTZ

Total claims selected : 730

Left column indicator legend:

R - Indicates the claim is on one or more pending renewal(s).

P - Indicates the claim is pending.

Right column indicator legend:

L - Indicates the Quartz Lease.

F - Indicates Full Quartz fraction (25+ acres)

P - Indicates Partial Quartz fraction (<25 acres)

D - Indicates Placer Discovery

C - Indicates Placer Codiscovery

B - Indicates Placer Fraction