

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

STREAM SEDIMENT AND SOIL GEOCHEMICAL SAMPLING

at the

LOLITA PROPERTY

Lolita 98-180 YD77418-YD77500
181-303 YE15201-YE15323
304-330 YE15656-YE15682
332 YE15684
334-348 YE15686-YE15700

NTS 105O/13

Latitude 63°54'N; Longitude 131°46'W

located in the

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

K. Unger, B.Sc., G.I.T.

April 2012

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY AND CLIMATE	2
GEOLOGY	2
STREAM SEDIMENT AND SOIL GEOCHEMISTRY	3
DISCUSSION AND CONCLUSIONS	4
REFERENCES	5

APPENDICES

- I STATEMENT OF QUALIFICATIONS
- II CERTIFICATE OF ANALYSIS

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	2
4	Geology	2
5	Sample Locations	In pocket

INTRODUCTION

The Lolita property lies within an area of prospective geology, 30 km southeast of Carlin-type gold discoveries made by ATAC Resources Ltd. The Lolita property is owned by Strategic Metals Ltd. and is part of the Midas Touch Project.

This report describes stream sediment and soil geochemical sampling conducted from August 8 to August 14, 2011 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic. The author interpreted all results from this project and his Statement of Qualifications is in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Lolita property comprises 249 contiguous quartz claims, located in east-central Yukon at latitude 63°54' north and longitude 131°46' west on NTS map sheet 105O/13 (Figure 1). The property covers an area of about 5200 hectares (52 km²). The claims are registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Lolita 98-180	YD77418-YD77500	March 15, 2014
181-303	YE15201-YE15323	March 15, 2014
304-330	YE15656-YE15682	March 15, 2014
332	YE15684	March 15, 2014
334-348	YE15686-YE15700	March 15, 2014

* Expiry date includes 2011 work that has been filed for assessment credit but not yet accepted.

Daily access to and from the property was provided by a Hughes 500D or a Eurocopter AS350 helicopter. The 500D was operated by Fireweed Helicopters from a temporary base at the Rackla airstrip, located approximately 74 km northwest of the property. The AS350 was operated by Horizon Helicopters from ATAC's Nadaleen camp, approximately 30 km northeast of the property. All personnel stayed in a tent camp at the Rackla airstrip.

HISTORY AND PREVIOUS WORK

There is no Minfile occurrence or public record of previous exploration on the Lolita property.

In 1975, McIntyre Mines Limited conducted a program that involved geologic mapping, hand trenching and four Winkie drill holes at its Odd claims, approximately 5 km southwest of Lolita (Shearer, 1976). Work identified pods and fracture fills of galena and sphalerite in brecciated, sparry, zebra dolomite and fractured micrite. The best drill results graded 3.1% lead and 32.2 % zinc and 0.045 oz/ton silver over 1.22 m (Shearer, 1976). No further work was reported.

STRATEGIC METALS LTD.


FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION LOLITA PROPERTY

0 50 100 150 200 250 km

FILE: ...2011/LOLITA/FIGURES/LOCATION

DATE: APRIL 2012



In 1990, the Geological Survey of Canada (GSC) performed a regional stream sediment survey on NTS map sheet 105O (Friske *et.al.*, 1991). Samples were collected from three creeks draining the area of the Lolita property. Results from these samples were at or near background for all reported elements.

In 2011, Strategic staked the Lolita 98 to 348 claims to cover land over a projected splay of the Dawson Thrust Fault.

GEOMORPHOLOGY AND CLIMATE

The Lolita property lies within the Hess Range of the Selwyn Mountains and is drained by creeks that flow into Lansing River, part of the Yukon River watershed.

Local elevations on the property range from 1100 to 2060 m above sea level (asl). Topographic relief is moderate to steep, with peaks separated by northwest trending U-shaped valleys. Outcrop is abundant at higher elevations and within deeply incised creek cuts. Lower elevations, particularly the floors of U-shaped valleys, are blanketed by Pleistocene colluvium deposits and glacial till.

The property setting is characterized as alpine to subalpine. Treeline in the area is at about 1500 m asl. Slopes above that elevation are vegetated with grass and moss. Vegetation gradually increases downslope and comprises stunted black spruce with an understory of low shrubs and grass.

The climate in the Lolita property area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. The property is mostly snow free from early June to late September.


GEOLOGY



In 2003, Gordey and Makepeace incorporated 1:125,000 and 1:250,000 scale geologic map data as part of a Yukon-wide geological compilation. The following geological descriptions are based on the published data.

The Lolita property is located within Selwyn Basin (Figure 3), a tectonic element comprising deep water clastic rocks, chert and minor carbonate accumulated along the North American continental margin during Paleozoic time (Pigage, 2004).

The geology in the region includes two main sedimentary units classified by Gordey and Makepeace (2003) as Hyland Group and Gull Lake Formation (Figure 4).

Hyland Group, which consists of Yusezyu Formation and conformably overlying Narchilla Formation, comprises the stratigraphic floor of the region. Most of the property is underlain by the Narchilla Formation (PCH3), which is characterized by recessive, maroon to green shale and sandstone. The sedimentary structures observed in this formation are indicative of deposition from sedimentary gravity flows, likely turbidites, under calm, relatively deep water conditions






STRATEGIC METALS LTD.

FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY LOLITA PROPERTY



FILE: ...2011/LOLITA/FIGURES/GEOLOGY

DATE: APRIL 2012

Upper Proterozoic to Cambrian

- PCH1** Hyland Group: thin to thick bedded shale, fine to coarse grained sandstone, grit, quartz-pebble conglomerate; minor argillaceous limestone
- PCH2** Hyland Group: grey weathering, dark grey to grey white limestone, calc-silicate and marble
- PCH3** Hyland Group: recessive, maroon weathering, interbedded maroon and apple-green slate
- PCH5** Hyland Group: brown-green to light grey weathering dark green volcanic rocks, commonly with calcite vesicles, breccia and tuff; minor shale and limestone

Lower Cambrian

- ICG** Gull Lake Formation: dominantly fine clastic assemblage with local volcanic units

**From Gordey and Makepeace, 2003.*

(Gordey and Anderson, 1993). Based on trace fossil evidence, Narchilla Formation is classified as Late Precambrian to Early Cambrian in age (Fritz *et. al.*, 1983). Yusezyu Formation is typified by a variably metamorphosed, fine to coarse grained, gritty, quartz-rich succession of evenly interbedded sandstone and shale (PCH1) capped by a thin discontinuous limestone member (PCH2) (Lindsay, 2006). The sedimentary fabric and general morphology of Yusezyu Formation are consistent with deposition by sedimentary gravity flows in an upper or mid submarine fan setting in shallow to moderately deep water (Gordey and Anderson, 1993). Primitive trace fossils found within the formation suggest that it is Upper Proterozoic in age (Fritz *et. al.*, 1983). A volcanic member (PCH5) of the Hyland Group is found north of the property, and is comprised of dark green volcanics, volcanic breccias and tuffs with minor amounts of shale, chert, siltstone and limestone interbeds (Gordey and Anderson, 1993).

Hyland Group is conformably overlain by Lower Cambrian Gull Lake Formation (ICG), which is typified by locally bioturbated shale, siltstone and mudstone. This formation outcrops on the peaks of the property.

The Lolita property lies 29 km southeast of the furthest mapped eastern extent of the Dawson Thrust Fault. The Dawson Thrust Fault is a crustal break of probable Cambrian age that formed the edge of Selwyn Basin and later reactivated as a north directed thrust (Pyle *et al.*, 2007). It juxtaposes rocks of Selwyn Basin to the south against Mackenzie Platform to the north (Figure 3).

Smaller-scale thrust faults are present closer to the Lolita property, within 10 km to the south and east. They generally trend north to northeast.

STREAM SEDIMENT AND SOIL GEOCHEMISTRY

Stream Sediment Geochemistry

Regional stream sediment samples collected by the GSC from the creeks draining the property yielded low values for gold and other metals.

In 2011, Strategic collected 115 stream sediment samples.

The samples were spaced approximately 250 m apart and were taken along the main creeks on the property. Sample locations were recorded using hand-held GPS units and sample sites were marked by orange flagging tape labelled with the sample numbers. The samples were placed into individually pre-numbered Kraft paper bags.

All samples were sent to ALS Chemex in Whitehorse, Yukon and/or Vancouver, B.C., where they were dried, screened to -180 microns, and then analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 25 g charge was further analysed for gold by aqua regia digestion with inductively coupled plasma mass spectroscopy finish (Au-TL43).

The 2011 stream sediment samples yielded subdued values for gold and other gold pathfinder elements (arsenic, bismuth, mercury, antimony and thallium). Base metal values were also background.

Soil Geochemistry

In 2011, Strategic collected 391 contour soil samples immediately uphill from the break in slope of the U-shaped valleys located on the property. Sample locations are shown on Figure 5. The Certificate of Analysis is provided in Appendix II.

The soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 30 to 60 cm deep holes dug by a hand-held auger. They were placed into individually pre-numbered Kraft paper bags.

The soil samples were analyzed by the same techniques as the stream sediment samples.

Results from the 2011 soil samples were subdued for all elements of interest. A few weakly anomalous values for arsenic, one for gold, and one for antimony, were recorded and are presented on Figure 5. There is no correlation with these elevated values and other elements of interest. The highest recorded values for gold, arsenic and antimony are 0.04 ppm, 65.4 ppm and 3.53 ppm respectively. All other gold pathfinder and base metal element values were background.

DISCUSSION AND CONCLUSIONS

Strategic's 2011 exploration program was designed to test for gold and other gold pathfinder elements over a projected extension of the Dawson Thrust. Stream sediment and soil geochemical sampling returned subdued values for gold, gold pathfinders and base metals on the property.

Based on the subdued nature of the results on the Lolita property, no further work is recommended at this time.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

K. Unger, B.Sc., G.I.T.

REFERENCES

- Colpron, M. and Nelson, J. L.
 2011 A Digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and BC Geology Survey, BCGS GeoFile 2011-11 (http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf).
- Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galleta, A.C. and Durham, C.C.
 1991 National Geochemical Reconnaissance Stream Sediment and Water Data, East Central Yukon, NTS 105N; Geological Survey of Canada; Open File 2363.
- Fritz, W.H., Narbonne, G.M., and Gordey, S.P.
 1983 Strata and trace fossils near the Precambrian-Cambrian boundary, Mackenzie, Selwyn and Wernecke Mountains, Yukon and Northwest Territories. *In* Current Research, Part B, Geological Survey of Canada, Paper 83-1B, p. 365-375.
- Gordey, S.P. and Anderson, R.G.
 1993 Evolution of the northern Cordilleran miogeocline, Nahanni map area (105I), Yukon and Northwest Territories. Geological Survey of Canada, Memoir 428, 214p. + maps.
- Gordey, S.P. and Makepeace, A.J.
 2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Lindsay, M.J.
 2006 The structural and hydrothermal evolution of intrusion-related gold mineralization at the Brewery Creek Mine, Yukon, Canada. Thesis submitted for the degree of Doctor of Philosophy (geology) in School of Earth Sciences at James Cook University of North Queensland.
- Pigage, L.C.
 2004 Bedrock geology compilation of the Anvil District (parts of 105K/2, 3, 5, 7 and 11), central Yukon; Yukon Geological Survey, Bulletin 15.
- Pyle, L., Roots, C., Allen, T., Fraser, T., Bond, J., Jones, A. and Gal, L.
 2007 Roadside Geology of the Dempster Highway, Northwest Territories and Yukon: A traveler's guide to the Geology of Canada's most north-western road; Yukon Geological Survey; Department of Energy, Mines and Resources, YGS Open File 2007-10 (http://www.geology.gov.yk.ca/pdf/of2007_10.pdf).

Shearer, J.T.
1976 Geological and geochemical report on Odd claims; prepared for McIntyre
Mines Ltd.; Assessment Report #090079

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Kirk Unger, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of Waterloo in 2009 with a B.Sc., Honours in Science with a Minor in Earth Sciences.
2. From 2006 to present, I have been actively engaged in mineral exploration in Yukon Territory and British Columbia.
3. I am a Geoscientist in Training (G.I.T.) with the Association of Professional Geoscientists of Ontario (Member Number 7128).
4. I have interpreted all data resulting from this work.

K. Unger, B.Sc., G.I.T.

95916

QMD/386

Statement of Expenditures
Lolita 98-348 Mineral Claims
February 14, 2012



Labour

D. Eaton (geologist) August 2011 – 4 hours @ \$110/hour	\$ 492.80
S. Eaton (geologist) February 2012 – 5 1/8 days @ \$680/day	3,903.20
A. Mitchell (geologist) May 2011 – 7 hours @ \$62/hour	486.08
M. Alban (field assistant) August 2011 - 4 days @ \$408/day	1,827.84
T. Bell (field assistant) August 2011 - 2 days @ \$344/day	770.56
S. Cicchone (field assistant) August 2011 - 4 days @ \$344/day	1,541.12
K. Didlick (field assistant) August 2011 - 5 days @ \$344/day	1,926.40
S. Dosch (field assistant) August 2011 - 5 days @ \$344/day	<u>1,926.40</u>
	12,874.40

Expenses (including management fee)

Field room and board – 20 mandays @ \$125/manday	3,024.00
Great River Air	2,216.29
Fireweed Helicopters – 8.1 hours @ \$1600/hour + fuel	14,696.64
ALS Chemex	13,883.27
Camp Rental	<u>4,596.48</u>
	38,416.68

Total	<u>\$51,291.08</u>
-------	--------------------

APPENDIX II
CERTIFICATE OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 3- OCT- 2011
Account: MTT

CERTIFICATE WH11158630

Project: Midas Touch Lolita

P.O. No.:

This report is for 60 Silt samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: Midas Touch Lolita

CERTIFICATE OF ANALYSIS WH11158630

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD000106		0.20	0.002	0.07	2.34	11.8	<0.2	<10	90	1.39	0.49	0.15	0.06	14.05	35.8	31
DD000107		0.40	0.001	0.07	2.38	13.6	<0.2	<10	80	1.53	0.49	0.12	0.06	15.80	35.4	32
DD000108		0.24	0.002	0.06	2.31	10.9	<0.2	<10	70	1.57	0.46	0.14	0.05	14.30	29.9	32
DD000109		0.16	0.002	0.15	1.12	4.2	<0.2	<10	230	1.40	0.37	0.32	0.09	5.67	17.7	18
DD000110		0.28	0.002	0.07	2.19	9.5	<0.2	<10	110	1.30	0.42	0.14	0.06	11.80	29.9	31
ZZ17584		0.24	0.002	0.06	2.23	9.1	<0.2	<10	120	1.33	0.43	0.15	0.05	11.20	26.9	30
ZZ17585		0.42	0.006	0.07	1.88	8.2	<0.2	<10	110	1.39	0.47	0.16	0.05	11.10	25.2	27
ZZ17586		0.40	0.003	0.14	2.19	9.1	<0.2	<10	110	1.17	0.51	0.15	0.04	12.80	27.0	31
ZZ17587		0.32	0.003	0.08	2.19	7.9	<0.2	<10	110	1.23	0.48	0.14	0.05	13.30	25.4	31
ZZ17588		0.36	0.004	0.09	1.80	5.7	<0.2	<10	160	1.35	0.40	0.23	0.08	10.50	18.8	29
ZZ17589		0.28	0.007	0.07	1.71	7.0	<0.2	<10	170	1.66	0.47	0.23	0.10	11.55	20.6	28
ZZ17590		0.34	0.007	0.04	2.15	6.4	<0.2	<10	110	1.11	0.40	0.13	0.05	11.40	22.8	31
ZZ17591		0.30	0.002	0.06	2.06	7.5	<0.2	<10	120	1.30	0.45	0.21	0.08	12.10	23.1	29
ZZ17592		0.26	0.006	0.06	1.52	6.0	<0.2	<10	180	1.43	0.41	0.15	0.06	10.75	17.2	28
ZZ17593		0.18	0.003	0.06	1.49	7.0	<0.2	<10	230	1.54	0.44	0.17	0.09	12.35	22.4	27
ZZ17594		0.34	0.006	0.06	1.43	6.1	<0.2	<10	200	1.53	0.42	0.17	0.06	10.95	17.8	26
ZZ17595		0.32	0.001	0.08	1.39	6.1	<0.2	<10	220	1.66	0.45	0.22	0.07	12.50	19.4	26
ZZ17781		0.26	0.001	0.08	1.49	9.5	<0.2	<10	180	2.01	0.53	0.09	0.08	18.60	31.0	30
ZZ17782		0.28	0.001	0.05	1.70	7.6	<0.2	<10	170	1.60	0.48	0.13	0.05	12.55	22.0	30
ZZ17783		0.18	0.007	0.06	1.68	6.2	<0.2	<10	170	1.40	0.46	0.19	0.05	11.10	20.2	29
ZZ17784		0.28	0.001	0.09	1.67	7.3	<0.2	<10	180	1.68	0.44	0.21	0.06	11.30	21.3	29
ZZ17785		0.16	0.005	0.06	1.70	7.3	<0.2	<10	140	1.53	0.46	0.21	0.05	11.95	18.7	31
ZZ17786		0.30	0.001	0.07	1.82	6.9	<0.2	<10	170	1.71	0.54	0.19	0.07	11.25	22.4	31
ZZ17787		0.38	0.006	0.06	2.02	6.8	<0.2	<10	130	1.59	0.51	0.15	0.09	13.85	23.1	33
ZZ17788		0.24	0.006	0.08	1.82	6.5	<0.2	<10	160	1.45	0.41	0.25	0.10	11.10	20.3	30
ZZ17789		0.18	0.001	0.12	1.72	7.6	<0.2	<10	180	1.71	0.48	0.20	0.13	12.40	23.9	29
ZZ17790		0.26	0.001	0.04	1.75	6.2	<0.2	<10	150	1.33	0.40	0.13	0.07	10.20	18.3	30
ZZ17791		0.20	0.002	0.06	2.00	6.0	<0.2	<10	120	1.16	0.45	0.21	0.04	11.10	21.0	29
ZZ17792		0.28	0.007	0.03	2.24	6.8	<0.2	<10	130	1.06	0.44	0.12	0.05	12.95	22.4	33
ZZ17793		0.22	0.006	0.05	1.49	5.7	<0.2	<10	200	1.41	0.45	0.19	0.06	11.40	19.3	27
ZZ17794		0.20	0.005	0.04	1.47	5.8	<0.2	<10	200	1.46	0.44	0.15	0.05	11.25	18.6	27
ZZ17795		0.24	0.008	0.15	1.50	5.2	<0.2	<10	210	1.29	0.39	0.22	0.07	10.75	15.4	27
ZZ17796		0.26	0.001	0.14	1.48	4.1	<0.2	<10	250	1.36	0.38	0.32	0.09	12.85	14.2	27
DD001472		0.50	0.002	0.05	1.36	6.3	<0.2	<10	200	1.90	0.49	0.11	0.05	16.95	20.2	30
DD001473		0.52	0.003	0.08	1.15	5.1	<0.2	<10	210	2.47	0.52	0.12	0.05	19.20	22.6	27
DD001474		0.44	0.004	0.06	1.69	9.3	<0.2	<10	250	1.62	0.43	0.11	0.06	13.95	16.0	31
DD001475		0.40	0.001	0.08	1.23	5.3	<0.2	<10	270	1.91	0.43	0.22	0.08	13.70	17.7	27
DD001476		0.44	0.001	0.06	1.29	6.5	<0.2	<10	230	1.72	0.42	0.16	0.09	12.30	20.5	28
DD001477		0.46	0.007	0.07	1.32	6.6	<0.2	<10	230	1.74	0.46	0.17	0.07	13.25	19.3	28
DD001478		0.46	0.007	0.10	1.38	7.3	<0.2	<10	230	2.11	0.46	0.19	0.09	15.30	21.4	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: Midas Touch Lolita

CERTIFICATE OF ANALYSIS WH11158630

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD000106		3.13	67.6	5.06	7.12	<0.05	0.05	0.02	0.034	0.04	5.7	58.3	0.77	1240	0.59
DD000107		3.20	70.2	5.21	7.84	<0.05	0.04	0.01	0.029	0.04	6.3	64.1	0.77	1160	0.69
DD000108		3.32	61.3	5.08	7.60	<0.05	0.06	0.01	0.028	0.04	5.9	60.0	0.76	886	0.59
DD000109		7.10	42.0	3.04	3.37	<0.05	0.06	0.06	0.021	0.07	2.9	18.6	0.35	947	0.97
DD000110		3.09	55.7	4.92	6.43	<0.05	0.06	0.02	0.028	0.04	4.8	55.0	0.74	1180	0.57
ZZ17584		3.70	53.2	4.90	6.35	<0.05	0.06	0.02	0.030	0.05	4.8	53.1	0.75	1220	0.51
ZZ17585		3.38	52.4	4.63	6.15	<0.05	0.06	0.02	0.029	0.04	4.7	49.0	0.64	748	0.48
ZZ17586		3.22	49.0	4.91	6.74	<0.05	0.06	0.02	0.031	0.04	5.2	59.5	0.74	960	0.53
ZZ17587		3.24	48.8	4.94	6.86	<0.05	0.06	0.02	0.030	0.04	5.5	56.0	0.74	837	0.54
ZZ17588		3.40	40.2	4.45	5.41	<0.05	0.06	0.03	0.029	0.06	4.5	40.3	0.59	995	0.53
ZZ17589		4.26	47.3	4.40	5.76	<0.05	0.06	0.03	0.031	0.06	5.0	41.6	0.56	990	0.62
ZZ17590		2.70	42.2	4.98	6.02	<0.05	0.05	0.02	0.027	0.04	4.8	48.6	0.72	1030	0.49
ZZ17591		3.02	45.2	4.76	6.65	<0.05	0.07	0.03	0.026	0.05	5.3	53.6	0.70	905	0.55
ZZ17592		3.61	33.8	4.36	4.94	<0.05	0.06	0.04	0.039	0.07	4.3	30.1	0.48	668	0.48
ZZ17593		3.41	37.8	4.59	5.27	<0.05	0.05	0.04	0.037	0.06	4.9	30.1	0.46	1300	0.61
ZZ17594		3.25	38.6	4.53	4.63	<0.05	0.04	0.03	0.036	0.05	4.5	27.5	0.46	1030	0.60
ZZ17595		4.20	40.9	4.15	5.16	<0.05	0.06	0.03	0.045	0.07	5.0	29.3	0.45	1120	0.59
ZZ17781		4.89	59.8	5.26	5.72	<0.05	0.02	0.03	0.053	0.06	6.8	35.9	0.44	1180	0.74
ZZ17782		3.91	54.9	5.10	5.16	<0.05	0.03	0.02	0.031	0.06	4.7	39.3	0.55	1060	0.57
ZZ17783		4.15	47.1	4.58	5.28	<0.05	0.05	0.03	0.032	0.06	4.4	36.2	0.56	819	0.56
ZZ17784		5.49	50.0	4.41	5.43	<0.05	0.06	0.03	0.030	0.07	4.6	40.5	0.52	761	0.79
ZZ17785		4.38	44.5	4.38	5.58	<0.05	0.04	0.03	0.032	0.05	4.4	40.6	0.52	423	1.04
ZZ17786		5.05	45.4	4.74	6.03	<0.05	0.06	0.03	0.034	0.06	4.9	45.2	0.57	1030	0.76
ZZ17787		5.02	39.7	4.78	7.52	<0.05	0.08	0.02	0.037	0.05	6.1	60.7	0.61	865	0.84
ZZ17788		4.64	41.8	4.47	6.05	<0.05	0.06	0.03	0.030	0.06	4.8	50.0	0.57	925	0.80
ZZ17789		5.20	46.3	4.30	6.85	<0.05	0.07	0.03	0.031	0.06	5.3	50.8	0.55	1060	0.84
ZZ17790		2.50	35.4	4.93	5.09	<0.05	0.04	0.02	0.027	0.05	4.3	38.7	0.56	1140	0.62
ZZ17791		3.16	44.8	4.54	6.14	<0.05	0.06	0.03	0.027	0.04	4.7	49.5	0.68	635	0.47
ZZ17792		2.39	39.4	5.13	7.39	<0.05	0.06	0.01	0.032	0.04	5.6	56.7	0.76	857	0.54
ZZ17793		3.33	37.2	4.43	4.90	<0.05	0.04	0.03	0.034	0.06	4.5	30.1	0.48	884	0.62
ZZ17794		3.20	38.7	4.59	4.90	<0.05	0.04	0.03	0.034	0.06	4.6	28.8	0.47	1040	0.54
ZZ17795		3.40	39.6	4.26	4.53	<0.05	0.05	0.04	0.038	0.07	4.7	26.0	0.46	722	0.62
ZZ17796		4.95	32.5	3.67	4.42	<0.05	0.06	0.06	0.031	0.08	4.9	25.7	0.46	878	0.49
DD001472		6.12	52.8	4.47	5.26	<0.05	0.02	0.01	0.039	0.07	6.3	22.4	0.40	1580	0.73
DD001473		8.00	64.6	3.89	5.08	<0.05	0.04	0.02	0.035	0.06	6.4	22.4	0.36	1220	0.71
DD001474		5.83	38.9	4.37	5.54	<0.05	0.06	0.02	0.036	0.07	6.1	24.6	0.39	1070	0.77
DD001475		6.63	55.1	3.90	4.32	<0.05	0.05	0.03	0.030	0.08	5.1	22.0	0.42	1380	0.63
DD001476		6.12	47.4	4.42	4.54	<0.05	0.05	0.02	0.030	0.07	4.6	26.3	0.44	2060	0.80
DD001477		6.42	50.0	4.37	4.50	<0.05	0.05	0.02	0.036	0.07	4.7	25.3	0.44	1300	0.67
DD001478		8.51	57.4	4.11	5.10	<0.05	0.06	0.03	0.040	0.09	5.8	27.0	0.44	1230	0.78



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: Midas Touch Lolita

CERTIFICATE OF ANALYSIS WH11158630

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD000106		0.15	34.6	380	51.8	3.4	<0.001	<0.01	0.13	4.6	0.2	0.3	32.0	<0.01	<0.01	4.9
DD000107		0.06	37.0	390	52.5	3.3	<0.001	<0.01	0.15	4.8	0.4	0.4	27.9	<0.01	0.01	5.2
DD000108		0.11	35.0	440	47.7	3.7	<0.001	0.01	0.15	4.6	0.5	0.4	26.5	<0.01	<0.01	5.1
DD000109		0.17	19.7	850	29.9	8.8	<0.001	0.07	0.17	3.0	0.6	0.3	52.9	<0.01	<0.01	1.8
DD000110		0.07	31.8	410	40.3	3.1	<0.001	0.01	0.12	4.0	0.4	0.3	26.3	<0.01	<0.01	4.5
ZZ17584		0.08	30.6	460	38.6	3.6	<0.001	0.01	0.13	4.0	0.2	0.3	26.9	<0.01	<0.01	4.3
ZZ17585		0.12	32.0	390	40.7	4.3	<0.001	0.01	0.13	4.4	0.2	0.3	36.6	<0.01	<0.01	4.8
ZZ17586		0.10	35.8	380	38.5	3.9	<0.001	0.03	0.14	4.0	0.4	0.3	28.7	<0.01	0.01	4.7
ZZ17587		0.11	36.2	390	37.3	4.4	<0.001	0.03	0.13	4.2	0.4	0.3	27.9	<0.01	0.01	4.9
ZZ17588		0.21	28.9	470	29.0	6.8	<0.001	0.05	0.18	4.0	0.8	0.4	47.7	<0.01	0.02	3.5
ZZ17589		0.25	31.6	540	32.7	7.7	<0.001	0.05	0.21	4.4	0.6	0.5	49.4	<0.01	0.03	3.5
ZZ17590		0.12	31.3	410	34.9	4.1	<0.001	0.04	0.12	3.7	0.5	0.3	21.4	<0.01	0.02	4.2
ZZ17591		0.16	34.2	460	36.3	5.1	<0.001	0.04	0.16	4.1	0.5	0.4	40.1	<0.01	0.02	4.4
ZZ17592		0.25	25.5	400	27.7	8.0	<0.001	0.04	0.15	4.9	0.5	0.5	21.1	<0.01	0.02	3.8
ZZ17593		0.26	29.5	440	30.4	8.4	<0.001	0.04	0.17	5.3	0.6	0.5	25.1	<0.01	0.02	3.6
ZZ17594		0.23	25.9	420	27.2	6.7	<0.001	0.05	0.16	4.7	0.3	0.5	24.2	<0.01	0.03	3.4
ZZ17595		0.28	29.0	440	30.0	8.8	<0.001	0.06	0.19	5.5	0.9	0.6	32.9	<0.01	0.03	3.8
ZZ17781		0.15	36.7	450	45.3	7.7	<0.001	0.03	0.29	7.0	0.4	0.6	23.4	<0.01	0.03	5.0
ZZ17782		0.14	30.7	500	37.8	6.0	<0.001	0.05	0.19	4.8	0.4	0.5	22.7	<0.01	0.04	4.0
ZZ17783		0.21	29.5	480	35.2	7.2	<0.001	0.05	0.18	4.3	0.8	0.5	30.8	<0.01	0.01	3.8
ZZ17784		0.21	28.9	520	37.1	8.6	<0.001	0.06	0.18	4.6	0.7	0.5	59.1	<0.01	0.01	3.4
ZZ17785		0.24	28.7	490	37.4	8.1	<0.001	0.07	0.18	4.0	0.7	0.5	50.6	<0.01	0.02	3.1
ZZ17786		0.21	33.1	490	37.8	8.1	<0.001	0.06	0.17	4.4	0.9	0.5	48.0	<0.01	0.01	4.1
ZZ17787		0.24	36.9	460	34.8	8.8	<0.001	0.04	0.20	4.6	0.6	0.6	39.1	<0.01	0.02	4.1
ZZ17788		0.23	31.8	520	32.4	8.3	<0.001	0.06	0.21	4.2	0.8	0.5	59.3	<0.01	0.03	3.4
ZZ17789		0.24	36.5	460	35.7	9.1	<0.001	0.06	0.22	4.8	0.9	0.6	54.4	<0.01	0.04	4.1
ZZ17790		0.13	29.3	350	26.6	5.0	<0.001	0.05	0.17	3.9	0.5	0.4	28.3	<0.01	0.01	3.9
ZZ17791		0.14	32.0	410	29.8	4.9	<0.001	0.06	0.12	3.8	0.6	0.3	37.4	<0.01	0.02	4.3
ZZ17792		0.07	39.3	330	27.5	4.0	0.001	0.06	0.12	4.1	0.7	0.4	26.2	<0.01	0.03	5.2
ZZ17793		0.25	27.3	410	28.6	7.1	<0.001	0.06	0.15	4.9	0.7	0.5	25.3	<0.01	0.02	3.6
ZZ17794		0.25	26.5	420	28.0	7.3	0.001	0.06	0.17	4.8	0.5	0.5	23.2	<0.01	0.03	3.8
ZZ17795		0.25	26.6	490	26.9	8.4	<0.001	0.08	0.14	4.7	0.7	0.5	28.0	<0.01	0.01	3.1
ZZ17796		0.27	24.0	550	24.7	9.0	<0.001	0.09	0.15	5.1	1.6	0.5	39.1	<0.01	0.02	3.1
DD001472		0.28	22.5	510	32.5	10.6	<0.001	0.05	0.26	4.6	0.3	0.8	14.5	0.01	0.06	3.3
DD001473		0.40	25.5	530	37.4	12.1	<0.001	0.01	0.30	5.6	0.6	0.8	20.2	<0.01	0.03	3.7
DD001474		0.28	19.8	1050	26.2	12.5	<0.001	0.03	0.25	3.4	0.3	0.6	22.9	<0.01	0.03	2.1
DD001475		0.36	22.8	660	32.5	10.0	<0.001	0.03	0.24	4.5	0.5	0.6	36.2	<0.01	0.07	3.3
DD001476		0.26	27.3	480	31.8	9.2	<0.001	0.01	0.26	4.8	0.5	0.7	26.6	<0.01	0.03	3.6
DD001477		0.26	25.5	510	34.9	9.5	<0.001	0.03	0.21	4.9	0.5	0.6	28.9	<0.01	0.02	3.9
DD001478		0.35	28.6	570	36.6	12.5	<0.001	0.07	0.22	5.6	0.8	0.7	35.0	<0.01	0.03	3.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: Midas Touch Lolita

CERTIFICATE OF ANALYSIS WH11158630

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000106		<0.005	0.02	2.35	21	<0.05	5.36	108	1.9
DD000107		<0.005	0.02	1.73	22	<0.05	5.61	108	1.9
DD000108		<0.005	0.02	1.76	21	<0.05	5.07	108	2.2
DD000109		<0.005	0.04	3.11	17	<0.05	6.24	66	1.6
DD000110		<0.005	<0.02	1.84	21	<0.05	4.76	109	1.9
ZZ17584		<0.005	<0.02	1.82	20	<0.05	4.91	105	1.9
ZZ17585		<0.005	0.02	2.37	20	<0.05	5.14	101	2.0
ZZ17586		<0.005	0.02	1.84	21	<0.05	5.03	107	2.2
ZZ17587		<0.005	0.03	1.72	21	<0.05	5.36	107	2.0
ZZ17588		0.006	0.03	2.06	23	<0.05	6.94	99	1.6
ZZ17589		0.006	0.04	2.96	22	0.06	8.24	101	1.8
ZZ17590		<0.005	0.02	1.63	22	<0.05	5.22	110	1.7
ZZ17591		<0.005	0.03	2.19	21	0.05	6.78	109	2.0
ZZ17592		0.006	0.05	1.15	24	0.06	5.45	96	1.4
ZZ17593		0.005	0.05	1.24	24	0.06	6.08	99	1.4
ZZ17594		0.006	0.03	1.58	24	0.05	5.42	95	1.4
ZZ17595		0.006	0.05	2.41	23	0.06	6.74	88	1.7
ZZ17781		0.007	0.06	2.92	29	0.05	8.41	107	1.0
ZZ17782		0.005	0.04	1.94	26	<0.05	6.51	108	1.0
ZZ17783		0.005	0.04	2.69	23	<0.05	7.17	97	1.6
ZZ17784		0.005	0.05	3.73	23	<0.05	8.31	91	1.7
ZZ17785		0.005	0.05	1.91	24	<0.05	6.80	90	1.2
ZZ17786		0.005	0.04	3.75	23	0.05	7.95	104	1.7
ZZ17787		0.006	0.05	2.25	25	0.05	7.26	103	2.0
ZZ17788		0.005	0.04	2.82	22	0.05	7.59	100	1.8
ZZ17789		0.005	0.05	3.23	21	0.06	8.25	101	2.0
ZZ17790		0.006	0.03	1.72	24	<0.05	5.03	109	1.2
ZZ17791		<0.005	0.03	1.92	20	<0.05	5.78	101	2.1
ZZ17792		<0.005	0.02	1.32	23	<0.05	4.61	113	2.2
ZZ17793		0.006	0.04	1.69	24	0.06	5.67	92	1.4
ZZ17794		0.007	0.05	1.43	25	0.06	5.25	99	1.2
ZZ17795		0.005	0.04	1.49	24	0.06	6.34	98	1.5
ZZ17796		0.005	0.04	3.17	21	0.07	8.48	82	1.8
DD001472		0.007	0.07	1.22	31	0.08	6.35	76	0.7
DD001473		0.007	0.08	1.49	26	0.10	9.09	63	1.0
DD001474		0.007	0.07	1.05	29	0.06	6.37	72	1.2
DD001475		0.008	0.06	1.48	25	0.08	7.64	74	1.2
DD001476		0.007	0.05	2.77	27	0.08	7.35	86	1.2
DD001477		0.006	0.05	2.50	26	0.08	7.08	84	1.2
DD001478		0.007	0.08	2.60	26	0.08	9.26	83	1.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 3- OCT- 2011
 Account: MTT

Project: Midas Touch Lolita

CERTIFICATE OF ANALYSIS WH11158630

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001479		0.42	0.002	0.06	1.34	7.4	<0.2	<10	230	1.63	0.39	0.16	0.07	12.00	18.0	28
DD001480		0.40	0.006	0.07	1.33	7.5	<0.2	<10	210	1.84	0.47	0.14	0.06	13.00	19.8	29
DD001481		0.44	0.002	0.06	1.36	5.2	<0.2	<10	220	1.42	0.40	0.16	0.08	10.25	16.5	27
DD001482		0.44	0.001	0.03	1.39	6.5	<0.2	<10	220	1.88	0.40	0.13	0.07	9.29	20.5	31
DD001483		0.46	0.001	0.14	1.83	8.8	<0.2	<10	210	1.68	0.47	0.21	0.11	12.40	18.8	30
DD001484		0.40	0.002	0.09	1.90	10.0	<0.2	<10	240	1.93	0.47	0.22	0.14	13.60	21.1	31
DD001485		0.28	0.002	0.15	1.89	9.2	<0.2	<10	270	2.18	0.43	0.35	0.18	14.05	21.0	30
DD001486		0.44	0.001	0.11	1.92	10.6	<0.2	<10	290	2.39	0.46	0.26	0.15	14.50	23.3	32
DD001487		0.40	0.001	0.09	1.47	5.5	<0.2	<10	280	1.70	0.40	0.19	0.16	11.00	19.1	28
DD001488		0.36	0.001	0.07	1.48	6.5	<0.2	<10	220	1.74	0.40	0.22	0.10	11.35	18.1	27
DD001489		0.48	0.002	0.11	1.47	5.6	<0.2	<10	240	1.59	0.40	0.21	0.09	9.97	16.3	27
DD001490		0.50	0.002	0.08	1.51	7.6	<0.2	<10	230	1.80	0.41	0.17	0.10	11.45	17.7	28
DD001491		0.42	0.001	0.09	1.46	6.5	<0.2	<10	250	1.81	0.40	0.20	0.09	10.00	17.0	27
DD001492		0.36	0.002	0.08	1.43	7.2	<0.2	<10	260	1.79	0.40	0.18	0.11	10.05	18.1	27
DD001493		0.48	0.001	0.03	1.41	4.5	<0.2	<10	190	2.01	0.47	0.10	0.04	12.30	19.3	27
DD001494		0.42	0.002	0.04	1.44	4.3	<0.2	<10	190	2.03	0.51	0.11	0.04	12.70	20.4	27
DD001495		0.36	0.001	0.03	1.48	3.4	<0.2	<10	190	1.89	0.50	0.11	0.03	11.65	18.7	28
DD001496		0.44	0.001	0.04	1.47	3.4	<0.2	<10	200	1.81	0.49	0.09	0.03	12.35	18.6	28
DD001497		0.32	0.002	0.09	1.45	4.8	<0.2	<10	220	1.63	0.42	0.18	0.07	10.60	17.0	28
DD001498		0.44	0.001	0.06	1.62	6.1	<0.2	<10	270	1.74	0.41	0.17	0.06	9.15	15.0	28



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 3- OCT- 2011
 Account: MTT

Project: Midas Touch Lolita

CERTIFICATE OF ANALYSIS WH11158630

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001479		5.09	46.1	4.34	4.28	<0.05	0.04	0.04	0.027	0.07	4.6	23.7	0.44	1230	0.68
DD001480		6.15	48.4	4.28	4.84	<0.05	0.05	0.03	0.037	0.07	4.7	28.4	0.44	1080	0.80
DD001481		5.04	38.9	4.19	4.15	<0.05	0.04	0.03	0.029	0.07	3.8	24.7	0.46	1010	0.48
DD001482		3.82	42.2	4.65	4.98	<0.05	0.04	0.01	0.031	0.06	3.4	27.6	0.46	1320	0.81
DD001483		3.38	39.2	4.68	6.12	<0.05	0.07	0.03	0.035	0.05	4.4	31.1	0.45	1040	0.92
DD001484		3.25	42.4	4.85	6.62	<0.05	0.06	0.03	0.040	0.05	4.9	33.0	0.47	1160	0.92
DD001485		4.42	44.7	4.44	6.50	0.05	0.07	0.05	0.041	0.06	5.3	31.7	0.46	1120	0.85
DD001486		3.90	47.8	4.94	6.81	<0.05	0.06	0.03	0.039	0.05	5.2	32.9	0.46	1370	1.01
DD001487		4.44	36.3	4.12	4.82	<0.05	0.05	0.02	0.029	0.07	3.7	25.4	0.45	1380	0.57
DD001488		4.57	39.3	4.08	5.25	<0.05	0.05	0.03	0.029	0.05	4.1	26.1	0.45	831	0.60
DD001489		5.02	34.4	4.02	4.75	<0.05	0.05	0.04	0.031	0.07	3.8	25.6	0.45	911	0.53
DD001490		4.68	40.1	4.37	5.19	<0.05	0.05	0.04	0.031	0.06	4.1	27.0	0.45	1040	0.71
DD001491		4.72	38.0	4.15	4.78	<0.05	0.06	0.04	0.029	0.07	3.7	24.5	0.45	1060	0.60
DD001492		4.37	40.0	4.18	5.05	<0.05	0.04	0.02	0.032	0.07	3.7	26.4	0.44	1200	0.66
DD001493		2.61	61.2	5.38	4.85	<0.05	0.02	0.02	0.042	0.04	4.6	24.7	0.44	971	0.67
DD001494		2.99	60.6	5.33	5.11	<0.05	0.03	0.01	0.044	0.04	4.7	24.5	0.46	980	0.69
DD001495		2.88	53.5	5.08	5.02	<0.05	0.03	0.02	0.040	0.04	4.4	24.9	0.46	986	0.62
DD001496		2.89	56.1	5.05	5.07	<0.05	0.03	0.04	0.041	0.04	4.5	23.8	0.46	1040	0.65
DD001497		4.37	40.4	4.32	4.82	<0.05	0.06	0.02	0.038	0.06	4.2	25.5	0.45	828	0.61
DD001498		4.03	34.4	4.35	5.62	<0.05	0.06	0.02	0.037	0.05	4.1	29.9	0.44	697	0.68



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 3- OCT- 2011
 Account: MTT

Project: Midas Touch Lolita

CERTIFICATE OF ANALYSIS WH11158630

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD001479		0.25	23.8	480	29.6	8.0	<0.001	0.06	0.21	4.4	0.7	0.6	22.6	<0.01	0.03	3.3
DD001480		0.27	27.6	450	35.5	9.5	<0.001	0.06	0.23	5.0	0.7	0.6	24.9	<0.01	0.02	4.0
DD001481		0.23	23.1	430	28.3	7.9	<0.001	0.06	0.20	4.2	0.6	0.5	23.9	<0.01	0.03	3.5
DD001482		0.31	29.7	340	29.1	6.4	<0.001	0.01	0.21	4.4	0.5	0.7	23.1	<0.01	0.04	3.9
DD001483		0.33	29.2	550	34.0	7.3	<0.001	0.02	0.17	5.1	0.7	0.5	20.5	<0.01	0.03	3.2
DD001484		0.31	31.1	580	38.0	7.1	<0.001	0.02	0.18	5.5	1.0	0.5	22.2	<0.01	0.03	3.2
DD001485		0.41	30.7	720	37.9	9.6	<0.001	0.03	0.20	5.6	1.3	0.5	30.8	<0.01	0.04	2.8
DD001486		0.34	33.0	640	40.7	8.2	<0.001	0.02	0.19	5.8	0.9	0.6	25.1	<0.01	0.04	3.1
DD001487		0.39	28.1	470	27.7	7.6	<0.001	0.03	0.20	4.7	1.0	0.5	27.7	<0.01	0.02	3.4
DD001488		0.43	27.0	510	31.2	8.3	<0.001	0.03	0.19	4.8	0.7	0.6	28.4	<0.01	0.04	3.1
DD001489		0.42	26.3	510	26.9	8.7	<0.001	0.03	0.18	4.7	0.9	0.6	28.5	<0.01	0.03	3.3
DD001490		0.39	28.8	450	28.5	8.2	<0.001	0.01	0.20	5.3	0.8	0.6	26.4	<0.01	0.02	3.4
DD001491		0.39	26.8	500	28.0	8.1	<0.001	0.02	0.19	4.9	0.7	0.6	26.9	<0.01	0.03	3.3
DD001492		0.41	27.8	470	27.4	7.9	<0.001	0.02	0.22	4.9	1.0	0.6	27.9	<0.01	0.03	3.2
DD001493		0.20	30.8	370	27.6	4.1	<0.001	0.01	0.15	6.1	0.3	0.5	20.6	<0.01	0.03	4.2
DD001494		0.22	32.2	400	28.1	4.7	<0.001	0.01	0.17	6.5	0.5	0.5	23.4	<0.01	0.05	4.0
DD001495		0.21	29.0	360	28.9	4.4	<0.001	0.01	0.14	5.5	0.3	0.5	21.2	<0.01	0.03	4.2
DD001496		0.23	29.0	370	29.7	4.4	<0.001	<0.01	0.15	5.7	0.3	0.5	15.7	<0.01	0.03	4.2
DD001497		0.35	28.2	440	24.9	7.2	<0.001	0.02	0.16	5.5	0.6	0.6	27.4	<0.01	0.02	3.5
DD001498		0.38	26.8	500	23.3	8.9	<0.001	0.02	0.15	4.8	0.4	0.6	23.8	<0.01	0.04	2.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 3- OCT- 2011
 Account: MTT

Project: Midas Touch Lolita

CERTIFICATE OF ANALYSIS WH11158630

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001479		0.007	0.05	2.05	26	0.06	6.65	85	1.1
DD001480		0.007	0.05	2.00	25	0.08	6.81	83	1.2
DD001481		0.007	0.04	1.92	24	0.06	5.70	86	1.1
DD001482		0.007	0.05	1.59	25	0.06	5.12	88	1.2
DD001483		0.006	0.05	1.46	25	0.05	6.91	99	1.7
DD001484		0.006	0.05	1.18	25	<0.05	7.29	105	1.7
DD001485		0.006	0.06	1.80	24	<0.05	9.85	102	1.8
DD001486		0.005	0.06	1.48	25	<0.05	8.68	109	1.9
DD001487		0.007	0.05	1.85	23	0.06	5.87	88	1.4
DD001488		0.007	0.05	1.60	23	0.07	6.88	87	1.5
DD001489		0.007	0.05	1.92	23	0.06	6.68	85	1.5
DD001490		0.007	0.05	1.51	24	0.08	6.82	87	1.5
DD001491		0.007	0.05	1.74	23	0.07	6.70	84	1.4
DD001492		0.007	0.05	1.40	22	0.06	6.57	87	1.4
DD001493		0.005	0.04	1.57	27	<0.05	4.53	105	1.2
DD001494		0.005	0.04	1.62	27	<0.05	5.06	105	1.3
DD001495		0.006	0.04	1.72	27	<0.05	4.73	98	1.2
DD001496		0.006	0.04	1.49	27	0.05	4.78	96	1.2
DD001497		0.006	0.03	2.60	23	0.05	5.88	88	1.6
DD001498		0.005	0.06	1.50	25	0.06	6.24	86	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch Lolita

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11158630

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 26- SEP- 2011
Account: MTT

CERTIFICATE WH11163819

Project: Midas Touch - Lolita

P.O. No.:

This report is for 139 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001372		0.44	0.002	0.10	2.25	9.0	<0.2	<10	70	2.01	0.61	0.06	0.10	13.35	53.9	32
DD001373		0.36	0.001	0.12	1.94	7.0	<0.2	<10	140	1.30	0.54	0.10	0.14	8.72	20.8	27
DD001374		0.18	0.003	0.19	1.58	5.2	<0.2	<10	130	1.72	0.50	0.43	0.09	5.73	33.5	23
DD001375		0.24	0.003	0.15	1.71	5.4	<0.2	<10	110	1.52	0.45	0.38	0.11	6.68	36.4	23
DD001376		0.18	0.006	0.11	1.91	3.9	<0.2	<10	90	1.00	0.40	0.27	0.07	4.53	23.0	25
DD001377		0.30	0.002	0.08	1.91	4.6	<0.2	<10	80	1.03	0.43	0.19	0.06	4.45	25.3	26
DD001378		0.28	0.001	0.05	1.58	4.2	<0.2	<10	90	0.88	0.38	0.11	0.08	5.17	26.1	24
DD001379		0.22	0.002	0.06	1.63	5.4	<0.2	<10	90	1.05	0.41	0.17	0.09	7.21	28.3	24
DD001380		0.16	0.002	0.25	1.55	4.9	<0.2	<10	190	1.41	0.35	1.03	0.31	5.06	24.3	18
DD001381		0.32	0.001	0.10	1.48	4.1	<0.2	<10	50	0.94	0.42	0.23	0.05	5.70	23.7	21
DD001382		0.22	0.001	0.15	1.57	3.4	<0.2	<10	60	0.94	0.37	0.32	0.08	6.21	22.9	22
DD001383		0.32	0.001	0.16	1.84	4.3	<0.2	<10	120	1.07	0.41	0.30	0.07	6.96	20.7	24
DD001384		0.44	0.001	0.07	1.82	4.7	<0.2	<10	70	0.82	0.42	0.15	0.04	12.60	15.1	25
DD001385		0.28	0.001	0.05	1.82	5.1	<0.2	<10	80	1.03	0.46	0.13	0.04	10.40	21.9	25
DD001386		0.48	0.001	0.08	1.66	5.1	<0.2	<10	70	0.87	0.40	0.23	0.09	10.95	25.8	23
DD001387		0.32	0.001	0.08	1.57	4.3	<0.2	<10	70	0.73	0.34	0.19	0.06	8.85	20.8	21
DD001388		0.24	0.001	0.07	1.62	4.2	<0.2	<10	70	0.73	0.35	0.16	0.07	10.90	22.6	23
DD001389		0.36	<0.001	0.08	1.59	3.6	<0.2	<10	70	0.81	0.31	0.20	0.07	10.40	23.6	22
DD001390		0.26	0.001	0.12	1.57	2.3	<0.2	<10	100	0.77	0.37	0.34	0.29	7.84	12.8	21
DD001391		0.20	0.001	0.10	1.65	4.0	<0.2	<10	100	0.90	0.39	0.39	0.11	8.66	25.1	22
DD001392		0.34	0.001	0.08	1.56	3.3	<0.2	<10	60	0.68	0.29	0.25	0.07	9.25	17.2	21
DD001393		0.30	0.001	0.08	1.89	6.3	<0.2	<10	70	1.23	0.52	0.10	0.05	8.10	37.0	28
DD001394		0.16	0.001	0.09	1.56	4.4	<0.2	<10	80	0.85	0.34	0.34	0.09	9.60	21.0	22
DD001395		0.34	0.001	0.04	1.10	43.8	<0.2	<10	70	0.81	0.32	0.48	0.09	8.04	21.7	19
DD001396		0.24	0.002	0.06	1.03	48.0	<0.2	<10	70	0.74	0.34	0.36	0.09	8.70	23.1	18
DD001397		0.18	0.002	0.06	1.13	45.5	<0.2	<10	70	0.77	0.32	0.53	0.10	8.71	19.0	18
DD001398		0.28	0.002	0.05	1.12	45.7	<0.2	<10	60	0.77	0.34	0.33	0.08	8.10	20.7	19
DD001399		0.24	0.002	0.05	1.13	44.0	<0.2	<10	60	0.85	0.35	0.20	0.06	8.45	20.7	19
DD001400		0.40	0.002	0.08	1.18	46.7	<0.2	<10	70	0.92	0.34	0.40	0.08	9.00	21.2	19
DD001178		0.44	0.001	0.08	1.64	6.5	<0.2	<10	420	1.95	0.47	0.24	0.05	13.30	19.5	30
DD002251		0.26	0.001	0.05	1.87	5.7	<0.2	<10	70	0.63	0.49	0.02	0.11	5.83	18.0	28
DD002252		0.16	<0.001	0.05	2.46	4.8	<0.2	<10	200	1.51	0.52	0.09	0.08	9.62	25.5	29
DD002253		0.24	<0.001	0.09	1.55	7.8	<0.2	<10	170	0.77	0.63	0.06	0.14	5.58	14.5	20
DD002254		0.18	0.001	0.03	1.98	6.7	<0.2	<10	90	0.86	0.29	0.06	0.12	18.90	16.9	28
DD002255		0.26	0.001	0.03	2.20	5.1	<0.2	<10	80	0.79	0.39	0.10	0.04	6.77	20.3	30
DD002256		0.24	0.001	0.04	2.50	7.0	<0.2	<10	110	0.99	0.43	0.03	0.16	11.65	19.0	30
DD002257		0.18	0.001	0.09	2.02	7.1	<0.2	<10	130	0.97	0.33	0.13	0.07	17.70	9.4	23
DD002258		0.22	0.001	0.06	1.65	6.2	<0.2	<10	50	0.31	0.41	0.02	0.19	11.15	14.8	25
DD002259		0.18	0.002	0.08	1.95	4.7	<0.2	<10	150	1.49	0.41	0.07	0.10	10.00	34.0	26
DD002260		0.22	0.001	0.05	1.98	5.6	<0.2	<10	70	0.64	0.41	0.08	0.09	7.02	17.6	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001372		5.58	75.2	5.18	8.18	0.11	0.05	0.03	0.024	0.04	4.7	77.3	0.79	1380	0.89
DD001373		5.20	43.0	3.81	7.25	0.08	0.09	0.04	0.026	0.08	4.3	53.3	0.49	645	1.01
DD001374		10.95	63.8	3.48	5.22	0.08	0.14	0.04	0.020	0.08	2.7	45.6	0.50	699	0.58
DD001375		7.51	66.3	3.73	5.75	0.08	0.11	0.05	0.022	0.07	2.8	48.6	0.57	951	0.59
DD001376		4.18	36.8	4.29	6.09	0.12	0.10	0.04	0.020	0.06	2.2	51.0	0.69	517	0.42
DD001377		3.09	44.8	4.52	6.24	0.15	0.07	0.03	0.023	0.05	1.7	51.3	0.72	778	0.44
DD001378		2.52	38.1	4.30	5.39	0.12	0.05	0.01	0.017	0.03	1.9	44.5	0.63	981	0.57
DD001379		3.16	40.8	4.30	5.53	0.12	0.06	0.01	0.017	0.05	2.7	44.3	0.63	977	0.65
DD001380		3.12	57.5	3.28	4.21	0.13	0.08	0.12	0.015	0.10	4.2	30.0	0.47	1490	0.70
DD001381		3.37	38.7	4.52	4.70	0.11	0.08	0.05	0.019	0.04	2.1	39.5	0.57	450	0.46
DD001382		4.25	40.3	4.21	4.95	0.14	0.08	0.05	0.019	0.05	2.3	42.2	0.60	318	0.38
DD001383		3.06	40.3	4.30	5.47	0.11	0.12	0.05	0.016	0.06	3.3	46.6	0.63	457	0.48
DD001384		3.21	42.5	4.53	5.81	0.12	0.07	0.03	0.016	0.06	4.6	44.8	0.69	308	0.82
DD001385		3.45	39.5	4.53	5.68	0.11	0.08	0.03	0.020	0.07	3.9	44.0	0.64	843	0.90
DD001386		3.04	44.5	4.26	5.14	0.11	0.08	0.04	0.019	0.06	4.0	42.0	0.65	821	0.77
DD001387		2.59	35.7	4.01	4.77	0.12	0.07	0.05	0.018	0.05	3.3	41.0	0.63	434	0.70
DD001388		2.76	32.8	4.52	5.22	0.12	0.06	0.02	0.017	0.05	4.0	42.7	0.66	749	0.60
DD001389		2.92	32.5	4.01	4.95	0.11	0.07	0.04	0.018	0.05	3.8	42.4	0.64	793	0.60
DD001390		4.22	37.6	3.60	4.82	0.12	0.06	0.09	0.021	0.07	3.0	33.5	0.51	412	0.61
DD001391		3.59	44.9	4.23	4.97	0.10	0.10	0.07	0.015	0.07	3.3	40.0	0.59	852	0.75
DD001392		2.35	29.0	3.81	4.88	0.10	0.06	0.04	0.018	0.05	3.3	40.9	0.62	569	0.52
DD001393		3.43	76.9	5.29	6.20	0.15	0.06	0.05	0.022	0.07	3.0	48.7	0.78	1340	0.75
DD001394		3.11	35.0	3.96	4.80	0.12	0.06	0.05	0.018	0.06	3.6	39.6	0.61	950	0.52
DD001395		3.48	44.0	4.57	3.50	0.13	0.04	0.06	0.024	0.05	3.0	27.6	0.66	824	0.40
DD001396		4.44	41.8	4.21	3.44	0.11	0.05	0.08	0.021	0.05	3.2	26.1	0.57	717	0.36
DD001397		4.95	40.6	4.04	3.46	0.09	0.06	0.10	0.019	0.05	3.4	26.4	0.57	665	0.50
DD001398		3.66	38.8	4.35	3.54	0.11	0.05	0.07	0.019	0.04	3.2	27.6	0.59	774	0.41
DD001399		3.17	38.1	4.43	3.61	0.12	0.05	0.10	0.021	0.05	3.2	27.4	0.53	795	0.40
DD001400		4.74	41.4	4.23	3.67	0.10	0.07	0.10	0.023	0.05	3.5	27.8	0.58	752	0.44
DD001178		3.80	43.0	4.57	6.18	0.10	0.07	0.05	0.040	0.07	4.7	30.5	0.50	1260	0.77
DD002251		2.74	37.2	4.64	6.88	0.09	0.10	0.03	0.022	0.06	2.5	41.2	0.58	564	0.82
DD002252		4.60	49.3	4.55	6.78	0.09	0.09	0.01	0.024	0.11	3.0	58.3	0.66	842	0.73
DD002253		4.73	35.4	3.56	6.40	0.10	0.08	0.02	0.026	0.11	2.4	16.0	0.22	1100	1.16
DD002254		1.73	33.6	3.81	6.16	0.12	0.05	0.04	0.022	0.05	8.3	44.2	0.66	516	0.84
DD002255		1.29	27.7	4.97	6.83	0.11	0.06	0.01	0.014	0.04	2.6	63.6	0.81	604	0.47
DD002256		1.69	28.2	4.87	7.12	0.10	0.06	0.04	0.022	0.07	4.7	52.9	0.66	607	0.86
DD002257		2.49	16.9	3.14	7.27	0.10	<0.02	0.06	0.026	0.05	8.6	29.4	0.42	397	1.49
DD002258		1.54	21.6	4.97	6.86	0.10	0.04	0.03	0.016	0.04	4.6	36.0	0.55	526	0.82
DD002259		3.81	43.3	4.83	5.77	0.10	0.07	0.01	0.020	0.05	3.7	43.5	0.61	1380	0.93
DD002260		1.51	28.2	4.98	6.57	0.11	0.02	0.02	0.023	0.05	3.3	47.7	0.65	575	0.90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD001372		0.21	44.6	450	66.3	5.8	<0.001	0.04	0.45	4.0	0.6	0.3	12.0	0.01	0.04
DD001373		0.44	28.6	730	33.7	13.3	<0.001	0.09	0.35	3.0	0.7	0.5	20.6	<0.01	0.04
DD001374		0.16	31.5	600	51.2	10.0	<0.001	0.10	0.29	3.2	1.7	0.5	70.2	<0.01	0.04
DD001375		0.15	34.2	630	47.8	7.8	<0.001	0.09	0.27	3.1	1.2	0.3	58.8	<0.01	0.04
DD001376		0.10	30.8	440	36.4	6.0	<0.001	0.06	0.22	2.8	0.8	0.3	40.5	<0.01	0.04
DD001377		0.08	33.3	390	40.3	4.2	0.001	0.03	0.25	2.8	1.0	0.4	28.5	<0.01	0.03
DD001378		0.13	31.4	340	39.9	3.5	<0.001	0.02	0.25	2.6	0.3	0.4	17.9	<0.01	<0.01
DD001379		0.19	32.2	440	47.1	4.5	<0.001	0.03	0.29	2.7	0.5	0.4	24.9	<0.01	0.03
DD001380		0.15	26.3	930	29.7	9.0	0.001	0.15	0.32	3.1	2.6	0.6	123.5	<0.01	0.02
DD001381		0.06	30.9	350	33.6	4.2	<0.001	0.04	0.20	3.0	0.5	0.3	40.2	<0.01	0.02
DD001382		0.07	29.5	390	34.5	5.2	<0.001	0.07	0.17	3.0	1.0	0.2	55.5	<0.01	<0.01
DD001383		0.15	29.8	450	35.5	6.1	<0.001	0.05	0.24	3.3	0.6	0.3	52.7	<0.01	<0.01
DD001384		0.10	30.5	340	40.0	5.1	0.001	0.05	0.22	2.9	0.3	0.3	22.8	<0.01	0.01
DD001385		0.12	29.6	430	39.8	6.4	<0.001	0.03	0.24	2.9	0.4	0.3	21.2	<0.01	0.01
DD001386		0.09	30.8	400	37.4	4.9	<0.001	0.04	0.26	2.8	1.2	0.3	33.5	<0.01	<0.01
DD001387		0.09	29.1	370	32.8	4.2	<0.001	0.11	0.21	2.6	0.6	0.3	27.8	<0.01	<0.01
DD001388		0.08	29.1	360	30.5	4.3	<0.001	0.05	0.21	2.5	0.5	0.3	23.4	<0.01	0.01
DD001389		0.08	30.1	360	30.1	4.3	<0.001	0.05	0.18	2.5	0.9	0.3	26.6	<0.01	<0.01
DD001390		0.11	23.8	600	34.9	7.0	0.001	0.13	0.18	2.5	0.8	0.4	37.1	<0.01	0.03
DD001391		0.11	29.2	630	36.8	6.8	0.001	0.13	0.22	2.9	0.5	0.4	52.1	<0.01	0.02
DD001392		0.08	27.3	350	28.6	4.2	<0.001	0.06	0.15	2.4	0.4	0.2	32.0	<0.01	0.01
DD001393		0.06	38.4	320	59.0	3.9	<0.001	0.02	0.43	4.0	<0.2	0.2	12.8	<0.01	0.03
DD001394		0.10	28.5	390	31.7	5.2	<0.001	0.07	0.23	2.8	0.9	0.3	42.5	<0.01	0.01
DD001395		0.07	32.0	280	29.3	3.3	<0.001	0.07	1.17	3.1	0.2	0.3	19.4	<0.01	0.01
DD001396		0.09	30.0	330	28.5	4.1	<0.001	0.10	1.32	3.3	0.6	0.3	19.9	<0.01	0.04
DD001397		0.10	28.2	420	29.1	5.3	<0.001	0.06	1.18	3.1	<0.2	0.2	34.1	<0.01	0.02
DD001398		0.08	29.0	320	28.5	3.7	<0.001	0.03	1.27	3.3	<0.2	0.3	18.5	<0.01	<0.01
DD001399		0.08	29.5	310	27.9	3.5	<0.001	0.03	1.07	3.2	0.3	0.3	14.2	<0.01	0.01
DD001400		0.09	29.5	390	30.0	4.7	<0.001	0.05	1.21	3.5	0.6	0.3	28.8	<0.01	0.02
DD001178		0.33	26.4	480	37.3	7.4	<0.001	0.03	0.23	5.8	1.0	0.8	27.8	<0.01	0.04
DD002251		0.32	26.8	560	28.2	6.8	<0.001	0.03	0.37	2.2	0.7	0.4	5.7	<0.01	0.02
DD002252		0.24	30.4	500	44.5	10.8	<0.001	0.03	0.28	3.4	0.3	0.4	11.7	<0.01	0.02
DD002253		0.31	12.8	810	37.8	13.7	<0.001	0.03	0.40	2.3	0.2	0.5	11.5	<0.01	0.03
DD002254		0.87	28.9	240	25.1	6.5	<0.001	0.01	0.49	2.9	0.3	0.4	8.5	<0.01	<0.01
DD002255		0.15	34.0	210	28.5	4.1	<0.001	0.01	0.24	2.4	0.8	0.2	14.9	<0.01	<0.01
DD002256		0.59	30.1	360	30.0	8.2	<0.001	0.01	0.43	2.9	1.2	0.4	5.9	<0.01	0.04
DD002257		0.78	16.0	570	39.2	8.3	<0.001	0.03	0.51	1.4	0.6	0.7	16.9	<0.01	0.02
DD002258		0.61	24.1	310	18.8	7.8	<0.001	0.01	0.39	2.0	0.6	0.4	4.4	<0.01	0.03
DD002259		0.30	31.8	550	63.5	6.4	<0.001	0.02	0.40	2.4	<0.2	0.3	10.9	<0.01	0.02
DD002260		0.40	29.1	450	24.8	6.2	<0.001	0.02	0.42	1.7	0.2	0.4	13.8	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001372		0.008	0.07	2.74	22	0.06	9.64	119	1.6
DD001373		0.008	0.11	2.65	25	0.08	9.44	85	2.2
DD001374		<0.005	0.06	6.03	13	<0.05	11.70	87	4.4
DD001375		<0.005	0.05	5.05	14	<0.05	11.60	96	3.4
DD001376		<0.005	0.04	2.49	16	<0.05	8.75	108	2.7
DD001377		<0.005	0.03	2.31	16	<0.05	7.30	111	2.3
DD001378		0.006	0.03	1.55	19	0.05	5.69	104	1.4
DD001379		0.008	0.04	1.75	21	<0.05	6.89	102	1.7
DD001380		<0.005	0.04	4.22	14	0.06	22.2	119	2.5
DD001381		<0.005	0.03	4.11	15	<0.05	6.95	114	2.4
DD001382		<0.005	0.02	5.16	14	<0.05	7.42	106	2.6
DD001383		<0.005	0.03	3.23	17	<0.05	10.95	109	2.9
DD001384		<0.005	0.04	2.33	19	<0.05	6.85	99	1.9
DD001385		<0.005	0.04	2.51	19	<0.05	6.20	112	2.0
DD001386		<0.005	0.04	7.08	17	<0.05	7.70	100	2.0
DD001387		<0.005	0.03	3.56	16	<0.05	6.49	97	2.1
DD001388		<0.005	0.03	3.46	17	<0.05	6.29	103	1.8
DD001389		<0.005	0.03	3.95	16	<0.05	6.34	101	1.7
DD001390		<0.005	0.06	3.16	16	<0.05	6.61	93	1.7
DD001391		<0.005	0.04	4.13	16	<0.05	8.16	103	2.5
DD001392		<0.005	0.02	3.15	16	<0.05	5.72	94	1.7
DD001393		0.005	0.04	1.22	21	<0.05	7.28	114	3.4
DD001394		<0.005	0.03	4.81	16	<0.05	7.13	104	1.7
DD001395		<0.005	0.02	0.91	17	<0.05	5.24	133	1.7
DD001396		<0.005	0.03	1.10	17	<0.05	5.71	130	1.6
DD001397		<0.005	0.03	2.05	16	<0.05	6.28	133	1.7
DD001398		<0.005	0.03	1.15	17	<0.05	5.69	129	1.6
DD001399		<0.005	0.03	1.26	17	<0.05	5.51	126	1.6
DD001400		<0.005	0.03	1.56	17	<0.05	6.77	130	1.8
DD001178		0.006	0.05	2.37	28	0.08	6.90	90	1.9
DD002251		0.007	0.05	0.92	25	0.06	3.81	101	1.5
DD002252		<0.005	0.08	1.36	24	0.05	8.98	115	2.6
DD002253		<0.005	0.12	1.42	27	0.06	4.07	59	1.8
DD002254		0.028	0.06	1.00	35	0.13	5.87	95	1.5
DD002255		0.006	0.03	1.23	22	<0.05	4.86	116	1.5
DD002256		0.012	0.08	0.84	32	0.09	5.21	105	1.9
DD002257		0.021	0.13	1.27	46	0.19	4.86	65	<0.5
DD002258		0.017	0.05	0.61	32	0.07	2.70	89	1.3
DD002259		0.011	0.07	1.68	26	0.07	6.62	114	1.8
DD002260		0.014	0.04	0.85	28	0.06	4.02	100	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD002261		0.20	0.001	0.17	2.32	8.6	<0.2	<10	90	0.54	0.41	0.06	0.21	11.65	14.2	31
DD002262		0.28	0.001	0.10	2.16	5.9	0.2	<10	60	0.83	0.47	0.02	0.18	5.83	22.3	27
DD002263		0.24	0.001	0.07	1.71	7.6	<0.2	<10	50	0.47	0.40	0.04	0.09	10.55	15.9	24
DD002264		0.30	0.001	0.05	2.17	9.1	<0.2	<10	60	0.96	0.47	0.04	0.06	7.44	22.1	27
DD002265		0.38	0.002	0.09	2.02	7.1	<0.2	<10	80	1.05	0.50	0.06	0.06	9.10	24.4	28
DD002266		0.26	0.001	0.10	2.32	6.8	<0.2	<10	50	0.79	0.47	0.03	0.11	8.37	15.5	29
DD002267		0.24	0.001	0.07	2.11	10.0	<0.2	<10	50	0.62	0.44	0.03	0.14	8.45	22.1	28
DD002268		0.28	0.001	0.11	1.31	5.9	<0.2	<10	100	0.46	0.45	0.05	0.10	9.04	11.0	20
DD002269		0.24	0.001	0.04	1.30	1.5	<0.2	<10	70	0.77	0.24	0.03	0.02	3.03	18.1	22
DD002270		0.22	<0.001	0.06	1.52	6.1	<0.2	<10	100	0.63	0.49	0.07	0.17	8.80	19.3	24
DD002271		0.26	0.001	0.04	0.34	0.6	<0.2	<10	60	0.75	0.38	0.05	0.01	1.75	14.4	12
DD002272		0.36	0.002	0.04	2.09	24.7	<0.2	<10	60	0.71	0.51	0.04	0.06	12.50	17.2	33
DD002273		0.48	0.001	0.08	2.15	30.5	<0.2	<10	190	0.86	0.67	0.01	0.13	4.13	99.0	36
DD002274		0.34	0.001	0.03	1.00	2.3	<0.2	<10	130	1.60	0.37	0.12	0.04	2.94	24.1	28
DD002275		0.34	0.002	0.06	1.60	7.6	<0.2	<10	70	1.35	0.53	0.12	0.06	6.78	30.7	23
DD002276		0.28	0.003	0.31	2.06	52.5	<0.2	<10	60	2.11	0.96	0.39	0.52	13.65	106.5	27
DD002277		0.28	0.001	0.19	1.86	10.5	<0.2	<10	80	1.34	0.47	0.38	0.09	15.20	42.8	23
DD001401		0.26	0.002	0.09	1.97	8.8	<0.2	<10	130	1.59	0.62	0.12	0.08	7.60	31.1	27
DD001402		0.18	0.001	0.06	1.88	5.8	<0.2	<10	110	1.05	0.49	0.13	0.07	5.14	23.7	27
DD001403		0.24	0.002	0.11	1.88	8.0	<0.2	<10	130	1.41	0.54	0.23	0.07	5.91	24.7	27
DD001404		0.36	0.002	0.10	1.93	8.0	<0.2	<10	120	1.41	0.47	0.18	0.06	5.41	27.6	27
DD001405		0.16	0.004	0.14	1.75	10.7	<0.2	<10	200	1.63	0.53	0.28	0.10	5.77	28.9	25
DD001406		0.30	0.004	0.13	1.82	11.2	<0.2	<10	210	1.81	0.62	0.18	0.04	5.72	18.8	25
DD001407		0.26	0.004	0.15	1.83	11.9	<0.2	<10	190	2.09	0.64	0.23	0.09	6.30	29.2	25
DD001408		0.14	0.003	0.14	1.81	9.5	<0.2	<10	180	1.99	0.67	0.26	0.11	8.39	35.0	24
DD001409		0.28	0.001	0.03	1.74	3.0	<0.2	<10	220	1.88	0.63	0.11	0.02	12.10	17.2	37
DD001063		0.36	0.001	0.03	1.80	1.6	<0.2	<10	200	1.87	0.42	0.10	0.04	8.84	21.0	30
DD001064		0.30	<0.001	0.04	1.66	0.9	<0.2	<10	280	0.83	0.35	0.12	0.07	3.30	19.2	24
DD001065		0.38	0.001	0.03	1.37	2.8	<0.2	<10	150	1.36	0.56	0.06	0.04	7.09	24.0	32
DD001066		0.32	<0.001	0.02	1.00	2.0	<0.2	<10	250	1.41	0.48	0.04	0.03	5.52	24.6	30
DD001067		0.32	0.001	0.03	1.20	7.2	<0.2	<10	80	0.88	0.44	0.02	0.11	11.25	20.0	29
DD001068		0.36	0.001	0.04	1.04	14.6	<0.2	<10	60	1.08	0.46	0.05	0.07	12.25	19.7	22
DD001069		0.38	0.001	0.04	0.99	5.3	<0.2	<10	90	0.39	0.53	0.01	0.07	6.84	15.2	26
DD001070		0.36	0.001	0.04	1.12	12.6	<0.2	<10	50	0.46	0.48	0.05	0.12	15.10	10.8	24
DD001071		0.28	0.002	0.05	1.87	10.7	<0.2	<10	240	1.58	0.52	0.10	0.08	11.00	13.4	32
DD001072		0.38	0.001	0.03	2.19	12.9	<0.2	<10	50	1.65	0.62	0.01	0.07	21.7	27.7	35
DD001073		0.36	0.001	0.04	0.63	23.8	<0.2	<10	80	1.33	0.61	0.04	0.06	17.00	11.5	14
DD001074		0.38	0.002	0.04	1.29	11.5	<0.2	<10	50	1.15	0.61	0.03	0.14	19.30	23.3	24
DD001075		0.28	<0.001	0.04	1.39	10.4	<0.2	<10	120	0.97	0.58	0.01	0.09	16.65	14.9	23
DD001076		0.32	0.002	0.03	2.34	11.7	<0.2	<10	80	1.77	0.69	0.12	0.09	22.2	24.8	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD002261		1.60	29.6	4.83	6.41	0.07	0.03	0.03	0.011	0.07	5.5	39.1	0.59	490	1.28
DD002262		1.71	32.7	5.05	6.74	0.08	0.09	0.06	0.010	0.04	2.7	38.1	0.53	1260	0.88
DD002263		1.49	23.6	5.28	7.07	0.09	0.04	0.02	0.008	0.04	4.1	32.5	0.39	828	0.69
DD002264		1.56	30.1	5.41	6.85	0.08	0.09	0.01	0.011	0.03	3.1	46.8	0.67	965	0.68
DD002265		2.25	51.6	5.09	6.25	0.08	0.04	0.01	0.013	0.05	3.3	42.0	0.67	847	0.72
DD002266		1.93	34.9	5.40	7.03	0.09	0.10	0.01	0.010	0.04	3.5	49.2	0.61	468	0.94
DD002267		1.53	30.3	4.75	5.55	0.07	0.11	0.02	0.011	0.04	3.8	38.7	0.61	894	0.80
DD002268		1.59	17.3	4.68	8.13	0.07	<0.02	0.02	0.008	0.05	4.3	14.6	0.17	1210	1.07
DD002269		1.35	40.5	4.67	4.46	0.10	<0.02	<0.01	0.014	0.04	1.2	29.9	0.54	702	0.29
DD002270		2.07	22.8	4.74	7.39	0.08	<0.02	0.03	0.013	0.06	4.0	30.2	0.36	972	1.06
DD002271		1.26	51.3	4.34	1.05	<0.05	<0.02	0.03	0.024	0.03	0.8	4.1	0.11	331	0.46
DD002272		2.83	47.9	4.88	7.21	0.10	0.03	<0.01	0.011	0.04	5.2	43.6	0.78	547	1.09
DD002273		9.10	101.0	6.79	8.06	0.11	0.05	<0.01	0.024	0.07	1.1	48.8	0.78	3050	1.44
DD002274		3.02	90.8	4.92	3.19	0.10	0.03	0.01	0.015	0.05	1.0	21.3	0.59	1520	0.39
DD002275		2.83	53.0	5.39	5.27	0.11	0.07	0.04	0.015	0.05	2.4	36.2	0.57	1400	0.53
DD002276		5.82	119.5	5.14	6.72	0.13	0.10	0.17	0.023	0.07	3.8	43.7	0.63	5980	1.69
DD002277		2.06	51.2	5.94	5.36	0.12	0.08	0.07	0.021	0.08	4.6	38.6	0.56	2420	0.58
DD001401		3.82	54.5	4.85	8.06	0.08	0.07	0.01	0.012	0.06	2.9	56.2	0.76	1220	0.74
DD001402		3.16	40.3	4.56	6.20	0.09	0.05	0.01	0.009	0.06	2.0	40.6	0.73	1020	0.52
DD001403		5.08	58.2	4.41	6.66	0.09	0.08	0.02	0.009	0.05	2.5	45.2	0.71	741	0.62
DD001404		5.24	54.5	4.55	6.13	0.10	0.05	0.02	0.006	0.05	2.1	44.2	0.73	882	0.52
DD001405		8.44	64.2	4.10	5.66	0.09	0.10	0.05	0.010	0.09	2.4	36.6	0.60	1030	0.79
DD001406		11.25	59.6	4.23	6.07	0.09	0.08	0.02	0.011	0.07	2.8	36.0	0.57	507	0.98
DD001407		12.10	73.4	4.34	5.98	0.08	0.08	0.05	0.011	0.07	2.8	39.2	0.60	950	0.94
DD001408		13.50	73.4	4.03	6.82	0.10	0.10	0.06	0.012	0.07	3.6	41.2	0.60	1160	1.57
DD001409		2.81	48.2	4.80	8.17	0.09	0.10	<0.01	0.032	0.09	4.7	26.4	0.48	718	0.58
DD001063		3.96	40.4	4.05	7.52	0.09	0.06	<0.01	0.020	0.08	3.5	45.5	0.67	1070	0.54
DD001064		2.69	25.7	4.03	6.48	0.09	0.05	<0.01	0.011	0.08	1.3	38.8	0.60	1980	0.33
DD001065		4.14	40.2	4.98	5.77	0.09	0.02	<0.01	0.015	0.07	2.7	32.6	0.60	1500	0.56
DD001066		2.67	53.8	5.00	3.93	0.07	0.04	0.02	0.019	0.10	1.7	21.0	0.40	1380	0.58
DD001067		4.75	51.2	4.31	6.59	0.09	0.02	<0.01	0.019	0.06	4.8	18.9	0.33	1490	1.16
DD001068		2.34	36.4	4.02	4.48	0.07	0.03	<0.01	0.019	0.06	5.4	18.0	0.28	1400	1.47
DD001069		5.14	22.3	4.23	6.86	0.08	<0.02	0.01	0.015	0.07	3.3	8.0	0.19	1210	1.39
DD001070		3.03	29.9	4.40	8.26	0.09	<0.02	<0.01	0.019	0.05	7.5	8.6	0.21	688	1.85
DD001071		13.90	33.3	3.98	7.30	0.09	0.09	0.01	0.024	0.11	4.7	30.0	0.42	660	0.94
DD001072		4.01	61.5	5.30	9.76	0.09	0.07	<0.01	0.034	0.06	7.9	42.1	0.57	1360	1.01
DD001073		3.93	34.3	3.71	3.33	0.09	<0.02	<0.01	0.033	0.07	7.4	2.4	0.06	465	1.21
DD001074		2.87	43.8	5.29	5.96	0.09	0.04	0.01	0.052	0.06	7.8	12.0	0.23	1660	1.80
DD001075		6.78	26.9	3.66	6.06	0.07	0.06	<0.01	0.031	0.10	7.4	11.6	0.18	1290	0.99
DD001076		5.13	42.1	5.16	9.01	0.10	0.08	<0.01	0.045	0.08	8.9	45.5	0.64	977	0.91



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD002261		0.74	30.0	590	28.6	7.6	<0.001	0.01	0.60	2.3	0.5	0.4	8.2	<0.01	0.06
DD002262		0.40	28.4	710	41.1	5.8	<0.001	0.02	0.39	2.0	0.5	0.3	5.3	<0.01	0.04
DD002263		0.33	20.9	380	20.9	7.6	<0.001	<0.01	0.39	2.0	0.2	0.3	7.5	<0.01	0.05
DD002264		0.20	34.5	320	30.7	5.7	<0.001	<0.01	0.44	2.4	0.4	0.3	6.9	<0.01	0.03
DD002265		0.19	36.7	250	37.6	5.2	<0.001	<0.01	0.41	2.8	<0.2	0.3	10.1	<0.01	0.03
DD002266		0.45	34.2	420	34.0	6.1	<0.001	<0.01	0.42	2.1	0.4	0.3	4.9	<0.01	0.05
DD002267		0.46	30.9	340	32.8	5.8	<0.001	<0.01	0.35	2.5	0.3	0.2	6.1	<0.01	0.04
DD002268		0.55	13.2	950	21.6	8.9	<0.001	0.02	0.51	1.2	0.2	0.5	6.5	<0.01	0.02
DD002269		0.11	34.5	210	11.0	3.4	<0.001	<0.01	0.14	3.7	<0.2	0.2	5.4	<0.01	0.01
DD002270		0.51	23.3	610	24.9	10.1	<0.001	0.01	0.47	1.8	0.3	0.4	8.5	<0.01	0.07
DD002271		0.05	24.4	120	14.9	2.3	<0.001	<0.01	0.11	4.0	<0.2	0.2	9.4	<0.01	0.01
DD002272		0.40	35.2	350	26.6	4.8	<0.001	0.01	0.71	3.1	0.7	0.3	12.1	<0.01	0.04
DD002273		0.06	51.1	530	80.5	5.8	<0.001	0.03	0.76	9.0	0.3	0.3	14.0	<0.01	0.01
DD002274		0.12	43.1	340	22.8	3.4	<0.001	<0.01	0.25	6.2	0.8	0.3	8.9	<0.01	0.07
DD002275		0.06	38.7	480	53.3	4.1	<0.001	0.01	0.42	4.0	0.8	0.2	11.5	<0.01	0.04
DD002276		0.11	51.1	980	270	5.6	<0.001	0.04	0.75	7.1	1.8	0.3	18.9	<0.01	0.08
DD002277		0.11	44.6	790	52.8	6.2	<0.001	0.03	0.98	6.2	1.2	0.2	27.1	<0.01	0.05
DD001401		0.08	41.3	280	52.4	6.1	<0.001	<0.01	0.31	4.2	0.4	0.3	32.3	<0.01	0.02
DD001402		0.08	32.4	300	37.7	4.7	<0.001	0.01	0.20	3.0	<0.2	0.2	26.4	<0.01	0.02
DD001403		0.10	34.6	390	45.7	5.7	<0.001	0.01	0.27	3.7	0.7	0.3	46.8	<0.01	0.03
DD001404		0.09	34.1	360	44.3	5.6	<0.001	0.01	0.31	3.2	0.6	0.3	44.2	<0.01	<0.01
DD001405		0.12	31.3	510	54.5	9.7	<0.001	0.05	0.27	3.3	0.8	0.3	58.5	<0.01	0.05
DD001406		0.14	28.4	470	50.8	11.3	<0.001	0.02	0.25	3.8	1.2	0.4	48.5	<0.01	0.02
DD001407		0.12	32.9	490	59.9	10.3	<0.001	0.02	0.28	3.7	1.4	0.3	49.1	<0.01	0.03
DD001408		0.22	32.2	640	53.9	11.5	0.001	0.05	0.39	3.6	1.2	0.4	54.1	<0.01	0.02
DD001409		0.12	30.6	300	20.3	8.0	0.001	<0.01	0.23	6.4	0.5	1.3	20.8	<0.01	0.03
DD001063		0.25	38.2	440	33.4	8.6	<0.001	<0.01	0.17	4.6	0.5	0.6	9.3	<0.01	0.03
DD001064		0.23	29.8	610	19.3	6.9	<0.001	0.03	0.17	2.8	0.2	0.5	8.1	<0.01	0.04
DD001065		0.28	29.4	320	32.6	7.0	<0.001	<0.01	0.31	4.5	0.3	0.9	10.6	<0.01	0.02
DD001066		0.17	27.7	170	22.6	7.6	<0.001	<0.01	0.31	5.3	0.6	0.7	9.5	<0.01	0.05
DD001067		0.45	21.7	580	24.5	10.0	<0.001	0.02	0.57	3.0	0.4	0.9	6.5	<0.01	0.06
DD001068		0.22	25.5	720	37.5	7.2	<0.001	0.01	0.24	2.7	<0.2	0.6	7.8	<0.01	0.04
DD001069		0.16	14.8	1080	27.7	13.9	<0.001	0.04	0.60	0.9	0.5	1.0	5.5	<0.01	0.07
DD001070		0.44	16.2	680	20.2	11.0	<0.001	0.01	0.79	1.3	0.6	0.9	8.1	<0.01	0.10
DD001071		0.43	24.1	930	29.5	22.5	<0.001	0.03	0.33	4.2	0.3	1.0	17.2	<0.01	0.06
DD001072		0.35	38.4	600	44.2	10.0	<0.001	<0.01	0.36	6.0	0.4	0.9	9.8	<0.01	0.06
DD001073		0.19	17.0	1040	19.7	11.5	<0.001	0.03	0.44	2.2	<0.2	0.8	8.3	<0.01	0.04
DD001074		0.30	21.9	940	33.1	11.5	<0.001	0.02	0.54	3.7	0.7	0.8	9.0	<0.01	0.03
DD001075		0.20	15.0	820	25.1	17.3	<0.001	0.03	0.25	2.5	<0.2	0.9	8.9	<0.01	0.02
DD001076		0.19	39.8	750	32.7	8.9	<0.001	<0.01	0.21	5.3	0.6	0.8	16.8	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD002261		0.025	0.08	0.71	37	0.14	3.26	114	1.1
DD002262		0.013	0.05	1.05	27	0.06	3.46	105	2.8
DD002263		0.009	0.06	0.62	27	0.05	3.20	86	1.6
DD002264		0.006	0.04	0.54	22	<0.05	5.57	93	1.3
DD002265		0.010	0.04	1.04	24	0.05	5.74	114	1.2
DD002266		0.013	0.03	0.63	27	0.09	3.25	106	2.9
DD002267		0.016	0.03	0.62	25	0.09	3.12	97	3.0
DD002268		0.016	0.07	0.53	41	0.09	1.94	74	<0.5
DD002269		<0.005	0.02	0.86	22	<0.05	3.33	99	0.6
DD002270		0.013	0.05	0.68	34	0.10	2.87	89	<0.5
DD002271		<0.005	0.02	0.69	21	<0.05	3.78	86	0.5
DD002272		0.017	0.05	0.98	31	0.08	4.03	98	1.3
DD002273		0.006	0.07	2.38	29	0.05	5.05	122	3.1
DD002274		0.010	0.02	1.36	30	<0.05	6.49	123	1.0
DD002275		<0.005	0.03	1.54	18	<0.05	8.21	122	2.5
DD002276		0.005	0.10	1.68	19	<0.05	26.5	125	2.7
DD002277		0.005	0.06	1.78	19	<0.05	18.10	128	2.1
DD001401		<0.005	0.04	2.34	19	<0.05	7.95	114	2.4
DD001402		<0.005	0.03	1.92	18	<0.05	5.96	112	2.0
DD001403		<0.005	0.04	5.10	18	<0.05	9.09	113	2.5
DD001404		<0.005	0.03	3.62	19	<0.05	8.11	112	1.9
DD001405		<0.005	0.06	3.52	18	<0.05	9.63	103	2.6
DD001406		<0.005	0.05	2.71	20	<0.05	9.90	92	2.6
DD001407		<0.005	0.06	6.21	19	<0.05	10.60	99	2.6
DD001408		<0.005	0.07	2.84	20	0.05	10.15	91	2.5
DD001409		0.011	0.05	1.30	38	0.16	4.50	86	3.8
DD001063		0.007	0.05	0.96	22	<0.05	6.31	99	2.0
DD001064		0.006	0.04	0.59	20	<0.05	3.58	100	1.9
DD001065		0.013	0.05	1.22	32	0.10	4.18	93	0.6
DD001066		0.010	0.05	1.28	28	0.08	4.18	82	2.0
DD001067		0.018	0.09	1.11	40	0.17	3.24	73	<0.5
DD001068		0.007	0.05	1.06	26	0.05	3.75	90	1.0
DD001069		0.011	0.10	0.97	38	0.13	2.22	52	<0.5
DD001070		0.022	0.14	0.85	50	0.15	2.71	63	<0.5
DD001071		0.007	0.15	1.39	36	0.11	5.50	65	2.3
DD001072		0.009	0.09	0.98	34	0.06	5.67	103	1.9
DD001073		<0.005	0.09	0.79	29	0.07	5.06	82	<0.5
DD001074		0.009	0.11	0.88	35	0.11	4.28	92	0.7
DD001075		<0.005	0.12	0.79	29	<0.05	3.64	68	1.5
DD001076		<0.005	0.04	0.80	28	<0.05	6.20	99	2.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001077		0.26	0.001	0.07	1.66	10.7	<0.2	<10	490	2.07	0.53	0.12	0.09	12.35	11.6	29
DD001078		0.32	0.002	0.07	2.26	18.6	<0.2	<10	80	2.08	1.04	0.02	0.09	22.3	57.1	34
DD001079		0.32	0.001	0.04	2.10	17.9	<0.2	<10	60	1.94	0.74	0.02	0.07	18.90	35.9	34
DD001080		0.36	0.001	0.03	1.57	21.7	<0.2	<10	70	1.65	0.56	0.03	0.08	17.55	32.6	28
DD001081		0.38	0.001	0.05	1.69	15.9	<0.2	<10	90	1.91	0.56	0.04	0.07	16.70	26.0	31
DD001082		0.38	0.001	0.03	1.35	14.8	<0.2	<10	70	1.77	0.55	0.03	0.07	21.1	26.8	24
DD001083		0.44	0.001	0.03	1.63	14.0	<0.2	<10	70	1.51	0.55	0.07	0.18	30.9	23.0	29
DD001084		0.32	0.001	0.02	1.48	4.7	<0.2	<10	120	1.46	0.53	0.04	0.06	9.92	16.9	32
DD001085		0.38	0.001	0.04	2.01	28.2	<0.2	<10	70	1.99	0.71	0.06	0.03	21.9	28.6	34
DD001086		0.38	0.001	0.02	0.80	3.9	<0.2	<10	390	1.98	0.42	0.10	0.02	7.73	13.3	23
DD001087		0.34	0.001	0.14	0.94	2.6	<0.2	<10	700	1.71	0.45	0.10	0.02	4.91	16.7	22
DD001088		0.32	0.001	0.02	0.88	2.3	<0.2	<10	130	1.08	0.51	0.03	0.03	2.55	14.4	26
DD001089		0.28	0.001	0.06	0.69	2.8	<0.2	<10	130	0.81	0.39	0.13	0.07	3.44	13.5	19
DD001090		0.40	0.003	0.12	1.43	7.1	<0.2	<10	460	2.68	0.61	0.20	0.06	8.23	19.3	25
DD001091		0.36	0.001	0.04	1.06	7.0	<0.2	<10	90	0.48	0.45	0.02	0.11	7.88	15.1	24
DD001092		0.34	0.001	0.08	1.85	13.1	<0.2	<10	110	1.46	0.48	0.02	0.08	15.40	28.3	32
DD001093		0.32	0.001	0.04	1.61	6.4	<0.2	<10	130	1.19	0.45	0.03	0.07	9.62	18.1	32
DD001094		0.36	0.002	0.06	1.91	3.3	<0.2	<10	480	2.13	0.36	0.09	0.05	12.45	19.6	34
DD001095		0.44	0.002	0.04	2.47	14.2	<0.2	<10	110	2.17	0.80	0.05	0.01	16.30	29.7	36
DD001096		0.50	0.001	0.31	1.98	16.2	<0.2	<10	180	2.20	0.65	0.11	0.05	17.55	23.2	33
DD001097		0.52	0.001	0.09	1.91	22.1	<0.2	<10	160	2.08	0.64	0.12	0.06	21.9	50.6	32
DD001098		0.46	0.001	0.07	1.84	18.2	<0.2	<10	180	1.81	0.62	0.14	0.05	19.50	32.4	32
DD001099		0.46	0.001	0.06	1.75	16.0	<0.2	<10	170	2.09	0.53	0.15	0.06	17.85	33.0	30
DD001100		0.46	0.001	0.04	1.69	16.4	<0.2	<10	160	1.81	0.53	0.13	0.05	14.65	26.6	29
DD002288		0.32	0.001	0.07	2.15	11.9	<0.2	<10	380	2.54	0.45	0.05	0.05	13.55	32.2	34
DD002289		0.26	0.001	0.04	1.26	9.2	<0.2	<10	300	3.57	0.43	0.09	0.06	9.14	22.5	24
DD002290		0.32	0.001	0.07	1.35	8.9	<0.2	<10	460	1.81	0.41	0.18	0.08	5.44	23.7	23
DD002291		0.24	0.001	0.14	1.37	22.8	<0.2	<10	250	2.33	0.49	0.42	0.09	19.45	23.2	20
DD002292		0.26	0.001	0.08	1.02	9.7	<0.2	<10	300	1.76	0.33	0.20	0.04	8.59	30.7	25
DD002293		0.20	<0.001	0.04	0.97	8.6	<0.2	<10	310	2.10	0.37	0.10	0.03	7.93	24.8	27
DD002294		0.28	0.001	0.03	0.63	5.7	<0.2	<10	460	1.79	0.41	0.05	<0.01	5.50	17.5	28
DD002295		0.26	0.001	0.06	0.97	9.2	<0.2	<10	160	1.03	0.37	0.03	0.13	8.74	17.3	22
DD002296		0.26	<0.001	0.21	1.16	8.0	<0.2	<10	270	0.73	0.39	0.12	0.23	9.91	9.9	24
DD002297		0.20	0.001	0.12	1.09	9.0	<0.2	<10	170	1.17	0.32	0.03	0.16	13.35	17.5	22
DD002298		0.28	0.001	0.06	1.55	10.2	<0.2	<10	50	0.80	0.42	0.02	0.10	11.50	14.6	32
DD002299		0.34	0.002	0.07	1.11	10.3	<0.2	<10	60	0.74	0.42	0.02	0.07	8.91	14.5	24
DD002300		0.34	0.001	0.05	1.47	12.3	<0.2	<10	90	1.06	0.49	0.03	0.14	14.30	21.7	31
DD002351		0.22	0.001	0.07	1.60	11.4	<0.2	<10	60	0.96	0.41	0.03	0.12	15.85	13.6	30
DD002352		0.32	0.001	0.07	1.27	9.7	<0.2	<10	60	0.51	0.40	0.02	0.07	9.15	8.5	27
DD002353		0.28	0.001	0.06	1.55	8.6	<0.2	<10	260	1.73	0.55	0.03	0.07	14.55	25.8	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001077		12.15	31.6	3.64	6.79	0.09	0.03	0.03	0.034	0.09	5.5	20.0	0.32	897	1.52
DD001078		7.43	65.6	5.76	8.96	0.10	0.08	0.01	0.053	0.08	8.2	35.2	0.53	2990	1.85
DD001079		6.06	51.2	5.50	9.22	0.09	0.06	<0.01	0.043	0.07	7.1	31.2	0.47	2150	1.47
DD001080		3.86	40.2	4.75	6.14	0.09	<0.02	<0.01	0.037	0.06	6.3	28.8	0.38	1460	0.72
DD001081		4.52	48.8	4.72	7.03	0.09	0.05	<0.01	0.040	0.07	6.3	25.0	0.45	1540	0.90
DD001082		4.10	49.2	4.52	5.69	0.10	0.04	0.05	0.039	0.07	7.8	18.8	0.34	1560	1.26
DD001083		3.64	45.7	4.42	6.59	0.09	0.04	<0.01	0.037	0.06	11.7	24.1	0.47	1250	1.47
DD001084		4.86	31.0	5.10	6.06	0.09	0.05	0.02	0.030	0.10	4.0	19.3	0.39	1260	0.73
DD001085		8.63	43.0	5.23	8.56	0.12	0.05	0.01	0.039	0.07	7.3	38.3	0.51	1260	0.93
DD001086		9.20	25.7	3.84	2.88	0.10	<0.02	0.02	0.026	0.09	2.0	15.9	0.40	2090	0.82
DD001087		3.06	245	3.44	2.84	0.10	0.04	<0.01	0.024	0.12	1.3	20.0	0.45	2060	0.62
DD001088		3.97	13.7	4.52	2.52	0.09	<0.02	0.01	0.018	0.09	0.7	15.3	0.38	908	0.61
DD001089		4.21	12.8	2.87	2.47	0.08	<0.02	0.02	0.017	0.09	1.5	9.0	0.24	485	0.89
DD001090		8.72	71.1	3.97	4.65	0.11	0.09	0.01	0.029	0.10	3.2	30.2	0.59	1500	1.08
DD001091		3.79	24.0	4.05	4.71	0.10	<0.02	0.01	0.025	0.06	3.6	14.3	0.28	1020	1.37
DD001092		5.21	25.9	5.00	7.62	0.11	0.06	0.02	0.035	0.06	5.8	31.0	0.41	2800	1.28
DD001093		3.88	22.9	4.63	5.48	0.09	0.03	0.01	0.028	0.08	3.8	24.8	0.39	1030	0.81
DD001094		3.21	42.6	4.61	5.90	0.09	0.06	0.01	0.027	0.09	4.4	31.2	0.52	1080	0.59
DD001095		5.21	49.2	5.30	8.95	0.11	0.04	0.02	0.035	0.09	6.1	56.7	0.74	1420	1.08
DD001096		6.05	39.5	4.84	7.16	0.10	0.07	0.01	0.030	0.10	6.2	52.2	0.58	1330	0.97
DD001097		4.77	47.2	5.19	7.37	0.12	0.04	0.01	0.036	0.06	6.5	46.9	0.60	2500	1.53
DD001098		5.09	39.1	5.01	6.95	0.11	0.04	<0.01	0.028	0.07	6.6	45.9	0.59	1840	1.32
DD001099		4.57	36.1	4.69	6.80	0.11	0.05	0.01	0.026	0.06	5.8	42.7	0.58	1780	1.00
DD001100		4.28	32.3	4.51	6.31	0.12	0.05	<0.01	0.028	0.06	5.5	41.4	0.56	1570	0.95
DD002288		8.01	64.8	4.73	7.52	0.12	0.09	<0.01	0.033	0.08	4.1	58.2	0.60	2310	1.08
DD002289		7.47	37.2	4.05	4.06	0.09	0.05	0.01	0.033	0.08	2.5	21.0	0.36	2960	0.84
DD002290		5.57	37.8	4.28	4.54	0.07	0.05	0.02	0.032	0.08	1.7	23.6	0.40	2810	1.13
DD002291		4.20	49.9	3.81	4.22	0.12	0.17	0.02	0.030	0.09	8.1	27.0	0.53	2210	1.47
DD002292		4.05	40.1	4.22	3.70	0.08	0.03	0.17	0.034	0.08	3.0	16.5	0.29	2290	0.76
DD002293		3.97	46.8	4.47	3.85	0.08	0.02	0.82	0.037	0.08	3.0	20.1	0.30	1340	0.88
DD002294		2.91	31.3	4.77	2.44	0.09	<0.02	0.02	0.027	0.09	2.1	8.6	0.16	804	0.37
DD002295		2.34	30.4	4.01	4.95	0.08	<0.02	0.11	0.027	0.07	3.7	8.5	0.16	1530	1.12
DD002296		2.37	22.5	3.59	6.52	0.07	<0.02	0.02	0.032	0.07	4.5	12.7	0.21	912	1.12
DD002297		2.03	26.0	3.39	5.68	0.08	<0.02	0.03	0.032	0.06	5.6	4.6	0.11	2350	1.77
DD002298		2.10	34.9	4.83	6.03	0.11	0.05	0.02	0.042	0.05	4.4	16.9	0.26	1040	1.08
DD002299		2.10	31.7	3.95	5.41	0.08	0.04	0.02	0.038	0.05	3.7	12.3	0.20	950	1.06
DD002300		2.19	34.7	4.93	6.65	0.09	0.04	0.02	0.049	0.06	5.1	16.4	0.28	1960	1.28
DD002351		2.22	32.7	4.23	6.30	0.09	<0.02	0.04	0.040	0.05	6.8	21.0	0.33	549	1.37
DD002352		2.04	27.8	4.26	6.93	0.10	0.02	0.03	0.037	0.05	4.1	7.5	0.15	708	1.46
DD002353		4.53	53.4	5.03	6.66	0.12	0.04	<0.01	0.042	0.05	5.5	27.0	0.33	1720	1.21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD001077		0.47	16.4	1330	24.6	22.3	0.001	0.07	0.45	3.2	1.5	0.8	22.8	<0.01	0.02	1.3
DD001078		0.44	30.8	1090	47.7	12.0	<0.001	0.01	0.50	7.1	0.8	0.7	14.0	<0.01	0.05	5.4
DD001079		0.29	30.9	920	72.4	11.0	<0.001	0.01	0.43	5.4	0.8	0.7	11.2	<0.01	0.03	4.1
DD001080		0.19	31.7	470	41.4	6.4	<0.001	<0.01	0.27	5.5	0.6	0.6	15.1	<0.01	0.02	5.5
DD001081		0.30	29.1	610	38.5	8.6	<0.001	<0.01	0.37	4.5	0.6	0.7	10.4	0.01	0.05	3.6
DD001082		0.19	32.2	590	34.5	8.7	<0.001	<0.01	0.29	4.8	0.8	0.7	12.1	<0.01	0.05	3.7
DD001083		0.52	34.8	710	48.1	8.9	<0.001	<0.01	0.63	4.9	0.7	0.7	13.7	<0.01	0.01	5.5
DD001084		0.40	23.8	760	27.6	10.6	<0.001	0.01	0.37	3.9	<0.2	0.9	10.0	<0.01	0.02	4.7
DD001085		0.31	24.9	680	70.7	9.5	<0.001	0.04	0.36	7.2	1.1	0.8	43.6	<0.01	0.03	8.0
DD001086		0.22	18.9	290	30.7	8.5	<0.001	<0.01	0.43	6.4	0.4	0.7	7.4	<0.01	0.03	6.2
DD001087		0.16	22.4	210	20.6	7.4	<0.001	<0.01	0.35	5.7	<0.2	0.7	12.1	<0.01	0.05	6.1
DD001088		0.30	18.5	380	31.8	6.3	<0.001	0.01	0.48	1.8	<0.2	0.7	4.6	<0.01	<0.01	1.6
DD001089		0.26	14.4	1010	23.8	7.2	<0.001	0.07	0.50	1.1	0.5	0.6	10.9	<0.01	<0.01	0.4
DD001090		0.41	24.7	670	59.0	10.9	<0.001	0.02	0.47	5.9	0.8	0.8	23.5	<0.01	0.05	3.6
DD001091		0.32	16.2	680	21.9	9.0	<0.001	0.02	0.62	1.5	0.8	0.7	6.2	<0.01	0.04	0.5
DD001092		0.32	21.0	980	67.8	8.7	<0.001	0.03	0.34	3.4	0.6	0.7	8.8	<0.01	0.01	2.9
DD001093		0.42	23.6	760	24.5	10.4	<0.001	0.03	0.35	3.2	0.7	0.8	10.1	<0.01	0.01	2.8
DD001094		0.32	26.5	950	21.6	7.4	<0.001	0.04	0.22	4.0	0.7	0.6	14.4	<0.01	0.01	3.5
DD001095		0.15	35.4	470	66.7	7.8	<0.001	0.01	0.18	6.0	0.5	0.7	21.6	<0.01	<0.01	5.7
DD001096		0.22	44.5	510	44.9	9.0	<0.001	0.04	0.29	5.7	0.4	0.8	36.5	<0.01	0.01	5.3
DD001097		0.25	38.0	500	61.0	6.7	<0.001	0.02	0.38	5.4	0.7	0.8	32.4	<0.01	0.03	5.8
DD001098		0.26	38.4	470	54.2	6.8	<0.001	0.03	0.34	5.2	0.5	0.8	38.7	<0.01	0.03	5.7
DD001099		0.23	37.7	450	50.8	6.7	<0.001	0.03	0.29	4.8	0.3	0.7	35.1	<0.01	<0.01	5.1
DD001100		0.22	36.0	440	39.7	5.9	<0.001	0.03	0.29	4.4	0.6	0.7	33.0	<0.01	<0.01	4.8
DD002288		0.28	32.1	800	47.7	10.7	<0.001	0.02	0.27	5.1	0.8	0.7	16.6	<0.01	0.02	3.7
DD002289		0.29	20.5	1050	49.6	9.7	<0.001	0.04	0.47	3.8	<0.2	0.8	11.6	<0.01	0.05	2.0
DD002290		0.32	22.4	1170	55.9	9.1	<0.001	0.06	0.46	2.8	<0.2	0.7	18.2	<0.01	0.03	1.6
DD002291		0.19	30.7	840	54.3	8.2	<0.001	0.03	0.56	5.9	1.7	0.5	22.0	<0.01	0.01	3.2
DD002292		0.27	22.4	620	42.9	6.8	<0.001	0.03	0.27	5.1	0.6	0.7	14.2	<0.01	0.01	2.2
DD002293		0.33	27.3	390	29.7	7.4	<0.001	<0.01	0.27	7.3	0.3	0.9	15.0	<0.01	0.01	2.9
DD002294		0.20	19.9	170	24.9	7.5	<0.001	<0.01	0.25	5.7	<0.2	0.9	10.8	<0.01	0.02	4.4
DD002295		0.40	16.3	1030	25.1	10.2	<0.001	0.06	0.41	2.3	0.3	0.6	6.8	<0.01	0.01	0.7
DD002296		0.31	16.3	1190	18.7	16.5	<0.001	0.09	0.40	1.8	<0.2	0.8	12.8	<0.01	0.07	0.5
DD002297		0.25	13.0	1160	20.3	11.9	0.001	0.12	0.69	0.9	1.3	0.7	6.3	<0.01	0.03	0.2
DD002298		0.38	19.1	1040	24.5	8.9	0.001	0.05	0.46	3.1	0.7	0.6	5.8	<0.01	0.02	1.6
DD002299		0.27	17.4	1160	26.4	8.3	0.001	0.05	0.36	2.4	0.6	0.6	6.0	<0.01	0.06	1.1
DD002300		0.46	22.7	870	34.8	8.8	<0.001	0.05	0.56	3.3	0.8	0.7	6.4	<0.01	0.03	1.5
DD002351		0.47	23.5	800	24.1	9.9	<0.001	0.05	0.57	2.4	1.0	0.7	7.4	<0.01	0.09	1.0
DD002352		0.32	13.7	1320	19.4	11.4	<0.001	0.09	0.54	1.3	0.7	0.6	5.8	<0.01	0.07	0.4
DD002353		0.34	28.1	550	29.2	7.6	<0.001	0.01	0.42	5.4	0.6	0.6	15.4	<0.01	0.06	3.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001077		0.007	0.14	1.22	37	0.13	6.68	59	0.8
DD001078		0.009	0.11	1.18	33	0.07	7.21	101	2.1
DD001079		0.007	0.10	0.82	33	0.05	5.41	102	2.0
DD001080		0.006	0.06	0.66	24	<0.05	6.15	100	1.2
DD001081		0.008	0.06	0.99	32	0.07	5.96	95	1.3
DD001082		0.005	0.08	0.98	29	<0.05	6.71	95	0.9
DD001083		0.013	0.08	1.07	35	0.16	6.43	104	1.0
DD001084		0.010	0.06	1.03	33	0.08	3.74	69	1.0
DD001085		0.007	0.09	0.48	22	<0.05	8.01	86	1.8
DD001086		0.011	0.07	1.28	23	0.12	7.97	60	0.6
DD001087		0.011	0.05	2.26	21	0.09	5.78	71	1.9
DD001088		0.012	0.05	0.75	22	0.14	2.09	64	<0.5
DD001089		0.010	0.05	0.72	22	0.13	2.03	53	<0.5
DD001090		0.010	0.08	1.74	27	0.15	13.10	81	2.4
DD001091		0.018	0.08	0.73	35	0.16	2.60	65	<0.5
DD001092		0.008	0.06	0.85	26	0.05	5.49	84	1.7
DD001093		0.009	0.06	0.72	28	0.12	3.19	71	0.8
DD001094		0.008	0.05	0.74	23	0.05	5.84	79	1.3
DD001095		0.006	0.06	0.42	20	<0.05	5.82	97	1.7
DD001096		0.008	0.06	1.04	22	<0.05	9.30	119	1.9
DD001097		0.007	0.07	0.80	23	<0.05	8.73	104	1.3
DD001098		0.008	0.07	0.83	22	<0.05	9.15	106	1.4
DD001099		0.007	0.06	0.81	21	<0.05	8.35	105	1.5
DD001100		0.008	0.05	0.63	20	<0.05	8.14	102	1.6
DD002288		0.006	0.08	0.78	22	<0.05	7.01	92	2.5
DD002289		0.009	0.07	0.92	26	0.13	5.22	75	1.1
DD002290		0.008	0.07	0.73	29	0.11	3.31	93	1.2
DD002291		0.005	0.09	0.83	19	<0.05	25.8	93	5.2
DD002292		0.008	0.07	0.66	25	0.09	4.09	97	0.7
DD002293		0.009	0.05	0.76	26	0.09	4.75	90	0.5
DD002294		0.012	0.05	0.78	27	0.12	3.66	67	0.5
DD002295		0.010	0.08	0.67	30	0.10	3.04	75	<0.5
DD002296		0.011	0.07	0.67	34	0.09	2.72	80	<0.5
DD002297		0.015	0.13	0.76	40	0.13	4.55	67	<0.5
DD002298		0.013	0.07	0.83	33	0.07	3.94	77	1.4
DD002299		0.010	0.07	0.76	29	0.08	2.79	67	0.9
DD002300		0.015	0.10	0.90	37	0.10	4.47	84	0.8
DD002351		0.018	0.12	0.91	38	0.16	4.09	81	<0.5
DD002352		0.011	0.11	0.66	38	0.09	2.47	63	0.5
DD002353		0.013	0.11	1.08	32	0.07	4.93	87	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD002354		0.26	0.001	0.07	1.57	11.1	<0.2	<10	60	0.67	0.42	0.03	0.15	12.45	11.8	35
DD002355		0.38	0.001	0.04	1.60	24.2	<0.2	<10	130	1.42	0.46	0.03	0.13	16.10	23.9	31
DD002356		0.38	0.001	0.03	1.31	10.9	<0.2	<10	220	1.34	0.43	0.06	0.11	14.20	20.0	27
DD002357		0.30	0.001	0.06	1.83	36.6	<0.2	<10	150	1.79	0.53	0.05	0.03	20.9	65.8	32
DD002358		0.44	<0.001	0.07	1.64	38.2	<0.2	<10	160	1.25	0.50	0.03	0.05	17.45	21.9	35
DD002359		0.30	0.001	0.05	2.03	30.5	<0.2	<10	200	1.78	0.71	0.06	0.03	21.1	52.8	34
DD002360		0.24	0.001	0.05	1.72	24.8	<0.2	<10	130	1.35	0.55	0.03	0.05	18.65	43.2	31
DD002361		0.32	0.001	0.39	1.29	37.4	<0.2	<10	290	2.11	0.63	0.24	0.44	21.3	44.8	23
DD002362		0.28	<0.001	0.14	0.85	22.7	<0.2	<10	80	1.20	0.38	0.32	0.24	14.55	16.5	17
DD002363		0.22	<0.001	0.09	1.64	31.0	<0.2	<10	230	1.65	0.51	0.16	0.05	17.30	32.3	31
DD002364		0.28	<0.001	0.06	1.66	31.3	<0.2	<10	240	1.61	0.49	0.15	0.04	17.15	31.2	31
DD002365		0.22	<0.001	0.08	1.58	24.9	<0.2	<10	260	1.46	0.47	0.19	0.04	15.05	25.8	29
DD002366		0.26	<0.001	0.07	1.35	9.5	<0.2	<10	280	1.37	0.41	0.29	0.08	10.25	16.7	25
DD002367		0.32	<0.001	0.05	1.63	15.6	<0.2	<10	260	1.45	0.44	0.17	0.06	12.40	25.8	31
DD002368		0.34	<0.001	0.06	1.36	7.3	<0.2	<10	360	1.58	0.51	0.24	0.04	11.05	16.6	31
DD001147		0.12	0.002	0.16	1.73	8.8	<0.2	<10	180	1.63	0.63	0.29	0.05	6.72	28.2	25
DD001148		0.20	0.004	0.24	1.81	6.9	<0.2	<10	190	1.75	0.70	0.36	0.09	7.84	31.4	27
DD001149		0.26	0.002	0.16	1.84	10.0	<0.2	<10	160	1.68	0.55	0.23	0.10	7.73	23.5	28
DD001150		0.20	<0.001	0.09	1.89	13.7	<0.2	<10	120	1.43	0.61	0.13	0.09	7.92	31.5	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD002354		2.83	27.3	4.83	7.38	0.08	<0.02	0.01	0.040	0.07	5.5	12.3	0.21	1060	1.47
DD002355		3.99	35.7	4.08	6.80	0.09	0.04	0.01	0.038	0.05	5.9	34.3	0.34	1580	2.21
DD002356		3.90	49.0	4.15	4.88	0.13	0.06	<0.01	0.043	0.05	5.7	22.7	0.34	1510	1.21
DD002357		12.40	45.2	4.30	8.17	0.12	0.04	<0.01	0.040	0.08	5.6	46.1	0.50	2260	1.18
DD002358		11.10	30.5	3.97	7.68	0.10	0.02	<0.01	0.034	0.08	6.3	30.9	0.44	1280	2.44
DD002359		12.95	40.2	4.69	8.53	0.12	0.06	<0.01	0.043	0.08	6.7	47.0	0.56	2630	0.62
DD002360		8.89	33.9	4.28	8.23	0.10	0.03	<0.01	0.040	0.06	6.0	40.0	0.41	1930	0.94
DD002361		6.78	70.6	5.94	4.26	0.13	0.05	0.10	0.068	0.10	6.8	23.5	0.40	2330	3.60
DD002362		2.48	26.8	3.81	2.94	0.09	0.05	0.05	0.039	0.08	3.8	8.0	0.13	1360	2.12
DD002363		5.70	45.9	4.42	7.57	0.11	0.05	<0.01	0.038	0.07	5.3	40.4	0.53	1790	1.86
DD002364		5.18	42.9	4.49	7.05	0.14	0.04	<0.01	0.035	0.07	5.2	40.5	0.53	1790	1.63
DD002365		4.68	38.3	4.30	6.45	0.11	0.06	<0.01	0.033	0.07	4.7	36.4	0.52	1400	1.39
DD002366		3.00	23.7	3.58	5.43	0.09	0.07	<0.01	0.032	0.09	3.9	23.3	0.38	1060	0.86
DD002367		3.85	45.0	4.56	6.60	0.09	0.07	<0.01	0.034	0.06	3.8	39.3	0.57	1440	1.02
DD002368		4.31	40.9	4.30	5.12	0.09	0.06	0.01	0.030	0.07	3.7	22.4	0.41	1040	0.76
DD001147		15.30	74.0	3.84	5.06	0.09	0.16	0.01	0.017	0.09	2.5	35.3	0.57	780	0.64
DD001148		15.30	85.7	3.97	5.83	0.11	0.13	0.05	0.028	0.09	3.2	42.0	0.62	452	0.73
DD001149		9.16	62.2	4.35	6.07	0.10	0.09	0.01	0.021	0.07	3.3	43.1	0.63	720	0.68
DD001150		4.87	63.2	4.87	7.08	0.11	0.06	<0.01	0.023	0.04	2.9	51.3	0.70	972	0.72



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD002354		0.37	15.0	1180	23.1	10.4	<0.001	0.09	0.59	1.4	1.1	0.7	6.7	<0.01	0.04	0.5
DD002355		0.49	29.4	620	32.7	9.3	<0.001	0.04	0.55	3.5	0.8	0.7	9.6	<0.01	0.06	1.8
DD002356		0.50	25.3	620	34.6	8.0	<0.001	0.02	0.59	4.0	0.3	0.6	11.0	<0.01	0.03	2.8
DD002357		0.10	37.2	460	67.8	11.7	<0.001	0.03	0.27	6.2	0.5	0.7	20.2	<0.01	0.05	6.1
DD002358		0.34	22.9	420	76.3	11.7	0.001	0.03	0.36	6.0	0.8	0.9	12.6	<0.01	0.02	5.6
DD002359		0.08	36.4	490	55.4	11.9	0.001	0.02	0.21	7.0	0.6	0.6	17.3	<0.01	0.03	6.4
DD002360		0.29	33.0	460	64.0	10.3	<0.001	0.02	0.37	7.0	0.5	0.8	13.1	<0.01	<0.01	5.0
DD002361		0.10	54.9	800	83.1	10.5	0.001	0.04	1.29	9.8	1.4	0.6	19.1	<0.01	0.17	4.5
DD002362		0.09	23.9	3160	36.6	9.6	0.001	0.07	0.86	1.7	0.7	0.4	13.6	<0.01	0.10	0.9
DD002363		0.23	33.6	420	49.8	8.0	<0.001	0.03	0.34	5.7	0.7	0.8	25.3	<0.01	0.01	5.4
DD002364		0.17	33.0	400	49.3	7.4	<0.001	0.03	0.32	5.6	0.5	0.7	24.4	<0.01	0.05	5.4
DD002365		0.22	29.0	410	40.4	7.9	0.001	0.04	0.30	4.9	1.1	0.6	29.2	<0.01	0.04	4.7
DD002366		0.35	19.6	840	25.5	14.1	0.001	0.05	0.36	3.8	0.7	0.7	28.5	<0.01	0.06	2.5
DD002367		0.22	32.4	360	40.4	8.0	<0.001	0.02	0.30	5.2	0.5	0.7	22.5	<0.01	<0.01	5.0
DD002368		0.25	23.3	420	35.4	8.7	<0.001	0.04	0.29	4.9	0.5	0.7	24.0	<0.01	0.02	4.2
DD001147		0.09	29.8	610	74.9	10.8	0.001	0.07	0.33	3.8	0.4	0.4	46.3	<0.01	0.03	5.7
DD001148		0.12	33.7	510	69.1	11.0	<0.001	0.09	0.28	4.5	1.6	0.4	77.1	<0.01	0.01	5.9
DD001149		0.12	35.0	460	44.3	9.1	0.001	0.04	0.32	4.1	0.7	0.3	56.1	<0.01	0.05	4.6
DD001150		0.08	41.5	330	55.6	5.5	<0.001	0.02	0.35	4.0	0.4	0.3	33.2	<0.01	0.03	6.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- SEP- 2011
 Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163819

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD002354		0.017	0.11	0.83	39	0.13	3.29	69	<0.5
DD002355		0.018	0.10	0.80	31	0.10	5.87	80	0.8
DD002356		0.020	0.08	0.90	34	0.14	4.42	82	1.4
DD002357		0.007	0.14	0.56	19	<0.05	7.40	82	2.1
DD002358		0.009	0.12	0.73	24	<0.05	6.64	75	0.8
DD002359		0.005	0.09	0.57	20	<0.05	7.63	90	2.7
DD002360		0.009	0.12	0.57	23	<0.05	7.25	88	1.0
DD002361		0.005	0.24	1.54	28	<0.05	19.75	179	2.1
DD002362		<0.005	0.10	2.14	25	<0.05	6.08	88	1.5
DD002363		0.009	0.08	1.26	21	<0.05	8.94	87	1.7
DD002364		0.008	0.08	1.13	20	<0.05	8.46	86	1.6
DD002365		0.009	0.06	2.76	20	<0.05	8.05	84	1.5
DD002366		0.009	0.08	0.86	25	0.10	5.90	68	1.6
DD002367		0.009	0.08	0.94	22	0.07	6.68	94	1.7
DD002368		0.007	0.05	1.61	26	0.10	6.51	71	1.5
DD001147		<0.005	0.06	6.51	15	<0.05	11.40	88	4.7
DD001148		<0.005	0.07	10.40	17	<0.05	13.85	100	4.0
DD001149		<0.005	0.06	6.41	19	<0.05	12.15	112	2.7
DD001150		<0.005	0.04	3.33	19	<0.05	9.80	119	2.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Lolita

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11163819

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 24- SEP- 2011
Account: MTT

CERTIFICATE WH11163980

Project: Midas Touch - Lolita

P.O. No.:

This report is for 140 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ17596		0.32	0.040	0.11	1.41	11.2	<0.2	<10	170	1.37	0.42	0.17	0.07	8.60	18.0	28
ZZ17597		0.28	0.005	0.05	1.65	1.9	<0.2	<10	170	1.47	0.45	0.12	0.03	9.05	26.2	29
ZZ17598		0.40	0.003	0.14	2.41	25.8	<0.2	<10	60	1.87	0.73	0.05	0.08	14.15	71.6	35
ZZ17599		0.32	0.003	0.08	1.87	10.2	<0.2	<10	230	2.12	0.61	0.28	0.08	9.34	54.8	27
ZZ17600		0.32	0.003	0.09	2.25	4.3	<0.2	<10	130	1.69	0.69	0.07	0.03	8.72	48.0	33
ZZ17601		0.22	0.003	0.08	2.20	5.1	<0.2	<10	150	1.76	0.97	0.06	0.05	8.41	35.2	32
ZZ17551		0.36	0.004	0.16	2.10	7.2	<0.2	<10	180	2.64	0.79	0.05	0.04	8.29	46.4	30
ZZ17552		0.22	0.005	0.12	2.34	6.6	<0.2	<10	220	3.52	0.86	0.10	0.04	11.05	80.5	34
ZZ17553		0.40	0.004	0.09	2.43	4.3	<0.2	<10	110	2.01	0.78	0.06	0.05	10.10	94.6	37
ZZ17554		0.40	0.005	0.10	2.39	10.8	<0.2	<10	70	2.15	1.02	0.02	0.05	11.55	148.5	35
ZZ17555		0.24	0.002	0.07	1.78	4.8	<0.2	<10	150	2.15	0.58	0.05	0.05	10.55	31.9	31
ZZ17556		0.26	0.004	0.07	1.84	16.1	<0.2	<10	160	1.44	0.57	0.09	0.17	13.60	36.1	30
ZZ17557		0.44	0.003	0.06	1.60	9.8	<0.2	<10	90	1.45	0.57	0.10	0.05	8.10	43.6	25
ZZ17558		0.42	0.003	0.11	2.23	9.0	<0.2	<10	130	2.14	0.64	0.08	0.07	13.05	60.6	33
ZZ17559		0.26	0.003	0.14	2.14	5.2	<0.2	<10	200	2.16	0.74	0.05	0.07	9.43	51.0	29
ZZ17560		0.22	0.002	0.06	1.99	3.3	<0.2	<10	160	1.74	0.56	0.10	0.04	7.56	28.4	29
ZZ17561		0.28	0.002	0.11	2.04	17.0	<0.2	<10	80	2.68	0.69	0.08	0.07	20.4	92.5	29
ZZ17562		0.32	0.002	0.14	1.72	3.7	<0.2	<10	140	1.80	0.66	0.04	0.05	8.30	29.8	24
ZZ17563		0.22	0.002	0.10	2.20	7.5	<0.2	<10	180	2.24	0.65	0.23	0.09	10.95	39.3	31
ZZ17564		0.30	0.002	0.13	2.09	15.6	<0.2	<10	120	2.39	0.60	0.15	0.11	13.65	42.6	30
ZZ17565		0.30	0.002	0.10	2.00	14.0	<0.2	<10	110	2.06	0.60	0.07	0.09	12.30	37.8	29
ZZ17566		0.26	0.002	0.10	1.98	22.6	<0.2	<10	140	2.99	0.78	0.23	0.13	10.75	59.8	28
ZZ17567		0.38	0.002	0.13	2.11	29.6	<0.2	<10	60	2.95	0.86	0.08	0.08	10.95	62.3	29
ZZ17568		0.36	0.003	0.09	1.89	9.4	<0.2	<10	120	2.70	0.62	0.06	0.05	11.90	52.1	29
ZZ17569		0.36	0.002	0.10	2.07	14.4	<0.2	<10	60	2.58	0.68	0.05	0.06	12.45	61.5	29
ZZ17570		0.30	0.002	0.08	1.92	20.3	<0.2	<10	30	0.57	0.74	0.02	0.10	12.45	15.2	30
ZZ17571		0.32	0.002	0.05	2.16	16.1	<0.2	<10	50	0.64	0.61	0.03	0.10	15.65	19.3	34
ZZ17572		0.24	0.002	0.04	2.47	13.2	<0.2	<10	40	1.04	0.59	0.03	0.08	14.95	30.7	34
ZZ17573		0.32	0.002	0.23	2.19	24.2	<0.2	<10	70	2.81	0.80	0.05	0.09	15.50	79.7	30
ZZ17574		0.26	0.003	0.21	2.34	10.1	<0.2	<10	310	2.92	0.77	0.10	0.08	12.25	58.2	29
ZZ17575		0.34	0.002	0.14	1.72	9.2	<0.2	<10	140	1.91	0.71	0.05	0.09	13.35	44.7	32
ZZ17576		0.38	0.004	0.18	2.39	14.8	<0.2	<10	110	3.09	0.87	0.05	0.04	10.95	99.0	34
ZZ17577		0.24	0.003	0.10	2.66	16.2	<0.2	<10	80	2.02	0.86	0.04	0.10	21.9	41.8	36
ZZ17578		0.30	0.003	0.06	1.83	5.4	<0.2	<10	50	1.70	0.75	0.02	0.05	14.55	26.7	33
ZZ17579		0.36	0.003	0.05	1.52	3.3	<0.2	<10	120	1.71	0.59	0.08	0.03	14.55	24.2	30
ZZ17580		0.30	0.003	0.04	1.56	2.5	<0.2	<10	70	1.10	0.61	0.04	0.04	6.90	23.3	31
ZZ17581		0.40	0.002	0.04	1.05	3.0	<0.2	<10	90	1.07	0.56	0.05	0.07	6.59	16.8	26
ZZ17582		0.38	0.004	0.03	0.89	3.3	<0.2	<10	60	1.28	0.46	0.02	0.04	6.07	23.0	27
ZZ17583		0.32	0.003	0.06	1.36	1.9	<0.2	<10	60	0.64	0.48	0.05	0.14	3.32	16.6	27
ZZ17501		0.38	0.002	0.06	1.83	3.2	<0.2	<10	160	1.42	0.59	0.14	0.07	5.62	28.5	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ17596		8.62	38.5	3.98	5.25	0.05	0.04	0.14	0.025	0.06	3.2	25.7	0.46	981	0.90
ZZ17597		5.74	51.6	4.42	5.12	0.06	0.05	0.02	0.018	0.05	2.7	34.6	0.66	1080	0.63
ZZ17598		12.70	80.6	6.02	8.50	0.08	0.05	0.03	0.034	0.06	4.1	55.8	0.78	2060	1.60
ZZ17599		5.60	76.8	4.99	5.81	0.08	0.05	0.03	0.021	0.07	2.7	43.3	0.68	1630	0.83
ZZ17600		7.46	75.2	5.25	7.03	0.08	0.04	0.03	0.020	0.09	3.2	50.8	0.79	1160	0.90
ZZ17601		6.70	65.2	5.26	6.98	0.07	0.05	0.02	0.023	0.08	3.0	51.9	0.81	1240	0.87
ZZ17551		10.30	102.5	5.18	6.41	0.08	0.06	0.03	0.019	0.07	2.8	49.5	0.74	1640	0.93
ZZ17552		13.15	118.0	5.36	7.23	0.08	0.06	0.03	0.022	0.07	2.7	54.7	0.82	1520	0.92
ZZ17553		12.55	156.5	5.70	7.38	0.08	0.06	0.03	0.021	0.07	2.7	64.7	0.92	2010	1.61
ZZ17554		19.80	178.5	6.23	7.56	0.08	0.03	0.03	0.027	0.06	3.5	61.2	0.83	2240	1.32
ZZ17555		12.15	80.3	5.43	5.48	0.07	0.06	0.04	0.023	0.05	3.0	37.0	0.68	1350	1.02
ZZ17556		18.80	61.8	4.63	6.40	0.05	0.03	0.05	0.028	0.07	5.5	35.2	0.50	1540	1.41
ZZ17557		2.18	67.8	5.41	5.03	0.10	0.12	0.03	0.024	0.04	2.8	38.5	0.58	1220	0.73
ZZ17558		9.65	88.6	5.42	7.18	0.09	0.07	0.04	0.026	0.06	4.5	57.8	0.76	1900	1.12
ZZ17559		9.05	68.8	5.35	6.84	0.06	0.09	0.04	0.026	0.06	3.6	42.6	0.62	2230	1.00
ZZ17560		6.91	49.6	4.88	6.28	0.06	0.11	0.04	0.020	0.06	3.0	44.8	0.65	1060	0.62
ZZ17561		12.95	98.2	5.65	6.54	0.08	0.06	0.04	0.028	0.06	6.2	54.4	0.61	2080	1.20
ZZ17562		7.71	71.0	5.09	5.36	0.06	0.06	0.03	0.021	0.05	3.1	39.7	0.54	1430	1.08
ZZ17563		13.20	72.1	5.22	6.98	0.06	0.09	0.03	0.026	0.06	4.0	58.2	0.66	1660	1.41
ZZ17564		12.50	67.5	5.02	6.76	0.06	0.09	0.02	0.025	0.07	4.7	54.3	0.59	1280	0.96
ZZ17565		8.52	59.0	4.80	6.81	0.06	0.08	0.02	0.024	0.06	4.3	51.6	0.55	1320	1.00
ZZ17566		14.00	70.9	4.24	6.46	0.11	0.12	0.03	0.031	0.10	3.8	47.6	0.49	1820	0.80
ZZ17567		7.63	76.7	4.88	6.86	0.11	0.07	0.06	0.031	0.06	3.6	44.5	0.62	1740	0.89
ZZ17568		9.36	73.3	4.91	6.41	0.11	0.04	0.03	0.029	0.05	4.1	44.5	0.58	1500	0.70
ZZ17569		9.35	73.8	4.79	6.99	0.10	0.06	0.04	0.030	0.06	4.6	53.4	0.63	1360	0.77
ZZ17570		4.44	28.7	5.20	8.99	0.09	0.09	0.04	0.038	0.04	5.9	36.2	0.47	1130	1.18
ZZ17571		4.28	31.3	4.89	8.90	0.10	0.03	0.03	0.038	0.05	7.7	40.1	0.57	901	1.22
ZZ17572		2.51	41.8	5.17	8.70	0.10	0.08	0.02	0.035	0.04	6.2	52.2	0.65	1050	0.84
ZZ17573		15.25	69.8	4.98	7.80	0.11	0.06	0.03	0.034	0.07	5.1	56.0	0.58	1940	1.26
ZZ17574		14.45	81.4	5.32	7.52	0.11	0.09	0.02	0.028	0.06	4.1	59.3	0.66	2630	1.31
ZZ17575		4.16	72.4	5.13	5.80	0.11	0.04	0.07	0.033	0.06	5.0	33.3	0.52	1980	1.08
ZZ17576		11.20	130.5	5.55	7.75	0.10	0.07	0.05	0.024	0.06	3.6	65.5	0.80	1880	1.17
ZZ17577		16.45	89.8	5.26	8.69	0.11	0.05	0.03	0.041	0.07	8.7	56.3	0.80	1400	1.33
ZZ17578		16.05	55.1	4.37	6.28	0.10	0.04	0.03	0.041	0.07	5.2	35.9	0.56	1520	0.81
ZZ17579		4.62	74.4	4.54	5.54	0.11	0.04	0.02	0.033	0.04	4.2	39.7	0.62	2730	0.56
ZZ17580		3.71	28.7	4.62	5.55	0.08	0.09	0.02	0.026	0.05	2.8	37.8	0.58	1720	0.44
ZZ17581		5.20	31.3	3.96	4.41	0.10	0.02	0.03	0.029	0.05	2.9	17.3	0.31	1140	0.62
ZZ17582		2.64	37.7	4.66	3.37	0.09	0.02	0.03	0.036	0.04	2.4	12.1	0.23	1560	0.37
ZZ17583		4.92	22.7	4.45	6.33	0.09	0.04	0.04	0.020	0.05	1.4	22.5	0.35	1000	0.56
ZZ17501		6.16	50.1	4.40	6.21	0.09	0.06	0.03	0.024	0.05	2.2	44.7	0.60	1580	1.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ17596		0.36	32.5	1200	34.3	8.9	<0.001	0.12	0.88	1.7	0.5	0.6	13.5	0.01	0.04
ZZ17597		0.14	40.7	540	32.8	5.7	<0.001	0.03	0.26	3.7	0.3	0.3	12.4	<0.01	0.02
ZZ17598		0.20	40.8	750	114.0	9.4	<0.001	0.04	0.54	6.2	0.6	0.4	14.7	0.01	0.05
ZZ17599		0.11	46.2	450	89.3	5.8	<0.001	0.03	0.37	4.1	0.5	0.2	27.3	<0.01	0.02
ZZ17600		0.09	42.0	420	71.4	7.5	<0.001	0.02	0.20	4.6	0.4	0.2	10.9	<0.01	0.03
ZZ17601		0.11	43.1	420	60.3	7.6	<0.001	0.02	0.25	4.4	0.3	0.3	11.1	0.01	0.03
ZZ17551		0.12	43.7	520	95.3	8.6	<0.001	0.03	0.28	4.8	0.5	0.2	11.9	<0.01	0.05
ZZ17552		0.08	45.3	560	72.3	9.4	<0.001	0.04	0.32	5.1	0.6	0.2	10.5	0.01	0.05
ZZ17553		0.06	50.3	430	83.2	6.4	<0.001	0.03	0.29	4.8	0.4	0.3	25.3	<0.01	0.03
ZZ17554		0.16	46.5	910	66.6	9.1	<0.001	0.03	0.48	6.0	0.5	0.2	6.9	<0.01	0.05
ZZ17555		0.20	40.5	680	46.1	7.9	<0.001	0.03	0.63	5.0	0.6	0.3	8.8	0.01	0.06
ZZ17556		0.35	32.0	1060	57.3	13.5	<0.001	0.07	0.69	2.5	0.7	0.4	12.4	<0.01	0.06
ZZ17557		0.06	43.9	330	53.5	3.3	<0.001	0.03	0.51	4.8	0.3	0.2	13.4	<0.01	0.02
ZZ17558		0.13	42.9	670	81.7	8.1	<0.001	0.04	0.37	4.7	0.5	0.3	14.4	<0.01	0.03
ZZ17559		0.19	38.8	930	114.5	10.0	<0.001	0.05	0.33	3.5	0.5	0.3	11.0	<0.01	0.05
ZZ17560		0.15	37.2	730	50.4	8.7	<0.001	0.06	0.25	3.1	0.3	0.3	18.0	<0.01	0.03
ZZ17561		0.19	45.0	710	110.5	10.3	<0.001	0.05	0.52	4.8	0.7	0.3	16.0	0.01	0.04
ZZ17562		0.12	35.3	530	90.7	7.8	<0.001	0.04	0.28	3.3	0.3	0.2	13.8	<0.01	0.03
ZZ17563		0.20	38.0	810	88.5	11.9	<0.001	0.07	0.33	3.5	0.8	0.3	131.0	<0.01	0.04
ZZ17564		0.23	37.0	820	73.5	12.9	<0.001	0.06	0.42	3.2	0.7	0.3	20.5	0.01	0.04
ZZ17565		0.28	34.0	780	83.4	12.1	<0.001	0.04	0.42	2.8	0.4	0.4	13.0	0.01	0.05
ZZ17566		0.19	35.3	750	115.0	15.8	<0.001	0.05	0.36	4.9	0.9	0.5	25.7	<0.01	0.03
ZZ17567		0.13	37.2	640	106.5	8.3	0.001	0.05	0.53	4.4	0.9	0.4	14.2	<0.01	0.03
ZZ17568		0.11	36.8	490	74.0	8.3	<0.001	0.03	0.30	4.2	0.7	0.3	11.2	<0.01	0.03
ZZ17569		0.12	35.9	500	62.0	7.9	<0.001	0.03	0.43	4.3	0.7	0.3	10.2	<0.01	0.03
ZZ17570		0.32	21.4	1480	35.6	7.5	0.001	0.09	0.66	2.4	0.8	0.4	6.6	<0.01	0.03
ZZ17571		0.48	28.6	1020	27.5	9.6	<0.001	0.04	0.47	2.6	0.4	0.6	8.1	<0.01	0.03
ZZ17572		0.29	35.2	750	37.8	5.6	<0.001	0.03	0.32	3.2	0.4	0.4	7.8	0.01	0.03
ZZ17573		0.29	35.6	740	106.5	13.0	<0.001	0.04	0.68	4.0	0.7	0.4	11.1	<0.01	0.04
ZZ17574		0.16	38.3	630	144.5	11.1	0.001	0.04	0.34	4.7	1.1	0.4	12.8	<0.01	0.04
ZZ17575		0.21	35.4	750	91.6	7.7	<0.001	0.05	0.38	4.9	0.7	0.3	11.3	<0.01	0.05
ZZ17576		0.08	42.8	550	112.5	7.7	<0.001	0.04	0.46	5.1	1.0	0.3	11.5	<0.01	0.04
ZZ17577		0.27	36.0	780	79.7	12.6	<0.001	0.05	0.32	6.3	1.0	0.4	13.5	<0.01	0.05
ZZ17578		0.21	25.1	980	60.2	11.3	<0.001	0.05	0.18	5.1	0.5	0.5	8.2	<0.01	0.05
ZZ17579		0.27	36.4	510	45.6	5.4	<0.001	0.03	0.25	4.9	0.4	0.5	11.5	<0.01	0.03
ZZ17580		0.23	32.6	690	46.5	5.9	<0.001	0.04	0.22	2.9	0.3	0.5	6.3	<0.01	0.04
ZZ17581		0.32	17.9	680	24.0	7.3	<0.001	0.04	0.29	2.6	0.4	0.5	6.5	<0.01	0.02
ZZ17582		0.23	16.9	650	22.8	5.8	<0.001	0.04	0.22	3.0	<0.2	0.5	4.4	<0.01	0.04
ZZ17583		0.24	20.5	960	20.9	7.8	<0.001	0.06	0.26	1.3	0.2	0.4	5.1	<0.01	0.04
ZZ17501		0.25	32.0	880	67.0	6.4	<0.001	0.06	0.31	2.3	0.3	0.3	11.7	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ17596		0.009	0.36	1.24	26	0.10	6.26	83	0.9
ZZ17597		0.005	0.06	1.43	20	<0.05	7.75	111	1.3
ZZ17598		0.007	0.11	2.62	25	0.05	9.68	116	1.6
ZZ17599		<0.005	0.07	1.96	17	<0.05	10.35	121	2.1
ZZ17600		0.005	0.06	2.23	20	<0.05	8.23	121	1.7
ZZ17601		0.006	0.07	2.02	22	<0.05	8.05	127	3.3
ZZ17551		0.006	0.08	3.37	20	<0.05	9.69	126	1.5
ZZ17552		<0.005	0.09	3.83	19	<0.05	14.90	119	2.0
ZZ17553		<0.005	0.09	2.81	20	<0.05	9.09	121	3.2
ZZ17554		0.007	0.09	3.22	23	0.05	7.26	109	1.2
ZZ17555		0.009	0.08	2.15	24	0.06	9.85	113	1.4
ZZ17556		0.011	0.11	1.72	32	0.12	7.93	102	0.7
ZZ17557		<0.005	0.04	1.87	16	<0.05	8.51	124	7.5
ZZ17558		0.005	0.07	2.48	21	0.05	10.30	121	2.0
ZZ17559		0.006	0.08	1.65	23	0.05	6.65	116	2.7
ZZ17560		<0.005	0.04	1.34	20	<0.05	5.03	112	3.4
ZZ17561		0.006	0.11	3.54	25	0.07	12.40	121	1.3
ZZ17562		0.005	0.06	2.32	21	<0.05	6.79	111	1.5
ZZ17563		0.006	0.07	2.09	23	0.05	8.21	111	2.5
ZZ17564		0.007	0.08	2.35	24	0.07	10.35	116	2.6
ZZ17565		0.008	0.07	1.72	24	0.06	7.97	106	2.3
ZZ17566		<0.005	0.07	3.49	21	<0.05	16.65	113	4.4
ZZ17567		<0.005	0.05	2.70	21	<0.05	12.30	123	2.6
ZZ17568		<0.005	0.04	2.01	21	<0.05	9.34	109	1.5
ZZ17569		<0.005	0.06	2.05	19	<0.05	8.57	111	2.1
ZZ17570		0.009	0.02	0.94	30	0.06	2.82	76	2.5
ZZ17571		0.017	0.04	0.83	38	0.12	3.10	91	0.7
ZZ17572		0.008	0.02	0.83	28	0.10	3.19	112	2.2
ZZ17573		0.010	0.08	1.76	26	0.06	8.42	112	2.0
ZZ17574		0.005	0.06	2.43	22	<0.05	13.60	122	3.3
ZZ17575		0.009	0.06	1.76	27	0.05	9.25	123	1.5
ZZ17576		0.005	0.06	3.73	21	<0.05	10.15	126	4.0
ZZ17577		0.006	0.06	2.42	29	0.05	10.80	118	2.0
ZZ17578		0.006	<0.02	1.70	28	0.06	5.36	78	1.1
ZZ17579		0.010	0.03	1.26	29	0.07	5.71	96	1.3
ZZ17580		0.007	<0.02	1.17	29	0.06	3.16	90	2.1
ZZ17581		0.011	0.02	0.96	27	0.09	3.46	57	0.6
ZZ17582		0.010	<0.02	1.23	29	0.09	2.43	69	0.5
ZZ17583		0.008	<0.02	0.93	26	0.06	2.41	76	1.1
ZZ17501		0.008	<0.02	1.10	23	0.06	4.52	93	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001101		0.28	0.005	0.08	1.99	3.4	<0.2	<10	140	3.46	0.86	0.16	0.06	7.08	39.0	31
DD001102		0.18	0.002	0.05	1.95	6.7	<0.2	<10	90	0.78	0.42	0.24	0.13	10.75	23.7	26
DD001103		0.20	0.001	0.08	1.58	7.0	<0.2	<10	90	0.63	0.52	0.13	0.18	5.77	24.3	25
DD001104		0.24	0.002	0.08	1.53	59.1	<0.2	<10	90	1.45	0.56	0.35	0.10	6.81	36.0	24
ZZ17644		0.28	0.005	0.48	2.58	6.9	<0.2	<10	290	3.28	1.04	0.10	0.04	6.02	41.9	35
ZZ17645		0.28	0.003	0.17	2.42	7.7	<0.2	<10	110	1.84	0.74	0.05	0.08	7.73	47.3	33
ZZ17646		0.18	0.003	0.15	2.35	6.1	<0.2	<10	200	2.88	0.75	0.13	0.09	8.25	81.7	31
ZZ17647		0.30	0.006	0.14	2.46	10.1	<0.2	<10	150	1.84	0.78	0.06	0.09	7.66	65.0	33
ZZ17648		0.26	0.003	0.19	2.51	7.0	<0.2	<10	150	2.34	0.59	0.16	0.09	7.44	76.0	35
ZZ17649		0.24	0.002	0.12	2.01	6.5	<0.2	<10	80	1.30	0.64	0.04	0.08	7.18	31.1	29
ZZ17650		0.24	0.002	0.16	2.07	5.3	<0.2	<10	80	1.19	0.60	0.03	0.06	5.92	22.4	30
DD001272		0.36	0.002	0.05	1.05	10.3	<0.2	<10	120	1.15	0.42	0.05	0.12	13.90	15.7	30
DD001273		0.32	0.002	0.07	0.92	6.3	<0.2	<10	120	0.48	0.43	0.02	0.10	9.67	11.1	26
DD001274		0.34	0.002	0.06	0.85	6.5	<0.2	<10	90	1.07	0.48	0.10	0.09	13.95	11.2	33
DD001275		0.30	0.004	0.07	0.77	5.0	<0.2	<10	140	0.62	0.46	0.02	0.14	7.94	14.1	31
DD001276		0.32	0.003	0.15	1.23	12.2	<0.2	<10	180	1.05	0.40	0.05	0.15	10.40	13.2	23
DD001277		0.30	0.002	0.05	1.48	12.5	<0.2	<10	90	1.05	0.52	0.02	0.12	13.50	14.0	28
DD001278		0.42	0.004	0.07	1.16	13.5	<0.2	<10	90	1.82	0.58	0.05	0.09	23.9	25.1	22
DD001279		0.42	0.004	0.08	1.81	5.4	<0.2	<10	130	2.56	0.78	0.04	0.06	19.15	24.8	36
DD001280		0.40	0.003	0.07	1.43	5.2	<0.2	<10	110	1.25	0.88	0.03	0.06	16.80	19.1	30
DD001281		0.36	0.002	0.38	2.18	7.2	<0.2	<10	80	2.40	0.78	0.08	0.05	24.9	18.4	35
DD001282		0.30	0.002	0.11	1.70	25.7	<0.2	<10	50	2.68	0.61	0.04	0.10	22.7	35.1	33
DD001283		0.38	0.003	0.07	1.98	14.7	<0.2	<10	310	2.55	0.77	0.03	0.08	22.9	29.8	32
DD001284		0.38	0.002	0.09	2.20	9.7	<0.2	<10	90	2.01	0.59	0.07	0.08	17.60	31.0	35
DD001285		0.38	0.002	0.09	1.26	24.8	<0.2	<10	70	2.21	0.59	0.07	0.07	25.9	25.9	23
DD001286		0.30	0.002	0.15	0.86	11.9	<0.2	<10	60	0.88	0.39	0.05	0.19	11.90	11.1	18
DD001287		0.36	0.002	0.07	0.93	17.3	<0.2	<10	100	1.54	0.48	0.05	0.07	22.0	21.3	18
DD001288		0.40	0.002	0.03	0.61	20.5	<0.2	<10	100	1.70	0.53	0.05	0.03	17.15	17.7	14
DD001289		0.38	0.002	0.06	0.93	13.2	<0.2	<10	100	2.04	0.48	0.04	0.04	9.76	23.8	22
DD001290		0.36	0.001	0.04	1.08	8.5	<0.2	<10	100	1.91	0.44	0.05	0.07	10.15	24.6	25
DD001291		0.32	0.002	0.07	1.38	2.9	<0.2	<10	170	1.39	0.49	0.09	0.09	5.70	16.7	29
DD001292		0.34	0.003	0.11	2.19	5.9	<0.2	<10	110	1.48	0.81	0.04	0.09	5.61	22.1	31
DD001293		0.36	0.002	0.06	1.88	3.7	<0.2	<10	130	1.54	0.58	0.04	0.11	6.95	25.0	33
DD001294		0.28	0.002	0.05	1.84	9.9	<0.2	<10	130	1.84	0.59	0.03	0.05	14.25	25.5	32
DD001295		0.34	0.002	0.09	2.41	20.3	<0.2	<10	90	2.18	0.64	0.09	0.15	26.7	36.0	38
DD001296		0.38	0.002	0.06	2.18	16.0	<0.2	<10	40	1.44	0.56	0.02	0.09	18.30	29.0	34
DD001297		0.36	0.002	0.05	0.76	7.4	<0.2	<10	130	1.39	0.45	0.09	0.19	8.87	22.9	24
DD001298		0.42	0.002	0.03	1.16	4.2	<0.2	<10	110	1.37	0.44	0.02	0.04	11.30	21.9	27
DD001299		0.30	0.002	0.05	1.66	8.6	<0.2	<10	60	0.69	0.55	0.02	0.09	9.23	14.6	30
DD001300		0.22	0.002	0.20	0.89	3.2	<0.2	<10	200	1.33	0.27	0.13	0.11	7.21	7.0	16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001101		25.3	121.5	4.63	6.45	0.09	0.06	0.03	0.024	0.06	1.8	52.9	0.70	1800	1.35
DD001102		1.79	26.4	4.37	6.40	0.09	0.02	0.05	0.027	0.07	3.6	45.4	0.53	1430	0.62
DD001103		2.57	23.6	4.78	7.04	0.09	0.02	0.04	0.023	0.07	2.7	37.0	0.42	1150	0.92
DD001104		4.47	57.8	4.92	4.78	0.10	0.11	0.10	0.030	0.05	2.3	37.1	0.53	1780	0.63
ZZ17644		15.80	104.5	4.88	8.12	0.09	0.08	0.06	0.026	0.06	2.1	60.9	0.80	1700	2.15
ZZ17645		5.74	67.4	5.22	8.01	0.09	0.08	0.04	0.023	0.04	2.7	58.7	0.67	1470	0.99
ZZ17646		11.60	103.5	4.76	7.43	0.10	0.08	0.07	0.023	0.07	2.4	54.8	0.69	2170	0.87
ZZ17647		10.90	75.6	5.62	7.68	0.10	0.13	0.08	0.027	0.07	2.1	51.8	0.70	2950	1.18
ZZ17648		8.46	71.5	5.32	8.04	0.10	0.11	0.06	0.027	0.06	2.0	62.8	0.80	2400	0.85
ZZ17649		8.68	51.0	5.16	6.69	0.09	0.05	0.06	0.024	0.05	3.0	42.6	0.57	1060	1.02
ZZ17650		5.53	44.4	5.07	6.59	0.09	0.06	0.04	0.022	0.05	2.4	47.8	0.67	550	0.76
DD001272		2.57	35.3	4.64	4.75	0.09	<0.02	0.05	0.030	0.06	5.4	11.4	0.25	1620	1.28
DD001273		2.20	23.7	4.30	5.49	0.08	<0.02	0.04	0.021	0.06	4.5	4.1	0.12	1470	1.42
DD001274		1.90	21.5	5.00	3.25	0.10	<0.02	0.03	0.022	0.07	5.7	9.9	0.25	968	1.02
DD001275		1.89	11.9	4.56	3.82	0.10	<0.02	0.04	0.024	0.05	3.4	4.7	0.12	1810	1.12
DD001276		3.61	27.6	3.97	6.10	0.09	0.02	0.07	0.030	0.07	4.5	9.2	0.19	1780	1.16
DD001277		2.33	36.8	5.04	6.44	0.10	0.03	0.05	0.037	0.06	5.9	15.7	0.24	1040	1.11
DD001278		2.93	50.2	4.71	4.68	0.09	0.02	0.02	0.053	0.05	9.3	16.8	0.29	1250	0.87
DD001279		7.03	56.7	4.21	6.30	0.09	0.07	0.03	0.045	0.06	6.7	29.2	0.43	1560	1.05
DD001280		8.01	64.0	4.26	7.27	0.08	0.03	0.05	0.049	0.06	6.3	14.9	0.26	1650	1.43
DD001281		8.33	58.0	5.26	8.49	0.11	0.03	0.03	0.060	0.06	8.4	36.3	0.58	2060	1.14
DD001282		7.91	48.6	4.83	6.93	0.10	0.06	0.04	0.053	0.06	7.5	29.8	0.35	2010	1.29
DD001283		5.74	67.3	5.58	7.35	0.10	0.03	0.02	0.054	0.05	7.8	33.7	0.46	3040	1.55
DD001284		5.17	49.4	5.13	7.77	0.10	0.06	0.04	0.054	0.06	6.5	31.9	0.47	2410	0.93
DD001285		2.54	51.6	4.99	5.07	0.10	0.05	0.03	0.061	0.06	9.5	20.1	0.32	1200	0.91
DD001286		2.73	26.5	3.68	4.46	0.08	<0.02	0.03	0.031	0.06	5.0	7.2	0.11	744	1.45
DD001287		2.96	38.2	3.85	3.58	0.09	<0.02	0.02	0.040	0.07	8.0	12.6	0.20	1160	1.06
DD001288		2.46	39.4	3.72	2.81	0.08	<0.02	0.01	0.041	0.07	7.0	7.6	0.12	605	0.58
DD001289		10.80	43.1	4.00	4.26	0.08	0.02	0.04	0.034	0.08	3.8	13.3	0.23	862	0.74
DD001290		5.79	38.5	4.27	4.57	0.08	0.02	0.06	0.035	0.08	3.9	15.2	0.28	995	0.58
DD001291		3.88	26.9	4.25	5.65	0.08	0.03	0.03	0.026	0.08	2.3	20.1	0.38	1070	0.46
DD001292		4.87	34.6	5.12	7.30	0.08	0.06	0.05	0.032	0.07	2.4	39.9	0.58	1620	0.84
DD001293		3.69	35.2	5.04	7.33	0.08	0.05	0.03	0.031	0.07	2.8	33.0	0.51	2110	0.68
DD001294		5.34	36.7	5.14	6.94	0.09	0.07	0.05	0.045	0.06	5.1	24.9	0.37	3190	1.01
DD001295		10.95	47.4	5.65	8.54	0.11	0.04	0.03	0.052	0.09	8.5	43.0	0.49	1670	1.41
DD001296		4.59	39.8	4.99	7.57	0.09	0.07	0.03	0.046	0.06	7.0	34.1	0.51	1500	1.10
DD001297		2.13	27.5	4.48	2.80	0.09	<0.02	0.03	0.037	0.07	3.1	11.2	0.23	1260	0.61
DD001298		3.08	37.7	4.49	4.12	0.09	<0.02	0.01	0.030	0.06	3.9	21.4	0.38	666	0.62
DD001299		5.36	29.4	4.85	7.67	0.08	0.04	0.03	0.033	0.06	4.0	28.4	0.41	626	0.83
DD001300		4.28	18.7	2.08	3.32	0.08	<0.02	0.06	0.022	0.07	3.1	7.6	0.17	410	0.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD001101		0.20	39.9	600	85.9	12.2	<0.001	0.04	0.27	4.7	0.5	0.4	11.6	<0.01	0.05
DD001102		0.24	28.8	600	30.5	9.7	<0.001	0.04	0.31	2.6	0.2	0.3	17.6	<0.01	0.02
DD001103		0.39	23.5	450	26.1	10.1	<0.001	0.05	0.35	2.0	0.2	0.4	16.4	<0.01	0.03
DD001104		0.08	39.4	470	55.1	4.9	<0.001	0.05	0.96	5.0	0.6	0.2	29.0	<0.01	0.02
ZZ17644		0.13	35.9	730	232	10.3	<0.001	0.06	0.28	3.5	0.7	0.3	14.0	<0.01	0.04
ZZ17645		0.21	42.9	560	50.9	8.2	<0.001	0.04	0.31	2.9	0.5	0.3	9.5	0.01	0.03
ZZ17646		0.14	37.4	770	142.0	11.3	<0.001	0.07	0.30	3.7	1.1	0.3	12.5	<0.01	0.03
ZZ17647		0.19	36.5	620	68.8	10.7	<0.001	0.04	0.37	3.4	0.6	0.3	7.3	<0.01	0.03
ZZ17648		0.13	42.4	700	86.8	9.0	<0.001	0.04	0.32	3.5	0.7	0.3	11.5	<0.01	0.01
ZZ17649		0.34	30.2	590	39.7	9.1	<0.001	0.04	0.43	2.1	0.6	0.3	6.5	<0.01	0.02
ZZ17650		0.25	36.4	350	29.5	6.8	<0.001	0.02	0.30	2.2	0.5	0.3	6.0	<0.01	<0.01
DD001272		0.14	17.0	880	33.5	7.6	<0.001	0.04	0.57	0.6	0.6	0.6	7.3	<0.01	0.02
DD001273		0.16	10.4	880	30.9	9.5	<0.001	0.07	0.65	0.4	0.3	0.8	5.0	<0.01	0.04
DD001274		0.17	15.2	790	37.5	6.0	<0.001	0.02	0.58	0.9	0.3	0.6	9.2	<0.01	0.03
DD001275		0.11	10.5	760	43.5	8.0	<0.001	0.06	0.51	0.3	0.3	0.6	5.1	<0.01	0.01
DD001276		0.29	13.3	1310	30.3	12.3	<0.001	0.10	0.41	1.0	0.4	0.5	7.7	<0.01	0.02
DD001277		0.46	18.9	1130	36.0	11.6	<0.001	0.06	0.48	1.8	0.5	0.6	7.9	<0.01	0.02
DD001278		0.27	30.9	620	38.8	5.9	<0.001	0.01	0.32	6.4	0.4	0.4	12.2	<0.01	0.02
DD001279		0.44	28.7	870	22.9	9.0	<0.001	0.02	0.31	6.4	0.5	0.7	17.3	<0.01	0.03
DD001280		0.53	16.9	1210	19.5	12.7	<0.001	0.03	0.38	4.0	0.4	0.7	14.8	<0.01	0.05
DD001281		0.23	38.0	690	199.0	9.1	<0.001	0.01	0.28	8.8	0.6	0.5	15.8	<0.01	0.05
DD001282		0.43	32.9	810	112.0	8.9	<0.001	0.03	0.44	4.8	0.2	0.5	10.2	<0.01	0.04
DD001283		0.43	34.5	660	79.7	7.5	<0.001	0.01	0.36	7.6	0.4	0.5	14.2	<0.01	0.04
DD001284		0.34	31.1	980	66.1	9.8	<0.001	0.03	0.27	5.9	0.5	0.5	13.5	<0.01	0.03
DD001285		0.14	35.9	680	50.6	6.3	<0.001	0.01	0.29	8.2	0.5	0.4	13.3	<0.01	0.03
DD001286		0.42	15.3	770	27.7	8.7	<0.001	0.06	0.33	1.6	0.2	0.5	6.7	<0.01	0.05
DD001287		0.23	27.6	500	37.3	7.6	<0.001	0.01	0.29	4.2	0.4	0.5	9.2	<0.01	0.04
DD001288		0.08	26.1	490	26.0	7.1	<0.001	0.01	0.23	3.4	0.3	0.4	8.6	<0.01	0.04
DD001289		0.32	25.5	800	38.3	11.8	<0.001	0.02	0.37	3.2	0.3	0.6	6.4	<0.01	0.05
DD001290		0.36	25.9	900	36.5	9.7	<0.001	0.05	0.30	2.5	0.2	0.7	6.7	<0.01	0.04
DD001291		0.35	22.8	1160	30.6	9.3	<0.001	0.07	0.24	1.1	<0.2	0.7	8.0	<0.01	0.03
DD001292		0.39	30.4	880	69.5	10.2	<0.001	0.04	0.28	2.5	0.3	0.6	8.4	<0.01	0.02
DD001293		0.36	29.6	1050	46.2	11.5	<0.001	0.03	0.30	3.0	0.2	0.6	5.9	<0.01	0.05
DD001294		0.36	23.0	1270	50.0	8.7	<0.001	0.06	0.34	3.1	0.4	0.5	8.1	<0.01	0.05
DD001295		0.41	34.4	930	79.5	15.7	<0.001	0.03	0.40	4.8	0.4	0.6	19.7	<0.01	0.05
DD001296		0.25	32.9	720	42.0	8.4	<0.001	0.01	0.23	4.8	0.2	0.6	7.6	<0.01	0.04
DD001297		0.27	25.2	530	26.6	6.2	<0.001	0.02	0.21	3.4	<0.2	0.5	7.7	<0.01	0.03
DD001298		0.31	29.5	290	22.7	6.7	<0.001	0.01	0.25	4.0	0.2	0.6	6.4	<0.01	0.05
DD001299		0.50	24.9	880	25.1	10.0	<0.001	0.05	0.32	2.1	0.5	0.5	5.7	<0.01	0.04
DD001300		0.36	13.4	1710	15.0	8.2	<0.001	0.16	0.24	0.6	0.4	0.5	9.8	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001101		0.006	0.04	1.82	25	<0.05	8.16	112	1.8
DD001102		0.006	0.03	0.68	23	0.05	5.05	99	0.9
DD001103		0.010	<0.02	0.71	27	0.06	2.59	103	0.9
DD001104		<0.005	<0.02	1.53	16	<0.05	9.67	120	4.2
ZZ17644		<0.005	0.08	2.95	24	<0.05	11.35	111	2.7
ZZ17645		0.005	0.03	1.53	23	<0.05	5.52	103	2.6
ZZ17646		<0.005	0.06	3.20	21	<0.05	15.20	111	2.3
ZZ17647		0.005	0.07	2.08	23	0.05	7.64	104	2.2
ZZ17648		<0.005	0.05	1.88	20	<0.05	10.55	104	2.7
ZZ17649		0.009	0.04	1.04	26	0.06	4.48	88	1.4
ZZ17650		0.007	<0.02	0.90	23	0.05	4.05	94	1.6
DD001272		0.007	0.04	1.08	34	0.12	3.67	62	<0.5
DD001273		0.007	0.07	1.01	44	0.10	1.85	45	<0.5
DD001274		0.013	0.03	1.16	37	0.12	3.36	52	<0.5
DD001275		0.006	0.04	1.02	36	0.11	1.79	39	<0.5
DD001276		0.008	0.04	0.92	33	0.07	2.57	64	0.5
DD001277		0.007	0.07	0.99	36	0.09	3.54	75	0.6
DD001278		0.009	0.07	1.28	29	0.06	6.76	105	0.6
DD001279		0.010	0.08	1.68	35	0.11	6.09	96	1.5
DD001280		0.012	0.10	1.64	38	0.13	3.93	60	0.9
DD001281		0.008	0.10	1.25	31	<0.05	8.77	103	1.2
DD001282		0.009	0.11	1.32	30	0.06	5.62	98	1.4
DD001283		0.012	0.10	1.72	33	0.08	6.85	102	0.9
DD001284		0.007	0.08	1.20	31	0.05	4.66	103	1.7
DD001285		<0.005	0.06	1.08	24	<0.05	10.85	109	1.6
DD001286		0.007	0.06	0.77	27	0.06	2.98	64	<0.5
DD001287		0.006	0.07	1.02	26	0.05	5.25	85	<0.5
DD001288		<0.005	0.05	0.92	21	<0.05	3.83	78	<0.5
DD001289		0.007	0.08	1.16	27	0.07	3.03	74	<0.5
DD001290		0.008	0.07	1.08	28	0.07	2.88	81	0.5
DD001291		0.007	0.06	0.99	27	0.08	3.99	71	0.6
DD001292		0.008	0.08	0.95	27	0.07	3.64	91	1.9
DD001293		0.009	0.08	1.10	29	0.07	3.95	107	1.3
DD001294		0.008	0.08	1.06	29	0.05	3.57	84	1.6
DD001295		0.007	0.08	1.22	30	0.05	6.31	105	1.2
DD001296		0.005	0.07	0.99	28	<0.05	4.62	103	2.1
DD001297		0.007	0.05	0.95	26	0.06	2.52	105	<0.5
DD001298		0.009	0.05	1.04	28	0.06	4.01	74	<0.5
DD001299		0.008	0.08	0.80	29	0.07	2.74	84	1.2
DD001300		0.005	0.08	0.79	20	0.06	3.24	40	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001001		0.32	0.002	0.05	1.86	5.4	<0.2	<10	200	1.40	0.58	0.04	0.08	10.85	23.0	31
DD001002		0.36	0.002	0.06	1.68	7.7	<0.2	<10	160	1.01	0.46	0.03	0.07	12.70	32.4	31
DD001003		0.34	0.002	0.07	1.29	17.8	<0.2	<10	120	1.65	0.53	0.05	0.10	20.4	23.2	24
DD001004		0.36	0.002	0.06	1.56	15.8	<0.2	<10	70	1.74	0.53	0.04	0.10	20.2	24.9	27
DD001005		0.38	0.003	0.06	2.45	5.2	<0.2	<10	140	2.38	0.55	0.03	0.07	18.65	29.2	38
DD001006		0.34	0.002	0.05	1.38	7.0	<0.2	<10	100	1.57	0.50	0.02	0.08	19.65	19.4	27
DD001007		0.40	0.003	0.08	1.65	14.7	<0.2	<10	60	1.48	0.50	0.02	0.11	21.7	25.1	31
DD001008		0.34	0.003	0.03	1.13	4.7	<0.2	<10	130	1.44	0.49	0.03	0.08	13.10	25.4	30
DD001009		0.34	0.003	0.09	1.59	3.8	<0.2	<10	140	1.43	0.53	0.03	0.11	10.80	28.8	33
DD001010		0.28	0.002	0.04	1.34	2.6	<0.2	<10	90	1.11	0.49	0.03	0.10	7.52	27.6	32
DD001011		0.32	0.002	0.08	1.61	4.1	<0.2	<10	90	0.74	0.49	0.04	0.11	6.86	16.0	28
DD001012		0.28	0.003	0.23	1.26	3.4	<0.2	<10	260	1.21	0.44	0.17	0.14	7.63	22.3	26
DD001013		0.32	0.002	0.07	1.51	4.8	<0.2	<10	100	1.26	0.46	0.05	0.09	7.48	22.4	29
DD001014		0.34	0.002	0.07	1.82	4.6	<0.2	<10	190	0.82	0.56	0.06	0.13	6.15	21.5	28
DD001015		0.32	0.004	0.07	1.96	11.4	<0.2	<10	70	1.02	0.59	0.03	0.10	15.10	35.5	33
DD001016		0.42	0.002	0.07	1.95	8.6	<0.2	<10	60	0.85	0.53	0.03	0.14	12.85	25.5	33
DD001017		0.36	0.004	0.04	1.96	10.3	<0.2	<10	60	0.87	0.53	0.03	0.12	16.45	27.5	32
DD001018		0.34	0.003	0.08	1.86	10.7	<0.2	<10	50	0.90	0.53	0.02	0.14	12.75	24.5	31
DD001019		0.40	0.005	0.06	1.89	9.4	<0.2	<10	60	0.79	0.52	0.03	0.13	15.55	22.8	32
DD001020		0.38	0.005	0.05	1.60	9.2	<0.2	<10	80	0.83	0.45	0.06	0.13	18.45	22.0	31
DD001021		0.36	0.004	0.06	2.19	10.5	<0.2	<10	80	1.62	0.66	0.03	0.09	18.55	40.3	33
DD001022		0.36	0.003	0.04	1.83	8.5	<0.2	<10	50	0.81	0.46	0.02	0.10	16.65	19.6	28
ZZ17381		0.42	0.004	0.13	2.10	29.6	<0.2	<10	60	1.03	0.72	0.07	0.12	23.4	80.4	31
ZZ17382		0.40	0.001	0.06	1.59	10.1	<0.2	<10	40	0.68	0.52	0.02	0.12	20.4	18.2	22
ZZ17383		0.32	0.001	0.03	1.76	3.6	<0.2	<10	60	0.69	0.52	0.01	0.06	12.85	25.1	30
ZZ17384		0.34	0.001	0.03	1.74	3.2	<0.2	<10	50	0.73	0.54	0.02	0.06	5.81	27.1	30
ZZ17385		0.22	0.001	0.05	1.58	3.4	<0.2	<10	70	0.43	0.45	0.02	0.18	6.19	15.9	30
ZZ17386		0.38	0.001	0.03	1.57	3.6	<0.2	<10	40	0.30	0.45	0.01	0.10	6.73	15.7	31
ZZ17387		0.36	0.001	0.05	1.49	5.7	<0.2	<10	70	0.45	0.43	0.08	0.12	8.43	13.2	26
ZZ17388		0.36	0.001	0.09	1.79	10.9	<0.2	<10	50	0.49	0.56	0.05	0.13	17.80	23.3	30
ZZ17389		0.18	0.001	0.10	1.13	9.5	<0.2	<10	60	0.53	0.40	0.05	0.14	14.95	13.3	19
ZZ17390		0.20	0.003	0.05	1.26	10.4	<0.2	<10	70	0.30	0.43	0.04	0.10	18.05	8.5	23
ZZ17391		0.32	0.001	0.13	0.86	7.0	<0.2	<10	120	1.49	0.46	0.21	0.12	23.0	31.3	17
ZZ17392		0.42	0.001	0.05	1.60	11.0	<0.2	<10	100	0.82	0.47	0.08	0.24	24.7	17.3	27
ZZ17393		0.40	0.002	0.12	1.38	13.9	<0.2	<10	70	0.92	0.58	0.05	0.15	25.6	35.9	21
ZZ17394		0.26	0.003	0.28	2.10	12.2	<0.2	<10	60	1.28	0.62	0.04	0.09	17.65	81.2	28
ZZ17395		0.36	0.002	0.16	1.68	7.5	<0.2	<10	50	0.94	0.77	0.03	0.09	15.10	28.8	25
ZZ17396		0.28	0.002	0.08	1.58	10.1	<0.2	<10	80	1.02	0.44	0.09	0.22	26.0	27.8	26
ZZ17397		0.26	0.002	0.09	1.84	9.2	<0.2	<10	70	0.95	0.57	0.03	0.18	17.40	27.1	25
ZZ17398		0.32	0.002	0.12	1.85	9.6	<0.2	<10	60	0.71	0.46	0.04	0.21	16.05	30.3	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001001		4.06	38.1	4.97	6.13	0.08	0.04	0.02	0.030	0.06	4.3	34.9	0.55	1300	0.66
DD001002		10.40	49.2	4.39	6.44	0.09	<0.02	0.04	0.040	0.07	5.0	27.7	0.59	4250	1.08
DD001003		4.26	43.7	4.53	5.27	0.10	0.03	0.03	0.042	0.08	8.3	16.8	0.28	1580	1.29
DD001004		4.65	39.6	4.49	5.96	0.09	0.04	0.04	0.038	0.07	7.5	23.4	0.34	1350	1.07
DD001005		6.63	46.3	5.29	7.95	0.09	0.06	0.02	0.045	0.07	6.7	44.3	0.57	860	0.90
DD001006		2.97	43.3	3.81	5.42	0.09	0.03	0.01	0.042	0.06	8.0	24.7	0.32	1180	0.82
DD001007		3.67	41.1	4.31	7.11	0.09	0.06	0.02	0.043	0.06	8.7	28.7	0.33	1520	1.12
DD001008		3.57	51.3	4.88	4.49	0.09	<0.02	0.02	0.031	0.06	5.3	19.9	0.37	1590	0.77
DD001009		4.17	38.3	5.08	6.35	0.08	0.02	0.04	0.034	0.08	3.9	29.1	0.46	2210	0.84
DD001010		1.75	39.1	5.31	5.10	0.09	0.02	0.01	0.028	0.07	3.1	24.6	0.42	1520	0.64
DD001011		3.16	26.0	4.58	6.70	0.08	0.03	0.06	0.026	0.06	3.2	23.4	0.38	1200	0.84
DD001012		5.98	32.4	3.89	5.93	0.08	<0.02	0.04	0.025	0.08	3.0	17.2	0.32	2370	0.93
DD001013		4.22	34.7	4.74	6.35	0.08	0.04	0.05	0.030	0.07	3.1	22.8	0.39	1720	0.71
DD001014		4.70	31.5	4.54	6.40	0.05	0.08	0.04	0.023	0.06	2.8	38.2	0.52	1360	0.76
DD001015		8.32	37.1	4.89	7.64	0.07	0.03	0.02	0.030	0.06	6.0	42.0	0.56	1560	1.21
DD001016		3.03	31.0	5.03	7.59	0.06	0.03	0.02	0.028	0.06	5.5	45.4	0.54	1460	0.99
DD001017		3.96	34.1	4.82	7.24	0.07	0.04	0.02	0.030	0.06	6.9	45.4	0.57	1420	1.07
DD001018		4.22	30.6	4.71	7.24	0.06	0.04	0.03	0.029	0.06	5.5	39.3	0.48	1460	0.99
DD001019		3.70	32.8	4.93	7.83	0.07	0.03	0.02	0.031	0.05	6.6	36.8	0.48	1340	1.13
DD001020		4.11	34.1	4.41	6.15	0.06	<0.02	0.05	0.026	0.06	8.2	30.5	0.48	1220	1.38
DD001021		9.32	37.6	5.19	8.27	0.07	0.05	0.02	0.039	0.06	7.2	54.8	0.59	2590	0.97
DD001022		3.42	31.5	4.30	7.32	0.07	0.04	0.01	0.028	0.05	7.4	43.4	0.56	950	0.77
ZZ17381		6.14	124.5	5.11	6.47	0.08	0.07	0.06	0.039	0.07	7.5	44.6	0.67	2610	2.01
ZZ17382		1.84	33.1	5.17	4.97	0.07	0.04	0.03	0.022	0.05	8.1	23.3	0.32	606	0.82
ZZ17383		1.99	53.3	5.19	5.43	0.08	0.03	0.01	0.019	0.07	4.8	38.1	0.68	894	0.60
ZZ17384		1.20	54.7	5.28	5.66	0.07	0.03	0.02	0.018	0.04	2.0	40.3	0.78	1040	0.66
ZZ17385		2.37	31.5	4.64	6.34	0.06	0.03	0.02	0.015	0.06	2.7	25.3	0.45	1220	0.81
ZZ17386		1.77	25.1	4.82	5.33	0.06	0.03	0.02	0.016	0.04	3.0	29.1	0.56	414	0.72
ZZ17387		2.19	26.8	4.42	5.88	0.05	0.02	0.03	0.019	0.06	3.8	20.1	0.34	700	1.13
ZZ17388		3.13	39.9	5.05	6.89	0.06	0.02	0.04	0.028	0.06	7.1	29.9	0.51	1680	1.76
ZZ17389		2.31	25.8	4.25	4.34	0.05	<0.02	0.07	0.024	0.04	6.6	13.2	0.18	668	1.41
ZZ17390		4.32	18.9	3.78	8.13	0.05	<0.02	0.04	0.025	0.06	8.8	8.6	0.17	613	2.29
ZZ17391		5.11	28.8	8.41	2.35	0.09	0.07	0.05	0.032	0.05	9.1	6.5	0.12	2880	0.76
ZZ17392		4.89	28.7	4.53	6.22	0.06	<0.02	0.04	0.026	0.05	10.7	21.9	0.33	939	1.68
ZZ17393		4.33	45.1	5.46	4.30	0.08	0.04	0.05	0.035	0.07	8.4	18.0	0.37	2620	1.70
ZZ17394		9.09	84.2	5.99	6.14	0.07	0.10	0.09	0.028	0.07	5.5	36.7	0.44	2630	1.76
ZZ17395		3.60	63.7	5.18	6.39	0.07	0.05	0.06	0.021	0.05	5.3	30.4	0.41	1350	1.57
ZZ17396		3.07	42.9	4.45	4.83	0.07	0.02	0.03	0.023	0.05	10.7	30.3	0.49	1120	1.32
ZZ17397		3.81	34.1	5.62	5.96	0.07	0.04	0.04	0.022	0.06	6.4	30.7	0.37	1560	1.36
ZZ17398		3.60	37.0	4.67	5.70	0.07	0.07	0.12	0.030	0.05	5.2	23.1	0.35	3170	1.51



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD001001		0.28	30.8	730	48.1	7.9	<0.001	0.02	0.31	2.8	0.3	0.5	7.0	<0.01	0.03	2.2
DD001002		0.43	28.0	1040	42.6	10.6	<0.001	0.03	0.49	4.1	0.3	0.7	7.1	<0.01	0.07	1.6
DD001003		0.31	27.9	1000	45.3	11.0	<0.001	0.03	0.41	3.9	0.8	0.6	10.3	<0.01	0.04	2.3
DD001004		0.30	27.6	930	57.2	11.0	<0.001	0.04	0.38	3.8	0.5	0.6	9.7	<0.01	0.04	2.2
DD001005		0.29	37.7	880	22.1	10.1	<0.001	0.01	0.29	6.9	0.3	0.5	17.5	<0.01	0.04	4.2
DD001006		0.32	28.4	550	30.6	7.6	<0.001	0.01	0.27	4.8	0.4	0.5	13.2	<0.01	0.04	3.2
DD001007		0.36	29.2	920	38.4	9.3	<0.001	0.03	0.36	3.3	0.5	0.5	8.4	<0.01	0.06	1.6
DD001008		0.34	26.6	520	36.9	7.5	<0.001	<0.01	0.39	4.1	0.2	0.7	7.3	<0.01	0.03	3.1
DD001009		0.28	30.3	750	47.5	9.8	<0.001	0.03	0.36	2.2	0.4	0.7	6.0	<0.01	0.04	1.3
DD001010		0.35	31.2	520	32.2	6.9	<0.001	0.02	0.25	3.0	<0.2	0.7	6.1	<0.01	0.03	2.0
DD001011		0.40	22.3	1050	27.6	8.8	<0.001	0.07	0.35	1.1	0.3	0.5	5.6	<0.01	0.03	0.9
DD001012		0.30	21.4	1590	31.5	11.0	<0.001	0.12	0.31	1.0	0.4	0.6	20.7	<0.01	0.04	0.4
DD001013		0.35	23.4	1290	36.7	7.5	<0.001	0.08	0.34	1.3	0.3	0.5	5.7	<0.01	0.03	0.9
DD001014		0.28	27.9	1150	39.7	8.1	<0.001	0.07	0.29	2.3	0.4	0.4	8.7	<0.01	0.05	2.0
DD001015		0.47	30.8	820	47.9	10.2	<0.001	0.03	0.53	3.5	0.5	0.5	8.3	0.01	0.06	2.6
DD001016		0.47	30.5	780	37.0	8.2	<0.001	0.02	0.45	3.3	0.4	0.4	6.8	<0.01	0.04	2.5
DD001017		0.43	31.9	720	40.5	8.4	<0.001	0.02	0.56	4.0	0.4	0.5	7.9	0.01	0.05	3.3
DD001018		0.37	26.0	840	40.1	8.6	<0.001	0.04	0.50	2.3	0.4	0.5	6.4	<0.01	0.06	1.2
DD001019		0.43	27.5	990	35.6	9.3	<0.001	0.03	0.53	2.9	0.4	0.5	7.9	0.01	0.06	1.5
DD001020		0.46	28.2	850	35.5	9.2	<0.001	0.02	0.72	2.8	0.6	0.5	8.6	<0.01	0.06	1.4
DD001021		0.34	35.2	710	81.7	9.7	<0.001	0.02	0.40	5.4	0.4	0.4	8.6	<0.01	0.05	3.3
DD001022		0.33	30.9	450	31.5	6.3	<0.001	0.01	0.36	4.1	0.4	0.4	7.4	<0.01	0.03	3.6
ZZ17381		0.38	37.5	1230	85.2	7.5	<0.001	0.05	1.13	4.0	1.1	0.3	13.0	0.01	0.15	7.3
ZZ17382		0.32	27.7	670	27.0	7.2	<0.001	0.03	0.75	2.1	0.4	0.3	5.4	0.01	0.05	2.8
ZZ17383		0.17	38.9	320	28.3	5.9	<0.001	0.01	0.38	3.2	0.2	0.2	5.1	<0.01	0.04	8.1
ZZ17384		0.12	40.2	380	34.5	3.3	<0.001	0.02	0.27	3.1	0.2	0.2	4.7	<0.01	0.04	7.2
ZZ17385		0.31	25.9	810	17.4	9.8	<0.001	0.04	0.40	1.7	0.3	0.3	4.9	<0.01	0.05	2.2
ZZ17386		0.30	30.5	550	17.9	6.0	<0.001	0.02	0.41	1.7	0.3	0.3	4.0	<0.01	0.04	2.4
ZZ17387		0.30	23.2	820	19.7	7.9	<0.001	0.05	0.49	1.3	0.4	0.4	10.1	<0.01	0.05	0.8
ZZ17388		0.49	29.7	1200	47.0	9.8	<0.001	0.04	0.79	3.1	0.7	0.4	9.5	0.01	0.11	2.7
ZZ17389		0.71	21.3	770	29.2	7.3	<0.001	0.06	0.85	1.7	0.7	0.4	7.8	0.01	0.06	0.7
ZZ17390		0.51	15.8	740	24.5	11.6	<0.001	0.05	1.02	0.9	0.7	0.8	8.2	<0.01	0.07	0.2
ZZ17391		0.16	40.6	1100	73.4	5.3	<0.001	0.05	0.51	6.6	0.5	0.2	11.2	0.01	0.06	3.4
ZZ17392		0.52	24.9	710	39.1	10.9	<0.001	0.05	0.88	1.9	0.6	0.6	14.0	<0.01	0.07	0.8
ZZ17393		0.42	37.3	880	60.1	8.5	<0.001	0.05	0.85	4.4	0.9	0.4	15.8	0.01	0.13	5.2
ZZ17394		0.42	38.2	1280	87.1	10.2	<0.001	0.08	0.78	3.5	1.0	0.4	9.1	0.01	0.16	4.8
ZZ17395		0.42	29.8	940	52.6	8.8	<0.001	0.05	0.68	2.9	0.7	0.3	7.5	0.01	0.12	3.9
ZZ17396		0.47	39.4	660	40.4	6.2	<0.001	0.03	0.81	2.8	0.4	0.4	11.2	0.01	0.06	2.8
ZZ17397		0.55	31.3	680	48.1	10.8	<0.001	0.04	0.69	3.0	0.6	0.4	8.5	0.01	0.07	4.1
ZZ17398		0.40	23.9	1530	52.0	9.3	<0.001	0.10	0.71	2.2	1.0	0.3	8.4	0.01	0.15	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001001		0.010	0.06	1.13	30	0.07	4.92	99	0.9
DD001002		0.016	0.11	1.24	38	0.13	3.30	92	<0.5
DD001003		0.008	0.10	1.38	31	0.07	6.22	86	0.6
DD001004		0.006	0.09	1.18	27	0.05	5.75	85	0.9
DD001005		0.006	0.08	1.23	28	<0.05	5.33	103	1.9
DD001006		0.008	0.07	1.20	27	0.06	4.99	84	0.8
DD001007		0.008	0.10	1.18	30	0.06	5.77	91	1.5
DD001008		0.015	0.06	1.29	34	0.10	3.95	90	<0.5
DD001009		0.012	0.08	1.19	34	0.08	4.12	94	0.6
DD001010		0.010	0.06	1.12	31	0.08	2.67	98	0.6
DD001011		0.011	0.06	0.83	29	0.06	2.84	79	0.8
DD001012		0.006	0.07	1.28	26	0.06	4.20	77	0.5
DD001013		0.009	0.06	0.93	28	0.06	3.57	77	1.1
DD001014		0.007	0.06	0.94	22	0.05	3.08	96	2.2
DD001015		0.018	0.10	1.31	32	0.10	5.16	98	0.7
DD001016		0.017	0.07	1.00	31	0.08	4.33	100	0.8
DD001017		0.017	0.08	1.12	32	0.10	4.99	100	0.9
DD001018		0.013	0.08	1.02	30	0.10	4.08	90	0.9
DD001019		0.018	0.08	1.01	34	0.11	4.32	89	0.7
DD001020		0.027	0.10	1.24	40	0.16	4.94	87	<0.5
DD001021		0.010	0.08	1.36	28	0.06	5.71	104	1.3
DD001022		0.011	0.07	0.97	25	0.07	4.87	92	1.1
ZZ17381		0.018	0.15	2.29	29	0.11	14.15	108	1.6
ZZ17382		0.009	0.06	1.11	23	0.08	4.91	97	1.1
ZZ17383		0.008	0.04	1.07	27	0.05	4.52	104	0.7
ZZ17384		0.006	0.03	1.06	27	<0.05	3.62	112	0.8
ZZ17385		0.009	0.07	0.83	32	0.07	2.55	78	0.7
ZZ17386		0.013	0.05	0.99	33	0.08	2.56	90	0.5
ZZ17387		0.010	0.07	0.97	32	0.09	2.99	77	<0.5
ZZ17388		0.021	0.12	1.33	38	0.14	4.62	98	<0.5
ZZ17389		0.024	0.09	1.01	37	0.17	3.22	79	<0.5
ZZ17390		0.025	0.16	0.80	62	0.21	2.63	62	<0.5
ZZ17391		0.005	0.12	1.33	40	0.05	17.50	192	1.3
ZZ17392		0.026	0.12	1.23	49	0.20	5.32	97	<0.5
ZZ17393		0.020	0.14	1.70	29	0.14	8.74	120	0.6
ZZ17394		0.013	0.16	3.68	31	0.10	9.04	115	2.6
ZZ17395		0.014	0.10	2.21	32	0.10	7.67	98	1.3
ZZ17396		0.023	0.09	1.84	32	0.18	8.06	103	<0.5
ZZ17397		0.016	0.10	1.41	35	0.13	5.73	105	1.0
ZZ17398		0.014	0.11	1.54	30	0.10	6.83	90	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ17399		0.46	0.001	0.05	1.18	8.6	<0.2	<10	40	0.81	0.58	0.02	0.11	17.00	29.3	19
ZZ17400		0.38	0.001	0.10	1.39	8.0	<0.2	<10	80	1.21	0.56	0.06	0.08	21.0	31.8	20
DD001301		0.32	0.001	0.04	1.23	10.4	<0.2	<10	60	0.94	0.48	0.06	0.12	17.25	25.5	19
DD001302		0.46	0.001	0.08	0.81	10.1	<0.2	<10	100	1.08	0.55	0.06	0.11	22.2	32.2	16
DD001303		0.42	0.002	0.10	0.81	13.1	<0.2	<10	100	1.14	0.57	0.06	0.13	26.9	38.3	16
DD001304		0.24	0.001	0.08	1.78	19.0	<0.2	<10	60	1.35	0.54	0.03	0.18	12.60	41.0	27
DD001305		0.36	0.001	0.07	1.46	17.3	<0.2	<10	50	0.77	0.52	0.05	0.13	17.55	31.0	24
DD001306		0.16	0.001	0.07	1.09	5.7	<0.2	<10	60	0.52	0.22	0.08	0.22	8.19	8.9	17
DD001307		0.36	0.002	0.07	0.91	10.6	<0.2	<10	70	0.82	0.40	0.03	0.06	5.27	23.4	22
DD001308		0.34	0.002	0.19	0.62	11.9	<0.2	<10	90	0.85	0.46	0.08	0.04	5.78	35.4	16
DD001309		0.34	0.002	0.25	0.63	10.7	<0.2	<10	130	1.36	0.52	0.18	0.07	29.6	40.7	11
DD001310		0.36	0.002	0.10	0.33	17.8	<0.2	<10	170	0.90	0.31	0.07	0.06	3.37	37.6	23
DD001311		0.44	0.002	0.05	0.38	65.4	<0.2	<10	110	1.00	0.25	0.08	0.05	2.76	30.9	20
DD001312		0.46	0.001	0.13	1.23	12.1	<0.2	<10	40	1.12	0.54	0.02	0.10	9.28	36.8	23
DD001313		0.34	0.001	0.08	0.43	13.8	<0.2	<10	140	1.22	0.29	0.09	0.11	3.77	42.5	25
DD001314		0.42	0.001	0.09	1.04	16.0	<0.2	<10	50	1.15	0.57	0.07	0.07	10.55	45.5	20
DD001315		0.46	0.002	0.09	0.99	14.8	<0.2	<10	60	1.49	0.63	0.06	0.07	13.25	40.3	20
DD001316		0.40	0.005	0.08	2.10	2.4	<0.2	<10	140	1.98	0.73	0.06	0.08	4.78	27.3	37
DD001317		0.32	0.001	0.06	1.23	3.1	<0.2	<10	100	1.84	0.39	0.06	0.05	4.70	35.8	32
DD001318		0.40	0.001	0.08	1.54	2.7	<0.2	<10	100	1.93	0.40	0.10	0.06	5.17	25.6	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 24- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
ZZ17399		2.19	43.2	5.62	3.64	0.07	0.03	0.03	0.026	0.04	5.7	22.3	0.31	1200	0.88	0.01
ZZ17400		3.71	39.5	5.43	4.34	0.09	0.06	0.07	0.028	0.05	6.7	27.6	0.31	1460	1.01	0.01
DD001301		1.93	36.6	5.29	3.84	0.08	0.03	0.02	0.025	0.04	6.6	24.0	0.31	1040	1.18	0.01
DD001302		1.66	49.7	5.75	2.70	0.08	0.07	0.03	0.024	0.04	8.3	16.9	0.25	1180	0.93	0.01
DD001303		3.35	44.7	5.41	2.55	0.08	0.03	0.04	0.024	0.05	9.7	15.9	0.24	1660	0.95	0.01
DD001304		6.33	51.4	5.01	5.72	0.05	0.04	0.06	0.029	0.04	4.9	32.5	0.39	2370	1.44	0.01
DD001305		4.83	43.7	4.98	4.84	0.07	0.02	0.04	0.030	0.05	6.7	24.1	0.41	1360	1.54	0.01
DD001306		2.22	16.5	3.04	4.40	<0.05	0.02	0.04	0.023	0.03	3.2	16.5	0.20	1120	0.72	0.01
DD001307		6.49	50.1	4.84	3.03	0.05	0.03	0.07	0.022	0.04	1.9	14.4	0.24	1340	0.91	0.01
DD001308		2.68	52.1	5.48	1.85	0.09	0.03	0.04	0.033	0.04	2.0	9.9	0.22	1410	0.55	0.01
DD001309		4.71	38.4	5.69	1.73	0.11	0.08	0.06	0.032	0.05	9.0	8.4	0.13	2800	0.68	0.01
DD001310		5.56	82.0	5.42	1.06	0.07	0.02	0.51	0.044	0.04	1.2	3.6	0.16	2600	0.79	0.01
DD001311		5.91	43.6	5.15	1.18	0.07	<0.02	0.33	0.037	0.04	1.0	4.0	0.14	1320	0.55	0.01
DD001312		3.95	46.5	5.76	3.88	0.07	0.04	0.05	0.027	0.04	3.6	21.9	0.34	1420	0.69	0.01
DD001313		7.15	22.5	4.66	1.13	0.07	<0.02	0.14	0.046	0.06	1.6	3.8	0.09	2250	0.84	0.01
DD001314		6.20	51.2	5.44	3.03	0.08	0.02	0.03	0.036	0.04	3.7	16.0	0.33	1700	0.70	0.01
DD001315		4.01	64.6	6.08	3.13	0.09	0.08	0.05	0.028	0.04	4.3	18.6	0.37	1270	0.65	0.01
DD001316		11.35	180.0	5.09	6.65	0.08	0.03	0.03	0.030	0.04	1.3	48.8	0.91	1860	2.43	0.01
DD001317		11.70	107.0	4.81	3.60	0.06	0.03	0.04	0.032	0.04	1.8	19.2	0.45	2040	0.62	0.01
DD001318		8.57	111.0	4.09	4.67	0.06	0.04	0.08	0.023	0.05	1.6	31.2	0.66	2080	0.48	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 24- SEP- 2011
 Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163980

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ17399		0.22	35.0	610	44.4	5.3	<0.001	0.03	0.48	3.1	0.3	0.2	6.7	<0.01	0.05	4.2
ZZ17400		0.21	35.8	820	53.9	7.3	<0.001	0.05	0.52	3.2	0.6	0.3	10.3	0.01	0.08	3.5
DD001301		0.23	37.1	690	40.8	5.3	<0.001	0.03	0.67	2.5	0.4	0.2	10.4	0.01	0.04	1.9
DD001302		0.16	44.0	370	44.9	3.3	<0.001	0.01	0.60	4.6	0.4	0.2	12.0	<0.01	0.03	10.1
DD001303		0.25	39.3	500	55.8	4.3	<0.001	0.02	0.83	4.5	0.4	0.2	14.1	0.01	0.05	8.3
DD001304		0.34	29.9	1050	79.2	7.1	<0.001	0.06	0.74	2.2	0.8	0.3	8.2	0.01	0.10	1.4
DD001305		0.37	34.2	820	46.7	7.0	<0.001	0.04	0.86	3.7	0.7	0.3	12.0	0.01	0.08	4.0
DD001306		0.27	13.1	1030	21.7	4.0	<0.001	0.09	0.39	1.0	0.5	0.3	6.9	<0.01	0.06	0.4
DD001307		0.18	25.3	560	27.3	5.3	<0.001	0.03	0.61	3.6	0.2	0.3	9.3	<0.01	0.04	3.8
DD001308		0.05	39.6	350	43.6	2.5	<0.001	0.02	0.45	4.9	0.2	0.2	13.5	<0.01	0.02	7.4
DD001309		0.06	41.0	810	81.4	5.4	<0.001	0.04	0.54	4.5	1.1	0.2	26.0	<0.01	0.03	4.1
DD001310		0.14	49.8	300	21.2	3.2	<0.001	0.02	1.45	8.1	<0.2	0.4	15.6	<0.01	0.04	5.4
DD001311		0.11	33.0	390	26.5	3.3	<0.001	0.03	1.05	7.6	<0.2	0.3	13.0	<0.01	0.05	3.9
DD001312		0.15	33.8	600	53.4	5.0	0.001	0.03	0.59	3.3	0.4	0.2	7.5	<0.01	0.04	3.4
DD001313		0.13	48.2	410	22.0	5.1	<0.001	0.03	3.53	9.4	0.3	0.3	12.4	<0.01	0.04	3.5
DD001314		0.12	35.6	540	74.3	4.7	<0.001	0.03	0.53	4.5	0.4	0.2	10.3	<0.01	0.04	6.8
DD001315		<0.05	43.8	470	56.5	3.8	<0.001	0.03	0.95	4.8	0.5	0.2	11.3	<0.01	0.03	8.8
DD001316		0.08	42.0	380	155.5	5.2	<0.001	0.03	0.22	5.2	0.4	0.2	9.7	<0.01	0.03	9.1
DD001317		0.15	32.4	640	50.2	7.2	<0.001	0.04	0.30	5.1	0.2	0.4	9.0	<0.01	0.04	3.3
DD001318		0.14	33.7	610	46.2	7.4	<0.001	0.05	0.29	4.3	0.3	0.4	10.1	<0.01	0.03	6.0



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE OF ANALYSIS WH11163980

Account: MTT

--	--

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Lolita

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11163980

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 26- SEP- 2011
Account: MTT

CERTIFICATE WH11163981

Project: Midas Touch - Lolita

P.O. No.:

This report is for 166 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001023		0.34	<0.001	0.08	2.30	4.7	<0.2	<10	80	1.45	0.64	0.03	0.12	12.35	29.4	36
DD001024		0.42	0.001	0.05	1.91	7.3	<0.2	<10	160	2.42	0.67	0.04	0.07	18.95	25.0	32
DD001025		0.34	<0.001	0.05	1.62	6.6	<0.2	<10	100	1.73	0.50	0.03	0.07	18.85	25.1	34
DD001026		0.40	<0.001	0.07	1.93	5.6	<0.2	<10	150	1.52	0.52	0.03	0.11	13.10	24.3	36
DD001027		0.34	<0.001	0.03	1.77	2.9	<0.2	<10	150	1.73	0.56	0.02	0.06	16.10	20.4	31
DD001028		0.34	<0.001	0.08	1.73	2.2	<0.2	<10	170	2.15	0.43	0.03	0.06	15.20	22.8	32
DD001029		0.40	<0.001	0.06	1.58	3.3	<0.2	<10	210	1.88	0.52	0.02	0.08	16.20	25.0	28
DD001030		0.32	<0.001	0.06	1.91	6.5	<0.2	<10	220	3.04	0.66	0.04	0.07	15.95	35.0	38
DD001031		0.34	0.001	0.06	2.15	22.1	<0.2	<10	70	1.73	0.62	0.01	0.09	19.95	36.5	35
DD001032		0.38	<0.001	0.09	2.14	19.3	<0.2	<10	90	1.71	0.55	0.04	0.12	28.2	43.4	36
DD001033		0.40	<0.001	0.08	2.29	12.8	<0.2	<10	70	1.73	0.61	0.02	0.11	23.1	34.3	37
DD001034		0.36	<0.001	0.07	1.71	14.9	<0.2	<10	90	1.55	0.47	0.04	0.11	22.1	24.1	28
DD001035		0.34	0.001	0.10	1.98	15.5	<0.2	<10	70	1.34	0.49	0.04	0.15	19.35	32.6	41
DD001036		0.30	<0.001	0.14	1.86	15.2	<0.2	<10	70	1.73	0.50	0.05	0.17	17.30	26.5	30
DD001037		0.38	<0.001	0.08	1.70	19.8	<0.2	<10	70	1.37	0.59	0.04	0.24	16.40	21.2	34
DD001038		0.34	<0.001	0.10	1.97	21.7	<0.2	<10	80	2.00	0.57	0.06	0.11	26.5	47.4	32
DD001039		0.34	0.001	0.18	2.07	52.1	<0.2	<10	90	1.97	0.56	0.05	0.08	24.2	59.1	35
DD001040		0.42	<0.001	0.28	2.26	41.3	<0.2	<10	130	2.43	0.69	0.05	0.08	27.5	59.0	35
DD001041		0.34	<0.001	0.17	2.07	37.0	<0.2	<10	130	2.11	0.64	0.06	0.06	27.1	40.2	34
DD001042		0.42	<0.001	0.10	0.68	13.5	<0.2	<10	130	1.87	0.66	0.04	0.09	23.6	29.7	17
DD001043		0.50	0.001	0.07	2.35	6.3	<0.2	<10	80	2.17	0.54	0.04	0.05	21.0	27.3	37
DD001044		0.50	<0.001	0.22	2.35	8.4	<0.2	<10	170	2.43	0.99	0.06	0.03	25.7	37.9	34
DD001045		0.44	<0.001	0.08	2.43	15.6	<0.2	<10	70	2.38	0.71	0.07	0.05	26.6	36.9	37
DD001046		0.38	0.001	0.08	2.32	6.3	<0.2	<10	390	2.46	0.70	0.05	0.06	17.05	27.6	36
DD001047		0.40	<0.001	0.04	2.09	1.6	<0.2	<10	310	1.87	0.56	0.11	0.01	17.35	20.7	42
DD001048		0.32	<0.001	0.08	1.80	2.7	<0.2	<10	320	2.92	0.50	0.18	0.07	19.90	22.0	35
DD001049		0.40	0.001	0.12	2.31	6.8	<0.2	<10	150	2.77	1.24	0.06	0.08	18.20	30.0	35
DD001050		0.42	<0.001	0.08	1.69	3.2	<0.2	<10	70	1.17	0.53	0.02	0.07	13.40	20.4	32
DD001051		0.38	<0.001	0.03	1.67	2.2	<0.2	<10	170	1.78	0.90	0.08	0.02	13.10	20.9	33
DD001052		0.44	0.009	0.03	1.41	6.2	<0.2	<10	170	1.81	0.51	0.10	0.03	11.75	26.0	31
DD001053		0.34	0.003	0.04	1.84	7.3	<0.2	<10	70	1.16	0.57	0.02	0.07	14.70	23.8	33
DD001054		0.38	0.001	0.05	1.92	16.2	<0.2	<10	70	1.37	0.54	0.02	0.11	17.40	34.1	32
DD001055		0.40	0.001	0.07	1.99	13.6	<0.2	<10	80	1.82	0.51	0.02	0.10	15.65	37.0	35
DD001056		0.42	0.002	0.05	1.89	14.9	<0.2	<10	70	1.48	0.51	0.04	0.12	21.6	34.2	31
DD001057		0.36	0.002	0.04	1.90	8.5	<0.2	<10	180	1.75	0.52	0.02	0.09	19.20	26.8	30
DD001058		0.40	0.002	0.06	1.92	4.4	<0.2	<10	270	1.63	0.45	0.04	0.05	14.70	27.6	29
DD001059		0.42	0.002	0.08	2.22	7.7	<0.2	<10	110	1.58	0.58	0.06	0.09	19.65	36.5	33
DD001060		0.38	0.003	0.12	2.11	10.8	<0.2	<10	110	1.72	0.49	0.10	0.05	19.20	29.7	36
DD001061		0.40	0.002	0.07	1.90	8.8	<0.2	<10	90	1.78	0.58	0.10	0.03	17.70	37.4	33
DD001062		0.40	0.002	0.05	1.75	2.0	<0.2	<10	170	1.46	0.46	0.10	0.02	10.15	21.4	31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD001023		6.82	48.9	5.58	8.28	0.08	0.09	0.04	0.038	0.06	5.5	35.2	0.45	2310	1.34	0.01
DD001024		7.77	56.8	4.76	6.92	0.09	0.04	0.02	0.034	0.04	7.1	38.8	0.53	1380	1.04	0.01
DD001025		6.88	42.1	5.00	6.21	0.08	0.02	<0.01	0.043	0.06	7.3	26.7	0.43	1260	1.06	0.01
DD001026		5.73	32.0	4.81	7.84	0.07	0.06	0.04	0.039	0.06	5.5	31.8	0.44	2480	0.77	0.01
DD001027		4.79	49.1	4.58	6.41	0.08	<0.02	0.01	0.037	0.05	6.2	33.8	0.45	1120	0.72	0.01
DD001028		5.98	37.1	4.05	6.64	0.08	0.04	0.02	0.041	0.07	5.6	26.2	0.52	1920	0.56	0.01
DD001029		4.61	50.7	4.40	6.13	0.09	0.03	0.03	0.044	0.06	6.1	26.8	0.38	2840	0.86	0.01
DD001030		12.20	65.3	5.00	7.00	0.08	0.02	0.02	0.040	0.06	5.5	30.4	0.47	1720	1.63	0.01
DD001031		3.08	57.0	5.53	8.37	0.07	0.05	0.02	0.058	0.05	7.4	37.3	0.49	1940	1.11	0.01
DD001032		12.00	48.4	4.96	8.49	0.09	0.03	0.02	0.054	0.06	8.6	34.6	0.51	3200	1.50	0.01
DD001033		4.81	52.7	5.32	9.10	0.10	0.07	0.03	0.055	0.07	8.2	39.7	0.54	1850	1.43	0.01
DD001034		2.78	43.0	4.44	6.61	0.09	0.02	0.02	0.046	0.04	7.8	32.2	0.38	1900	1.38	0.01
DD001035		3.28	35.9	6.92	8.33	0.09	0.02	0.05	0.053	0.06	7.2	19.5	0.28	3520	1.59	0.01
DD001036		5.53	38.4	4.56	6.83	0.07	0.03	0.04	0.039	0.05	6.2	28.9	0.37	2440	1.28	0.01
DD001037		2.45	34.0	5.41	7.77	0.09	0.03	0.06	0.045	0.06	6.8	17.5	0.29	1520	1.23	0.01
DD001038		12.20	50.6	4.94	7.73	0.08	0.05	0.04	0.049	0.07	9.1	30.9	0.50	2160	2.22	0.01
DD001039		10.85	53.1	5.26	7.98	0.10	0.03	0.03	0.054	0.06	8.0	38.7	0.58	2320	1.21	0.01
DD001040		7.13	67.6	5.91	9.13	0.11	0.08	0.02	0.059	0.05	8.7	50.7	0.67	3340	1.81	0.01
DD001041		4.95	61.7	5.83	8.24	0.09	0.07	0.03	0.065	0.05	9.2	47.2	0.58	2650	1.67	0.01
DD001042		3.17	55.5	4.86	3.25	0.08	<0.02	0.01	0.059	0.05	8.0	10.3	0.14	1840	1.56	0.01
DD001043		5.61	53.0	4.84	8.76	0.08	0.02	0.01	0.053	0.06	8.1	44.6	0.61	1100	1.09	0.01
DD001044		6.55	69.1	5.60	9.00	0.10	0.05	0.03	0.055	0.06	8.4	47.5	0.62	2290	1.13	0.01
DD001045		6.78	57.9	5.45	9.24	0.10	0.04	0.02	0.056	0.05	9.8	45.8	0.65	1550	1.27	0.01
DD001046		6.87	61.2	5.29	8.07	0.08	0.05	0.03	0.053	0.06	6.3	39.0	0.56	1800	1.33	0.01
DD001047		4.89	47.3	4.61	7.73	0.08	0.10	0.01	0.036	0.08	6.2	39.1	0.68	1180	1.04	0.02
DD001048		6.12	55.6	4.21	7.54	0.12	0.07	0.06	0.045	0.07	6.0	31.3	0.67	2520	0.62	0.01
DD001049		6.55	68.4	4.96	8.14	0.13	0.09	0.06	0.058	0.06	5.5	37.3	0.59	3650	1.46	0.01
DD001050		6.30	44.3	4.33	7.01	0.10	0.13	0.04	0.049	0.05	4.9	23.9	0.41	1890	0.80	<0.01
DD001051		3.28	45.8	4.43	6.22	0.10	0.06	0.02	0.042	0.06	4.9	38.5	0.63	1160	0.78	<0.01
DD001052		5.59	65.3	4.57	5.32	0.13	0.09	0.04	0.032	0.06	3.1	34.4	0.61	1400	0.67	<0.01
DD001053		4.89	38.5	4.74	7.34	0.10	0.06	0.02	0.042	0.06	5.1	36.4	0.55	1320	0.83	<0.01
DD001054		5.86	33.4	4.40	7.89	0.09	0.05	0.03	0.041	0.05	5.9	40.4	0.52	1330	0.95	<0.01
DD001055		6.79	33.1	4.73	7.60	0.11	0.07	0.03	0.045	0.06	5.0	39.1	0.54	2060	0.80	0.01
DD001056		7.23	30.2	4.30	7.83	0.11	0.07	0.02	0.037	0.06	7.2	41.1	0.53	1760	0.84	<0.01
DD001057		5.11	41.2	4.53	7.77	0.10	0.04	0.01	0.046	0.06	6.6	42.5	0.55	1760	0.97	<0.01
DD001058		5.14	31.6	4.31	7.52	0.11	0.06	0.06	0.039	0.05	5.5	43.1	0.68	1740	0.53	<0.01
DD001059		6.54	40.4	4.96	8.65	0.12	0.08	0.05	0.050	0.05	6.9	57.1	0.83	3580	0.51	<0.01
DD001060		4.99	34.7	4.63	8.46	0.12	0.06	0.08	0.036	0.07	6.2	49.4	0.70	1710	0.91	0.01
DD001061		6.48	39.1	4.62	7.85	0.11	0.06	0.04	0.037	0.06	5.9	48.3	0.67	1610	0.56	<0.01
DD001062		4.38	34.9	4.29	6.61	0.11	0.06	0.02	0.027	0.06	3.7	40.3	0.65	953	0.44	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD001023		0.47	27.8	1210	19.4	11.2	<0.001	0.06	0.41	3.5	0.5	0.5	12.3	<0.01	0.06
DD001024		0.29	35.9	540	35.4	7.1	<0.001	0.02	0.39	5.5	0.5	0.6	17.1	<0.01	0.07
DD001025		0.39	29.6	780	29.5	10.8	<0.001	0.03	0.46	4.5	0.2	0.7	11.4	<0.01	0.08
DD001026		0.33	25.5	910	48.3	11.5	<0.001	0.07	0.34	3.0	0.3	0.6	7.1	<0.01	0.04
DD001027		0.25	28.7	460	26.4	7.4	<0.001	0.02	0.24	5.0	0.2	0.6	14.6	<0.01	0.02
DD001028		0.25	29.2	550	55.7	10.3	<0.001	0.04	0.21	4.4	<0.2	0.6	7.2	<0.01	0.04
DD001029		0.28	29.8	570	40.4	8.7	<0.001	0.02	0.28	5.8	0.3	0.5	11.8	<0.01	0.03
DD001030		0.32	29.8	820	30.2	12.2	<0.001	0.04	0.48	4.0	0.7	0.8	15.1	<0.01	0.05
DD001031		0.22	37.4	870	65.2	8.0	<0.001	0.03	0.35	6.3	0.5	0.6	8.5	<0.01	0.05
DD001032		0.40	32.0	1030	101.0	12.2	<0.001	0.05	0.60	5.4	0.5	0.7	11.3	<0.01	0.07
DD001033		0.35	38.6	990	47.8	11.4	<0.001	0.04	0.49	6.4	0.6	0.6	9.3	<0.01	0.06
DD001034		0.39	31.7	630	49.6	6.0	<0.001	0.05	0.48	4.1	0.4	0.5	9.4	<0.01	0.05
DD001035		0.38	22.3	1600	63.8	10.9	<0.001	0.07	0.65	1.9	0.5	0.6	7.7	<0.01	0.07
DD001036		0.38	23.5	1160	63.8	8.3	<0.001	0.09	0.40	2.0	0.2	0.6	7.9	<0.01	0.04
DD001037		0.36	22.4	1180	43.9	7.8	<0.001	0.07	0.42	1.5	0.5	0.7	7.4	<0.01	0.06
DD001038		0.36	32.8	1000	63.2	13.1	<0.001	0.04	0.58	5.5	0.9	0.6	12.0	<0.01	0.08
DD001039		0.25	36.7	670	90.9	11.4	<0.001	0.03	0.61	7.9	0.7	0.6	15.0	<0.01	0.05
DD001040		0.07	43.9	530	138.0	8.3	<0.001	0.02	0.50	8.4	0.5	0.7	16.8	<0.01	0.06
DD001041		0.08	44.7	540	87.1	6.9	<0.001	0.02	0.51	8.0	0.6	0.5	15.1	<0.01	0.05
DD001042		0.13	35.2	540	74.2	6.6	<0.001	0.02	0.39	7.0	0.5	0.4	15.2	<0.01	0.06
DD001043		0.15	39.3	510	51.8	8.8	<0.001	0.02	0.26	6.6	0.2	0.5	15.7	<0.01	0.04
DD001044		0.08	41.4	590	104.0	8.3	<0.001	0.02	0.41	7.8	0.3	0.5	19.3	<0.01	0.06
DD001045		0.13	42.3	620	107.5	8.4	<0.001	0.02	0.30	8.0	0.4	0.5	16.3	<0.01	0.05
DD001046		0.30	34.1	750	31.3	9.7	<0.001	0.03	0.33	6.8	0.3	0.6	20.0	<0.01	0.05
DD001047		0.13	36.0	330	39.8	8.6	<0.001	0.02	0.18	6.0	<0.2	0.8	26.3	<0.01	0.02
DD001048		0.36	30.8	550	59.8	8.5	<0.001	0.02	0.31	6.4	0.8	0.7	15.7	<0.01	0.01
DD001049		0.38	33.3	1000	50.1	8.1	<0.001	0.01	0.44	10.2	1.0	0.5	16.6	0.01	0.05
DD001050		0.33	19.7	1020	59.3	8.5	0.001	0.05	0.29	3.6	0.5	0.5	8.6	<0.01	0.03
DD001051		0.08	34.6	260	47.4	5.2	<0.001	<0.01	0.17	6.1	0.3	0.4	11.3	<0.01	0.02
DD001052		0.18	33.9	360	48.7	6.4	<0.001	<0.01	0.28	5.0	0.7	0.6	13.8	<0.01	0.02
DD001053		0.37	31.0	850	47.3	9.4	<0.001	<0.01	0.39	3.8	0.8	0.6	6.7	<0.01	0.04
DD001054		0.34	30.3	530	49.6	8.6	0.001	<0.01	0.45	5.6	0.7	0.6	6.9	<0.01	0.02
DD001055		0.35	30.2	750	49.5	10.2	0.001	0.01	0.41	5.7	0.4	0.6	6.7	<0.01	0.03
DD001056		0.39	29.6	530	57.6	10.1	0.001	<0.01	0.43	4.9	0.7	0.6	8.5	<0.01	0.01
DD001057		0.36	31.7	540	45.4	8.7	<0.001	<0.01	0.35	5.8	0.5	0.5	8.7	<0.01	0.02
DD001058		0.12	31.6	310	49.7	6.1	<0.001	<0.01	0.16	5.9	0.6	0.4	12.4	<0.01	0.01
DD001059		0.08	39.5	340	131.0	6.2	<0.001	<0.01	0.17	6.8	0.6	0.5	12.7	<0.01	0.03
DD001060		0.21	37.4	420	60.8	7.3	0.001	<0.01	0.24	7.3	0.8	0.6	13.5	<0.01	0.01
DD001061		0.14	37.2	340	76.3	6.7	<0.001	<0.01	0.25	6.8	0.5	0.6	12.0	<0.01	0.04
DD001062		0.13	34.3	350	41.3	6.2	<0.001	<0.01	0.23	4.8	0.3	0.6	9.9	<0.01	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001023		0.011	0.10	1.06	32	0.10	2.93	95	2.3
DD001024		0.010	0.07	1.37	33	0.09	4.63	100	1.2
DD001025		0.015	0.09	1.32	40	0.13	3.53	100	<0.5
DD001026		0.011	0.10	1.06	31	0.06	3.79	91	1.6
DD001027		0.009	0.06	1.21	31	0.10	3.66	92	0.6
DD001028		0.009	0.10	1.04	28	0.05	5.39	90	0.9
DD001029		0.009	0.08	1.14	30	0.06	4.15	97	0.8
DD001030		0.014	0.10	1.58	42	0.14	5.85	92	0.8
DD001031		0.006	0.11	1.09	31	<0.05	5.05	115	1.4
DD001032		0.017	0.15	1.36	39	0.11	7.11	122	1.0
DD001033		0.010	0.11	1.19	33	0.06	6.78	124	2.0
DD001034		0.014	0.08	0.99	30	0.07	5.47	97	0.6
DD001035		0.018	0.12	1.00	43	0.13	3.79	91	0.5
DD001036		0.010	0.08	0.95	31	0.07	4.24	87	0.9
DD001037		0.010	0.08	1.03	35	0.08	3.44	87	0.9
DD001038		0.012	0.12	1.16	35	0.09	7.43	96	1.2
DD001039		0.010	0.15	1.09	31	<0.05	7.58	108	1.4
DD001040		0.005	0.18	1.09	26	<0.05	8.27	137	5.3
DD001041		<0.005	0.13	1.11	26	<0.05	7.50	135	4.6
DD001042		<0.005	0.09	0.89	24	<0.05	5.89	119	<0.5
DD001043		0.005	0.07	0.98	27	<0.05	5.54	107	1.3
DD001044		<0.005	0.12	1.34	26	<0.05	7.33	112	3.4
DD001045		0.005	0.08	1.26	28	<0.05	7.19	117	2.3
DD001046		0.009	0.09	1.44	32	0.09	5.56	108	1.6
DD001047		0.011	0.07	1.50	32	0.08	5.71	101	5.1
DD001048		0.013	0.10	1.56	29	0.07	11.55	99	1.3
DD001049		0.012	0.10	2.12	31	0.06	7.89	111	2.2
DD001050		0.009	0.07	1.21	27	0.05	4.11	73	2.6
DD001051		0.006	0.05	1.13	23	<0.05	4.29	100	2.5
DD001052		0.012	0.07	1.62	25	0.06	7.01	97	3.3
DD001053		0.012	0.06	1.11	30	0.08	4.58	98	1.5
DD001054		0.009	0.10	0.95	27	<0.05	5.05	101	1.2
DD001055		0.011	0.08	1.05	28	0.05	5.66	99	2.0
DD001056		0.011	0.08	1.02	28	0.05	6.01	94	1.2
DD001057		0.012	0.07	0.98	29	0.05	4.43	102	0.9
DD001058		0.007	0.07	0.83	21	<0.05	4.57	99	2.5
DD001059		0.006	0.10	1.08	23	<0.05	6.19	113	3.9
DD001060		0.007	0.06	1.05	23	<0.05	8.87	104	2.0
DD001061		0.008	0.07	1.10	24	<0.05	7.97	107	3.0
DD001062		0.011	0.05	1.10	24	<0.05	5.42	95	2.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001151		0.34	0.001	0.07	0.85	14.0	<0.2	<10	70	1.60	0.39	0.06	0.47	19.65	21.9	15
DD001152		0.22	0.001	0.06	1.30	12.1	<0.2	<10	180	1.35	0.42	0.07	0.17	13.20	15.8	27
DD001153		0.28	0.002	0.07	1.66	10.8	<0.2	<10	200	1.49	0.38	0.06	0.25	24.3	25.1	28
DD001154		0.32	0.001	0.11	1.09	12.2	<0.2	<10	110	0.76	0.37	0.04	0.18	12.40	15.3	20
DD001155		0.26	0.001	0.07	2.02	19.1	<0.2	<10	150	1.96	0.68	0.04	0.04	14.95	51.1	35
DD001156		0.30	0.001	0.08	1.08	13.9	<0.2	<10	100	0.77	0.40	0.08	0.20	19.70	12.8	22
DD001157		0.36	0.002	0.13	1.57	16.5	<0.2	<10	100	1.38	0.40	0.04	0.27	15.35	19.0	27
DD001158		0.34	0.002	0.46	2.01	32.8	<0.2	<10	270	2.27	0.62	0.19	0.53	26.8	46.9	32
DD001159		0.48	0.001	0.09	1.63	15.7	<0.2	<10	200	1.46	0.52	0.08	0.03	15.75	24.6	32
DD001160		0.36	0.001	0.07	1.58	21.8	<0.2	<10	80	1.25	0.43	0.08	0.03	12.70	19.6	28
DD001161		0.30	0.001	0.05	0.58	12.8	<0.2	<10	130	1.43	0.46	0.13	0.02	7.46	10.3	26
DD001162		0.32	0.001	0.06	1.29	15.0	<0.2	<10	320	1.94	0.45	0.16	0.06	15.60	30.6	28
DD001163		0.26	0.001	0.09	0.70	9.0	<0.2	<10	260	1.74	0.35	0.23	0.09	9.80	20.6	16
DD001164		0.26	0.001	0.03	0.77	9.3	<0.2	<10	220	2.44	0.39	0.07	0.05	8.85	13.0	27
DD001165		0.26	0.001	0.16	1.08	6.6	<0.2	<10	130	0.84	0.35	0.01	0.05	11.00	16.5	19
DD001166		0.42	0.001	0.03	0.71	6.2	<0.2	<10	240	1.84	0.37	0.12	0.04	9.08	17.5	28
DD001167		0.34	0.001	0.05	0.85	6.3	<0.2	<10	130	0.89	0.36	0.03	0.07	3.75	17.3	22
DD001168		0.32	0.001	0.07	0.72	13.6	<0.2	<10	160	1.39	0.38	0.28	0.08	27.1	14.3	14
DD001169		0.24	0.002	0.19	0.78	24.0	<0.2	<10	230	1.50	0.41	0.74	0.11	20.1	16.1	17
DD001170		0.22	0.003	0.26	0.83	19.8	<0.2	<10	210	1.28	0.36	0.40	0.17	20.5	12.8	16
DD001171		0.32	0.002	0.14	1.23	10.1	<0.2	<10	340	1.11	0.35	0.45	0.20	15.70	10.5	21
DD001172		0.28	0.002	0.13	1.32	14.8	<0.2	<10	70	1.12	0.33	0.06	0.14	15.45	15.1	22
DD001173		0.42	0.002	0.13	1.22	9.1	<0.2	<10	500	1.93	0.34	0.56	0.05	5.99	15.5	26
DD001174		0.26	0.002	0.14	0.64	11.3	<0.2	<10	380	1.56	0.29	1.06	0.13	16.50	16.9	15
DD001175		0.28	0.001	0.08	0.83	3.5	<0.2	<10	280	2.31	0.33	0.39	0.04	10.75	15.6	18
DD001176		0.34	0.002	0.17	0.38	26.0	<0.2	<10	150	1.07	0.37	0.26	0.10	16.55	16.5	11
DD001177		0.42	0.002	0.17	0.88	22.2	<0.2	<10	250	1.43	0.54	0.18	0.07	14.40	26.5	22
ZZ17502		0.44	0.001	0.03	0.81	8.4	<0.2	<10	190	1.55	0.48	0.16	0.01	7.77	13.2	32
ZZ17503		0.36	0.001	0.06	1.17	21.5	<0.2	<10	180	1.42	0.52	0.13	0.04	14.00	18.4	28
ZZ17504		0.32	0.001	0.06	1.50	14.5	<0.2	<10	250	2.14	0.39	0.10	0.03	13.80	31.0	26
ZZ17505		0.32	0.001	0.06	1.64	22.9	<0.2	<10	290	1.94	0.49	0.14	0.02	14.10	31.6	28
ZZ17506		0.30	0.002	0.12	1.32	13.5	<0.2	<10	480	1.70	0.39	0.55	0.04	11.75	17.4	27
DD001320		0.34	0.003	0.08	1.49	6.1	<0.2	<10	120	1.06	0.53	0.02	0.10	7.52	28.0	34
DD001321		0.32	0.002	0.03	1.69	9.2	<0.2	<10	140	1.57	0.57	0.02	0.09	14.70	30.2	34
DD001322		0.42	0.001	0.03	1.29	6.9	<0.2	<10	120	0.93	0.41	0.02	0.06	10.20	25.9	32
DD001323		0.22	0.001	0.07	0.85	13.8	<0.2	<10	80	0.79	0.39	0.06	0.19	9.87	12.1	19
DD001324		0.30	0.001	0.13	1.30	18.5	<0.2	<10	70	1.51	0.47	0.03	0.10	19.95	22.9	24
DD001325		0.20	0.001	0.05	0.84	14.9	<0.2	<10	70	0.90	0.38	0.07	0.11	9.05	17.1	18
DD001326		0.46	0.001	0.09	1.08	13.0	<0.2	<10	90	1.82	0.51	0.05	0.11	18.75	26.8	25
DD001327		0.34	0.002	0.04	0.99	15.7	<0.2	<10	110	1.74	0.60	0.03	0.11	18.45	21.3	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD001151		3.63	51.3	4.91	2.28	0.12	0.06	0.06	0.052	0.09	5.7	6.4	0.13	964	6.57	<0.01
DD001152		3.51	24.1	4.47	5.82	0.08	0.02	0.03	0.039	0.08	4.2	13.6	0.23	1480	1.21	<0.01
DD001153		3.26	18.2	4.80	5.46	0.11	0.03	0.04	0.041	0.07	6.1	12.6	0.17	2820	1.41	<0.01
DD001154		2.91	25.2	4.24	5.05	0.09	0.02	0.07	0.034	0.08	4.0	7.0	0.14	1560	1.51	<0.01
DD001155		6.24	59.8	4.97	7.06	0.10	0.07	0.01	0.044	0.07	4.4	47.6	0.49	1120	1.03	<0.01
DD001156		2.74	25.1	4.53	4.41	0.08	0.02	0.07	0.036	0.08	5.1	6.7	0.15	966	1.43	<0.01
DD001157		2.61	33.5	5.02	5.40	0.09	0.05	0.06	0.041	0.06	4.3	21.4	0.23	1280	2.33	<0.01
DD001158		5.74	62.1	4.96	6.89	0.13	0.06	0.08	0.044	0.08	6.4	40.9	0.52	2260	3.63	<0.01
DD001159		7.17	27.6	4.34	7.07	0.10	0.03	0.05	0.036	0.09	4.2	29.1	0.43	1480	1.15	<0.01
DD001160		4.06	20.2	3.72	6.65	0.10	0.03	0.01	0.034	0.08	3.2	27.2	0.39	1290	0.74	<0.01
DD001161		2.48	29.1	4.48	1.99	0.10	0.02	0.02	0.025	0.07	2.1	5.8	0.15	463	0.90	<0.01
DD001162		6.11	32.8	4.14	4.99	0.12	0.03	0.03	0.032	0.09	2.9	25.1	0.35	2010	0.87	<0.01
DD001163		3.75	36.5	3.25	2.25	0.09	0.03	0.03	0.032	0.11	2.6	7.1	0.19	1720	0.91	0.01
DD001164		4.51	17.0	4.01	2.80	0.09	<0.02	0.02	0.033	0.09	2.3	8.5	0.20	1250	0.64	0.01
DD001165		3.88	291	2.57	4.09	0.08	0.10	0.04	0.040	0.06	2.7	8.3	0.20	4660	0.75	<0.01
DD001166		2.34	31.9	4.25	2.86	0.10	0.02	0.01	0.029	0.08	2.4	10.4	0.22	1370	0.59	<0.01
DD001167		5.14	20.5	3.71	3.35	0.07	0.03	0.04	0.036	0.09	1.2	7.9	0.19	1540	0.72	<0.01
DD001168		2.88	30.1	3.20	2.60	0.11	0.09	0.03	0.039	0.13	7.7	6.0	0.15	917	1.18	<0.01
DD001169		2.05	25.4	3.55	2.41	0.11	0.15	0.09	0.041	0.11	6.7	4.6	0.15	1340	1.81	<0.01
DD001170		1.65	24.6	3.52	2.65	0.12	0.10	0.09	0.034	0.09	9.4	6.9	0.14	705	1.32	<0.01
DD001171		5.01	20.9	3.20	3.92	0.11	0.08	0.04	0.029	0.13	7.1	12.5	0.25	867	0.97	<0.01
DD001172		2.88	29.0	3.97	4.08	0.09	0.02	0.05	0.034	0.08	4.5	15.3	0.23	1170	1.30	<0.01
DD001173		8.01	26.4	3.68	3.79	0.09	0.15	0.05	0.034	0.15	2.6	12.4	0.33	969	0.72	0.01
DD001174		3.28	32.7	2.91	1.98	0.09	0.09	0.10	0.027	0.12	5.1	8.0	0.25	1180	0.97	0.01
DD001175		4.98	38.1	3.56	2.55	0.10	0.09	0.04	0.030	0.10	2.9	11.3	0.32	1180	0.67	<0.01
DD001176		2.46	36.2	3.23	1.51	0.11	0.13	0.12	0.034	0.11	6.0	3.7	0.14	612	1.29	<0.01
DD001177		5.78	51.1	4.02	3.03	0.13	0.11	0.09	0.039	0.10	4.9	13.8	0.30	1300	1.60	0.01
ZZ17502		2.96	37.4	4.67	3.20	0.14	0.04	0.05	0.020	0.08	2.5	16.4	0.32	835	0.69	<0.01
ZZ17503		5.42	29.9	4.21	4.83	0.10	0.05	0.13	0.035	0.09	4.6	24.6	0.37	784	0.99	0.01
ZZ17504		6.81	38.1	4.20	5.66	0.09	0.02	0.02	0.040	0.10	3.5	33.2	0.41	1500	0.82	0.01
ZZ17505		4.88	41.9	4.52	5.85	0.10	0.08	0.02	0.042	0.11	4.0	39.9	0.52	1800	1.12	0.01
ZZ17506		5.18	35.0	3.70	4.43	0.08	0.02	0.09	0.031	0.11	3.5	21.5	0.41	1040	0.83	0.01
DD001320		4.12	25.6	5.04	7.56	0.08	0.04	0.04	0.041	0.09	2.8	16.0	0.29	2760	0.78	0.01
DD001321		4.85	37.9	5.22	7.07	0.07	<0.02	0.01	0.047	0.10	5.2	25.3	0.43	2600	0.98	0.01
DD001322		2.67	36.9	4.94	5.22	0.09	<0.02	0.02	0.037	0.08	3.8	16.6	0.29	2010	0.83	0.01
DD001323		1.18	30.7	4.21	4.42	0.07	<0.02	0.05	0.040	0.07	4.3	3.7	0.10	731	1.11	0.01
DD001324		2.39	32.9	4.34	4.77	0.07	0.02	0.03	0.040	0.06	6.6	12.0	0.16	1660	1.07	0.01
DD001325		1.18	29.0	4.15	3.48	0.06	<0.02	0.06	0.034	0.07	3.5	8.4	0.13	1880	0.99	<0.01
DD001326		3.10	45.8	4.54	4.52	0.09	<0.02	0.03	0.056	0.07	6.0	15.6	0.18	1600	1.02	<0.01
DD001327		2.05	43.0	4.63	3.81	0.10	<0.02	<0.01	0.052	0.07	6.6	14.1	0.17	1380	1.03	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD001151		0.12	36.9	1150	38.2	10.4	<0.001	0.02	1.86	4.6	1.6	0.6	5.1	<0.01	0.04	1.9
DD001152		0.40	16.7	1170	32.1	12.7	<0.001	0.04	0.52	2.1	0.6	0.8	7.2	<0.01	0.05	0.7
DD001153		0.31	14.9	1770	47.8	12.1	0.001	0.08	0.73	0.9	0.5	0.7	6.6	<0.01	0.04	0.4
DD001154		0.31	15.6	1260	31.2	13.4	<0.001	0.07	0.90	0.7	0.5	0.7	5.3	<0.01	0.05	0.2
DD001155		0.24	34.2	630	77.6	9.4	<0.001	0.01	0.23	5.4	0.2	0.8	8.4	<0.01	0.04	3.5
DD001156		0.29	18.9	1180	28.4	11.0	0.001	0.07	0.88	0.6	0.4	0.6	6.9	<0.01	0.05	0.2
DD001157		0.48	24.9	1150	37.6	9.8	<0.001	0.03	1.09	2.7	1.1	0.6	5.9	<0.01	0.04	1.0
DD001158		0.14	45.2	720	96.0	8.6	0.001	0.01	1.42	7.6	1.3	0.7	21.1	<0.01	0.06	3.4
DD001159		0.13	26.2	370	46.9	9.8	<0.001	<0.01	0.27	6.2	0.4	0.9	17.7	<0.01	0.02	5.3
DD001160		0.35	21.5	430	41.0	8.1	<0.001	0.01	0.28	4.7	0.4	0.8	14.2	<0.01	<0.01	3.4
DD001161		0.38	14.7	450	31.0	6.7	<0.001	<0.01	0.54	3.7	0.4	0.8	8.7	<0.01	0.02	3.2
DD001162		0.36	27.5	450	45.9	10.2	<0.001	<0.01	0.46	5.2	0.5	0.8	12.8	<0.01	0.02	3.9
DD001163		0.35	21.0	860	30.7	9.6	0.001	0.05	0.46	2.4	0.4	0.6	9.6	<0.01	0.03	0.7
DD001164		0.27	15.6	580	35.2	9.9	<0.001	0.01	0.42	2.8	0.5	0.8	9.0	<0.01	0.04	1.4
DD001165		0.27	10.8	530	17.6	10.1	<0.001	0.01	0.24	2.8	0.4	0.7	6.2	<0.01	0.02	2.6
DD001166		0.30	19.7	310	28.6	7.4	<0.001	<0.01	0.42	5.0	0.3	0.9	14.5	<0.01	0.03	4.4
DD001167		0.41	14.4	910	29.1	11.2	<0.001	0.05	0.53	1.5	0.3	0.8	6.2	<0.01	0.04	0.6
DD001168		0.19	22.7	720	23.5	11.6	<0.001	0.02	0.50	5.9	0.8	0.6	10.2	<0.01	0.02	2.5
DD001169		0.20	24.3	840	39.0	11.4	0.001	0.05	0.69	4.6	0.9	0.6	24.2	<0.01	0.03	1.9
DD001170		0.28	21.9	880	29.6	10.7	0.001	0.05	0.67	3.9	1.2	0.4	18.3	<0.01	0.07	1.7
DD001171		0.52	18.2	940	25.7	16.5	<0.001	0.04	0.72	3.0	0.8	0.7	22.0	<0.01	0.05	1.1
DD001172		0.28	22.5	1010	26.2	10.8	<0.001	0.02	0.66	1.4	0.6	0.5	6.2	<0.01	0.06	0.6
DD001173		0.45	21.6	600	33.3	17.4	<0.001	0.01	0.37	6.5	1.1	0.8	30.7	<0.01	0.05	2.5
DD001174		0.34	26.8	810	29.1	7.8	0.001	0.07	0.49	4.3	1.5	0.4	32.2	<0.01	0.02	2.3
DD001175		0.47	22.9	600	26.6	10.5	<0.001	0.03	0.40	4.9	0.5	0.6	17.8	0.01	0.05	2.8
DD001176		0.10	30.2	480	25.0	9.8	0.001	0.06	0.88	4.7	0.2	0.4	18.1	<0.01	0.06	4.2
DD001177		0.26	35.4	410	40.7	10.9	<0.001	0.02	1.13	5.8	0.3	0.6	21.0	0.01	0.06	5.1
ZZ17502		0.29	19.9	380	29.0	7.5	<0.001	<0.01	0.41	4.6	<0.2	0.7	15.1	<0.01	0.04	7.3
ZZ17503		0.16	23.8	300	36.0	7.8	<0.001	0.02	0.28	5.4	0.7	0.8	41.4	<0.01	0.01	6.1
ZZ17504		0.22	33.6	420	31.3	10.4	<0.001	<0.01	0.34	6.1	0.4	0.6	13.4	<0.01	0.03	3.9
ZZ17505		0.07	36.8	360	40.2	8.7	0.001	<0.01	0.31	6.0	0.9	0.7	20.1	<0.01	0.01	5.4
ZZ17506		0.31	23.7	580	30.2	11.8	<0.001	0.03	0.40	4.4	0.6	0.6	30.6	<0.01	0.04	2.0
DD001320		0.44	19.2	1180	40.8	13.5	<0.001	0.02	0.42	2.1	0.8	1.0	5.1	<0.01	0.01	0.9
DD001321		0.40	27.7	1040	36.7	12.7	0.001	<0.01	0.52	4.6	0.5	1.0	7.7	<0.01	0.02	1.9
DD001322		0.43	22.5	610	27.3	10.8	<0.001	<0.01	0.40	4.0	0.7	1.0	6.4	<0.01	<0.01	1.7
DD001323		0.33	17.7	1140	18.6	8.8	<0.001	0.05	0.44	1.2	0.9	0.6	7.1	<0.01	0.05	0.3
DD001324		0.31	23.0	1230	32.8	9.6	<0.001	0.05	0.37	2.2	0.8	0.7	7.7	<0.01	0.02	0.8
DD001325		0.23	19.9	1090	37.8	7.3	<0.001	0.03	0.30	1.3	1.0	0.5	6.7	<0.01	0.05	0.4
DD001326		0.24	30.4	770	35.4	8.5	0.001	<0.01	0.36	5.4	0.7	0.7	11.5	<0.01	0.02	2.3
DD001327		0.22	29.6	600	33.3	7.3	0.001	<0.01	0.32	5.5	0.7	0.6	11.4	<0.01	<0.01	3.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001151		<0.005	0.24	1.29	24	<0.05	8.20	156	1.3
DD001152		0.008	0.08	0.71	31	0.12	5.42	80	<0.5
DD001153		0.010	0.10	0.83	33	0.10	6.23	75	0.5
DD001154		0.009	0.09	0.56	31	0.09	2.82	81	<0.5
DD001155		0.005	0.06	0.82	26	0.05	4.75	102	1.3
DD001156		0.009	0.08	0.68	31	0.09	3.92	83	<0.5
DD001157		0.009	0.11	0.90	32	0.08	4.32	103	0.9
DD001158		<0.005	0.20	1.09	29	<0.05	13.95	165	1.5
DD001159		0.009	0.10	0.63	23	<0.05	5.41	82	1.5
DD001160		0.011	0.08	0.45	21	<0.05	5.73	75	0.7
DD001161		0.008	0.06	0.85	24	0.28	5.10	51	<0.5
DD001162		0.012	0.09	0.77	22	0.12	7.58	77	0.6
DD001163		0.007	0.09	0.68	19	0.13	6.49	83	0.5
DD001164		0.007	0.07	0.93	25	0.25	5.94	48	<0.5
DD001165		0.006	0.08	1.79	26	0.10	3.13	39	2.0
DD001166		0.015	0.06	0.92	28	0.19	3.93	72	0.6
DD001167		0.009	0.07	0.73	26	0.24	1.81	67	0.5
DD001168		<0.005	0.09	0.57	17	0.05	10.40	87	1.4
DD001169		<0.005	0.12	0.62	23	<0.05	12.00	80	3.1
DD001170		<0.005	0.08	0.65	21	0.05	17.65	85	2.0
DD001171		0.010	0.10	0.73	28	0.13	10.75	86	1.1
DD001172		0.010	0.12	0.70	26	0.08	3.75	85	0.8
DD001173		0.006	0.13	0.86	28	0.15	8.35	80	3.8
DD001174		0.007	0.10	0.73	14	0.09	10.65	77	2.4
DD001175		0.010	0.07	0.74	20	0.15	10.60	86	2.0
DD001176		<0.005	0.09	0.44	15	<0.05	7.30	87	6.0
DD001177		0.012	0.13	0.69	22	0.10	8.40	106	4.8
ZZ17502		0.014	0.06	1.05	28	0.27	5.02	52	1.1
ZZ17503		0.008	0.11	0.82	22	0.10	5.46	71	2.1
ZZ17504		0.006	0.09	0.57	19	0.06	7.47	92	0.6
ZZ17505		0.007	0.10	0.60	19	<0.05	6.57	97	3.1
ZZ17506		0.007	0.08	0.83	22	0.08	7.60	81	0.7
DD001320		0.013	0.12	0.91	36	0.17	2.20	81	0.9
DD001321		0.018	0.11	1.17	42	0.21	3.30	101	<0.5
DD001322		0.016	0.11	0.95	38	0.19	3.00	92	<0.5
DD001323		0.011	0.08	0.79	36	0.09	2.68	86	<0.5
DD001324		0.007	0.14	1.00	33	0.08	6.56	87	0.5
DD001325		0.007	0.07	0.86	27	0.06	2.65	89	<0.5
DD001326		0.008	0.11	1.00	32	0.07	5.80	102	<0.5
DD001327		0.007	0.08	0.96	32	0.09	5.64	108	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001328		0.42	0.001	0.08	1.58	20.2	<0.2	<10	120	1.86	0.52	0.08	0.13	30.3	29.1	31
DD001329		0.38	0.002	0.05	1.75	12.3	<0.2	<10	100	1.68	0.42	0.05	0.11	20.9	24.0	31
DD001330		0.30	0.002	0.08	1.95	12.3	<0.2	<10	90	1.79	0.51	0.03	0.08	21.4	28.0	35
DD001331		0.40	0.002	0.07	2.08	11.4	<0.2	<10	180	2.75	0.64	0.02	0.08	22.0	31.9	34
DD001332		0.32	0.003	0.06	2.06	8.5	<0.2	<10	230	2.39	0.65	0.04	0.09	20.8	31.1	35
DD001333		0.30	0.002	0.05	2.03	7.3	<0.2	<10	290	2.15	0.53	0.05	0.10	19.35	27.5	35
DD001334		0.40	0.002	0.05	1.94	13.5	<0.2	<10	160	2.01	0.60	0.03	0.11	22.9	25.5	33
DD001335		0.34	0.002	0.04	2.24	10.5	<0.2	<10	180	2.41	0.61	0.01	0.06	16.80	22.6	37
DD001336		0.40	0.001	0.03	1.36	5.9	<0.2	<10	130	1.27	0.43	0.03	0.06	12.00	14.1	34
DD001337		0.30	0.001	0.04	1.72	12.5	<0.2	<10	80	1.47	0.48	0.03	0.09	16.95	24.2	36
DD001338		0.24	0.001	0.09	1.76	6.3	<0.2	<10	80	1.00	0.46	0.02	0.07	13.45	14.1	36
DD001339		0.42	0.001	0.05	0.89	8.6	<0.2	<10	60	0.99	0.43	0.02	0.05	12.20	25.3	20
DD001340		0.48	0.002	0.06	2.01	6.3	<0.2	<10	60	1.64	0.74	0.03	0.06	19.85	19.1	37
DD001341		0.38	0.001	0.05	0.83	19.6	<0.2	<10	80	1.73	0.63	0.01	0.11	16.70	28.9	23
DD001342		0.36	0.001	0.07	1.45	10.0	<0.2	<10	120	1.49	0.47	0.03	0.11	14.95	24.3	34
DD001343		0.34	0.002	0.10	2.11	22.6	<0.2	<10	60	1.53	0.42	0.03	0.11	12.40	27.0	39
DD001344		0.32	0.001	0.05	1.32	12.7	<0.2	<10	90	0.90	0.30	0.10	0.20	22.2	14.1	23
DD001345		0.38	0.001	0.07	1.81	15.2	<0.2	<10	60	1.28	0.48	0.03	0.13	18.00	20.9	35
DD001346		0.30	0.001	0.04	1.88	14.5	<0.2	<10	90	1.29	0.56	0.02	0.09	13.70	27.8	32
DD001347		0.26	0.001	0.06	1.30	8.7	<0.2	<10	180	1.59	0.40	0.03	0.14	14.00	15.2	29
DD001348		0.34	0.001	0.04	1.60	7.8	<0.2	<10	180	1.46	0.56	0.02	0.08	15.45	23.4	32
DD001349		0.36	0.004	0.05	1.00	7.7	<0.2	<10	140	1.20	0.49	0.03	0.07	11.00	15.0	32
DD001350		0.42	0.001	0.03	1.37	10.8	<0.2	<10	140	1.18	0.44	0.03	0.10	13.90	20.7	31
DD001351		0.28	0.002	0.07	1.62	13.9	<0.2	<10	140	1.86	0.48	0.05	0.14	14.70	32.8	32
DD001352		0.22	<0.001	0.09	1.08	3.8	<0.2	<10	340	0.96	0.33	0.03	0.23	8.68	26.1	22
DD001353		0.32	0.002	0.05	1.69	18.3	<0.2	<10	70	0.95	0.44	0.03	0.11	19.90	23.7	33
DD001354		0.24	0.001	0.09	0.95	11.3	<0.2	<10	80	0.41	0.33	0.04	0.14	10.80	8.1	20
DD001355		0.20	0.002	0.20	1.14	13.3	<0.2	<10	130	0.77	0.28	0.05	0.28	15.75	8.5	19
DD001356		0.20	0.001	0.11	1.24	8.0	<0.2	<10	130	0.77	0.29	0.21	0.27	12.50	8.3	22
DD001357		0.30	0.001	0.09	1.35	9.4	<0.2	<10	60	0.58	0.31	0.04	0.16	10.75	8.5	27
DD001358		0.26	<0.001	0.03	1.24	20.0	<0.2	<10	310	1.28	0.36	0.15	0.19	18.90	10.7	19
DD001359		0.26	0.001	0.05	1.23	10.2	<0.2	<10	230	0.66	0.38	0.11	0.24	21.0	11.0	20
DD001360		0.22	0.001	0.09	0.83	9.7	<0.2	<10	120	0.59	0.29	0.24	0.41	8.57	8.6	15
DD001361		0.24	0.001	0.08	1.37	8.6	<0.2	<10	340	2.03	0.35	0.12	0.25	17.20	25.5	22
DD001362		0.22	0.001	0.16	0.81	14.0	<0.2	<10	130	0.67	0.30	0.19	0.51	15.55	12.0	14
DD001363		0.40	0.001	0.07	0.91	18.5	<0.2	<10	190	1.75	0.45	0.09	0.11	11.90	29.9	16
DD001364		0.24	0.001	0.14	0.89	7.5	<0.2	<10	200	1.10	0.36	0.19	0.60	16.40	17.6	15
DD001365		0.16	<0.001	0.11	0.58	8.5	<0.2	<10	130	0.60	0.30	0.92	0.29	11.65	9.5	11
DD001366		0.22	0.001	0.16	0.93	8.3	<0.2	<10	140	0.76	0.32	0.19	0.20	14.55	11.2	18
DD001367		0.32	0.001	0.22	0.50	10.9	<0.2	<10	190	1.32	0.44	0.03	0.20	7.83	32.6	16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD001328		7.04	41.3	4.38	7.02	0.09	0.02	0.03	0.049	0.06	10.2	29.2	0.39	1650	1.54	<0.01
DD001329		5.06	43.6	4.90	6.89	0.10	0.02	0.03	0.049	0.05	7.1	30.9	0.34	1730	1.52	<0.01
DD001330		5.84	42.7	5.21	7.38	0.09	0.03	0.01	0.054	0.05	6.6	31.3	0.41	2080	1.21	0.01
DD001331		5.31	59.1	5.82	8.30	0.10	0.03	0.01	0.070	0.08	7.3	33.5	0.41	1850	1.28	0.01
DD001332		7.58	51.7	5.34	8.23	0.09	0.03	0.01	0.053	0.06	7.3	38.0	0.45	2330	1.53	0.01
DD001333		7.28	45.9	5.00	7.50	0.09	0.02	0.03	0.047	0.06	6.9	32.5	0.45	2190	1.43	0.01
DD001334		4.51	46.8	5.00	8.16	0.08	0.02	<0.01	0.054	0.06	7.8	32.6	0.43	1600	1.37	<0.01
DD001335		5.12	49.8	5.64	8.14	0.08	0.04	<0.01	0.060	0.06	5.4	33.8	0.46	1880	1.07	0.01
DD001336		3.12	33.2	4.64	4.82	0.10	<0.02	<0.01	0.037	0.06	4.4	17.0	0.32	1180	0.97	0.01
DD001337		4.69	40.8	5.14	6.83	0.08	0.02	<0.01	0.044	0.06	6.3	24.9	0.35	1760	1.50	<0.01
DD001338		3.33	31.9	5.01	8.12	0.07	0.02	0.04	0.039	0.07	5.3	14.3	0.25	1460	1.55	0.01
DD001339		2.31	39.1	4.28	3.94	0.07	<0.02	0.03	0.048	0.07	4.6	6.3	0.13	1990	1.02	0.01
DD001340		7.44	46.3	4.58	8.03	0.08	0.02	0.02	0.049	0.08	7.7	27.0	0.44	842	1.41	0.01
DD001341		2.31	57.8	6.14	3.92	0.09	<0.02	0.03	0.082	0.06	6.1	8.2	0.14	1820	1.52	0.01
DD001342		3.60	38.8	4.79	5.42	0.08	<0.02	0.01	0.042	0.07	5.7	21.5	0.30	1800	1.26	0.01
DD001343		5.69	35.5	5.10	7.45	0.07	0.05	0.01	0.040	0.07	4.5	26.6	0.45	2930	0.96	0.01
DD001344		1.37	26.7	3.80	4.22	0.08	0.02	0.01	0.033	0.05	8.9	15.4	0.30	856	1.30	0.01
DD001345		2.98	37.5	4.78	7.31	0.09	0.05	0.03	0.043	0.06	6.7	25.9	0.39	1460	1.30	<0.01
DD001346		3.58	44.6	4.84	7.34	0.10	0.05	0.02	0.041	0.06	4.9	30.9	0.39	1730	0.93	<0.01
DD001347		2.40	30.6	4.04	5.35	0.10	0.02	0.07	0.032	0.07	5.0	10.7	0.22	1580	1.42	<0.01
DD001348		3.49	49.4	4.50	6.07	0.09	0.03	0.03	0.039	0.05	5.4	26.5	0.32	1930	1.50	<0.01
DD001349		6.09	25.9	4.56	4.46	0.11	<0.02	0.02	0.037	0.06	4.0	9.1	0.21	885	0.95	<0.01
DD001350		2.53	33.5	4.37	5.60	0.10	0.03	0.03	0.036	0.06	5.0	25.8	0.29	1620	1.21	<0.01
DD001351		6.35	30.2	4.75	7.00	0.08	<0.02	0.06	0.041	0.08	4.8	21.9	0.26	2560	1.39	<0.01
DD001352		2.11	55.0	3.27	3.75	0.08	0.04	0.07	0.032	0.07	2.3	10.6	0.21	4890	1.08	<0.01
DD001353		4.17	29.2	4.48	7.43	0.11	<0.02	0.02	0.038	0.07	7.1	26.2	0.36	1480	1.58	<0.01
DD001354		1.73	17.4	2.97	4.90	0.08	<0.02	0.05	0.024	0.07	4.5	4.7	0.11	767	1.62	<0.01
DD001355		1.47	23.8	3.13	4.43	0.10	0.02	0.04	0.023	0.07	5.9	9.8	0.16	410	2.35	<0.01
DD001356		1.74	17.7	3.24	4.84	0.08	<0.02	0.04	0.026	0.09	4.9	10.3	0.21	533	1.93	0.01
DD001357		2.01	19.4	4.40	6.11	0.08	<0.02	0.06	0.029	0.07	4.1	8.1	0.16	782	1.36	<0.01
DD001358		1.89	21.1	3.35	5.29	0.10	<0.02	0.01	0.031	0.06	6.4	9.9	0.19	536	1.33	<0.01
DD001359		2.45	17.5	3.18	6.79	0.10	<0.02	0.03	0.031	0.08	8.1	10.1	0.17	1040	1.63	<0.01
DD001360		1.50	17.8	2.77	3.87	0.09	<0.02	0.08	0.023	0.09	3.3	8.4	0.15	752	1.10	<0.01
DD001361		5.73	39.0	3.59	4.41	0.12	0.02	0.06	0.028	0.10	5.3	17.7	0.33	2740	1.10	<0.01
DD001362		1.51	22.1	2.60	2.95	0.09	0.02	0.06	0.028	0.10	4.9	7.3	0.14	958	1.27	<0.01
DD001363		3.30	37.2	4.21	3.14	0.09	0.03	0.04	0.037	0.10	2.9	13.8	0.23	1400	0.93	<0.01
DD001364		2.67	23.8	3.32	2.95	0.09	<0.02	0.06	0.028	0.13	4.3	8.3	0.16	2150	0.74	<0.01
DD001365		1.45	18.5	2.14	2.49	0.09	0.04	0.16	0.026	0.07	3.4	2.7	0.08	1350	0.94	0.01
DD001366		2.69	24.3	3.49	3.56	0.09	<0.02	0.04	0.028	0.09	4.4	10.8	0.18	1380	1.02	<0.01
DD001367		2.27	32.2	3.67	2.13	0.08	<0.02	0.07	0.041	0.09	2.0	2.9	0.06	1540	1.52	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD001328		0.54	35.0	610	48.2	10.9	0.001	<0.01	0.62	6.1	1.1	0.7	16.7	<0.01	0.03
DD001329		0.52	32.6	640	61.9	7.6	<0.001	<0.01	0.57	4.3	1.3	0.6	10.3	<0.01	0.02
DD001330		0.44	31.7	690	67.9	8.7	<0.001	0.01	0.47	5.6	0.8	0.6	9.3	<0.01	<0.01
DD001331		0.34	41.2	860	45.3	12.2	<0.001	<0.01	0.40	8.8	1.6	0.7	13.0	<0.01	0.06
DD001332		0.50	33.8	850	74.6	10.3	0.001	<0.01	0.47	6.8	1.3	0.6	14.8	<0.01	0.04
DD001333		0.49	31.0	740	37.3	9.1	0.001	<0.01	0.56	5.7	1.0	0.6	15.2	<0.01	<0.01
DD001334		0.43	33.3	640	58.9	8.3	<0.001	<0.01	0.46	7.2	0.9	0.7	11.1	<0.01	0.04
DD001335		0.32	30.3	780	38.6	9.3	0.001	<0.01	0.35	6.8	0.5	0.8	10.7	<0.01	0.02
DD001336		0.37	19.1	400	55.9	7.0	<0.001	<0.01	0.40	4.4	0.6	0.9	8.9	<0.01	0.02
DD001337		0.47	24.7	920	43.3	8.9	0.001	<0.01	0.46	3.7	0.8	0.8	9.3	<0.01	0.01
DD001338		0.48	16.4	1400	17.6	13.7	<0.001	0.04	0.56	1.7	0.7	0.8	8.3	<0.01	0.04
DD001339		0.17	21.9	730	51.1	8.7	<0.001	<0.01	0.32	4.7	0.8	0.5	8.4	<0.01	0.03
DD001340		0.35	29.8	780	55.3	12.0	<0.001	<0.01	0.36	6.1	0.6	0.7	12.6	<0.01	0.04
DD001341		0.23	34.8	680	47.5	7.5	<0.001	<0.01	0.35	8.6	0.9	0.5	8.3	<0.01	0.04
DD001342		0.38	22.4	670	36.4	9.1	<0.001	<0.01	0.49	3.8	0.6	0.8	9.8	<0.01	0.03
DD001343		0.40	23.2	940	55.6	11.1	<0.001	0.02	0.36	3.3	1.0	0.8	6.6	<0.01	0.01
DD001344		0.39	27.0	700	19.4	7.2	<0.001	<0.01	0.58	2.6	1.2	0.5	11.7	<0.01	0.01
DD001345		0.51	26.2	950	35.8	10.3	<0.001	0.02	0.57	3.9	0.4	0.8	8.2	<0.01	0.07
DD001346		0.40	27.6	670	44.5	9.1	<0.001	<0.01	0.37	4.9	0.3	0.8	8.5	<0.01	0.05
DD001347		0.24	15.7	1280	28.0	10.3	<0.001	0.06	0.62	1.0	0.6	0.7	7.9	<0.01	0.04
DD001348		0.43	23.9	700	35.3	7.6	<0.001	0.01	0.46	3.6	0.3	0.6	10.5	<0.01	0.05
DD001349		0.28	13.3	680	38.6	11.8	<0.001	<0.01	0.66	2.8	<0.2	0.9	7.8	<0.01	0.03
DD001350		0.51	24.7	610	25.7	8.0	<0.001	0.01	0.50	3.4	0.4	0.8	8.3	<0.01	0.05
DD001351		0.36	18.9	1120	48.8	13.0	<0.001	0.05	0.57	2.1	0.3	0.7	7.7	<0.01	0.04
DD001352		0.29	18.0	1420	43.3	8.8	<0.001	0.09	0.48	2.1	<0.2	0.9	6.5	<0.01	0.04
DD001353		0.59	23.3	1010	35.4	12.4	<0.001	0.01	0.79	3.0	0.9	0.8	7.3	<0.01	0.07
DD001354		0.32	11.5	910	17.7	10.5	<0.001	0.06	0.74	0.5	<0.2	0.6	5.2	<0.01	0.05
DD001355		0.31	19.4	1080	14.9	9.5	<0.001	0.05	0.91	0.9	0.6	0.7	5.8	<0.01	0.05
DD001356		0.35	15.5	1300	14.2	10.8	<0.001	0.09	0.61	0.5	0.3	0.7	15.3	<0.01	0.07
DD001357		0.37	13.1	1390	15.3	10.9	<0.001	0.10	0.69	0.6	0.4	0.6	5.0	<0.01	0.07
DD001358		0.48	19.0	630	18.9	10.4	<0.001	0.03	0.62	1.3	0.4	0.7	9.8	<0.01	0.06
DD001359		0.47	14.6	870	19.9	15.9	<0.001	0.05	0.76	1.0	<0.2	1.0	9.8	<0.01	0.07
DD001360		0.36	14.0	1080	16.9	11.3	<0.001	0.08	0.50	0.9	<0.2	0.5	12.9	<0.01	0.05
DD001361		0.25	24.0	1090	37.8	13.7	<0.001	0.06	0.54	1.3	0.2	0.5	12.5	<0.01	0.05
DD001362		0.22	17.4	1140	20.7	9.9	<0.001	0.07	0.64	0.6	0.6	0.4	12.5	<0.01	0.04
DD001363		0.27	30.6	560	41.1	9.7	<0.001	0.01	0.44	4.6	0.4	0.5	7.4	<0.01	0.12
DD001364		0.30	17.8	1100	34.6	11.9	<0.001	0.07	0.44	1.2	<0.2	0.4	9.8	<0.01	0.04
DD001365		0.35	12.2	1850	19.3	8.7	<0.001	0.16	0.44	2.2	0.4	0.4	28.9	<0.01	0.04
DD001366		0.25	17.1	890	20.8	12.2	<0.001	0.05	0.61	0.8	0.2	0.6	10.2	<0.01	0.05
DD001367		0.31	26.9	480	34.3	9.4	<0.001	0.01	0.44	4.0	0.3	0.6	5.9	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001328		0.018	0.12	1.17	40	0.13	7.11	100	0.6
DD001329		0.019	0.10	0.87	38	0.09	5.86	107	0.6
DD001330		0.014	0.12	0.98	35	0.07	7.62	99	0.7
DD001331		0.007	0.11	1.12	36	<0.05	6.80	127	0.8
DD001332		0.016	0.10	1.17	37	0.10	5.89	103	0.9
DD001333		0.016	0.11	1.12	37	0.11	5.94	100	0.7
DD001334		0.014	0.11	1.14	37	0.08	7.10	106	0.8
DD001335		0.009	0.09	1.04	35	0.07	5.25	108	1.2
DD001336		0.012	0.06	0.96	31	0.14	3.73	66	0.5
DD001337		0.016	0.10	1.12	40	0.14	4.70	91	<0.5
DD001338		0.013	0.13	0.96	42	0.14	3.24	72	<0.5
DD001339		0.005	0.13	0.63	35	0.05	2.88	104	<0.5
DD001340		0.010	0.12	0.92	37	0.06	4.92	104	0.8
DD001341		0.006	0.10	0.79	45	0.06	4.44	153	<0.5
DD001342		0.014	0.09	1.22	38	0.13	3.81	82	<0.5
DD001343		0.011	0.12	0.74	40	0.07	3.44	104	1.5
DD001344		0.019	0.09	1.16	39	0.13	5.41	86	<0.5
DD001345		0.014	0.10	0.96	37	0.12	4.72	91	1.2
DD001346		0.010	0.09	0.97	34	0.10	4.36	91	1.1
DD001347		0.010	0.09	1.29	34	0.16	6.67	53	<0.5
DD001348		0.013	0.07	1.33	33	0.11	4.32	77	0.7
DD001349		0.014	0.08	1.40	36	0.13	2.77	42	<0.5
DD001350		0.015	0.06	0.96	30	0.12	3.86	73	0.5
DD001351		0.013	0.11	0.99	36	0.10	4.53	88	<0.5
DD001352		0.009	0.14	0.82	21	0.12	4.71	64	1.1
DD001353		0.024	0.12	0.84	38	0.15	4.02	82	<0.5
DD001354		0.011	0.08	0.66	34	0.14	2.20	61	<0.5
DD001355		0.007	0.09	0.86	32	0.08	5.46	79	0.5
DD001356		0.009	0.08	0.73	32	0.09	3.62	63	<0.5
DD001357		0.011	0.09	0.75	33	0.11	2.70	66	<0.5
DD001358		0.011	0.11	0.55	34	0.10	6.72	77	<0.5
DD001359		0.016	0.12	0.54	51	0.16	4.28	67	<0.5
DD001360		0.008	0.08	0.49	25	0.06	2.29	83	<0.5
DD001361		0.008	0.13	0.95	26	0.11	10.55	87	<0.5
DD001362		0.006	0.08	0.46	21	0.05	2.77	90	<0.5
DD001363		0.006	0.08	0.66	22	0.05	5.10	111	0.6
DD001364		0.009	0.09	0.55	21	0.08	3.98	99	<0.5
DD001365		0.009	0.06	0.61	18	0.06	4.68	71	1.1
DD001366		0.008	0.08	0.53	30	0.07	2.99	89	<0.5
DD001367		0.008	0.09	0.52	26	0.11	2.79	109	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001368		0.34	0.001	0.08	0.55	6.7	<0.2	<10	190	1.17	0.45	0.08	0.10	5.56	18.5	21
DD001369		0.34	0.001	0.15	0.51	29.9	<0.2	<10	70	0.71	0.39	0.01	0.15	15.40	16.7	14
DD001370		0.30	0.001	0.05	1.02	5.7	<0.2	<10	170	1.73	0.39	0.06	0.13	5.86	33.1	27
DD001371		0.18	0.001	0.14	0.62	9.6	<0.2	<10	170	1.29	0.28	1.26	0.13	17.45	8.4	13
DD001105		0.26	<0.001	0.04	1.12	6.7	<0.2	<10	300	1.57	0.46	0.12	0.02	10.85	16.5	36
DD001106		0.32	<0.001	0.03	1.01	6.0	<0.2	<10	320	1.65	0.52	0.10	0.01	11.60	13.8	37
DD001107		0.26	0.001	0.03	1.29	7.4	<0.2	<10	350	1.81	0.49	0.04	0.04	10.15	12.4	36
DD001108		0.24	0.001	0.01	0.68	5.4	<0.2	<10	80	0.77	0.32	0.02	0.02	10.40	16.0	33
DD001109		0.28	<0.001	0.03	1.43	6.6	<0.2	<10	170	1.77	0.46	0.04	0.03	12.75	19.0	36
DD001110		0.26	0.001	0.03	1.45	11.5	<0.2	<10	90	1.03	0.48	0.02	0.11	18.30	21.0	29
DD001111		0.24	0.001	0.04	1.95	14.7	<0.2	<10	100	0.87	0.49	0.06	0.27	23.9	16.2	39
DD001112		0.30	0.001	0.03	1.58	12.9	<0.2	<10	270	1.60	0.53	0.06	0.23	23.7	19.6	30
DD001113		0.28	0.001	0.04	0.68	17.9	<0.2	<10	40	0.92	0.53	0.01	0.05	10.95	17.2	17
DD001114		0.24	0.001	0.07	0.44	9.7	<0.2	<10	320	1.66	0.40	0.03	0.07	8.12	35.6	24
DD001115		0.28	<0.001	0.06	0.55	12.5	<0.2	<10	180	1.23	0.44	0.03	0.05	11.35	16.2	17
DD001116		0.24	0.001	0.04	1.17	4.3	<0.2	<10	120	0.96	0.38	0.02	0.08	9.96	20.5	25
DD001117		0.40	0.001	0.07	0.80	4.1	<0.2	<10	210	0.72	0.36	0.03	0.13	5.77	12.7	20
DD001118		0.30	0.002	0.04	0.71	18.9	<0.2	<10	80	1.20	0.62	0.06	0.03	15.60	14.9	15
DD001119		0.32	0.002	0.07	1.18	14.5	<0.2	<10	50	0.99	0.52	0.03	0.08	13.00	14.8	25
DD001120		0.48	0.001	0.05	1.30	19.5	<0.2	<10	60	0.90	0.46	0.07	0.12	16.35	13.3	23
DD001121		0.28	0.001	0.13	0.51	18.0	<0.2	<10	90	1.53	0.58	0.06	0.13	16.50	22.3	17
DD001122		0.34	0.001	0.07	1.07	10.1	<0.2	<10	50	0.84	0.53	0.02	0.05	13.35	22.0	25
DD001123		0.26	0.001	0.04	1.66	8.3	<0.2	<10	130	1.38	0.58	0.02	0.05	10.80	21.1	30
DD001124		0.38	0.001	0.06	1.51	11.8	<0.2	<10	100	1.72	0.59	0.06	0.08	18.85	22.0	33
DD001125		0.32	0.001	0.06	1.51	10.6	<0.2	<10	50	1.10	0.57	0.02	0.08	12.70	16.2	32
DD001126		0.34	0.002	0.07	2.05	14.6	<0.2	<10	50	1.05	0.64	0.02	0.08	14.90	24.6	44
DD001127		0.24	0.002	0.06	2.04	14.2	<0.2	<10	50	1.12	0.59	0.02	0.07	13.05	20.2	44
DD001128		0.34	0.002	0.11	2.24	12.9	<0.2	<10	220	2.02	0.70	0.04	0.06	15.75	34.0	46
DD001129		0.40	0.001	0.08	1.73	13.9	<0.2	<10	190	1.37	0.60	0.03	0.08	14.35	22.9	30
DD001130		0.20	0.001	0.04	1.34	14.9	<0.2	<10	120	1.63	0.65	0.03	0.07	16.75	27.0	29
DD001131		0.32	0.002	0.07	1.36	16.8	<0.2	<10	60	1.02	0.53	0.03	0.13	14.55	17.3	32
DD001132		0.22	0.001	0.04	0.77	13.2	<0.2	<10	300	1.61	0.60	0.05	0.04	15.70	25.7	20
DD001133		0.38	0.002	0.03	1.28	6.4	<0.2	<10	130	1.59	0.54	0.02	0.09	11.15	25.8	31
DD001134		0.28	0.001	0.05	1.54	4.2	<0.2	<10	290	1.58	0.55	0.08	0.06	10.35	23.9	31
DD001135		0.28	0.001	0.06	1.41	14.8	<0.2	<10	110	1.47	0.62	0.05	0.12	20.3	25.4	27
DD001136		0.32	0.001	0.05	0.93	15.1	<0.2	<10	80	1.03	0.62	0.01	0.07	13.25	21.7	23
DD001137		0.32	0.001	0.06	1.27	8.7	<0.2	<10	330	1.39	0.47	0.09	0.09	11.60	22.2	29
DD001138		0.40	0.001	0.04	1.16	6.1	<0.2	<10	310	1.14	0.41	0.12	0.09	11.35	12.4	31
DD001139		0.32	0.001	0.04	1.31	6.3	<0.2	<10	50	0.56	0.49	0.01	0.06	8.03	13.6	34
DD001140		0.24	0.002	0.06	1.08	13.7	<0.2	<10	180	0.63	0.49	0.10	0.06	11.70	10.0	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001368		2.98	25.0	3.85	2.09	0.08	<0.02	0.52	0.031	0.08	1.9	4.7	0.09	1380	0.74
DD001369		1.86	37.5	3.43	2.18	0.09	<0.02	0.05	0.037	0.10	5.8	3.7	0.07	585	3.45
DD001370		7.29	29.1	4.08	3.44	0.08	0.02	0.05	0.037	0.11	1.9	12.1	0.22	2000	1.02
DD001371		1.40	21.5	2.15	1.75	0.09	0.06	0.12	0.027	0.08	7.2	2.4	0.08	559	0.91
DD001105		3.89	30.3	4.74	4.01	0.11	0.04	0.02	0.026	0.08	2.9	21.8	0.37	1460	0.78
DD001106		3.59	39.5	4.64	3.52	0.11	<0.02	0.02	0.026	0.08	3.5	15.5	0.30	1060	1.07
DD001107		9.42	26.3	4.34	4.45	0.09	0.03	0.05	0.027	0.09	3.8	14.9	0.27	712	0.71
DD001108		5.35	45.4	4.54	2.93	0.10	<0.02	0.04	0.035	0.07	3.5	6.6	0.13	686	0.79
DD001109		4.14	35.3	4.64	5.24	0.09	0.04	0.02	0.034	0.07	4.1	19.8	0.35	1440	1.01
DD001110		1.98	42.5	4.62	5.38	0.09	0.02	0.03	0.045	0.06	6.3	21.0	0.32	942	1.05
DD001111		2.32	29.6	4.70	7.59	0.10	<0.02	0.08	0.051	0.11	8.7	24.9	0.48	995	1.71
DD001112		1.79	43.5	4.86	6.88	0.10	0.03	0.01	0.052	0.08	8.1	27.8	0.36	1050	0.82
DD001113		0.81	41.7	4.39	3.04	0.08	0.03	0.03	0.043	0.05	4.2	5.3	0.07	871	0.92
DD001114		1.64	61.1	5.02	2.01	0.08	<0.02	0.24	0.059	0.09	2.8	3.3	0.07	1270	0.90
DD001115		1.46	46.5	4.06	2.72	0.07	<0.02	0.05	0.050	0.08	4.9	3.7	0.07	687	0.56
DD001116		4.13	43.2	4.22	5.37	0.08	0.02	0.02	0.041	0.08	4.1	14.2	0.25	1200	0.83
DD001117		2.13	32.1	3.25	3.84	0.07	<0.02	0.03	0.028	0.11	2.4	4.2	0.10	894	0.55
DD001118		2.30	44.1	3.72	3.38	0.09	0.02	0.02	0.050	0.08	7.4	7.7	0.12	727	0.80
DD001119		2.35	38.8	4.21	5.53	0.09	0.02	0.04	0.042	0.07	5.8	10.3	0.18	904	1.23
DD001120		2.01	35.0	3.77	4.19	0.09	0.02	0.02	0.040	0.07	8.1	16.3	0.27	376	1.30
DD001121		2.36	152.5	4.49	2.84	0.10	0.02	0.02	0.055	0.08	6.7	4.5	0.09	1460	2.66
DD001122		4.06	43.7	4.30	5.90	0.09	0.02	0.03	0.051	0.08	5.4	7.9	0.15	1570	1.39
DD001123		3.52	47.2	4.31	7.34	0.08	0.03	0.04	0.055	0.09	4.1	17.7	0.30	1360	0.65
DD001124		3.22	54.0	5.07	7.64	0.11	0.03	0.02	0.060	0.08	7.3	17.6	0.42	1380	1.09
DD001125		3.21	44.9	4.38	7.61	0.08	0.02	0.03	0.057	0.08	5.6	14.1	0.24	1020	1.08
DD001126		3.92	44.8	6.05	10.80	0.10	0.04	0.03	0.060	0.08	6.0	17.4	0.35	1920	1.22
DD001127		3.56	46.2	5.81	10.20	0.09	0.05	0.04	0.057	0.07	5.3	17.2	0.29	1580	1.35
DD001128		7.08	48.2	5.94	9.83	0.11	0.04	0.03	0.065	0.09	5.7	25.6	0.38	2500	1.06
DD001129		2.73	79.5	4.51	7.31	0.08	0.03	0.04	0.052	0.09	5.6	18.3	0.33	1440	1.19
DD001130		3.36	53.8	5.47	6.28	0.10	0.04	0.02	0.059	0.06	5.7	17.3	0.24	1700	0.96
DD001131		1.85	38.4	5.69	5.36	0.09	0.03	0.06	0.045	0.06	5.7	7.5	0.14	1550	1.19
DD001132		2.58	50.7	4.16	3.53	0.08	0.02	0.02	0.040	0.08	5.3	10.3	0.19	1140	0.84
DD001133		3.64	38.6	4.55	5.20	0.08	0.02	0.02	0.038	0.10	4.2	16.5	0.30	1220	0.83
DD001134		4.09	54.5	4.42	5.89	0.08	0.03	0.03	0.033	0.11	3.3	28.6	0.42	954	0.71
DD001135		3.33	52.7	4.86	6.39	0.09	0.03	0.03	0.051	0.08	7.5	20.1	0.25	1720	1.07
DD001136		3.73	47.4	5.01	5.07	0.09	0.03	0.02	0.053	0.07	5.3	7.1	0.08	1860	0.88
DD001137		3.27	40.8	4.49	5.30	0.08	0.02	0.02	0.040	0.10	4.4	19.8	0.32	1100	0.79
DD001138		4.77	26.3	4.23	5.09	0.07	0.04	0.02	0.035	0.11	4.8	14.7	0.25	811	0.72
DD001139		5.22	31.7	5.09	8.07	0.08	<0.02	0.03	0.038	0.10	3.3	8.0	0.18	431	1.06
DD001140		2.98	24.0	3.90	6.41	0.06	<0.02	0.03	0.035	0.08	5.5	8.0	0.16	629	1.29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD001368		0.23	26.4	410	25.7	8.5	<0.001	0.01	0.40	3.2	0.3	0.8	8.5	<0.01	0.05
DD001369		0.19	28.2	460	34.3	10.8	<0.001	0.03	1.46	3.1	0.5	0.5	9.5	<0.01	0.08
DD001370		0.47	25.4	500	32.2	14.2	<0.001	0.02	0.59	3.0	0.2	0.9	11.8	<0.01	0.07
DD001371		0.23	16.0	1350	17.4	6.8	<0.001	0.13	0.55	2.0	0.5	0.4	33.4	<0.01	0.03
DD001105		0.24	21.5	320	41.0	7.5	<0.001	<0.01	0.39	4.8	<0.2	1.0	23.7	<0.01	0.05
DD001106		0.35	20.3	330	38.6	7.2	<0.001	<0.01	0.35	4.3	<0.2	0.9	25.6	<0.01	0.05
DD001107		0.34	18.1	700	34.4	13.3	<0.001	0.02	0.29	3.1	0.4	1.0	12.3	<0.01	0.04
DD001108		0.32	18.2	430	24.7	8.0	<0.001	<0.01	0.28	3.2	<0.2	1.0	9.7	<0.01	0.04
DD001109		0.36	23.0	540	41.4	7.9	<0.001	0.01	0.36	5.0	0.4	0.9	11.1	<0.01	0.04
DD001110		0.45	30.6	500	30.8	7.6	<0.001	0.01	0.54	4.5	0.2	0.8	9.4	<0.01	0.06
DD001111		0.54	28.4	740	30.4	13.9	<0.001	0.05	0.95	1.6	0.4	1.0	12.1	<0.01	0.04
DD001112		0.26	36.8	690	31.2	7.6	<0.001	<0.01	0.30	6.0	0.4	0.9	12.9	<0.01	0.06
DD001113		0.15	24.6	830	23.9	7.6	<0.001	0.02	0.32	2.5	<0.2	0.7	6.7	<0.01	0.05
DD001114		0.35	39.4	340	29.9	8.5	<0.001	<0.01	0.31	7.8	0.3	0.8	9.4	<0.01	0.07
DD001115		0.19	27.1	570	18.6	9.0	<0.001	0.02	0.20	3.8	0.3	0.7	10.3	<0.01	0.07
DD001116		0.42	24.2	580	21.2	13.4	<0.001	0.01	0.32	3.5	0.3	0.8	6.6	<0.01	0.07
DD001117		0.37	14.6	700	16.7	14.4	<0.001	0.03	0.24	1.2	0.3	0.8	5.5	<0.01	0.05
DD001118		0.13	24.8	720	22.6	9.0	<0.001	0.01	0.16	3.5	0.3	0.6	14.6	<0.01	0.06
DD001119		0.39	21.6	1120	26.2	11.7	<0.001	0.04	0.42	1.8	0.5	0.8	8.3	<0.01	0.07
DD001120		0.76	26.7	440	22.2	9.7	<0.001	0.02	0.52	3.9	0.5	0.7	12.9	<0.01	0.05
DD001121		0.20	95.8	540	93.2	8.1	0.001	0.01	0.23	6.0	0.4	0.6	11.2	<0.01	0.05
DD001122		0.33	23.0	890	35.7	13.6	<0.001	0.02	0.39	3.1	0.5	0.8	8.0	<0.01	0.06
DD001123		0.32	27.5	570	21.3	12.4	<0.001	0.01	0.22	5.2	0.3	0.9	10.2	<0.01	0.06
DD001124		0.25	38.0	410	31.6	9.9	<0.001	<0.01	0.25	7.2	0.4	0.9	14.3	<0.01	0.05
DD001125		0.39	26.6	790	25.5	11.8	<0.001	0.03	0.28	4.2	0.5	0.9	8.6	<0.01	0.06
DD001126		0.55	25.9	1250	29.0	14.5	<0.001	0.03	0.40	4.6	0.7	1.1	8.3	<0.01	0.08
DD001127		0.55	24.2	1230	33.1	13.5	<0.001	0.05	0.41	4.3	0.7	1.0	7.3	<0.01	0.08
DD001128		0.41	29.5	1110	63.7	18.1	<0.001	0.02	0.28	5.8	0.5	0.9	13.2	<0.01	0.07
DD001129		0.40	27.4	840	33.9	12.5	<0.001	0.03	0.37	4.1	0.5	0.8	19.8	<0.01	0.06
DD001130		0.28	36.3	630	49.8	8.3	<0.001	<0.01	0.25	5.3	0.4	0.8	9.8	<0.01	0.05
DD001131		0.30	21.1	1770	44.0	9.5	<0.001	0.06	0.46	1.2	0.8	0.7	6.9	0.01	0.07
DD001132		0.23	31.8	410	28.3	8.7	<0.001	<0.01	0.22	4.9	0.3	0.7	13.1	<0.01	0.06
DD001133		0.34	23.7	690	33.4	13.1	<0.001	0.01	0.47	2.3	0.3	1.0	7.5	<0.01	0.07
DD001134		0.49	32.2	660	30.2	13.0	<0.001	0.01	0.35	3.1	0.3	0.9	9.4	<0.01	0.06
DD001135		0.24	34.0	720	45.8	10.7	<0.001	0.01	0.31	4.9	0.5	0.8	13.5	<0.01	0.07
DD001136		0.12	25.9	740	30.3	12.3	<0.001	0.02	0.22	3.1	0.4	0.8	10.8	<0.01	0.07
DD001137		0.42	26.1	680	25.6	13.1	<0.001	0.02	0.33	3.3	0.4	0.8	12.4	<0.01	0.06
DD001138		0.50	20.9	690	21.3	21.2	<0.001	0.01	0.36	4.0	0.3	1.1	13.8	<0.01	0.04
DD001139		0.54	17.3	760	23.4	19.4	<0.001	0.03	0.56	2.2	0.5	1.1	5.8	<0.01	0.09
DD001140		0.30	16.0	1100	30.5	14.8	<0.001	0.03	0.52	1.1	0.4	1.0	11.2	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001368		0.010	0.06	0.76	32	0.24	4.44	83	<0.5
DD001369		0.006	0.15	0.71	25	0.06	4.54	94	<0.5
DD001370		0.015	0.10	0.93	32	0.28	2.54	103	<0.5
DD001371		0.005	0.07	0.95	15	0.07	9.95	61	1.2
DD001105		0.012	0.07	1.19	28	0.16	5.16	59	1.5
DD001106		0.011	0.05	1.42	30	0.17	5.23	49	<0.5
DD001107		0.006	0.08	1.22	34	0.16	5.01	54	<0.5
DD001108		0.010	0.04	1.35	37	0.16	2.51	66	<0.5
DD001109		0.008	0.06	1.06	29	0.15	4.68	64	0.9
DD001110		0.012	0.07	1.07	34	0.11	4.73	100	0.5
DD001111		0.022	0.14	1.02	55	0.22	4.40	111	<0.5
DD001112		0.007	0.07	0.93	31	0.05	7.52	108	0.8
DD001113		<0.005	0.07	0.91	30	0.05	3.60	87	0.5
DD001114		0.010	0.10	1.25	35	0.14	4.22	108	<0.5
DD001115		<0.005	0.07	0.82	28	0.05	3.97	85	<0.5
DD001116		0.009	0.10	0.85	32	0.12	3.14	90	<0.5
DD001117		0.006	0.09	0.74	26	0.15	2.08	66	<0.5
DD001118		<0.005	0.06	0.80	24	0.06	6.00	79	<0.5
DD001119		0.007	0.09	0.93	36	0.13	4.31	76	<0.5
DD001120		0.015	0.12	0.83	36	0.14	4.18	84	0.8
DD001121		<0.005	0.07	0.91	26	0.07	7.63	140	<0.5
DD001122		0.007	0.10	0.81	37	0.08	4.72	88	<0.5
DD001123		0.005	0.10	0.75	32	0.07	4.14	92	0.9
DD001124		0.007	0.08	0.86	36	<0.05	7.64	124	1.1
DD001125		0.005	0.09	0.71	37	0.06	4.86	95	0.6
DD001126		0.009	0.10	0.83	46	0.09	4.76	92	0.8
DD001127		0.007	0.11	0.80	43	0.09	5.22	91	1.3
DD001128		0.006	0.11	1.03	38	0.05	6.39	98	1.1
DD001129		0.008	0.10	1.01	35	0.10	5.42	90	0.6
DD001130		0.006	0.09	0.97	34	<0.05	6.27	118	0.9
DD001131		0.008	0.09	1.04	33	0.10	4.07	79	0.7
DD001132		0.005	0.09	1.12	24	0.09	5.56	81	<0.5
DD001133		0.012	0.10	1.28	34	0.24	3.34	68	0.5
DD001134		0.010	0.09	1.15	29	0.18	3.90	81	0.7
DD001135		0.005	0.11	1.14	32	0.05	8.71	114	0.6
DD001136		<0.005	0.10	0.86	31	<0.05	4.88	117	0.6
DD001137		0.009	0.09	1.08	33	0.17	5.31	82	<0.5
DD001138		0.010	0.10	1.50	39	0.22	5.02	77	0.9
DD001139		0.012	0.13	1.10	41	0.25	2.29	58	<0.5
DD001140		0.007	0.14	1.09	43	0.16	3.38	61	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- SEP- 2011
 Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD001141		0.30	0.001	0.05	0.77	9.7	<0.2	<10	90	1.74	0.57	0.02	0.06	16.50	17.4	18
DD001142		0.26	0.002	0.11	1.06	10.4	<0.2	<10	300	1.42	0.46	0.22	0.07	12.65	17.4	25
DD001143		0.34	0.003	0.14	1.07	10.7	<0.2	<10	260	1.56	0.47	0.25	0.08	13.30	17.2	24
DD001144		0.18	0.002	0.15	1.21	9.9	<0.2	<10	350	1.65	0.46	0.36	0.10	13.55	20.1	25
DD001145		0.36	0.002	0.09	1.33	10.1	<0.2	<10	260	1.61	0.48	0.15	0.07	13.20	21.0	29
DD001146		0.34	0.001	0.07	1.34	8.8	<0.2	<10	250	1.53	0.49	0.15	0.06	11.80	19.3	30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001141		2.46	50.8	3.67	3.73	0.07	0.02	0.02	0.055	0.06	6.5	9.1	0.11	871	0.67
DD001142		6.05	35.1	3.72	4.41	0.07	0.07	0.05	0.037	0.11	5.2	19.0	0.35	745	0.59
DD001143		6.82	41.9	3.54	4.60	0.07	0.07	0.06	0.038	0.11	5.2	18.3	0.37	524	0.56
DD001144		6.95	46.3	3.93	5.10	0.08	0.08	0.06	0.041	0.11	5.2	19.6	0.42	1180	0.64
DD001145		5.21	47.1	4.59	5.75	0.08	0.05	0.03	0.045	0.10	4.9	21.2	0.42	1280	0.69
DD001146		4.41	46.6	4.53	5.78	0.08	0.04	0.03	0.043	0.11	4.2	21.4	0.44	1040	0.63



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- SEP- 2011
 Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD001141		0.19	26.8	460	28.2	8.9	<0.001	<0.01	0.24	5.3	0.4	0.6	11.6	<0.01	0.04	2.9
DD001142		0.37	26.5	630	30.6	17.8	<0.001	0.03	0.21	4.5	0.8	0.8	22.3	<0.01	0.05	3.5
DD001143		0.37	28.6	540	30.8	17.1	<0.001	0.03	0.20	5.1	1.1	0.8	23.8	<0.01	0.05	4.0
DD001144		0.33	30.1	640	37.6	17.0	<0.001	0.04	0.23	5.4	1.8	0.8	35.6	<0.01	0.05	3.6
DD001145		0.31	33.2	460	33.8	13.2	<0.001	0.01	0.21	5.6	0.7	0.9	18.2	<0.01	0.05	4.7
DD001146		0.35	32.4	500	28.0	12.2	<0.001	0.02	0.20	5.4	0.7	0.8	17.3	<0.01	0.05	4.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- SEP- 2011
 Account: MTT

Project: Midas Touch - Lolita

CERTIFICATE OF ANALYSIS WH11163981

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001141		<0.005	0.08	0.75	27	<0.05	5.86	79	<0.5
DD001142		0.005	0.07	1.53	25	0.12	7.65	82	1.8
DD001143		<0.005	0.07	1.42	24	0.11	8.09	81	2.0
DD001144		<0.005	0.08	2.27	24	0.09	9.74	87	2.1
DD001145		0.006	0.08	1.29	29	0.11	8.14	101	1.3
DD001146		0.006	0.07	1.09	29	0.11	7.12	98	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Lolita

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11163981

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

