

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOCHEMICAL SAMPLING AND GEOLOGICAL MAPPING

at the

NAD PROPERTY

NAD 1-76 YD113331-YD113406

NTS 105O/13 & 106B/04
Latitude 64°00' N; Longitude 131° 54' W

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

A. Mitchell, B.Sc. Geology

March 2012

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY AND CLIMATE	2
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	3
MINERALIZATION	4
STREAM SEDIMENT AND SOIL GEOCHEMISTRY	5
DISCUSSION AND CONCLUSIONS	5
REFERENCES	7

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	ROCK SAMPLE DESCRIPTIONS
III	CERTIFICATES OF ANALYSIS

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	3
4	Regional Geology	3
5	Property Geology	3
6	Rock Sample Locations	4
7	Arsenic Rock Geochemistry	4
8	Gold Rock Geochemistry	4
9	Thallium Rock Geochemistry	4
10	Mercury Rock Geochemistry	4
11	Antimony Rock Geochemistry	4
12	Soil and Silt Sample Locations	In pocket
13	Arsenic Soil and Silt Geochemistry	5
14	Gold Soil and Silt Geochemistry	5
15	Thallium Soil and Silt Geochemistry	5
16	Mercury Soil and Silt Geochemistry	5
17	Antimony Soil and Silt Geochemistry	5

TABLES

	<u>Page</u>
I Lithological Units	3

INTRODUCTION

The NAD property lies within the Selwyn Basin of southeastern Yukon. The property was staked to cover a drainage from which historically anomalous (14 ppb) gold-in-silt sample was taken. The anomalous drainage lies within a favourable geological belt, 24 km southeast of the ATAC Resource Ltd.'s highly prospective Carlin-type, Osiris, Conrad and Isis East gold discoveries, which are part of its Nadaleen Trend Project. The NAD property is one of several claim blocks comprising Strategic Metals Ltd.'s wholly owned Midas Touch Project.

This report describes an exploration program that was conducted by Archer, Cathro & Associates (1981) Limited in summer 2011 on behalf of Strategic Metals. First phase of work was performed on June 26 and involved geochemical sampling. Follow up work was conducted between July 31 and August 11 and comprised geochemical sampling and geological mapping. The author participated and interpreted all data from this project and his Statement of Qualifications is in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The NAD property consists of 76 contiguous claims located in east-central Yukon at latitude 64°00' north and longitude 131°54' west, on NTS map sheets 105O/13 and 106B/04 (Figure 1). The property covers an area of approximately 1580 ha (15.8 sq km). The claims are registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
NAD 1-76	YD113331-YD113406	March 15, 2016

* Expiry dates include 2011 work that has been filed for assessment credit but not yet accepted.

The NAD property lies 200 km east-northeast of Mayo, the nearest supply centre. The closest road access is at the community of Keno City situated about 46 km by road northeast of Mayo.

Access to and from the property in 2011 involved fixed-wing aircraft to a camp site at the Rackla airstrip, about 65 km to the northwest of the NAD property. From there, daily flights to and from the property were provided by a Hughes 500D or a Bell 206 LongRanger helicopter owned and operated by Fireweed Helicopters or an AS350 AStar helicopter owned and operated by Horizon Helicopters.

HISTORY AND PREVIOUS WORK

In 1990, the Geological Survey of Canada (GSC) conducted a low-density stream sediment and water sampling survey on NTS map sheet 105O (Friske et al., 1990). One sample taken from a creek draining the southeastern part of the current NAD property returned background results for all elements of interest.

STRATEGIC METALS LTD.

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY LOCATION
NAD PROPERTY

0 250 km


UTM ZONE 7, NAD 83, 115J/08


FILE: ...2011/Nad/Figures/F_1_Property_Location.wor

DATE: MAR 2012

✕ ATAC's Nadaleen Trend Discoveries

**NAD
PROPERTY**





In 2001, the GSC completed a low-density stream sediment and water sampling survey on NTS map sheet 106B (Héon, 2003). A sample collected from the main creek draining the property, near its western border, yielded 13.9 ppm mercury, 110 ppm arsenic and 0.63 ppm antimony with background gold and thallium results.

In 2008, ATAC conducted a regional silt sampling program focussed on PGM-rich nickel deposits associated with ultramafic intrusions. Four samples were taken from the west-central part of the property and two samples were collected to the immediate northeast. One sample collected from the property yielded a weakly anomalous gold (14 ppb) value with a moderately anomalous antimony (2 ppm) value. All other gold pathfinder elements returned background results.

In 2009, ATAC followed up strong arsenic silt anomalies reported by the GSC's 2001 regional sampling program in an area about 24 km northwest of the NAD property. Reconnaissance sampling by ATAC returned a string of moderately to very strongly anomalous results ranging from 12 to 1775 ppb gold and 123 to 155,000 ppm arsenic (Eaton, 2010). As a result, a very large claim block was staked by ATAC in that area (the Nadaleen Trend Project).

In 2010, ATAC discovered Carlin-type gold mineralization on its Nadaleen Trend Project. Work carried out that year included grid soil sampling, more stream sediment sampling, geological mapping, prospecting and diamond drilling (Lane, 2011). The work identified four showings featuring decalcification and silicification of carbonate strata that host visible realgar, orpiment and dark grey sooty pyrite, which are characteristic minerals in deposits in the Carlin Trend of Nevada (Lane, 2011).

In November 2009, Strategic Metals purchased ATAC's regional exploration data base and in late 2010, it staked the NAD property to cover stratigraphic units and structural features believed to resemble those associated with ATAC's Nadaleen Trend discoveries.

GEOMORPHOLOGY AND CLIMATE

The NAD property is situated in the Selwyn Mountains and is drained by creeks that flow westerly into the Stewart River, which connects to the Pacific Ocean via the Yukon River.

The property covers steep spurs extending perpendicular to a cirque ridge system. Very steep slopes that are characteristic of higher elevations change abruptly into moderate to gentle slopes near the cirque valley bottoms. A large meadow is located within the east-central part of the property on the cirque floor.

Elevations on the property range from 1220 to 2060 m above sea level (asl), and treeline is about 1500 m asl. About 75% of the property lies above treeline. In the alpine, grasses and moss predominate, while subalpine areas are characterized by alders, stunted spruce, and buckbrush with an understory of grasses and moss. Outcrop on the property is abundant at higher elevations and within deep creek cuts, but is absent in low lying, gentle to moderate sloped areas where vegetation cover is dense.

The climate in the NAD area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively warm, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

The Geological Survey of Canada performed geological mapping in the vicinity of the Midas Touch project at 1:250,000 scale in the early 1970s (Blusson, 1974). In 1999, Gordey and Makepeace completed a compilation of Yukon-wide geology and updated the lithological unit names in the NAD area.

The NAD property is located within northern Selwyn Basin (Figure 3), a predominantly off-shelf meta-sedimentary and meta-volcanic sequence that formed on the western margin of the North American craton from Upper Proterozoic to Lower Paleozoic times. Figure 4 illustrates geology in the NAD area, as compiled by Gordey and Makepeace (1999). The main lithological units near the property are described in Table I.


Table I– Lithological Units (after Gordey and Makepeace, 1999)

Map Suite	Age	Map Unit	Description
Gull Lake Formation	Lower Cambrian	ICG1	Shale, siltstone and mudstone, locally bioturbated with minor quartz sandstone; rare green-grey chert; local basal limestone and limestone conglomerate; phyllite to quartz-muscovite-biotite schist (+/- garnet +/-sillimanite +/-staurolite +/-andalusite).
PCH	Upper Proterozoic to Lower Cambrian	PCH	Consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3); may include younger (4) units; includes scattered mafic volcanic rocks (5).
		PCH5	Dark brown- and green- to light grey-weathering dark green volcanic rocks, commonly with calcite filled vesicles, breccia, tuff, and agglomerate; minor interbedded shale, chert, siltstone, and limestone.

PROPERTY GEOLOGY

Most of the property is mapped as Hyland Group. No detailed geological mapping was reported on the property prior to mapping by Strategic Metals in 2011, which was conducted within a 600 by 400 m area near the western property boundary (Figure 5).

The most prospective stratigraphic unit on the property is an approximately 225 m thick sequence consisting of dolostone (interbedded grey to buff weathered, fine grained and thickly bedded), limestone (including rare debris flows), mudstone, sandy siliceous grit and quartz pebble conglomerate (DLSC). It is capped by maroon and green mudstone and underlain by



STRATEGIC METALS LTD.


FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

NAD PROPERTY

UTM ZONE 8, NAD 83, 105N/06 & 07



ICG1 GULL LAKE FORMATION
Lower Cambrian: shale, siltstone and mudstone, locally bioturbated, with minor quartz sandstone; rare green-grey chert; local basal limestone and limestone conglomerate; phyllite to quartz-muscovite-biotite schist (+/-garnet +/-sillimanite +/-staurolite +/-andalusite)

PCH HYLAND GROUP
Upper Proterozoic to Lower Cambrian: consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3); may include younger (4) units; includes scattered mafic volcanic rocks (5)

PCH5 HYLAND GROUP
Upper Proterozoic to Lower Cambrian: dark brown- and green- to light grey-weathering dark green volcanic rocks, commonly with calcite filled vesicles, breccia, tuff, and agglomerate; minor interbedded shale, chert, siltstone, and limestone

STRATEGIC METALS LTD.

FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
REGIONAL GEOLOGY
NAD PROPERTY

0 2 km
UTM ZONE 9, NAD 83, 1050/13, 106B/04

FILE:...2011/NAD/Figures/F_4_Regional_Geology.WOR

DATE: MARCH 2012

dark green and rarely purple volcanoclastic (fine grained to brecciated, often containing blebs of calcite). Another volcanoclastic package overlays the mudstone cap rocks. The favourable DLSC stratigraphy extends off the property to the west but may project back onto the property, south of a fold hinge. Mapping of DLSC was hindered to the east by poor exposure due to dense vegetation coverage.

Bedding generally strikes east-west and dips moderately to the south. DLSC is extensively folded, locally altered and hosts realgar and orpiment mineralization. The volcanoclastic unit underlying DLSC also hosts realgar mineralization, but more locally.

MINERALIZATION


In 2011, Strategic Metals collected 21 rock samples from the NAD property. Sample locations are illustrated on Figure 6, while results for arsenic, gold, mercury, thallium and antimony are illustrated thematically on Figures 7 to 11, respectively. Rock Sample Descriptions are provided in Appendix II and Certificates of Analysis are given in Appendix III.


Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Multi-element analyses for rock samples were carried out at ALS Chemex in Whitehorse, Yukon Territory and North Vancouver, BC. Each sample was dried, fine crushed to better than 70% passing 2 mm and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was then analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 50 g charge was further analysed for gold by aqua regia digestion with inductively coupled plasma mass spectroscopy finish (Au-TL44).


Rocks collected from the NAD property comprise limestone, dolostone, mudstone, quartz grit/pebble conglomerate and volcanoclastic. Limestone was generally dark grey, decalcified and hosted disseminated realgar and lesser orpiment. Realgar, orpiment and decalcification are characteristics that are common in gold bearing rocks from Nevada's Carlin Trend and ATAC's Nadaleen Trend discoveries. Other rocks collected from the property that host realgar mineralization include: silicified and clay altered dolostone; quartz grit/pebble conglomerate; and dark green volcanoclastic. Limonite occurs as geothitic boxwork and as precipitates within dry creek beds on the property.


Realgar and orpiment are dominantly hosted within DLSC. Zones of altered dolostone are locally abundant and may or may not host realgar and orpiment. Minor quartz veining was observed within DLSC adjacent to altered dolostone.


All rock samples collected in 2011 were taken in the western part of the property. These samples returned weakly to moderately anomalous values for gold (0.14 g/t) with strongly to very strongly anomalous values for Carlin-type pathfinder elements including: arsenic (up to 38.8%), thallium (up to 127 ppm), mercury ($\geq 10,000$ ppm), and antimony (up to 618 ppm). The best values for Carlin-type pathfinders came from samples of decalcified limestone, volcanoclastics and quartz grit/pebble conglomerate.














STREAM SEDIMENT AND SOIL GEOCHEMISTRY

Soil Geochemistry

In 2011, Strategic Metals collected 417 soil samples from the NAD property. Sample locations are illustrated on Figure 12, while results for arsenic, gold, mercury, thallium and antimony are illustrated thematically on Figures 13 to 17, respectively. Certificates of Analysis are given in Appendix III.

The 2011 sampling identified Carlin-type pathfinder geochemical anomalies on the NAD property. These anomalies include: strongly to very strongly anomalous values for arsenic (up to 2990 ppm) and mercury (up to 112 ppm); moderately to strongly anomalous values for thallium (up to 6.64 ppm); and weakly to moderately anomalous antimony values. Gold values are relatively low with a peak value of 9 ppb.

The most anomalous area on the property is located in the western part of the claim block, where there are large clusters of strongly elevated arsenic and mercury values. The highest gold values on the property are coincident with elevated arsenic, mercury and thallium values. A second arsenic anomaly was identified in the southwestern part of the property along a north-south trending grid-soil line that crossed obliquely through a creek cut.

Silt Geochemistry

Strategic Metals also collected 25 silt samples from the NAD property in 2011. Sample locations are illustrated on Figure 12, while results for arsenic, gold, mercury, thallium and antimony are illustrated thematically on Figures 13 to 17, respectively. Certificates of Analysis are given in Appendix III.


Silt samples collected in 2011 yielded moderately anomalous values for arsenic (up to 54.6 ppm) and antimony (up to 2.29 ppm) with background values for gold, mercury and thallium. The moderate arsenic and antimony values are located within the western and central part of the property, respectively.


DISCUSSION AND CONCLUSIONS


The NAD property is located near ATAC's Carlin-type gold discoveries, within the Nadaleen Trend. The general geological setting, mineralization and geochemistry resemble those associated with ATAC's discoveries and gold deposits in the Carlin Trend of Nevada.


Exploration conducted in 2011 at the NAD property identified Carlin-type pathfinder geochemical anomalies, which were followed up to discover realgar and orpiment in a thick, carbonate-rich sequence. The favourable host rocks are overlain by a mudstone unit, which may have acted as an impermeable cap rock that channelled and impounded metalliferous fluids.


The NAD property definitely warrants additional work to better assess the geochemical anomalies and mineralized showings. This work should include systematic rock geochemical











sampling from surface exposures and hand trenches. The sampling should be done in conjunction with detailed mapping to identify structural zones, such as folds and faults that are expected to have played key roles in localizing mineralization within the carbonate rich stratigraphy. If promising zones are identified, they should be tested by diamond drill holes.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

A. Mitchell, B.Sc. Geology

REFERENCES

- Blusson, S.
1974 Drafts of five geological maps of northern Selwyn basin (Operation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N,O); Geological Survey of Canada, Open File 205, Scale 1:250,000.
- Eaton, S.
2010 Assessment report describing geochemistry sampling at the Sten property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.
- Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C., Durham, C.C.
1991 National Geochemical Reconnaissance stream sediment and water data, east central Yukon (NTS 105O; parts of 105P). Geological Survey of Canada, Open File 2364
- Gordey, S.P. and Makepeace, A.J. (compilers)
1999 Yukon bedrock geology in Yukon digital geology; Geological Survey of Canada Open File D3826 and Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open File 1999-1(D).
- Héon, D. (compiler)
2003 Yukon regional Geochemical Database 2003 – Stream sediment analyses. Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada.
- Lane, J.
2011 Assessment report describing geochemical sampling, geological mapping, diamond drilling and geophysical survey at the Nadaleen Trend Project, Rackla Gold Property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.
- Nelson, J.L. and Colpron, M.
2007 Tectonics and metallogeny of the Canadian and Alaskan Cordillera, 1.8 Ga to present; *in* Mineral Deposits of Canada: A Synthesis of Major Deposit Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods; W.D. Goodfellow (ed.), Mineral Deposit Division, Geological Association of Canada, Special Publication 5, p. 755-791. Available at: http://gsc.nrcan.gc.ca/mindep/synth_prov/cord/pdf/nelson_colpron_cordillera_n_metallogeny.pdf

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Andrew Mitchell, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2010 with a B.Sc. in Earth and Environmental Sciences.
2. From 2010 to present, I have been actively engaged in mineral exploration in Yukon Territory.
3. I have interpreted all data resulting from this work.

A. Mitchell, B.Sc. Geology

95919

Q1201294

Statement of Expenditures
Nad 1-76 Mineral Claims
October 14, 2011

Expenses

Fireweed Helicopters	\$20,088.63
J. Gibson Environmental Consulting	4,078.67
ALS Chemex	<u>11,653.03</u>
	<u>\$35,820.33</u>



APPENDIX II

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions			Project: <u>Midas Touch</u>	Property: <u>Nad</u>	NAD83 Zone 9 Aug-11	
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
K976812	UTM:	355709 E	UTM:	7100764 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 4 fragments of rusty, goethitic boxwork limonite in float in dry creekbed.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
K976813	UTM:	355783 E	UTM:	7100564 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Strongly rusty weathering, pervasively rusty, porous, altered dolostone(?). Almost limonitic in texture, but looks like replacement. Pod is 50 x 50 cm.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
K976814	UTM:	355907 E	UTM:	7100409 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Several local blocks of rusty weathering, weakly limonitic and clay altered siliclastic grid, locally vuggy.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
K976815	UTM:	355906 E	UTM:	7100445 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Rusty weathering, strongly clay and limonite altered siliciclastic grit.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
K976816	UTM:	355714 E	UTM:	7100504 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Very strongly folded, interbedded mustone and sandy-grit - grit is strongly clay and limonite altered and red weathering. Moderate fracture-hosted realgar.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
K976817	UTM:	355714 E	UTM:	7100504 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Same area as K976817, except only sampled shaley mudstone - 5 pieces from random locations within folded sequence.						

Rock Sample Descriptions			Project: <u>Midas Touch</u>	Property: <u>Nad</u>	NAD83 Zone 9 Aug-11	
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
K976818	UTM:	355726 E	UTM:	6100507 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Composite sample from several blocks (look local) of strongly realgar-brearing, silicified, clay-altered dolostone or fine grained grit.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
K976820	UTM:	355443 E	UTM:	7100633 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Several fragments to large cobbles of massive orpiment - one cobble sampled. Prismatic gemmy orpiment crystals (1.5 cm x 0.5 cm) in groundmass of greenish-yellow fine-grained orpiment(?)						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
K976821	UTM:	355438 E	UTM:	7100583 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Grit with minor realgar and strong rusty alteration, adjacent to mudstone.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
C386158	UTM:	355637 E	UTM:	7100501 N	Sample Width:	Abundance:
	Elevation:	1581 m				
Comments: Boulder size realgar, and realgar mineralization within layers of siltstone and limestone. Most realgar in the dark grey limestone with calcite veins.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
C386159	UTM:	355424 E	UTM:	7100599 N	Sample Width:	Abundance:
	Elevation:	1607 m				
Comments: orpiment and realgar within grey altered rock, host rock grit siliclastic. Boulders of mineralized rocks.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078646	UTM:	356045 W	UTM:	7100532 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Purpley to orange weathered siliclastic. Medium grained sandstone preferentially weathering along fractures resulting in a purple ting and other surfaces weathring orange.						
Sample Number:	Grid East:	W	Grid North:	N	Type:	Dimension:
I078647	UTM:	355975 W	UTM:	7100566 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Dark green volcanoclastic with purple and dark angular clasts throughout. Purple oxidized staining along surface. Calcite veining present within clast with few orange blebs weathering out.						

Rock Sample Descriptions				Project: <u>Midas Touch</u>		Property: <u>Nad</u>		NAD83 Zone 9 Aug-11	
Sample Number:	Grid East:	W		N	Type:		Dimension:		
I078648	UTM:	355910	W	UTM:	7100448	N	Sample Width:	Abundance:	
	Elevation:		m						
Comments:	Decarbonatized? Rusty orange surface weathered LST. Rusty orange weathing as disseminated Fine grained flakes pervasive throughout. Some purpley weathing along surface, but mostly orange.								
Sample Number:	Grid East:	W		N	Type:		Dimension:		
I078649	UTM:	355930	W	UTM:	7100807	N	Sample Width:	Abundance:	
	Elevation:		m						
Comments:	Siliciclastic unit "grit unit" with medium grained quartz clasts disseminated throughout. Rg found disseminated and within veinlets/fractures.								
Sample Number:		W		N	Type:		Dimension:		
I078650	UTM:	355913	W	UTM:	7100754	N	Sample Width:	Abundance:	
	Elevation:		m						
Comments:	Dark to medium green volcanoclastic unit with medium purple clasts within. Semi-massive Rg diseeminated throughout and found as FG to MG within the rock.								
Sample Number:		W		N	Type:		Dimension:		
C386152	UTM:	355908	W	UTM:	7100735	N	Sample Width:	Abundance:	
	Elevation:		m						
Comments:	Volcanoclastic with interbedded LST. Also angular clasts of medium purple siltstone?. Purple tinged weathering on surface with some green weathering on limestone unit.								
Sample Number:	Grid East:	E	Grid North:	N	Type:		Dimension:		
C386154	UTM:	355828	E	UTM:	7100601	N	Sample Width:	Abundance:	
	Elevation:		m						
Comments:	Highly weathered LST/volcanoclastic? Abundance of silica veining within the vicinity which seperates volcanoclastic unit. Buff weathering of this unit at surface. ASO? weathing along surface and within the soil within the vicinity. Rusty orange flakes throughout.								
Sample Number:					Type:		Dimension:		
C386155	UTM:	355859	W	UTM:	7100735	N	Sample Width:	Abundance:	
	Elevation:		m						
Comments:	Composite Sample upstream approximately 50 m from UTM provided above. Decarbonitized LST? Medium to light grey in color. Fine grained to medium grained Rg disseminated throughout.								
Sample Number:	Grid East:	W		N	Type:		Dimension:		
C386156	UTM:	355859	W	UTM:	7100735	N	Sample Width:	Abundance:	
	Elevation:		m						

Archer Geoher Associates (1991) Ltd

Rock Sample Descriptions			Project: <u>Midas Touch</u>		Property: <u>Nad</u>		NAD83 Zone 9 Aug-11	
Comments: Volcaniclastic unit comprising conglomerate type texture, which is poorly sorted. Possible decarbonitized? Resulting in vuggy like textures. Faint green in color suggesting large amounts of fluids passing through resulting in leeching. Fine Grained to coarse grained Rg (10%). Porous looking in nature. Clast sizes within range from <1mm to 5mm.								
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:		
	UTM:	355972 E	UTM:	7101073 N	Sample Width:	Abundance:		
C386157	Elevation:	m						
Comments: Orangy brown limonite. Moderately porous with local goethite crystals and orange weathering along surface. Found within stream as float.								
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:		
C386158	UTM:	355640 E	UTM:	7100499 N	Sample Width: 6m	Abundance:		
	Elevation:	m						
Comments: Medium Grey, moderately brecciated LST. Realgar found as fine grained to medium grained euhedral crystals disseminated through out. Outcrop is approximately 4 ft by 2 ft. Sample has approx 2 x's as much realgar than rep sample.								
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:		
C386159	UTM:	355424 E	UTM:	7100599 N	Sample Width:	Abundance: plentiful		
	Elevation:	m						
Comments: Light grey siliclastic/decarbonatized LST? Orpiment mineralization found as medium to coarse grained euhedral to subhedral crystals. Vuggy textures along surface hosted in a web like matrix of silica.								

APPENDIX III
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 17- AUG- 2011
Account: MTT

CERTIFICATE WH11152100

Project: Midas Touch - Nad

P.O. No.:

This report is for 1 Rock sample submitted to our lab in Whitehorse, YT, Canada on 6- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch - Nad

CERTIFICATE OF ANALYSIS WH11152100

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
C386157		1.01	0.14	0.18	0.45	5100	<0.2	<10	60	0.25	0.17	0.34	0.03	4.89	5.6	8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch - Nad

CERTIFICATE OF ANALYSIS WH11152100

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm 0.05	ppm 0.2	% 0.01	ppm 0.05	ppm 0.05	ppm 0.02	ppm 0.01	ppm 0.005	% 0.01	ppm 0.2	ppm 0.1	% 0.01	ppm 5	ppm 0.05
C386157		3.88	14.7	39.9	1.28	0.41	0.06	43.2	0.016	0.16	1.8	3.5	0.23	401	1.78



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch - Nad

CERTIFICATE OF ANALYSIS WH11152100

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
C386157		0.43	10.2	500	183.5	8.2	<0.001	0.14	31.8	3.0	0.5	0.5	36.1	<0.01	0.06	1.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- AUG- 2011
 Account: MTT

Project: Midas Touch - Nad

CERTIFICATE OF ANALYSIS WH11152100

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
C386157		0.005	0.02	0.05	1	0.05	0.05	2	0.5
		<0.005	2.88	1.13	19	0.17	3.36	40	2.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Nad

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11152100

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 6- AUG- 2011
Account: MTT

CERTIFICATE VA11150935

Project: Midas Touch- NAD

P.O. No.:

This report is for 9 Rock samples submitted to our lab in Vancouver, BC, Canada on 5- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS41	51 anal. aqua regia ICPMS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
As- OG46	Ore Grade As - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 6- AUG- 2011
 Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS VA11150935

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
I078646		0.34	0.01	0.04	0.15	1155	<0.2	<10	120	0.08	0.03	0.08	0.01	4.89	2.1	8
I078647		0.26	<0.01	0.10	1.13	227	<0.2	<10	130	0.51	0.16	14.60	0.13	82.8	24.8	162
I078648		0.38	<0.01	0.06	0.34	1305	<0.2	<10	150	0.23	0.21	0.07	0.01	3.52	3.6	5
I078649		0.12	<0.01	0.03	0.16	6620	<0.2	<10	20	0.12	0.04	0.86	0.01	5.41	5.0	10
I078650		0.70	<0.01	0.05	0.22	>10000	<0.2	<10	10	0.12	0.17	3.05	0.01	5.27	5.1	8
C386152		0.44	0.02	0.03	0.28	>10000	<0.2	<10	20	0.07	0.11	0.22	0.04	1.73	4.3	9
C386154		0.30	<0.01	0.05	2.54	8790	<0.2	<10	90	1.66	0.01	6.58	0.04	152.5	30.9	157
C386155		0.78	0.02	0.07	0.29	>10000	<0.2	<10	100	<0.05	0.30	0.17	0.01	5.52	0.9	12
C386156		0.54	0.12	0.04	0.16	>10000	<0.2	<10	20	<0.05	0.05	4.10	0.21	2.16	5.6	8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS VA11150935

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I078646		0.21	6.6	1.17	0.47	<0.05	0.10	3.17	0.006	0.04	2.4	4.3	0.04	110	0.12
I078647		0.12	85.7	5.21	9.52	0.20	0.44	5.38	0.045	0.01	48.3	7.7	0.74	1230	41.2
I078648		2.89	81.7	3.61	0.96	0.05	0.04	1.97	0.033	0.16	1.6	2.3	0.02	54	0.30
I078649		0.38	7.4	1.55	0.71	<0.05	0.08	6.77	0.013	0.06	2.2	0.8	0.28	257	0.43
I078650		0.65	10.1	2.23	0.70	0.16	0.09	>10000	0.079	0.09	1.5	1.4	1.21	700	0.19
C386152		0.38	13.1	4.07	0.95	0.07	0.03	569	0.045	0.05	0.8	2.7	0.03	56	0.23
C386154		0.39	60.8	7.92	7.05	0.24	0.12	251	0.085	0.08	72.5	21.8	2.73	3000	0.34
C386155		0.41	12.8	1.87	1.04	0.10	0.07	44.2	0.090	0.03	1.7	1.5	0.02	76	0.47
C386156		0.17	9.3	3.11	0.51	0.21	0.04	7740	0.151	0.02	1.2	7.4	2.21	221	0.39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 6- AUG- 2011
 Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS VA11150935

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
I078646		0.08	4.9	20	5.7	1.6	<0.001	0.04	0.43	0.9	<0.2	0.2	8.6	<0.01	0.01	2.2
I078647		3.28	132.5	1790	10.6	0.4	0.007	3.16	0.38	8.7	1.9	0.8	258	0.04	0.07	3.4
I078648		0.05	8.8	90	20.8	5.8	<0.001	0.11	7.01	3.6	<0.2	0.4	7.7	<0.01	0.01	2.9
I078649		0.17	8.4	90	6.2	2.4	<0.001	0.43	6.41	2.0	<0.2	0.2	14.6	<0.01	<0.01	1.7
I078650		0.09	8.8	1160	12.6	3.2	<0.001	6.26	53.8	9.5	0.9	0.5	21.4	<0.01	0.05	1.5
C386152		0.08	7.9	80	13.0	1.5	<0.001	0.27	41.2	2.5	<0.2	1.0	54.2	<0.01	0.01	0.4
C386154		0.47	69.4	4240	2.9	4.4	<0.001	0.11	3.36	13.9	0.6	1.5	229	0.03	<0.01	4.8
C386155		0.10	1.2	670	30.2	1.5	0.001	2.73	32.2	5.1	0.5	1.0	21.3	<0.01	0.02	2.3
C386156		0.21	12.9	60	16.4	0.7	<0.001	8.97	200	0.9	0.4	0.6	65.6	<0.01	0.02	0.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 6- AUG- 2011
 Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS VA11150935

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	As- OG46 As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
I078646		<0.005	0.06	0.16	5	<0.05	0.76	12	2.8	
I078647		0.385	0.39	1.21	120	0.52	12.15	56	12.9	
I078648		<0.005	0.83	0.17	5	0.07	1.07	26	2.0	
I078649		<0.005	1.52	0.20	4	0.06	1.62	5	2.5	
I078650		<0.005	29.6	0.62	14	0.11	6.44	8	3.3	5.28
C386152		<0.005	126.5	0.29	12	0.11	0.70	13	1.2	2.99
C386154		0.010	1.28	0.70	193	0.28	16.10	89	4.2	
C386155		<0.005	8.06	0.28	7	0.11	2.05	2	2.4	7.72
C386156		<0.005	77.4	0.23	7	0.39	0.95	90	1.4	14.55



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- NAD

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS VA11150935

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 21- AUG- 2011
Account: MTT

CERTIFICATE WH11152472

Project: Midas Touch- Nad

P.O. No.:

This report is for 2 Rock samples submitted to our lab in Whitehorse, YT, Canada on 8- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS41	51 anal. aqua regia ICPMS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
As- OG46	Ore Grade As - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152472

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
C386158		1.16	0.02	0.01	0.09	>10000	<0.2	<10	10	<0.05	0.08	0.06	0.01	1.31	1.0	2
C386159		1.06	0.34	0.04	0.17	>10000	0.3	<10	40	0.08	0.04	4.40	0.60	1.22	2.9	7



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

Project: Midas Touch- Nad

Account: MTT

CERTIFICATE OF ANALYSIS WH11152472[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152472

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
C386158		0.35	1.7	200	9.9	0.3	<0.001	>10.0	93.9	0.5	6.4	0.3	3.0	<0.01	0.01	0.8
C386159		0.23	4.3	520	21.0	1.9	<0.001	>10.0	618	2.6	0.2	0.4	91.3	<0.01	0.01	0.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 21- AUG- 2011
 Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152472

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	As- OG46 As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
C386158		<0.005	1.85	0.21	1	0.05	1.73	4	1.6	39.7
C386159		<0.005	3.55	0.19	6	0.08	1.77	478	1.8	18.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Nad

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11152472

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 11- SEP- 2011
Account: MTT

CERTIFICATE WH11159787

Project: Midas Touch- Nad

P.O. No.:

This report is for 10 Rock samples submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS41	51 anal. aqua regia ICPMS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
As- OG46	Ore Grade As - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11- SEP- 2011
 Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11159787

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
K976812		0.06	0.04	0.18	0.52	4570	<0.2	<10	110	0.30	0.09	0.25	0.40	4.93	7.1	21
K976813		0.31	<0.01	0.10	0.87	>10000	<0.2	<10	60	0.18	0.05	1.06	0.03	14.50	10.1	243
K976814		0.34	<0.01	0.04	0.22	2970	<0.2	<10	250	0.25	0.08	0.92	0.04	4.69	11.2	7
K976815		1.30	<0.01	0.18	0.25	>10000	<0.2	<10	60	0.08	0.15	0.05	0.03	3.62	3.6	7
K976816		0.52	0.01	0.03	0.42	5300	<0.2	<10	30	0.83	0.12	0.67	0.02	3.32	18.9	6
K976817		0.32	<0.01	0.10	0.60	2010	<0.2	<10	70	0.30	0.69	0.17	<0.01	6.29	3.2	9
K976818		0.64	0.14	0.08	0.14	>10000	<0.2	<10	50	<0.05	0.11	0.04	0.08	1.23	1.4	6
K976819		0.17	<0.01	0.03	0.40	3310	<0.2	<10	20	0.44	0.13	0.34	0.05	2.64	8.1	10
K976820		0.43	0.06	0.03	0.04	>10000	<0.2	<10	10	<0.05	0.02	0.01	0.02	0.16	0.6	2
K976821		0.10	0.04	0.07	0.47	>10000	<0.2	<10	310	0.05	0.09	0.09	0.03	4.21	0.7	9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11- SEP- 2011
 Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11159787

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
K976812		3.05	70.3	45.0	5.36	0.46	0.06	7.92	0.053	0.17	1.7	3.2	0.23	285	0.40
K976813		1.65	27.2	19.15	4.45	0.27	0.05	70.2	0.164	0.11	6.9	10.7	0.18	137	1.55
K976814		1.03	9.1	2.36	0.77	0.10	0.05	3.58	0.018	0.11	2.1	2.3	0.05	325	0.41
K976815		0.73	17.2	3.53	0.83	0.11	0.05	22.5	0.037	0.11	1.5	2.9	0.01	39	0.42
K976816		1.18	66.6	1.84	0.59	<0.05	0.06	6.57	0.024	0.09	1.2	1.6	0.23	439	0.42
K976817		5.81	44.7	3.34	2.15	<0.05	0.11	7.27	0.028	0.40	2.7	2.4	0.05	48	0.49
K976818		0.84	17.8	2.02	0.54	<0.05	0.04	156.5	0.041	0.06	0.5	1.1	0.01	43	0.44
K976819		0.82	20.8	2.33	0.76	<0.05	0.08	5.67	0.021	0.12	0.8	1.4	0.13	181	0.43
K976820		0.08	2.4	0.26	0.23	<0.05	<0.02	15.35	0.175	0.01	<0.2	0.2	<0.01	9	0.17
K976821		0.28	6.9	1.96	1.45	<0.05	0.07	130.0	0.031	0.06	1.4	2.4	0.02	52	0.24



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11- SEP- 2011
 Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11159787

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
K976812		0.38	11.5	800	151.5	6.8	0.001	1.65	40.1	2.9	0.8	0.3	9.4	<0.01	0.10	5.7
K976813		0.53	22.2	9090	5.7	4.6	<0.001	0.15	40.4	33.3	0.6	2.8	90.9	0.01	0.04	5.8
K976814		<0.05	22.3	50	13.7	3.6	<0.001	0.12	7.20	1.5	0.3	0.2	15.4	<0.01	0.01	2.0
K976815		0.08	5.4	200	47.8	3.4	<0.001	0.64	23.1	1.4	0.4	0.4	17.2	<0.01	0.01	2.4
K976816		<0.05	26.5	120	10.0	3.0	<0.001	0.19	3.81	3.5	<0.2	0.3	12.0	<0.01	0.01	0.9
K976817		<0.05	6.9	290	57.8	13.3	<0.001	0.16	6.51	2.7	0.2	0.8	36.2	<0.01	0.04	3.5
K976818		0.08	2.5	50	27.2	2.4	<0.001	1.47	39.5	1.2	<0.2	0.2	12.2	<0.01	<0.01	0.9
K976819		<0.05	15.2	120	13.5	4.0	<0.001	0.06	6.04	9.1	<0.2	0.2	12.9	<0.01	0.01	1.0
K976820		0.29	0.9	30	9.2	0.4	<0.001	>10.0	603	0.2	<0.2	0.6	7.5	<0.01	0.01	<0.2
K976821		0.07	0.9	1700	9.1	2.0	<0.001	0.17	65.1	1.9	<0.2	0.7	580	<0.01	0.01	1.0



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Midas Touch- Nad

Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11159787

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Nad

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11159787

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 4- AUG- 2011
Account: MTT

CERTIFICATE WH11123803

Project: Midas Touch- NAD

P.O. No.:

This report is for 110 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC152573		0.20	0.001	0.13	3.24	5.1	<0.2	<10	160	2.19	0.13	1.69	0.38	111.0	34.8	156
CC152574		0.20	0.002	0.14	4.19	7.6	<0.2	<10	200	2.53	0.07	2.00	0.43	148.5	51.6	270
CC152575		0.24	0.002	0.18	3.64	9.5	<0.2	<10	300	2.76	0.17	1.65	0.40	132.5	43.8	261
CC152576		0.28	0.002	0.08	1.37	10.3	<0.2	<10	760	3.04	0.32	0.13	0.14	19.65	41.4	43
CC152577		0.26	0.003	0.25	3.96	12.2	<0.2	10	300	3.18	0.17	1.76	0.58	153.5	59.9	199
CC152578		0.25	0.002	0.13	3.02	14.5	<0.2	<10	380	3.51	0.13	3.94	0.37	243	52.8	199
CC152579		0.21	0.003	1.48	0.92	63.5	<0.2	<10	150	1.49	0.30	0.25	4.62	25.8	23.0	32
CC152580		0.23	<0.001	0.15	2.46	18.5	<0.2	<10	180	2.20	0.61	0.11	0.76	52.7	31.0	56
CC152581		0.27	0.001	0.26	1.84	167.0	<0.2	<10	220	1.48	3.70	0.25	0.75	50.6	31.4	78
CC152582		0.24	0.002	0.69	1.90	34.9	<0.2	<10	180	1.93	0.26	0.73	1.18	89.8	24.8	92
CC152583		0.13	0.002	0.06	3.31	3.1	<0.2	10	160	1.94	0.07	2.52	0.18	120.0	39.2	240
CC152584		0.26	0.001	0.04	4.11	1.9	<0.2	10	250	1.94	0.03	3.16	0.13	155.5	47.8	339
CC152585		0.19	0.002	0.11	3.63	4.2	<0.2	30	240	1.90	0.05	2.52	0.28	128.0	46.8	325
CC152586		0.23	0.002	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC152587		0.15	0.003	0.24	2.72	5.1	<0.2	10	180	2.08	0.07	2.97	0.32	108.0	33.4	147
CC152588		0.24	0.002	0.36	3.39	15.3	<0.2	10	240	2.70	0.17	1.73	0.97	147.5	54.1	209
CC152589		0.24	0.001	0.06	3.80	1.8	<0.2	<10	520	2.05	0.03	1.97	0.17	142.0	59.0	409
CC152590		0.21	0.002	3.16	1.06	64.3	<0.2	<10	270	2.32	0.17	1.74	18.70	72.5	53.9	75
CC152591		0.28	0.001	0.10	3.68	7.1	<0.2	<10	250	2.95	0.11	1.32	0.23	163.0	38.5	219
CC152592		0.24	0.002	0.06	3.98	2.1	<0.2	20	280	2.11	0.04	2.28	0.17	154.0	52.8	348
CC152593		0.23	0.001	0.06	3.82	1.7	<0.2	10	570	2.38	0.04	1.96	0.17	158.5	45.4	239
CC152594		0.23	0.001	0.06	4.37	2.1	<0.2	10	250	2.27	0.04	2.03	0.14	165.0	50.7	316
CC152595		0.29	0.001	0.05	4.05	2.0	<0.2	20	440	2.60	0.04	3.04	0.16	165.5	49.4	310
CC152596		0.37	0.001	0.05	3.94	3.7	<0.2	80	310	2.62	0.06	2.14	0.19	155.0	49.0	220
CC152597		0.28	0.003	0.06	4.53	3.3	<0.2	280	240	1.88	0.05	2.54	0.16	119.0	58.3	362
CC152598		0.32	0.002	0.05	4.32	2.0	<0.2	210	270	1.83	0.04	2.93	0.13	129.0	48.1	371
CC152599		0.22	0.011	2.52	0.67	55.7	<0.2	<10	150	0.94	0.28	1.26	4.89	34.6	19.6	47
CC152600		0.31	0.003	0.32	2.93	18.1	<0.2	10	290	2.63	0.12	2.20	1.14	170.0	48.9	152
CC152751		0.34	0.001	0.17	0.53	35.8	<0.2	<10	380	1.96	0.73	0.22	0.11	25.3	42.8	27
CC152752		0.28	0.001	0.06	1.80	7.7	<0.2	<10	390	2.47	0.36	0.37	0.11	55.3	34.2	50
CC152753		0.19	0.002	0.24	1.94	15.1	<0.2	<10	320	1.55	0.28	0.46	0.30	46.7	22.6	69
CC152754		0.25	0.002	0.29	1.86	17.8	<0.2	<10	250	2.05	0.30	0.61	0.41	58.0	30.3	76
CC152755		0.30	0.004	0.06	2.46	12.2	<0.2	<10	180	2.24	0.34	0.26	0.15	53.2	29.1	84
CC152756		0.25	0.002	0.11	2.19	16.2	<0.2	<10	210	1.81	0.32	0.58	0.27	43.4	20.2	70
CC152757		0.25	0.001	0.06	1.16	41.2	<0.2	<10	130	1.48	0.48	0.12	0.39	25.3	19.4	36
CC152758		0.22	0.001	0.46	0.88	45.7	<0.2	<10	140	1.00	0.28	0.25	0.89	19.20	15.4	24
CC152759		0.23	0.001	0.21	0.58	32.5	<0.2	<10	160	1.22	0.44	0.23	0.16	12.85	14.5	14
CC152760		0.23	0.002	0.32	0.60	46.9	<0.2	<10	360	1.55	0.43	0.32	0.21	10.40	16.1	15
CC152761		0.25	0.002	0.07	1.52	8.3	<0.2	<10	70	1.59	0.62	0.02	0.09	14.90	25.9	35
CC152762		0.23	0.001	0.08	1.83	8.3	<0.2	<10	60	1.20	0.66	0.02	0.06	11.00	17.2	40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC152573		2.90	44.9	6.44	16.55	0.20	0.21	0.04	0.052	0.13	53.6	33.9	2.59	1630	1.67
CC152574		2.92	79.0	8.42	21.1	0.29	0.46	0.03	0.056	0.21	84.6	61.4	4.73	1700	1.81
CC152575		3.45	84.8	7.47	16.60	0.25	0.32	0.04	0.053	0.20	67.2	53.8	3.83	1830	2.82
CC152576		3.49	53.9	7.07	4.80	0.10	0.02	0.06	0.050	0.10	7.7	14.4	0.32	5880	5.16
CC152577		3.17	139.0	8.97	21.0	0.32	0.41	0.08	0.083	0.09	84.1	73.5	3.83	3280	6.37
CC152578		3.01	89.7	6.34	12.90	0.24	0.15	0.09	0.063	0.28	146.0	52.7	2.22	1860	5.79
CC152579		1.47	203	5.46	3.07	0.14	0.03	0.37	0.042	0.16	11.4	8.9	0.18	1700	42.3
CC152580		2.81	60.6	5.69	6.19	0.14	0.03	0.08	0.068	0.10	18.7	21.4	0.51	4240	4.17
CC152581		1.67	66.0	5.15	6.83	0.12	<0.02	0.08	0.075	0.14	20.5	25.1	0.72	2000	6.24
CC152582		1.89	111.5	5.60	8.24	0.16	0.05	0.16	0.057	0.18	46.2	22.8	1.20	1400	15.40
CC152583		2.52	58.8	6.72	15.75	0.26	0.48	0.03	0.051	0.16	66.7	62.8	4.18	1310	0.73
CC152584		2.32	76.3	8.12	18.60	0.29	0.34	0.01	0.055	0.11	87.6	81.1	6.11	1540	0.49
CC152585		1.69	77.8	7.79	16.20	0.32	0.53	0.03	0.049	0.08	70.3	64.8	5.14	1680	1.25
CC152586		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC152587		3.73	93.7	5.62	12.40	0.21	0.22	0.09	0.052	0.16	81.6	33.4	2.36	1540	1.46
CC152588		2.65	125.0	8.25	16.95	0.26	0.31	0.09	0.077	0.22	81.3	54.9	3.67	2300	5.98
CC152589		3.44	93.0	8.38	15.35	0.28	0.27	0.09	0.051	0.20	77.5	52.2	3.89	1880	0.65
CC152590		1.50	401	7.51	4.64	0.20	0.07	0.67	0.065	0.25	38.6	10.9	0.45	1590	38.8
CC152591		4.30	61.0	7.52	16.20	0.22	0.08	0.06	0.074	0.12	75.4	40.4	2.46	1400	1.25
CC152592		1.81	77.1	8.27	18.45	0.33	0.41	0.03	0.052	0.09	83.2	62.5	6.06	1740	0.51
CC152593		3.06	71.8	7.61	15.70	0.23	0.30	0.05	0.054	0.48	87.2	45.9	4.00	1680	0.42
CC152594		2.57	70.0	7.71	18.20	0.29	0.22	0.02	0.046	0.08	83.6	66.7	5.33	1880	0.42
CC152595		2.69	87.9	7.06	16.50	0.26	0.41	0.04	0.049	0.24	88.2	53.7	4.07	1980	0.50
CC152596		2.41	94.4	8.04	15.75	0.26	0.36	0.05	0.058	0.15	79.8	34.1	3.27	2100	1.00
CC152597		3.43	98.7	7.52	17.15	0.34	0.66	0.03	0.026	0.17	64.2	56.9	4.65	1620	0.92
CC152598		2.90	84.6	7.26	15.45	0.26	0.62	0.01	0.032	0.22	70.0	47.6	4.06	1600	0.86
CC152599		1.16	315	4.14	2.40	0.14	0.08	0.74	0.050	0.22	14.5	3.6	0.20	503	22.7
CC152600		1.97	122.5	7.55	12.80	0.27	0.21	0.08	0.062	0.39	92.4	31.9	2.37	1540	5.18
CC152751		2.09	87.1	6.73	2.08	0.10	0.04	0.17	0.052	0.12	11.4	3.2	0.20	2450	2.70
CC152752		4.05	87.3	5.47	6.86	0.15	0.06	0.04	0.043	0.12	22.3	31.2	0.97	2130	1.59
CC152753		2.29	60.2	4.82	6.68	0.13	0.05	0.09	0.043	0.11	26.5	18.4	0.58	1380	4.17
CC152754		4.12	77.6	5.84	6.66	0.13	0.03	0.30	0.049	0.16	29.7	24.8	0.82	1500	3.19
CC152755		2.69	56.6	5.96	8.50	0.12	0.02	0.04	0.051	0.11	22.1	37.5	0.92	1400	2.01
CC152756		1.90	54.4	5.71	8.31	0.12	0.02	0.06	0.043	0.12	26.7	25.3	0.70	1100	2.43
CC152757		1.92	35.9	4.39	4.14	0.09	<0.02	0.06	0.038	0.10	7.3	11.9	0.32	1140	2.55
CC152758		2.23	44.1	4.08	2.69	0.11	0.02	0.40	0.037	0.12	7.6	9.0	0.27	549	5.38
CC152759		2.11	43.5	3.47	2.28	0.10	0.05	0.04	0.036	0.15	4.1	4.3	0.13	734	2.00
CC152760		1.64	34.7	3.11	2.35	0.09	0.14	0.07	0.042	0.13	4.4	2.2	0.13	465	2.08
CC152761		2.70	48.0	5.87	7.12	0.10	0.02	0.03	0.064	0.07	5.7	18.1	0.26	1180	1.23
CC152762		3.64	45.1	6.21	9.54	0.08	0.02	0.05	0.052	0.09	4.4	18.5	0.28	1110	1.35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC152573		21.9	82.5	2490	13.8	22.7	<0.001	0.13	0.50	7.9	0.6	1.0	150.5	0.02	0.03
CC152574		9.30	152.5	4180	11.1	36.3	<0.001	0.05	0.39	8.8	0.9	0.8	300	0.04	0.03
CC152575		7.92	137.5	3540	19.2	29.3	0.001	0.04	0.80	9.0	1.3	1.0	229	0.03	0.03
CC152576		1.21	47.3	710	43.7	14.3	<0.001	0.04	0.99	7.8	0.8	0.8	25.1	0.01	0.06
CC152577		4.58	119.5	3710	25.0	8.8	0.001	0.07	0.85	15.1	1.3	0.9	168.0	0.02	0.05
CC152578		0.60	126.0	2890	15.2	18.5	0.001	0.09	0.62	13.7	0.9	0.9	227	<0.01	0.03
CC152579		0.32	91.7	1830	26.3	10.4	0.004	0.31	10.15	3.3	6.2	0.5	80.3	<0.01	0.20
CC152580		1.41	44.2	1190	87.2	13.4	0.001	0.10	1.17	3.1	0.8	0.6	17.9	0.02	0.08
CC152581		1.55	53.2	1340	31.4	12.9	<0.001	0.16	2.01	2.8	1.3	0.8	35.2	<0.01	0.40
CC152582		4.85	73.8	2120	20.8	19.0	0.002	0.16	4.76	6.5	2.8	0.8	98.3	<0.01	0.16
CC152583		20.8	125.5	3600	8.8	20.6	0.001	0.12	0.20	7.3	0.7	0.7	274	0.08	0.01
CC152584		4.40	155.5	5190	6.2	17.4	<0.001	0.04	0.08	5.9	0.7	0.6	449	0.04	0.01
CC152585		13.10	156.0	4080	9.2	10.6	0.001	0.06	0.20	7.6	0.5	0.8	312	0.04	0.02
CC152586		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC152587		12.05	87.5	2810	8.3	18.6	<0.001	0.15	0.57	8.3	1.5	0.5	197.0	0.04	0.02
CC152588		5.73	140.5	3690	16.5	21.6	0.001	0.13	1.10	14.7	1.6	1.0	205	0.02	0.08
CC152589		5.43	231	3870	5.3	24.5	<0.001	0.04	0.17	15.0	1.1	1.0	317	0.02	<0.01
CC152590		0.67	240	4750	17.1	19.8	0.013	0.35	12.55	13.2	10.6	0.6	127.0	<0.01	0.19
CC152591		9.10	121.0	2640	9.8	16.8	0.001	0.07	0.42	11.0	1.1	1.1	130.5	0.01	0.03
CC152592		11.50	166.5	4520	6.5	16.0	<0.001	0.04	0.10	9.3	0.8	1.0	303	0.04	<0.01
CC152593		4.96	136.0	5150	5.8	35.4	<0.001	0.02	0.12	8.5	0.7	0.9	374	0.02	<0.01
CC152594		12.65	173.0	4170	9.5	11.6	<0.001	0.04	0.10	8.7	0.8	0.9	319	0.06	0.01
CC152595		3.70	176.5	3600	8.1	22.0	<0.001	0.02	0.12	10.8	0.8	1.0	479	0.05	<0.01
CC152596		4.85	134.0	3850	9.5	16.8	<0.001	0.03	0.15	14.7	0.7	1.0	281	0.03	0.01
CC152597		16.55	212	2740	10.9	26.9	<0.001	0.06	0.15	5.8	1.0	1.0	302	0.04	0.01
CC152598		10.05	182.5	3310	8.5	25.2	<0.001	0.03	0.12	5.5	0.6	0.8	350	0.07	0.01
CC152599		0.39	106.5	2360	22.1	15.8	0.021	0.15	9.21	7.2	8.3	0.5	56.8	0.01	0.23
CC152600		3.46	121.0	4200	13.3	28.3	0.002	0.10	1.38	15.4	1.7	1.0	221	0.01	0.05
CC152751		0.37	60.5	580	54.2	10.2	<0.001	0.03	0.73	11.5	0.8	0.4	15.0	<0.01	0.11
CC152752		1.03	52.9	730	43.2	12.2	<0.001	0.02	0.40	12.5	0.7	0.7	17.7	<0.01	0.05
CC152753		1.44	59.7	1530	21.4	17.5	<0.001	0.09	1.11	5.2	1.1	0.7	30.3	<0.01	0.06
CC152754		2.39	78.5	1500	28.9	16.8	<0.001	0.05	1.10	10.1	1.3	0.7	52.8	<0.01	0.05
CC152755		3.78	65.8	1070	23.9	16.2	<0.001	0.03	0.69	6.3	0.7	0.9	27.6	<0.01	0.05
CC152756		1.23	47.4	1510	18.9	18.7	0.001	0.04	0.95	2.6	0.9	0.8	44.4	<0.01	0.04
CC152757		1.05	32.0	920	36.5	12.1	<0.001	0.03	0.96	2.0	0.2	0.6	10.9	<0.01	0.08
CC152758		0.23	44.4	940	18.7	10.7	0.001	0.02	1.48	5.2	1.0	0.6	13.4	<0.01	0.04
CC152759		0.13	27.4	830	28.5	11.8	0.001	0.01	0.76	3.8	0.5	0.5	10.8	<0.01	0.09
CC152760		0.16	32.6	520	29.8	11.5	0.001	0.02	0.84	5.1	0.8	0.6	17.3	<0.01	0.14
CC152761		0.67	29.5	870	31.4	14.7	<0.001	0.02	0.50	3.3	0.3	1.0	9.2	0.01	0.06
CC152762		0.96	23.1	1140	18.6	19.6	<0.001	0.04	0.58	3.2	0.6	1.0	7.3	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC152573		0.524	0.14	1.24	190	0.35	12.20	137	9.5
CC152574		0.516	0.16	1.42	214	0.39	20.3	161	20.2
CC152575		0.491	0.18	1.61	177	0.33	19.80	159	14.4
CC152576		0.031	0.14	2.22	58	0.31	7.72	165	<0.5
CC152577		0.466	0.21	1.33	269	0.43	18.30	183	13.9
CC152578		0.102	0.17	0.92	141	0.10	14.80	140	6.0
CC152579		0.009	0.61	6.98	110	0.08	20.2	651	0.8
CC152580		0.038	0.17	0.84	63	0.12	6.98	165	<0.5
CC152581		0.044	0.21	1.16	82	0.09	7.39	135	<0.5
CC152582		0.186	0.31	2.91	158	0.13	14.40	305	2.1
CC152583		0.447	0.12	0.99	176	0.33	14.80	111	14.9
CC152584		0.416	0.10	0.85	178	0.30	18.15	123	15.4
CC152585		0.520	0.09	0.97	182	0.31	15.70	132	20.8
CC152586		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC152587		0.233	0.12	1.53	182	0.16	20.5	111	6.2
CC152588		0.374	0.22	1.42	228	0.27	21.3	204	10.7
CC152589		0.341	0.10	0.87	195	0.22	19.10	117	11.8
CC152590		0.018	0.75	10.65	177	0.10	43.0	1550	2.9
CC152591		0.336	0.14	1.28	211	0.26	19.20	139	3.8
CC152592		0.547	0.09	0.88	180	0.36	19.70	119	17.5
CC152593		0.345	0.07	0.86	165	0.27	20.3	107	12.1
CC152594		0.601	0.08	1.60	179	0.38	17.70	119	13.5
CC152595		0.479	0.07	1.30	172	0.37	17.60	109	27.3
CC152596		0.507	0.07	1.13	211	0.46	18.00	129	23.1
CC152597		0.781	0.14	1.93	176	0.53	17.85	129	53.7
CC152598		0.708	0.11	1.63	176	0.52	16.60	120	48.6
CC152599		<0.005	0.38	3.03	94	0.08	17.00	582	3.1
CC152600		0.217	0.21	1.33	180	0.16	20.4	207	8.9
CC152751		0.012	0.26	0.80	39	0.05	16.55	147	1.2
CC152752		0.044	0.11	0.74	62	0.16	21.1	94	1.6
CC152753		0.014	0.17	0.88	73	0.09	12.25	116	1.1
CC152754		0.042	0.13	0.92	72	0.09	14.70	156	1.0
CC152755		0.102	0.12	0.70	81	0.12	7.52	112	0.9
CC152756		0.031	0.14	0.82	83	0.08	9.29	136	<0.5
CC152757		0.031	0.14	0.59	51	0.06	3.91	125	<0.5
CC152758		0.006	0.23	0.86	34	<0.05	10.00	172	<0.5
CC152759		<0.005	0.14	0.62	20	<0.05	7.45	88	1.1
CC152760		<0.005	0.15	0.55	22	<0.05	8.50	86	3.6
CC152761		0.011	0.11	0.79	42	0.14	4.81	107	0.5
CC152762		0.011	0.12	0.70	45	0.11	3.59	91	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC152763		0.21	0.001	0.11	1.08	11.7	<0.2	<10	80	0.87	0.41	0.03	0.20	11.30	13.9	26
CC152764		0.21	<0.001	0.06	0.79	36.1	<0.2	<10	70	0.55	0.41	0.03	0.13	12.05	10.9	20
CC152765		0.26	0.001	0.07	1.71	10.4	<0.2	<10	220	1.75	0.32	0.15	0.10	17.45	26.1	52
CC152766		0.25	0.001	0.07	1.87	34.4	<0.2	<10	800	2.72	0.14	1.10	0.20	102.0	29.0	99
CC152767		0.25	0.001	0.05	1.73	5.1	<0.2	<10	440	1.38	0.34	0.70	0.10	23.5	21.8	62
CC152768		0.27	0.002	0.05	1.47	29.6	<0.2	<10	400	1.80	0.40	0.42	0.04	20.7	20.0	52
CC152769		0.25	0.016	0.09	1.56	910	<0.2	<10	530	1.55	0.32	1.20	0.08	41.6	21.9	76
CC152770		0.18	0.025	0.06	1.26	1750	<0.2	<10	530	2.09	0.18	2.33	0.24	160.5	40.6	87
CC152771		0.29	0.066	0.09	2.57	2070	<0.2	<10	630	4.29	0.14	3.34	0.16	142.0	49.9	151
CC152951		0.42	0.002	0.05	3.25	5.2	<0.2	20	500	2.06	0.11	1.75	0.18	100.0	41.6	299
CC152952		0.38	0.002	0.06	2.87	3.8	<0.2	20	340	2.04	0.14	1.65	0.24	83.6	35.9	262
CC152953		0.30	0.002	0.07	2.86	4.2	<0.2	20	340	1.84	0.13	1.78	0.25	91.1	35.8	248
CC152954		0.41	0.002	0.07	2.92	4.5	<0.2	20	330	2.22	0.13	1.74	0.14	99.3	35.7	266
CC152955		0.51	0.001	0.10	2.83	23.6	<0.2	10	240	2.05	0.18	1.74	0.24	94.9	33.8	208
CC152956		0.41	0.002	0.15	2.19	20.4	<0.2	<10	260	2.02	0.38	1.19	0.39	72.9	33.3	143
CC152957		0.38	0.001	0.17	2.55	16.6	<0.2	<10	270	2.19	0.29	1.38	0.56	92.0	37.5	185
CC152958		0.42	0.002	0.17	2.53	17.1	<0.2	<10	260	1.98	0.27	1.35	0.44	87.8	36.4	178
CC152959		0.34	0.001	0.09	1.93	5.7	<0.2	<10	370	1.52	0.28	1.51	0.32	37.2	16.8	80
CC152960		0.52	0.002	0.05	3.42	4.5	<0.2	<10	280	2.07	0.10	1.83	0.14	121.0	47.3	296
CC152961		0.42	0.002	0.26	1.68	27.2	<0.2	<10	260	1.83	0.41	0.74	0.83	46.7	28.0	70
CC152962		0.40	0.002	0.27	1.73	31.1	<0.2	<10	250	1.83	0.49	0.78	0.83	48.1	28.0	65
CC152963		0.46	0.003	0.42	1.82	34.7	<0.2	<10	240	1.89	0.47	0.80	1.17	51.9	29.4	62
CC152964		0.62	0.002	0.13	2.29	11.8	<0.2	<10	230	1.98	0.36	0.79	0.27	41.6	23.3	70
CC152965		0.36	0.002	0.08	2.57	10.2	<0.2	<10	280	2.05	0.33	1.06	0.26	59.3	26.7	97
CC152966		0.35	0.003	0.18	2.57	14.0	<0.2	<10	280	1.91	0.24	1.45	0.46	87.6	34.7	184
CC152967		0.69	0.003	0.20	2.71	19.3	<0.2	<10	220	1.90	0.08	3.44	0.62	142.0	45.5	167
CC152968		0.32	0.002	0.18	1.21	47.7	<0.2	<10	310	1.42	0.32	0.77	0.35	17.15	14.8	37
CC152969		0.56	0.002	0.20	1.21	54.6	<0.2	<10	150	1.47	0.38	0.39	0.41	13.50	18.2	26
CC152970		0.40	0.002	0.19	2.48	15.6	<0.2	<10	290	1.95	0.22	1.68	0.56	97.2	36.6	166
CC152971		0.53	0.002	0.14	2.56	17.8	<0.2	<10	280	1.88	0.26	1.42	0.37	82.4	35.2	171
CC152972		0.49	0.002	0.16	2.34	20.5	<0.2	<10	260	2.12	0.26	1.40	0.35	85.0	34.1	158
CC152973		0.44	0.002	0.16	2.23	20.8	<0.2	<10	260	1.89	0.24	1.46	0.40	79.5	31.3	142
CC152974		0.37	0.002	0.12	2.44	24.8	<0.2	10	280	1.57	0.22	1.41	0.33	84.9	32.9	162
CC116701		0.20	0.002	0.11	2.80	7.2	<0.2	<10	410	1.80	0.19	0.65	0.27	86.4	23.6	107
CC116702		0.23	0.001	0.10	3.53	4.6	<0.2	<10	480	1.64	0.11	1.47	0.16	116.5	34.7	252
CC116703		0.28	0.002	0.11	3.64	3.7	<0.2	10	430	1.36	0.08	2.04	0.17	123.5	38.1	256
CC116704		0.22	0.001	0.15	3.39	3.5	<0.2	<10	340	1.58	0.10	1.07	0.19	96.1	29.4	149
CC116705		0.21	0.002	0.08	3.18	5.9	<0.2	<10	290	1.56	0.12	0.83	0.16	111.0	27.6	189
CC116706		0.26	0.002	0.07	3.24	6.0	<0.2	<10	280	1.83	0.17	0.83	0.16	147.5	31.0	189
CC116707		0.16	0.002	0.10	3.21	3.9	<0.2	<10	290	1.57	0.12	1.01	0.15	87.2	27.7	201



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC152763		2.15	29.7	4.08	5.28	0.09	<0.02	0.18	0.039	0.08	4.8	6.0	0.13	1220	1.34
CC152764		1.68	26.4	3.80	3.32	0.09	<0.02	0.05	0.032	0.09	3.1	3.2	0.09	893	0.99
CC152765		2.70	32.0	4.80	5.84	0.10	<0.02	0.09	0.045	0.13	5.4	26.7	0.48	1660	1.18
CC152766		1.46	59.9	7.24	8.39	0.17	0.06	0.68	0.051	0.06	63.0	26.3	1.07	1640	1.01
CC152767		3.76	39.5	3.95	7.39	0.11	<0.02	0.04	0.034	0.13	12.7	28.0	0.75	1240	0.92
CC152768		4.96	42.1	4.19	6.17	0.13	0.03	0.07	0.034	0.15	9.0	27.6	0.71	768	0.65
CC152769		2.95	60.4	4.67	5.81	0.13	0.08	4.29	0.043	0.13	24.6	24.4	1.18	756	0.69
CC152770		10.90	57.6	6.62	6.23	0.22	0.07	11.90	0.079	0.32	87.3	22.4	0.77	1370	0.73
CC152771		20.4	83.6	8.73	11.95	0.24	0.23	4.47	0.076	0.17	75.2	41.8	2.53	1500	0.94
CC152951		1.62	67.6	6.44	15.10	0.24	0.25	0.04	0.036	0.13	54.5	54.0	4.04	1120	0.89
CC152952		1.81	53.8	5.75	12.85	0.22	0.33	0.03	0.035	0.14	44.7	48.4	3.34	941	0.71
CC152953		1.59	55.6	5.64	12.35	0.24	0.30	0.05	0.031	0.14	49.3	44.6	3.24	984	0.87
CC152954		1.51	57.6	5.93	13.70	0.26	0.36	0.04	0.037	0.14	54.2	48.5	3.26	840	0.99
CC152955		2.11	65.1	6.15	12.30	0.22	0.21	0.08	0.048	0.13	56.3	41.9	3.46	997	0.96
CC152956		2.53	64.2	5.43	9.72	0.21	0.24	0.24	0.051	0.12	39.2	43.1	2.21	1230	2.68
CC152957		2.45	70.3	5.97	11.65	0.25	0.31	0.08	0.053	0.14	49.5	52.2	2.97	1340	3.29
CC152958		2.17	70.0	5.93	10.85	0.24	0.26	0.07	0.051	0.13	47.3	50.9	2.87	1340	3.67
CC152959		1.24	34.9	3.74	7.28	0.14	0.11	0.07	0.035	0.11	21.6	31.4	0.94	574	1.32
CC152960		2.56	66.8	7.28	16.00	0.26	0.37	0.03	0.053	0.14	67.4	76.3	5.07	1520	0.78
CC152961		2.32	71.2	4.90	6.08	0.16	0.06	0.10	0.042	0.14	23.3	27.4	0.89	1420	6.04
CC152962		2.56	72.6	4.78	6.57	0.16	0.07	0.09	0.047	0.13	24.2	29.3	0.93	1320	6.47
CC152963		2.36	85.0	4.70	6.82	0.15	0.07	0.20	0.055	0.14	26.5	30.1	0.90	1420	8.30
CC152964		2.43	49.8	4.52	8.20	0.14	0.07	0.05	0.039	0.11	22.2	40.5	1.15	1000	1.95
CC152965		2.07	47.0	5.03	10.15	0.17	0.09	0.05	0.039	0.12	34.1	43.3	1.49	1020	2.02
CC152966		2.18	67.9	6.06	10.45	0.25	0.28	0.08	0.050	0.16	48.5	41.0	2.94	1300	3.23
CC152967		1.54	107.0	6.65	10.95	0.26	0.10	0.11	0.060	0.31	78.6	30.1	2.44	936	3.81
CC152968		2.08	40.3	3.43	4.09	0.10	0.05	0.16	0.037	0.12	9.4	19.4	0.53	483	1.53
CC152969		2.45	47.3	3.97	3.98	0.10	0.03	0.12	0.040	0.12	5.5	22.4	0.50	745	2.58
CC152970		2.13	82.5	6.12	10.55	0.23	0.23	0.07	0.047	0.17	54.3	39.9	2.68	1240	3.48
CC152971		2.06	67.9	6.16	10.00	0.21	0.27	0.07	0.049	0.16	43.7	39.5	2.73	1260	2.42
CC152972		2.09	65.6	5.77	9.82	0.23	0.24	0.07	0.050	0.15	47.3	38.6	2.44	1060	2.43
CC152973		2.13	62.4	5.48	9.22	0.20	0.22	0.08	0.046	0.15	43.7	36.0	2.28	1040	2.55
CC152974		2.18	63.3	5.96	10.15	0.20	0.29	0.09	0.049	0.16	45.2	39.5	2.54	1120	2.05
CC116701		2.21	45.5	5.48	12.05	0.13	0.07	0.04	0.056	0.14	43.9	26.4	1.26	1490	1.95
CC116702		2.61	47.0	5.87	14.00	0.17	0.14	0.02	0.044	0.11	51.1	47.6	3.11	1020	0.84
CC116703		2.49	70.2	5.29	12.90	0.23	0.14	0.02	0.037	0.09	66.5	56.0	4.35	903	0.65
CC116704		3.39	41.7	5.17	13.15	0.16	0.19	0.04	0.047	0.15	38.7	43.8	2.30	994	0.79
CC116705		2.69	34.5	5.71	12.85	0.14	0.16	0.02	0.054	0.09	34.4	44.3	2.18	1000	1.01
CC116706		2.54	39.2	5.85	13.80	0.16	0.12	0.03	0.059	0.08	43.3	40.9	2.38	1140	1.44
CC116707		3.17	39.6	5.45	13.15	0.15	0.24	0.04	0.047	0.10	40.2	31.3	1.98	1070	1.34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC152763		1.03	17.9	770	22.0	15.3	<0.001	0.06	0.61	1.2	0.4	0.8	6.8	<0.01	0.04
CC152764		0.58	18.4	620	19.7	12.1	<0.001	0.04	0.57	0.8	0.2	0.6	5.4	<0.01	0.06
CC152765		0.88	31.2	650	21.1	15.7	<0.001	0.03	0.58	1.6	0.3	0.8	12.4	<0.01	0.04
CC152766		3.45	54.4	2050	11.6	7.9	<0.001	0.04	0.46	12.2	1.0	0.8	118.0	0.01	0.03
CC152767		2.74	39.6	630	31.2	18.5	<0.001	0.03	0.29	3.6	0.2	0.9	44.9	<0.01	0.05
CC152768		2.54	43.4	500	19.9	15.1	<0.001	0.02	0.35	5.7	0.3	0.8	21.0	<0.01	0.03
CC152769		4.60	58.2	1020	21.3	9.7	<0.001	0.06	2.50	8.4	0.3	0.8	43.9	<0.01	0.03
CC152770		3.78	101.5	5390	17.5	24.8	<0.001	0.15	5.36	15.7	0.8	1.1	276	0.01	0.02
CC152771		3.71	120.5	4040	14.6	13.6	<0.001	0.11	4.90	16.3	0.6	1.1	267	0.01	0.01
CC152951		7.05	149.0	3330	10.7	19.5	<0.001	0.01	0.19	5.8	0.7	0.9	268	0.03	0.03
CC152952		9.80	127.5	2910	11.5	17.5	<0.001	0.03	0.22	5.8	0.9	0.9	240	0.02	0.01
CC152953		15.55	124.5	2970	12.5	15.9	<0.001	0.04	0.24	6.1	1.0	0.9	256	0.03	0.03
CC152954		14.10	128.0	3060	12.9	17.0	<0.001	0.04	0.24	6.7	0.9	1.0	253	0.03	0.01
CC152955		13.90	113.0	2840	15.2	16.7	0.001	0.04	0.30	7.3	0.6	0.9	241	0.02	0.05
CC152956		8.75	87.4	2080	24.1	14.8	<0.001	0.03	0.92	7.9	1.0	1.0	173.5	0.01	0.06
CC152957		8.11	106.5	2720	20.1	15.6	<0.001	0.04	0.97	7.7	1.2	0.9	211	0.01	0.06
CC152958		8.19	102.0	2720	20.2	14.5	0.001	0.04	1.02	7.7	1.3	1.0	203	0.01	0.04
CC152959		9.71	44.0	1100	17.6	18.3	<0.001	0.08	0.29	5.9	1.2	0.8	184.0	0.01	0.03
CC152960		5.43	146.5	3820	12.7	18.6	<0.001	0.02	0.18	7.0	0.7	0.8	310	0.02	0.03
CC152961		3.48	55.4	1380	30.0	12.2	0.001	0.06	1.74	6.9	2.1	0.8	101.0	<0.01	0.08
CC152962		3.86	58.2	1440	28.7	12.7	0.001	0.07	1.78	6.9	2.1	0.8	104.0	<0.01	0.08
CC152963		3.38	59.5	1580	32.0	13.4	0.002	0.08	2.29	7.0	2.3	0.8	110.0	<0.01	0.09
CC152964		4.41	52.8	1100	26.2	13.6	<0.001	0.03	0.55	7.0	1.3	0.8	92.6	0.01	0.04
CC152965		7.33	63.8	1460	23.4	17.4	0.001	0.05	0.50	7.1	0.7	0.9	132.5	0.01	0.04
CC152966		7.39	100.0	2960	17.3	15.1	0.001	0.05	0.97	7.2	1.1	0.9	223	0.01	0.04
CC152967		4.04	160.0	3770	8.7	22.6	<0.001	0.08	1.00	13.9	1.2	0.9	257	<0.01	0.05
CC152968		1.45	33.2	820	18.7	14.8	0.002	0.08	0.55	5.8	1.2	0.6	49.1	<0.01	0.04
CC152969		0.43	38.3	520	24.6	11.6	0.001	0.02	0.88	6.3	1.2	0.6	31.1	<0.01	0.06
CC152970		5.66	105.5	2940	17.4	15.4	0.001	0.05	0.96	8.2	1.0	0.8	225	0.01	0.03
CC152971		6.98	99.7	2700	16.6	13.9	<0.001	0.04	0.71	7.9	0.9	0.9	189.0	0.01	0.04
CC152972		6.28	96.8	2630	17.5	14.6	0.002	0.04	0.72	8.1	0.9	0.9	191.0	0.01	0.03
CC152973		7.24	91.8	2530	17.1	14.0	<0.001	0.05	0.76	7.6	0.9	0.8	187.5	0.01	0.02
CC152974		8.27	90.9	2670	16.3	18.4	0.001	0.06	0.56	7.3	1.2	0.9	185.0	0.01	0.03
CC116701		8.88	57.8	1780	13.1	25.1	<0.001	0.12	0.55	3.7	0.8	1.1	70.3	0.01	0.04
CC116702		14.10	153.5	1930	10.4	15.7	<0.001	0.05	0.33	4.9	0.8	1.2	166.5	0.01	0.02
CC116703		13.65	177.5	3140	7.0	12.7	<0.001	0.06	0.25	5.5	1.0	1.0	224	0.02	0.02
CC116704		19.65	105.0	1540	8.9	19.7	<0.001	0.12	0.28	3.9	0.9	1.1	116.0	0.01	0.03
CC116705		14.95	102.0	1270	9.1	13.7	<0.001	0.06	0.46	4.8	0.8	1.1	87.5	0.01	0.03
CC116706		11.75	111.0	1410	11.7	14.9	<0.001	0.08	0.50	4.6	0.8	1.3	78.6	0.01	0.03
CC116707		22.7	96.1	1780	10.8	14.2	<0.001	0.10	0.36	4.1	0.9	1.2	117.0	0.03	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC152763		0.023	0.09	0.58	42	0.10	2.95	83	<0.5
CC152764		0.013	0.08	0.44	32	0.07	2.05	80	<0.5
CC152765		0.030	0.09	0.58	56	0.22	2.66	75	<0.5
CC152766		0.076	0.14	0.75	170	0.23	16.20	106	1.4
CC152767		0.062	0.10	0.62	56	0.23	5.37	64	0.6
CC152768		0.055	0.12	0.77	42	0.19	8.51	73	1.0
CC152769		0.104	0.38	0.74	67	0.26	10.85	75	2.8
CC152770		0.072	1.01	0.87	116	0.52	22.4	133	2.9
CC152771		0.199	1.71	1.13	202	0.27	18.60	142	9.5
CC152951		0.445	0.06	1.20	136	0.46	16.65	95	16.5
CC152952		0.475	0.07	1.12	125	0.47	14.00	100	20.7
CC152953		0.485	0.07	1.37	129	0.48	14.40	99	18.0
CC152954		0.505	0.06	1.46	140	0.49	15.95	95	22.6
CC152955		0.359	0.07	0.98	128	0.30	14.60	111	8.9
CC152956		0.276	0.12	1.18	99	0.27	13.70	123	9.6
CC152957		0.330	0.12	1.20	118	0.31	14.65	135	13.6
CC152958		0.338	0.12	1.40	117	0.29	14.60	130	12.7
CC152959		0.162	0.07	0.98	69	0.23	8.49	112	3.9
CC152960		0.392	0.08	0.85	157	0.33	16.30	113	17.3
CC152961		0.089	0.16	1.64	73	0.16	11.40	166	2.3
CC152962		0.086	0.16	1.87	71	0.16	11.95	161	2.9
CC152963		0.070	0.18	2.26	78	0.13	14.30	196	2.3
CC152964		0.086	0.09	1.18	71	0.15	10.35	114	2.3
CC152965		0.156	0.09	1.56	92	0.21	10.55	124	3.3
CC152966		0.337	0.11	1.19	119	0.27	14.45	134	13.0
CC152967		0.143	0.11	1.02	134	0.16	18.20	143	3.4
CC152968		0.016	0.10	0.63	36	0.07	7.65	113	1.4
CC152969		0.006	0.11	0.66	28	<0.05	7.76	115	1.2
CC152970		0.282	0.11	1.16	116	0.25	14.95	143	10.6
CC152971		0.327	0.10	1.05	116	0.24	13.55	129	12.1
CC152972		0.286	0.10	1.00	107	0.25	13.70	121	10.7
CC152973		0.252	0.10	0.99	100	0.22	13.50	121	9.9
CC152974		0.316	0.09	1.07	112	0.25	13.20	123	12.0
CC116701		0.185	0.11	1.34	144	0.18	9.98	91	3.0
CC116702		0.550	0.07	1.71	166	0.27	13.00	84	9.9
CC116703		0.540	0.06	1.89	157	0.36	19.75	95	9.2
CC116704		0.458	0.07	1.70	171	0.22	10.20	69	10.5
CC116705		0.456	0.07	1.35	153	0.30	9.28	76	9.0
CC116706		0.324	0.10	1.61	169	0.21	11.45	80	6.5
CC116707		0.521	0.09	1.65	169	0.26	9.42	67	13.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC116708		0.17	0.002	0.09	3.52	5.6	<0.2	<10	270	2.01	0.12	0.65	0.18	138.5	26.3	174
CC116709		0.20	0.001	0.09	3.66	6.1	<0.2	<10	590	2.10	0.14	1.22	0.24	115.5	27.9	180
CC116710		0.16	0.001	0.06	1.91	6.2	<0.2	<10	160	1.01	0.28	0.06	0.28	20.6	12.4	52
CC116711		0.17	0.002	0.02	2.13	6.5	<0.2	<10	110	1.11	0.36	0.04	0.16	16.85	18.1	53
CC116712		0.29	0.002	0.09	3.00	8.4	<0.2	<10	430	2.43	0.24	0.85	0.22	117.5	31.7	136
CC116713		0.24	0.002	0.06	2.88	9.6	<0.2	<10	230	2.09	0.21	0.37	0.18	132.5	29.4	89
CC116714		0.18	0.004	0.07	2.30	19.5	<0.2	<10	160	2.66	0.04	9.01	0.20	66.7	46.3	69
CC116715		0.23	0.002	0.04	2.03	13.8	<0.2	<10	180	1.42	0.37	0.12	0.12	14.75	28.6	43
CC116716		0.33	0.002	0.03	2.19	4.5	<0.2	<10	210	1.75	0.37	0.21	0.03	19.35	27.5	49
CC116717		0.22	0.002	0.08	3.44	4.0	<0.2	<10	610	1.17	0.14	1.66	0.25	99.2	37.6	244
CC116718		0.28	0.002	0.05	2.18	7.9	<0.2	<10	160	1.59	0.41	0.05	0.13	13.90	25.1	47
CC116719		0.14	0.002	0.04	3.70	11.7	<0.2	<10	240	1.68	0.15	0.45	0.19	131.5	42.3	184
CC116720		0.23	0.002	0.04	2.50	7.7	<0.2	<10	340	1.43	0.32	0.50	0.13	49.0	19.5	84
CC116721		0.26	0.004	0.03	2.83	5.3	<0.2	<10	200	1.94	0.29	0.51	0.11	80.7	19.4	88
CC116722		0.22	0.002	0.15	2.92	13.3	<0.2	<10	270	1.91	0.19	0.81	0.67	112.0	37.5	161
CC116723		0.14	0.005	0.15	2.71	6.0	<0.2	<10	200	1.29	0.22	0.53	0.10	65.8	16.5	121
CC116724		0.20	0.002	0.18	3.21	7.5	<0.2	<10	200	2.24	0.14	1.86	0.21	144.5	34.1	122
CC116725		0.20	0.002	0.12	4.92	1.4	<0.2	10	1170	2.40	0.02	1.97	0.12	202	61.4	357
CC116726		0.07	0.001	0.10	1.02	2.6	<0.2	<10	410	0.94	0.06	2.58	0.25	50.8	11.3	48
CC116727		0.24	0.001	0.11	3.00	6.7	<0.2	<10	400	2.21	0.17	1.34	0.25	123.0	34.4	160
CC116728		0.16	0.004	0.17	2.54	5.5	<0.2	<10	200	1.73	0.13	2.15	0.25	108.0	26.7	113
CC116729		0.14	0.001	0.14	2.78	3.5	<0.2	<10	580	1.57	0.11	1.40	0.18	87.5	21.6	78
CC116730		0.22	0.002	0.13	2.08	5.2	<0.2	<10	240	1.45	0.08	2.89	0.21	82.2	23.5	101
CC116731		0.10	<0.001	0.07	0.87	4.0	<0.2	<10	650	0.81	0.29	0.47	0.85	60.1	50.6	125
CC116732		0.19	0.001	0.09	3.53	5.4	<0.2	<10	330	1.58	0.11	1.46	0.17	112.0	41.5	336
CC116733		0.28	<0.001	0.08	4.40	1.2	<0.2	<10	710	1.87	0.05	2.05	0.20	166.5	62.7	548
CC116734		0.21	0.003	0.20	3.17	9.0	<0.2	10	280	2.14	0.12	2.36	0.53	118.5	45.4	203
CC116735		0.19	0.001	0.08	2.32	10.5	<0.2	<10	240	0.81	0.23	0.53	0.16	52.3	13.9	91
CC116736		0.19	0.002	0.11	3.20	4.6	<0.2	<10	430	1.89	0.14	1.21	0.17	122.0	29.6	197
CC116737		0.19	0.001	0.09	2.64	6.5	<0.2	<10	250	1.79	0.16	1.10	0.24	106.5	25.6	146



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC116708		2.03	47.7	5.69	12.50	0.19	0.19	0.04	0.061	0.08	54.7	31.9	1.72	1090	1.19
CC116709		3.80	42.2	5.62	14.40	0.17	0.15	0.02	0.054	0.13	52.0	56.6	2.63	1160	0.93
CC116710		1.40	25.5	4.44	7.83	0.06	<0.02	0.05	0.036	0.12	8.7	14.6	0.38	909	1.29
CC116711		2.27	27.0	5.05	8.85	0.07	0.02	0.04	0.038	0.13	7.5	24.1	0.45	1250	1.07
CC116712		1.73	54.6	5.74	11.50	0.16	0.09	0.03	0.055	0.14	49.4	34.8	1.65	1430	1.58
CC116713		1.51	42.4	5.23	11.90	0.17	0.07	0.03	0.055	0.15	47.9	51.0	1.39	1500	2.79
CC116714		2.77	95.1	4.43	8.45	0.12	0.07	0.09	0.060	0.29	36.8	21.5	1.06	1880	0.56
CC116715		2.06	32.7	4.55	7.71	0.07	0.03	0.02	0.036	0.14	5.5	28.8	0.51	1300	1.02
CC116716		2.29	45.3	4.23	9.50	0.08	0.07	0.02	0.035	0.19	6.8	35.2	0.87	664	0.32
CC116717		2.27	70.8	6.10	13.60	0.24	0.28	0.02	0.037	0.16	47.5	42.8	3.55	1180	1.09
CC116718		1.67	40.1	4.63	8.43	0.07	0.02	0.03	0.038	0.17	5.0	33.4	0.58	1290	0.72
CC116719		3.43	49.2	8.23	15.70	0.16	0.03	0.04	0.088	0.15	29.8	57.7	2.12	2220	1.90
CC116720		1.50	37.3	5.44	11.05	0.10	0.03	0.02	0.048	0.15	22.2	29.5	0.77	1070	1.43
CC116721		2.21	52.0	5.05	11.15	0.11	0.05	0.02	0.052	0.18	35.6	35.7	0.95	1020	0.85
CC116722		2.34	61.5	7.43	15.45	0.15	0.09	0.05	0.068	0.15	41.9	39.9	1.50	2630	5.29
CC116723		1.71	30.1	8.33	19.85	0.13	0.30	0.05	0.059	0.09	32.0	33.4	1.07	651	2.49
CC116724		3.73	52.8	6.12	15.70	0.18	0.22	0.05	0.049	0.07	68.1	42.0	2.05	1500	1.38
CC116725		1.17	62.9	8.45	20.9	0.60	0.49	0.02	0.093	0.05	97.0	105.0	6.78	4520	1.05
CC116726		1.27	31.5	2.35	5.10	0.09	0.11	0.10	0.029	0.06	34.9	9.2	0.50	835	1.36
CC116727		2.56	62.0	6.02	12.85	0.20	0.15	0.03	0.057	0.21	65.5	33.4	2.11	1510	1.55
CC116728		2.48	39.3	5.49	12.90	0.15	0.25	0.09	0.053	0.07	52.1	26.3	1.12	1930	1.85
CC116729		2.99	47.6	5.39	11.65	0.14	0.15	0.04	0.053	0.31	40.5	29.1	1.09	1090	1.08
CC116730		2.22	53.6	3.91	9.42	0.14	0.20	0.07	0.038	0.15	50.5	24.1	1.17	1100	1.09
CC116731		1.76	22.4	4.62	9.69	0.08	0.08	0.05	0.035	0.15	23.1	3.3	0.22	5250	2.97
CC116732		1.98	42.4	6.50	16.10	0.19	0.17	0.02	0.060	0.18	48.1	54.8	4.13	1230	0.96
CC116733		1.38	84.7	8.26	19.65	0.34	0.21	0.01	0.074	0.06	66.7	54.4	5.98	2020	0.40
CC116734		1.19	94.9	7.20	13.50	0.24	0.31	0.12	0.069	0.45	64.1	30.2	3.48	1570	4.82
CC116735		2.03	23.7	5.42	12.10	0.10	0.14	0.03	0.046	0.12	24.6	25.2	0.91	560	2.16
CC116736		1.89	48.1	5.51	12.85	0.18	0.17	0.02	0.050	0.14	55.6	30.1	2.29	1110	1.34
CC116737		1.27	37.9	5.23	10.85	0.19	0.18	0.01	0.043	0.11	46.4	28.2	1.72	895	1.26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC116708		14.90	86.1	1320	9.6	11.5	<0.001	0.08	0.42	4.8	1.0	1.1	64.9	0.02	0.03
CC116709		14.20	97.7	1910	10.9	20.9	<0.001	0.06	0.39	5.2	0.8	1.2	211	0.01	0.04
CC116710		0.78	23.2	1150	15.4	21.0	<0.001	0.08	0.47	0.7	0.6	0.9	9.7	<0.01	0.03
CC116711		0.81	26.6	770	19.3	25.4	<0.001	0.03	0.44	1.7	0.6	0.9	7.1	<0.01	0.04
CC116712		7.45	74.9	1530	16.0	18.7	<0.001	0.04	0.38	6.6	0.8	1.1	66.3	0.01	0.03
CC116713		1.08	64.0	1740	19.4	16.6	<0.001	0.02	0.39	6.1	0.6	0.9	41.5	0.01	0.04
CC116714		0.31	61.9	850	5.9	26.7	<0.001	0.05	0.41	13.0	0.6	1.0	167.0	<0.01	0.03
CC116715		0.78	35.5	830	37.3	18.4	<0.001	0.03	0.45	2.3	0.5	0.8	11.3	<0.01	0.04
CC116716		0.43	44.5	300	21.1	21.2	<0.001	<0.01	0.11	6.2	0.4	1.0	24.7	<0.01	0.02
CC116717		7.97	134.5	3270	7.4	24.8	<0.001	0.01	0.35	5.2	0.8	0.8	192.5	0.03	0.02
CC116718		0.91	36.6	620	32.5	20.6	<0.001	0.04	0.26	2.9	0.5	0.9	12.1	<0.01	0.03
CC116719		1.51	62.5	1520	11.5	23.1	<0.001	0.06	0.55	5.1	0.8	1.4	23.3	<0.01	0.04
CC116720		3.59	40.8	1120	19.5	24.0	<0.001	0.06	0.52	2.8	0.6	1.0	37.8	<0.01	0.04
CC116721		1.54	48.9	1350	14.2	29.1	<0.001	0.04	0.29	5.4	0.6	1.0	31.4	0.01	0.04
CC116722		10.30	68.8	1640	15.8	27.3	<0.001	0.10	1.64	6.3	1.1	1.3	69.8	0.01	0.07
CC116723		23.2	39.4	820	15.0	20.4	<0.001	0.06	0.60	5.1	0.7	1.9	55.5	0.02	0.04
CC116724		18.15	59.4	2000	16.1	16.4	<0.001	0.08	0.42	7.2	0.9	1.2	201	0.02	0.03
CC116725		12.60	198.0	4590	4.9	4.7	<0.001	0.02	0.10	12.7	1.1	0.9	369	0.07	0.02
CC116726		9.64	21.5	1670	4.9	9.6	0.001	0.25	0.25	2.6	0.8	0.4	126.0	0.04	0.04
CC116727		10.35	81.6	2240	15.5	27.2	<0.001	0.04	0.45	7.6	0.9	1.0	116.5	0.01	0.03
CC116728		24.1	48.6	1360	12.8	11.4	<0.001	0.14	0.37	6.6	0.9	1.0	84.9	0.03	0.04
CC116729		16.10	39.4	1460	8.7	43.4	<0.001	0.09	0.30	6.4	0.7	1.1	95.2	0.01	0.03
CC116730		15.85	52.0	2050	7.9	18.3	<0.001	0.16	0.31	4.7	1.0	0.6	149.0	0.05	0.02
CC116731		9.19	18.6	1010	42.1	36.4	<0.001	0.10	0.63	4.1	0.4	1.8	46.8	0.01	0.03
CC116732		10.50	157.5	1990	9.8	24.6	<0.001	0.04	0.35	6.6	0.8	1.3	164.0	0.01	0.02
CC116733		6.38	251	3220	4.6	9.7	<0.001	0.02	0.08	11.7	0.7	1.3	253	0.04	0.01
CC116734		3.12	124.5	4000	10.4	42.0	<0.001	0.02	1.09	10.7	1.1	1.0	216	0.01	0.03
CC116735		15.45	39.1	800	12.0	18.5	<0.001	0.03	0.82	3.9	0.7	1.2	56.8	0.01	0.04
CC116736		16.45	98.4	1590	10.8	21.9	<0.001	0.06	0.38	5.9	0.8	1.2	114.0	0.01	0.03
CC116737		14.50	72.6	2250	10.9	15.5	<0.001	0.02	0.48	5.7	0.7	1.0	128.5	0.02	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 4- AUG- 2011
 Account: MTT

Project: Midas Touch- NAD

CERTIFICATE OF ANALYSIS WH11123803

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC116708		0.392	0.08	1.94	152	0.29	14.95	78	9.7
CC116709		0.502	0.07	1.79	163	0.34	13.65	112	9.8
CC116710		0.023	0.12	0.67	66	0.14	3.24	84	<0.5
CC116711		0.019	0.12	0.58	47	0.10	3.62	95	<0.5
CC116712		0.275	0.10	1.22	129	0.24	14.50	94	3.4
CC116713		0.013	0.10	0.58	109	0.10	7.15	97	1.7
CC116714		0.007	0.10	0.17	114	0.08	8.38	72	1.2
CC116715		0.015	0.11	0.56	38	0.10	4.69	82	0.5
CC116716		0.031	0.13	0.69	37	0.07	10.10	97	2.6
CC116717		0.514	0.09	1.21	135	0.50	15.00	95	16.0
CC116718		0.034	0.12	0.60	39	0.07	6.61	101	<0.5
CC116719		0.058	0.11	0.84	249	0.15	9.01	93	<0.5
CC116720		0.092	0.13	0.80	105	0.21	6.89	76	0.9
CC116721		0.029	0.14	0.78	91	0.13	11.85	95	0.8
CC116722		0.327	0.19	1.22	212	0.25	7.58	179	3.6
CC116723		0.892	0.14	0.99	279	0.14	4.83	71	13.7
CC116724		0.533	0.17	1.45	164	0.42	16.00	96	9.9
CC116725		0.577	0.03	1.03	222	0.52	16.65	115	21.6
CC116726		0.129	0.07	0.56	61	0.21	5.73	28	4.1
CC116727		0.446	0.11	1.34	161	0.48	15.95	96	6.1
CC116728		0.539	0.14	1.26	182	0.42	10.70	70	9.3
CC116729		0.496	0.12	1.19	156	0.30	8.86	70	5.6
CC116730		0.291	0.14	1.69	124	0.27	12.40	59	6.8
CC116731		0.384	0.19	0.75	164	<0.05	2.67	127	3.1
CC116732		0.691	0.06	1.42	184	0.37	12.65	105	9.8
CC116733		0.789	0.02	1.14	215	0.35	15.55	96	11.4
CC116734		0.305	0.21	1.30	183	1.72	18.35	149	16.7
CC116735		0.434	0.11	0.97	148	0.46	5.50	77	7.4
CC116736		0.547	0.07	1.48	156	0.38	11.70	84	8.9
CC116737		0.517	0.06	1.37	129	0.46	10.90	90	11.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- NAD

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11123803

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41	NSS is non- sufficient sample. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 26- AUG- 2011
Account: MTT

CERTIFICATE WH11152029

Project: Midas Touch- Nad

P.O. No.:

This report is for 162 Soil samples submitted to our lab in Whitehorse, YT, Canada on 6- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD004612		0.29	0.014	0.08	3.65	201	<0.2	10	570	1.84	0.07	2.25	0.16	130.5	38.4	231
DD004613		0.33	0.007	0.04	2.34	366	<0.2	<10	230	1.20	0.13	1.66	0.14	62.1	26.8	139
DD004614		0.39	0.005	0.07	2.68	369	<0.2	<10	190	2.03	0.10	1.08	0.20	104.0	24.5	112
DD004615		0.29	0.031	0.07	0.79	2250	<0.2	<10	140	1.56	0.29	1.33	0.08	51.7	22.0	26
DD004616		0.30	0.006	0.08	1.22	414	<0.2	10	270	1.99	0.26	1.16	0.16	61.9	23.1	57
DD004617		0.40	0.007	0.08	0.84	422	<0.2	<10	290	1.71	0.30	0.94	0.11	41.4	19.8	41
DD004618		0.26	0.003	0.10	2.44	5.8	<0.2	<10	340	1.67	0.12	1.18	0.30	76.6	29.5	126
DD004619		0.32	0.001	0.12	1.68	7.2	<0.2	<10	170	0.64	0.24	0.34	0.56	37.7	13.0	75
DD004620		0.34	0.006	0.08	3.14	6.1	<0.2	<10	420	1.97	0.17	1.31	0.12	85.9	28.6	130
DD004621		0.24	0.004	0.06	2.90	5.8	<0.2	<10	330	1.80	0.17	1.22	0.19	96.0	26.9	123
DD004622		0.21	0.002	0.08	2.68	8.0	<0.2	<10	250	1.53	0.22	0.79	0.12	69.6	24.0	138
DD004623		0.35	0.002	0.05	2.78	4.7	<0.2	<10	340	2.00	0.09	0.80	0.11	116.5	38.3	250
DD000951		0.39	0.001	0.06	0.41	29.1	<0.2	<10	120	1.09	0.41	0.22	0.03	15.65	18.4	16
DD000952		0.42	0.002	0.09	1.78	36.7	<0.2	<10	340	2.08	0.32	1.18	0.17	54.1	36.1	120
DD000953		0.46	0.003	0.07	1.59	47.1	<0.2	<10	500	2.60	0.35	0.86	0.06	31.6	33.2	98
DD000954		0.39	0.008	0.11	3.98	8.9	<0.2	<10	1080	1.84	0.08	1.88	0.22	123.0	51.2	259
DD000955		0.40	0.010	0.12	3.61	6.9	<0.2	10	1130	1.77	0.07	2.46	0.20	110.0	45.2	305
DD000956		0.42	0.008	0.10	3.10	8.4	<0.2	20	1980	2.22	0.08	2.28	0.26	113.0	32.6	137
DD000957		0.30	0.004	0.16	2.66	10.6	<0.2	<10	600	2.00	0.12	1.82	0.38	126.0	32.0	108
DD000958		0.35	<0.001	0.15	1.53	8.7	<0.2	<10	180	1.79	0.27	0.08	0.67	13.85	23.5	37
DD000959		0.38	0.001	0.17	0.89	15.8	<0.2	<10	130	0.56	0.40	0.03	0.15	11.90	12.1	22
DD000960		0.29	0.002	0.09	2.04	16.0	<0.2	<10	120	1.75	0.32	0.06	0.32	40.2	23.7	47
DD000961		0.40	<0.001	0.04	0.79	3.8	<0.2	<10	200	1.57	0.39	0.06	0.06	18.90	15.9	19
DD000962		0.41	0.001	0.04	0.70	3.3	<0.2	<10	190	1.40	0.38	0.06	0.05	16.30	14.9	17
DD000963		0.43	<0.001	0.04	1.00	15.7	<0.2	<10	80	1.56	0.54	0.04	0.05	13.05	19.9	25
DD000964		0.37	<0.001	0.05	1.64	6.3	<0.2	<10	190	1.95	0.51	0.02	0.06	9.95	25.5	30
DD000965		0.40	0.001	0.05	1.31	8.1	<0.2	<10	210	1.36	0.46	0.03	0.08	6.65	23.3	26
DD000966		0.41	0.001	0.05	1.61	12.4	<0.2	<10	210	1.91	0.46	0.09	0.08	11.10	23.7	30
DD000967		0.49	0.001	0.27	0.30	49.0	<0.2	<10	120	1.25	0.47	0.18	0.25	12.00	17.1	13
DD000968		0.30	<0.001	0.23	1.47	45.5	<0.2	<10	510	1.57	0.30	0.52	0.19	36.4	14.4	67
CC124901		0.18	0.003	0.05	1.66	41.7	<0.2	<10	410	1.33	0.29	0.84	0.07	23.1	21.5	99
CC124902		0.30	0.014	0.09	2.96	240	<0.2	<10	590	1.83	0.17	1.35	0.12	123.5	38.8	274
CC124903		0.44	0.005	0.07	0.92	513	<0.2	<10	240	1.70	0.36	0.63	0.10	43.5	22.8	45
CC124904		0.49	0.009	0.06	2.47	471	<0.2	<10	330	1.48	0.12	2.33	0.12	97.1	41.3	260
CC124905		0.52	0.073	0.07	1.34	2480	<0.2	<10	210	2.29	0.27	3.81	0.17	81.3	31.0	95
CC124906		0.41	0.019	0.06	0.85	2990	<0.2	<10	110	1.61	0.26	2.38	0.06	55.5	22.7	32
CC124907		0.36	0.001	0.05	1.49	2900	<0.2	<10	140	2.83	0.01	8.05	0.07	270	51.9	172
DD000701		0.30	0.004	0.08	3.92	15.2	<0.2	<10	490	2.20	0.13	2.11	0.13	150.5	41.6	261
DD000702		0.26	0.002	0.04	3.90	2.9	<0.2	10	310	1.97	0.02	1.55	0.06	158.0	48.2	329
DD000703		0.37	0.002	0.07	3.61	3.1	<0.2	10	400	2.19	0.03	2.17	0.17	168.5	49.0	331



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD004612		6.44	70.3	5.91	14.40	0.24	0.28	3.91	0.051	0.18	65.6	63.0	3.78	1380	0.82
DD004613		5.21	36.2	5.03	12.35	0.12	0.22	3.23	0.046	0.18	29.5	28.6	1.29	784	1.33
DD004614		3.58	40.3	4.92	11.20	0.18	0.21	0.37	0.053	0.21	56.0	28.8	1.53	836	1.60
DD004615		5.13	42.0	3.87	3.27	0.13	0.07	18.50	0.039	0.16	27.8	8.2	0.60	730	0.50
DD004616		2.67	62.1	4.64	5.37	0.14	0.07	1.94	0.050	0.15	35.1	18.1	0.78	812	1.42
DD004617		3.16	52.8	4.02	3.71	0.13	0.07	1.61	0.043	0.13	22.3	12.5	0.53	776	0.71
DD004618		1.89	35.5	4.71	10.70	0.15	0.13	0.06	0.053	0.14	39.3	24.6	1.48	1500	1.57
DD004619		1.45	18.4	4.30	10.25	0.10	0.07	0.06	0.034	0.08	17.4	15.4	0.56	714	2.08
DD004620		1.89	48.0	5.05	12.25	0.18	0.23	0.05	0.050	0.12	49.5	39.4	1.74	1100	1.19
DD004621		1.50	43.9	4.89	10.85	0.17	0.29	0.03	0.045	0.12	44.0	39.0	1.68	848	0.93
DD004622		1.93	31.7	5.57	12.35	0.14	0.21	0.04	0.053	0.14	31.7	35.3	1.46	854	1.69
DD004623		1.35	50.3	6.33	11.65	0.16	0.08	0.03	0.075	0.37	44.8	28.6	1.67	1460	1.40
DD000951		7.06	40.2	3.91	1.97	0.09	0.03	0.23	0.038	0.10	5.6	5.2	0.09	535	0.55
DD000952		3.43	76.2	5.59	6.86	0.19	0.14	0.17	0.054	0.12	26.1	35.0	1.88	1730	2.35
DD000953		4.87	94.3	5.41	6.32	0.16	0.11	1.61	0.048	0.12	14.7	27.3	1.51	1320	1.44
DD000954		4.63	134.0	7.54	15.50	0.24	0.34	0.10	0.057	0.03	72.3	97.4	4.95	2930	1.37
DD000955		3.40	127.5	6.63	14.70	0.24	0.38	0.08	0.051	0.03	69.3	86.8	4.31	1980	1.01
DD000956		2.70	106.5	5.65	13.40	0.19	0.35	0.09	0.047	0.05	59.1	80.9	2.93	1840	1.47
DD000957		2.76	52.9	5.53	14.50	0.22	0.11	0.09	0.072	0.04	77.6	42.1	1.59	2100	1.46
DD000958		2.51	31.2	4.02	5.19	0.10	0.02	0.05	0.037	0.11	5.0	20.0	0.40	1730	1.22
DD000959		2.30	26.3	3.79	4.77	<0.05	<0.02	0.08	0.030	0.08	4.1	3.1	0.07	1340	2.07
DD000960		1.98	38.4	4.96	6.20	0.06	<0.02	0.08	0.043	0.08	16.6	24.2	0.42	1820	1.73
DD000961		1.80	38.7	4.00	4.13	0.10	<0.02	0.19	0.043	0.09	7.7	11.4	0.18	361	0.50
DD000962		1.60	36.1	3.69	3.74	0.08	<0.02	0.20	0.042	0.08	6.4	10.2	0.16	329	0.42
DD000963		1.36	53.9	3.47	5.98	0.09	<0.02	0.02	0.059	0.08	4.5	16.0	0.22	973	0.61
DD000964		3.39	45.4	4.41	6.52	0.06	0.03	0.03	0.055	0.09	3.2	22.9	0.33	1600	0.58
DD000965		5.81	36.8	4.28	5.29	0.05	0.03	0.02	0.044	0.11	2.0	13.3	0.26	2110	0.97
DD000966		6.00	47.3	4.05	5.90	0.06	0.04	0.04	0.048	0.11	3.6	23.1	0.37	1690	1.12
DD000967		1.29	42.2	3.46	1.21	0.06	0.03	0.09	0.042	0.10	4.9	1.4	0.08	324	2.02
DD000968		6.65	47.2	4.06	5.53	0.10	0.03	0.30	0.046	0.14	19.5	25.4	0.50	711	1.60
CC124901		3.38	41.3	4.69	6.82	0.09	0.08	0.20	0.043	0.10	9.7	27.8	1.18	812	1.68
CC124902		5.97	51.7	6.31	13.90	0.23	0.22	0.35	0.062	0.18	64.9	47.4	3.43	1340	0.74
CC124903		4.44	50.5	4.38	4.16	0.11	0.06	2.10	0.050	0.15	21.7	14.2	0.53	828	0.95
CC124904		8.23	61.0	6.06	10.75	0.23	0.36	2.43	0.052	0.15	50.9	53.8	4.23	1230	0.57
CC124905		8.47	54.5	5.65	6.01	0.14	0.16	8.25	0.063	0.21	39.6	22.7	2.30	1040	0.80
CC124906		5.58	36.7	3.80	3.78	0.11	0.11	16.25	0.042	0.16	27.4	10.4	0.98	631	0.41
CC124907		7.08	91.8	5.27	9.88	0.36	0.21	10.30	0.109	0.14	141.5	7.9	1.80	1420	0.78
DD000701		2.60	95.8	7.71	17.65	0.26	0.32	0.06	0.083	0.17	77.9	46.4	3.40	1740	1.78
DD000702		2.65	71.5	6.40	15.70	0.21	0.17	0.02	0.076	0.50	71.8	54.2	3.17	1770	1.06
DD000703		3.09	78.4	6.54	15.85	0.28	0.27	0.04	0.073	0.46	94.4	49.2	3.41	1590	1.66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD004612		24.1	125.0	2990	10.0	24.6	<0.001	0.10	0.52	6.7	0.7	0.9	234	0.03	0.01
DD004613		24.7	65.5	1390	11.2	25.0	<0.001	0.11	0.68	5.6	0.6	1.2	103.5	0.02	0.04
DD004614		22.4	61.5	1880	10.0	32.1	<0.001	0.13	0.46	4.9	0.7	0.9	125.0	0.02	0.02
DD004615		2.03	36.1	1490	26.7	11.0	<0.001	0.12	6.84	5.5	0.3	0.5	120.5	<0.01	0.02
DD004616		2.93	53.0	1570	20.1	13.4	<0.001	0.08	0.91	7.2	0.7	0.7	101.0	<0.01	0.02
DD004617		2.01	42.7	1030	22.0	10.5	<0.001	0.09	1.26	6.2	0.4	0.6	57.2	<0.01	0.01
DD004618		15.65	60.4	1520	10.6	23.0	<0.001	0.15	0.30	3.7	0.5	0.9	67.9	0.01	0.02
DD004619		11.90	25.7	880	14.6	16.4	<0.001	0.10	0.39	2.8	0.5	1.1	24.6	0.02	0.03
DD004620		19.50	74.9	1690	12.8	17.1	<0.001	0.08	0.25	7.2	0.7	1.0	104.5	0.03	0.02
DD004621		20.8	70.8	1650	12.5	14.3	<0.001	0.05	0.27	7.1	0.6	1.0	106.0	0.02	0.02
DD004622		22.0	63.6	1250	14.9	23.9	0.001	0.04	0.36	6.1	0.5	1.3	70.1	0.01	0.04
DD004623		7.40	116.0	1900	8.6	38.3	<0.001	0.03	0.27	9.2	0.6	1.2	75.8	<0.01	0.02
DD000951		0.23	32.3	300	32.0	10.4	<0.001	0.03	0.48	6.6	0.4	0.5	11.4	<0.01	0.02
DD000952		0.46	103.5	2110	25.1	12.4	<0.001	0.03	0.35	10.3	0.7	1.0	104.0	<0.01	0.03
DD000953		2.18	84.1	1140	39.2	15.2	<0.001	0.03	0.31	10.3	0.5	1.0	55.6	<0.01	0.03
DD000954		11.65	152.5	2570	9.1	4.6	<0.001	0.09	0.16	9.6	0.7	0.9	104.0	0.04	0.01
DD000955		22.3	150.0	2300	8.6	4.6	<0.001	0.12	0.17	8.4	0.9	0.8	116.5	0.06	0.01
DD000956		23.1	63.2	2700	8.8	5.9	<0.001	0.10	0.28	8.4	0.5	1.0	184.0	0.05	0.01
DD000957		12.80	43.9	2000	10.8	6.2	<0.001	0.15	0.34	6.4	1.1	0.6	52.8	0.04	0.03
DD000958		0.60	29.3	1000	21.4	14.8	<0.001	0.06	0.51	1.3	0.6	0.7	7.5	<0.01	0.04
DD000959		0.39	19.0	1070	29.3	15.2	<0.001	0.07	0.87	0.4	0.7	0.8	5.2	<0.01	0.09
DD000960		0.63	30.8	1200	29.6	10.1	<0.001	0.08	0.75	1.0	0.7	0.7	8.1	<0.01	0.05
DD000961		0.40	29.6	350	13.5	10.2	<0.001	0.01	0.17	6.0	0.4	0.7	29.6	<0.01	0.04
DD000962		0.34	27.4	300	12.8	9.5	<0.001	0.01	0.16	5.8	0.2	0.7	27.7	<0.01	0.04
DD000963		0.19	27.4	500	41.8	9.2	<0.001	0.02	0.17	5.2	0.3	0.9	14.2	<0.01	0.04
DD000964		0.45	29.3	800	32.4	13.6	<0.001	0.02	0.19	4.7	0.2	0.9	8.2	<0.01	0.05
DD000965		0.50	23.0	870	33.1	18.6	<0.001	0.03	0.49	3.5	0.4	0.9	5.8	<0.01	0.05
DD000966		0.48	29.2	810	37.6	15.1	<0.001	0.03	0.41	5.1	0.4	0.8	9.7	<0.01	0.05
DD000967		0.10	39.7	470	27.9	8.6	0.001	0.01	0.72	5.2	0.9	0.4	15.7	<0.01	0.16
DD000968		1.28	35.6	860	17.8	23.6	0.002	0.06	0.47	6.2	1.3	0.8	81.3	0.01	0.06
CC124901		8.23	54.9	550	17.3	15.3	<0.001	0.04	0.35	6.2	0.3	0.9	31.8	<0.01	0.02
CC124902		10.45	143.5	2830	14.7	20.1	<0.001	0.04	0.88	9.3	0.8	0.9	225	0.03	0.02
CC124903		1.28	51.8	980	24.3	14.1	<0.001	0.04	1.26	8.6	0.5	0.6	64.1	<0.01	0.02
CC124904		2.64	155.0	2870	11.9	15.2	<0.001	0.03	0.93	8.2	0.6	0.6	256	0.01	0.01
CC124905		1.04	73.7	2390	24.0	18.7	<0.001	0.09	8.99	11.0	0.7	0.8	168.0	0.01	0.02
CC124906		1.13	42.7	1570	22.0	12.8	<0.001	0.09	5.24	6.8	0.4	0.5	130.0	<0.01	0.02
CC124907		0.25	131.0	7010	5.2	18.4	<0.001	0.09	3.74	29.3	1.1	1.7	375	0.01	<0.01
DD000701		16.10	133.0	2350	16.0	23.4	<0.001	0.05	0.28	14.3	1.1	1.1	194.0	0.03	0.03
DD000702		5.27	165.5	2680	4.7	48.0	<0.001	0.01	0.12	12.6	0.7	0.8	159.0	0.01	0.01
DD000703		6.24	156.0	3340	6.1	38.2	<0.001	0.01	0.14	12.0	0.8	0.8	301	0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004612		0.455	0.23	1.05	155	0.36	14.95	82	16.8
DD004613		0.431	0.19	0.83	184	0.31	6.08	61	12.2
DD004614		0.344	0.12	1.41	147	0.35	11.15	75	12.0
DD004615		0.019	1.75	0.62	49	0.15	10.70	66	2.8
DD004616		0.044	0.27	0.94	69	0.11	12.30	95	2.9
DD004617		0.027	0.22	0.70	44	0.10	12.30	93	2.5
DD004618		0.304	0.11	0.95	140	0.24	8.69	87	6.1
DD004619		0.208	0.11	0.86	129	0.25	3.35	68	3.6
DD004620		0.320	0.09	1.27	128	0.27	14.40	84	11.1
DD004621		0.373	0.07	1.33	117	0.30	12.55	92	14.6
DD004622		0.518	0.09	1.09	158	0.39	6.22	75	12.2
DD004623		0.241	0.09	1.35	151	0.20	9.25	61	4.7
DD000951		0.006	0.09	0.45	19	<0.05	8.88	67	1.3
DD000952		0.062	0.12	0.85	69	0.19	12.65	105	10.2
DD000953		0.105	0.25	1.32	66	0.34	17.45	103	5.4
DD000954		0.489	0.05	0.90	196	0.26	14.90	101	12.0
DD000955		0.512	0.04	1.07	184	0.28	15.40	93	15.8
DD000956		0.626	0.04	0.96	162	0.53	12.85	106	14.6
DD000957		0.207	0.10	1.20	160	0.25	17.85	78	3.5
DD000958		0.017	0.11	0.62	36	0.20	3.39	102	<0.5
DD000959		0.010	0.13	0.74	41	0.08	2.02	83	<0.5
DD000960		0.016	0.10	0.85	48	0.09	6.69	87	<0.5
DD000961		0.006	0.07	0.59	27	<0.05	7.66	93	<0.5
DD000962		0.005	0.07	0.54	25	<0.05	6.90	87	0.5
DD000963		<0.005	0.08	0.57	33	<0.05	5.72	94	<0.5
DD000964		0.009	0.11	0.68	31	0.15	3.69	93	0.6
DD000965		0.011	0.14	0.85	29	0.25	3.28	78	0.6
DD000966		0.009	0.14	0.73	29	0.15	6.14	86	0.6
DD000967		<0.005	0.11	0.62	18	<0.05	9.56	102	1.0
DD000968		0.025	0.13	1.57	67	0.22	11.40	98	<0.5
CC124901		0.216	0.13	0.83	81	0.20	4.60	89	3.4
CC124902		0.380	0.21	1.16	145	0.56	17.25	91	8.6
CC124903		0.028	0.37	0.76	47	0.10	10.25	97	2.2
CC124904		0.289	0.32	0.79	122	0.29	12.95	101	17.8
CC124905		0.077	2.62	1.12	94	0.16	12.95	172	7.7
CC124906		0.031	2.41	0.63	56	0.14	10.20	71	5.3
CC124907		0.006	6.64	1.08	224	0.27	28.6	29	5.3
DD000701		0.562	0.13	1.39	199	0.33	20.7	99	13.2
DD000702		0.226	0.14	1.24	185	0.15	17.15	58	5.3
DD000703		0.280	0.12	1.41	170	0.18	19.00	79	9.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD000704		0.23	0.003	0.11	2.53	31.9	<0.2	<10	340	1.88	0.24	1.32	0.12	85.1	29.9	153
DD000705		0.21	0.015	0.07	0.71	785	<0.2	<10	130	1.45	0.42	0.63	0.05	26.6	17.0	30
DD000706		0.24	0.017	0.07	0.94	858	<0.2	10	170	1.44	0.38	0.53	0.05	32.3	17.4	43
DD000707		0.22	0.017	0.06	0.89	994	<0.2	<10	120	1.35	0.33	0.49	0.04	35.2	18.7	51
DD000708		0.18	0.024	0.07	0.96	831	<0.2	<10	150	1.45	0.36	0.91	0.06	38.3	17.7	50
DD000709		0.44	0.012	0.06	0.72	837	<0.2	<10	100	1.25	0.34	1.07	0.06	28.0	19.6	40
DD000710		0.20	0.004	0.07	4.18	836	<0.2	10	380	3.42	0.04	2.20	0.11	173.5	36.3	179
DD000711		0.39	0.018	0.13	4.41	956	<0.2	<10	380	3.54	0.12	1.64	0.24	171.5	45.4	226
DD000712		0.34	0.006	0.10	4.23	889	<0.2	20	410	3.35	0.08	2.06	0.13	150.5	36.0	163
DD000713		0.37	0.069	0.07	1.13	1555	<0.2	10	140	1.15	0.33	2.82	0.10	48.2	21.1	62
DD000714		0.45	0.004	0.07	4.23	30.8	<0.2	20	750	2.42	0.06	1.98	0.19	172.0	31.7	160
DD000715		0.34	0.081	0.09	1.09	1925	<0.2	10	150	1.15	0.40	2.24	0.12	43.2	22.8	53
DD000716		0.52	0.002	0.18	2.74	13.7	<0.2	<10	290	2.48	0.48	0.58	0.25	70.5	31.9	69
DD000717		0.47	0.001	0.16	2.57	19.5	<0.2	<10	230	2.37	0.59	0.27	0.23	18.55	58.0	49
DD000719		0.36	0.001	0.07	1.84	10.0	<0.2	<10	180	1.68	0.46	0.24	0.10	19.60	27.9	31
DD000659		0.25	0.001	0.03	1.67	10.0	<0.2	10	330	2.69	0.32	0.49	0.12	136.0	26.0	60
DD000660		0.14	0.003	0.06	3.71	11.9	<0.2	<10	360	2.74	0.18	1.50	0.23	156.5	36.3	154
DD000661		0.21	0.002	0.05	2.77	7.4	<0.2	<10	270	1.62	0.25	0.72	0.09	64.9	24.3	119
DD000662		0.19	0.005	0.13	2.74	5.1	<0.2	<10	230	2.08	0.15	2.27	0.32	101.0	25.8	102
DD000663		0.23	0.004	0.01	2.73	13.3	<0.2	<10	170	1.72	0.20	1.24	0.21	91.4	33.6	143
DD000664		0.59	0.005	0.06	1.08	461	<0.2	<10	260	1.81	0.37	1.92	0.10	42.1	23.8	46
DD000665		0.40	0.007	0.07	1.26	538	<0.2	10	260	1.97	0.41	0.56	0.07	51.1	29.6	58
DD000666		0.21	0.007	0.06	0.95	371	<0.2	10	290	1.52	0.32	1.25	0.17	36.1	20.6	44
DD000667		0.02	0.004	0.06	1.31	320	<0.2	10	280	1.71	0.31	1.09	0.09	44.3	19.1	71
DD000668		0.26	0.021	0.08	1.34	413	<0.2	10	330	2.05	0.35	0.89	0.13	62.0	32.1	72
DD000669		0.27	0.004	0.05	1.09	436	<0.2	10	240	1.69	0.38	2.21	0.10	42.7	25.8	46
DD000670		0.27	0.010	0.08	1.32	472	<0.2	10	270	1.75	0.34	0.71	0.10	53.6	25.9	58
DD000671		0.22	0.010	0.05	1.06	549	<0.2	<10	250	1.63	0.35	0.80	0.08	45.7	22.7	56
DD000672		0.21	0.014	0.06	1.02	427	<0.2	10	300	1.56	0.30	1.25	0.13	46.4	21.9	57
DD000673		0.26	0.004	0.07	1.23	310	<0.2	10	370	2.07	0.31	1.43	0.23	71.6	31.9	59
DD000674		0.26	0.010	0.08	1.31	243	<0.2	<10	350	1.57	0.25	1.63	0.09	40.9	11.4	52
DD000675		0.21	0.003	0.05	1.67	210	<0.2	<10	410	1.67	0.24	1.32	0.05	37.7	14.5	90
DD000676		0.20	0.007	0.06	3.77	5.5	<0.2	10	490	1.87	0.12	1.92	0.15	125.5	39.5	185
DD000677		0.23	0.005	0.05	3.02	9.0	<0.2	<10	230	2.10	0.24	1.38	0.13	106.5	28.9	120
DD000678		0.19	0.003	0.05	3.62	9.4	<0.2	10	230	2.55	0.12	1.34	0.22	151.5	47.5	187
DD000679		0.17	0.005	0.07	2.53	6.5	<0.2	<10	330	1.47	0.21	1.21	0.21	80.9	21.3	107
DD000680		0.15	0.030	0.07	2.88	5.4	<0.2	10	350	1.56	0.19	1.29	0.26	76.9	26.4	116
DD000681		0.15	0.003	0.07	3.34	5.6	<0.2	10	410	1.75	0.20	1.25	0.13	96.5	32.4	144
DD000682		0.26	0.002	0.06	3.04	5.1	<0.2	<10	330	1.78	0.19	1.09	0.19	90.2	30.1	142
DD000916		0.14	0.001	0.16	2.50	6.3	<0.2	10	440	1.18	0.24	1.13	0.33	90.2	21.9	102



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD000704		2.31	47.5	5.28	10.65	0.17	0.27	0.10	0.054	0.12	46.8	42.8	2.18	1160	1.38
DD000705		5.11	35.4	3.67	2.93	0.08	0.07	6.66	0.044	0.12	12.4	8.9	0.47	516	0.49
DD000706		4.91	40.3	3.96	3.72	0.09	0.08	4.61	0.044	0.14	16.4	11.1	0.53	468	0.56
DD000707		4.46	39.4	3.94	3.68	0.10	0.08	7.72	0.043	0.14	17.3	12.3	0.60	464	0.52
DD000708		5.47	44.8	4.00	3.68	0.10	0.07	4.94	0.045	0.17	19.7	12.9	0.77	549	0.87
DD000709		5.38	41.0	3.80	2.85	0.09	0.11	12.55	0.039	0.14	13.0	9.9	0.84	560	0.45
DD000710		13.65	73.4	6.94	14.50	0.29	0.22	0.35	0.076	0.48	98.7	48.1	2.81	1830	0.76
DD000711		12.70	95.0	8.10	18.55	0.32	0.26	2.35	0.088	0.14	108.0	68.2	4.66	2580	0.85
DD000712		8.06	73.5	6.62	16.10	0.27	0.28	0.57	0.070	0.31	94.2	53.1	3.14	1480	0.69
DD000713		8.36	37.0	3.90	4.45	0.11	0.13	111.5	0.041	0.17	24.2	17.1	2.06	673	0.88
DD000714		4.62	62.0	5.31	16.05	0.25	0.30	0.23	0.052	0.61	113.5	53.5	3.32	1380	0.49
DD000715		8.69	41.4	4.02	4.16	0.10	0.09	35.4	0.046	0.19	21.4	15.6	1.69	748	0.98
DD000716		5.09	73.1	5.08	9.51	0.18	0.14	0.11	0.052	0.18	33.3	53.7	1.33	1680	2.51
DD000717		2.52	81.4	5.06	8.17	0.09	0.06	0.06	0.049	0.13	7.0	53.5	0.98	1540	1.75
DD000719		2.26	33.3	3.81	6.91	0.08	0.08	0.02	0.031	0.11	6.9	39.5	0.61	1240	0.58
DD000659		2.27	42.6	3.51	6.22	0.19	0.06	0.02	0.043	0.34	70.3	20.3	0.80	1130	1.30
DD000660		3.32	63.4	6.89	14.10	0.20	0.22	0.06	0.074	0.12	51.3	47.2	2.14	1760	1.53
DD000661		2.54	37.6	4.98	12.10	0.12	0.17	0.04	0.059	0.15	30.4	38.0	1.22	889	1.23
DD000662		2.61	80.2	3.74	11.35	0.17	0.37	0.14	0.053	0.08	63.7	30.8	1.27	1120	0.97
DD000663		2.15	32.6	5.76	13.00	0.16	0.27	0.02	0.060	0.11	39.1	35.8	1.75	1220	2.19
DD000664		5.16	52.7	4.20	5.11	0.11	0.08	1.16	0.052	0.17	20.4	18.3	0.73	729	0.82
DD000665		4.17	54.0	4.91	6.18	0.11	0.06	1.91	0.049	0.18	25.1	19.9	0.75	1030	1.03
DD000666		3.06	46.2	4.37	4.21	0.12	0.09	1.10	0.039	0.15	18.4	14.5	0.60	827	0.90
DD000667		3.03	49.2	4.89	5.37	0.11	0.07	1.24	0.040	0.17	23.6	19.3	1.04	693	1.25
DD000668		4.73	59.7	5.23	6.39	0.14	0.08	1.86	0.050	0.19	32.7	23.0	0.99	1260	1.31
DD000669		4.01	51.8	4.91	5.03	0.12	0.10	1.07	0.044	0.17	21.5	18.2	0.74	875	1.05
DD000670		5.31	49.9	4.90	5.57	0.12	0.07	1.62	0.046	0.20	28.9	19.9	0.89	1060	0.95
DD000671		4.29	50.0	4.85	4.77	0.13	0.06	1.71	0.044	0.16	24.1	16.9	0.79	841	1.10
DD000672		3.31	46.9	4.39	4.54	0.11	0.06	1.70	0.036	0.15	26.0	14.5	0.78	801	1.02
DD000673		3.74	62.1	5.30	5.99	0.14	0.09	0.90	0.048	0.19	39.5	19.7	0.76	1260	2.80
DD000674		2.46	41.6	3.42	4.43	0.10	0.08	1.05	0.035	0.11	28.5	12.5	0.65	397	1.43
DD000675		2.40	32.4	4.27	6.16	0.10	0.12	1.22	0.037	0.13	23.1	19.7	1.09	420	0.86
DD000676		2.81	53.9	6.55	15.50	0.19	0.23	0.01	0.055	0.20	67.0	42.9	2.99	1390	1.23
DD000677		1.79	48.2	6.03	12.95	0.15	0.26	0.01	0.057	0.10	53.5	38.5	2.03	994	1.50
DD000678		2.15	55.5	7.72	16.75	0.24	0.17	<0.01	0.076	0.15	69.1	44.5	2.63	2150	1.28
DD000679		2.02	37.3	4.72	10.05	0.12	0.19	<0.01	0.040	0.11	40.8	31.3	1.24	931	1.35
DD000680		1.83	37.7	4.96	11.35	0.13	0.22	<0.01	0.041	0.13	39.5	34.0	1.54	985	0.98
DD000681		2.13	44.2	5.82	11.95	0.15	0.25	<0.01	0.046	0.12	43.5	42.9	2.03	1180	1.16
DD000682		1.92	39.5	5.33	12.00	0.14	0.16	<0.01	0.049	0.14	40.2	38.3	1.68	1020	0.97
DD000916		1.17	47.1	4.81	11.65	0.13	0.10	0.05	0.047	0.26	40.6	18.7	1.15	733	3.61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD000704		12.60	86.1	2060	17.0	15.9	<0.001	0.03	0.45	8.5	0.8	1.0	162.5	0.02	0.03	3.7
DD000705		1.18	37.5	580	29.9	12.9	<0.001	0.03	2.65	7.7	0.5	0.5	33.6	<0.01	0.03	3.7
DD000706		1.54	43.8	670	27.1	14.3	<0.001	0.04	2.80	8.0	0.5	0.6	41.8	<0.01	0.02	4.0
DD000707		2.55	46.7	690	26.0	12.3	<0.001	0.05	3.15	7.1	0.4	0.5	44.6	<0.01	0.02	3.2
DD000708		1.88	48.1	900	27.1	14.4	<0.001	0.05	2.76	7.7	0.4	0.6	55.2	<0.01	0.02	3.5
DD000709		0.74	45.0	710	24.9	12.1	<0.001	0.07	2.60	6.9	0.4	0.5	53.8	<0.01	0.02	3.9
DD000710		4.74	94.7	4300	6.8	39.6	<0.001	0.07	0.70	16.1	1.1	1.2	363	0.02	0.01	3.9
DD000711		3.78	125.0	3890	17.6	15.2	<0.001	0.06	1.66	11.8	0.9	0.7	296	0.01	0.01	4.8
DD000712		8.88	103.5	3680	10.0	35.1	<0.001	0.06	0.89	11.6	1.1	1.0	366	0.02	0.02	4.0
DD000713		3.24	51.8	1370	29.0	13.5	<0.001	0.10	5.01	6.9	0.5	0.5	111.5	0.01	0.02	3.6
DD000714		13.80	97.4	4580	11.8	47.8	<0.001	0.02	0.19	5.2	0.9	0.7	890	0.03	0.01	5.0
DD000715		3.63	52.9	1240	35.6	14.4	<0.001	0.12	6.26	6.9	0.6	0.6	99.9	<0.01	0.03	3.3
DD000716		1.60	61.0	1320	46.9	18.8	<0.001	0.01	0.50	9.6	0.8	1.0	60.6	0.01	0.05	5.2
DD000717		0.50	66.1	510	66.9	12.7	0.001	0.04	0.77	8.4	0.8	0.9	30.4	<0.01	0.04	4.0
DD000719		0.10	39.1	300	37.1	11.9	<0.001	0.03	0.22	5.2	0.4	0.9	27.3	<0.01	0.01	9.1
DD000659		1.42	61.2	1090	18.2	28.2	<0.001	0.01	0.23	8.5	0.6	0.9	51.4	<0.01	0.04	10.1
DD000660		18.05	99.0	2130	19.0	18.2	<0.001	0.05	0.62	10.8	0.9	1.1	131.0	0.02	0.03	3.8
DD000661		17.95	64.3	1060	16.3	25.7	<0.001	0.04	0.33	8.0	0.6	1.1	57.4	0.01	0.03	2.7
DD000662		19.75	58.8	2330	12.2	14.0	<0.001	0.13	0.38	7.8	1.3	0.7	167.0	0.11	0.03	1.7
DD000663		18.80	70.6	1950	16.0	19.6	<0.001	0.04	0.31	9.8	0.6	1.1	114.0	0.02	0.03	3.6
DD000664		1.50	56.2	910	22.5	16.2	<0.001	0.05	1.11	9.3	0.4	0.8	113.0	<0.01	0.03	4.7
DD000665		2.39	59.3	1030	22.2	16.4	<0.001	0.05	1.23	9.5	0.3	0.9	67.9	<0.01	0.01	3.8
DD000666		2.25	45.4	1060	16.4	11.2	<0.001	0.09	0.98	7.5	0.2	0.7	69.9	<0.01	0.02	2.7
DD000667		2.66	55.1	950	15.3	13.2	<0.001	0.07	0.73	8.9	0.5	0.7	56.7	<0.01	0.02	2.8
DD000668		2.21	67.3	1350	20.3	16.2	<0.001	0.07	1.06	10.9	0.7	1.0	100.0	<0.01	0.03	3.9
DD000669		0.71	54.3	1020	19.3	14.2	<0.001	0.06	1.02	8.8	0.3	0.8	99.4	<0.01	0.02	4.0
DD000670		1.76	54.5	1330	20.6	16.1	<0.001	0.06	1.13	9.1	0.4	0.8	74.9	<0.01	0.01	3.4
DD000671		2.34	54.7	1220	19.8	12.6	<0.001	0.06	1.46	8.4	0.5	0.7	67.8	<0.01	0.02	3.1
DD000672		3.67	50.5	1320	16.9	11.5	<0.001	0.08	1.42	6.7	0.3	0.6	85.3	<0.01	0.03	1.9
DD000673		2.75	61.8	1660	17.1	14.8	<0.001	0.07	0.91	9.7	0.4	0.8	137.5	<0.01	0.04	3.3
DD000674		2.63	41.0	1540	12.6	12.5	<0.001	0.16	0.92	4.8	0.6	0.6	73.4	0.01	0.01	0.9
DD000675		4.53	49.9	1180	12.0	12.7	<0.001	0.10	0.55	6.3	0.6	0.7	62.3	0.01	0.02	1.2
DD000676		19.70	109.5	3050	9.5	23.6	<0.001	0.09	0.23	8.6	1.1	1.1	168.5	0.03	0.01	2.7
DD000677		16.30	68.1	2460	13.4	12.2	<0.001	0.04	0.34	9.4	0.2	1.2	154.0	0.02	0.03	3.2
DD000678		15.95	92.5	2880	13.7	18.2	<0.001	0.06	0.28	11.3	0.3	1.2	117.5	0.01	0.03	2.6
DD000679		17.40	59.5	1920	11.3	16.1	<0.001	0.09	0.36	6.9	0.4	0.9	94.8	0.03	0.02	2.0
DD000680		21.1	63.7	1860	11.7	16.9	<0.001	0.10	0.28	7.7	0.2	1.0	100.5	0.02	0.02	2.2
DD000681		21.4	85.2	2350	12.1	12.5	<0.001	0.06	0.27	7.3	0.4	1.0	131.5	0.01	0.03	3.2
DD000682		19.85	81.2	1690	11.2	16.4	<0.001	0.07	0.27	7.0	0.4	1.1	95.3	0.01	0.01	1.8
DD000916		8.77	47.8	1260	13.8	24.8	<0.001	0.09	0.65	8.9	0.5	1.2	98.4	0.01	0.03	2.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000704		0.291	0.13	1.55	110	0.26	13.30	95	10.7
DD000705		0.015	0.42	0.61	31	0.09	9.17	69	2.3
DD000706		0.023	0.50	0.63	42	0.09	9.90	75	3.0
DD000707		0.053	0.53	0.61	46	0.12	8.94	77	2.8
DD000708		0.035	0.49	0.66	45	0.11	10.20	79	2.3
DD000709		0.033	0.45	0.52	36	0.08	7.57	77	5.1
DD000710		0.135	0.37	1.69	206	0.11	25.9	98	6.8
DD000711		0.318	0.53	0.94	214	0.28	21.5	135	10.7
DD000712		0.287	0.25	2.36	203	0.23	22.9	109	11.8
DD000713		0.129	1.72	0.66	57	0.23	10.40	69	5.7
DD000714		0.373	0.11	1.27	133	0.38	21.5	104	15.5
DD000715		0.092	2.27	0.68	52	0.23	10.55	73	3.5
DD000716		0.094	0.16	0.81	72	0.09	15.30	108	5.0
DD000717		0.012	0.13	1.42	40	<0.05	13.05	131	1.8
DD000719		0.008	0.12	0.67	25	<0.05	8.94	86	2.4
DD000659		0.041	0.15	0.77	46	0.18	13.60	52	1.4
DD000660		0.538	0.16	1.19	174	0.40	12.10	114	11.8
DD000661		0.385	0.13	1.24	125	0.33	7.26	85	8.2
DD000662		0.276	0.16	1.71	112	0.29	17.85	90	12.2
DD000663		0.528	0.12	0.95	167	0.40	8.51	129	13.7
DD000664		0.041	0.41	0.72	50	0.09	9.47	105	3.6
DD000665		0.047	0.35	0.79	59	0.14	9.56	101	2.6
DD000666		0.032	0.23	0.65	47	0.12	7.48	102	3.2
DD000667		0.050	0.19	0.65	61	0.15	9.66	95	3.3
DD000668		0.058	0.30	0.82	68	0.14	11.20	105	4.4
DD000669		0.039	0.29	0.66	52	0.12	8.02	113	4.7
DD000670		0.048	0.31	0.76	64	0.12	9.65	105	2.7
DD000671		0.052	0.29	0.65	54	0.13	9.17	94	2.5
DD000672		0.068	0.27	0.63	58	0.15	8.97	88	2.0
DD000673		0.056	0.27	0.77	76	0.11	10.05	119	3.5
DD000674		0.026	0.20	0.77	47	0.12	10.95	63	2.4
DD000675		0.073	0.15	0.70	68	0.15	7.67	66	3.9
DD000676		0.513	0.10	1.28	188	0.31	16.20	118	10.1
DD000677		0.492	0.08	1.09	143	0.42	10.40	129	11.0
DD000678		0.613	0.10	0.96	226	0.36	10.40	114	8.5
DD000679		0.283	0.10	1.41	122	0.31	10.35	85	7.6
DD000680		0.354	0.08	1.14	124	0.34	9.80	111	10.7
DD000681		0.435	0.08	1.10	136	0.37	10.35	93	12.9
DD000682		0.374	0.08	1.14	134	0.35	9.51	86	9.2
DD000916		0.144	0.13	1.92	124	0.18	9.94	76	4.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD000917		0.31	0.003	0.27	2.88	9.2	<0.2	10	420	1.85	0.24	1.41	0.55	125.0	35.9	130
DD000918		0.16	0.002	0.06	3.45	2.2	<0.2	10	350	1.85	0.02	1.12	0.06	151.5	60.3	404
DD000919		0.21	0.001	0.11	1.84	5.3	<0.2	10	580	1.62	0.18	0.94	0.58	123.5	27.1	99
DD000920		0.20	0.006	0.16	2.82	7.7	<0.2	10	520	1.84	0.15	1.90	0.43	97.8	32.9	148
DD000921		0.23	0.003	0.08	1.91	143.0	<0.2	10	230	1.67	0.27	1.03	0.18	65.3	27.5	122
DD000922		0.34	0.011	0.07	0.66	968	<0.2	10	170	1.19	0.45	1.06	0.07	22.6	19.8	29
DD000923		0.33	0.016	0.08	0.64	978	<0.2	<10	130	1.41	0.43	0.94	0.07	25.3	20.8	27
DD000924		0.32	0.013	0.07	0.70	1065	<0.2	<10	140	1.33	0.43	1.20	0.08	25.3	20.4	31
DD000925		0.20	0.019	0.06	0.78	921	<0.2	10	140	1.11	0.35	1.15	0.08	31.4	20.1	43
DD000926		0.16	<0.001	0.06	4.08	526	<0.2	10	450	3.05	0.04	2.09	0.07	175.0	39.5	175
DD000927		0.25	0.022	0.09	1.19	2410	<0.2	10	180	1.73	0.33	1.02	0.09	68.9	21.8	40
DD000928		0.25	0.030	0.22	1.06	2850	<0.2	10	190	1.79	0.26	2.20	0.13	63.2	19.9	33
DD000929		0.14	0.006	0.09	2.45	1015	<0.2	10	410	3.09	0.07	2.63	0.17	156.0	33.0	90
DD000930		0.37	0.008	0.10	5.22	963	<0.2	20	490	4.42	0.05	2.57	0.16	179.5	47.5	179
DD000931		0.20	0.007	0.10	4.03	378	<0.2	20	590	2.63	0.06	2.17	0.11	142.5	47.1	249
DD000932		0.27	0.010	0.07	3.25	441	<0.2	20	380	1.92	0.10	2.18	0.13	104.5	35.0	190
DD000933		0.29	0.076	0.08	1.91	1595	<0.2	10	220	1.55	0.28	1.84	0.15	73.3	25.0	103
DD000934		0.27	0.090	0.05	1.97	1360	<0.2	10	240	1.51	0.25	1.45	0.13	75.8	26.4	108
DD000935		0.25	0.056	0.05	1.59	1120	<0.2	10	190	1.28	0.24	1.18	0.13	65.8	24.7	97
DD000936		0.25	<0.001	0.05	1.83	17.4	<0.2	<10	270	0.83	0.20	0.73	1.28	54.7	26.9	150
DD000937		0.25	0.001	0.04	2.45	3.7	<0.2	10	310	1.12	0.02	1.39	0.10	134.0	53.9	222
DD000938		0.19	0.001	0.07	2.27	3.6	<0.2	<10	270	1.09	0.04	3.11	0.09	84.5	31.2	170
DD000939		0.11	<0.001	0.10	0.68	3.4	<0.2	10	140	0.54	0.05	4.22	0.10	20.1	6.0	22
DD000858		0.38	0.004	0.06	1.88	21.6	<0.2	<10	270	1.37	0.20	1.25	0.23	59.1	22.2	126
DD000859		0.39	0.015	0.04	1.55	273	<0.2	<10	330	1.32	0.21	1.27	0.13	63.7	24.9	129
DD000860		0.32	0.005	0.04	1.87	195.0	<0.2	<10	380	1.39	0.23	1.06	0.24	46.8	16.6	86
DD000861		0.34	0.008	0.06	1.96	362	<0.2	<10	360	1.58	0.22	1.42	0.15	59.8	20.0	98
DD000862		0.37	0.001	0.07	1.11	395	<0.2	<10	210	0.90	0.38	0.26	0.08	18.05	10.5	29
DD000863		0.33	0.002	0.01	2.94	12.4	<0.2	<10	340	1.45	0.08	1.34	0.11	93.7	31.3	110
DD000864		0.36	0.003	<0.01	3.06	8.1	<0.2	<10	190	1.88	0.11	1.23	0.20	124.0	33.5	137
DD000865		0.29	0.001	0.03	2.31	4.6	<0.2	<10	290	1.95	0.20	1.12	0.17	110.0	24.7	158
DD000970		0.36	0.002	0.05	2.65	7.9	<0.2	<10	270	1.93	0.16	1.33	0.20	151.5	28.3	133
DD000971		0.33	0.001	0.08	2.52	5.9	<0.2	<10	300	1.69	0.16	1.14	0.19	76.1	26.7	111
DD000972		0.29	0.001	0.04	2.75	4.7	<0.2	190	240	1.64	0.11	1.38	0.23	89.4	30.3	143
DD000973		0.28	<0.001	0.06	1.87	5.8	<0.2	<10	260	0.86	0.20	0.84	0.31	42.0	22.7	84
DD000974		0.43	0.002	0.08	2.65	6.0	<0.2	<10	310	1.38	0.14	1.16	0.22	94.6	30.3	129
DD000975		0.31	0.002	0.07	2.70	7.3	<0.2	<10	260	1.26	0.16	1.06	0.20	70.6	26.1	118
DD000976		0.38	0.001	0.09	2.93	6.7	<0.2	<10	200	1.54	0.14	1.21	0.20	84.5	41.3	175
DD000977		0.34	0.004	0.05	3.00	4.5	<0.2	10	400	1.63	0.09	1.74	0.24	118.0	38.1	180
DD000683		0.15	0.004	0.10	2.57	9.9	<0.2	<10	1080	1.54	0.16	1.44	0.10	75.0	32.6	177



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD000917		2.03	69.4	5.38	11.50	0.19	0.25	0.03	0.055	0.26	50.3	25.8	1.83	1440	4.27
DD000918		1.67	70.5	7.45	13.15	0.17	0.07	<0.01	0.081	0.59	66.7	36.9	1.94	1620	1.14
DD000919		1.13	51.2	4.56	7.53	0.15	0.02	0.03	0.044	0.33	63.9	17.6	0.91	1710	2.59
DD000920		1.97	68.8	5.18	12.60	0.16	0.15	0.02	0.047	0.22	58.0	34.5	1.98	1310	2.41
DD000921		2.18	47.9	5.47	8.19	0.20	0.23	0.32	0.039	0.14	32.2	31.4	1.75	1040	1.26
DD000922		5.66	38.7	3.96	2.78	0.10	0.08	21.3	0.036	0.16	10.2	8.7	0.65	573	0.71
DD000923		6.29	39.8	3.68	2.97	0.10	0.09	6.83	0.036	0.17	10.9	9.7	0.61	544	0.58
DD000924		5.86	45.0	4.01	2.87	0.09	0.09	10.10	0.035	0.17	11.4	9.5	0.74	576	0.67
DD000925		5.77	37.8	3.95	3.09	0.10	0.07	9.55	0.034	0.15	16.1	10.4	0.86	630	0.57
DD000926		9.32	66.6	6.80	15.30	0.22	0.22	0.30	0.065	0.44	101.0	55.1	2.76	1780	0.75
DD000927		6.22	42.5	4.74	4.85	0.13	0.06	16.80	0.045	0.23	39.6	11.9	0.74	813	0.68
DD000928		5.53	44.2	4.24	4.49	0.12	0.09	14.30	0.036	0.19	35.0	10.6	0.84	821	0.73
DD000929		4.64	66.5	5.45	10.35	0.21	0.14	5.32	0.059	0.40	94.0	29.9	1.41	1380	0.70
DD000930		30.5	88.3	8.28	17.90	0.30	0.38	0.98	0.078	0.28	104.0	60.4	4.20	2600	0.80
DD000931		7.15	80.8	7.20	16.45	0.24	0.28	1.09	0.069	0.30	90.3	68.2	3.22	1140	0.94
DD000932		6.16	50.9	5.83	12.65	0.19	0.38	6.26	0.048	0.21	63.3	46.8	2.61	965	0.83
DD000933		7.23	41.6	4.99	7.60	0.15	0.14	77.2	0.046	0.21	43.0	26.0	1.86	747	1.04
DD000934		6.96	50.5	4.86	8.98	0.17	0.20	42.7	0.047	0.20	41.1	32.2	1.74	695	0.89
DD000935		6.05	41.0	4.52	7.33	0.16	0.20	95.8	0.041	0.17	33.8	26.4	1.49	776	1.10
DD000936		1.58	32.1	5.06	12.50	0.12	0.03	0.34	0.047	0.16	25.2	22.5	0.65	1580	6.64
DD000937		1.34	49.3	4.33	11.15	0.16	0.16	0.08	0.053	0.60	52.7	29.7	1.74	2290	2.06
DD000938		1.38	56.4	3.98	10.60	0.16	0.20	0.07	0.042	0.27	48.2	26.1	1.70	1100	1.16
DD000939		0.82	48.5	0.91	5.45	0.11	0.06	0.10	0.011	0.03	29.0	5.3	0.19	501	0.69
DD000858		1.70	38.8	4.63	8.21	0.18	0.25	0.06	0.037	0.10	29.5	30.1	1.75	741	1.23
DD000859		3.74	36.9	4.70	7.98	0.17	0.29	0.88	0.039	0.16	32.2	29.2	1.77	670	0.67
DD000860		2.90	37.5	4.13	7.95	0.13	0.14	0.39	0.042	0.12	25.2	27.9	1.19	453	1.25
DD000861		4.09	61.2	4.28	9.10	0.16	0.20	0.52	0.044	0.12	37.1	32.2	1.41	567	0.94
DD000862		2.45	25.3	3.44	4.62	0.10	<0.02	0.25	0.035	0.09	8.4	10.8	0.26	353	0.73
DD000863		2.79	65.3	6.06	11.45	0.19	0.22	0.03	0.052	0.45	39.2	26.9	1.55	952	0.63
DD000864		4.27	46.4	6.06	13.35	0.25	0.31	0.04	0.050	0.12	55.7	27.6	1.76	1120	1.03
DD000865		1.62	39.9	4.42	10.70	0.20	0.13	0.05	0.045	0.24	56.0	33.1	1.90	662	1.83
DD000970		2.75	40.9	5.14	12.60	0.17	0.14	0.04	0.061	0.10	56.8	35.5	1.28	1400	1.19
DD000971		2.56	31.7	5.07	12.30	0.14	0.12	0.03	0.055	0.11	31.3	31.8	1.22	1250	1.41
DD000972		3.08	39.0	5.35	12.95	0.18	0.24	0.03	0.049	0.16	35.3	35.3	1.68	980	1.27
DD000973		2.40	22.0	4.22	10.80	0.12	0.12	0.04	0.036	0.12	19.3	23.9	0.81	1320	1.68
DD000974		2.62	36.7	5.70	12.90	0.14	0.17	0.04	0.049	0.16	38.2	34.0	1.56	1560	1.59
DD000975		2.69	33.2	5.58	12.95	0.15	0.17	0.03	0.048	0.14	31.8	34.4	1.63	868	1.11
DD000976		1.94	50.7	6.58	15.60	0.19	0.18	0.04	0.068	0.16	36.3	32.9	1.95	1500	1.20
DD000977		2.09	53.1	5.92	13.80	0.23	0.18	0.03	0.048	0.21	56.5	41.3	2.72	1400	1.19
DD000683		4.25	84.6	5.53	11.05	0.19	0.21	0.26	0.044	0.09	40.3	57.2	2.40	1380	1.00
															<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD000917		15.70	72.6	1730	18.2	27.9	0.001	0.08	0.92	12.9	0.8	1.2	131.5	0.01	0.05	3.4
DD000918		4.47	156.0	3570	3.4	49.4	0.001	0.03	0.13	9.8	0.6	0.8	102.5	<0.01	0.01	4.4
DD000919		3.48	55.5	1810	11.2	27.9	<0.001	0.07	0.62	6.1	0.7	0.9	80.1	<0.01	0.01	1.5
DD000920		14.60	86.2	2280	10.6	31.4	<0.001	0.13	0.65	7.9	0.9	0.9	338	0.02	0.03	1.4
DD000921		8.19	72.3	1870	15.4	13.3	<0.001	0.05	0.54	7.9	0.2	0.9	116.0	0.01	0.05	3.4
DD000922		0.47	40.4	600	29.6	11.3	<0.001	0.09	3.07	6.9	<0.2	0.6	54.8	<0.01	0.03	3.8
DD000923		0.49	40.9	560	29.6	12.6	<0.001	0.09	3.17	7.2	<0.2	0.6	57.0	<0.01	0.02	4.1
DD000924		0.54	41.2	660	28.5	11.2	<0.001	0.10	3.31	6.9	<0.2	0.6	56.1	<0.01	0.03	3.8
DD000925		1.89	43.0	880	27.9	10.1	<0.001	0.10	3.83	6.4	0.4	0.5	49.2	<0.01	0.02	2.8
DD000926		4.75	92.5	4140	4.9	43.6	<0.001	0.09	0.55	16.4	0.8	1.6	307	0.01	0.01	2.7
DD000927		3.02	41.6	1860	28.1	15.4	<0.001	0.10	4.93	7.8	0.8	0.7	111.0	<0.01	0.03	2.4
DD000928		2.44	38.8	2010	22.0	12.4	<0.001	0.15	5.85	7.1	0.6	0.6	153.5	<0.01	0.02	1.6
DD000929		4.99	66.0	3740	6.4	34.0	<0.001	0.14	1.66	10.1	1.1	1.1	245	0.01	<0.01	1.7
DD000930		4.50	102.0	4860	7.9	23.9	0.001	0.06	0.93	16.0	1.2	1.1	415	0.02	0.01	5.2
DD000931		11.35	156.0	4150	7.4	34.0	<0.001	0.07	0.72	18.0	1.0	1.2	284	0.02	0.01	3.1
DD000932		22.4	112.0	2890	9.0	25.9	<0.001	0.09	0.90	9.6	0.9	0.9	259	0.03	0.01	2.6
DD000933		9.07	70.7	2070	22.9	16.5	<0.001	0.12	5.30	7.8	0.5	0.7	115.0	0.01	0.03	2.1
DD000934		11.40	76.0	2180	22.0	20.4	<0.001	0.12	4.08	7.0	0.7	0.7	144.0	0.02	0.02	2.4
DD000935		11.05	67.6	1860	19.8	14.6	<0.001	0.13	3.69	6.1	0.7	0.6	116.5	0.01	0.02	2.5
DD000936		5.12	52.5	1270	12.1	22.8	<0.001	0.09	0.94	4.0	0.7	1.3	63.8	0.01	0.03	0.4
DD000937		2.27	143.5	2560	3.7	49.5	<0.001	0.06	0.12	8.0	0.6	0.5	120.0	0.01	<0.01	3.0
DD000938		12.80	87.9	2120	3.8	28.7	<0.001	0.14	0.23	5.7	1.4	0.6	228	0.03	0.01	0.8
DD000939		2.19	13.8	1210	2.5	4.8	<0.001	0.21	0.32	1.4	1.3	<0.2	234	0.02	0.02	0.2
DD000858		17.00	68.5	1810	12.6	13.7	0.001	0.09	0.30	5.8	0.8	0.8	129.5	0.02	0.02	2.6
DD000859		14.20	84.5	1810	14.4	15.0	<0.001	0.09	1.23	6.2	0.6	0.8	144.0	0.02	0.02	2.7
DD000860		9.55	55.0	1410	12.5	17.7	<0.001	0.12	0.55	5.1	0.7	0.8	104.0	0.03	0.02	1.2
DD000861		13.60	64.1	1420	13.1	22.0	<0.001	0.13	0.58	5.9	1.2	0.8	157.0	0.04	0.02	1.5
DD000862		1.20	23.1	710	16.0	15.1	<0.001	0.07	0.63	1.8	0.3	0.7	13.2	<0.01	0.02	0.3
DD000863		12.50	80.4	1530	6.6	50.7	<0.001	0.06	0.22	8.4	0.8	1.1	85.1	0.01	0.02	1.7
DD000864		27.0	87.3	2100	9.7	18.0	<0.001	0.09	0.25	7.7	1.0	1.2	100.0	0.03	0.02	2.8
DD000865		12.45	85.2	1830	12.4	34.0	<0.001	0.08	0.19	7.2	0.9	1.0	229	0.01	0.02	2.6
DD000970		14.05	63.6	1580	10.8	17.5	<0.001	0.10	0.40	6.8	0.8	0.9	96.4	0.01	0.02	1.3
DD000971		15.70	53.2	1630	11.8	18.9	<0.001	0.13	0.32	4.4	0.6	0.9	90.5	0.01	0.02	0.8
DD000972		22.6	76.7	1700	9.2	22.8	<0.001	0.11	0.26	6.2	0.7	1.0	99.1	0.01	0.01	1.5
DD000973		15.35	35.9	980	11.3	26.4	<0.001	0.11	0.34	4.1	0.6	1.0	57.2	0.01	0.03	0.9
DD000974		18.70	65.1	1300	12.5	25.4	<0.001	0.09	0.31	6.2	0.9	1.0	74.5	0.01	0.03	1.6
DD000975		15.95	58.5	1400	12.9	19.1	<0.001	0.04	0.29	7.6	0.7	1.0	72.1	0.01	0.02	2.5
DD000976		15.20	81.8	1520	11.0	32.3	<0.001	0.06	0.25	10.5	0.9	1.1	73.2	0.01	0.02	2.0
DD000977		15.75	98.9	2860	9.1	21.5	<0.001	0.07	0.26	6.9	1.2	0.9	159.0	0.03	0.02	2.9
DD000683		13.05	91.7	1270	11.9	10.8	<0.001	0.07	0.19	8.2	1.2	0.8	61.0	0.03	0.02	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000917		0.345	0.16	1.94	136	0.31	17.00	103	11.7
DD000918		0.143	0.14	0.90	178	0.07	14.50	53	2.1
DD000919		0.085	0.11	0.99	105	0.22	12.05	70	0.9
DD000920		0.234	0.11	1.93	159	0.28	14.95	102	5.8
DD000921		0.260	0.10	0.81	95	0.23	9.39	108	10.5
DD000922		0.022	0.49	0.46	31	0.09	6.39	88	4.0
DD000923		0.018	0.52	0.48	30	0.09	6.73	86	4.0
DD000924		0.020	0.52	0.46	31	0.10	6.58	87	4.1
DD000925		0.041	0.54	0.48	38	0.13	7.66	94	2.6
DD000926		0.093	0.32	1.46	215	0.08	25.0	83	7.0
DD000927		0.042	1.71	0.77	70	0.19	13.50	79	2.1
DD000928		0.023	2.90	0.69	67	0.16	12.05	92	2.7
DD000929		0.066	1.23	2.54	142	0.15	22.9	87	5.4
DD000930		0.378	0.49	1.15	227	0.13	25.8	137	19.6
DD000931		0.283	0.24	1.22	206	0.21	21.8	99	11.8
DD000932		0.369	0.19	1.12	160	0.31	15.20	88	17.4
DD000933		0.176	1.44	0.78	95	0.29	13.75	86	5.4
DD000934		0.178	1.58	0.84	98	0.31	13.85	86	8.3
DD000935		0.187	1.22	0.66	83	0.31	11.25	84	8.1
DD000936		0.099	0.18	0.91	181	0.11	3.66	102	1.3
DD000937		0.045	0.16	0.94	122	0.07	14.70	44	4.3
DD000938		0.186	0.08	2.81	134	0.19	11.20	47	6.9
DD000939		0.033	0.08	2.74	49	0.08	6.61	13	2.5
DD000858		0.302	0.08	0.93	89	0.32	9.73	96	12.0
DD000859		0.268	0.18	0.76	85	0.46	9.56	86	11.7
DD000860		0.154	0.21	0.84	78	0.27	8.94	96	5.1
DD000861		0.203	0.19	1.34	97	0.32	11.95	81	7.5
DD000862		0.018	0.31	0.48	33	0.14	3.29	49	<0.5
DD000863		0.839	0.17	0.81	180	0.32	9.49	79	11.0
DD000864		0.797	0.08	1.23	181	0.47	11.15	83	15.8
DD000865		0.267	0.10	1.34	109	0.31	11.65	84	6.1
DD000970		0.298	0.11	1.35	148	0.36	13.25	76	6.3
DD000971		0.286	0.12	1.12	148	0.34	7.49	74	6.0
DD000972		0.478	0.08	1.09	145	0.43	8.02	89	12.6
DD000973		0.317	0.14	0.88	134	0.40	3.95	72	6.0
DD000974		0.467	0.11	1.15	162	0.34	7.38	72	8.7
DD000975		0.481	0.09	0.96	160	0.33	7.31	99	8.8
DD000976		0.557	0.13	1.01	191	0.33	7.48	138	8.9
DD000977		0.454	0.09	1.16	154	0.35	14.70	98	9.3
DD000683		0.369	0.08	0.97	128	0.25	13.85	82	7.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD000684		0.24	<0.001	0.11	2.16	10.1	<0.2	<10	340	1.63	0.23	0.30	0.08	51.1	26.3	113
DD000685		0.17	<0.001	0.32	1.42	11.7	<0.2	<10	170	1.18	0.28	0.08	0.23	11.80	18.0	28
DD000686		0.18	<0.001	0.06	0.92	57.3	<0.2	<10	170	0.58	0.30	0.16	0.19	8.76	7.3	20
DD000687		0.35	<0.001	0.03	1.10	14.3	<0.2	<10	250	0.65	0.32	0.21	0.06	6.04	9.2	18
DD000688		0.28	<0.001	0.11	1.11	20.6	<0.2	<10	160	1.22	0.33	0.16	0.15	10.30	19.2	30
DD000689		0.42	0.001	0.17	0.84	25.9	<0.2	<10	280	1.37	0.38	0.17	0.22	17.80	17.5	18
DD000690		0.24	<0.001	0.05	0.73	42.2	<0.2	<10	200	0.65	0.38	0.37	0.08	5.00	13.6	15
DD000691		0.40	0.001	0.21	0.45	44.0	<0.2	<10	160	1.20	0.36	0.67	0.23	15.60	17.3	14
DD000692		0.16	0.001	0.21	0.54	32.9	<0.2	<10	180	1.18	0.32	0.80	0.18	13.15	10.9	13
DD000693		0.27	0.001	0.49	0.88	44.7	<0.2	<10	220	1.23	0.31	0.48	0.55	12.50	12.3	16
DD000694		0.15	0.001	0.13	0.81	42.0	<0.2	<10	120	1.02	0.32	0.36	0.23	8.98	11.5	16
DD000866		0.39	0.001	0.36	0.89	27.5	<0.2	<10	160	1.21	0.32	0.38	0.56	18.10	16.5	18
DD000867		0.42	0.002	0.81	0.54	129.5	<0.2	<10	160	1.20	0.30	0.52	1.17	17.40	19.3	15
DD000868		0.44	0.002	0.69	0.88	71.8	<0.2	<10	230	1.23	0.36	0.45	0.82	18.45	23.9	50
DD000869		0.36	0.001	0.20	0.90	367	<0.2	<10	160	0.94	0.28	0.19	0.81	12.30	12.8	34
DD000870		0.35	0.002	0.83	0.90	73.7	<0.2	<10	230	1.14	0.33	0.48	0.90	17.05	15.6	18
DD000871		0.36	0.001	0.12	1.03	231	<0.2	<10	140	1.22	0.42	0.10	0.40	13.25	20.3	35
DD000872		0.39	0.001	0.05	0.45	566	<0.2	<10	120	0.75	0.44	0.12	0.17	5.88	13.4	15
DD000873		0.34	0.002	0.31	1.16	77.8	<0.2	<10	140	1.15	0.42	0.07	0.77	11.05	17.8	20
DD000874		0.33	0.002	0.31	1.79	31.4	<0.2	<10	220	1.61	0.25	0.87	0.50	70.3	27.6	68
DD000875		0.36	0.001	0.05	2.27	12.4	<0.2	<10	180	1.09	0.29	0.18	0.30	53.2	18.4	67
DD000876		0.35	0.003	0.13	2.38	13.2	<0.2	<10	80	1.07	0.50	0.06	0.19	12.80	20.9	44
DD000877		0.38	0.002	0.10	2.68	10.7	<0.2	<10	350	1.36	0.29	0.49	0.20	65.7	15.6	87
DD000878		0.37	0.002	0.26	1.18	79.6	<0.2	<10	200	1.20	0.38	0.29	0.34	15.45	19.1	26
DD000879		0.42	0.001	0.17	1.57	58.9	<0.2	<10	230	1.33	0.39	0.54	0.55	20.4	19.8	34
DD000880		0.30	0.001	0.08	1.58	7.2	<0.2	<10	380	1.08	0.31	0.30	0.35	23.1	21.0	52
DD000881		0.30	0.001	0.05	1.45	7.7	<0.2	<10	190	1.19	0.31	0.17	0.24	16.95	20.9	41
DD000882		0.36	0.001	0.05	1.84	27.1	<0.2	<10	290	1.45	0.40	0.30	0.10	23.7	20.7	52
DD000883		0.38	0.003	0.07	1.71	429	<0.2	<10	370	1.40	0.36	0.74	0.12	41.7	21.4	75
DD000884		0.31	0.003	0.15	3.08	26.0	<0.2	10	290	1.79	0.15	1.03	0.22	106.0	28.0	108
DD000885		0.32	0.017	0.11	1.91	169.0	<0.2	10	490	1.37	0.28	0.97	0.12	30.2	19.0	115
DD000886		0.31	0.003	0.08	2.59	96.3	<0.2	<10	370	1.20	0.30	0.83	0.14	49.4	23.2	107
DD000887		0.34	0.001	0.09	1.28	15.9	<0.2	<10	110	0.40	0.43	0.08	0.11	20.9	10.1	67
DD000888		0.39	0.004	0.12	2.76	43.6	<0.2	10	300	1.67	0.24	1.29	0.16	82.8	28.2	201
DD000889		0.25	0.002	0.16	2.95	5.3	<0.2	<10	310	1.33	0.22	1.02	0.21	81.1	26.0	159
DD000890		0.22	0.003	0.15	3.06	4.2	<0.2	10	300	1.53	0.13	2.07	0.15	96.2	25.4	174
DD000891		0.28	0.002	0.13	3.33	3.9	<0.2	10	420	1.63	0.10	1.45	0.24	125.5	32.5	180
DD000892		0.29	0.001	0.15	2.86	5.8	<0.2	<10	370	1.33	0.19	1.03	0.69	70.1	31.8	148
DD000893		0.37	0.002	0.13	3.83	4.5	<0.2	<10	370	1.78	0.11	1.69	0.17	102.5	35.1	239
DD000894		0.35	0.003	0.14	3.20	5.1	<0.2	10	200	1.62	0.10	1.92	0.17	97.5	30.0	198



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD000684		2.73	31.3	5.76	10.25	0.11	0.03	0.05	0.053	0.12	15.2	35.7	0.90	1640	1.28
DD000685		2.49	29.2	4.04	4.89	0.06	0.02	0.08	0.031	0.12	3.8	17.0	0.25	1520	1.21
DD000686		1.58	17.3	3.02	4.64	0.05	<0.02	0.05	0.030	0.11	3.7	4.6	0.12	550	2.32
DD000687		2.42	27.5	3.41	4.87	0.05	0.02	0.02	0.034	0.11	2.6	8.5	0.20	357	0.98
DD000688		2.64	35.3	4.55	4.67	0.07	0.02	0.07	0.045	0.11	3.8	14.4	0.26	1290	0.99
DD000689		2.18	39.2	4.12	3.12	0.08	0.07	0.07	0.042	0.13	6.0	8.8	0.18	657	2.38
DD000690		1.15	34.5	3.39	2.81	0.06	0.04	0.03	0.037	0.11	1.9	2.7	0.13	265	1.91
DD000691		1.61	41.4	3.24	1.63	0.07	0.06	0.10	0.039	0.17	5.0	2.6	0.29	564	2.34
DD000692		1.44	36.7	2.73	1.93	0.06	0.09	0.08	0.036	0.14	5.2	3.9	0.18	166	1.78
DD000693		1.60	36.2	3.25	3.19	0.07	0.09	0.12	0.039	0.12	5.8	9.1	0.23	342	3.32
DD000694		0.95	30.1	3.36	2.91	0.05	0.04	0.04	0.036	0.11	3.4	7.8	0.19	530	2.67
DD000866		1.38	43.0	3.92	2.87	0.08	0.05	0.12	0.041	0.13	7.1	11.6	0.24	671	3.91
DD000867		1.40	49.9	4.17	2.03	0.09	0.06	0.39	0.043	0.14	6.5	4.8	0.13	718	6.92
DD000868		2.01	56.0	4.68	2.44	0.13	0.07	0.23	0.046	0.13	8.3	10.7	0.38	1250	5.34
DD000869		1.42	38.1	4.20	3.13	0.10	0.03	0.35	0.044	0.11	5.4	5.9	0.16	539	6.18
DD000870		1.80	47.2	3.98	2.55	0.11	0.10	0.29	0.045	0.14	8.0	9.7	0.29	558	6.37
DD000871		1.94	34.5	4.65	2.95	0.10	0.02	0.29	0.043	0.11	5.3	11.4	0.30	999	2.99
DD000872		1.06	29.6	3.32	1.96	0.09	0.02	0.18	0.041	0.09	1.6	1.8	0.05	1060	1.16
DD000873		1.89	63.9	4.35	3.36	0.11	0.04	0.13	0.043	0.09	4.9	14.3	0.31	1140	6.26
DD000874		1.79	73.5	5.72	6.17	0.17	0.07	0.15	0.062	0.16	39.9	24.2	0.87	848	3.38
DD000875		1.96	32.3	5.35	7.49	0.12	0.03	0.05	0.051	0.08	21.7	27.3	0.67	1260	1.99
DD000876		3.35	27.9	5.23	7.30	0.11	0.03	0.05	0.045	0.11	4.9	29.7	0.48	1260	1.09
DD000877		3.19	35.4	5.13	8.49	0.13	0.03	0.04	0.052	0.11	27.1	28.4	0.77	889	1.83
DD000878		2.02	44.1	4.33	3.36	0.11	0.06	0.17	0.042	0.12	6.4	17.1	0.36	888	3.39
DD000879		2.64	43.9	4.38	4.61	0.12	0.04	0.10	0.042	0.13	9.2	26.0	0.51	1440	2.03
DD000880		2.32	25.6	5.03	6.19	0.12	0.02	0.04	0.043	0.13	8.7	14.7	0.44	1800	1.25
DD000881		2.64	33.4	4.90	4.76	0.11	<0.02	0.06	0.042	0.15	5.7	14.5	0.39	1220	0.89
DD000882		3.58	40.0	4.89	6.19	0.11	<0.02	0.08	0.039	0.15	10.1	25.1	0.59	1410	0.77
DD000883		2.71	39.5	4.76	5.66	0.13	0.07	0.37	0.042	0.14	16.0	28.4	0.98	1040	0.84
DD000884		2.99	51.3	5.77	9.92	0.18	0.24	0.07	0.050	0.22	52.1	25.5	1.52	1480	0.91
DD000885		2.99	44.2	4.81	6.18	0.13	0.14	0.72	0.039	0.12	14.9	32.0	1.40	663	1.42
DD000886		2.75	25.4	5.62	10.50	0.12	0.11	0.08	0.052	0.16	22.5	27.3	1.26	1290	1.44
DD000887		1.98	20.1	4.45	8.90	0.10	0.03	0.08	0.030	0.08	10.2	7.1	0.31	894	2.34
DD000888		1.99	46.9	6.44	9.71	0.19	0.29	0.08	0.049	0.13	44.7	44.6	2.86	1140	1.34
DD000889		2.15	28.9	6.07	13.55	0.15	0.23	0.04	0.047	0.13	41.1	26.2	1.55	1540	2.45
DD000890		1.25	37.3	5.26	11.55	0.15	0.40	0.05	0.048	0.13	45.8	40.7	2.30	1120	1.71
DD000891		2.50	48.5	5.51	11.75	0.18	0.20	0.04	0.053	0.19	63.8	39.0	2.55	1520	1.37
DD000892		2.32	28.1	6.09	11.50	0.12	0.18	0.03	0.049	0.15	26.7	34.1	1.45	2330	1.43
DD000893		2.58	45.6	7.05	14.00	0.19	0.20	0.02	0.065	0.25	49.9	45.7	2.52	1360	1.22
DD000894		2.03	46.0	5.89	12.20	0.17	0.32	0.04	0.050	0.22	48.6	35.7	2.09	1180	1.12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD000684		4.37	43.0	900	15.2	20.3	<0.001	0.07	0.53	3.4	0.7	1.0	18.5	0.01	0.04	0.3
DD000685		0.57	22.0	1290	22.8	14.7	<0.001	0.08	0.53	1.7	0.8	0.6	6.7	<0.01	0.04	0.5
DD000686		0.34	14.9	1020	12.5	25.6	<0.001	0.05	0.57	1.1	0.5	0.7	10.1	<0.01	0.05	<0.2
DD000687		0.73	15.8	490	14.2	20.3	<0.001	0.02	0.29	3.6	0.3	0.6	13.7	<0.01	0.03	0.8
DD000688		0.59	27.7	760	21.9	14.6	<0.001	0.05	0.35	4.4	0.6	0.6	16.2	<0.01	0.03	1.2
DD000689		0.18	33.4	590	24.2	13.4	<0.001	0.02	0.68	6.2	1.2	0.5	12.0	<0.01	0.10	2.6
DD000690		0.15	24.6	450	18.9	11.7	<0.001	0.02	0.70	2.9	0.5	0.5	14.6	<0.01	0.06	1.1
DD000691		0.09	34.4	650	22.1	10.2	0.001	0.03	0.82	5.8	0.8	0.4	23.5	<0.01	0.03	4.5
DD000692		0.21	25.1	750	19.4	11.0	0.001	0.06	0.71	5.0	1.1	0.4	25.7	<0.01	0.04	2.1
DD000693		0.27	29.8	930	17.5	13.0	0.001	0.05	0.84	5.7	1.4	0.5	14.5	<0.01	0.06	2.0
DD000694		0.32	24.7	1030	17.6	9.8	<0.001	0.05	0.97	3.6	1.1	0.5	11.4	<0.01	0.07	1.2
DD000866		0.27	36.2	850	22.9	9.9	0.001	0.02	1.14	6.0	1.5	0.5	14.4	<0.01	0.06	2.9
DD000867		0.15	48.8	1160	26.8	9.0	0.002	0.06	1.69	7.0	2.3	0.5	24.1	<0.01	0.07	3.6
DD000868		0.23	78.8	1110	28.4	9.4	0.002	0.06	1.42	6.8	1.5	0.5	26.3	<0.01	0.10	3.0
DD000869		0.40	35.6	1310	14.8	12.4	0.001	0.10	1.41	2.8	1.2	0.7	10.7	<0.01	0.04	0.5
DD000870		0.34	42.9	970	21.3	10.2	0.002	0.09	1.22	6.4	1.6	0.6	21.2	<0.01	0.08	2.9
DD000871		0.53	41.5	680	22.1	10.6	<0.001	0.05	0.84	4.6	0.6	0.7	10.2	<0.01	0.07	1.4
DD000872		0.31	21.6	580	19.4	9.4	<0.001	0.05	0.50	3.2	0.4	0.7	6.9	<0.01	0.03	1.0
DD000873		0.24	39.7	900	25.3	8.5	0.002	0.04	1.57	4.3	1.4	0.7	7.8	<0.01	0.08	1.5
DD000874		2.17	77.7	2220	19.7	14.9	0.001	0.04	0.96	8.2	1.2	0.8	74.7	0.01	0.05	2.0
DD000875		3.18	39.0	1150	14.7	14.0	<0.001	0.05	0.67	2.7	0.7	0.8	19.2	<0.01	0.04	0.4
DD000876		1.72	28.7	1120	26.1	16.7	<0.001	0.05	0.35	2.3	0.6	1.0	7.5	0.01	0.05	0.7
DD000877		2.91	43.4	2010	12.7	23.5	<0.001	0.10	0.55	2.1	0.6	1.0	44.3	0.01	0.04	0.2
DD000878		0.59	36.8	700	24.2	11.6	0.001	0.03	0.78	5.7	0.9	0.7	21.5	<0.01	0.05	2.6
DD000879		0.90	36.8	880	25.7	14.4	0.001	0.03	0.58	5.0	0.8	0.8	21.4	<0.01	0.05	1.8
DD000880		2.62	21.6	990	18.0	18.1	<0.001	0.10	0.49	1.4	0.5	1.0	15.4	<0.01	0.04	<0.2
DD000881		1.99	24.7	690	19.2	13.8	<0.001	0.06	0.43	2.2	0.3	0.9	10.7	<0.01	0.04	0.3
DD000882		1.99	32.5	760	21.6	17.2	<0.001	0.06	0.32	2.6	0.3	0.9	19.5	0.01	0.03	0.5
DD000883		6.47	48.4	940	23.9	12.8	<0.001	0.08	0.81	4.8	0.5	0.8	31.9	0.01	0.03	1.5
DD000884		24.8	60.1	1880	14.6	24.5	<0.001	0.09	0.28	5.9	0.6	1.1	80.4	0.02	0.02	1.9
DD000885		9.78	62.7	860	16.3	12.5	<0.001	0.06	0.72	5.6	0.4	0.8	35.3	0.01	0.02	1.8
DD000886		12.60	45.1	1370	19.0	26.1	<0.001	0.06	0.47	5.4	0.5	1.2	46.6	0.01	0.04	1.4
DD000887		6.13	20.4	960	15.0	15.4	<0.001	0.07	0.75	2.0	0.5	1.2	9.9	0.01	0.04	0.3
DD000888		8.41	86.5	2710	15.1	12.4	<0.001	0.02	0.32	6.3	0.5	1.0	160.5	0.02	0.03	4.2
DD000889		24.4	49.3	1290	14.7	25.1	<0.001	0.10	0.35	6.1	0.5	1.4	68.0	0.01	0.03	1.8
DD000890		27.6	71.4	2140	9.0	16.4	<0.001	0.15	0.20	6.1	0.7	1.0	167.5	0.07	0.02	1.8
DD000891		21.9	94.4	2520	8.9	23.1	<0.001	0.11	0.25	5.5	0.7	1.0	135.5	0.02	0.02	1.7
DD000892		20.5	53.8	1540	15.4	20.4	<0.001	0.11	0.29	4.8	0.5	1.1	67.2	0.01	0.03	1.1
DD000893		19.80	101.0	2460	9.2	29.5	<0.001	0.06	0.26	7.1	0.6	1.2	129.0	0.01	0.02	2.5
DD000894		23.2	79.9	2240	8.2	31.8	<0.001	0.11	0.26	6.7	0.6	0.9	123.5	0.04	0.01	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000684		0.139	0.11	0.73	119	0.15	4.44	76	1.1
DD000685		0.010	0.13	0.59	29	0.11	3.39	80	0.5
DD000686		0.008	0.12	0.41	40	0.08	1.88	88	<0.5
DD000687		0.008	0.15	0.40	28	0.05	1.99	72	<0.5
DD000688		0.007	0.09	0.47	29	0.05	4.61	91	<0.5
DD000689		<0.005	0.13	1.19	26	0.05	10.80	113	1.6
DD000690		<0.005	0.15	0.38	24	<0.05	2.32	89	1.0
DD000691		<0.005	0.12	0.53	19	<0.05	8.77	97	2.8
DD000692		<0.005	0.12	0.92	19	<0.05	11.00	83	2.5
DD000693		<0.005	0.17	0.83	27	0.05	10.55	118	2.3
DD000694		0.006	0.10	0.72	29	0.06	4.16	102	1.0
DD000866		0.005	0.14	0.87	30	0.06	11.70	139	1.1
DD000867		<0.005	0.35	1.21	39	<0.05	12.20	180	1.7
DD000868		0.008	0.22	1.10	34	0.50	13.90	177	1.9
DD000869		0.009	0.30	0.93	52	0.50	8.22	185	<0.5
DD000870		0.008	0.21	1.41	34	0.42	14.20	173	2.6
DD000871		0.012	0.21	0.69	36	0.34	6.26	137	<0.5
DD000872		<0.005	0.14	0.30	28	0.31	2.35	92	<0.5
DD000873		<0.005	0.20	1.05	39	0.35	10.70	184	0.8
DD000874		0.018	0.15	1.16	78	0.39	16.25	141	1.2
DD000875		0.055	0.14	0.80	86	0.47	7.04	101	0.7
DD000876		0.015	0.10	0.38	39	0.32	3.13	111	0.6
DD000877		0.032	0.16	0.80	101	0.39	9.07	96	0.5
DD000878		0.011	0.16	0.94	32	0.25	9.53	137	1.3
DD000879		0.017	0.14	1.15	38	0.28	10.10	147	0.6
DD000880		0.055	0.10	0.76	69	0.38	3.43	102	0.5
DD000881		0.048	0.09	0.65	48	0.40	2.66	105	<0.5
DD000882		0.042	0.12	0.70	52	0.29	5.35	82	<0.5
DD000883		0.128	0.15	0.68	67	0.36	7.78	88	2.5
DD000884		0.568	0.10	1.27	159	0.44	10.70	99	10.9
DD000885		0.170	0.15	0.82	76	0.38	8.16	87	4.8
DD000886		0.281	0.14	0.81	152	0.39	5.45	120	4.1
DD000887		0.124	0.12	0.61	105	0.28	2.44	73	1.1
DD000888		0.352	0.08	0.94	125	0.37	12.05	126	13.0
DD000889		0.494	0.19	1.07	202	0.47	7.12	80	9.7
DD000890		0.398	0.09	0.98	152	0.41	10.95	81	14.5
DD000891		0.430	0.10	1.20	164	0.39	15.85	109	9.6
DD000892		0.375	0.10	0.94	169	0.35	5.95	151	7.9
DD000893		0.508	0.13	1.15	213	0.45	9.88	92	9.8
DD000894		0.422	0.11	1.17	188	0.41	11.00	94	12.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD000895		0.36	0.002	0.13	3.19	7.2	<0.2	<10	310	1.43	0.18	1.48	0.17	77.1	23.1	127
DD000896		0.29	0.002	0.11	4.16	8.4	<0.2	10	320	2.25	0.15	1.14	0.15	149.5	37.2	204



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD000895		3.20	34.7	5.37	11.20	0.14	0.21	0.03	0.051	0.12	35.7	35.6	1.50	1150	1.28
DD000896		4.47	51.9	7.40	15.30	0.18	0.28	0.03	0.080	0.21	42.9	48.4	2.17	1750	1.27



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
DD000895		20.5	56.5	1490	11.0	17.7	<0.001	0.07	0.43	5.3	0.5	1.0	84.1	0.02	0.02	1.6
DD000896		21.0	95.0	1590	11.7	27.5	<0.001	0.05	0.40	8.4	0.6	1.2	75.4	0.01	0.03	2.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- AUG- 2011
 Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152029

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
DD000895		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000896		0.367	0.12	1.02	155	0.42	8.22	85	8.9
		0.636	0.17	1.15	229	0.43	9.00	97	12.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Nad

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11152029

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 26- AUG- 2011
Account: MTT

CERTIFICATE WH11152101

Project: Midas Touch- Nad

P.O. No.:

This report is for 112 Soil samples submitted to our lab in Whitehorse, YT, Canada on 6- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD000551		0.28	0.002	0.06	2.66	37.5	<0.2	<10	390	1.95	0.16	0.43	0.08	111.5	28.4	119
DD000552		0.26	0.002	0.02	1.69	9.6	<0.2	<10	380	2.02	0.38	0.09	0.13	31.8	28.7	38
DD000553		0.23	0.003	0.07	1.75	12.1	<0.2	<10	150	1.32	0.41	0.05	0.12	17.25	22.1	34
DD000554		0.28	0.001	0.03	2.38	10.9	<0.2	<10	220	1.52	0.31	0.11	0.11	49.0	17.1	97
DD000555		0.38	0.002	0.04	2.54	11.7	<0.2	<10	200	1.64	0.36	0.06	0.12	33.3	21.1	68
DD000556		0.21	0.001	0.11	2.34	10.0	<0.2	<10	130	1.34	0.30	0.22	0.30	40.4	18.3	89
DD000557		0.22	0.002	0.07	2.50	13.0	<0.2	<10	180	1.43	0.37	0.16	0.16	39.8	21.1	41
DD000558		0.26	0.001	0.09	1.68	10.5	<0.2	<10	80	1.60	0.47	0.02	0.09	13.50	24.5	32
DD000559		0.34	0.001	0.10	1.05	10.3	<0.2	<10	120	1.85	0.48	0.03	0.11	15.55	25.3	27
DD000560		0.22	0.001	0.08	1.33	10.7	<0.2	<10	630	1.72	0.58	0.07	0.06	16.05	29.3	29
DD000561		0.19	0.001	0.18	1.44	7.3	<0.2	<10	310	1.95	0.46	0.07	0.10	14.10	36.4	33
DD000562		0.30	0.001	0.12	1.06	12.5	<0.2	<10	120	1.57	0.48	0.04	0.05	13.85	18.6	26
DD000563		0.33	0.001	0.03	1.24	5.2	<0.2	<10	270	1.86	0.42	0.05	0.06	15.55	25.3	30
DD000564		0.25	0.001	0.05	1.97	8.1	<0.2	<10	140	1.88	0.35	0.05	0.04	13.05	25.7	35
DD000565		0.32	0.001	0.02	1.57	5.3	<0.2	<10	240	1.74	0.38	0.08	0.02	8.97	18.6	33
DD000566		0.28	0.001	0.11	1.44	15.9	<0.2	<10	200	1.76	0.41	0.25	0.22	18.80	21.8	28
DD000567		0.18	0.001	0.12	0.68	28.1	<0.2	<10	270	1.42	0.30	0.35	0.19	10.70	14.3	17
DD000568		0.25	0.001	0.19	0.72	26.5	<0.2	<10	200	1.56	0.38	0.26	0.21	16.50	17.9	17
DD000569		0.25	0.001	0.20	0.62	34.9	<0.2	<10	170	1.40	0.36	0.24	0.15	14.35	15.2	16
DD000570		0.18	0.001	0.12	0.83	22.3	<0.2	<10	130	1.26	0.34	0.20	0.23	9.09	14.1	17
DD000571		0.23	0.004	0.12	0.96	9.3	<0.2	<10	230	1.73	0.42	0.15	0.07	20.5	24.1	17
DD000572		0.34	0.002	0.21	0.31	49.7	<0.2	<10	140	1.25	0.37	0.17	0.20	10.85	18.7	12
DD000573		0.29	0.002	0.20	0.27	39.2	<0.2	<10	120	1.06	0.33	0.17	0.23	8.51	15.1	11
DD000574		0.43	0.001	0.29	0.30	51.1	<0.2	<10	140	1.35	0.40	0.18	0.22	9.00	18.1	11
DD000575		0.35	0.002	0.14	0.31	38.9	<0.2	<10	120	1.32	0.35	0.19	0.12	7.85	14.6	10
DD000576		0.17	0.002	0.35	0.51	36.0	<0.2	<10	220	1.12	0.29	0.79	0.64	16.50	15.1	16
DD000577		0.29	0.001	0.05	1.52	5.2	<0.2	<10	370	2.05	0.49	0.07	0.05	17.35	27.1	33
DD000578		0.32	0.001	0.06	1.48	7.7	<0.2	<10	70	1.39	0.60	0.03	0.09	14.85	20.5	37
DD000579		0.23	0.001	0.06	1.21	7.6	<0.2	<10	80	0.85	0.42	0.02	0.04	12.50	10.9	29
DD000580		0.33	0.002	0.04	1.27	16.4	<0.2	<10	120	1.00	0.35	0.02	0.10	10.05	16.8	28
DD000581		0.37	0.001	0.02	0.58	3.7	<0.2	<10	1750	1.87	0.31	0.04	0.01	5.39	20.2	21
DD000582		0.44	0.002	0.11	1.10	95.1	<0.2	<10	180	1.40	0.38	0.10	0.28	21.1	19.4	26
DD000583		0.38	0.001	0.09	1.27	26.0	<0.2	<10	100	0.74	0.31	0.04	0.17	21.4	9.4	36
DD000584		0.29	0.001	0.07	1.13	13.4	<0.2	<10	100	0.49	0.28	0.10	0.58	14.30	10.2	35
DD000585		0.27	0.001	0.04	1.54	13.0	<0.2	<10	470	1.78	0.36	0.05	0.13	13.35	26.7	27
DD000586		0.31	0.001	0.12	1.90	15.2	<0.2	<10	180	1.91	0.38	0.03	0.49	8.65	25.9	34
DD000587		0.21	0.001	0.09	1.51	17.2	<0.2	<10	150	1.23	0.24	0.04	0.32	15.70	18.0	35
DD000940		0.25	0.002	0.11	2.57	27.2	<0.2	10	1320	4.73	0.08	1.57	0.31	207	47.9	164
DD000941		0.28	0.002	0.06	1.89	12.7	<0.2	10	250	4.73	0.05	2.65	0.18	184.5	61.1	142
DD000942		0.25	0.002	0.11	2.93	17.4	<0.2	<10	510	2.66	0.06	1.24	0.22	108.5	52.1	328



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD000551		2.34	58.9	7.00	9.64	0.13	0.04	0.08	0.067	0.11	36.3	33.1	0.65	2260	1.60	0.01
DD000552		4.55	54.2	5.74	5.22	0.12	<0.02	0.36	0.049	0.13	12.3	21.1	0.46	1880	1.16	0.01
DD000553		2.79	39.5	5.22	5.14	0.11	<0.02	0.11	0.043	0.10	6.3	17.3	0.34	1820	1.61	0.01
DD000554		2.31	30.8	5.77	8.71	0.15	0.03	0.09	0.051	0.09	23.9	20.2	0.57	1950	1.52	0.01
DD000555		3.63	44.6	5.97	7.12	0.12	0.04	0.07	0.047	0.08	10.7	34.1	0.75	2070	1.57	<0.01
DD000556		2.17	30.6	4.98	8.39	0.13	0.06	0.09	0.049	0.09	15.8	23.0	0.75	1390	1.29	0.01
DD000557		2.46	37.4	5.79	7.47	0.13	0.04	0.06	0.051	0.09	16.4	28.0	0.56	2690	1.34	0.01
DD000558		2.31	49.9	5.42	6.28	0.10	0.03	0.04	0.047	0.09	5.1	23.6	0.32	1380	0.93	<0.01
DD000559		1.84	58.2	5.92	5.37	0.10	<0.02	0.05	0.061	0.08	5.6	12.7	0.19	923	0.77	<0.01
DD000560		2.16	56.6	5.80	5.74	0.11	0.02	0.07	0.052	0.10	5.1	18.1	0.31	1670	0.79	<0.01
DD000561		2.08	43.7	5.31	6.13	0.11	0.02	0.06	0.044	0.09	4.5	14.3	0.26	2380	0.84	<0.01
DD000562		1.49	50.9	4.37	5.46	0.11	<0.02	0.02	0.054	0.08	4.9	14.2	0.20	1040	0.54	<0.01
DD000563		2.24	53.1	5.89	5.78	0.12	<0.02	0.01	0.050	0.10	5.2	16.9	0.27	996	0.58	<0.01
DD000564		3.46	41.3	4.79	7.47	0.12	0.03	0.01	0.046	0.09	4.3	32.3	0.48	1200	0.48	<0.01
DD000565		3.59	31.3	4.46	5.17	0.12	<0.02	<0.01	0.031	0.13	3.0	24.9	0.47	966	0.63	<0.01
DD000566		2.97	42.7	4.52	5.40	0.12	0.05	0.04	0.041	0.12	6.3	22.2	0.38	1200	1.64	<0.01
DD000567		1.82	34.5	3.73	2.35	0.11	0.03	0.06	0.031	0.13	4.2	4.3	0.13	754	2.49	<0.01
DD000568		1.94	47.7	4.01	2.44	0.12	0.06	0.08	0.039	0.14	7.1	6.3	0.18	1100	1.66	<0.01
DD000569		2.12	40.5	3.67	2.18	0.12	0.04	0.08	0.036	0.13	6.6	4.8	0.15	772	1.72	<0.01
DD000570		2.11	32.5	3.99	2.94	0.10	0.02	0.08	0.035	0.12	3.7	5.8	0.14	731	2.58	<0.01
DD000571		4.31	57.8	3.96	3.17	0.13	0.04	0.04	0.036	0.16	5.6	14.5	0.31	1600	0.93	<0.01
DD000572		0.90	42.4	3.97	1.17	0.11	0.08	0.08	0.032	0.11	4.3	1.5	0.09	419	1.73	<0.01
DD000573		0.90	36.1	3.36	1.02	0.10	0.06	0.07	0.032	0.10	3.4	1.1	0.07	345	1.54	<0.01
DD000574		1.00	40.3	3.49	1.15	0.11	0.05	0.08	0.032	0.12	3.6	1.2	0.08	344	1.63	<0.01
DD000575		0.93	35.1	3.38	1.14	0.11	0.04	0.06	0.029	0.11	3.0	1.0	0.07	238	1.44	<0.01
DD000576		1.56	35.6	3.74	1.55	0.11	0.09	0.09	0.030	0.12	6.6	3.7	0.19	734	2.56	<0.01
DD000577		3.40	54.2	5.25	7.05	0.12	<0.02	0.03	0.062	0.11	5.7	20.2	0.40	1040	0.72	<0.01
DD000578		3.44	59.8	6.72	7.07	0.10	<0.02	0.05	0.057	0.08	4.9	15.9	0.25	1100	1.07	<0.01
DD000579		2.52	45.4	4.59	6.76	0.10	<0.02	0.07	0.051	0.08	5.2	8.5	0.13	341	1.18	<0.01
DD000580		1.79	32.7	5.11	5.18	0.09	<0.02	0.03	0.043	0.09	4.0	10.3	0.19	1160	0.95	<0.01
DD000581		4.28	20.2	4.54	2.44	0.11	<0.02	0.06	0.033	0.15	2.0	4.4	0.10	460	0.46	0.01
DD000582		1.36	45.2	4.68	3.44	0.12	<0.02	0.15	0.045	0.10	8.2	13.4	0.27	1180	1.93	<0.01
DD000583		1.59	21.8	4.42	5.71	0.11	<0.02	0.05	0.029	0.08	8.5	7.9	0.18	1090	1.55	<0.01
DD000584		1.22	25.3	4.47	5.27	0.10	<0.02	0.06	0.028	0.09	5.1	10.0	0.26	776	1.49	<0.01
DD000585		3.79	49.5	5.25	4.63	0.11	0.02	0.06	0.037	0.11	3.3	21.1	0.35	2100	1.99	<0.01
DD000586		3.36	46.1	4.85	5.49	0.10	0.04	0.15	0.038	0.14	2.6	30.5	0.42	1540	2.59	<0.01
DD000587		3.72	30.6	4.28	4.93	0.10	<0.02	0.15	0.032	0.13	5.2	13.6	0.25	1100	1.20	<0.01
DD000940		4.90	71.5	9.57	15.35	0.29	0.11	1.82	0.080	0.05	127.0	36.4	1.84	2730	0.90	0.02
DD000941		1.75	59.6	8.82	11.95	0.28	0.07	1.94	0.089	0.02	90.7	25.6	0.83	2000	1.05	0.01
DD000942		1.42	105.5	9.15	11.55	0.27	0.07	1.64	0.063	0.03	54.8	43.8	2.26	2430	1.20	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD000551		1.16	64.7	2650	12.1	18.8	<0.001	0.08	0.42	4.0	0.4	1.2	34.3	0.01	0.03	0.6
DD000552		0.66	36.3	980	29.7	16.5	<0.001	0.03	0.55	2.8	0.3	0.9	17.1	<0.01	0.04	0.4
DD000553		0.88	29.2	910	33.4	13.2	<0.001	0.06	0.47	2.3	0.5	0.7	10.4	<0.01	0.04	0.3
DD000554		3.54	30.0	1080	19.3	14.8	<0.001	0.09	0.50	2.8	0.6	1.0	15.0	<0.01	0.04	0.2
DD000555		4.54	39.7	790	28.0	11.2	<0.001	0.05	0.50	4.2	0.6	0.8	10.9	0.01	0.04	0.7
DD000556		7.05	34.0	1450	16.0	12.5	<0.001	0.12	0.45	2.6	0.7	0.9	18.3	0.01	0.03	0.2
DD000557		0.70	26.1	1960	23.5	13.2	<0.001	0.06	0.40	2.1	0.6	0.8	43.2	0.01	0.04	0.8
DD000558		0.47	28.5	910	30.0	11.5	<0.001	0.01	0.32	4.6	0.2	0.7	10.6	<0.01	0.06	1.6
DD000559		0.30	32.2	800	29.4	10.0	<0.001	<0.01	0.24	6.6	0.5	0.7	13.1	<0.01	0.02	1.8
DD000560		0.23	35.2	740	81.1	10.9	<0.001	<0.01	0.21	7.6	<0.2	0.8	23.4	<0.01	0.03	3.3
DD000561		0.37	27.3	1190	99.6	11.8	<0.001	0.05	0.22	3.8	<0.2	0.8	15.2	<0.01	0.02	1.0
DD000562		0.28	26.8	510	35.4	9.5	<0.001	<0.01	0.17	5.6	0.2	0.9	14.9	<0.01	0.03	2.0
DD000563		0.36	31.9	570	30.4	11.8	<0.001	<0.01	0.23	7.6	0.2	0.9	18.0	<0.01	0.04	3.2
DD000564		0.28	29.8	580	33.6	12.0	<0.001	<0.01	0.15	6.1	0.3	0.8	11.2	<0.01	0.04	2.7
DD000565		0.49	26.7	330	22.8	15.4	<0.001	<0.01	0.33	5.2	0.3	1.0	13.3	<0.01	0.04	3.9
DD000566		0.28	31.9	600	32.6	12.0	<0.001	<0.01	0.37	6.0	0.6	0.8	21.0	<0.01	0.04	3.4
DD000567		0.28	25.6	940	20.2	10.1	0.001	0.03	0.64	4.6	0.2	0.5	13.3	<0.01	0.03	1.1
DD000568		0.20	29.9	670	23.7	11.3	<0.001	<0.01	0.54	6.7	1.0	0.5	13.5	<0.01	0.05	2.5
DD000569		0.18	28.2	650	22.7	11.2	0.001	<0.01	0.57	6.3	0.7	0.5	13.4	<0.01	0.04	2.3
DD000570		0.24	23.9	1180	21.9	12.1	<0.001	0.05	0.63	3.5	0.6	0.5	10.9	<0.01	0.04	0.7
DD000571		0.20	29.4	430	33.9	14.2	<0.001	<0.01	0.38	6.1	0.8	0.6	10.7	<0.01	0.04	3.2
DD000572		0.05	35.6	550	24.6	6.5	<0.001	<0.01	0.71	4.6	1.1	0.4	17.5	<0.01	0.11	3.3
DD000573		0.05	28.7	440	21.6	6.5	<0.001	<0.01	0.61	4.2	0.7	0.3	14.1	<0.01	0.14	2.7
DD000574		0.08	33.2	460	24.5	7.4	<0.001	<0.01	0.69	4.4	0.9	0.4	17.6	<0.01	0.17	3.0
DD000575		0.08	27.3	470	20.8	7.4	0.001	0.01	0.59	4.0	0.5	0.4	10.7	<0.01	0.17	1.6
DD000576		0.23	29.7	960	30.2	7.8	0.001	0.07	0.81	4.5	1.4	0.3	26.5	<0.01	0.10	1.6
DD000577		0.29	32.9	500	19.0	13.8	<0.001	<0.01	0.21	7.8	0.5	1.1	19.1	<0.01	0.05	4.2
DD000578		0.65	26.0	860	33.8	13.5	<0.001	0.03	0.41	5.0	<0.2	0.9	10.1	<0.01	0.06	0.9
DD000579		0.76	18.7	810	21.5	16.4	<0.001	0.02	0.35	3.7	0.5	1.0	9.9	<0.01	0.03	0.7
DD000580		0.55	20.3	770	26.5	13.4	<0.001	0.02	0.36	2.8	0.4	0.8	8.8	<0.01	0.05	0.6
DD000581		0.22	27.3	220	12.9	16.1	<0.001	<0.01	0.31	6.6	<0.2	0.8	23.9	<0.01	0.04	4.0
DD000582		0.26	33.4	690	25.6	8.2	<0.001	0.01	0.79	3.3	0.7	0.6	15.9	<0.01	0.07	0.5
DD000583		0.74	16.7	980	17.7	15.0	<0.001	0.04	0.75	0.9	0.5	0.9	8.1	<0.01	0.03	<0.2
DD000584		1.21	18.9	690	18.4	11.3	<0.001	0.04	0.72	1.2	0.3	0.7	10.9	<0.01	0.04	0.2
DD000585		0.42	34.4	630	21.9	13.6	<0.001	<0.01	0.80	4.9	0.4	0.8	9.4	<0.01	0.07	2.3
DD000586		0.43	31.9	800	36.8	16.1	<0.001	0.01	0.80	4.4	0.6	0.8	6.5	<0.01	0.05	2.0
DD000587		0.35	23.4	980	17.2	18.9	<0.001	0.04	0.60	1.2	0.6	0.8	8.7	<0.01	0.05	0.2
DD000940		3.18	73.1	3660	13.3	8.1	<0.001	0.04	0.30	17.6	0.7	1.0	194.5	0.01	0.01	3.2
DD000941		1.87	81.7	4550	8.9	2.4	<0.001	0.01	0.30	21.6	0.7	1.1	192.0	0.01	<0.01	3.4
DD000942		5.53	157.5	2550	6.9	2.6	<0.001	0.05	0.26	15.6	0.9	0.9	93.6	0.01	<0.01	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000551		0.014	0.16	0.81	193	0.18	6.89	90	0.8
DD000552		0.025	0.11	0.94	61	0.25	4.68	111	<0.5
DD000553		0.022	0.12	0.73	46	0.18	4.06	115	<0.5
DD000554		0.098	0.11	0.81	122	0.17	7.77	88	1.1
DD000555		0.131	0.09	0.93	78	0.18	5.82	108	1.3
DD000556		0.164	0.09	0.83	108	0.17	5.00	110	2.2
DD000557		0.015	0.11	0.63	62	0.15	8.51	93	0.7
DD000558		0.009	0.09	0.52	36	0.08	4.02	123	0.5
DD000559		0.006	0.09	0.61	39	0.06	5.85	131	<0.5
DD000560		0.005	0.11	0.57	34	<0.05	7.11	125	<0.5
DD000561		0.006	0.10	0.62	33	0.05	4.98	105	<0.5
DD000562		0.005	0.08	0.53	36	0.06	5.50	108	<0.5
DD000563		0.009	0.10	0.63	39	0.12	5.18	126	<0.5
DD000564		0.005	0.07	0.48	30	0.05	5.31	104	0.6
DD000565		0.016	0.11	0.77	30	0.28	4.90	85	<0.5
DD000566		0.006	0.11	0.66	29	0.06	8.71	127	1.2
DD000567		0.005	0.12	0.62	28	0.07	7.86	109	0.8
DD000568		0.005	0.13	0.65	25	<0.05	13.20	112	1.3
DD000569		0.005	0.12	0.59	24	<0.05	11.40	104	0.9
DD000570		0.005	0.15	0.68	29	0.05	4.88	101	<0.5
DD000571		0.007	0.11	0.63	19	0.07	13.75	97	1.1
DD000572		<0.005	0.09	0.42	19	<0.05	6.35	116	3.6
DD000573		<0.005	0.09	0.44	18	<0.05	5.52	101	2.4
DD000574		<0.005	0.10	0.41	19	<0.05	5.89	110	2.3
DD000575		<0.005	0.09	0.44	18	<0.05	4.46	98	1.0
DD000576		0.005	0.19	0.91	27	<0.05	12.40	116	2.1
DD000577		0.011	0.10	0.59	39	0.11	5.11	114	0.6
DD000578		0.018	0.09	0.73	46	0.13	4.39	130	<0.5
DD000579		0.010	0.13	0.57	45	0.13	3.38	89	<0.5
DD000580		0.010	0.11	0.52	38	0.12	2.76	101	<0.5
DD000581		0.007	0.11	0.59	23	0.15	4.17	88	<0.5
DD000582		0.010	0.11	0.67	36	0.05	8.24	123	<0.5
DD000583		0.026	0.12	0.57	58	0.11	2.93	87	<0.5
DD000584		0.035	0.09	0.42	51	0.11	1.96	113	<0.5
DD000585		0.011	0.15	0.65	34	0.12	4.25	115	0.6
DD000586		0.009	0.19	0.82	39	0.14	3.94	148	0.8
DD000587		0.011	0.14	0.55	45	0.22	2.43	104	<0.5
DD000940		0.138	0.07	0.73	193	0.10	18.15	128	3.0
DD000941		0.208	0.05	0.72	220	0.06	21.0	117	3.0
DD000942		0.246	0.15	0.72	230	0.11	14.45	102	2.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD000943		0.30	0.002	0.05	2.71	38.9	<0.2	10	440	2.43	0.09	1.61	0.19	105.5	45.0	289
DD000944		0.35	0.001	0.05	0.85	174.5	<0.2	<10	230	1.64	0.36	0.05	0.12	17.70	20.0	30
DD000945		0.28	0.001	0.04	1.31	26.4	<0.2	<10	150	1.40	0.37	0.04	0.11	9.99	18.9	30
DD000946		0.38	0.001	0.04	2.02	14.0	<0.2	<10	100	1.22	0.41	0.03	0.09	14.65	22.2	35
DD000947		0.39	0.001	0.03	1.24	10.9	<0.2	<10	200	1.40	0.43	0.02	0.10	12.65	20.2	23
DD000948		0.36	0.001	0.05	1.39	13.8	<0.2	<10	90	1.44	0.56	0.02	0.07	15.80	22.5	32
DD000949		0.41	0.001	0.03	0.79	13.2	<0.2	<10	90	1.45	0.56	0.04	0.06	15.30	22.4	24
DD000950		0.35	0.002	0.05	1.50	15.0	<0.2	<10	70	1.33	0.51	0.03	0.09	15.45	25.9	35
DD000601		0.39	0.001	0.03	0.76	6.9	<0.2	<10	210	1.51	0.51	0.08	0.05	13.15	24.9	21
DD000602		0.35	0.001	0.01	1.24	9.0	<0.2	<10	290	1.51	0.55	0.11	0.02	19.25	23.2	37
DD000603		0.49	0.002	0.05	1.65	6.1	<0.2	<10	410	1.45	0.61	0.06	0.03	11.25	28.3	28
DD000604		0.34	<0.001	0.05	1.46	6.5	<0.2	<10	110	1.01	0.45	0.02	0.05	9.90	17.1	32
DD000605		0.36	0.001	0.07	1.87	13.9	<0.2	<10	190	2.99	0.52	0.06	0.08	29.0	28.8	35
DD000606		0.44	<0.001	0.11	1.19	8.3	<0.2	<10	350	1.36	0.47	0.06	0.04	10.90	20.2	23
DD000607		0.32	0.001	0.20	0.60	35.9	<0.2	<10	120	1.05	0.34	0.82	0.25	27.4	13.1	16
DD000608		0.49	0.002	0.26	0.36	33.4	<0.2	<10	100	0.84	0.42	0.07	0.08	8.88	15.9	10
DD000609		0.48	0.001	0.19	0.98	17.6	<0.2	<10	290	1.50	0.51	0.13	0.36	13.35	24.8	16
DD000610		0.41	0.001	0.08	0.36	12.2	<0.2	<10	190	1.14	0.47	0.44	0.05	11.15	17.6	9
DD000611		0.42	0.001	0.18	1.00	8.1	<0.2	<10	540	1.55	0.59	0.08	0.04	15.10	23.8	20
DD000612		0.29	0.003	2.29	0.51	19.0	<0.2	<10	330	1.13	0.31	0.52	2.25	15.90	20.9	14
DD000613		0.39	0.001	0.16	0.41	33.4	<0.2	<10	100	1.06	0.42	0.04	0.10	8.35	19.1	11
DD000614		0.26	0.001	0.09	0.60	30.1	<0.2	<10	120	0.91	0.32	0.47	0.16	19.65	10.6	14
DD000615		0.38	0.001	0.06	1.11	11.5	<0.2	<10	310	2.07	0.41	0.11	0.08	14.15	23.0	22
DD000616		0.41	0.001	0.04	1.46	9.1	<0.2	<10	260	2.10	0.41	0.05	0.05	10.20	23.7	30
DD000617		0.35	0.001	0.13	1.92	25.8	<0.2	<10	180	1.87	0.62	0.05	0.07	16.20	30.4	39
DD000618		0.42	0.001	0.08	2.80	17.1	<0.2	<10	480	3.13	1.13	0.16	0.13	26.9	44.7	53
DD000619		0.30	0.002	0.08	1.07	5.9	<0.2	<10	200	1.45	0.39	0.04	0.06	14.45	22.2	25
DD000620		0.39	0.001	0.04	0.74	5.8	<0.2	<10	250	1.76	0.41	0.05	0.04	16.20	26.1	24
DD000621		0.42	0.001	0.04	0.78	5.8	<0.2	<10	270	1.77	0.42	0.05	0.05	16.90	26.9	25
DD000622		0.41	0.002	0.08	1.08	14.0	<0.2	<10	190	1.97	0.77	0.05	0.04	16.00	29.0	28
DD000623		0.38	0.001	0.04	0.77	19.2	<0.2	<10	110	1.69	0.59	0.03	0.06	15.35	27.7	25
DD000624		0.42	0.001	0.04	0.65	14.6	<0.2	<10	190	1.50	0.52	0.03	0.04	14.70	25.2	22
DD000625		0.45	0.002	0.04	2.24	16.7	<0.2	<10	180	1.57	0.46	0.04	0.12	17.85	26.7	37
DD000626		0.36	0.001	0.05	0.99	14.5	<0.2	<10	150	1.41	0.41	0.07	0.03	8.49	23.3	20
DD000627		0.27	0.001	0.12	1.75	9.5	<0.2	<10	190	1.13	0.28	0.11	0.22	17.85	15.9	83
DD000628		0.31	0.001	0.06	3.28	18.8	<0.2	<10	280	2.37	0.19	0.60	0.15	97.0	31.8	235
DD000629		0.28	0.001	0.07	3.21	44.3	<0.2	<10	190	2.46	0.11	0.87	0.21	145.5	35.9	188
DD000630		0.38	0.002	0.05	2.41	54.6	<0.2	<10	290	2.62	0.04	3.69	0.21	196.0	47.3	214
DD000897		0.27	0.003	1.22	1.79	86.7	<0.2	<10	250	1.40	0.30	0.10	5.83	16.60	22.1	39
DD000898		0.26	0.001	0.10	2.54	7.3	<0.2	<10	610	1.92	0.26	0.55	0.24	52.6	21.0	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD000943		1.77	65.2	8.43	11.70	0.23	0.14	0.72	0.063	0.06	54.6	40.2	2.12	1950	1.21
DD000944		1.74	49.3	4.47	2.74	0.10	<0.02	0.47	0.043	0.10	7.4	7.9	0.18	1590	0.87
DD000945		2.57	42.7	4.99	4.12	0.11	<0.02	0.17	0.042	0.09	3.9	16.2	0.24	1260	0.96
DD000946		4.40	44.8	4.58	6.56	<0.05	0.02	0.07	0.044	0.09	5.6	30.8	0.42	1560	1.31
DD000947		3.05	52.8	4.13	5.15	<0.05	0.02	0.07	0.043	0.08	5.1	17.3	0.25	1100	0.99
DD000948		3.88	51.6	4.93	6.68	0.05	<0.02	0.03	0.053	0.07	6.3	16.1	0.27	1480	1.01
DD000949		1.68	72.8	5.36	4.37	0.05	0.02	0.04	0.068	0.07	5.9	8.9	0.18	1000	1.01
DD000950		4.19	49.7	4.83	7.10	<0.05	0.02	0.03	0.049	0.08	6.1	17.6	0.30	1500	1.20
DD000601		1.25	71.7	5.34	3.98	0.05	0.03	0.03	0.064	0.06	4.7	9.9	0.20	1220	0.53
DD000602		2.29	32.4	5.53	4.64	0.06	0.04	0.02	0.037	0.09	3.4	14.5	0.42	2730	0.45
DD000603		5.84	62.6	4.21	5.74	0.05	0.04	0.10	0.054	0.09	3.7	27.9	0.51	3180	1.30
DD000604		4.36	35.4	4.17	5.70	<0.05	0.04	0.03	0.034	0.11	3.3	13.5	0.30	927	0.82
DD000605		9.36	59.7	4.85	6.59	<0.05	0.05	0.10	0.053	0.09	6.7	60.8	0.42	1700	1.44
DD000606		4.89	108.0	4.14	3.65	0.06	0.03	0.42	0.041	0.11	2.8	16.5	0.38	2440	1.52
DD000607		2.34	38.3	3.13	2.13	<0.05	0.10	0.09	0.039	0.13	9.2	4.4	0.27	1270	1.75
DD000608		1.58	37.5	2.77	1.14	<0.05	0.02	0.05	0.030	0.09	3.1	2.5	0.08	353	0.75
DD000609		3.76	61.3	4.32	3.14	0.06	0.03	0.03	0.043	0.12	4.0	15.4	0.34	1320	3.43
DD000610		2.02	45.3	3.28	1.34	<0.05	0.06	0.02	0.036	0.13	4.0	2.3	0.25	801	0.34
DD000611		6.19	136.5	4.42	3.24	0.07	0.05	0.05	0.040	0.13	2.7	16.3	0.36	2960	1.44
DD000612		3.18	76.5	4.71	1.57	0.06	0.06	0.20	0.048	0.13	7.2	3.2	0.12	674	15.70
DD000613		1.96	39.8	3.29	1.46	<0.05	0.02	0.04	0.030	0.08	3.0	3.6	0.09	494	1.12
DD000614		2.08	30.9	2.77	2.37	<0.05	0.07	0.05	0.036	0.09	9.9	3.5	0.09	788	1.93
DD000615		4.66	40.2	3.92	3.71	<0.05	0.03	0.03	0.046	0.11	3.0	12.5	0.30	2770	0.74
DD000616		5.98	40.3	4.23	5.04	0.06	0.04	0.09	0.040	0.12	2.8	21.4	0.40	1620	0.93
DD000617		5.51	51.7	5.14	8.01	0.06	0.04	0.04	0.054	0.11	5.5	28.5	0.46	2070	1.15
DD000618		4.47	107.5	9.07	12.35	0.11	0.04	0.06	0.114	0.16	9.9	38.7	0.68	3450	1.53
DD000619		2.47	49.4	4.61	5.57	0.05	0.02	0.02	0.056	0.09	5.6	13.6	0.21	877	0.66
DD000620		2.46	72.1	5.92	4.41	0.07	0.06	0.02	0.075	0.08	5.9	8.9	0.23	913	0.87
DD000621		2.59	74.6	6.20	4.60	0.08	0.07	0.02	0.078	0.08	6.2	9.4	0.24	956	0.88
DD000622		2.73	91.1	7.12	5.32	0.08	0.06	0.05	0.083	0.07	4.9	13.0	0.32	1460	0.74
DD000623		2.19	75.9	6.26	4.39	0.07	0.02	0.11	0.078	0.06	5.9	8.6	0.15	1170	0.79
DD000624		1.54	59.8	5.50	3.34	0.06	0.03	0.03	0.067	0.08	5.7	6.6	0.11	1020	0.63
DD000625		5.61	43.7	4.92	6.68	0.07	0.03	0.04	0.049	0.09	6.3	36.2	0.48	1990	1.47
DD000626		3.67	41.1	4.39	3.74	0.05	0.04	0.21	0.054	0.12	2.7	13.7	0.22	1720	0.51
DD000627		2.88	28.9	4.89	7.31	<0.05	<0.02	0.07	0.040	0.08	7.1	14.8	0.40	1600	1.28
DD000628		3.58	55.3	6.95	13.25	0.13	0.11	0.09	0.074	0.06	39.3	53.4	2.03	1420	1.52
DD000629		4.69	48.3	7.97	14.85	0.15	0.14	0.10	0.085	0.03	50.7	49.7	1.97	1700	1.32
DD000630		2.06	59.3	9.94	19.20	0.33	0.32	0.49	0.090	0.01	101.5	40.4	1.48	1860	1.00
DD000897		2.40	80.1	4.42	5.06	0.06	0.07	0.41	0.047	0.08	6.3	29.0	0.47	4790	17.10
DD000898		2.48	44.4	4.16	9.07	0.11	0.07	0.07	0.054	0.15	21.8	41.8	0.80	6390	1.19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD000943		8.50	116.0	2470	8.7	6.5	<0.001	0.07	0.26	13.7	1.0	0.9	88.5	0.01	0.01	1.9
DD000944		0.69	32.2	410	40.8	9.3	<0.001	0.01	0.34	4.5	0.2	0.6	11.6	<0.01	0.04	0.7
DD000945		0.60	28.5	610	23.2	11.6	<0.001	0.02	0.39	3.4	0.2	0.6	12.3	<0.01	0.02	0.5
DD000946		0.86	32.1	720	26.5	18.4	<0.001	0.02	0.47	5.5	0.7	0.8	7.7	<0.01	0.05	2.3
DD000947		0.55	29.8	420	23.6	13.2	<0.001	0.01	0.36	5.8	0.5	0.7	18.3	<0.01	0.04	3.2
DD000948		0.66	31.0	670	43.6	13.5	<0.001	0.01	0.32	6.1	0.5	0.7	10.8	<0.01	0.04	2.5
DD000949		0.22	37.5	500	33.2	8.7	<0.001	<0.01	0.19	9.5	0.5	0.7	19.9	<0.01	0.04	5.2
DD000950		0.67	28.9	730	46.1	15.9	<0.001	0.01	0.36	6.2	0.6	0.8	10.5	<0.01	0.04	3.1
DD000601		0.16	36.8	440	23.1	7.2	<0.001	<0.01	0.11	9.2	0.5	0.6	17.2	<0.01	0.04	4.2
DD000602		0.39	28.0	380	40.3	11.1	<0.001	<0.01	0.32	7.6	0.5	1.1	15.2	<0.01	0.05	5.9
DD000603		0.44	32.2	310	68.6	15.8	<0.001	<0.01	0.25	9.1	0.4	0.7	18.8	<0.01	0.05	4.1
DD000604		0.89	21.2	660	21.6	20.6	<0.001	0.03	0.45	4.3	0.5	1.0	5.6	<0.01	0.05	2.1
DD000605		0.70	31.3	720	54.8	19.6	<0.001	0.03	0.50	7.8	0.7	0.7	16.9	0.01	0.07	5.0
DD000606		0.53	29.0	300	25.7	15.5	<0.001	0.01	0.46	7.8	0.5	0.7	9.6	<0.01	0.05	4.5
DD000607		0.20	30.5	1200	29.0	11.6	0.001	0.05	0.74	6.1	0.7	0.4	17.4	<0.01	0.03	3.1
DD000608		0.11	25.3	300	31.2	8.6	<0.001	0.02	0.52	2.9	0.4	0.3	7.3	<0.01	0.07	2.0
DD000609		0.21	39.2	490	36.0	12.3	0.001	0.01	0.72	6.2	0.7	0.5	14.8	<0.01	0.06	3.5
DD000610		0.07	32.6	380	16.6	10.2	<0.001	0.01	0.23	6.3	0.3	0.4	17.4	<0.01	0.03	4.1
DD000611		0.40	33.8	370	40.4	16.9	<0.001	0.01	0.48	6.4	0.5	0.6	14.8	<0.01	0.05	4.4
DD000612		0.19	66.0	1360	26.5	12.2	0.003	0.07	2.37	8.6	3.2	0.4	35.6	<0.01	0.08	3.8
DD000613		0.20	27.9	300	37.4	8.4	<0.001	<0.01	0.63	3.4	0.6	0.3	5.7	<0.01	0.11	2.8
DD000614		0.28	23.2	1030	23.0	11.7	<0.001	0.04	0.56	4.2	0.6	0.4	13.2	0.01	0.04	1.8
DD000615		0.52	26.4	710	35.1	15.9	<0.001	0.04	0.43	6.7	0.5	0.6	8.8	<0.01	0.04	2.6
DD000616		0.71	27.5	620	34.9	18.9	<0.001	0.02	0.44	5.5	0.4	0.8	10.8	<0.01	0.05	3.8
DD000617		0.67	32.4	920	60.7	16.8	<0.001	0.03	0.39	6.8	0.6	0.9	15.9	<0.01	0.06	3.5
DD000618		0.60	63.1	1240	79.1	21.2	<0.001	0.04	0.29	13.4	0.7	1.4	31.4	<0.01	0.09	5.3
DD000619		0.36	30.8	520	36.4	12.6	<0.001	0.01	0.15	6.6	0.3	0.7	16.7	<0.01	0.04	3.0
DD000620		0.15	40.2	410	24.1	11.0	<0.001	<0.01	0.13	10.4	0.3	0.8	22.4	<0.01	0.04	5.6
DD000621		0.15	41.6	430	24.3	11.4	<0.001	<0.01	0.14	10.9	0.3	0.8	23.5	<0.01	0.05	5.9
DD000622		0.13	46.7	680	60.5	9.7	<0.001	<0.01	0.20	11.6	0.4	0.7	17.0	<0.01	0.06	5.6
DD000623		0.31	44.6	600	42.5	9.3	<0.001	<0.01	0.27	10.1	0.4	0.7	17.1	<0.01	0.06	4.6
DD000624		0.23	38.6	440	21.5	9.6	<0.001	<0.01	0.19	9.2	0.4	0.6	25.1	<0.01	0.05	4.7
DD000625		0.80	35.1	670	40.8	17.8	<0.001	0.01	0.51	6.5	0.6	0.8	9.5	<0.01	0.06	3.4
DD000626		0.14	36.2	270	24.7	13.6	<0.001	<0.01	0.24	8.2	0.3	0.6	25.0	<0.01	0.05	3.6
DD000627		1.57	28.1	1330	15.5	17.4	<0.001	0.13	0.41	1.3	0.5	0.7	11.0	<0.01	0.04	<0.2
DD000628		10.80	88.2	1300	22.7	13.2	<0.001	0.08	0.38	8.8	0.8	1.1	33.5	0.01	0.03	1.0
DD000629		12.85	72.8	1720	11.7	4.7	<0.001	0.09	0.32	9.3	0.7	1.0	55.0	0.01	0.03	1.5
DD000630		2.38	97.2	4860	7.8	1.7	<0.001	0.02	0.13	18.6	0.7	1.1	384	0.02	0.02	6.2
DD000897		0.47	63.7	980	33.4	11.4	0.002	0.04	4.73	3.6	4.2	0.6	13.2	<0.01	0.08	1.3
DD000898		0.63	36.7	1410	23.8	20.5	<0.001	0.07	0.34	7.0	0.8	0.9	30.5	<0.01	0.03	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000943		0.352	0.09	0.73	221	0.18	11.80	113	4.7
DD000944		0.021	0.21	0.49	35	0.06	3.32	112	<0.5
DD000945		0.015	0.11	0.44	35	0.08	3.63	106	<0.5
DD000946		0.014	0.15	0.61	37	0.09	5.43	96	0.5
DD000947		0.008	0.10	0.65	28	0.08	5.31	94	0.5
DD000948		0.012	0.10	0.74	39	0.07	6.55	108	<0.5
DD000949		<0.005	0.08	0.67	40	<0.05	7.62	125	1.0
DD000950		0.010	0.12	0.69	39	0.08	6.16	103	0.5
DD000601		<0.005	0.08	0.69	33	<0.05	7.56	120	1.2
DD000602		0.018	0.14	1.14	39	0.35	10.30	81	1.0
DD000603		0.013	0.14	1.18	28	0.13	5.96	96	1.7
DD000604		0.014	0.15	1.03	32	0.29	5.68	65	0.8
DD000605		0.011	0.16	1.36	30	0.11	14.80	91	1.1
DD000606		0.015	0.13	1.81	24	0.22	7.69	87	1.0
DD000607		<0.005	0.19	0.64	20	0.05	13.15	88	2.9
DD000608		<0.005	0.08	0.55	13	<0.05	5.34	62	0.7
DD000609		<0.005	0.18	1.03	21	0.07	11.10	129	0.8
DD000610		<0.005	0.09	0.32	14	<0.05	6.78	90	2.7
DD000611		0.015	0.15	2.11	20	0.19	9.30	94	1.7
DD000612		<0.005	0.53	2.32	52	<0.05	12.50	235	3.2
DD000613		<0.005	0.10	0.62	18	<0.05	4.58	89	1.0
DD000614		<0.005	0.11	0.71	21	0.05	12.90	74	1.7
DD000615		0.010	0.14	0.90	23	0.24	8.13	78	0.5
DD000616		0.013	0.14	0.98	26	0.33	5.97	77	0.9
DD000617		0.013	0.12	0.85	32	0.10	7.47	100	1.0
DD000618		0.008	0.19	1.26	62	0.11	12.45	219	0.9
DD000619		0.005	0.10	0.58	31	<0.05	6.02	104	<0.5
DD000620		0.005	0.09	0.75	38	0.06	7.03	135	2.6
DD000621		0.005	0.09	0.78	40	0.06	7.26	142	2.7
DD000622		<0.005	0.10	0.80	41	<0.05	8.89	164	2.6
DD000623		0.005	0.11	0.69	43	<0.05	7.49	154	0.5
DD000624		<0.005	0.10	0.65	37	<0.05	7.25	122	1.3
DD000625		0.014	0.14	0.69	39	0.10	7.03	98	0.9
DD000626		<0.005	0.12	0.34	24	<0.05	6.11	90	1.3
DD000627		0.035	0.11	0.62	80	0.10	3.32	80	<0.5
DD000628		0.368	0.10	1.15	184	0.23	10.65	94	4.8
DD000629		0.490	0.08	1.03	227	0.17	10.45	100	5.7
DD000630		0.305	0.04	1.06	255	0.22	19.45	147	16.7
DD000897		0.015	1.25	2.27	131	0.10	10.85	541	2.1
DD000898		0.009	0.15	0.44	73	0.08	16.70	86	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD000899		0.28	0.001	0.66	1.80	19.9	<0.2	<10	160	0.80	0.33	0.04	0.33	16.15	19.3	36
DD000900		0.23	0.001	0.15	1.77	19.4	<0.2	<10	120	0.81	0.28	0.04	0.36	20.0	11.0	32
DD000501		0.28	0.002	0.14	1.87	16.5	<0.2	<10	110	0.88	0.26	0.04	0.19	20.2	13.3	40
DD000502		0.39	0.002	0.11	0.71	69.7	<0.2	<10	220	1.37	0.37	0.09	0.16	18.15	26.1	19
DD000503		0.31	<0.001	0.04	2.18	10.8	<0.2	<10	300	1.79	0.41	0.10	0.07	18.80	25.8	37
DD000504		0.36	0.001	0.07	1.99	12.8	<0.2	<10	210	1.99	0.68	0.05	0.05	17.50	35.1	34
DD000505		0.36	0.001	0.06	1.50	9.3	<0.2	<10	110	1.27	0.41	0.04	0.15	22.7	21.6	38
DD000506		0.33	0.001	0.03	0.71	3.4	<0.2	<10	140	1.15	0.35	0.02	0.03	14.80	17.0	18
DD000507		0.32	0.001	0.06	1.55	8.8	<0.2	<10	80	1.28	0.49	0.02	0.07	12.85	26.7	32
DD000508		0.35	0.002	0.06	1.63	9.8	<0.2	<10	80	1.14	0.52	0.02	0.07	13.70	24.3	35
DD000509		0.44	0.001	0.10	1.26	15.5	<0.2	<10	180	1.35	0.42	0.18	0.17	16.60	20.7	25
DD000510		0.41	0.001	0.07	1.95	9.1	<0.2	<10	220	1.76	0.39	0.04	0.08	14.00	25.3	35
DD000511		0.37	0.001	0.06	2.06	13.2	<0.2	<10	240	1.67	0.45	0.06	0.06	13.95	26.9	37
DD000512		0.37	<0.001	0.03	1.32	7.4	<0.2	<10	250	2.03	0.38	0.05	0.04	9.53	22.9	28
DD000513		0.39	0.002	0.52	0.53	32.6	<0.2	<10	240	1.19	0.42	0.28	0.56	16.60	22.7	14
DD000514		0.39	0.003	0.72	0.45	20.8	<0.2	<10	250	1.26	0.40	0.63	0.71	17.45	17.5	14
DD000515		0.45	0.002	0.44	0.31	86.9	<0.2	<10	220	1.09	0.42	0.28	0.43	11.10	21.7	12
DD000516		0.39	0.001	0.31	0.46	60.7	<0.2	<10	240	1.27	0.42	0.30	0.30	13.45	22.1	14
DD000517		0.41	0.001	0.16	0.38	37.4	<0.2	<10	150	1.18	0.41	0.37	0.16	18.10	17.5	12
DD000518		0.44	0.001	0.16	0.35	55.2	<0.2	<10	150	1.16	0.39	0.84	0.12	17.35	16.4	13
DD000519		0.35	0.001	0.08	0.62	30.5	<0.2	<10	310	0.83	0.32	0.50	0.14	5.48	11.5	14
DD000520		0.39	0.001	0.12	0.47	41.2	<0.2	<10	120	1.19	0.41	0.14	0.28	7.91	15.1	13
DD000521		0.45	0.003	0.34	0.37	42.7	<0.2	<10	190	1.15	0.40	0.22	0.33	12.85	18.7	12
DD000522		0.45	0.003	0.09	1.53	11.0	<0.2	<10	250	1.49	0.51	0.15	0.08	18.85	21.9	30
DD000523		0.39	0.001	0.06	1.75	7.1	<0.2	<10	80	1.01	0.53	0.02	0.05	13.90	18.5	37
DD000524		0.33	0.001	0.04	1.12	10.9	<0.2	<10	100	0.84	0.36	0.04	0.15	18.65	15.1	26
DD000525		0.38	0.001	0.04	0.57	21.0	<0.2	<10	170	1.43	0.41	0.07	0.09	7.11	19.3	14
DD000526		0.25	0.001	0.31	0.93	29.0	<0.2	<10	190	1.55	0.24	1.00	0.26	99.2	16.4	19
DD000527		0.35	<0.001	0.06	0.66	69.9	<0.2	<10	140	0.38	0.39	0.08	0.18	12.30	12.5	17
DD000528		0.35	NSS	0.19	1.05	16.7	<0.2	<10	90	0.60	0.33	0.04	0.27	11.15	10.7	22
DD000529		0.26	0.001	0.22	1.47	9.8	<0.2	<10	240	0.83	0.31	0.09	0.24	16.90	18.4	43
DD000530		0.32	0.001	0.12	2.61	11.9	<0.2	<10	500	1.73	0.24	0.70	0.17	99.5	20.8	102



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD000899		2.00	31.4	4.59	6.92	0.10	0.02	0.13	0.036	0.10	6.7	11.4	0.23	2720	2.46	0.01
DD000900		1.92	33.7	4.08	6.09	0.09	0.02	0.09	0.037	0.08	8.8	11.5	0.24	1060	3.26	0.01
DD000501		1.47	28.0	4.73	6.24	0.10	0.02	0.09	0.040	0.08	8.2	12.0	0.24	1430	2.37	0.01
DD000502		1.04	49.3	4.46	2.59	0.10	<0.02	0.13	0.045	0.09	6.0	7.8	0.16	1880	1.90	0.01
DD000503		5.26	43.0	4.47	6.92	0.10	0.04	0.04	0.043	0.10	5.0	36.4	0.54	1900	0.91	0.01
DD000504		8.26	46.2	5.25	6.98	0.11	0.03	0.02	0.056	0.10	4.4	31.9	0.45	2750	0.89	0.01
DD000505		2.01	35.7	4.98	6.25	0.11	<0.02	0.03	0.046	0.09	9.1	17.3	0.40	1340	1.30	0.01
DD000506		1.63	41.7	3.65	3.93	0.09	<0.02	0.03	0.052	0.07	5.7	8.1	0.09	890	0.44	0.01
DD000507		2.89	42.5	5.20	7.71	0.09	0.02	0.03	0.053	0.09	4.8	18.0	0.22	1920	1.11	0.01
DD000508		2.34	44.7	5.83	7.98	0.10	0.02	0.05	0.054	0.08	5.0	14.9	0.25	1870	1.34	0.01
DD000509		2.69	43.7	4.28	4.90	0.10	0.03	0.04	0.042	0.10	5.4	18.9	0.37	1040	1.70	0.01
DD000510		4.80	38.4	4.44	6.10	0.10	0.04	0.03	0.046	0.11	3.8	31.8	0.47	2190	1.07	0.01
DD000511		4.33	44.1	4.43	7.18	0.10	0.03	0.03	0.047	0.11	3.9	36.3	0.55	1880	0.83	0.01
DD000512		6.07	35.0	4.13	4.53	0.10	0.02	0.02	0.042	0.12	2.0	20.4	0.40	1530	0.91	0.01
DD000513		2.49	57.0	4.63	1.92	0.12	0.05	0.10	0.045	0.13	5.8	5.7	0.17	589	4.49	0.01
DD000514		2.06	47.3	3.97	1.61	0.10	0.10	0.10	0.040	0.13	7.8	3.1	0.14	688	3.07	0.01
DD000515		1.74	47.9	4.09	1.14	0.10	0.10	0.12	0.040	0.11	3.8	1.6	0.12	476	3.59	0.01
DD000516		2.45	46.1	4.07	1.72	0.10	0.10	0.08	0.043	0.14	4.6	3.4	0.16	597	2.83	0.01
DD000517		1.15	48.5	3.30	1.44	0.09	0.08	0.07	0.041	0.14	6.0	2.4	0.15	703	2.42	0.01
DD000518		1.15	43.4	3.06	1.28	0.08	0.10	0.09	0.037	0.14	5.7	1.5	0.35	564	2.11	0.01
DD000519		1.17	29.6	3.03	2.62	0.08	0.06	0.06	0.036	0.12	2.0	1.9	0.15	462	1.76	0.01
DD000520		1.69	42.7	3.83	1.89	0.09	0.02	0.05	0.043	0.13	2.6	1.5	0.07	726	2.91	0.01
DD000521		1.42	43.2	3.56	1.43	0.09	0.05	0.08	0.039	0.14	4.5	1.6	0.10	486	2.43	0.01
DD000522		3.32	49.7	4.81	6.17	0.11	0.03	0.04	0.050	0.11	5.5	24.7	0.46	1240	1.11	0.02
DD000523		3.79	42.5	5.86	8.92	0.11	<0.02	0.27	0.055	0.09	5.1	16.3	0.26	1280	1.33	0.01
DD000524		2.47	30.7	3.76	4.12	0.09	<0.02	0.06	0.035	0.08	6.4	13.2	0.30	1100	1.29	0.01
DD000525		1.62	39.2	4.23	2.08	0.10	<0.02	0.13	0.040	0.08	3.4	5.5	0.12	1750	1.15	0.01
DD000526		1.07	22.5	3.88	1.94	0.18	0.08	0.20	0.041	0.07	48.6	4.7	0.08	2020	0.94	0.01
DD000527		1.34	28.8	3.17	4.71	0.08	<0.02	0.04	0.031	0.10	4.7	3.1	0.06	1580	1.28	0.01
DD000528		2.20	32.8	3.80	4.68	0.10	<0.02	0.08	0.036	0.10	4.1	4.8	0.12	738	2.07	0.01
DD000529		2.00	28.3	4.75	6.94	0.10	<0.02	0.06	0.035	0.14	6.4	11.2	0.28	1820	1.31	0.01
DD000530		2.83	29.5	5.28	9.84	0.15	0.03	0.07	0.064	0.09	34.6	40.5	0.95	1570	1.49	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD000899		0.58	20.1	1990	22.5	20.6	<0.001	0.13	0.77	1.1	0.9	0.7	7.1	0.01	0.05	0.3
DD000900		0.52	22.1	1990	17.9	15.6	<0.001	0.12	0.97	0.9	1.1	0.7	6.4	0.01	0.05	0.2
DD000501		0.57	21.3	2200	19.9	13.1	<0.001	0.12	0.73	0.8	1.0	0.6	7.4	0.01	0.04	0.2
DD000502		0.29	40.1	520	29.0	7.9	<0.001	0.02	0.58	5.6	0.7	0.5	16.9	<0.01	0.05	1.3
DD000503		0.48	37.4	590	42.7	16.8	<0.001	0.02	0.21	6.1	0.6	0.7	11.6	<0.01	0.04	3.3
DD000504		0.58	32.3	760	77.8	22.0	<0.001	0.02	0.29	7.3	0.6	0.7	10.5	<0.01	0.05	3.5
DD000505		0.97	30.1	850	30.5	13.2	<0.001	0.03	0.47	3.0	0.7	0.7	11.8	<0.01	0.04	0.6
DD000506		0.26	25.5	410	28.9	12.0	<0.001	0.02	0.09	6.3	0.4	0.7	14.3	<0.01	0.04	2.4
DD000507		0.52	24.7	1120	81.7	18.7	<0.001	0.05	0.24	3.6	0.6	0.9	10.4	<0.01	0.04	0.9
DD000508		0.70	25.7	1270	59.7	17.0	<0.001	0.06	0.34	3.2	0.7	0.8	9.5	<0.01	0.04	0.6
DD000509		0.40	35.0	510	31.7	12.2	<0.001	0.01	0.32	5.9	0.7	0.7	14.7	<0.01	0.04	3.5
DD000510		0.73	31.3	790	31.8	17.7	<0.001	0.04	0.24	5.4	0.6	0.7	8.9	<0.01	0.03	2.7
DD000511		0.47	34.5	680	36.3	14.6	<0.001	0.03	0.15	7.1	0.6	0.8	12.3	<0.01	0.04	3.9
DD000512		0.53	29.6	510	27.1	18.7	<0.001	0.02	0.31	4.6	0.5	0.8	7.8	<0.01	0.04	1.8
DD000513		0.18	50.8	750	29.8	11.5	0.002	0.03	0.90	6.5	1.9	0.4	24.3	<0.01	0.13	4.5
DD000514		0.24	41.1	970	31.6	10.8	0.001	0.05	0.72	6.3	2.0	0.4	25.0	<0.01	0.10	2.6
DD000515		0.07	48.0	570	31.5	9.1	0.002	0.05	0.88	5.5	1.5	0.4	23.4	<0.01	0.10	4.1
DD000516		0.09	48.2	630	29.8	11.9	0.001	0.04	0.69	6.3	1.1	0.5	25.8	<0.01	0.07	5.0
DD000517		0.09	38.1	700	25.6	9.6	0.001	0.03	0.53	6.4	0.7	0.4	23.4	<0.01	0.03	5.9
DD000518		0.07	36.4	750	25.4	9.0	0.001	0.06	0.60	5.9	0.7	0.4	29.0	<0.01	0.03	6.0
DD000519		0.24	25.5	620	17.2	13.1	0.001	0.04	0.43	3.7	0.7	0.5	19.6	<0.01	0.09	1.2
DD000520		0.13	31.0	1200	28.2	13.6	<0.001	0.05	0.61	2.9	1.1	0.5	10.1	<0.01	0.08	0.6
DD000521		0.09	41.1	550	25.5	10.7	0.001	0.03	0.53	5.5	1.0	0.4	22.8	<0.01	0.09	4.2
DD000522		0.43	36.4	490	44.2	14.4	<0.001	0.02	0.25	7.2	0.7	0.9	19.1	<0.01	0.05	4.6
DD000523		0.87	23.7	970	18.5	23.6	<0.001	0.04	0.32	3.6	0.7	1.0	9.2	<0.01	0.05	0.7
DD000524		1.14	28.2	470	16.1	14.1	<0.001	0.03	0.48	2.5	0.7	0.6	8.1	<0.01	0.04	0.5
DD000525		0.31	30.4	180	54.6	8.8	<0.001	0.01	0.28	6.2	0.6	0.5	21.2	<0.01	0.03	1.7
DD000526		0.41	36.3	1100	27.5	9.2	0.001	0.07	0.56	5.5	1.2	0.3	35.0	0.01	0.03	2.6
DD000527		0.76	18.9	610	28.0	20.9	<0.001	0.05	0.49	1.3	0.6	0.8	8.4	<0.01	0.04	<0.2
DD000528		0.33	20.4	1620	22.5	17.2	<0.001	0.08	0.74	0.7	1.1	0.7	6.8	<0.01	0.07	<0.2
DD000529		0.55	21.7	1070	22.6	19.9	<0.001	0.08	0.48	0.9	0.6	0.8	9.2	<0.01	0.04	<0.2
DD000530		3.78	42.2	1580	15.1	16.7	<0.001	0.11	0.53	2.5	0.8	0.7	34.4	0.01	0.03	0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152101

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000899		0.007	0.17	0.81	56	0.07	3.10	87	<0.5
DD000900		0.007	0.19	0.90	55	0.09	4.27	100	<0.5
DD000501		0.007	0.14	0.94	56	0.08	4.43	87	<0.5
DD000502		0.005	0.18	0.66	31	<0.05	6.91	107	<0.5
DD000503		0.005	0.13	0.69	28	0.05	8.56	89	0.8
DD000504		0.007	0.15	0.81	34	<0.05	7.83	100	0.6
DD000505		0.024	0.11	0.97	46	0.15	5.85	99	<0.5
DD000506		<0.005	0.09	0.54	32	<0.05	5.40	86	<0.5
DD000507		0.006	0.15	0.74	39	0.07	4.44	92	<0.5
DD000508		0.008	0.14	0.84	44	0.11	4.66	103	<0.5
DD000509		0.007	0.12	0.88	27	0.09	8.73	103	0.8
DD000510		0.008	0.14	0.76	26	0.15	6.74	91	0.8
DD000511		0.005	0.10	0.66	27	0.09	7.22	94	0.7
DD000512		0.011	0.11	0.85	25	0.28	4.60	78	<0.5
DD000513		<0.005	0.18	1.04	27	<0.05	10.05	154	2.7
DD000514		<0.005	0.19	1.59	26	0.05	15.30	129	2.7
DD000515		<0.005	0.18	0.72	23	<0.05	7.59	131	4.6
DD000516		<0.005	0.17	0.62	23	<0.05	8.07	125	4.4
DD000517		<0.005	0.12	0.63	17	<0.05	10.05	101	3.5
DD000518		<0.005	0.11	0.58	17	<0.05	9.61	93	4.7
DD000519		<0.005	0.13	0.35	23	<0.05	3.36	88	1.6
DD000520		<0.005	0.20	0.98	25	<0.05	3.90	104	<0.5
DD000521		<0.005	0.15	0.62	21	<0.05	7.39	113	2.5
DD000522		0.009	0.13	0.98	32	0.10	9.98	103	0.8
DD000523		0.010	0.15	0.82	46	0.13	4.30	92	<0.5
DD000524		0.023	0.10	0.64	36	0.13	3.03	92	<0.5
DD000525		<0.005	0.11	0.50	24	<0.05	5.57	87	<0.5
DD000526		<0.005	0.17	0.91	21	0.08	38.1	69	2.0
DD000527		0.013	0.12	0.45	44	0.08	2.19	100	<0.5
DD000528		0.005	0.14	0.97	42	0.07	2.40	103	<0.5
DD000529		0.009	0.12	0.65	58	0.14	2.88	76	<0.5
DD000530		0.055	0.13	0.95	118	0.17	10.05	81	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Nad

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11152101

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41	NSS is non- sufficient sample. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 25- AUG- 2011
Account: MTT

CERTIFICATE WH11152471

Project: Midas Touch- Nad

P.O. No.:

This report is for 57 Soil samples submitted to our lab in Whitehorse, YT, Canada on 8- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 25- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152471

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD000588		0.21	0.004	0.10	3.37	5.5	<0.2	10	340	2.28	0.11	1.92	0.23	127.0	35.4	185
DD000589		0.24	0.003	0.07	2.78	8.1	<0.2	<10	250	1.75	0.21	0.92	0.30	84.0	32.5	140
DD000590		0.32	0.003	0.08	2.79	5.1	<0.2	<10	320	2.06	0.16	1.14	0.11	79.5	33.3	161
DD000591		0.28	0.006	0.05	3.18	5.1	<0.2	<10	360	2.31	0.13	1.68	0.12	114.0	36.9	211
DD000592		0.25	0.001	0.10	2.38	8.6	<0.2	<10	340	0.91	0.31	0.62	0.24	37.4	14.0	70
DD000593		0.17	0.002	0.12	2.17	12.3	<0.2	<10	310	1.49	0.24	0.73	0.37	59.9	32.6	100
DD000594		0.23	0.014	0.14	2.79	19.7	<0.2	<10	300	1.95	0.16	1.97	0.21	69.0	23.8	171
DD000595		0.31	0.002	0.07	3.07	15.6	<0.2	<10	300	2.17	0.19	1.14	0.07	64.7	32.1	192
DD000596		0.20	0.004	0.04	2.73	15.8	<0.2	<10	160	1.92	0.21	0.67	0.30	76.6	31.1	116
DD000597		0.27	0.002	0.06	3.15	12.1	<0.2	<10	190	3.06	0.15	0.94	0.35	121.5	35.4	135
DD000598		0.29	0.001	0.04	2.24	156.5	<0.2	<10	360	1.27	0.25	0.57	0.15	51.2	20.8	95
DD000599		0.35	0.002	0.05	2.40	151.0	<0.2	<10	180	1.61	0.29	0.38	0.25	62.4	25.7	95
DD000600		0.23	0.002	0.44	1.25	135.0	<0.2	<10	130	1.19	0.30	0.16	0.68	22.1	16.0	56
ZZ17901		0.22	0.002	0.12	1.36	49.1	<0.2	<10	260	1.10	0.33	0.20	0.76	30.3	24.9	70
ZZ17902		0.36	0.002	0.21	1.33	205	<0.2	<10	440	1.52	0.29	0.81	0.20	24.8	11.1	32
ZZ17903		0.35	0.001	0.10	1.57	30.2	<0.2	<10	370	1.36	0.27	0.35	0.11	11.35	11.0	36
ZZ17904		0.34	0.003	0.05	1.89	38.0	<0.2	<10	120	1.49	0.40	0.06	0.21	21.0	20.5	39
ZZ17905		0.24	0.002	0.35	1.08	48.3	<0.2	<10	120	1.35	0.27	0.05	0.75	20.5	15.3	20
ZZ17906		0.37	0.002	0.10	1.25	1950	<0.2	<10	100	1.54	0.41	0.02	0.26	22.2	27.0	34
ZZ17907		0.23	0.002	0.05	2.14	17.9	<0.2	<10	120	1.20	0.32	0.12	0.17	35.9	21.5	60
ZZ17908		0.30	0.002	0.08	1.98	12.5	<0.2	<10	190	1.92	0.36	0.14	0.11	22.3	28.7	48
ZZ17909		0.23	0.002	0.05	1.24	13.4	<0.2	<10	210	1.72	0.42	0.12	0.10	19.15	25.0	34
ZZ17910		0.25	0.002	0.05	2.71	11.8	<0.2	<10	200	2.13	0.35	0.34	0.20	55.8	27.3	78
ZZ17911		0.31	0.002	0.05	2.41	9.4	<0.2	<10	210	1.48	0.25	0.19	0.14	58.1	18.0	88
ZZ17912		0.35	0.007	0.32	2.44	20.5	<0.2	10	190	2.41	0.10	1.84	0.58	122.0	45.3	131
ZZ17913		0.26	0.005	0.25	2.20	19.6	<0.2	10	200	2.33	0.10	2.43	0.67	129.5	53.1	126
ZZ17914		0.21	0.005	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
ZZ17915		0.22	0.005	0.17	2.44	10.8	<0.2	10	210	2.14	0.12	1.92	0.31	102.5	31.5	114
ZZ17916		0.19	0.004	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
DD000532		0.35	0.003	0.05	3.27	7.9	<0.2	<10	210	2.49	0.11	1.32	0.12	120.5	36.8	195
DD000533		0.33	0.003	0.07	2.86	6.0	<0.2	<10	250	2.17	0.13	1.00	0.18	94.9	34.9	190
DD000534		0.29	0.002	0.06	2.87	4.6	<0.2	<10	280	2.12	0.13	1.23	0.28	96.2	39.2	195
DD000535		0.28	0.002	0.11	1.42	4.9	<0.2	<10	290	1.00	0.20	0.84	0.60	51.9	31.0	111
DD000536		0.32	0.002	0.08	2.70	7.8	<0.2	<10	290	2.17	0.21	0.85	0.16	83.4	31.7	114
DD000537		0.32	0.001	0.11	1.89	6.5	<0.2	<10	240	0.95	0.22	0.47	0.32	34.3	16.4	86
DD000538		0.29	0.004	0.09	3.27	7.7	<0.2	<10	280	1.79	0.20	1.47	0.09	88.4	26.0	114
DD000539		0.36	0.004	0.09	3.37	7.9	<0.2	<10	390	2.02	0.21	1.23	0.11	103.0	26.8	117
DD000540		0.28	0.001	0.12	2.25	4.6	<0.2	<10	260	1.59	0.15	0.92	0.34	58.7	28.4	107
DD000541		0.27	0.002	0.10	2.80	8.0	<0.2	10	320	2.28	0.18	1.64	0.26	100.5	30.6	147
DD000542		0.27	0.001	0.14	1.23	135.5	<0.2	<10	260	1.48	0.31	0.42	0.29	22.6	20.8	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 25- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152471

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD000588		2.70	69.2	6.03	14.60	0.18	0.21	0.04	0.049	0.20	72.2	40.3	2.73	1180	1.18
DD000589		2.60	32.3	6.49	12.90	0.10	0.21	0.03	0.050	0.13	27.6	39.3	1.63	1420	1.53
DD000590		2.61	36.9	5.91	14.30	0.10	0.14	0.03	0.054	0.13	39.6	30.8	1.63	1720	1.60
DD000591		1.59	47.5	6.37	15.65	0.16	0.30	0.03	0.057	0.14	58.6	48.1	2.87	1240	1.58
DD000592		2.44	23.0	4.10	12.20	0.05	0.05	0.04	0.037	0.09	20.4	22.6	0.80	753	2.21
DD000593		2.30	40.2	5.71	11.00	0.09	0.11	0.07	0.045	0.09	28.1	19.8	1.06	3230	2.12
DD000594		1.84	61.0	4.95	11.75	0.13	0.26	0.15	0.047	0.10	48.0	32.4	1.95	622	2.31
DD000595		2.22	34.7	6.20	13.90	0.10	0.21	0.03	0.048	0.10	30.6	39.2	2.40	1070	1.68
DD000596		1.55	33.2	6.86	14.45	0.10	0.21	0.04	0.063	0.07	35.2	31.2	1.66	1540	1.48
DD000597		1.61	30.0	7.35	17.95	0.17	0.14	0.05	0.080	0.05	55.5	38.5	2.49	1900	1.25
DD000598		2.55	22.3	5.00	12.55	0.07	0.04	0.11	0.054	0.07	19.4	21.0	0.85	1780	1.92
DD000599		1.93	46.3	5.93	10.35	0.07	0.05	0.08	0.055	0.08	22.8	29.9	1.00	994	1.95
DD000600		0.96	89.2	5.14	5.68	0.12	<0.02	0.23	0.045	0.11	10.0	12.5	0.36	957	9.38
ZZ17901		1.40	49.6	5.95	7.53	0.13	0.03	0.06	0.048	0.10	9.5	11.6	0.44	1620	1.49
ZZ17902		1.92	35.6	3.42	4.89	0.12	0.09	0.11	0.040	0.10	14.3	16.1	0.38	374	1.46
ZZ17903		1.87	23.0	3.66	5.04	0.10	0.07	0.05	0.038	0.11	5.1	21.9	0.43	327	1.39
ZZ17904		3.04	37.4	4.93	6.64	0.11	<0.02	0.07	0.040	0.10	8.4	27.2	0.51	920	1.84
ZZ17905		2.10	62.7	4.10	3.51	0.13	0.03	0.13	0.042	0.08	8.5	9.9	0.18	589	9.32
ZZ17906		1.84	46.9	5.90	3.99	0.12	<0.02	1.32	0.050	0.08	9.3	11.8	0.24	1240	1.72
ZZ17907		1.96	38.8	5.30	8.55	0.11	0.02	0.04	0.043	0.07	13.8	25.9	0.62	884	1.74
ZZ17908		3.95	47.8	4.88	6.83	0.12	<0.02	0.02	0.046	0.11	8.5	35.9	0.56	1600	1.36
ZZ17909		2.69	45.8	4.93	4.60	0.13	<0.02	0.05	0.050	0.10	7.6	18.1	0.34	1780	1.14
ZZ17910		2.48	54.9	5.94	9.27	0.16	0.03	0.04	0.048	0.11	24.4	39.9	1.04	1360	1.80
ZZ17911		3.80	29.6	5.33	10.40	0.14	0.05	0.04	0.049	0.09	23.9	21.6	0.75	1240	1.95
ZZ17912		1.45	104.5	6.93	10.85	0.24	0.18	0.16	0.069	0.28	67.3	24.0	1.68	1060	4.22
ZZ17913		1.51	121.0	7.86	10.05	0.27	0.11	0.15	0.085	0.30	71.7	25.1	1.57	1400	4.30
ZZ17914		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
ZZ17915		1.38	88.6	6.34	10.20	0.24	0.11	0.09	0.071	0.24	61.5	25.0	1.54	658	2.19
ZZ17916		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
DD000532		2.59	47.9	6.55	15.35	0.26	0.23	0.04	0.056	0.14	55.8	46.8	2.28	1290	1.56
DD000533		2.26	35.5	6.93	16.20	0.19	0.16	0.03	0.061	0.18	39.2	39.2	1.82	1520	1.67
DD000534		2.51	35.9	6.65	15.25	0.17	0.17	0.03	0.058	0.25	37.8	40.0	1.80	1630	1.68
DD000535		2.20	24.5	4.94	12.35	0.13	0.14	0.04	0.034	0.19	20.5	13.2	0.64	2480	2.17
DD000536		2.49	39.2	5.75	11.90	0.16	0.10	0.03	0.048	0.15	30.9	39.5	1.44	1710	1.54
DD000537		1.82	22.6	4.21	10.30	0.12	0.09	0.05	0.035	0.14	18.2	18.8	0.82	883	1.56
DD000538		2.54	86.6	4.83	12.75	0.20	0.20	0.05	0.045	0.10	53.5	30.8	1.62	1180	1.22
DD000539		2.21	63.3	5.49	14.10	0.19	0.16	0.03	0.052	0.13	51.0	35.8	1.72	1100	1.52
DD000540		1.80	32.8	4.83	10.60	0.16	0.12	0.05	0.041	0.16	26.6	22.9	1.23	1400	1.45
DD000541		1.76	67.3	5.61	12.55	0.24	0.19	0.05	0.053	0.22	63.6	39.5	2.11	904	1.23
DD000542		1.88	44.4	4.40	4.78	0.13	0.06	0.08	0.041	0.12	9.5	19.7	0.55	907	2.21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 25- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152471

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD000588		18.00	107.5	2980	10.6	26.5	<0.001	0.06	0.33	7.3	1.3	1.0	177.5	0.03	0.02	2.7
DD000589		19.25	73.0	1540	17.4	17.7	<0.001	0.03	0.38	6.4	0.5	1.2	79.3	0.01	0.03	3.0
DD000590		17.25	70.1	1250	14.3	25.1	<0.001	0.10	0.34	5.9	0.7	1.3	70.6	0.01	0.04	0.9
DD000591		21.1	106.5	2680	11.8	18.0	<0.001	0.05	0.20	8.6	0.8	1.2	169.5	0.03	0.02	3.7
DD000592		7.04	29.4	1150	16.5	18.8	<0.001	0.06	0.45	3.5	0.5	1.3	39.9	0.01	0.03	0.7
DD000593		13.95	47.9	1470	32.8	21.3	<0.001	0.06	0.47	5.5	0.5	1.3	71.6	0.01	0.05	1.0
DD000594		15.45	76.7	2210	12.1	20.3	<0.001	0.12	0.30	6.7	1.7	0.9	175.0	0.07	0.03	1.5
DD000595		18.05	99.7	1640	16.5	20.0	<0.001	0.04	0.37	7.4	0.8	1.4	98.7	0.01	0.02	2.8
DD000596		22.4	52.2	1840	22.6	16.2	<0.001	0.03	0.44	7.3	0.6	1.6	65.4	0.01	0.02	3.0
DD000597		17.05	62.4	2370	18.3	10.1	<0.001	0.07	0.31	8.1	0.7	1.6	125.0	0.01	0.02	1.9
DD000598		6.60	38.4	1350	16.1	21.1	<0.001	0.06	0.61	3.5	0.7	1.1	34.9	0.01	0.04	0.5
DD000599		7.18	56.1	1220	19.8	15.9	<0.001	0.04	0.75	5.3	0.9	1.1	30.7	<0.01	0.04	0.9
DD000600		1.96	44.1	1190	22.2	13.8	0.002	0.07	3.09	1.7	2.3	0.8	15.3	<0.01	0.06	0.2
ZZ17901		4.82	31.2	860	25.3	25.0	<0.001	0.07	0.51	3.4	0.3	0.9	18.6	0.01	0.02	0.3
ZZ17902		1.36	31.1	1230	15.9	18.8	0.001	0.10	0.45	4.9	1.2	0.6	35.7	0.01	0.03	1.3
ZZ17903		0.40	29.5	470	11.7	16.3	0.001	0.02	0.33	4.6	1.0	0.7	18.6	<0.01	0.03	2.4
ZZ17904		1.12	35.5	630	29.1	16.6	0.001	0.03	0.69	3.2	0.9	0.8	9.9	<0.01	0.03	0.8
ZZ17905		0.30	41.9	1250	20.5	13.6	0.002	0.03	3.19	3.1	2.3	0.6	6.2	<0.01	0.07	0.9
ZZ17906		1.08	34.2	700	31.0	13.5	<0.001	0.04	1.31	4.2	0.8	0.8	7.0	<0.01	0.04	0.7
ZZ17907		3.16	42.8	870	19.1	13.9	<0.001	0.05	0.65	2.9	0.8	0.9	16.1	0.01	0.04	0.4
ZZ17908		1.49	43.2	710	28.1	16.9	0.001	0.03	0.40	5.1	0.8	0.9	16.8	<0.01	0.03	1.0
ZZ17909		1.12	40.8	630	20.6	13.6	<0.001	0.03	0.39	5.6	0.3	0.7	21.6	<0.01	0.03	0.9
ZZ17910		3.82	60.5	1350	24.9	17.0	<0.001	0.05	0.58	5.8	1.0	0.9	36.0	<0.01	0.03	1.2
ZZ17911		6.11	35.2	1170	17.0	18.9	<0.001	0.08	0.71	4.1	1.0	1.1	19.1	<0.01	0.04	0.6
ZZ17912		5.42	124.0	4080	11.9	24.4	0.002	0.10	1.18	15.1	2.3	0.9	165.5	0.01	0.01	4.0
ZZ17913		1.77	154.0	4220	11.1	19.4	0.002	0.16	1.09	20.2	2.2	0.9	173.0	<0.01	0.03	5.3
ZZ17914		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
ZZ17915		2.37	103.5	3520	10.6	22.2	0.002	0.13	0.70	14.0	2.2	0.8	146.5	0.01	0.02	2.1
ZZ17916		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
DD000532		15.60	98.4	1890	11.8	21.4	0.001	0.07	0.44	9.1	0.6	1.3	121.0	0.01	<0.01	2.5
DD000533		15.60	75.7	1560	12.5	30.5	<0.001	0.07	0.38	7.7	0.3	1.7	79.8	0.01	0.04	1.9
DD000534		15.05	84.0	1390	11.3	39.5	<0.001	0.09	0.32	7.5	0.8	1.2	74.7	0.01	0.02	1.3
DD000535		17.35	32.0	1230	16.1	41.6	<0.001	0.13	0.47	4.9	0.3	1.3	75.3	0.01	0.01	1.0
DD000536		11.00	65.5	1400	19.1	21.6	<0.001	0.09	0.41	5.3	0.9	1.0	67.6	0.01	0.01	0.9
DD000537		10.00	36.1	910	12.8	21.6	<0.001	0.09	0.34	4.1	0.6	1.0	35.6	0.01	0.03	0.6
DD000538		14.00	67.6	1680	14.1	20.2	<0.001	0.10	0.32	7.3	0.8	1.0	106.5	0.03	<0.01	1.8
DD000539		10.75	67.8	2010	14.3	22.5	<0.001	0.10	0.38	6.5	0.7	1.1	87.7	0.03	0.02	1.4
DD000540		11.90	52.5	1570	11.6	22.2	<0.001	0.15	0.33	3.8	0.5	0.9	60.5	0.01	0.02	0.3
DD000541		12.80	84.7	2500	13.2	27.1	<0.001	0.08	0.40	9.3	0.7	1.0	132.0	0.02	0.02	2.9
DD000542		2.20	40.5	670	22.5	13.5	0.001	0.05	0.64	6.4	0.7	0.7	32.0	<0.01	<0.01	2.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- AUG- 2011
 Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152471

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000588		0.447	0.10	1.59	171	0.33	18.55	102	9.6
DD000589		0.470	0.09	0.93	156	0.37	6.68	107	11.1
DD000590		0.394	0.13	1.02	175	0.27	7.40	79	6.5
DD000591		0.538	0.10	1.12	172	0.42	13.55	94	13.9
DD000592		0.168	0.18	1.03	131	0.30	4.64	88	1.9
DD000593		0.428	0.14	0.97	155	0.22	5.92	89	5.3
DD000594		0.248	0.12	3.47	122	0.21	15.75	108	9.1
DD000595		0.506	0.14	1.19	151	0.36	7.34	106	11.6
DD000596		0.687	0.10	0.72	183	0.34	5.51	120	9.0
DD000597		0.586	0.09	0.88	226	0.22	8.89	146	6.0
DD000598		0.203	0.18	0.78	155	0.23	3.97	105	1.8
DD000599		0.200	0.12	0.87	120	0.17	6.09	131	2.2
DD000600		0.053	0.22	2.16	122	0.11	5.76	273	0.5
ZZ17901		0.138	0.12	0.74	91	0.12	3.04	128	1.4
ZZ17902		0.013	0.13	0.93	34	0.08	9.21	84	2.0
ZZ17903		<0.005	0.16	0.75	32	<0.05	5.87	92	1.4
ZZ17904		0.028	0.14	0.69	45	0.17	4.74	102	<0.5
ZZ17905		0.005	0.31	1.64	44	0.05	11.40	223	0.7
ZZ17906		0.018	0.29	0.65	41	0.07	6.75	122	<0.5
ZZ17907		0.074	0.13	0.62	75	0.15	3.90	88	0.7
ZZ17908		0.026	0.13	0.60	44	0.07	7.06	92	<0.5
ZZ17909		0.021	0.16	0.56	36	0.05	5.51	97	<0.5
ZZ17910		0.116	0.14	0.88	83	0.15	8.63	106	1.3
ZZ17911		0.218	0.16	0.95	129	0.17	6.30	81	2.0
ZZ17912		0.111	0.19	2.04	141	0.13	21.5	156	5.6
ZZ17913		0.038	0.22	1.54	133	0.07	22.0	153	4.1
ZZ17914		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
ZZ17915		0.039	0.17	1.70	127	0.10	19.95	127	3.1
ZZ17916		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
DD000532		0.683	0.17	1.44	196	0.40	12.15	93	11.1
DD000533		0.656	0.12	1.12	207	0.33	7.25	82	8.4
DD000534		0.576	0.13	1.12	206	0.30	7.41	98	8.2
DD000535		0.564	0.11	0.79	175	0.24	3.70	98	6.8
DD000536		0.304	0.08	0.98	132	0.22	8.96	82	5.0
DD000537		0.268	0.12	0.78	118	0.21	3.69	57	3.8
DD000538		0.314	0.15	2.62	145	0.31	16.85	87	8.3
DD000539		0.260	0.16	3.57	162	0.24	14.10	83	5.9
DD000540		0.274	0.15	1.02	133	0.21	6.00	85	5.5
DD000541		0.369	0.12	1.27	143	0.28	17.70	106	9.1
DD000542		0.037	0.11	0.85	43	0.09	7.70	110	1.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- AUG- 2011
 Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152471

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD000543		0.35	0.002	0.20	1.16	60.5	<0.2	<10	210	1.34	0.32	0.39	0.27	17.05	16.9	30
DD000544		0.33	0.001	0.12	1.08	111.0	<0.2	<10	210	1.28	0.29	0.57	0.13	14.95	12.8	27
DD000545		0.29	0.001	0.18	1.32	23.2	<0.2	<10	380	1.49	0.25	0.84	0.19	14.10	11.2	28
DD000546		0.29	0.001	0.20	1.36	22.9	<0.2	<10	430	1.76	0.28	0.72	0.15	22.4	13.3	41
DD000547		0.39	0.003	0.10	2.37	173.0	<0.2	<10	590	2.38	0.20	0.96	0.15	79.8	25.8	98
DD000548		0.33	0.002	0.12	2.19	53.8	<0.2	<10	450	1.92	0.20	1.03	0.11	59.0	22.2	82
DD000549		0.35	<0.001	0.10	0.65	9.8	<0.2	<10	70	1.01	0.37	0.02	0.09	4.34	15.0	17
DD000550		0.32	0.003	0.33	1.64	15.5	<0.2	<10	250	1.48	0.22	1.11	0.51	46.7	22.7	73
ZZ17951		0.34	0.001	0.07	1.67	12.6	<0.2	<10	250	1.21	0.29	0.93	0.16	33.3	18.9	51
ZZ17952		0.36	0.001	0.09	1.83	13.3	<0.2	<10	220	1.64	0.32	0.49	0.18	40.0	18.5	61
ZZ17953		0.40	0.001	0.10	1.82	13.6	<0.2	<10	240	1.90	0.29	0.49	0.23	63.4	28.3	72
ZZ17954		0.35	0.001	0.06	2.12	13.4	<0.2	<10	150	1.70	0.28	0.36	0.16	48.8	21.5	77
ZZ17955		0.41	0.002	0.11	1.83	35.6	<0.2	<10	160	1.75	0.30	0.33	0.39	56.0	39.1	127
ZZ17956		0.33	0.005	0.88	2.04	22.4	<0.2	10	230	1.62	0.13	1.69	1.46	74.8	31.8	128
ZZ17957		0.37	0.002	0.13	1.77	24.5	<0.2	<10	190	1.16	0.24	0.41	1.03	54.8	28.5	115
ZZ17958		0.45	0.002	0.13	3.02	9.6	<0.2	10	180	2.47	0.14	1.99	0.36	147.0	41.0	168
ZZ17959		0.46	0.003	0.17	2.93	16.7	<0.2	20	180	2.34	0.08	2.20	0.56	132.5	50.2	188



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- AUG- 2011
 Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152471

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD000543		1.92	38.0	3.78	4.17	0.12	0.07	0.10	0.038	0.11	7.4	17.1	0.41	743	2.15	0.02
DD000544		1.61	31.2	3.15	3.99	0.11	0.05	0.10	0.036	0.11	7.0	17.0	0.40	267	1.66	0.02
DD000545		1.80	34.6	3.23	4.84	0.11	0.08	0.06	0.037	0.10	7.5	20.2	0.44	323	1.51	0.02
DD000546		3.21	30.2	3.82	5.16	0.14	0.08	0.12	0.041	0.12	13.4	18.1	0.47	455	0.93	0.02
DD000547		2.55	59.5	6.05	10.80	0.17	0.07	0.29	0.052	0.10	42.9	36.4	1.17	1230	2.15	0.02
DD000548		2.77	54.2	4.77	9.23	0.16	0.06	0.11	0.040	0.11	36.5	35.8	1.18	1120	1.97	0.03
DD000549		2.52	28.8	4.13	3.48	0.08	<0.02	0.06	0.036	0.12	1.8	3.7	0.09	841	0.75	0.01
DD000550		1.22	69.8	4.89	6.21	0.16	0.07	0.10	0.049	0.16	27.2	17.7	0.74	862	3.54	0.02
ZZ17951		1.49	35.1	4.34	6.87	0.09	0.05	0.05	0.041	0.09	14.3	20.2	0.66	1000	2.10	0.02
ZZ17952		2.37	43.5	4.91	6.86	0.12	<0.02	0.18	0.047	0.09	18.6	21.0	0.64	1100	2.28	0.02
ZZ17953		2.50	51.7	5.31	7.26	0.15	<0.02	0.09	0.052	0.11	31.6	23.3	0.89	1720	2.25	0.02
ZZ17954		2.19	43.1	5.24	8.54	0.12	0.02	0.05	0.050	0.08	22.3	23.9	1.00	1120	2.24	0.02
ZZ17955		1.76	85.4	6.95	8.81	0.14	<0.02	0.09	0.064	0.10	24.2	17.1	0.83	2150	5.67	0.02
ZZ17956		0.94	129.5	5.34	7.27	0.18	0.14	0.28	0.064	0.28	43.5	13.7	0.97	899	6.96	0.02
ZZ17957		1.69	67.2	6.25	7.85	0.11	<0.02	0.10	0.055	0.08	23.0	14.5	0.50	2800	5.98	0.02
ZZ17958		1.55	91.5	7.10	13.55	0.26	0.11	0.07	0.084	0.25	81.1	33.6	2.49	1610	2.33	0.06
ZZ17959		1.23	111.0	7.16	13.30	0.27	0.32	0.05	0.065	0.23	67.6	34.7	2.92	1420	3.34	0.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 25- AUG- 2011
Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152471

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD000543		0.94	32.4	700	22.7	12.5	0.001	0.04	0.62	5.6	0.9	0.6	25.9	<0.01	0.01	2.3
DD000544		0.89	27.6	740	25.9	12.3	<0.001	0.07	0.45	5.4	0.5	0.6	33.2	<0.01	0.01	2.1
DD000545		0.88	30.9	920	15.5	15.8	<0.001	0.08	0.40	5.0	0.8	0.6	50.3	<0.01	0.02	1.6
DD000546		2.26	31.8	700	16.2	24.7	0.001	0.06	0.28	7.7	0.9	0.7	42.9	<0.01	0.04	1.7
DD000547		7.26	54.6	1890	12.5	15.0	<0.001	0.08	0.40	9.3	0.9	0.9	64.1	0.01	0.02	1.4
DD000548		7.46	44.5	2010	12.4	18.2	<0.001	0.11	0.32	6.6	1.1	0.8	60.8	0.02	0.02	0.8
DD000549		0.66	16.6	600	15.6	16.5	0.001	0.04	0.33	3.5	0.3	0.5	7.5	0.01	0.05	0.6
DD000550		1.91	72.5	1760	17.6	17.1	0.001	0.10	1.17	7.8	2.0	0.6	64.0	0.01	0.05	1.3
ZZ17951		2.45	38.3	1250	18.4	13.9	<0.001	0.08	0.71	4.0	0.8	0.7	52.9	0.01	0.04	0.9
ZZ17952		1.50	45.2	1400	21.1	17.2	<0.001	0.07	0.71	3.5	0.7	0.8	33.0	<0.01	0.04	0.4
ZZ17953		2.97	59.0	1180	25.1	14.4	<0.001	0.04	0.78	7.2	1.0	0.8	42.7	<0.01	0.02	1.0
ZZ17954		4.19	52.1	1260	15.4	12.7	<0.001	0.05	0.93	4.8	1.0	0.8	31.2	<0.01	0.04	0.9
ZZ17955		1.29	98.5	1920	29.3	11.1	<0.001	0.07	1.64	4.7	1.1	0.9	28.3	<0.01	0.09	0.3
ZZ17956		1.37	134.0	3030	10.4	22.5	0.002	0.09	2.74	13.5	4.0	0.7	87.2	<0.01	0.04	1.7
ZZ17957		0.52	94.6	2420	18.3	13.1	<0.001	0.09	1.50	3.1	1.4	0.8	24.2	<0.01	0.08	0.2
ZZ17958		4.43	105.5	3620	15.3	20.4	<0.001	0.12	0.60	18.1	2.1	1.2	191.5	<0.01	0.07	4.1
ZZ17959		2.80	134.5	4300	10.8	16.4	0.001	0.08	0.73	12.9	1.8	0.8	240	0.01	0.03	5.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- AUG- 2011
 Account: MTT

Project: Midas Touch- Nad

CERTIFICATE OF ANALYSIS WH11152471

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000543		0.011	0.12	0.85	37	0.06	7.48	99	1.5
DD000544		0.010	0.09	0.72	29	0.05	6.72	72	1.3
DD000545		0.008	0.11	0.71	29	0.05	6.79	83	2.1
DD000546		0.024	0.11	0.69	42	0.10	8.92	93	1.9
DD000547		0.191	0.13	0.96	131	0.22	11.35	99	2.7
DD000548		0.154	0.12	0.78	104	0.21	10.55	83	2.2
DD000549		0.009	0.10	0.33	25	0.05	1.60	98	<0.5
DD000550		0.026	0.12	1.19	69	0.08	12.75	145	2.0
ZZ17951		0.030	0.10	0.68	64	0.13	4.96	83	1.4
ZZ17952		0.021	0.12	0.88	68	0.11	7.69	92	<0.5
ZZ17953		0.071	0.12	0.85	82	0.16	13.20	108	0.6
ZZ17954		0.118	0.14	0.89	103	0.22	6.10	104	1.2
ZZ17955		0.034	0.17	1.15	130	0.11	10.10	150	<0.5
ZZ17956		0.014	0.20	1.94	106	0.07	21.3	234	3.7
ZZ17957		0.011	0.17	1.31	118	0.09	13.20	180	<0.5
ZZ17958		0.100	0.16	1.20	168	0.15	22.5	145	4.2
ZZ17959		0.295	0.13	1.03	154	0.21	19.05	154	18.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Nad

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11152471

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41	NSS is non- sufficient sample. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 27- SEP- 2011
Account: MTT

CERTIFICATE WH11163812

Project: Midas Touch - NAD

P.O. No.:

This report is for 1 Silt sample submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27- SEP- 2011
Account: MTT

Project: Midas Touch - NAD

CERTIFICATE OF ANALYSIS WH11163812

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC135290		0.64	0.003	0.02	3.14	4.8	<0.2	10	450	2.45	0.11	1.67	0.19	124.0	42.4	289



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27- SEP- 2011
Account: MTT

Project: Midas Touch - NAD

CERTIFICATE OF ANALYSIS WH11163812

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
CC135290		3.08	63.6	6.33	14.90	0.29	0.42	0.02	0.051	0.17	66.4	48.0	4.00	1600	1.60	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27- SEP- 2011
Account: MTT

Project: Midas Touch - NAD

CERTIFICATE OF ANALYSIS WH11163812

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC135290		5.51	142.0	3310	12.4	18.9	0.001	<0.01	0.16	7.5	1.0	0.9	377	0.02	0.03	6.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27- SEP- 2011
 Account: MTT

Project: Midas Touch - NAD

CERTIFICATE OF ANALYSIS WH11163812

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
CC135290		0.005	0.02	0.05	1	0.05	0.05	2	0.5
		0.450	0.08	1.40	150	0.48	16.85	92	19.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - NAD

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11163812

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

