

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOCHEMICAL SAMPLING, GEOLOGICAL MAPPING AND DIAMOND DRILLING

at the

MIDAS TOUCH PROJECT CRAG EAST PROPERTY

Crag 402-610	YE13492-YE13700
611-677	YD78431-YD78497
678-703	YE64458-YE64483
704-721	YE99804-YE99821
722-813	YE64502-YE64593
Tasin 1-150	YC99551-YC99700
151-1050	YE65101-YE66000
1051-1280	YE66401-YE66630

NTS 105N/15 & 16, 106C/01 & 02
Latitude 64°01' N; Longitude 132° 37' W

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

K. Unger, B.Sc.
March 2012

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	2
GEOMORPHOLOGY AND CLIMATE	3
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	5
PROPERTY SOIL, SILT AND ROCK SAMPLE GEOCHEMISTRY	5
DIAMOND DRILLING	8
LIDAR SURVEY	10
DISCUSSION AND CONCLUSIONS	10
REFERENCES	12

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	SAMPLING AND ANALYTICAL PROCEDURES
III	CERTIFICATES OF ANALYSIS
IV	ROCK AND SAMPLE DESCRIPTIONS
V	QA/QC RESULTS
VI	GEOLOGICAL AND GEOTECHNICAL LOGS

TABLES

I	Crag East Soil Sample Geochemical Anomalous Thresholds	6
II	Crag East Soil Sample Carlin-type Geochemical Correlations	6
III	Crag East Silt Steam Sample Geochemical Anomalous Thresholds	7
IV	Crag East Silt Steam Sample Carlin-type Geochemical Correlations	7
V	2011 Diamond Drill Hole Data	9
VI	2011 Crag East Significant Drill Intervals	9
VII	Midas Touch Regional Gold Reanalysis	Appendix II

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	In pocket
3	Tectonic Setting	3
4	Regional Geology	3
5	Property Geology	5
6	Detailed Geology and Drill Collar Locations	5
7	Soil Sample Locations-Area 1	In pocket
8	Soil Sample Locations-Area 2	In pocket
9	Soil Sample Locations-Area 3	In pocket
10	Arsenic Soil Geochemistry	In pocket
11	Gold Soil Geochemistry	In pocket
12	Thallium Soil Geochemistry	In pocket
13	Mercury Soil Geochemistry	In pocket
14	Antimony Soil Geochemistry	In pocket

15	Rock and Silt Sample Locations	In pocket
16	Arsenic Silt Geochemistry	6
17	Gold Silt Geochemistry	6
18	Thallium Silt Geochemistry	6
19	Mercury Silt Geochemistry	6
20	Antimony Silt Geochemistry	6
21	Arsenic Rock Geochemistry	7
22	Gold Rock Geochemistry	7
23	Thallium Rock Geochemistry	7
24	Mercury Rock Geochemistry	7
25	Antimony Rock Geochemistry	7
26	TR-ME-01	8
27	Merlot Zone Cross Section 1	8
28	Merlot Zone Cross Section 2	8
29	Shiraz Zone Cross Section 3	8
30	Lidar Survey	10

INTRODUCTION

The Crag East property covers areas of soil, silt and rock geochemistry that are strongly anomalous for pathfinder elements, which are indicative of Carlin-type gold deposits. The property lies in a favourable geological belt, 16 km southwest of ATAC Resources Ltd.'s highly prospective Carlin-type, Osiris, Conrad and Isis East discoveries, which are part of its Nadaleen Trend Project. The Crag East property is one of several claim blocks comprising Strategic Metals Ltd.'s wholly owned Midas Touch Project.

This report describes work conducted on the Crag East property from June 7 to September 9, 2011 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. Reconnaissance soil/silt sampling began on June 7 with follow up prospecting, detailed soil sampling and diamond drilling occurring between July 15 and September 9. Lidar surveys were flown over part of the Crag East property in early September to provide more detailed data regarding local topography. The author participated in and directed components of this project, and his Statement of Qualifications is in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Crag East property consists of 1692 contiguous claims located in central Yukon at latitude 64°01' north and longitude 132°37' west, on NTS map sheets 105N/15 & 16 and 106C/01 & 02 (Figure 1). The initial Crag East claims were staked in late January and early February 2011 with additional claims added later in summer.

Collectively, the claims cover approximately 35,300 hectares (353 sq. km). They are all registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Crag 402-610	YE13492-YE13700	March 11, 2014
611-677	YD78431-YD78497	March 11, 2014
678-703	YE64458-YE64483	March 11, 2014
704-721	YE99804-YE99821	March 11, 2014
722-813	YE64502-YE64593	March 11, 2014
Tasin 1-150	YC99551-YC99700	March 11, 2014
151-1050	YE65101-YE66000	March 11, 2014
1051-1280	YE66401-YE66630	March 11, 2014

* Expiry date includes 2011 work which has been filed for assessment credit but not yet accepted.

The Crag East property lies 165 km east-northeast of Mayo, the nearest supply centre. The closest road access is at the community of Keno City situated about 46 km by road northeast of

STRATEGIC METALS LTD.

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

CRAG EAST PROPERTY

0 50 100 150 200 250 km

FILE: 2011/CRAG EAST/FIGURES/LOCATION

DATE: MARCH 2012

Northwest Territories

Yukon
Territory

CRAG EAST PROPERTY

Dawson

Mayo

Faro

Carmacks

Whitehorse

Haines Junction

Watson Lake

Skagway

Atlin

Haines

British Columbia

Alaska

Mayo and 130 km by air west-southwest of the property. Mayo and Keno City can be reached in all seasons by two wheel drive vehicles using the Yukon highway system.

Access to the property in 2011 involved a fixed-wing aircraft to a camp site at the Rackla airstrip, about 36 km to the northwest of Crag East, and from there, daily flights to and from work areas on the property via a Hughes 500D helicopter, operated by Fireweed Helicopters Ltd.

HISTORY AND PREVIOUS WORK

The earliest reported exploration in the vicinity of the Crag East property occurred in 1976 when a number of claim blocks were staked as a result of silver-lead-zinc discoveries made in the district. Three of those claim blocks (Ida, Red and Eira) lay adjacent to, or slightly overlapped, the northern margin of the area now covered by the Crag East property. The Ida claims were staked by G. Bleiler, the Red claims by M. Bratlien and the Eira claims by the Ortell Syndicate (Deklerk and Traynor, 2005).

In 1977, the Ida claims were optioned by a joint venture between Dejour Mines Limited and Nova-Co Exploration Limited (Thompson, 1977), which explored with mapping and geochemical sampling. Work in the northwest portion of that property returned moderately anomalous zinc values (based on a 475 ppm threshold), with erratic lead and silver support. No values were reported for gold or arsenic.

In 1977, prospecting and stream sediment sampling were carried out on the Eira property by the Ortell Syndicate (Curry, 1977). Anomalous silver and zinc results (up to 2.4 and 680 ppm, respectively) led to a second phase of exploration, which comprised grid soil sampling and minor geological mapping. The second phase returned a number of moderate, non-coincident silver, zinc and lead anomalies. Again, no data was reported for gold or arsenic.

No record of work was found for the Red claims.

In 2001, the Geological Survey of Canada (GSC) completed a regional stream sediment sampling program, which included coverage of the Crag East property (Heon, 2003). Some creeks draining the area of the Crag East claims returned moderate gold and arsenic anomalies from that program.

In 2009, ATAC followed up a strong arsenic silt anomaly reported by the GSC's 2001 regional sampling program in an area about 10 km northeast of the Crag East property. Reconnaissance sampling by ATAC returned a string of moderately to very strongly anomalous results ranging from 12 to 1775 ppb gold and 123 to 155,000 ppm arsenic (Eaton, 2010). As a result, additional claims were staked by ATAC.

In 2010 ATAC followed up the anomalous silt/soil results and discovered Carlin-type gold mineralization on its Nadaleen Trend Project. Work carried out that year included grid soil sampling, stream sediment sampling, geologic mapping, prospecting and diamond drilling

(Lane, 2011). The work identified four showings featuring decalcification and silicification of carbonate strata that host visible realgar, orpiment and dark grey sooty pyrite, which are characteristic minerals in deposits in the Carlin Trend of Nevada (Lane, 2011).

In early 2011, Strategic Metals staked the Crag East property to cover units believed to overlie the strata that host ATAC's Nadaleen Trend discoveries.

GEOMORPHOLOGY AND CLIMATE

The Crag East property is situated in the Selwyn Mountains and is drained by creeks that flow into the Stewart and Lansing Rivers, which are both part of the Yukon River watershed. The Stewart River bisects the property.

Northwest and southeast trending spurs and valleys extend off larger, northeast trending ridges, north of the Stewart River. South of the Stewart River, ridgelines trend more east-west with spurs and valleys oriented north-south. Local topography ranges from alpine to taiga. Terrain north of the Stewart River is subdued, but some areas to the south are relatively rugged. Elevations range from about 670 m in valley bottoms to peaks at 1960 m above sea level. Outcrop is usually found near ridge crests and in actively eroding creek beds. At higher elevations, most hillsides are covered with talus and alpine grasses while lower slopes and valley bottoms are blanketed by glacial till and are forested. Soil development is moderate to poor in most areas.


Treeline on the property is about 1500 m with grasses, mosses and light brush at higher elevations and stands of black spruce, willow and alder below treeline. Steep, north facing slopes are usually unvegetated.

The climate in the Crag East area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively warm, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

The Geological Survey of Canada performed geological mapping in the vicinity of the Nadaleen Trend project at 1:250,000 scale in the early 1970s (Blusson, 1974). In 1999, Gordey and Makepeace completed a compilation of Yukon-wide geology and updated the lithological unit names in the Crag East area.

The Crag East property lies immediately south of the Dawson Thrust Fault, a crustal break of probable Cambrian age that formed the edge of Selwyn Basin (Figure 3) and later reactivated as a north directed thrust (Pyle et al., 2007). The Dawson Thrust Fault juxtaposes rocks of Selwyn Basin to the south against Mackenzie Platform to the north (Figure 4). Selwyn Basin stratigraphy consists of regionally metamorphosed, basinal sediments of Neoproterozoic to Paleozoic age. Mackenzie Platform stratigraphy comprises dominantly shallow water carbonate and clastic sediments that were deposited from Mid-Proterozoic through Paleozoic times. Both packages of sediments were deposited on the western margin of ancestral North America.



STRATEGIC METALS LTD.


FIGURE 4 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED REGIONAL GEOLOGY CRAG EAST PROPERTY

0 3 6 9 12 15 km

UTM ZONE 8, NAD 83, 105N/15, 16, 106C/01, 02

FILE: ...2011/CRAG EAST/FIGURES/REGIONAL

DATE: MARCH 2012



Upper Proterozoic to Cambrian

- PCH1** Hyland Group: thin to thick bedded shale, fine to coarse grained sandstone, grit, quartz-pebble conglomerate; minor argillaceous limestone (Hyland Gp.; Yusezyu)
- PCH2** Hyland Group: grey weathering, dark grey to grey white limestone, calc-silicate and marble
- PCH3** Hyland Group: recessive, maroon weathering, interbedded maroon and apple-green slate

Lower Cambrian

- ICG** Gull Lake: dominantly fine clastic assemblage with local volcanic units

Lower Paleozoic

- CDB** Bouvette: grey-and buff-weathering dolomite and limestone

Ordovician to Devonian

- ODR** Road River: black, gun-blue, or silvery white weathering black graptolitic shale and black chert

Devonian to Mississippian

- DME** Earn: submarine fan and channel deposits in black siliceous shale and chert

Carboniferous to Permian

- CPMC** Mount Christie: burrowed, interbedded greenish grey cherty shale and green shale

Quaternary

- Q** Quaternary: unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluvial silt, sand, and gravel, and local volcanic ash



Thrust fault

*From Gordey and Makepeace, 2003.

The geology in the region includes five main sedimentary units classified by Gordey and Makepeace (1999) as Hyland Group, Bouvette Formation, Gull Lake Formation, Road River Group and Earn Group (Figure 4).

The Hyland Group, which consists of the Yusezyu Formation and the conformably overlying Narchilla Formation, comprises the stratigraphic floor of the region. The Yusezyu Formation is typified by a variably metamorphosed, fine to coarse grained, gritty, quartz-rich succession of evenly interbedded sandstone and shale (PCH1) capped by a thin discontinuous limestone member (PCH2) (Lindsay, 2006). The sedimentary fabric and general morphology of the Yusezyu Formation are consistent with deposition by sedimentary gravity flows in an upper or mid submarine fan setting in shallow to moderately deep water (Gordey and Anderson, 1993). Primitive trace fossils found within the formation suggest that it is Upper Proterozoic in age (Fritz et al., 1983). The Narchilla Formation (PCH3) is characterized by recessive, maroon to green shale and sandstone. The sedimentary structures observed in this formation are indicative of deposition from sedimentary gravity flows, likely turbidites, under calm, relatively deep water conditions (Gordey and Anderson, 1993). Based on trace fossil evidence, the Narchilla Formation is classified as Late Precambrian to Early Cambrian in age (Fritz et al., 1983).

The Bouvette Formation is Lower Paleozoic in age and unconformably overlies the Hyland Group. It comprises grey- and buff-weathering dolomite and limestone with rare black shale (Gordey and Anderson, 1993). Bouvette Formation rocks are platform carbonates deposited on the edge of Selwyn Basin, are found in the footwall of the Dawson Thrust and are syncontemporaneous with detrital Gull Lake and Road River Groups to the south (Chakungal and Bennett, 2011).

The rocks of the Gull Lake Formation are quiet water sediments of Late to Early Cambrian age and are dominated by orange to rust-brown weathering laminated slate and siltstone, with a basal unit of thin, discontinuous limestone conglomerate, and an upper unit of resistant, grey-weathering, bioturbated calcareous to non-calcareous and dolomitic siltstone and mudstone (Gordey and Anderson, 1993). The Gull Lake Formation conformably overlays the Narchilla Formation of the Hyland Group (Héon, 2003).

The Road River Group dates to Ordovician and Devonian and unconformably (?) overlies the Gull Lake Formation. These rocks are black graptolitic shale and chert with minor argillaceous carbonate rocks overlain by orange siltstone and dolomitic limestone, black limestone or buff to dark grey silty limestone (Gordey and Anderson, 1993).

The rocks of the Earn Group are composed of black, siliceous shales and chert with convolute underwater fan and channel deposits and syndepositional volcanic flows. This group is Devonian to Mississippian in age, and is known to host barite and strata controlled lead-zinc mineralization (Gordey and Anderson, 1993).

North of Crag East property, the main structural trend is east-west, as defined by regional bedding and the orientation of the Dawson Thrust Fault. Moving through the property to the south, regional structures and bedding swing to northwest-southeast, showing the influence of the Robert Service and Tombstone Thrust Faults that are exposed at surface further to the south.

Several parallel drainages, which trend northeast across the property and are pronounced on Lidar images, may mark major high-angle structures; however, the lack of outcrop and homogeneity of lithologies make it difficult to identify movement, if any.

PROPERTY GEOLOGY

Generalized property geology is shown on Figure 5. Most of the property is mapped as Hyland Group, which is sandwiched between the Dawson Thrust Fault to the north and the Robert Service and Tombstone Thrust Faults to the south. Bedrock in the northern and central parts of the property is usually blanketed by glacial or fluvial overburden, which makes structures difficult to recognize and confirm. Numerous faults are mapped in more rugged areas in the southern part of the property. There are no known intrusive rocks on the claims.

Before 2011, no detailed geological mapping was reported within the property boundary. Detailed mapping in 2011 was conducted within separate four square kilometre and two square kilometre areas around strong soil geochemical anomalies where diamond drilling was done (Figure 6). Mapping was hampered by pervasive vegetation and overburden cover.

Most mapping in 2011 was done near a “kill zone” named the Merlot Zone, where realgar was discovered in limestone debris flows that are interbedded with massive dolomite, maroon shale and siliceous siltstone. Local bedding strikes northwest and dips variably.

Mapping was also done approximately 4.5 km to the east where a large gossanous seep and “kill zone” named the Shiraz Zone, occur within a sequence consisting of light grey limestone and a dark grey lime mud package featuring non-calcareous siliciclastic grit and pebble conglomerate. Local bedding strikes easterly and dips moderately to the south.


PROPERTY SOIL, SILT AND ROCK SAMPLE GEOCHEMISTRY

Soil Geochemistry

A total of 2009 soil samples were taken on Crag East property in 2011. The location of soil samples are plotted on Figures 7 through 9, while results for arsenic, gold, thallium, mercury and antimony are shown thematically on Figures 10 through 14, respectively. Analytical methods are explained in Appendix II, and Certificates of Analysis are given in Appendix III.

Background and anomalous values for gold, arsenic, mercury, antimony and thallium were calculated from all soil samples collected. Background averages and weak, moderate, strong and very strong anomalous thresholds approximately correspond to the 50th, 90th, 95th, 98th and 99th percentiles, respectively. The values corresponding to the various statistical thresholds are uncommonly high, except for gold, as summarized in Table I.

Grid soil samples collected in 2011 define two large areas with anomalous values for Carlin-type pathfinder elements. Weakly to very strongly anomalous arsenic values range from 284 to 11,700 ppm. Anomalous mercury, antimony and thallium values show good spatial correlation with arsenic results. These visual correlations are confirmed by Pearson Correlation



Upper Proterozoic to Cambrian

- PCH1** Hyland Group: thin to thick bedded shale, fine to coarse grained sandstone, grit, quartz-pebble conglomerate; minor argillaceous limestone (Hyland Gp.; Yusezyu)
- PCH2** Hyland Group: grey weathering, dark grey to grey white limestone, calc-silicate and marble
- PCH3** Hyland Group: recessive, maroon weathering, interbedded maroon and apple-green slate

Lower Cambrian

- ICG** Gull Lake: dominantly shale, siltstone and mudstone, locally bioturbated; local basal limestone; massive to fragmental mafic meta-volcanic and volcanoclastic rocks

Lower Paleozoic

- CDB** Bouvette: grey-and buff-weathering dolomite and limestone, medium to thick bedded; white to light grey weathering, massive dolomite; minor argillaceous limestone conglomerate, and black shale

Ordovician to Devonian

- ODR** Road River: black, gun-blue, or silvery white weathering black graptolitic shale and black chert

Devonian to Mississippian

- DME** Earn: submarine fan and channel deposits in black siliceous shale and chert

Carboniferous to Permian


- CPMC** Mount Christie: burrowed, interbedded greenish grey cherty shale and green shale; thin to medium bedded, light grey-green to black chert

Quaternary

- Q** Quaternary: unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluvatile silt, sand, and gravel, and local volcanic ash



Thrust fault



Lithologic Contact

STRATEGIC METALS LTD.

FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

CRAG EAST PROPERTY



0 2.5 5 7.5 10 km

UTM ZONE 8, NAD 83, 106C/02, 3, 4, 105N/13 Contour Interval: 100 m


FILE: ...2011/CRAG/FIGURES/REGIONAL

DATE: MARCH 2012





MERLOT ZONE:



SHIRAZ ZONE:



STRATEGIC METALS LTD.



Calculations, presented in Table II. Various Carlin-type pathfinders show weak (0.2 to 0.29) to strong (0.4 to 0.69) positive correlations, but gold shows no or negligible geochemical correlations. This may be due to uniformly low gold values in soil or questionable gold recoveries during sample analyses, as discussed in Appendix II.

Table I- Crag East Soil Sample Geochemical Anomalous Thresholds

Thresholds	Percentile	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)
Background	50	0.001	34	0.44	0.72	0.19
Weak	90	0.003	284	1.74	2.72	0.64
Moderate	95	0.003	603.5	2.75	5.00	1.09
Strong	98	0.005	1262	6.37	15.04	2.58
Very Strong	99	0.006	2030	13.61	30.91	5.13
Peak	100	0.042	11700	321	146	67.7


TABLE II- Crag East Soil Sample Carlin-Type Geochemical Correlations


	Au	As	Hg	Sb	Tl
Au	1				
As	0.085	1			
Hg	0.052	0.19	1		
Sb	0.11	0.43	0.44	1	
Tl	0.025	0.56	0.21	0.32	1


The two main areas of anomalous soil geochemistry are roughly 3.5 km apart. They are approximately 1600 m long and up to 890 m wide, as presented on the thematic soil geochemistry figures. Both anomalies are relatively linear and trend northwesterly, roughly paralleling bedding and cleavage attitudes taken during mapping and as evident on the Lidar image.


Silt Geochemistry

Locations of 802 silt samples collected in 2011 on the Crag East property are plotted on Figure 15. Thematic values for arsenic, gold, thallium, mercury and antimony are presented on Figures 16 through 20, respectively. Analytical methods are explained in Appendix II, and Certificates of Analysis are given in Appendix III. As with soils, background averages and weak, moderate, moderate and very strongly anomalous thresholds approximately correspond to 50th, 90th, 95th, 98th and 99th percentiles, as tabulated below:












TABLE III- Crag East Silt Steam Sample Geochemical Anomalous Thresholds

Thresholds	Percentiles	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)
Background	50	0.001	11.7	0.08	0.39	0.08
Weak	90	0.003	44.7	0.47	1.03	0.18
Moderate	95	0.003	83.4	0.7	1.43	0.23
Strong	98	0.004	283.2	1.12	2.4	0.46
Very Strong	99	0.005	543.3	2.4	2.93	0.74
Peak	100	0.019	4370	45.4	5.17	10.15

Strongly anomalous silt geochemistry is confined to the northern parts of the Crag East property, which spatially overlaps areas of anomalous soil geochemistry. South of the Stewart River anomalous silt geochemistry is weaker and confined to a few drainages.

Pearson Correlation Calculations for Crag East silts are generally similar to those for soils and are tabulated in Table IV.

TABLE IV- Crag East Silt Stream Sample Carlin-type Geochemical Correlations

	Au	As	Hg	Sb	Tl
Au	1				
As	-0.02	1			
Hg	-0.021	0.092	1		
Sb	0.0023	0.51	0.12	1	
Tl	-0.024	0.81	0.13	0.52	1

Gold-in-silt shows no or negligibly negative correlation to Carlin-type pathfinders. Mercury correlations are also negligible. This is likely due mobilization by bacteria forming methylmercury, which can deplete stream sediments of mercury content. Arsenic, antimony and thallium show strong and very strong positive correlations.

Rock Geochemistry

A total of 31 rock samples were collected on Crag East in 2011. Rock sample locations are presented on Figure 15, analytical methods are explained in Appendix II, Certificates of Analysis are given in Appendix III, and sample descriptions are given in Appendix IV. Thematic results for arsenic, gold, mercury, thallium and antimony are presented on Figures 21 through 25, respectively.

Prospecting in 2011 discovered three areas of mineralization on the Crag East property: the Merlot, Malbec and Shiraz Zones.

At the Merlot Zone, realgar and decalcification alteration are hosted in porous, sooty carbonate rocks found in soil within an unvegetated “kill zone” along a northwesterly trend for 600 m. Realgar and decalcification are characteristics that are common in gold bearing rocks from

Nevada's Carlin Trend and ATAC Resources Nadaleen Trend discoveries. Fourteen samples collected from surface along the Merlot Zone averaged 2.54% arsenic, 785 ppm mercury, 278 ppm antimony and 182 ppm thallium, including the best sample which returned 10.65% arsenic, 820 ppm mercury, 1240 ppm antimony and 800 ppm thallium. Gold values for all of these rock samples were low, 0.015 g/t or less. One sample with anomalous Carlin-type geochemistry (3.14% arsenic, 6800 ppm mercury, 613 ppm antimony and 15.4 ppm thallium) also returned strong values for lead and zinc, grading 2.38% and 21.5% respectively.

A 25.5 m long hand trench (TR-ME-01) was dug across the Merlot Zone as illustrated on Figure 26. It cut broken carbonate bedrock with areas of decalcification alteration and realgar mineralization. Nine chip samples taken from the trench ranged between 1.55 to 4.2 m in length. These samples feature characteristics and geochemistry commonly associated with carbonate rocks that host Carlin-type gold mineralization. Samples collected from TR-ME-01 produced weighted averages of 1.4% arsenic, 430 ppm mercury, 57 ppm antimony and 43.4 ppm thallium. One sample from the trench returned values of 11.45% arsenic, 1630 ppm mercury, 454 ppm antimony and 181.5 ppm thallium.

The Malbec Zone is a second occurrence of realgar-bearing carbonate. It was discovered in a heavily vegetated area 4 km east of the Merlot Zone. The mineralization was found by following up a soil geochemical anomaly. One of the very few rocks found in the area was mineralized and a sample from it graded 0.69% arsenic, 1270 ppm mercury, 29.1 ppm antimony and 6.05 ppm thallium, but negligible gold.

The Shiraz Zone is a prominent gossanous seep spotted from a helicopter approximately 4.5 km east of the Merlot Zone (Figure 6). A sample of dark red to black, limonite from the seep area returned values of 1.1% arsenic and 2.13% zinc, but low values for gold and other Carlin-type pathfinder elements.

DIAMOND DRILLING

Diamond drilling was conducted at Crag East property from July 15 to September 9 by Beaudoin Diamond Drilling Ltd. of Courtenay, BC. The work was completed using NTW equipment with a heli-portable JKS-300 drill. A total of 1398.73 m were drilled in six holes. Four holes totalling 1014.68 m were completed at the Merlot Zone, and two holes totalling 384.05 m were done at the Shiraz Zone. The drill was set up on a platform of 6" x 6" timbers covered with 2" x 8" planks, from sites that were leveled by hand.

Core was flown off the property by helicopter and taken to the camp at Rackla Airstrip, where it was logged, processed and is currently stored. Sampling and Analytical Procedures for the core are explained in Appendix II, Certificates of Analyses are provided in Appendix III, QA/QC Results are presented in Appendix V and Geological and Geotechnical Logs are given in Appendix VI. Drill collar locations are plotted on Figure 6 and key drill information is presented on Table V. Cross sections showing the 2011 drill holes are illustrated on Figures 27 to 29 and significant mineralized intervals are listed on Table VI.

Section Facing Southeast

222°

614 752 mE
7 107 006 mN

Section View:

614 736 mE
7 106 986 mN

0 25.5 m

Sample:	K976822	K976823	K976824	K976825	K976826	K976827	K976828	K976829	K976830
Length (m):	1.55	1.6	1.3	2.75	4.2	3.4	2.9	4.1	3.7
Gold (g/t):	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Arsenic (ppm):	8580	114,500	93,700	5080	2670	1230	1900	423	390
Mercury (ppm):	201	1630	5170	233	95.4	30.3	44.2	8.92	6.86
Thallium (ppm):	50.9	181.5	300	36.6	20	13.35	27	6.58	3.3
Anitmony (ppm):	25.2	454	325	27.2	22.1	9.99	14	2.52	2.46

Moderate to strong
blebby realgar

Moderate to strong,
blebby to locally massive
realgar

Plan View:

-  Overburden: Unconsolidated glacial till with cover of soil and organic deposits
-  Dolostone Bedrock: Light to dark grey zebra-texture dolostone with variable decalcification. Patches of blebby to massive realgar intermittent throughout.
-  Broken Dolostone Bedrock: Dark to light grey highly broken with variable fracturing and decalcification. Patches of blebby to massive realgar intermittent throughout.

 Fracture or alteration change

*See Appendix IV for sample descriptions and positions.

STRATEGIC METALS LTD.

FIGURE 26
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


TR-ME-01
CRAG EAST PROPERTY

0 1 2 3 4 5 m

UTM ZONE 8, NAD 83, 105N/15, 16, 106C/01, 02

FILE: ...2011/CRAG EAST/FIGURES/TR-ME-01

DATE: MARCH 2012



- Overburden: Unconsolidated soil and till
- Siltstone: Interbedded siltstone and fine sandy beds
- Mudstone: Maroon and apple green mudstone/shale
- Limestone: Silty to argillaceous limestone
- Dolostone: Variably brecciated dolostone
- Anomalous zone of Carlin pathfinders As, Hg, Tl, Sb

STRATEGIC METALS LTD.

FIGURE 27


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MERLOT CROSS SECTION 1

CRAE EAST PROPERTY

0 20 40 60 80 100 m

Looking Northwest



-  Overburden: Unconsolidated soil and till
-  Siltstone: Interbedded siltstone and fine sandy beds
-  Mudstone: Maroon and apple green mudstone/shale
-  Limestone: Silty to argillaceous limestone
-  Dolostone: Variably brecciated dolostone
-  Anomalous zone of Carlin pathfinders As, Hg, TI, Sb

STRATEGIC METALS LTD.


FIGURE 28

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MERLOT CROSS SECTION 2

CRAE EAST PROPERTY

0 20 40 60 80 100 m



-  Overburden: Unconsolidated soil and till
-  Limestone: Variably silicified and fossiliferous limestone
-  Siltstone: Argillic siltstone with nodules of jasperoid alteration
-  Shale: Variably deformed, laminated clay altered shale
-  Semi-massive sulfides and clay alteration
-  Intense clay alteration with minor sulfide mineralization
-  Anomalous zone of Carlin pathfinders As, Hg, Tl, Sb with Zn

STRATEGIC METALS LTD.

FIGURE 29

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SHIRAZ CROSS SECTION 1

CRAE EAST PROPERTY

0 10 20 30 40 50 m

FILE: ...2011/CRAE EAST/FIGURES/SHIRAZ-1

DATE: MARCH 2012

TABLE V- 2011 Drill Hole Data

Hole	Easting	Northing	Elv. (m)	Azimuth	Dip	Depth (m)	Size
CE11-01	614791	7107039	1442	240	-50	182.57	NTW
CE11-02	614673	7107202	1391	240	-50	220.98	NTW
CE11-03	614872	7107098	1432	240	-50	280.42	NTW
CE11-04	614954	7107156	1399	240	-50	330.71	NTW
CE11-05	619147	7107948	859	000	-50	195.07	NTW
CE11-06	619147	7107948	859	000	-90	188.98	NTW

At the Merlot Zone, mineralization is distinguished by the presence of realgar and lesser amounts of orpiment, which typically occur as late minerals filling open fractures and pore spaces within decalcified, sooty and dark debris flow carbonates and deformed calcareous mudstone and siltstone. Realgar is also present as coarse crystals within calcite veins, beyond margins of decalcification alteration zones. Debris flow textures vary greatly with pebble to cobble sized, angular to sub-rounded clasts that are matrix to clast supported. Soft sediment deformation textures are seen in beds of fine grained sediments exhibiting small kinks to large scale slumps. Drilling also intersected sandy siltstone, maroon to apple green shale, and brecciated dolostone, in which mineralization is generally absent. Three holes were drilled on Section Line 1 and one hole on Section Line 2. All holes were oriented approximately perpendicular to the strike of bedding. Intercepts in holes on Section Line 1 ranged from 21.34 to 60.8 m thick, with CE11-03 intersecting the thickest zone of Carlin pathfinder mineralization. It graded 1.03% arsenic, 86 ppm mercury, 31 ppm antimony and 50.6 ppm thallium over 60.8 m, including 6.3 m of 4.25% arsenic, 259 ppm mercury, 136 ppm antimony and 292.4 ppm thallium. Gold values in all four holes were negligible.

The two holes at the Shiraz Zone were drilled at different dips from the same collar location. Mineralization was found near surface in both holes as semi-massive pyrite in quartz veins within sections of strong argillic alteration and weathered rubble. The remainder of the holes intersected unmineralized, steeply dipping, variably jasperoid altered, fossiliferous limestone and shale with dolomitic and silty interbeds. CE11-05 cut through 10.67 m of sulfide mineralization grading 0.53% arsenic, 1.4 ppm mercury, 17.2 ppm antimony, 13.9 ppm thallium and 1.2% zinc. Low gold values were recorded throughout both drill holes.

A complete list of significantly mineralized intervals is presented below:

TABLE VI: 2011 Crag East Significant Drill Intersections

Hole	From (m)	To (m)	Width (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Zn (%)
CE11-01	27.43	65.00	37.57	<0.01	7897.9	101.0	27.7	33.9	0.017
Including:	48.10	61.50	13.40	<0.01	13878.0	225.1	50.0	68.3	0.04
CE11-02	86.80	96.01	9.21	<0.01	5016.5	30.5	14.2	19.2	<0.01
CE11-03	129.70	190.50	60.80	<0.01	10323.4	86.1	31.4	50.6	<0.01
Including:	180.91	187.21	6.30	<0.01	42508.6	259.1	136.2	292.4	<0.01

CE11-04	225.55	246.89	21.34	<0.01	7440.6	15.3	32.0	9.5	<0.01
CE11-05	7.62	18.29	10.67	<0.01	533.7	1.4	17.2	13.9	1.2
CE11-06	9.14	19.81	10.67	<0.01	465.7	0.6	1.3	0.5	1.4

LIDAR SURVEY

An airborne Lidar survey were flown over the northern part of the Crag East property in early September by Eagle Mapping Ltd. of Port Coquitlam, BC, covering the Merlot, Shiraz and Malbec Zones. The Lidar survey was completed using a RIEGL VQ-480 Airborne Laser Scanner. Detailed topographic images were generated from the scan data.

Strong northwesterly and northeasterly trending features are visible on the Lidar images (Figure 30). The northwesterly trending features are thought to correspond to bedding while northeasterly trending linears are likely faults.


DISCUSSION AND CONCLUSIONS

The Crag East property is located near ATAC's Carlin-type gold discoveries, along the thrust-faulted boundary between Mackenzie Platform and Selwyn Basin. The general geological setting resembles gold deposits in the Carlin Trend of Nevada.

Work conducted in 2011 at the Crag East property identified Carlin-type pathfinder geochemical anomalies and realgar showings hosted in decalcified debris flow carbonate packages. Drilling confirmed that significant Carlin-type pathfinder mineralization extends to depth at the Merlot Zone.

Anomalous geochemistry may be related to the Dawson Thrust Fault, which lies just north of the Crag East property. This fault is thought to be a deep-seated feeder structure important for gold mineralization at ATAC's Nadaleen Trend project (Lane, 2011). Leakage from fluids migrating along this structure may account for the strong Carlin-type pathfinder element geochemistry in the northern part of the Crag East property and may explain why lower values for these elements are found further to the south, where the Dawson Thrust Fault is projected deeper below surface.

The Crag East property certainly warrants additional work to better assess the character and extent of geochemical anomalies and mineralized showings, and to search for additional areas of interest. Soil sampling has proven to be a very effective technique at the Crag East property, and therefore, it is recommended that the area of soil sampling coverage be substantially extended. To accomplish this, widely spaced contour soil sampling should be done in drainages with weakly to moderately anomalous silt values in the southern part of the property, and grid soil sampling should be completed in areas within the northern part of the property, which adjoin the known soil anomalies or which lie in drainages with strongly anomalous values for Carlin-type pathfinder elements. Prospecting and detailed geological mapping should be done in all areas that yield strongly anomalous soil results. An emphasis should be placed on targets with anomalous gold, thallium, arsenic, mercury and/or antimony geochemistry. Drilling should continue to test the best of the geochemical anomalies and mineral showings, specifically on the Merlot and Malbec Zones.



STRATEGIC METALS LTD.

FIGURE 30
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LIDAR SURVEY
CRAG EAST PROPERTY

Structural zones are largely responsible for localizing mineralization in carbonate-hosted gold deposits. Thus, it is important to identify folds and faults that affect prospective carbonate host rocks (Fonseca, 1998). Future work should place emphasis on identifying and drill testing areas where porous and chemically reactive units are in close proximity to feeder structures. Lidar surveys have proven useful in identifying topographic features that may correspond to geological structures, and they should be flown over other parts of the property where geochemical anomalies are identified.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Kirk Unger, B.Sc.

REFERENCES

- Blusson, S.
 1974 Drafts of five geological maps of northern Selwyn basin (Operation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N, O); Geological Survey of Canada, Open File 205, Scale 1:250,000.
- Chakungal, J. and Bennett, V.
 2011 New bedrock geology of the Mount Mervyn map sheet (106C/04) and mineral potential for the South Wernecke mapping project; Yukon Geological Survey, Yukon Exploration and Geology 2010, p. 55-87.
- Colpron, M. and Nelson, J. L.
 2011 A Digital Atlas of Terranes for the Northern Cordillera; Yukon Geological Survey and BC Geology Survey, BCGS GeoFile 2011-11 (http://www.geology.gov.yk.ca/pdf/CanCord_terrane_2011.pdf).
- Curry, J.D.
 1977 Geochemical survey and preliminary geology for parts of the Eira claim group; prepared for Ortell Syndicate.; Assessment Report #090254.
- Deklerk, R. and Traynor, S. (compilers)
 2005 Yukon MINFILE – a database of mineral occurrences (Map 106C); Yukon Geological Survey (http://ygsftp.gov.yk.ca/publications//minfile/pdf_maps/106c.pdf).
- Eaton, S.
 2010 Assessment report describing geochemistry sampling at the Sten property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.
- Fonseca, A.L.
 1998 Origin of Carbonate-Hosted Gold Rich Replacement Deposits and Related Mineralization Styles in the Ketza River Deposit, Yukon Territory; unpublished Masters of Science Thesis, University of British Columbia, p.109.
- Fritz, W.H., Narbonne, G.M., and Gordey, S.P.
 1983 Strata and trace fossils near the Precambrian-Cambrian boundary, Mackenzie, Selwyn and Wernecke Mountains, Yukon and Northwest Territories. In Current Research, Part B; Geological Survey of Canada, Paper 83-1B, p. 365-375.
- Gordey, S.P. and Anderson, R.G.
 1993 Evolution of the northern Cordilleran miogeocline, Nahanni map area (105I), Yukon and Northwest Territories; Geological Survey of Canada, Memoir 428, 214p. + maps.

Gordey, S.P. and Makepeace, A.J. (compilers)

- 1999 Yukon bedrock geology in Yukon digital geology; Geological Survey of Canada Open File D3826 and Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open File 1999-1(D).

Heon, D. (compiler)

- 2003 Yukon regional geochemical database 2003 – stream sediment analyses; Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada.

Lane, J.

- 2011 Assessment report describing geochemical sampling, geological mapping, diamond drilling and geophysical survey at the Nadaleen Trend Project, Rackla Gold Property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.

Lindsay, M.J.

- 2006 The structural and hydrothermal evolution of intrusion-related gold mineralization at the Brewery Creek Mine, Yukon, Canada; Thesis submitted for the degree of Doctor of Philosophy (geology) in School of Earth Sciences at James Cook University of North Queensland.

Pyle, L., Roots, C., Allen, T., Fraser, T., Bond, J., Jones, A. and Gal, L.

- 2007 Roadside Geology of the Dempster Highway, Northwest Territories and Yukon: A traveller's guide to the Geology of Canada's most north-western road; Yukon Geological Survey, YGS Open File 2007-10 (http://www.geology.gov.yk.ca/pdf/of2007_10.pdf).

Thompson, I.S.

- 1977 Geochemical report on Black 1-32 and Ida 1-32 claims; prepared for Dejour Mines Ltd.; Assessment Report #090255.

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Kirk Unger, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of Waterloo in 2009 with a B.Sc., Honours in Science with a Minor in Earth Sciences.
2. From 2006 to present, I have been actively engaged in mineral exploration in Yukon Territory and British Columbia.
3. I have personally participated in the field work reported herein and have interpreted all data resulting from this work.

Kirk Unger, B.Sc.

95921

Q/M01397

Statement of Expenditures
Crag 402-813 and Tasin 1-1280
February 27, 2012



Expenses (including management fee)

Beaudoin Diamond Drilling Ltd.	\$247,571.48
Fireweed Helicopters	31,618.81
Horizon Helicopters Ltd.	4,354.56
Eagle Mapping Ltd.	75,792.02
ALS Chemex	<u>35,875.26</u>
Total	<u><u>\$395,212.13</u></u>

Pro-rated cost per grouping – \$395,212.13/3 groupings = \$131,737.38 per grouping

APPENDIX II
SAMPLING AND ANALYTICAL PROCEDURES

2011 Core Geochemical Samples

Core was transported by helicopter from the drill sites to a logging area at the Rackla Airstrip where recovery was measured and geological and geotechnical logging was performed. All material in each hole was split in half using a rock saw with one half sent for analysis and the other returned to the core box. All core is stored on at Archer Cathro's field camp at the Rackla Airstrip.

Core samples were double bagged in plastic sample bags and batched up into rice bags for transport. Batches were flown out by fixed wing aircraft from Rackla Airstrip to the Mayo Airport. Core samples were then transported from the Mayo Airport by truck to Whitehorse escorted by a representative from Archer Cathro. The samples were prepped for analysis at ALS Chemex facilities in Whitehorse and splits were shipped to ALS Chemex in North Vancouver for analysis. In Whitehorse, core samples were dried and crushed to 70% minus 2 mm before a 1.5 kg split was taken and pulverized to better than 85% minus 75 microns. To reduce contamination, equipment was twice washed with silica sand between samples. Pulverized splits were sent to North Vancouver and routinely dissolved in four acid "near-total" digestion and analysed for 48 elements using the ME-MS61 method which includes combined inductively coupled plasma (ICP) with mass spectroscopy (MS) and atomic adsorption spectroscopy (AES). Mercury was analysed for using HG-CV41 methods by aqua regia digestion and atomic adsorption spectroscopy. Samples with arsenic values greater than 1% were reanalysed by As-OG62 procedures by "four acid" digestion and ICP-AES finish. Samples were analysed for gold by fire assay finished with atomic adsorption spectroscopy (Au-AA26). Certificates of Analysis are found in Appendix III.

2011 Silt and Soil Geochemical Samples

Stream sediment samples were collected from creeks by hand, while soil samples were collected from 30 to 60 cm deep holes dug by hand-held auger. All samples were placed into individually pre-numbered Kraft paper bags. Sample sites are marked by aluminium tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. All sample locations were recorded using hand-held GPS units. All samples were sent to ALS Chemex in Whitehorse, and North Vancouver, where they were dried, screened to -180 microns, and then analysed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 25 g charge was further analysed for gold by aqua regia digestion with inductively coupled plasma mass spectroscopy finish (Au-TL43).

Reanalysis for gold by fire assay with inductively coupled plasma-mass spectroscopy finish (Au-ICP21) was completed on 24 silt and 237 soil samples from Crag East, using a 30 g charge from pulverized material. Reanalysis was spurred by the discovery of possible interference of gold recovery by the presence of sulfide and/or carbon for Au-TL43 analytical methods.

2011 Rock Geochemical Samples

Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Multi-element analyses for rock samples were carried out at ALS Chemex in Whitehorse and North Vancouver. Each sample was dried, fine crushed to better than 70% passing 2 mm and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was then analysed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 50 g charge was further analysed for gold by aqua regia digestion with inductively coupled plasma mass spectroscopy finish (Au-TL44). Rock sample descriptions are presented in Appendix IV.

Reanalysis for gold by fire assay decomposition with atomic absorption spectroscopy (Au-AA26) was completed on 17 rock samples from Crag East, using a 50 g charge from pulverized material. Reanalysis was spurred by the discovery of possible interference of gold recovery by the presence of sulfide and carbon content when analysis for two QA-QC standards, inserted into a series of 17 rock samples failed. Reanalysis is discussed below.

2011 Rock, Soil and Silt Geochemical Reanalysis

Rock Sample Reanalysis

If a sample is high in carbon content or sulfide, lower gold recoveries may result using Au-TL44 analysis methods unless the sample is roasted prior to digestion. This was discovered when two different QA-QC standards made from carbonate-hosted ore material from the Barrick Gold Inc. owned Cortez Hills mine in Nevada were inserted into a sequence of 17 rock samples comprising decalcified and realgar bearing carbonate host rock from the Crag East property. Gold values from the standards analysed with Au-TL44 methods failed, returning 0.001 and 0.001 g/t for expected values of 1.14 and 7.76 g/t gold respectively.


Given the failed gold analysis from the QA-QC drill core standards, all 17 rock samples and inserted QA-QC standards were reanalysed at ALS Chemex facilities in North Vancouver. The reanalyses were done on 50 g charges from the pulverized splits, which were decomposed using fire assay and analysed for gold by atomic absorption spectroscopy (Au-AA26). Gold values for QA-QC standards passed using this method, but the rocks from Crag East property still returned low values.

Soil and Silt Sample Reanalysis

Soil and silt sample were routinely analysed for gold using Au-TL43 methods, which are similar to Au-TL44 analytical procedures and share the same interference for gold recovery in the presence of high carbon or sulphide content. A total of 294 soil and 32 silt samples collected from various Midas Touch Project properties, including 237 soil and 24 silt samples from Crag East, were reanalysed for gold by fire assay fusion decomposition and inductively coupled plasma emission spectrometry analysis (Au-ICP21).

Reanalysis results from Au-ICP21 procedures returned gold values roughly twice those of Au-TL43 methods. A comparison of gold values from the two analytical procedures is plotted on Table VII.

TABLE VII – Midas Touch Gold Reanalysis



Soil sample CC153031 collected from the Crag East property (Figure 11) is of particular note; gold concentration determined using Au-TL43 methods gave a value of 0.002 g/t while Au-ICP21 analysis returned a gold concentration of 2.41 g/t. These results are similar to those from reanalysis of QA-QC standards made from Carlin-type ore where initial gold values from the Au-TL44 method were much lower than expected gold concentrations. As Au-TL44 and Au-TL43 share similar digestion methods, depressed gold values from Au-TL43 analyses are interpreted to be due to poor gold recoveries from presence of carbon in sample material.

APPENDIX III
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5- JUL- 2011
Account: MTT

CERTIFICATE WH11107179

Project: Midas Touch- Crag East

P.O. No.:

This report is for 110 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14-JUN- 2011.

The following have access to data associated with this certificate:

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC124072		0.10	<0.001	0.25	1.07	122.5	<0.2	<10	500	0.62	0.21	3.16	5.99	18.30	7.5	18
CC124073		0.12	0.001	0.17	1.75	25.5	<0.2	<10	260	1.01	0.28	1.25	1.58	23.1	11.9	25
CC124074		0.18	0.002	0.16	1.05	22.9	<0.2	<10	330	0.80	0.26	1.17	0.64	18.85	12.4	18
CC124075		0.24	0.001	0.06	0.97	32.2	<0.2	<10	130	0.48	0.29	0.47	0.43	16.40	9.8	18
CC124076		0.24	0.001	0.03	1.25	26.4	<0.2	<10	140	0.72	0.33	0.11	0.31	18.25	18.2	18
CC124077		0.22	0.001	0.11	1.26	22.5	<0.2	<10	330	1.21	0.29	0.83	0.41	17.40	12.0	22
CC124078		0.20	0.001	0.11	0.87	48.2	<0.2	<10	200	0.86	0.25	3.98	0.69	14.25	12.2	15
CC124079		0.24	0.001	0.11	1.08	34.3	<0.2	<10	250	0.95	0.25	2.70	0.52	15.80	9.8	18
CC124080		0.30	0.001	0.22	1.28	39.4	<0.2	<10	370	1.12	0.30	0.41	0.64	22.1	14.6	23
CC124081		0.22	0.002	0.25	1.28	135.5	<0.2	<10	410	0.83	0.25	0.73	0.98	16.80	11.4	22
CC124082		0.26	0.002	0.24	1.31	187.0	<0.2	<10	250	0.98	0.29	0.55	0.56	21.6	9.3	23
CC124083		0.18	0.001	0.25	0.71	185.0	<0.2	<10	210	0.90	0.28	1.11	2.08	17.00	11.2	14
CC124084		0.24	0.001	0.24	1.20	572	<0.2	<10	190	0.80	0.22	1.60	4.43	21.7	10.4	23
CC124085		0.28	0.002	0.25	1.24	2640	<0.2	<10	250	1.16	0.30	0.87	1.51	20.5	18.3	22
CC124086		0.22	0.001	0.14	1.40	185.0	<0.2	<10	430	0.99	0.28	0.58	0.65	21.9	12.7	22
CC124087		0.24	0.002	0.29	1.32	155.5	<0.2	<10	420	1.12	0.27	0.69	0.61	19.40	12.9	23
CC124088		0.10	0.002	0.12	0.97	441	<0.2	<10	250	0.47	0.24	1.14	0.29	9.80	9.6	18
CC124089		0.26	0.002	0.27	1.44	1500	<0.2	<10	230	0.87	0.31	0.87	0.60	26.1	12.4	26
CC124090		0.14	0.003	0.15	0.61	2670	<0.2	<10	110	0.54	0.15	8.57	22.5	16.90	10.3	13
CC124091		0.26	0.002	0.30	1.28	134.0	<0.2	<10	320	0.99	0.30	0.50	0.75	21.1	15.4	23
CC124092		0.16	0.002	0.21	1.41	398	<0.2	<10	160	1.69	0.27	0.14	1.66	43.0	19.4	22
CC124093		0.28	0.002	0.21	1.25	55.8	<0.2	<10	320	1.10	0.29	2.13	0.64	17.45	19.0	20
CC124094		0.20	0.002	0.17	1.31	60.6	<0.2	<10	360	0.91	0.25	0.68	0.32	22.3	10.4	22
CC124095		0.18	0.003	0.18	0.93	48.3	<0.2	<10	280	0.62	0.21	1.85	0.52	12.90	7.8	15
CC124096		0.20	0.001	0.16	0.79	61.3	<0.2	<10	210	0.79	0.24	1.08	0.41	15.25	10.1	13
CC124097		0.16	0.001	0.12	0.65	33.4	<0.2	<10	230	0.61	0.21	1.68	0.44	15.05	9.2	11
CC124098		0.22	<0.001	0.05	1.24	39.1	<0.2	<10	320	0.53	0.26	1.15	0.53	20.0	11.3	19
CC124099		0.20	0.001	0.19	1.15	62.8	<0.2	<10	150	1.29	0.18	4.41	0.78	50.3	7.9	16
CC124100		0.26	0.001	0.12	0.96	83.5	<0.2	<10	170	0.79	0.21	1.58	0.55	18.10	8.2	15
CC124101		0.18	0.001	0.08	1.61	64.5	<0.2	<10	180	0.93	0.22	3.03	0.49	32.9	9.8	22
CC124022		0.26	0.001	0.20	1.02	286	<0.2	<10	200	0.84	0.25	1.77	1.46	21.6	6.4	17
CC124023		0.20	0.002	0.13	1.63	45.5	<0.2	<10	200	1.06	0.26	0.55	0.19	27.8	10.8	26
CC124024		0.16	0.005	0.11	1.53	321	<0.2	10	130	0.88	0.20	2.92	0.61	32.0	8.3	21
CC124025		0.18	0.003	0.17	0.84	155.0	<0.2	<10	130	0.74	0.18	4.15	0.37	22.5	7.8	12
CC124026		0.16	0.001	0.07	0.62	64.5	<0.2	10	60	0.42	0.09	4.99	0.59	20.8	3.8	8
CC124027		0.22	0.001	0.16	0.30	22.8	<0.2	<10	50	0.73	0.24	1.33	0.08	14.70	7.8	5
CC124028		0.22	0.003	0.16	1.14	51.8	<0.2	<10	120	0.98	0.25	1.28	0.15	20.2	12.3	19
CC124029		0.14	<0.001	0.04	0.66	97.6	<0.2	<10	110	0.42	0.08	4.87	0.31	13.60	3.3	7
CC124030		0.22	0.001	0.12	0.59	457	<0.2	10	160	0.75	0.25	2.23	0.34	12.55	7.6	10
CC124031		0.16	0.001	0.10	1.42	82.2	<0.2	<10	170	1.19	0.30	0.77	0.56	24.0	15.3	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC124072		1.43	15.0	3.04	3.24	<0.05	0.05	19.30	0.030	0.06	10.5	6.9	1.22	1300	0.72
CC124073		0.91	19.9	3.99	5.49	<0.05	0.04	2.75	0.036	0.06	11.0	15.6	0.58	1270	0.75
CC124074		9.29	33.2	3.20	3.16	<0.05	0.04	0.88	0.033	0.10	8.8	11.7	0.36	1160	0.87
CC124075		1.14	17.2	3.72	4.03	<0.05	0.02	0.97	0.028	0.10	5.5	10.7	0.20	917	0.85
CC124076		1.24	24.1	4.25	3.81	<0.05	0.03	0.94	0.042	0.09	6.6	13.8	0.20	988	0.76
CC124077		1.29	30.7	3.86	3.64	<0.05	0.08	0.75	0.035	0.12	8.8	13.1	0.32	614	1.18
CC124078		1.69	28.5	3.05	2.71	<0.05	0.04	1.60	0.029	0.11	6.9	12.1	2.01	740	0.99
CC124079		1.34	25.2	3.29	3.33	<0.05	0.06	0.77	0.030	0.10	7.5	11.2	1.35	669	0.96
CC124080		2.33	37.8	3.87	4.06	<0.05	0.04	0.53	0.036	0.14	10.5	16.8	0.37	664	1.74
CC124081		3.61	25.0	3.95	3.89	0.05	0.06	0.77	0.033	0.11	8.4	15.0	0.32	1010	1.57
CC124082		14.00	31.3	2.70	4.05	0.05	0.08	0.84	0.062	0.13	10.3	19.8	0.35	170	0.84
CC124083		6.45	27.1	3.52	2.13	<0.05	0.06	3.65	0.032	0.08	6.6	5.5	0.19	828	1.04
CC124084		15.60	24.4	3.21	3.62	0.05	0.04	4.76	0.029	0.13	11.4	14.0	1.00	696	1.48
CC124085		2.65	44.0	3.92	3.97	0.06	0.07	1.49	0.040	0.15	9.2	16.6	0.58	842	2.05
CC124086		1.45	23.0	3.81	3.99	<0.05	0.05	2.04	0.040	0.11	8.8	15.5	0.29	708	1.12
CC124087		1.85	36.2	3.75	4.17	0.05	0.06	2.86	0.035	0.13	9.9	16.4	0.36	658	1.84
CC124088		4.87	15.4	2.56	3.57	<0.05	0.04	3.67	0.028	0.12	4.0	10.0	0.26	334	1.04
CC124089		22.2	28.9	3.63	4.34	0.06	0.05	2.23	0.035	0.11	12.5	17.0	0.53	816	1.34
CC124090		0.82	16.6	6.97	3.62	0.06	0.04	40.7	0.044	0.04	8.7	3.5	4.53	2830	0.62
CC124091		1.50	41.2	3.76	4.10	0.05	0.05	0.93	0.038	0.11	9.4	17.2	0.37	414	2.58
CC124092		1.98	25.5	4.47	2.44	0.08	0.06	1.23	0.041	0.07	17.7	17.9	0.20	1760	1.27
CC124093		1.66	43.9	3.98	3.70	<0.05	0.05	1.25	0.035	0.13	7.8	15.0	0.89	793	1.48
CC124094		2.28	27.5	3.77	3.67	<0.05	0.04	1.44	0.030	0.08	10.9	16.6	0.38	788	0.89
CC124095		9.81	21.6	2.54	2.59	<0.05	0.04	0.78	0.025	0.08	6.5	10.4	0.28	492	0.68
CC124096		2.57	25.8	2.85	2.42	<0.05	0.04	1.17	0.030	0.07	6.5	7.7	0.22	688	0.76
CC124097		1.27	19.8	2.42	1.94	<0.05	0.04	1.37	0.025	0.08	5.9	6.7	0.20	570	0.68
CC124098		1.00	17.3	3.22	4.53	<0.05	0.03	0.57	0.034	0.07	8.0	11.9	0.28	651	0.74
CC124099		0.98	19.9	3.36	2.35	0.10	0.05	1.02	0.040	0.05	26.5	11.0	2.37	1310	1.12
CC124100		0.70	16.0	3.33	2.78	<0.05	0.05	1.45	0.028	0.06	10.7	8.6	0.27	768	1.08
CC124101		0.95	13.2	4.68	4.30	0.06	0.09	0.48	0.031	0.06	16.5	10.8	1.79	2180	1.05
CC124022		31.3	31.4	2.23	2.90	<0.05	0.09	0.57	0.029	0.08	9.4	12.0	0.37	113	0.36
CC124023		0.73	21.4	4.37	4.64	0.06	0.09	0.36	0.038	0.07	16.4	16.7	0.46	1060	1.03
CC124024		0.78	11.8	4.16	3.97	<0.05	0.09	0.62	0.028	0.07	13.1	14.9	1.60	2200	0.80
CC124025		0.98	13.7	2.76	2.16	<0.05	0.10	0.31	0.023	0.08	9.8	6.7	0.57	923	0.57
CC124026		0.94	10.3	2.35	1.42	<0.05	0.04	0.23	0.017	0.04	9.7	2.9	2.06	1750	0.36
CC124027		1.20	16.6	2.09	0.84	<0.05	0.03	0.43	0.023	0.04	5.6	2.0	0.12	255	0.52
CC124028		0.57	26.3	3.72	3.31	0.05	0.06	0.48	0.032	0.08	10.1	9.8	0.85	1040	1.65
CC124029		0.61	7.2	2.77	1.54	<0.05	0.04	0.15	0.013	0.03	5.5	3.4	2.71	2700	0.44
CC124030		4.30	23.8	2.55	1.58	<0.05	0.06	0.44	0.025	0.07	5.0	5.5	0.30	329	0.62
CC124031		0.98	25.4	3.82	4.37	<0.05	0.07	0.21	0.034	0.13	8.3	14.6	0.50	1200	1.27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC124072		0.33	15.8	1300	1670	7.9	0.001	0.12	36.8	2.7	1.1	0.5	22.4	<0.01	0.04
CC124073		0.38	23.7	1020	84.0	7.4	0.001	0.07	1.36	2.7	1.1	0.6	18.6	<0.01	0.04
CC124074		0.33	23.7	670	35.9	20.6	0.001	0.06	1.24	3.6	1.1	0.4	26.4	<0.01	0.04
CC124075		0.36	17.3	400	44.9	13.3	<0.001	0.02	1.84	3.1	0.3	0.5	15.3	<0.01	0.06
CC124076		0.24	21.1	280	62.3	13.2	<0.001	0.01	3.00	3.8	0.4	0.5	11.0	<0.01	0.04
CC124077		0.30	28.8	400	30.0	10.9	<0.001	0.03	1.13	5.1	0.9	0.5	24.6	<0.01	0.03
CC124078		0.20	26.6	660	44.6	8.1	0.001	0.05	2.50	3.7	0.8	0.4	35.1	<0.01	0.03
CC124079		0.25	24.1	490	26.3	10.2	<0.001	0.05	1.48	3.9	0.6	0.5	25.5	<0.01	0.04
CC124080		0.30	40.2	420	25.4	11.6	0.001	0.01	1.19	6.2	1.2	0.5	22.5	<0.01	0.05
CC124081		0.32	29.5	760	23.7	13.3	0.002	0.05	1.70	4.4	1.5	0.4	29.7	<0.01	0.04
CC124082		0.34	26.4	630	30.1	18.1	0.001	0.06	2.45	6.0	0.8	0.5	25.6	<0.01	0.04
CC124083		0.16	31.7	530	80.7	8.8	<0.001	0.06	6.80	4.1	0.9	0.4	27.5	<0.01	0.04
CC124084		0.34	34.1	840	53.5	14.4	<0.001	0.02	4.06	4.6	0.9	0.5	26.2	<0.01	0.05
CC124085		0.20	44.3	680	35.5	14.3	<0.001	0.03	6.81	5.8	1.5	0.5	27.9	<0.01	0.05
CC124086		0.32	25.1	610	40.1	10.9	0.001	0.03	2.86	4.8	1.1	0.5	21.3	<0.01	0.04
CC124087		0.27	35.6	670	30.5	12.6	0.001	0.04	3.77	5.3	1.6	0.5	24.9	<0.01	0.03
CC124088		0.33	17.2	540	23.8	14.3	<0.001	0.07	31.1	3.3	0.5	0.5	28.1	<0.01	0.03
CC124089		0.50	30.2	720	36.4	17.6	0.001	0.05	34.0	4.1	1.1	0.5	23.7	<0.01	0.04
CC124090		0.14	17.1	1020	124.5	3.7	<0.001	0.09	146.0	4.1	1.5	0.4	60.4	<0.01	0.08
CC124091		0.28	39.3	520	28.6	9.6	0.001	0.02	3.22	5.7	1.9	0.5	28.1	0.01	0.06
CC124092		0.25	45.9	730	46.3	10.2	0.001	0.02	2.07	6.7	1.6	0.4	14.6	<0.01	0.04
CC124093		0.22	43.3	650	78.2	9.8	<0.001	0.03	1.48	6.6	1.0	0.5	47.4	<0.01	0.06
CC124094		0.37	24.3	600	28.1	9.6	<0.001	0.04	1.40	4.3	0.8	0.5	36.1	<0.01	0.04
CC124095		0.34	19.6	900	19.2	15.6	<0.001	0.10	1.19	2.7	0.8	0.4	74.2	<0.01	0.03
CC124096		0.21	24.6	540	26.0	7.6	<0.001	0.05	1.73	3.4	0.9	0.4	25.8	<0.01	0.03
CC124097		0.20	20.8	510	22.2	6.7	<0.001	0.06	0.82	2.7	0.9	0.3	51.6	<0.01	0.02
CC124098		0.44	15.4	430	23.5	11.0	<0.001	0.03	0.74	3.6	0.5	0.5	31.8	<0.01	0.04
CC124099		0.14	22.4	880	29.5	8.5	<0.001	0.04	1.22	8.5	1.8	0.4	39.8	<0.01	0.04
CC124100		0.35	17.9	590	30.0	9.6	<0.001	0.06	3.79	3.7	0.8	0.4	30.5	<0.01	0.04
CC124101		0.46	22.3	550	30.1	10.4	<0.001	0.04	1.24	6.0	1.0	0.6	13.5	<0.01	0.03
CC124022		0.45	23.6	940	33.1	21.1	<0.001	0.20	1.60	4.1	2.5	0.5	63.8	<0.01	0.02
CC124023		0.55	27.7	380	33.3	8.5	<0.001	0.21	1.02	7.1	1.2	0.6	13.8	<0.01	0.04
CC124024		0.44	19.6	430	44.3	8.8	<0.001	0.36	3.13	4.4	0.8	0.5	27.1	<0.01	0.03
CC124025		0.26	19.7	680	36.0	5.6	<0.001	0.06	1.97	2.6	0.6	0.3	71.9	<0.01	0.02
CC124026		0.13	7.2	1370	34.8	5.0	<0.001	0.08	1.95	0.9	0.6	0.2	55.3	<0.01	0.01
CC124027		0.08	20.6	320	27.4	3.4	<0.001	0.03	0.45	3.6	0.9	0.3	44.3	<0.01	0.03
CC124028		0.29	29.2	230	34.7	6.3	<0.001	0.02	1.24	5.7	1.6	0.5	12.4	<0.01	0.03
CC124029		0.13	7.1	670	15.7	4.1	<0.001	0.05	1.04	1.1	0.5	0.2	16.6	<0.01	0.01
CC124030		0.20	22.6	670	25.4	22.2	<0.001	0.11	1.03	2.7	1.6	0.4	60.9	<0.01	0.02
CC124031		0.40	28.1	290	32.5	13.0	<0.001	0.03	1.00	4.9	1.0	0.7	16.7	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC124072		0.010	0.52	1.11	28	0.10	11.45	2970	1.2
CC124073		0.011	0.15	1.93	37	0.10	12.10	638	0.8
CC124074		0.009	0.24	1.60	27	0.07	10.65	234	1.0
CC124075		0.008	0.14	0.60	32	0.07	3.60	191	0.8
CC124076		<0.005	0.17	0.59	25	0.05	4.46	192	1.1
CC124077		0.005	0.15	1.18	26	0.05	12.40	149	1.9
CC124078		0.005	0.24	0.86	21	0.05	9.19	231	1.3
CC124079		0.005	0.17	1.02	23	0.05	9.80	149	1.6
CC124080		0.009	0.27	0.68	40	0.07	13.30	146	1.7
CC124081		0.008	0.25	2.21	43	0.06	10.25	189	1.7
CC124082		0.009	0.34	0.92	37	0.07	13.00	173	2.3
CC124083		<0.005	1.03	1.32	22	0.07	11.50	300	1.4
CC124084		0.011	1.61	1.08	44	0.11	13.95	1220	1.2
CC124085		0.005	2.65	1.36	37	0.17	13.50	358	1.9
CC124086		0.006	0.35	1.45	37	0.07	9.40	163	1.3
CC124087		0.006	0.29	1.67	48	0.06	14.55	167	1.5
CC124088		0.005	0.38	0.95	34	0.09	3.21	156	1.3
CC124089		0.020	2.59	2.01	41	0.25	13.15	320	1.1
CC124090		0.007	1.06	2.11	22	0.12	15.65	3940	0.9
CC124091		0.008	0.26	0.88	52	0.07	11.80	232	1.7
CC124092		0.005	0.79	1.54	35	0.05	23.3	184	2.0
CC124093		0.005	0.30	0.84	37	0.05	13.20	183	2.0
CC124094		0.012	0.20	1.72	35	0.11	11.35	119	1.1
CC124095		0.008	0.19	1.17	25	0.07	9.19	160	1.3
CC124096		0.005	0.21	1.62	22	0.05	10.40	138	1.0
CC124097		<0.005	0.15	1.25	18	0.05	7.41	100	1.1
CC124098		0.010	0.17	1.43	38	0.10	4.72	190	0.8
CC124099		<0.005	0.17	1.86	28	0.05	34.8	152	1.4
CC124100		0.007	0.22	1.62	29	0.08	14.10	96	1.2
CC124101		0.010	0.33	1.63	42	0.13	16.75	282	2.3
CC124022		0.009	0.74	2.75	25	0.10	11.80	324	2.5
CC124023		0.011	0.17	1.07	42	0.11	20.5	92	2.1
CC124024		0.009	0.44	0.93	34	0.16	12.70	228	2.6
CC124025		0.006	0.29	0.57	18	0.09	10.95	87	2.7
CC124026		0.006	0.22	1.01	13	0.07	9.17	82	1.4
CC124027		<0.005	0.10	0.56	8	<0.05	10.00	46	0.8
CC124028		0.005	0.15	0.95	41	0.09	16.20	109	2.1
CC124029		0.007	0.12	0.76	12	0.05	9.16	66	1.0
CC124030		<0.005	0.19	1.06	14	0.05	8.57	178	1.7
CC124031		0.007	0.20	1.03	37	0.08	8.97	178	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC124032		0.14	<0.001	0.08	1.43	27.1	<0.2	<10	310	1.06	0.29	0.36	0.40	29.5	13.1	22
CC124033		0.18	0.001	0.14	1.40	147.0	<0.2	<10	270	1.24	0.33	0.17	0.13	32.0	14.2	21
CC124034		0.20	<0.001	0.07	1.69	26.0	<0.2	<10	170	0.74	0.28	0.14	0.21	23.1	11.1	28
CC124035		0.20	<0.001	0.17	0.99	39.3	<0.2	10	300	0.91	0.25	2.14	0.44	14.60	9.7	16
CC124036		0.18	<0.001	0.13	1.16	34.1	<0.2	<10	230	0.91	0.28	0.64	0.60	18.30	11.6	18
CC124037		0.26	0.001	0.20	1.29	57.1	<0.2	<10	190	1.18	0.33	0.45	0.14	21.8	15.3	21
CC124038		0.26	0.002	0.10	1.36	48.1	<0.2	<10	200	1.05	0.27	0.78	0.41	18.85	11.0	20
CC124039		0.12	0.001	0.10	1.25	45.9	<0.2	<10	160	0.72	0.17	6.16	0.81	22.7	7.9	16
CC124040		0.12	<0.001	0.04	1.48	54.8	<0.2	<10	200	0.98	0.24	0.54	0.30	33.0	10.3	22
CC124041		0.24	<0.001	0.05	0.59	107	<0.2	<10	90	0.42	0.07	13.85	0.40	9.81	3.3	6
CC124042		0.22	0.001	0.15	0.72	109.0	<0.2	<10	150	0.77	0.22	1.93	0.71	15.25	7.4	13
CC124043		0.22	<0.001	0.03	0.01	0.1	<0.2	<10	10	0.08	<0.01	0.49	0.03	0.24	1.1	<1
CC124044		0.24	0.001	0.16	1.21	56.7	<0.2	<10	240	0.91	0.27	0.75	0.57	22.6	11.5	20
CC124045		0.24	0.001	0.08	1.50	64.4	<0.2	<10	210	1.07	0.26	2.80	0.65	26.1	11.7	21
CC124046		0.22	<0.001	0.20	1.30	68.0	<0.2	<10	250	1.08	0.27	1.80	0.54	18.50	11.5	20
CC124047		0.24	0.001	0.18	1.22	94.9	<0.2	<10	250	0.94	0.23	1.24	0.35	22.5	10.8	21
CC124048		0.20	<0.001	0.13	1.12	116.0	<0.2	<10	200	0.79	0.20	2.49	7.35	19.80	9.3	17
CC124049		0.38	0.001	0.23	1.02	76.0	<0.2	<10	190	0.77	0.20	4.67	1.59	20.9	8.8	17
CC124050		0.32	0.001	0.20	1.52	36.5	<0.2	<10	270	0.93	0.28	0.92	0.53	22.7	11.7	25
CC124051		Not Recvd														
CC124052		Not Recvd														
CC124053		Not Recvd														
CC124102		0.30	0.001	0.22	1.06	3070	<0.2	<10	410	0.91	0.25	1.53	1.63	17.15	12.7	18
CC124103		0.26	0.001	0.22	1.09	1765	<0.2	10	230	0.79	0.23	2.05	3.72	15.15	8.8	24
CC124104		0.26	0.002	0.19	1.12	545	<0.2	10	420	0.77	0.20	2.20	1.52	14.90	9.5	18
CC126233		0.30	0.001	0.19	1.10	126.5	<0.2	10	310	0.79	0.24	1.39	0.79	17.70	12.2	23
CC126234		0.22	<0.001	0.18	1.19	73.2	<0.2	<10	260	0.86	0.24	2.17	0.92	20.3	10.1	20
CC126235		0.40	<0.001	0.04	0.59	15.5	<0.2	<10	140	0.83	0.41	0.13	0.06	14.45	10.5	13
CC126236		0.36	0.001	0.05	0.38	28.2	<0.2	<10	70	0.60	0.53	0.07	0.13	14.10	21.4	15
CC126237		0.28	0.001	0.08	1.22	27.3	<0.2	<10	210	1.01	0.28	2.15	0.68	27.2	9.9	20
CC126238		0.34	0.002	0.19	1.04	27.4	<0.2	<10	130	0.96	0.31	0.84	0.80	15.90	14.2	20
CC126239		0.36	0.002	0.10	1.36	38.4	<0.2	<10	130	0.80	0.22	3.98	0.28	25.2	8.6	24
CC126240		0.42	0.001	0.14	0.67	28.5	<0.2	<10	130	0.92	0.30	0.31	0.12	22.2	8.5	16
CC126241		0.36	0.001	0.11	1.13	29.7	<0.2	<10	240	0.82	0.29	0.70	0.16	18.95	11.8	27
CC126242		0.32	0.001	0.14	0.63	50.0	<0.2	<10	150	0.58	0.18	4.42	0.20	16.60	8.2	20
CC126243		0.24	0.001	0.15	0.56	41.5	<0.2	<10	110	0.49	0.15	5.76	0.35	20.0	7.5	14
CC126244		0.38	0.001	0.11	0.72	20.2	<0.2	<10	150	0.64	0.19	0.77	0.18	23.6	8.1	14
CC126245		0.42	<0.001	0.06	1.09	14.7	<0.2	<10	120	0.38	0.31	0.06	0.08	23.4	5.4	18
CC126246		0.36	<0.001	0.03	1.43	21.9	<0.2	<10	180	0.83	0.30	0.07	0.14	21.6	12.1	22
CC126247		0.34	0.001	0.10	1.01	18.1	<0.2	<10	100	0.34	0.27	0.19	0.38	13.65	5.5	18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC124032		9.30	23.0	3.89	4.28	<0.05	0.04	0.05	0.036	0.12	10.1	15.0	0.27	1300	1.02
CC124033		2.22	25.3	4.05	3.41	0.06	0.03	1.08	0.044	0.07	11.6	19.8	0.16	1180	1.10
CC124034		2.08	19.0	3.97	4.70	<0.05	0.03	0.05	0.035	0.08	10.2	23.9	0.42	374	1.30
CC124035		21.2	32.3	3.13	2.69	<0.05	0.05	0.35	0.029	0.09	7.2	11.1	0.62	655	1.00
CC124036		1.98	26.9	3.47	3.59	<0.05	0.04	0.26	0.032	0.08	8.3	11.9	0.21	890	1.16
CC124037		1.74	32.4	3.91	3.79	0.05	0.07	1.44	0.034	0.12	10.0	15.7	0.34	771	1.68
CC124038		0.94	22.7	3.78	3.85	<0.05	0.07	0.45	0.031	0.10	8.9	11.1	0.44	865	1.13
CC124039		0.85	12.2	3.84	3.27	<0.05	0.07	0.19	0.024	0.07	11.0	8.4	3.55	2480	0.84
CC124040		1.00	16.6	3.85	4.27	0.05	0.06	0.14	0.032	0.09	13.7	10.2	0.26	1110	1.13
CC124041		0.45	8.2	2.12	1.42	<0.05	0.04	0.08	0.009	0.03	4.6	3.0	8.44	2430	0.40
CC124042		34.8	19.8	2.77	2.00	<0.05	0.06	0.80	0.026	0.07	7.4	7.7	0.55	330	0.55
CC124043		<0.05	<0.2	0.01	<0.05	<0.05	<0.02	0.02	<0.005	<0.01	<0.2	0.1	0.01	258	<0.05
CC124044		1.03	25.1	3.84	3.66	0.05	0.06	0.73	0.031	0.08	11.0	12.0	0.36	1010	1.13
CC124045		2.00	22.2	4.28	4.31	<0.05	0.07	0.48	0.034	0.10	11.5	13.8	1.54	1740	1.05
CC124046		1.08	31.0	3.47	3.83	<0.05	0.06	0.73	0.032	0.09	10.0	13.4	0.77	802	1.14
CC124047		1.11	26.0	3.71	3.54	0.06	0.06	3.64	0.032	0.08	12.0	13.4	0.66	1010	1.34
CC124048		0.80	19.7	2.82	4.03	0.05	0.04	5.28	0.041	0.06	8.5	10.6	0.80	882	0.91
CC124049		5.24	25.3	2.89	2.84	<0.05	0.04	1.64	0.029	0.07	10.2	9.9	2.32	1060	0.92
CC124050		1.02	25.1	3.66	4.46	<0.05	0.06	0.53	0.032	0.08	12.6	14.1	0.54	643	1.36
CC124051															
CC124052															
CC124053															
CC124102		2.85	31.1	3.24	3.28	<0.05	0.07	6.16	0.031	0.10	7.6	13.0	0.48	599	1.50
CC124103		21.4	24.2	2.96	2.96	<0.05	0.08	2.41	0.025	0.11	7.1	13.5	0.59	261	1.61
CC124104		8.85	32.5	2.45	2.96	<0.05	0.06	0.67	0.026	0.08	7.7	14.2	0.48	726	1.11
CC126233		7.41	30.5	3.05	3.10	<0.05	0.06	0.61	0.029	0.10	8.1	14.2	0.52	832	1.57
CC126234		4.36	23.7	3.03	3.37	<0.05	0.04	1.65	0.026	0.07	9.7	13.5	0.74	1000	1.00
CC126235		15.60	34.0	2.68	2.22	0.09	<0.02	0.05	0.027	0.14	5.2	7.7	0.07	190	1.46
CC126236		24.7	33.8	3.56	1.77	0.08	<0.02	0.10	0.037	0.12	5.6	1.1	0.04	668	1.94
CC126237		1.55	21.1	2.99	3.66	0.12	0.06	0.42	0.030	0.09	14.2	9.8	0.94	930	0.86
CC126238		1.68	39.1	3.34	3.39	0.10	0.09	0.74	0.032	0.09	6.6	13.5	0.48	540	1.58
CC126239		1.66	15.4	3.33	4.06	0.10	0.06	0.34	0.027	0.06	10.8	11.3	2.32	1260	1.11
CC126240		1.77	20.3	2.74	2.18	0.10	0.04	0.54	0.029	0.06	8.7	5.7	0.12	254	1.32
CC126241		1.06	21.4	3.24	3.66	0.09	0.05	0.36	0.033	0.07	6.8	15.1	0.30	420	2.00
CC126242		2.80	27.7	2.77	1.95	0.10	0.04	1.32	0.023	0.06	6.7	6.9	2.37	531	1.58
CC126243		1.15	13.3	2.04	1.75	0.09	0.05	1.66	0.018	0.04	7.3	4.2	2.88	543	0.46
CC126244		1.78	13.2	2.46	2.39	0.10	0.04	1.10	0.030	0.06	8.3	5.8	0.12	364	0.63
CC126245		3.45	14.5	2.63	6.19	0.10	0.02	0.05	0.018	0.05	11.4	12.6	0.25	191	1.03
CC126246		3.72	22.4	3.77	4.89	0.09	0.03	0.10	0.036	0.07	9.3	27.9	0.33	394	1.23
CC126247		1.67	19.0	2.50	4.38	0.07	0.03	0.16	0.026	0.08	6.1	9.6	0.18	210	1.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC124032		0.59	28.7	290	34.9	27.2	<0.001	0.02	0.64	5.4	0.7	0.6	20.4	<0.01	0.03	3.7
CC124033		0.39	33.1	360	48.1	18.6	<0.001	0.02	0.75	6.4	1.0	0.5	14.1	<0.01	0.03	4.1
CC124034		0.93	30.6	240	23.4	13.8	<0.001	0.01	0.79	3.3	0.5	0.6	12.7	<0.01	0.03	4.0
CC124035		0.35	26.4	670	27.5	27.7	<0.001	0.08	0.82	3.9	1.0	0.5	51.0	<0.01	0.03	1.2
CC124036		0.48	26.6	480	31.9	12.1	<0.001	0.03	0.77	4.1	0.8	0.5	23.0	<0.01	0.04	2.0
CC124037		0.33	34.2	280	33.1	10.7	<0.001	0.02	1.14	6.0	0.9	0.6	25.2	<0.01	0.04	4.5
CC124038		0.30	24.2	400	33.3	10.3	<0.001	0.03	1.02	5.3	0.9	0.6	18.6	<0.01	0.05	3.1
CC124039		0.35	18.0	780	30.3	9.9	<0.001	0.06	1.24	3.3	0.9	0.4	21.9	<0.01	0.04	1.6
CC124040		0.51	21.4	320	32.6	11.0	<0.001	0.03	1.16	5.7	0.7	0.6	21.0	<0.01	0.04	3.8
CC124041		0.13	6.7	1120	7.9	4.9	<0.001	0.06	0.62	1.0	0.7	0.2	25.8	<0.01	0.02	0.4
CC124042		0.25	19.8	770	26.1	16.3	<0.001	0.13	0.90	3.3	1.3	0.3	51.8	<0.01	0.01	1.2
CC124043		<0.05	0.3	10	0.3	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	11.1	<0.01	<0.01	<0.2
CC124044		0.36	26.8	440	35.7	8.1	<0.001	0.11	1.03	4.8	1.1	0.5	17.1	<0.01	0.03	2.6
CC124045		0.44	25.3	560	29.9	14.8	<0.001	0.10	1.14	5.3	0.7	0.6	21.9	<0.01	0.04	2.5
CC124046		0.34	29.8	640	27.1	10.0	<0.001	0.06	1.53	4.3	1.2	0.5	25.7	<0.01	0.03	1.7
CC124047		0.43	27.1	570	28.0	9.5	<0.001	0.04	2.02	4.5	1.1	0.5	23.3	<0.01	0.03	2.4
CC124048		0.49	18.6	570	24.9	9.2	<0.001	0.06	3.04	2.9	1.0	0.6	43.1	<0.01	0.03	1.0
CC124049		0.40	23.9	760	27.4	11.3	<0.001	0.06	4.34	3.3	1.3	0.4	45.8	<0.01	0.03	1.2
CC124050		0.60	30.3	440	27.2	9.8	<0.001	0.03	1.42	5.0	0.9	0.6	21.0	<0.01	0.03	2.8
CC124051																
CC124052																
CC124053																
CC124102		0.29	30.5	830	36.9	13.8	<0.001	0.09	5.17	3.9	1.6	0.5	37.8	<0.01	0.03	1.6
CC124103		0.30	29.3	810	31.4	22.4	<0.001	0.11	4.51	4.2	1.5	0.4	35.9	<0.01	0.03	2.2
CC124104		0.43	23.9	1020	20.7	18.0	<0.001	0.15	2.62	2.7	2.5	0.4	55.1	<0.01	0.03	1.0
CC126233		0.36	29.7	780	27.9	20.7	<0.001	0.08	1.44	3.8	1.3	0.4	41.4	<0.01	0.03	1.6
CC126234		0.54	21.4	870	47.6	14.2	<0.001	0.08	11.00	2.8	0.8	0.5	33.9	<0.01	0.03	1.0
CC126235		0.18	15.0	320	28.1	18.3	<0.001	0.09	0.60	2.6	0.3	0.5	25.0	<0.01	0.05	2.7
CC126236		0.13	23.3	410	24.7	16.1	<0.001	0.01	0.94	3.3	<0.2	0.5	12.8	<0.01	0.04	2.5
CC126237		0.36	20.4	510	40.9	7.9	<0.001	0.03	3.04	4.6	0.4	0.5	22.6	<0.01	0.06	2.0
CC126238		0.24	28.9	500	45.9	7.0	<0.001	0.02	1.76	5.4	0.8	0.4	25.0	<0.01	0.06	3.0
CC126239		0.49	21.4	610	37.8	7.7	<0.001	0.02	2.20	3.8	0.4	0.5	22.3	<0.01	0.04	2.1
CC126240		0.26	27.1	280	28.7	5.2	<0.001	0.01	0.67	4.6	0.5	0.4	23.5	<0.01	0.03	4.2
CC126241		0.27	28.7	450	27.7	7.1	<0.001	0.02	1.32	3.9	0.3	0.5	25.8	<0.01	0.05	3.1
CC126242		0.19	27.3	520	55.9	4.5	<0.001	0.01	2.30	4.3	0.3	0.3	36.3	<0.01	0.04	4.6
CC126243		0.21	19.5	780	50.9	2.7	<0.001	0.04	2.28	3.5	0.7	0.3	43.6	<0.01	0.03	2.5
CC126244		0.23	16.5	300	46.5	5.7	<0.001	0.03	0.50	3.2	0.4	0.5	27.2	<0.01	0.03	3.0
CC126245		1.12	14.4	170	17.4	13.3	<0.001	0.01	0.62	2.3	<0.2	0.7	8.3	<0.01	0.03	3.1
CC126246		0.61	25.0	230	24.7	13.4	<0.001	0.02	0.94	3.4	0.4	0.6	10.8	<0.01	0.05	3.1
CC126247		0.41	13.3	490	20.0	16.4	<0.001	0.03	0.72	2.5	0.2	0.5	13.7	<0.01	0.04	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC124032		0.011	0.13	1.05	39	0.10	8.50	83	1.3
CC124033		0.005	0.19	1.05	32	0.09	15.50	107	1.0
CC124034		0.020	0.12	0.60	47	0.16	3.16	102	1.2
CC124035		0.006	0.14	1.27	27	0.07	12.05	100	1.3
CC124036		0.009	0.10	1.15	33	0.08	9.92	111	1.2
CC124037		0.006	0.20	0.82	40	0.06	12.85	125	2.1
CC124038		0.005	0.16	0.70	34	0.08	12.50	160	1.8
CC124039		0.008	0.18	1.09	29	0.09	12.25	270	1.7
CC124040		0.010	0.19	1.11	43	0.11	12.55	146	1.7
CC124041		0.007	0.12	1.18	11	0.05	6.51	146	1.2
CC124042		0.006	0.21	0.59	18	0.05	9.76	285	1.5
CC124043		<0.005	<0.02	<0.05	<1	<0.05	0.19	<2	<0.5
CC124044		0.007	0.15	1.12	34	0.09	12.45	283	1.5
CC124045		0.008	0.22	1.39	35	0.09	12.10	217	1.7
CC124046		0.005	0.20	1.30	35	0.13	13.30	154	1.5
CC124047		0.010	0.26	1.30	36	0.10	13.15	116	1.6
CC124048		0.011	0.30	2.01	31	0.21	9.07	1380	0.9
CC124049		0.012	0.46	1.63	28	0.08	11.25	823	1.0
CC124050		0.013	0.18	1.39	43	0.10	12.80	140	1.5
CC124051									
CC124052									
CC124053									
CC124102		0.006	10.15	1.05	31	0.08	10.85	310	1.9
CC124103		0.006	3.55	0.80	31	0.08	10.15	1580	2.2
CC124104		0.009	0.33	2.63	26	0.09	9.98	175	1.7
CC126233		0.009	0.25	1.18	28	0.08	9.42	160	1.6
CC126234		0.013	0.27	2.20	31	0.12	9.93	245	1.1
CC126235		0.005	0.20	0.52	15	0.05	4.36	37	0.5
CC126236		<0.005	0.42	0.57	16	0.05	3.63	49	<0.5
CC126237		0.009	0.17	1.41	30	0.10	13.75	191	1.5
CC126238		0.006	0.14	0.81	30	0.06	8.54	227	2.6
CC126239		0.016	0.18	1.17	37	0.14	11.85	134	1.6
CC126240		0.006	0.13	0.72	17	0.08	13.10	77	1.4
CC126241		0.007	0.14	1.06	29	0.08	5.99	86	1.5
CC126242		0.006	0.51	0.89	18	0.07	9.39	134	1.9
CC126243		0.006	0.34	1.05	18	0.09	9.98	118	1.7
CC126244		0.005	0.18	0.83	19	0.05	7.04	131	1.4
CC126245		0.032	0.12	0.47	51	0.18	3.39	61	1.0
CC126246		0.011	0.15	0.58	43	0.14	4.59	96	0.9
CC126247		0.008	0.12	0.74	37	0.11	2.52	78	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC126248		0.14	0.002	0.08	1.02	19.3	<0.2	<10	240	0.77	0.32	0.68	0.66	13.25	10.5	17
CC126249		0.34	0.001	0.06	1.09	27.9	<0.2	<10	150	1.01	0.29	0.99	0.23	22.2	10.8	17
CC126250		0.30	0.001	0.04	1.11	25.9	<0.2	<10	180	0.89	0.28	0.22	0.30	20.0	9.7	17
CC124201		0.36	0.001	0.03	1.02	21.5	<0.2	<10	420	0.72	0.29	0.38	0.30	17.60	10.5	16
CC124202		0.34	0.001	0.11	1.26	21.9	<0.2	<10	330	0.70	0.28	0.69	0.37	18.30	9.4	23
CC124203		0.36	0.001	0.19	0.83	26.8	<0.2	<10	360	0.73	0.17	4.96	0.81	16.65	7.2	14
CC124204		0.14	0.001	0.09	0.96	28.6	<0.2	<10	190	0.78	0.18	5.89	1.19	22.3	6.5	13
CC124205		0.22	0.001	0.12	1.17	31.0	<0.2	<10	230	0.87	0.24	2.36	0.39	30.4	6.6	16
CC124206		0.28	0.001	0.06	1.19	42.0	<0.2	<10	220	0.68	0.28	0.26	0.08	24.2	8.7	21
CC125951		0.08	<0.001	0.06	0.54	4.8	<0.2	<10	280	0.37	0.14	2.08	0.56	3.28	3.9	8
CC125952		0.12	0.001	0.06	0.35	6.9	<0.2	<10	400	0.27	0.06	3.56	0.91	2.91	7.4	3
CC125953		0.14	0.001	0.12	1.21	7.0	<0.2	<10	360	1.40	0.26	1.76	0.23	10.50	5.0	14
CC125954		0.12	0.004	0.11	0.34	1.4	<0.2	<10	140	0.18	0.07	2.50	0.83	3.07	1.6	4
CC125955		0.20	0.002	0.10	1.16	13.0	<0.2	<10	280	1.22	0.37	1.34	0.50	14.00	19.6	19
CC125956		0.28	0.004	0.17	1.82	12.8	<0.2	<10	1020	1.95	0.27	0.81	4.93	39.5	40.4	19
CC125957		0.12	0.002	0.11	0.68	5.1	<0.2	<10	370	0.44	0.10	2.89	0.64	6.32	4.0	13
CC125958		0.50	0.001	0.28	1.53	15.6	<0.2	<10	100	0.58	0.29	0.06	0.14	17.65	8.4	24
CC125959		0.12	0.002	0.17	0.78	64.8	<0.2	<10	540	0.81	0.27	1.16	0.44	6.74	12.1	13
CC125960		0.12	0.001	0.09	0.90	15.7	<0.2	<10	160	1.57	0.45	0.88	0.14	11.75	12.6	16
CC125961		0.22	0.001	0.09	0.90	15.3	<0.2	<10	110	1.31	0.42	0.91	0.18	9.72	11.6	17
CC123591		0.20	<0.001	0.03	1.02	15.2	<0.2	<10	250	0.67	0.29	0.59	0.10	11.50	8.9	18
CC123592		0.20	<0.001	0.06	0.22	4.2	<0.2	10	400	0.14	0.04	3.24	0.44	1.70	5.1	3
CC123593		0.46	0.001	0.11	1.39	14.9	<0.2	<10	240	1.20	0.35	0.69	0.59	18.85	13.2	24
CC123594		0.12	<0.001	0.04	0.29	2.2	<0.2	<10	150	0.17	0.06	2.53	0.51	2.50	1.7	4
CC123595		0.16	<0.001	0.05	0.31	1.6	<0.2	<10	140	0.15	0.07	4.04	0.41	2.37	1.7	3
CC123596		0.10	<0.001	0.02	0.10	1.1	<0.2	<10	50	0.05	0.04	3.25	0.27	1.04	0.7	2
CC123597		0.30	<0.001	0.10	0.93	10.5	<0.2	<10	350	1.08	0.35	1.07	0.13	10.65	9.8	16
CC123598		0.18	<0.001	0.17	1.40	3.3	<0.2	<10	1420	2.76	0.31	2.12	0.14	7.23	5.4	18
CC123599		0.24	<0.001	0.26	0.95	19.0	<0.2	<10	1110	1.86	0.39	0.52	0.16	12.00	7.9	14
CC123600		0.48	<0.001	0.03	0.45	3.9	<0.2	<10	130	0.43	0.36	0.05	0.04	2.78	4.1	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC126248		1.34	26.6	3.10	3.72	0.08	0.05	0.22	0.029	0.09	5.2	10.8	0.23	413	1.31
CC126249		1.30	25.5	2.95	3.46	0.10	0.06	0.67	0.026	0.09	9.9	9.0	0.53	703	0.86
CC126250		1.27	21.1	2.82	3.97	0.09	0.03	0.42	0.028	0.07	8.7	12.0	0.27	495	0.93
CC124201		0.60	13.8	3.03	3.73	0.08	0.04	0.34	0.026	0.10	7.2	10.0	0.18	319	1.40
CC124202		0.87	18.1	3.22	4.15	0.08	0.04	0.23	0.027	0.07	7.6	12.9	0.39	651	2.61
CC124203		0.73	18.8	2.53	2.53	0.09	0.06	0.56	0.021	0.07	9.1	7.9	2.66	690	2.02
CC124204		0.78	14.7	3.05	2.61	0.09	0.03	0.25	0.020	0.05	9.9	6.2	2.91	1320	0.81
CC124205		0.72	14.6	2.38	3.45	0.09	0.04	0.67	0.026	0.05	12.3	5.8	0.19	355	0.60
CC124206		1.67	16.4	2.82	3.77	0.09	0.02	0.34	0.027	0.07	9.9	12.9	0.33	244	0.92
CC125951		0.80	15.7	1.21	1.86	0.07	0.03	0.10	0.015	0.08	1.5	4.1	0.26	280	0.36
CC125952		0.23	15.0	2.18	0.88	0.08	0.02	0.11	0.006	0.04	1.3	1.0	0.29	1150	0.50
CC125953		1.10	38.0	2.26	3.79	0.09	0.04	0.13	0.030	0.13	4.2	7.4	0.22	211	0.36
CC125954		0.35	11.1	0.42	1.11	0.08	0.05	0.08	0.005	0.03	1.4	0.9	0.24	77	0.43
CC125955		1.81	42.1	4.44	4.18	0.10	0.05	0.21	0.041	0.15	4.6	20.2	0.54	2190	0.52
CC125956		0.84	30.2	4.18	4.85	0.10	0.07	0.27	0.037	0.08	10.3	23.0	0.31	17950	1.03
CC125957		0.46	15.7	1.11	1.97	0.08	0.04	0.15	0.012	0.04	2.5	5.1	0.34	549	0.50
CC125958		1.32	14.0	3.46	5.63	0.09	0.04	0.07	0.026	0.06	8.1	18.0	0.24	364	1.05
CC125959		1.50	19.9	4.23	2.56	0.08	0.05	0.93	0.027	0.07	2.4	10.2	0.24	7880	20.7
CC125960		2.43	42.2	3.17	3.87	0.09	0.05	0.16	0.039	0.09	4.1	14.7	0.30	1480	2.21
CC125961		4.27	37.1	3.20	3.63	0.09	0.05	0.16	0.036	0.09	3.7	12.5	0.29	971	3.18
CC123591		0.90	21.2	2.80	4.17	0.08	0.04	0.48	0.025	0.07	4.1	14.1	0.29	554	0.61
CC123592		0.16	8.7	0.64	0.41	0.07	0.03	0.13	<0.005	0.04	0.7	0.7	0.26	4800	0.55
CC123593		3.74	41.1	3.01	5.34	0.10	0.06	0.23	0.040	0.14	7.2	25.2	0.40	215	0.46
CC123594		0.28	9.0	0.46	0.71	<0.05	0.03	0.10	0.007	0.05	1.5	1.5	0.22	162	0.32
CC123595		0.22	10.8	0.36	0.96	<0.05	0.03	0.11	0.007	0.03	1.1	0.7	0.25	130	0.39
CC123596		0.20	7.4	0.18	0.32	<0.05	<0.02	0.16	<0.005	0.04	0.5	0.3	0.13	126	0.28
CC123597		7.65	28.1	3.16	3.14	<0.05	0.05	0.19	0.034	0.10	4.3	15.7	0.32	300	0.40
CC123598		13.05	59.3	2.37	2.57	<0.05	0.07	0.13	0.033	0.12	5.3	14.6	0.22	869	0.43
CC123599		7.22	60.0	2.66	3.00	<0.05	0.04	0.18	0.035	0.10	7.1	8.7	0.18	486	0.45
CC123600		2.58	14.2	4.04	2.14	<0.05	<0.02	0.03	0.033	0.07	1.3	3.8	0.06	140	0.55



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC126248		0.39	19.4	390	24.5	10.4	<0.001	0.04	1.23	3.8	0.5	0.5	21.2	<0.01	0.05	2.2
CC126249		0.37	21.7	310	45.5	8.0	<0.001	0.02	1.60	4.1	0.3	0.5	21.5	<0.01	0.03	3.2
CC126250		0.40	20.3	300	32.0	9.1	<0.001	0.02	1.35	3.7	0.4	0.5	14.8	<0.01	0.03	2.9
CC124201		0.38	17.1	140	36.5	7.6	<0.001	0.02	0.84	3.0	0.2	0.6	16.6	<0.01	0.04	3.4
CC124202		0.44	22.1	600	29.2	9.6	<0.001	0.04	1.00	3.6	0.4	0.5	15.2	<0.01	0.05	1.8
CC124203		0.31	19.8	950	32.4	6.9	<0.001	0.08	0.96	2.7	0.8	0.4	36.9	<0.01	0.06	1.1
CC124204		0.36	13.1	1180	29.3	6.8	<0.001	0.09	0.80	2.3	0.6	0.4	42.2	<0.01	0.05	0.8
CC124205		0.37	18.1	600	49.2	3.7	<0.001	0.06	0.44	2.4	0.6	0.5	93.3	<0.01	0.04	0.9
CC124206		0.58	24.4	180	24.0	8.9	<0.001	0.02	0.52	3.2	0.4	0.6	17.2	<0.01	0.04	3.4
CC125951		0.24	8.6	750	6.9	7.4	<0.001	0.17	0.23	1.5	0.3	0.3	98.4	<0.01	0.02	0.5
CC125952		0.14	8.8	940	2.7	1.4	<0.001	0.25	0.26	0.5	0.4	<0.2	113.5	<0.01	0.02	<0.2
CC125953		0.29	17.4	650	13.5	9.8	<0.001	0.12	0.25	4.0	0.6	0.6	60.1	<0.01	0.03	1.3
CC125954		0.24	5.1	770	2.4	1.5	<0.001	0.24	0.22	0.6	0.3	<0.2	82.5	<0.01	0.01	0.2
CC125955		0.34	31.9	450	28.4	18.0	<0.001	0.09	0.30	5.9	0.7	0.7	38.7	<0.01	0.03	3.5
CC125956		0.24	60.5	1150	17.9	8.5	<0.001	0.11	0.36	4.1	1.6	0.5	43.3	<0.01	0.04	1.8
CC125957		0.26	11.1	1000	6.0	4.1	<0.001	0.20	0.29	1.1	0.4	0.2	97.1	<0.01	0.02	0.4
CC125958		0.67	14.8	160	18.4	13.2	<0.001	0.01	0.49	2.5	0.2	0.7	7.6	<0.01	0.03	3.4
CC125959		0.17	33.7	630	18.4	13.9	0.003	0.17	0.73	3.2	1.7	0.5	91.3	<0.01	0.04	1.2
CC125960		0.18	25.8	460	21.6	14.5	<0.001	0.08	0.29	5.0	1.6	0.6	65.9	<0.01	0.03	2.2
CC125961		0.21	23.3	430	24.9	14.2	<0.001	0.09	0.28	4.4	1.9	0.6	46.7	<0.01	0.04	2.3
CC123591		0.56	15.8	290	19.0	9.4	<0.001	0.04	0.39	2.6	<0.2	0.5	23.2	<0.01	0.03	2.2
CC123592		0.06	6.6	1100	1.6	1.8	0.001	0.38	0.21	0.4	0.3	<0.2	99.5	<0.01	0.01	0.2
CC123593		0.50	29.3	470	25.9	23.5	<0.001	0.13	0.36	6.4	0.9	0.7	24.6	<0.01	0.04	4.6
CC123594		0.10	4.5	690	2.8	2.5	<0.001	0.17	0.19	0.5	0.3	<0.2	63.6	<0.01	0.01	0.2
CC123595		0.18	4.6	660	2.1	2.0	<0.001	0.18	0.24	0.3	0.7	<0.2	93.2	0.01	<0.01	<0.2
CC123596		0.05	2.1	640	2.1	1.1	<0.001	0.17	0.17	0.2	0.2	<0.2	32.8	<0.01	<0.01	<0.2
CC123597		0.36	20.7	330	21.8	24.7	0.001	0.06	0.28	5.1	0.6	0.5	51.2	<0.01	0.03	2.4
CC123598		0.43	17.2	550	9.8	22.6	<0.001	0.09	0.31	10.0	0.9	0.5	93.0	<0.01	0.04	2.0
CC123599		0.33	29.9	490	21.0	22.9	<0.001	0.06	0.33	9.0	1.0	0.5	34.6	<0.01	0.03	2.9
CC123600		0.35	9.8	150	9.8	10.0	<0.001	<0.01	0.33	3.0	0.3	0.6	6.6	<0.01	0.03	1.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 5- JUL- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107179

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126248		0.007	0.11	0.81	30	0.09	5.01	116	1.3
CC126249		0.010	0.18	0.79	30	0.11	9.79	126	1.5
CC126250		0.009	0.14	0.77	28	0.11	6.20	97	1.1
CC124201		0.006	0.17	0.69	34	0.14	4.25	112	1.8
CC124202		0.011	0.19	0.97	48	0.12	6.55	114	1.1
CC124203		0.009	0.20	1.23	32	0.08	13.80	133	1.8
CC124204		0.009	0.17	1.44	27	0.07	12.30	159	0.9
CC124205		0.008	0.16	1.12	30	0.10	11.80	128	1.2
CC124206		0.018	0.22	0.68	35	0.15	4.32	85	0.7
CC125951		0.005	0.05	0.60	10	<0.05	2.11	89	0.9
CC125952		0.005	0.03	1.04	6	<0.05	2.17	80	0.8
CC125953		<0.005	0.08	1.29	18	0.05	10.45	52	1.3
CC125954		0.012	0.03	0.24	5	<0.05	1.35	96	1.8
CC125955		0.007	0.11	0.59	21	0.07	9.15	142	1.5
CC125956		<0.005	0.15	5.45	25	0.07	16.15	191	1.7
CC125957		0.008	0.04	1.91	13	<0.05	3.14	56	1.2
CC125958		0.015	0.14	0.41	42	0.15	2.15	91	1.4
CC125959		<0.005	0.46	1.17	32	0.07	5.32	157	1.6
CC125960		<0.005	0.10	1.11	19	<0.05	10.85	107	1.4
CC125961		<0.005	0.12	1.27	19	<0.05	9.45	119	1.4
CC123591		0.011	0.07	0.46	25	0.10	2.61	59	1.1
CC123592		<0.005	0.04	0.43	3	<0.05	1.17	77	0.9
CC123593		0.007	0.12	1.72	28	0.07	10.65	129	2.4
CC123594		0.005	0.03	0.24	6	<0.05	2.21	66	0.8
CC123595		0.008	0.03	0.30	4	<0.05	1.19	30	1.2
CC123596		<0.005	0.02	0.10	2	<0.05	0.53	37	0.5
CC123597		0.006	0.08	1.60	18	0.06	6.89	73	1.3
CC123598		<0.005	0.10	4.74	19	0.14	20.5	41	1.4
CC123599		<0.005	0.08	2.14	17	0.07	21.1	43	0.9
CC123600		0.008	0.05	0.32	21	0.14	1.10	44	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5- JUL- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11107179

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 7- JUL- 2011
Account: MTT

CERTIFICATE WH11107300

Project: Midas Touch- Crag East

P.O. No.:

This report is for 154 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14-JUN- 2011.

The following have access to data associated with this certificate:

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
As- OG46	Ore Grade As - Aqua Regia	VARIABLE
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC123851		0.16	<0.001	0.12	0.86	441	<0.2	<10	210	0.84	0.27	1.95	0.41	12.65	10.5	16
CC123852		0.22	<0.001	0.14	0.85	470	<0.2	<10	220	0.94	0.27	2.15	0.41	12.50	10.7	15
CC123853		0.18	<0.001	0.14	0.88	488	<0.2	<10	210	0.95	0.27	2.37	0.46	12.50	10.7	16
CC123854		0.24	0.003	0.15	0.92	375	<0.2	<10	170	0.86	0.26	1.42	0.50	12.50	9.2	17
CC123855		0.20	0.001	0.16	0.86	855	<0.2	<10	250	0.91	0.26	2.24	0.64	13.70	12.0	15
CC123856		0.18	0.001	0.13	0.85	30.5	<0.2	<10	200	0.76	0.27	3.04	0.50	12.95	9.6	14
CC123857		0.24	0.001	0.12	0.78	4370	<0.2	10	290	0.66	0.22	3.61	0.51	10.35	13.8	13
CC123858		0.26	<0.001	0.09	0.49	811	<0.2	<10	230	0.56	0.14	2.36	0.35	6.83	8.7	7
CC123859		0.26	0.001	0.17	0.89	34.5	<0.2	<10	260	0.81	0.25	1.71	0.72	13.50	9.5	15
CC123860		0.24	<0.001	0.11	0.96	16.8	<0.2	<10	350	0.65	0.22	2.07	0.38	11.35	9.1	17
CC123861		0.20	0.001	0.21	0.99	20.5	<0.2	<10	190	0.62	0.22	2.64	2.08	12.45	9.0	21
CC123862		0.26	0.001	0.06	1.19	5420	<0.2	<10	20	1.20	0.05	0.02	0.28	1.12	2.6	6
CC123863		0.22	0.001	0.13	0.14	>10000	<0.2	<10	100	2.63	0.05	15.40	0.91	1.86	40.3	2
CC123864		0.16	0.001	0.15	0.90	2080	<0.2	10	180	1.22	0.18	1.81	4.68	8.72	21.3	12
CC123865		0.20	0.001	0.30	0.77	51.5	<0.2	10	180	0.61	0.21	1.23	1.01	9.68	12.3	17
CC123866		0.30	<0.001	0.17	0.86	17.6	<0.2	<10	290	0.84	0.26	1.33	0.77	15.35	10.8	17
CC123867		0.28	<0.001	0.17	0.87	20.7	<0.2	<10	270	0.83	0.25	1.66	0.61	13.45	10.7	16
CC123868		0.20	<0.001	0.12	0.87	19.1	<0.2	<10	250	0.77	0.25	1.77	0.56	12.70	9.8	16
CC123869		0.22	<0.001	0.16	0.84	21.5	<0.2	<10	280	0.79	0.24	1.47	0.57	13.60	10.8	16
CC123870		0.20	0.001	0.18	0.96	23.0	<0.2	<10	260	0.95	0.29	1.43	0.50	12.15	11.6	18
CC123871		0.22	0.001	0.09	0.93	18.5	<0.2	<10	180	0.80	0.29	0.91	0.22	11.15	9.0	17
CC123872		0.24	0.002	0.13	1.05	21.6	<0.2	<10	210	1.05	0.31	1.05	0.27	13.25	11.2	19
CC123873		0.22	0.001	0.09	0.93	21.6	<0.2	<10	190	0.93	0.30	0.79	0.19	12.30	10.4	17
CC123874		0.20	0.001	0.16	0.99	15.0	<0.2	<10	250	0.97	0.30	0.91	0.31	14.95	10.5	18
CC123875		0.22	0.002	0.14	0.87	23.8	<0.2	<10	280	0.91	0.28	1.38	0.52	12.65	10.0	15
CC123876		0.30	0.001	0.12	0.81	34.4	<0.2	<10	240	0.73	0.22	1.73	0.61	14.15	10.7	14
CC123877		0.16	0.002	0.18	0.96	58.8	<0.2	<10	290	0.93	0.28	1.71	0.67	13.35	10.0	17
CC123878		0.20	0.001	0.19	0.94	40.7	<0.2	<10	320	0.82	0.26	1.58	0.86	13.85	9.9	17
CC123879		0.18	0.001	0.15	0.79	32.7	<0.2	<10	320	0.65	0.21	1.67	0.73	12.85	8.6	15
CC123880		0.14	0.002	0.20	0.91	43.6	<0.2	10	320	0.74	0.22	1.78	0.87	14.50	10.2	16
CC123881		0.22	0.001	0.07	0.66	11.3	<0.2	<10	130	0.70	0.29	1.89	0.11	17.60	14.3	11
CC123882		0.22	0.001	0.12	0.69	15.5	<0.2	<10	130	0.71	0.34	1.47	0.16	20.4	16.8	11
CC123883		0.22	0.001	0.08	0.61	11.1	<0.2	<10	130	0.68	0.30	1.53	0.18	18.70	12.8	11
CC123884		0.18	0.001	0.12	0.68	16.1	<0.2	<10	130	0.76	0.34	1.84	0.17	20.5	17.3	12
CC123885		0.18	0.001	0.12	0.63	14.0	<0.2	<10	120	0.66	0.30	2.23	0.16	19.50	14.2	11
CC123886		0.28	0.001	0.08	0.77	13.0	<0.2	<10	80	0.59	0.29	2.73	0.14	17.35	13.1	13
CC123887		0.22	0.001	0.10	0.69	14.8	<0.2	<10	140	0.72	0.32	2.54	0.13	18.55	15.2	12
CC123888		0.20	0.002	0.17	0.46	25.2	<0.2	10	190	0.77	0.33	1.84	0.29	18.60	18.4	10
CC123889		0.16	0.001	0.11	0.65	16.1	<0.2	<10	130	0.73	0.33	2.57	0.16	18.20	15.5	13
CC123890		0.14	0.001	0.10	0.65	14.2	<0.2	<10	100	0.55	0.27	2.61	0.20	21.1	10.9	12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC123851		11.65	29.4	3.15	2.96	<0.05	0.05	0.48	0.026	0.09	5.2	13.0	0.52	713	1.18
CC123852		9.76	33.5	3.24	2.86	<0.05	0.06	0.44	0.029	0.09	5.1	12.3	0.53	942	1.24
CC123853		12.55	31.0	3.25	2.99	0.05	0.06	0.44	0.027	0.09	5.2	12.9	0.53	887	1.32
CC123854		12.20	30.0	2.97	3.06	<0.05	0.06	0.48	0.028	0.10	5.2	13.3	0.39	214	1.33
CC123855		10.75	30.4	3.61	2.79	0.05	0.05	0.51	0.026	0.09	6.0	12.7	0.58	1590	1.91
CC123856		1.75	23.8	2.75	2.63	<0.05	0.05	0.60	0.026	0.11	5.2	11.5	0.60	523	0.88
CC123857		26.9	21.2	8.57	2.41	<0.05	0.06	0.46	0.025	0.08	4.0	12.3	0.46	4280	5.05
CC123858		18.80	14.6	22.5	1.50	<0.05	0.05	0.25	0.016	0.06	2.6	8.0	0.21	968	11.40
CC123859		9.62	25.3	3.12	2.72	<0.05	0.05	0.80	0.028	0.08	5.6	14.2	0.29	755	1.28
CC123860		1.07	21.4	2.77	3.06	<0.05	0.06	0.26	0.026	0.09	4.7	15.0	0.45	961	0.75
CC123861		2.37	18.5	2.43	3.03	<0.05	0.06	0.62	0.026	0.10	5.6	17.9	0.40	356	1.35
CC123862		2.85	7.2	45.6	0.57	0.22	0.04	0.18	0.007	0.02	0.5	0.8	0.02	12	18.05
CC123863		7.34	5.3	23.0	0.46	0.44	0.02	0.34	0.007	0.05	1.4	2.6	0.13	3400	40.2
CC123864		14.95	17.7	12.20	2.16	0.05	0.05	0.74	0.025	0.08	3.7	12.3	0.27	561	6.30
CC123865		1.83	39.4	2.51	2.98	0.07	0.09	0.45	0.030	0.09	4.6	11.9	0.26	943	4.96
CC123866		1.67	30.2	2.58	2.82	<0.05	0.05	0.39	0.028	0.09	6.8	13.7	0.47	317	1.76
CC123867		2.05	28.7	2.82	2.91	<0.05	0.05	0.33	0.030	0.09	5.7	13.5	0.57	467	2.26
CC123868		1.72	24.8	2.79	2.77	<0.05	0.05	0.30	0.028	0.09	5.5	13.3	0.67	410	1.79
CC123869		2.59	26.9	2.80	2.86	<0.05	0.04	0.31	0.029	0.09	5.6	13.2	0.64	447	2.62
CC123870		3.65	32.1	3.12	3.14	<0.05	0.05	0.37	0.030	0.10	5.2	13.9	0.56	481	2.52
CC123871		3.20	24.5	2.92	2.99	<0.05	0.06	0.25	0.025	0.10	4.8	13.7	0.39	309	0.67
CC123872		4.00	30.2	3.19	3.57	<0.05	0.06	0.24	0.032	0.11	5.7	16.3	0.41	387	0.69
CC123873		2.95	24.3	2.98	3.15	<0.05	0.06	0.35	0.025	0.10	5.0	13.3	0.35	438	0.61
CC123874		1.99	25.7	3.28	3.14	<0.05	0.06	0.26	0.027	0.10	7.2	17.9	0.30	663	0.82
CC123875		2.85	27.9	2.93	2.57	<0.05	0.06	0.38	0.028	0.13	5.7	12.0	0.40	653	0.93
CC123876		1.90	21.9	2.69	2.64	<0.05	0.05	0.35	0.024	0.10	6.0	12.8	0.80	566	0.93
CC123877		2.54	28.9	3.05	2.92	<0.05	0.06	0.46	0.030	0.12	6.4	14.0	0.61	457	1.04
CC123878		1.81	25.9	2.92	2.96	<0.05	0.05	1.57	0.028	0.11	6.6	14.0	0.58	532	1.39
CC123879		1.37	20.2	2.56	2.42	<0.05	0.05	0.27	0.024	0.09	5.7	11.5	0.68	434	1.23
CC123880		1.70	30.1	2.86	3.03	0.09	0.06	0.41	0.031	0.11	7.4	12.9	0.63	489	1.53
CC123881		1.59	31.0	3.07	2.22	0.09	0.05	0.13	0.026	0.10	8.9	16.4	0.81	774	0.49
CC123882		1.52	37.7	3.29	2.34	0.09	0.06	0.26	0.030	0.10	10.3	16.1	0.61	721	0.58
CC123883		1.36	34.5	3.08	1.89	0.09	0.06	0.12	0.031	0.08	8.7	17.2	0.41	485	0.58
CC123884		1.69	39.4	3.41	2.20	0.09	0.06	0.24	0.032	0.10	10.5	15.6	0.60	748	0.77
CC123885		1.46	34.9	2.99	2.13	0.08	0.05	0.29	0.027	0.10	9.1	15.0	0.63	533	0.59
CC123886		1.53	31.0	2.99	2.37	0.08	0.06	0.10	0.028	0.07	7.9	23.5	0.46	579	0.71
CC123887		1.55	34.1	3.16	2.19	0.09	0.05	0.23	0.031	0.09	9.6	17.9	0.56	655	0.62
CC123888		1.89	41.7	2.74	1.48	0.09	0.07	0.69	0.029	0.12	10.3	5.8	0.38	581	0.92
CC123889		1.53	35.3	3.06	2.15	0.09	0.05	0.32	0.031	0.09	9.4	15.9	0.56	585	0.83
CC123890		1.81	27.8	2.85	1.99	0.07	0.08	0.24	0.030	0.07	9.5	18.2	1.30	547	0.71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC123851		0.30	25.1	550	23.0	14.6	0.002	0.08	0.99	3.5	1.6	0.4	53.7	<0.01	0.03
CC123852		0.29	25.0	560	23.0	13.3	0.002	0.09	0.95	3.7	2.0	0.4	60.8	<0.01	0.02
CC123853		0.31	26.9	560	22.3	14.2	0.002	0.09	0.97	3.7	1.3	0.5	57.8	<0.01	0.04
CC123854		0.32	26.9	520	20.3	17.5	0.008	0.13	0.94	3.8	1.6	0.5	48.2	<0.01	0.02
CC123855		0.29	30.7	630	24.2	14.6	0.002	0.09	1.22	3.7	1.9	0.4	65.9	<0.01	0.04
CC123856		0.30	23.8	550	23.2	18.9	0.001	0.08	0.64	3.5	1.1	0.4	57.7	<0.01	0.02
CC123857		0.22	38.7	740	19.9	18.1	0.005	0.19	5.12	3.4	2.5	0.3	92.3	<0.01	0.03
CC123858		0.18	31.8	660	11.2	12.2	0.008	0.22	0.48	3.0	2.7	0.2	75.9	0.01	0.04
CC123859		0.33	25.0	650	24.7	18.2	0.005	0.21	0.61	4.0	2.5	0.4	71.2	<0.01	0.04
CC123860		0.33	20.8	850	18.5	15.8	0.001	0.16	0.39	2.7	1.7	0.4	91.3	<0.01	0.02
CC123861		0.51	32.5	680	15.9	15.9	0.015	0.29	0.61	3.4	4.4	0.4	54.7	<0.01	0.03
CC123862		0.10	8.8	370	129.0	3.0	<0.001	0.61	2.34	1.1	1.1	<0.2	3.3	<0.01	0.01
CC123863		<0.05	415	320	3.9	4.5	<0.001	0.14	1.21	1.4	0.8	<0.2	85.0	<0.01	0.03
CC123864		0.26	119.5	520	17.1	12.2	0.004	0.40	0.61	2.8	2.3	0.3	41.8	<0.01	0.02
CC123865		0.34	38.9	560	15.6	14.1	0.011	0.16	1.34	3.6	3.5	0.4	51.0	0.01	0.05
CC123866		0.34	29.2	690	20.6	9.0	0.002	0.09	0.69	4.5	1.9	0.4	36.9	<0.01	0.04
CC123867		0.33	28.2	640	20.5	10.7	0.004	0.09	0.70	4.1	1.5	0.4	43.0	<0.01	0.03
CC123868		0.35	25.7	640	19.8	10.4	0.004	0.09	0.56	3.8	1.5	0.4	38.5	<0.01	0.02
CC123869		0.32	28.6	640	20.0	10.7	0.001	0.07	0.77	3.9	1.3	0.4	39.5	<0.01	0.04
CC123870		0.33	31.7	640	22.1	12.2	0.002	0.08	0.82	4.4	1.5	0.5	43.9	<0.01	0.05
CC123871		0.30	20.5	490	21.7	15.4	<0.001	0.06	0.94	3.6	0.9	0.4	28.8	<0.01	0.02
CC123872		0.37	24.1	550	24.0	18.0	0.001	0.08	0.46	4.4	1.2	0.5	37.3	<0.01	0.04
CC123873		0.34	20.5	460	23.2	16.0	<0.001	0.06	0.39	3.7	0.9	0.4	27.4	<0.01	0.02
CC123874		0.36	21.4	640	22.9	16.7	0.001	0.08	0.39	4.3	0.9	0.4	54.1	<0.01	0.04
CC123875		0.32	22.7	620	21.0	16.6	0.002	0.09	0.49	3.9	1.8	0.4	53.5	<0.01	0.03
CC123876		0.32	21.6	640	19.0	14.7	0.001	0.06	0.50	3.5	1.0	0.4	41.1	<0.01	0.02
CC123877		0.33	24.4	740	21.4	16.4	0.005	0.11	0.60	4.1	2.1	0.4	55.8	<0.01	0.03
CC123878		0.34	28.0	760	19.5	14.1	0.003	0.09	0.66	3.8	1.9	0.4	52.9	<0.01	0.04
CC123879		0.32	23.1	740	17.0	10.6	0.002	0.07	0.57	3.0	1.7	0.3	41.8	<0.01	0.02
CC123880		0.38	27.7	780	20.6	16.2	0.004	0.09	0.62	4.2	2.2	0.4	55.6	<0.01	0.04
CC123881		0.13	29.1	570	28.5	7.7	<0.001	0.05	0.37	3.8	0.6	0.3	39.0	<0.01	0.05
CC123882		0.15	32.3	750	33.6	9.3	<0.001	0.05	0.53	4.4	0.7	0.3	48.5	<0.01	0.05
CC123883		0.12	28.6	660	26.8	8.9	<0.001	0.05	0.34	4.3	0.9	0.3	69.5	<0.01	0.06
CC123884		0.13	36.2	770	32.9	9.3	<0.001	0.06	0.54	4.8	0.8	0.3	63.3	0.01	0.06
CC123885		0.12	31.1	710	31.8	8.5	<0.001	0.06	0.51	3.9	0.9	0.3	68.4	<0.01	0.05
CC123886		0.16	28.3	580	30.4	8.7	<0.001	0.04	0.36	3.8	1.1	0.3	97.9	<0.01	0.05
CC123887		0.13	30.8	680	33.4	9.1	<0.001	0.05	0.48	4.2	0.8	0.3	86.9	<0.01	0.05
CC123888		0.10	34.2	1200	50.3	9.2	<0.001	0.10	0.94	4.5	1.8	0.4	110.5	<0.01	0.08
CC123889		0.12	30.6	760	35.3	8.9	0.001	0.05	0.55	4.2	1.0	0.3	86.6	<0.01	0.09
CC123890		0.15	25.2	690	31.0	9.3	0.001	0.04	0.40	3.7	1.1	0.3	59.6	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	As- OG46 As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC123851		0.005	0.47	0.69	23	0.06	8.19	123	1.6	
CC123852		0.005	0.45	0.78	24	0.06	8.73	125	1.5	
CC123853		0.005	0.58	0.72	24	0.05	8.30	126	1.5	
CC123854		0.005	0.48	0.67	26	0.05	8.78	123	1.7	
CC123855		<0.005	0.78	0.94	27	0.05	10.05	142	1.5	
CC123856		<0.005	0.18	0.55	22	0.05	8.03	115	1.5	
CC123857		<0.005	4.02	0.67	19	0.05	7.65	297	1.4	
CC123858		<0.005	0.34	0.87	15	<0.05	5.83	154	1.4	
CC123859		<0.005	0.58	1.00	26	0.06	9.22	138	1.7	
CC123860		0.006	0.11	1.42	22	0.05	6.03	200	1.5	
CC123861		0.009	0.82	1.15	24	0.06	8.65	199	2.1	
CC123862		<0.005	0.94	1.39	559	<0.05	12.50	1990	1.2	
CC123863		<0.005	0.91	2.02	15	0.07	11.70	3560	1.0	1.17
CC123864		0.005	1.56	1.04	37	0.05	12.15	5360	1.6	
CC123865		0.005	0.78	1.41	54	0.08	6.84	133	2.6	
CC123866		0.005	0.19	1.08	32	0.06	10.70	131	1.8	
CC123867		0.005	0.22	0.99	29	0.05	9.85	123	1.5	
CC123868		0.005	0.18	0.93	27	<0.05	9.09	118	1.5	
CC123869		0.005	0.27	0.93	30	<0.05	9.43	122	1.4	
CC123870		0.005	0.36	0.97	31	0.05	9.27	130	1.6	
CC123871		0.006	0.10	0.66	20	<0.05	6.72	108	1.4	
CC123872		0.005	0.11	0.75	21	<0.05	9.73	117	1.8	
CC123873		0.006	0.09	0.70	20	<0.05	7.66	103	1.5	
CC123874		0.005	0.12	1.02	26	0.05	9.41	107	1.5	
CC123875		0.005	0.15	0.79	23	0.05	9.17	118	1.6	
CC123876		0.005	0.13	0.80	25	0.10	8.78	116	1.4	
CC123877		0.005	0.20	1.03	29	0.05	10.20	143	1.6	
CC123878		0.006	0.18	0.96	32	0.05	9.58	152	1.5	
CC123879		0.005	0.15	0.84	30	0.05	8.11	134	1.2	
CC123880		0.005	0.19	1.04	33	0.07	10.60	144	1.9	
CC123881		0.005	0.07	0.92	11	<0.05	10.00	94	1.7	
CC123882		<0.005	0.08	1.14	12	<0.05	12.15	105	2.1	
CC123883		<0.005	0.06	1.27	12	0.05	11.00	96	1.8	
CC123884		<0.005	0.08	1.30	12	<0.05	12.20	106	1.9	
CC123885		<0.005	0.07	1.07	10	<0.05	10.55	97	1.6	
CC123886		0.006	0.06	1.51	14	0.05	10.55	82	2.0	
CC123887		<0.005	0.07	1.09	11	<0.05	11.35	92	1.6	
CC123888		<0.005	0.11	3.00	9	<0.05	13.00	175	2.3	
CC123889		<0.005	0.08	1.25	11	<0.05	11.30	105	1.7	
CC123890		0.005	0.08	1.15	13	0.07	11.25	106	2.0	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC123891		0.26	0.001	0.09	0.59	13.4	<0.2	<10	130	0.65	0.31	2.49	0.13	19.00	15.8	10
CC123892		0.16	0.001	0.10	0.66	14.3	<0.2	<10	120	0.66	0.30	3.29	0.16	19.55	14.4	12
CC123893		0.12	0.001	0.10	1.29	13.7	<0.2	10	120	0.80	0.34	1.59	0.28	18.75	16.6	23
CC123894		0.20	0.001	0.08	0.64	14.9	<0.2	<10	130	0.66	0.26	3.80	0.13	18.30	12.4	11
CC123895		0.26	0.002	0.09	0.27	31.1	<0.2	<10	50	0.79	0.32	4.47	0.25	21.2	14.8	9
CC123896		0.18	0.001	0.10	0.57	19.2	<0.2	<10	100	0.77	0.33	1.88	0.16	20.4	15.3	11
CC123897		0.28	0.001	0.07	0.50	13.7	<0.2	<10	80	0.59	0.25	3.88	0.12	17.40	11.3	10
CC123898		0.26	0.001	0.09	0.51	18.3	<0.2	<10	100	0.69	0.29	3.65	0.16	18.15	13.1	10
CC123899		0.22	0.003	0.11	0.49	19.2	<0.2	<10	110	0.68	0.32	3.86	0.19	19.50	13.8	11
CC123900		0.24	0.002	0.09	0.52	18.1	<0.2	<10	100	0.72	0.29	3.45	0.20	19.50	15.2	10
CC123901		0.20	0.002	0.07	0.93	11.9	<0.2	<10	150	1.01	0.42	2.48	0.07	19.75	18.4	15
CC123902		0.20	0.001	0.08	0.64	14.3	<0.2	<10	100	0.76	0.32	2.85	0.15	18.75	14.2	12
CC123903		0.24	0.001	0.08	0.66	15.1	<0.2	<10	120	0.85	0.34	3.18	0.15	19.90	15.2	12
CC123904		0.26	0.001	0.12	0.85	23.9	<0.2	<10	220	0.84	0.30	3.09	0.50	20.2	17.6	16
CC123905		0.22	0.001	0.11	0.62	28.4	<0.2	<10	300	0.54	0.24	3.83	0.38	17.00	9.6	10
CC123906		0.22	0.001	0.12	0.50	20.6	<0.2	<10	290	0.67	0.23	4.38	0.35	16.30	10.1	10
CC123907		0.18	0.001	0.09	1.23	14.7	<0.2	<10	170	0.83	0.33	2.12	0.17	20.1	17.3	22
CC123908		0.20	0.001	0.09	1.17	16.3	<0.2	<10	160	0.75	0.32	2.04	0.19	18.30	17.0	21
CC123909		0.22	<0.001	0.10	0.78	20.8	<0.2	<10	210	0.65	0.25	3.00	0.27	19.45	13.5	15
CC123910		0.28	0.001	0.08	1.06	18.1	<0.2	<10	160	0.75	0.29	2.45	0.21	20.2	15.3	19
CC123551		0.20	0.001	0.10	1.21	312	<0.2	<10	260	0.89	0.31	1.97	0.17	19.90	14.8	21
CC123552		0.28	0.001	0.04	1.15	152.5	<0.2	<10	230	0.96	0.35	0.25	0.10	18.90	14.8	21
CC123553		0.16	0.001	0.13	0.74	127.0	<0.2	10	190	0.69	0.22	3.01	0.20	9.99	9.0	13
CC123554		0.34	0.001	0.07	0.78	107.5	<0.2	10	120	0.86	0.31	1.11	0.13	18.60	11.5	14
CC123555		0.24	<0.001	0.12	0.47	77.9	<0.2	10	110	0.86	0.29	1.69	0.08	9.17	11.6	9
CC123556		0.16	0.001	0.25	1.41	427	<0.2	<10	200	1.89	0.36	1.14	0.16	44.8	12.0	25
CC123557		0.22	<0.001	0.05	0.64	58.4	<0.2	<10	120	1.09	0.42	0.64	0.09	22.1	16.4	13
CC123558		0.34	0.001	0.07	1.40	54.9	<0.2	<10	250	1.11	0.34	0.92	0.05	24.1	13.0	27
CC123559		0.16	<0.001	0.18	1.13	98.6	<0.2	<10	210	0.99	0.27	2.04	0.22	20.5	10.1	21
CC123560		0.12	<0.001	0.22	1.56	923	<0.2	<10	250	1.35	0.32	5.06	0.50	34.7	11.3	22
CC123561		0.26	0.001	0.06	1.41	70.3	<0.2	<10	130	1.02	0.37	0.41	0.27	24.4	13.0	27
CC123562		0.36	0.001	0.47	0.31	29.6	<0.2	<10	90	0.82	0.32	1.56	0.14	10.45	9.1	7
CC123563		0.14	<0.001	0.16	0.27	4.4	<0.2	<10	310	0.27	0.08	4.65	0.36	3.02	3.4	4
CC123564		0.28	0.001	0.09	1.15	12.7	<0.2	<10	150	0.48	0.32	0.51	0.11	15.70	9.8	26
CC123565		0.14	<0.001	0.17	0.39	22.7	<0.2	<10	60	0.45	0.33	0.27	0.09	4.67	12.0	10
CC123566		0.12	<0.001	0.18	0.66	9.3	<0.2	<10	320	0.69	0.08	5.06	0.64	7.03	3.1	7
CC123567		0.16	<0.001	0.22	0.68	3.3	<0.2	<10	450	1.57	0.08	4.69	0.35	15.05	2.7	4
CC123568		0.24	<0.001	0.10	0.38	7.8	<0.2	<10	50	0.16	0.27	0.04	0.14	9.39	4.3	7
CC123569		0.20	<0.001	0.09	0.79	6.5	<0.2	<10	110	0.39	0.28	0.15	0.07	17.70	4.2	15
CC123570		0.24	<0.001	0.02	0.34	12.1	<0.2	<10	40	0.20	0.32	0.03	0.02	10.20	3.4	7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC123891		1.52	35.1	3.12	1.81	0.08	0.05	0.24	0.028	0.08	8.3	15.4	0.69	554	0.59
CC123892		1.60	33.6	3.03	2.10	0.08	0.05	0.27	0.030	0.09	9.0	16.7	0.74	559	0.70
CC123893		2.43	43.1	3.59	3.88	0.09	0.10	0.10	0.035	0.08	8.7	44.2	0.72	749	1.23
CC123894		1.36	28.8	2.82	1.82	0.07	0.05	0.23	0.025	0.08	8.3	15.6	0.76	509	0.55
CC123895		1.13	49.3	2.86	0.86	0.08	0.06	0.54	0.039	0.08	9.2	2.2	1.32	309	0.83
CC123896		1.33	39.9	3.09	1.83	0.09	0.06	0.32	0.033	0.08	9.2	14.4	0.70	438	0.65
CC123897		1.13	31.9	2.55	1.50	0.07	0.05	0.26	0.027	0.07	7.5	12.5	0.94	364	0.55
CC123898		1.39	36.0	2.81	1.55	0.08	0.05	0.33	0.031	0.08	8.1	12.4	0.89	421	0.65
CC123899		1.55	38.6	2.83	1.60	0.08	0.05	0.85	0.032	0.08	8.8	11.9	0.91	409	0.73
CC123900		1.48	38.5	2.83	1.77	0.08	0.06	0.35	0.031	0.08	8.6	13.7	0.93	537	0.66
CC123901		2.81	46.6	3.52	3.54	0.09	0.06	0.18	0.033	0.14	9.5	19.5	1.47	722	0.63
CC123902		1.73	40.7	2.90	2.29	0.08	0.06	0.29	0.031	0.10	8.2	14.5	1.26	470	0.58
CC123903		1.95	39.6	3.10	2.31	0.07	0.05	0.48	0.029	0.11	8.6	14.8	1.23	543	0.64
CC123904		1.96	38.3	3.14	2.96	0.08	0.07	0.32	0.030	0.10	9.6	19.9	1.23	797	1.50
CC123905		1.42	22.1	2.80	2.10	0.06	0.06	0.65	0.029	0.09	7.6	5.4	1.49	598	0.93
CC123906		2.14	33.1	2.59	1.59	0.07	0.07	0.59	0.026	0.09	8.2	5.7	1.90	571	0.90
CC123907		2.07	39.1	3.65	4.90	0.09	0.06	45.4	0.032	0.09	9.5	44.5	1.12	545	0.74
CC123908		1.93	42.4	3.60	4.69	0.10	0.07	0.82	0.031	0.08	9.0	40.2	1.18	600	0.80
CC123909		1.62	31.2	2.87	2.84	0.09	0.06	0.35	0.029	0.09	9.6	18.8	1.34	589	0.80
CC123910		1.83	33.1	3.27	3.92	0.09	0.07	0.31	0.029	0.08	9.4	34.2	1.33	527	0.75
CC123551		0.83	43.0	4.29	3.96	0.09	0.07	2.93	0.045	0.13	9.0	11.5	1.04	1480	1.12
CC123552		2.90	41.8	4.40	3.72	0.09	0.05	0.79	0.045	0.10	6.8	9.7	0.27	1220	0.85
CC123553		4.49	30.2	2.41	2.37	0.07	0.05	0.70	0.029	0.07	4.4	7.6	0.26	507	0.57
CC123554		4.57	24.0	3.33	2.28	0.08	0.05	0.22	0.037	0.11	8.5	6.4	0.14	568	0.93
CC123555		7.76	29.6	2.48	1.18	0.06	0.04	0.24	0.032	0.08	4.5	2.6	0.09	321	0.82
CC123556		7.45	22.6	5.21	3.18	0.09	0.06	2.13	0.049	0.13	15.6	10.6	0.64	2340	1.38
CC123557		5.10	18.6	4.29	1.83	<0.05	0.03	0.07	0.042	0.09	8.9	6.1	0.06	666	0.73
CC123558		3.61	32.6	3.75	4.14	0.09	0.09	0.42	0.042	0.09	11.9	13.7	0.45	873	1.02
CC123559		4.88	27.7	2.70	3.41	0.05	0.05	0.98	0.032	0.08	9.2	11.1	0.31	714	1.04
CC123560		2.00	18.5	5.27	4.10	0.07	0.08	2.19	0.040	0.13	17.2	9.6	2.79	3220	1.19
CC123561		0.90	19.4	4.27	4.39	0.05	0.08	0.41	0.036	0.09	9.9	18.0	0.40	1140	1.06
CC123562		4.80	29.3	3.23	0.74	<0.05	0.05	1.20	0.031	0.06	3.7	1.8	0.07	275	1.38
CC123563		1.99	14.3	0.70	0.63	<0.05	0.04	0.14	0.009	0.03	1.4	1.1	0.11	305	0.53
CC123564		0.71	14.6	3.13	4.34	<0.05	0.04	0.09	0.026	0.07	7.3	15.5	0.34	488	0.83
CC123565		1.77	28.1	3.36	1.30	<0.05	0.04	0.14	0.033	0.06	2.0	3.8	0.08	340	1.36
CC123566		0.37	34.4	1.01	0.98	<0.05	0.05	0.14	0.013	0.02	3.8	2.6	0.17	322	0.38
CC123567		0.68	32.8	0.79	0.78	0.06	0.04	0.19	0.012	0.02	7.7	1.0	0.09	344	0.45
CC123568		1.70	9.2	2.28	2.06	<0.05	<0.02	0.02	0.019	0.06	4.4	1.0	0.02	87	0.73
CC123569		6.12	10.1	2.08	3.42	<0.05	0.02	0.03	0.019	0.07	9.0	9.3	0.19	154	0.66
CC123570		13.60	5.9	1.97	2.76	<0.05	<0.02	0.11	0.017	0.07	4.9	1.9	0.03	79	1.00



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC123891		0.11	31.9	660	34.0	7.9	0.001	0.05	0.41	4.3	0.8	0.3	82.2	<0.01	0.06	3.9
CC123892		0.12	28.3	680	32.3	8.4	<0.001	0.05	0.45	4.2	0.8	0.3	101.0	<0.01	0.05	3.9
CC123893		0.16	37.2	870	30.6	11.3	0.001	0.11	0.42	5.0	2.8	0.4	126.5	<0.01	0.07	3.0
CC123894		0.11	27.4	640	27.9	8.1	<0.001	0.06	0.38	3.9	0.7	0.3	114.0	<0.01	0.04	3.6
CC123895		0.09	36.8	820	21.3	6.0	<0.001	0.05	0.52	6.2	1.2	0.3	144.5	<0.01	0.04	5.8
CC123896		0.11	30.9	710	30.7	7.4	<0.001	0.05	0.45	4.9	0.8	0.3	64.7	<0.01	0.06	4.1
CC123897		0.10	25.1	580	23.7	5.7	<0.001	0.04	0.34	4.1	0.7	0.2	105.0	<0.01	0.04	3.8
CC123898		0.10	30.5	660	25.8	7.6	<0.001	0.05	0.43	4.7	1.0	0.3	115.0	<0.01	0.04	4.0
CC123899		0.11	27.8	700	28.7	9.5	<0.001	0.05	0.47	4.9	1.4	0.3	129.0	<0.01	0.05	4.6
CC123900		0.11	27.3	680	27.3	8.4	<0.001	0.05	0.43	5.0	1.4	0.3	113.0	<0.01	0.05	4.2
CC123901		0.17	32.8	440	31.7	13.6	<0.001	0.04	0.38	4.4	0.5	0.5	50.6	<0.01	0.04	5.5
CC123902		0.12	27.7	560	25.9	10.2	<0.001	0.05	0.37	4.5	0.8	0.3	69.9	<0.01	0.04	4.4
CC123903		0.12	30.8	570	27.9	10.6	<0.001	0.05	0.42	4.5	0.7	0.3	84.2	<0.01	0.05	4.8
CC123904		0.29	36.7	580	30.2	10.0	0.001	0.05	0.71	4.8	1.0	0.4	78.8	<0.01	0.04	5.1
CC123905		0.20	22.3	640	39.7	9.7	<0.001	0.06	0.40	3.7	0.6	0.4	56.6	<0.01	0.04	2.3
CC123906		0.19	24.6	660	34.7	13.9	0.001	0.09	0.49	3.9	1.1	0.3	58.9	<0.01	0.04	1.9
CC123907		0.24	34.5	550	31.1	8.6	<0.001	0.05	0.38	4.8	0.7	0.4	69.1	<0.01	0.04	4.6
CC123908		0.25	37.4	550	30.3	7.8	<0.001	0.04	0.44	4.5	0.6	0.4	57.1	<0.01	0.04	4.8
CC123909		0.30	27.4	620	25.3	7.9	<0.001	0.04	0.51	4.1	0.7	0.4	65.1	<0.01	0.04	4.2
CC123910		0.25	32.6	540	30.4	7.9	<0.001	0.05	0.40	4.2	0.5	0.4	56.1	<0.01	0.04	5.1
CC123551		0.34	27.4	350	37.4	10.4	<0.001	0.03	1.57	6.0	0.7	0.6	25.3	<0.01	0.04	4.4
CC123552		0.40	26.8	150	38.5	18.1	<0.001	0.01	1.35	6.2	0.6	0.6	11.7	<0.01	0.04	5.2
CC123553		0.28	23.0	620	22.9	11.9	0.001	0.12	1.08	2.9	0.9	0.4	69.8	<0.01	0.03	1.1
CC123554		0.25	26.5	230	31.6	11.0	<0.001	0.03	0.52	5.2	0.7	0.5	33.9	<0.01	0.03	3.9
CC123555		0.12	32.3	360	21.4	11.8	0.001	0.06	0.34	4.4	1.1	0.3	43.6	<0.01	0.06	1.3
CC123556		0.44	47.8	270	44.3	14.1	<0.001	0.02	7.94	10.1	1.2	0.6	19.2	<0.01	0.05	7.0
CC123557		0.19	49.3	160	29.5	11.4	<0.001	0.02	0.36	6.5	0.8	0.6	38.9	<0.01	0.02	4.3
CC123558		0.80	33.6	180	27.8	8.7	0.001	0.02	0.67	6.9	0.8	0.7	26.6	<0.01	0.05	5.5
CC123559		0.52	33.3	500	26.0	10.0	0.001	0.07	1.85	4.4	1.5	0.5	58.8	<0.01	0.03	1.6
CC123560		0.42	27.3	710	41.9	13.6	0.001	0.05	10.50	6.0	1.5	0.6	32.8	<0.01	0.07	2.2
CC123561		0.69	29.5	150	32.9	9.2	<0.001	0.02	1.38	5.5	0.7	0.6	14.5	<0.01	0.03	4.4
CC123562		0.06	37.2	260	27.8	6.0	0.002	0.04	0.38	5.1	1.1	0.3	44.9	<0.01	0.03	3.3
CC123563		0.13	12.7	680	5.4	4.1	0.003	0.20	0.25	0.6	1.0	<0.2	95.8	<0.01	0.01	0.3
CC123564		1.14	19.7	140	19.4	9.4	0.001	0.02	0.32	3.0	0.3	0.6	17.8	<0.01	0.03	3.1
CC123565		0.20	31.0	110	23.2	6.6	0.001	0.02	0.40	3.6	0.7	0.4	17.9	<0.01	0.05	3.0
CC123566		0.20	23.3	930	4.1	2.2	0.001	0.26	0.30	1.1	1.5	0.2	147.0	<0.01	<0.01	0.4
CC123567		0.14	31.6	840	4.6	1.7	0.001	0.18	0.37	1.5	1.2	<0.2	105.0	<0.01	<0.01	0.4
CC123568		0.34	15.5	150	15.5	14.3	<0.001	0.01	0.43	1.7	<0.2	0.5	7.6	<0.01	0.04	1.5
CC123569		0.76	11.8	100	19.7	17.9	<0.001	0.01	0.27	1.7	<0.2	0.6	11.2	<0.01	0.04	2.7
CC123570		0.45	6.3	130	4.2	9.9	<0.001	0.01	0.82	1.9	0.3	0.8	8.1	<0.01	0.05	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	As- OG46 As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC123891		<0.005	0.07	1.03	10	<0.05	10.30	93	1.7	
CC123892		<0.005	0.07	1.10	11	<0.05	10.65	99	1.6	
CC123893		0.005	0.07	2.23	17	<0.05	13.50	89	2.9	
CC123894		<0.005	0.06	1.02	10	<0.05	10.05	86	1.6	
CC123895		<0.005	0.07	3.12	11	<0.05	13.25	85	3.1	
CC123896		<0.005	0.07	1.50	12	<0.05	11.45	87	1.9	
CC123897		<0.005	0.05	1.22	10	<0.05	9.61	75	1.7	
CC123898		<0.005	0.06	1.74	10	<0.05	10.55	86	1.9	
CC123899		<0.005	0.07	2.07	10	<0.05	11.55	87	2.1	
CC123900		<0.005	0.07	1.61	10	<0.05	11.50	83	2.2	
CC123901		0.005	0.11	0.98	14	<0.05	10.15	87	2.2	
CC123902		<0.005	0.07	1.19	11	<0.05	9.64	92	2.4	
CC123903		<0.005	0.08	1.33	11	<0.05	9.74	87	2.0	
CC123904		0.009	0.20	1.28	21	0.09	9.66	104	2.7	
CC123905		0.005	0.16	0.76	19	0.05	8.07	184	1.6	
CC123906		0.005	0.16	0.89	14	0.06	10.40	137	2.1	
CC123907		0.008	0.07	1.00	19	<0.05	9.32	101	2.7	
CC123908		0.010	0.08	0.91	20	<0.05	8.93	99	2.8	
CC123909		0.010	0.13	1.01	19	0.09	8.86	98	2.2	
CC123910		0.010	0.10	0.80	19	0.07	8.33	104	2.6	
CC123551		0.006	0.39	0.66	25	0.09	11.70	112	1.8	
CC123552		0.010	0.43	0.73	27	0.11	7.04	89	1.7	
CC123553		<0.005	0.53	0.61	14	0.06	7.06	79	1.4	
CC123554		<0.005	0.52	0.56	16	0.08	9.71	82	1.4	
CC123555		<0.005	0.43	0.66	8	0.05	12.05	56	1.1	
CC123556		0.007	1.04	0.99	27	<0.05	18.25	113	2.4	
CC123557		<0.005	0.19	0.45	15	<0.05	9.18	95	1.1	
CC123558		0.013	0.25	0.75	31	0.13	13.40	78	3.1	
CC123559		0.007	0.95	1.88	23	0.05	13.75	79	1.3	
CC123560		0.007	0.70	1.31	36	0.07	19.30	207	1.9	
CC123561		0.015	0.32	0.69	33	<0.05	8.62	114	2.2	
CC123562		<0.005	0.78	0.45	8	<0.05	12.10	98	1.8	
CC123563		<0.005	0.16	1.41	4	<0.05	3.05	25	1.2	
CC123564		0.024	0.07	0.53	33	0.07	2.80	52	1.7	
CC123565		<0.005	0.20	0.36	12	<0.05	3.11	111	1.8	
CC123566		0.007	0.03	5.19	7	<0.05	6.47	28	1.2	
CC123567		<0.005	0.04	0.72	4	<0.05	21.9	19	1.4	
CC123568		0.009	0.06	0.13	22	<0.05	1.06	56	<0.5	
CC123569		0.017	0.12	0.36	27	<0.05	1.87	38	0.8	
CC123570		0.010	0.15	0.18	25	<0.05	1.31	32	<0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC123571		0.06	<0.001	0.08	0.31	2.3	<0.2	<10	220	0.19	0.08	3.31	0.41	3.36	4.6	5
CC123572		0.22	0.003	0.52	0.32	28.2	<0.2	<10	220	0.52	0.26	0.82	0.41	2.05	2.2	11
CC123573		0.16	0.002	0.12	0.66	27.6	<0.2	<10	140	0.73	0.21	2.06	0.33	6.42	8.1	15
CC123574		0.12	0.001	0.08	0.87	318	<0.2	<10	120	0.99	0.27	1.86	1.12	8.54	12.9	16
CC123575		0.12	0.002	0.21	1.44	25.2	<0.2	<10	410	1.52	0.30	0.60	0.57	13.95	9.6	22
CC123576		0.16	<0.001	0.18	0.73	9.7	<0.2	20	190	0.68	0.15	3.97	0.21	3.86	3.6	12
CC123577		0.28	0.001	0.03	1.33	9.1	<0.2	<10	60	0.96	0.48	0.04	0.04	10.90	12.3	24
CC123578		0.22	0.001	0.05	1.30	20.2	<0.2	<10	100	0.92	0.51	0.04	0.07	8.56	10.5	28
CC123579		0.18	0.001	0.18	1.29	10.6	<0.2	<10	200	1.00	0.48	0.40	0.17	11.00	15.6	23
CC123580		0.42	<0.001	0.04	1.30	20.9	<0.2	<10	90	0.74	0.51	0.11	0.04	6.82	11.0	27
CC123581		0.32	0.001	0.04	1.76	7.5	<0.2	<10	90	1.21	0.48	0.02	0.03	7.87	10.5	31
CC123582		0.18	0.001	0.11	0.96	8.6	<0.2	<10	220	0.87	0.20	3.06	0.30	9.13	7.2	15
CC123583		0.28	0.001	0.08	1.17	18.6	<0.2	<10	180	1.28	0.40	0.75	0.11	12.45	13.0	26
CC123584		0.46	0.001	0.08	1.11	10.9	<0.2	<10	140	0.83	0.32	0.13	0.04	13.10	9.9	25
CC123585		0.14	0.001	0.41	1.54	11.2	<0.2	<10	380	1.34	0.37	0.66	0.29	24.4	21.5	24
CC123586		0.26	<0.001	0.06	1.10	14.7	<0.2	<10	140	0.92	0.43	0.15	0.12	12.35	10.8	24
CC123587		0.40	<0.001	0.02	0.50	23.9	<0.2	<10	40	0.57	0.45	0.03	0.03	7.01	16.7	14
CC123588		0.22	0.002	0.15	1.19	16.3	<0.2	<10	250	1.40	0.42	0.93	0.30	11.15	15.2	21
CC123589		0.20	<0.001	0.06	0.96	12.7	<0.2	<10	110	0.44	0.44	0.13	0.12	15.15	6.8	20
CC123590		0.14	0.001	0.13	1.07	10.5	<0.2	<10	290	0.78	0.27	1.88	0.30	11.00	8.7	18
CC123779		0.16	0.001	0.09	1.72	36.4	<0.2	<10	300	0.66	0.24	0.28	0.15	17.30	7.2	27
CC123780		0.12	0.003	0.08	0.35	76	<0.2	10	60	0.29	0.14	12.70	0.17	15.10	7.3	6
CC123781		0.14	0.002	0.09	0.43	191	<0.2	<10	100	0.41	0.07	14.25	0.39	10.30	4.0	6
CC123782		0.14	0.003	0.13	0.60	222	<0.2	<10	70	0.47	0.18	11.30	0.28	21.0	9.4	13
CC123783		0.20	0.001	0.07	1.01	156.0	<0.2	<10	140	0.99	0.31	0.84	0.31	39.9	15.6	21
CC123784		0.16	0.001	0.11	0.71	146.5	<0.2	<10	150	0.61	0.45	0.88	0.15	13.25	11.3	14
CC123785		0.10	0.005	0.09	0.70	757	<0.2	<10	170	1.02	0.42	1.22	0.19	26.8	17.9	16
CC123786		0.24	0.001	0.06	0.30	360	<0.2	<10	50	0.32	0.05	15.20	0.77	6.51	3.1	6
CC123787		0.24	0.001	0.06	0.31	187	<0.2	<10	40	0.21	0.08	12.70	0.13	11.00	4.4	7
CC123788		0.10	0.001	0.08	1.13	215	<0.2	<10	100	0.77	0.26	2.45	1.08	24.9	12.7	21
CC123789		0.20	0.002	0.09	1.38	67.8	<0.2	<10	130	1.00	0.29	0.50	0.39	32.9	12.8	26
CC123790		0.18	<0.001	0.05	1.00	34.1	<0.2	<10	100	0.51	0.21	0.35	0.15	19.10	9.5	18
CC123791		0.20	0.001	0.21	1.31	66.1	<0.2	<10	180	0.96	0.25	0.65	0.21	15.65	10.1	26
CC123792		0.16	0.001	0.22	1.66	26.6	<0.2	<10	220	1.16	0.23	1.87	0.54	21.7	9.4	25
CC123793		0.16	0.001	0.19	1.50	32.7	<0.2	<10	200	0.92	0.20	3.03	0.54	21.2	9.3	24
CC123794		0.12	0.001	0.17	1.23	39	<0.2	<10	130	0.53	0.15	10.10	0.40	27.5	8.4	18
CC123795		0.16	0.001	0.26	0.31	68.5	<0.2	<10	70	0.33	0.15	9.11	0.58	15.20	8.0	11
CC123796		0.20	0.004	0.19	0.34	62	<0.2	<10	90	0.23	0.08	12.95	0.23	10.70	5.7	9
CC123797		0.14	0.001	0.17	0.70	69.8	<0.2	<10	210	0.57	0.12	8.76	0.44	17.10	6.5	12
CC123798		0.30	0.002	0.09	0.48	216	<0.2	<10	160	1.23	0.52	1.11	0.07	12.70	19.4	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC123571		1.15	13.9	0.55	1.01	<0.05	0.03	0.15	0.007	0.04	1.7	1.5	0.44	599	1.05
CC123572		6.82	30.3	2.71	1.02	<0.05	0.02	2.43	0.040	0.04	1.0	1.9	0.08	99	9.51
CC123573		3.46	31.1	2.05	2.10	<0.05	0.04	0.22	0.031	0.07	2.7	8.0	0.23	563	4.66
CC123574		2.63	33.5	4.38	2.53	<0.05	0.04	0.23	0.026	0.07	3.4	10.2	0.23	853	21.4
CC123575		1.14	40.2	3.20	3.87	0.05	0.05	0.43	0.044	0.10	6.4	17.2	0.23	1340	1.92
CC123576		1.56	31.5	1.59	2.09	0.09	0.04	0.19	0.020	0.06	2.2	4.2	0.35	374	9.95
CC123577		0.73	36.5	3.50	5.52	0.14	<0.02	0.02	0.039	0.08	4.7	18.2	0.31	454	0.42
CC123578		1.07	58.3	4.60	6.40	0.15	0.02	0.07	0.049	0.07	3.4	15.8	0.38	492	0.59
CC123579		1.22	33.2	3.42	5.39	<0.05	0.02	0.06	0.044	0.11	3.9	13.8	0.36	685	0.83
CC123580		0.94	38.1	4.42	5.85	<0.05	0.02	0.18	0.045	0.08	3.0	17.0	0.44	370	0.82
CC123581		1.70	28.6	3.69	7.05	<0.05	0.04	0.04	0.035	0.08	3.2	22.9	0.44	224	0.40
CC123582		0.74	25.3	1.91	2.64	<0.05	0.04	0.13	0.019	0.08	4.9	7.4	0.28	503	0.61
CC123583		1.22	35.2	3.83	3.94	<0.05	0.06	0.09	0.036	0.10	4.8	14.2	0.34	606	0.99
CC123584		1.16	12.1	3.31	3.96	<0.05	0.02	0.02	0.031	0.11	6.0	16.9	0.31	393	0.94
CC123585		0.98	15.7	3.69	4.42	<0.05	0.05	0.04	0.034	0.20	7.9	14.3	0.24	1500	2.28
CC123586		1.75	11.8	3.55	4.69	<0.05	0.02	0.04	0.034	0.11	5.3	17.4	0.30	443	0.70
CC123587		2.71	23.4	3.91	3.27	<0.05	<0.02	0.04	0.040	0.08	3.3	7.2	0.09	248	0.56
CC123588		2.97	33.3	3.51	3.96	<0.05	0.05	0.33	0.047	0.09	3.8	19.6	0.39	920	0.73
CC123589		1.70	18.2	3.22	4.95	<0.05	<0.02	0.05	0.029	0.07	6.9	8.5	0.19	356	1.15
CC123590		1.07	17.0	2.85	3.22	<0.05	0.05	0.15	0.030	0.09	4.4	13.6	0.36	771	0.55
CC123779		1.40	7.8	2.82	5.15	<0.05	0.04	0.08	0.026	0.05	8.3	14.7	0.37	377	1.35
CC123780		1.21	15.8	1.84	1.01	0.06	0.13	0.41	0.011	0.06	10.3	2.3	5.72	657	0.37
CC123781		0.40	10.7	1.86	1.15	0.05	0.08	0.52	0.010	0.03	6.5	2.2	8.21	1460	0.73
CC123782		1.30	17.7	2.32	1.78	0.07	0.10	0.65	0.025	0.05	13.2	5.2	6.78	952	0.91
CC123783		2.84	23.2	3.30	3.43	0.11	0.07	0.21	0.037	0.09	21.9	10.0	0.22	1120	1.57
CC123784		2.80	22.8	3.35	2.62	0.06	0.05	0.56	0.033	0.10	6.4	7.9	0.47	377	1.30
CC123785		5.78	36.0	3.06	2.21	0.09	0.06	0.36	0.036	0.09	14.0	6.1	0.15	920	0.93
CC123786		1.31	9.9	1.65	0.96	<0.05	0.04	0.55	0.023	0.04	3.4	2.7	9.41	978	0.66
CC123787		2.42	11.1	1.25	1.05	0.05	0.05	0.79	0.011	0.04	5.4	3.9	6.12	572	0.46
CC123788		1.48	21.7	3.27	3.81	0.07	0.08	0.85	0.039	0.06	11.2	11.5	1.23	1010	1.57
CC123789		1.07	19.9	3.97	4.89	0.09	0.08	0.38	0.037	0.09	15.6	14.0	0.44	1120	1.32
CC123790		0.99	13.3	2.73	3.72	0.05	0.04	0.09	0.025	0.06	6.4	9.1	0.19	512	1.14
CC123791		0.90	23.3	3.95	4.47	0.09	0.09	0.59	0.037	0.08	10.8	12.4	0.28	582	1.73
CC123792		3.66	18.9	3.26	5.20	0.08	0.07	0.19	0.034	0.05	14.1	11.5	0.60	1020	0.77
CC123793		3.21	18.7	3.14	4.81	0.07	0.06	0.28	0.033	0.05	11.9	10.9	1.37	1110	0.95
CC123794		0.62	12.6	3.39	3.37	0.09	0.09	0.16	0.025	0.05	15.5	6.4	6.18	2080	0.87
CC123795		4.32	17.9	2.69	1.05	0.07	0.08	1.60	0.019	0.06	6.5	1.5	4.80	614	0.70
CC123796		2.37	14.6	2.88	0.95	0.06	0.09	0.66	0.013	0.04	4.1	1.5	7.19	1340	0.42
CC123797		0.75	14.1	3.86	1.95	0.08	0.08	0.55	0.017	0.04	8.4	3.8	4.85	2430	0.67
CC123798		3.94	43.4	4.49	2.02	0.08	0.08	0.49	0.034	0.12	6.3	2.1	0.37	587	0.93



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC123571		0.16	8.5	580	7.1	3.4	<0.001	0.16	0.43	0.7	0.5	0.2	99.7	<0.01	0.01
CC123572		0.11	16.7	390	14.9	6.2	0.001	0.07	3.07	4.1	1.9	0.6	41.3	<0.01	0.14
CC123573		0.33	18.1	590	12.5	8.4	0.004	0.17	0.69	3.1	1.5	0.4	74.1	<0.01	0.04
CC123574		0.42	40.8	520	16.0	9.7	0.002	0.16	0.66	3.4	0.9	0.4	38.1	<0.01	0.03
CC123575		0.35	29.2	930	16.2	12.9	0.003	0.10	0.57	5.7	2.7	0.6	36.7	<0.01	0.02
CC123576		0.23	18.7	1100	5.6	10.0	0.003	0.38	0.85	1.2	1.0	0.3	114.5	<0.01	0.02
CC123577		0.24	21.3	220	18.4	8.1	<0.001	0.01	0.25	3.7	<0.2	0.7	20.6	<0.01	0.03
CC123578		0.31	23.1	190	20.2	8.0	<0.001	0.01	0.27	4.9	<0.2	0.8	14.0	<0.01	0.03
CC123579		0.33	21.2	430	25.8	13.0	<0.001	0.04	0.26	4.2	0.5	0.7	43.7	<0.01	0.04
CC123580		0.31	21.8	160	20.7	9.8	<0.001	0.01	0.32	4.0	0.3	0.8	15.2	<0.01	0.04
CC123581		0.27	27.9	140	17.6	12.6	<0.001	0.01	0.20	4.4	0.4	0.7	7.8	<0.01	0.02
CC123582		0.39	17.4	690	11.7	8.3	<0.001	0.11	0.33	2.0	0.9	0.4	104.5	<0.01	0.02
CC123583		0.52	26.1	370	23.2	10.3	<0.001	0.03	0.46	5.5	0.7	0.7	32.6	<0.01	0.03
CC123584		0.58	19.5	120	14.2	14.6	<0.001	0.01	0.37	3.3	0.3	0.8	10.8	<0.01	0.03
CC123585		0.27	27.5	880	32.7	16.5	<0.001	0.03	0.82	4.1	0.8	0.6	24.3	<0.01	0.08
CC123586		0.47	19.1	200	16.4	16.9	<0.001	0.02	0.31	3.3	0.3	0.7	19.4	<0.01	0.03
CC123587		0.18	17.4	220	11.6	14.3	<0.001	0.01	0.26	4.2	0.3	0.6	12.8	<0.01	0.02
CC123588		0.36	29.8	560	25.5	16.4	<0.001	0.09	0.30	5.6	0.8	0.7	42.0	<0.01	0.05
CC123589		0.64	12.7	270	19.3	14.7	<0.001	0.02	0.37	2.6	0.4	0.8	11.2	<0.01	0.03
CC123590		0.39	15.1	750	17.5	12.2	<0.001	0.13	0.25	3.0	0.6	0.5	65.6	<0.01	0.03
CC123779		0.63	18.4	210	18.5	11.5	<0.001	0.02	0.61	2.9	0.5	0.7	11.2	<0.01	0.03
CC123780		0.17	12.1	1090	27.0	3.8	<0.001	0.08	2.99	2.1	0.7	0.2	61.9	<0.01	0.06
CC123781		0.21	8.5	1720	15.7	3.6	<0.001	0.09	2.72	1.0	0.8	<0.2	84.8	0.01	0.05
CC123782		0.25	15.9	770	19.5	4.6	<0.001	0.03	2.21	4.3	0.8	0.3	62.9	<0.01	0.05
CC123783		0.36	25.3	370	22.4	9.8	<0.001	0.01	1.02	6.7	1.0	0.5	24.2	0.01	0.06
CC123784		0.21	20.3	410	37.0	8.0	<0.001	0.05	1.15	4.4	0.7	0.5	19.5	<0.01	0.07
CC123785		0.30	24.6	640	19.1	9.9	<0.001	0.04	2.54	6.4	1.0	0.3	29.4	0.01	0.09
CC123786		0.21	8.2	510	18.6	3.4	<0.001	0.01	3.41	1.5	0.4	0.2	96.3	<0.01	0.02
CC123787		0.30	9.6	470	10.2	3.0	<0.001	<0.01	1.99	2.6	0.4	0.2	123.0	<0.01	0.02
CC123788		0.46	25.2	590	27.1	5.6	<0.001	0.02	1.70	4.2	0.7	0.5	31.7	<0.01	0.06
CC123789		0.72	27.1	270	27.5	10.5	<0.001	<0.01	1.26	5.6	0.8	0.6	14.6	<0.01	0.06
CC123790		0.45	18.4	200	20.2	7.2	<0.001	<0.01	0.52	3.1	0.4	0.5	11.4	<0.01	0.04
CC123791		0.45	27.4	480	24.8	9.5	<0.001	0.01	1.19	5.6	1.0	0.5	33.4	<0.01	0.04
CC123792		0.67	20.8	810	21.0	13.2	<0.001	0.06	0.69	3.9	1.1	0.5	43.8	0.01	0.05
CC123793		0.66	21.7	770	21.5	12.7	<0.001	0.05	0.75	3.5	0.9	0.5	42.5	0.01	0.05
CC123794		0.47	14.9	1180	19.0	7.5	<0.001	0.05	1.28	3.3	0.9	0.4	42.3	0.01	0.06
CC123795		0.13	21.4	1290	68.5	3.7	<0.001	0.02	1.88	4.3	0.9	0.3	48.8	<0.01	0.03
CC123796		0.19	15.9	1090	35.0	3.3	<0.001	0.01	2.78	2.3	0.7	0.2	71.4	<0.01	0.02
CC123797		0.25	14.1	1460	29.7	4.6	<0.001	0.08	2.38	1.7	0.8	0.2	52.6	0.01	0.05
CC123798		0.16	33.8	410	25.2	9.6	<0.001	0.02	1.55	5.2	0.6	0.6	26.7	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	As- OG46 As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC123571		0.005	0.10	0.79	7	<0.05	2.45	39	0.8	
CC123572		<0.005	0.84	0.90	68	<0.05	5.65	72	0.8	
CC123573		0.006	0.32	1.12	27	<0.05	4.45	74	1.2	
CC123574		0.006	0.40	1.89	19	<0.05	6.20	260	1.2	
CC123575		<0.005	0.15	3.67	23	<0.05	14.05	129	1.1	
CC123576		0.005	0.12	1.88	13	0.07	3.62	82	1.4	
CC123577		0.005	0.06	0.37	26	0.05	3.45	69	0.7	
CC123578		0.007	0.05	0.44	27	0.06	3.18	115	0.9	
CC123579		<0.005	0.06	0.48	24	<0.05	4.62	74	0.7	
CC123580		0.007	0.05	0.36	27	<0.05	2.23	77	0.9	
CC123581		0.006	0.07	0.47	25	<0.05	4.08	72	1.4	
CC123582		0.005	0.05	1.55	15	<0.05	7.90	45	1.3	
CC123583		0.008	0.08	0.63	25	<0.05	6.89	84	1.7	
CC123584		0.014	0.07	0.63	29	0.07	2.75	63	0.8	
CC123585		0.005	0.12	0.88	33	<0.05	4.77	122	1.4	
CC123586		0.010	0.06	0.39	27	<0.05	2.15	77	0.7	
CC123587		<0.005	0.07	0.21	22	<0.05	2.22	84	<0.5	
CC123588		0.005	0.11	0.91	22	<0.05	6.49	114	1.4	
CC123589		0.012	0.08	0.49	38	0.05	2.47	60	<0.5	
CC123590		0.006	0.07	1.35	22	<0.05	5.49	112	1.4	
CC123779		0.012	0.25	0.56	48	<0.05	2.49	72	1.2	
CC123780		<0.005	0.52	1.26	8	0.10	9.48	44	3.9	
CC123781		0.005	0.61	1.63	8	0.09	9.03	156	2.5	
CC123782		<0.005	0.68	0.60	19	0.16	12.35	38	2.7	
CC123783		0.007	0.26	0.63	39	0.12	22.0	73	1.3	
CC123784		<0.005	0.40	0.53	33	0.07	8.15	71	1.6	
CC123785		0.007	0.17	0.70	18	0.11	18.10	48	1.2	
CC123786		<0.005	0.84	1.30	9	0.06	4.95	257	1.5	
CC123787		0.008	0.59	0.89	10	0.11	5.94	89	2.8	
CC123788		0.008	0.46	0.88	27	0.13	10.40	137	2.2	
CC123789		0.015	0.25	0.82	41	0.18	13.80	155	2.6	
CC123790		0.006	0.15	0.68	30	0.11	3.95	55	1.3	
CC123791		0.006	0.19	1.23	40	0.10	14.80	131	2.3	
CC123792		0.012	0.17	1.08	40	0.13	16.85	120	1.8	
CC123793		0.012	0.15	1.04	36	0.11	12.70	119	1.6	
CC123794		0.010	0.15	1.52	29	0.14	20.3	87	2.2	
CC123795		<0.005	0.50	2.42	8	0.05	12.50	363	2.9	
CC123796		<0.005	0.53	1.82	10	0.05	10.90	99	2.8	
CC123797		0.006	0.28	1.57	16	0.12	14.50	99	2.3	
CC123798		<0.005	0.20	1.36	16	0.10	10.35	76	2.1	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC123799		0.18	0.001	0.17	1.49	31.9	<0.2	<10	260	0.97	0.28	0.79	0.39	14.90	11.9	26
CC123800		0.16	0.001	0.10	0.62	54	<0.2	<10	90	0.53	0.07	13.90	1.11	16.30	4.2	9
CC123801		0.24	0.002	0.10	0.73	133	<0.2	<10	150	0.32	0.11	12.75	0.35	14.15	6.4	10
CC123802		0.14	0.001	0.17	0.87	44.8	<0.2	<10	130	0.88	0.23	2.76	0.40	17.90	10.4	16
CC123803		0.20	0.001	0.07	1.32	35.1	<0.2	<10	140	0.81	0.25	0.31	0.16	24.4	12.7	24
CC123804		0.22	0.003	0.17	1.04	434	<0.2	<10	150	0.79	0.27	2.03	0.65	17.50	15.5	23
CC123805		0.24	0.002	0.23	1.40	97.4	<0.2	<10	220	0.82	0.24	0.75	0.49	16.70	9.6	26
CC123806		0.18	0.001	0.11	1.22	48.2	<0.2	<10	180	0.72	0.24	2.19	0.27	23.0	11.9	21
CC123807		0.30	0.001	0.15	1.38	47.4	<0.2	<10	260	0.91	0.28	0.77	0.44	20.3	12.6	25
CC123808		0.16	0.001	0.14	0.99	806	<0.2	<10	640	1.70	0.46	0.07	0.08	17.35	35.2	18
CC123809		0.18	0.002	0.17	1.52	49.4	<0.2	<10	140	0.79	0.30	0.06	0.39	27.4	15.7	25
CC123810		0.18	0.002	0.17	1.45	60.6	<0.2	<10	210	0.99	0.31	0.10	0.52	26.0	18.5	26
CC123811		0.12	0.001	0.14	1.08	43.8	<0.2	<10	280	0.75	0.23	1.34	0.44	12.85	11.1	19
CC123812		0.12	0.002	0.14	1.08	49.2	<0.2	<10	300	0.76	0.24	1.32	0.47	13.80	12.5	19
CC123813		0.16	0.001	0.13	1.13	50.0	<0.2	<10	330	0.82	0.25	1.21	0.47	14.35	13.2	19
CC123814		0.36	0.001	0.13	1.34	24.8	<0.2	<10	260	0.99	0.29	0.43	0.24	14.55	13.7	23
CC123815		0.34	0.001	0.16	1.12	48.6	<0.2	<10	270	0.89	0.29	0.56	0.44	17.10	13.7	22
CC123816		0.26	0.001	0.16	1.25	46.6	<0.2	<10	260	0.93	0.31	0.44	0.59	20.5	14.6	24
CC123817		0.16	0.002	0.17	1.13	119.5	<0.2	<10	220	0.79	0.25	1.25	0.45	16.40	10.8	20
CC123818		0.30	0.001	0.18	1.25	29.0	<0.2	<10	270	0.80	0.29	0.50	0.48	20.9	13.2	25
CC123819		0.34	0.002	0.15	1.23	21.7	<0.2	<10	310	0.92	0.31	0.54	0.42	18.60	15.6	23
CC123820		0.12	0.001	0.04	1.16	18.5	<0.2	<10	150	0.42	0.31	0.18	0.17	18.60	8.2	23
CC123821		0.18	0.001	0.18	1.16	21.1	<0.2	<10	310	0.85	0.26	1.03	0.31	17.75	11.4	20
CC123822		0.22	0.002	0.17	1.09	23.1	<0.2	<10	300	0.87	0.26	1.08	0.32	14.25	10.4	20
CC123823		0.18	0.002	0.15	1.29	12.1	<0.2	<10	310	0.96	0.32	0.64	0.23	13.05	11.0	21
CC123824		0.26	0.003	0.22	1.26	17.7	<0.2	<10	320	1.39	0.37	0.80	0.14	17.25	12.7	24
CC123825		0.24	0.001	0.12	1.26	12.0	<0.2	<10	330	1.19	0.28	0.51	0.28	17.90	10.4	23
CC123826		0.24	0.002	0.15	1.51	14.3	<0.2	<10	280	1.33	0.37	0.34	0.12	20.9	8.1	28
CC123827		0.28	0.002	0.21	1.45	13.2	<0.2	<10	380	0.93	0.30	0.56	0.16	22.3	8.9	26
CC123828		0.28	0.001	0.07	2.28	18.4	<0.2	<10	140	1.00	0.37	0.03	0.18	18.80	15.0	30
CC123829		0.20	<0.001	0.09	1.32	18.8	<0.2	<10	90	0.46	0.33	0.06	0.16	13.70	7.9	25
CC123830		0.22	0.002	0.15	0.66	17.0	<0.2	<10	350	0.99	0.39	0.97	0.26	18.20	15.0	13
CC123831		0.14	0.001	0.08	0.93	10.3	<0.2	<10	370	0.70	0.25	0.80	0.42	15.80	13.1	27
CC123832		0.08	0.001	0.21	1.07	79.7	<0.2	<10	200	0.49	0.19	3.00	2.39	16.85	8.8	18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
CC123799		1.42	23.2	3.80	5.68	0.07	0.07	0.11	0.039	0.09	8.0	15.4	0.47	796	1.86	0.01
CC123800		0.40	9.9	3.06	1.77	0.08	0.08	0.34	0.016	0.03	10.4	2.5	8.56	2870	0.68	0.02
CC123801		0.66	14.4	3.93	2.20	0.08	0.12	0.39	0.018	0.07	8.2	3.8	7.76	2690	0.68	0.02
CC123802		3.31	23.6	3.38	2.92	0.07	0.08	0.73	0.034	0.07	8.8	8.9	1.31	694	1.08	0.01
CC123803		0.93	18.8	3.99	4.94	0.07	0.05	0.47	0.035	0.06	8.8	13.8	0.34	1180	1.28	<0.01
CC123804		2.93	38.8	3.82	3.70	0.09	0.06	2.52	0.037	0.10	8.0	13.7	1.24	763	1.95	0.01
CC123805		0.79	21.5	4.10	4.80	0.09	0.10	1.45	0.036	0.07	10.7	13.3	0.46	888	1.10	0.01
CC123806		0.54	17.0	3.61	4.17	0.07	0.05	0.35	0.034	0.06	6.9	12.1	1.24	1520	1.14	0.01
CC123807		0.78	25.6	3.94	4.92	0.08	0.07	0.90	0.038	0.07	10.0	14.0	0.45	870	1.38	0.01
CC123808		23.4	29.8	3.26	2.83	0.08	0.04	1.46	0.043	0.08	6.2	18.2	0.14	282	1.31	<0.01
CC123809		4.29	30.2	4.12	5.28	0.08	0.05	0.96	0.039	0.07	10.3	15.0	0.27	755	1.31	<0.01
CC123810		4.05	33.3	4.34	4.55	0.08	0.06	1.39	0.040	0.07	10.7	14.7	0.32	1080	1.32	<0.01
CC123811		1.65	24.3	2.89	3.72	0.06	0.07	0.41	0.031	0.09	6.1	11.7	0.37	464	1.02	0.01
CC123812		1.10	26.4	3.01	3.94	0.07	0.07	0.51	0.032	0.11	6.5	11.8	0.33	547	1.12	0.01
CC123813		1.18	26.8	3.14	4.14	0.07	0.07	0.44	0.032	0.10	6.6	12.6	0.34	570	1.10	0.01
CC123814		1.29	35.5	3.89	4.91	0.08	0.06	0.31	0.037	0.10	6.8	19.2	0.38	518	1.04	0.01
CC123815		1.82	35.4	3.77	4.21	0.08	0.08	0.52	0.037	0.10	8.0	14.4	0.33	794	1.34	0.01
CC123816		2.01	38.8	4.42	4.24	0.09	0.08	0.51	0.044	0.12	10.4	15.8	0.34	198	1.65	0.01
CC123817		3.80	23.4	3.04	3.57	0.07	0.07	0.64	0.035	0.12	8.0	11.9	0.38	500	1.14	0.02
CC123818		1.71	30.9	3.62	4.17	0.09	0.07	0.56	0.041	0.12	11.0	17.3	0.37	655	1.63	0.01
CC123819		1.37	42.0	4.05	4.09	0.09	0.08	0.36	0.040	0.12	10.2	15.8	0.36	866	1.37	0.01
CC123820		1.44	19.8	3.04	5.35	0.07	0.02	0.07	0.030	0.08	9.8	10.9	0.24	369	1.66	0.01
CC123821		3.17	30.1	3.31	3.46	0.08	0.07	0.31	0.036	0.12	9.4	13.4	0.35	689	0.99	0.01
CC123822		6.30	35.0	3.20	3.30	0.07	0.08	0.39	0.033	0.13	7.6	12.2	0.34	463	1.21	0.01
CC123823		3.22	30.3	3.40	4.25	0.08	0.09	0.16	0.035	0.15	6.3	15.3	0.33	556	0.78	0.01
CC123824		7.60	59.6	3.34	3.96	0.08	0.11	0.26	0.031	0.15	8.4	17.9	0.36	527	1.12	0.01
CC123825		6.06	35.8	3.23	4.26	0.07	0.12	0.26	0.043	0.12	9.2	18.2	0.30	221	0.83	0.01
CC123826		2.69	56.7	3.84	5.28	0.09	0.08	0.21	0.038	0.12	13.3	27.8	0.45	185	0.94	0.01
CC123827		1.19	33.6	3.31	4.76	0.08	0.05	0.24	0.037	0.08	14.1	19.4	0.47	283	0.98	0.01
CC123828		1.34	32.6	4.77	5.79	0.09	0.05	0.10	0.052	0.06	7.9	28.4	0.34	644	1.33	0.01
CC123829		1.58	32.4	3.58	5.57	0.08	0.02	0.12	0.035	0.07	6.2	12.1	0.22	323	1.92	0.01
CC123830		3.02	41.6	3.60	1.87	0.07	0.05	0.74	0.035	0.10	9.1	4.5	0.23	491	0.95	0.01
CC123831		5.27	17.3	3.16	3.34	0.06	0.03	0.39	0.029	0.09	7.7	9.0	0.32	1150	1.81	0.01
CC123832		1.89	13.8	2.46	3.76	0.06	0.04	22.4	0.027	0.05	7.1	6.0	0.74	1340	1.02	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC123799		0.46	27.0	430	22.0	16.8	<0.001	0.01	0.95	4.4	0.7	0.7	17.5	<0.01	0.05	2.5
CC123800		0.27	9.4	1340	21.2	5.1	<0.001	0.06	1.42	1.8	0.9	0.2	56.6	0.01	0.06	0.7
CC123801		0.31	12.2	940	41.7	6.1	<0.001	0.04	4.15	2.5	0.6	0.3	47.5	0.01	0.04	1.3
CC123802		0.40	25.3	620	24.8	7.2	<0.001	0.02	1.41	5.6	1.0	0.4	28.3	<0.01	0.03	2.5
CC123803		0.58	21.8	190	27.4	11.9	<0.001	<0.01	1.06	4.5	0.5	0.5	8.8	<0.01	0.04	4.3
CC123804		0.39	35.1	700	26.2	10.0	<0.001	<0.01	1.54	5.4	1.0	0.5	25.7	<0.01	0.03	4.4
CC123805		0.48	23.6	520	31.3	8.3	<0.001	0.01	2.05	5.1	0.9	0.5	13.1	<0.01	0.05	2.7
CC123806		0.45	19.9	480	26.3	9.7	<0.001	0.01	0.95	3.5	0.6	0.5	16.8	<0.01	0.04	2.3
CC123807		0.51	27.4	410	33.8	10.2	<0.001	<0.01	1.32	5.3	0.8	0.6	17.3	<0.01	0.04	3.6
CC123808		0.25	42.1	300	25.9	14.7	<0.001	<0.01	1.25	6.2	0.6	0.5	12.6	<0.01	0.06	2.9
CC123809		0.77	23.3	450	29.3	15.6	<0.001	<0.01	1.40	3.9	0.7	0.6	9.1	<0.01	0.05	3.4
CC123810		0.57	28.1	460	39.9	13.4	<0.001	<0.01	1.68	4.5	0.7	0.6	11.0	<0.01	0.04	4.0
CC123811		0.48	20.8	680	22.2	11.0	<0.001	0.06	0.74	4.1	0.9	0.5	21.8	<0.01	0.04	1.8
CC123812		0.50	22.3	620	23.9	8.1	<0.001	0.05	0.80	4.3	0.9	0.5	23.2	<0.01	0.04	1.9
CC123813		0.53	23.0	550	24.2	8.1	<0.001	0.04	0.75	4.5	0.9	0.5	22.7	<0.01	0.04	2.0
CC123814		0.54	30.3	500	22.0	10.3	<0.001	<0.01	0.48	5.7	0.7	0.6	20.7	<0.01	0.04	3.7
CC123815		0.44	29.0	620	26.0	10.1	<0.001	0.01	0.84	5.9	1.1	0.5	21.0	<0.01	0.05	3.3
CC123816		0.41	36.0	580	29.4	11.9	0.001	0.02	0.71	5.9	1.1	0.6	21.1	<0.01	0.04	5.4
CC123817		0.41	21.3	640	23.3	18.4	<0.001	0.08	0.89	4.1	1.0	0.5	29.3	<0.01	0.04	2.2
CC123818		0.47	32.1	620	23.8	12.2	<0.001	0.03	0.55	4.9	0.8	0.5	19.6	<0.01	0.04	3.2
CC123819		0.38	34.5	550	27.5	11.2	<0.001	0.03	0.54	5.2	0.9	0.6	20.3	<0.01	0.04	3.3
CC123820		0.62	17.8	520	20.9	12.0	<0.001	0.02	0.52	2.6	0.5	0.7	12.8	<0.01	0.04	2.0
CC123821		0.40	21.2	690	20.9	23.1	<0.001	0.07	0.40	3.4	1.4	0.4	30.5	<0.01	0.04	1.6
CC123822		0.37	26.0	620	20.6	18.5	<0.001	0.06	0.60	3.9	1.2	0.5	41.4	<0.01	0.04	2.1
CC123823		0.35	23.9	660	16.6	20.9	<0.001	0.05	0.30	4.0	0.6	0.7	31.6	<0.01	0.03	2.3
CC123824		0.39	28.4	600	20.9	23.6	<0.001	0.06	0.41	4.5	1.1	0.5	40.0	<0.01	0.05	2.4
CC123825		0.42	24.5	590	17.6	20.1	<0.001	0.07	0.27	5.3	1.0	0.7	24.4	<0.01	0.04	2.9
CC123826		0.40	23.9	580	23.4	17.0	<0.001	0.04	0.31	4.9	0.8	0.6	19.7	<0.01	0.03	2.7
CC123827		0.49	27.6	620	18.0	11.2	<0.001	0.04	0.43	4.1	0.9	0.5	20.2	<0.01	0.04	2.0
CC123828		0.53	35.8	230	30.5	16.7	<0.001	0.02	0.59	4.2	0.6	0.7	8.5	<0.01	0.05	5.0
CC123829		0.46	23.1	400	21.9	13.2	<0.001	0.02	0.52	3.3	0.6	0.7	8.0	<0.01	0.04	2.4
CC123830		0.22	27.5	580	54.5	9.4	<0.001	0.06	1.64	3.8	0.7	0.4	23.9	<0.01	0.03	1.4
CC123831		0.58	26.4	420	23.7	13.2	<0.001	0.04	1.22	3.4	0.6	0.5	16.8	<0.01	0.05	1.6
CC123832		0.43	16.1	1330	580	7.3	<0.001	0.14	15.20	1.6	1.1	0.4	23.1	<0.01	0.06	0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11107300

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	As- OG46 As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC123799		0.006	0.17	1.01	50	0.11	6.75	125	1.8	
CC123800		0.007	0.18	1.90	14	0.08	17.40	321	2.2	
CC123801		0.006	0.50	1.41	15	0.08	10.60	352	3.8	
CC123802		0.005	0.37	1.03	22	0.08	12.90	105	2.2	
CC123803		0.010	0.21	0.84	40	0.12	5.69	99	1.7	
CC123804		0.006	1.39	1.03	31	0.08	11.70	644	2.3	
CC123805		0.008	0.30	1.19	36	0.12	14.00	246	2.3	
CC123806		0.007	0.18	0.83	29	0.09	6.07	93	1.4	
CC123807		0.006	0.18	1.16	39	0.10	12.00	167	2.0	
CC123808		<0.005	1.03	0.63	22	0.13	9.79	67	0.7	
CC123809		0.011	0.21	0.94	41	0.20	6.75	252	1.3	
CC123810		0.008	0.24	0.97	36	0.27	8.36	386	1.5	
CC123811		0.005	0.16	1.30	27	0.08	8.40	159	1.7	
CC123812		0.005	0.14	1.33	28	0.08	9.05	175	1.8	
CC123813		0.005	0.14	1.28	30	0.08	9.00	173	1.8	
CC123814		0.006	0.14	0.77	29	0.06	9.18	141	1.6	
CC123815		0.007	0.19	1.35	31	0.08	11.60	178	2.1	
CC123816		0.007	0.18	0.85	35	0.08	12.30	166	2.9	
CC123817		0.005	0.22	2.43	29	0.07	9.69	177	2.0	
CC123818		0.010	0.17	1.19	35	0.09	11.50	172	1.9	
CC123819		0.007	0.18	0.88	32	0.07	12.80	129	1.9	
CC123820		0.014	0.14	0.66	47	0.19	3.76	77	0.5	
CC123821		0.007	0.14	1.80	29	0.07	11.25	115	1.8	
CC123822		0.005	0.16	1.88	27	0.06	11.10	125	2.0	
CC123823		0.006	0.14	0.79	26	0.06	9.28	99	2.4	
CC123824		0.008	0.18	1.11	26	0.13	14.50	86	3.1	
CC123825		0.005	0.14	1.75	33	0.10	10.90	83	3.0	
CC123826		0.009	0.10	1.32	32	0.10	14.50	78	2.0	
CC123827		0.014	0.11	2.05	35	0.10	12.20	75	1.3	
CC123828		0.005	0.17	0.73	40	0.08	4.58	100	2.1	
CC123829		0.007	0.16	0.61	39	0.10	3.67	86	0.5	
CC123830		<0.005	0.15	1.82	16	0.06	9.60	131	1.3	
CC123831		0.022	0.14	1.42	33	0.18	5.81	140	1.0	
CC123832		0.011	0.45	1.12	29	0.10	7.13	1120	1.2	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7- JUL- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11107300

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 8- JUL- 2011
Account: MTT

CERTIFICATE WH11111117

Project: Midas Touch - CRAG EAST

P.O. No.:

This report is for 72 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- JUN- 2011.

The following have access to data associated with this certificate:

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- JUL- 2011
Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11111117

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC124121		0.38	<0.001	0.05	1.30	101.5	<0.2	<10	190	1.06	0.36	0.41	0.11	12.55	13.1	24
CC124122		0.24	0.001	0.11	1.13	296	<0.2	<10	240	1.09	0.32	1.48	0.33	13.65	13.3	20
CC124123		0.24	0.007	0.06	1.13	27.0	<0.2	<10	160	0.66	0.35	0.41	0.37	14.15	9.1	21
CC124124		0.12	0.001	0.02	0.73	17.2	<0.2	<10	60	0.21	0.28	0.12	0.14	9.51	4.6	13
CC124125		0.12	0.001	0.07	0.93	25.4	<0.2	<10	260	0.44	0.29	0.58	0.20	10.10	8.5	16
CC124126		0.28	0.001	0.04	1.07	26.2	<0.2	<10	150	0.75	0.30	0.35	0.15	12.50	11.5	20
CC124127		0.20	0.001	0.04	0.56	6.6	<0.2	<10	70	0.23	0.22	1.34	0.13	3.09	3.8	9
CC124128		0.22	0.002	0.09	1.03	30.8	<0.2	<10	90	0.68	0.49	0.03	0.17	12.60	10.7	16
CC124129		0.30	0.001	0.04	0.32	16.3	<0.2	<10	40	0.71	0.42	0.06	0.06	4.13	8.2	7
CC124130		0.22	0.002	0.09	1.13	64.3	<0.2	<10	220	1.08	0.34	1.12	0.15	14.30	12.5	20
CC124131		0.04	0.005	0.19	0.62	13.1	<0.2	<10	150	0.58	0.18	2.46	0.25	5.12	5.3	10
CC124132		0.20	0.002	0.02	0.33	23.5	<0.2	<10	30	0.11	0.27	0.02	0.08	12.05	2.6	7
CC124133		0.12	0.002	0.16	1.04	27.5	<0.2	<10	190	0.94	0.32	1.41	0.25	9.28	10.0	18
CC124134		0.18	0.002	0.08	0.98	20.6	<0.2	<10	210	0.75	0.30	0.98	0.18	9.43	8.8	18
CC124135		0.14	0.002	0.12	1.39	18.2	<0.2	<10	400	1.18	0.35	0.87	0.41	12.90	12.7	23
CC124136		0.50	0.002	0.05	1.09	12.8	<0.2	<10	230	0.97	0.41	0.15	0.14	13.20	10.2	25
CC124137		0.32	0.002	0.10	1.46	13.3	<0.2	<10	440	1.33	0.36	0.45	0.14	16.85	13.7	27
CC124138		0.16	0.003	0.06	1.19	12.9	<0.2	<10	290	0.80	0.33	0.40	0.49	11.95	10.2	21
CC125301		0.24	0.003	0.21	0.84	84.6	<0.2	10	230	0.60	0.18	3.03	1.15	9.32	8.2	13
CC125302		0.42	0.002	0.11	0.28	39.3	<0.2	<10	80	0.35	0.15	6.71	0.41	10.55	4.9	7
CC125303		0.36	0.002	0.20	0.84	27.4	<0.2	<10	190	0.61	0.20	2.87	0.88	11.95	7.3	15
CC125304		0.34	0.003	0.15	0.91	239	<0.2	<10	270	0.83	0.28	1.21	0.59	15.15	12.3	15
CC125305		0.32	0.002	0.14	0.83	290	<0.2	<10	270	0.93	0.29	1.24	0.65	15.75	14.2	14
CC125306		0.30	0.002	0.15	0.95	18.5	<0.2	<10	250	0.87	0.27	1.14	0.68	16.05	12.3	16
CC125307		0.30	0.002	0.13	0.75	14.9	<0.2	<10	240	0.80	0.28	1.53	0.53	11.45	8.5	12
CC125308		0.28	0.002	0.14	0.85	15.8	<0.2	<10	210	0.81	0.27	1.05	0.38	14.15	11.2	15
CC125309		0.34	0.002	0.14	0.75	19.4	<0.2	<10	210	0.84	0.33	0.95	0.30	15.70	12.6	13
CC125310		0.42	0.002	0.12	0.63	15.1	<0.2	<10	170	0.93	0.35	0.81	0.25	14.50	14.0	11
CC124254		0.06	0.003	0.09	1.69	9.9	<0.2	<10	120	1.03	0.39	0.84	0.13	18.05	21.1	31
CC124255		0.12	0.002	0.06	1.07	11.8	<0.2	<10	90	0.90	0.37	2.17	0.09	15.65	16.8	18
CC124256		0.16	0.002	0.05	1.76	9.7	<0.2	<10	60	0.97	0.37	0.83	0.07	16.50	21.4	30
CC124257		0.14	0.002	0.08	1.92	10.4	<0.2	<10	60	1.08	0.43	1.09	0.08	20.0	23.6	34
CC124258		0.20	0.002	0.06	1.78	10.3	<0.2	<10	60	0.99	0.39	0.85	0.06	16.50	22.5	31
CC124259		0.16	0.002	0.07	1.87	10.0	<0.2	<10	60	1.01	0.38	0.82	0.06	18.05	22.6	33
CC124260		0.14	0.001	0.11	0.75	13.9	<0.2	<10	140	0.78	0.29	1.51	0.20	15.50	10.9	14
CC124261		0.10	0.001	0.14	0.76	9.1	<0.2	10	220	0.69	0.22	4.69	0.37	13.30	8.2	13
CC124262		0.10	0.003	0.12	0.76	14.6	<0.2	20	170	0.76	0.24	2.19	0.36	15.35	10.0	14
CC124263		0.08	0.001	0.09	0.66	14.1	<0.2	20	150	0.70	0.23	2.63	0.30	15.35	9.4	12
CC125311		0.30	0.002	0.11	0.59	13.9	<0.2	20	150	0.96	0.35	0.86	0.25	16.05	13.8	10
CC125312		0.36	0.001	0.13	0.77	293	<0.2	20	220	0.82	0.27	1.47	0.57	15.25	11.8	14



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- JUL- 2011
Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11111117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC124121		0.67	30.5	3.93	5.11	0.09	0.08	0.35	0.041	0.10	4.9	16.2	0.35	700	0.65
CC124122		1.03	31.8	3.22	4.08	0.10	0.07	0.50	0.034	0.11	5.5	17.3	0.49	747	0.62
CC124123		0.80	24.0	3.12	5.56	0.09	0.05	0.10	0.036	0.10	6.1	11.9	0.26	303	0.65
CC124124		0.59	16.1	2.56	4.88	0.08	0.04	0.07	0.024	0.07	4.3	5.6	0.12	141	1.04
CC124125		0.46	19.1	3.04	4.43	0.08	0.05	0.14	0.033	0.07	4.5	10.9	0.22	562	0.91
CC124126		0.45	34.5	3.87	4.32	0.09	0.05	0.22	0.039	0.09	5.0	15.6	0.28	574	1.09
CC124127		5.91	13.5	2.77	3.73	0.08	0.04	0.02	0.020	0.11	1.6	4.0	0.09	76	0.43
CC124128		3.63	21.6	4.71	3.77	0.09	0.06	0.04	0.050	0.04	5.0	9.5	0.08	324	1.18
CC124129		11.30	47.0	4.07	1.11	0.08	0.03	0.09	0.039	0.04	2.2	1.2	0.02	76	0.51
CC124130		1.52	30.5	3.75	4.12	0.09	0.07	0.30	0.041	0.11	6.3	14.3	0.48	561	0.65
CC124131		5.42	21.9	1.68	2.15	0.09	0.07	0.35	0.022	0.06	2.5	5.9	0.27	172	0.58
CC124132		4.55	7.6	1.57	3.01	0.07	0.03	0.75	0.019	0.05	6.4	1.8	0.02	55	1.11
CC124133		2.60	26.0	3.30	3.77	0.09	0.08	0.87	0.037	0.09	4.3	13.3	0.29	428	0.77
CC124134		0.68	22.5	3.02	3.89	0.08	0.06	0.28	0.032	0.06	3.9	11.8	0.26	435	3.28
CC124135		1.09	31.3	3.60	4.86	0.10	0.07	0.34	0.038	0.09	6.8	13.3	0.32	998	1.80
CC124136		0.78	41.1	3.97	4.57	0.09	0.04	0.05	0.041	0.07	5.8	13.4	0.29	544	0.70
CC124137		0.80	37.2	4.01	4.86	0.10	0.07	0.14	0.039	0.08	8.4	17.7	0.38	641	0.65
CC124138		0.86	32.0	3.40	4.72	0.08	0.05	0.11	0.038	0.09	5.1	10.2	0.22	529	0.84
CC125301		2.04	30.7	2.04	2.42	0.10	0.11	0.50	0.022	0.07	4.4	9.3	0.49	443	0.80
CC125302		2.88	11.9	1.65	0.86	0.08	0.08	1.12	0.015	0.04	4.7	2.6	3.16	381	0.29
CC125303		4.40	21.7	2.41	2.38	0.09	0.08	0.70	0.024	0.07	6.4	11.3	0.94	331	0.70
CC125304		4.99	26.1	3.24	2.86	0.08	0.09	0.42	0.030	0.11	7.1	14.5	0.40	620	0.57
CC125305		4.95	28.1	3.45	2.69	0.10	0.08	0.40	0.031	0.10	7.6	13.7	0.47	1100	0.60
CC125306		4.95	26.7	2.93	3.01	0.09	0.08	0.44	0.030	0.10	7.9	15.4	0.46	595	0.51
CC125307		4.49	25.5	2.56	2.33	0.08	0.08	0.34	0.023	0.10	5.4	9.7	0.33	333	0.63
CC125308		4.31	30.2	2.95	2.64	0.09	0.09	0.35	0.027	0.10	7.1	12.8	0.37	485	0.76
CC125309		10.45	32.2	3.27	2.49	0.10	0.09	0.47	0.031	0.10	7.5	11.1	0.46	441	0.78
CC125310		9.92	35.3	3.16	2.16	0.09	0.08	0.30	0.032	0.10	7.1	10.1	0.34	372	0.74
CC124254		3.24	39.6	4.23	7.44	0.11	0.12	0.08	0.036	0.07	8.7	79.0	0.86	575	0.42
CC124255		1.81	35.2	3.55	4.36	0.11	0.09	0.12	0.030	0.08	7.1	43.3	1.13	556	0.45
CC124256		2.06	39.1	4.42	7.40	0.13	0.11	0.03	0.033	0.05	7.6	80.2	0.85	707	0.42
CC124257		2.59	48.2	4.71	8.34	0.12	0.12	0.04	0.035	0.06	9.6	86.5	0.94	798	0.46
CC124258		2.12	40.4	4.48	7.54	0.12	0.11	0.03	0.034	0.05	7.4	83.6	0.84	757	0.43
CC124259		2.51	42.8	4.62	7.79	0.12	0.11	0.03	0.033	0.06	8.4	87.3	0.87	795	0.44
CC124260		2.07	26.0	2.97	2.41	0.09	0.08	0.17	0.028	0.07	7.6	14.9	0.64	458	0.58
CC124261		1.81	21.3	2.43	2.30	0.09	0.09	0.31	0.025	0.09	6.8	12.5	0.84	438	0.74
CC124262		2.08	27.3	2.78	2.25	0.07	0.08	0.27	0.030	0.08	8.0	13.4	0.95	473	0.69
CC124263		1.92	23.2	2.55	2.08	0.06	0.07	0.23	0.026	0.07	7.7	13.5	1.30	413	0.63
CC125311		15.50	35.5	3.09	1.82	0.06	0.07	0.28	0.038	0.11	7.8	9.7	0.29	392	0.75
CC125312		5.67	25.3	3.18	2.33	0.07	0.07	0.73	0.030	0.09	7.7	13.8	0.57	797	0.57



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- JUL- 2011
Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11111117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC124121		0.42	22.7	190	28.1	9.6	<0.001	0.01	0.64	4.6	0.3	0.6	17.7	<0.01	0.03
CC124122		0.38	24.6	610	23.9	8.8	<0.001	0.07	1.30	3.3	0.9	0.5	43.2	<0.01	0.02
CC124123		0.50	15.5	260	28.0	13.8	<0.001	0.01	0.38	3.7	0.5	0.7	18.4	<0.01	0.04
CC124124		0.43	8.4	170	13.5	12.2	<0.001	0.01	0.38	2.1	0.2	0.6	7.5	<0.01	0.03
CC124125		0.47	13.7	320	20.5	9.4	<0.001	0.02	0.49	2.5	0.2	0.6	22.7	<0.01	0.04
CC124126		0.47	21.2	210	33.5	8.3	<0.001	0.01	0.49	4.0	0.5	0.6	17.0	<0.01	0.03
CC124127		0.33	9.2	290	5.1	13.6	<0.001	0.04	0.22	2.5	0.3	0.4	62.8	<0.01	0.05
CC124128		0.67	27.7	300	21.0	13.3	<0.001	0.01	0.62	3.3	0.4	0.5	19.4	0.01	0.07
CC124129		0.17	20.2	220	14.3	6.6	<0.001	0.01	0.32	3.1	0.3	0.3	20.9	<0.01	0.08
CC124130		0.38	23.3	320	29.8	9.7	<0.001	0.02	0.57	5.1	0.7	0.6	33.7	<0.01	0.04
CC124131		0.30	15.7	810	11.2	10.7	0.001	0.18	0.41	2.2	0.8	0.3	62.3	<0.01	0.04
CC124132		0.48	7.9	170	8.3	7.4	<0.001	0.01	0.51	1.2	0.2	0.6	8.0	<0.01	0.04
CC124133		0.43	21.2	560	28.5	13.7	0.001	0.10	1.15	4.2	1.0	0.5	48.2	<0.01	0.03
CC124134		0.40	17.3	330	19.8	6.1	<0.001	0.05	1.04	2.7	1.3	0.5	31.1	<0.01	0.03
CC124135		0.39	25.0	670	21.5	8.8	<0.001	0.06	0.52	4.3	1.6	0.6	31.5	<0.01	0.04
CC124136		0.55	19.6	250	22.4	8.1	<0.001	0.01	0.32	4.7	0.4	0.6	12.1	<0.01	0.03
CC124137		0.52	25.8	370	23.9	7.6	<0.001	0.01	0.39	6.7	0.7	0.6	18.5	<0.01	0.04
CC124138		0.51	18.5	480	21.1	9.5	<0.001	0.03	0.37	4.3	0.9	0.6	22.6	<0.01	0.04
CC125301		0.28	20.3	1050	20.6	12.7	0.001	0.18	2.41	2.0	2.9	0.3	44.7	<0.01	0.03
CC125302		0.12	12.5	600	57.8	5.0	0.003	0.07	2.60	2.3	0.9	0.2	52.0	<0.01	0.03
CC125303		0.32	20.4	810	35.7	13.4	0.001	0.12	1.43	2.8	1.3	0.3	50.0	<0.01	0.03
CC125304		0.32	21.7	640	26.1	16.6	0.004	0.10	2.11	4.1	1.7	0.4	56.3	<0.01	0.04
CC125305		0.30	22.8	600	27.8	14.4	0.005	0.14	2.45	4.4	1.6	0.4	52.7	<0.01	0.03
CC125306		0.34	21.5	630	24.9	15.4	0.002	0.09	1.65	4.3	1.1	0.4	50.4	<0.01	0.03
CC125307		0.26	17.1	630	21.3	14.3	0.001	0.09	0.82	3.0	1.1	0.3	74.6	<0.01	0.03
CC125308		0.29	22.5	680	25.1	17.2	<0.001	0.08	0.96	3.7	0.7	0.3	57.2	<0.01	0.04
CC125309		0.24	22.5	550	29.3	13.9	0.001	0.04	1.24	4.1	0.8	0.4	43.7	<0.01	0.03
CC125310		0.21	24.0	510	26.3	14.7	0.001	0.05	0.78	4.0	0.8	0.4	49.0	<0.01	0.03
CC124254		0.39	37.3	500	31.5	6.3	<0.001	0.04	0.35	5.1	0.7	0.6	73.5	<0.01	0.06
CC124255		0.23	29.6	460	24.9	5.6	<0.001	0.03	0.35	4.2	0.6	0.4	69.2	<0.01	0.03
CC124256		0.22	38.9	400	28.3	3.9	<0.001	0.02	0.27	4.7	0.3	0.5	68.8	<0.01	0.05
CC124257		0.30	41.7	510	32.7	4.5	<0.001	0.03	0.32	5.2	0.4	0.6	80.4	<0.01	0.04
CC124258		0.23	39.4	410	31.5	3.8	<0.001	0.02	0.30	4.7	0.4	0.5	73.7	<0.01	0.06
CC124259		0.28	40.1	460	29.1	4.3	<0.001	0.02	0.29	4.9	0.4	0.6	65.9	<0.01	0.05
CC124260		0.27	22.2	560	24.8	10.2	<0.001	0.04	0.41	3.5	0.8	0.3	56.9	<0.01	0.03
CC124261		0.27	18.9	760	21.5	12.5	0.001	0.15	0.54	3.1	1.7	0.3	216	<0.01	0.03
CC124262		0.32	22.3	610	22.1	12.1	<0.001	0.04	0.56	3.3	1.2	0.3	61.7	<0.01	0.04
CC124263		0.32	20.4	510	22.2	11.8	<0.001	0.03	0.54	3.3	0.8	0.3	54.3	<0.01	0.04
CC125311		0.22	25.8	530	22.3	19.5	<0.001	0.04	0.66	4.3	1.1	0.4	57.8	<0.01	0.04
CC125312		0.33	22.0	560	25.4	16.9	0.003	0.08	2.32	4.0	1.6	0.3	44.6	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- JUL- 2011
Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11111117

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC124121		0.008	0.22	0.64	28	0.08	4.47	88	1.4
CC124122		0.006	0.19	1.11	23	0.06	8.20	118	1.4
CC124123		0.008	0.11	0.97	31	0.08	3.62	94	0.9
CC124124		0.007	0.10	0.31	34	0.07	1.76	56	0.5
CC124125		0.008	0.10	0.51	31	0.07	3.20	80	0.7
CC124126		0.007	0.16	0.57	30	0.07	4.42	107	1.0
CC124127		0.007	0.09	0.25	22	<0.05	1.91	51	<0.5
CC124128		0.009	0.14	0.50	37	0.09	4.57	73	1.3
CC124129		<0.005	0.09	0.31	14	<0.05	2.82	47	<0.5
CC124130		0.005	0.20	0.83	24	0.05	9.70	93	1.3
CC124131		0.005	0.27	1.14	15	<0.05	5.15	73	1.2
CC124132		0.010	0.20	0.29	28	0.11	1.59	53	<0.5
CC124133		0.005	0.64	1.48	24	0.07	6.24	117	1.5
CC124134		0.006	0.18	0.66	38	0.07	3.98	77	1.0
CC124135		0.005	0.10	1.67	31	0.07	9.84	114	1.3
CC124136		0.013	0.06	0.86	30	0.12	5.27	91	0.5
CC124137		0.009	0.09	0.83	32	0.12	11.80	94	1.4
CC124138		0.006	0.08	1.00	30	0.11	5.45	80	0.9
CC125301		<0.005	0.23	4.40	21	<0.05	7.31	302	2.3
CC125302		<0.005	0.19	0.89	8	<0.05	5.75	209	1.7
CC125303		0.006	0.18	1.01	24	0.08	8.44	212	1.5
CC125304		<0.005	0.16	0.76	23	0.07	8.96	244	1.6
CC125305		0.005	0.15	0.90	23	0.05	9.70	230	1.6
CC125306		0.005	0.14	0.80	25	0.06	9.61	217	1.6
CC125307		<0.005	0.11	2.12	18	<0.05	8.43	157	1.6
CC125308		0.005	0.14	0.76	24	<0.05	8.46	150	1.6
CC125309		0.005	0.11	0.86	20	<0.05	9.07	148	1.6
CC125310		<0.005	0.11	0.79	16	<0.05	8.57	131	1.7
CC124254		0.013	0.05	0.82	25	<0.05	9.52	122	3.0
CC124255		0.008	0.06	0.92	16	<0.05	8.24	90	2.5
CC124256		0.012	0.05	0.68	23	<0.05	7.59	106	3.4
CC124257		0.017	0.05	0.83	27	<0.05	9.03	114	3.6
CC124258		0.013	0.05	0.72	24	<0.05	7.77	107	3.2
CC124259		0.014	0.05	0.76	26	<0.05	8.71	111	3.1
CC124260		0.006	0.07	1.41	19	0.05	9.37	107	1.6
CC124261		0.005	0.11	1.21	18	0.05	8.79	117	2.0
CC124262		0.007	0.07	1.30	18	0.07	8.82	145	1.9
CC124263		0.006	0.07	1.06	16	0.07	8.00	132	1.8
CC125311		<0.005	0.10	0.73	15	<0.05	9.18	119	1.9
CC125312		0.005	0.13	0.81	22	0.06	8.52	221	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- JUL- 2011
Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11111117

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC125313		0.28	0.002	0.16	0.76	134.5	<0.2	20	310	0.66	0.21	1.74	0.74	14.25	9.6	15
CC125314		0.28	0.002	0.19	0.89	75.4	<0.2	20	300	0.66	0.22	1.92	0.72	14.85	10.5	16
CC125315		0.32	0.001	0.12	0.76	161.0	<0.2	20	210	0.77	0.22	1.55	0.54	13.85	10.5	14
CC125316		0.24	0.001	0.15	0.80	177.0	<0.2	20	240	0.80	0.24	1.80	0.68	14.95	10.9	14
CC125317		0.40	0.001	0.12	0.74	96.2	<0.2	20	200	0.64	0.20	1.84	0.49	14.60	9.0	13
CC125318		0.38	0.005	0.12	0.62	80.5	<0.2	20	210	0.58	0.18	2.37	0.46	13.15	8.2	12
CC125319		0.36	0.003	0.16	0.74	29.4	<0.2	20	240	0.70	0.20	1.85	0.49	17.40	9.7	13
CC125320		0.32	0.002	0.13	0.79	76.3	<0.2	20	300	0.70	0.21	3.17	0.57	13.90	10.2	14
CC125321		0.30	0.002	0.14	0.91	56.8	<0.2	10	300	0.75	0.25	2.50	0.44	16.90	11.3	17
CC125322		0.36	0.001	0.13	0.88	83.9	<0.2	20	300	0.74	0.23	3.34	0.52	16.05	12.2	16
CC124069		0.40	0.001	0.13	0.23	79.7	<0.2	10	70	0.40	0.21	6.13	0.76	14.15	6.9	7
CC124070		0.40	0.001	0.17	0.23	44.6	<0.2	20	140	0.41	0.12	6.04	0.40	10.15	4.2	9
CC124071		0.44	0.001	0.13	0.32	65.0	<0.2	20	90	0.45	0.19	6.09	0.49	15.30	6.2	9
CC124217		0.16	0.002	0.12	0.64	28.0	<0.2	10	70	0.86	0.34	0.54	0.17	15.60	16.8	12
CC124218		0.14	0.001	0.10	0.49	18.5	<0.2	10	70	0.88	0.30	0.92	0.17	13.60	13.6	9
CC124219		0.18	0.002	0.09	0.35	17.0	<0.2	20	140	0.71	0.28	1.16	0.21	10.55	12.2	9
CC124220		0.22	0.001	0.07	0.63	15.6	<0.2	10	90	0.77	0.33	0.47	0.11	13.20	12.2	12
CC124221		0.22	0.002	0.10	0.48	25.1	<0.2	10	70	0.89	0.35	0.39	0.18	14.35	16.5	9
CC124222		0.28	0.003	0.15	0.68	42.8	<0.2	10	170	0.90	0.29	0.87	0.26	22.5	11.7	15
CC124223		0.16	0.001	0.09	0.44	17.9	<0.2	10	110	0.83	0.33	0.49	0.18	17.20	13.2	10
CC124224		0.16	0.001	0.13	0.31	16.9	<0.2	10	100	0.75	0.30	1.80	0.14	16.60	12.6	6
CC124225		0.16	0.001	0.12	0.52	13.4	<0.2	10	90	0.78	0.28	0.85	0.15	18.75	11.6	10
CC124226		0.18	0.001	0.24	0.75	8.2	<0.2	20	180	0.93	0.23	1.45	0.13	12.05	8.8	12
CC124227		0.10	0.001	0.10	0.36	10.4	<0.2	20	130	0.75	0.23	1.76	0.22	12.50	7.6	9
CC124228		0.14	0.002	0.13	0.43	29.9	<0.2	20	140	0.92	0.26	2.96	0.25	14.05	10.4	11
CC124229		0.16	0.007	0.09	0.46	17.4	<0.2	10	110	0.71	0.26	1.40	0.20	14.40	10.2	9
CC124230		0.20	0.005	0.12	0.52	18.1	<0.2	20	120	0.85	0.29	1.50	0.26	16.55	10.5	9
CC124231		0.16	0.004	0.10	0.41	20.2	<0.2	10	110	0.85	0.28	1.28	0.22	16.00	12.0	9
CC124232		0.20	0.004	0.11	0.38	19.3	<0.2	20	110	0.85	0.30	1.92	0.26	15.90	11.0	9
CC124233		0.18	0.005	0.11	0.41	20.2	<0.2	10	120	0.84	0.28	1.88	0.26	17.85	11.8	9
CC124234		0.14	0.011	0.08	0.35	19.2	<0.2	10	90	0.76	0.26	1.47	0.20	14.35	11.4	8
CC124235		0.14	0.005	0.10	0.42	19.6	<0.2	20	90	0.89	0.30	1.05	0.24	16.45	12.9	9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- JUL- 2011
Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11111117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC125313		6.52	25.1	2.90	2.35	0.07	0.06	1.63	0.033	0.07	7.4	11.3	0.71	409	0.93
CC125314		2.74	25.5	3.06	2.75	0.07	0.07	0.74	0.033	0.08	7.7	13.9	0.61	928	0.81
CC125315		5.09	23.6	2.80	2.31	0.06	0.06	0.50	0.027	0.08	6.9	12.5	0.63	446	0.60
CC125316		5.49	24.4	2.98	2.36	0.07	0.07	0.68	0.031	0.09	7.5	13.6	0.59	762	0.66
CC125317		4.42	20.2	2.55	2.24	0.06	0.06	0.56	0.028	0.08	7.3	12.8	0.87	232	0.67
CC125318		2.62	19.9	2.38	1.97	0.07	0.06	0.87	0.026	0.06	6.5	9.8	1.08	463	0.73
CC125319		1.75	25.2	2.61	2.33	0.06	0.05	0.77	0.030	0.07	8.4	10.7	0.55	490	1.01
CC125320		2.85	25.6	2.79	2.27	0.06	0.06	0.63	0.029	0.08	7.2	12.5	0.83	678	0.86
CC125321		2.96	29.2	2.88	2.95	0.07	0.07	0.74	0.032	0.09	8.5	16.0	1.07	451	0.92
CC125322		3.03	26.6	2.96	2.79	0.07	0.06	3.12	0.033	0.09	8.1	15.8	1.21	656	0.87
CC124069		6.35	16.2	2.09	0.72	0.05	0.05	1.38	0.019	0.04	7.0	1.7	2.60	475	0.41
CC124070		3.11	30.4	1.48	0.74	0.05	0.07	1.00	0.015	0.04	5.6	1.9	2.67	415	0.47
CC124071		4.29	14.8	2.17	0.93	0.05	0.07	1.38	0.021	0.04	7.3	2.6	3.38	596	0.45
CC124217		1.30	36.8	3.76	1.98	0.08	0.07	0.16	0.038	0.06	7.2	19.5	0.27	490	0.96
CC124218		1.34	31.7	3.18	1.43	0.07	0.09	0.18	0.033	0.07	6.5	10.4	0.19	402	0.60
CC124219		2.44	33.4	2.83	1.00	0.06	0.09	0.36	0.031	0.07	4.7	4.0	0.27	394	0.64
CC124220		2.14	29.7	3.15	2.16	0.06	0.04	0.15	0.031	0.07	6.3	12.1	0.20	331	0.64
CC124221		2.46	36.1	3.82	1.48	0.07	0.06	0.31	0.034	0.07	6.6	9.7	0.18	660	0.69
CC124222		1.08	40.1	3.14	1.87	0.07	0.09	0.47	0.037	0.07	12.0	6.6	0.26	459	0.79
CC124223		1.53	38.9	3.33	1.41	0.07	0.07	0.17	0.036	0.06	8.0	7.6	0.18	423	0.68
CC124224		2.45	27.6	3.01	0.99	0.06	0.05	0.21	0.032	0.06	7.5	3.7	0.34	487	0.57
CC124225		2.13	29.8	2.99	1.56	0.07	0.08	0.13	0.034	0.07	9.9	10.3	0.27	419	0.61
CC124226		3.42	36.5	2.39	1.82	0.06	0.12	0.20	0.031	0.09	5.9	11.2	0.29	489	0.46
CC124227		3.27	33.5	2.26	1.00	0.06	0.11	0.20	0.028	0.07	6.5	4.2	0.28	217	0.62
CC124228		9.23	40.9	2.33	1.22	0.06	0.08	0.31	0.034	0.08	6.7	4.9	0.65	271	0.79
CC124229		1.28	31.3	2.63	1.40	0.06	0.07	0.41	0.032	0.07	7.1	5.8	0.41	306	0.75
CC124230		1.77	35.9	2.78	1.50	0.06	0.08	0.49	0.037	0.06	8.2	6.5	0.36	323	0.89
CC124231		1.31	36.0	2.73	1.30	0.07	0.08	0.44	0.037	0.07	7.3	5.1	0.34	292	0.92
CC124232		1.36	36.6	2.69	1.09	0.07	0.08	0.48	0.034	0.07	7.6	4.0	0.45	304	0.98
CC124233		1.66	38.5	2.81	1.19	0.06	0.07	0.43	0.039	0.07	8.6	4.4	0.50	258	1.12
CC124234		2.04	33.0	2.63	1.06	0.06	0.06	0.47	0.031	0.07	6.9	4.1	0.53	324	0.82
CC124235		1.43	38.0	2.89	1.34	0.07	0.08	0.50	0.034	0.07	7.9	4.7	0.30	368	0.82



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- JUL- 2011
Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11111117

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC125313		0.37	23.0	630	23.9	12.9	0.001	0.05	2.92	3.7	1.3	0.3	47.0	<0.01	0.04	2.0
CC125314		0.41	24.3	670	25.9	14.2	0.003	0.07	1.51	3.9	1.8	0.3	53.5	<0.01	0.05	2.0
CC125315		0.36	21.8	550	21.6	14.2	0.002	0.06	1.85	3.8	1.3	0.3	44.1	<0.01	0.03	2.4
CC125316		0.35	22.1	600	22.9	16.3	0.002	0.08	1.96	3.9	1.7	0.3	53.0	<0.01	0.05	2.2
CC125317		0.36	20.6	560	21.8	14.8	0.002	0.05	1.70	3.6	1.4	0.3	43.2	<0.01	0.03	2.3
CC125318		0.29	18.8	570	23.0	10.0	0.002	0.06	1.68	3.1	1.4	0.3	38.4	<0.01	0.04	1.7
CC125319		0.38	23.8	570	19.3	10.1	<0.001	0.04	1.38	3.4	1.3	0.3	43.2	<0.01	0.05	1.3
CC125320		0.37	22.2	600	21.7	10.7	0.002	0.06	1.45	3.7	1.4	0.3	59.9	<0.01	0.04	2.1
CC125321		0.60	26.1	630	21.5	11.3	0.002	0.05	1.27	4.2	1.3	0.4	57.8	<0.01	0.04	3.1
CC125322		0.57	25.3	620	20.9	12.7	0.001	0.05	1.35	4.2	1.4	0.4	72.2	<0.01	0.03	3.0
CC124069		0.08	21.2	680	70.0	4.6	<0.001	0.06	4.69	2.6	1.0	0.2	68.2	<0.01	0.02	3.0
CC124070		0.11	18.7	790	46.6	5.2	0.001	0.10	3.72	2.2	2.2	0.2	56.8	<0.01	0.05	0.9
CC124071		0.14	18.1	730	77.2	5.9	<0.001	0.04	4.55	2.8	0.9	0.2	52.3	<0.01	0.03	2.1
CC124217		0.20	35.2	710	22.0	6.9	0.001	0.03	0.81	4.8	1.2	0.3	28.0	<0.01	0.06	3.0
CC124218		0.19	30.3	830	18.3	7.2	<0.001	0.06	0.64	4.0	1.1	0.3	41.5	<0.01	0.04	2.0
CC124219		0.16	28.2	730	17.7	10.1	0.001	0.09	0.54	3.3	2.4	0.3	76.3	<0.01	0.04	1.9
CC124220		0.26	27.8	720	18.9	9.5	<0.001	0.03	0.45	2.8	0.7	0.3	27.2	<0.01	0.04	1.2
CC124221		0.17	36.2	650	23.7	8.2	<0.001	0.03	0.68	4.4	1.0	0.3	25.2	<0.01	0.05	2.7
CC124222		0.33	29.8	790	19.5	6.0	<0.001	0.03	0.67	4.7	1.2	0.3	46.6	0.01	0.04	2.1
CC124223		0.16	30.7	640	21.5	7.0	<0.001	0.02	0.56	4.5	0.9	0.3	32.4	<0.01	0.06	2.4
CC124224		0.13	28.8	530	26.2	8.2	<0.001	0.02	0.46	3.9	0.8	0.3	50.3	<0.01	0.04	2.2
CC124225		0.23	28.2	640	23.0	7.0	<0.001	0.03	0.47	4.6	0.9	0.2	38.3	<0.01	0.06	2.7
CC124226		0.12	24.4	700	16.4	11.9	<0.001	0.07	0.28	4.3	1.5	0.3	88.7	<0.01	0.06	1.6
CC124227		0.11	20.3	880	14.7	10.5	0.002	0.15	0.40	4.4	2.6	0.2	98.5	<0.01	0.05	1.7
CC124228		0.18	28.6	750	15.2	14.1	<0.001	0.08	0.55	4.6	2.6	0.3	137.5	<0.01	0.05	1.8
CC124229		0.21	23.3	650	16.9	10.2	0.001	0.04	0.45	3.8	1.2	0.3	57.9	<0.01	0.05	2.3
CC124230		0.27	23.2	750	17.5	13.2	<0.001	0.05	0.48	4.5	1.5	0.3	64.7	<0.01	0.05	2.3
CC124231		0.18	27.6	670	17.7	12.2	<0.001	0.03	0.48	4.4	1.3	0.3	61.5	<0.01	0.05	2.3
CC124232		0.17	25.6	770	17.9	12.3	0.001	0.05	0.52	4.3	1.8	0.3	73.7	<0.01	0.05	2.1
CC124233		0.18	28.2	790	17.5	14.4	<0.001	0.05	0.53	4.5	1.5	0.3	77.2	<0.01	0.04	2.0
CC124234		0.14	24.7	850	16.4	12.8	<0.001	0.05	0.51	3.7	1.6	0.3	62.9	<0.01	0.04	2.1
CC124235		0.20	28.5	790	18.5	9.4	<0.001	0.05	0.64	4.2	1.4	0.3	52.5	<0.01	0.05	2.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- JUL- 2011
Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11111117

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125313		0.007	0.33	0.64	26	0.05	8.76	197	1.6
CC125314		0.006	0.19	0.68	29	0.05	9.81	178	1.8
CC125315		0.006	0.13	0.70	22	0.05	8.02	199	1.7
CC125316		0.005	0.15	0.70	23	0.15	8.69	216	1.7
CC125317		0.006	0.15	0.74	23	0.05	7.93	166	1.5
CC125318		0.005	0.15	1.01	21	0.05	7.74	158	1.5
CC125319		0.007	0.14	1.38	27	0.11	10.20	146	1.3
CC125320		0.006	0.14	0.71	25	0.06	8.35	161	1.7
CC125321		0.009	0.16	0.90	26	0.10	8.54	148	1.8
CC125322		0.009	0.15	0.73	26	0.07	8.65	155	1.7
CC124069		<0.005	0.36	1.24	8	0.05	6.79	349	1.3
CC124070		0.005	0.17	2.66	7	<0.05	11.25	207	2.1
CC124071		<0.005	0.29	1.27	10	0.06	8.03	306	2.0
CC124217		<0.005	0.07	0.98	15	0.14	12.30	89	1.8
CC124218		<0.005	0.06	0.96	12	<0.05	11.10	84	2.4
CC124219		<0.005	0.06	6.82	10	<0.05	7.41	120	2.5
CC124220		0.007	0.06	1.62	17	0.06	7.30	75	0.9
CC124221		<0.005	0.08	1.51	13	0.05	9.82	100	1.5
CC124222		0.007	0.07	3.02	21	0.09	14.40	95	2.1
CC124223		<0.005	0.05	1.74	14	<0.05	11.35	90	1.9
CC124224		<0.005	0.06	0.62	10	<0.05	9.89	91	1.3
CC124225		0.005	0.06	0.80	15	0.05	11.35	84	2.2
CC124226		<0.005	0.07	1.30	11	<0.05	13.00	69	3.1
CC124227		<0.005	0.04	1.98	9	<0.05	11.45	77	3.3
CC124228		<0.005	0.07	4.45	12	0.06	11.20	69	2.3
CC124229		<0.005	0.06	1.59	14	0.05	8.44	80	1.8
CC124230		<0.005	0.07	1.96	13	0.06	9.93	73	2.0
CC124231		<0.005	0.06	1.81	12	0.05	9.59	79	2.1
CC124232		<0.005	0.06	1.90	11	<0.05	10.10	81	2.0
CC124233		<0.005	0.06	1.88	13	<0.05	11.50	82	1.8
CC124234		<0.005	0.05	2.18	11	0.17	8.62	68	1.8
CC124235		<0.005	0.05	2.33	13	<0.05	9.99	81	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - CRAG EAST

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8- JUL- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11111117

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 20- JUL- 2011
Account: MTT

CERTIFICATE WH11119912

Project: Midas Touch- Crag East

P.O. No.:

This report is for 204 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-JUN- 2011.

The following have access to data associated with this certificate:

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC124765		0.26	0.001	0.14	0.57	11.6	<0.2	<10	100	0.75	0.32	1.94	0.19	23.1	13.3	11
CC124766		0.20	0.001	0.05	0.59	10.8	<0.2	<10	70	0.56	0.26	6.37	0.12	14.70	12.1	9
CC124767		0.23	0.001	0.09	0.59	12.4	<0.2	<10	80	0.68	0.31	5.42	0.13	18.05	12.6	10
CC124768		0.22	<0.001	0.09	0.83	10.4	<0.2	<10	90	0.75	0.29	1.03	0.19	23.9	12.3	13
CC124769		0.31	<0.001	0.07	0.85	11.9	<0.2	<10	90	0.76	0.31	3.38	0.12	25.2	14.8	13
CC124770		0.20	0.001	0.11	1.20	10.3	<0.2	<10	170	0.65	0.29	1.34	0.27	24.2	10.0	19
CC124771		0.20	0.001	0.10	0.95	8.8	<0.2	<10	140	0.69	0.31	1.00	0.22	18.00	8.8	16
CC124772		0.19	0.001	0.11	1.30	11.5	<0.2	<10	160	0.86	0.28	0.50	0.23	36.1	9.1	21
CC124773		0.19	0.001	0.08	1.32	14.6	<0.2	<10	150	0.76	0.30	0.50	0.24	30.0	11.1	20
CC124774		0.23	0.003	0.12	0.75	11.2	<0.2	<10	110	0.83	0.29	1.66	0.23	22.0	8.6	13
CC124775		0.29	0.001	0.04	1.28	7.3	<0.2	<10	100	0.94	0.30	1.08	0.19	51.3	9.2	19
CC124776		0.13	0.003	0.16	0.55	11.4	<0.2	<10	110	0.87	0.25	1.96	0.50	34.8	10.8	11
CC124777		0.19	0.008	0.25	0.62	16.8	<0.2	<10	150	0.89	0.32	4.52	0.41	38.9	13.8	12
CC124778		0.11	0.002	0.06	0.30	5.4	<0.2	<10	60	0.82	0.33	1.33	0.27	15.50	11.3	9
CC124433		0.36	0.001	0.08	0.39	36	<0.2	<10	250	0.54	0.18	11.50	0.32	12.40	6.5	7
CC124434		0.17	0.001	0.08	0.36	21.4	<0.2	<10	340	0.52	0.17	9.94	0.43	11.60	5.9	6
CC124435		0.19	0.001	0.09	0.38	21	<0.2	10	380	0.55	0.17	10.10	0.94	12.35	6.0	7
CC124436		0.21	0.001	0.13	0.61	26.4	<0.2	<10	280	0.58	0.19	7.10	0.42	15.85	7.8	11
CC124437		0.25	0.001	0.11	0.64	24.0	<0.2	<10	250	0.64	0.22	5.40	0.50	14.80	8.6	11
CC124438		0.36	0.002	0.11	0.64	24.5	<0.2	<10	250	0.60	0.20	6.62	0.41	15.70	8.0	11
CC124439		0.25	0.001	0.10	0.60	25.4	<0.2	<10	180	0.58	0.19	6.09	0.40	14.15	7.3	11
CC124440		0.33	0.001	0.11	0.60	22.3	<0.2	<10	240	0.68	0.19	6.33	0.50	13.05	7.9	11
CC124441		0.19	0.001	0.11	0.64	19.6	<0.2	10	220	0.59	0.19	5.28	0.46	13.10	7.1	11
CC124442		0.21	0.001	0.16	0.99	45.2	<0.2	<10	250	0.71	0.21	1.95	0.33	22.6	7.4	18
CC124443		0.29	0.001	0.15	1.03	38.2	<0.2	10	230	0.76	0.19	5.22	0.98	29.4	8.1	15
CC124444		0.19	<0.001	0.12	0.66	25.6	<0.2	<10	250	0.75	0.22	1.98	0.25	18.05	7.8	12
CC124445		0.37	0.002	0.16	0.63	13.4	<0.2	<10	290	0.78	0.37	0.36	0.14	13.15	7.5	10
CC124446		0.49	<0.001	0.04	0.44	18.5	<0.2	<10	120	0.54	0.42	0.08	0.13	11.75	8.7	9
CC124447		0.21	0.001	0.27	0.40	41.8	<0.2	<10	150	0.61	0.22	5.18	0.22	29.2	7.9	9
CC124448		0.32	0.001	0.07	0.97	16.4	<0.2	<10	180	0.64	0.15	9.29	0.27	15.30	5.4	11
CC124449		0.17	<0.001	0.06	1.34	28.2	<0.2	<10	560	1.05	0.27	1.88	0.57	24.3	10.3	19
CC124450		0.28	0.001	0.23	1.24	34.5	<0.2	<10	250	0.69	0.19	7.46	1.03	29.6	8.1	19
CC124451		0.37	0.001	0.07	0.39	26.1	<0.2	<10	140	0.98	0.41	4.86	0.04	15.80	12.5	6
CC124431		0.09	<0.001	0.16	0.61	16.1	<0.2	10	1300	0.54	0.18	3.64	1.64	11.35	6.8	9
CC102891		0.21	0.001	0.11	0.39	36.4	<0.2	<10	170	0.87	0.33	3.81	0.49	18.05	9.6	7
CC124695		0.16	<0.001	0.03	0.36	31.7	<0.2	<10	140	1.03	0.37	0.71	0.07	29.1	24.4	8
CC124696		0.30	0.002	0.07	0.53	62.2	<0.2	<10	210	1.08	0.45	1.27	0.09	27.9	35.7	9
CC124697		0.05	<0.001	0.04	1.05	15.7	<0.2	<10	310	1.15	0.36	1.92	0.09	35.4	12.4	9
CC124698		0.07	<0.001	0.07	0.68	23.1	<0.2	<10	150	0.84	0.37	2.47	0.14	19.20	9.7	8
CC124699		0.08	<0.001	0.06	0.52	13.8	<0.2	<10	150	0.53	0.21	3.42	0.20	12.10	10.4	8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC124765		0.69	36.2	3.07	1.75	0.05	0.10	0.09	0.033	0.08	9.2	13.0	0.67	587	0.75
CC124766		0.73	26.8	2.86	1.59	<0.05	0.06	0.12	0.029	0.07	6.0	15.5	0.61	656	0.47
CC124767		1.22	31.0	2.99	1.66	0.05	0.06	0.34	0.031	0.09	7.2	11.1	0.46	525	0.57
CC124768		0.76	25.1	2.97	2.32	<0.05	0.08	0.14	0.032	0.07	9.0	14.9	0.19	844	0.55
CC124769		0.88	31.1	3.20	2.20	0.06	0.05	0.12	0.032	0.09	10.5	19.1	0.50	803	0.57
CC124770		0.88	22.1	2.89	3.40	<0.05	0.08	0.17	0.032	0.07	9.8	17.6	0.34	613	0.68
CC124771		0.84	19.2	3.01	2.82	0.12	0.08	0.12	0.029	0.09	8.6	14.4	0.23	786	0.67
CC124772		0.91	19.0	3.68	4.13	0.13	0.08	0.12	0.032	0.06	16.8	23.5	0.35	698	0.93
CC124773		1.19	18.9	3.62	4.37	0.13	<0.02	0.11	0.029	0.05	10.9	18.5	0.27	949	1.07
CC124774		0.62	36.5	2.71	2.26	0.12	0.08	0.14	0.030	0.08	10.7	12.4	0.31	307	0.62
CC124775		0.20	27.6	2.84	3.89	0.15	0.10	0.05	0.036	0.11	26.2	29.4	0.62	292	0.54
CC124776		0.21	32.3	2.71	1.60	0.13	0.07	0.14	0.036	0.08	17.8	4.6	0.24	500	1.11
CC124777		0.33	48.0	2.90	1.85	0.14	0.06	0.10	0.039	0.12	19.0	6.4	1.53	468	1.61
CC124778		0.40	34.4	2.64	0.82	0.12	0.05	0.07	0.038	0.07	5.5	1.9	0.42	357	0.45
CC124433		2.31	17.6	2.15	1.18	0.11	0.05	1.22	0.014	0.06	7.5	3.3	6.64	805	0.43
CC124434		3.81	15.7	1.89	1.03	0.12	0.05	0.75	0.014	0.09	5.9	3.3	5.59	751	0.36
CC124435		5.68	19.5	1.85	1.15	0.10	0.06	0.92	0.016	0.09	6.5	3.6	5.64	742	0.43
CC124436		2.80	19.9	2.28	1.95	0.12	0.05	0.95	0.019	0.08	8.2	7.2	4.31	693	0.85
CC124437		2.06	24.1	2.44	2.10	0.11	0.05	0.56	0.023	0.08	7.3	7.7	2.95	589	0.82
CC124438		2.39	20.3	2.36	1.98	0.11	0.05	0.68	0.022	0.08	7.5	7.7	3.81	616	0.75
CC124439		1.58	19.2	2.35	1.90	0.12	0.05	0.57	0.018	0.08	6.7	6.9	3.59	590	0.71
CC124440		2.57	23.1	2.26	1.89	0.11	0.05	0.63	0.021	0.08	7.1	7.5	3.45	648	0.74
CC124441		1.30	20.0	2.33	1.94	0.11	0.06	0.75	0.022	0.08	6.6	7.5	2.82	521	0.61
CC124442		0.77	14.0	2.88	2.95	0.12	0.07	0.93	0.029	0.09	10.2	6.0	0.97	869	0.72
CC124443		0.70	16.8	4.02	2.77	0.13	0.07	0.45	0.029	0.08	15.0	6.0	2.55	2020	0.67
CC124444		0.90	14.7	2.44	1.86	0.11	0.04	0.89	0.025	0.05	7.7	4.4	0.23	535	1.26
CC124445		1.24	21.3	3.12	2.00	0.12	0.02	0.20	0.035	0.06	5.7	5.1	0.09	220	0.98
CC124446		2.55	27.0	3.00	1.84	0.11	<0.02	0.11	0.030	0.06	5.8	3.2	0.08	602	1.37
CC124447		1.19	20.2	2.52	1.23	0.13	0.06	1.46	0.025	0.06	14.5	2.5	1.47	458	0.60
CC124448		0.60	11.3	2.64	2.49	0.10	0.05	0.11	0.016	0.06	7.5	5.2	5.18	1920	0.66
CC124449		0.73	18.9	3.88	3.88	0.13	0.07	0.27	0.032	0.09	12.7	8.5	0.85	1440	1.02
CC124450		0.61	16.7	3.93	3.24	0.14	0.03	0.82	0.029	0.06	16.2	8.0	3.99	2910	0.84
CC124451		1.96	31.7	3.17	1.20	0.12	0.04	0.47	0.027	0.11	8.4	2.6	2.62	987	0.49
CC124431		2.51	25.8	2.33	1.78	0.11	0.05	0.55	0.018	0.07	5.8	4.1	0.88	930	0.63
CC102891		2.74	27.6	2.61	1.25	0.12	0.06	0.87	0.024	0.11	8.5	3.6	1.63	547	0.53
CC124695		3.97	35.1	2.48	1.30	0.15	0.03	0.67	0.030	0.09	12.4	2.9	0.07	700	0.30
CC124696		4.84	94.2	2.71	1.74	0.14	0.05	0.94	0.035	0.09	13.5	4.2	0.07	1100	0.58
CC124697		1.33	16.6	2.17	2.81	0.14	0.06	0.62	0.030	0.06	20.5	4.9	0.07	554	0.35
CC124698		0.41	27.3	2.21	1.86	0.13	0.04	0.24	0.024	0.06	12.2	4.7	0.12	221	0.39
CC124699		0.95	35.5	2.09	1.50	0.05	0.05	0.20	0.020	0.07	5.9	3.6	0.10	706	0.62



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC124765		0.12	28.0	680	25.6	5.2	0.001	0.04	0.51	4.9	1.1	0.3	61.7	<0.01	0.04
CC124766		0.11	26.3	540	24.2	4.6	<0.001	0.01	0.36	4.3	0.6	0.2	239	<0.01	0.02
CC124767		0.15	28.7	620	25.4	5.8	<0.001	0.01	0.50	4.4	0.4	0.3	173.0	<0.01	0.02
CC124768		0.28	26.5	870	26.7	6.9	<0.001	0.05	0.44	3.3	0.7	0.3	49.1	<0.01	0.04
CC124769		0.17	32.9	640	28.7	5.1	<0.001	0.01	0.47	5.4	0.9	0.3	127.0	<0.01	0.05
CC124770		0.48	24.1	920	20.0	8.7	0.001	0.06	0.46	2.9	0.9	0.4	60.0	<0.01	0.02
CC124771		0.30	21.9	790	20.7	10.7	<0.001	0.07	0.35	3.2	0.7	0.3	52.2	<0.01	0.03
CC124772		0.54	25.0	730	19.7	8.4	0.001	0.03	0.40	4.5	0.6	0.4	40.1	<0.01	0.03
CC124773		0.50	22.1	600	29.7	10.5	<0.001	0.03	0.56	2.4	0.5	0.5	25.5	<0.01	0.05
CC124774		0.23	24.6	630	19.1	5.6	<0.001	0.04	0.41	4.7	0.7	0.3	69.0	<0.01	0.04
CC124775		0.21	23.4	410	19.4	7.8	<0.001	0.04	0.34	5.1	1.1	0.3	80.5	<0.01	0.03
CC124776		0.18	21.2	730	21.3	4.0	<0.001	0.09	0.47	3.8	1.3	0.3	91.4	<0.01	0.03
CC124777		0.21	29.2	870	27.2	4.7	0.001	0.05	0.68	6.0	1.5	0.3	183.0	<0.01	0.03
CC124778		0.05	21.5	490	22.9	4.1	<0.001	0.04	0.37	6.2	1.4	0.3	43.8	<0.01	0.03
CC124433		0.13	15.0	720	151.5	7.4	0.001	0.04	0.97	2.9	0.6	0.3	103.5	<0.01	0.05
CC124434		0.12	12.1	600	152.0	12.0	<0.001	0.06	0.43	2.5	0.6	0.2	61.9	<0.01	0.02
CC124435		0.13	14.6	680	161.0	12.5	<0.001	0.08	0.49	2.6	0.9	0.3	72.2	<0.01	0.04
CC124436		0.30	18.4	710	85.8	9.5	0.001	0.04	0.69	3.2	0.7	0.3	54.5	<0.01	0.03
CC124437		0.28	20.4	620	56.5	8.9	<0.001	0.05	0.88	3.5	1.0	0.3	49.6	<0.01	0.03
CC124438		0.30	18.3	670	65.3	9.2	<0.001	0.04	0.81	3.3	0.7	0.3	56.7	<0.01	0.03
CC124439		0.28	18.6	740	57.6	7.9	0.001	0.05	0.80	3.1	0.6	0.3	48.1	<0.01	0.04
CC124440		0.25	17.6	670	57.3	8.5	<0.001	0.06	0.83	3.4	1.2	0.3	56.8	<0.01	0.03
CC124441		0.26	17.1	690	56.2	8.6	0.001	0.08	0.66	3.0	0.9	0.3	47.4	<0.01	0.01
CC124442		0.33	21.7	390	48.7	6.7	<0.001	0.03	0.44	4.4	0.8	0.5	25.9	<0.01	0.04
CC124443		0.30	20.1	1140	48.4	5.6	<0.001	0.06	0.77	3.0	0.8	0.4	49.3	<0.01	0.04
CC124444		0.25	21.2	510	34.0	4.3	<0.001	0.06	0.33	2.7	0.9	0.4	53.2	<0.01	0.02
CC124445		0.22	24.7	350	18.5	7.0	<0.001	0.02	0.32	3.6	0.9	0.4	28.4	<0.01	0.03
CC124446		0.16	18.5	360	20.3	7.7	<0.001	0.01	0.48	3.0	0.4	0.3	17.4	<0.01	0.08
CC124447		0.07	29.0	1000	67.5	4.2	0.001	0.06	0.45	3.3	0.9	0.3	104.0	<0.01	0.02
CC124448		0.21	11.3	1480	18.7	6.4	<0.001	0.08	0.44	1.4	0.8	0.3	48.5	<0.01	0.04
CC124449		0.47	23.1	490	37.1	7.4	<0.001	0.05	0.70	4.8	0.8	0.5	21.1	<0.01	0.05
CC124450		0.40	21.6	1600	29.4	6.6	<0.001	0.06	1.13	2.3	0.9	0.4	44.5	<0.01	0.05
CC124451		0.07	22.9	500	24.8	6.8	0.001	0.04	0.47	5.4	0.7	0.4	37.7	<0.01	0.06
CC124431		0.30	17.0	1300	124.0	9.9	<0.001	0.25	0.52	1.4	0.9	0.3	169.5	<0.01	0.02
CC102891		0.10	22.5	750	37.4	9.3	0.001	0.06	0.40	3.5	0.8	0.4	59.9	<0.01	0.02
CC124695		0.25	21.1	480	8.7	7.1	<0.001	0.07	0.94	7.9	0.6	0.3	19.4	<0.01	0.06
CC124696		0.22	29.0	850	24.3	7.4	<0.001	0.05	1.72	6.5	1.0	0.3	27.2	<0.01	0.09
CC124697		0.26	16.0	830	15.6	6.0	<0.001	0.10	0.80	3.7	1.0	0.4	41.6	<0.01	0.06
CC124698		0.23	21.1	770	19.3	5.0	<0.001	0.09	1.20	2.0	0.8	0.3	40.6	<0.01	0.06
CC124699		0.30	22.9	650	13.0	6.7	<0.001	0.07	0.96	2.4	0.9	0.3	46.8	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC124765		<0.005	0.06	1.24	14	<0.05	13.85	79	2.3
CC124766		<0.005	0.05	1.08	10	<0.05	9.59	74	1.8
CC124767		0.006	0.07	1.06	12	<0.05	9.81	93	1.5
CC124768		0.007	0.08	1.28	17	0.05	12.70	94	2.1
CC124769		0.008	0.07	0.98	15	<0.05	14.00	91	1.4
CC124770		0.014	0.09	2.55	28	0.10	10.15	103	1.7
CC124771		0.008	0.08	4.89	20	0.08	9.51	117	1.8
CC124772		0.017	0.10	4.12	34	0.16	14.60	106	2.1
CC124773		0.017	0.11	1.17	35	0.19	8.47	87	<0.5
CC124774		0.005	0.08	2.03	17	0.05	13.45	80	2.6
CC124775		<0.005	0.11	5.79	19	<0.05	15.40	65	2.9
CC124776		0.005	0.08	4.32	16	0.05	16.50	88	2.2
CC124777		0.007	0.11	5.74	18	0.16	15.00	113	2.8
CC124778		<0.005	0.07	1.32	10	<0.05	13.75	78	1.5
CC124433		<0.005	0.22	1.55	10	<0.05	9.83	190	1.6
CC124434		<0.005	0.19	0.89	7	<0.05	8.37	292	1.2
CC124435		<0.005	0.24	1.04	7	<0.05	9.21	345	1.5
CC124436		0.010	0.27	1.05	18	0.09	8.94	239	1.4
CC124437		0.008	0.22	0.81	18	0.08	8.30	215	1.4
CC124438		0.008	0.24	0.83	17	0.06	8.74	220	1.4
CC124439		0.008	0.23	0.97	17	0.06	7.76	171	1.6
CC124440		0.007	0.22	1.05	16	0.07	8.30	180	1.4
CC124441		0.006	0.16	0.93	17	0.05	8.39	179	1.5
CC124442		0.007	0.32	0.82	28	0.09	10.85	110	1.8
CC124443		0.008	0.15	1.31	25	0.08	19.45	206	1.6
CC124444		<0.005	0.14	1.42	18	0.05	9.40	78	1.2
CC124445		<0.005	0.10	0.61	20	0.05	6.40	75	0.6
CC124446		<0.005	0.10	0.45	22	0.07	3.17	87	<0.5
CC124447		<0.005	0.35	1.43	9	<0.05	12.45	134	1.8
CC124448		0.007	0.11	1.11	19	0.14	9.85	70	1.2
CC124449		0.009	0.19	1.04	36	0.09	12.80	241	1.7
CC124450		0.016	0.11	2.05	32	0.10	16.30	291	1.0
CC124451		<0.005	0.16	1.03	9	<0.05	11.00	39	1.4
CC124431		0.008	0.13	1.19	15	0.05	8.45	277	1.3
CC102891		<0.005	0.17	0.98	10	<0.05	8.96	266	1.6
CC124695		0.008	0.07	0.47	11	0.06	14.70	35	0.9
CC124696		0.007	0.11	0.92	14	0.08	17.65	62	0.9
CC124697		<0.005	0.09	1.55	14	0.07	16.65	42	1.5
CC124698		0.005	0.05	1.02	13	0.09	13.45	61	1.1
CC124699		0.008	0.07	1.57	15	0.06	7.68	113	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC124700		0.31	0.001	0.12	1.22	19.4	<0.2	<10	140	0.76	0.26	1.13	0.27	30.3	12.2	19
CC124801		0.05	<0.001	0.06	0.87	16.3	<0.2	<10	100	0.69	0.24	1.06	0.22	16.15	10.1	16
CC124802		0.16	0.003	0.22	0.66	45.3	<0.2	<10	130	0.81	0.38	1.27	0.15	22.4	21.9	11
CC124803		0.09	0.002	0.10	0.47	57.0	<0.2	<10	130	0.59	0.23	7.37	0.24	23.8	11.4	8
CC116077		0.26	0.001	0.14	0.88	13.5	<0.2	<10	300	0.58	0.18	2.02	0.54	7.80	7.1	14
CC116078		0.30	0.001	0.14	0.89	13.1	<0.2	<10	270	0.62	0.17	1.81	0.66	8.58	7.4	15
CC116079		0.31	0.001	0.18	1.21	19.8	<0.2	<10	290	0.97	0.27	0.89	0.52	15.05	15.0	22
CC116080		0.23	0.001	0.12	1.00	14.8	<0.2	10	340	0.69	0.18	1.91	0.78	11.00	14.8	16
CC116081		0.31	0.001	0.15	1.36	33.7	<0.2	<10	290	1.05	0.30	1.53	0.53	18.05	16.5	25
CC116082		0.32	0.001	0.15	1.47	22.6	<0.2	<10	300	1.22	0.28	1.03	0.42	17.80	14.0	24
CC116083		0.29	0.001	0.03	1.32	22.3	<0.2	<10	160	0.74	0.29	0.28	0.27	23.3	13.6	25
CC116084		0.33	0.001	0.09	1.10	435	<0.2	<10	260	1.29	0.15	1.38	2.18	9.16	21.0	13
CC116085		0.35	0.001	0.11	1.40	21.9	<0.2	<10	270	1.20	0.31	0.66	0.35	19.75	14.8	25
CC116086		0.35	0.001	0.11	1.47	21.0	<0.2	<10	250	1.17	0.32	0.37	0.15	22.6	17.6	26
CC116087		0.22	0.002	0.17	1.64	28.7	<0.2	<10	230	1.02	0.32	0.39	0.29	25.2	17.4	29
CC116088		0.30	0.001	0.12	1.64	17.8	<0.2	<10	280	1.09	0.34	0.40	0.20	22.0	12.3	29
CC116089		0.36	0.001	0.02	1.45	18.2	<0.2	<10	120	0.88	0.32	0.15	0.15	19.75	11.0	26
CC116090		0.30	0.002	0.04	1.38	15.7	<0.2	<10	150	0.76	0.30	0.17	0.12	22.7	11.4	24
CC116091		0.29	0.001	0.02	1.65	15.8	<0.2	<10	200	1.05	0.31	0.16	0.13	25.8	16.1	28
CC116092		0.14	0.001	0.11	1.08	10.3	<0.2	<10	330	0.73	0.19	2.85	0.32	9.47	7.5	18
CC116093		0.12	<0.001	0.06	1.02	13.9	<0.2	<10	240	0.42	0.19	1.62	0.17	9.94	9.6	18
CC116094		0.35	<0.001	0.02	1.37	11.6	<0.2	<10	100	0.38	0.27	0.09	0.21	19.90	6.3	20
CC116095		0.28	0.001	0.10	1.39	12.9	<0.2	<10	270	1.08	0.24	1.42	0.13	13.70	7.7	22
CC116096		0.30	0.002	0.21	1.63	17.5	<0.2	<10	360	1.22	0.33	0.76	0.47	20.0	13.0	29
CC116097		0.34	0.001	0.11	1.43	15.9	<0.2	<10	180	1.14	0.35	0.33	0.27	24.2	13.3	27
CC116098		0.22	0.001	0.12	1.60	10.4	<0.2	<10	450	0.97	0.27	1.59	0.38	13.80	8.0	25
CC116019		0.35	0.001	0.09	1.26	16.0	<0.2	<10	180	0.63	0.28	0.25	0.16	22.6	11.2	24
CC116020		0.32	0.001	0.06	1.28	16.4	<0.2	<10	140	0.57	0.28	0.41	0.12	16.80	9.0	22
CC116021		0.31	0.002	0.17	1.35	16.3	<0.2	<10	330	0.87	0.27	1.35	0.53	17.75	11.3	24
CC116022		0.44	0.001	0.08	1.51	16.7	<0.2	<10	210	1.16	0.36	0.31	0.23	21.4	17.6	27
CC116023		0.47	0.002	0.08	1.46	17.1	<0.2	<10	260	1.04	0.31	0.52	0.19	21.0	12.9	26
CC116024		0.39	0.002	0.07	1.46	14.3	<0.2	<10	190	0.90	0.30	0.56	0.18	19.15	10.8	27
CC116025		0.60	0.002	0.14	1.63	18.2	<0.2	<10	220	1.14	0.32	0.39	0.33	21.3	15.3	28
CC116026		0.52	0.002	0.16	1.60	17.5	<0.2	<10	390	0.81	0.25	1.25	0.24	19.25	12.2	25
CC116027		0.54	0.003	0.18	1.46	18.0	<0.2	<10	310	0.88	0.25	1.38	0.27	20.7	10.4	26
CC116028		0.44	0.002	0.10	1.67	18.3	<0.2	<10	260	1.23	0.33	0.82	0.24	18.70	15.0	29
CC116029		0.54	0.003	0.13	1.36	124.5	<0.2	<10	200	1.02	0.30	1.98	0.35	19.65	15.5	24
CC116030		0.60	0.002	0.11	1.51	53.8	<0.2	<10	290	1.12	0.32	0.90	0.40	18.10	16.2	27
CC116031		0.54	0.002	0.12	1.40	38.0	<0.2	<10	260	1.02	0.34	0.57	0.34	18.55	15.0	26
CC116032		0.25	0.002	0.16	1.33	21.7	<0.2	<10	410	0.84	0.25	1.98	0.50	16.10	11.9	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC124700		1.19	27.3	3.13	3.79	0.08	0.06	0.23	0.036	0.08	14.2	15.7	0.52	690	0.74
CC124801		0.78	24.5	2.77	2.76	0.06	0.06	0.19	0.025	0.09	7.6	11.6	0.27	423	0.70
CC124802		1.90	41.7	3.03	2.01	0.05	0.06	0.50	0.026	0.08	11.5	6.5	0.16	877	0.82
CC124803		0.59	19.7	2.97	1.36	0.05	0.07	0.48	0.019	0.06	12.3	3.7	3.94	1700	0.44
CC116077		0.75	17.5	2.51	2.51	<0.05	0.05	0.25	0.026	0.07	3.6	10.6	0.23	428	1.57
CC116078		0.88	20.8	2.50	2.62	<0.05	0.04	0.20	0.025	0.07	3.7	11.1	0.24	414	2.41
CC116079		1.15	34.4	3.65	3.91	0.05	0.06	0.38	0.032	0.10	6.4	19.1	0.41	955	2.44
CC116080		1.57	18.7	3.50	3.05	<0.05	0.06	0.20	0.023	0.10	4.4	18.0	0.37	4470	1.89
CC116081		1.12	36.1	4.39	4.45	0.06	0.08	0.61	0.034	0.13	8.1	20.0	0.81	653	1.37
CC116082		0.84	38.6	3.76	4.59	<0.05	0.06	0.51	0.034	0.11	8.7	18.5	0.51	768	1.28
CC116083		0.92	23.9	3.32	4.92	<0.05	0.02	0.16	0.026	0.08	10.3	20.4	0.36	393	1.41
CC116084		5.68	15.6	10.25	2.31	0.05	0.04	0.65	0.021	0.07	3.6	12.3	0.26	674	4.24
CC116085		0.99	35.1	4.07	5.18	0.05	0.07	0.25	0.035	0.12	9.0	21.5	0.46	900	0.93
CC116086		0.84	31.3	3.99	5.15	0.06	0.07	0.26	0.037	0.09	9.2	21.6	0.45	635	0.99
CC116087		1.25	25.3	3.62	5.57	<0.05	0.06	0.23	0.034	0.13	11.1	26.7	0.47	237	1.23
CC116088		1.01	28.9	3.73	5.62	0.05	0.04	0.15	0.035	0.12	10.6	23.6	0.44	447	1.27
CC116089		0.85	26.6	3.67	5.40	<0.05	0.02	0.11	0.030	0.09	8.7	21.2	0.36	412	0.95
CC116090		0.93	22.5	3.34	5.12	<0.05	0.02	0.09	0.028	0.08	10.2	20.5	0.34	446	1.26
CC116091		0.79	23.6	3.82	5.00	<0.05	0.03	0.10	0.030	0.08	9.6	22.3	0.45	679	1.02
CC116092		0.60	27.9	2.37	3.27	<0.05	0.04	0.16	0.023	0.09	6.1	12.3	0.36	357	0.74
CC116093		0.74	10.9	2.51	3.36	<0.05	0.05	0.11	0.021	0.09	3.7	13.2	0.32	491	0.99
CC116094		1.10	9.8	3.30	5.97	<0.05	<0.02	0.02	0.024	0.06	10.0	20.6	0.25	307	1.13
CC116095		0.98	30.4	2.76	4.42	<0.05	0.05	0.16	0.028	0.09	8.6	16.9	0.33	198	0.90
CC116096		1.22	40.6	3.77	5.21	0.05	0.07	0.22	0.035	0.14	9.9	25.3	0.50	538	1.15
CC116097		1.04	33.8	3.88	5.39	0.05	0.07	0.21	0.041	0.11	9.3	24.0	0.45	317	0.91
CC116098		0.81	21.8	2.78	4.93	<0.05	0.08	0.14	0.032	0.14	6.4	23.4	0.43	258	0.59
CC116019		1.02	21.6	3.15	4.86	<0.05	0.02	0.10	0.028	0.07	10.7	18.0	0.34	401	1.40
CC116020		0.98	18.8	3.13	4.88	<0.05	0.02	0.07	0.024	0.08	7.7	19.5	0.34	256	1.35
CC116021		0.75	26.7	3.16	4.32	<0.05	0.05	0.21	0.027	0.10	8.3	18.3	0.41	371	0.80
CC116022		0.91	34.7	4.14	5.29	<0.05	0.05	0.15	0.033	0.11	8.7	21.4	0.44	855	1.03
CC116023		0.89	28.7	3.63	4.87	0.05	0.05	0.17	0.030	0.10	9.1	21.8	0.45	469	1.10
CC116024		0.78	22.2	3.30	5.14	<0.05	0.05	0.15	0.030	0.09	8.2	22.4	0.46	327	0.78
CC116025		1.17	30.3	4.02	5.59	0.05	0.07	0.33	0.034	0.15	9.1	25.2	0.42	324	0.96
CC116026		0.95	15.5	3.15	5.13	<0.05	0.06	0.19	0.029	0.10	8.8	25.9	0.44	388	0.60
CC116027		0.89	25.9	3.12	4.49	<0.05	0.07	0.22	0.028	0.10	10.4	20.3	0.49	316	0.80
CC116028		1.40	28.8	4.01	5.83	0.05	0.07	0.21	0.036	0.16	7.9	26.3	0.53	580	0.77
CC116029		3.03	34.3	3.97	4.76	<0.05	0.07	0.28	0.036	0.14	8.4	31.7	1.00	297	0.97
CC116030		1.11	32.9	3.98	4.97	<0.05	0.04	0.32	0.034	0.14	7.6	26.2	0.47	845	1.13
CC116031		0.79	44.0	4.07	5.25	0.07	0.08	0.33	0.044	0.11	7.5	21.4	0.42	864	0.98
CC116032		0.63	30.7	2.95	4.48	0.07	0.06	0.31	0.033	0.09	6.6	18.0	0.40	797	0.90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC124700		0.62	25.4	580	19.5	8.6	<0.001	<0.01	0.67	4.8	0.7	0.5	19.8	<0.01	0.05
CC124801		0.37	21.1	550	16.3	8.4	<0.001	0.07	0.60	3.4	0.6	0.3	23.2	<0.01	0.05
CC124802		0.24	25.5	860	29.1	6.1	<0.001	0.07	1.44	4.1	0.7	0.3	24.7	<0.01	0.07
CC124803		0.13	19.1	1030	26.5	3.8	<0.001	0.07	2.03	3.3	0.7	0.3	41.9	<0.01	0.05
CC116077		0.25	18.5	580	14.6	7.0	0.001	0.11	0.56	2.5	2.2	0.4	29.0	<0.01	0.04
CC116078		0.26	22.5	590	12.9	7.2	0.003	0.10	0.54	2.4	1.7	0.3	32.8	<0.01	0.02
CC116079		0.34	36.7	550	22.4	8.7	0.001	0.05	0.81	5.2	1.9	0.5	27.7	<0.01	0.05
CC116080		0.29	25.9	720	15.5	17.2	0.005	0.19	0.38	3.2	1.5	0.4	68.5	<0.01	0.03
CC116081		0.35	33.9	640	25.5	9.2	0.001	0.04	0.71	5.8	1.3	0.6	32.9	<0.01	0.04
CC116082		0.36	32.2	450	24.8	8.9	0.001	0.04	0.71	5.8	1.5	0.6	33.9	<0.01	0.04
CC116083		0.55	27.5	300	21.3	9.3	<0.001	0.01	0.69	3.8	0.6	0.6	14.5	<0.01	0.04
CC116084		0.28	53.4	470	16.0	12.2	0.003	0.11	0.52	2.8	1.7	0.3	53.7	<0.01	0.03
CC116085		0.39	32.1	560	24.4	9.4	<0.001	0.03	0.60	6.1	1.0	0.6	26.3	<0.01	0.03
CC116086		0.43	31.7	240	27.4	8.4	<0.001	0.02	0.62	5.8	0.9	0.6	17.5	<0.01	0.02
CC116087		0.64	28.7	430	28.3	12.5	<0.001	0.03	0.72	5.6	1.1	0.6	23.6	<0.01	0.03
CC116088		0.57	30.3	450	19.4	11.3	<0.001	0.03	0.64	5.0	1.0	0.6	19.9	<0.01	0.04
CC116089		0.53	24.1	260	22.0	9.9	<0.001	0.02	0.56	3.9	0.6	0.6	10.5	<0.01	0.03
CC116090		0.54	24.7	260	21.2	9.7	<0.001	0.02	0.63	3.8	0.9	0.6	12.6	<0.01	0.03
CC116091		0.46	30.7	200	26.1	9.6	<0.001	0.02	0.57	4.3	0.7	0.6	11.1	<0.01	0.03
CC116092		0.33	20.5	630	12.8	7.1	0.002	0.12	0.53	2.1	1.9	0.4	50.7	<0.01	0.01
CC116093		0.42	14.5	560	14.4	12.6	0.001	0.07	0.46	2.7	1.0	0.4	40.7	<0.01	0.03
CC116094		0.97	13.0	300	20.0	13.7	<0.001	0.01	0.50	2.1	0.3	0.7	9.2	<0.01	0.04
CC116095		0.47	25.0	520	14.3	9.9	<0.001	0.07	0.54	3.9	1.1	0.5	39.6	<0.01	0.03
CC116096		0.50	36.5	610	21.2	10.4	<0.001	0.04	0.77	5.9	1.2	0.6	30.2	<0.01	0.04
CC116097		0.46	33.5	470	25.7	9.1	<0.001	0.02	0.55	5.9	1.2	0.6	18.1	<0.01	0.04
CC116098		0.45	21.8	620	16.9	12.1	0.002	0.12	0.36	4.4	1.0	0.6	46.2	<0.01	0.02
CC116019		0.59	23.5	340	19.7	10.3	<0.001	0.02	0.65	3.4	0.9	0.5	13.8	<0.01	0.03
CC116020		0.59	21.0	280	18.6	11.0	<0.001	0.02	0.68	2.7	0.4	0.6	17.2	<0.01	0.03
CC116021		0.61	29.4	510	18.4	8.0	<0.001	0.06	0.61	4.1	0.9	0.5	26.9	<0.01	0.02
CC116022		0.46	32.0	350	27.7	8.6	<0.001	0.01	0.55	5.6	0.9	0.6	16.7	<0.01	0.04
CC116023		0.56	28.6	340	20.9	9.2	<0.001	0.02	0.63	4.9	0.7	0.6	24.2	<0.01	0.04
CC116024		0.55	25.2	370	18.0	8.9	<0.001	0.04	0.44	4.3	0.5	0.6	21.7	<0.01	0.03
CC116025		0.48	29.1	580	24.9	12.3	0.001	0.03	0.58	5.9	0.9	0.6	21.4	<0.01	0.04
CC116026		0.57	20.2	600	18.5	10.0	<0.001	0.08	0.35	4.4	1.1	0.6	43.5	<0.01	0.04
CC116027		0.66	25.1	610	15.8	8.6	<0.001	0.06	0.61	4.3	1.1	0.5	45.5	<0.01	0.04
CC116028		0.53	28.9	530	19.7	12.9	<0.001	0.05	0.51	6.0	0.8	0.7	31.1	<0.01	0.04
CC116029		0.47	41.5	600	27.0	14.9	0.002	0.08	0.53	5.8	1.4	0.6	34.4	<0.01	0.02
CC116030		0.44	37.4	340	24.8	22.0	<0.001	0.06	0.68	5.2	1.1	0.6	28.0	<0.01	0.03
CC116031		0.58	36.5	300	29.8	9.3	<0.001	0.01	0.39	5.6	0.9	0.7	19.2	<0.01	0.03
CC116032		0.56	26.4	680	19.5	8.8	0.001	0.06	0.52	3.7	1.9	0.6	55.9	0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
CC124700		0.014	0.11	0.65	29	0.15	12.60	89
CC124801		0.013	0.07	0.63	23	0.08	7.93	100
CC124802		0.009	0.12	1.04	16	0.06	13.50	73
CC124803		<0.005	0.10	1.05	12	0.08	11.95	82
CC116077		<0.005	0.14	1.26	25	<0.05	5.94	119
CC116078		<0.005	0.13	1.74	25	<0.05	5.72	118
CC116079		0.006	0.25	0.92	35	0.06	9.02	136
CC116080		0.005	0.13	0.74	25	<0.05	6.66	116
CC116081		0.007	0.22	0.80	33	0.06	11.70	142
CC116082		0.006	0.18	1.08	33	0.05	13.15	128
CC116083		0.015	0.12	0.95	40	0.11	6.59	102
CC116084		0.005	1.08	1.69	57	<0.05	13.25	3520
CC116085		0.008	0.14	0.99	31	0.05	11.75	146
CC116086		0.010	0.14	0.69	34	0.05	9.89	107
CC116087		0.013	0.15	1.49	46	0.10	8.20	112
CC116088		0.013	0.11	1.31	44	0.10	8.90	119
CC116089		0.011	0.09	0.58	37	0.08	5.39	92
CC116090		0.013	0.10	0.70	39	0.12	5.74	85
CC116091		0.012	0.11	0.82	38	0.08	5.29	89
CC116092		0.005	0.09	2.62	22	<0.05	9.48	91
CC116093		0.007	0.09	0.54	29	0.06	2.65	119
CC116094		0.019	0.11	0.41	54	0.17	2.04	61
CC116095		0.007	0.11	0.92	31	0.07	12.80	79
CC116096		0.010	0.14	1.45	41	0.07	11.40	131
CC116097		0.011	0.10	0.78	33	0.05	10.35	121
CC116098		0.006	0.12	1.19	33	0.05	7.59	164
CC116019		0.015	0.11	0.86	40	0.10	5.51	83
CC116020		0.012	0.11	0.55	42	0.09	2.90	79
CC116021		0.011	0.12	1.39	33	0.09	8.56	102
CC116022		0.011	0.12	0.82	35	0.06	9.28	119
CC116023		0.013	0.12	1.31	38	0.09	7.55	111
CC116024		0.014	0.08	0.88	34	0.16	5.29	102
CC116025		0.008	0.13	0.91	37	0.06	9.06	125
CC116026		0.007	0.13	1.58	39	0.06	7.36	114
CC116027		0.017	0.12	1.32	39	0.10	8.76	93
CC116028		0.008	0.13	0.78	35	0.08	9.25	108
CC116029		0.009	0.18	0.77	30	0.05	10.30	332
CC116030		0.009	0.15	0.96	33	0.05	9.27	128
CC116031		0.007	0.15	0.73	34	0.06	9.91	141
CC116032		0.007	0.11	1.76	32	0.09	7.95	95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC116033		0.38	0.002	0.16	1.20	17.2	<0.2	<10	360	0.89	0.23	1.72	0.97	13.35	9.9	20
CC116034		0.59	0.002	0.21	1.44	21.1	<0.2	<10	230	1.03	0.30	0.75	0.31	15.20	12.1	25
CC116035		0.62	0.002	0.14	1.31	18.1	<0.2	<10	280	0.88	0.27	1.20	0.46	15.35	14.5	22
CC116036		0.61	0.002	0.12	1.31	20.9	<0.2	<10	300	0.95	0.30	0.61	0.27	15.25	12.5	23
CC116037		0.34	0.002	0.18	1.01	17.7	<0.2	<10	340	0.82	0.19	2.07	0.38	11.05	8.6	17
CC116038		0.38	0.002	0.18	1.03	19.2	<0.2	<10	300	0.82	0.24	1.61	0.46	10.95	9.3	18
CC116039		0.26	0.001	0.18	1.00	18.4	<0.2	<10	270	0.76	0.24	1.45	0.42	10.25	9.4	18
CC116040		0.26	0.001	0.14	1.12	12.2	<0.2	<10	280	0.81	0.21	1.92	0.42	9.00	9.8	17
CC116041		0.20	0.003	0.27	1.01	73.2	<0.2	<10	270	0.78	0.25	1.52	1.32	11.05	15.5	18
CC116590		0.27	0.001	0.10	1.35	20.0	<0.2	<10	280	1.19	0.36	0.67	0.30	18.60	15.4	24
CC116591		0.31	0.001	0.09	1.45	16.7	<0.2	<10	280	0.96	0.36	0.77	0.14	16.90	11.1	25
CC116592		0.26	0.002	0.14	1.52	32.0	<0.2	<10	360	1.19	0.41	0.36	0.15	20.4	14.4	26
CC116593		0.25	0.001	0.10	1.15	4.0	<0.2	<10	410	0.84	0.22	2.11	0.45	12.00	5.7	17
CC116594		0.13	0.001	0.05	0.25	51.7	<0.2	10	300	0.32	0.04	4.72	0.62	2.35	1.4	4
CC116595		0.33	0.001	0.11	1.40	25.3	<0.2	<10	350	1.05	0.35	2.26	0.24	16.70	16.6	22
CC116596		0.31	0.002	0.18	1.42	35.8	<0.2	<10	310	1.06	0.33	0.30	0.33	24.0	13.6	25
CC116597		0.19	0.001	1.59	0.55	25.8	<0.2	<10	590	1.52	0.40	3.54	0.55	7.92	4.0	62
CC116598		0.17	0.001	0.16	1.56	20.7	<0.2	<10	140	1.21	0.27	0.78	0.28	13.15	35.0	23
CC116599		0.25	0.001	0.06	1.44	50.8	<0.2	<10	100	1.02	0.37	0.04	0.22	13.50	16.8	24
CC116600		0.18	0.003	0.54	0.74	26.2	<0.2	10	240	0.66	0.22	2.57	1.61	10.95	7.7	13
CC116601		0.16	<0.001	0.14	1.00	16.4	<0.2	<10	430	0.45	0.26	0.19	1.78	17.50	3.3	24
CC116602		0.31	0.001	0.05	1.15	25.7	<0.2	<10	230	0.88	0.43	0.31	0.38	16.30	15.2	22
CC116603		0.24	0.001	0.17	0.97	31.4	<0.2	<10	230	0.82	0.24	1.56	0.78	15.45	11.6	17
CC116604		0.37	0.002	0.19	0.91	60.5	<0.2	<10	180	0.64	0.22	2.80	3.41	15.60	9.6	18
CC124731		0.20	0.001	0.22	0.84	30.6	<0.2	<10	320	0.82	0.22	2.21	1.44	9.89	9.4	18
CC124732		0.19	0.001	0.12	0.95	13.7	<0.2	<10	370	0.71	0.19	1.89	0.46	9.82	8.8	15
CC124733		0.11	<0.001	0.06	0.71	9.6	<0.2	<10	290	0.47	0.14	2.63	1.02	5.74	6.1	11
CC124734		0.20	0.001	0.42	1.32	25.0	<0.2	10	490	1.04	0.30	4.76	1.69	12.00	10.8	19
CC124735		0.33	0.002	0.21	1.29	24.3	<0.2	<10	310	1.02	0.33	0.71	0.51	19.45	12.7	24
CC124736		0.56	0.002	0.12	0.42	9.5	<0.2	10	180	0.25	0.07	4.63	2.28	3.98	5.7	9
CC124737		0.15	NSS	0.13	0.43	9.7	<0.2	10	190	0.28	0.08	4.85	2.40	4.06	5.8	8
CC124738		0.09	0.001	0.06	0.24	2.4	<0.2	10	270	0.11	0.03	4.30	0.80	1.72	2.7	3
CC124739		0.50	0.001	0.04	2.04	25.4	<0.2	<10	350	1.04	0.26	0.41	0.14	29.0	12.0	30
CC124740		0.10	0.001	0.23	0.95	13.1	<0.2	<10	360	0.69	0.15	2.84	0.75	9.91	7.1	12
CC124741		0.41	0.002	0.26	0.91	37.2	<0.2	<10	340	0.69	0.25	1.58	1.80	11.45	15.8	18
CC124742		0.08	NSS	0.10	0.24	2.7	<0.2	<10	470	0.26	0.06	3.29	1.92	2.79	1.6	2
CC124743		0.47	0.002	0.11	1.45	20.1	<0.2	<10	310	0.98	0.39	0.75	0.23	21.8	13.8	26
CC124744		0.15	0.002	0.16	1.40	18.1	<0.2	<10	350	1.02	0.33	1.08	0.48	16.70	14.3	24
CC124745		0.12	<0.001	0.04	0.20	1.6	<0.2	10	380	0.09	0.06	4.60	0.22	1.55	1.7	3
CC124746		0.08	<0.001	0.04	0.20	1.5	<0.2	10	280	0.09	0.06	3.31	0.38	1.32	1.6	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC116033		0.99	37.3	2.61	4.02	0.07	0.08	0.31	0.036	0.10	5.8	19.8	0.31	137	2.30
CC116034		1.24	39.7	3.88	5.01	0.07	0.09	0.71	0.047	0.14	6.5	23.2	0.41	617	1.95
CC116035		0.93	34.0	3.51	4.38	0.07	0.08	0.30	0.042	0.12	6.1	24.2	0.51	375	1.27
CC116036		1.00	39.5	3.82	4.47	0.07	0.07	0.30	0.043	0.10	6.4	23.7	0.39	541	1.83
CC116037		0.69	34.1	2.51	3.19	0.06	0.05	0.31	0.032	0.08	4.9	10.4	0.23	511	1.32
CC116038		0.71	33.6	2.83	3.42	0.06	0.06	0.56	0.036	0.10	5.1	12.3	0.26	377	1.51
CC116039		0.79	32.3	2.89	3.27	0.06	0.06	0.33	0.035	0.10	4.6	12.4	0.25	336	1.55
CC116040		0.72	31.0	2.55	3.62	0.05	0.06	0.22	0.032	0.10	4.0	16.2	0.38	1030	0.98
CC116041		1.93	46.0	3.77	3.72	0.08	0.08	0.48	0.038	0.11	4.8	13.1	0.22	2140	8.24
CC116590		1.03	40.8	4.00	5.09	0.08	0.07	0.26	0.044	0.13	7.3	19.7	0.35	470	0.66
CC116591		0.59	25.9	3.74	5.64	0.06	0.06	0.24	0.038	0.10	6.7	22.9	0.46	556	0.65
CC116592		1.02	40.4	4.20	5.68	0.08	0.09	2.21	0.047	0.10	9.0	20.5	0.42	624	0.88
CC116593		0.67	27.6	1.29	3.85	0.05	0.07	0.36	0.032	0.07	5.1	14.5	0.31	284	0.16
CC116594		0.78	21.0	1.56	0.65	0.05	0.04	0.16	0.005	0.01	1.0	0.7	0.23	3270	19.35
CC116595		1.11	45.9	3.87	5.11	0.07	0.08	1.09	0.041	0.14	6.5	20.9	0.92	1020	0.83
CC116596		0.82	43.9	4.19	4.39	0.09	0.07	0.88	0.045	0.08	10.7	15.8	0.32	987	1.79
CC116597		4.64	70.2	2.06	1.58	0.07	0.04	0.47	0.049	0.09	4.1	6.8	0.59	151	0.74
CC116598		16.80	40.7	3.87	4.65	0.08	0.05	0.08	0.045	0.15	3.9	54.9	0.35	1240	1.82
CC116599		1.71	47.7	4.76	4.40	0.07	0.04	0.32	0.050	0.07	5.0	24.2	0.33	557	1.83
CC116600		11.70	28.9	1.85	2.75	0.07	0.07	0.81	0.025	0.09	4.8	11.6	0.31	353	3.16
CC116601		2.34	16.7	2.17	5.46	0.05	<0.02	0.12	0.023	0.06	10.4	6.9	0.09	88	1.18
CC116602		0.85	35.3	4.49	4.00	0.09	0.03	0.27	0.039	0.08	7.1	14.8	0.30	610	1.58
CC116603		3.38	27.8	2.95	3.38	0.06	0.05	0.99	0.036	0.09	6.7	13.8	0.35	650	1.22
CC116604		24.0	33.2	2.98	3.31	0.07	0.05	18.50	0.041	0.09	7.1	12.0	1.35	469	1.31
CC124731		1.44	31.2	2.63	2.60	0.06	0.05	0.39	0.036	0.08	5.3	10.1	0.18	324	2.94
CC124732		0.67	23.3	2.31	3.27	0.05	0.05	0.19	0.028	0.08	4.1	13.0	0.25	374	2.22
CC124733		0.43	21.3	1.65	2.44	<0.05	0.04	0.14	0.021	0.08	2.6	8.8	0.22	300	1.65
CC124734		1.63	61.3	2.78	4.63	0.08	0.14	0.87	0.043	0.11	5.7	15.3	0.46	523	5.98
CC124735		0.83	43.9	3.74	4.84	0.08	0.07	0.45	0.042	0.11	8.2	21.0	0.36	419	2.89
CC124736		1.41	16.3	1.06	1.44	0.05	0.03	0.14	0.013	0.05	2.5	5.5	0.20	1440	2.03
CC124737		1.43	17.3	1.09	1.46	0.05	0.03	0.15	0.013	0.05	2.6	5.8	0.21	1500	2.04
CC124738		0.21	13.4	0.40	0.63	<0.05	0.02	0.09	0.005	0.04	0.8	1.7	0.31	1440	0.49
CC124739		1.13	16.8	3.25	6.94	0.07	0.06	0.07	0.036	0.06	11.9	22.8	0.46	413	0.86
CC124740		0.63	26.9	1.64	2.81	0.05	0.06	0.43	0.020	0.06	4.5	7.1	0.24	831	0.87
CC124741		2.31	29.3	3.19	2.71	<0.05	0.07	0.58	0.035	0.08	5.5	13.3	0.29	3020	4.63
CC124742		0.17	11.3	0.31	0.43	<0.05	0.04	0.13	0.007	0.03	1.6	0.7	0.17	786	0.55
CC124743		0.83	28.9	3.55	4.94	0.05	0.09	0.23	0.036	0.10	9.7	26.1	0.50	577	1.26
CC124744		1.01	30.0	3.30	4.85	<0.05	0.08	0.24	0.038	0.12	7.7	22.8	0.37	398	1.16
CC124745		0.12	9.0	0.39	0.50	<0.05	0.04	0.08	<0.005	0.03	0.8	0.9	0.26	1580	0.55
CC124746		0.18	11.0	0.37	0.50	<0.05	0.04	0.11	0.005	0.04	0.7	1.1	0.26	1060	0.64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC116033		0.46	32.8	710	18.8	12.6	0.006	0.16	0.45	4.7	5.8	0.5	43.3	0.01	0.04
CC116034		0.50	35.2	750	21.0	12.7	0.001	0.02	0.47	5.6	1.6	0.7	29.2	<0.01	0.04
CC116035		0.54	35.5	640	22.8	9.6	0.002	0.07	0.35	5.2	2.0	0.6	39.2	<0.01	0.03
CC116036		0.56	34.9	330	22.0	9.2	<0.001	<0.01	0.51	5.0	1.1	0.6	23.4	<0.01	0.04
CC116037		0.39	30.3	670	14.2	8.2	<0.001	0.05	0.65	2.9	1.4	0.4	42.1	<0.01	0.04
CC116038		0.44	29.5	620	16.9	8.1	0.001	0.04	0.61	3.8	1.4	0.5	33.7	<0.01	0.04
CC116039		0.45	28.3	640	16.4	8.4	0.003	0.06	0.64	3.7	1.5	1.6	30.6	<0.01	0.04
CC116040		0.42	33.1	780	13.8	8.4	0.003	0.17	0.45	3.3	1.5	0.5	50.1	<0.01	0.03
CC116041		0.37	49.5	840	17.4	13.9	0.016	0.13	1.04	3.8	5.8	0.5	53.8	<0.01	0.07
CC116590		0.64	27.7	480	29.0	11.3	<0.001	0.02	0.26	5.9	1.0	0.7	24.6	<0.01	0.03
CC116591		0.57	27.2	310	25.6	8.7	<0.001	0.01	0.30	4.3	0.6	0.7	26.8	<0.01	0.03
CC116592		0.51	33.1	220	38.8	10.4	<0.001	<0.01	0.39	5.9	0.9	0.8	22.1	<0.01	0.03
CC116593		0.53	15.0	610	17.2	8.4	0.003	0.25	0.22	3.8	1.8	0.5	58.1	<0.01	0.02
CC116594		0.14	25.0	800	1.6	1.2	0.014	0.75	0.34	0.8	6.0	<0.2	103.5	0.01	0.03
CC116595		0.30	32.5	490	29.2	10.1	<0.001	0.01	0.31	5.8	0.9	0.7	55.5	<0.01	0.03
CC116596		0.50	31.6	440	39.8	9.6	<0.001	<0.01	0.46	6.1	1.1	0.6	18.1	<0.01	0.04
CC116597		0.23	33.7	1020	20.3	11.3	0.005	0.10	1.59	3.6	5.4	0.4	81.9	<0.01	0.31
CC116598		0.24	64.8	920	16.7	22.2	0.003	0.12	0.27	5.4	1.4	0.5	34.3	0.01	0.05
CC116599		0.39	42.5	320	28.8	10.7	<0.001	<0.01	0.45	4.2	1.1	0.5	10.0	<0.01	0.05
CC116600		0.43	56.5	510	17.6	18.0	0.010	0.20	1.27	3.5	5.9	0.5	31.4	<0.01	0.07
CC116601		0.59	11.3	1160	18.6	10.8	<0.001	<0.01	0.38	1.9	0.6	0.7	22.2	<0.01	0.08
CC116602		0.48	27.0	340	29.8	8.3	0.001	0.01	0.52	4.3	0.6	0.5	17.8	<0.01	0.05
CC116603		0.40	28.0	620	25.7	11.4	0.001	0.05	0.66	3.6	1.8	0.5	52.2	<0.01	0.03
CC116604		0.42	29.5	780	77.8	15.4	<0.001	0.02	1.81	4.3	1.4	0.5	56.3	<0.01	0.03
CC124731		0.32	33.5	830	14.9	8.4	0.003	0.05	0.60	3.6	2.2	0.4	38.1	<0.01	0.07
CC124732		0.40	22.9	580	13.6	8.0	0.001	0.07	0.50	3.0	1.2	0.4	41.7	<0.01	0.03
CC124733		0.31	17.2	580	9.6	7.1	0.002	0.11	0.47	2.0	1.2	0.3	53.0	<0.01	0.02
CC124734		0.59	54.2	1600	18.2	11.8	0.005	0.32	2.31	2.5	3.8	0.6	127.0	0.01	0.09
CC124735		0.52	36.6	400	25.0	9.0	0.002	0.01	0.71	5.3	2.0	0.6	30.4	<0.01	0.04
CC124736		0.21	21.9	830	5.7	9.1	0.014	0.31	0.65	0.9	6.4	0.2	55.1	<0.01	0.02
CC124737		0.21	22.4	870	6.1	9.0	0.014	0.32	0.68	1.0	6.6	0.2	57.1	<0.01	0.02
CC124738		0.12	7.8	870	1.8	2.0	0.006	0.35	0.24	0.5	7.6	<0.2	87.5	<0.01	0.02
CC124739		1.19	29.0	170	19.7	12.7	<0.001	<0.01	0.29	4.4	0.5	0.8	16.4	<0.01	0.02
CC124740		0.39	20.0	950	9.7	6.6	<0.001	0.13	0.62	1.9	1.4	0.3	85.4	<0.01	0.03
CC124741		0.45	44.0	680	17.9	9.1	0.012	0.18	0.79	3.4	3.5	0.4	37.7	<0.01	0.03
CC124742		0.15	9.5	790	1.7	1.2	0.001	0.16	0.29	0.4	1.4	<0.2	86.7	<0.01	0.03
CC124743		0.74	31.7	360	23.3	12.1	0.001	0.02	0.78	5.2	1.2	0.7	42.9	<0.01	0.04
CC124744		0.72	27.8	600	21.9	12.0	0.001	0.09	0.78	5.1	1.3	0.6	45.4	<0.01	0.04
CC124745		0.18	6.6	880	1.5	0.8	0.001	0.23	0.24	0.3	0.4	<0.2	123.0	<0.01	0.03
CC124746		0.15	6.9	830	2.0	1.6	0.001	0.19	0.28	0.3	0.5	<0.2	90.7	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC116033		<0.005	0.19	3.59	31	<0.05	9.72	137	2.4
CC116034		0.005	0.30	0.85	41	0.06	10.45	161	2.5
CC116035		<0.005	0.17	1.15	33	0.06	9.31	142	2.5
CC116036		0.006	0.20	0.77	41	0.07	8.43	118	2.2
CC116037		<0.005	0.16	1.32	29	0.05	8.29	90	1.4
CC116038		<0.005	0.18	1.25	33	0.06	8.14	121	1.6
CC116039		<0.005	0.17	1.31	32	0.06	7.62	117	1.6
CC116040		<0.005	0.13	1.18	26	<0.05	7.08	126	1.7
CC116041		0.007	0.70	3.85	50	0.07	8.30	163	2.4
CC116590		0.007	0.11	2.82	28	0.09	8.99	107	2.0
CC116591		0.008	0.10	0.77	31	0.08	5.53	110	2.0
CC116592		0.007	0.22	0.93	33	0.06	11.05	131	2.8
CC116593		<0.005	0.09	4.65	22	0.05	6.51	87	1.9
CC116594		0.005	0.13	21.8	4	<0.05	2.10	53	1.5
CC116595		0.006	0.19	0.78	28	<0.05	8.32	124	3.1
CC116596		0.006	0.28	1.39	36	0.08	14.60	108	2.2
CC116597		<0.005	0.11	1.95	44	0.07	11.80	69	0.9
CC116598		<0.005	0.40	2.43	23	<0.05	13.70	155	0.8
CC116599		<0.005	0.17	0.81	33	<0.05	4.50	149	1.4
CC116600		0.005	1.74	3.61	36	0.07	8.28	136	2.5
CC116601		0.009	0.18	0.88	45	0.10	7.60	56	<0.5
CC116602		0.007	0.14	0.85	34	<0.05	5.08	130	1.2
CC116603		<0.005	0.48	1.84	32	0.06	9.34	144	1.3
CC116604		0.007	2.68	0.98	30	0.09	9.89	761	1.2
CC124731		<0.005	0.20	2.30	31	0.05	10.95	136	1.6
CC124732		<0.005	0.14	1.30	28	<0.05	6.13	94	1.5
CC124733		<0.005	0.10	1.25	18	0.05	3.55	118	1.4
CC124734		<0.005	0.45	3.97	72	0.12	12.00	198	5.4
CC124735		0.006	0.43	1.43	44	0.06	11.30	127	2.3
CC124736		<0.005	0.41	2.36	16	<0.05	4.33	119	1.1
CC124737		0.005	0.44	2.57	16	<0.05	4.34	124	1.2
CC124738		<0.005	0.04	1.82	4	<0.05	0.91	107	0.8
CC124739		0.015	0.16	0.90	50	0.11	5.14	75	2.3
CC124740		0.006	0.12	0.99	20	0.05	6.17	71	1.9
CC124741		0.008	0.56	3.47	31	0.07	8.79	232	1.5
CC124742		<0.005	0.03	2.19	3	<0.05	2.80	81	0.8
CC124743		0.014	0.12	0.78	39	0.12	8.72	108	1.8
CC124744		0.007	0.15	2.67	36	0.08	8.72	112	2.1
CC124745		0.005	0.03	0.31	3	<0.05	1.05	47	0.9
CC124746		<0.005	0.03	0.19	3	<0.05	0.80	58	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC124276		0.16	NSS	0.05	0.24	1.2	<0.2	10	570	0.09	0.06	4.77	0.52	1.81	1.9	3
CC124277		0.44	0.002	0.13	1.25	14.9	<0.2	<10	390	0.91	0.33	1.02	0.53	18.00	9.5	22
CC124278		0.08	NSS	0.05	0.28	2.1	<0.2	10	430	0.14	0.07	3.83	1.28	2.22	2.0	4
CC124279		0.25	0.001	0.11	0.46	33.5	<0.2	10	810	0.33	0.07	4.37	1.67	3.67	12.9	5
CC124280		0.40	0.001	0.18	1.28	32.8	<0.2	<10	310	0.76	0.34	1.40	0.52	18.60	11.7	23
CC124281		0.23	0.001	0.15	1.18	36.2	<0.2	<10	340	0.82	0.30	1.52	0.33	12.25	9.2	20
CC124282		0.10	<0.001	0.07	0.50	6.4	<0.2	<10	240	0.32	0.13	3.34	0.59	4.26	3.4	9
CC124283		0.13	NSS	0.08	0.46	4.7	<0.2	10	310	0.27	0.10	3.92	0.98	2.50	2.6	8
CC124284		0.17	0.005	0.07	0.89	7.9	<0.2	<10	250	0.57	0.16	3.42	0.38	4.75	3.7	11
CC124285		0.35	0.001	0.09	2.05	74.5	<0.2	<10	320	0.77	0.35	0.22	0.62	18.45	14.2	33
CC124286		0.47	0.001	0.03	1.07	72.7	<0.2	<10	110	0.42	0.30	0.06	0.17	18.75	5.6	17
CC124287		0.17	<0.001	0.04	0.71	29.8	<0.2	<10	120	0.20	0.25	0.13	0.24	10.90	3.2	14
CC124288		0.21	0.001	0.12	0.88	14.2	<0.2	<10	620	0.59	0.20	2.95	0.83	10.55	8.3	14
CC124289		0.23	0.001	0.12	0.96	11.3	<0.2	<10	410	0.49	0.22	2.28	0.74	13.30	6.0	17
CC124290		0.17	0.001	0.19	0.56	4.0	<0.2	<10	340	0.24	0.12	2.88	0.53	5.05	3.2	8
CC102989		0.13	<0.001	0.09	0.73	3.9	<0.2	<10	920	0.21	0.16	2.56	1.60	7.05	4.5	11
CC102990		0.16	<0.001	0.08	0.22	2.2	<0.2	10	260	0.14	0.05	5.59	1.41	2.25	1.9	5
CC116101		0.24	0.001	0.11	1.28	17.6	<0.2	<10	310	0.95	0.36	1.06	0.30	16.90	13.6	23
CC116102		0.29	0.002	0.14	1.41	16.7	<0.2	<10	260	0.96	0.32	1.02	0.52	17.80	15.4	25
CC116103		0.30	0.001	0.15	1.33	13.9	<0.2	<10	260	0.81	0.27	1.27	0.60	10.95	12.6	21
CC116104		0.23	0.001	0.16	1.52	18.6	<0.2	<10	210	1.09	0.31	0.73	0.49	15.45	18.4	25
CC116105		0.23	0.001	0.09	1.14	17.1	<0.2	<10	180	0.70	0.31	0.58	0.28	9.11	14.2	21
CC116106		0.16	0.001	0.17	1.09	16.9	<0.2	<10	230	0.83	0.27	2.03	0.52	10.85	11.8	19
CC116107		0.23	0.001	0.09	1.26	25.6	<0.2	<10	220	0.84	0.37	0.24	0.49	24.4	11.7	24
CC116108		0.38	0.001	0.07	1.58	23.5	<0.2	<10	260	1.19	0.41	0.18	0.21	30.0	15.5	28
CC116109		0.39	0.001	0.13	1.49	26.5	<0.2	<10	280	1.24	0.41	0.48	0.43	25.0	17.2	26
CC116151		0.21	0.002	0.11	1.50	14.5	<0.2	<10	320	0.80	0.32	0.93	0.18	21.1	11.1	27
CC116152		0.45	0.002	0.16	1.41	23.3	<0.2	<10	290	1.10	0.38	0.65	0.41	19.50	13.9	25
CC116153		0.46	0.001	0.11	1.35	21.4	<0.2	<10	270	1.02	0.36	0.76	0.18	15.95	12.6	24
CC116154		0.22	0.001	0.11	1.11	11.0	<0.2	<10	310	0.54	0.30	1.41	0.31	15.25	8.2	18
CC116155		0.19	0.001	0.13	1.40	12.9	<0.2	<10	330	0.96	0.28	1.78	0.30	19.85	9.5	18
CC116156		0.36	0.001	0.06	1.36	36.1	<0.2	<10	240	1.22	0.40	0.21	0.17	20.4	16.1	25
CC116157		0.26	0.002	0.19	1.46	13.5	<0.2	<10	530	0.97	0.24	1.34	0.50	21.3	8.9	23
CC124650		0.36	<0.001	0.03	1.21	26.9	<0.2	<10	180	1.00	0.35	0.25	0.08	17.10	9.1	22
CC124651		0.30	0.001	0.02	0.54	14.9	<0.2	<10	90	0.35	0.36	0.01	0.05	5.24	7.3	19
CC124652		0.31	0.001	0.02	0.94	13.8	<0.2	<10	200	0.92	0.36	0.03	0.13	12.75	11.1	18
CC124653		0.44	0.001	0.05	1.04	14.8	<0.2	<10	180	0.71	0.35	0.25	0.08	14.85	9.2	15
CC124654		0.48	0.001	0.08	1.14	17.8	<0.2	<10	170	0.81	0.27	0.56	0.14	17.90	9.1	22
CC124655		0.31	0.001	0.11	1.13	25.3	<0.2	<10	290	0.92	0.31	0.70	0.38	14.95	15.3	20
CC124656		0.41	0.001	0.11	1.06	29.8	<0.2	<10	220	1.10	0.37	0.46	0.27	14.85	15.3	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC124276		0.21	11.0	0.32	0.54	<0.05	0.05	0.09	0.005	0.02	1.0	0.8	0.27	2590	0.39
CC124277		0.65	29.0	2.20	4.45	<0.05	0.08	0.58	0.037	0.09	7.7	24.6	0.36	113	0.42
CC124278		0.25	15.3	0.43	0.67	<0.05	0.05	0.11	0.008	0.04	1.1	1.3	0.25	1760	0.57
CC124279		0.22	17.4	2.72	1.07	<0.05	0.04	0.28	0.009	0.02	2.1	2.1	0.25	5590	1.02
CC124280		0.77	24.3	3.32	4.54	<0.05	0.06	1.88	0.036	0.07	7.5	17.7	0.41	709	0.93
CC124281		0.63	25.6	3.03	3.96	<0.05	0.07	0.92	0.033	0.07	6.2	16.0	0.35	399	0.96
CC124282		0.39	12.5	1.06	1.60	<0.05	0.06	0.20	0.014	0.05	2.2	5.4	0.28	217	0.64
CC124283		0.34	12.5	0.80	1.22	<0.05	0.05	0.15	0.010	0.05	1.6	3.2	0.22	236	0.88
CC124284		0.62	20.0	1.44	2.62	<0.05	0.06	0.19	0.017	0.07	3.2	6.0	0.21	127	0.71
CC124285		1.16	14.1	4.31	6.19	<0.05	0.06	0.51	0.045	0.06	7.8	28.0	0.31	486	1.35
CC124286		0.78	9.4	2.83	4.87	<0.05	0.06	0.31	0.023	0.05	9.0	12.6	0.17	195	1.39
CC124287		0.75	8.2	1.85	4.24	<0.05	0.03	0.15	0.017	0.05	5.8	5.6	0.11	126	0.95
CC124288		0.54	20.2	2.04	2.56	<0.05	0.05	0.49	0.022	0.06	4.6	8.7	0.31	1640	0.60
CC124289		0.72	12.8	2.04	3.20	<0.05	0.05	0.15	0.024	0.04	6.6	9.5	0.29	550	0.83
CC124290		0.48	11.1	0.92	1.59	<0.05	0.06	0.10	0.010	0.03	2.5	2.6	0.22	430	0.56
CC102989		0.65	9.3	1.28	2.10	<0.05	0.04	0.13	0.014	0.04	5.4	4.3	0.08	1060	0.88
CC102990		0.20	11.8	0.34	0.53	<0.05	0.05	0.11	0.007	0.02	1.8	1.0	0.07	191	0.75
CC116101		0.77	28.9	3.63	4.17	<0.05	0.07	1.02	0.034	0.08	6.8	20.6	0.41	825	1.48
CC116102		0.99	30.3	3.42	4.50	<0.05	0.07	0.41	0.037	0.08	8.0	26.5	0.42	588	1.79
CC116103		1.07	22.1	3.19	3.79	<0.05	0.06	0.27	0.034	0.07	4.9	23.9	0.37	370	1.98
CC116104		1.28	29.0	3.84	4.76	<0.05	0.07	0.19	0.042	0.08	6.9	31.1	0.42	536	2.06
CC116105		1.31	28.1	3.49	3.77	<0.05	0.06	0.13	0.042	0.07	4.1	23.8	0.37	345	2.73
CC116106		1.86	29.6	2.87	3.46	<0.05	0.07	0.29	0.029	0.09	5.3	18.8	0.40	510	1.32
CC116107		1.22	30.1	3.47	4.70	0.05	0.03	0.25	0.037	0.07	11.1	16.6	0.32	397	3.00
CC116108		0.78	35.8	4.33	5.04	0.05	0.06	0.35	0.037	0.09	11.7	19.3	0.37	954	1.15
CC116109		0.95	38.5	4.13	4.99	<0.05	0.07	0.45	0.044	0.10	11.0	22.2	0.39	1000	1.60
CC116151		0.82	23.3	3.16	4.58	<0.05	0.07	0.14	0.027	0.08	10.2	17.1	0.45	477	1.11
CC116152		1.31	43.0	3.67	4.98	<0.05	0.09	0.34	0.041	0.12	8.6	23.4	0.49	413	1.58
CC116153		0.69	28.8	3.72	4.62	<0.05	0.07	0.49	0.038	0.09	7.3	19.1	0.40	704	0.82
CC116154		0.62	17.5	2.55	4.55	<0.05	0.04	0.09	0.028	0.06	7.1	13.2	0.32	524	0.70
CC116155		0.93	23.8	2.67	5.24	0.09	0.03	0.09	0.032	0.07	11.5	16.6	0.32	591	0.98
CC116156		0.71	32.7	4.15	4.94	0.09	0.04	0.59	0.040	0.07	8.0	20.3	0.36	896	1.23
CC116157		0.78	31.5	3.12	4.39	0.09	0.06	0.34	0.030	0.06	10.8	17.6	0.37	649	0.65
CC124650		1.12	20.6	3.11	4.67	0.08	0.03	0.39	0.034	0.06	7.1	19.1	0.29	147	0.73
CC124651		1.95	7.7	3.56	3.22	0.07	<0.02	0.03	0.030	0.06	2.6	2.7	0.05	290	0.90
CC124652		2.34	12.0	4.21	3.31	0.08	0.02	0.08	0.039	0.06	4.7	13.3	0.17	679	1.01
CC124653		2.57	14.4	3.17	4.41	0.08	0.02	0.05	0.029	0.05	6.1	13.6	0.18	355	0.96
CC124654		0.80	19.3	2.90	4.09	0.09	0.04	0.32	0.034	0.09	7.5	25.8	0.38	379	0.46
CC124655		0.81	30.2	2.72	4.08	0.09	0.04	0.44	0.040	0.09	5.7	17.2	0.28	820	0.69
CC124656		1.03	40.4	4.08	3.97	0.10	0.05	0.49	0.038	0.10	6.0	15.1	0.29	902	0.86



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC124276		0.19	6.7	1000	1.8	0.7	0.002	0.22	0.25	0.2	0.4	<0.2	121.5	<0.01	0.03
CC124277		0.58	27.8	510	24.9	9.0	<0.001	0.10	0.46	5.5	1.7	0.6	35.3	<0.01	0.02
CC124278		0.20	10.9	910	2.8	1.8	<0.001	0.23	0.28	0.4	0.4	<0.2	101.0	<0.01	0.03
CC124279		0.18	22.9	1200	3.1	1.3	0.007	0.28	0.57	0.5	0.9	<0.2	115.0	<0.01	0.03
CC124280		0.68	24.3	580	24.4	8.7	<0.001	0.06	0.70	3.5	0.8	0.6	48.6	<0.01	0.03
CC124281		0.52	23.0	470	38.1	7.9	<0.001	0.06	0.71	3.8	0.6	0.5	45.4	<0.01	0.05
CC124282		0.30	10.0	750	6.5	5.8	0.001	0.16	0.34	1.0	0.3	0.3	80.8	<0.01	0.01
CC124283		0.23	8.4	980	4.4	4.7	0.002	0.22	0.32	0.7	1.6	0.2	65.0	<0.01	0.02
CC124284		0.32	12.9	650	6.4	7.6	0.001	0.14	0.39	1.5	0.9	0.4	63.1	<0.01	0.02
CC124285		1.01	26.8	270	29.5	16.7	<0.001	0.01	0.75	3.5	0.4	0.7	11.9	<0.01	0.06
CC124286		0.95	11.1	130	21.6	11.9	<0.001	0.01	0.52	1.9	0.5	0.6	7.8	<0.01	0.02
CC124287		0.56	8.0	210	17.2	8.9	<0.001	0.02	0.40	1.4	0.4	0.6	12.1	<0.01	0.05
CC124288		0.44	17.7	720	13.1	6.2	0.002	0.15	0.55	2.1	1.6	0.4	73.5	<0.01	0.02
CC124289		0.77	16.1	660	14.7	8.0	<0.001	0.08	0.48	1.9	0.7	0.4	61.1	<0.01	0.03
CC124290		0.36	7.8	890	5.3	3.8	<0.001	0.17	0.39	1.1	0.7	0.2	85.4	<0.01	0.03
CC102989		0.46	8.4	880	8.7	5.1	<0.001	0.13	0.33	1.2	0.6	0.3	20.7	<0.01	0.04
CC102990		0.18	10.9	750	1.7	1.4	<0.001	0.17	0.44	0.4	0.7	<0.2	44.4	<0.01	0.02
CC116101		0.52	32.1	340	23.6	7.9	<0.001	0.04	0.70	4.9	1.0	0.6	32.2	<0.01	0.04
CC116102		0.60	36.8	680	23.7	9.5	0.003	0.05	0.63	5.1	1.7	0.6	33.5	<0.01	0.04
CC116103		0.43	32.2	710	18.3	9.1	0.002	0.07	0.57	3.5	1.9	0.5	31.7	<0.01	0.03
CC116104		0.56	49.3	850	21.2	11.5	<0.001	0.05	0.60	5.3	1.9	0.6	26.1	<0.01	0.04
CC116105		0.38	39.0	480	18.0	8.6	0.001	0.05	0.71	4.1	1.1	0.5	26.9	<0.01	0.06
CC116106		0.46	38.5	740	16.0	10.1	0.001	0.11	0.64	3.7	1.3	0.5	96.1	<0.01	0.05
CC116107		0.65	33.3	400	22.5	9.9	<0.001	0.02	0.78	4.2	0.9	0.6	20.6	<0.01	0.05
CC116108		0.44	34.5	270	33.1	9.5	<0.001	0.02	0.63	6.9	1.0	0.6	13.1	<0.01	0.03
CC116109		0.51	38.0	520	32.9	10.1	0.001	0.02	0.70	6.8	0.9	0.6	22.5	<0.01	0.05
CC116151		0.81	25.6	680	16.8	9.2	0.001	0.04	0.61	4.2	0.9	0.5	35.1	<0.01	0.05
CC116152		0.52	36.6	580	23.1	10.8	<0.001	0.02	0.86	6.4	1.8	0.7	35.2	<0.01	0.03
CC116153		0.45	26.9	370	24.1	9.5	<0.001	0.04	0.46	5.0	0.8	0.6	31.2	<0.01	0.03
CC116154		0.78	15.4	410	18.3	9.9	<0.001	0.04	0.38	2.4	0.7	0.6	45.8	<0.01	0.03
CC116155		0.67	18.2	640	21.2	11.1	<0.001	0.05	0.40	3.4	0.5	0.6	67.8	<0.01	0.04
CC116156		0.34	32.0	230	33.4	7.7	<0.001	0.01	0.58	5.3	0.6	0.6	15.6	<0.01	0.04
CC116157		0.52	23.4	820	17.2	8.6	0.001	0.08	0.43	4.9	1.6	0.5	45.6	<0.01	0.03
CC124650		0.44	22.9	160	21.1	8.4	<0.001	0.01	0.42	4.8	0.2	0.6	19.6	<0.01	0.02
CC124651		0.61	9.4	100	13.0	12.2	<0.001	0.01	0.45	3.5	0.2	0.7	9.8	<0.01	0.03
CC124652		0.38	22.8	120	24.1	9.6	<0.001	0.01	0.38	6.0	<0.2	0.5	7.9	<0.01	0.04
CC124653		0.61	17.8	200	23.6	12.3	<0.001	0.01	0.35	3.2	0.2	0.6	19.2	<0.01	0.03
CC124654		0.37	20.5	510	21.4	8.7	<0.001	0.06	0.16	5.4	1.0	0.5	27.0	<0.01	0.02
CC124655		0.39	32.0	450	25.7	8.7	0.001	0.24	0.34	6.2	0.8	0.6	28.5	<0.01	0.03
CC124656		0.34	32.5	420	28.6	7.8	0.001	0.03	0.50	7.2	0.8	0.6	23.1	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC124276		0.005	0.03	2.20	3	<0.05	0.91	129	0.9
CC124277		0.006	0.13	1.88	28	0.05	9.63	127	1.8
CC124278		0.006	0.03	0.31	4	<0.05	1.25	191	0.7
CC124279		0.007	0.06	2.23	7	<0.05	2.93	139	1.1
CC124280		0.010	0.17	1.35	34	0.09	6.46	158	1.0
CC124281		0.006	0.17	1.04	29	0.05	7.83	103	1.4
CC124282		0.005	0.07	0.47	11	<0.05	2.65	72	1.0
CC124283		<0.005	0.06	1.42	8	<0.05	2.41	70	0.9
CC124284		<0.005	0.09	0.65	13	<0.05	5.55	59	1.1
CC124285		0.009	0.39	0.62	52	0.16	4.39	116	1.4
CC124286		0.017	0.23	0.41	45	0.15	2.28	55	1.3
CC124287		0.011	0.12	0.28	36	0.10	1.41	50	<0.5
CC124288		0.009	0.11	1.68	22	0.08	5.52	60	1.1
CC124289		0.018	0.10	1.85	29	0.12	5.32	88	0.8
CC124290		0.009	0.05	0.44	11	<0.05	2.56	64	1.2
CC102989		0.011	0.07	1.33	27	0.06	8.49	92	0.6
CC102990		<0.005	0.04	1.13	5	<0.05	3.81	67	1.2
CC116101		0.007	0.15	0.92	31	0.07	8.47	114	1.3
CC116102		0.008	0.12	1.64	34	0.13	10.05	148	1.3
CC116103		0.005	0.14	1.83	34	0.06	7.34	123	1.0
CC116104		0.006	0.16	1.51	34	0.12	10.00	144	1.5
CC116105		0.005	0.17	0.80	29	0.05	5.05	140	1.1
CC116106		0.006	0.17	1.10	27	0.06	8.75	133	1.3
CC116107		0.013	0.22	1.08	44	0.11	7.97	122	<0.5
CC116108		0.007	0.15	1.20	36	0.06	12.90	126	1.2
CC116109		0.008	0.21	0.92	38	0.08	12.90	142	1.3
CC116151		0.015	0.09	1.21	42	0.14	7.74	95	1.5
CC116152		0.007	0.24	1.00	35	0.06	10.60	128	2.5
CC116153		0.006	0.11	0.74	31	0.06	9.55	111	1.4
CC116154		0.014	0.07	1.10	38	0.11	4.19	50	0.7
CC116155		0.010	0.11	1.57	36	0.13	9.66	67	1.1
CC116156		0.007	0.17	0.84	33	0.06	7.37	107	1.3
CC116157		0.009	0.11	3.01	35	0.09	12.25	79	1.7
CC124650		0.008	0.14	0.60	32	0.08	5.31	75	1.0
CC124651		0.013	0.09	0.31	37	0.18	1.36	41	0.7
CC124652		0.007	0.09	0.44	29	0.08	3.33	84	0.8
CC124653		0.010	0.12	0.50	33	0.13	3.06	64	0.6
CC124654		0.005	0.12	1.06	27	0.05	8.83	113	1.2
CC124655		0.005	0.12	1.48	26	0.05	8.71	134	1.2
CC124656		0.007	0.16	0.79	25	0.06	10.15	122	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC124657		0.48	0.003	0.10	1.01	16.5	<0.2	<10	290	1.15	0.38	0.38	0.44	15.35	19.7	22
CC124658		0.37	0.001	0.06	1.21	37.7	<0.2	<10	230	1.09	0.40	0.18	0.21	14.40	14.0	24
CC124659		0.20	0.002	0.14	1.33	27.3	<0.2	<10	480	1.31	0.38	0.85	0.28	14.90	13.7	25
CC124660		0.31	0.001	0.12	1.30	23.8	<0.2	<10	340	1.21	0.39	0.50	0.29	17.30	18.7	25
CC124661		0.15	0.002	0.14	0.78	13.5	<0.2	<10	520	0.70	0.19	2.59	1.10	7.91	4.8	12
CC124662		0.31	0.001	0.11	0.93	18.3	<0.2	<10	160	0.76	0.24	1.04	0.49	13.80	9.5	16
CC124663		0.15	0.001	0.15	1.04	18.4	<0.2	<10	220	0.80	0.24	1.51	0.39	11.20	13.5	18
CC124664		0.19	0.002	0.15	1.05	16.6	<0.2	<10	250	0.67	0.23	1.93	0.47	10.70	9.0	17
CC124665		0.19	0.001	0.17	0.89	20.2	<0.2	<10	240	0.72	0.23	1.93	0.65	11.40	9.0	15
CC124666		0.17	0.001	0.14	0.98	22.3	<0.2	<10	220	0.78	0.24	1.44	0.56	12.95	10.3	18
CC124667		0.11	0.001	0.15	1.04	12.5	<0.2	<10	350	0.73	0.20	2.84	0.40	10.60	7.2	15
CC124668		0.36	0.001	0.08	1.61	15.5	<0.2	<10	320	1.30	0.38	0.46	0.32	19.15	15.3	27
CC124669		0.23	0.001	0.09	1.35	17.0	<0.2	<10	250	0.98	0.36	0.61	0.26	21.6	14.7	25
CC124670		0.28	0.001	0.12	1.25	27.1	<0.2	<10	290	0.85	0.33	0.98	0.41	17.35	12.4	22
CC116560		0.35	0.001	0.19	1.26	23.6	<0.2	<10	160	1.12	0.34	0.54	0.46	18.30	12.6	25
CC116561		0.21	0.001	0.20	0.67	25.2	<0.2	10	280	0.79	0.29	1.54	0.38	9.59	11.6	12
CC116562		0.16	0.001	0.16	0.81	33.8	<0.2	<10	210	0.64	0.22	1.84	0.78	11.75	8.5	14
CC116563		0.22	0.001	0.16	1.13	108.5	<0.2	<10	260	0.83	0.29	0.88	0.36	14.05	11.4	20
CC116564		0.38	0.001	0.12	1.23	21.3	<0.2	<10	230	0.84	0.32	0.58	0.17	13.35	8.7	21
CC116565		0.30	0.002	0.09	1.45	22.0	<0.2	<10	290	1.33	0.39	0.30	0.14	23.4	16.3	25
CC116566		0.28	0.001	0.15	1.41	27.2	<0.2	<10	300	1.13	0.36	0.30	0.32	14.95	13.7	24
CC116567		0.25	0.001	0.04	1.14	24.4	<0.2	<10	190	0.83	0.32	0.17	0.21	20.7	13.0	20
CC116568		0.27	0.002	0.05	1.45	25.5	<0.2	<10	160	1.08	0.37	0.05	0.12	14.85	15.4	25
CC116569		0.23	0.001	0.12	2.15	12.6	<0.2	<10	180	0.63	0.34	0.08	0.16	25.5	10.0	31
CC116570		0.23	0.001	0.35	1.01	29.2	<0.2	<10	440	2.69	0.39	0.31	0.52	8.67	11.9	66
CC116571		0.24	0.002	0.29	1.12	57.1	<0.2	<10	390	0.88	0.26	1.87	0.26	11.25	5.0	19
CC116572		0.21	<0.001	0.17	1.07	12.1	<0.2	<10	380	0.74	0.24	1.93	0.27	9.65	8.1	19
CC116573		0.17	0.001	0.13	1.05	12.2	<0.2	<10	320	0.67	0.20	2.28	0.28	9.11	6.4	18
CC116574		Not Recvd														
CC116575		0.19	0.001	0.11	1.26	20.6	<0.2	<10	290	1.12	0.35	0.39	0.14	14.70	12.9	25
CC116576		0.15	<0.001	0.05	1.22	22.2	<0.2	<10	190	1.06	0.37	0.15	0.10	17.65	16.6	24
CC116577		0.23	0.001	0.06	1.50	14.2	<0.2	<10	260	1.26	0.37	0.25	0.13	21.1	12.8	27
CC116578		0.20	0.002	0.23	2.08	24.2	<0.2	<10	540	1.46	0.34	0.66	0.24	26.9	12.7	34
CC116579		0.16	0.002	0.20	1.40	9.4	<0.2	<10	370	1.00	0.24	1.06	0.85	23.0	9.0	25
CC116580		0.31	0.001	0.09	1.36	9.8	<0.2	<10	180	1.12	0.37	0.21	0.30	16.35	9.4	26
CC116581		0.20	0.002	0.10	1.23	10.7	<0.2	<10	230	1.06	0.35	0.53	0.28	11.95	10.8	24
CC116582		0.27	0.001	0.04	1.13	8.6	<0.2	<10	160	0.72	0.32	0.19	0.07	13.80	8.4	23
CC116583		0.43	0.001	0.08	1.16	8.9	<0.2	<10	120	0.88	0.32	0.30	0.15	16.20	14.1	23
CC116584		0.23	0.001	0.11	1.47	15.7	<0.2	<10	300	0.84	0.29	0.63	0.12	20.8	13.9	28
CC116585		0.29	0.002	0.11	1.33	14.2	<0.2	<10	300	1.09	0.32	0.64	0.31	18.35	14.3	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC124657		5.60	46.8	4.44	3.88	0.09	0.04	0.37	0.042	0.09	5.9	16.4	0.28	668	0.74
CC124658		1.14	38.3	4.22	4.70	0.08	0.03	0.56	0.040	0.07	5.6	19.3	0.33	636	0.98
CC124659		1.21	40.3	3.95	4.91	0.09	0.06	1.71	0.038	0.10	7.1	16.9	0.33	785	0.93
CC124660		1.22	31.5	3.79	4.74	0.09	0.05	0.68	0.044	0.09	6.2	18.3	0.34	228	0.84
CC124661		2.47	25.2	2.16	2.50	0.08	0.05	0.25	0.025	0.05	3.3	7.4	0.22	684	2.03
CC124662		2.43	23.8	3.05	3.13	0.09	0.04	0.38	0.029	0.08	5.7	14.5	0.26	499	1.59
CC124663		1.92	25.3	2.95	3.38	0.09	0.04	0.29	0.030	0.08	4.5	18.6	0.32	522	1.55
CC124664		1.63	23.0	2.78	3.43	0.09	0.04	0.28	0.025	0.08	4.5	16.7	0.31	736	1.15
CC124665		3.08	24.7	2.52	2.92	0.09	0.04	0.50	0.028	0.06	4.8	13.4	0.26	557	1.23
CC124666		2.26	24.5	2.95	3.46	0.09	0.04	0.42	0.029	0.07	5.1	16.0	0.30	506	1.42
CC124667		0.61	22.3	2.37	3.29	0.08	0.03	0.27	0.022	0.06	4.7	11.0	0.25	587	0.77
CC124668		0.79	32.0	4.13	5.69	0.09	0.06	0.20	0.041	0.10	8.3	28.7	0.43	570	1.40
CC124669		0.65	29.9	3.89	5.02	0.09	0.06	0.17	0.033	0.09	8.5	22.8	0.42	667	1.38
CC124670		0.82	24.2	3.75	4.43	0.10	0.05	0.32	0.033	0.08	6.4	18.4	0.37	712	1.67
CC116560		13.80	37.7	4.02	4.46	0.11	0.06	0.28	0.033	0.11	9.1	21.1	0.39	455	1.81
CC116561		10.10	26.9	2.85	2.10	0.09	0.05	0.56	0.026	0.07	4.0	7.2	0.20	699	0.91
CC116562		4.19	20.1	2.50	2.65	0.09	0.04	1.27	0.027	0.07	4.8	11.1	0.21	511	1.98
CC116563		3.00	23.2	3.95	3.84	0.10	0.04	0.47	0.034	0.08	6.3	16.7	0.26	505	19.65
CC116564		1.00	31.6	3.64	4.66	0.08	0.03	0.44	0.033	0.09	6.1	15.0	0.29	398	3.20
CC116565		0.95	42.7	4.21	5.38	0.11	0.03	0.45	0.040	0.09	11.2	21.0	0.39	879	1.06
CC116566		1.16	49.5	4.18	4.85	0.10	0.04	0.62	0.039	0.12	6.3	19.4	0.35	629	1.02
CC116567		0.89	29.4	3.74	4.56	0.09	0.02	0.43	0.035	0.06	9.9	15.9	0.28	605	1.28
CC116568		1.33	48.3	4.27	4.64	0.09	0.02	0.45	0.039	0.08	5.8	22.7	0.37	437	1.14
CC116569		2.22	14.4	3.88	6.88	0.09	0.07	0.01	0.030	0.06	12.8	19.4	0.34	483	2.23
CC116570		4.00	83.0	9.49	2.65	0.10	0.03	0.36	0.101	0.07	4.4	7.7	0.11	218	6.50
CC116571		1.19	30.1	2.99	3.81	0.09	0.05	3.00	0.033	0.06	5.0	10.4	0.27	201	0.92
CC116572		0.64	27.0	2.81	3.50	0.05	0.04	0.17	0.029	0.08	4.3	9.9	0.30	485	0.57
CC116573		0.84	21.4	2.40	3.46	0.05	0.06	0.17	0.027	0.08	4.5	8.6	0.33	385	0.59
CC116574															
CC116575		1.31	36.7	4.37	4.40	0.09	0.07	0.28	0.040	0.11	7.2	13.6	0.39	691	0.92
CC116576		1.00	36.8	4.25	4.93	0.09	0.03	0.35	0.044	0.09	6.9	15.1	0.30	1160	0.84
CC116577		1.13	34.3	3.93	5.40	0.10	0.04	0.16	0.040	0.10	11.6	17.7	0.32	734	0.83
CC116578		1.13	44.7	4.33	5.44	0.12	0.10	0.58	0.042	0.13	15.2	21.9	0.44	697	0.91
CC116579		1.09	29.8	2.45	4.37	0.09	0.07	0.25	0.035	0.12	10.4	29.2	0.45	506	0.48
CC116580		1.36	35.4	2.88	4.81	0.09	0.06	0.20	0.045	0.14	6.8	19.6	0.32	109	0.51
CC116581		1.37	30.4	3.75	4.49	0.09	0.07	0.24	0.043	0.12	5.2	16.6	0.33	480	0.56
CC116582		0.82	18.5	3.44	4.49	0.08	0.04	0.06	0.036	0.10	6.1	15.4	0.32	237	0.50
CC116583		1.16	35.1	3.73	4.26	0.09	0.07	0.10	0.047	0.15	6.2	22.6	0.33	236	0.41
CC116584		1.07	22.1	3.74	5.09	0.09	0.05	0.14	0.036	0.09	8.8	19.0	0.47	726	1.04
CC116585		0.96	32.2	3.93	4.74	0.09	0.07	0.19	0.043	0.12	7.9	18.9	0.35	498	0.69



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC124657		0.48	49.3	470	29.1	14.3	0.001	0.03	0.43	8.2	2.4	0.6	30.1	<0.01	0.01
CC124658		0.42	28.9	270	28.5	7.7	<0.001	0.01	0.57	5.2	0.7	0.6	18.7	<0.01	0.04
CC124659		0.44	32.3	460	25.4	9.0	0.001	0.03	0.52	7.0	1.4	0.7	35.7	<0.01	0.04
CC124660		0.48	30.0	330	26.9	8.6	<0.001	0.02	0.47	6.6	0.7	0.7	28.0	<0.01	0.04
CC124661		0.28	20.4	490	11.5	5.8	0.009	0.59	0.46	3.1	2.4	0.3	63.0	<0.01	0.04
CC124662		0.31	29.8	630	20.1	13.3	0.002	0.07	0.51	4.0	1.5	0.4	33.9	<0.01	0.02
CC124663		0.29	38.3	630	18.5	8.8	0.003	0.10	0.52	3.6	1.3	0.4	57.4	<0.01	0.03
CC124664		0.31	27.4	730	13.9	8.2	0.002	0.11	0.53	3.2	1.6	0.4	58.0	<0.01	0.03
CC124665		0.28	25.5	670	18.4	10.2	0.003	0.12	0.58	3.2	1.5	0.4	63.4	<0.01	0.04
CC124666		0.31	27.9	560	20.3	8.3	0.003	0.08	0.60	4.0	1.4	0.4	48.1	<0.01	0.04
CC124667		0.36	21.1	680	12.9	6.4	0.001	0.12	0.47	2.2	1.4	0.4	66.9	<0.01	0.03
CC124668		0.40	35.7	320	24.1	9.4	<0.001	0.01	0.51	6.2	0.5	0.6	20.3	<0.01	0.02
CC124669		0.52	33.4	370	24.1	7.7	<0.001	0.02	0.53	5.4	0.7	0.6	24.0	<0.01	0.04
CC124670		0.44	25.5	500	25.9	8.0	0.002	0.04	0.63	4.0	1.6	0.5	31.2	<0.01	0.04
CC116560		0.50	40.7	670	20.1	16.0	<0.001	0.02	0.65	6.2	0.9	0.5	32.5	<0.01	0.04
CC116561		0.24	28.6	540	27.6	10.4	0.003	0.23	0.52	3.8	1.1	0.4	58.6	<0.01	0.03
CC116562		0.28	24.6	570	21.7	11.0	0.003	0.11	0.65	3.4	1.2	0.4	55.9	<0.01	0.04
CC116563		0.39	28.2	520	22.2	9.7	0.005	0.05	1.08	4.8	3.8	0.5	29.8	<0.01	0.04
CC116564		0.40	26.2	410	21.4	9.4	<0.001	0.02	0.45	5.2	0.8	0.6	19.9	<0.01	0.03
CC116565		0.29	35.5	400	28.9	9.1	<0.001	0.01	0.54	8.4	0.7	0.7	19.4	<0.01	0.03
CC116566		0.28	44.2	530	27.5	9.7	<0.001	0.01	0.48	7.3	0.7	0.6	22.1	<0.01	0.02
CC116567		0.44	30.2	310	25.1	8.5	<0.001	0.01	0.52	4.9	0.6	0.5	15.8	<0.01	0.03
CC116568		0.19	40.0	300	23.2	10.5	<0.001	0.03	0.52	7.7	0.5	0.5	16.6	<0.01	0.04
CC116569		1.16	30.2	410	16.2	15.6	<0.001	0.01	0.64	4.0	0.3	0.8	11.4	0.01	0.03
CC116570		0.16	52.2	940	26.0	10.9	0.005	0.03	1.23	8.5	6.6	0.5	19.5	<0.01	0.18
CC116571		0.46	20.7	750	49.5	8.1	<0.001	0.12	0.99	3.7	1.7	0.6	63.4	<0.01	0.04
CC116572		0.43	18.1	590	16.2	9.7	<0.001	0.06	0.27	2.5	0.9	0.5	53.0	<0.01	0.04
CC116573		0.44	14.2	740	12.2	10.6	<0.001	0.09	0.28	2.7	1.1	0.4	67.8	<0.01	0.05
CC116574															
CC116575		0.46	28.0	330	25.7	10.8	<0.001	0.01	0.49	5.7	0.7	0.6	18.8	<0.01	0.04
CC116576		0.43	26.5	210	28.5	11.2	<0.001	<0.01	0.42	5.0	0.7	0.6	12.1	<0.01	0.04
CC116577		0.54	29.6	320	23.9	14.5	<0.001	0.01	0.34	5.5	0.9	0.7	17.2	0.01	0.04
CC116578		0.64	39.3	800	21.4	13.6	<0.001	0.03	0.48	7.8	1.3	0.6	24.7	0.01	0.05
CC116579		0.75	26.8	630	20.7	14.3	0.001	0.10	0.37	4.9	1.7	0.5	49.0	<0.01	0.03
CC116580		0.43	26.0	350	27.8	15.0	<0.001	0.01	0.32	5.9	0.9	0.7	14.7	<0.01	0.03
CC116581		0.47	26.5	350	21.2	16.6	<0.001	0.03	0.29	5.3	0.7	0.6	21.0	<0.01	0.04
CC116582		0.52	19.7	230	17.1	10.7	<0.001	<0.01	0.24	3.9	0.4	0.6	13.2	<0.01	0.02
CC116583		0.52	26.9	380	32.0	15.8	<0.001	0.12	0.21	5.5	0.7	0.6	15.7	<0.01	0.02
CC116584		0.72	25.3	420	20.4	11.8	<0.001	0.03	0.51	4.6	0.6	0.6	28.3	<0.01	0.04
CC116585		0.59	26.4	450	26.3	12.7	0.001	0.04	0.77	5.6	1.2	0.6	24.5	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC124657		0.009	0.11	1.45	26	0.09	9.56	239	1.4
CC124658		0.010	0.17	0.78	32	0.07	5.32	114	1.0
CC124659		0.007	0.15	1.34	31	0.07	10.60	104	1.5
CC124660		0.007	0.14	0.98	33	0.09	8.51	102	1.3
CC124661		<0.005	0.18	10.70	20	<0.05	6.55	74	1.6
CC124662		0.005	0.19	1.34	27	0.05	9.06	113	1.2
CC124663		0.005	0.18	1.05	27	<0.05	9.03	123	1.0
CC124664		0.005	0.16	1.08	26	0.06	8.38	117	1.2
CC124665		0.005	0.22	1.89	26	0.05	9.48	106	1.2
CC124666		0.005	0.19	1.23	29	0.05	9.02	120	1.2
CC124667		0.005	0.10	3.51	23	0.09	8.10	56	0.9
CC124668		0.007	0.16	0.89	34	0.06	9.01	116	2.0
CC124669		0.011	0.12	0.76	33	0.09	9.25	114	1.7
CC124670		0.009	0.13	1.12	36	0.07	6.64	114	1.3
CC116560		0.011	0.31	1.03	37	0.08	11.60	179	1.8
CC116561		<0.005	0.88	1.43	18	0.05	9.13	146	1.4
CC116562		0.005	0.91	1.16	25	0.06	8.17	166	1.3
CC116563		0.005	0.92	4.03	40	0.06	8.70	113	1.2
CC116564		0.008	0.13	1.25	32	0.09	8.51	95	0.9
CC116565		0.007	0.17	0.96	32	0.06	16.30	111	1.2
CC116566		0.006	0.19	0.64	31	0.06	11.00	140	1.6
CC116567		0.011	0.15	0.85	33	0.09	8.69	102	0.8
CC116568		0.007	0.16	1.09	30	<0.05	10.65	148	0.9
CC116569		0.029	0.18	0.64	60	0.24	4.38	73	2.5
CC116570		<0.005	0.25	2.60	46	0.05	10.55	258	0.8
CC116571		0.006	0.66	1.12	28	0.10	7.21	55	1.3
CC116572		0.007	0.07	1.34	23	0.07	5.57	80	0.9
CC116573		0.006	0.08	1.40	24	0.06	5.55	66	1.4
CC116574									
CC116575		0.010	0.12	0.84	29	0.10	9.32	100	2.1
CC116576		0.008	0.11	0.70	28	0.09	7.53	95	0.8
CC116577		0.010	0.10	1.00	33	0.12	16.00	87	<0.5
CC116578		0.010	0.13	1.60	40	0.26	23.2	117	1.7
CC116579		0.014	0.12	3.06	31	0.09	11.90	122	1.8
CC116580		0.007	0.11	1.26	27	0.09	9.32	92	1.7
CC116581		0.008	0.10	0.60	24	0.09	8.65	120	1.4
CC116582		0.012	0.08	0.65	25	0.09	4.99	90	1.1
CC116583		0.010	0.10	1.07	25	0.10	9.32	114	2.0
CC116584		0.016	0.11	0.81	37	0.16	6.12	87	1.2
CC116585		0.009	0.10	1.29	28	0.11	9.92	119	1.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC116586		0.28	<0.001	0.06	0.40	43.7	<0.2	<10	130	0.37	0.36	0.04	0.03	7.16	2.6	8
CC116587		0.35	0.004	0.31	1.79	33.6	<0.2	<10	180	0.92	0.30	0.07	0.13	21.1	13.1	26
CC116588		0.30	0.001	0.07	1.31	23.4	<0.2	<10	250	1.21	0.41	0.22	0.13	19.40	16.9	25
CC116589		0.32	0.001	0.07	1.42	22.5	<0.2	<10	280	1.40	0.38	0.19	0.19	35.3	20.2	25



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC116586		2.66	12.2	1.98	2.05	0.05	<0.02	4.02	0.021	0.07	3.2	4.2	0.05	89	1.65
CC116587		3.03	20.6	4.34	5.18	0.09	0.04	0.69	0.044	0.09	8.1	18.4	0.28	684	1.30
CC116588		1.24	40.9	4.48	4.95	0.09	0.06	0.33	0.041	0.11	8.1	18.9	0.38	884	0.81
CC116589		1.21	39.7	5.36	4.85	0.12	0.07	0.28	0.066	0.11	9.5	17.8	0.33	2300	0.80



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20- JUL- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC116586		0.10	6.5	140	16.1	8.8	<0.001	0.02	0.68	1.7	0.4	0.3	30.0	<0.01	0.05	1.9
CC116587		0.57	27.8	240	21.8	16.0	<0.001	0.01	0.73	3.6	0.7	0.6	15.4	<0.01	0.05	4.4
CC116588		0.48	30.7	340	32.0	12.0	<0.001	0.01	0.47	5.6	0.8	0.6	16.1	<0.01	0.04	5.6
CC116589		0.42	34.3	340	30.3	11.6	<0.001	0.01	0.39	5.8	0.8	0.6	14.5	0.01	0.04	5.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- JUL- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11119912

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC116586		<0.005	0.40	0.46	17	<0.05	2.63	38	0.6
CC116587		0.009	0.27	0.70	36	0.10	5.10	83	1.5
CC116588		0.011	0.13	0.86	28	0.08	9.67	104	1.7
CC116589		0.008	0.13	0.82	30	0.09	12.85	103	1.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20- JUL- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11119912

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41 ME- MS41	NSS is non- sufficient sample. Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 29- JUL- 2011
Account: MTT

CERTIFICATE WH11123618

Project: Midas Touch - Crag East

P.O. No.:

This report is for 41 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2- JUL- 2011.

The following have access to data associated with this certificate:

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 29- JUL- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11123618

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC124701		0.30	0.001	0.15	0.93	25.6	<0.2	<10	430	0.77	0.22	1.88	0.70	13.35	11.5	15
CC124702		0.36	0.001	0.03	1.56	24.7	<0.2	<10	230	0.61	0.27	0.22	0.63	16.25	9.8	26
CC124703		0.02	NSS	0.07	0.32	4.1	<0.2	<10	230	0.17	0.06	3.21	0.34	2.37	2.8	6
CC124704		0.26	0.001	0.20	1.08	16.9	<0.2	<10	290	0.69	0.26	1.93	0.98	10.30	9.9	21
CC124705		0.13	0.011	0.31	0.70	16.8	<0.2	<10	210	0.61	0.19	2.40	1.02	8.11	8.7	14
CC124706		0.13	0.004	0.13	0.89	15.6	<0.2	<10	290	0.72	0.21	1.97	0.97	9.92	10.4	15
CC124707		0.34	0.001	0.12	1.61	26.7	<0.2	<10	1190	0.76	0.26	0.79	0.30	19.75	10.2	25
CC124708		0.25	0.001	0.47	0.42	51.4	<0.2	<10	300	0.65	0.27	1.00	0.45	5.20	7.2	36
CC124709		0.36	0.002	0.11	0.46	23.7	<0.2	<10	70	0.26	0.26	0.02	0.14	2.61	8.6	7
CC124710		0.26	0.001	0.03	2.07	17.8	<0.2	<10	320	0.82	0.23	0.17	0.25	22.3	12.2	32
CC124711		0.65	0.001	0.13	1.37	16.6	<0.2	<10	210	0.81	0.32	0.63	0.46	19.40	13.8	24
CC124712		0.13	0.004	0.11	0.47	60.4	<0.2	10	140	0.41	0.08	4.16	1.63	4.72	7.0	8
CC124713		0.47	0.002	0.20	1.54	18.4	<0.2	<10	420	1.02	0.33	0.70	0.27	20.2	14.0	26
CC124714		0.50	0.001	0.05	1.67	18.7	<0.2	<10	240	0.80	0.31	0.30	0.27	19.20	13.8	28
CC124715		0.41	0.001	0.06	1.45	26.8	<0.2	<10	130	0.86	0.34	0.08	0.29	15.55	14.8	23
CC124716		0.34	0.001	0.26	1.79	54.7	<0.2	<10	130	0.63	0.39	0.03	0.22	9.28	9.5	26
CC124717		0.17	0.001	0.33	0.88	23.4	<0.2	<10	170	0.23	0.23	0.22	0.36	15.00	5.4	18
CC124718		0.36	0.003	0.10	1.14	15.8	<0.2	<10	320	0.74	0.27	1.21	0.22	10.45	8.8	20
CC124719		0.06	0.005	0.16	0.75	6.7	<0.2	<10	440	0.46	0.12	3.20	0.31	2.72	4.7	9
CC124720		0.23	0.001	0.06	1.04	14.7	<0.2	<10	270	0.80	0.28	0.33	0.24	13.15	16.0	19
CC124721		0.03	NSS	0.05	0.25	1.6	<0.2	20	240	0.11	0.04	4.19	0.28	1.60	2.5	3
CC124722		0.23	0.001	0.08	1.07	11.8	<0.2	<10	230	0.67	0.25	0.53	0.34	15.40	9.9	19
CC124723		0.18	0.001	0.12	1.25	15.6	<0.2	<10	330	0.71	0.24	1.08	0.35	14.40	10.5	20
CC124724		0.24	0.002	0.12	1.03	19.0	<0.2	<10	250	0.70	0.21	0.90	0.27	12.85	10.1	19
CC124725		0.09	0.001	0.10	1.22	9.0	<0.2	<10	410	0.64	0.19	2.51	0.26	8.85	7.2	17
CC124726		0.27	0.002	0.18	1.50	11.6	<0.2	<10	240	1.03	0.29	0.64	0.36	18.90	11.6	27
CC124727		0.31	0.002	0.19	1.32	16.7	<0.2	<10	260	1.01	0.28	0.71	0.39	20.1	14.6	25
CC116271		0.54	0.001	0.11	0.73	23.4	<0.2	<10	330	0.59	0.17	1.23	0.58	15.35	10.3	12
CC116272		0.16	0.002	0.18	0.93	52.3	<0.2	<10	310	0.72	0.21	1.24	0.66	15.55	11.1	15
CC116273		0.29	0.002	0.14	0.86	41.5	<0.2	<10	220	0.57	0.19	1.56	0.69	12.45	8.8	14
CC116274		0.18	0.001	0.10	0.74	76.9	<0.2	<10	170	0.48	0.14	1.57	0.47	11.30	7.6	12
CC116275		0.13	0.001	0.10	0.56	39.8	<0.2	<10	180	0.52	0.17	2.86	0.73	9.63	8.1	10
CC116276		0.22	0.001	0.12	0.57	42.6	<0.2	<10	180	0.56	0.19	2.87	0.77	10.75	8.7	10
CC116277		0.09	0.001	0.11	0.55	47.6	<0.2	<10	180	0.61	0.17	3.17	0.81	9.92	8.4	10
CC116278		0.17	0.001	0.14	0.84	98.5	<0.2	<10	250	0.54	0.18	1.72	0.68	12.55	9.0	14
CC116279		0.20	0.001	0.16	0.84	107.5	<0.2	<10	300	0.54	0.16	1.74	0.73	13.00	9.8	14
CC116280		0.25	0.001	0.18	0.88	177.0	<0.2	<10	260	0.64	0.18	1.63	0.79	14.70	10.3	15
CC116281		0.30	0.001	0.11	0.75	139.0	<0.2	<10	260	0.39	0.10	2.20	0.45	12.55	7.2	12
CC116282		0.23	0.001	0.17	0.88	164.5	<0.2	<10	200	0.64	0.19	1.71	0.63	13.20	8.2	15
CC116283		0.18	0.001	0.17	0.95	135.0	<0.2	<10	280	0.63	0.16	1.85	0.76	13.10	9.3	16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 29- JUL- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11123618

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC124701		2.97	23.6	2.95	3.45	0.16	0.05	0.51	0.027	0.08	6.7	14.4	0.46	658	1.95
CC124702		1.29	15.8	3.72	5.83	0.16	0.04	0.67	0.028	0.05	8.2	18.4	0.28	287	1.63
CC124703		0.53	10.4	0.75	1.01	0.14	0.02	0.10	0.007	0.03	1.2	2.1	0.10	111	0.88
CC124704		2.32	25.1	2.99	3.83	0.17	0.04	0.31	0.031	0.08	5.6	13.3	0.30	369	1.80
CC124705		3.31	25.2	2.99	2.37	0.17	0.05	0.34	0.023	0.08	4.4	9.2	0.37	391	1.94
CC124706		1.66	33.5	2.72	3.24	0.16	0.04	0.30	0.026	0.08	4.8	9.6	0.22	658	1.71
CC124707		0.80	19.8	3.95	4.90	0.18	0.05	0.56	0.034	0.06	11.9	16.8	0.45	489	1.76
CC124708		1.57	31.1	3.97	1.87	0.16	0.03	0.91	0.045	0.08	3.6	3.6	0.11	135	3.64
CC124709		5.67	29.0	2.80	1.57	0.15	<0.02	0.23	0.035	0.08	1.5	1.5	0.02	57	13.25
CC124710		1.40	11.1	3.33	6.34	0.17	0.04	0.19	0.026	0.04	12.4	19.5	0.42	340	1.42
CC124711		0.76	24.5	3.66	5.22	0.16	0.05	0.66	0.031	0.08	8.3	23.0	0.37	953	3.52
CC124712		0.72	29.6	1.52	1.24	0.17	0.05	0.21	0.009	0.02	2.3	2.2	0.30	3220	13.60
CC124713		0.70	27.8	3.94	5.28	0.18	0.06	1.09	0.028	0.09	10.3	19.9	0.44	643	1.39
CC124714		0.75	20.0	4.21	5.70	0.17	0.04	0.15	0.035	0.09	8.0	24.1	0.42	612	1.16
CC124715		0.97	27.7	4.11	5.19	0.18	<0.02	0.53	0.034	0.07	6.7	16.6	0.25	560	1.21
CC124716		1.75	28.2	4.18	6.06	0.15	0.03	0.36	0.043	0.05	4.7	19.0	0.19	184	1.27
CC124717		2.13	15.0	2.52	4.59	0.09	<0.02	1.37	0.023	0.05	7.0	9.4	0.22	138	2.24
CC124718		1.10	21.3	4.02	3.19	0.08	0.04	0.23	0.031	0.09	3.9	17.4	0.38	519	0.44
CC124719		0.57	21.6	1.88	1.67	0.07	0.05	0.11	0.015	0.04	1.4	3.3	0.33	1520	0.72
CC124720		0.72	20.8	4.92	2.78	0.08	0.04	0.15	0.034	0.08	4.3	10.9	0.25	1690	0.49
CC124721		0.15	12.4	0.52	0.50	0.06	0.02	0.09	0.005	0.03	0.8	0.8	0.47	1600	0.40
CC124722		0.70	15.9	2.96	3.34	0.08	0.04	0.13	0.031	0.07	5.7	16.3	0.30	256	0.50
CC124723		0.77	18.4	3.39	3.69	0.08	0.07	0.16	0.033	0.07	5.2	17.2	0.33	665	0.55
CC124724		1.03	21.8	2.24	3.11	0.08	0.04	0.39	0.031	0.09	5.2	16.2	0.28	257	0.55
CC124725		0.75	19.7	2.35	3.74	0.08	0.07	0.11	0.025	0.09	3.8	14.7	0.39	1300	0.70
CC124726		1.52	35.4	2.51	4.91	0.09	0.07	0.24	0.032	0.13	7.6	26.6	0.44	155	0.90
CC124727		1.17	33.3	3.68	4.48	0.10	0.07	0.22	0.031	0.12	8.6	22.1	0.39	256	1.15
CC116271		1.70	20.6	3.07	2.55	0.10	0.05	0.23	0.021	0.06	6.6	13.5	0.52	686	0.81
CC116272		2.12	24.1	3.08	2.91	0.09	0.06	0.34	0.025	0.07	6.7	18.4	0.48	1070	0.67
CC116273		2.35	20.3	3.04	2.25	0.09	0.06	0.54	0.021	0.07	5.2	13.6	0.74	443	0.64
CC116274		2.12	14.8	2.48	2.08	0.09	0.04	15.40	0.019	0.06	4.9	13.2	0.85	381	0.49
CC116275		9.89	17.8	2.27	1.67	0.09	0.06	4.20	0.023	0.07	4.1	8.3	1.47	299	0.65
CC116276		10.55	16.8	2.31	1.85	0.09	0.06	1.04	0.024	0.08	4.6	8.8	1.48	310	0.71
CC116277		10.60	18.4	2.50	1.59	0.09	0.05	2.65	0.020	0.08	4.2	7.6	1.51	455	0.75
CC116278		2.64	21.1	2.86	2.43	0.09	0.06	0.54	0.020	0.08	5.4	13.7	0.75	672	0.77
CC116279		2.01	20.7	2.90	2.55	0.09	0.05	0.48	0.023	0.07	5.5	15.0	0.78	963	1.08
CC116280		3.37	24.7	2.80	2.98	0.10	0.06	1.93	0.025	0.08	6.5	17.3	0.73	537	1.02
CC116281		1.92	13.9	2.52	2.09	0.09	0.04	0.39	0.018	0.06	5.2	12.9	1.05	462	0.79
CC116282		2.69	25.8	2.81	2.58	0.09	0.06	0.62	0.024	0.08	5.7	14.6	0.73	444	0.77
CC116283		2.03	21.0	2.96	2.57	0.09	0.05	0.55	0.025	0.09	5.7	15.5	0.79	682	0.92



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 29- JUL- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11123618

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC124701		0.33	22.7	650	20.8	9.6	0.005	0.13	0.71	3.9	1.6	0.5	59.8	<0.01	0.03
CC124702		0.64	18.2	170	22.3	9.2	0.001	0.03	0.49	3.4	0.4	0.6	13.1	<0.01	0.04
CC124703		0.13	7.8	570	3.8	3.3	0.001	0.15	0.28	0.7	0.4	0.2	54.3	<0.01	<0.01
CC124704		0.37	23.3	680	17.0	11.5	0.003	0.12	0.64	3.4	2.0	0.5	56.5	<0.01	0.04
CC124705		0.24	24.5	800	15.8	10.8	0.019	0.21	0.65	3.0	2.4	0.4	55.3	<0.01	0.03
CC124706		0.32	28.7	890	15.7	6.7	0.003	0.18	0.63	2.3	1.7	0.4	65.5	<0.01	0.03
CC124707		0.52	23.6	420	33.9	10.2	0.001	0.05	0.69	5.1	0.7	0.6	31.5	<0.01	0.03
CC124708		0.11	29.0	300	14.5	8.0	0.005	0.07	0.71	5.7	3.4	0.5	43.4	<0.01	0.06
CC124709		0.06	28.3	340	11.9	11.3	0.002	0.03	0.77	3.1	1.8	0.5	10.5	<0.01	0.08
CC124710		0.83	20.1	190	19.3	13.1	0.001	0.03	0.46	3.6	0.5	0.7	12.4	<0.01	0.03
CC124711		0.59	23.7	550	26.7	9.7	0.001	0.06	0.47	5.2	1.0	0.6	25.9	<0.01	0.02
CC124712		0.22	48.8	810	4.4	1.6	0.011	0.98	0.32	1.2	3.4	0.2	110.0	<0.01	<0.01
CC124713		0.51	26.6	380	26.7	8.8	0.001	0.05	0.63	5.9	0.9	0.6	28.6	<0.01	0.03
CC124714		0.45	26.1	270	25.6	11.0	0.001	0.03	0.48	4.5	0.6	0.7	17.0	<0.01	0.02
CC124715		0.56	21.9	200	30.6	9.5	0.001	0.03	0.59	4.1	0.5	0.7	14.8	<0.01	0.01
CC124716		0.57	16.2	410	25.5	13.2	0.001	0.03	0.83	3.6	1.3	0.8	36.5	<0.01	0.03
CC124717		0.56	13.9	670	38.4	8.8	<0.001	0.04	1.10	2.0	2.3	0.5	23.3	<0.01	0.03
CC124718		0.23	17.0	470	24.5	11.2	<0.001	0.10	0.24	3.7	0.6	0.4	135.0	<0.01	0.02
CC124719		0.11	13.6	1380	6.9	3.7	0.001	0.28	0.30	1.3	0.5	0.2	116.5	<0.01	0.02
CC124720		0.20	24.5	300	32.3	6.4	<0.001	0.03	0.30	4.6	0.3	0.4	11.8	<0.01	0.03
CC124721		<0.05	7.5	1020	2.1	0.9	0.001	0.32	0.14	0.3	0.3	<0.2	119.5	<0.01	<0.01
CC124722		0.34	15.8	300	25.3	6.4	<0.001	0.06	0.28	3.7	0.2	0.4	19.4	<0.01	0.02
CC124723		0.31	18.8	700	21.8	6.7	<0.001	0.11	0.31	3.6	0.6	0.4	38.2	<0.01	0.01
CC124724		0.20	22.8	610	22.1	7.9	<0.001	0.17	0.34	4.2	0.6	0.4	35.0	<0.01	0.02
CC124725		0.23	21.4	800	11.9	7.5	0.001	0.15	0.40	2.4	0.3	0.5	68.8	<0.01	0.03
CC124726		0.33	30.2	490	30.5	9.9	0.001	0.09	0.65	5.4	0.5	0.6	27.3	<0.01	0.03
CC124727		0.38	33.6	610	22.8	8.4	0.001	0.05	0.83	5.1	1.3	0.5	30.7	<0.01	0.04
CC116271		0.19	19.6	650	19.9	6.7	0.005	0.08	0.98	3.4	2.2	0.3	43.6	<0.01	0.02
CC116272		0.21	22.8	680	23.8	10.4	0.007	0.12	0.82	4.0	1.8	0.3	58.3	<0.01	0.03
CC116273		0.11	19.7	660	30.2	8.5	0.003	0.08	0.96	3.2	0.9	0.3	41.7	<0.01	0.03
CC116274		0.11	17.4	620	21.8	6.7	0.001	0.05	0.91	2.7	0.7	0.2	32.4	<0.01	0.01
CC116275		0.10	17.8	560	25.8	8.5	0.002	0.05	1.16	2.9	0.8	0.3	32.0	<0.01	0.02
CC116276		0.13	19.0	560	29.2	9.1	0.003	0.06	1.24	3.2	0.7	0.3	35.6	<0.01	0.02
CC116277		0.10	18.5	630	34.4	8.3	<0.001	0.07	1.56	3.0	0.9	0.3	35.4	<0.01	0.03
CC116278		0.13	21.1	670	25.4	8.8	0.004	0.09	1.03	3.5	1.3	0.3	42.0	<0.01	0.03
CC116279		0.15	22.5	680	23.4	7.8	0.004	0.08	1.11	3.3	1.3	0.3	42.4	<0.01	0.02
CC116280		0.17	26.0	680	25.4	10.3	0.003	0.08	1.32	4.1	1.5	0.3	46.7	<0.01	0.03
CC116281		0.12	17.5	760	16.2	5.9	0.002	0.05	0.88	2.4	0.7	0.2	39.7	<0.01	0.02
CC116282		0.16	21.9	680	26.7	8.7	0.005	0.10	1.09	3.9	1.6	0.3	88.9	<0.01	0.03
CC116283		0.14	23.1	730	20.6	9.0	0.002	0.09	0.96	3.5	1.5	0.3	52.6	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 29- JUL- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11123618

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC124701		<0.005	0.24	1.32	31	0.05	9.60	128	1.5
CC124702		0.010	0.15	0.52	49	0.11	3.26	98	1.7
CC124703		<0.005	0.06	0.36	8	<0.05	1.98	29	0.8
CC124704		<0.005	0.20	3.57	30	0.05	8.62	114	1.2
CC124705		<0.005	0.17	1.84	22	<0.05	7.75	103	1.6
CC124706		<0.005	0.13	4.73	24	0.06	7.74	103	1.2
CC124707		0.006	0.19	1.15	45	0.11	12.15	100	1.3
CC124708		<0.005	0.18	1.08	39	<0.05	7.39	114	1.4
CC124709		<0.005	0.61	0.70	25	<0.05	2.39	110	<0.5
CC124710		0.016	0.17	0.61	50	0.16	3.46	81	1.6
CC124711		0.010	0.12	1.04	33	0.11	6.97	100	1.5
CC124712		0.006	0.19	21.4	11	<0.05	4.23	192	1.6
CC124713		0.008	0.15	0.97	39	0.11	10.75	132	1.7
CC124714		0.007	0.11	0.78	38	0.06	5.79	105	1.2
CC124715		0.009	0.15	0.62	37	0.10	3.76	101	0.8
CC124716		0.007	0.23	0.79	51	0.13	2.53	92	1.0
CC124717		0.024	0.36	0.76	47	0.20	3.09	144	<0.5
CC124718		0.013	0.07	1.52	26	0.05	5.32	137	1.0
CC124719		0.010	0.08	0.71	13	<0.05	2.97	85	1.2
CC124720		0.014	0.07	0.99	23	0.08	5.84	123	0.9
CC124721		0.010	0.03	0.76	4	<0.05	1.06	74	0.7
CC124722		0.014	0.07	1.11	27	0.11	4.58	78	0.8
CC124723		0.013	0.09	1.33	31	0.07	5.80	87	1.3
CC124724		0.010	0.13	1.51	26	<0.05	7.31	101	1.1
CC124725		0.011	0.09	1.03	24	<0.05	5.20	115	1.8
CC124726		0.015	0.14	1.33	36	0.07	8.82	115	2.5
CC124727		0.015	0.12	2.24	36	0.09	9.69	115	2.1
CC116271		0.011	0.08	1.08	22	0.06	7.27	140	1.3
CC116272		0.012	0.15	1.02	29	0.05	8.55	187	1.4
CC116273		0.011	0.18	0.92	26	<0.05	6.97	404	1.3
CC116274		0.010	0.14	0.64	22	<0.05	6.30	270	1.1
CC116275		0.010	0.20	0.57	15	<0.05	6.25	271	1.3
CC116276		0.010	0.22	0.61	16	<0.05	6.77	282	1.4
CC116277		0.010	0.25	0.58	16	<0.05	6.59	335	1.3
CC116278		0.011	0.16	0.75	27	<0.05	8.04	256	1.4
CC116279		0.010	0.16	0.85	31	<0.05	7.75	282	1.4
CC116280		0.011	0.71	0.75	29	<0.05	9.07	454	1.7
CC116281		0.011	0.49	0.69	26	0.05	6.50	336	1.1
CC116282		0.011	0.40	0.80	29	<0.05	8.98	300	1.6
CC116283		0.011	0.37	0.66	32	<0.05	8.03	324	1.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 29- JUL- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11123618

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC116284		0.22	0.001	0.15	0.92	123.0	<0.2	<10	280	0.60	0.17	1.68	0.62	12.90	8.9	15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 29- JUL- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11123618

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
CC116284		1.72	22.0	2.85	2.63	0.10	0.05	0.35	0.020	0.07	5.6	15.0	0.74	618	0.97	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 29- JUL- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11123618

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC116284		0.15	22.9	680	19.6	7.3	0.001	0.07	0.92	3.4	1.3	0.3	49.8	<0.01	0.05	2.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- JUL- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11123618

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
CC116284		0.005	0.02	0.05	1	0.05	0.05	2	0.5
		0.011	0.40	0.75	33	<0.05	7.82	273	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 29- JUL- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11123618

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41	NSS is non- sufficient sample. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 4- AUG- 2011
Account: MTT

CERTIFICATE WH11123801

Project: Midas Touch- Crag East

P.O. No.:

This report is for 121 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC116001		0.19	0.001	0.04	1.29	12.0	<0.2	<10	60	0.40	0.41	0.03	0.10	15.65	12.4	19
CC116002		0.33	0.001	0.06	1.18	7.7	<0.2	<10	150	1.25	0.49	0.06	0.09	15.60	20.0	21
CC116003		0.32	<0.001	0.19	1.14	7.0	<0.2	<10	70	0.48	0.35	0.02	0.06	12.95	8.3	16
CC116004		0.30	0.001	0.05	1.15	16.9	<0.2	<10	180	1.58	0.47	0.14	0.10	23.0	19.6	21
CC116005		0.23	0.001	0.08	0.95	29.0	<0.2	<10	160	0.91	0.33	0.64	0.29	14.75	12.9	15
CC116006		0.28	0.002	0.16	1.12	23.1	<0.2	<10	210	1.52	0.40	0.94	0.17	16.40	13.0	18
CC116007		0.38	0.001	0.15	0.85	32.2	<0.2	<10	280	0.76	0.30	2.41	0.42	16.55	13.0	17
CC116008		0.48	0.001	0.19	0.71	20.8	<0.2	<10	290	0.84	0.30	2.39	0.35	16.15	10.3	13
CC116009		0.29	0.001	0.18	0.77	22.3	<0.2	<10	310	0.84	0.29	1.73	0.37	14.40	9.4	13
CC116010		0.46	0.001	0.20	1.02	29.6	<0.2	<10	320	1.04	0.35	1.00	0.35	16.80	12.5	16
CC116011		0.21	0.001	0.12	0.87	31.7	<0.2	<10	260	0.66	0.20	3.24	0.48	15.80	6.9	13
CC116012		0.30	0.001	0.09	0.67	36.4	<0.2	<10	140	0.71	0.25	2.04	0.32	14.90	8.4	12
CC116013		0.29	0.001	0.16	0.67	37.0	<0.2	<10	260	0.89	0.28	1.99	0.38	14.85	9.1	12
CC116014		0.38	0.001	0.13	0.55	23.3	<0.2	<10	290	0.75	0.27	2.71	0.35	15.80	10.8	9
CC116015		0.25	0.001	0.16	0.66	23.8	<0.2	<10	320	0.69	0.25	2.41	0.34	15.70	8.4	11
CC116016		0.34	0.001	0.13	0.70	32.5	<0.2	<10	410	0.75	0.24	3.93	0.47	12.80	8.7	12
CC116017		0.25	0.001	0.13	0.76	36.5	<0.2	<10	150	0.82	0.25	4.09	0.35	15.85	10.2	13
CC116018		0.19	0.002	0.10	0.93	30.1	<0.2	<10	230	0.82	0.24	2.19	0.40	18.05	9.9	14
CC116508		0.23	0.001	0.08	0.69	31.9	<0.2	<10	200	0.62	0.41	1.41	0.09	12.90	18.3	10
CC116509		0.38	<0.001	0.02	0.47	7.4	<0.2	<10	70	0.15	0.37	0.04	0.06	27.4	4.9	9
CC116510		0.17	<0.001	0.05	0.61	14.2	<0.2	<10	240	1.31	0.59	1.01	0.11	63.9	31.3	7
CC116511		0.20	<0.001	0.02	0.52	15.8	<0.2	<10	460	1.50	0.69	0.58	0.05	80.9	30.6	7
CC116512		0.25	<0.001	0.02	1.19	9.4	<0.2	<10	160	0.59	0.44	0.42	0.28	45.5	12.1	12
CC116513		0.17	<0.001	0.01	0.27	2.1	<0.2	<10	30	0.12	0.13	0.03	0.03	13.20	2.1	3
CC116514		0.23	0.001	0.15	0.49	5.0	<0.2	<10	40	0.35	0.36	0.03	0.02	18.40	8.9	9
CC116515		0.18	<0.001	0.02	0.74	5.1	<0.2	<10	70	0.35	0.36	0.05	0.04	18.15	9.8	13
CC116516		0.23	0.001	0.14	0.99	14.2	<0.2	<10	300	1.21	0.45	1.01	0.04	25.9	22.2	13
CC116517		0.20	<0.001	0.10	1.44	6.8	<0.2	<10	110	0.93	0.44	0.03	0.04	29.1	10.2	21
CC116518		0.22	<0.001	0.04	1.26	1.3	<0.2	<10	150	0.50	0.50	0.01	0.05	8.55	15.0	21
CC116519		0.28	0.001	0.03	1.61	11.3	<0.2	<10	100	1.16	0.47	0.04	0.08	22.0	14.7	26
CC116520		0.20	<0.001	0.09	1.29	9.6	<0.2	<10	70	1.03	0.46	0.04	0.08	15.70	10.2	21
CC116521		0.24	0.001	0.56	1.38	19.6	<0.2	<10	80	1.32	0.55	0.02	0.05	14.15	17.5	17
CC116522		0.13	0.003	0.08	1.43	17.8	<0.2	<10	260	1.45	0.38	0.23	0.23	21.3	12.9	22
CC116523		0.22	0.001	0.06	1.77	19.6	<0.2	<10	130	1.25	0.39	0.04	0.26	23.5	10.5	23
CC116524		0.19	0.001	0.07	1.40	16.1	<0.2	<10	180	1.00	0.40	0.10	0.34	20.6	12.5	21
CC116525		0.23	<0.001	0.06	1.52	14.5	<0.2	<10	100	0.59	0.43	0.03	0.14	25.6	7.8	22
CC116526		0.24	0.002	0.04	1.92	17.0	<0.2	<10	80	1.61	0.47	0.04	0.14	16.35	18.5	26
CC116527		0.14	0.002	0.31	1.42	12.7	<0.2	<10	390	2.20	0.45	1.30	0.21	16.65	13.8	21
CC116528		0.24	0.002	0.18	1.13	21.2	<0.2	<10	220	1.71	0.45	0.80	0.18	18.30	11.5	19
CC116529		0.36	0.001	0.15	1.10	34.5	<0.2	<10	240	1.02	0.29	2.71	0.28	17.25	12.2	18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC116001		2.07	22.1	3.85	6.35	0.12	0.04	0.04	0.027	0.08	5.9	7.9	0.12	964	1.13
CC116002		4.09	44.5	3.90	4.32	0.13	0.03	0.03	0.023	0.16	5.2	24.3	0.25	1180	1.03
CC116003		2.31	31.6	2.63	6.47	0.11	0.03	0.03	0.021	0.12	4.9	6.5	0.10	626	0.94
CC116004		3.28	45.4	3.73	4.32	0.13	0.03	0.16	0.029	0.17	8.0	31.6	0.32	929	0.71
CC116005		1.43	26.4	2.92	3.23	0.13	0.10	0.34	0.026	0.11	5.7	16.8	0.24	706	0.66
CC116006		2.10	42.4	3.11	3.65	0.12	0.11	0.34	0.028	0.09	7.9	27.6	0.39	693	0.60
CC116007		1.22	31.6	3.32	2.77	0.13	0.07	0.67	0.034	0.07	7.3	12.3	1.22	751	1.52
CC116008		1.03	31.6	3.15	2.19	0.13	0.09	0.57	0.032	0.07	8.4	8.0	1.03	462	1.18
CC116009		0.93	29.4	2.80	2.32	0.12	0.07	0.67	0.031	0.08	6.8	7.7	0.26	381	1.00
CC116010		1.24	32.3	3.42	3.06	0.13	0.10	0.71	0.037	0.11	8.4	9.7	0.23	479	1.28
CC116011		0.64	18.9	2.34	2.55	0.13	0.06	0.40	0.024	0.06	9.2	7.9	1.01	573	0.71
CC116012		0.99	22.1	2.78	2.27	0.12	0.06	0.70	0.028	0.07	7.2	8.6	0.90	292	0.86
CC116013		1.02	27.4	2.83	2.09	0.12	0.05	0.95	0.028	0.07	8.1	7.3	0.49	503	0.75
CC116014		1.01	22.0	2.54	1.66	0.13	0.06	0.66	0.025	0.07	6.8	5.9	1.00	1900	0.86
CC116015		1.13	21.5	2.29	1.96	0.12	0.07	0.74	0.024	0.07	7.1	6.2	0.27	391	0.64
CC116016		0.68	28.6	2.66	2.10	0.12	0.06	0.74	0.025	0.07	6.1	8.2	1.23	536	0.93
CC116017		0.72	25.7	2.92	2.35	0.12	0.07	0.94	0.026	0.08	7.4	9.0	2.17	636	0.93
CC116018		0.59	23.2	2.87	2.75	0.12	0.06	0.49	0.027	0.07	8.8	9.6	0.59	788	0.80
CC116508		1.42	27.9	3.11	2.82	0.12	0.03	1.58	0.028	0.09	5.3	6.3	0.64	582	0.80
CC116509		1.39	11.3	1.70	4.45	0.12	<0.02	0.05	0.012	0.07	13.9	1.7	0.05	319	1.12
CC116510		1.80	38.0	4.45	2.02	0.18	0.03	0.94	0.044	0.08	28.6	3.3	0.06	1890	0.54
CC116511		1.40	32.1	3.38	1.71	0.20	0.07	0.96	0.045	0.09	42.5	3.5	0.05	2320	0.28
CC116512		1.13	28.6	3.03	4.58	0.14	0.03	0.16	0.037	0.07	20.7	10.6	0.10	1930	0.63
CC116513		0.78	11.6	0.65	0.98	0.11	0.02	0.03	0.010	0.06	6.0	0.9	0.02	95	0.19
CC116514		0.98	19.5	2.36	2.00	<0.05	0.02	0.02	0.019	0.10	8.3	5.2	0.08	213	0.45
CC116515		1.63	22.5	2.37	3.51	<0.05	<0.02	0.01	0.016	0.09	8.4	12.3	0.14	175	0.38
CC116516		2.35	40.9	2.75	2.77	0.05	0.08	0.45	0.036	0.13	12.5	10.1	0.19	1020	0.78
CC116517		2.91	29.0	3.31	5.14	<0.05	0.03	0.02	0.024	0.28	11.1	24.1	0.25	312	0.48
CC116518		1.69	18.9	3.63	7.27	<0.05	<0.02	0.01	0.017	0.14	3.8	15.8	0.21	875	0.37
CC116519		2.44	30.6	3.74	4.64	<0.05	0.04	0.05	0.032	0.11	9.4	36.9	0.41	452	0.79
CC116520		3.11	25.1	4.25	5.76	<0.05	0.03	0.10	0.030	0.12	6.6	23.5	0.20	248	0.65
CC116521		1.60	35.3	4.79	3.95	<0.05	0.06	0.07	0.029	0.11	5.4	28.3	0.22	605	1.35
CC116522		1.52	26.9	3.49	3.96	<0.05	0.06	0.31	0.030	0.10	9.2	20.8	0.31	744	0.84
CC116523		1.99	26.2	3.74	4.79	<0.05	0.03	0.16	0.035	0.09	11.3	24.4	0.30	427	0.99
CC116524		1.64	22.3	3.33	4.24	<0.05	0.05	0.23	0.032	0.10	9.0	19.6	0.28	535	0.80
CC116525		2.38	25.9	3.61	6.33	<0.05	0.04	0.07	0.029	0.17	10.5	16.1	0.20	314	0.96
CC116526		3.77	30.2	4.40	4.90	<0.05	0.06	0.06	0.033	0.10	6.9	68.9	0.40	371	0.72
CC116527		4.36	70.5	3.40	3.80	<0.05	0.14	0.34	0.032	0.14	7.0	26.2	0.49	674	0.87
CC116528		4.36	44.3	3.46	3.22	<0.05	0.07	0.32	0.029	0.11	9.0	18.7	0.36	455	0.79
CC116529		0.96	34.9	3.54	3.09	<0.05	0.08	0.62	0.030	0.10	9.0	15.5	1.60	603	1.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC116001		1.15	11.9	530	19.6	17.1	<0.001	0.03	0.52	2.1	0.7	0.7	5.8	<0.01	0.04
CC116002		0.62	25.0	620	25.9	16.4	<0.001	0.04	0.35	2.4	0.3	0.5	15.9	<0.01	0.02
CC116003		0.64	10.9	650	13.5	17.0	<0.001	0.03	0.32	1.6	0.3	0.8	5.9	<0.01	0.01
CC116004		0.43	30.8	460	26.3	16.0	<0.001	0.03	0.50	3.9	0.6	0.5	22.5	<0.01	0.02
CC116005		0.42	20.2	480	24.2	10.0	<0.001	0.05	0.79	3.9	1.1	0.4	46.5	<0.01	0.02
CC116006		0.45	25.5	560	26.1	9.5	<0.001	0.05	0.61	4.5	0.8	0.5	44.5	<0.01	0.01
CC116007		0.54	28.9	600	27.3	6.5	0.001	0.04	0.98	5.1	1.2	0.4	38.4	<0.01	0.02
CC116008		0.28	29.1	690	25.5	6.4	0.001	0.04	0.72	5.0	0.9	0.4	46.4	<0.01	0.03
CC116009		0.32	25.0	600	24.8	7.7	0.003	0.09	0.78	3.8	1.4	0.4	46.1	<0.01	0.04
CC116010		0.39	28.4	590	30.0	8.9	<0.001	0.05	0.74	5.3	1.1	0.5	36.2	<0.01	0.04
CC116011		0.50	17.5	840	23.6	6.0	<0.001	0.08	0.63	2.9	0.8	0.4	39.3	<0.01	0.02
CC116012		0.40	21.2	480	30.2	5.8	<0.001	0.05	0.92	4.5	0.6	0.4	29.0	<0.01	0.03
CC116013		0.31	23.2	770	38.8	5.9	<0.001	0.07	0.78	4.2	0.9	0.4	37.4	<0.01	0.03
CC116014		0.24	24.8	600	27.7	5.7	<0.001	0.05	0.55	3.8	0.8	0.4	43.8	<0.01	0.02
CC116015		0.35	19.2	670	26.4	6.3	0.001	0.10	0.65	3.0	0.6	0.4	53.6	<0.01	0.01
CC116016		0.35	20.5	640	31.5	5.5	<0.001	0.08	1.06	3.4	1.3	0.4	54.7	<0.01	0.01
CC116017		0.34	22.5	610	32.2	5.6	<0.001	0.03	0.96	4.2	0.8	0.4	33.3	<0.01	0.03
CC116018		0.47	21.8	480	29.2	6.8	<0.001	0.06	0.90	3.3	1.0	0.4	36.9	<0.01	0.02
CC116508		0.39	19.0	650	26.3	7.6	<0.001	0.10	0.53	2.7	0.4	0.5	21.1	<0.01	0.04
CC116509		0.84	8.5	300	8.7	17.4	<0.001	0.01	0.49	1.0	0.2	0.7	6.6	<0.01	0.02
CC116510		0.20	26.5	470	26.7	9.9	<0.001	0.03	0.50	9.5	0.9	0.4	24.2	<0.01	0.17
CC116511		0.10	25.2	410	17.4	8.0	0.001	0.03	0.35	12.1	1.2	0.3	21.9	<0.01	0.12
CC116512		0.64	13.5	530	17.3	11.7	<0.001	0.03	0.30	3.8	0.5	0.5	16.4	<0.01	0.07
CC116513		0.08	2.8	120	8.8	5.2	<0.001	0.01	0.06	1.1	<0.2	0.2	4.7	<0.01	<0.01
CC116514		0.07	14.0	160	13.9	8.0	<0.001	<0.01	0.13	2.1	<0.2	0.3	14.9	<0.01	0.01
CC116515		0.21	18.7	210	13.0	8.4	<0.001	<0.01	0.15	2.1	<0.2	0.5	11.6	<0.01	0.01
CC116516		0.25	25.3	580	21.3	13.7	<0.001	0.02	0.55	6.5	0.7	0.5	39.7	<0.01	0.03
CC116517		0.43	18.3	400	18.1	23.3	<0.001	<0.01	0.28	2.7	0.2	0.7	9.5	<0.01	0.02
CC116518		0.49	12.4	340	14.8	21.2	<0.001	<0.01	0.20	2.6	0.2	0.8	6.3	<0.01	0.02
CC116519		0.57	32.4	240	20.7	13.5	<0.001	<0.01	0.34	3.8	0.4	0.6	15.2	<0.01	0.04
CC116520		0.33	18.6	390	30.4	13.1	<0.001	0.02	0.26	3.3	0.2	0.7	11.8	<0.01	0.02
CC116521		0.18	28.0	270	52.6	10.5	<0.001	0.02	0.56	3.3	0.4	0.4	12.2	<0.01	0.02
CC116522		0.43	21.6	660	30.1	12.0	<0.001	0.01	0.61	4.4	0.7	0.5	25.1	<0.01	0.02
CC116523		0.62	18.6	240	30.7	13.7	<0.001	<0.01	0.64	3.7	0.5	0.6	11.1	<0.01	0.02
CC116524		0.47	19.1	570	26.9	13.4	<0.001	0.01	0.50	3.9	0.6	0.5	14.5	<0.01	0.02
CC116525		0.78	15.5	530	27.9	20.3	<0.001	<0.01	0.56	2.9	0.3	0.9	8.5	<0.01	0.03
CC116526		0.49	28.8	340	33.6	13.8	<0.001	<0.01	0.49	3.3	0.4	0.5	11.2	<0.01	0.03
CC116527		0.35	30.6	810	30.5	14.5	<0.001	0.07	0.61	6.6	1.7	0.6	102.5	<0.01	0.02
CC116528		0.41	27.3	580	26.8	12.5	<0.001	0.03	0.59	5.0	0.6	0.4	41.6	<0.01	0.04
CC116529		0.35	26.6	600	27.1	7.0	<0.001	0.01	0.93	5.6	0.8	0.4	33.9	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
CC116001		0.014	0.10	0.88	41	0.17	2.95	47
CC116002		0.015	0.07	1.01	25	0.09	6.15	60
CC116003		0.011	0.08	0.94	31	0.10	3.11	41
CC116004		0.013	0.10	1.07	20	0.05	11.00	73
CC116005		0.006	0.09	1.00	19	0.06	9.48	96
CC116006		0.006	0.08	1.49	21	0.07	15.00	86
CC116007		0.010	0.18	0.94	28	0.18	9.69	130
CC116008		0.005	0.11	0.99	22	0.06	11.75	131
CC116009		<0.005	0.09	0.98	21	0.06	8.78	148
CC116010		0.005	0.13	1.02	27	0.07	9.56	155
CC116011		0.008	0.11	1.46	23	0.12	11.80	86
CC116012		0.006	0.19	0.87	20	0.06	10.05	137
CC116013		0.005	0.19	1.06	20	0.05	12.35	140
CC116014		<0.005	0.11	0.88	16	0.05	9.42	112
CC116015		0.005	0.16	1.22	16	0.05	9.17	128
CC116016		0.005	0.28	1.09	21	0.06	10.45	149
CC116017		0.006	0.16	0.73	21	0.07	9.79	131
CC116018		0.007	0.15	1.17	24	0.10	11.90	121
CC116508		0.010	0.10	0.35	21	0.10	4.79	33
CC116509		0.037	0.04	0.42	48	0.16	1.80	38
CC116510		0.006	0.10	0.49	16	<0.05	19.00	40
CC116511		<0.005	0.10	0.56	12	<0.05	27.6	34
CC116512		0.011	0.05	0.61	35	0.10	6.33	47
CC116513		<0.005	<0.02	0.28	6	<0.05	1.57	37
CC116514		<0.005	0.05	0.44	10	<0.05	2.94	31
CC116515		<0.005	0.05	0.40	17	<0.05	2.85	46
CC116516		<0.005	0.13	1.42	18	0.05	12.50	48
CC116517		0.010	0.20	0.54	23	<0.05	4.54	60
CC116518		0.009	0.12	0.59	32	0.05	3.81	52
CC116519		0.010	0.13	0.73	32	0.11	5.10	78
CC116520		0.006	0.10	0.55	26	<0.05	4.67	56
CC116521		0.005	0.15	0.69	18	<0.05	5.37	56
CC116522		0.007	0.13	1.24	31	0.09	9.99	95
CC116523		0.008	0.18	1.25	37	0.11	4.90	103
CC116524		0.008	0.14	1.08	31	0.14	7.94	100
CC116525		0.012	0.18	0.82	39	0.10	3.66	81
CC116526		0.007	0.15	0.69	28	0.07	4.72	75
CC116527		<0.005	0.15	2.78	22	0.06	18.10	98
CC116528		0.007	0.15	1.51	25	0.08	11.65	103
CC116529		0.006	0.18	0.69	28	0.09	12.35	119



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC116530		0.17	0.003	0.11	0.80	23.8	<0.2	<10	260	0.88	0.27	1.41	0.42	15.95	11.6	13
CC116531		0.19	0.001	0.10	0.71	32.1	<0.2	<10	370	0.75	0.30	2.26	0.32	17.05	13.2	11
CC116532		0.13	0.001	0.13	0.70	28.3	<0.2	<10	390	0.63	0.25	3.06	0.39	16.50	10.6	10
CC116533		0.21	0.002	0.18	0.81	32.3	<0.2	<10	300	1.19	0.43	1.50	0.38	34.7	22.8	14
CC116534		0.19	0.001	0.10	0.74	12.9	<0.2	<10	320	0.58	0.25	2.08	0.24	20.5	8.6	11
CC116535		0.24	0.002	0.16	1.11	29.9	<0.2	<10	250	1.03	0.37	1.98	0.29	20.7	14.2	20
CC116536		0.36	0.001	0.12	0.92	63.9	<0.2	<10	260	0.71	0.23	6.91	0.60	18.10	12.3	14
CC116537		0.22	0.001	0.16	1.37	50.2	<0.2	<10	150	1.03	0.26	3.50	0.42	26.6	11.9	22
CC116538		0.25	0.002	0.03	1.81	29.3	<0.2	<10	170	0.91	0.27	0.16	0.18	24.4	11.5	27
CC116539		0.17	0.001	0.05	1.78	54.3	<0.2	<10	160	0.95	0.23	0.99	0.25	33.7	9.1	27
CC116540		0.27	0.002	0.14	0.72	48.4	<0.2	<10	180	0.99	0.40	1.93	0.17	21.9	12.6	13
CC116541		0.24	0.001	0.04	1.07	14.8	<0.2	<10	160	0.70	0.30	0.07	0.10	20.3	10.3	20
CC116542		0.28	<0.001	0.04	0.66	8.3	<0.2	<10	50	0.83	0.58	0.09	0.08	11.95	19.9	14
CC116543		0.12	<0.001	0.26	1.05	7.5	<0.2	<10	200	1.10	0.37	0.23	0.39	24.3	4.8	17
CC116544		0.19	0.001	0.14	1.77	13.1	<0.2	<10	190	0.67	0.30	0.24	0.16	27.0	8.8	29
CC116545		0.21	0.001	0.15	1.75	12.4	<0.2	<10	310	1.15	0.30	0.25	0.21	33.1	10.9	27
CC116546		0.19	<0.001	0.02	2.22	20.8	<0.2	<10	150	0.81	0.33	0.03	0.09	21.3	11.8	25
CC116547		0.32	<0.001	0.05	1.46	25.2	<0.2	<10	70	0.40	0.27	0.03	0.18	21.4	9.2	22
CC116548		0.14	0.002	0.14	1.10	21.1	<0.2	<10	190	1.09	0.38	1.00	0.14	15.45	11.4	17
CC116549		0.17	0.001	0.06	1.64	14.3	<0.2	<10	160	0.77	0.33	0.06	0.09	18.30	11.2	27
CC116550		0.24	0.003	0.11	1.86	19.7	<0.2	<10	130	1.62	0.37	0.09	0.13	26.6	15.7	30
CC116551		0.21	<0.001	0.05	1.18	10.2	<0.2	<10	70	0.32	0.39	0.04	0.08	16.85	4.9	18
CC116552		0.23	0.004	0.09	1.59	23.6	<0.2	<10	90	1.88	0.29	0.05	0.11	39.1	12.7	22
CC116553		0.21	0.001	0.04	1.33	13.2	<0.2	<10	70	0.57	0.35	0.02	0.08	17.35	9.8	22
CC116554		0.26	0.001	0.05	1.51	15.8	<0.2	<10	70	0.66	0.48	0.02	0.11	14.40	14.0	25
CC116556		0.25	0.002	0.04	1.54	17.2	<0.2	<10	120	0.69	0.37	0.04	0.11	20.7	10.3	26
CC116557		0.25	<0.001	0.05	0.80	7.7	<0.2	<10	80	0.37	0.40	0.05	0.12	17.50	8.3	17
CC116558		0.31	0.002	0.17	1.59	10.8	<0.2	<10	190	1.35	0.38	0.24	0.07	33.0	16.5	29
CC116559		0.25	0.001	0.04	2.03	15.1	<0.2	<10	90	0.61	0.35	0.05	0.18	27.6	12.0	36
CC116051		0.21	0.001	0.05	0.93	8.7	<0.2	<10	60	0.22	0.27	0.02	0.05	20.0	4.3	12
CC116052		0.25	0.001	0.13	1.52	8.6	<0.2	<10	90	0.82	0.39	0.03	0.12	16.90	10.5	17
CC116053		0.26	0.001	0.03	1.06	7.6	<0.2	<10	60	0.33	0.38	0.03	0.05	11.65	5.2	13
CC116054		0.27	<0.001	0.04	1.49	9.4	<0.2	<10	130	0.59	0.49	0.04	0.06	15.75	8.2	21
CC116055		0.30	0.001	0.06	1.40	5.2	<0.2	<10	340	1.96	0.38	0.31	0.10	19.95	14.1	23
CC116056		0.25	<0.001	0.04	1.13	2.5	<0.2	<10	140	0.60	0.40	0.04	0.04	9.34	12.5	23
CC116057		0.20	0.001	0.07	0.91	3.7	<0.2	<10	140	0.68	0.30	0.16	0.09	8.25	7.5	17
CC116058		0.38	0.001	0.06	1.48	7.7	<0.2	<10	200	1.24	0.44	0.08	0.07	18.80	17.5	26
CC116059		0.35	0.001	0.07	1.40	9.1	<0.2	<10	140	1.21	0.45	0.10	0.12	18.25	15.8	24
CC116060		0.26	<0.001	0.05	1.07	14.2	<0.2	<10	60	0.57	0.42	0.03	0.08	17.90	9.4	18
CC116061		0.27	<0.001	0.08	1.06	14.6	<0.2	<10	410	2.16	0.37	0.22	0.12	28.2	11.2	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC116530		1.29	31.1	2.96	2.21	<0.05	0.05	0.80	0.028	0.11	7.6	10.0	0.27	752	0.94
CC116531		1.95	27.4	2.54	1.96	<0.05	0.04	0.83	0.027	0.08	8.1	7.9	0.23	522	0.66
CC116532		1.07	22.8	2.36	1.97	<0.05	0.03	0.58	0.024	0.07	7.5	9.1	0.42	584	0.69
CC116533		1.82	52.5	3.93	2.12	0.05	0.06	0.60	0.039	0.12	15.2	10.0	0.40	1020	1.31
CC116534		0.67	26.1	2.40	2.48	<0.05	0.02	0.24	0.022	0.10	9.1	6.6	0.19	632	0.66
CC116535		2.30	30.4	3.55	3.36	<0.05	0.07	0.69	0.033	0.13	9.7	19.6	1.00	502	1.06
CC116536		1.11	29.6	3.00	2.76	<0.05	0.05	1.11	0.025	0.08	8.2	12.7	3.89	1020	1.17
CC116537		0.81	21.7	3.69	3.55	<0.05	0.05	1.32	0.029	0.08	14.0	13.8	2.09	1180	1.11
CC116538		1.16	16.9	3.68	4.64	<0.05	0.05	0.44	0.030	0.07	10.5	17.8	0.43	481	1.03
CC116539		0.85	8.5	3.79	4.64	<0.05	0.07	0.41	0.031	0.07	16.9	14.2	0.83	1400	0.75
CC116540		1.85	28.2	3.24	2.18	<0.05	0.05	0.53	0.034	0.09	10.3	7.4	0.99	502	0.67
CC116541		3.55	21.9	3.40	3.48	<0.05	<0.02	0.08	0.023	0.08	9.1	23.1	0.33	295	0.93
CC116542		3.06	43.4	4.25	2.53	<0.05	<0.02	0.03	0.033	0.09	4.8	9.2	0.19	762	0.57
CC116543		3.01	35.7	2.27	4.69	<0.05	<0.02	0.05	0.025	0.08	11.4	6.2	0.11	161	0.92
CC116544		1.67	13.7	3.58	6.10	<0.05	0.02	0.05	0.029	0.08	12.9	22.2	0.45	371	1.27
CC116545		2.13	16.1	3.39	5.61	<0.05	0.02	0.09	0.032	0.08	14.2	29.1	0.43	525	1.02
CC116546		1.25	16.7	4.56	5.81	<0.05	0.05	0.17	0.041	0.05	9.3	24.0	0.27	474	1.08
CC116547		1.08	17.1	4.22	5.55	<0.05	0.05	0.10	0.029	0.05	10.7	17.7	0.25	266	2.03
CC116548		1.54	31.0	3.28	3.27	<0.05	0.08	0.29	0.030	0.11	8.1	15.6	0.32	504	0.75
CC116549		1.87	18.8	3.89	5.19	<0.05	0.02	0.07	0.027	0.07	7.8	30.2	0.38	687	0.94
CC116550		1.87	41.7	3.92	5.43	<0.05	0.03	0.33	0.038	0.09	11.9	32.5	0.42	618	0.97
CC116551		2.05	17.2	2.67	6.66	<0.05	<0.02	0.05	0.020	0.10	7.7	7.4	0.15	225	0.84
CC116552		1.31	25.0	3.58	3.17	<0.05	0.06	0.84	0.034	0.07	11.7	18.5	0.22	509	0.56
CC116553		1.52	17.7	3.77	5.04	<0.05	0.04	0.06	0.029	0.11	7.0	30.5	0.27	327	0.71
CC116554		1.85	19.1	5.05	6.54	<0.05	0.03	0.19	0.030	0.12	6.0	31.0	0.33	331	0.85
CC116556		1.32	21.6	4.34	6.23	<0.05	0.02	0.05	0.032	0.11	9.0	27.3	0.32	551	1.10
CC116557		1.63	15.7	3.43	6.08	<0.05	<0.02	<0.01	0.025	0.14	8.0	6.9	0.12	557	0.80
CC116558		5.04	32.1	3.42	4.92	0.06	0.09	0.06	0.028	0.15	15.6	50.6	0.56	771	0.88
CC116559		2.16	20.3	3.83	6.86	0.09	0.02	0.05	0.036	0.10	12.0	26.6	0.45	599	1.60
CC116051		1.82	15.2	1.64	6.38	0.05	<0.02	0.03	0.012	0.08	8.1	4.3	0.07	214	0.92
CC116052		2.52	25.2	2.94	5.97	0.08	0.05	0.06	0.028	0.10	6.4	13.3	0.13	961	0.84
CC116053		1.68	22.3	2.49	7.01	<0.05	0.02	0.02	0.017	0.11	5.2	4.6	0.08	263	0.80
CC116054		1.97	22.6	4.42	7.11	<0.05	0.02	<0.01	0.022	0.12	6.8	16.0	0.23	482	0.75
CC116055		3.41	42.7	3.29	5.27	<0.05	0.02	0.03	0.022	0.11	7.7	31.2	0.36	706	0.63
CC116056		2.99	25.6	3.15	4.63	<0.05	<0.02	<0.01	0.014	0.08	4.1	29.9	0.39	352	0.42
CC116057		1.81	28.4	2.59	3.78	<0.05	0.02	0.02	0.018	0.08	3.9	16.3	0.21	200	0.50
CC116058		3.23	26.7	3.89	5.12	<0.05	0.02	0.10	0.026	0.09	7.9	36.9	0.44	1160	0.57
CC116059		2.93	31.0	3.74	4.95	<0.05	0.04	0.04	0.023	0.11	8.1	36.2	0.41	887	0.52
CC116060		2.82	30.1	3.40	4.76	<0.05	0.02	0.03	0.023	0.14	6.9	11.5	0.17	417	0.86
CC116061		2.67	53.6	2.60	4.00	0.08	0.03	0.10	0.025	0.15	15.5	13.5	0.15	578	0.67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC116530		0.29	24.7	680	23.8	7.7	<0.001	0.05	1.12	3.9	0.8	0.3	39.3	<0.01	0.03
CC116531		0.30	21.1	560	23.5	9.2	<0.001	0.08	1.18	3.8	1.0	0.4	61.0	<0.01	0.04
CC116532		0.30	17.9	510	18.2	6.4	<0.001	0.07	1.23	3.1	1.1	0.3	64.7	<0.01	0.03
CC116533		0.24	35.3	360	40.0	9.0	<0.001	0.02	1.31	8.9	1.1	0.4	36.2	<0.01	0.06
CC116534		0.48	13.4	540	16.8	7.5	<0.001	0.06	0.65	2.5	0.5	0.4	55.7	<0.01	0.03
CC116535		0.53	30.6	550	29.5	9.1	<0.001	0.03	1.08	5.9	0.6	0.4	46.8	<0.01	0.04
CC116536		0.32	24.9	780	30.0	6.7	<0.001	0.02	1.29	4.0	0.9	0.3	53.8	<0.01	0.04
CC116537		0.45	25.2	710	28.3	9.0	<0.001	0.02	1.19	4.8	0.8	0.4	26.6	<0.01	0.05
CC116538		0.64	26.1	170	22.9	12.0	<0.001	<0.01	0.79	4.3	0.3	0.5	10.8	<0.01	0.03
CC116539		0.60	20.9	190	48.9	10.5	<0.001	<0.01	0.95	6.2	0.4	0.6	13.1	<0.01	0.03
CC116540		0.31	25.8	580	32.0	7.9	<0.001	0.01	0.68	5.5	0.6	0.4	34.6	<0.01	0.05
CC116541		0.65	22.7	240	16.3	10.1	<0.001	<0.01	0.64	2.8	<0.2	0.5	10.4	<0.01	0.03
CC116542		0.25	23.5	360	13.4	10.5	<0.001	<0.01	0.23	3.7	0.2	0.5	18.6	<0.01	0.03
CC116543		0.51	21.2	610	17.5	14.8	<0.001	0.01	0.32	2.7	0.5	0.7	20.2	<0.01	0.03
CC116544		1.07	19.4	320	17.6	11.5	<0.001	<0.01	0.49	3.3	0.5	0.7	15.6	<0.01	0.03
CC116545		0.78	23.1	500	30.3	14.7	<0.001	<0.01	0.40	4.0	0.7	0.6	21.2	<0.01	0.03
CC116546		0.56	23.0	240	27.0	8.7	<0.001	<0.01	0.50	4.5	0.2	0.7	9.6	<0.01	0.04
CC116547		0.86	21.2	240	25.2	12.0	<0.001	<0.01	0.67	3.0	0.5	0.6	9.9	<0.01	0.03
CC116548		0.39	22.8	530	25.5	10.9	<0.001	0.03	0.69	4.3	0.6	0.5	37.5	<0.01	0.03
CC116549		0.84	23.1	410	21.1	11.5	<0.001	<0.01	0.48	2.6	0.4	0.5	10.1	<0.01	0.03
CC116550		0.77	37.4	410	35.8	11.4	<0.001	0.01	0.77	4.3	0.5	0.6	13.0	<0.01	0.03
CC116551		0.75	10.7	370	13.6	14.7	<0.001	0.01	0.42	2.0	0.3	0.8	7.8	<0.01	0.03
CC116552		0.30	34.3	210	44.7	8.9	<0.001	0.01	0.40	5.5	1.2	0.4	8.8	<0.01	0.02
CC116553		0.73	21.9	310	20.7	13.8	<0.001	0.01	0.42	2.7	0.2	0.6	6.9	<0.01	<0.01
CC116554		0.81	23.0	530	20.2	15.6	<0.001	0.01	0.49	2.7	0.4	0.7	7.9	<0.01	0.02
CC116556		1.02	22.4	680	17.8	16.6	<0.001	0.02	0.67	2.8	0.4	0.7	8.0	<0.01	0.05
CC116557		0.82	9.8	390	10.5	19.9	<0.001	0.01	0.37	1.9	0.3	0.7	7.2	<0.01	0.02
CC116558		0.66	34.9	370	25.8	27.6	0.001	0.02	0.59	5.8	0.9	0.6	19.5	<0.01	0.02
CC116559		1.65	25.2	480	23.5	15.3	<0.001	<0.01	0.84	3.3	0.8	0.8	8.9	<0.01	0.06
CC116051		0.59	8.2	400	13.2	13.4	<0.001	<0.01	0.51	1.2	0.3	0.8	4.9	<0.01	0.03
CC116052		0.60	14.5	760	26.0	15.3	<0.001	0.01	0.41	2.6	0.7	0.7	7.2	<0.01	0.04
CC116053		0.31	8.0	550	11.7	11.7	<0.001	0.02	0.30	1.4	0.2	0.8	6.6	<0.01	0.03
CC116054		0.57	14.8	520	18.9	15.3	<0.001	0.02	0.39	2.3	<0.2	0.7	8.0	<0.01	0.01
CC116055		0.44	22.7	600	21.8	10.9	<0.001	0.03	0.31	2.8	0.4	0.6	30.2	<0.01	0.01
CC116056		0.40	22.6	420	18.3	8.3	<0.001	0.02	0.22	2.4	0.3	0.5	7.3	<0.01	0.02
CC116057		0.31	14.9	660	16.8	7.6	<0.001	0.06	0.25	1.6	0.2	0.5	11.7	<0.01	0.03
CC116058		0.48	23.5	510	26.0	10.2	<0.001	0.02	0.31	2.5	0.3	0.5	12.2	<0.01	0.02
CC116059		0.42	25.2	460	24.2	9.8	<0.001	0.02	0.34	3.1	0.3	0.5	12.7	<0.01	0.01
CC116060		0.49	14.9	520	24.9	15.8	<0.001	0.03	0.55	2.1	0.6	0.6	8.4	<0.01	0.03
CC116061		0.38	16.8	640	24.0	13.6	<0.001	0.05	0.51	3.4	1.5	0.5	25.2	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
CC116530		0.005	0.15	1.26	23	0.05	9.00	117
CC116531		0.005	0.24	1.29	17	0.06	9.60	99
CC116532		0.006	0.17	0.87	20	0.05	9.26	76
CC116533		<0.005	0.22	0.89	26	0.06	20.0	125
CC116534		0.010	0.08	1.21	26	0.08	5.72	45
CC116535		0.009	0.21	0.76	28	0.09	9.88	123
CC116536		0.009	0.35	1.11	24	0.07	10.40	181
CC116537		0.010	0.23	1.10	35	0.11	15.00	133
CC116538		0.011	0.20	0.66	45	0.14	4.43	107
CC116539		0.011	0.29	0.84	47	0.12	13.90	102
CC116540		0.006	0.18	0.92	21	0.06	10.95	85
CC116541		0.014	0.10	0.53	32	0.16	3.26	69
CC116542		0.005	0.08	0.67	18	0.06	2.85	86
CC116543		0.007	0.08	1.22	37	0.11	10.05	54
CC116544		0.018	0.15	0.72	59	0.19	5.98	99
CC116545		0.012	0.15	1.19	49	0.20	10.80	100
CC116546		<0.005	0.21	0.51	45	0.08	3.91	82
CC116547		0.011	0.15	0.47	48	0.11	2.77	86
CC116548		0.005	0.16	1.02	23	0.07	10.35	98
CC116549		0.014	0.12	0.55	40	0.15	3.17	75
CC116550		0.015	0.15	1.11	41	0.19	5.86	91
CC116551		0.013	0.14	0.55	40	0.14	2.83	46
CC116552		0.005	0.18	1.19	23	0.07	10.25	75
CC116553		0.013	0.13	0.56	31	0.11	3.12	63
CC116554		0.016	0.13	0.64	36	0.12	3.28	74
CC116556		0.020	0.13	0.63	44	0.21	3.10	85
CC116557		0.028	0.10	0.46	39	0.12	2.68	60
CC116558		0.028	0.15	1.50	34	0.11	18.05	77
CC116559		0.035	0.15	0.96	54	0.30	3.73	99
CC116051		0.010	0.13	0.51	38	0.16	2.34	38
CC116052		0.007	0.14	1.20	29	0.09	7.15	41
CC116053		0.006	0.10	0.54	34	0.07	2.82	42
CC116054		0.010	0.14	0.70	36	0.10	4.62	57
CC116055		0.012	0.10	1.14	28	0.11	10.60	70
CC116056		0.012	0.07	0.92	23	0.08	7.87	62
CC116057		0.011	0.06	0.61	20	0.06	3.79	49
CC116058		0.012	0.09	0.87	29	0.10	7.26	75
CC116059		0.011	0.09	0.93	26	0.07	7.04	81
CC116060		0.009	0.15	0.58	30	0.09	3.32	66
CC116061		0.007	0.15	1.22	23	0.07	37.4	56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC116062		0.26	0.002	0.15	1.25	45.5	<0.2	<10	330	2.33	0.40	0.24	0.17	41.2	41.5	16
CC116063		0.34	0.001	0.06	1.25	11.7	<0.2	<10	90	0.87	0.47	0.05	0.10	19.45	14.1	21
CC116064		0.29	<0.001	0.07	0.77	11.7	<0.2	<10	60	0.41	0.37	0.02	0.11	18.30	9.8	15
CC116065		0.35	0.001	0.07	0.77	36.6	<0.2	<10	140	0.96	0.34	0.97	0.25	16.60	10.5	13
CC116066		0.23	0.001	0.12	0.96	23.1	<0.2	<10	330	0.72	0.26	2.90	0.40	15.20	9.5	15
CC116067		0.43	0.001	0.10	1.09	23.9	<0.2	<10	270	0.88	0.26	2.84	0.40	20.7	10.2	18
CC116068		0.38	0.001	0.09	1.45	24.0	<0.2	<10	270	0.89	0.28	1.12	0.29	25.8	10.7	24
CC116069		0.28	0.001	0.16	1.45	17.4	<0.2	<10	320	0.80	0.25	1.73	0.69	21.8	8.6	21
CC116070		0.36	0.001	0.08	1.78	23.6	<0.2	<10	200	1.24	0.29	0.37	0.31	41.4	12.0	28
CC116071		0.33	0.001	0.12	1.31	24.9	<0.2	<10	160	0.88	0.22	6.54	0.43	19.10	8.6	18
CC116072		0.26	0.001	0.10	0.57	21.3	<0.2	<10	200	0.57	0.20	8.18	0.25	14.60	7.5	10
CC116073		0.22	0.001	0.14	1.06	23.4	<0.2	<10	220	0.78	0.29	1.66	0.55	21.1	11.2	17
CC116074		0.26	0.001	0.09	1.12	24.6	<0.2	<10	210	1.01	0.27	3.32	0.39	22.7	12.7	15
CC116075		0.24	0.001	0.09	0.53	18.0	<0.2	<10	230	0.53	0.15	8.08	0.38	13.65	6.2	9
CC124816		0.21	0.001	0.05	1.48	10.0	<0.2	<10	80	0.41	0.32	0.11	0.09	25.2	6.0	22
CC124817		0.19	<0.001	0.03	1.19	6.7	<0.2	<10	80	0.38	0.45	0.04	0.03	18.25	4.8	14
CC124818		0.19	0.001	0.05	1.20	8.4	<0.2	<10	50	0.42	0.38	0.03	0.08	17.00	8.1	17
CC124819		0.18	0.001	0.03	1.32	9.7	<0.2	<10	60	0.39	0.38	0.03	0.07	19.45	8.6	18
CC124820		0.26	0.001	0.05	1.17	6.6	<0.2	<10	50	0.36	0.40	0.01	0.08	12.90	4.9	19
CC124821		0.21	<0.001	0.03	1.08	3.4	<0.2	<10	40	0.27	0.39	0.01	0.08	7.71	7.8	24
CC124822		0.18	0.001	0.23	2.25	11.9	<0.2	<10	110	0.84	0.33	0.05	0.14	20.0	8.5	29
CC124824		0.22	0.002	0.09	1.71	17.3	<0.2	<10	110	0.76	0.27	0.08	0.21	24.0	11.2	26
CC124825		0.18	0.001	0.04	1.65	14.1	<0.2	<10	110	0.54	0.29	0.08	0.11	24.9	6.1	24
CC124826		0.19	<0.001	0.05	0.77	6.8	<0.2	<10	160	0.89	0.26	0.05	0.10	33.3	2.7	11
CC124827		0.15	<0.001	0.01	1.03	9.4	<0.2	<10	100	0.28	0.28	0.19	0.23	19.15	5.8	16
CC124828		0.25	0.001	0.01	1.98	11.6	<0.2	<10	160	0.80	0.33	0.07	0.16	24.3	11.4	29
CC124829		0.12	0.002	0.05	1.58	13.9	<0.2	<10	180	0.79	0.32	0.14	0.40	23.3	11.5	25
CC124830		0.11	0.005	0.29	1.27	12.5	<0.2	<10	650	2.03	0.29	1.18	0.51	20.3	8.9	18
CC124831		0.09	0.005	0.32	1.50	7.2	<0.2	<10	1300	2.87	0.21	2.11	0.93	38.2	12.2	18
CC124832		0.24	0.003	0.34	1.35	7.9	<0.2	<10	560	0.97	0.24	1.06	0.32	17.40	6.2	17
CC124833		0.16	0.002	0.27	1.03	8.0	<0.2	<10	490	0.73	0.19	1.26	0.78	15.75	7.5	14
CC124834		0.24	0.001	0.04	1.71	19.9	<0.2	<10	180	0.63	0.29	0.14	0.18	25.7	9.0	23
CC124835		0.27	0.001	0.02	1.76	24.0	<0.2	<10	180	0.77	0.26	0.19	0.22	26.0	9.2	25
CC124836		0.22	0.001	0.09	1.81	39.8	<0.2	<10	210	0.76	0.28	2.64	0.59	23.7	9.1	25
CC124837		0.20	<0.001	0.09	2.03	47.8	<0.2	<10	210	1.34	0.30	3.26	0.36	40.8	11.7	27
CC124838		0.12	<0.001	0.11	1.58	38.0	<0.2	<10	170	0.80	0.20	5.68	0.71	22.6	7.8	20
CC124839		0.29	0.001	0.07	0.73	28	<0.2	<10	110	0.57	0.14	12.80	0.55	15.55	6.7	11
CC124840		0.18	0.001	0.15	0.98	30.3	<0.2	<10	170	0.68	0.21	7.18	0.56	21.9	9.3	15
CC124841		0.16	0.002	0.13	0.83	22.6	<0.2	<10	290	0.81	0.23	1.81	0.38	14.00	9.6	14
CC124842		0.25	0.002	0.11	0.98	32.5	<0.2	<10	210	1.01	0.33	0.85	0.31	21.9	14.5	19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC116062		2.54	101.0	6.42	2.71	0.06	0.06	0.19	0.045	0.10	13.2	19.3	0.19	6430	1.67
CC116063		5.13	39.4	4.20	4.97	<0.05	0.02	0.02	0.026	0.12	8.1	18.5	0.22	607	1.25
CC116064		2.97	24.1	2.76	4.37	<0.05	<0.02	0.04	0.025	0.16	7.2	4.2	0.09	766	1.11
CC116065		1.92	23.5	3.00	2.36	<0.05	0.06	0.50	0.030	0.11	7.2	9.1	0.49	657	0.89
CC116066		0.84	22.8	2.99	2.68	<0.05	0.05	0.52	0.029	0.07	6.4	9.8	1.10	781	0.76
CC116067		0.80	28.5	3.35	3.16	<0.05	0.04	0.55	0.030	0.09	9.6	13.0	1.08	759	0.98
CC116068		0.79	20.0	3.67	4.49	<0.05	0.06	0.34	0.036	0.08	15.3	15.6	0.76	792	1.03
CC116069		1.11	21.4	3.21	4.29	<0.05	0.04	0.18	0.035	0.07	11.9	12.2	0.54	1230	0.73
CC116070		1.10	18.5	4.17	4.99	0.06	0.05	0.23	0.041	0.10	20.4	15.2	0.41	982	1.04
CC116071		0.78	20.1	3.14	3.64	<0.05	0.05	0.32	0.031	0.09	10.6	11.8	3.82	960	0.83
CC116072		1.98	17.8	2.28	1.67	<0.05	0.04	0.56	0.022	0.08	6.8	6.8	4.74	644	0.58
CC116073		0.58	23.8	3.47	3.12	<0.05	0.04	0.39	0.033	0.08	9.3	10.6	0.52	1010	0.86
CC116074		0.50	30.8	3.85	3.05	<0.05	0.05	0.29	0.041	0.08	11.9	12.7	1.24	1240	0.78
CC116075		0.82	15.1	2.08	1.51	<0.05	0.05	0.50	0.022	0.07	6.4	6.3	4.45	756	0.54
CC124816		1.68	11.2	3.04	6.77	<0.05	<0.02	<0.01	0.021	0.11	12.3	14.4	0.27	360	1.57
CC124817		2.26	18.6	2.51	7.09	<0.05	<0.02	<0.01	0.020	0.18	7.6	2.9	0.08	246	0.74
CC124818		2.13	17.3	3.28	5.40	<0.05	<0.02	0.02	0.017	0.09	7.1	16.5	0.18	298	0.98
CC124819		1.70	16.3	3.41	6.80	<0.05	<0.02	0.02	0.023	0.09	8.5	15.0	0.17	412	1.08
CC124820		2.11	19.5	3.68	7.74	<0.05	<0.02	0.06	0.018	0.06	5.8	5.6	0.09	223	0.84
CC124821		1.74	10.5	3.99	6.56	<0.05	<0.02	0.02	0.017	0.08	3.7	10.4	0.19	261	0.48
CC124822		1.78	12.5	4.44	6.76	<0.05	0.03	0.13	0.040	0.06	7.9	29.3	0.21	458	0.96
CC124824		1.28	15.6	3.39	5.25	<0.05	0.03	0.15	0.024	0.06	10.0	20.0	0.36	496	1.06
CC124825		1.53	12.5	3.03	6.08	<0.05	0.03	0.08	0.026	0.06	13.2	16.3	0.31	196	1.27
CC124826		1.34	11.2	1.36	3.74	0.07	<0.02	0.04	0.014	0.05	19.2	2.7	0.06	69	0.76
CC124827		0.74	9.0	2.87	5.51	<0.05	0.02	0.07	0.019	0.06	8.8	12.2	0.22	222	1.20
CC124828		1.60	17.3	3.98	6.36	<0.05	0.11	0.02	0.034	0.08	11.1	29.5	0.46	397	1.10
CC124829		1.99	20.1	3.56	5.74	<0.05	0.02	0.10	0.029	0.08	9.9	19.3	0.30	542	1.38
CC124830		3.24	108.0	2.72	3.72	<0.05	0.04	0.29	0.025	0.07	11.0	13.9	0.30	718	1.15
CC124831		2.92	77.9	2.23	3.83	0.06	0.05	0.30	0.025	0.05	23.4	8.6	0.30	1780	1.04
CC124832		5.22	23.6	2.25	4.23	<0.05	0.05	0.32	0.028	0.09	7.6	15.0	0.26	198	1.23
CC124833		3.08	21.3	2.06	3.05	<0.05	0.04	0.28	0.023	0.07	6.5	10.2	0.30	647	0.96
CC124834		1.66	8.7	3.14	5.56	<0.05	0.05	0.25	0.033	0.05	10.9	14.9	0.34	276	0.92
CC124835		1.43	10.9	3.52	5.46	<0.05	0.04	0.19	0.028	0.05	10.7	16.4	0.40	418	1.08
CC124836		1.31	11.5	3.50	5.40	<0.05	0.05	0.56	0.029	0.06	10.8	13.8	1.54	1380	1.07
CC124837		1.05	21.5	4.47	5.03	0.05	0.10	1.22	0.034	0.07	18.4	13.5	2.04	1380	1.27
CC124838		0.72	13.2	3.31	3.90	<0.05	0.03	0.27	0.022	0.05	11.9	10.0	3.17	1550	0.75
CC124839		0.53	15.4	2.05	1.93	<0.05	0.06	0.57	0.015	0.06	8.1	5.8	7.40	1100	0.64
CC124840		0.60	20.6	2.86	2.70	<0.05	0.05	0.66	0.021	0.07	10.7	8.6	4.33	1180	0.82
CC124841		0.90	28.0	2.77	2.40	<0.05	0.04	0.61	0.029	0.08	6.7	7.9	0.28	640	0.92
CC124842		1.30	29.4	3.81	3.20	<0.05	0.06	0.51	0.033	0.09	8.3	14.0	0.42	850	1.26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC116062		0.25	48.1	870	66.1	9.7	<0.001	0.05	1.48	5.4	1.0	0.3	18.7	<0.01	0.04	4.5
CC116063		0.74	21.5	510	23.3	15.4	<0.001	0.02	0.52	2.4	0.3	0.6	11.8	<0.01	0.03	3.7
CC116064		0.28	15.9	490	17.6	16.0	<0.001	0.02	0.40	1.8	<0.2	0.6	7.8	<0.01	0.01	1.6
CC116065		0.35	20.2	390	21.7	8.0	<0.001	0.02	0.81	4.7	0.2	0.4	22.5	<0.01	0.02	3.5
CC116066		0.38	19.5	590	26.1	5.8	<0.001	0.06	0.77	3.3	0.9	0.4	36.3	<0.01	0.03	1.2
CC116067		0.37	23.7	340	25.4	7.3	<0.001	0.04	0.79	4.9	0.9	0.4	45.1	<0.01	0.03	2.2
CC116068		0.69	23.3	270	25.7	8.7	<0.001	0.01	0.73	5.2	1.1	0.5	16.1	<0.01	0.04	4.2
CC116069		0.62	18.6	540	21.5	9.9	<0.001	0.05	0.68	3.5	0.6	0.5	30.9	<0.01	0.04	1.2
CC116070		0.79	26.2	210	23.6	12.7	<0.001	0.01	0.75	6.8	0.6	0.6	13.8	<0.01	0.04	5.6
CC116071		0.39	19.6	820	26.2	9.4	<0.001	0.04	0.90	3.6	0.9	0.4	41.5	<0.01	0.03	1.5
CC116072		0.24	14.8	650	75.7	7.5	0.001	0.04	0.66	3.3	<0.2	0.3	57.1	<0.01	0.01	2.4
CC116073		0.40	21.8	460	28.4	6.5	<0.001	0.04	0.69	3.9	0.4	0.4	21.9	<0.01	0.04	1.7
CC116074		0.24	23.0	540	27.8	6.2	<0.001	0.05	0.66	4.8	0.8	0.4	31.3	<0.01	0.04	1.5
CC116075		0.19	12.9	780	40.1	5.8	0.001	0.07	0.65	2.9	0.6	0.2	47.0	<0.01	0.02	1.4
CC124816		1.07	12.6	440	13.7	15.6	<0.001	0.02	0.58	2.0	0.5	0.8	8.8	<0.01	0.03	1.7
CC124817		0.67	6.9	380	9.2	21.7	<0.001	0.01	0.30	1.8	<0.2	1.0	6.7	<0.01	0.03	2.6
CC124818		0.64	14.1	390	17.5	14.0	<0.001	0.01	0.45	1.6	0.3	0.7	6.2	<0.01	<0.01	2.2
CC124819		0.91	13.6	330	16.3	17.5	<0.001	0.01	0.47	2.1	0.5	0.8	6.8	<0.01	0.03	3.3
CC124820		0.74	8.9	560	15.0	11.7	<0.001	0.01	0.47	1.7	0.6	0.9	4.8	<0.01	0.02	2.0
CC124821		0.70	12.2	320	15.8	13.1	<0.001	<0.01	0.30	1.8	0.3	0.9	5.1	<0.01	0.01	3.7
CC124822		1.15	16.6	450	19.5	13.3	<0.001	0.02	0.44	3.0	0.6	0.7	7.6	0.01	0.04	3.8
CC124824		1.13	22.7	410	24.5	12.6	<0.001	<0.01	0.68	2.7	0.5	0.6	10.9	<0.01	0.03	3.9
CC124825		1.25	18.2	360	22.2	12.2	<0.001	<0.01	0.64	2.6	0.6	0.7	11.2	<0.01	0.02	4.4
CC124826		0.56	9.8	290	22.8	10.1	<0.001	<0.01	0.30	1.8	0.4	0.7	10.6	<0.01	0.02	1.3
CC124827		1.02	13.1	150	17.3	12.4	<0.001	<0.01	0.54	1.9	0.3	0.6	10.0	<0.01	0.03	3.0
CC124828		1.00	25.3	160	22.0	16.7	<0.001	<0.01	0.60	3.3	0.5	0.8	9.6	<0.01	0.03	5.3
CC124829		0.93	21.6	580	24.5	14.1	<0.001	0.02	0.69	2.8	0.6	0.7	12.5	<0.01	0.03	2.0
CC124830		0.50	26.2	990	27.1	12.0	<0.001	0.06	0.67	3.6	1.0	0.4	52.3	<0.01	0.03	1.3
CC124831		0.62	29.2	1030	27.1	9.9	<0.001	0.09	0.62	3.4	1.8	0.5	52.0	<0.01	0.02	1.0
CC124832		0.61	18.0	1060	19.6	17.2	<0.001	0.08	0.58	2.9	0.5	0.5	35.9	<0.01	0.03	1.1
CC124833		0.52	17.1	870	18.8	11.5	<0.001	0.08	0.51	2.2	0.6	0.4	36.9	<0.01	<0.01	0.8
CC124834		0.97	16.0	130	51.6	12.0	<0.001	<0.01	0.47	2.7	<0.2	0.7	11.6	<0.01	0.04	4.0
CC124835		0.99	20.7	210	20.0	10.4	<0.001	<0.01	0.70	3.0	0.2	0.6	11.0	<0.01	0.01	3.9
CC124836		0.88	19.5	600	24.1	11.8	<0.001	0.02	0.82	3.7	0.5	0.6	19.8	<0.01	0.04	2.6
CC124837		0.58	28.4	410	33.1	9.5	<0.001	0.02	1.20	6.6	1.0	0.6	16.8	<0.01	0.03	4.7
CC124838		0.66	17.3	950	23.9	6.5	<0.001	0.05	0.95	2.5	1.0	0.5	33.8	<0.01	0.02	1.0
CC124839		0.25	14.3	880	26.7	4.6	<0.001	0.03	1.03	2.9	0.5	0.3	43.5	<0.01	0.03	2.1
CC124840		0.47	18.7	970	32.2	5.7	<0.001	0.05	1.07	3.0	0.6	0.3	33.2	<0.01	0.03	1.4
CC124841		0.36	19.1	780	19.6	6.9	<0.001	0.08	1.01	2.8	1.0	0.3	48.4	<0.01	0.02	0.6
CC124842		0.54	26.4	270	29.1	8.5	<0.001	0.02	1.22	5.7	0.8	0.4	26.8	<0.01	0.03	4.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC116062		0.007	0.20	1.41	22	0.08	19.70	83	1.6
CC116063		0.014	0.14	0.83	39	0.16	3.78	76	0.7
CC116064		0.006	0.13	0.54	29	0.07	2.70	66	<0.5
CC116065		0.006	0.19	0.63	20	0.06	7.48	88	1.6
CC116066		0.007	0.19	1.21	27	0.07	7.22	131	1.0
CC116067		0.005	0.19	1.20	32	0.09	12.65	113	1.3
CC116068		0.014	0.17	1.02	42	0.12	9.52	138	1.8
CC116069		0.014	0.15	0.94	40	0.19	8.80	184	1.2
CC116070		0.014	0.22	1.06	49	0.15	15.75	115	2.3
CC116071		0.008	0.20	1.08	32	0.08	10.10	164	1.3
CC116072		0.007	0.20	0.98	16	0.06	7.29	154	1.3
CC116073		0.008	0.13	1.18	31	0.08	7.52	103	1.1
CC116074		<0.005	0.13	1.16	26	0.05	14.85	101	1.3
CC116075		0.005	0.13	1.75	15	0.05	8.21	119	1.3
CC124816		0.030	0.18	0.57	53	0.23	2.61	52	<0.5
CC124817		0.016	0.17	0.56	39	0.08	3.91	36	0.5
CC124818		0.016	0.14	0.53	33	0.12	3.00	49	<0.5
CC124819		0.014	0.14	0.58	37	0.13	3.09	45	0.6
CC124820		0.016	0.12	0.67	45	0.14	2.92	33	<0.5
CC124821		0.011	0.10	0.76	35	0.11	2.42	42	<0.5
CC124822		0.012	0.15	0.80	48	0.18	3.44	126	1.5
CC124824		0.022	0.15	0.69	45	0.25	3.46	75	0.9
CC124825		0.021	0.14	0.74	49	0.28	3.94	66	1.0
CC124826		0.010	0.09	1.14	28	0.14	18.70	26	<0.5
CC124827		0.017	0.09	0.40	42	0.18	2.06	80	0.8
CC124828		0.017	0.15	0.69	47	0.19	3.56	73	4.2
CC124829		0.012	0.15	0.98	51	0.18	4.30	108	0.5
CC124830		0.008	0.09	1.60	31	0.09	16.25	82	1.4
CC124831		0.012	0.13	1.98	34	0.11	31.2	64	1.0
CC124832		0.006	0.16	1.12	33	0.12	8.76	59	1.2
CC124833		0.008	0.12	1.15	27	0.12	6.52	63	1.2
CC124834		0.014	0.21	0.58	47	0.16	2.77	153	1.7
CC124835		0.016	0.22	0.68	50	0.33	3.41	126	1.7
CC124836		0.014	0.29	1.34	49	0.17	7.02	166	1.4
CC124837		0.007	0.48	1.29	46	0.13	17.70	133	2.5
CC124838		0.016	0.16	1.55	39	0.12	11.40	136	0.9
CC124839		0.005	0.29	1.51	18	0.07	10.35	130	1.5
CC124840		0.009	0.21	1.33	26	0.11	11.50	168	1.1
CC124841		0.006	0.16	1.05	24	0.07	8.30	116	1.0
CC124842		0.009	0.19	0.61	28	0.09	7.42	142	1.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC124843		0.13	0.001	0.10	0.96	24.4	<0.2	<10	310	0.75	0.28	0.75	0.22	18.10	10.3	16



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 4- AUG- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
CC124843		0.78	26.1	3.47	3.04	<0.05	0.04	0.84	0.027	0.08	8.0	12.4	0.26	729	1.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC124843		0.46	22.0	240	20.7	7.8	<0.001	0.02	0.86	4.5	0.9	0.4	29.4	<0.01	0.01	3.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 4- AUG- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11123801

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
CC124843		0.005	0.02	0.05	1	0.05	0.05	2	0.5
		0.006	0.14	0.64	32	0.07	7.90	98	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11123801

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 18- AUG- 2011
Account: MTT

CERTIFICATE WH11134182

Project: Midas Touch- Crag East

P.O. No.:

This report is for 151 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
EXTRA- 01	Extra Sample received in Shipment
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC153023		0.32	0.002	0.12	1.00	17.5	<0.2	<10	160	1.11	0.30	1.49	0.23	9.75	11.1	17
CC153024		0.32	0.002	0.16	0.69	12.1	<0.2	<10	170	1.01	0.33	1.11	0.12	14.75	10.8	13
CC153025		0.18	0.002	0.15	0.96	8.3	<0.2	<10	140	0.88	0.26	2.51	0.15	10.35	8.5	15
CC153026		0.18	0.002	0.14	0.95	12.0	<0.2	<10	190	0.54	0.21	2.48	0.18	13.20	6.4	13
CC153027		0.48	0.003	0.15	1.30	22.2	<0.2	<10	280	1.21	0.34	0.74	0.24	17.50	13.3	22
CC153028		0.34	0.003	0.19	0.94	23.7	<0.2	10	210	0.94	0.27	4.19	0.87	12.55	12.8	17
CC153029		0.38	0.003	0.20	1.14	1570	<0.2	<10	240	1.13	0.29	1.64	0.84	16.45	9.9	19
CC153030		0.40	0.002	0.09	1.29	29.6	<0.2	<10	220	0.76	0.29	0.35	0.14	18.60	10.8	25
CC153031		0.34	0.002	0.14	0.94	35.4	<0.2	<10	290	0.93	0.25	1.85	0.55	12.80	10.3	16
CC153207		0.30	0.001	0.06	0.61	20.1	<0.2	<10	60	0.19	0.23	0.02	0.05	13.70	3.2	9
CC153208		0.30	0.003	0.22	1.00	20.8	<0.2	<10	250	0.94	0.24	3.62	0.63	16.00	12.8	17
CC153209		0.60	0.001	0.06	1.03	606	<0.2	<10	150	0.86	0.35	0.13	0.17	9.53	7.1	16
CC153210		0.40	0.001	0.08	1.49	15.4	<0.2	<10	170	0.71	0.31	0.29	0.12	25.3	8.8	20
CC153211		0.26	0.002	0.13	1.04	22.3	<0.2	10	170	0.83	0.25	2.29	0.37	11.00	9.1	15
CC153212		0.24	0.003	0.23	0.86	113.5	<0.2	10	360	0.86	0.23	1.70	1.02	11.20	17.9	15
CC153213		0.42	0.003	0.17	0.48	118.0	<0.2	10	450	0.57	0.32	0.34	2.16	4.28	9.3	9
CC153052		0.30	0.002	0.16	0.95	22.2	<0.2	10	200	0.89	0.24	1.61	0.36	12.95	8.6	16
CC153053		0.40	0.002	0.11	1.21	20.7	<0.2	<10	200	0.92	0.33	0.30	0.21	20.0	11.0	24
CC153054		0.36	0.003	0.18	0.99	12	<0.2	10	210	0.44	0.19	11.50	0.48	12.55	7.9	13
CC153055		0.32	0.004	0.08	1.09	19.9	<0.2	<10	210	0.88	0.27	1.34	0.26	14.95	10.8	18
CC153056		0.34	0.003	0.12	1.24	22.3	<0.2	<10	270	1.09	0.25	2.25	0.71	14.00	10.4	19
CC153057		0.28	0.002	0.15	0.73	20.3	<0.2	<10	380	0.68	0.16	3.01	0.72	9.70	7.2	11
CC153105		0.28	0.004	0.56	0.89	85.4	<0.2	<10	310	1.18	0.31	1.00	1.03	12.45	11.9	20
CC153106		0.32	0.003	0.22	0.84	38.5	<0.2	10	290	1.03	0.25	1.31	0.98	14.70	9.2	15
CC153107		0.34	0.003	0.11	1.17	18.4	<0.2	<10	150	0.92	0.32	1.45	0.18	14.75	12.2	17
CC153108		0.46	0.002	0.07	1.13	45.2	<0.2	<10	190	0.82	0.30	0.43	0.29	17.50	11.8	24
CC153109		0.44	0.002	0.05	0.71	9.2	<0.2	<10	160	0.94	0.37	0.38	0.06	12.30	10.0	13
CC153110		0.26	0.004	0.16	1.11	30.6	<0.2	10	220	1.03	0.29	1.33	0.36	14.20	9.9	19
CC153111		0.46	0.003	0.13	1.51	69.8	<0.2	<10	180	1.18	0.28	3.06	0.35	15.70	9.7	20
CC153112		0.42	0.003	0.06	1.64	103.0	<0.2	<10	240	1.20	0.27	2.63	0.13	20.7	10.8	24
CC153113		0.38	0.003	0.16	1.24	28.2	<0.2	<10	280	1.13	0.33	1.64	0.24	16.10	12.6	20
CC153114		0.44	0.003	0.07	1.55	21.3	<0.2	<10	210	0.89	0.32	0.35	0.17	22.1	14.1	25
CC153115		0.50	0.003	0.14	1.40	26.6	<0.2	<10	300	1.14	0.35	0.41	0.26	20.3	14.3	24
CC153116		0.36	0.003	0.15	0.94	33.0	<0.2	<10	190	0.98	0.32	1.04	0.48	15.80	12.0	17
CC153117		0.32	0.002	0.03	1.04	31.8	<0.2	<10	90	0.39	0.31	0.19	0.12	11.95	10.5	20
CC153118		0.32	0.002	0.13	0.54	11.7	<0.2	<10	80	1.23	0.40	1.89	0.07	23.7	16.9	11
CC153119		0.36	0.002	0.21	0.23	177.5	<0.2	<10	70	0.65	0.31	2.09	0.18	13.05	10.3	6
CC153120		0.32	0.002	0.06	0.81	18.7	<0.2	<10	100	0.85	0.33	0.43	0.09	17.05	10.4	15
CC153121		0.40	0.003	0.17	1.03	40.7	<0.2	<10	170	0.82	0.24	1.62	1.55	15.20	10.6	19
CC153122		0.32	0.002	0.14	0.82	116.5	<0.2	<10	120	0.60	0.17	4.51	0.97	15.65	11.3	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC153023		4.56	31.7	3.09	3.40	0.10	0.05	0.23	0.035	0.08	4.2	13.5	0.34	491	0.55
CC153024		2.57	28.1	3.14	2.46	0.11	0.04	0.10	0.043	0.06	5.9	8.0	0.14	433	0.81
CC153025		1.48	25.9	2.28	3.20	0.10	0.04	0.12	0.029	0.06	4.2	13.7	0.19	459	0.40
CC153026		1.04	19.7	2.28	3.48	0.10	0.02	0.08	0.025	0.04	4.9	16.6	0.22	279	0.40
CC153027		0.82	32.7	3.48	4.66	0.11	0.05	2.20	0.037	0.08	9.4	17.6	0.31	692	2.05
CC153028		13.85	33.3	2.94	3.08	0.11	0.07	0.62	0.032	0.11	5.4	14.0	0.75	534	1.28
CC153029		8.17	30.7	3.20	3.96	0.10	0.06	1.47	0.032	0.10	7.3	15.3	0.50	606	0.82
CC153030		17.70	21.6	3.33	4.58	0.10	0.05	0.20	0.032	0.07	8.7	20.2	0.39	488	1.11
CC153031		6.00	28.7	2.65	3.28	0.12	0.04	1.57	0.030	0.08	5.7	12.7	0.34	616	0.95
CC153207		1.31	9.4	1.84	4.06	0.08	<0.02	0.10	0.013	0.03	6.5	2.9	0.06	137	1.39
CC153208		0.54	33.1	3.01	3.52	0.11	0.11	0.29	0.032	0.10	6.7	15.7	1.08	651	1.94
CC153209		4.96	23.1	3.10	3.65	0.09	0.04	1.53	0.031	0.13	4.1	13.9	0.20	235	1.39
CC153210		1.79	13.1	3.28	5.21	0.11	0.04	0.04	0.032	0.06	9.0	25.3	0.23	222	0.99
CC153211		2.46	31.8	2.43	3.34	0.11	0.05	0.14	0.029	0.07	4.4	27.6	0.36	371	0.56
CC153212		6.56	26.0	3.49	2.97	0.10	0.05	0.90	0.034	0.07	5.0	10.7	0.21	3440	7.26
CC153213		17.95	17.7	3.58	1.38	0.09	0.05	0.45	0.028	0.10	2.7	5.1	0.08	2750	6.81
CC153052		2.97	30.7	2.50	3.47	0.11	0.05	1.02	0.027	0.11	5.9	16.0	0.42	354	0.88
CC153053		1.55	25.7	3.31	4.39	0.10	0.03	0.21	0.031	0.08	10.3	20.2	0.38	482	1.08
CC153054		2.19	21.2	2.25	2.52	0.05	0.05	0.48	0.025	0.09	5.7	7.3	0.53	550	0.50
CC153055		0.63	23.0	3.02	3.56	0.09	0.05	0.57	0.031	0.09	5.1	16.8	0.49	608	0.94
CC153056		1.03	27.0	2.82	4.01	0.09	0.04	0.80	0.028	0.11	8.7	15.1	0.49	548	0.98
CC153057		0.59	20.9	2.02	2.17	0.09	0.04	1.11	0.018	0.06	4.0	7.2	0.26	862	0.59
CC153105		4.51	48.9	2.55	3.07	0.11	0.05	1.53	0.055	0.08	5.5	12.4	0.16	93	31.8
CC153106		4.77	27.0	2.92	2.80	0.11	0.06	1.08	0.029	0.07	6.4	12.1	0.21	285	1.66
CC153107		1.63	29.9	3.34	3.63	0.12	0.05	0.07	0.038	0.07	4.3	40.8	0.48	407	0.42
CC153108		0.82	20.5	3.41	4.28	0.11	0.05	0.16	0.029	0.07	7.1	17.2	0.34	388	1.35
CC153109		7.99	20.3	2.33	2.88	0.10	0.04	0.05	0.027	0.16	5.1	10.1	0.19	246	0.44
CC153110		2.37	29.0	2.73	3.89	0.09	0.05	0.27	0.028	0.10	6.3	17.6	0.37	485	0.65
CC153111		1.04	21.7	3.10	4.81	0.10	0.06	0.57	0.032	0.10	8.7	13.5	0.96	565	0.84
CC153112		1.02	22.9	3.62	5.29	0.10	0.07	0.30	0.035	0.10	10.6	16.9	1.50	1070	1.09
CC153113		1.42	36.3	3.60	4.25	0.08	0.07	0.47	0.041	0.11	6.9	17.7	0.56	511	1.44
CC153114		1.20	22.3	3.72	5.15	0.07	0.06	0.23	0.036	0.07	8.9	22.4	0.39	582	1.23
CC153115		1.05	30.5	3.94	4.85	0.09	0.09	0.27	0.041	0.09	9.9	25.9	0.40	527	1.49
CC153116		1.60	34.0	4.01	3.18	0.08	0.09	0.22	0.041	0.10	7.4	16.3	0.51	515	1.89
CC153117		1.14	12.6	3.34	5.07	0.06	0.04	0.03	0.026	0.08	5.8	26.3	0.30	345	1.38
CC153118		1.87	39.4	3.87	1.46	0.10	0.09	0.05	0.052	0.09	8.5	5.6	0.07	437	0.42
CC153119		2.41	25.4	3.40	0.67	0.07	0.06	0.46	0.032	0.05	5.3	1.3	0.08	292	1.21
CC153120		4.07	17.7	3.03	2.95	0.07	0.06	0.21	0.031	0.07	7.4	12.5	0.21	390	0.77
CC153121		6.41	25.2	3.10	3.61	0.08	0.06	2.29	0.035	0.08	6.5	13.7	0.32	580	1.58
CC153122		2.24	9.6	3.85	2.58	0.07	0.06	6.72	0.027	0.05	6.2	10.8	2.41	1260	1.26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC153023		0.41	21.5	630	19.3	21.5	<0.001	0.10	0.41	4.0	1.0	0.5	57.7	<0.01	0.04	1.5
CC153024		0.33	21.5	800	19.2	9.0	<0.001	0.03	0.39	6.0	1.2	0.4	65.0	<0.01	0.06	3.0
CC153025		0.36	16.5	730	16.4	8.0	<0.001	0.09	0.33	2.9	1.1	0.4	143.5	<0.01	0.03	0.7
CC153026		0.38	14.7	660	14.5	6.4	<0.001	0.07	0.26	2.7	1.2	0.3	137.0	<0.01	0.05	0.9
CC153027		0.69	29.7	390	34.2	8.5	<0.001	0.02	0.68	5.4	1.2	0.6	34.7	<0.01	0.05	3.4
CC153028		0.41	33.8	610	25.0	20.5	0.002	0.10	0.62	4.9	2.2	0.5	147.5	<0.01	0.05	2.4
CC153029		0.31	26.1	760	22.9	16.2	0.001	0.07	15.65	3.7	1.3	0.5	47.3	<0.01	0.03	1.5
CC153030		0.90	23.1	200	21.1	14.6	<0.001	0.01	0.80	4.2	0.8	0.6	21.5	<0.01	0.04	4.4
CC153031		0.45	22.7	520	23.9	18.3	<0.001	0.07	2.01	3.3	1.3	0.4	71.4	<0.01	0.04	1.3
CC153207		0.78	6.5	140	12.3	11.1	<0.001	<0.01	0.61	1.4	0.3	0.5	6.6	<0.01	0.04	2.2
CC153208		0.44	32.6	700	20.9	6.2	0.001	0.02	0.83	5.2	1.2	0.5	67.6	<0.01	0.05	4.0
CC153209		0.35	18.5	140	22.5	15.7	<0.001	0.09	1.15	4.2	0.7	0.5	26.9	<0.01	0.04	3.0
CC153210		0.75	21.3	200	18.7	13.8	<0.001	0.01	0.36	3.5	0.4	0.6	21.1	<0.01	0.05	4.4
CC153211		0.35	23.7	590	17.3	13.3	<0.001	0.12	0.65	3.8	1.9	0.4	142.0	<0.01	0.06	1.0
CC153212		0.29	38.6	780	21.8	13.1	0.010	0.17	0.86	3.7	3.5	0.4	69.4	<0.01	0.05	1.4
CC153213		0.08	42.5	280	18.1	16.3	0.001	0.02	1.16	3.1	0.9	0.4	12.3	<0.01	0.20	2.1
CC153052		0.45	21.8	580	18.5	22.3	<0.001	0.08	1.02	3.3	1.4	0.5	67.5	<0.01	0.05	1.6
CC153053		0.70	24.9	350	23.5	12.5	<0.001	0.01	0.64	4.3	0.8	0.5	20.8	<0.01	0.07	3.8
CC153054		0.52	19.5	840	14.3	14.7	<0.001	0.09	0.55	2.0	0.9	0.4	309	<0.01	0.04	0.8
CC153055		0.46	21.1	290	22.7	7.7	<0.001	0.04	0.79	4.1	0.7	0.5	42.7	<0.01	0.02	3.2
CC153056		0.45	27.1	2600	19.5	8.9	<0.001	0.04	1.11	4.1	1.4	0.5	57.8	<0.01	0.03	1.9
CC153057		0.26	19.5	770	16.2	5.6	<0.001	0.11	1.30	1.8	1.8	0.3	90.9	<0.01	0.02	0.6
CC153105		0.33	48.6	590	24.1	10.0	0.006	0.07	1.54	6.0	4.2	0.6	49.2	<0.01	0.11	2.6
CC153106		0.39	25.7	620	28.9	11.0	0.004	0.15	0.90	4.9	2.4	0.5	60.1	<0.01	0.04	2.7
CC153107		0.21	28.7	500	23.3	8.5	<0.001	0.04	0.47	5.2	1.5	0.3	89.7	<0.01	0.08	3.3
CC153108		0.53	22.7	550	21.7	8.4	<0.001	0.02	0.51	4.0	0.9	0.5	21.1	<0.01	0.04	3.3
CC153109		0.34	16.7	140	13.8	15.8	<0.001	0.01	0.27	3.4	0.5	0.6	17.2	<0.01	0.05	3.6
CC153110		0.47	21.5	700	17.9	18.6	<0.001	0.06	0.54	3.6	0.9	0.5	52.6	<0.01	0.04	1.5
CC153111		0.52	23.4	430	29.7	9.5	<0.001	0.03	3.07	5.0	0.9	0.6	46.2	<0.01	0.05	2.5
CC153112		0.50	25.8	270	28.6	10.6	<0.001	0.01	1.62	6.6	0.9	0.7	23.1	<0.01	0.04	4.4
CC153113		0.46	32.6	570	27.0	11.1	<0.001	0.02	0.69	5.3	1.0	0.6	55.0	0.01	0.04	2.7
CC153114		0.84	27.6	210	25.4	13.1	<0.001	0.01	0.54	4.4	0.6	0.6	20.6	<0.01	0.04	4.2
CC153115		0.65	32.9	330	26.5	10.7	<0.001	0.01	0.58	6.1	1.0	0.6	30.3	0.01	0.05	4.1
CC153116		0.44	28.4	670	31.9	11.0	0.001	0.03	0.68	5.8	1.4	0.5	39.7	0.01	0.05	3.3
CC153117		0.63	16.0	130	27.9	15.2	<0.001	<0.01	0.38	2.5	0.3	0.6	13.5	<0.01	0.04	2.5
CC153118		0.14	35.0	440	29.9	8.8	<0.001	0.01	0.43	8.6	1.0	0.4	91.6	0.01	0.08	6.7
CC153119		0.09	31.0	330	35.3	4.7	<0.001	0.03	0.53	4.4	1.2	0.4	47.9	0.01	0.02	3.9
CC153120		0.49	21.6	140	39.7	9.3	<0.001	0.01	0.37	4.3	0.6	0.6	25.7	<0.01	0.02	4.1
CC153121		0.47	27.7	720	30.9	12.4	<0.001	0.07	1.25	3.6	1.4	0.5	59.9	<0.01	0.05	1.2
CC153122		0.44	39.5	450	52.3	9.7	<0.001	0.03	3.39	4.7	0.9	0.4	64.2	<0.01	0.03	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
CC153023		0.007	0.13	1.90	21	0.07	7.96	127
CC153024		0.005	0.11	1.02	20	0.05	13.45	92
CC153025		0.007	0.08	1.50	19	<0.05	8.26	52
CC153026		0.010	0.06	1.10	22	0.06	6.50	48
CC153027		0.009	0.29	1.10	40	0.08	12.65	96
CC153028		0.007	0.37	0.90	27	0.06	8.99	156
CC153029		0.005	5.35	1.73	24	<0.05	12.35	469
CC153030		0.020	0.32	0.81	36	0.11	5.57	96
CC153031		0.008	0.23	1.62	24	0.06	8.28	112
CC153207		0.015	0.17	0.30	39	0.11	1.53	42
CC153208		0.005	0.15	0.81	33	0.05	10.25	128
CC153209		0.005	3.74	0.51	25	0.77	4.65	77
CC153210		0.010	0.16	0.61	44	0.11	5.58	61
CC153211		0.006	0.13	2.47	19	<0.05	10.40	90
CC153212		<0.005	1.44	1.84	33	0.06	8.88	151
CC153213		<0.005	1.08	1.00	59	<0.05	7.80	115
CC153052		0.007	0.22	1.18	24	0.08	8.65	105
CC153053		0.019	0.14	0.93	37	0.13	8.82	98
CC153054		0.013	0.17	0.53	22	0.08	7.00	103
CC153055		0.006	0.14	0.58	26	0.05	5.97	87
CC153056		0.006	0.16	1.30	30	0.07	14.25	99
CC153057		<0.005	0.11	2.26	16	<0.05	6.87	60
CC153105		0.006	0.68	7.88	68	0.10	10.35	112
CC153106		0.005	0.60	1.55	28	0.05	10.35	164
CC153107		0.005	0.11	0.75	17	<0.05	12.00	107
CC153108		0.011	0.15	0.84	36	0.06	6.39	120
CC153109		0.007	0.17	0.55	17	<0.05	4.60	57
CC153110		0.009	0.19	1.11	24	0.06	8.66	109
CC153111		0.006	0.24	1.06	32	0.07	12.00	131
CC153112		0.007	0.26	0.86	36	0.07	13.35	113
CC153113		0.005	0.23	0.87	29	0.08	11.20	109
CC153114		0.010	0.20	0.69	39	0.13	5.71	90
CC153115		0.009	0.19	1.02	34	0.11	12.45	100
CC153116		0.005	0.27	1.13	30	0.06	11.75	143
CC153117		0.011	0.11	0.33	35	0.07	2.05	75
CC153118		<0.005	0.11	0.70	18	<0.05	18.70	102
CC153119		<0.005	0.49	0.55	9	0.08	10.55	163
CC153120		0.007	0.20	0.48	21	0.07	6.35	78
CC153121		0.007	1.21	1.86	33	0.08	9.59	294
CC153122		0.007	0.69	1.07	29	0.16	9.79	638



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC153123		0.32	0.002	0.15	0.48	31.9	<0.2	<10	100	0.55	0.20	0.99	0.30	14.05	7.2	11
CC153124		0.30	0.002	0.12	0.45	20.9	<0.2	<10	110	0.82	0.30	1.82	0.55	15.25	10.7	9
CC153125		0.32	0.002	0.22	0.39	32.9	<0.2	<10	110	0.64	0.33	0.44	0.22	8.80	7.2	6
CC153126		0.42	0.002	0.14	0.91	19.8	<0.2	<10	180	0.76	0.22	1.02	0.45	15.10	10.5	15
CC153127		0.30	0.002	0.16	1.06	20.1	<0.2	<10	160	0.90	0.31	1.45	0.26	21.0	13.3	18
CC153128		0.36	0.003	0.15	0.99	25.0	<0.2	<10	200	0.95	0.30	1.44	0.26	21.1	14.2	16
CC153129		0.32	0.004	0.18	1.20	28.2	<0.2	<10	190	1.02	0.28	1.19	0.42	19.65	13.5	19
CC153130		0.24	0.003	0.08	0.64	12.1	<0.2	<10	160	1.09	0.27	1.52	0.20	21.4	11.7	19
CC153131		0.28	0.002	0.08	1.41	14.7	<0.2	<10	170	0.81	0.36	1.01	0.40	10.65	13.2	21
CC153132		0.36	0.005	0.14	0.58	28.7	<0.2	<10	140	1.21	0.37	0.85	0.30	23.8	19.6	11
CC153133		0.30	0.004	0.27	0.42	55.5	<0.2	<10	80	0.69	0.35	1.29	0.25	10.70	11.5	8
CC153134		0.36	0.006	0.20	0.77	33.0	<0.2	<10	210	0.82	0.35	3.03	0.61	16.20	13.2	13
CC153135		0.34	0.003	0.26	1.23	33.7	<0.2	<10	290	0.80	0.28	1.37	0.96	22.1	15.0	22
CC153136		0.40	0.006	0.29	1.28	33.9	<0.2	<10	380	0.99	0.26	0.82	1.08	23.1	11.7	26
CC153137		0.48	0.003	0.26	1.11	46.0	<0.2	<10	340	0.90	0.26	1.66	1.12	20.5	14.9	20
CC153138		0.38	0.004	0.17	1.43	20.9	<0.2	<10	330	1.06	0.28	1.17	0.72	19.45	13.7	23
CC153139		0.32	0.003	0.23	1.39	28.6	<0.2	<10	370	1.03	0.28	0.94	0.75	17.05	17.0	23
CC153140		0.38	0.004	0.05	1.67	22.9	<0.2	<10	190	1.08	0.35	0.16	0.27	19.10	14.8	25
CC153141		0.32	0.004	0.17	1.42	20.5	<0.2	<10	490	1.00	0.26	2.09	2.02	16.25	10.6	22
CC153142		0.34	0.001	0.03	1.86	41.1	<0.2	<10	240	1.12	0.32	0.33	0.97	12.85	14.9	28
CC153143		0.40	0.001	0.03	1.97	23.5	<0.2	<10	260	0.82	0.29	0.79	3.42	13.55	13.6	27
CC153144		0.34	0.002	0.17	1.51	31.1	<0.2	<10	380	1.10	0.28	2.85	0.90	14.25	16.1	24
CC153145		0.42	0.001	0.03	1.36	27.9	<0.2	<10	240	0.63	0.31	0.18	0.32	20.1	8.6	29
CC153146		0.42	0.003	0.21	1.32	22.5	<0.2	<10	340	1.02	0.28	1.21	1.26	19.50	14.4	23
CC153147		0.48	0.002	0.35	0.97	42.9	<0.2	<10	230	0.92	0.26	0.76	1.22	21.7	13.9	19
CC153148		0.38	0.042	0.23	0.87	47.5	<0.2	<10	200	0.95	0.27	1.44	0.85	15.90	15.3	16
CC153149		0.38	0.003	0.18	0.48	44.9	<0.2	10	140	0.81	0.27	1.88	0.45	12.00	10.1	10
CC153150		0.28	0.007	0.16	0.64	31.5	<0.2	<10	370	0.80	0.29	1.46	0.44	16.30	14.8	13
CC153167		0.24	0.001	0.15	0.74	14.6	<0.2	10	120	0.90	0.30	1.83	0.23	12.65	9.4	15
CC153168		0.18	0.002	0.19	0.82	14.6	<0.2	<10	100	0.76	0.29	2.28	0.17	21.3	11.5	13
CC153169		0.30	0.001	0.13	1.05	21.1	<0.2	<10	160	0.99	0.38	0.96	0.19	13.55	12.1	20
CC153170		0.18	0.001	0.13	1.09	8.7	<0.2	<10	110	0.68	0.27	2.53	0.20	12.95	8.2	16
CC153171		0.24	0.001	0.13	1.32	12.8	<0.2	<10	100	0.89	0.36	1.48	0.14	15.20	12.4	21
CC153172		0.34	0.001	0.13	0.88	14.8	<0.2	<10	170	0.69	0.25	2.35	0.28	12.40	8.6	14
CC153173		0.72	0.001	0.14	1.18	25.1	<0.2	<10	220	0.96	0.36	0.79	0.30	16.40	13.7	21
CC153174		0.28	0.001	0.13	0.75	284	<0.2	10	130	0.63	0.19	2.65	0.67	11.55	12.2	11
CC153976		0.40	0.002	0.32	0.90	32.8	<0.2	<10	230	0.75	0.32	0.60	0.35	12.25	11.2	18
CC153977		0.18	0.002	0.17	0.91	25.5	<0.2	10	170	0.78	0.26	2.20	0.37	12.30	10.0	14
CC153978		0.20	0.002	0.16	1.07	23.5	<0.2	10	160	0.84	0.29	2.05	0.28	12.85	10.4	16
CC153979		0.38	0.002	0.07	1.50	82.7	<0.2	<10	230	0.92	0.31	0.36	0.26	22.6	14.0	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC153123		5.89	13.8	2.29	1.57	0.06	0.05	1.97	0.028	0.06	5.7	6.0	0.17	353	0.88
CC153124		3.55	17.7	3.10	1.43	0.07	0.05	0.61	0.038	0.07	5.6	6.3	0.64	465	0.81
CC153125		2.39	22.4	2.81	1.22	0.05	0.04	0.46	0.029	0.07	3.7	5.1	0.09	572	1.36
CC153126		1.07	22.1	2.93	3.02	0.07	0.06	0.22	0.031	0.08	6.3	19.5	0.30	402	1.04
CC153127		1.31	30.0	3.68	3.64	0.09	0.08	0.20	0.042	0.09	8.2	28.9	0.40	418	0.79
CC153128		1.06	30.0	3.60	3.07	0.08	0.07	0.30	0.039	0.09	7.8	17.1	0.21	533	1.16
CC153129		1.43	39.4	3.49	3.92	0.08	0.07	0.46	0.038	0.09	8.2	24.9	0.36	579	1.87
CC153130		2.77	29.4	2.90	1.86	0.08	0.08	0.08	0.039	0.08	7.6	8.0	0.25	396	0.75
CC153131		3.87	25.1	3.48	4.98	0.07	0.07	0.07	0.041	0.08	4.5	33.5	0.39	443	0.65
CC153132		6.17	35.6	4.45	1.50	0.14	0.05	0.20	0.047	0.07	8.3	6.2	0.11	695	1.03
CC153133		14.00	38.9	3.41	1.21	0.10	0.05	2.95	0.036	0.07	4.2	3.0	0.22	302	1.77
CC153134		8.48	34.3	3.57	2.37	0.12	0.06	0.90	0.041	0.11	6.9	6.6	0.63	462	2.42
CC153135		4.87	37.8	3.78	3.88	0.12	0.07	0.32	0.038	0.11	9.9	11.6	0.59	591	2.98
CC153136		5.26	28.4	3.28	4.22	0.09	0.08	0.49	0.041	0.12	11.5	20.5	0.36	245	2.51
CC153137		2.80	34.7	3.85	3.82	0.09	0.09	2.53	0.038	0.12	9.5	16.4	0.74	875	2.77
CC153138		0.78	27.6	3.82	4.60	0.08	0.08	0.20	0.039	0.08	8.4	23.7	0.38	509	2.14
CC153139		0.87	33.8	3.99	4.62	0.09	0.07	0.34	0.042	0.07	6.9	22.0	0.39	737	7.67
CC153140		1.04	29.8	4.15	5.51	0.08	0.07	0.21	0.042	0.06	8.3	23.6	0.36	571	1.72
CC153141		0.83	27.9	3.11	4.64	0.08	0.07	0.22	0.036	0.09	10.4	16.1	0.29	299	2.39
CC153142		1.44	29.6	4.48	5.60	0.08	0.08	0.15	0.045	0.07	5.1	26.3	0.37	336	4.41
CC153143		1.07	20.3	4.10	5.83	0.07	0.06	0.08	0.039	0.07	6.6	26.2	0.32	407	2.71
CC153144		1.06	35.1	3.94	4.76	0.08	0.09	0.33	0.045	0.09	6.6	23.3	0.53	638	2.49
CC153145		1.20	13.4	3.65	5.32	0.07	0.04	0.09	0.032	0.05	10.2	15.7	0.28	294	1.72
CC153146		2.86	32.3	3.48	4.42	0.08	0.09	0.37	0.039	0.10	9.0	22.2	0.40	642	1.89
CC153147		10.85	32.6	3.35	3.18	0.09	0.08	0.73	0.040	0.11	9.7	12.9	0.29	526	3.14
CC153148		22.2	29.4	3.06	2.91	0.08	0.07	0.70	0.037	0.11	7.1	12.8	0.57	635	2.03
CC153149		26.4	25.6	2.96	1.60	0.06	0.05	0.95	0.032	0.08	4.9	7.0	0.53	467	1.35
CC153150		5.94	25.0	4.18	2.20	0.08	0.06	0.28	0.037	0.07	6.6	10.8	0.22	620	1.08
CC153167		22.1	28.7	3.03	2.50	0.07	0.07	0.16	0.036	0.08	5.2	11.2	0.23	461	0.70
CC153168		2.75	31.0	3.03	2.82	0.09	0.07	0.09	0.036	0.07	7.4	23.6	0.26	350	0.50
CC153169		1.79	44.4	3.65	4.06	0.08	0.06	0.29	0.039	0.10	5.7	15.7	0.26	762	1.07
CC153170		1.18	20.9	2.53	3.86	0.06	0.06	0.08	0.029	0.06	5.1	24.9	0.26	312	0.43
CC153171		2.30	33.5	3.52	4.89	0.08	0.06	0.07	0.039	0.07	4.6	30.1	0.37	473	0.66
CC153172		1.12	29.3	2.51	3.03	0.07	0.05	0.21	0.030	0.06	5.2	14.3	0.25	503	0.72
CC153173		1.10	36.2	3.67	4.51	0.09	0.07	0.40	0.038	0.12	7.1	17.2	0.36	791	1.12
CC153174		20.7	26.3	7.76	2.47	0.14	0.08	0.31	0.027	0.08	4.7	12.7	0.91	375	8.92
CC153976		1.98	33.9	2.83	3.82	0.07	0.07	1.24	0.043	0.10	5.6	12.6	0.26	420	6.02
CC153977		7.78	37.3	2.67	2.92	0.08	0.07	0.22	0.031	0.09	5.7	17.0	0.39	405	0.67
CC153978		4.39	32.9	2.77	3.50	0.08	0.07	0.18	0.030	0.09	5.8	23.3	0.36	425	0.64
CC153979		1.04	23.7	3.75	5.31	0.09	0.07	0.32	0.037	0.08	10.2	17.5	0.39	693	1.33



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC153123		0.21	20.2	460	37.0	10.4	<0.001	0.03	0.68	4.2	0.9	0.4	53.1	<0.01	0.03	2.7
CC153124		0.20	24.0	480	26.2	9.4	0.001	0.04	0.36	4.8	1.0	0.5	55.3	<0.01	0.02	3.3
CC153125		0.15	19.4	210	31.5	6.9	<0.001	0.02	0.45	3.8	0.8	0.4	29.2	<0.01	0.04	2.3
CC153126		0.36	22.4	610	19.3	10.0	0.001	0.04	0.54	3.8	1.3	0.4	53.3	<0.01	0.04	1.6
CC153127		0.49	30.2	670	26.0	12.2	0.001	0.03	0.46	5.8	1.2	0.5	92.8	0.01	0.05	4.1
CC153128		0.38	30.2	340	29.7	10.2	0.001	0.03	0.65	5.4	1.3	0.5	72.3	0.01	0.06	3.2
CC153129		0.43	31.3	690	22.0	10.3	0.001	0.04	0.75	5.5	1.6	0.5	52.6	0.01	0.06	2.7
CC153130		0.23	22.7	560	18.0	8.0	0.001	0.04	0.36	5.6	1.5	0.4	52.7	0.01	0.03	2.5
CC153131		0.44	28.3	320	22.0	13.3	<0.001	0.02	0.38	4.7	0.6	0.6	46.5	<0.01	0.06	2.4
CC153132		0.17	35.2	380	32.1	10.7	<0.001	0.03	0.50	6.6	1.0	0.4	71.6	0.01	0.05	3.5
CC153133		0.16	36.7	380	28.5	9.3	0.001	0.03	0.89	5.8	0.9	0.4	48.6	<0.01	0.05	4.1
CC153134		0.27	37.8	570	28.0	10.7	0.001	0.05	0.97	6.5	1.2	0.6	79.2	<0.01	0.03	5.0
CC153135		0.60	41.6	850	22.2	12.8	0.001	0.03	1.22	6.1	1.3	0.5	40.9	<0.01	0.04	4.2
CC153136		0.54	35.1	960	22.9	15.8	0.001	0.03	0.93	6.0	1.5	0.6	37.4	0.01	0.05	3.4
CC153137		0.47	38.1	850	23.3	12.7	0.002	0.03	1.07	6.0	1.7	0.5	47.1	0.01	0.05	4.0
CC153138		0.59	32.3	510	23.4	10.5	0.004	0.04	0.61	5.3	2.0	0.5	30.4	0.01	0.05	3.0
CC153139		0.52	45.2	650	22.8	9.6	0.006	0.03	2.45	5.1	3.3	0.5	28.1	<0.01	0.05	3.0
CC153140		0.54	31.1	260	28.6	13.8	<0.001	0.01	0.51	4.7	0.8	0.7	11.5	<0.01	0.04	4.2
CC153141		0.67	37.9	460	17.2	9.3	<0.001	0.05	1.02	4.3	1.7	0.6	23.6	0.01	0.07	1.6
CC153142		0.37	54.3	250	23.1	13.7	0.001	0.01	0.85	4.8	1.0	0.7	16.3	<0.01	0.06	3.6
CC153143		0.65	36.5	340	22.5	14.7	<0.001	0.01	0.64	4.2	0.8	0.7	21.6	<0.01	0.05	2.6
CC153144		0.46	47.0	620	21.6	10.5	0.001	0.02	0.70	6.1	1.2	0.6	40.3	0.01	0.05	3.4
CC153145		0.78	24.9	360	20.8	11.8	<0.001	0.01	0.64	3.6	0.7	0.6	20.0	<0.01	0.10	3.4
CC153146		0.58	38.1	810	23.1	11.2	0.002	0.07	0.76	5.6	2.0	0.5	37.0	0.01	0.04	3.4
CC153147		0.42	41.9	920	24.3	14.9	0.001	0.02	1.28	5.7	1.5	0.5	40.3	0.01	0.06	3.5
CC153148		0.40	37.6	740	20.8	17.3	0.001	0.03	0.84	5.7	1.1	0.5	42.1	0.01	0.05	3.4
CC153149		0.21	26.0	610	21.3	16.1	0.001	0.05	0.67	4.4	1.2	0.3	56.9	<0.01	0.06	2.7
CC153150		0.28	30.7	550	36.2	14.0	<0.001	0.05	0.64	4.5	1.4	0.3	56.8	0.01	0.07	2.3
CC153167		0.36	23.2	790	19.2	28.8	0.001	0.13	0.31	4.5	2.0	0.4	65.4	0.01	0.07	2.3
CC153168		0.30	27.7	750	26.4	10.0	<0.001	0.07	0.43	4.5	1.4	0.4	112.5	0.01	0.06	2.3
CC153169		0.48	26.4	440	27.6	12.6	<0.001	0.04	0.62	5.2	1.3	0.6	54.6	<0.01	0.05	3.4
CC153170		0.45	18.9	630	16.5	8.3	<0.001	0.08	0.32	3.5	1.1	0.5	141.5	0.01	0.05	1.4
CC153171		0.43	30.0	460	22.6	9.9	<0.001	0.03	0.31	4.6	0.9	0.6	75.5	<0.01	0.06	1.9
CC153172		0.41	19.4	670	17.4	8.6	<0.001	0.10	0.43	2.7	1.4	0.4	116.5	0.01	0.05	0.8
CC153173		0.49	27.8	450	25.3	11.1	<0.001	0.04	0.52	5.2	1.1	0.6	46.2	<0.01	0.05	3.3
CC153174		0.38	35.5	700	15.8	20.9	0.011	0.34	0.40	4.1	2.7	0.4	66.9	<0.01	0.06	2.6
CC153976		0.29	35.2	420	21.2	8.4	0.003	0.02	0.88	4.8	1.3	0.6	40.9	<0.01	0.08	3.3
CC153977		0.39	27.2	630	17.9	21.2	0.001	0.10	0.52	3.6	2.5	0.4	157.0	0.01	0.06	1.1
CC153978		0.41	27.4	520	19.2	18.4	0.001	0.07	0.40	4.2	2.0	0.4	117.5	0.01	0.06	1.4
CC153979		0.63	28.2	150	22.8	14.5	<0.001	<0.01	1.72	5.0	0.8	0.6	14.1	<0.01	0.05	4.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC153123		<0.005	0.43	0.67	16	<0.05	7.85	115	1.1
CC153124		<0.005	0.22	0.72	16	0.05	8.29	188	1.1
CC153125		<0.005	0.30	0.75	11	<0.05	6.20	45	1.1
CC153126		0.005	0.15	1.40	26	0.06	9.15	101	1.1
CC153127		0.007	0.19	0.86	26	0.08	12.75	94	1.8
CC153128		<0.005	0.19	1.63	26	0.07	11.90	99	1.5
CC153129		0.005	0.17	1.78	33	0.07	12.95	95	1.5
CC153130		<0.005	0.08	4.29	19	0.06	12.85	59	1.6
CC153131		0.005	0.14	1.01	25	0.06	8.35	109	1.6
CC153132		<0.005	0.25	1.01	20	0.05	14.30	110	1.0
CC153133		<0.005	0.49	0.58	18	0.09	10.90	117	1.6
CC153134		<0.005	0.63	0.85	29	0.06	11.40	153	2.4
CC153135		0.007	0.49	1.12	49	0.11	13.45	166	2.2
CC153136		0.008	0.40	1.28	55	0.12	14.80	211	1.9
CC153137		0.006	0.34	0.91	46	0.09	13.35	185	2.9
CC153138		0.006	0.13	1.74	38	0.12	11.05	103	1.8
CC153139		0.005	0.19	2.07	147	0.10	10.35	125	1.8
CC153140		0.006	0.19	0.74	40	0.09	7.08	117	1.8
CC153141		0.006	0.22	1.09	56	0.16	16.95	143	1.4
CC153142		<0.005	0.31	1.06	57	0.06	6.83	264	2.6
CC153143		0.005	0.19	0.65	62	0.11	7.02	187	1.6
CC153144		<0.005	0.21	0.80	40	0.08	13.05	153	2.2
CC153145		0.011	0.14	0.84	59	0.14	6.96	84	1.2
CC153146		0.006	0.22	1.31	40	0.12	13.25	145	2.2
CC153147		0.006	0.67	1.22	53	0.09	13.60	196	2.0
CC153148		0.005	0.87	0.80	34	0.09	12.05	158	2.0
CC153149		<0.005	0.65	0.80	22	0.10	8.63	113	1.2
CC153150		<0.005	0.30	1.18	22	0.07	11.95	165	1.1
CC153167		<0.005	0.15	0.77	17	0.08	10.30	109	1.6
CC153168		<0.005	0.12	1.18	16	0.06	14.65	90	1.2
CC153169		0.007	0.15	1.18	29	0.10	8.71	106	1.5
CC153170		0.006	0.08	1.27	21	0.10	8.11	55	1.2
CC153171		0.006	0.10	1.09	23	0.06	7.72	84	1.2
CC153172		0.006	0.10	1.45	20	0.08	8.26	80	1.0
CC153173		0.008	0.19	0.87	28	0.09	8.48	120	1.4
CC153174		<0.005	0.44	1.17	20	0.07	8.50	199	2.0
CC153976		<0.005	0.81	0.91	44	0.07	8.41	97	1.9
CC153977		0.005	0.20	1.66	20	0.07	10.85	95	1.4
CC153978		0.005	0.18	1.66	22	0.06	11.15	87	1.3
CC153979		0.009	0.20	1.06	39	0.09	8.52	108	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC153980		0.38	0.001	0.06	0.56	10.9	<0.2	<10	210	0.57	0.29	0.66	0.09	12.80	9.9	11
CC153981		0.24	0.002	0.19	1.56	14.3	<0.2	<10	360	0.84	0.23	0.84	1.20	24.2	9.4	21
CC153982		0.34	0.002	0.08	0.49	7.6	<0.2	<10	100	1.08	0.31	2.64	0.19	12.50	11.7	11
CC153983		0.38	0.003	0.13	1.19	19.5	<0.2	<10	240	0.92	0.37	0.99	0.27	9.90	9.7	19
CC153984		0.54	0.003	0.24	1.25	29.6	<0.2	<10	240	0.93	0.31	1.59	0.75	20.0	15.2	21
CC153985		0.46	0.004	0.22	1.14	27.0	<0.2	<10	380	0.84	0.26	2.07	0.87	17.30	12.9	19
CC153986		0.38	0.003	0.23	1.03	23.5	<0.2	<10	330	0.73	0.23	1.68	0.89	15.65	10.5	17
CC153987		0.46	0.002	0.24	0.59	20.3	<0.2	<10	150	0.67	0.37	0.37	0.28	12.20	10.7	10
CC153988		0.34	0.001	0.11	0.31	8.1	<0.2	<10	110	0.67	0.36	0.36	0.11	15.35	9.4	6
CC153989		0.44	0.002	0.05	1.52	25.6	<0.2	<10	160	0.70	0.31	0.39	0.15	22.9	11.9	26
CC153990		0.32	0.002	0.21	0.38	90.4	<0.2	<10	400	0.49	0.26	4.40	0.42	10.85	8.9	9
CC153991		0.36	0.006	0.21	1.12	44.0	<0.2	<10	320	0.80	0.27	1.05	0.91	16.75	12.6	19
CC153992		0.30	0.004	0.14	1.29	26.4	<0.2	<10	340	0.84	0.29	1.96	1.08	18.20	16.5	21
CC153993		0.40	0.011	0.17	1.21	27.5	<0.2	<10	210	0.79	0.29	1.43	0.75	18.90	12.7	22
CC153994		0.26	0.009	0.15	1.19	18.6	<0.2	<10	280	0.74	0.28	1.65	0.65	16.85	14.4	20
CC153995		0.44	0.007	0.17	1.32	24.2	<0.2	<10	300	0.87	0.31	2.05	0.48	18.95	13.1	21
CC153996		0.38	0.005	0.16	1.17	28.4	<0.2	<10	240	0.83	0.31	0.67	0.43	17.85	14.2	21
CC153997		0.40	0.004	0.14	1.07	19.5	<0.2	<10	160	0.92	0.45	0.50	0.14	11.10	14.5	18
CC153998		0.38	0.007	0.12	1.31	19.2	<0.2	<10	180	0.75	0.34	0.80	0.23	18.90	14.7	21
CC153999		0.30	0.005	0.06	1.78	15.7	<0.2	<10	140	0.96	0.35	0.31	0.16	32.9	11.6	23
CC154000		0.38	0.004	0.17	1.34	24.1	<0.2	<10	230	0.90	0.39	0.48	0.14	15.55	15.9	24
CC153175		0.74	0.002	0.16	1.09	2900	<0.2	<10	200	0.70	0.31	3.97	0.60	14.40	15.8	18
CC153176		0.42	0.002	0.17	0.96	37.3	<0.2	<10	210	0.83	0.27	1.21	0.45	16.45	11.5	19
CC153177		0.24	0.002	0.17	1.00	25.5	<0.2	10	250	0.81	0.23	1.86	0.43	12.10	9.0	16
CC153178		0.28	0.001	0.05	0.77	12.9	<0.2	<10	120	0.44	0.28	0.50	0.14	10.50	5.1	16
CC153179		0.64	0.001	0.05	0.47	21.6	<0.2	<10	120	0.75	0.38	0.45	0.10	13.10	10.3	9
CC153180		0.30	<0.001	0.02	0.67	13.1	<0.2	<10	110	0.48	0.28	0.35	0.18	12.55	7.5	14
CC153181		0.48	0.002	0.15	1.14	25.8	<0.2	<10	250	0.74	0.25	1.02	0.45	15.05	11.4	20
CC153182		0.46	0.001	0.08	1.13	27.3	<0.2	<10	200	1.03	0.32	0.72	0.21	12.30	13.3	19
CC153183		0.16	0.001	0.22	0.79	20.7	<0.2	<10	440	0.65	0.15	2.78	1.25	11.05	8.0	13
CC153184		0.34	0.002	0.26	1.08	29.9	<0.2	<10	460	0.91	0.24	3.33	1.04	16.85	14.9	21
CC153185		0.10	0.002	0.10	0.37	21.9	<0.2	10	200	0.20	0.05	3.48	0.51	2.33	2.7	6
CC153186		0.24	0.001	0.07	0.21	14.9	<0.2	<10	20	<0.05	0.05	0.22	0.16	2.38	0.6	4
CC153187		0.14	0.002	0.11	0.32	26.2	<0.2	<10	140	0.34	0.10	2.19	0.37	2.37	6.1	7
CC153188		0.36	0.002	0.54	1.02	109.0	<0.2	<10	210	0.75	0.28	1.54	0.69	9.79	9.6	18
CC153189		0.40	0.002	0.09	1.30	12.6	<0.2	<10	390	1.13	0.31	1.37	0.36	9.95	10.5	19
CC152726		0.44	0.002	0.19	1.56	10.8	<0.2	<10	190	1.32	0.38	0.58	0.47	12.35	10.6	25
CC152727		0.34	0.002	0.21	1.77	11.6	<0.2	<10	180	1.69	0.43	0.58	0.18	13.30	12.6	28
CC152728		0.38	0.002	0.05	1.78	7.1	<0.2	<10	130	0.80	0.33	0.07	0.08	16.40	9.7	24
CC152729		0.42	0.001	0.07	1.44	9.6	<0.2	<10	150	0.79	0.32	0.63	0.26	13.75	10.8	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC153980		2.74	16.4	3.35	2.43	0.08	0.04	0.08	0.028	0.12	4.9	6.1	0.17	979	0.50
CC153981		2.55	19.0	2.68	4.64	0.08	0.07	0.05	0.034	0.07	11.1	9.6	0.13	1240	1.03
CC153982		3.53	32.7	2.50	1.57	0.07	0.06	0.04	0.036	0.09	5.3	7.4	1.01	295	0.49
CC153983		2.36	40.0	3.41	4.25	0.08	0.07	0.15	0.035	0.11	4.9	27.4	0.35	280	0.95
CC153984		1.78	40.5	3.64	4.24	0.11	0.09	0.45	0.039	0.14	9.1	16.4	0.64	580	2.27
CC153985		1.07	35.7	3.11	3.70	0.08	0.07	0.41	0.035	0.10	8.1	14.5	0.65	537	1.97
CC153986		1.00	28.8	2.68	3.35	0.07	0.07	0.33	0.030	0.09	7.3	14.5	0.31	324	1.46
CC153987		2.25	32.3	3.32	1.83	0.08	0.06	0.19	0.031	0.08	6.0	8.6	0.12	380	1.71
CC153988		4.97	14.6	2.98	0.95	0.08	0.05	0.75	0.031	0.07	6.1	2.6	0.07	418	0.60
CC153989		2.92	17.9	3.57	5.16	0.09	0.06	0.63	0.034	0.08	10.0	15.1	0.31	446	1.32
CC153990		9.13	19.6	3.46	1.16	0.08	0.05	2.13	0.030	0.06	4.4	3.0	1.96	855	1.09
CC153991		4.86	28.1	3.94	3.90	0.10	0.08	0.76	0.034	0.10	7.9	12.9	0.28	513	1.92
CC153992		3.25	29.9	3.49	4.65	0.09	0.08	0.31	0.034	0.14	7.8	17.2	0.96	596	2.15
CC153993		5.75	28.7	4.02	4.50	0.10	0.07	0.25	0.035	0.12	8.7	15.4	0.68	778	1.83
CC153994		1.35	31.8	3.15	4.17	0.08	0.07	0.34	0.033	0.11	7.6	14.9	0.50	631	1.32
CC153995		1.41	35.4	3.64	4.75	0.10	0.08	0.51	0.037	0.14	8.3	16.2	1.07	565	1.55
CC153996		1.66	37.4	3.91	4.26	0.10	0.08	0.52	0.038	0.11	7.5	14.8	0.34	834	1.82
CC153997		4.61	39.6	3.99	4.04	0.09	0.07	0.16	0.041	0.10	4.9	19.0	0.28	353	1.25
CC153998		2.07	27.0	3.73	4.79	0.09	0.06	0.13	0.036	0.09	7.5	26.6	0.36	539	0.88
CC153999		1.84	28.7	3.84	5.92	0.13	0.09	0.06	0.048	0.10	9.4	38.6	0.42	336	0.58
CC154000		1.75	38.7	3.98	4.69	0.11	0.08	0.41	0.041	0.12	6.5	23.7	0.39	453	1.50
CC153175		41.7	40.3	3.76	3.88	0.10	0.08	1.34	0.042	0.14	6.0	12.6	0.89	1230	1.46
CC153176		7.54	38.0	3.31	3.60	0.05	0.04	0.45	0.033	0.09	6.3	13.1	0.36	730	1.43
CC153177		13.75	31.3	2.67	3.25	<0.05	0.04	0.98	0.034	0.09	6.4	13.4	0.35	604	0.83
CC153178		2.18	16.2	2.16	4.34	<0.05	0.02	0.24	0.024	0.09	5.0	7.1	0.14	133	0.66
CC153179		2.03	27.7	2.98	1.56	<0.05	0.03	0.15	0.024	0.11	6.0	5.4	0.16	502	0.42
CC153180		0.67	13.4	2.77	3.19	<0.05	0.02	0.08	0.025	0.10	6.1	6.3	0.16	283	0.68
CC153181		0.84	23.1	3.10	3.90	<0.05	0.04	1.16	0.029	0.08	7.6	17.7	0.42	404	1.08
CC153182		1.14	29.7	3.66	4.05	<0.05	0.05	0.24	0.036	0.10	5.8	17.7	0.32	422	1.40
CC153183		0.71	25.2	2.10	2.54	<0.05	0.04	0.61	0.023	0.08	5.6	8.3	0.36	307	1.63
CC153184		1.35	35.5	3.26	3.55	0.05	0.06	0.60	0.033	0.13	8.1	14.3	0.78	531	2.77
CC153185		0.44	23.5	2.01	0.80	<0.05	0.06	0.23	0.007	0.01	1.1	0.6	0.13	2380	36.8
CC153186		1.44	29.2	3.35	0.87	<0.05	0.02	0.32	0.007	0.01	1.3	0.2	0.01	19	29.5
CC153187		0.62	26.5	1.30	0.82	<0.05	0.04	0.37	0.011	0.01	1.2	0.6	0.07	143	48.4
CC153188		1.56	41.0	2.76	3.74	<0.05	0.05	0.26	0.030	0.10	4.4	17.3	0.20	124	34.9
CC153189		0.84	34.8	3.60	4.06	<0.05	0.07	0.14	0.040	0.09	4.4	13.2	0.26	480	0.91
CC152726		4.97	59.5	2.34	5.62	<0.05	0.06	0.40	0.042	0.09	5.9	20.9	0.43	180	0.77
CC152727		5.45	37.4	4.04	6.67	0.05	0.09	0.19	0.041	0.10	6.1	25.0	0.41	401	0.89
CC152728		2.02	11.8	3.15	7.72	<0.05	0.03	0.02	0.025	0.08	8.6	18.9	0.32	296	0.76
CC152729		1.41	23.3	3.20	5.53	<0.05	0.03	0.06	0.031	0.07	6.9	22.6	0.49	430	0.83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC153980		0.33	18.7	280	15.0	15.1	<0.001	0.01	0.23	3.7	0.6	0.4	22.2	<0.01	0.03	4.2
CC153981		0.55	18.7	270	23.3	11.9	<0.001	0.01	0.31	3.9	0.6	0.7	48.0	<0.01	0.04	3.3
CC153982		0.20	22.9	470	12.6	9.3	<0.001	0.01	0.28	6.3	1.2	0.4	81.2	0.01	0.05	2.8
CC153983		0.36	24.8	370	20.0	12.4	<0.001	0.03	0.43	5.0	1.0	0.6	45.6	<0.01	0.07	2.8
CC153984		0.43	41.3	780	22.9	11.7	0.001	0.01	0.84	6.1	1.2	0.6	43.5	0.01	0.06	4.4
CC153985		0.42	35.3	640	20.0	9.3	<0.001	0.03	0.82	4.5	1.5	0.5	48.7	0.01	0.06	1.8
CC153986		0.45	28.6	700	18.1	11.0	0.004	0.07	0.74	3.8	2.7	0.5	73.7	0.01	0.05	1.7
CC153987		0.24	33.6	170	28.9	11.4	<0.001	<0.01	0.39	4.8	1.1	0.4	28.4	<0.01	0.07	3.9
CC153988		0.10	23.4	410	32.3	6.9	<0.001	0.01	0.15	5.4	1.0	0.5	37.1	<0.01	0.02	5.9
CC153989		0.71	25.3	180	30.3	15.7	<0.001	<0.01	0.51	4.5	0.7	0.6	17.6	<0.01	0.05	4.7
CC153990		0.16	27.9	460	64.3	7.3	<0.001	0.04	1.18	4.4	1.1	0.4	41.1	0.01	0.03	1.7
CC153991		0.43	26.5	670	23.2	15.5	0.004	0.06	0.61	5.1	2.6	0.5	39.0	0.01	0.06	2.7
CC153992		0.46	39.0	670	22.4	15.5	0.002	0.07	0.51	5.4	1.6	0.6	35.9	0.01	0.04	3.8
CC153993		0.49	34.5	800	19.4	17.0	0.001	0.02	1.30	4.9	1.3	0.5	41.4	0.01	0.06	3.3
CC153994		0.52	34.0	600	20.0	13.0	0.001	0.04	0.59	4.9	1.4	0.5	53.2	0.01	0.05	2.6
CC153995		0.47	35.3	660	23.4	12.9	0.001	0.01	0.62	5.9	1.2	0.6	37.9	0.01	0.04	4.5
CC153996		0.47	38.2	450	26.6	11.6	<0.001	0.01	0.65	5.5	1.2	0.5	34.7	0.01	0.05	4.4
CC153997		0.29	36.9	250	23.2	13.1	<0.001	<0.01	0.34	6.2	0.8	0.5	47.9	<0.01	0.09	4.1
CC153998		0.59	32.4	260	26.0	12.3	<0.001	0.01	0.42	5.4	0.9	0.6	42.7	0.01	0.05	3.2
CC153999		0.35	30.4	380	21.3	16.6	<0.001	<0.01	0.29	6.6	0.9	0.6	19.6	0.01	0.08	6.4
CC154000		0.44	34.8	300	25.2	14.9	<0.001	0.01	0.53	5.5	1.1	0.6	40.6	<0.01	0.06	4.4
CC153175		0.39	38.9	620	24.1	28.9	0.001	0.04	55.3	5.5	1.1	0.5	81.5	<0.01	0.05	3.1
CC153176		0.45	28.2	570	22.4	18.5	<0.001	0.07	0.94	3.7	0.8	0.6	52.5	<0.01	0.04	1.8
CC153177		0.48	22.6	580	21.0	27.3	<0.001	0.10	1.30	3.0	1.3	0.5	70.5	<0.01	0.02	1.0
CC153178		0.51	12.7	200	17.6	17.9	<0.001	0.03	0.48	2.3	0.4	0.6	31.0	<0.01	0.03	2.7
CC153179		0.20	21.2	200	14.5	10.6	<0.001	0.03	0.26	3.0	0.4	0.4	26.5	<0.01	0.02	3.4
CC153180		0.46	12.3	120	15.6	14.3	<0.001	0.02	0.34	2.1	0.3	0.5	22.5	<0.01	0.03	2.9
CC153181		0.60	24.8	430	20.2	8.5	<0.001	0.05	1.09	3.4	0.7	0.5	36.4	<0.01	0.02	1.9
CC153182		0.63	30.1	220	23.2	11.4	<0.001	0.03	0.51	4.3	1.0	0.6	29.6	<0.01	0.04	3.0
CC153183		0.31	25.2	730	13.6	6.7	0.001	0.12	0.96	2.3	1.7	0.4	65.7	<0.01	0.03	0.7
CC153184		0.33	42.7	810	21.6	9.4	0.001	0.05	1.06	5.1	1.4	0.5	66.5	<0.01	0.04	3.5
CC153185		0.20	38.8	1080	2.1	0.8	0.013	0.91	1.39	0.7	2.3	0.2	77.8	0.01	0.02	0.3
CC153186		0.18	10.4	490	3.4	2.2	0.005	1.28	0.67	0.9	1.5	0.2	8.1	0.01	0.02	0.3
CC153187		0.17	24.5	530	4.6	1.4	0.008	1.11	1.59	0.8	3.1	0.2	47.1	<0.01	0.03	0.3
CC153188		0.49	32.9	440	19.5	23.5	0.009	0.51	0.31	4.3	1.9	0.6	29.9	<0.01	0.02	2.7
CC153189		0.46	20.6	650	23.0	10.5	0.001	0.16	0.23	4.4	1.1	0.6	37.2	<0.01	0.03	2.0
CC152726		0.51	27.5	430	30.9	21.7	0.002	0.20	0.49	6.2	2.4	0.7	40.7	<0.01	0.03	3.9
CC152727		0.37	27.3	570	27.9	18.4	0.001	0.08	0.22	6.6	1.1	0.7	31.2	<0.01	0.03	3.5
CC152728		0.71	17.5	150	14.6	24.0	<0.001	0.03	0.25	2.9	0.2	0.8	8.5	<0.01	0.03	3.3
CC152729		0.57	25.1	370	15.2	12.1	<0.001	0.10	0.28	2.9	0.6	0.6	25.4	<0.01	0.01	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC153980		0.005	0.10	0.72	15	<0.05	6.23	52	0.7
CC153981		0.007	0.18	4.69	48	0.10	5.86	163	1.9
CC153982		<0.005	0.06	1.32	16	0.05	10.60	56	1.0
CC153983		<0.005	0.12	2.36	24	0.05	7.73	75	1.5
CC153984		0.006	0.32	1.16	45	0.13	12.40	148	2.1
CC153985		0.005	0.21	1.93	41	0.09	11.70	128	1.2
CC153986		0.005	0.17	2.44	40	0.08	9.46	126	1.5
CC153987		<0.005	0.26	0.63	18	0.07	8.12	100	1.5
CC153988		<0.005	0.40	0.38	9	<0.05	8.76	35	1.1
CC153989		0.009	0.25	0.95	42	0.14	6.88	108	2.0
CC153990		<0.005	1.07	0.65	16	0.16	10.45	212	0.8
CC153991		<0.005	0.30	1.72	41	0.09	11.45	150	1.6
CC153992		0.005	0.23	1.10	34	0.07	11.20	146	2.0
CC153993		0.008	2.30	1.13	37	0.11	10.40	164	1.3
CC153994		0.006	0.20	1.37	32	0.08	10.30	119	1.6
CC153995		0.006	0.23	1.08	34	0.07	11.25	128	2.1
CC153996		0.006	0.26	0.96	35	0.09	10.10	140	2.0
CC153997		<0.005	0.23	0.65	23	0.05	9.49	107	1.9
CC153998		0.009	0.13	0.88	30	0.16	9.25	96	1.3
CC153999		<0.005	0.14	0.68	29	0.06	14.85	84	2.0
CC154000		0.005	0.18	0.98	34	0.06	8.69	113	2.2
CC153175		0.006	56.7	0.96	26	0.08	8.74	1540	1.5
CC153176		0.008	0.45	1.01	27	0.08	8.93	114	1.2
CC153177		0.008	0.24	1.73	23	0.08	9.80	93	1.0
CC153178		0.008	0.12	0.49	27	0.08	3.27	56	0.7
CC153179		<0.005	0.08	0.53	12	<0.05	6.06	55	0.9
CC153180		0.010	0.08	0.41	27	0.07	2.40	52	0.8
CC153181		0.012	0.15	0.84	29	0.14	6.71	124	1.1
CC153182		0.006	0.15	0.86	27	0.05	7.43	92	1.5
CC153183		<0.005	0.15	1.86	29	0.05	8.91	111	1.3
CC153184		0.005	0.25	0.99	44	0.06	12.10	170	2.2
CC153185		0.008	0.14	0.43	6	0.05	1.91	129	2.0
CC153186		0.006	0.12	0.92	4	<0.05	1.80	9	1.1
CC153187		0.006	0.22	2.84	13	0.06	2.22	28	1.7
CC153188		0.008	0.20	6.02	21	0.08	6.53	102	2.0
CC153189		<0.005	0.08	2.78	23	0.09	7.47	125	1.7
CC152726		0.005	0.14	1.79	23	0.05	11.15	143	2.3
CC152727		<0.005	0.10	0.97	27	0.06	19.65	117	2.2
CC152728		0.009	0.10	0.39	37	0.10	3.12	82	1.2
CC152729		0.014	0.06	0.56	30	0.09	4.24	101	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC152730		0.18	0.001	0.22	1.20	9.2	<0.2	<10	340	0.86	0.21	1.77	0.37	5.57	6.6	13
CC153201		0.42	0.001	0.08	0.96	24.5	<0.2	<10	220	0.75	0.29	2.03	0.16	13.60	10.1	17
CC153202		0.38	0.003	0.04	0.26	50.3	<0.2	<10	60	0.18	0.21	0.21	0.06	7.83	5.4	6
CC153203		0.32	0.001	0.20	0.77	101.5	<0.2	<10	460	0.71	0.15	3.82	0.24	9.92	11.8	10
CC153204		0.30	0.001	0.18	0.89	127.0	<0.2	<10	290	0.84	0.22	2.21	0.57	12.05	8.8	14
CC153205		0.36	0.001	0.08	1.03	19.7	<0.2	<10	130	0.52	0.27	0.16	0.14	13.60	9.4	20
CC153206		0.42	0.001	0.04	1.10	19.6	<0.2	<10	100	0.64	0.26	0.04	0.10	15.15	7.3	17
CC153377		0.42	<0.001	0.03	1.25	6.9	<0.2	<10	70	0.64	0.42	0.04	0.09	9.99	10.5	22
CC153378		0.38	0.001	0.04	1.51	14.6	<0.2	<10	130	1.11	0.45	0.07	0.14	13.70	12.2	25
CC153379		0.62	0.001	0.05	1.28	13.7	<0.2	<10	220	1.55	0.45	0.18	0.09	15.15	19.9	23
CC153380		0.48	0.001	0.02	1.36	12.3	<0.2	<10	180	1.34	0.45	0.10	0.06	12.75	13.3	24
CC153381		0.54	0.001	0.03	1.20	12.0	<0.2	<10	160	1.26	0.41	0.12	0.07	14.40	12.4	23
CC153382		0.56	0.001	0.04	1.56	16.9	<0.2	<10	120	0.97	0.40	0.07	0.09	14.90	12.8	26
CC153383		0.56	0.001	0.02	1.45	13.1	<0.2	<10	160	0.98	0.32	0.12	0.06	18.55	12.0	25
CC153384		0.52	0.002	0.09	1.81	13.2	<0.2	<10	300	1.51	0.39	0.33	0.10	24.8	13.1	31
CC153385		0.58	0.001	0.04	1.28	13.6	<0.2	<10	180	1.02	0.35	0.09	0.10	18.50	11.5	24
CC153386		0.38	0.001	0.03	1.47	17.7	<0.2	<10	200	1.11	0.39	0.13	0.12	17.05	13.7	26
CC153387		0.46	0.002	0.12	1.39	11.9	<0.2	<10	580	1.39	0.41	0.56	0.57	14.00	28.7	23
CC153388		0.24	0.001	0.11	1.23	10.7	<0.2	<10	340	0.85	0.32	0.96	0.18	8.15	8.0	17
CC153389		0.36	0.001	0.11	1.26	13.5	<0.2	<10	260	1.05	0.37	1.04	0.18	11.10	7.5	21
CC153390		0.50	0.001	0.09	1.35	12.6	<0.2	<10	220	1.12	0.40	0.50	0.08	12.00	8.6	24
CC153391		0.32	0.002	0.11	1.07	16.4	<0.2	<10	290	0.86	0.29	1.21	0.35	11.55	8.8	17
CC153392		0.46	0.002	0.14	1.02	26.7	<0.2	<10	220	1.00	0.35	0.89	0.30	12.55	11.8	19
CC153393		0.34	0.002	0.19	0.72	45.2	<0.2	<10	140	0.62	0.33	0.56	0.23	7.28	9.9	13
CC153394		0.24	0.001	0.13	0.43	1200	<0.2	10	210	0.37	0.14	2.51	0.49	4.33	25.3	6
CC153395		0.24	0.006	0.13	0.48	115.5	<0.2	<10	140	0.20	0.22	0.19	0.36	8.64	1.4	11
CC153396		0.28	0.003	0.20	0.90	41.8	<0.2	<10	200	0.82	0.28	1.71	0.78	13.15	7.3	15
CC153397		0.44	0.001	0.08	0.24	11.7	<0.2	<10	40	0.44	0.32	0.21	0.16	10.60	9.5	5
CC153398		0.46	0.001	0.07	1.17	27.4	<0.2	<10	80	0.55	0.31	0.02	0.16	15.55	7.6	16
CC153399		0.44	0.004	0.20	1.27	20.7	<0.2	<10	240	0.64	0.27	0.99	0.58	20.4	10.0	22
CC153400		0.42	0.002	0.20	0.80	35.5	<0.2	<10	150	0.74	0.33	1.43	0.21	14.35	11.3	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC152730		0.87	27.3	2.28	3.30	<0.05	0.05	0.31	0.027	0.11	3.0	7.8	0.19	636	1.40
CC153201		2.04	22.2	3.15	3.48	<0.05	0.02	0.05	0.034	0.08	5.3	22.1	0.22	243	0.78
CC153202		3.35	14.8	2.27	1.56	<0.05	0.02	0.17	0.019	0.06	3.7	1.4	0.03	102	1.31
CC153203		7.36	37.9	1.71	2.24	<0.05	0.03	0.58	0.017	0.06	3.8	4.9	0.21	1040	0.43
CC153204		10.15	25.8	2.19	2.83	<0.05	0.04	0.32	0.027	0.09	5.7	10.4	0.34	457	0.64
CC153205		2.71	13.8	3.08	4.94	<0.05	0.02	0.05	0.021	0.14	6.6	17.8	0.26	275	1.01
CC153206		1.08	18.9	2.96	4.35	<0.05	0.05	0.16	0.024	0.07	7.4	12.0	0.19	190	1.39
CC153377		1.15	20.0	3.16	6.37	<0.05	<0.02	0.02	0.033	0.06	4.7	11.9	0.28	289	0.71
CC153378		0.97	39.9	4.14	5.87	<0.05	0.03	0.08	0.043	0.07	6.2	20.8	0.36	472	0.64
CC153379		1.26	56.2	4.41	5.24	<0.05	0.02	0.10	0.050	0.10	5.7	16.2	0.31	1030	0.63
CC153380		0.97	49.2	4.32	5.52	<0.05	0.02	0.13	0.044	0.07	5.6	16.7	0.31	594	0.75
CC153381		0.91	40.3	3.88	5.16	<0.05	<0.02	0.15	0.041	0.07	6.1	16.7	0.30	551	0.67
CC153382		1.37	32.6	4.16	5.98	<0.05	0.03	0.06	0.041	0.08	6.8	22.4	0.34	564	1.12
CC153383		0.87	26.7	3.54	5.17	<0.05	0.02	0.09	0.030	0.06	9.7	20.9	0.38	497	0.62
CC153384		1.12	35.3	4.02	6.06	0.05	0.04	0.14	0.043	0.08	14.3	24.4	0.40	699	0.71
CC153385		0.99	29.9	3.54	4.96	<0.05	0.02	0.10	0.034	0.07	8.6	21.1	0.31	521	0.69
CC153386		1.18	29.3	4.10	5.40	<0.05	0.02	0.08	0.040	0.08	7.1	25.1	0.37	570	0.77
CC153387		1.16	37.7	5.37	4.84	<0.05	0.07	0.19	0.044	0.10	5.0	14.8	0.27	6180	1.54
CC153388		0.73	22.2	3.45	4.21	0.08	0.07	0.14	0.032	0.08	3.7	14.8	0.21	414	0.70
CC153389		0.88	26.5	3.04	4.52	0.08	0.08	0.21	0.038	0.10	5.6	16.7	0.29	314	1.47
CC153390		0.75	30.5	3.54	5.21	0.09	0.09	0.13	0.038	0.08	6.2	17.6	0.34	329	0.80
CC153391		0.72	24.8	3.00	3.93	0.09	0.07	0.27	0.030	0.09	5.2	13.5	0.27	749	1.81
CC153392		1.06	30.1	3.10	3.84	0.08	0.07	0.38	0.038	0.08	5.3	13.5	0.27	691	2.41
CC153393		3.33	23.5	2.66	2.90	0.07	0.04	1.13	0.027	0.06	3.2	7.2	0.14	841	13.95
CC153394		11.85	13.0	9.65	1.76	0.17	0.05	0.78	0.017	0.04	1.7	4.1	0.13	6920	38.3
CC153395		7.58	21.9	2.85	2.95	0.08	0.06	0.74	0.015	0.05	4.4	2.1	0.02	26	4.22
CC153396		4.74	31.5	2.84	2.97	0.09	0.08	0.84	0.031	0.07	5.9	15.1	0.29	339	1.36
CC153397		3.09	23.4	3.41	0.66	0.06	0.03	0.27	0.034	0.04	4.4	0.9	0.02	210	0.70
CC153398		1.29	21.4	3.68	4.69	0.08	0.04	0.22	0.032	0.04	6.9	10.6	0.10	251	1.74
CC153399		0.91	18.2	3.52	4.35	0.10	0.08	0.38	0.036	0.07	11.2	24.5	0.28	927	1.65
CC153400		6.04	39.1	3.37	2.67	0.10	0.06	0.47	0.038	0.08	6.9	14.5	0.29	430	1.28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC152730		0.29	16.1	1020	9.4	9.8	0.005	0.22	0.73	3.0	1.5	0.5	54.2	<0.01	0.03	0.8
CC153201		0.37	23.2	290	20.1	14.0	<0.001	0.10	0.21	3.6	0.5	0.5	90.9	<0.01	0.10	1.5
CC153202		0.31	14.6	160	9.7	8.5	<0.001	0.05	0.29	1.7	0.4	0.4	17.2	<0.01	0.03	2.1
CC153203		0.37	21.0	730	11.9	9.4	<0.001	0.15	2.64	1.8	1.5	0.3	113.0	<0.01	0.03	0.5
CC153204		0.43	20.0	730	14.3	20.7	<0.001	0.14	1.12	2.4	1.3	0.4	74.8	<0.01	0.02	0.9
CC153205		0.79	16.9	190	16.2	30.6	<0.001	0.03	0.40	2.6	0.4	0.6	12.7	<0.01	0.02	2.8
CC153206		0.56	17.1	150	21.1	13.0	<0.001	0.03	0.45	2.4	0.4	0.6	8.0	<0.01	0.03	3.4
CC153377		0.43	18.0	180	16.1	13.4	<0.001	0.03	0.12	3.1	0.2	0.8	8.2	<0.01	0.03	2.8
CC153378		0.45	25.4	170	26.5	11.2	<0.001	0.03	0.23	4.4	0.4	0.7	9.1	<0.01	0.03	4.5
CC153379		0.34	30.3	270	30.0	11.3	<0.001	0.06	0.19	6.7	0.5	0.8	17.3	<0.01	0.03	5.3
CC153380		0.31	26.2	190	28.3	9.8	<0.001	0.05	0.21	6.2	0.7	0.7	14.9	<0.01	0.03	5.3
CC153381		0.39	24.2	200	25.2	9.3	<0.001	0.04	0.35	4.8	0.4	0.7	12.3	<0.01	0.01	4.6
CC153382		0.72	26.5	210	24.9	14.9	<0.001	0.05	0.35	3.9	0.2	0.8	8.8	<0.01	0.05	4.4
CC153383		0.52	24.8	170	22.0	10.8	<0.001	0.05	0.32	4.3	0.4	0.6	9.8	<0.01	0.04	4.7
CC153384		0.63	29.7	440	23.6	12.5	<0.001	0.04	0.32	6.8	1.0	0.7	18.5	<0.01	0.03	4.6
CC153385		0.55	22.8	200	21.0	10.3	<0.001	0.04	0.33	4.3	0.4	0.7	9.7	<0.01	0.04	4.3
CC153386		0.52	27.5	270	26.5	10.6	<0.001	0.03	0.42	4.1	0.3	0.7	12.6	<0.01	0.03	4.1
CC153387		0.34	28.6	840	28.3	10.2	<0.001	0.05	0.27	5.5	0.8	0.7	28.7	<0.01	0.02	3.5
CC153388		0.37	15.1	490	26.0	10.2	<0.001	0.11	0.16	3.8	1.1	0.6	32.6	<0.01	0.05	2.0
CC153389		0.45	19.2	590	20.8	11.9	0.001	0.06	0.29	4.7	1.6	0.7	35.1	<0.01	0.05	2.2
CC153390		0.51	20.8	370	18.9	10.2	<0.001	0.02	0.21	5.0	1.0	0.7	21.4	<0.01	0.04	2.9
CC153391		0.40	19.3	770	17.3	10.0	0.004	0.08	0.50	3.5	3.2	0.5	37.7	<0.01	0.04	1.4
CC153392		0.44	23.1	480	21.2	9.3	0.003	0.06	0.55	4.7	2.2	0.5	34.5	<0.01	0.04	2.6
CC153393		0.32	27.3	430	19.8	15.3	0.003	0.03	0.96	3.2	2.2	0.5	26.0	<0.01	0.07	1.7
CC153394		0.27	37.2	1380	9.9	8.4	0.003	0.40	0.75	2.0	1.7	0.2	48.2	<0.01	0.09	0.5
CC153395		0.40	15.5	640	13.9	11.8	0.002	0.21	0.64	2.7	3.6	0.5	15.3	<0.01	0.06	1.5
CC153396		0.42	22.0	650	25.4	14.0	0.007	0.20	0.65	4.4	3.5	0.5	72.8	<0.01	0.06	2.2
CC153397		0.09	29.7	120	92.4	5.0	<0.001	<0.01	0.39	4.3	0.5	0.3	8.5	<0.01	0.03	3.5
CC153398		0.63	18.2	210	27.3	10.4	<0.001	<0.01	0.60	2.9	0.6	0.6	6.9	0.01	0.05	3.0
CC153399		0.61	20.4	2050	22.8	9.6	0.001	0.03	0.47	4.6	1.3	0.5	55.6	0.01	0.05	3.1
CC153400		0.44	33.5	530	25.2	18.1	<0.001	0.04	0.80	5.0	1.6	0.4	80.0	0.01	0.09	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134182

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC152730		<0.005	0.10	0.84	18	0.07	7.51	91	1.4
CC153201		<0.005	0.08	1.16	22	0.05	6.70	57	0.7
CC153202		0.008	0.12	0.30	15	0.08	1.81	55	0.8
CC153203		0.008	0.19	4.50	15	0.05	5.09	29	1.1
CC153204		0.006	0.23	3.62	20	<0.05	8.09	90	1.2
CC153205		0.015	0.17	0.41	30	0.08	3.03	69	0.8
CC153206		0.007	0.15	0.47	37	0.08	3.07	67	1.7
CC153377		0.006	0.06	0.33	25	0.05	2.78	67	0.6
CC153378		0.007	0.09	0.59	28	0.07	4.39	99	1.2
CC153379		0.006	0.08	0.65	24	0.07	8.09	115	1.0
CC153380		0.005	0.08	0.68	25	0.06	6.85	101	0.8
CC153381		0.008	0.07	0.66	25	0.09	6.58	88	0.5
CC153382		0.011	0.10	0.58	35	0.13	3.81	90	1.2
CC153383		0.012	0.08	0.72	28	0.10	5.92	73	0.7
CC153384		0.011	0.09	1.39	37	0.15	15.60	91	1.0
CC153385		0.012	0.07	0.72	28	0.11	6.34	85	0.6
CC153386		0.010	0.07	0.73	29	0.10	5.53	96	0.7
CC153387		<0.005	0.10	1.54	26	0.10	9.11	141	1.4
CC153388		0.006	0.08	1.35	24	0.08	5.57	62	1.2
CC153389		0.005	0.09	1.85	24	0.09	8.24	117	1.7
CC153390		0.007	0.07	1.24	27	0.11	7.99	78	1.6
CC153391		0.005	0.10	2.85	23	0.08	7.37	119	1.3
CC153392		0.005	0.16	1.38	29	0.10	7.10	100	1.6
CC153393		<0.005	0.79	0.72	30	0.09	4.50	86	0.8
CC153394		<0.005	6.24	3.94	12	0.07	3.23	161	1.2
CC153395		<0.005	0.72	2.50	10	0.08	7.00	14	1.5
CC153396		<0.005	0.60	1.71	28	0.06	9.80	115	1.9
CC153397		<0.005	0.19	0.43	8	<0.05	4.67	158	0.8
CC153398		0.009	0.24	0.48	43	0.11	2.74	78	1.3
CC153399		0.012	0.17	2.36	41	0.15	12.35	120	1.5
CC153400		0.007	0.31	1.33	25	0.09	12.90	81	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11134182

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 17- AUG- 2011
Account: MTT

CERTIFICATE WH11134183

Project: Midas Touch- Crag East

P.O. No.:

This report is for 113 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC153032		0.30	0.001	0.16	0.76	29.9	<0.2	<10	210	0.96	0.27	1.36	0.23	15.95	9.9	15
CC153033		0.36	0.004	0.41	1.06	14.2	<0.2	<10	300	0.81	0.24	1.60	0.34	19.65	9.9	19
CC153034		0.22	0.002	0.31	0.72	13.5	<0.2	<10	260	0.78	0.34	0.70	0.15	14.90	10.2	12
CC153035		0.34	0.002	0.24	0.63	11.0	<0.2	<10	140	0.82	0.31	0.78	0.22	16.55	9.8	10
CC153036		0.20	0.001	0.12	0.15	13.8	<0.2	<10	60	0.57	0.22	1.43	0.09	10.80	6.3	4
CC153301		0.34	0.003	0.14	0.56	20.8	<0.2	<10	210	0.77	0.20	7.05	0.34	15.55	9.2	10
CC153302		0.30	0.001	0.18	1.19	33.2	<0.2	<10	190	0.88	0.24	5.52	0.34	20.3	9.6	18
CC153303		0.22	0.001	0.17	0.61	26.9	<0.2	10	170	0.62	0.16	6.02	0.50	15.20	7.4	10
CC153304		0.42	0.001	0.24	0.77	12.1	<0.2	<10	300	0.70	0.20	1.93	0.38	18.55	9.5	14
CC153305		0.34	0.001	0.29	0.71	24.6	<0.2	<10	310	1.02	0.23	1.79	0.19	12.60	8.3	11
CC153306		0.22	0.001	0.10	0.60	16.7	<0.2	<10	160	0.49	0.10	6.72	1.19	13.85	4.6	7
CC153307		0.22	<0.001	0.03	0.44	5.8	<0.2	10	160	0.82	0.29	1.13	0.06	15.75	14.2	7
CC153308		0.24	<0.001	0.04	0.30	9.1	<0.2	<10	70	0.70	0.33	0.41	0.02	15.50	13.0	5
CC153309		0.30	<0.001	0.06	0.41	4.9	<0.2	<10	100	0.59	0.27	0.24	0.03	16.35	7.6	6
CC153310		0.24	0.002	0.15	0.86	10.9	<0.2	<10	420	1.50	0.33	0.60	0.20	21.5	15.3	15
CC153311		0.30	0.002	0.09	0.80	9.1	<0.2	<10	70	0.85	0.35	0.03	0.09	16.50	13.0	13
CC153312		0.36	0.001	0.02	1.28	8.4	<0.2	<10	50	0.57	0.64	0.02	0.04	13.60	11.7	26
CC153313		0.28	0.002	0.04	0.79	7.6	<0.2	<10	110	1.20	0.49	0.14	0.04	21.5	16.5	14
CC153314		0.36	0.001	0.09	0.54	9.1	<0.2	<10	400	1.22	0.35	1.41	0.11	33.1	23.2	9
CC153317		0.40	0.001	0.03	0.54	14.9	<0.2	<10	290	0.86	0.43	0.31	0.15	15.65	15.1	8
CC153318		0.20	0.001	0.12	0.66	21.2	<0.2	<10	800	0.72	0.25	2.69	0.21	12.35	9.1	10
CC153416		0.24	0.002	0.07	0.87	19.6	<0.2	<10	110	0.82	0.27	2.59	0.20	27.5	9.9	12
CC153417		0.28	0.001	0.11	1.68	23.6	<0.2	<10	180	0.99	0.27	1.14	1.71	38.6	13.0	21
CC153418		0.32	0.002	0.11	0.60	21.2	<0.2	<10	130	0.79	0.28	3.09	0.22	21.0	11.2	10
CC153419		0.34	0.001	0.11	0.60	22.0	<0.2	<10	100	0.95	0.31	1.47	0.08	15.30	9.1	10
CC153420		0.26	0.001	0.18	0.92	16.7	<0.2	<10	70	0.38	0.33	0.06	0.26	15.55	7.2	17
CC153421		0.24	0.001	0.09	0.77	9.0	<0.2	<10	100	0.48	0.25	1.45	0.19	9.90	7.9	10
CC153422		0.30	<0.001	0.01	0.25	11.4	<0.2	<10	20	0.12	0.15	0.02	0.04	6.17	4.1	5
CC153423		0.38	0.002	0.07	0.65	21.6	<0.2	<10	90	0.70	0.23	0.41	0.08	21.1	10.9	12
CC153424		0.30	0.001	0.03	0.45	14.5	<0.2	<10	80	0.36	0.29	0.28	0.08	13.00	6.9	9
CC153425		0.32	0.002	0.11	0.48	16.2	<0.2	<10	120	0.94	0.41	0.67	0.07	12.05	15.1	9
CC153426		0.30	<0.001	0.10	0.85	8.1	<0.2	<10	220	0.44	0.38	0.13	0.16	12.55	10.2	17
CC153427		0.30	0.001	0.29	0.65	9.7	<0.2	<10	110	0.30	0.28	0.05	0.16	8.43	6.7	13
CC153428		0.38	0.002	0.11	0.79	13.4	<0.2	<10	150	0.80	0.24	0.91	0.15	19.40	9.4	15
CC153429		0.34	0.002	0.14	0.62	32.1	<0.2	<10	140	0.73	0.25	5.75	0.25	17.60	9.6	11
CC153430		0.24	0.001	0.04	0.76	16.6	<0.2	<10	190	0.95	0.34	1.93	0.26	22.5	9.3	11
CC153431		0.32	0.001	0.10	1.28	10.5	<0.2	<10	240	0.66	0.22	1.38	0.16	17.95	7.1	18
CC153151		0.34	0.001	0.13	1.26	15.0	<0.2	<10	290	1.00	0.40	0.83	0.20	7.38	7.8	21
CC153152		0.36	0.002	0.11	1.18	19.0	<0.2	<10	230	0.90	0.41	0.56	0.14	7.63	6.7	21
CC153153		0.18	0.002	0.24	0.99	21.8	<0.2	<10	200	0.89	0.32	0.82	0.20	7.54	8.2	18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC153032		0.85	17.9	2.81	2.38	<0.05	0.06	1.95	0.030	0.05	6.5	7.0	0.26	445	0.61
CC153033		0.77	23.3	2.64	3.39	<0.05	0.04	0.42	0.031	0.05	9.4	12.7	0.68	580	1.00
CC153034		0.91	18.4	3.08	2.47	<0.05	0.03	0.42	0.035	0.05	5.8	9.4	0.13	480	1.01
CC153035		1.60	20.8	2.56	1.92	<0.05	0.04	0.32	0.033	0.06	6.5	7.3	0.12	391	0.66
CC153036		0.99	13.0	1.90	0.44	<0.05	0.05	0.45	0.020	0.05	3.5	0.9	0.09	202	0.32
CC153301		1.02	26.6	2.53	1.62	<0.05	0.06	0.57	0.024	0.08	7.3	5.1	3.69	725	1.10
CC153302		1.22	19.1	2.99	3.35	<0.05	0.06	0.67	0.025	0.08	11.4	9.6	2.93	1110	0.86
CC153303		0.94	19.1	1.91	1.83	<0.05	0.05	1.37	0.021	0.06	7.0	5.0	2.57	513	0.67
CC153304		0.66	14.3	2.41	2.51	<0.05	0.04	0.41	0.023	0.07	7.3	11.0	0.44	458	1.15
CC153305		1.21	26.1	2.32	1.96	<0.05	0.07	0.74	0.023	0.08	6.3	5.9	0.20	352	0.84
CC153306		0.55	12.0	2.32	1.63	<0.05	0.03	0.30	0.014	0.03	6.4	2.2	2.76	1800	0.44
CC153307		3.20	26.5	1.87	1.53	<0.05	0.05	0.11	0.027	0.16	4.7	3.2	0.09	858	0.49
CC153308		1.63	35.1	2.13	1.22	<0.05	0.02	0.05	0.025	0.18	6.1	1.6	0.07	265	0.58
CC153309		2.10	23.7	1.75	1.69	<0.05	0.02	0.06	0.018	0.17	6.4	1.9	0.06	215	0.47
CC153310		4.36	87.5	2.63	2.79	0.05	0.05	0.41	0.039	0.12	12.5	8.0	0.17	665	0.92
CC153311		1.80	30.4	3.28	2.92	<0.05	0.02	0.07	0.031	0.12	6.3	9.0	0.13	521	0.62
CC153312		2.91	15.4	5.23	9.79	<0.05	0.02	0.01	0.039	0.10	5.5	15.8	0.24	696	0.44
CC153313		2.99	42.5	3.46	3.35	0.08	0.04	0.02	0.026	0.20	8.3	14.6	0.18	802	0.47
CC153314		3.69	65.7	3.16	1.91	0.10	0.13	0.15	0.035	0.18	15.8	4.3	0.35	2180	0.89
CC153317		3.51	66.1	3.21	2.20	0.07	0.05	0.15	0.030	0.12	6.3	3.4	0.08	305	1.20
CC153318		1.37	24.1	2.60	2.05	0.07	0.08	0.50	0.023	0.11	7.0	6.1	0.86	405	0.76
CC153416		0.54	19.8	2.41	2.57	0.09	0.07	0.26	0.025	0.06	16.5	6.7	0.59	559	0.55
CC153417		0.96	16.1	3.66	4.69	0.11	0.06	0.22	0.033	0.05	17.1	12.2	0.40	1190	0.87
CC153418		0.56	22.9	2.71	1.99	0.09	0.08	0.28	0.026	0.06	11.7	5.1	1.33	563	0.56
CC153419		0.80	23.6	2.68	1.69	0.07	0.10	0.22	0.025	0.05	9.0	5.4	0.31	364	0.54
CC153420		1.64	40.8	2.96	4.60	0.06	<0.02	0.07	0.029	0.07	7.1	6.4	0.11	210	1.37
CC153421		1.29	15.7	2.20	3.12	0.05	0.08	0.08	0.025	0.04	4.7	6.9	0.14	669	0.55
CC153422		1.59	11.5	1.63	1.96	<0.05	<0.02	0.01	0.014	0.02	3.1	0.8	0.02	102	0.48
CC153423		0.82	26.0	2.65	1.97	0.07	0.05	0.19	0.026	0.04	8.9	6.9	0.14	238	0.76
CC153424		1.21	20.4	2.26	2.59	0.05	<0.02	0.03	0.022	0.06	6.7	2.9	0.06	219	0.93
CC153425		4.70	44.8	3.46	1.55	0.07	0.08	0.10	0.036	0.06	5.3	6.0	0.13	294	0.66
CC153426		2.43	21.2	3.48	5.91	0.06	<0.02	0.04	0.019	0.07	6.3	10.8	0.14	742	1.22
CC153427		1.69	21.7	2.70	3.78	0.05	<0.02	0.04	0.016	0.07	4.3	6.7	0.09	239	0.83
CC153428		0.81	27.0	2.72	2.58	0.08	0.07	0.14	0.023	0.06	10.1	11.5	0.25	378	0.74
CC153429		0.39	22.1	2.56	1.86	0.07	0.08	0.31	0.027	0.06	9.6	4.2	2.88	972	0.43
CC153430		0.28	21.9	3.02	2.20	0.09	0.11	0.13	0.027	0.08	11.9	7.0	0.36	418	0.31
CC153431		0.82	19.3	2.42	4.43	0.06	0.05	0.10	0.023	0.05	9.3	11.8	0.29	364	0.67
CC153151		1.02	36.7	3.41	5.35	0.07	0.06	0.20	0.037	0.12	3.4	10.7	0.24	656	4.65
CC153152		1.02	33.9	3.09	4.94	0.07	0.06	0.22	0.035	0.10	3.5	11.1	0.24	430	6.78
CC153153		0.95	34.9	2.97	3.85	0.08	0.06	0.41	0.034	0.07	3.4	11.7	0.19	702	8.28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
CC153032		0.35	23.6	440	31.2	5.2	<0.001	0.05	0.94	3.7	0.8	0.5	36.7	<0.01	0.02	1.7
CC153033		0.47	22.2	620	20.8	6.4	<0.001	0.04	0.66	3.2	0.9	0.4	27.2	<0.01	0.02	1.4
CC153034		0.34	20.6	440	27.5	6.7	<0.001	0.03	0.49	3.4	0.8	0.5	47.2	<0.01	0.03	1.8
CC153035		0.31	23.1	400	22.0	7.5	<0.001	0.04	0.41	4.1	1.0	0.4	41.2	<0.01	0.02	1.8
CC153036		<0.05	16.4	330	23.3	3.4	0.001	0.05	0.24	2.3	0.2	0.3	41.9	<0.01	0.01	2.4
CC153301		0.22	20.3	740	30.8	6.0	<0.001	0.03	0.94	3.6	0.6	0.3	48.3	<0.01	0.03	1.7
CC153302		0.46	22.8	930	30.8	8.3	<0.001	0.04	0.82	3.2	0.9	0.5	39.3	<0.01	0.04	1.2
CC153303		0.28	18.5	660	27.6	5.4	<0.001	0.06	0.73	2.4	1.1	0.4	60.6	<0.01	0.01	0.9
CC153304		0.35	20.0	580	20.9	5.8	<0.001	0.05	0.66	2.8	0.9	0.4	40.0	<0.01	0.04	1.3
CC153305		0.20	26.0	530	26.7	6.3	<0.001	0.05	0.57	3.4	0.9	0.4	46.1	<0.01	0.02	1.7
CC153306		0.22	8.7	1240	19.3	4.6	<0.001	0.10	1.03	0.8	0.8	0.2	44.6	<0.01	0.02	0.2
CC153307		0.27	14.2	290	15.6	13.0	<0.001	0.04	0.27	4.0	0.4	0.4	27.4	<0.01	0.01	2.9
CC153308		0.16	14.4	320	14.8	8.4	<0.001	0.02	0.27	2.6	0.3	0.4	21.0	<0.01	0.02	2.3
CC153309		0.15	10.8	290	10.2	11.8	<0.001	0.02	0.22	2.7	0.2	0.4	19.8	<0.01	0.03	2.4
CC153310		0.40	26.7	450	13.9	12.8	<0.001	0.03	0.65	7.8	1.1	0.5	21.2	<0.01	0.04	2.3
CC153311		0.38	18.8	450	18.5	13.0	<0.001	0.03	0.43	2.6	0.4	0.5	9.6	<0.01	0.03	2.1
CC153312		0.54	14.4	540	25.8	17.3	<0.001	0.01	0.33	2.9	0.2	1.0	8.3	<0.01	0.03	3.8
CC153313		0.23	23.9	450	21.4	16.2	<0.001	<0.01	0.32	3.1	0.4	0.6	16.8	<0.01	0.03	3.1
CC153314		0.16	26.6	710	22.1	13.2	<0.001	0.05	0.40	5.9	1.1	0.4	32.7	0.01	0.07	2.6
CC153317		0.22	22.7	430	19.6	12.4	<0.001	<0.01	0.68	4.9	0.6	0.4	15.7	<0.01	0.05	2.5
CC153318		0.35	17.0	740	40.5	10.0	<0.001	0.05	0.61	4.1	0.9	0.4	27.4	<0.01	0.04	1.5
CC153416		0.46	19.3	790	19.5	5.7	<0.001	0.04	0.88	3.7	1.0	0.4	52.4	0.01	0.10	1.5
CC153417		0.84	20.2	630	36.0	8.0	<0.001	0.02	0.97	4.1	1.0	0.5	27.3	0.01	0.06	2.2
CC153418		0.33	20.5	890	26.7	5.6	<0.001	0.04	0.97	3.9	0.9	0.4	29.6	0.01	0.06	1.8
CC153419		0.25	21.4	810	24.2	6.2	<0.001	0.07	0.72	3.1	0.8	0.3	27.2	<0.01	0.07	1.1
CC153420		0.74	21.2	690	24.3	11.3	<0.001	0.01	0.64	1.9	0.6	0.5	8.3	<0.01	0.06	0.7
CC153421		0.53	12.2	1310	19.1	9.0	<0.001	0.08	0.36	2.2	0.8	0.3	52.3	0.01	0.07	0.8
CC153422		0.19	8.7	140	6.4	4.2	<0.001	<0.01	0.24	1.5	<0.2	0.2	5.3	<0.01	0.02	1.8
CC153423		0.46	24.9	220	14.3	5.0	<0.001	<0.01	0.50	4.0	0.5	0.3	24.2	<0.01	0.03	4.4
CC153424		0.31	13.4	380	10.5	9.8	<0.001	<0.01	0.36	1.9	0.3	0.3	15.7	<0.01	0.05	0.8
CC153425		0.27	31.9	380	14.8	11.5	<0.001	0.02	0.52	5.5	0.8	0.3	43.8	<0.01	0.07	2.6
CC153426		0.55	14.7	640	13.1	18.3	<0.001	<0.01	0.58	1.2	0.4	0.6	16.2	<0.01	0.07	0.2
CC153427		0.52	15.8	710	18.4	12.0	<0.001	0.01	0.42	1.1	0.5	0.4	7.8	<0.01	0.06	0.2
CC153428		0.59	22.9	570	16.1	6.5	<0.001	<0.01	0.52	4.2	0.8	0.3	48.2	<0.01	0.04	3.2
CC153429		0.16	20.9	570	38.2	5.5	<0.001	0.01	2.07	4.2	0.9	0.4	71.4	<0.01	0.05	1.7
CC153430		0.29	17.9	820	24.3	5.3	<0.001	0.04	0.97	5.2	0.9	0.5	23.9	0.01	0.08	2.8
CC153431		0.80	14.9	470	13.5	8.7	<0.001	0.02	0.48	3.0	0.7	0.4	29.6	<0.01	0.05	1.5
CC153151		0.42	18.3	960	16.3	12.3	0.001	0.04	0.47	3.7	1.7	0.7	30.2	<0.01	0.05	1.5
CC153152		0.47	16.7	720	14.4	11.0	0.003	0.03	0.87	3.6	3.7	0.7	25.6	<0.01	0.06	1.7
CC153153		0.43	16.2	620	20.7	9.4	0.009	0.03	1.38	3.7	5.0	0.5	29.2	<0.01	0.05	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC153032		<0.005	0.20	1.30	19	0.12	9.64	102	1.9
CC153033		0.009	0.10	0.95	30	0.13	9.65	88	1.3
CC153034		0.006	0.10	1.08	23	0.09	7.84	82	1.0
CC153035		0.005	0.08	1.16	16	0.07	10.75	85	1.4
CC153036		<0.005	0.06	0.95	4	<0.05	5.80	61	2.0
CC153301		0.005	0.14	1.36	18	0.05	10.70	95	1.8
CC153302		0.010	0.19	1.40	33	0.10	17.10	102	1.5
CC153303		0.005	0.12	1.24	17	0.07	9.73	79	1.6
CC153304		0.007	0.10	0.79	27	0.06	7.96	120	1.3
CC153305		<0.005	0.18	1.14	18	<0.05	12.90	65	2.2
CC153306		0.007	0.09	2.05	13	<0.05	7.96	340	0.9
CC153307		0.005	0.10	0.64	9	<0.05	4.37	38	1.7
CC153308		<0.005	0.06	0.55	8	<0.05	3.55	43	1.1
CC153309		<0.005	0.08	0.53	11	<0.05	4.13	29	0.5
CC153310		0.008	0.13	2.01	22	0.08	21.5	50	1.3
CC153311		0.008	0.11	0.67	19	0.05	4.03	64	0.6
CC153312		0.009	0.10	0.45	34	<0.05	3.96	87	0.9
CC153313		0.007	0.11	0.65	14	<0.05	6.02	69	0.7
CC153314		<0.005	0.13	0.85	11	0.05	17.50	66	2.3
CC153317		<0.005	0.12	0.58	19	<0.05	8.06	57	0.9
CC153318		<0.005	0.18	0.77	18	0.06	9.23	71	1.8
CC153416		0.006	0.07	1.83	20	0.11	15.70	49	1.3
CC153417		0.007	0.13	1.31	37	0.17	13.10	309	1.2
CC153418		0.005	0.08	0.91	16	0.18	13.40	122	1.6
CC153419		<0.005	0.09	1.26	15	0.05	11.85	68	2.2
CC153420		0.010	0.09	0.90	38	0.16	3.80	71	<0.5
CC153421		0.011	0.07	0.91	18	0.06	5.54	54	2.2
CC153422		<0.005	0.03	0.32	16	<0.05	1.00	32	<0.5
CC153423		0.005	0.08	0.75	19	0.17	6.80	46	1.5
CC153424		0.007	0.05	0.64	21	0.08	2.57	59	<0.5
CC153425		<0.005	0.06	1.33	14	0.05	8.69	52	2.3
CC153426		0.024	0.08	0.58	46	0.17	2.50	67	<0.5
CC153427		0.013	0.05	0.41	30	0.10	2.08	60	<0.5
CC153428		0.011	0.07	1.08	23	0.13	11.10	68	1.8
CC153429		<0.005	0.14	0.79	15	0.06	13.70	83	1.6
CC153430		<0.005	0.09	0.66	17	0.06	14.40	101	2.0
CC153431		0.010	0.08	1.15	35	0.12	6.46	44	1.2
CC153151		<0.005	0.11	0.81	37	0.09	4.99	94	1.1
CC153152		<0.005	0.16	1.05	62	0.11	4.46	88	1.3
CC153153		<0.005	0.23	1.16	51	0.10	4.61	79	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC153154		0.34	0.002	0.15	1.10	27.1	<0.2	<10	260	0.87	0.32	1.11	0.18	8.25	9.6	18
CC153155		0.42	0.001	0.08	1.08	18.0	<0.2	<10	150	1.11	0.36	0.33	0.14	13.45	12.4	21
CC153156		0.30	0.002	0.20	1.11	16.0	<0.2	<10	310	0.99	0.29	1.17	0.31	9.72	7.8	17
CC153157		0.22	0.001	0.14	1.25	27.7	<0.2	<10	270	1.13	0.31	1.26	0.19	11.10	8.0	20
CC153158		0.38	0.001	0.06	1.16	19.5	<0.2	<10	160	1.01	0.38	0.57	0.09	12.10	12.1	23
CC153159		0.14	0.002	0.20	0.95	24.9	<0.2	<10	210	0.92	0.26	2.08	0.26	7.29	6.5	15
CC153160		0.18	0.002	0.19	0.53	32.3	<0.2	<10	90	0.68	0.24	0.97	0.28	6.42	6.9	11
CC153161		0.40	0.002	0.17	1.03	50.4	<0.2	<10	190	1.17	0.34	1.28	0.21	10.85	10.4	18
CC153162		0.22	0.001	0.25	0.87	25.3	<0.2	<10	110	0.91	0.27	1.74	0.20	8.06	9.4	15
CC153163		0.16	0.001	0.21	0.94	25.1	<0.2	<10	140	0.92	0.28	1.33	0.16	8.44	11.5	15
CC153164		0.22	0.001	0.13	0.96	19.3	<0.2	<10	180	0.91	0.27	1.51	0.25	9.66	11.0	17
CC153165		0.14	0.001	0.16	0.51	13.3	<0.2	10	100	0.62	0.19	2.62	0.17	4.78	5.3	9
CC153166		0.40	<0.001	0.07	0.63	11.4	<0.2	<10	140	0.64	0.31	0.22	0.06	10.40	5.0	9
CC153086		0.38	0.001	0.04	1.44	14.5	<0.2	<10	210	1.12	0.37	0.19	0.18	23.0	15.6	25
CC153087		0.38	0.002	0.10	1.71	17.3	<0.2	<10	390	1.16	0.32	0.88	0.34	22.4	13.3	28
CC153088		0.30	0.002	0.19	1.54	20.4	<0.2	<10	510	1.25	0.33	0.46	0.24	23.2	14.3	26
CC153089		0.42	0.001	0.09	1.30	27.3	<0.2	<10	270	1.00	0.37	0.67	0.25	18.65	14.9	25
CC153090		0.46	0.001	0.04	1.23	52.4	<0.2	<10	110	0.60	0.33	0.07	0.16	18.15	9.1	19
CC153091		0.34	<0.001	0.05	1.21	24.2	<0.2	<10	180	0.59	0.27	0.20	0.20	19.80	8.7	20
CC153092		0.44	0.001	0.06	1.46	21.1	<0.2	<10	240	0.99	0.37	0.31	0.20	25.3	15.4	27
CC153093		0.46	0.001	0.13	1.44	121.0	<0.2	<10	270	1.01	0.30	0.63	0.42	19.65	11.9	28
CC153094		0.18	0.001	0.22	0.93	51.8	<0.2	<10	360	0.58	0.28	0.35	0.13	13.60	9.5	32
CC153095		0.22	0.001	0.20	1.21	35.8	<0.2	<10	80	0.28	0.25	0.06	0.10	22.7	4.9	20
CC153096		0.28	0.002	0.04	1.13	29.1	<0.2	<10	160	0.60	0.28	0.29	0.08	17.85	10.9	22
CC153097		0.38	<0.001	0.12	1.08	37.6	<0.2	<10	280	1.11	0.39	0.78	0.21	14.35	14.6	20
CC153098		0.46	0.001	0.05	1.31	38.1	<0.2	<10	180	1.12	0.41	0.14	0.15	16.85	16.9	23
CC153099		0.42	0.003	0.02	1.08	34.5	<0.2	<10	110	0.57	0.32	0.07	0.15	17.90	10.7	18
CC153100		0.50	0.001	0.06	1.24	55.2	<0.2	<10	120	0.88	0.40	0.08	0.21	14.30	14.8	23
CC153901		0.38	0.002	0.08	1.15	10.8	<0.2	<10	170	1.07	0.35	0.46	0.16	15.85	13.8	21
CC153902		0.20	0.001	0.10	1.07	9.8	<0.2	<10	230	0.89	0.31	0.93	0.22	15.65	13.1	20
CC153903		0.18	0.001	0.11	1.29	10.9	<0.2	<10	350	1.27	0.36	0.64	0.29	15.95	10.0	22
CC153904		0.22	0.001	0.08	1.20	14.5	<0.2	<10	260	1.25	0.37	0.64	0.18	12.25	13.1	23
CC153905		0.28	0.001	0.04	1.10	12.2	<0.2	<10	200	1.06	0.38	0.40	0.07	12.45	10.8	22
CC153906		0.46	0.001	0.05	1.45	15.6	<0.2	<10	190	1.21	0.42	0.15	0.09	16.25	15.7	26
CC153907		0.42	0.001	0.03	1.02	11.9	<0.2	<10	120	0.74	0.37	0.08	0.09	15.05	11.4	21
CC153908		0.38	0.001	0.03	1.15	16.2	<0.2	<10	150	1.20	0.51	0.10	0.09	16.35	17.6	24
CC153909		0.42	0.001	0.08	1.14	10.5	<0.2	<10	110	0.75	0.38	0.06	0.08	16.10	8.3	20
CC153910		0.54	<0.001	0.03	0.96	11.9	<0.2	<10	80	0.65	0.41	0.05	0.05	13.75	8.0	19
CC153911		0.56	0.001	0.04	1.41	14.4	<0.2	<10	120	1.17	0.47	0.05	0.04	12.75	14.7	25
CC153912		0.42	<0.001	0.03	1.34	11.5	<0.2	<10	110	0.86	0.39	0.07	0.07	12.45	10.9	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC153154		1.29	25.2	3.13	4.10	0.06	0.06	0.84	0.032	0.08	3.7	12.0	0.21	584	2.77
CC153155		0.99	27.2	3.49	4.41	0.07	0.06	0.79	0.032	0.07	5.1	16.9	0.30	438	2.26
CC153156		1.31	28.7	2.51	3.87	0.07	0.07	0.36	0.028	0.07	4.3	10.8	0.23	486	2.70
CC153157		1.45	24.8	2.92	4.62	0.06	0.06	2.67	0.033	0.08	5.8	12.3	0.22	428	3.04
CC153158		0.82	31.0	3.51	5.21	0.07	0.04	0.31	0.033	0.09	5.3	15.3	0.28	679	0.96
CC153159		1.78	26.4	2.21	3.30	0.06	0.06	0.49	0.026	0.07	3.8	9.1	0.21	315	1.84
CC153160		3.87	28.9	1.88	2.21	0.05	0.04	0.99	0.026	0.06	2.9	6.6	0.14	426	2.47
CC153161		2.64	37.6	3.14	3.82	0.08	0.09	2.52	0.036	0.10	6.3	12.3	0.28	585	1.06
CC153162		20.1	30.4	2.64	3.13	0.07	0.06	0.68	0.029	0.09	3.5	11.5	0.30	330	0.64
CC153163		11.20	29.2	2.69	3.23	0.07	0.06	0.60	0.028	0.07	3.8	10.9	0.26	561	0.69
CC153164		1.82	31.3	2.84	3.59	0.07	0.05	0.26	0.030	0.07	4.2	13.4	0.33	652	0.77
CC153165		18.55	25.3	1.69	1.61	0.05	0.05	0.21	0.019	0.07	2.3	6.3	0.30	172	0.62
CC153166		11.65	20.6	1.94	3.80	0.05	0.02	0.03	0.020	0.06	5.5	3.2	0.05	70	0.79
CC153086		0.73	24.6	3.95	5.29	0.07	0.05	0.12	0.036	0.08	8.2	23.8	0.41	626	0.97
CC153087		0.75	21.3	3.71	6.11	0.08	0.08	0.17	0.040	0.06	11.5	16.1	0.36	568	0.90
CC153088		1.57	32.0	3.76	5.21	0.08	0.07	1.07	0.038	0.09	10.9	20.8	0.44	658	1.11
CC153089		0.79	34.5	3.69	5.40	0.08	0.06	0.28	0.039	0.09	7.5	19.1	0.38	511	0.94
CC153090		0.75	14.8	3.33	5.36	0.05	0.05	0.68	0.027	0.05	8.2	15.5	0.23	303	1.10
CC153091		0.74	12.3	2.86	5.21	0.05	0.02	0.13	0.023	0.05	9.4	16.7	0.28	309	1.01
CC153092		0.63	27.4	3.76	5.54	0.08	0.05	0.19	0.037	0.07	11.3	20.6	0.44	717	0.92
CC153093		0.83	27.4	4.96	5.05	0.09	0.07	0.21	0.044	0.09	9.1	19.4	0.39	332	1.29
CC153094		2.29	57.6	6.64	4.54	0.10	0.03	0.87	0.053	0.08	6.3	5.9	0.14	179	1.95
CC153095		1.07	7.3	2.72	5.75	0.05	0.02	0.04	0.019	0.04	11.7	12.7	0.22	167	1.21
CC153096		0.72	16.0	3.01	4.82	0.06	0.03	0.32	0.031	0.06	7.6	16.9	0.35	253	0.83
CC153097		1.61	38.5	4.04	3.91	0.09	0.06	0.67	0.043	0.10	6.5	15.1	0.49	535	0.87
CC153098		1.15	37.5	4.32	4.38	0.08	0.04	0.63	0.045	0.07	6.7	18.3	0.30	762	0.99
CC153099		0.94	18.6	3.38	4.51	0.06	0.04	0.31	0.034	0.05	8.6	15.1	0.20	404	1.05
CC153100		1.00	31.8	4.33	4.63	0.08	0.04	0.42	0.041	0.07	6.5	18.4	0.30	556	0.97
CC153901		1.08	24.6	3.67	4.00	0.06	0.06	0.12	0.040	0.11	6.5	20.6	0.29	610	0.50
CC153902		0.83	26.9	3.22	3.91	0.06	0.06	0.10	0.035	0.07	7.0	15.7	0.33	890	0.54
CC153903		1.01	44.1	3.56	4.52	0.07	0.06	0.09	0.043	0.07	8.3	12.8	0.29	545	0.67
CC153904		1.22	36.1	3.74	4.59	0.07	0.08	0.17	0.039	0.12	5.8	14.2	0.32	702	0.59
CC153905		0.94	30.8	3.61	4.43	0.06	0.04	0.16	0.035	0.08	5.8	14.6	0.33	386	0.52
CC153906		1.04	44.9	4.40	4.97	0.07	0.04	0.16	0.046	0.07	6.5	18.7	0.36	787	0.70
CC153907		0.84	27.2	3.72	4.18	0.07	0.02	0.07	0.038	0.07	7.0	12.8	0.27	479	0.74
CC153908		1.08	51.7	4.72	4.51	0.08	0.03	0.11	0.050	0.07	7.1	14.8	0.34	786	0.78
CC153909		0.96	23.8	3.32	5.39	0.05	0.02	0.06	0.034	0.06	7.6	12.7	0.21	354	0.86
CC153910		0.90	28.8	3.43	4.97	0.06	0.02	0.05	0.034	0.05	6.7	10.5	0.21	325	0.92
CC153911		1.18	50.1	4.63	5.18	0.07	0.03	0.11	0.052	0.06	5.5	18.8	0.30	697	0.76
CC153912		1.07	29.9	4.20	5.23	0.07	0.03	0.05	0.042	0.06	5.6	18.7	0.30	458	0.78



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC153154		0.50	15.5	570	21.2	10.5	<0.001	0.05	0.84	3.6	1.6	0.6	37.6	<0.01	0.05
CC153155		0.59	22.0	220	22.5	8.4	<0.001	<0.01	0.64	4.5	1.2	0.6	18.2	<0.01	0.03
CC153156		0.45	18.8	680	14.6	10.4	<0.001	0.07	0.67	2.9	1.8	0.6	40.5	<0.01	0.06
CC153157		0.48	15.8	840	15.7	12.6	<0.001	0.07	0.43	3.2	1.5	0.6	38.6	<0.01	0.05
CC153158		0.49	19.0	370	22.5	10.4	<0.001	<0.01	0.33	4.5	0.6	0.7	19.4	<0.01	0.03
CC153159		0.43	16.8	670	13.1	10.2	0.001	0.13	0.75	2.9	1.3	0.5	57.3	<0.01	0.05
CC153160		0.27	19.3	390	14.9	12.1	0.002	0.07	0.89	2.7	1.1	0.4	44.2	<0.01	0.05
CC153161		0.48	25.1	510	38.7	10.7	<0.001	0.05	1.66	4.6	1.2	0.6	46.0	<0.01	0.04
CC153162		0.45	23.6	590	20.5	34.2	0.001	0.11	0.54	3.7	1.7	0.5	38.8	<0.01	0.04
CC153163		0.45	22.6	630	18.1	13.3	<0.001	0.06	0.42	4.1	1.0	0.5	35.6	<0.01	0.04
CC153164		0.50	19.6	510	18.8	11.8	0.001	0.06	0.45	3.5	1.4	0.5	38.3	<0.01	0.04
CC153165		0.28	16.7	630	14.2	23.2	<0.001	0.16	0.36	2.4	1.1	0.3	53.4	<0.01	0.03
CC153166		0.41	11.1	200	11.9	13.0	<0.001	<0.01	0.24	2.7	0.4	0.6	11.7	<0.01	0.05
CC153086		0.58	31.2	220	29.0	12.2	<0.001	<0.01	0.52	4.7	0.5	0.6	12.2	<0.01	0.02
CC153087		0.94	31.6	180	27.4	12.2	<0.001	0.01	0.51	6.5	0.7	0.7	16.1	<0.01	0.02
CC153088		0.78	34.2	570	24.4	13.2	<0.001	0.01	0.60	6.3	0.7	0.7	22.5	<0.01	0.02
CC153089		0.66	32.9	380	30.8	10.2	<0.001	0.01	0.55	5.5	0.8	0.7	16.6	<0.01	0.02
CC153090		1.05	19.7	130	31.0	11.8	<0.001	<0.01	0.61	3.1	0.4	0.7	7.1	<0.01	0.02
CC153091		1.02	16.6	210	21.3	13.5	<0.001	<0.01	0.39	2.8	0.3	0.6	11.3	<0.01	0.01
CC153092		0.78	29.5	320	28.7	10.2	<0.001	<0.01	0.48	5.0	0.7	0.7	16.6	<0.01	0.02
CC153093		0.72	28.6	680	26.3	11.5	0.001	0.03	0.54	5.3	1.0	0.6	27.1	<0.01	0.03
CC153094		0.57	26.3	640	27.4	11.7	0.001	0.03	0.59	4.1	1.1	0.5	29.7	<0.01	0.03
CC153095		1.72	11.2	150	20.7	14.0	<0.001	<0.01	0.56	2.0	0.3	0.7	7.7	<0.01	0.02
CC153096		0.78	18.8	340	28.4	10.7	<0.001	<0.01	0.42	3.6	0.4	0.6	19.5	<0.01	0.02
CC153097		0.45	27.1	470	31.6	11.8	<0.001	0.01	0.47	6.4	0.6	0.6	28.6	<0.01	0.03
CC153098		0.50	33.5	340	35.7	11.4	<0.001	<0.01	0.58	5.1	0.5	0.6	13.4	<0.01	0.03
CC153099		0.97	16.3	200	27.7	12.1	<0.001	<0.01	0.50	3.1	0.4	0.6	8.5	<0.01	0.02
CC153100		0.66	26.8	330	36.2	11.6	<0.001	<0.01	0.67	4.1	0.5	0.6	11.3	<0.01	0.03
CC153901		0.77	22.3	370	29.3	14.8	<0.001	0.03	0.26	5.7	0.5	0.6	31.9	<0.01	0.02
CC153902		0.74	23.4	520	27.1	10.2	<0.001	0.05	0.30	4.7	0.7	0.6	36.6	<0.01	0.02
CC153903		0.62	27.2	760	22.1	11.7	<0.001	0.04	0.29	5.1	0.8	0.6	28.8	0.01	0.02
CC153904		0.64	24.9	480	25.0	12.6	<0.001	0.03	0.35	6.0	0.6	0.7	27.9	<0.01	0.02
CC153905		0.68	23.7	280	22.1	11.2	<0.001	0.01	0.30	4.9	0.4	0.6	19.2	<0.01	0.01
CC153906		0.52	30.3	190	31.0	12.4	<0.001	<0.01	0.35	5.6	0.5	0.7	10.8	<0.01	0.02
CC153907		0.69	19.4	210	25.0	10.9	<0.001	<0.01	0.31	4.0	0.3	0.6	9.2	<0.01	0.02
CC153908		0.50	31.2	250	37.3	10.2	<0.001	<0.01	0.38	6.6	0.5	0.6	14.5	<0.01	0.02
CC153909		0.83	14.7	190	25.1	15.6	<0.001	<0.01	0.28	3.5	0.3	0.8	7.9	<0.01	0.02
CC153910		0.79	15.8	160	22.2	12.0	<0.001	<0.01	0.35	3.6	0.3	0.7	8.3	<0.01	0.02
CC153911		0.55	26.3	160	33.5	12.8	<0.001	<0.01	0.33	5.1	0.4	0.7	9.4	<0.01	0.02
CC153912		0.71	22.4	130	28.1	13.3	<0.001	<0.01	0.31	3.7	0.3	0.7	9.8	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC153154		<0.005	0.25	0.90	33	0.09	4.77	90	1.2
CC153155		0.007	0.13	0.84	30	0.08	4.79	90	1.5
CC153156		<0.005	0.24	1.13	33	0.09	6.10	80	1.5
CC153157		<0.005	0.14	1.19	33	0.09	7.47	65	1.1
CC153158		0.006	0.08	0.71	27	0.09	5.83	80	0.8
CC153159		<0.005	0.28	1.06	27	0.08	5.72	66	1.6
CC153160		<0.005	0.67	0.84	36	0.07	4.63	83	1.2
CC153161		<0.005	1.08	1.36	24	0.11	10.70	105	2.1
CC153162		<0.005	0.79	1.38	18	0.08	7.02	100	1.5
CC153163		<0.005	0.30	0.64	20	0.09	6.77	87	1.6
CC153164		0.006	0.13	1.14	24	0.10	6.02	85	1.1
CC153165		<0.005	0.18	0.96	10	0.05	6.51	68	1.4
CC153166		0.006	0.10	0.40	32	0.09	5.15	28	<0.5
CC153086		0.008	0.11	0.89	32	0.08	6.76	101	1.7
CC153087		0.008	0.13	0.43	43	0.12	16.25	91	2.6
CC153088		0.009	0.13	1.20	35	0.13	13.50	100	1.7
CC153089		0.009	0.24	1.03	29	0.08	9.36	105	1.8
CC153090		0.014	0.20	0.52	39	0.13	3.47	59	1.9
CC153091		0.015	0.12	0.58	40	0.19	3.93	66	0.6
CC153092		0.012	0.10	1.11	35	0.13	9.79	93	1.3
CC153093		0.008	0.31	1.76	39	0.09	10.40	251	1.7
CC153094		0.005	0.46	0.88	28	0.08	6.98	84	1.0
CC153095		0.030	0.44	0.44	49	0.24	2.14	48	1.0
CC153096		0.013	0.11	0.64	30	0.10	4.37	82	1.0
CC153097		0.005	0.18	1.07	24	0.06	9.36	115	2.1
CC153098		0.006	0.17	0.81	29	0.08	6.94	108	0.9
CC153099		0.013	0.13	0.60	35	0.15	3.63	83	1.4
CC153100		0.008	0.16	0.60	29	0.07	5.07	102	1.4
CC153901		0.010	0.10	1.06	25	0.14	7.95	69	1.3
CC153902		0.009	0.08	1.27	23	0.11	8.36	88	1.4
CC153903		0.007	0.07	1.53	26	0.12	11.90	81	1.2
CC153904		0.005	0.09	1.20	24	0.09	9.33	85	1.8
CC153905		0.009	0.08	0.81	24	0.10	6.46	83	1.1
CC153906		0.006	0.11	0.79	26	0.08	7.04	111	1.3
CC153907		0.011	0.08	0.76	26	0.10	4.72	91	0.5
CC153908		0.008	0.09	0.86	25	0.09	8.94	104	0.7
CC153909		0.011	0.09	0.59	35	0.12	4.36	61	0.5
CC153910		0.012	0.07	0.53	32	0.13	3.68	65	0.5
CC153911		0.006	0.10	0.68	27	0.11	5.51	99	0.7
CC153912		0.007	0.09	0.56	28	0.10	3.96	71	0.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC153913		0.42	<0.001	0.06	1.01	11.2	<0.2	<10	180	0.90	0.38	0.16	0.15	12.55	12.2	22
CC153914		0.40	<0.001	0.03	1.11	13.9	<0.2	<10	190	1.25	0.45	0.12	0.06	12.40	12.9	24
CC153915		0.44	0.001	0.05	1.98	11.3	<0.2	<10	250	1.10	0.32	0.05	0.10	17.55	10.7	30
CC153916		0.32	0.001	0.05	1.39	14.1	<0.2	<10	100	0.58	0.35	0.06	0.14	17.45	9.8	25
CC153917		0.28	0.001	0.04	1.00	16.8	<0.2	<10	110	0.91	0.39	0.03	0.07	11.30	10.1	22
CC153918		0.32	<0.001	0.02	1.19	14.0	<0.2	<10	120	0.99	0.38	0.07	0.07	16.85	12.3	23
CC153919		0.40	<0.001	0.03	1.40	14.2	<0.2	<10	140	1.05	0.40	0.05	0.11	14.20	12.4	24
CC153920		0.54	0.001	0.06	1.31	17.3	<0.2	<10	280	1.43	0.42	0.16	0.14	17.00	15.3	26
CC153001		0.34	0.001	0.13	1.21	15.3	<0.2	<10	200	1.20	0.37	0.68	0.11	15.55	10.5	23
CC153002		0.26	0.001	0.11	1.24	10.4	<0.2	<10	220	0.80	0.32	0.71	0.11	11.95	8.7	23
CC153003		0.44	0.001	0.06	1.12	19.9	<0.2	<10	180	0.93	0.36	0.29	0.08	12.65	9.8	24
CC153004		0.36	<0.001	0.08	1.24	13.8	<0.2	<10	200	0.98	0.34	0.40	0.17	16.10	13.6	25
CC153005		0.22	0.002	0.16	1.31	18.4	<0.2	<10	280	1.07	0.32	0.45	0.21	21.9	13.0	27
CC153006		0.26	<0.001	0.10	1.61	10.7	<0.2	<10	160	1.15	0.36	0.48	0.14	13.30	12.6	26
CC153007		0.26	<0.001	0.17	1.29	20.1	<0.2	<10	350	1.26	0.38	0.43	0.39	14.05	19.8	24
CC153008		0.14	<0.001	0.14	1.12	27.0	<0.2	<10	320	0.85	0.27	1.45	0.25	10.55	10.2	18
CC153009		0.32	0.001	0.17	1.19	22.4	<0.2	<10	280	0.87	0.30	1.03	0.15	11.50	10.1	21
CC153010		0.42	<0.001	0.14	1.31	18.4	<0.2	<10	260	1.08	0.34	0.65	0.11	15.40	10.4	24
CC153011		0.22	<0.001	0.10	1.30	12.3	<0.2	<10	300	0.77	0.27	0.96	0.14	13.00	6.4	21
CC153012		0.40	<0.001	0.09	1.30	16.5	<0.2	<10	200	0.96	0.34	0.49	0.16	15.10	11.1	24
CC153013		0.40	<0.001	0.06	1.33	15.7	<0.2	<10	210	0.98	0.35	0.46	0.16	14.85	11.0	24
CC153014		0.36	<0.001	0.09	1.12	26.8	<0.2	<10	180	0.86	0.35	0.46	0.13	12.90	10.3	23
CC153015		0.32	<0.001	0.13	1.15	32.2	<0.2	<10	200	1.03	0.36	0.73	0.16	12.55	12.0	22
CC153016		0.34	0.001	0.27	0.58	34.7	<0.2	<10	110	0.61	0.23	1.14	0.23	6.96	5.0	12
CC153017		0.28	0.001	0.27	0.65	52.9	<0.2	<10	130	0.55	0.25	0.97	0.20	7.58	6.6	13
CC153018		0.24	0.001	0.25	0.56	68.6	<0.2	<10	90	0.49	0.25	0.55	0.20	7.30	9.8	11
CC153019		0.26	0.001	0.32	1.14	160.5	<0.2	<10	170	1.55	0.30	1.08	0.32	9.41	11.7	18
CC153020		0.20	<0.001	0.14	0.95	40.4	<0.2	<10	170	0.82	0.29	1.21	0.22	9.96	11.0	18
CC153021		0.34	<0.001	0.27	0.70	35.8	<0.2	<10	120	0.76	0.29	1.65	0.14	7.01	7.6	11
CC153022		0.32	0.001	0.22	0.99	25.6	<0.2	<10	160	0.85	0.34	0.63	0.14	11.30	10.3	19
CC158830		0.24	<0.001	0.10	1.08	13.8	<0.2	<10	320	0.89	0.31	1.09	0.22	14.15	13.1	21
CC158831		0.28	<0.001	0.11	1.21	17.0	<0.2	<10	290	0.92	0.34	0.77	0.17	13.70	11.3	23
CC158832		0.44	<0.001	0.11	1.17	19.5	<0.2	<10	300	0.98	0.35	0.76	0.17	14.20	12.6	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC153913		1.05	24.7	3.75	4.40	0.07	0.02	0.09	0.038	0.08	5.8	14.4	0.27	488	0.63
CC153914		1.09	46.0	4.24	4.51	0.08	0.03	0.14	0.045	0.07	6.2	14.5	0.28	592	0.79
CC153915		2.36	18.1	3.82	6.41	0.07	0.05	0.06	0.043	0.05	8.5	24.6	0.32	424	1.07
CC153916		1.24	22.0	3.93	5.84	0.07	0.02	0.04	0.039	0.06	8.3	22.1	0.31	375	1.22
CC153917		1.01	36.6	4.05	4.33	0.07	0.02	0.09	0.041	0.06	5.2	11.0	0.20	593	0.87
CC153918		1.05	29.4	3.85	4.44	0.06	0.03	0.12	0.038	0.06	7.0	15.8	0.25	681	0.89
CC153919		1.12	31.7	4.29	4.97	0.07	0.03	0.08	0.048	0.06	6.0	17.9	0.23	593	0.79
CC153920		1.00	49.2	4.48	4.73	0.09	0.05	0.24	0.050	0.08	7.2	17.4	0.32	814	0.81
CC153001		0.98	36.8	3.46	4.54	0.07	0.06	0.18	0.038	0.08	8.2	17.5	0.40	431	0.71
CC153002		0.73	27.5	3.29	4.59	0.06	0.06	0.09	0.036	0.09	5.5	12.6	0.32	435	0.65
CC153003		0.76	34.1	3.82	4.27	0.07	0.05	0.16	0.042	0.07	6.0	14.3	0.35	384	0.62
CC153004		0.74	25.9	3.97	4.73	0.07	0.06	0.20	0.042	0.09	6.3	19.3	0.35	320	0.51
CC153005		0.85	36.4	3.58	4.54	0.09	0.09	0.13	0.040	0.07	9.8	18.1	0.37	405	0.61
CC153006		1.62	26.5	4.16	5.56	0.08	0.06	0.08	0.041	0.08	5.4	24.3	0.47	514	0.60
CC153007		1.92	36.6	5.58	4.69	0.12	0.07	0.40	0.042	0.09	5.4	18.2	0.31	1100	3.12
CC153008		0.93	23.0	3.26	3.65	0.06	0.06	0.69	0.031	0.06	4.9	10.9	0.32	1130	2.22
CC153009		1.48	27.9	3.18	3.96	0.06	0.07	0.60	0.036	0.08	5.4	12.3	0.28	668	2.06
CC153010		1.06	38.6	3.45	4.67	0.07	0.06	0.15	0.038	0.07	7.5	15.5	0.39	492	1.16
CC153011		0.70	22.3	2.91	4.27	<0.05	0.07	0.25	0.036	0.07	6.1	17.6	0.31	154	0.87
CC153012		0.93	27.5	3.33	4.98	0.06	0.08	0.47	0.035	0.08	6.7	15.8	0.34	475	1.11
CC153013		1.13	24.6	3.36	4.85	0.07	0.07	0.29	0.034	0.06	6.7	16.0	0.37	398	2.44
CC153014		0.90	27.1	3.46	4.56	0.06	0.07	0.38	0.037	0.08	5.7	13.1	0.32	380	3.78
CC153015		1.19	29.3	3.57	4.27	0.07	0.08	0.81	0.039	0.08	5.8	13.3	0.31	505	2.72
CC153016		4.09	26.9	2.06	2.26	<0.05	0.05	0.70	0.033	0.06	3.1	5.8	0.15	183	3.71
CC153017		2.76	21.1	2.43	2.67	<0.05	0.05	2.18	0.033	0.06	3.4	6.2	0.17	284	2.88
CC153018		7.06	19.5	2.55	2.07	<0.05	0.05	0.82	0.026	0.06	3.0	6.4	0.14	495	13.40
CC153019		13.80	56.6	4.54	3.24	0.09	0.10	2.12	0.052	0.08	4.8	10.3	0.27	456	1.50
CC153020		2.88	31.5	3.45	3.27	0.06	0.07	0.42	0.038	0.07	4.3	10.9	0.29	444	0.91
CC153021		13.65	26.4	2.92	2.28	<0.05	0.07	0.63	0.034	0.07	3.5	5.7	0.23	393	1.00
CC153022		12.55	36.3	3.55	3.56	0.07	0.06	0.41	0.039	0.07	5.4	13.1	0.27	401	1.14
CC158830		0.67	35.6	3.36	3.98	0.07	0.06	0.20	0.040	0.08	5.5	13.7	0.34	735	0.67
CC158831		0.86	32.1	3.84	4.37	0.07	0.07	0.78	0.042	0.08	6.5	15.5	0.36	499	0.67
CC158832		0.86	37.2	3.81	4.37	0.07	0.07	0.32	0.042	0.09	5.5	15.6	0.36	576	0.67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC153913		0.60	21.6	380	23.0	11.0	<0.001	<0.01	0.32	4.2	0.4	0.6	12.9	<0.01	0.02	3.7
CC153914		0.55	24.0	190	31.8	10.2	<0.001	<0.01	0.37	6.0	0.4	0.7	12.1	<0.01	0.02	4.3
CC153915		1.35	28.8	210	25.1	20.2	<0.001	<0.01	0.40	4.3	0.5	0.8	7.5	<0.01	0.03	4.1
CC153916		1.17	19.3	230	22.5	16.3	<0.001	<0.01	0.49	3.4	0.4	0.7	8.2	<0.01	0.03	3.7
CC153917		0.66	18.6	200	25.4	12.3	<0.001	<0.01	0.36	4.7	0.4	0.7	8.5	<0.01	0.02	4.0
CC153918		0.78	21.7	160	26.2	13.5	<0.001	<0.01	0.36	4.3	0.3	0.7	8.3	<0.01	0.03	4.3
CC153919		0.70	21.3	180	28.1	15.2	<0.001	<0.01	0.31	4.3	0.4	0.8	7.6	<0.01	0.03	4.4
CC153920		0.56	31.3	230	32.2	11.4	<0.001	<0.01	0.41	7.4	0.5	0.7	12.1	<0.01	0.03	5.2
CC153001		0.74	27.6	420	22.4	12.8	<0.001	0.02	0.37	5.6	0.6	0.7	36.1	<0.01	0.02	2.8
CC153002		0.65	23.1	530	16.2	10.6	<0.001	0.04	0.22	4.4	0.7	0.7	28.9	<0.01	0.03	2.2
CC153003		0.68	24.5	230	19.8	8.7	<0.001	0.01	0.26	5.6	0.6	0.7	15.8	<0.01	0.03	4.0
CC153004		0.73	25.8	280	27.2	10.3	<0.001	0.02	0.20	5.8	0.6	0.7	21.5	<0.01	0.03	4.1
CC153005		0.93	29.5	410	24.6	10.3	<0.001	0.03	0.33	6.4	1.0	0.7	27.5	0.01	0.03	4.6
CC153006		0.61	28.0	360	23.3	12.0	<0.001	0.06	0.18	5.2	0.8	0.7	21.4	<0.01	0.03	3.7
CC153007		0.60	30.6	430	26.6	13.5	0.003	0.04	0.49	6.5	2.7	0.7	21.8	<0.01	0.05	4.0
CC153008		0.58	19.0	710	18.1	9.1	0.003	0.11	0.76	3.6	1.9	0.5	44.7	<0.01	0.05	1.2
CC153009		0.58	21.8	510	26.9	10.0	0.001	0.05	0.76	4.5	1.8	0.7	34.1	0.01	0.04	1.6
CC153010		0.71	24.8	420	22.2	9.2	0.001	0.04	0.37	4.6	1.4	0.7	25.6	0.01	0.04	2.2
CC153011		0.67	18.0	670	18.1	9.9	0.001	0.09	0.24	3.6	1.5	0.6	31.2	<0.01	0.03	1.7
CC153012		0.59	24.9	410	18.0	10.4	<0.001	0.04	0.32	4.7	1.0	0.7	20.4	<0.01	0.04	2.6
CC153013		0.60	26.3	320	18.3	9.1	<0.001	0.03	0.38	4.4	1.0	0.7	19.0	<0.01	0.04	2.6
CC153014		0.59	24.1	410	18.0	8.9	0.003	0.03	0.86	4.9	1.3	0.7	21.9	<0.01	0.04	3.0
CC153015		0.56	25.0	430	21.4	9.2	0.002	0.03	0.77	5.2	1.3	0.7	28.2	<0.01	0.04	2.8
CC153016		0.31	20.1	400	14.6	11.9	0.003	0.09	1.04	2.9	1.6	0.5	49.6	<0.01	0.06	0.9
CC153017		0.34	18.4	440	18.5	9.8	0.002	0.08	1.10	3.2	1.3	0.5	44.4	<0.01	0.05	1.1
CC153018		0.29	24.9	370	19.9	12.6	0.004	0.05	1.02	3.0	1.4	0.5	24.6	<0.01	0.07	1.4
CC153019		0.44	41.9	690	23.8	15.7	0.001	0.09	1.39	8.6	1.8	0.6	34.1	0.01	0.06	2.1
CC153020		0.55	28.0	470	20.5	10.6	0.001	0.07	0.53	4.7	1.0	0.5	34.7	<0.01	0.04	2.0
CC153021		0.38	21.2	650	20.6	17.2	<0.001	0.11	0.48	3.5	1.1	0.5	43.2	0.01	0.05	0.8
CC153022		0.54	27.5	380	25.0	17.8	<0.001	0.04	0.51	5.6	1.0	0.6	22.9	<0.01	0.04	2.5
CC158830		0.66	25.4	330	20.5	8.2	<0.001	0.05	0.35	5.1	0.7	0.6	37.1	<0.01	0.04	2.5
CC158831		0.65	23.9	370	22.3	9.9	<0.001	0.04	0.32	5.5	0.8	0.7	29.8	0.01	0.04	2.6
CC158832		0.60	26.6	280	25.7	9.7	<0.001	0.04	0.34	5.6	0.7	0.7	28.6	<0.01	0.04	3.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- AUG- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134183

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC153913		0.010	0.07	0.73	25	0.09	6.13	101	0.5
CC153914		0.009	0.08	1.05	27	0.12	7.99	91	0.6
CC153915		0.012	0.13	0.58	43	0.20	3.83	108	1.7
CC153916		0.015	0.10	0.55	41	0.17	3.12	87	0.8
CC153917		0.009	0.09	0.68	28	0.12	4.25	76	0.5
CC153918		0.010	0.10	0.73	32	0.14	4.35	69	1.1
CC153919		0.006	0.11	0.69	31	0.11	4.09	76	1.1
CC153920		0.007	0.11	0.93	27	0.10	10.20	107	1.4
CC153001		0.010	0.08	1.20	26	0.13	10.60	85	1.4
CC153002		0.009	0.07	0.88	25	0.11	6.02	73	1.1
CC153003		0.011	0.07	0.89	25	0.10	6.67	81	1.1
CC153004		0.009	0.08	1.11	27	0.12	6.97	106	1.3
CC153005		0.011	0.09	2.23	31	0.16	10.60	80	2.0
CC153006		0.005	0.08	1.33	26	0.07	6.46	98	1.5
CC153007		0.005	0.13	1.42	29	0.11	8.03	101	1.6
CC153008		0.005	0.16	1.37	28	0.10	6.10	77	1.2
CC153009		0.005	0.20	1.17	29	0.12	9.28	87	1.3
CC153010		0.010	0.10	1.18	31	0.12	7.41	73	1.2
CC153011		0.006	0.09	1.77	26	0.11	7.36	82	1.4
CC153012		0.006	0.09	0.90	26	0.07	7.66	97	1.6
CC153013		0.007	0.09	0.87	28	0.07	6.93	90	1.3
CC153014		0.007	0.10	0.82	27	0.08	5.72	93	1.6
CC153015		0.006	0.11	1.08	30	0.08	7.22	94	1.6
CC153016		<0.005	0.72	1.65	41	0.07	5.06	94	1.4
CC153017		<0.005	0.76	1.09	29	0.07	4.78	92	1.3
CC153018		<0.005	1.41	0.82	28	0.09	4.93	67	1.4
CC153019		<0.005	1.01	1.55	32	0.13	14.70	168	1.7
CC153020		0.006	0.27	0.63	25	0.10	6.91	120	1.5
CC153021		<0.005	0.33	0.97	18	0.06	7.10	81	1.4
CC153022		0.007	0.23	0.80	27	0.08	7.53	102	1.4
CC158830		0.008	0.08	0.67	25	0.10	6.51	91	1.3
CC158831		0.007	0.09	0.97	27	0.09	8.30	98	1.3
CC158832		0.007	0.09	0.77	25	0.08	6.38	100	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11134183

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 29- AUG- 2011
Account: MTT

CERTIFICATE WH11134831

Project: Midas Touch- Crag East

P.O. No.:

This report is for 161 Soil samples submitted to our lab in Whitehorse, YT, Canada on 21-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ15351		0.14	0.002	0.07	1.17	25.7	<0.2	<10	210	0.91	0.33	0.68	0.39	15.10	11.0	19
ZZ15352		0.24	0.001	0.06	0.99	22.3	<0.2	<10	100	0.81	0.37	0.14	0.12	15.60	10.8	17
ZZ15353		0.20	0.001	0.07	0.75	14.9	<0.2	<10	220	0.92	0.42	0.49	0.12	24.3	13.9	12
ZZ15354		0.38	0.001	0.03	1.37	17.8	<0.2	<10	100	1.31	0.36	0.04	0.13	25.2	13.3	20
ZZ15355		0.26	0.001	0.05	1.17	30.1	<0.2	<10	350	1.03	0.36	0.41	0.21	21.3	11.8	20
ZZ15356		0.40	0.001	0.12	1.47	159.0	<0.2	<10	240	0.85	0.34	0.97	0.21	22.6	10.4	22
ZZ15357		0.22	0.001	0.08	0.63	1195	<0.2	<10	150	0.41	0.10	0.80	0.52	10.80	4.8	9
ZZ15358		0.28	0.002	0.21	1.15	1440	<0.2	<10	140	0.71	0.24	1.10	3.86	24.7	9.6	21
ZZ15359		0.30	0.002	0.20	1.16	1210	<0.2	<10	230	0.68	0.20	1.96	1.49	17.50	6.9	15
ZZ15360		0.24	0.001	0.27	0.49	172.5	<0.2	<10	310	0.80	0.41	0.68	0.19	11.25	7.2	6
ZZ15361		0.28	0.001	0.82	2.20	103.0	<0.2	<10	70	1.52	0.26	0.03	0.35	20.1	12.3	17
ZZ15362		0.22	0.001	0.07	1.20	119.5	<0.2	<10	160	0.52	0.33	0.64	0.21	21.1	10.8	15
ZZ15363		0.32	0.001	0.30	1.13	146.0	<0.2	<10	240	0.96	0.33	1.14	0.36	15.45	10.3	17
ZZ15364		0.38	0.001	0.16	0.80	151.0	<0.2	<10	210	0.92	0.52	0.28	0.36	14.00	11.5	13
ZZ15365		0.36	<0.001	0.07	0.89	100.0	<0.2	<10	50	0.17	0.31	0.02	0.08	13.10	4.5	11
ZZ15366		0.26	0.001	0.34	1.29	62.4	<0.2	<10	340	0.97	0.31	1.03	0.40	14.45	10.2	19
ZZ15367		0.16	0.001	0.22	0.87	49.4	<0.2	<10	170	0.81	0.28	1.69	0.29	13.70	9.3	13
ZZ15368		0.16	0.001	0.13	0.41	23.6	<0.2	<10	140	0.44	0.15	3.70	0.27	9.96	5.6	6
ZZ15369		0.24	0.001	0.16	0.45	35.6	<0.2	<10	160	0.56	0.20	2.56	0.18	9.95	6.7	7
ZZ15370		0.28	0.002	0.20	0.63	61.3	<0.2	<10	100	0.58	0.26	1.59	0.37	17.35	9.3	11
ZZ15371		0.18	0.002	0.23	0.92	41.1	<0.2	<10	320	0.57	0.24	2.00	1.64	15.80	11.4	14
ZZ15372		0.22	0.002	0.17	0.84	30.7	<0.2	<10	210	0.70	0.35	1.35	0.33	14.65	10.3	11
ZZ15373		0.34	<0.001	0.04	1.16	32.0	<0.2	<10	140	0.42	0.37	0.22	0.29	19.05	9.3	18
ZZ15374		0.24	0.001	0.10	1.25	47.9	<0.2	<10	170	0.75	0.26	0.44	0.83	25.4	9.5	15
ZZ15375		0.16	0.001	0.07	1.32	427	<0.2	<10	250	0.70	0.32	1.64	0.60	13.60	10.7	18
ZZ15376		0.44	0.002	0.13	0.84	429	<0.2	<10	120	0.60	0.19	9.08	1.80	20.2	9.6	13
ZZ15377		0.26	0.002	0.16	0.97	936	<0.2	<10	220	0.72	0.32	1.45	0.76	15.50	13.2	14
ZZ15378		0.10	0.004	0.22	1.08	1020	<0.2	<10	220	0.74	0.24	1.98	0.58	12.10	8.7	16
ZZ15379		0.16	0.002	0.17	0.71	338	<0.2	<10	230	0.45	0.14	2.53	0.36	7.70	4.3	9
ZZ15380		0.26	0.003	0.18	1.17	81.7	<0.2	<10	380	0.74	0.31	0.73	0.47	15.65	11.8	19
ZZ15381		0.42	0.003	0.27	1.16	403	<0.2	<10	310	0.84	0.28	1.11	0.65	13.50	10.1	19
ZZ15382		0.40	0.001	0.08	1.22	58.0	<0.2	<10	530	0.60	0.34	0.56	0.38	13.30	11.2	19
ZZ15383		0.32	0.005	0.10	0.56	1400	<0.2	<10	350	1.57	0.64	0.50	0.15	13.55	17.1	8
ZZ15384		0.48	0.001	0.15	0.54	6150	<0.2	<10	310	0.92	0.40	3.08	6.36	12.00	12.2	8
ZZ15385		0.36	0.002	0.26	1.22	2940	<0.2	<10	320	0.77	0.26	1.45	1.53	17.70	11.2	19
ZZ15386		0.64	0.002	0.28	1.24	2960	<0.2	<10	360	0.94	0.32	1.74	1.45	17.55	15.2	20
ZZ15387		0.36	0.002	0.22	1.18	641	<0.2	<10	340	0.91	0.27	1.47	2.56	13.70	11.0	18
ZZ15388		0.44	0.002	0.23	1.15	55.0	<0.2	<10	340	1.15	0.35	0.54	0.93	18.30	13.9	19
ZZ15389		0.24	0.001	0.21	0.61	133.5	<0.2	<10	160	0.78	0.22	1.79	0.49	18.15	7.6	12
ZZ15390		0.12	0.001	0.16	0.54	78.5	<0.2	<10	260	0.52	0.15	3.69	1.61	8.66	5.3	7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15351		4.34	28.4	3.00	4.34	0.09	0.08	2.26	0.036	0.11	7.7	11.8	0.22	653	1.11
ZZ15352		4.88	23.1	3.28	4.42	0.09	0.03	0.08	0.033	0.10	7.5	12.1	0.17	453	0.96
ZZ15353		6.57	36.4	3.96	3.03	0.12	0.05	0.15	0.033	0.13	10.7	6.3	0.13	2260	0.86
ZZ15354		8.20	30.2	3.68	5.20	0.10	0.03	0.46	0.031	0.09	11.1	11.6	0.15	676	1.51
ZZ15355		9.00	24.1	3.16	4.34	0.10	0.06	0.16	0.035	0.10	9.1	13.4	0.25	695	0.95
ZZ15356		1.50	17.6	3.40	5.54	0.11	0.07	1.74	0.038	0.06	12.1	13.0	0.41	741	0.97
ZZ15357		0.52	4.4	5.68	2.94	0.12	0.03	321	0.020	0.01	5.2	1.1	0.30	4470	0.34
ZZ15358		3.18	21.6	3.14	3.68	0.10	0.08	54.3	0.032	0.06	12.2	12.2	0.49	1040	0.71
ZZ15359		2.05	17.2	2.84	3.80	0.09	0.06	20.0	0.030	0.04	10.3	6.4	0.33	1440	0.76
ZZ15360		7.71	23.9	2.90	1.28	0.08	0.08	2.25	0.036	0.05	5.8	3.3	0.09	361	0.69
ZZ15361		19.20	16.1	2.71	2.48	0.08	0.13	1.63	0.039	0.05	6.5	7.5	0.04	572	0.80
ZZ15362		6.17	18.4	3.73	4.53	0.10	0.04	0.51	0.033	0.05	8.8	12.9	0.15	754	1.89
ZZ15363		25.9	26.0	3.08	3.60	0.10	0.08	2.24	0.036	0.08	9.0	14.8	0.28	490	0.96
ZZ15364		22.5	22.3	3.31	3.31	0.08	0.03	5.26	0.040	0.07	7.4	7.8	0.14	648	1.06
ZZ15365		5.11	12.0	2.48	5.05	0.06	<0.02	0.25	0.021	0.05	7.2	3.1	0.06	196	1.31
ZZ15366		31.0	26.3	2.84	4.07	0.09	0.09	1.00	0.036	0.09	8.0	17.2	0.32	497	1.07
ZZ15367		8.28	25.6	2.54	2.74	0.09	0.07	1.20	0.033	0.07	7.7	8.7	0.23	384	0.87
ZZ15368		2.85	22.8	1.39	1.23	0.05	0.07	0.61	0.020	0.04	6.0	1.9	0.14	400	0.65
ZZ15369		3.05	19.3	1.82	1.39	0.06	0.07	0.57	0.025	0.05	5.3	2.6	0.11	215	0.53
ZZ15370		2.49	21.2	2.35	2.20	0.08	0.07	0.93	0.032	0.05	7.8	5.8	0.25	286	0.66
ZZ15371		4.48	25.2	2.48	2.88	0.08	0.06	0.56	0.031	0.05	7.3	7.5	0.19	974	1.04
ZZ15372		7.26	19.8	2.76	2.69	0.08	0.06	0.37	0.035	0.06	6.7	7.4	0.17	411	0.79
ZZ15373		6.98	14.5	3.25	5.42	0.08	0.02	0.17	0.032	0.06	9.1	17.4	0.26	292	1.04
ZZ15374		2.68	12.5	2.51	4.03	0.08	0.05	0.32	0.037	0.04	8.7	8.6	0.15	246	0.98
ZZ15375		1.50	18.7	3.05	4.98	0.08	0.05	0.59	0.036	0.05	7.5	11.3	0.34	516	1.12
ZZ15376		0.85	12.7	2.93	2.91	0.09	0.05	2.90	0.025	0.03	11.9	7.1	5.12	1430	0.65
ZZ15377		16.45	31.2	2.52	3.38	0.07	0.05	0.83	0.030	0.10	7.2	6.3	0.19	665	0.78
ZZ15378		6.52	24.3	2.37	3.50	0.07	0.07	2.58	0.029	0.07	7.3	9.4	0.29	425	0.97
ZZ15379		3.59	30.9	1.29	2.39	0.05	0.06	0.58	0.017	0.05	4.6	4.7	0.30	198	0.67
ZZ15380		1.18	27.7	3.33	4.40	0.09	0.06	0.60	0.037	0.07	7.4	13.2	0.32	560	1.48
ZZ15381		2.91	34.6	3.16	3.96	0.10	0.10	0.86	0.038	0.11	7.6	15.4	0.40	428	1.35
ZZ15382		1.44	23.6	3.44	5.21	0.08	0.04	0.48	0.038	0.07	7.4	12.1	0.26	534	1.78
ZZ15383		13.30	148.0	2.22	2.05	0.09	0.06	1.03	0.038	0.10	6.2	5.0	0.08	546	1.12
ZZ15384		5.92	32.8	3.45	1.65	0.09	0.07	3.25	0.043	0.08	6.6	4.8	1.56	353	0.74
ZZ15385		7.13	24.3	3.02	3.97	0.09	0.11	1.61	0.039	0.10	8.2	11.5	0.42	937	1.26
ZZ15386		2.79	41.6	3.49	4.36	0.11	0.11	1.82	0.049	0.14	8.1	15.9	0.95	438	2.09
ZZ15387		2.57	24.9	2.80	3.61	0.06	0.07	1.76	0.039	0.10	6.3	9.4	0.31	361	1.41
ZZ15388		1.58	38.3	3.75	3.70	0.07	0.06	0.93	0.042	0.10	9.4	15.0	0.35	623	2.03
ZZ15389		4.37	19.8	2.64	1.77	0.06	0.05	1.50	0.035	0.06	8.4	4.9	0.60	525	0.95
ZZ15390		3.02	21.5	1.44	1.43	<0.05	0.03	1.05	0.019	0.04	4.1	2.7	0.31	428	0.63



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ15351		0.58	20.0	1060	20.0	15.9	<0.001	0.07	0.52	3.8	0.9	0.5	25.1	0.01	0.04	1.8
ZZ15352		0.55	19.1	650	23.4	15.3	<0.001	0.02	0.57	2.8	0.5	0.6	9.9	<0.01	0.04	1.9
ZZ15353		0.38	23.6	620	30.7	16.2	<0.001	0.22	0.42	4.2	0.8	0.5	22.6	0.01	0.04	3.4
ZZ15354		0.87	20.1	460	19.7	14.8	<0.001	0.26	0.74	3.0	0.6	0.7	8.1	<0.01	0.07	2.9
ZZ15355		0.62	19.8	840	18.6	19.8	<0.001	0.26	0.58	4.1	0.7	0.5	21.3	0.01	0.05	2.2
ZZ15356		0.78	18.2	710	27.2	14.2	<0.001	0.19	2.75	4.6	0.8	0.6	17.6	0.01	0.06	2.1
ZZ15357		0.39	3.7	520	28.7	2.4	<0.001	0.09	55.5	1.5	0.6	<0.2	7.0	0.01	0.08	0.4
ZZ15358		0.51	23.5	990	188.5	13.7	<0.001	0.15	33.1	3.5	1.3	0.4	24.5	0.01	0.05	1.4
ZZ15359		0.57	12.4	1350	62.9	8.1	<0.001	0.11	12.00	2.3	1.5	0.3	38.3	0.01	0.06	0.6
ZZ15360		0.15	20.2	590	32.5	10.1	0.001	0.04	2.46	3.7	1.0	0.3	47.6	0.01	0.04	2.8
ZZ15361		0.57	22.1	430	77.5	9.6	<0.001	0.01	1.55	3.3	1.0	0.4	5.9	0.01	0.06	4.0
ZZ15362		0.67	18.9	410	37.2	14.6	<0.001	0.01	1.01	2.8	0.5	0.5	34.7	<0.01	0.05	2.7
ZZ15363		0.50	23.6	1000	27.1	23.0	<0.001	0.08	1.81	3.8	1.5	0.4	74.9	0.01	0.06	1.3
ZZ15364		0.43	19.6	640	55.3	15.6	<0.001	0.01	5.24	3.0	0.6	0.5	22.5	<0.01	0.06	1.7
ZZ15365		0.64	9.0	200	17.0	14.5	<0.001	<0.01	1.37	2.0	0.3	0.6	6.9	<0.01	0.04	2.2
ZZ15366		0.55	23.4	1020	26.6	20.3	<0.001	0.06	1.42	3.9	1.1	0.5	71.2	0.01	0.05	1.4
ZZ15367		0.38	21.2	780	24.2	14.9	<0.001	0.07	1.18	3.4	1.2	0.4	65.0	0.01	0.05	1.2
ZZ15368		0.17	14.8	1060	19.6	5.0	<0.001	0.17	1.04	1.2	1.3	0.2	104.5	0.01	0.03	0.6
ZZ15369		0.20	16.5	790	20.2	7.0	<0.001	0.09	1.09	1.8	1.1	0.3	73.2	0.01	0.04	0.7
ZZ15370		0.37	22.9	650	34.1	6.6	<0.001	0.04	3.10	3.2	1.0	0.3	46.6	0.01	0.04	1.6
ZZ15371		0.48	21.0	1030	20.5	11.2	0.001	0.12	0.95	2.2	2.5	0.3	133.0	0.01	0.05	0.7
ZZ15372		0.42	19.8	530	23.7	12.2	<0.001	0.05	0.68	3.8	1.3	0.4	66.8	0.01	0.05	1.6
ZZ15373		0.98	17.3	290	36.4	13.0	<0.001	<0.01	0.75	3.0	0.4	0.6	20.0	<0.01	0.04	3.1
ZZ15374		0.74	18.3	310	25.8	11.1	<0.001	<0.01	1.19	3.5	0.6	0.5	29.2	<0.01	0.04	3.8
ZZ15375		0.91	17.0	640	35.8	13.0	<0.001	0.04	5.96	2.6	1.0	0.5	17.3	0.01	0.07	0.9
ZZ15376		0.57	13.4	620	32.5	7.6	<0.001	0.03	32.6	3.2	0.7	0.3	59.4	0.01	0.05	1.2
ZZ15377		0.43	20.6	940	24.7	12.4	<0.001	0.07	20.7	2.2	1.2	0.4	29.9	0.01	0.05	0.6
ZZ15378		0.51	19.4	860	23.5	13.9	<0.001	0.08	29.2	2.7	1.3	0.4	47.4	0.01	0.05	1.0
ZZ15379		0.42	12.7	790	11.2	12.3	<0.001	0.12	16.20	1.9	1.2	0.3	70.6	0.01	0.04	0.7
ZZ15380		0.50	22.0	640	28.8	11.3	<0.001	0.03	3.80	3.6	1.1	0.5	25.2	0.01	0.06	1.6
ZZ15381		0.45	24.4	810	24.2	13.1	0.001	0.06	7.77	4.5	1.7	0.5	33.6	0.01	0.06	1.8
ZZ15382		0.61	20.8	360	26.8	14.9	<0.001	<0.01	1.31	3.5	0.8	0.6	19.0	<0.01	0.06	2.5
ZZ15383		0.22	22.6	540	18.2	10.4	0.001	0.01	9.47	8.6	1.1	0.4	21.5	0.01	0.08	2.5
ZZ15384		0.18	19.6	560	48.7	11.7	<0.001	0.03	45.5	6.1	1.1	0.4	35.8	<0.01	0.08	2.3
ZZ15385		0.39	22.9	1130	31.8	13.6	<0.001	0.09	28.5	3.2	1.5	0.4	29.1	0.01	0.05	1.4
ZZ15386		0.38	39.7	750	28.5	15.3	<0.001	0.02	5.27	6.1	1.3	0.5	35.5	0.01	0.06	3.6
ZZ15387		0.51	24.2	780	31.8	11.5	<0.001	0.08	2.31	3.6	1.3	0.6	35.2	<0.01	0.05	1.4
ZZ15388		0.47	37.9	630	34.1	9.1	<0.001	0.02	1.65	5.1	1.3	0.6	23.2	<0.01	0.05	3.6
ZZ15389		0.27	23.2	600	39.8	5.4	<0.001	0.05	3.68	3.3	0.9	0.5	31.1	<0.01	0.03	1.5
ZZ15390		0.31	16.2	970	27.4	5.6	<0.001	0.17	4.14	0.8	1.6	0.3	67.4	<0.01	0.01	0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15351		0.008	0.17	1.18	30	0.11	8.22	126	2.0
ZZ15352		0.009	0.14	0.75	29	0.09	5.22	80	0.5
ZZ15353		0.007	0.18	0.84	19	0.08	10.25	61	1.1
ZZ15354		0.017	0.16	0.75	44	0.19	3.85	68	0.5
ZZ15355		0.013	0.20	1.36	32	0.17	7.01	76	1.3
ZZ15356		0.011	0.61	0.89	42	0.14	8.34	73	1.6
ZZ15357		0.017	8.38	1.99	15	0.07	5.76	175	0.6
ZZ15358		0.015	14.65	1.46	29	0.18	11.55	861	1.9
ZZ15359		0.014	11.90	5.29	27	0.13	11.00	136	1.5
ZZ15360		<0.005	1.22	0.81	10	0.05	11.00	72	1.9
ZZ15361		0.008	0.60	0.83	23	0.09	5.52	93	5.5
ZZ15362		0.010	0.29	0.70	32	0.13	6.15	71	1.1
ZZ15363		0.008	0.67	1.32	27	0.16	11.70	155	1.8
ZZ15364		0.011	0.32	0.73	28	0.24	7.89	139	0.5
ZZ15365		0.010	0.29	0.33	44	0.10	2.19	58	<0.5
ZZ15366		0.007	0.32	1.04	33	0.09	12.20	130	2.0
ZZ15367		0.005	0.22	1.24	23	0.07	9.35	126	1.8
ZZ15368		<0.005	0.12	3.55	9	<0.05	9.47	72	2.3
ZZ15369		<0.005	0.17	1.43	10	0.05	8.58	74	2.0
ZZ15370		0.006	0.21	1.32	17	0.21	10.65	148	2.1
ZZ15371		0.009	0.20	4.59	24	0.09	8.45	153	1.4
ZZ15372		0.006	0.23	1.73	21	0.13	9.12	102	1.4
ZZ15373		0.018	0.17	0.53	41	0.21	3.83	113	0.6
ZZ15374		0.008	0.24	0.95	31	0.16	7.43	69	1.5
ZZ15375		0.011	0.20	3.02	39	0.14	6.32	101	1.2
ZZ15376		0.013	0.49	0.93	26	0.14	9.57	353	1.0
ZZ15377		0.010	0.34	6.38	23	0.09	8.53	140	1.0
ZZ15378		0.007	2.14	3.56	26	0.10	8.93	268	2.1
ZZ15379		0.008	0.22	2.01	16	0.06	7.21	69	2.1
ZZ15380		0.008	0.17	1.93	37	0.09	7.78	128	1.3
ZZ15381		0.006	0.24	1.96	37	0.08	11.20	173	2.5
ZZ15382		0.007	0.21	0.89	45	0.09	5.47	127	1.1
ZZ15383		<0.005	1.19	0.77	17	0.06	15.10	73	1.2
ZZ15384		<0.005	8.10	0.99	14	0.06	8.50	1390	2.0
ZZ15385		0.007	5.57	4.78	30	0.09	11.10	591	2.7
ZZ15386		0.005	4.32	1.32	39	0.08	12.10	282	2.8
ZZ15387		0.005	0.87	2.43	36	0.07	10.55	271	1.9
ZZ15388		0.005	0.28	1.06	41	0.07	12.10	185	2.0
ZZ15389		<0.005	0.60	1.18	19	0.06	13.90	127	1.3
ZZ15390		<0.005	0.42	3.88	12	<0.05	8.64	120	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ15391		0.20	0.002	0.23	0.92	212	<0.2	<10	200	0.70	0.24	1.42	1.14	14.15	8.8	15
ZZ15392		0.34	0.002	0.20	1.00	651	<0.2	<10	240	0.85	0.29	0.74	0.82	16.55	11.9	16
ZZ15393		0.40	0.002	0.18	1.03	366	<0.2	<10	210	0.84	0.30	0.46	0.49	15.90	8.8	18
ZZ15394		0.18	0.002	0.24	0.87	122.0	<0.2	<10	350	0.73	0.24	1.91	2.63	11.55	5.6	13
ZZ15395		0.18	0.002	0.23	1.21	410	<0.2	<10	380	0.95	0.26	1.28	0.96	15.30	10.4	18
ZZ15396		0.18	0.002	0.33	1.36	88.8	<0.2	<10	590	1.02	0.26	1.29	0.98	13.90	10.0	21
ZZ15397		0.32	0.002	0.32	1.33	39.2	<0.2	<10	360	0.94	0.29	0.69	0.68	20.0	8.4	21
ZZ15398		0.20	0.001	0.20	0.98	34.9	<0.2	<10	450	0.78	0.27	1.32	0.60	13.60	9.4	15
ZZ15399		0.18	0.001	0.15	1.10	24.7	<0.2	<10	330	0.76	0.27	1.27	0.68	16.30	10.5	16
ZZ15400		0.26	0.001	0.14	1.02	53.3	<0.2	<10	280	0.90	0.26	1.42	0.63	14.60	9.8	14
ZZ16323		0.30	<0.001	0.09	0.74	40.5	<0.2	<10	190	0.81	0.45	1.19	0.14	32.8	15.2	8
ZZ16324		0.26	<0.001	0.06	0.81	338	<0.2	<10	230	1.20	0.46	0.85	0.19	27.3	21.0	10
ZZ16325		0.40	0.003	0.10	0.27	497	<0.2	<10	380	1.16	0.68	1.80	0.04	13.70	43.9	5
ZZ16326		0.30	0.002	0.12	1.06	176.5	<0.2	<10	130	0.83	0.18	7.52	0.78	20.3	7.5	11
ZZ16327		0.18	0.001	0.12	1.31	117.0	<0.2	<10	170	0.84	0.20	4.34	0.87	24.3	7.4	14
ZZ16328		0.36	0.001	0.16	0.80	59.8	<0.2	<10	110	0.88	0.30	4.76	0.21	19.15	10.9	11
ZZ16329		0.46	0.001	0.09	1.24	61.6	<0.2	<10	160	0.97	0.26	0.43	0.35	24.7	9.8	20
ZZ16330		0.34	0.001	0.11	1.12	53.1	<0.2	<10	180	1.00	0.25	0.37	0.12	25.4	10.4	16
ZZ16331		0.24	0.001	0.17	1.00	63.8	<0.2	<10	190	0.97	0.26	2.31	0.25	21.0	11.3	16
ZZ16332		0.34	0.002	0.15	1.38	30.3	<0.2	<10	360	0.74	0.29	0.66	0.37	18.90	8.9	22
ZZ16333		0.32	0.001	0.06	1.28	131.0	<0.2	<10	100	1.03	0.24	0.23	0.20	31.6	10.0	21
ZZ16334		0.40	0.001	0.12	1.26	58.2	<0.2	<10	120	0.88	0.23	0.64	0.29	24.8	9.4	21
ZZ16335		0.46	0.001	0.12	1.27	54.4	<0.2	<10	120	1.08	0.31	0.22	0.21	24.2	13.5	22
ZZ16336		0.34	0.001	0.13	1.86	139.5	<0.2	<10	170	1.36	0.28	1.51	0.93	32.0	10.3	24
ZZ16337		0.20	0.001	0.12	1.62	205	<0.2	<10	200	1.39	0.26	4.61	0.72	29.1	10.3	19
ZZ16338		0.24	0.002	0.11	0.85	213	<0.2	<10	80	0.77	0.28	5.33	0.22	18.15	10.7	13
ZZ16339		0.26	0.002	0.14	0.35	1200	<0.2	<10	60	0.74	0.45	5.14	0.23	17.45	20.0	7
ZZ16340		0.18	0.001	0.08	0.43	50.6	<0.2	<10	60	1.20	0.59	1.20	0.17	27.2	25.9	6
ZZ16341		0.18	0.002	0.10	0.49	461	<0.2	<10	100	0.80	0.38	5.04	0.29	27.8	18.7	8
ZZ16342		0.18	0.002	0.21	1.07	631	<0.2	<10	240	1.01	0.30	1.91	0.76	29.7	11.8	16
ZZ16343		0.24	0.002	0.25	1.04	155.5	<0.2	<10	260	1.06	0.31	1.64	0.49	34.8	12.4	15
ZZ16344		0.34	0.001	0.18	0.95	91.2	<0.2	<10	190	0.97	0.28	2.09	0.41	22.8	10.6	12
ZZ16345		0.28	0.001	0.20	0.87	30.2	<0.2	<10	210	0.97	0.32	1.76	0.36	31.0	17.9	14
ZZ16346		0.36	0.001	0.19	0.88	64.4	<0.2	<10	170	0.84	0.21	8.35	0.17	16.05	7.8	14
ZZ16347		0.24	0.001	0.07	0.54	118	<0.2	<10	120	0.56	0.07	14.75	0.64	9.63	2.8	6
ZZ16348		0.36	0.004	0.12	0.58	169	<0.2	<10	80	0.59	0.14	10.35	0.33	14.85	5.7	8
ZZ16349		0.36	0.002	0.13	0.87	222	<0.2	<10	140	0.56	0.12	8.48	0.47	17.95	4.4	11
ZZ16350		0.20	<0.001	0.13	0.89	73.2	<0.2	<10	120	0.75	0.15	3.47	0.82	23.4	5.5	10
ZZ16402		0.24	<0.001	0.12	0.54	221	<0.2	<10	90	0.79	0.17	0.84	0.19	17.35	4.0	7
ZZ16391		0.44	<0.001	0.04	0.87	40.8	<0.2	<10	80	0.27	0.22	0.03	0.06	13.45	4.9	12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15391		6.80	21.2	2.52	2.78	0.05	0.05	1.00	0.029	0.08	6.6	11.4	0.33	279	0.93
ZZ15392		16.40	23.8	3.06	3.06	0.05	0.07	1.30	0.034	0.09	7.9	12.3	0.27	1770	0.95
ZZ15393		5.10	20.8	3.06	3.27	0.06	0.07	0.62	0.035	0.09	7.6	13.9	0.28	267	1.06
ZZ15394		8.49	25.7	2.35	2.49	0.05	0.07	1.94	0.031	0.07	5.2	8.4	0.25	135	0.61
ZZ15395		6.39	27.7	3.23	3.60	0.06	0.07	0.48	0.034	0.09	7.9	13.0	0.34	330	1.22
ZZ15396		2.20	32.2	3.12	4.02	0.06	0.07	0.47	0.037	0.10	7.8	14.0	0.34	545	1.64
ZZ15397		24.3	29.8	2.27	4.20	0.06	0.10	0.87	0.037	0.10	9.6	19.9	0.34	203	0.83
ZZ15398		1.34	24.6	2.87	3.07	0.05	0.05	0.28	0.031	0.08	5.9	11.4	0.27	407	1.35
ZZ15399		1.21	19.4	3.06	3.38	<0.05	0.06	0.38	0.033	0.09	7.4	10.6	0.30	812	0.79
ZZ15400		1.16	23.6	2.96	2.94	0.05	0.06	0.82	0.032	0.08	6.9	8.5	0.25	644	0.76
ZZ16323		3.24	23.3	2.33	2.04	0.06	0.04	0.13	0.035	0.10	18.6	4.1	0.09	800	0.49
ZZ16324		2.29	31.6	2.75	2.36	0.07	0.06	0.11	0.039	0.09	12.7	5.6	0.10	808	0.62
ZZ16325		10.50	69.1	2.94	0.90	<0.05	0.05	0.28	0.036	0.11	5.7	2.0	0.07	518	0.74
ZZ16326		0.87	14.7	3.15	2.67	0.06	0.06	0.38	0.030	0.07	10.9	6.3	4.13	2360	0.99
ZZ16327		1.21	15.7	4.67	3.32	0.06	0.06	0.16	0.027	0.07	13.3	6.0	2.00	3550	0.81
ZZ16328		1.49	23.8	2.78	2.38	0.06	0.07	0.68	0.033	0.07	11.0	7.0	0.96	508	0.87
ZZ16329		0.91	15.6	3.53	3.62	0.06	0.07	0.30	0.034	0.09	12.8	9.2	0.27	1020	0.89
ZZ16330		1.93	17.1	3.10	3.39	0.05	0.07	0.45	0.033	0.07	9.7	9.4	0.19	609	0.89
ZZ16331		0.92	26.4	3.41	3.21	0.06	0.05	0.72	0.037	0.08	10.5	10.6	0.98	898	1.04
ZZ16332		1.14	15.1	3.19	5.02	<0.05	0.03	0.13	0.031	0.07	8.7	12.9	0.31	793	0.78
ZZ16333		1.09	15.0	3.81	3.52	0.05	0.12	0.22	0.033	0.10	8.7	10.5	0.29	1380	1.26
ZZ16334		0.81	14.3	3.27	3.83	0.05	0.06	0.19	0.029	0.09	9.9	10.7	0.47	1060	1.26
ZZ16335		0.77	27.9	3.86	4.25	0.06	0.04	0.47	0.037	0.10	10.0	13.3	0.29	767	1.81
ZZ16336		1.14	15.0	4.77	5.26	0.06	0.07	0.12	0.039	0.11	15.5	11.9	0.55	2320	1.14
ZZ16337		1.00	15.9	4.53	4.34	0.06	0.08	0.15	0.067	0.11	15.5	9.3	2.47	3220	0.90
ZZ16338		1.50	21.3	2.97	2.36	0.06	0.08	0.44	0.022	0.09	8.5	8.0	2.74	670	0.92
ZZ16339		2.62	33.5	3.89	1.41	0.05	0.05	1.44	0.025	0.10	7.1	2.2	1.88	524	0.78
ZZ16340		2.85	40.1	2.37	1.28	0.08	0.06	0.41	0.040	0.11	12.9	3.5	0.07	434	0.52
ZZ16341		1.94	27.7	3.68	1.44	0.07	0.06	0.61	0.038	0.07	14.7	3.8	2.15	1180	0.60
ZZ16342		2.42	26.0	2.90	2.98	0.05	0.04	6.30	0.036	0.08	16.9	9.0	0.22	1340	1.11
ZZ16343		3.98	30.3	2.82	2.89	0.07	0.04	0.98	0.035	0.09	19.7	8.8	0.21	801	1.26
ZZ16344		6.12	22.0	2.27	2.60	0.06	0.04	0.31	0.030	0.07	15.4	6.9	0.19	797	0.79
ZZ16345		4.18	28.5	2.86	2.50	0.11	0.04	0.32	0.038	0.09	17.5	7.4	0.28	1520	0.90
ZZ16346		0.66	19.8	2.56	2.51	0.10	0.07	0.40	0.031	0.05	9.2	8.2	4.88	981	0.95
ZZ16347		0.25	7.4	2.07	1.21	0.09	0.03	0.38	0.017	0.02	5.3	2.4	8.58	2170	0.37
ZZ16348		0.42	13.3	2.30	1.58	0.09	0.07	1.81	0.021	0.06	8.3	4.2	6.11	1190	0.69
ZZ16349		0.54	11.9	3.15	2.03	0.10	0.09	0.28	0.021	0.05	9.3	4.0	4.89	2490	0.59
ZZ16350		1.26	15.1	2.39	2.19	0.09	0.05	0.33	0.027	0.06	10.7	4.6	0.61	1460	0.43
ZZ16402		0.72	7.9	1.95	1.30	0.10	0.06	4.57	0.025	0.04	9.1	3.1	0.11	241	0.35
ZZ16391		6.11	10.7	2.53	3.87	0.09	0.02	0.29	0.023	0.04	5.8	5.5	0.11	275	0.97



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ15391		0.53	30.5	600	22.2	11.0	<0.001	0.09	2.58	2.7	1.4	0.5	47.6	<0.01	0.03
ZZ15392		0.45	28.5	670	37.7	15.5	0.002	0.08	3.38	4.3	1.3	0.5	32.4	<0.01	0.04
ZZ15393		0.52	26.0	460	24.3	11.9	<0.001	0.03	1.88	4.2	0.8	0.6	23.4	<0.01	0.03
ZZ15394		0.48	18.8	720	45.1	9.6	0.005	0.23	2.12	3.0	4.2	0.5	56.8	<0.01	0.02
ZZ15395		0.52	28.0	740	22.2	13.7	0.001	0.09	1.35	3.4	1.6	0.6	40.3	<0.01	0.03
ZZ15396		0.48	30.4	890	20.8	10.7	0.002	0.10	1.12	3.2	2.5	0.6	38.2	<0.01	0.05
ZZ15397		0.46	24.8	770	29.6	14.5	0.001	0.10	0.92	5.3	1.9	0.6	31.9	<0.01	0.02
ZZ15398		0.48	25.5	540	23.2	8.6	0.001	0.06	1.00	3.0	1.6	0.5	37.4	<0.01	0.03
ZZ15399		0.52	19.6	710	26.0	9.8	<0.001	0.06	0.95	3.0	0.7	0.5	32.4	<0.01	0.02
ZZ15400		0.42	21.6	620	30.5	8.7	<0.001	0.07	2.02	2.9	1.1	0.5	26.7	<0.01	0.02
ZZ16323		0.34	16.3	570	14.3	9.9	<0.001	0.06	0.66	4.7	0.8	0.4	30.4	<0.01	0.07
ZZ16324		0.38	27.1	380	19.0	9.3	<0.001	0.03	1.74	6.8	0.7	0.5	27.5	<0.01	0.08
ZZ16325		0.14	66.3	350	24.7	7.3	<0.001	0.05	2.04	6.6	0.4	0.4	45.5	<0.01	0.18
ZZ16326		0.32	18.1	1000	24.3	5.9	<0.001	0.06	1.39	2.0	0.6	0.4	47.3	<0.01	0.03
ZZ16327		0.45	18.4	1570	22.4	8.9	<0.001	0.12	1.01	1.7	0.6	0.5	29.8	0.01	0.04
ZZ16328		0.33	27.9	600	38.1	6.4	<0.001	0.04	1.01	4.0	0.9	0.5	105.5	<0.01	0.05
ZZ16329		0.59	23.3	300	28.3	9.2	<0.001	0.02	0.93	4.7	0.7	0.6	14.8	<0.01	0.02
ZZ16330		0.48	24.8	320	28.2	10.2	<0.001	0.02	0.72	4.8	0.8	0.6	24.5	<0.01	0.03
ZZ16331		0.49	30.1	510	30.6	7.0	<0.001	0.03	1.04	5.2	0.9	0.5	65.4	<0.01	0.04
ZZ16332		0.96	20.1	450	24.6	17.2	<0.001	0.03	0.66	2.9	0.4	0.7	43.3	<0.01	0.03
ZZ16333		0.56	24.8	330	35.9	10.0	<0.001	0.02	1.06	4.2	0.7	0.6	10.9	<0.01	0.04
ZZ16334		0.63	23.5	360	26.4	10.5	<0.001	0.02	0.95	3.8	0.7	0.6	10.9	<0.01	0.03
ZZ16335		0.54	33.3	250	33.0	8.9	<0.001	0.01	1.10	5.5	1.2	0.6	12.2	<0.01	0.03
ZZ16336		0.76	23.7	700	34.0	13.2	<0.001	0.05	0.95	4.2	0.9	0.7	23.0	<0.01	0.06
ZZ16337		0.52	22.4	1370	31.5	14.0	<0.001	0.09	1.70	2.9	1.0	0.6	41.6	<0.01	0.06
ZZ16338		0.53	24.0	1020	27.7	6.5	<0.001	0.05	1.51	4.4	0.5	0.5	49.8	<0.01	0.05
ZZ16339		0.15	32.9	1320	57.1	4.3	<0.001	0.07	5.54	5.4	0.6	0.7	72.3	<0.01	0.07
ZZ16340		0.21	29.8	500	36.5	7.3	<0.001	0.05	0.95	8.0	0.6	0.5	34.3	<0.01	0.14
ZZ16341		0.25	26.1	670	51.3	6.1	<0.001	0.09	2.34	5.3	0.8	0.5	43.6	<0.01	0.08
ZZ16342		0.48	24.0	800	20.2	10.1	<0.001	0.08	1.36	3.5	1.2	0.5	44.7	<0.01	0.04
ZZ16343		0.50	27.5	640	20.4	10.8	<0.001	0.06	1.00	4.0	1.2	0.5	33.9	<0.01	0.05
ZZ16344		0.43	18.6	910	31.0	12.3	<0.001	0.10	0.87	2.9	0.8	0.4	47.4	<0.01	0.05
ZZ16345		0.33	23.3	690	24.6	10.3	<0.001	0.04	0.64	4.1	0.6	0.4	36.6	<0.01	0.06
ZZ16346		0.31	20.0	380	18.7	6.4	<0.001	0.01	0.97	4.6	0.5	0.5	44.3	<0.01	0.02
ZZ16347		0.16	5.0	1930	9.9	2.2	<0.001	0.09	1.80	0.5	0.4	0.2	82.9	<0.01	0.02
ZZ16348		0.18	13.2	910	23.0	3.5	<0.001	0.02	1.77	2.2	0.5	0.3	57.9	<0.01	0.04
ZZ16349		0.27	10.7	1400	20.1	5.4	<0.001	0.07	1.46	1.4	0.3	0.3	30.1	<0.01	0.03
ZZ16350		0.32	12.8	1330	33.4	5.3	<0.001	0.10	0.99	1.3	0.3	0.3	85.2	<0.01	0.02
ZZ16402		0.21	11.3	520	20.1	5.4	<0.001	0.02	0.62	2.6	0.2	0.3	30.5	<0.01	0.02
ZZ16391		0.76	9.2	190	14.3	11.7	<0.001	<0.01	0.65	1.7	0.2	0.6	4.3	<0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15391		0.007	0.50	1.47	26	0.09	8.45	174	1.3
ZZ15392		0.006	0.54	2.23	29	0.07	10.15	160	1.8
ZZ15393		0.008	0.29	1.87	29	0.07	8.37	153	1.9
ZZ15394		0.005	0.55	2.54	25	<0.05	8.36	153	2.3
ZZ15395		0.005	0.37	2.97	33	0.06	11.20	160	2.0
ZZ15396		0.005	0.21	3.87	39	0.06	11.00	127	1.8
ZZ15397		0.005	0.75	1.35	40	0.05	14.60	136	2.6
ZZ15398		0.005	0.17	2.34	30	0.06	8.24	121	1.5
ZZ15399		0.006	0.15	1.21	26	0.07	7.99	152	1.4
ZZ15400		<0.005	0.19	2.00	22	0.05	8.99	174	1.6
ZZ16323		0.006	0.14	1.18	15	0.06	14.40	36	1.1
ZZ16324		0.005	0.25	1.01	18	0.11	17.35	39	1.5
ZZ16325		<0.005	0.69	0.68	9	<0.05	11.50	60	1.6
ZZ16326		0.007	0.28	1.06	24	0.08	12.95	203	1.8
ZZ16327		0.010	0.20	1.68	28	0.13	13.85	108	1.6
ZZ16328		<0.005	0.20	1.21	18	0.05	14.10	93	1.9
ZZ16329		0.009	0.17	0.84	34	0.11	12.65	103	1.9
ZZ16330		0.005	0.17	0.75	28	0.10	9.54	93	2.1
ZZ16331		0.006	0.20	0.98	28	0.07	16.75	110	1.6
ZZ16332		0.018	0.12	1.49	42	0.13	4.59	126	0.8
ZZ16333		0.008	0.19	0.82	35	0.11	7.30	100	1.8
ZZ16334		0.010	0.19	0.92	38	0.12	8.43	111	1.8
ZZ16335		0.006	0.22	1.02	42	0.09	11.60	134	1.2
ZZ16336		0.011	0.22	1.11	49	0.11	16.10	219	2.3
ZZ16337		0.010	0.25	0.98	35	0.14	17.65	157	2.5
ZZ16338		0.007	0.41	1.10	20	0.09	10.40	95	2.4
ZZ16339		<0.005	1.36	0.89	9	0.12	11.25	187	1.9
ZZ16340		<0.005	0.56	0.73	9	<0.05	20.1	75	1.4
ZZ16341		<0.005	0.62	0.51	15	0.11	18.35	91	1.4
ZZ16342		0.007	2.80	1.42	36	0.12	18.15	76	1.0
ZZ16343		0.006	0.45	1.33	38	0.08	20.8	72	1.2
ZZ16344		0.005	0.18	1.27	22	0.09	15.05	67	1.1
ZZ16345		0.009	0.14	0.97	25	0.12	16.40	83	0.9
ZZ16346		0.005	0.19	0.62	29	0.08	11.35	68	1.9
ZZ16347		0.005	0.28	1.27	10	0.05	7.88	155	0.8
ZZ16348		<0.005	0.42	1.16	17	0.06	10.10	107	1.7
ZZ16349		0.009	0.23	1.25	20	0.07	11.25	117	2.1
ZZ16350		0.008	0.20	0.97	17	0.05	9.85	122	1.4
ZZ16402		<0.005	2.45	0.49	11	<0.05	9.09	41	1.8
ZZ16391		0.012	0.29	0.29	37	0.09	1.60	47	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ16392		0.40	0.001	0.14	1.63	62.6	<0.2	<10	250	1.10	0.27	0.38	0.82	30.0	12.0	27
ZZ16393		0.36	0.001	0.12	1.51	92.5	<0.2	<10	220	1.07	0.30	0.46	0.30	23.3	12.5	24
ZZ16394		0.38	0.001	0.20	1.35	168.5	<0.2	<10	200	0.95	0.25	1.03	0.41	24.9	9.4	23
ZZ16395		0.44	0.002	0.15	1.24	352	<0.2	<10	180	0.85	0.20	6.48	0.25	22.0	8.9	17
ZZ16396		0.44	0.003	0.13	0.62	506	<0.2	<10	120	0.54	0.10	12.20	0.97	10.05	6.7	9
ZZ16397		0.42	0.002	0.16	1.37	54.8	<0.2	<10	160	1.07	0.27	0.38	0.27	26.9	12.5	23
ZZ16398		0.40	0.002	0.13	1.22	69.0	<0.2	10	140	0.98	0.19	8.02	0.87	30.9	8.8	16
ZZ16399		0.38	0.001	0.14	1.09	105.5	<0.2	10	110	0.73	0.17	7.82	0.56	16.30	8.0	15
ZZ16400		0.40	0.001	0.04	1.13	165.5	<0.2	<10	410	1.73	0.40	0.34	0.31	17.70	20.7	15
ZZ16401		0.42	0.001	0.04	0.69	12.3	<0.2	<10	140	1.37	0.51	0.15	0.04	16.25	14.3	14
ZZ16051		0.42	0.002	0.10	0.75	146.5	<0.2	<10	280	1.26	0.19	8.10	0.25	17.65	8.3	9
ZZ16052		0.44	0.002	0.20	0.90	85.0	<0.2	<10	130	0.64	0.22	7.98	0.56	20.5	8.5	14
ZZ16053		0.44	0.002	0.11	1.14	65.7	<0.2	10	260	0.86	0.25	8.36	0.78	33.4	9.9	12
ZZ16054		0.52	0.002	0.06	0.46	20.8	<0.2	<10	110	1.04	0.40	0.44	0.16	13.10	17.7	11
ZZ16055		0.50	0.001	0.06	0.42	18.8	<0.2	<10	120	1.01	0.36	0.98	0.23	14.10	14.5	10
ZZ16056		0.48	0.001	0.17	0.63	25.2	<0.2	10	230	0.98	0.28	1.67	0.75	11.50	13.0	13
ZZ16057		0.32	0.002	0.17	0.77	28.4	<0.2	10	230	1.12	0.32	1.53	0.46	12.10	11.9	15
ZZ16058		0.30	0.001	0.18	0.74	23.7	<0.2	10	260	0.87	0.25	1.88	0.74	12.85	11.5	14
ZZ16059		0.58	0.001	0.06	0.35	89.8	<0.2	<10	150	0.56	0.20	9.24	0.27	9.46	9.1	7
ZZ16060		0.40	0.001	0.07	0.43	71.7	<0.2	<10	180	0.70	0.23	5.70	0.33	10.25	11.8	9
ZZ16061		0.52	0.001	0.08	0.51	64.2	<0.2	<10	170	0.69	0.21	5.43	0.40	11.05	10.8	10
ZZ15971		0.50	0.002	0.09	1.61	53.1	<0.2	<10	280	0.95	0.28	0.40	0.07	25.3	10.9	23
ZZ15972		0.46	0.001	0.04	0.25	29.4	<0.2	<10	40	0.31	0.35	0.14	0.04	5.85	10.3	5
ZZ15973		0.32	0.001	0.10	0.32	59.9	<0.2	<10	20	0.22	0.31	0.01	0.04	4.44	6.6	6
ZZ15974		0.36	0.002	0.04	1.43	18.1	<0.2	<10	130	0.55	0.25	0.07	0.08	20.4	7.3	20
ZZ15975		0.30	0.001	0.02	0.94	9.1	<0.2	<10	90	0.37	0.30	0.12	0.14	12.15	8.1	20
ZZ15976		0.38	0.001	0.02	1.59	30.0	<0.2	<10	90	0.78	0.32	0.11	0.14	11.10	11.3	27
ZZ15977		0.28	0.001	0.04	0.98	73.0	<0.2	<10	240	1.10	0.23	1.47	0.75	20.2	11.2	17
ZZ15978		0.38	0.001	0.10	1.09	123.5	<0.2	<10	210	1.05	0.32	0.68	0.46	14.90	14.1	20
ZZ15979		0.28	0.001	0.10	1.07	460	<0.2	<10	230	0.99	0.29	1.02	0.36	16.35	14.4	19
ZZ15980		0.58	0.001	0.10	1.10	243	<0.2	<10	160	1.09	0.35	0.70	0.20	13.15	14.8	19
ZZ15981		0.52	0.001	0.09	0.81	139.0	<0.2	<10	130	0.74	0.27	1.16	0.20	11.50	10.7	15
ZZ15982		0.30	0.001	0.13	0.66	560	<0.2	<10	130	0.87	0.30	1.25	0.16	11.00	12.4	13
ZZ15983		0.26	0.001	0.13	0.67	255	<0.2	<10	160	0.83	0.28	1.94	0.20	11.55	11.5	11
ZZ15984		0.40	0.001	0.15	0.80	179.5	<0.2	<10	160	0.85	0.31	1.28	0.13	10.70	11.7	14
ZZ15985		0.42	0.001	0.15	0.78	790	<0.2	<10	130	0.93	0.30	1.86	0.22	14.20	12.7	14
ZZ15986		0.32	0.001	0.12	0.79	597	<0.2	<10	90	0.89	0.30	1.75	0.16	12.00	9.6	13
ZZ15987		0.28	0.001	0.12	1.07	825	<0.2	<10	110	0.96	0.29	1.84	0.39	14.45	10.4	16
ZZ15988		0.42	0.001	0.04	0.81	108.5	<0.2	<10	90	0.74	0.26	0.33	0.07	14.65	7.9	14
ZZ15989		0.46	0.001	0.09	1.25	80.9	<0.2	<10	190	0.87	0.31	1.35	0.14	15.95	14.4	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ16392		1.27	15.7	3.99	5.43	0.11	0.08	0.92	0.046	0.07	15.0	14.2	0.45	1020	1.01
ZZ16393		0.67	23.9	3.90	5.11	0.09	0.08	1.01	0.037	0.07	11.5	14.4	0.40	873	1.23
ZZ16394		0.90	18.1	3.46	4.20	0.10	0.06	1.70	0.034	0.07	13.5	13.4	0.60	955	0.95
ZZ16395		0.64	19.6	3.86	3.32	0.10	0.07	1.56	0.028	0.05	14.6	9.6	3.98	2080	0.87
ZZ16396		1.82	12.3	2.59	1.73	0.10	0.07	1.25	0.016	0.08	4.4	5.7	7.48	1790	0.69
ZZ16397		0.75	25.4	4.06	4.41	0.10	0.08	0.86	0.041	0.08	10.6	13.3	0.38	963	1.23
ZZ16398		0.57	18.3	4.33	3.01	0.12	0.09	0.93	0.027	0.06	19.7	6.4	4.79	3580	0.68
ZZ16399		0.38	17.7	3.15	2.80	0.09	0.06	1.08	0.021	0.07	8.1	8.4	4.33	1420	0.86
ZZ16400		2.15	31.6	4.30	3.48	0.08	0.07	1.57	0.040	0.10	7.9	9.5	0.20	1900	0.95
ZZ16401		7.55	44.2	3.77	2.89	0.09	0.03	0.04	0.034	0.12	7.9	10.9	0.18	448	0.58
ZZ16051		2.74	15.9	4.27	1.77	0.11	0.05	0.23	0.019	0.06	9.8	2.8	4.50	2170	0.52
ZZ16052		0.83	20.0	2.87	2.29	0.10	0.06	0.92	0.017	0.06	11.8	5.6	4.54	1190	0.67
ZZ16053		0.54	19.8	4.87	2.98	0.11	0.10	0.38	0.030	0.07	17.4	5.4	4.61	3560	0.77
ZZ16054		6.25	36.1	3.45	2.00	0.08	0.06	0.16	0.031	0.12	5.7	5.6	0.19	683	0.44
ZZ16055		5.38	28.8	2.82	1.90	0.09	0.05	0.17	0.025	0.11	6.2	5.6	0.42	606	0.46
ZZ16056		2.86	30.1	2.84	2.19	0.10	0.06	0.31	0.025	0.11	5.3	7.8	0.56	735	1.22
ZZ16057		3.62	33.8	3.15	2.70	0.10	0.08	0.39	0.033	0.13	6.1	10.4	0.63	425	1.07
ZZ16058		1.93	28.5	2.63	2.46	0.09	0.06	0.34	0.024	0.11	5.5	9.5	0.66	607	1.28
ZZ16059		4.95	18.2	1.87	1.09	0.09	0.03	1.22	0.017	0.06	4.0	4.5	5.27	753	0.49
ZZ16060		4.04	24.2	2.33	1.44	0.09	0.04	0.68	0.021	0.08	4.2	5.3	2.87	814	0.66
ZZ16061		4.71	22.4	2.31	1.68	0.09	0.03	0.58	0.020	0.08	4.5	6.9	2.82	716	0.77
ZZ15971		1.09	22.2	3.73	4.08	0.10	0.08	1.58	0.038	0.05	10.6	17.7	0.31	542	0.75
ZZ15972		2.62	21.1	3.72	0.73	0.09	0.03	0.57	0.029	0.05	2.6	1.5	0.03	366	0.80
ZZ15973		1.12	27.0	3.16	2.01	0.07	<0.02	0.48	0.029	0.03	2.3	0.8	0.02	188	1.09
ZZ15974		0.88	8.3	2.81	5.30	0.08	0.06	0.09	0.024	0.05	10.5	22.3	0.24	186	1.03
ZZ15975		0.88	6.7	3.08	4.67	0.08	0.02	0.08	0.019	0.06	5.6	15.8	0.25	576	0.60
ZZ15976		1.25	20.2	4.98	5.66	0.08	0.06	0.04	0.036	0.07	5.0	26.6	0.27	404	1.00
ZZ15977		1.04	19.3	3.03	3.11	0.09	0.04	0.18	0.027	0.06	6.6	10.8	0.63	987	0.87
ZZ15978		1.58	35.6	3.69	4.11	0.05	0.04	0.25	0.040	0.10	6.6	15.6	0.34	672	1.46
ZZ15979		2.62	28.2	4.14	3.63	0.06	0.04	0.24	0.042	0.09	6.8	14.6	0.34	875	1.63
ZZ15980		2.88	36.1	3.76	3.70	0.05	0.05	0.59	0.040	0.10	5.1	14.3	0.30	835	0.73
ZZ15981		1.30	19.7	3.13	2.74	0.05	0.04	0.32	0.032	0.08	4.3	11.7	0.42	595	0.85
ZZ15982		5.30	34.2	3.35	2.18	0.06	0.04	0.76	0.038	0.09	4.4	8.1	0.28	797	0.88
ZZ15983		5.71	34.0	2.94	2.10	0.05	0.04	1.14	0.034	0.07	4.6	7.7	0.50	906	0.57
ZZ15984		3.70	40.5	3.47	2.58	0.05	0.04	0.89	0.038	0.07	4.6	9.8	0.26	600	0.61
ZZ15985		5.47	40.3	3.37	2.56	0.07	0.03	2.41	0.037	0.08	6.1	10.1	0.60	962	0.61
ZZ15986		14.65	28.2	3.07	2.43	0.06	0.05	1.36	0.033	0.09	5.3	9.7	0.27	409	0.44
ZZ15987		39.6	32.9	3.18	3.46	0.05	0.03	0.43	0.036	0.09	6.9	16.0	0.27	627	0.43
ZZ15988		4.31	14.5	3.05	2.95	0.05	0.04	0.17	0.030	0.08	6.6	11.0	0.17	469	0.45
ZZ15989		1.18	39.2	3.76	4.21	0.05	0.05	1.14	0.034	0.08	7.2	18.8	0.73	879	0.51



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ16392		0.88	25.3	260	63.0	11.6	<0.001	<0.01	1.79	6.5	0.6	0.7	10.4	<0.01	0.04
ZZ16393		0.74	26.5	330	28.5	9.1	<0.001	<0.01	1.57	5.6	0.3	0.7	12.6	<0.01	0.02
ZZ16394		0.64	23.9	570	34.1	9.3	<0.001	0.02	2.07	4.4	0.8	0.5	13.7	<0.01	0.04
ZZ16395		0.43	22.0	740	30.7	7.7	<0.001	0.01	3.42	4.9	0.6	0.5	23.5	<0.01	0.03
ZZ16396		0.23	13.4	1490	26.2	6.9	<0.001	0.03	7.51	2.1	0.3	0.3	54.1	<0.01	0.02
ZZ16397		0.63	27.6	260	27.9	11.4	<0.001	<0.01	1.01	6.1	0.5	0.6	8.3	<0.01	0.04
ZZ16398		0.35	21.5	1070	51.3	6.0	<0.001	0.05	2.66	4.1	1.0	0.4	42.9	<0.01	0.05
ZZ16399		0.42	19.4	1000	42.1	5.1	<0.001	0.05	2.16	2.7	0.5	0.4	42.9	<0.01	0.03
ZZ16400		0.38	31.8	360	43.6	11.3	<0.001	0.01	1.35	7.5	0.3	0.6	15.2	<0.01	0.06
ZZ16401		0.30	25.2	330	17.4	13.9	<0.001	<0.01	0.24	4.1	0.4	0.6	17.5	<0.01	0.02
ZZ16051		0.21	15.6	1600	44.3	7.3	<0.001	0.07	1.73	1.8	0.3	0.3	54.5	<0.01	0.04
ZZ16052		0.32	21.0	1270	40.8	5.4	<0.001	0.05	2.58	2.2	0.4	0.4	46.7	<0.01	0.04
ZZ16053		0.28	19.8	1450	39.3	5.5	<0.001	0.07	1.81	3.3	0.6	0.5	33.5	<0.01	0.11
ZZ16054		0.24	28.4	390	22.1	15.6	<0.001	0.02	0.35	3.9	0.3	0.5	18.9	<0.01	0.02
ZZ16055		0.27	22.9	400	19.3	17.1	<0.001	0.04	0.37	3.4	0.4	0.8	23.2	<0.01	0.01
ZZ16056		0.30	28.3	560	30.6	12.7	0.002	0.05	0.78	3.3	1.1	1.2	32.0	<0.01	0.04
ZZ16057		0.33	26.5	550	20.0	12.9	0.002	0.04	0.73	4.6	1.4	0.8	30.1	<0.01	0.02
ZZ16058		0.36	27.6	650	19.8	13.5	0.001	0.06	0.78	3.2	1.4	0.7	33.2	<0.01	0.01
ZZ16059		0.22	13.9	480	19.4	5.9	<0.001	0.04	1.25	3.3	0.3	0.4	50.7	<0.01	0.05
ZZ16060		0.26	18.5	470	19.7	7.9	<0.001	0.05	0.97	3.4	0.8	0.6	43.5	<0.01	0.03
ZZ16061		0.30	18.9	510	22.7	8.9	0.001	0.04	0.90	3.3	0.6	0.5	43.0	<0.01	0.03
ZZ15971		0.88	27.6	250	24.2	9.9	<0.001	<0.01	0.53	5.5	0.5	0.6	32.8	<0.01	0.02
ZZ15972		0.19	19.0	170	22.8	7.2	<0.001	<0.01	0.34	2.1	0.4	0.3	14.3	<0.01	0.02
ZZ15973		0.42	23.7	210	17.1	6.9	<0.001	<0.01	2.02	3.4	0.2	0.5	6.0	<0.01	0.04
ZZ15974		1.06	15.7	120	21.3	13.1	<0.001	<0.01	0.31	2.3	<0.2	0.7	6.9	<0.01	0.02
ZZ15975		0.91	13.8	110	16.1	11.3	<0.001	<0.01	0.24	2.3	<0.2	0.7	10.0	<0.01	0.03
ZZ15976		1.11	23.5	230	26.4	13.4	<0.001	<0.01	0.41	3.4	0.2	0.8	7.0	<0.01	0.04
ZZ15977		0.44	17.4	570	26.4	9.6	<0.001	0.03	0.52	3.4	0.5	0.5	27.8	<0.01	0.02
ZZ15978		0.38	29.2	430	25.8	12.1	<0.001	0.03	0.78	4.2	0.8	0.7	26.0	<0.01	0.02
ZZ15979		0.37	25.3	470	23.9	12.9	0.001	0.04	0.91	4.4	1.1	0.7	35.2	<0.01	0.02
ZZ15980		0.35	24.7	390	28.1	11.3	<0.001	0.04	1.07	4.5	0.7	0.7	36.8	<0.01	0.01
ZZ15981		0.32	18.2	400	23.1	8.3	<0.001	0.04	0.70	3.2	0.3	0.6	31.4	<0.01	0.01
ZZ15982		0.32	22.6	420	26.1	9.7	<0.001	0.06	1.74	4.1	0.6	0.6	45.7	<0.01	0.01
ZZ15983		0.29	24.5	520	24.9	9.5	0.001	0.06	2.07	3.5	0.8	0.5	42.3	<0.01	0.03
ZZ15984		0.42	24.5	420	25.8	7.9	<0.001	0.06	1.67	3.8	0.7	0.6	39.6	<0.01	0.01
ZZ15985		0.34	23.9	570	30.5	11.7	<0.001	0.06	2.99	3.7	0.7	0.6	37.5	<0.01	<0.01
ZZ15986		0.43	24.4	530	23.6	23.2	<0.001	0.09	3.11	3.6	0.9	0.6	49.6	<0.01	0.02
ZZ15987		0.60	23.3	490	22.3	32.3	<0.001	0.07	2.17	3.1	0.6	0.7	56.5	<0.01	<0.01
ZZ15988		0.68	14.4	120	24.0	18.4	<0.001	0.02	1.86	3.2	<0.2	0.6	16.1	<0.01	0.01
ZZ15989		0.96	24.5	490	25.6	7.2	0.001	0.03	1.78	4.6	0.5	0.7	31.0	<0.01	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
ZZ16392		0.015	0.32	0.94	46	0.13	11.60	375
ZZ16393		0.010	0.22	1.25	41	0.09	10.20	140
ZZ16394		0.013	0.30	1.08	39	0.14	13.95	176
ZZ16395		0.006	0.28	1.54	29	0.09	14.50	133
ZZ16396		0.005	1.86	1.77	14	0.08	7.69	649
ZZ16397		0.008	0.27	0.98	40	0.07	11.35	129
ZZ16398		0.008	0.40	1.46	27	0.11	22.3	239
ZZ16399		0.008	0.35	1.08	24	0.09	12.60	186
ZZ16400		0.005	0.64	0.91	29	0.12	11.55	141
ZZ16401		0.006	0.11	0.82	17	<0.05	7.43	62
ZZ16051		0.006	0.18	1.55	16	0.11	15.35	77
ZZ16052		0.008	0.32	1.70	21	0.17	13.05	98
ZZ16053		0.006	0.21	1.51	24	0.10	17.00	124
ZZ16054		<0.005	0.14	0.62	16	<0.05	5.85	99
ZZ16055		<0.005	0.11	0.60	14	<0.05	6.05	88
ZZ16056		<0.005	0.13	0.78	27	<0.05	7.86	130
ZZ16057		<0.005	0.14	0.88	25	0.05	9.31	123
ZZ16058		<0.005	0.14	0.96	28	0.05	8.60	145
ZZ16059		<0.005	0.23	0.67	10	0.05	5.61	175
ZZ16060		<0.005	0.18	0.93	15	<0.05	6.01	136
ZZ16061		<0.005	0.17	0.75	16	0.05	6.12	150
ZZ15971		0.008	0.15	0.74	29	0.12	8.20	73
ZZ15972		<0.005	0.33	0.25	9	<0.05	2.32	57
ZZ15973		0.005	0.21	0.16	18	0.07	1.10	67
ZZ15974		0.016	0.10	0.40	38	0.14	2.46	68
ZZ15975		0.017	0.08	0.46	33	0.20	1.94	57
ZZ15976		0.009	0.11	0.48	36	0.10	2.42	85
ZZ15977		0.006	0.11	0.99	24	0.06	8.60	96
ZZ15978		0.006	0.16	1.07	33	0.08	7.82	115
ZZ15979		0.006	0.28	1.25	27	0.07	9.34	126
ZZ15980		0.006	0.30	1.01	24	0.10	7.23	103
ZZ15981		0.005	0.16	0.69	22	0.06	4.82	92
ZZ15982		0.005	0.37	0.53	17	0.07	6.61	108
ZZ15983		<0.005	0.66	0.84	15	0.07	8.90	87
ZZ15984		0.005	0.45	0.80	17	0.08	8.83	104
ZZ15985		0.006	0.62	0.93	17	0.10	10.10	134
ZZ15986		0.005	0.73	1.01	15	0.12	8.30	102
ZZ15987		0.007	0.26	0.98	20	0.12	6.60	81
ZZ15988		0.008	0.18	0.51	20	0.09	3.78	59
ZZ15989		0.014	0.18	0.63	23	0.09	7.34	101



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ15990		0.52	0.002	0.07	1.33	36.2	<0.2	<10	200	0.84	0.31	2.35	0.12	18.40	15.4	22
ZZ15991		0.44	0.001	0.07	1.31	24.4	<0.2	<10	190	0.94	0.29	1.59	0.13	18.60	13.4	21
ZZ15992		0.34	0.001	0.08	1.24	18.4	<0.2	<10	210	0.77	0.29	1.65	0.17	14.80	13.3	19
ZZ15993		0.28	0.001	0.07	1.01	19.0	<0.2	<10	180	0.79	0.26	1.73	0.17	15.15	13.1	18
ZZ15994		0.34	0.001	0.10	1.16	30.6	<0.2	<10	190	0.93	0.31	1.61	0.16	14.25	14.1	19
ZZ15995		0.32	0.001	0.17	0.90	42.9	<0.2	<10	120	0.87	0.28	1.89	0.25	9.34	10.1	14
ZZ15996		0.38	<0.001	0.04	0.31	58.0	<0.2	<10	30	0.56	0.58	0.23	0.04	2.62	16.3	3
ZZ15997		0.42	0.001	0.03	0.75	499	<0.2	<10	100	0.72	0.29	1.21	0.06	13.50	10.5	10
ZZ15998		0.48	0.001	0.06	1.63	138.5	<0.2	<10	220	1.00	0.31	0.85	0.32	15.40	11.3	24
ZZ15999		0.34	0.001	0.06	1.47	35.4	<0.2	<10	200	0.91	0.30	0.65	0.10	20.8	13.7	25
ZZ16000		0.50	0.001	0.07	1.43	93.5	<0.2	<10	250	1.06	0.30	0.91	0.21	17.45	13.6	23
ZZ15651		0.46	0.001	0.11	1.08	61.6	<0.2	<10	140	0.97	0.34	2.49	0.21	16.25	15.7	18
ZZ15652		0.42	0.002	0.12	1.17	607	<0.2	<10	190	0.75	0.28	2.12	0.24	16.45	12.6	19
ZZ15151		0.32	0.003	0.30	1.17	85.9	<0.2	<10	410	0.94	0.29	0.75	0.79	17.85	14.3	20
ZZ15152		0.30	0.002	0.27	1.32	121.5	<0.2	<10	310	1.57	0.26	2.74	1.72	44.0	14.5	19
ZZ15153		0.30	0.001	0.09	1.63	85.8	<0.2	<10	280	0.85	0.35	0.45	0.82	24.1	14.3	23
ZZ15154		0.38	0.002	0.21	1.09	34.3	<0.2	<10	360	0.77	0.26	1.55	0.61	16.45	10.6	17
ZZ15155		0.32	0.002	0.27	1.35	59.7	<0.2	<10	430	1.02	0.29	0.82	0.49	17.75	11.4	22
ZZ15156		0.34	0.001	0.20	1.10	90.4	<0.2	<10	230	0.72	0.21	1.53	0.54	22.4	8.8	17
ZZ15157		0.30	0.002	0.28	1.53	198.5	<0.2	<10	430	0.96	0.27	0.78	0.39	16.50	8.9	24
ZZ15158		0.22	0.002	0.16	1.85	92.7	<0.2	<10	220	0.78	0.27	1.26	0.45	40.3	9.9	27
ZZ15159		0.26	0.002	0.14	0.70	305	<0.2	<10	90	0.41	0.15	11.10	0.41	29.6	6.1	11
ZZ15160		0.36	0.002	0.08	0.40	470	<0.2	<10	90	0.33	0.16	13.55	0.33	17.25	9.1	7
ZZ15161		0.24	0.005	0.11	0.52	1270	<0.2	<10	190	0.67	0.29	4.58	0.24	15.30	15.3	10
ZZ15162		0.26	0.002	0.23	1.15	235	<0.2	<10	230	1.03	0.34	0.91	0.51	16.70	13.3	20
ZZ15163		0.46	0.002	0.36	1.13	134.0	<0.2	<10	190	0.97	0.28	0.59	0.82	18.90	11.7	21
ZZ15164		0.40	0.002	0.30	1.20	75.2	<0.2	<10	490	1.14	0.33	1.48	0.89	17.75	14.9	21
ZZ15165		0.32	0.001	0.18	1.18	96.3	<0.2	<10	340	1.13	0.34	0.69	0.42	18.55	14.3	19
ZZ15166		0.34	0.002	0.18	1.08	122.0	<0.2	<10	370	1.04	0.37	0.71	0.41	18.00	13.4	19
ZZ15167		0.36	0.001	0.19	1.41	119.0	<0.2	<10	360	1.24	0.34	0.53	0.48	17.50	11.0	21
ZZ15168		0.32	0.001	0.10	1.23	1025	<0.2	<10	200	0.72	0.27	0.32	0.20	24.8	11.2	22
ZZ15169		0.26	0.001	0.10	0.57	6950	<0.2	<10	180	0.44	0.11	5.59	0.52	13.10	8.6	10
ZZ15170		0.24	0.001	0.06	1.76	149.0	<0.2	<10	170	0.88	0.32	0.67	1.19	24.4	10.0	27
ZZ15171		0.22	0.002	0.13	1.63	417	<0.2	<10	130	1.33	0.20	7.26	27.6	22.7	7.8	18
ZZ15172		0.22	0.002	0.25	0.98	166.0	<0.2	<10	210	0.91	0.33	1.13	0.38	15.80	9.5	15
ZZ15173		0.36	0.002	0.13	0.66	370	<0.2	<10	140	0.71	0.10	12.25	5.47	12.15	4.8	9
ZZ15174		0.34	0.001	0.15	1.00	31.3	<0.2	<10	260	0.95	0.32	0.82	0.31	16.75	12.8	17
ZZ15175		0.30	0.002	0.12	1.50	27.1	<0.2	<10	420	1.02	0.33	0.60	0.30	24.7	14.4	25
ZZ15176		0.24	0.001	0.07	1.14	31.5	<0.2	<10	300	0.81	0.32	0.51	0.37	17.10	12.6	19
ZZ15177		0.42	0.002	0.20	1.20	38.6	<0.2	<10	300	1.12	0.33	0.68	0.48	20.4	14.7	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15990		0.93	38.6	3.86	4.33	0.07	0.06	0.33	0.036	0.08	7.6	20.4	0.78	1090	0.51
ZZ15991		0.77	35.7	3.67	4.41	0.06	0.06	0.15	0.037	0.08	8.5	18.7	0.46	976	0.47
ZZ15992		1.50	25.6	3.18	4.12	0.05	0.04	0.14	0.037	0.07	5.5	17.1	0.32	933	0.46
ZZ15993		0.90	33.4	3.19	3.40	0.07	0.03	0.15	0.032	0.06	5.1	15.8	0.41	1100	0.49
ZZ15994		1.15	38.1	3.52	3.80	0.06	0.04	0.24	0.034	0.08	5.4	15.5	0.38	1140	0.51
ZZ15995		4.48	27.9	3.12	2.78	0.05	0.05	0.36	0.031	0.09	3.9	10.2	0.28	693	0.53
ZZ15996		18.35	23.6	3.24	0.81	<0.05	0.04	0.26	0.037	0.10	0.9	2.5	0.05	59	0.42
ZZ15997		1.93	8.9	2.20	2.24	0.06	0.05	0.25	0.034	0.07	7.0	6.7	0.52	389	0.27
ZZ15998		0.92	25.5	4.14	5.22	0.05	0.05	0.51	0.041	0.08	7.3	21.9	0.50	719	0.50
ZZ15999		0.85	24.0	3.82	4.88	0.05	0.05	0.14	0.037	0.08	9.0	22.2	0.47	789	0.67
ZZ16000		0.87	32.0	3.89	4.54	0.06	0.06	0.43	0.035	0.08	8.6	18.9	0.50	942	0.52
ZZ15651		1.86	41.4	3.55	3.57	0.06	0.06	0.47	0.034	0.08	6.5	17.2	0.80	977	0.51
ZZ15652		8.47	29.6	3.36	3.58	0.06	0.04	1.65	0.030	0.08	7.1	16.3	0.66	962	0.53
ZZ15151		1.01	40.9	3.66	3.50	0.05	0.05	0.71	0.038	0.08	9.1	14.6	0.34	664	2.03
ZZ15152		1.42	26.0	4.50	2.29	0.10	0.08	1.31	0.042	0.07	19.1	11.6	1.26	2050	1.35
ZZ15153		1.80	16.1	4.92	5.45	0.06	0.03	0.35	0.045	0.07	8.5	21.8	0.24	994	1.51
ZZ15154		8.94	31.2	2.88	3.22	0.06	0.04	0.63	0.032	0.07	7.9	14.7	0.34	628	0.62
ZZ15155		1.01	31.7	3.70	4.09	0.06	0.07	1.31	0.038	0.08	10.4	16.6	0.37	509	1.49
ZZ15156		1.32	17.1	2.61	3.12	0.06	0.05	0.51	0.030	0.06	10.1	9.8	0.30	717	0.61
ZZ15157		1.02	18.6	3.73	4.38	0.08	0.07	2.84	0.038	0.06	10.2	13.1	0.44	529	1.13
ZZ15158		1.37	11.5	4.36	5.45	0.07	0.02	0.53	0.032	0.05	15.4	14.9	0.54	1500	0.99
ZZ15159		0.64	11.1	2.17	1.88	0.08	0.03	3.44	0.024	0.03	13.8	4.7	5.88	1240	0.44
ZZ15160		1.47	19.8	2.31	1.16	0.06	0.03	3.80	0.019	0.05	9.6	3.0	7.58	1600	0.33
ZZ15161		11.25	27.6	3.26	1.54	0.06	0.04	10.95	0.034	0.10	7.1	4.5	2.54	1850	0.72
ZZ15162		3.88	33.7	3.15	4.29	0.06	0.06	0.62	0.036	0.12	7.1	23.7	0.36	475	1.39
ZZ15163		2.25	41.5	3.22	3.89	0.08	0.08	0.87	0.037	0.13	9.6	19.3	0.38	526	2.18
ZZ15164		2.01	43.2	3.57	4.07	0.08	0.08	3.26	0.042	0.14	8.1	18.1	0.82	602	2.50
ZZ15165		1.24	31.7	3.61	3.96	0.08	0.07	0.90	0.042	0.09	8.2	15.8	0.34	640	1.49
ZZ15166		1.35	36.6	3.55	3.73	0.08	0.07	1.01	0.040	0.10	8.3	14.5	0.39	528	1.24
ZZ15167		1.19	26.7	3.82	4.64	0.08	0.07	1.01	0.044	0.10	8.9	14.0	0.29	581	1.41
ZZ15168		1.03	18.5	3.20	4.41	0.07	0.06	1.54	0.031	0.05	11.2	15.1	0.45	511	1.04
ZZ15169		1.86	9.5	3.32	1.66	0.06	0.05	7.34	0.030	0.04	5.3	3.7	3.16	1850	0.42
ZZ15170		1.93	13.8	3.64	6.23	0.07	0.03	0.38	0.039	0.06	12.3	15.8	0.50	750	1.15
ZZ15171		1.30	8.1	4.58	4.35	0.08	0.04	62.2	0.029	0.03	11.2	10.2	4.61	2800	1.11
ZZ15172		10.80	27.0	2.95	3.01	0.06	0.07	1.15	0.036	0.08	7.2	9.6	0.30	359	0.85
ZZ15173		4.50	8.6	2.90	1.73	0.06	0.04	13.65	0.017	0.05	5.8	7.9	7.63	1670	0.66
ZZ15174		3.83	28.2	3.14	3.62	0.07	0.05	0.37	0.036	0.08	7.6	16.9	0.34	581	1.15
ZZ15175		11.30	20.2	3.38	5.17	0.07	0.05	0.18	0.040	0.08	10.2	20.5	0.42	763	1.33
ZZ15176		7.73	18.2	2.79	4.89	0.05	0.05	0.29	0.033	0.07	7.2	9.7	0.19	500	1.29
ZZ15177		2.55	36.4	3.35	4.06	0.08	0.07	0.47	0.035	0.09	9.5	16.0	0.33	722	1.45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ15990		1.11	26.0	400	26.0	7.3	<0.001	0.03	1.46	5.0	0.5	0.7	61.8	<0.01	<0.01
ZZ15991		1.06	21.6	270	26.7	8.5	<0.001	0.03	1.26	4.7	0.5	0.7	52.6	<0.01	0.01
ZZ15992		0.92	18.9	370	25.1	11.5	<0.001	0.06	0.73	3.4	0.4	0.7	50.6	<0.01	0.01
ZZ15993		0.84	20.5	350	25.7	6.2	0.001	0.06	1.26	3.4	0.5	0.6	49.7	<0.01	<0.01
ZZ15994		0.67	24.2	370	26.8	8.0	<0.001	0.05	0.76	4.0	0.4	0.7	49.2	<0.01	<0.01
ZZ15995		0.42	23.1	410	23.1	11.5	0.001	0.08	1.79	3.5	0.7	0.6	45.9	<0.01	0.01
ZZ15996		0.10	19.1	120	21.9	10.1	<0.001	0.02	0.97	5.8	<0.2	0.6	9.6	<0.01	0.06
ZZ15997		0.28	9.7	180	22.8	6.5	<0.001	0.02	1.88	3.8	0.5	0.7	17.9	<0.01	0.03
ZZ15998		0.94	19.6	260	45.7	9.7	<0.001	0.03	5.32	5.1	0.4	0.8	18.6	<0.01	0.01
ZZ15999		1.12	24.1	210	25.2	8.7	<0.001	0.02	1.54	4.9	0.5	0.7	24.3	<0.01	0.02
ZZ16000		1.02	23.3	210	40.3	9.2	<0.001	0.02	4.22	5.1	0.5	0.7	23.5	<0.01	0.01
ZZ15651		0.95	24.4	370	32.6	7.3	<0.001	0.04	2.05	4.6	0.3	0.6	59.9	<0.01	0.01
ZZ15652		0.67	22.8	610	25.8	16.6	<0.001	0.06	4.95	3.0	0.9	0.6	53.5	<0.01	0.01
ZZ15151		0.33	33.5	600	28.0	7.5	<0.001	0.04	1.61	4.1	1.4	0.6	34.2	<0.01	0.03
ZZ15152		0.20	31.3	1330	59.1	9.1	<0.001	0.06	4.08	7.6	1.4	0.5	35.5	<0.01	0.03
ZZ15153		0.86	20.2	470	43.7	16.8	<0.001	0.02	2.72	3.2	0.7	0.8	17.9	<0.01	0.04
ZZ15154		0.47	21.4	800	24.0	13.1	<0.001	0.08	1.38	3.1	1.1	0.5	50.2	<0.01	0.01
ZZ15155		0.43	29.3	470	30.3	8.5	<0.001	0.04	1.83	4.9	1.0	0.6	25.4	<0.01	0.03
ZZ15156		0.41	19.0	740	31.5	7.0	<0.001	0.06	1.74	3.1	0.6	0.5	34.6	<0.01	0.01
ZZ15157		0.44	22.0	570	42.7	9.1	<0.001	0.04	7.39	4.4	0.8	0.6	15.9	<0.01	0.03
ZZ15158		0.81	19.6	780	20.1	8.5	<0.001	0.05	1.80	2.7	0.8	0.7	32.3	<0.01	0.04
ZZ15159		0.26	11.1	1200	22.3	4.2	<0.001	0.07	8.15	1.8	0.6	0.4	48.4	<0.01	0.05
ZZ15160		0.09	10.6	1980	19.3	4.0	<0.001	0.05	14.60	2.5	0.5	0.4	74.0	<0.01	0.03
ZZ15161		0.14	20.9	570	27.1	10.3	<0.001	0.05	57.5	5.3	0.8	0.5	39.5	<0.01	0.07
ZZ15162		0.61	33.6	550	30.5	14.3	<0.001	0.04	3.08	4.3	1.2	0.6	27.1	<0.01	0.05
ZZ15163		0.39	36.6	730	25.4	13.5	0.001	0.03	2.89	5.4	1.5	0.5	37.7	0.01	0.07
ZZ15164		0.40	41.8	750	29.3	11.9	0.001	0.03	1.84	6.3	1.6	0.6	37.5	0.01	0.06
ZZ15165		0.47	32.4	400	30.6	11.4	<0.001	0.03	1.36	5.5	1.2	0.6	22.8	<0.01	0.05
ZZ15166		0.47	34.7	440	29.7	10.6	<0.001	0.02	1.44	6.3	1.0	0.6	22.5	<0.01	0.05
ZZ15167		0.51	27.5	510	27.5	13.2	<0.001	0.02	0.99	5.5	1.0	0.7	14.0	0.01	0.05
ZZ15168		0.78	26.3	280	22.6	8.6	<0.001	0.01	1.27	4.1	0.6	0.5	12.5	<0.01	0.04
ZZ15169		0.23	16.6	740	21.0	4.5	<0.001	0.05	5.70	2.3	0.7	0.2	22.2	<0.01	0.03
ZZ15170		0.94	22.7	630	73.6	15.3	<0.001	0.04	3.72	3.3	0.7	0.6	16.9	0.01	0.06
ZZ15171		0.72	13.5	970	614	7.0	<0.001	0.07	64.9	3.4	0.9	0.5	37.3	0.01	0.06
ZZ15172		0.47	28.0	750	29.1	14.8	<0.001	0.08	0.95	4.1	1.6	0.5	33.1	0.01	0.04
ZZ15173		0.34	10.6	600	109.0	11.1	<0.001	0.04	35.8	2.2	0.8	0.2	59.7	<0.01	0.03
ZZ15174		0.55	27.5	440	24.3	12.6	<0.001	0.04	0.90	4.8	1.0	0.5	27.7	<0.01	0.04
ZZ15175		0.75	27.0	700	22.6	14.0	<0.001	0.04	0.93	4.2	0.9	0.6	26.1	0.01	0.06
ZZ15176		0.73	18.3	1040	23.4	12.1	<0.001	0.07	0.76	3.4	1.0	0.6	30.4	0.01	0.05
ZZ15177		0.55	33.9	590	24.2	11.4	<0.001	0.03	1.00	5.0	1.2	0.5	25.1	0.01	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15990		0.017	0.14	0.56	24	0.08	7.84	93	2.0
ZZ15991		0.012	0.11	0.64	23	0.11	9.12	84	1.8
ZZ15992		0.009	0.20	0.92	22	0.10	5.27	80	1.0
ZZ15993		0.012	0.09	0.73	19	0.09	5.80	76	1.1
ZZ15994		0.008	0.13	0.76	21	0.10	7.41	83	1.1
ZZ15995		0.005	1.07	1.36	16	0.08	6.44	123	1.2
ZZ15996		<0.005	0.52	0.31	5	<0.05	1.96	19	1.3
ZZ15997		<0.005	0.34	0.38	16	0.14	7.91	43	1.1
ZZ15998		0.009	0.17	0.64	29	0.13	6.92	173	1.3
ZZ15999		0.014	0.10	0.66	29	0.14	7.30	78	1.3
ZZ16000		0.010	0.16	0.63	27	0.12	9.53	105	1.7
ZZ15651		0.013	0.17	0.67	20	0.09	7.73	104	1.9
ZZ15652		0.011	0.44	1.23	22	0.16	7.94	104	0.9
ZZ15151		0.006	0.27	1.19	44	0.07	12.35	151	1.2
ZZ15152		<0.005	0.40	2.26	27	0.06	30.4	204	1.8
ZZ15153		0.010	0.27	1.15	51	0.18	5.85	190	1.1
ZZ15154		0.008	0.18	1.59	27	0.09	9.08	137	1.2
ZZ15155		0.007	0.21	1.29	40	0.10	13.15	139	1.5
ZZ15156		0.009	0.14	1.39	27	0.10	10.70	112	1.2
ZZ15157		0.008	0.25	1.91	46	0.13	11.35	142	1.4
ZZ15158		0.022	0.23	2.15	49	0.22	11.35	225	0.6
ZZ15159		0.010	0.63	1.95	20	0.11	18.80	167	0.7
ZZ15160		<0.005	1.01	0.89	13	0.09	9.28	95	0.8
ZZ15161		<0.005	2.57	0.93	16	0.15	11.00	117	0.9
ZZ15162		0.009	0.22	1.34	35	0.13	8.39	142	1.7
ZZ15163		0.006	0.29	1.70	52	0.09	13.85	169	2.2
ZZ15164		<0.005	0.40	1.17	46	0.08	12.90	197	2.7
ZZ15165		0.005	0.34	1.15	34	0.09	10.10	125	1.7
ZZ15166		0.006	0.35	0.76	30	0.08	11.85	124	1.9
ZZ15167		<0.005	0.34	1.31	40	0.08	11.35	125	1.9
ZZ15168		0.016	0.93	0.94	35	0.21	6.04	87	1.6
ZZ15169		0.007	67.7	1.69	13	0.10	7.14	135	1.4
ZZ15170		0.024	0.59	0.94	50	0.23	7.32	166	0.8
ZZ15171		0.021	0.91	2.46	37	0.18	11.00	913	1.0
ZZ15172		0.007	0.47	1.92	24	0.10	10.55	129	1.8
ZZ15173		0.007	1.12	1.47	15	0.12	8.81	615	1.0
ZZ15174		0.008	0.16	1.16	31	0.09	7.99	94	1.5
ZZ15175		0.015	0.22	2.01	43	0.16	7.10	109	1.3
ZZ15176		0.010	0.16	1.13	41	0.12	5.47	88	1.3
ZZ15177		0.008	0.20	1.36	34	0.11	11.80	118	1.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15178		0.24	0.002	0.20	1.11	66.7	<0.2	<10	680	1.38	0.44	1.12	0.38	13.10	18.6	17



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
ZZ15178		7.64	34.8	3.56	3.46	0.06	0.08	1.12	0.044	0.10	6.5	10.6	0.27	1020	1.20	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ15178		0.42	30.6	720	23.7	12.7	<0.001	0.05	1.52	7.0	1.3	0.5	28.3	0.01	0.09	1.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134831

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
ZZ15178		0.005	0.02	0.05	1	0.05	0.05	2	0.5
		<0.005	0.36	2.65	32	0.10	12.25	120	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 29- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11134831

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 30- AUG- 2011
Account: MTT

CERTIFICATE WH11134832

Project: Midas Touch- Crag East

P.O. No.:

This report is for 165 Soil samples submitted to our lab in Whitehorse, YT, Canada on 21-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
EXTRA- 01	Extra Sample received in Shipment
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15179		0.38	0.002	0.31	0.92	376	<0.2	<10	360	1.10	0.34	0.50	0.64	17.30	11.0	18
ZZ15180		0.40	0.002	0.26	0.99	57.6	<0.2	<10	300	1.09	0.36	0.54	0.76	21.3	16.0	21
ZZ15181		0.36	0.002	0.18	1.21	54.9	<0.2	<10	330	1.10	0.36	0.46	0.42	21.3	16.6	20
ZZ15182		0.34	0.002	0.26	1.32	86.1	<0.2	<10	460	1.20	0.32	1.06	1.06	19.30	17.7	22
ZZ15183		0.34	0.002	0.22	1.22	45.3	<0.2	<10	350	1.28	0.37	0.43	0.48	23.1	16.0	21
ZZ15184		0.34	0.002	0.25	1.12	110.5	<0.2	<10	260	1.08	0.33	0.44	0.69	20.5	14.0	19
ZZ15185		0.34	0.002	0.27	1.18	174.5	<0.2	<10	280	1.19	0.35	0.44	1.35	22.1	16.2	21
ZZ15186		0.34	0.002	0.23	1.17	572	<0.2	<10	410	1.14	0.33	0.56	1.91	21.9	19.2	20
ZZ15187		0.34	0.001	0.17	0.91	211	<0.2	<10	240	0.92	0.29	1.09	2.69	17.85	9.3	16
ZZ15188		0.32	0.002	0.22	1.09	398	<0.2	<10	370	1.17	0.34	0.54	1.15	19.30	17.6	19
ZZ15189		0.28	0.002	0.28	1.26	645	<0.2	<10	390	1.05	0.29	0.98	3.24	16.65	9.3	20
ZZ15190		0.36	0.002	0.20	1.10	2030	<0.2	<10	210	1.05	0.30	0.43	3.15	23.7	13.7	19
ZZ15191		0.38	0.002	0.22	1.13	1185	<0.2	<10	300	0.94	0.33	0.36	0.64	21.3	15.6	20
ZZ15192		0.36	0.001	0.19	1.09	1780	<0.2	<10	270	0.93	0.32	0.90	1.11	19.05	11.6	19
ZZ15193		0.38	0.001	0.06	1.56	387	<0.2	<10	200	1.02	0.33	0.08	0.53	30.2	13.0	25
ZZ15194		0.30	0.002	0.22	1.07	104.5	<0.2	<10	370	1.00	0.30	0.80	0.59	17.30	13.8	19
ZZ15195		0.38	0.002	0.34	1.25	404	<0.2	<10	230	1.16	0.32	1.86	1.28	19.25	16.4	22
ZZ15527		0.42	0.002	0.14	1.13	17.5	<0.2	<10	170	1.10	0.34	0.55	0.16	26.9	14.2	20
ZZ15528		0.46	0.003	0.16	1.09	109.5	<0.2	<10	230	1.19	0.33	0.71	0.19	26.2	13.6	17
ZZ15529		0.36	0.003	0.18	1.43	266	<0.2	<10	220	0.95	0.29	1.93	0.31	20.5	11.7	24
ZZ15530		0.26	0.004	0.12	0.62	1030	<0.2	<10	100	0.58	0.12	11.75	0.40	9.91	5.7	9
ZZ15531		0.42	0.001	0.05	0.73	65.2	<0.2	<10	130	0.86	0.43	0.25	0.06	15.45	11.4	10
ZZ15532		0.50	0.002	0.12	0.99	29.9	<0.2	<10	570	0.94	0.32	0.54	0.13	13.20	11.9	16
ZZ15533		0.28	0.002	0.26	1.26	28.9	<0.2	<10	240	1.26	0.35	0.94	0.29	26.3	14.1	21
ZZ15534		0.42	0.002	1.08	1.16	53.7	<0.2	<10	280	1.20	0.29	0.47	0.26	25.2	11.1	20
ZZ15535		0.40	0.001	0.27	1.17	31.9	<0.2	<10	230	0.93	0.30	0.75	0.34	16.10	10.9	19
ZZ15536		0.24	0.002	0.31	1.30	24.8	<0.2	<10	230	1.16	0.29	0.97	0.23	13.15	8.7	19
ZZ15537		0.18	0.002	0.42	1.73	23.5	<0.2	<10	300	1.23	0.34	0.63	0.10	16.85	9.8	21
ZZ15538		0.34	0.002	0.25	1.30	31.6	<0.2	<10	360	1.24	0.38	0.49	0.21	19.00	13.3	22
ZZ15301		0.34	0.001	0.06	0.91	34.5	<0.2	<10	120	0.65	0.38	0.04	0.16	17.10	8.1	14
ZZ15302		0.18	0.001	0.09	1.14	46.3	<0.2	<10	100	0.40	0.30	0.07	0.25	22.8	8.9	21
ZZ15303		0.40	0.002	0.24	1.13	68.0	<0.2	<10	430	1.12	0.34	1.24	0.67	17.70	15.4	19
ZZ15304		0.34	0.002	0.29	1.30	76.2	<0.2	<10	390	1.20	0.32	0.71	0.41	17.70	12.1	21
ZZ15305		0.32	0.002	0.12	1.42	59.4	<0.2	<10	310	0.86	0.28	0.46	0.20	22.8	12.1	25
ZZ15306		0.46	0.002	0.59	1.23	96.4	<0.2	<10	380	1.16	0.35	0.84	0.40	19.40	14.7	21
ZZ15307		0.36	0.001	0.23	0.68	396	<0.2	<10	180	1.06	0.37	0.57	0.21	35.1	13.4	10
ZZ15308		0.34	0.003	0.16	1.27	149.0	<0.2	<10	220	0.53	0.18	6.37	0.44	24.8	7.8	16
ZZ15309		0.34	0.002	0.20	0.91	1370	<0.2	<10	150	0.55	0.19	8.50	0.39	20.7	8.4	15
ZZ15310		0.34	0.002	0.19	0.60	1230	<0.2	<10	100	0.51	0.15	10.75	0.82	16.60	6.1	10
ZZ15311		0.34	0.035	0.14	0.60	1830	<0.2	<10	220	0.93	0.36	2.77	0.25	25.5	16.5	11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15179		2.20	30.2	3.20	3.11	0.07	0.07	3.43	0.036	0.07	8.3	11.5	0.27	397	1.58
ZZ15180		1.48	35.9	3.52	3.34	0.08	0.07	1.25	0.036	0.08	9.3	13.8	0.30	780	2.45
ZZ15181		12.60	29.3	3.65	4.07	0.08	0.10	0.66	0.039	0.12	8.3	16.4	0.33	786	1.58
ZZ15182		3.71	35.2	2.37	4.25	0.07	0.10	0.72	0.041	0.12	8.9	16.6	0.35	163	1.58
ZZ15183		1.45	35.9	3.65	4.00	0.08	0.08	0.73	0.039	0.09	10.1	16.3	0.34	680	2.31
ZZ15184		2.58	29.1	3.61	3.81	0.09	0.09	0.87	0.040	0.12	9.0	13.9	0.27	335	1.91
ZZ15185		6.36	39.4	4.04	3.78	0.09	0.10	1.30	0.042	0.13	10.4	16.4	0.30	336	2.05
ZZ15186		7.41	32.4	3.93	3.86	0.09	0.10	1.25	0.040	0.12	10.0	14.4	0.31	1040	1.46
ZZ15187		9.23	23.6	2.13	2.95	0.07	0.08	1.29	0.037	0.09	7.8	13.4	0.61	182	0.72
ZZ15188		2.66	40.3	4.43	3.80	0.09	0.09	0.96	0.044	0.12	8.6	14.8	0.29	459	1.88
ZZ15189		7.80	29.2	2.98	4.11	0.08	0.09	2.52	0.038	0.11	8.4	14.8	0.35	275	1.22
ZZ15190		7.34	30.2	3.90	3.66	0.08	0.07	1.53	0.042	0.09	8.6	13.9	0.32	1020	1.43
ZZ15191		1.24	30.5	3.57	3.76	0.08	0.06	0.94	0.040	0.08	8.0	15.2	0.35	713	2.34
ZZ15192		15.75	28.5	3.40	3.59	0.09	0.06	0.90	0.039	0.11	8.9	12.6	0.35	599	1.12
ZZ15193		2.00	16.9	3.78	5.28	0.08	0.05	0.80	0.042	0.07	11.7	20.0	0.34	582	1.27
ZZ15194		2.19	33.8	3.15	3.57	0.08	0.07	1.32	0.036	0.11	8.4	14.2	0.40	530	1.26
ZZ15195		11.35	46.4	4.27	4.05	0.10	0.10	0.65	0.041	0.17	8.7	18.0	1.10	352	2.41
ZZ15527		13.70	26.3	3.41	3.86	0.08	0.08	0.23	0.040	0.09	12.9	16.4	0.33	978	0.99
ZZ15528		9.62	22.1	3.06	3.51	0.07	0.07	0.96	0.033	0.08	10.6	8.9	0.21	833	0.77
ZZ15529		1.59	20.8	3.53	4.38	<0.05	0.04	1.08	0.034	0.08	9.4	12.1	0.78	1120	0.89
ZZ15530		0.53	10.2	2.84	1.68	<0.05	0.04	2.08	0.019	0.05	5.0	5.4	6.86	1460	0.46
ZZ15531		3.11	20.0	3.02	1.93	<0.05	0.04	0.60	0.035	0.06	6.6	5.2	0.14	462	0.34
ZZ15532		2.03	29.6	3.13	2.96	<0.05	0.05	0.37	0.029	0.07	6.6	9.8	0.24	731	0.82
ZZ15533		3.41	36.2	3.43	3.63	0.05	0.05	0.19	0.034	0.09	13.8	11.4	0.32	2360	1.02
ZZ15534		1.08	32.0	3.97	3.69	<0.05	0.07	0.31	0.031	0.08	12.8	16.4	0.37	907	2.56
ZZ15535		3.85	27.3	3.35	3.75	<0.05	0.06	0.49	0.036	0.10	7.7	16.7	0.35	695	0.94
ZZ15536		2.93	35.3	3.12	3.74	<0.05	0.10	0.47	0.037	0.12	7.4	13.7	0.34	413	0.98
ZZ15537		6.13	30.4	3.07	5.28	<0.05	0.07	0.23	0.039	0.14	7.7	18.2	0.27	1050	1.02
ZZ15538		4.30	35.9	3.51	4.23	<0.05	0.09	0.27	0.034	0.14	9.5	20.7	0.44	689	1.53
ZZ15301		22.0	17.9	3.27	4.05	<0.05	<0.02	0.18	0.034	0.06	7.2	11.4	0.15	344	1.08
ZZ15302		2.43	15.2	3.26	5.05	<0.05	<0.02	0.35	0.028	0.04	9.8	11.6	0.25	454	1.35
ZZ15303		1.08	37.5	3.80	3.74	<0.05	0.06	1.64	0.040	0.10	7.8	16.2	0.61	694	1.88
ZZ15304		1.07	37.4	3.80	4.00	<0.05	0.08	1.22	0.043	0.10	9.1	15.9	0.38	498	2.14
ZZ15305		1.42	17.2	3.58	4.50	<0.05	0.05	0.74	0.032	0.06	8.0	16.2	0.37	683	1.05
ZZ15306		1.25	37.6	3.70	4.24	<0.05	0.07	1.27	0.042	0.10	9.0	16.0	0.49	650	1.99
ZZ15307		4.83	17.2	3.69	1.90	0.05	0.04	0.32	0.037	0.08	13.3	5.5	0.15	751	0.84
ZZ15308		0.79	10.9	4.45	3.72	<0.05	0.03	0.95	0.021	0.03	12.6	9.1	3.88	3730	0.75
ZZ15309		0.59	13.6	2.86	2.71	<0.05	0.04	7.57	0.022	0.05	11.4	8.6	4.94	1420	0.78
ZZ15310		1.07	15.3	2.28	1.68	<0.05	0.03	12.25	0.020	0.04	9.2	3.7	5.80	1500	0.49
ZZ15311		19.45	38.5	3.55	1.96	0.05	0.04	2.20	0.036	0.15	13.2	5.4	1.12	1470	1.17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ15179		0.41	32.7	440	33.7	7.7	<0.001	0.02	3.15	5.4	1.3	0.5	20.9	0.01	0.05	2.8
ZZ15180		0.38	36.3	480	39.3	9.1	0.001	0.02	1.87	5.0	1.4	0.5	24.3	<0.01	0.06	3.1
ZZ15181		0.50	33.1	300	33.8	13.8	0.001	0.02	1.37	5.8	1.3	0.6	21.0	<0.01	0.06	3.8
ZZ15182		0.53	36.9	860	28.8	13.3	0.003	0.10	1.28	5.1	3.1	0.6	39.3	0.01	0.05	2.1
ZZ15183		0.50	38.3	310	45.5	10.4	0.001	0.01	1.40	5.9	1.2	0.6	22.9	<0.01	0.05	4.6
ZZ15184		0.43	34.2	670	30.8	12.8	0.001	0.02	1.61	5.8	1.7	0.6	28.5	<0.01	0.06	5.3
ZZ15185		0.45	36.6	650	35.1	14.2	0.002	0.03	2.08	7.2	1.6	0.6	27.3	0.01	0.06	5.3
ZZ15186		0.46	43.9	620	55.7	15.6	0.001	0.04	2.73	6.5	1.3	0.5	26.5	0.01	0.05	3.5
ZZ15187		0.40	23.8	580	37.5	14.9	0.002	0.10	2.64	5.3	1.9	0.4	24.2	<0.01	0.04	3.6
ZZ15188		0.45	37.9	650	36.2	13.1	0.002	0.08	2.50	6.6	1.6	0.6	25.4	0.01	0.05	4.5
ZZ15189		0.48	26.9	730	35.8	13.9	0.002	0.06	3.35	4.6	2.2	0.5	27.8	0.01	0.05	1.8
ZZ15190		0.45	32.0	430	103.5	15.0	<0.001	0.02	47.6	4.8	1.2	0.5	21.2	<0.01	0.05	2.9
ZZ15191		0.41	35.3	350	32.1	8.7	<0.001	0.02	2.19	4.5	1.2	0.5	18.7	<0.01	0.07	3.8
ZZ15192		0.50	27.9	730	38.5	15.4	<0.001	0.05	11.35	4.1	1.3	0.5	28.3	<0.01	0.05	1.5
ZZ15193		0.94	22.7	400	33.1	13.9	<0.001	0.01	1.88	4.3	0.7	0.6	9.9	<0.01	0.05	3.3
ZZ15194		0.47	31.1	650	25.8	13.1	0.001	0.03	1.73	5.4	1.3	0.5	26.3	0.01	0.05	2.6
ZZ15195		0.43	46.4	720	30.3	20.4	0.002	0.03	2.69	7.3	2.3	0.6	41.7	0.01	0.07	4.8
ZZ15527		0.68	28.0	570	23.9	20.4	<0.001	0.03	0.56	4.6	0.8	0.6	30.3	0.01	0.04	2.8
ZZ15528		0.50	25.2	570	25.7	16.2	<0.001	0.03	1.21	4.4	0.8	0.5	42.8	0.01	0.04	2.0
ZZ15529		0.62	22.3	800	21.2	8.5	0.001	0.06	1.85	2.9	1.0	0.6	33.4	<0.01	0.03	1.0
ZZ15530		0.22	11.5	680	12.1	5.1	0.001	0.03	2.03	1.7	0.6	0.3	64.9	<0.01	0.04	0.6
ZZ15531		0.22	19.9	340	21.6	6.6	<0.001	0.01	0.70	6.1	0.8	0.5	7.9	<0.01	0.07	2.9
ZZ15532		0.33	23.7	300	19.1	8.0	0.001	0.02	0.56	4.1	0.9	0.6	13.2	<0.01	0.03	2.3
ZZ15533		0.45	26.4	760	20.6	10.5	<0.001	0.05	0.74	3.9	1.3	0.5	25.9	<0.01	0.05	1.2
ZZ15534		0.63	33.4	360	26.8	8.1	<0.001	0.02	0.70	3.8	1.1	0.5	23.0	<0.01	0.02	3.4
ZZ15535		0.46	20.3	850	21.0	17.2	<0.001	0.05	0.55	3.1	0.8	0.6	32.0	<0.01	0.07	1.3
ZZ15536		0.44	20.9	1140	18.1	16.1	<0.001	0.09	0.59	3.2	1.2	0.6	38.4	<0.01	0.03	1.4
ZZ15537		0.41	18.1	1180	29.2	20.2	<0.001	0.07	0.48	3.9	1.0	0.8	25.5	<0.01	0.05	1.7
ZZ15538		0.55	29.3	580	23.3	13.0	<0.001	0.05	0.80	4.9	1.0	0.7	54.2	<0.01	0.05	3.2
ZZ15301		0.86	13.8	280	16.0	9.9	<0.001	0.01	0.78	2.2	0.6	0.6	7.4	<0.01	0.06	1.8
ZZ15302		1.16	18.0	440	33.6	8.7	<0.001	0.02	1.49	2.3	0.6	0.7	9.4	<0.01	0.05	2.0
ZZ15303		0.46	33.8	430	32.7	7.8	0.001	0.03	1.72	5.3	1.2	0.6	39.7	<0.01	0.05	3.1
ZZ15304		0.41	34.9	370	32.0	8.6	0.001	0.02	1.72	5.9	1.6	0.6	29.3	<0.01	0.07	3.5
ZZ15305		0.64	21.4	310	24.9	10.9	<0.001	0.01	1.15	3.3	0.7	0.6	25.3	<0.01	0.04	3.0
ZZ15306		0.45	35.1	280	30.3	8.1	<0.001	0.01	1.66	5.3	1.4	0.7	28.1	<0.01	0.06	3.2
ZZ15307		0.27	31.9	260	29.7	7.9	<0.001	0.01	1.25	5.0	1.1	0.4	28.7	<0.01	0.03	5.0
ZZ15308		0.50	13.6	890	11.5	5.4	<0.001	0.06	16.15	1.8	0.9	0.4	21.4	<0.01	0.04	0.7
ZZ15309		0.43	17.9	630	18.7	4.7	<0.001	0.03	12.25	2.7	1.2	0.4	43.8	<0.01	0.05	1.1
ZZ15310		0.20	12.8	1230	24.8	3.4	<0.001	0.06	34.5	1.7	1.1	0.3	71.2	<0.01	0.04	0.3
ZZ15311		0.27	22.1	770	24.6	11.3	<0.001	0.05	19.50	5.8	0.8	0.4	24.0	<0.01	0.09	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15179		0.008	0.42	1.00	31	0.12	11.65	160	1.8
ZZ15180		0.006	0.27	1.32	42	0.36	10.20	215	1.8
ZZ15181		0.007	0.32	1.18	37	0.18	8.59	185	2.8
ZZ15182		0.005	0.27	3.63	40	0.21	12.45	170	2.9
ZZ15183		0.006	0.24	0.94	45	0.11	10.55	154	2.4
ZZ15184		0.005	0.27	1.40	44	0.08	10.70	211	3.4
ZZ15185		0.006	0.31	1.16	47	0.10	13.00	227	3.8
ZZ15186		0.006	0.36	1.41	38	0.11	12.60	201	2.5
ZZ15187		0.005	0.61	1.54	39	0.10	10.45	440	2.5
ZZ15188		<0.005	0.33	1.20	37	0.08	12.00	195	3.3
ZZ15189		0.005	1.29	2.56	41	0.09	11.25	692	2.3
ZZ15190		0.007	2.13	1.90	39	0.47	8.90	1120	2.1
ZZ15191		0.006	0.36	1.69	46	0.08	7.54	144	1.8
ZZ15192		0.010	1.45	2.70	30	0.17	9.32	412	1.4
ZZ15193		0.013	0.25	1.13	46	0.18	6.42	144	1.2
ZZ15194		0.007	0.25	0.99	36	0.11	11.50	148	1.9
ZZ15195		0.005	0.37	1.07	51	0.09	12.85	204	3.8
ZZ15527		0.014	0.26	1.13	31	0.19	10.40	73	1.7
ZZ15528		0.008	0.37	1.45	28	0.15	9.34	78	1.8
ZZ15529		0.012	0.59	1.21	39	0.18	9.32	96	1.0
ZZ15530		0.007	1.67	1.09	15	0.12	7.32	92	0.9
ZZ15531		<0.005	0.49	0.42	15	0.05	8.02	34	0.8
ZZ15532		0.005	0.17	0.91	23	0.05	8.88	75	1.3
ZZ15533		0.014	0.15	1.67	32	0.14	17.50	79	0.9
ZZ15534		0.011	0.14	1.21	31	0.16	10.10	93	1.7
ZZ15535		0.008	0.15	1.51	30	0.10	9.15	136	1.4
ZZ15536		0.005	0.17	1.55	28	0.09	13.80	108	2.1
ZZ15537		<0.005	0.28	1.28	34	0.09	13.00	66	1.5
ZZ15538		0.008	0.17	1.19	36	0.11	12.55	102	2.1
ZZ15301		0.013	0.13	0.48	36	0.14	3.46	80	<0.5
ZZ15302		0.021	0.23	0.59	45	0.27	4.04	106	<0.5
ZZ15303		0.006	0.22	0.88	39	0.07	11.00	158	1.8
ZZ15304		<0.005	0.26	1.28	46	0.06	15.85	165	2.4
ZZ15305		0.010	0.22	1.05	39	0.12	4.59	102	1.2
ZZ15306		0.008	0.20	0.77	44	0.07	11.65	143	1.6
ZZ15307		0.006	0.21	0.94	18	0.05	10.25	105	1.3
ZZ15308		0.017	0.20	1.75	33	0.14	9.54	131	0.7
ZZ15309		0.013	4.46	1.10	29	0.15	9.41	88	1.0
ZZ15310		0.008	2.68	1.67	19	0.13	12.65	234	0.6
ZZ15311		0.008	1.23	1.32	19	0.10	12.55	134	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ15312		0.30	0.003	0.17	0.65	533	<0.2	<10	160	0.98	0.36	1.15	0.18	13.75	13.7	12
ZZ15313		0.34	0.002	0.31	1.18	131.5	<0.2	<10	290	1.00	0.30	2.07	0.85	17.75	13.2	21
ZZ15314		0.36	0.002	0.36	1.32	84.2	<0.2	<10	460	1.17	0.31	0.71	1.08	18.85	14.0	24
ZZ15315		0.46	0.002	0.23	1.25	607	<0.2	<10	350	1.12	0.33	0.83	0.68	18.45	12.1	20
ZZ15316		0.48	0.002	0.23	1.10	705	<0.2	<10	270	1.09	0.35	2.08	0.78	20.0	17.4	19
ZZ15317		0.44	0.002	0.22	1.25	870	<0.2	<10	380	1.04	0.37	0.63	0.55	17.15	14.8	21
ZZ15318		0.38	0.002	0.23	1.48	99.6	<0.2	<10	420	1.26	0.35	0.45	0.33	19.70	15.3	24
ZZ15319		0.40	0.004	0.21	0.95	187.5	<0.2	<10	300	1.26	0.42	0.77	0.23	21.3	21.0	23
ZZ15320		0.24	<0.001	0.13	0.46	80.1	<0.2	<10	80	0.53	0.20	0.32	0.22	20.7	7.4	7
ZZ15321		0.50	0.001	0.04	0.35	111.5	<0.2	<10	70	0.66	0.48	0.52	0.12	14.00	11.2	5
ZZ15322		0.28	0.001	0.27	0.26	488	<0.2	<10	50	0.68	0.37	4.56	0.11	12.15	9.2	4
ZZ15323		0.32	0.003	0.16	1.04	146.0	<0.2	<10	280	0.83	0.29	0.39	0.20	24.1	12.8	21
ZZ15324		0.34	0.005	0.12	0.93	450	<0.2	<10	210	1.02	0.30	0.41	0.67	20.7	13.3	17
ZZ15920		0.20	0.001	0.10	0.84	18.3	<0.2	<10	190	1.07	0.30	1.14	0.29	12.20	16.7	16
ZZ15921		0.26	0.002	0.15	2.06	22.5	<0.2	<10	130	1.01	0.31	0.07	0.57	31.9	12.1	25
ZZ15922		0.42	0.001	0.04	1.69	23.7	<0.2	<10	150	0.68	0.33	0.03	0.11	22.7	15.4	23
ZZ15923		0.26	0.004	0.19	1.02	213	<0.2	10	260	1.11	0.28	1.16	0.40	12.80	6.5	16
ZZ15924		0.24	0.006	0.16	1.15	609	<0.2	<10	200	0.54	0.20	7.89	0.71	38.0	9.2	17
ZZ15925		0.30	0.013	0.07	1.26	410	<0.2	<10	170	0.79	0.34	3.50	0.36	21.2	13.8	18
ZZ15926		0.14	0.003	0.13	1.04	299	<0.2	10	160	0.72	0.22	2.64	0.30	10.75	9.0	14
ZZ15927		0.24	0.002	0.15	2.42	108.0	<0.2	<10	260	1.24	0.30	1.39	1.12	32.2	10.9	30
ZZ15928		0.30	0.001	0.05	1.43	31.4	<0.2	<10	230	0.87	0.36	0.44	0.19	16.35	16.3	22
ZZ15929		0.18	0.001	0.14	1.28	87.7	<0.2	<10	280	0.86	0.31	1.08	0.44	12.65	12.5	19
ZZ15930		0.20	0.001	0.14	1.18	28.1	<0.2	<10	390	0.61	0.27	1.39	0.38	13.50	13.2	18
ZZ15931		0.24	0.001	0.14	1.15	26.0	<0.2	<10	390	0.64	0.25	1.99	0.52	9.90	9.1	17
ZZ15932		0.30	0.002	0.14	1.37	31.5	<0.2	<10	270	0.85	0.29	0.55	0.48	13.70	10.5	21
ZZ15933		0.34	0.002	0.22	1.33	29.9	<0.2	<10	270	0.94	0.31	0.74	0.40	16.85	13.1	21
ZZ15934		0.24	0.002	0.22	1.06	116.0	<0.2	10	390	0.98	0.24	1.64	0.31	10.45	9.1	16
ZZ15935		Not Recvd														
ZZ15936		0.16	0.001	0.28	1.15	56.4	<0.2	<10	420	1.62	0.29	1.14	0.28	15.05	14.4	16
ZZ15937		0.16	<0.001	0.05	1.22	98.9	<0.2	<10	180	0.69	0.29	0.06	0.28	12.95	9.6	17
ZZ15938		0.14	0.003	0.19	1.24	873	<0.2	<10	270	0.45	0.20	5.70	0.95	24.6	9.4	16
ZZ15939		0.26	0.002	0.15	1.59	96.7	<0.2	<10	380	0.99	0.35	0.70	0.38	17.25	17.4	23
ZZ15940		0.20	0.002	0.24	1.28	192.0	<0.2	<10	300	0.96	0.30	1.22	0.58	15.55	12.6	20
ZZ15941		0.22	0.001	0.19	1.06	99.2	<0.2	10	420	0.76	0.23	2.69	0.82	16.85	12.3	16
ZZ15942		0.22	0.001	0.16	0.72	37.5	<0.2	<10	680	0.42	0.12	4.09	0.59	7.16	6.5	9
ZZ15943		0.34	0.002	0.27	0.96	772	<0.2	<10	300	0.69	0.26	1.27	1.83	20.3	10.8	15
ZZ15944		0.18	0.002	0.16	0.96	182.0	<0.2	<10	420	0.51	0.22	2.28	0.53	24.2	10.8	15
ZZ15945		0.26	0.002	0.26	0.62	90.2	<0.2	<10	190	0.57	0.32	1.25	0.31	15.70	11.8	11
ZZ15946		0.38	0.001	0.05	0.78	61.5	<0.2	<10	60	0.17	0.28	0.04	0.08	14.10	4.6	12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15312		10.35	27.2	2.91	2.32	<0.05	0.07	1.09	0.029	0.14	6.4	6.5	0.23	508	0.87
ZZ15313		1.84	36.9	3.45	3.74	<0.05	0.07	3.31	0.038	0.14	8.1	15.0	1.19	605	2.14
ZZ15314		1.26	39.2	3.90	4.15	0.05	0.07	1.76	0.040	0.13	9.4	15.1	0.35	609	2.10
ZZ15315		2.63	32.1	3.59	3.95	<0.05	0.09	1.44	0.039	0.13	8.8	16.2	0.38	374	1.12
ZZ15316		2.43	37.3	3.76	3.56	<0.05	0.07	1.50	0.037	0.13	8.9	15.3	1.17	921	1.55
ZZ15317		4.72	38.1	3.74	3.93	<0.05	0.07	1.33	0.037	0.14	8.0	16.7	0.42	593	1.39
ZZ15318		2.41	32.9	3.82	4.45	<0.05	0.08	0.87	0.040	0.10	9.5	16.5	0.38	740	2.85
ZZ15319		2.99	29.4	7.76	2.63	0.07	0.11	1.90	0.064	0.07	9.7	6.4	0.28	1620	1.92
ZZ15320		8.08	10.3	2.49	1.19	<0.05	0.04	0.52	0.030	0.05	6.4	3.3	0.06	288	0.50
ZZ15321		18.60	11.2	3.08	1.66	<0.05	<0.02	0.67	0.032	0.08	4.9	2.7	0.22	294	0.49
ZZ15322		4.03	24.2	3.45	0.76	<0.05	0.05	1.96	0.029	0.06	5.4	1.7	2.43	656	0.67
ZZ15323		6.65	29.7	3.32	3.80	<0.05	0.05	0.83	0.031	0.07	11.8	15.9	0.37	927	1.42
ZZ15324		12.00	28.6	3.51	3.42	<0.05	0.08	0.98	0.038	0.10	8.5	18.1	0.26	232	0.76
ZZ15920		24.4	19.7	3.39	2.69	<0.05	0.06	0.21	0.028	0.10	4.7	10.3	0.23	1100	0.76
ZZ15921		2.39	14.3	3.79	5.85	<0.05	0.07	0.14	0.041	0.06	9.2	15.3	0.14	528	1.41
ZZ15922		6.74	19.7	3.53	6.57	0.06	0.03	0.11	0.033	0.08	10.0	16.5	0.20	908	1.29
ZZ15923		47.0	27.3	2.20	3.13	0.06	0.12	1.95	0.031	0.11	7.1	16.6	0.30	170	0.33
ZZ15924		1.09	18.2	5.25	2.75	0.12	0.06	1.96	0.037	0.04	23.5	4.8	4.28	4950	0.51
ZZ15925		1.28	26.2	4.39	4.01	0.09	0.11	0.94	0.037	0.10	12.5	10.9	1.78	1420	0.80
ZZ15926		1.45	25.1	2.39	3.22	0.06	0.07	1.34	0.026	0.09	7.8	9.4	0.40	549	0.85
ZZ15927		2.19	15.8	6.77	6.27	0.15	0.12	0.91	0.050	0.08	21.5	14.2	0.63	2780	1.16
ZZ15928		1.27	27.0	3.95	5.21	0.07	0.06	0.33	0.039	0.08	6.4	19.2	0.36	1100	1.34
ZZ15929		1.13	26.7	3.33	4.46	0.07	0.08	0.67	0.035	0.10	6.8	13.3	0.33	744	1.31
ZZ15930		1.44	18.8	2.82	4.20	0.05	0.05	0.26	0.030	0.08	5.9	11.9	0.31	753	0.97
ZZ15931		1.44	21.2	2.58	3.79	0.06	0.06	0.38	0.029	0.08	5.4	10.9	0.35	407	0.96
ZZ15932		2.00	23.9	3.19	4.81	0.06	0.07	0.28	0.036	0.10	6.6	16.8	0.31	535	1.22
ZZ15933		1.93	32.5	3.38	4.38	0.07	0.08	0.76	0.036	0.11	8.1	23.1	0.38	581	1.03
ZZ15934		7.10	41.3	2.60	3.28	0.07	0.09	0.57	0.030	0.13	6.3	12.7	0.46	703	1.08
ZZ15935															
ZZ15936		12.65	76.6	2.51	4.29	0.10	0.08	0.47	0.041	0.13	9.1	7.3	0.20	1140	1.30
ZZ15937		2.97	26.4	2.92	5.61	0.06	0.03	1.89	0.034	0.08	6.0	8.2	0.10	400	1.93
ZZ15938		0.82	13.8	4.38	3.12	0.09	0.05	12.15	0.034	0.03	14.0	4.2	2.79	5040	0.59
ZZ15939		1.10	30.8	3.80	5.39	0.07	0.08	0.67	0.038	0.08	7.0	17.9	0.43	930	1.78
ZZ15940		0.94	36.5	3.35	4.01	0.08	0.10	1.47	0.036	0.10	8.6	14.2	0.42	571	2.07
ZZ15941		0.88	31.6	3.14	3.29	0.07	0.07	0.96	0.032	0.08	7.2	11.3	0.82	1660	1.49
ZZ15942		0.70	20.9	1.44	2.03	<0.05	0.04	0.38	0.015	0.04	3.7	4.3	0.25	777	0.56
ZZ15943		11.75	25.1	3.09	2.82	0.07	0.06	13.15	0.033	0.07	8.4	9.9	0.18	1140	1.08
ZZ15944		9.79	18.6	2.61	3.27	0.07	0.05	0.95	0.026	0.04	10.1	10.9	0.15	1020	0.77
ZZ15945		21.7	27.4	3.34	1.89	0.07	0.06	2.06	0.032	0.06	7.1	7.2	0.17	580	0.84
ZZ15946		3.80	10.1	2.38	4.90	0.05	<0.02	1.25	0.018	0.04	6.9	5.6	0.11	141	1.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ15312		0.30	24.3	470	21.6	12.8	<0.001	0.05	9.55	3.5	1.0	0.5	21.1	<0.01	0.04	2.0
ZZ15313		0.39	36.8	670	27.6	10.9	<0.001	0.03	5.54	5.3	1.5	0.5	27.7	<0.01	0.07	3.3
ZZ15314		0.39	37.1	760	28.0	9.7	<0.001	0.04	1.36	5.2	1.4	0.6	26.9	<0.01	0.05	2.3
ZZ15315		0.46	28.5	790	26.5	11.7	0.001	0.05	1.42	5.0	1.8	0.6	27.4	<0.01	0.03	2.6
ZZ15316		0.40	35.4	650	34.7	10.5	0.001	0.03	2.25	5.6	1.1	0.5	32.6	<0.01	0.05	3.8
ZZ15317		0.47	31.6	530	26.2	17.1	<0.001	0.02	1.29	5.1	1.3	0.6	24.8	<0.01	0.04	3.1
ZZ15318		0.33	35.8	270	27.3	9.5	<0.001	0.01	1.34	5.5	1.4	0.6	16.8	<0.01	0.06	4.0
ZZ15319		0.32	44.2	590	27.1	5.9	<0.001	0.03	1.81	10.9	1.3	0.5	27.1	<0.01	0.10	2.6
ZZ15320		0.24	16.3	300	38.9	5.1	<0.001	0.01	0.41	2.1	0.6	0.3	13.0	<0.01	0.02	3.3
ZZ15321		0.27	15.7	450	10.6	5.9	<0.001	0.02	0.83	4.6	0.2	0.4	13.9	<0.01	0.07	1.6
ZZ15322		0.07	22.7	380	47.1	4.1	<0.001	0.03	1.40	3.2	0.9	0.4	45.0	<0.01	0.04	2.5
ZZ15323		0.80	27.2	300	29.2	9.9	<0.001	0.01	1.11	4.2	1.3	0.5	19.3	<0.01	0.05	3.1
ZZ15324		0.42	24.5	550	24.5	15.1	0.001	0.05	1.12	5.1	1.4	0.5	24.3	<0.01	0.05	3.7
ZZ15920		0.52	24.7	750	17.9	21.9	<0.001	0.09	0.54	2.9	1.1	0.5	39.2	<0.01	0.07	1.3
ZZ15921		1.28	23.2	370	24.1	14.2	<0.001	0.01	0.57	3.5	1.1	0.7	7.2	0.01	0.05	4.2
ZZ15922		0.87	21.6	200	19.2	16.8	<0.001	0.01	0.47	4.6	0.5	0.8	8.1	<0.01	0.05	4.1
ZZ15923		0.43	17.2	870	20.4	22.1	<0.001	0.18	0.92	5.0	1.9	0.5	36.9	0.01	0.03	1.6
ZZ15924		0.25	17.1	1370	48.0	5.1	<0.001	0.12	4.90	3.2	1.3	0.4	46.7	0.01	0.08	0.7
ZZ15925		0.48	25.4	630	27.7	10.0	<0.001	0.06	1.29	5.3	0.8	0.6	31.4	0.01	0.07	2.8
ZZ15926		0.41	21.0	970	16.5	9.7	<0.001	0.13	1.23	2.7	1.3	0.4	42.3	0.01	0.05	0.7
ZZ15927		0.72	24.9	1230	32.5	13.6	<0.001	0.06	1.33	5.8	1.3	0.8	15.0	0.01	0.08	2.6
ZZ15928		0.58	28.7	420	24.4	13.8	<0.001	0.03	0.54	4.2	0.7	0.6	13.6	<0.01	0.05	3.3
ZZ15929		0.54	25.6	670	19.3	13.1	<0.001	0.06	0.76	4.2	1.0	0.6	22.9	0.01	0.05	2.1
ZZ15930		0.58	19.1	770	18.1	12.2	<0.001	0.07	0.60	3.4	0.9	0.5	30.7	<0.01	0.04	1.3
ZZ15931		0.51	19.6	960	15.1	13.0	<0.001	0.12	0.63	3.3	1.2	0.5	51.2	<0.01	0.04	1.1
ZZ15932		0.54	21.9	1080	18.5	15.4	<0.001	0.07	0.50	3.6	0.9	0.6	23.0	<0.01	0.04	1.4
ZZ15933		0.54	28.3	760	22.0	12.3	<0.001	0.06	0.59	5.1	1.1	0.6	31.4	0.01	0.04	2.4
ZZ15934		0.39	24.8	930	15.7	15.8	<0.001	0.13	5.29	3.8	1.6	0.5	68.5	0.01	0.04	1.1
ZZ15935																
ZZ15936		0.32	23.3	1290	21.1	17.5	<0.001	0.08	0.72	8.4	1.6	0.6	41.3	0.01	0.05	1.5
ZZ15937		0.48	19.0	610	17.8	12.5	<0.001	0.02	1.42	3.7	0.9	0.7	8.9	<0.01	0.06	1.7
ZZ15938		0.33	15.3	1530	24.9	5.7	<0.001	0.10	26.3	2.9	1.1	0.4	30.5	0.01	0.07	0.5
ZZ15939		0.47	32.5	440	27.2	11.6	<0.001	0.03	1.33	5.0	1.0	0.6	16.1	<0.01	0.05	3.0
ZZ15940		0.36	37.3	720	27.3	9.0	<0.001	0.05	1.68	5.1	1.4	0.5	30.4	0.01	0.05	2.5
ZZ15941		0.30	29.8	780	22.0	9.9	<0.001	0.08	1.75	2.8	1.3	0.4	45.5	0.01	0.04	0.9
ZZ15942		0.29	13.9	1330	9.0	6.4	<0.001	0.20	1.07	1.2	2.0	0.2	86.4	0.01	0.04	0.2
ZZ15943		0.46	24.4	960	40.4	14.0	<0.001	0.08	15.20	3.1	1.3	0.4	47.7	0.01	0.04	1.1
ZZ15944		0.70	17.3	910	20.9	11.9	<0.001	0.10	1.01	2.4	1.4	0.4	108.5	0.01	0.05	0.6
ZZ15945		0.32	27.8	740	28.7	12.4	<0.001	0.07	1.19	3.4	1.4	0.3	82.9	0.01	0.04	1.3
ZZ15946		0.84	10.0	220	16.8	11.9	<0.001	0.02	1.59	2.0	0.4	0.6	7.4	<0.01	0.03	2.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15312		0.005	0.57	1.39	20	0.10	8.25	89	1.9
ZZ15313		0.006	0.33	1.06	48	0.07	13.50	187	2.1
ZZ15314		0.006	0.31	1.12	55	0.09	15.40	192	1.9
ZZ15315		0.006	0.75	1.72	34	0.07	12.85	163	2.7
ZZ15316		0.006	0.72	1.10	34	0.08	13.45	154	1.9
ZZ15317		0.007	1.16	0.90	35	0.08	11.05	125	1.9
ZZ15318		0.005	0.29	1.00	66	0.09	12.90	147	2.3
ZZ15319		0.006	0.78	3.48	47	0.19	28.6	46	2.9
ZZ15320		<0.005	0.25	0.53	11	0.05	4.76	63	1.0
ZZ15321		0.008	0.34	0.36	16	0.07	4.49	36	<0.5
ZZ15322		<0.005	0.91	0.81	8	<0.05	8.27	74	1.8
ZZ15323		0.021	0.40	1.98	38	0.15	6.83	102	1.4
ZZ15324		0.005	0.53	1.02	31	0.08	10.05	129	2.2
ZZ15920		0.012	0.15	0.80	24	0.09	5.60	142	1.6
ZZ15921		0.013	0.18	1.61	47	0.16	4.35	60	2.0
ZZ15922		0.020	0.21	0.74	50	0.13	4.53	81	1.3
ZZ15923		0.005	0.85	1.23	24	0.09	12.80	121	3.0
ZZ15924		0.009	0.77	2.06	28	0.15	20.6	186	1.0
ZZ15925		0.006	0.80	0.96	30	0.13	11.50	109	2.8
ZZ15926		0.005	1.11	2.54	24	0.09	10.50	144	1.9
ZZ15927		0.007	0.41	3.71	51	0.18	21.5	120	2.6
ZZ15928		0.008	0.15	0.70	39	0.09	4.97	91	1.8
ZZ15929		0.006	0.35	1.09	35	0.09	8.23	89	2.0
ZZ15930		0.008	0.16	1.25	33	0.11	5.52	73	1.5
ZZ15931		0.007	0.15	1.44	28	0.08	7.18	106	1.8
ZZ15932		0.008	0.17	1.18	39	0.11	7.19	117	1.7
ZZ15933		0.008	0.18	1.55	34	0.10	12.15	126	2.1
ZZ15934		0.005	0.27	1.72	27	0.08	12.85	112	2.2
ZZ15935									
ZZ15936		0.006	0.34	1.34	31	0.09	19.90	64	1.1
ZZ15937		0.005	0.27	0.78	57	0.09	5.73	93	0.7
ZZ15938		0.014	0.77	1.45	31	0.12	13.45	145	1.0
ZZ15939		0.007	0.18	0.88	51	0.08	7.78	130	1.9
ZZ15940		<0.005	0.31	1.29	49	0.10	13.85	154	2.6
ZZ15941		<0.005	0.39	1.29	34	0.07	10.30	129	1.6
ZZ15942		0.005	0.12	2.97	20	0.05	5.92	40	1.2
ZZ15943		0.011	3.84	1.73	27	0.10	12.60	308	1.5
ZZ15944		0.022	0.23	1.38	30	0.14	13.20	90	1.2
ZZ15945		0.008	0.65	0.95	19	0.08	11.50	110	1.4
ZZ15946		0.014	0.18	0.39	41	0.14	2.13	47	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15947		0.30	0.001	0.06	1.19	75.0	<0.2	<10	130	0.38	0.29	0.06	0.13	14.35	6.8	16
ZZ15601		0.44	0.002	0.15	1.29	64.7	<0.2	<10	320	1.01	0.30	0.37	0.37	21.7	12.2	21
ZZ15602		0.26	0.002	0.24	1.10	52.5	<0.2	<10	480	0.85	0.25	1.47	0.43	14.25	11.6	16
ZZ15603		0.32	0.002	0.19	1.05	104.0	<0.2	<10	300	0.74	0.29	1.27	0.59	16.70	13.0	17
ZZ15604		0.18	0.002	0.18	1.11	57.3	<0.2	<10	310	0.68	0.25	1.75	0.50	12.65	10.9	17
ZZ15605		0.30	<0.001	0.01	0.33	7.9	<0.2	<10	40	0.09	0.16	0.06	0.05	14.50	3.6	5
ZZ15606		0.20	0.002	0.22	1.12	96.3	<0.2	<10	400	0.63	0.20	2.64	0.36	11.10	9.3	16
ZZ15607		0.26	0.002	0.13	1.23	39.7	<0.2	<10	220	0.59	0.21	2.27	0.46	13.20	9.4	17
ZZ15608		0.24	0.013	0.15	0.50	870	<0.2	<10	80	0.37	0.18	12.05	4.56	20.5	9.5	10
ZZ15609		0.12	0.002	0.14	0.98	428	<0.2	<10	260	0.56	0.19	4.12	1.00	15.50	9.3	14
ZZ15610		0.18	0.002	0.23	1.16	333	<0.2	10	340	0.83	0.25	1.66	0.37	11.40	10.1	18
ZZ15611		0.20	0.001	0.20	1.00	420	<0.2	10	280	0.75	0.24	1.57	0.73	10.40	14.4	15
ZZ15612		0.28	0.002	0.24	1.08	139.5	<0.2	10	530	0.79	0.21	1.63	0.93	14.30	10.7	19
ZZ15613		0.18	0.002	0.26	0.99	96.2	<0.2	10	460	0.83	0.20	2.11	0.59	11.20	7.5	16
ZZ15614		0.34	0.001	0.12	1.05	102.5	<0.2	<10	280	0.63	0.26	0.78	0.74	12.65	9.2	16
ZZ15616		0.40	0.001	0.17	1.09	964	<0.2	<10	330	1.07	0.28	0.52	0.49	17.75	14.0	19
CC118474		0.24	0.001	0.10	1.59	541	<0.2	<10	140	0.68	0.26	0.03	0.15	17.25	7.8	21
CC118475		0.34	0.001	0.08	1.53	160.5	<0.2	<10	170	0.84	0.29	0.10	0.18	13.85	11.8	21
CC118476		0.40	0.002	0.21	1.43	66.0	<0.2	<10	390	1.13	0.23	1.11	0.33	19.55	11.0	21
CC118477		0.18	0.001	0.04	1.48	17.4	<0.2	<10	230	0.52	0.28	0.20	0.26	13.50	8.0	17
CC118478		0.34	0.001	0.13	1.58	173.5	<0.2	<10	420	1.31	0.26	0.99	0.35	25.8	11.6	22
CC118479		0.30	0.001	0.10	1.33	60.3	<0.2	<10	420	1.24	0.28	0.69	0.38	23.3	9.5	20
CC118480		0.20	0.001	0.08	1.42	64.8	<0.2	<10	230	1.17	0.29	0.61	0.35	19.00	10.8	23
CC118481		0.40	0.001	0.05	1.54	40.3	<0.2	<10	230	0.71	0.30	0.44	0.17	21.8	10.7	22
CC118482		0.20	<0.001	0.04	0.78	112.5	<0.2	<10	90	0.47	0.34	0.03	0.18	13.60	7.6	17
CC118483		0.14	0.001	0.18	1.08	67.4	<0.2	<10	240	0.92	0.20	1.72	0.45	15.30	7.6	14
CC118484		0.30	0.001	0.12	1.49	77.4	<0.2	<10	240	0.98	0.28	0.85	0.26	21.0	9.7	20
CC118485		0.22	0.001	0.15	0.80	148.5	<0.2	<10	130	0.77	0.16	3.88	0.46	21.6	7.2	15
CC118486		0.26	0.001	0.06	1.67	151.0	<0.2	<10	280	0.65	0.25	0.51	0.08	16.15	7.6	21
CC118487		0.18	0.001	0.04	1.55	25.1	<0.2	<10	170	0.65	0.26	0.17	0.17	34.0	10.4	26
CC118488		0.40	0.002	0.15	1.53	78.3	<0.2	<10	370	1.18	0.29	0.56	0.21	24.7	12.6	24
ZZ15123		0.40	0.001	0.06	1.64	86.4	<0.2	<10	200	0.84	0.27	0.27	0.14	19.55	9.2	23
ZZ15124		0.30	0.001	0.07	1.70	120.5	<0.2	<10	250	0.97	0.27	0.21	0.15	20.4	11.4	22
ZZ15125		0.34	0.001	0.11	1.84	121.0	<0.2	<10	270	1.18	0.28	0.30	0.15	20.7	10.2	23
ZZ15126		0.24	0.001	0.06	1.47	91.2	<0.2	<10	260	0.57	0.28	0.18	0.21	14.90	7.4	21
ZZ15127		0.26	0.001	0.04	1.35	84.2	<0.2	<10	140	0.53	0.27	0.42	0.24	16.15	9.4	20
ZZ15128		0.26	0.001	0.07	1.23	70.9	<0.2	<10	170	0.80	0.19	0.24	0.37	23.3	6.8	17
ZZ15129		0.24	0.001	0.06	1.54	67.4	<0.2	<10	220	0.71	0.25	0.33	0.14	19.35	7.5	24
ZZ15130		0.24	0.001	0.14	1.09	54.0	<0.2	<10	110	0.72	0.17	4.79	0.44	17.60	7.1	17
ZZ15131		0.28	0.001	0.07	1.57	99.8	<0.2	<10	400	1.08	0.26	0.55	0.27	21.2	10.6	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15947		4.32	13.2	2.94	5.45	0.06	0.02	1.95	0.028	0.05	6.9	14.1	0.16	304	1.21
ZZ15601		3.90	29.6	3.82	4.03	0.08	0.07	3.07	0.037	0.08	10.5	20.1	0.31	697	1.07
ZZ15602		18.85	31.6	3.05	3.23	0.07	0.08	1.16	0.032	0.09	7.2	15.2	0.36	710	0.83
ZZ15603		7.65	26.1	3.03	3.35	0.07	0.06	1.12	0.032	0.07	7.6	12.4	0.26	801	1.04
ZZ15604		8.02	25.1	2.56	3.43	0.06	0.07	0.57	0.029	0.07	6.4	12.7	0.31	431	1.09
ZZ15605		3.75	9.2	1.23	3.14	<0.05	<0.02	0.01	0.010	0.03	6.5	1.9	0.02	74	0.75
ZZ15606		0.88	23.9	2.25	3.40	0.05	0.05	0.71	0.027	0.06	5.7	8.7	0.26	487	1.13
ZZ15607		0.66	21.5	2.60	4.05	0.06	0.05	0.56	0.027	0.06	6.9	10.0	0.43	886	0.68
ZZ15608		0.70	18.9	3.70	1.84	0.09	0.11	85.2	0.030	0.05	10.2	3.3	6.81	1580	0.52
ZZ15609		1.24	17.7	2.37	2.88	0.06	0.06	2.60	0.024	0.06	7.7	7.8	1.69	849	0.78
ZZ15610		5.13	30.3	2.44	3.79	0.06	0.08	1.62	0.030	0.11	6.1	16.7	0.34	336	0.99
ZZ15611		9.40	34.8	2.30	3.33	0.06	0.07	1.24	0.025	0.10	5.5	12.0	0.31	1080	0.91
ZZ15612		1.29	26.2	2.90	3.34	<0.05	0.07	0.63	0.029	0.09	6.0	12.6	0.34	686	1.52
ZZ15613		1.08	29.9	2.62	2.96	<0.05	0.06	0.72	0.027	0.09	5.6	12.1	0.40	316	1.24
ZZ15614		1.16	27.0	3.01	4.28	<0.05	0.03	0.69	0.032	0.09	5.4	9.8	0.21	443	1.43
ZZ15616		0.91	31.7	3.77	3.72	<0.05	0.06	0.65	0.037	0.08	7.2	15.7	0.29	661	1.50
CC118474		2.48	15.0	3.38	5.42	<0.05	0.02	2.79	0.034	0.06	7.8	16.5	0.21	491	1.04
CC118475		1.98	26.0	4.59	5.05	<0.05	0.04	1.43	0.041	0.06	5.3	20.7	0.25	568	1.34
CC118476		1.05	23.5	3.36	4.32	0.05	0.07	2.18	0.031	0.07	9.5	16.2	0.30	649	1.00
CC118477		0.92	15.3	3.26	6.34	<0.05	0.03	0.10	0.030	0.05	5.7	12.5	0.18	501	1.07
CC118478		1.41	30.7	3.35	4.69	<0.05	0.07	1.49	0.038	0.08	11.0	13.9	0.24	1180	0.96
CC118479		4.27	27.2	3.54	4.11	<0.05	0.05	0.40	0.042	0.08	10.9	14.4	0.26	611	0.93
CC118480		1.16	22.3	4.44	4.74	<0.05	0.07	0.32	0.042	0.08	8.7	15.4	0.26	953	0.90
CC118481		2.45	21.3	3.78	5.63	<0.05	0.02	0.28	0.033	0.06	9.7	18.0	0.33	463	1.32
CC118482		4.61	22.5	4.05	4.08	<0.05	<0.02	0.62	0.029	0.06	6.0	6.0	0.10	457	0.96
CC118483		13.25	23.0	2.70	3.20	<0.05	0.06	0.69	0.026	0.07	7.6	7.5	0.28	622	0.76
CC118484		4.84	21.1	3.50	4.72	<0.05	0.05	1.03	0.040	0.07	12.0	10.7	0.28	859	0.80
CC118485		2.39	16.4	3.30	2.21	<0.05	0.08	0.79	0.026	0.07	9.5	6.0	1.87	1660	0.46
CC118486		1.37	9.4	3.08	5.83	<0.05	0.05	0.21	0.033	0.05	6.3	15.1	0.30	540	0.55
CC118487		2.64	14.6	3.36	5.41	<0.05	<0.02	0.08	0.028	0.05	12.1	15.8	0.39	446	1.29
CC118488		1.54	26.4	4.08	4.86	0.05	0.06	0.52	0.037	0.08	11.4	14.9	0.35	1120	1.06
ZZ15123		2.64	16.3	4.17	5.72	<0.05	0.03	0.53	0.035	0.06	7.7	15.6	0.27	831	1.15
ZZ15124		3.04	21.3	4.31	5.29	<0.05	0.05	0.83	0.035	0.06	8.1	16.0	0.26	900	0.93
ZZ15125		2.69	20.0	4.13	5.85	0.05	0.06	0.96	0.037	0.06	9.5	14.2	0.25	939	1.00
ZZ15126		1.96	13.8	3.56	6.12	<0.05	0.03	0.26	0.031	0.06	6.4	9.6	0.20	886	1.11
ZZ15127		1.73	14.9	3.95	5.42	<0.05	0.02	0.30	0.029	0.07	6.9	9.8	0.29	946	1.06
ZZ15128		1.33	11.1	4.54	3.89	<0.05	0.03	0.51	0.031	0.04	8.2	8.0	0.15	1860	0.86
ZZ15129		1.85	13.7	4.31	5.75	<0.05	0.02	0.27	0.034	0.06	7.2	15.3	0.31	843	1.07
ZZ15130		0.63	15.9	3.19	3.09	<0.05	0.05	0.73	0.023	0.05	9.6	8.8	2.45	1310	0.67
ZZ15131		1.69	22.3	4.42	4.92	<0.05	0.08	0.74	0.041	0.07	8.3	12.5	0.33	1380	0.95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ15947		0.72	14.9	310	18.4	13.6	<0.001	0.01	0.83	2.7	0.4	0.6	9.1	<0.01	0.03
ZZ15601		0.48	30.2	650	25.8	13.3	<0.001	0.03	1.18	5.6	1.0	0.5	29.8	0.01	0.05
ZZ15602		0.44	28.8	760	29.0	16.4	<0.001	0.08	1.32	4.2	1.4	0.4	89.8	0.01	0.05
ZZ15603		0.49	22.4	690	33.8	14.0	<0.001	0.07	1.70	3.8	1.3	0.4	59.1	0.01	0.04
ZZ15604		0.47	22.0	770	20.4	13.7	<0.001	0.10	1.01	3.2	1.7	0.4	77.5	0.01	0.05
ZZ15605		0.21	8.6	110	6.8	6.8	<0.001	0.01	0.22	1.4	0.2	0.5	8.4	<0.01	0.02
ZZ15606		0.44	20.7	1060	15.9	9.2	<0.001	0.14	2.66	2.2	1.9	0.4	65.0	0.01	0.04
ZZ15607		0.52	18.0	1010	17.2	9.0	<0.001	0.11	3.20	2.4	1.3	0.4	29.8	0.01	0.04
ZZ15608		0.21	15.9	1260	81.8	4.5	<0.001	0.10	39.6	2.9	1.0	0.3	120.0	0.01	0.08
ZZ15609		0.40	17.7	920	46.1	7.7	<0.001	0.11	11.70	2.7	1.3	0.4	35.6	0.01	0.04
ZZ15610		0.48	26.0	800	18.9	13.0	<0.001	0.09	15.15	3.9	1.5	0.5	43.2	0.01	0.04
ZZ15611		0.38	22.4	990	16.3	19.3	<0.001	0.15	8.56	2.8	1.7	0.4	36.2	<0.01	0.04
ZZ15612		0.33	24.8	830	23.2	9.1	0.001	0.06	2.68	3.2	1.7	0.5	37.3	<0.01	0.04
ZZ15613		0.35	23.1	910	21.2	8.7	<0.001	0.11	2.97	2.6	1.7	0.4	54.6	<0.01	0.04
ZZ15614		0.39	20.8	580	27.6	8.8	0.001	0.02	2.53	2.9	0.6	0.6	22.7	<0.01	0.04
ZZ15616		0.39	32.2	380	30.9	8.0	<0.001	0.01	1.29	4.8	0.9	0.5	19.7	<0.01	0.02
CC118474		0.67	15.3	410	28.5	13.7	<0.001	<0.01	4.37	2.6	0.6	0.7	6.7	<0.01	0.04
CC118475		0.67	24.8	290	35.3	13.5	<0.001	<0.01	5.40	3.5	0.4	0.7	9.9	<0.01	0.03
CC118476		0.50	27.0	760	28.2	10.6	0.001	0.04	4.90	4.0	1.0	0.6	39.9	<0.01	0.03
CC118477		0.57	15.2	340	23.3	9.4	<0.001	<0.01	0.39	2.7	0.4	0.8	11.1	<0.01	0.04
CC118478		0.48	28.1	750	24.4	12.6	<0.001	0.04	2.85	4.9	1.0	0.6	52.9	<0.01	0.03
CC118479		0.48	25.7	1110	30.3	18.5	<0.001	0.05	0.67	3.9	0.8	0.5	31.0	<0.01	0.03
CC118480		0.46	24.6	470	28.8	16.0	<0.001	0.01	0.46	6.3	0.8	0.6	30.6	<0.01	0.04
CC118481		0.85	24.3	340	24.0	10.9	0.001	<0.01	0.47	3.1	0.6	0.7	20.5	<0.01	0.04
CC118482		0.54	15.4	380	47.7	13.6	<0.001	<0.01	0.61	2.1	0.3	0.6	7.6	<0.01	0.05
CC118483		0.35	19.4	1580	20.1	13.4	<0.001	0.16	0.61	2.2	0.8	0.4	69.8	<0.01	0.04
CC118484		0.44	20.4	1090	24.8	13.7	<0.001	0.05	0.61	3.1	0.7	0.6	34.0	<0.01	0.04
CC118485		0.16	18.2	900	61.6	8.0	0.001	0.06	1.65	2.9	0.9	0.4	24.8	<0.01	0.02
CC118486		0.57	12.7	940	23.6	8.9	<0.001	0.04	0.37	2.7	0.5	0.7	12.1	<0.01	0.03
CC118487		0.64	23.0	670	18.1	11.1	<0.001	0.02	0.69	1.9	0.7	0.6	11.4	<0.01	0.03
CC118488		0.51	28.0	570	33.8	10.3	0.001	0.01	0.87	5.1	0.9	0.6	18.9	<0.01	0.03
ZZ15123		0.67	20.0	860	28.2	15.6	0.001	0.02	0.99	2.3	0.7	0.7	14.1	<0.01	0.04
ZZ15124		0.59	23.6	620	38.2	13.7	<0.001	0.01	1.09	3.3	0.6	0.7	13.7	<0.01	0.03
ZZ15125		0.51	22.8	910	29.6	14.8	<0.001	0.02	0.93	3.6	0.7	0.8	14.5	<0.01	0.05
ZZ15126		0.56	15.3	1000	22.9	19.5	<0.001	0.02	0.82	2.0	0.5	0.7	10.7	<0.01	0.05
ZZ15127		0.67	16.3	440	32.5	14.2	<0.001	<0.01	0.65	2.6	0.5	0.7	11.8	<0.01	0.04
ZZ15128		0.47	14.0	990	22.2	9.6	<0.001	0.03	0.72	1.9	0.7	0.4	8.6	<0.01	0.03
ZZ15129		0.61	18.6	1050	25.6	10.8	<0.001	0.03	0.75	1.8	0.4	0.6	11.8	<0.01	0.04
ZZ15130		0.33	21.6	1380	20.3	5.5	<0.001	0.08	0.93	2.0	0.7	0.4	22.0	<0.01	0.03
ZZ15131		0.42	23.0	760	30.9	13.1	<0.001	0.02	0.93	4.0	0.8	0.6	12.9	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15947		0.010	0.28	0.49	46	0.12	3.16	86	<0.5
ZZ15601		0.008	0.24	1.18	34	0.11	12.55	125	1.5
ZZ15602		0.006	0.26	1.25	27	0.11	12.10	127	2.1
ZZ15603		0.009	0.26	1.76	32	0.12	10.90	124	1.4
ZZ15604		0.007	0.21	2.07	34	0.09	9.21	121	1.8
ZZ15605		0.006	0.24	0.24	24	0.06	1.72	37	<0.5
ZZ15606		0.006	0.18	2.93	34	0.08	7.64	86	1.5
ZZ15607		0.009	0.14	4.34	28	0.10	8.70	89	1.4
ZZ15608		0.005	1.28	2.45	14	0.15	16.25	1760	2.5
ZZ15609		0.007	0.74	1.92	26	0.12	11.75	374	1.6
ZZ15610		0.006	0.30	2.52	31	0.09	9.25	123	2.5
ZZ15611		0.005	0.27	3.69	25	0.10	8.42	105	1.9
ZZ15612		0.007	0.19	1.90	39	0.06	9.55	165	1.5
ZZ15613		0.006	0.17	1.81	32	0.06	9.02	136	1.7
ZZ15614		0.006	0.19	0.96	41	0.08	5.26	121	0.6
ZZ15616		0.006	0.19	1.67	33	0.05	8.53	132	1.6
CC118474		0.009	3.94	0.61	42	0.13	3.57	86	<0.5
CC118475		0.006	0.56	0.52	37	0.07	3.40	124	0.9
CC118476		0.009	0.24	1.69	35	0.10	10.45	96	1.6
CC118477		0.006	0.13	0.44	44	0.08	2.50	79	0.7
CC118478		0.007	0.60	1.71	37	0.09	13.80	83	1.6
CC118479		0.009	0.18	1.16	32	0.09	13.70	94	1.2
CC118480		0.006	0.21	1.78	31	0.07	11.25	111	1.8
CC118481		0.012	0.17	0.83	45	0.19	4.27	79	<0.5
CC118482		0.013	0.22	0.44	38	0.14	2.87	74	<0.5
CC118483		0.006	0.23	1.19	23	0.05	12.05	82	1.5
CC118484		0.008	0.23	1.27	33	0.09	8.33	89	1.2
CC118485		<0.005	0.37	1.10	19	0.06	11.65	161	2.2
CC118486		0.007	0.22	0.71	42	0.10	3.25	60	1.0
CC118487		0.021	0.15	0.73	44	0.23	4.51	77	<0.5
CC118488		0.010	0.17	1.16	38	0.11	10.80	122	1.3
ZZ15123		0.010	0.28	0.75	44	0.20	3.73	101	0.7
ZZ15124		0.006	0.33	0.81	38	0.11	5.17	125	1.1
ZZ15125		0.006	0.33	0.91	42	0.12	8.44	135	1.0
ZZ15126		0.011	0.28	0.71	46	0.14	2.79	107	0.5
ZZ15127		0.008	0.24	0.63	42	0.13	3.36	98	0.6
ZZ15128		0.010	0.22	0.83	27	0.11	5.93	104	0.6
ZZ15129		0.014	0.23	0.76	44	0.67	3.74	103	<0.5
ZZ15130		0.010	0.13	2.19	26	0.10	11.20	93	1.2
ZZ15131		0.006	0.25	0.90	38	0.10	6.66	131	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15132		0.22	0.001	0.08	1.55	50.2	<0.2	<10	190	0.63	0.24	0.22	0.17	15.45	6.2	21
ZZ15133		0.32	0.001	0.05	1.72	77.2	<0.2	<10	150	0.79	0.28	0.08	0.33	20.0	10.1	24
ZZ15134		0.34	0.001	0.16	1.66	25.1	<0.2	<10	270	0.65	0.22	0.52	0.29	18.75	6.0	24
ZZ15135		0.38	0.001	0.08	1.83	56.0	<0.2	<10	200	0.97	0.28	0.28	0.13	26.6	12.5	22
ZZ15136		0.26	0.001	0.06	0.92	79.2	<0.2	<10	160	0.43	0.26	0.23	0.10	13.20	7.7	17
ZZ15137		0.26	0.002	0.16	1.58	43.5	<0.2	<10	290	0.87	0.25	0.80	0.22	19.10	9.3	23
ZZ15138		0.28	0.002	0.10	1.62	32.9	<0.2	<10	260	0.79	0.26	0.40	0.20	24.3	11.3	23
ZZ15139		0.28	0.002	0.11	1.30	35.8	<0.2	<10	520	1.15	0.27	0.47	0.18	36.0	10.3	18
ZZ15140		0.34	0.001	0.11	0.98	40.6	<0.2	<10	150	0.59	0.30	0.08	0.13	20.3	8.7	15
ZZ15141		0.50	0.002	0.13	1.11	164.0	<0.2	<10	130	1.09	0.24	2.39	0.41	30.0	12.3	17
ZZ15142		0.32	0.002	0.15	1.03	2080	<0.2	<10	150	0.81	0.20	6.13	0.44	21.6	9.2	16
ZZ15143		0.20	0.001	0.16	1.31	170.5	<0.2	<10	220	0.76	0.22	1.76	0.95	19.55	7.2	19
ZZ15144		0.18	0.001	0.12	1.12	132.5	<0.2	<10	210	0.75	0.22	1.89	0.62	17.60	7.5	17
ZZ15145		0.28	0.001	0.15	0.48	73.4	<0.2	<10	90	0.65	0.19	1.65	0.20	34.7	6.1	7
ZZ15146		0.34	0.001	0.12	1.34	131.5	<0.2	<10	250	1.09	0.29	0.77	0.19	23.5	12.2	19
ZZ15147		0.38	0.001	0.18	1.32	137.5	<0.2	<10	210	1.11	0.26	1.94	0.32	27.0	13.0	21
ZZ15148		0.28	0.001	0.08	1.60	40.1	<0.2	<10	240	0.49	0.28	0.24	0.06	18.90	4.6	21
ZZ15149		0.38	0.001	0.04	1.72	53.9	<0.2	<10	160	0.70	0.31	0.03	0.25	20.4	12.5	23
ZZ15150		0.30	0.001	0.14	1.48	43.9	<0.2	<10	800	0.82	0.27	0.80	0.15	26.2	8.1	19
ZZ15252		0.40	0.001	0.18	1.70	37.3	<0.2	<10	410	1.16	0.30	0.52	0.17	26.0	11.2	27
ZZ15253		0.34	0.002	0.16	1.42	116.5	<0.2	<10	230	1.36	0.28	0.16	0.46	34.6	13.0	22
ZZ15254		0.26	0.001	0.12	0.79	103.5	<0.2	<10	100	0.56	0.29	0.48	0.31	16.75	8.8	14
ZZ15255		0.46	0.002	0.14	1.11	90.2	<0.2	<10	330	0.92	0.26	0.65	0.34	22.1	8.9	20
ZZ15256		0.32	0.002	0.24	0.95	41.0	<0.2	<10	250	0.81	0.26	1.36	0.52	20.1	11.7	17
ZZ15257		0.48	0.001	0.21	0.52	19.9	<0.2	<10	340	1.29	0.34	0.71	0.27	32.5	12.1	8
ZZ15258		0.36	0.001	0.17	0.92	54.8	<0.2	<10	180	0.85	0.22	0.82	0.24	23.2	9.5	13
ZZ15259		0.20	0.001	0.12	0.64	109.0	<0.2	<10	140	0.39	0.09	4.11	0.38	12.40	4.5	10
ZZ15260		0.14	0.002	0.21	1.03	389	<0.2	<10	150	0.59	0.18	3.03	0.82	20.7	8.2	18
ZZ15261		0.42	0.002	0.03	0.84	230	<0.2	<10	140	0.57	0.29	0.39	0.15	18.20	8.5	13
ZZ15262		0.44	0.003	0.18	0.84	1100	<0.2	<10	130	1.45	0.41	0.42	0.12	19.40	29.1	16
ZZ15263		0.38	0.003	0.28	1.22	1080	<0.2	10	250	1.62	0.30	1.73	0.26	18.00	11.1	22
ZZ15264		0.30	0.002	0.28	1.25	211	<0.2	<10	410	0.97	0.25	1.34	0.61	16.40	11.1	21
ZZ15265		0.54	0.003	0.31	1.29	45.0	<0.2	<10	480	1.12	0.31	0.80	0.70	20.2	15.0	23
ZZ15539		0.26	0.002	0.19	1.42	29.4	<0.2	<10	360	1.20	0.29	1.01	0.27	14.80	12.0	22
ZZ15540		0.44	0.001	0.22	1.21	103.0	<0.2	<10	310	1.20	0.29	0.78	0.43	20.6	13.8	21
ZZ15541		0.26	0.001	0.08	0.75	117.5	<0.2	<10	190	1.60	0.41	0.06	0.17	26.0	21.7	13
ZZ15542		0.26	0.002	0.19	1.26	981	<0.2	<10	210	0.70	0.23	2.73	0.31	20.1	8.8	20
ZZ15543		0.28	0.003	0.18	1.08	2090	<0.2	<10	110	0.49	0.13	10.60	0.54	24.7	6.1	16
ZZ15544		0.34	0.001	0.10	1.24	209	<0.2	<10	140	0.72	0.16	1.60	0.79	30.5	7.2	21
ZZ15545		0.22	0.002	0.21	0.87	364	<0.2	<10	120	0.62	0.17	2.97	0.56	26.1	7.8	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15132		1.89	12.6	3.30	5.83	<0.05	<0.02	0.18	0.029	0.06	7.2	11.7	0.24	503	1.05
ZZ15133		2.04	17.1	4.10	6.32	<0.05	<0.02	0.26	0.037	0.06	8.7	16.0	0.26	683	1.34
ZZ15134		1.48	11.0	2.82	5.61	<0.05	0.06	0.15	0.028	0.05	9.7	17.2	0.43	233	0.66
ZZ15135		2.44	22.9	3.90	5.39	<0.05	0.03	0.43	0.032	0.06	10.8	17.2	0.33	1040	0.93
ZZ15136		1.55	18.5	3.33	4.85	<0.05	<0.02	0.17	0.026	0.10	5.1	5.6	0.17	777	1.10
ZZ15137		2.68	21.1	3.53	5.38	<0.05	0.04	0.30	0.035	0.07	8.5	13.6	0.32	981	0.95
ZZ15138		2.03	23.5	3.40	5.77	<0.05	0.04	0.30	0.032	0.07	11.2	14.2	0.30	987	1.18
ZZ15139		4.63	16.8	3.46	4.20	<0.05	0.04	0.39	0.034	0.09	16.6	12.3	0.22	827	0.72
ZZ15140		5.03	18.5	3.01	4.45	0.09	<0.02	0.28	0.028	0.08	8.7	5.6	0.11	308	1.07
ZZ15141		1.35	22.2	3.78	3.47	0.11	0.04	14.95	0.036	0.09	13.0	10.9	1.43	1060	0.69
ZZ15142		1.22	18.4	3.54	2.93	0.09	0.05	22.3	0.028	0.07	11.7	7.7	3.71	2020	0.65
ZZ15143		1.25	11.9	3.33	3.90	0.10	0.03	1.09	0.031	0.07	9.8	7.4	0.69	1060	0.68
ZZ15144		1.28	16.6	3.41	3.62	0.12	0.05	0.87	0.032	0.08	7.9	8.2	0.62	1040	0.65
ZZ15145		2.38	13.6	2.07	1.33	0.11	0.05	1.09	0.026	0.06	15.0	3.0	0.06	306	0.36
ZZ15146		1.55	17.8	3.62	4.16	0.09	0.05	1.32	0.033	0.07	10.9	10.2	0.25	996	0.78
ZZ15147		3.57	24.3	4.13	3.86	0.11	0.06	0.73	0.035	0.07	12.5	12.5	1.18	1510	0.94
ZZ15148		2.64	7.4	2.66	7.39	0.09	<0.02	0.14	0.024	0.04	8.5	13.5	0.23	299	0.84
ZZ15149		8.94	19.8	4.06	6.53	0.10	0.03	0.28	0.037	0.07	8.7	19.5	0.26	656	1.37
ZZ15150		2.67	13.7	4.11	5.14	0.10	0.04	0.25	0.035	0.05	12.1	10.5	0.13	609	1.31
ZZ15252		10.40	25.4	3.54	5.44	0.10	0.04	0.45	0.034	0.08	11.9	25.3	0.39	667	1.01
ZZ15253		1.73	31.4	4.60	3.91	0.13	0.07	1.42	0.041	0.07	13.6	17.4	0.27	998	3.62
ZZ15254		2.58	21.9	3.87	3.45	0.10	0.03	0.53	0.034	0.07	5.9	7.7	0.13	487	1.32
ZZ15255		2.69	19.4	3.60	3.48	0.10	0.04	0.76	0.035	0.07	9.9	17.7	0.29	511	1.25
ZZ15256		10.70	27.4	3.23	2.91	0.10	0.05	3.30	0.031	0.07	8.4	10.5	0.25	704	0.92
ZZ15257		4.35	20.4	4.08	1.27	0.11	0.05	0.24	0.047	0.07	12.8	3.1	0.05	639	0.67
ZZ15258		2.99	15.9	2.85	2.66	0.11	0.03	2.11	0.030	0.05	8.4	6.6	0.13	589	0.64
ZZ15259		1.12	11.9	1.56	1.70	0.09	0.03	0.76	0.013	0.02	4.9	3.4	0.55	1020	0.39
ZZ15260		1.93	19.2	2.29	3.17	0.10	0.04	4.04	0.024	0.05	9.3	8.1	0.33	538	0.68
ZZ15261		7.43	10.9	2.62	4.07	0.09	0.02	0.07	0.021	0.06	7.8	8.0	0.15	119	1.04
ZZ15262		24.3	70.5	3.84	3.33	0.12	0.06	0.37	0.034	0.13	8.2	17.0	0.30	999	1.30
ZZ15263		20.8	77.2	2.78	3.88	0.10	0.05	0.36	0.023	0.11	8.2	21.3	0.59	609	0.83
ZZ15264		1.55	34.8	3.28	4.14	0.10	0.07	0.91	0.036	0.12	7.6	17.6	0.42	445	1.62
ZZ15265		1.64	41.7	3.84	4.13	0.10	0.05	0.64	0.036	0.12	9.1	17.7	0.42	685	2.21
ZZ15539		3.50	36.0	3.55	4.44	0.11	0.07	0.39	0.034	0.12	6.3	16.0	0.41	636	1.29
ZZ15540		2.32	39.3	4.50	4.03	0.11	0.08	0.62	0.041	0.11	9.5	16.3	0.47	1050	1.42
ZZ15541		18.85	59.0	4.15	2.74	0.11	0.03	2.39	0.039	0.15	10.7	6.0	0.09	4230	1.72
ZZ15542		0.90	17.5	3.04	3.95	0.09	0.05	5.04	0.029	0.06	9.6	10.6	1.19	1280	0.87
ZZ15543		0.68	11.0	4.46	2.63	0.12	0.04	14.65	0.019	0.03	13.9	6.9	6.13	3300	0.84
ZZ15544		1.34	8.0	4.40	3.51	0.11	0.03	0.89	0.025	0.04	9.2	6.7	0.60	2540	0.59
ZZ15545		2.36	13.9	2.80	2.50	0.10	0.05	1.73	0.023	0.05	10.5	6.2	0.93	1120	0.58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ15132		0.61	15.3	1070	19.6	12.1	<0.001	0.04	0.56	1.3	0.4	0.7	10.7	<0.01	0.03	0.5
ZZ15133		0.75	20.3	910	26.6	12.8	<0.001	0.03	0.81	1.6	0.7	0.8	7.9	<0.01	0.03	0.6
ZZ15134		0.63	18.8	1360	16.2	13.1	<0.001	0.05	0.37	2.4	0.3	0.6	15.7	<0.01	0.02	1.2
ZZ15135		0.59	24.6	570	28.1	11.6	<0.001	0.01	0.64	2.6	0.8	0.6	12.0	<0.01	0.04	1.5
ZZ15136		0.64	14.6	530	21.3	17.4	<0.001	0.01	0.61	1.4	0.4	0.7	8.9	<0.01	0.03	0.3
ZZ15137		0.47	18.7	1160	22.5	13.5	<0.001	0.04	0.57	2.9	0.4	0.7	23.0	<0.01	0.05	1.1
ZZ15138		0.66	20.3	790	21.5	12.9	<0.001	0.02	0.57	3.1	0.7	0.7	15.4	<0.01	0.04	1.5
ZZ15139		0.45	20.3	610	27.3	10.9	<0.001	0.01	0.44	4.2	0.6	0.5	14.3	<0.01	0.04	2.1
ZZ15140		0.61	15.8	490	18.8	13.1	<0.001	0.04	0.61	2.8	0.4	0.7	7.4	<0.01	0.05	1.8
ZZ15141		0.38	23.4	580	21.4	8.5	<0.001	0.05	0.87	4.2	0.7	0.5	17.4	<0.01	0.03	1.9
ZZ15142		0.28	18.6	940	26.5	7.6	<0.001	0.74	6.40	3.2	0.7	0.5	27.1	<0.01	0.03	0.9
ZZ15143		0.47	14.6	1060	20.6	9.4	<0.001	0.36	0.81	2.6	0.4	0.5	17.8	<0.01	0.05	0.9
ZZ15144		0.46	16.8	800	28.3	9.6	<0.001	0.07	1.05	3.0	0.6	0.5	29.3	<0.01	0.02	1.3
ZZ15145		0.24	17.4	870	21.6	5.0	<0.001	0.07	0.26	2.5	0.6	0.2	53.1	<0.01	0.03	1.2
ZZ15146		0.47	19.3	740	30.1	10.5	0.001	0.03	0.71	3.6	0.5	0.6	30.7	<0.01	0.04	1.7
ZZ15147		0.53	27.5	600	187.0	11.2	0.001	0.01	1.80	4.7	1.0	0.5	23.8	<0.01	0.04	2.5
ZZ15148		0.84	10.2	740	17.2	9.8	<0.001	0.04	0.26	1.6	0.3	0.9	12.0	<0.01	0.04	0.8
ZZ15149		0.93	22.1	250	23.6	15.7	<0.001	0.02	0.55	3.5	0.2	0.9	8.7	<0.01	0.05	3.5
ZZ15150		0.60	15.5	430	21.5	9.9	<0.001	0.04	0.44	4.0	0.5	0.7	36.8	<0.01	0.06	2.6
ZZ15252		0.80	26.6	630	22.4	16.1	<0.001	0.04	0.88	4.6	0.6	0.7	23.3	<0.01	0.02	2.2
ZZ15253		0.42	30.4	430	37.4	9.5	0.001	0.03	1.98	6.3	1.0	0.6	10.8	<0.01	0.06	5.0
ZZ15254		0.55	18.4	390	33.6	12.1	<0.001	0.03	1.60	3.3	0.4	0.5	18.4	<0.01	0.05	2.4
ZZ15255		0.57	22.2	450	28.0	9.5	<0.001	0.04	1.59	4.2	1.0	0.5	23.0	<0.01	0.05	2.6
ZZ15256		0.46	26.5	830	27.6	12.6	0.001	0.09	1.85	3.3	2.0	0.5	74.1	<0.01	0.02	1.2
ZZ15257		0.18	31.9	380	30.1	7.6	<0.001	0.04	0.31	6.3	0.9	0.4	50.0	<0.01	0.02	3.7
ZZ15258		0.44	20.0	600	30.2	5.8	<0.001	0.05	1.11	3.5	1.2	0.5	36.7	<0.01	0.02	1.7
ZZ15259		0.39	10.6	980	13.3	2.4	<0.001	0.14	2.64	0.8	1.1	0.3	52.4	<0.01	0.02	0.3
ZZ15260		0.67	20.1	1060	48.2	5.9	<0.001	0.12	19.50	2.0	1.3	0.4	50.0	<0.01	0.04	0.6
ZZ15261		0.55	15.7	190	13.4	12.4	<0.001	0.02	1.06	2.3	0.3	0.8	12.1	<0.01	0.03	3.4
ZZ15262		0.29	44.4	540	30.4	19.3	<0.001	0.03	9.35	4.9	1.0	0.6	32.6	<0.01	0.03	4.5
ZZ15263		0.64	24.4	1220	19.7	24.2	<0.001	0.16	23.8	2.4	1.6	0.6	69.2	<0.01	0.04	0.8
ZZ15264		0.49	29.4	710	27.0	11.0	<0.001	0.09	3.57	4.3	1.3	0.5	58.9	<0.01	0.06	1.7
ZZ15265		0.43	35.7	690	32.9	8.2	<0.001	0.04	1.22	5.2	1.3	0.5	29.7	<0.01	0.05	2.7
ZZ15539		0.51	25.7	920	22.9	17.1	<0.001	0.08	0.66	3.9	1.0	0.6	45.4	<0.01	0.04	1.6
ZZ15540		0.47	33.1	550	27.4	11.2	<0.001	0.05	4.21	5.2	1.3	0.6	24.7	<0.01	0.03	2.8
ZZ15541		0.30	30.1	480	21.7	13.5	0.001	0.03	4.01	7.3	0.7	0.5	10.6	<0.01	0.07	3.4
ZZ15542		0.56	19.7	920	22.5	9.3	<0.001	0.09	43.0	2.7	0.7	0.5	20.4	<0.01	0.05	1.1
ZZ15543		0.37	15.4	1320	16.2	4.8	<0.001	0.08	58.0	1.7	0.9	0.3	30.1	<0.01	0.03	0.6
ZZ15544		0.34	10.2	1040	37.5	5.5	<0.001	0.09	9.08	1.9	0.4	0.4	16.7	<0.01	0.06	0.6
ZZ15545		0.40	17.8	1070	49.3	5.7	<0.001	0.09	6.38	2.0	0.7	0.4	45.8	<0.01	0.04	0.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15132		0.010	0.24	0.67	42	0.14	3.14	81	<0.5
ZZ15133		0.013	0.26	0.61	45	0.16	3.96	135	<0.5
ZZ15134		0.013	0.19	1.12	40	0.13	4.58	140	1.1
ZZ15135		0.010	0.29	0.76	38	0.12	5.59	84	0.8
ZZ15136		0.020	0.17	0.52	37	0.08	2.45	93	<0.5
ZZ15137		0.009	0.22	1.02	40	0.19	6.54	87	0.8
ZZ15138		0.011	0.21	0.79	44	0.18	6.47	84	0.8
ZZ15139		0.009	0.25	0.87	31	0.11	10.40	77	0.7
ZZ15140		0.012	0.22	0.55	34	0.09	3.22	68	<0.5
ZZ15141		0.008	0.41	0.86	27	0.08	12.70	112	1.1
ZZ15142		0.007	11.75	1.50	24	0.13	12.45	137	1.2
ZZ15143		0.011	0.49	1.01	32	0.12	9.12	182	0.9
ZZ15144		0.008	0.37	1.20	27	0.07	7.32	163	1.4
ZZ15145		0.006	0.34	0.81	10	0.07	12.30	73	1.7
ZZ15146		0.009	0.35	1.10	32	0.08	9.68	102	1.2
ZZ15147		0.011	0.66	1.02	33	0.11	11.95	171	1.4
ZZ15148		0.014	0.24	0.53	53	0.15	2.89	44	<0.5
ZZ15149		0.011	0.24	0.50	51	0.10	3.23	89	0.9
ZZ15150		0.007	0.33	2.24	45	0.10	11.00	66	1.2
ZZ15252		0.014	0.19	1.29	48	0.15	13.10	89	1.1
ZZ15253		<0.005	0.28	1.05	35	0.06	17.10	141	2.2
ZZ15254		0.007	0.24	0.76	36	0.06	5.92	122	1.0
ZZ15255		0.010	0.20	0.85	38	0.08	11.90	122	1.1
ZZ15256		0.009	0.20	2.82	27	0.07	11.60	147	1.2
ZZ15257		<0.005	0.15	0.65	11	<0.05	14.70	156	1.4
ZZ15258		0.008	0.23	1.78	23	0.08	10.05	57	1.1
ZZ15259		0.010	0.20	2.89	15	0.07	5.90	78	1.1
ZZ15260		0.014	0.82	2.68	29	0.18	13.15	187	1.3
ZZ15261		0.007	0.13	0.61	32	0.09	3.61	67	1.1
ZZ15262		0.005	0.26	1.21	24	0.06	10.15	131	2.3
ZZ15263		0.018	0.13	2.45	27	0.13	11.05	111	1.6
ZZ15264		0.006	0.21	2.08	42	0.06	11.05	168	2.1
ZZ15265		0.007	0.23	1.40	49	0.08	12.20	175	1.6
ZZ15539		0.006	0.21	2.02	38	0.09	11.15	109	1.8
ZZ15540		0.007	0.19	1.45	36	0.06	16.30	162	1.9
ZZ15541		0.006	0.22	0.95	22	0.05	13.45	73	0.7
ZZ15542		0.012	1.82	1.29	35	0.10	7.97	120	1.3
ZZ15543		0.014	4.77	1.61	26	0.16	17.10	140	1.1
ZZ15544		0.012	0.51	2.29	36	0.10	8.80	167	0.8
ZZ15545		0.009	0.41	1.47	23	0.15	9.97	238	1.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- AUG- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15546		0.28	0.003	0.36	1.01	759	<0.2	<10	210	1.16	0.27	0.97	3.06	20.5	9.1	16
ZZ15547		0.28	0.002	0.24	1.29	152.0	<0.2	<10	340	0.88	0.26	1.04	0.41	19.75	11.1	21
ZZ15548		0.34	0.002	0.28	1.37	205	<0.2	<10	290	1.01	0.26	1.15	0.36	19.85	11.0	23
ZZ15549		0.32	0.001	0.09	1.29	54.7	<0.2	<10	250	0.73	0.26	0.15	0.31	22.8	9.7	20
ZZ15550		0.42	0.001	0.04	0.88	47.9	<0.2	<10	50	0.26	0.48	0.04	0.11	13.65	5.9	18



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

C/ O ARCHER, CATHRO & ASSOCIATES (1981)

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE OF ANALYSIS WH11134832

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 30- AUG- 2011

Account: MTT

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- AUG- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ15546		0.39	27.4	1000	123.5	13.4	0.001	0.13	16.45	3.9	1.4	0.5	39.0	<0.01	0.03	1.2
ZZ15547		0.55	23.8	970	29.3	17.9	<0.001	0.09	1.71	3.6	0.7	0.6	59.2	<0.01	0.05	1.3
ZZ15548		0.57	24.4	1070	27.3	23.1	<0.001	0.10	1.69	3.4	1.3	0.5	75.0	<0.01	0.04	1.1
ZZ15549		0.67	22.5	360	21.4	13.6	<0.001	0.03	0.83	3.0	0.5	0.6	13.7	<0.01	0.05	2.9
ZZ15550		1.29	15.4	310	14.7	10.3	<0.001	0.02	1.18	2.6	0.5	0.8	6.7	<0.01	0.05	2.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- AUG- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134832

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15546		0.009	5.45	2.94	23	0.10	24.2	666	1.9
ZZ15547		0.011	0.38	1.65	39	0.10	11.90	142	1.5
ZZ15548		0.012	0.52	1.96	36	0.09	14.55	165	1.5
ZZ15549		0.009	0.22	0.68	43	0.17	5.47	108	0.9
ZZ15550		0.027	0.15	0.35	48	0.15	2.48	93	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11134832

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2- SEP- 2011
Account: MTT

CERTIFICATE WH11134833

Project: Midas Touch- Crag East

P.O. No.:

This report is for 140 Soil samples submitted to our lab in Whitehorse, YT, Canada on 21-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ15197		0.26	0.002	0.10	0.54	68.0	<0.2	<10	120	1.09	0.35	1.83	0.15	16.75	11.9	11
ZZ15198		0.34	0.001	0.06	0.42	30.6	<0.2	<10	120	1.30	0.48	0.27	0.04	18.95	13.0	9
ZZ15199		0.32	0.001	0.19	0.46	46.0	<0.2	<10	130	0.67	0.23	1.04	0.20	28.8	8.0	8
ZZ15200		0.28	0.001	0.18	0.39	51.1	<0.2	<10	90	0.53	0.18	1.19	0.24	23.6	6.3	8
ZZ15201		0.32	0.001	0.21	0.50	136.0	<0.2	<10	70	0.65	0.22	2.56	0.27	22.7	9.3	11
ZZ15202		0.32	0.002	0.16	0.82	186.5	<0.2	<10	120	0.61	0.22	2.28	0.50	18.65	10.1	15
ZZ15203		0.30	0.002	0.10	0.97	877	<0.2	<10	210	0.75	0.16	8.74	0.36	12.80	7.6	12
ZZ15204		0.36	0.002	0.08	1.24	374	<0.2	<10	160	0.73	0.22	5.60	0.25	13.00	8.8	15
ZZ15205		0.24	0.001	0.05	1.24	40.0	<0.2	<10	280	0.66	0.38	0.42	0.23	15.00	12.3	20
ZZ15206		0.34	0.002	0.16	1.36	27.5	<0.2	<10	250	1.03	0.32	0.73	0.22	21.6	11.3	21
ZZ15207		0.40	0.001	0.07	1.19	27.7	<0.2	<10	100	0.86	0.39	0.08	0.10	20.9	17.8	18
ZZ15208		0.28	0.001	0.14	0.58	15.9	<0.2	<10	80	0.31	0.29	0.07	0.16	12.00	10.2	12
ZZ15209		0.38	0.001	0.06	1.07	9.8	<0.2	<10	70	0.59	0.34	0.05	0.11	23.5	19.2	13
ZZ15210		0.36	0.002	0.11	1.24	22.5	<0.2	<10	250	0.94	0.35	0.56	0.15	17.55	11.1	21
ZZ15211		0.38	0.001	0.03	1.18	19.3	<0.2	<10	80	0.53	0.30	0.05	0.20	18.50	8.2	18
ZZ15212		0.30	0.001	0.15	1.23	31.2	<0.2	<10	290	1.01	0.30	0.86	0.23	17.60	13.4	19
ZZ15213		0.32	0.002	0.13	1.51	29.5	<0.2	<10	170	0.77	0.24	0.31	0.19	20.7	10.8	22
ZZ15214		0.32	<0.001	0.07	1.16	13.8	<0.2	<10	160	0.44	0.35	0.11	0.13	22.0	4.8	17
ZZ15215		0.48	0.002	0.06	1.61	103.0	<0.2	<10	320	0.89	0.31	0.33	0.18	27.0	13.3	25
ZZ15216		0.30	0.001	0.07	1.73	464	<0.2	<10	280	0.60	0.30	0.14	0.15	17.75	7.8	22
ZZ15217		0.32	0.001	0.18	1.41	2030	<0.2	<10	210	0.83	0.31	0.38	0.94	17.65	11.2	21
ZZ15218		0.54	0.004	0.19	1.37	107.5	<0.2	<10	220	0.52	0.22	0.55	0.32	34.8	9.7	29
ZZ15219		0.44	0.002	0.06	0.65	78.6	<0.2	<10	40	0.22	0.38	0.02	0.06	16.65	6.6	12
ZZ15220		0.28	0.001	0.07	0.76	34.7	<0.2	<10	60	0.21	0.26	0.03	0.08	11.40	4.0	10
ZZ15221		0.40	0.002	0.07	0.60	29.8	<0.2	<10	40	0.12	0.28	0.02	0.06	16.85	3.3	10
ZZ15222		0.30	0.001	0.03	1.13	28.6	<0.2	<10	140	0.24	0.30	0.15	0.18	16.05	4.3	18
ZZ15223		0.34	0.001	0.06	0.90	21.9	<0.2	<10	60	0.26	0.33	0.02	0.05	11.60	5.4	12
ZZ15224		0.44	0.001	0.04	1.74	49.3	<0.2	<10	130	0.59	0.29	0.07	0.20	17.60	11.4	25
ZZ15225		0.34	0.001	0.14	1.03	54.9	<0.2	<10	220	0.69	0.27	1.00	0.46	14.00	9.1	16
ZZ15226		0.32	0.001	0.15	0.33	21.7	<0.2	<10	70	0.52	0.15	2.16	0.15	20.7	6.3	6
ZZ15227		0.32	0.001	0.14	0.56	20.7	<0.2	<10	120	0.66	0.26	0.88	0.16	13.35	8.7	10
ZZ15228		0.30	0.004	0.06	1.73	109.0	<0.2	<10	230	0.61	0.31	0.06	0.16	20.9	10.6	23
ZZ15229		0.34	0.001	0.05	1.05	61.2	<0.2	<10	90	0.60	0.36	0.02	0.10	12.95	11.4	15
ZZ15230		0.28	0.002	0.04	1.88	139.5	<0.2	<10	130	0.61	0.31	0.05	0.16	23.7	10.1	27
ZZ15231		0.32	0.001	0.16	1.51	256	<0.2	<10	130	0.90	0.43	0.09	0.11	18.70	17.3	20
ZZ15232		0.32	0.001	0.08	1.56	128.5	<0.2	<10	100	0.57	0.35	0.03	0.12	16.35	8.1	20
ZZ15233		0.28	0.001	0.06	1.57	122.5	<0.2	<10	120	0.56	0.33	0.03	0.12	16.95	8.1	21
ZZ15234		0.32	0.002	0.17	1.35	85.0	<0.2	<10	90	0.54	0.29	0.04	0.11	17.30	6.5	18
ZZ15235		0.30	0.001	0.16	0.87	115.0	<0.2	<10	160	0.91	0.22	0.97	0.15	32.6	9.1	14
ZZ15236		0.30	0.002	0.13	1.31	259	<0.2	<10	210	0.95	0.26	1.29	0.26	19.70	11.0	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15197		2.81	28.8	3.28	2.20	0.07	0.08	0.49	0.030	0.10	8.1	2.9	0.74	779	0.48
ZZ15198		4.91	37.0	2.79	2.12	0.06	0.06	0.17	0.030	0.13	9.5	2.5	0.09	335	0.32
ZZ15199		4.97	15.5	2.41	1.47	0.09	0.07	0.49	0.027	0.08	13.4	3.7	0.14	298	0.47
ZZ15200		6.07	12.5	2.30	1.18	0.07	0.06	0.56	0.028	0.05	11.9	2.3	0.07	299	0.41
ZZ15201		4.37	19.3	3.01	1.53	0.08	0.08	1.58	0.031	0.07	10.1	2.8	0.74	435	0.54
ZZ15202		2.68	18.4	3.47	2.43	0.07	0.07	3.13	0.028	0.07	8.6	6.0	0.72	1200	0.62
ZZ15203		2.51	14.6	3.19	2.71	0.06	0.08	4.82	0.026	0.07	7.1	7.3	5.17	2340	0.54
ZZ15204		1.22	15.0	3.37	3.84	0.07	0.06	1.29	0.029	0.07	6.9	9.6	3.32	1210	0.66
ZZ15205		18.60	17.4	3.65	4.44	0.06	0.05	0.26	0.037	0.07	7.0	11.1	0.32	792	1.05
ZZ15206		6.92	42.1	3.69	4.37	0.09	0.06	0.25	0.039	0.09	12.9	11.2	0.26	1540	0.97
ZZ15207		27.2	49.7	3.42	4.79	0.08	0.02	0.08	0.029	0.10	9.6	15.7	0.22	1130	1.91
ZZ15208		16.65	34.1	2.09	2.54	0.05	<0.02	0.09	0.018	0.11	5.8	2.7	0.06	672	1.47
ZZ15209		12.50	57.8	3.81	4.50	0.08	0.03	0.09	0.022	0.14	9.9	5.1	0.11	1140	1.46
ZZ15210		8.19	36.3	3.04	4.95	0.07	0.05	0.14	0.036	0.11	9.1	12.9	0.23	588	1.23
ZZ15211		6.72	11.8	3.04	5.67	0.06	0.02	0.12	0.026	0.06	9.5	9.9	0.14	538	1.41
ZZ15212		5.69	42.3	3.45	4.01	0.08	0.08	8.58	0.035	0.08	8.9	12.0	0.29	725	1.05
ZZ15213		7.58	15.5	4.25	4.28	0.07	0.04	2.01	0.039	0.06	6.4	18.0	0.26	1060	0.99
ZZ15214		16.05	9.7	2.74	7.18	0.06	<0.02	0.04	0.027	0.06	11.6	6.5	0.16	556	1.20
ZZ15215		2.15	22.0	4.20	5.24	0.08	0.06	1.38	0.039	0.07	11.8	15.7	0.42	1020	1.29
ZZ15216		2.37	13.3	3.12	6.38	0.06	0.05	0.64	0.037	0.05	8.6	13.4	0.23	411	1.02
ZZ15217		1.92	20.7	3.88	5.35	0.07	0.08	32.9	0.041	0.08	8.0	13.2	0.30	863	1.04
ZZ15218		1.74	32.6	2.82	4.61	0.10	0.08	1.61	0.030	0.07	18.7	14.1	0.49	390	0.91
ZZ15219		22.7	18.3	2.74	5.14	0.05	<0.02	0.12	0.028	0.04	8.7	2.0	0.05	186	1.66
ZZ15220		15.10	14.6	1.98	5.13	<0.05	<0.02	0.65	0.019	0.06	6.1	2.0	0.04	96	1.50
ZZ15221		9.09	10.2	1.95	4.93	0.05	<0.02	0.05	0.015	0.04	8.9	2.0	0.05	101	1.14
ZZ15222		4.52	12.3	2.03	6.26	0.05	0.02	0.17	0.022	0.05	8.3	8.2	0.15	205	1.06
ZZ15223		27.0	14.5	3.19	4.22	0.05	<0.02	0.08	0.020	0.06	6.1	4.5	0.08	196	1.29
ZZ15224		2.72	14.8	4.20	5.73	0.07	0.03	0.39	0.042	0.06	8.5	26.8	0.32	466	1.19
ZZ15225		11.55	17.9	2.89	3.17	0.06	0.06	0.55	0.030	0.07	6.9	12.3	0.24	608	0.78
ZZ15226		2.38	12.8	1.70	0.94	0.06	0.05	0.91	0.023	0.04	9.2	1.3	0.05	247	0.39
ZZ15227		2.52	19.6	2.54	1.75	0.07	0.04	1.14	0.029	0.05	6.9	3.9	0.10	347	0.55
ZZ15228		2.75	18.0	3.97	5.79	0.07	0.03	0.96	0.038	0.05	9.1	14.8	0.22	676	1.20
ZZ15229		6.50	30.3	3.98	4.30	0.06	0.02	1.28	0.038	0.07	5.3	9.1	0.12	423	1.24
ZZ15230		5.02	15.5	3.74	6.22	0.07	0.02	2.80	0.035	0.05	11.5	20.0	0.34	441	1.47
ZZ15231		14.35	18.6	3.86	4.19	0.07	0.03	8.37	0.039	0.06	8.9	16.9	0.23	318	0.96
ZZ15232		5.18	14.2	3.98	6.86	0.07	0.02	0.86	0.035	0.06	8.4	14.9	0.14	496	1.12
ZZ15233		9.15	15.1	4.50	6.14	0.07	0.02	4.34	0.035	0.05	7.7	16.0	0.20	317	1.15
ZZ15234		6.33	14.1	3.34	5.43	0.06	0.02	2.32	0.031	0.06	8.0	13.6	0.14	329	1.08
ZZ15235		2.21	18.4	3.11	2.65	0.08	0.06	0.86	0.029	0.06	14.3	8.1	0.16	585	0.65
ZZ15236		1.00	23.9	3.56	4.08	0.07	0.07	1.59	0.032	0.07	9.5	12.1	0.41	841	0.88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ15197		0.19	23.3	410	22.2	9.0	<0.001	0.04	1.23	4.0	0.8	0.5	39.5	<0.01	0.04
ZZ15198		0.11	23.5	170	14.6	10.8	<0.001	<0.01	0.48	4.4	0.5	0.6	29.7	<0.01	0.03
ZZ15199		0.21	22.5	610	22.3	7.3	<0.001	0.05	0.46	4.2	1.1	0.2	47.5	<0.01	0.03
ZZ15200		0.12	17.2	690	37.1	6.8	<0.001	0.07	0.34	3.2	1.0	0.2	48.1	<0.01	0.04
ZZ15201		0.15	25.3	1420	69.5	4.7	<0.001	0.05	1.35	3.9	1.3	0.3	55.6	<0.01	0.04
ZZ15202		0.21	23.3	740	49.8	6.2	<0.001	0.05	5.71	3.4	0.9	0.3	33.1	<0.01	0.05
ZZ15203		0.26	17.4	570	19.8	7.3	<0.001	0.03	3.98	3.1	0.8	0.3	66.5	<0.01	0.04
ZZ15204		0.34	16.7	740	18.5	8.4	<0.001	0.04	1.05	3.3	0.7	0.4	29.9	<0.01	0.04
ZZ15205		0.43	16.0	1210	20.2	19.5	<0.001	0.04	0.73	3.1	0.6	0.6	12.8	0.01	0.07
ZZ15206		0.38	23.9	850	23.8	13.2	<0.001	0.04	0.68	5.0	1.1	0.5	20.7	0.01	0.08
ZZ15207		0.46	22.4	650	27.9	20.2	<0.001	0.02	0.83	3.1	0.8	0.6	13.3	<0.01	0.08
ZZ15208		0.22	14.4	1190	14.7	16.7	<0.001	0.09	0.64	0.7	0.7	0.5	8.8	<0.01	0.06
ZZ15209		0.34	15.3	750	23.7	21.2	<0.001	0.04	0.59	2.4	0.7	0.4	6.7	<0.01	0.08
ZZ15210		0.56	16.5	1080	23.0	15.6	<0.001	0.05	0.59	2.9	0.7	0.6	20.1	<0.01	0.06
ZZ15211		0.93	12.5	440	15.2	14.7	<0.001	0.01	0.67	2.1	0.5	0.7	7.1	<0.01	0.06
ZZ15212		0.39	25.8	790	22.5	11.1	<0.001	0.05	0.70	4.4	1.0	0.5	29.0	<0.01	0.06
ZZ15213		0.49	19.4	600	231	13.0	<0.001	0.02	0.81	3.1	0.6	0.5	16.2	<0.01	0.05
ZZ15214		1.12	7.3	280	17.8	14.1	<0.001	0.01	0.49	1.9	0.4	0.9	10.4	<0.01	0.05
ZZ15215		0.67	26.2	590	43.6	13.6	<0.001	0.01	1.39	4.0	0.8	0.6	16.0	<0.01	0.06
ZZ15216		0.55	12.9	990	22.2	17.9	<0.001	0.03	1.35	3.1	0.5	0.8	11.2	<0.01	0.05
ZZ15217		0.43	21.8	830	48.2	16.4	<0.001	0.04	67.7	3.4	0.6	0.6	13.5	<0.01	0.05
ZZ15218		0.84	29.5	900	13.2	10.6	<0.001	0.02	3.03	5.9	0.7	0.5	34.4	<0.01	0.04
ZZ15219		0.49	15.4	400	21.9	9.0	<0.001	0.01	3.21	1.2	0.6	0.7	7.7	<0.01	0.08
ZZ15220		0.43	9.2	570	13.9	15.6	<0.001	0.02	1.44	1.5	0.4	0.8	6.7	<0.01	0.05
ZZ15221		0.56	6.8	230	11.8	11.7	<0.001	<0.01	1.03	1.4	0.3	0.7	5.6	<0.01	0.04
ZZ15222		0.65	10.3	710	16.8	9.4	<0.001	0.02	0.64	2.0	0.4	0.7	13.6	<0.01	0.05
ZZ15223		0.61	12.5	360	18.5	11.9	<0.001	0.01	0.78	1.9	0.5	0.6	6.5	<0.01	0.07
ZZ15224		0.76	21.1	220	26.4	16.7	<0.001	<0.01	1.74	3.2	0.4	0.7	10.9	<0.01	0.04
ZZ15225		0.36	18.2	1080	18.9	24.8	<0.001	0.07	1.52	2.7	1.0	0.4	46.4	<0.01	0.06
ZZ15226		0.11	15.7	630	19.6	3.9	<0.001	0.08	0.47	2.5	1.1	0.2	87.9	<0.01	0.04
ZZ15227		0.23	20.4	420	21.6	4.6	<0.001	0.03	0.44	3.7	0.9	0.3	40.8	<0.01	0.04
ZZ15228		0.47	19.5	240	31.9	13.7	<0.001	<0.01	3.64	4.1	0.5	0.7	10.4	<0.01	0.05
ZZ15229		0.33	21.9	390	22.8	15.2	<0.001	<0.01	2.52	3.5	0.5	0.6	9.0	<0.01	0.06
ZZ15230		0.90	20.2	300	27.0	14.4	<0.001	0.01	6.39	3.2	0.6	0.7	9.0	<0.01	0.06
ZZ15231		0.72	28.1	280	44.8	14.7	<0.001	0.01	6.83	3.1	0.5	0.5	11.9	<0.01	0.08
ZZ15232		0.81	13.0	320	23.5	18.7	<0.001	<0.01	2.67	2.9	0.5	0.8	6.6	<0.01	0.06
ZZ15233		1.05	16.4	330	36.1	12.0	<0.001	0.02	2.51	2.7	0.5	0.7	7.5	<0.01	0.05
ZZ15234		0.76	12.4	310	22.2	14.2	<0.001	0.02	0.91	2.2	0.4	0.7	7.3	<0.01	0.05
ZZ15235		0.34	21.1	610	20.7	8.0	<0.001	0.05	1.17	3.7	0.9	0.3	44.8	<0.01	0.04
ZZ15236		0.50	23.4	780	24.5	7.7	<0.001	0.07	9.14	3.5	1.0	0.5	31.5	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15197		<0.005	0.24	1.09	17	0.08	9.60	91	2.2
ZZ15198		<0.005	0.18	0.88	12	<0.05	9.00	69	2.2
ZZ15199		0.006	0.22	0.87	12	0.07	14.30	96	2.2
ZZ15200		<0.005	0.27	0.78	10	<0.05	13.50	129	1.6
ZZ15201		<0.005	0.50	1.52	13	0.07	14.20	109	2.4
ZZ15202		0.005	1.11	1.07	19	0.24	11.30	184	1.8
ZZ15203		<0.005	6.86	1.42	19	0.12	13.40	190	2.9
ZZ15204		0.007	1.19	1.36	26	0.11	8.35	105	1.5
ZZ15205		0.012	0.30	0.94	35	0.16	4.45	107	1.2
ZZ15206		0.009	0.17	1.54	32	0.10	16.60	100	1.2
ZZ15207		0.016	0.23	0.99	34	0.13	6.74	72	0.5
ZZ15208		0.010	0.16	0.74	28	0.09	2.19	53	<0.5
ZZ15209		0.012	0.20	0.68	21	0.06	3.66	39	0.7
ZZ15210		0.016	0.18	1.12	39	0.15	5.41	80	1.0
ZZ15211		0.019	0.15	0.60	46	0.24	2.51	58	<0.5
ZZ15212		0.006	0.18	1.10	30	0.08	11.65	101	1.9
ZZ15213		0.007	0.24	0.79	32	0.11	4.92	251	1.1
ZZ15214		0.037	0.47	0.59	56	0.32	2.38	38	<0.5
ZZ15215		0.012	0.37	0.98	42	0.18	7.72	101	1.5
ZZ15216		0.009	1.15	0.92	43	0.17	3.48	65	1.1
ZZ15217		0.008	38.0	1.11	34	0.15	5.61	255	1.9
ZZ15218		0.056	1.40	1.59	46	0.19	12.65	113	2.3
ZZ15219		0.022	0.35	0.51	47	0.20	2.58	74	<0.5
ZZ15220		0.009	0.21	0.43	47	0.12	1.73	49	<0.5
ZZ15221		0.016	0.15	0.35	41	0.13	1.73	42	<0.5
ZZ15222		0.017	0.23	0.58	50	0.20	2.36	49	<0.5
ZZ15223		0.016	0.16	0.39	38	0.13	2.12	47	<0.5
ZZ15224		0.012	0.27	0.55	44	0.15	2.87	90	1.4
ZZ15225		0.009	0.28	1.02	27	0.12	7.74	180	1.4
ZZ15226		<0.005	0.09	1.05	8	<0.05	11.60	65	1.6
ZZ15227		0.005	0.09	0.65	15	0.07	9.45	66	1.0
ZZ15228		0.006	0.50	0.90	46	0.13	5.21	95	1.1
ZZ15229		0.005	0.29	0.54	35	0.07	4.10	95	<0.5
ZZ15230		0.021	0.79	0.74	51	0.23	4.32	92	0.6
ZZ15231		0.012	1.84	0.69	34	0.14	4.92	85	0.9
ZZ15232		0.010	0.54	0.49	49	0.14	2.74	74	0.9
ZZ15233		0.013	0.44	0.50	45	0.15	3.03	79	0.5
ZZ15234		0.010	0.28	0.52	42	0.13	2.25	70	0.5
ZZ15235		0.008	0.36	0.78	21	0.08	13.05	73	2.1
ZZ15236		0.009	0.46	1.29	31	0.11	10.15	116	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ15237		0.32	0.002	0.13	1.22	163.5	<0.2	<10	190	0.68	0.24	2.39	0.25	26.8	8.8	21
ZZ15238		0.34	0.004	0.12	1.17	2660	<0.2	<10	120	0.73	0.21	4.96	0.27	20.1	9.3	17
ZZ15239		0.32	0.003	0.10	0.73	689	<0.2	<10	130	0.96	0.36	4.32	0.26	24.8	19.0	11
ZZ15240		0.32	0.001	0.04	0.82	66.9	<0.2	<10	150	0.61	0.28	0.23	0.09	16.05	6.5	14
ZZ15241		0.36	0.005	0.22	0.82	59.2	<0.2	<10	140	1.33	0.35	0.80	0.17	33.4	18.0	15
ZZ15242		0.34	0.004	0.19	1.33	46.0	<0.2	<10	250	1.17	0.29	0.95	0.16	23.7	14.3	21
ZZ15243		0.26	0.002	0.12	1.68	34.5	<0.2	<10	320	1.21	0.28	0.42	0.21	22.3	8.9	23
ZZ15244		0.32	0.001	0.06	1.14	28.6	<0.2	<10	80	0.39	0.31	0.04	0.08	22.1	7.5	17
ZZ15245		0.40	0.001	0.04	1.08	47.5	<0.2	<10	90	0.38	0.32	0.04	0.10	17.75	8.4	15
ZZ15247		0.34	0.002	0.05	2.05	47.5	<0.2	<10	270	1.02	0.29	0.25	0.11	24.0	9.9	28
ZZ15248		0.34	0.002	0.08	1.90	84.0	<0.2	<10	230	1.52	0.31	0.28	0.17	29.3	16.5	24
ZZ15249		0.42	0.001	0.06	2.02	56.5	<0.2	<10	200	1.05	0.29	0.48	0.34	21.0	8.3	26
ZZ15250		0.38	0.001	0.03	2.02	57.1	<0.2	<10	230	1.31	0.31	0.10	0.27	24.8	15.2	28
CC124533		0.34	0.002	0.19	1.45	35.0	<0.2	<10	290	1.35	0.31	0.93	0.65	20.2	15.1	23
CC124534		0.30	0.002	0.19	1.36	53.2	<0.2	<10	480	1.27	0.28	0.76	0.71	20.6	13.8	22
CC124535		0.38	0.003	0.19	1.76	43.8	<0.2	<10	440	1.43	0.32	0.28	1.10	27.3	17.3	27
CC124536		0.28	0.002	0.20	1.02	255	<0.2	<10	290	0.91	0.22	1.70	0.78	15.35	7.5	17
CC124537		0.30	0.002	0.20	1.21	588	<0.2	<10	380	0.95	0.23	1.46	1.27	17.30	10.9	20
CC124538		0.42	0.002	0.29	1.17	840	<0.2	<10	250	1.15	0.27	1.07	0.48	16.90	10.2	19
CC124539		0.40	0.002	0.16	1.27	1545	<0.2	<10	310	0.92	0.24	0.99	0.91	16.45	8.7	21
CC124540		0.38	0.002	0.12	1.03	189.0	<0.2	<10	160	0.75	0.24	0.42	0.47	17.65	11.8	19
ZZ15101		0.26	0.002	0.13	0.85	384	<0.2	<10	350	0.92	0.23	1.68	0.51	13.90	8.2	16
ZZ15102		0.24	0.002	0.16	1.10	411	<0.2	<10	190	0.93	0.25	0.67	0.38	15.85	10.2	19
ZZ15103		0.24	0.002	0.17	1.24	27.5	<0.2	<10	310	0.95	0.28	0.96	0.41	18.50	12.1	22
ZZ15104		0.38	0.003	0.26	1.33	47.7	<0.2	<10	320	1.27	0.27	1.00	0.39	18.70	11.1	23
ZZ15105		0.28	0.003	0.26	1.20	47.0	<0.2	<10	360	1.05	0.26	0.82	0.79	18.35	13.3	21
ZZ15106		0.24	0.003	0.12	1.38	88.1	<0.2	<10	250	1.39	0.32	0.38	0.28	19.25	21.1	24
ZZ15107		0.34	0.003	0.19	1.68	26.2	<0.2	<10	470	1.01	0.26	0.57	0.20	29.3	11.5	30
ZZ15108		0.30	0.003	0.33	1.16	53.4	<0.2	<10	370	1.05	0.27	0.48	0.86	21.5	14.3	22
ZZ15109		0.32	0.006	0.32	1.38	21.7	<0.2	<10	330	2.36	0.31	1.75	0.22	16.15	10.1	23
ZZ15110		0.44	0.006	0.19	1.36	51.3	<0.2	<10	360	1.91	0.26	0.83	0.28	23.1	11.2	27
ZZ15111		0.18	0.003	0.15	0.99	451	<0.2	<10	210	0.89	0.26	1.34	0.32	20.6	15.4	16
ZZ15112		0.20	0.002	0.13	1.07	115.5	<0.2	<10	170	0.60	0.22	0.53	0.20	21.4	9.6	21
ZZ15113		0.18	0.002	0.06	0.31	248	<0.2	<10	70	0.33	0.11	11.00	0.63	10.50	5.5	7
ZZ15116		0.22	0.002	0.08	1.76	44.4	<0.2	<10	260	1.37	0.37	0.27	1.37	27.0	15.8	25
ZZ15117		0.32	0.001	0.17	1.25	59.1	<0.2	<10	190	0.87	0.29	3.74	2.64	21.3	12.0	20
ZZ15118		0.24	0.002	0.18	1.16	97.9	<0.2	<10	280	0.89	0.29	1.62	2.90	16.20	10.3	20
ZZ15119		0.24	0.001	0.12	0.77	408	<0.2	<10	230	0.60	0.15	8.77	2.20	11.20	6.5	11
ZZ15120		0.50	0.002	0.21	1.18	480	<0.2	<10	290	0.91	0.28	1.04	0.58	15.45	12.1	20
ZZ15121		0.20	0.002	0.21	1.34	302	<0.2	<10	360	0.99	0.30	0.98	0.57	16.85	12.4	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
ZZ15237		1.67	15.7	3.42	3.99	0.07	0.06	2.06	0.032	0.07	10.9	8.7	0.94	861	0.84	0.02
ZZ15238		0.96	19.1	3.76	3.46	0.08	0.07	51.8	0.030	0.07	10.1	10.5	2.81	1440	0.74	0.02
ZZ15239		3.14	29.5	3.69	2.33	0.09	0.07	2.36	0.037	0.10	12.8	6.8	2.21	809	0.55	0.02
ZZ15240		13.45	15.4	2.91	4.83	0.06	<0.02	0.50	0.027	0.08	7.1	3.6	0.14	247	1.26	0.02
ZZ15241		16.90	117.0	3.46	2.68	0.11	0.08	0.57	0.038	0.13	15.9	8.2	0.21	856	1.04	0.02
ZZ15242		4.93	36.2	3.56	4.11	0.08	0.07	0.58	0.036	0.09	10.9	13.7	0.28	782	1.00	0.02
ZZ15243		7.12	23.8	3.62	4.96	0.08	0.11	0.38	0.038	0.10	10.3	18.9	0.31	683	0.91	0.02
ZZ15244		3.08	18.1	3.48	6.23	0.06	0.02	0.09	0.027	0.07	10.2	8.2	0.11	421	1.43	0.01
ZZ15245		2.97	20.5	3.59	5.85	0.06	<0.02	0.36	0.026	0.07	7.9	5.5	0.10	422	1.18	0.01
ZZ15247		3.27	17.0	4.30	6.49	0.08	0.04	0.22	0.038	0.06	10.2	17.7	0.33	684	1.18	0.02
ZZ15248		3.00	30.4	4.96	4.88	0.10	0.11	0.99	0.044	0.09	12.5	16.1	0.29	1360	0.95	0.02
ZZ15249		1.72	17.2	4.32	6.04	0.07	0.05	0.28	0.042	0.06	8.4	18.2	0.38	696	0.87	0.02
ZZ15250		1.45	23.4	4.56	6.50	0.08	0.06	0.57	0.044	0.07	8.7	26.1	0.39	1030	1.27	0.01
CC124533		1.88	37.2	4.23	4.39	0.10	0.09	1.08	0.041	0.13	9.4	17.3	0.59	819	1.19	0.02
CC124534		1.36	34.3	3.93	4.40	0.09	0.08	1.33	0.039	0.10	9.6	15.7	0.47	606	1.92	0.02
CC124535		1.70	35.6	4.62	4.81	0.10	0.09	1.00	0.048	0.11	9.2	22.2	0.34	993	1.78	0.02
CC124536		8.90	31.7	2.78	3.20	0.08	0.08	1.66	0.031	0.10	7.6	12.4	0.46	376	1.08	0.02
CC124537		8.62	25.8	3.16	3.66	0.07	0.07	0.83	0.033	0.11	8.5	14.0	0.34	665	1.32	0.02
CC124538		32.7	34.1	3.25	3.71	0.08	0.07	0.78	0.040	0.11	8.4	18.9	0.38	475	1.04	0.02
CC124539		15.75	24.5	3.31	4.06	0.07	0.06	0.63	0.037	0.10	8.3	21.2	0.39	328	1.22	0.02
CC124540		1.65	25.1	3.63	3.39	0.08	0.06	1.37	0.037	0.07	6.6	16.5	0.30	526	1.66	0.01
ZZ15101		5.66	25.2	2.89	2.77	0.07	0.07	2.29	0.030	0.08	6.6	13.2	0.39	253	0.88	0.02
ZZ15102		16.15	29.9	3.38	3.72	0.08	0.07	0.43	0.036	0.10	7.6	16.6	0.37	509	1.01	0.02
ZZ15103		3.33	23.4	3.24	4.02	0.07	0.05	0.31	0.035	0.08	8.1	19.3	0.36	417	0.90	0.02
ZZ15104		7.87	38.9	3.53	3.91	0.08	0.08	0.56	0.037	0.11	10.4	19.1	0.40	470	1.26	0.02
ZZ15105		2.03	40.6	3.60	3.73	0.08	0.06	0.50	0.037	0.11	8.7	16.4	0.39	571	2.18	0.02
ZZ15106		2.64	32.7	4.24	4.79	0.08	0.05	1.90	0.037	0.08	7.5	25.0	0.42	625	1.59	0.02
ZZ15107		2.19	25.8	3.22	5.36	0.08	0.05	0.17	0.032	0.07	13.2	22.8	0.48	487	1.61	0.02
ZZ15108		1.67	37.4	4.03	3.78	0.10	0.07	0.84	0.037	0.08	10.1	16.5	0.36	641	2.55	0.02
ZZ15109		16.50	140.5	2.82	4.38	0.08	0.09	0.30	0.029	0.12	9.2	21.8	0.51	454	0.85	0.02
ZZ15110		14.95	64.3	3.31	4.36	0.08	0.05	0.15	0.028	0.10	10.2	24.8	0.49	508	1.04	0.02
ZZ15111		4.88	20.7	3.04	3.20	0.07	0.05	0.85	0.027	0.10	8.3	9.4	0.25	1120	0.83	0.02
ZZ15112		0.73	14.4	3.19	3.74	0.08	0.04	0.59	0.031	0.06	7.7	9.0	0.29	622	0.83	<0.01
ZZ15113		1.50	11.5	2.06	0.98	0.06	0.04	1.49	0.012	0.04	6.2	2.5	5.75	720	0.28	0.01
ZZ15116		1.67	28.8	4.31	4.81	0.11	0.07	0.34	0.044	0.11	10.9	20.4	0.36	603	1.46	<0.01
ZZ15117		1.60	22.3	4.21	4.01	0.10	0.05	4.41	0.038	0.09	11.5	11.8	2.17	1520	1.17	0.01
ZZ15118		5.48	26.1	3.50	3.74	0.09	0.07	2.22	0.034	0.11	8.5	12.7	0.72	646	1.21	<0.01
ZZ15119		12.55	20.5	2.27	2.25	0.06	0.05	2.57	0.022	0.07	5.6	7.9	4.77	1020	0.78	0.01
ZZ15120		4.24	32.0	3.43	3.88	0.09	0.07	0.59	0.038	0.11	7.8	12.1	0.32	635	1.36	<0.01
ZZ15121		6.32	26.8	3.55	4.31	0.09	0.08	0.72	0.037	0.10	8.5	15.1	0.34	739	1.13	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ15237		0.55	18.3	820	29.2	11.6	<0.001	0.05	1.48	3.4	0.8	0.5	48.2	<0.01	0.05
ZZ15238		0.38	18.3	960	23.2	8.3	<0.001	0.07	6.73	3.1	1.0	0.4	28.3	<0.01	0.05
ZZ15239		0.20	28.1	990	41.8	7.0	<0.001	0.04	2.51	6.5	0.9	0.5	42.7	<0.01	0.07
ZZ15240		0.48	12.1	530	14.5	15.9	<0.001	0.02	0.82	1.6	0.5	0.7	9.6	<0.01	0.07
ZZ15241		0.38	30.2	600	50.4	12.1	<0.001	0.05	0.84	7.0	1.3	0.4	18.7	0.01	0.06
ZZ15242		0.50	25.6	630	31.5	11.3	<0.001	0.06	0.76	4.9	1.1	0.5	22.2	<0.01	0.05
ZZ15243		0.49	20.5	1780	23.0	30.8	<0.001	0.10	0.70	3.8	0.9	0.6	20.0	0.01	0.05
ZZ15244		0.88	12.8	250	20.1	17.2	<0.001	0.02	0.85	2.3	0.4	0.8	8.1	<0.01	0.05
ZZ15245		0.60	14.0	290	23.2	14.4	<0.001	0.02	0.80	2.4	0.4	0.7	8.4	<0.01	0.05
ZZ15247		0.63	19.9	820	24.9	12.5	<0.001	0.04	0.88	2.8	0.6	0.7	13.6	<0.01	0.06
ZZ15248		0.28	27.7	540	42.9	16.0	<0.001	0.03	1.05	6.1	0.8	0.6	13.9	<0.01	0.05
ZZ15249		0.55	18.9	750	25.0	14.3	<0.001	0.04	0.73	3.9	0.5	0.7	10.1	<0.01	0.05
ZZ15250		0.37	28.3	260	35.7	13.7	<0.001	0.01	1.21	5.1	0.6	0.7	7.3	<0.01	0.04
CC124533		0.39	35.5	660	41.3	10.9	<0.001	0.02	1.94	6.7	1.0	0.6	22.7	<0.01	0.04
CC124534		0.40	35.1	560	32.4	9.7	<0.001	0.04	1.63	5.5	1.2	0.5	19.7	<0.01	0.06
CC124535		0.40	40.5	590	46.0	12.9	<0.001	0.03	1.94	6.1	1.1	0.6	18.6	<0.01	0.05
CC124536		0.40	24.3	790	28.9	13.1	0.001	0.12	2.84	3.9	2.4	0.4	42.9	<0.01	0.05
CC124537		0.45	25.1	1010	25.4	14.3	<0.001	0.08	2.97	4.0	1.8	0.5	38.8	<0.01	0.06
CC124538		0.38	27.4	710	28.8	15.1	<0.001	0.06	2.88	4.9	1.5	0.5	31.6	<0.01	0.07
CC124539		0.45	23.1	580	21.8	14.7	<0.001	0.05	2.75	4.3	1.2	0.5	28.4	<0.01	0.05
CC124540		0.46	24.9	660	22.4	9.0	<0.001	0.02	1.83	4.1	0.8	0.4	25.0	<0.01	0.05
ZZ15101		0.40	20.8	550	28.2	12.4	0.001	0.10	3.20	3.9	1.7	0.4	38.9	<0.01	0.04
ZZ15102		0.42	26.9	570	18.0	15.8	<0.001	0.04	1.76	5.1	1.0	0.5	28.0	<0.01	0.05
ZZ15103		0.56	23.0	690	18.6	9.8	<0.001	0.05	1.13	4.7	1.0	0.4	33.0	<0.01	0.05
ZZ15104		0.54	31.2	720	22.3	14.4	<0.001	0.04	1.20	5.6	1.3	0.5	30.6	<0.01	0.06
ZZ15105		0.38	36.6	750	24.3	9.0	<0.001	0.03	1.33	5.2	1.5	0.5	29.8	<0.01	0.06
ZZ15106		0.55	33.8	310	25.4	10.7	<0.001	0.02	1.35	4.3	0.9	0.5	18.5	<0.01	0.04
ZZ15107		0.82	26.7	710	20.7	11.2	<0.001	0.04	0.90	3.9	1.1	0.6	22.7	<0.01	0.05
ZZ15108		0.47	35.6	810	49.7	8.8	<0.001	0.03	1.52	5.1	1.4	0.4	26.9	<0.01	0.06
ZZ15109		0.76	23.1	810	22.2	27.1	<0.001	0.08	1.38	4.9	1.7	0.6	55.5	0.01	0.06
ZZ15110		0.80	23.5	720	16.6	20.0	<0.001	0.05	0.98	4.5	1.0	0.5	29.0	<0.01	0.05
ZZ15111		0.49	21.9	700	19.2	13.7	<0.001	0.07	5.77	3.1	1.2	0.4	57.4	<0.01	0.06
ZZ15112		0.48	16.6	400	21.9	8.3	<0.001	0.01	1.90	3.0	0.8	0.4	10.8	<0.01	0.04
ZZ15113		0.18	8.7	960	29.8	4.6	<0.001	0.05	6.52	2.2	0.7	0.2	55.7	<0.01	0.05
ZZ15116		0.56	36.5	490	30.5	13.7	<0.001	0.01	1.43	4.6	1.0	0.6	14.6	<0.01	0.05
ZZ15117		0.48	23.7	620	70.2	11.0	<0.001	0.02	3.13	4.7	1.0	0.5	20.6	0.01	0.05
ZZ15118		0.46	25.4	730	34.9	13.4	<0.001	0.04	2.20	4.2	1.1	0.4	26.4	<0.01	0.06
ZZ15119		0.32	15.3	730	51.1	11.7	<0.001	0.05	3.58	2.4	1.0	0.3	50.3	<0.01	0.04
ZZ15120		0.43	27.9	660	24.6	12.7	<0.001	0.04	1.58	4.1	1.2	0.5	26.3	<0.01	0.06
ZZ15121		0.49	27.1	640	29.1	14.6	<0.001	0.03	1.80	4.6	1.2	0.5	26.1	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15237		0.011	1.04	0.91	34	0.12	9.71	91	1.3
ZZ15238		0.009	1.90	1.74	26	0.15	11.65	127	1.7
ZZ15239		<0.005	1.18	0.90	17	0.08	16.40	94	1.5
ZZ15240		0.017	0.28	0.57	43	0.15	3.55	56	<0.5
ZZ15241		0.010	0.19	1.71	24	0.10	24.2	78	1.6
ZZ15242		0.009	0.19	1.88	32	0.11	13.15	101	1.5
ZZ15243		0.008	0.23	1.63	34	0.12	14.10	146	2.5
ZZ15244		0.016	0.16	0.56	48	0.14	2.84	62	0.8
ZZ15245		0.012	0.18	0.45	42	0.10	2.91	69	<0.5
ZZ15247		0.010	0.28	0.96	51	0.21	6.63	97	0.8
ZZ15248		<0.005	0.40	1.35	30	0.07	14.35	151	2.4
ZZ15249		0.007	0.19	1.62	42	0.13	6.09	120	1.2
ZZ15250		0.005	0.21	0.79	41	0.06	7.40	149	1.4
CC124533		0.006	0.22	1.17	32	0.06	13.85	240	2.6
CC124534		0.006	0.21	1.32	43	0.07	13.95	184	1.9
CC124535		<0.005	0.23	1.83	44	0.07	11.85	244	2.4
CC124536		0.006	0.36	2.46	33	0.07	11.80	223	2.0
CC124537		0.006	0.63	2.26	38	0.08	11.05	397	1.8
CC124538		0.006	0.21	1.65	29	0.08	12.05	162	1.6
CC124539		0.007	0.73	2.70	37	0.11	10.10	324	1.6
CC124540		0.010	0.19	0.82	37	0.09	6.04	176	1.5
ZZ15101		0.005	0.23	2.04	27	0.06	11.10	126	1.9
ZZ15102		0.007	0.17	1.15	29	0.06	9.82	129	2.0
ZZ15103		0.011	0.13	1.61	32	0.12	8.82	110	1.4
ZZ15104		0.008	0.22	1.78	36	0.09	14.50	111	1.8
ZZ15105		0.006	0.24	1.33	46	0.06	12.10	158	1.8
ZZ15106		0.013	0.16	1.05	38	0.11	5.87	120	1.4
ZZ15107		0.020	0.17	2.17	53	0.22	9.98	105	1.2
ZZ15108		0.010	0.26	1.33	48	0.07	12.95	213	1.9
ZZ15109		0.012	0.14	5.74	31	0.11	19.50	101	2.4
ZZ15110		0.025	0.12	2.42	40	0.16	10.95	110	1.3
ZZ15111		0.011	0.63	2.97	24	0.10	9.46	132	1.2
ZZ15112		0.015	0.14	2.31	37	0.13	4.97	136	1.2
ZZ15113		<0.005	0.39	1.78	10	0.11	8.90	165	0.9
ZZ15116		0.007	0.26	1.04	40	0.14	9.09	190	1.8
ZZ15117		0.011	0.31	1.23	35	0.11	12.75	279	1.2
ZZ15118		0.008	0.39	1.21	33	0.10	10.35	527	1.4
ZZ15119		0.006	0.50	1.21	20	0.06	8.34	262	1.3
ZZ15120		0.006	0.54	1.42	35	0.23	10.50	142	1.7
ZZ15121		0.007	0.35	1.25	37	0.19	10.30	152	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC95481		0.34	0.001	0.15	0.71	36.1	<0.2	<10	260	0.91	0.27	2.49	0.53	13.55	9.7	12
CC95482		0.30	0.001	0.16	0.88	33.7	<0.2	10	210	0.83	0.26	2.12	0.56	15.15	10.0	15
CC95483		0.22	0.004	0.14	0.92	33.7	<0.2	10	260	0.89	0.26	2.15	0.48	13.00	10.5	15
CC95484		0.50	0.002	0.12	1.21	28.9	<0.2	<10	210	0.88	0.31	0.68	0.40	14.75	12.2	23
CC95485		0.42	0.002	0.16	1.17	28.6	<0.2	<10	210	0.91	0.27	1.91	0.53	14.65	13.2	20
CC95486		0.36	0.002	0.13	1.03	31.3	<0.2	10	220	0.90	0.28	2.33	0.47	13.00	11.8	17
CC95487		0.36	0.002	0.14	1.16	30.7	<0.2	<10	270	0.96	0.29	2.16	0.69	16.60	13.8	19
CC95488		0.40	0.002	0.12	1.26	20.4	<0.2	<10	330	0.97	0.30	1.62	0.38	14.20	12.0	21
CC95489		0.54	0.001	0.11	1.16	19.7	<0.2	<10	230	1.07	0.35	1.46	0.39	13.10	13.9	20
CC95490		0.30	0.001	0.03	1.43	19.2	<0.2	<10	200	0.96	0.30	0.20	0.11	14.20	10.7	24
CC95491		0.38	0.001	0.09	1.56	21.3	<0.2	<10	260	1.46	0.39	0.73	0.13	21.6	15.9	27
CC95492		0.24	0.001	0.03	1.12	23.5	<0.2	<10	100	0.55	0.33	0.13	0.09	12.05	12.0	23
CC95493		0.44	0.002	0.19	1.35	487	<0.2	<10	280	1.19	0.33	1.06	0.30	17.45	11.6	21
CC95494		0.38	0.001	0.14	1.98	1020	<0.2	<10	270	1.14	0.34	0.43	0.16	20.5	11.3	29
CC95495		0.42	<0.001	0.02	1.65	142.0	<0.2	<10	190	0.99	0.35	0.09	0.07	13.00	10.6	26
CC95496		0.46	0.001	0.03	1.77	19.9	<0.2	<10	180	0.96	0.31	0.07	0.06	16.60	9.7	29
CC95497		0.44	0.001	0.04	1.65	14.3	<0.2	<10	160	0.58	0.30	0.12	0.07	23.2	8.4	24
CC95498		0.46	0.002	0.19	1.49	17.7	<0.2	<10	220	0.99	0.29	1.08	0.23	19.70	12.6	25
CC95499		0.22	0.002	0.09	1.18	16.9	<0.2	<10	200	0.93	0.34	1.09	0.13	12.15	13.5	21
CC95500		0.22	0.001	0.13	0.61	12.1	<0.2	<10	140	0.89	0.29	2.00	0.12	12.10	11.0	11
ZZ15951		0.40	0.002	0.17	1.32	19.1	<0.2	<10	240	1.16	0.37	0.61	0.23	17.00	16.8	23
ZZ15952		0.40	<0.001	0.08	0.57	17.8	<0.2	<10	70	0.31	0.45	0.06	0.08	6.79	10.1	15
ZZ15953		0.38	0.001	0.07	1.18	29.8	<0.2	<10	160	0.91	0.50	0.09	0.07	9.04	13.0	22
ZZ15954		0.50	0.001	0.05	1.70	31.4	<0.2	<10	160	1.36	0.55	0.06	0.05	12.75	15.6	28
CC124526		0.32	0.001	0.07	1.12	25.0	<0.2	<10	220	0.70	0.31	2.04	0.55	15.85	10.7	18
CC124527		0.24	0.002	0.15	1.28	29.7	<0.2	<10	350	1.08	0.35	0.77	0.68	17.35	12.2	21
CC124528		0.32	0.001	0.11	1.26	24.2	<0.2	<10	260	1.11	0.34	1.13	0.42	16.10	14.8	20
CC124529		0.42	0.001	0.03	1.43	20.3	<0.2	<10	210	0.85	0.38	0.27	0.33	15.25	14.1	21
CC124530		0.42	0.002	0.16	1.41	25.9	<0.2	<10	500	1.26	0.28	0.76	0.45	18.15	12.3	23
CC124531		0.24	0.002	0.19	1.41	30.9	<0.2	<10	480	1.09	0.26	1.35	0.57	15.95	12.0	21
CC124532		0.44	0.002	0.15	1.94	51.3	<0.2	<10	310	1.31	0.30	0.26	0.76	31.3	16.5	30
ZZ15266		0.30	0.001	0.13	1.43	21.5	<0.2	<10	440	0.90	0.26	1.04	0.36	16.25	12.9	20
ZZ15267		0.40	0.001	0.13	1.45	36.8	<0.2	<10	340	1.10	0.25	0.38	0.55	26.8	11.8	20
ZZ15268		0.40	0.002	0.14	1.47	86.0	<0.2	<10	440	1.38	0.36	0.36	0.58	22.3	19.5	24
ZZ15269		0.28	0.002	0.15	1.41	85.4	<0.2	<10	300	1.35	0.35	0.40	0.55	24.6	18.8	23
ZZ15270		0.28	0.002	0.21	1.11	52.3	<0.2	<10	370	0.97	0.24	1.09	0.55	13.70	12.6	18
ZZ15271		0.36	0.002	0.20	0.99	36.0	<0.2	<10	180	1.02	0.29	0.38	0.37	20.6	12.5	18
ZZ15272		0.48	0.002	0.18	1.17	84.9	<0.2	<10	290	1.23	0.24	0.99	0.67	19.20	12.3	20
ZZ15273		0.40	0.002	0.32	1.13	46.7	<0.2	<10	250	1.03	0.26	2.30	0.86	17.30	14.0	20
ZZ15274		0.52	0.002	0.20	1.27	113.0	<0.2	<10	350	0.97	0.27	0.64	1.19	20.8	16.6	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC95481		2.39	25.1	2.85	2.36	0.08	0.05	0.98	0.030	0.10	6.7	7.0	0.61	729	0.81
CC95482		2.16	26.4	3.25	2.88	0.08	0.07	0.94	0.035	0.13	7.2	9.8	0.71	386	0.89
CC95483		2.03	22.7	2.80	2.94	0.07	0.08	0.77	0.029	0.12	6.0	9.9	0.42	965	0.78
CC95484		1.22	27.3	3.78	4.17	0.09	0.06	0.52	0.041	0.12	6.6	18.0	0.38	608	1.48
CC95485		1.65	34.3	3.71	3.90	0.09	0.07	0.66	0.039	0.15	7.1	14.1	0.88	605	1.66
CC95486		1.74	29.4	3.20	3.45	0.08	0.07	0.60	0.034	0.14	6.2	13.2	0.65	630	1.06
CC95487		1.60	33.2	3.73	3.95	0.09	0.07	0.59	0.040	0.13	8.1	13.7	0.91	829	1.53
CC95488		0.88	34.9	3.68	4.73	0.09	0.05	0.43	0.042	0.11	7.2	15.3	0.63	761	0.91
CC95489		2.99	33.2	3.22	4.47	0.08	0.07	0.41	0.041	0.11	5.9	15.4	0.49	624	0.95
CC95490		0.62	29.6	4.21	4.82	0.09	0.04	0.22	0.047	0.08	5.9	17.4	0.31	460	0.78
CC95491		1.21	44.7	4.58	5.62	0.12	0.07	0.54	0.049	0.12	11.1	18.6	0.56	1020	1.18
CC95492		1.04	23.3	3.73	5.10	0.08	0.02	0.15	0.033	0.11	5.6	13.1	0.25	734	0.94
CC95493		1.47	35.6	4.07	4.23	0.10	0.09	0.75	0.046	0.10	8.6	15.0	0.43	590	1.39
CC95494		1.44	28.4	3.91	6.44	0.10	0.06	0.50	0.045	0.07	10.9	16.3	0.42	624	0.74
CC95495		1.79	24.6	4.20	5.17	0.08	0.05	0.36	0.043	0.07	5.5	18.2	0.30	443	0.80
CC95496		1.59	25.7	4.42	5.43	0.09	0.04	0.23	0.045	0.07	7.9	19.4	0.36	352	0.81
CC95497		2.04	12.7	3.38	6.21	0.08	0.03	0.05	0.031	0.05	11.4	17.6	0.26	420	1.00
CC95498		3.11	34.5	3.88	4.82	0.10	0.04	0.27	0.039	0.08	10.9	16.9	0.50	1080	0.73
CC95499		2.33	27.9	3.91	4.05	0.08	0.05	0.21	0.045	0.08	5.4	12.6	0.29	792	0.70
CC95500		2.20	34.8	3.27	2.04	0.09	0.05	0.12	0.042	0.07	5.3	5.8	0.11	488	0.42
ZZ15951		23.5	33.6	4.36	4.33	0.10	0.06	0.26	0.048	0.09	8.0	21.0	0.32	1000	0.69
ZZ15952		7.01	42.7	4.33	3.50	0.07	<0.02	0.04	0.036	0.07	3.6	2.4	0.03	404	0.86
ZZ15953		5.08	50.1	5.47	4.26	0.09	0.02	0.33	0.055	0.07	4.0	16.6	0.26	681	0.74
ZZ15954		3.56	58.7	6.03	6.00	0.10	0.03	0.32	0.063	0.07	5.2	18.4	0.31	738	0.85
CC124526		1.30	23.8	3.84	4.13	0.09	0.05	0.99	0.038	0.10	7.7	11.2	0.83	992	0.85
CC124527		1.31	30.7	4.39	4.30	0.10	0.06	1.38	0.043	0.11	9.9	14.2	0.36	923	0.97
CC124528		1.41	37.3	4.21	4.36	0.10	0.06	0.95	0.039	0.12	7.3	15.1	0.60	967	0.95
CC124529		1.04	29.0	4.73	4.69	0.08	0.03	0.55	0.042	0.09	6.6	18.1	0.30	879	0.80
CC124530		1.53	30.6	3.69	4.38	0.07	0.08	1.05	0.039	0.12	9.8	16.0	0.38	594	0.93
CC124531		1.20	29.2	3.53	4.08	0.06	0.06	0.71	0.036	0.11	8.3	14.9	0.36	660	1.22
CC124532		1.85	29.4	4.08	5.46	0.09	0.09	0.80	0.047	0.11	15.1	24.1	0.43	624	1.53
ZZ15266		1.29	24.0	3.41	4.42	0.06	0.06	0.50	0.038	0.09	7.3	12.7	0.32	953	1.02
ZZ15267		1.65	17.6	3.78	3.90	0.07	0.08	1.20	0.041	0.09	13.1	13.5	0.31	816	0.76
ZZ15268		1.50	38.9	4.26	5.02	0.08	0.07	4.90	0.045	0.09	9.5	22.9	0.41	948	1.99
ZZ15269		1.37	40.9	4.11	4.66	0.09	0.06	4.36	0.042	0.10	10.9	22.0	0.40	879	1.89
ZZ15270		1.39	31.3	3.10	3.42	0.06	0.07	1.44	0.033	0.10	6.2	15.5	0.35	535	1.54
ZZ15271		8.48	30.8	3.66	3.52	0.07	0.05	0.84	0.035	0.09	10.8	13.3	0.30	606	1.09
ZZ15272		15.90	27.0	3.52	3.50	0.06	0.07	0.95	0.034	0.11	9.2	18.2	0.36	797	1.16
ZZ15273		5.70	44.9	3.57	3.67	0.08	0.07	0.91	0.038	0.16	8.7	16.1	1.32	602	2.22
ZZ15274		6.36	31.7	3.90	4.22	0.07	0.06	0.98	0.039	0.12	9.4	17.5	0.38	532	1.86



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC95481		0.28	22.6	570	26.2	11.2	<0.001	0.06	1.19	3.8	1.5	0.4	52.2	<0.01	0.05
CC95482		0.34	23.0	590	28.2	13.9	0.001	0.06	0.92	4.5	1.3	0.5	47.0	<0.01	0.04
CC95483		0.40	21.1	530	22.6	19.4	0.001	0.09	0.82	4.4	1.5	0.4	64.3	<0.01	0.05
CC95484		0.50	29.9	490	23.5	10.2	<0.001	0.02	1.28	4.4	1.0	0.6	26.0	<0.01	0.05
CC95485		0.41	31.4	610	24.0	11.8	<0.001	0.03	0.96	5.1	1.0	0.5	38.5	<0.01	0.05
CC95486		0.46	27.4	560	23.6	19.1	0.001	0.07	0.88	4.6	1.3	0.5	55.6	<0.01	0.05
CC95487		0.47	33.3	660	26.5	11.8	<0.001	0.03	1.00	5.2	1.2	0.6	41.3	<0.01	0.05
CC95488		0.44	25.1	410	26.1	9.7	<0.001	0.03	0.51	5.0	0.8	0.6	41.3	<0.01	0.04
CC95489		0.41	28.8	470	24.5	10.3	<0.001	0.04	0.67	4.6	1.0	0.5	37.5	<0.01	0.04
CC95490		0.36	23.0	180	22.6	9.3	<0.001	<0.01	0.47	4.5	0.5	0.6	9.5	<0.01	0.03
CC95491		0.34	34.1	260	28.1	12.0	<0.001	0.01	0.59	8.7	1.0	0.7	17.8	0.01	0.04
CC95492		0.47	18.4	220	21.7	15.0	<0.001	<0.01	0.52	3.1	0.4	0.6	9.4	<0.01	0.04
CC95493		0.41	28.6	420	32.0	10.9	<0.001	0.02	1.82	6.9	1.1	0.6	31.3	<0.01	0.05
CC95494		0.74	24.0	220	24.5	10.4	<0.001	<0.01	2.03	5.3	0.6	0.7	17.3	<0.01	0.04
CC95495		0.42	22.0	160	25.6	14.8	<0.001	<0.01	0.91	4.1	0.4	0.7	10.5	<0.01	0.04
CC95496		0.45	25.0	140	20.4	15.6	<0.001	<0.01	0.41	4.3	0.5	0.7	7.8	<0.01	0.03
CC95497		0.90	15.1	220	18.4	15.7	<0.001	<0.01	0.38	3.0	0.4	0.7	10.9	<0.01	0.03
CC95498		0.58	29.2	890	21.4	14.7	<0.001	0.03	0.68	4.0	1.0	0.5	34.2	<0.01	0.05
CC95499		0.50	22.5	510	24.2	9.9	<0.001	0.02	0.37	5.1	0.7	0.5	27.5	<0.01	0.04
CC95500		0.27	26.4	540	23.1	8.3	<0.001	0.05	0.47	4.5	1.1	0.3	62.1	<0.01	0.07
ZZ15951		0.54	31.5	500	29.4	30.2	<0.001	0.02	0.46	6.3	0.9	0.5	23.5	<0.01	0.05
ZZ15952		0.33	16.9	470	17.2	14.0	<0.001	0.01	0.48	2.6	0.3	0.6	9.4	<0.01	0.05
ZZ15953		0.35	25.5	150	44.3	12.7	<0.001	<0.01	0.49	4.9	0.6	0.6	10.9	<0.01	0.04
ZZ15954		0.32	27.4	180	38.4	16.7	<0.001	<0.01	0.44	6.0	0.6	0.7	10.4	<0.01	0.05
CC124526		0.49	19.3	590	48.2	11.1	<0.001	0.03	2.12	3.9	0.8	0.5	17.1	<0.01	0.05
CC124527		0.42	25.9	550	49.0	11.0	<0.001	0.02	2.45	5.5	0.9	0.5	19.1	0.01	0.05
CC124528		0.41	30.4	400	37.2	9.8	<0.001	0.02	1.79	5.1	0.9	0.5	16.7	<0.01	0.05
CC124529		0.39	23.5	230	41.4	11.0	<0.001	<0.01	1.03	3.8	0.4	0.6	12.3	<0.01	0.03
CC124530		0.44	29.8	570	39.2	13.1	<0.001	0.03	1.63	5.7	1.0	0.6	22.1	<0.01	0.05
CC124531		0.46	27.2	670	41.1	10.6	<0.001	0.06	1.67	4.0	1.4	0.6	30.8	<0.01	0.06
CC124532		0.77	41.7	640	33.8	15.0	<0.001	0.02	1.54	5.6	1.1	0.7	18.2	<0.01	0.06
ZZ15266		0.47	22.0	720	35.8	11.0	<0.001	0.06	1.25	3.7	1.0	0.6	25.9	<0.01	0.06
ZZ15267		0.44	24.6	670	67.5	13.6	<0.001	0.03	3.02	5.4	0.8	0.6	14.1	0.01	0.05
ZZ15268		0.40	40.7	280	47.8	11.2	<0.001	0.02	2.47	5.4	1.3	0.7	17.5	<0.01	0.06
ZZ15269		0.47	41.6	740	40.6	9.9	0.001	0.05	2.17	5.3	1.4	0.6	23.8	<0.01	0.06
ZZ15270		0.37	30.6	380	27.4	9.4	<0.001	0.37	2.25	4.3	1.3	0.5	26.2	<0.01	0.05
ZZ15271		0.46	30.8	580	47.5	11.0	<0.001	0.02	1.96	4.9	0.8	0.5	19.6	<0.01	0.05
ZZ15272		0.40	27.8	780	38.4	14.2	<0.001	0.06	1.69	3.8	1.4	0.5	31.2	<0.01	0.06
ZZ15273		0.34	38.9	760	54.6	12.5	<0.001	0.03	1.67	5.6	1.3	0.5	35.9	<0.01	0.06
ZZ15274		0.43	33.9	580	40.6	13.5	<0.001	0.05	2.02	5.3	1.4	0.5	25.3	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC95481		<0.005	0.27	1.14	20	0.05	10.90	120	1.3
CC95482		<0.005	0.25	0.78	28	0.05	10.10	156	2.0
CC95483		<0.005	0.21	1.12	24	0.06	8.72	128	2.3
CC95484		0.007	0.22	0.81	33	0.07	7.78	132	1.7
CC95485		0.005	0.26	0.69	33	0.06	9.81	151	2.0
CC95486		<0.005	0.23	0.67	27	0.06	9.07	133	2.1
CC95487		0.005	0.27	1.01	33	0.07	11.75	133	1.8
CC95488		0.006	0.14	0.84	29	0.06	10.05	121	1.2
CC95489		<0.005	0.17	0.91	26	0.05	8.22	123	1.7
CC95490		0.005	0.13	0.65	29	0.06	5.29	90	1.5
CC95491		0.005	0.20	1.02	32	0.07	16.55	110	1.9
CC95492		0.008	0.13	0.44	33	0.06	3.13	91	1.0
CC95493		<0.005	0.40	1.18	33	0.09	13.55	123	2.5
CC95494		0.010	3.94	1.00	45	0.15	8.26	103	2.1
CC95495		0.006	0.49	0.66	31	0.11	3.47	110	1.7
CC95496		0.008	0.18	0.68	33	0.11	4.27	73	1.7
CC95497		0.018	0.13	0.61	49	0.25	3.46	67	1.2
CC95498		0.014	0.14	1.14	33	0.13	11.35	103	0.8
CC95499		0.007	0.10	0.80	26	0.11	6.96	105	1.3
CC95500		<0.005	0.10	0.91	15	0.06	13.10	82	1.1
ZZ15951		0.010	0.16	0.70	29	0.13	11.05	109	1.4
ZZ15952		0.006	0.18	0.35	32	0.09	2.32	78	<0.5
ZZ15953		0.006	0.22	0.61	26	0.08	4.17	119	0.9
ZZ15954		<0.005	0.16	0.74	32	0.08	5.34	120	1.2
CC124526		0.006	0.25	0.98	30	0.07	7.61	229	1.4
CC124527		0.007	0.24	1.08	31	0.08	12.15	291	1.3
CC124528		0.005	0.22	1.07	28	0.06	9.21	223	1.5
CC124529		0.005	0.13	0.61	33	0.06	4.62	204	1.1
CC124530		0.007	0.17	1.17	33	0.11	11.65	191	2.0
CC124531		0.006	0.16	1.89	36	0.10	9.80	172	1.5
CC124532		0.013	0.22	1.30	45	0.17	10.65	165	2.2
ZZ15266		0.007	0.14	1.57	34	0.11	6.25	125	1.5
ZZ15267		0.007	0.53	1.53	32	0.11	13.20	241	1.6
ZZ15268		0.006	0.23	0.95	42	0.09	9.31	184	2.2
ZZ15269		0.007	0.21	1.39	39	0.12	11.90	183	1.9
ZZ15270		0.005	0.20	1.05	34	0.08	8.06	178	2.0
ZZ15271		0.012	0.21	0.99	31	0.12	12.20	180	1.0
ZZ15272		0.008	0.20	1.64	34	0.10	10.60	202	1.5
ZZ15273		0.011	0.29	1.11	43	0.09	13.05	207	1.9
ZZ15274		0.007	0.38	1.31	50	0.14	9.78	203	1.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 2- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15275		0.40	0.002	0.14	1.28	36.8	<0.2	<10	290	1.06	0.26	0.52	0.52	23.9	10.7	22
ZZ15276		0.44	0.002	0.26	1.09	1110	<0.2	<10	300	0.99	0.22	3.28	1.58	15.80	11.6	19
ZZ15277		0.34	0.002	0.15	1.17	1380	<0.2	<10	290	1.30	0.29	0.67	0.54	19.35	13.6	20
ZZ15278		0.46	0.003	0.26	1.31	1290	<0.2	<10	280	1.14	0.28	1.36	0.62	19.00	14.3	22
ZZ15279		0.62	0.002	0.17	1.14	933	<0.2	<10	260	0.75	0.22	0.91	1.47	15.30	7.9	20
ZZ15280		0.46	0.002	0.23	1.36	92.4	<0.2	<10	650	1.31	0.28	1.31	0.55	14.90	12.0	21
ZZ15281		0.40	0.002	0.12	1.51	104.5	<0.2	<10	150	1.80	0.35	0.09	0.31	19.40	18.5	24
ZZ15282		0.24	0.002	0.18	1.09	34.4	<0.2	<10	280	1.07	0.28	0.86	4.47	17.15	10.6	20
ZZ15283		0.34	0.001	0.08	1.43	16.0	<0.2	<10	230	0.63	0.23	0.45	0.38	22.2	11.7	25
ZZ15284		0.38	0.002	0.17	1.34	39.8	<0.2	<10	300	0.93	0.25	1.18	0.49	18.70	10.6	23
ZZ15285		0.28	0.003	0.27	1.53	331	<0.2	<10	450	1.09	0.23	1.21	0.87	18.25	10.5	24
ZZ15286		0.20	0.002	0.23	1.29	694	<0.2	10	340	1.05	0.24	1.35	0.57	15.70	9.4	20
ZZ15287		0.42	0.001	0.09	1.52	54.2	<0.2	<10	330	1.04	0.30	0.63	0.18	19.75	9.7	25
ZZ15288		0.28	0.002	0.07	1.03	19.1	<0.2	<10	740	1.19	0.31	1.06	0.15	10.45	11.4	20
ZZ15289		0.34	0.002	0.16	1.22	152.0	<0.2	<10	210	1.07	0.23	1.33	0.20	20.8	11.7	21
ZZ15290		0.32	0.002	0.17	0.92	353	<0.2	<10	110	0.98	0.18	5.15	0.40	17.25	10.1	16
ZZ15291		0.30	0.002	0.22	1.46	301	<0.2	<10	270	0.91	0.20	2.56	0.39	22.1	11.1	23
ZZ15292		0.22	<0.001	0.15	0.76	91.7	<0.2	<10	230	0.92	0.27	1.18	0.34	19.05	11.5	10
ZZ15293		0.22	0.003	0.06	0.38	122	<0.2	<10	120	0.28	0.04	14.90	0.61	21.3	2.8	5
ZZ15294		0.36	0.002	0.22	1.03	465	<0.2	<10	250	1.72	0.34	0.73	0.27	20.0	19.0	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15275		3.83	27.4	3.96	3.88	0.07	0.06	0.59	0.040	0.10	12.2	15.1	0.35	776	1.15
ZZ15276		6.02	36.2	3.21	3.41	0.07	0.08	1.64	0.036	0.13	8.0	14.7	1.56	525	1.84
ZZ15277		4.21	29.5	3.92	3.51	0.07	0.07	0.87	0.042	0.11	8.7	17.1	0.30	687	1.28
ZZ15278		30.6	41.6	3.68	4.06	0.07	0.08	0.91	0.041	0.12	9.8	17.9	0.72	748	1.43
ZZ15279		39.0	20.4	2.99	3.35	0.06	0.08	1.40	0.035	0.10	8.4	18.2	0.41	252	0.83
ZZ15280		1.53	37.7	3.58	4.04	0.06	0.08	3.73	0.040	0.11	7.1	17.3	0.65	486	1.82
ZZ15281		7.59	45.2	4.30	4.42	0.07	0.05	0.84	0.047	0.08	8.2	31.8	0.36	789	1.66
ZZ15282		7.99	29.0	3.41	3.51	0.06	0.06	0.48	0.038	0.10	8.5	17.2	0.36	477	1.12
ZZ15283		1.33	15.9	3.12	4.93	0.05	0.05	0.18	0.032	0.09	10.5	23.7	0.45	422	0.99
ZZ15284		1.42	24.5	3.24	4.09	0.06	0.06	0.43	0.035	0.10	9.2	21.3	0.47	490	1.11
ZZ15285		4.00	32.9	3.43	4.46	0.07	0.09	0.54	0.037	0.11	9.5	19.5	0.34	646	1.24
ZZ15286		4.40	27.9	3.13	3.85	0.06	0.08	0.60	0.035	0.12	8.1	22.1	0.44	444	1.00
ZZ15287		10.45	32.3	3.17	7.22	0.06	0.03	0.05	0.031	0.09	9.9	45.2	0.49	441	0.75
ZZ15288		17.70	45.9	2.72	3.46	0.05	0.05	0.06	0.020	0.09	5.0	25.1	0.45	273	0.47
ZZ15289		7.27	24.4	2.85	4.02	0.07	0.05	0.54	0.033	0.08	11.2	17.5	0.39	632	0.83
ZZ15290		4.79	14.9	2.89	2.63	0.06	0.05	6.23	0.025	0.07	8.8	9.0	2.63	854	0.61
ZZ15291		1.24	21.2	2.88	4.11	0.06	0.05	13.25	0.030	0.07	10.6	17.1	1.16	679	0.77
ZZ15292		3.75	15.2	3.25	2.10	0.06	0.04	0.36	0.036	0.07	7.0	7.9	0.11	766	0.66
ZZ15293		0.48	6.5	2.62	0.99	0.05	0.04	1.24	0.010	0.02	12.5	2.7	8.13	2820	0.28
ZZ15294		14.55	34.8	3.50	2.99	0.05	0.06	1.50	0.038	0.12	10.0	15.4	0.28	1000	1.71



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 2- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134833

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ15275		0.49	26.4	580	39.1	12.1	<0.001	0.02	1.47	4.9	0.9	0.5	19.6	<0.01	0.05	3.5
ZZ15276		0.40	33.1	760	29.6	15.6	0.001	0.07	5.21	5.2	1.7	0.5	42.6	<0.01	0.06	2.3
ZZ15277		0.38	30.3	520	51.2	15.5	<0.001	0.04	2.60	5.2	1.3	0.5	27.9	<0.01	0.06	2.9
ZZ15278		0.43	37.8	670	32.2	16.6	<0.001	0.06	3.27	5.2	1.5	0.5	31.7	0.01	0.07	1.7
ZZ15279		0.44	23.9	890	20.9	13.8	0.001	0.09	3.42	3.8	1.7	0.4	29.3	<0.01	0.05	1.8
ZZ15280		0.33	33.4	500	29.8	9.6	<0.001	0.04	2.36	5.1	1.3	0.6	23.1	<0.01	0.06	2.8
ZZ15281		0.35	38.1	340	35.9	14.5	<0.001	0.01	1.34	6.7	1.1	0.6	13.6	<0.01	0.06	4.5
ZZ15282		0.40	24.9	690	32.1	14.3	<0.001	0.05	1.61	4.8	1.4	0.5	29.5	<0.01	0.06	2.0
ZZ15283		0.79	21.2	450	17.1	12.8	<0.001	0.03	0.73	3.5	0.6	0.6	20.0	<0.01	0.04	2.6
ZZ15284		0.58	25.0	740	20.9	12.3	0.001	0.08	1.91	3.5	1.7	0.5	36.6	<0.01	0.06	1.4
ZZ15285		0.59	26.0	990	22.4	15.2	0.002	0.12	5.66	4.6	3.4	0.5	40.1	<0.01	0.07	1.9
ZZ15286		0.48	24.0	770	23.6	16.8	0.001	0.11	8.18	4.1	2.4	0.5	56.7	<0.01	0.06	1.7
ZZ15287		0.88	21.6	270	25.0	23.4	<0.001	0.03	1.86	3.3	0.6	0.9	25.8	<0.01	0.05	2.9
ZZ15288		0.69	18.4	500	17.2	18.4	<0.001	0.07	0.91	3.0	0.8	0.6	36.4	<0.01	0.04	1.9
ZZ15289		0.76	24.0	590	16.8	12.9	<0.001	0.05	5.70	3.9	1.1	0.5	29.8	<0.01	0.06	1.8
ZZ15290		0.42	20.7	990	42.2	8.8	<0.001	0.06	10.15	2.9	0.9	0.4	45.6	<0.01	0.05	1.2
ZZ15291		0.69	25.6	820	22.6	9.9	<0.001	0.06	4.50	3.2	1.1	0.5	34.1	<0.01	0.05	1.4
ZZ15292		0.30	20.6	540	24.5	10.0	<0.001	0.05	4.44	3.4	1.0	0.4	65.7	<0.01	0.04	1.9
ZZ15293		0.18	4.9	1400	9.4	3.9	<0.001	0.07	4.37	1.0	0.8	<0.2	43.7	0.01	0.04	0.3
ZZ15294		0.48	32.4	620	39.4	14.8	<0.001	0.05	5.63	5.0	0.9	0.5	24.5	<0.01	0.05	2.2



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

C/ O ARCHER, CATHRO & ASSOCIATES (1981)

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE OF ANALYSIS WH11134833

Total # Pages: 5 (A - D)

Finalized Date: 2- SEP- 2011

Account: MTT

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11134833

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 1- SEP- 2011
Account: MTT

CERTIFICATE WH11134834

Project: Midas Touch- Crag East

P.O. No.:

This report is for 145 Soil samples submitted to our lab in Whitehorse, YT, Canada on 21-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
EXTRA- 01	Extra Sample received in Shipment
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ15296		0.26	0.003	0.19	0.95	2040	<0.2	<10	240	0.80	0.25	1.54	0.95	15.85	9.3	17
ZZ15297		0.32	0.002	0.11	1.02	58.6	<0.2	<10	180	0.77	0.19	2.69	1.37	16.65	6.7	16
ZZ15298		0.30	0.002	0.27	1.29	121.5	<0.2	<10	440	0.99	0.27	1.45	5.50	13.95	10.7	21
ZZ15299		0.26	0.002	0.18	1.02	65.8	<0.2	<10	260	0.81	0.26	1.36	0.72	16.80	9.3	17
ZZ15300		0.40	0.002	0.17	1.32	130.0	<0.2	<10	260	0.95	0.32	1.30	0.56	24.1	12.1	24
ZZ16251		0.24	0.002	0.22	1.39	281	<0.2	<10	370	1.03	0.29	0.94	0.63	17.10	9.6	23
CC118162		0.20	0.001	0.18	0.94	45.4	<0.2	<10	530	0.85	0.21	3.12	4.75	13.10	8.6	13
CC118163		0.30	0.001	0.15	1.31	83.3	<0.2	<10	250	1.06	0.35	1.33	0.33	19.25	11.9	21
CC118164		0.34	0.001	0.07	1.86	67.0	<0.2	<10	340	1.40	0.33	0.17	0.31	26.0	16.5	28
CC118165		0.36	0.001	0.11	2.10	79.4	<0.2	<10	270	1.43	0.33	0.30	0.26	25.2	16.6	27
CC118166		0.24	0.001	0.07	1.96	97.8	<0.2	<10	250	1.18	0.34	0.13	0.24	23.9	13.9	27
CC118167		0.20	0.001	0.09	1.76	21.2	<0.2	<10	150	0.58	0.31	0.20	0.08	20.5	5.1	27
CC118168		0.24	0.001	0.13	1.36	109.5	<0.2	<10	270	1.06	0.28	0.53	0.20	20.1	11.4	17
CC118169		0.24	0.001	0.06	1.73	79.0	<0.2	<10	300	0.84	0.32	0.11	0.13	20.8	9.1	25
CC118170		0.26	0.001	0.09	1.77	48.5	<0.2	<10	190	0.72	0.31	0.13	0.22	18.95	8.0	25
CC118171		0.28	0.001	0.07	1.78	105.5	<0.2	<10	220	1.05	0.34	0.15	0.30	18.40	12.9	25
CC118172		0.28	0.001	0.07	1.95	269	<0.2	<10	230	1.09	0.33	0.08	0.25	17.05	13.0	26
CC118173		0.26	0.001	0.06	1.88	38.9	<0.2	<10	220	0.96	0.31	0.10	0.34	19.85	9.4	27
CC118174		0.30	0.001	0.04	1.90	51.8	<0.2	<10	150	0.98	0.34	0.05	0.15	22.2	12.3	25
CC118175		0.30	0.001	0.05	1.39	47.7	<0.2	<10	170	0.92	0.36	0.11	0.13	18.90	11.0	20
CC118176		0.24	0.001	0.05	0.70	15.3	<0.2	<10	120	0.70	0.27	0.15	0.07	18.30	13.0	15
CC118177		0.22	0.001	0.12	1.10	114.0	<0.2	<10	240	1.09	0.32	0.45	0.10	28.0	11.0	20
CC118178		0.24	0.001	0.08	0.48	27.9	<0.2	<10	120	1.17	0.31	0.39	0.23	58.4	12.3	9
CC118179		0.26	0.001	0.08	0.53	173.0	<0.2	<10	490	0.56	0.51	0.42	0.19	13.10	15.7	9
CC118180		0.24	0.001	0.19	1.17	1890	<0.2	<10	210	0.95	0.21	4.28	1.12	19.40	8.2	17
CC118181		0.24	0.002	0.33	1.23	6080	<0.2	<10	210	0.92	0.25	1.18	0.77	18.30	8.3	18
CC118182		0.24	0.001	0.14	0.87	487	<0.2	<10	130	0.80	0.23	5.73	0.30	17.10	9.7	15
CC118183		0.18	0.001	0.14	1.29	157.5	<0.2	<10	240	0.86	0.24	1.64	0.23	15.65	9.1	18
CC118184		0.28	0.002	0.14	1.53	87.8	<0.2	<10	200	0.91	0.31	0.70	0.09	20.5	8.0	21
CC118185		0.18	0.001	0.08	1.52	76.5	<0.2	<10	280	0.85	0.31	0.37	0.20	19.25	10.1	23
CC118186		0.18	0.002	0.35	1.27	56.4	<0.2	<10	280	0.93	0.29	1.26	0.29	14.05	4.9	20
CC118187		0.28	0.001	0.08	1.71	46.8	<0.2	<10	100	0.47	0.32	0.05	0.10	19.70	5.8	21
CC118188		0.20	0.001	0.06	1.21	48.0	<0.2	<10	80	0.30	0.33	0.03	0.22	18.75	13.1	24
CC118189		0.36	0.002	0.08	1.46	101.5	<0.2	<10	170	0.96	0.30	0.12	0.20	27.0	14.3	24
CC118190		0.28	0.001	0.14	1.19	188.5	<0.2	<10	300	0.69	0.35	0.57	0.09	17.25	5.7	17
CC118473		0.30	0.002	0.07	1.09	375	<0.2	<10	80	0.26	0.28	0.04	0.10	20.3	5.9	16
CC95286		0.20	0.001	0.10	0.65	24.6	<0.2	<10	170	0.78	0.31	1.46	0.17	28.8	11.9	11
CC95287		0.18	0.001	0.13	0.80	27.6	<0.2	<10	210	0.69	0.26	1.38	0.31	15.25	10.8	13
CC95288		0.30	0.001	0.12	1.05	52.0	<0.2	<10	210	0.85	0.31	0.81	0.16	16.60	12.7	17
CC95289		0.26	0.001	0.14	0.73	55.9	<0.2	<10	130	0.66	0.33	1.30	0.22	12.85	13.9	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15296		2.13	24.0	2.96	2.92	0.09	0.06	10.35	0.029	0.09	7.0	9.5	0.42	583	1.00
ZZ15297		0.89	12.3	3.59	2.72	0.10	0.03	0.51	0.021	0.06	7.3	7.1	1.23	1660	0.71
ZZ15298		3.02	32.9	3.28	3.79	0.10	0.05	3.62	0.035	0.13	6.8	12.8	0.37	564	1.58
ZZ15299		2.73	21.3	3.04	3.22	0.10	0.04	0.58	0.032	0.09	7.3	11.4	0.28	512	1.00
ZZ15300		1.63	26.6	3.99	4.08	0.12	0.04	0.50	0.032	0.10	11.9	16.3	0.89	908	1.23
ZZ16251		3.83	27.5	3.32	4.22	0.10	0.06	0.58	0.032	0.11	8.1	14.3	0.34	498	1.28
CC118162		2.92	24.7	2.40	2.56	0.10	0.06	0.69	0.022	0.07	6.5	5.9	0.83	5420	0.64
CC118163		1.84	27.2	4.15	4.24	0.12	0.05	3.30	0.036	0.10	9.0	12.5	0.56	993	0.99
CC118164		1.42	25.5	4.76	5.40	0.10	0.05	0.53	0.044	0.08	9.0	21.7	0.38	1280	1.15
CC118165		2.35	26.2	4.81	5.39	0.12	0.07	2.57	0.044	0.09	8.8	20.7	0.42	1200	0.95
CC118166		1.93	22.7	4.43	6.35	0.10	0.04	0.90	0.040	0.08	8.8	17.4	0.29	956	1.26
CC118167		2.28	7.3	3.08	6.87	0.10	<0.02	0.13	0.027	0.05	9.3	15.6	0.33	256	0.90
CC118168		1.80	21.7	3.74	3.81	0.09	0.07	1.30	0.033	0.07	7.8	7.3	0.28	1330	0.57
CC118169		2.02	14.2	3.79	6.20	0.09	0.02	0.30	0.033	0.07	7.5	14.3	0.28	866	1.16
CC118170		2.23	12.3	3.48	6.03	0.09	<0.02	0.19	0.030	0.07	8.0	15.9	0.28	533	1.11
CC118171		1.99	23.7	4.46	5.46	0.10	0.05	0.44	0.035	0.08	6.8	17.6	0.30	871	1.09
CC118172		2.08	22.2	5.29	5.97	0.09	0.05	1.45	0.048	0.08	6.1	15.8	0.27	1640	1.06
CC118173		1.47	17.1	4.14	6.21	0.09	0.03	0.13	0.033	0.07	7.9	22.3	0.34	490	1.22
CC118174		3.05	26.5	4.41	5.33	0.09	0.05	0.52	0.040	0.08	7.0	17.0	0.23	819	1.06
CC118175		2.17	27.3	4.12	4.81	0.10	0.02	0.46	0.031	0.08	7.4	13.6	0.20	608	0.75
CC118176		6.31	18.1	3.68	3.23	0.11	0.02	0.06	0.024	0.15	7.1	10.7	0.16	663	0.44
CC118177		7.82	29.3	3.40	3.54	0.10	0.04	1.33	0.028	0.12	13.3	11.2	0.26	837	0.86
CC118178		18.95	53.3	3.34	1.86	0.13	0.04	0.19	0.033	0.18	23.6	3.7	0.09	650	0.60
CC118179		33.8	26.6	2.89	2.73	0.10	0.02	0.37	0.026	0.10	5.5	3.1	0.06	1070	0.85
CC118180		1.94	19.6	4.08	2.76	0.10	0.03	11.60	0.021	0.07	9.3	6.9	2.07	2750	0.62
CC118181		1.44	23.4	4.61	3.53	0.10	0.07	38.5	0.031	0.08	9.8	8.4	0.37	2030	0.73
CC118182		0.98	21.4	3.03	2.72	0.10	0.06	3.03	0.026	0.08	7.1	8.9	3.33	954	0.67
CC118183		0.82	19.7	3.02	3.70	0.09	0.05	0.53	0.025	0.06	7.1	8.3	0.40	981	0.68
CC118184		2.18	15.8	3.45	4.78	0.10	0.06	10.90	0.035	0.07	8.8	13.1	0.25	445	0.73
CC118185		3.23	22.8	4.07	4.69	0.10	0.05	0.56	0.034	0.08	6.4	16.6	0.31	699	1.10
CC118186		36.4	40.0	2.63	3.30	0.10	0.11	1.19	0.025	0.08	8.8	14.1	0.31	195	0.42
CC118187		10.20	12.3	3.67	5.90	0.09	0.03	6.34	0.029	0.06	8.9	18.9	0.18	295	1.09
CC118188		3.71	10.4	5.27	6.09	0.08	<0.02	0.27	0.034	0.05	8.0	8.2	0.13	1420	1.47
CC118189		2.24	24.8	4.10	4.29	0.11	0.04	1.40	0.035	0.07	10.7	17.7	0.36	973	0.99
CC118190		5.49	14.8	2.85	3.63	0.10	0.03	1.67	0.028	0.06	8.5	9.8	0.17	455	0.76
CC118473		3.78	10.4	3.17	5.80	0.05	<0.02	2.57	0.027	0.05	10.3	11.5	0.14	312	1.18
CC95286		3.34	27.0	3.33	2.24	0.08	0.06	0.30	0.036	0.05	9.2	6.4	0.18	629	0.47
CC95287		1.51	26.3	2.86	2.76	0.05	0.04	0.39	0.034	0.06	6.0	8.2	0.20	588	0.53
CC95288		2.23	28.6	3.52	3.70	0.05	0.05	0.38	0.039	0.07	7.1	12.0	0.27	877	0.64
CC95289		2.60	27.7	3.09	2.70	0.05	0.05	0.25	0.037	0.06	5.8	6.9	0.18	580	0.68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ15296		0.38	23.9	760	33.2	9.5	<0.001	0.10	2.84	3.4	1.3	0.5	38.8	<0.01	0.03	1.2
ZZ15297		0.41	14.2	960	25.3	9.3	<0.001	0.07	1.67	2.1	0.7	0.4	21.0	<0.01	0.04	0.6
ZZ15298		0.42	29.0	810	61.6	13.9	<0.001	0.07	1.79	4.0	1.4	0.6	29.2	<0.01	0.04	1.3
ZZ15299		0.47	24.1	740	26.0	12.3	<0.001	0.06	1.50	4.2	1.1	0.5	35.3	<0.01	0.03	1.7
ZZ15300		0.71	31.6	490	32.9	10.3	<0.001	0.03	1.55	5.0	1.1	0.6	19.2	<0.01	0.03	3.0
ZZ16251		0.55	26.6	840	24.7	12.9	0.001	0.07	1.21	4.0	1.1	0.6	27.9	<0.01	0.04	1.6
CC118162		0.30	21.8	1350	22.7	15.5	0.001	0.16	0.94	1.6	1.4	0.5	66.5	<0.01	0.03	0.5
CC118163		0.43	26.8	640	31.0	11.3	<0.001	0.04	1.17	4.7	0.8	0.7	48.0	<0.01	0.03	2.8
CC118164		0.44	29.6	380	35.3	13.1	<0.001	0.02	0.86	5.3	0.8	0.7	11.5	<0.01	0.03	4.1
CC118165		0.38	31.1	450	32.3	15.0	0.001	0.03	0.86	5.3	0.7	0.8	11.3	<0.01	0.03	3.9
CC118166		0.51	28.7	600	40.9	13.8	<0.001	0.03	1.04	4.4	0.5	0.8	10.7	<0.01	0.04	2.8
CC118167		0.58	13.9	1080	16.7	8.5	<0.001	0.08	0.37	0.8	0.5	0.7	13.0	<0.01	0.02	0.2
CC118168		0.27	22.4	400	33.2	10.7	<0.001	0.03	0.95	4.8	0.7	0.6	16.5	<0.01	0.02	3.3
CC118169		0.59	17.3	1100	26.9	16.8	<0.001	0.05	0.83	2.0	0.5	0.7	9.2	<0.01	0.02	0.6
CC118170		0.62	17.0	1090	21.8	18.3	<0.001	0.05	0.55	1.5	0.4	0.8	9.8	<0.01	0.04	0.5
CC118171		0.57	25.8	570	41.7	15.5	<0.001	0.04	0.96	3.5	0.5	0.9	9.4	<0.01	0.03	2.4
CC118172		0.52	23.0	660	85.4	15.9	<0.001	0.04	1.32	3.9	0.3	0.8	6.5	<0.01	0.05	2.6
CC118173		0.79	21.7	940	21.8	14.9	0.001	0.04	0.64	2.3	0.6	0.7	8.3	<0.01	0.02	1.0
CC118174		0.50	25.2	600	31.9	16.2	<0.001	0.04	0.67	3.5	0.4	0.7	8.3	<0.01	0.03	2.3
CC118175		0.46	22.2	320	26.6	13.3	0.001	0.03	0.61	3.5	0.4	0.7	12.3	<0.01	0.04	3.1
CC118176		0.29	23.3	530	13.7	14.8	<0.001	0.02	0.21	3.9	0.4	0.5	12.0	<0.01	0.02	3.3
CC118177		0.47	25.6	680	21.4	12.6	<0.001	0.05	0.70	4.5	0.7	0.5	16.9	<0.01	0.04	2.3
CC118178		0.23	27.2	610	19.8	13.0	0.001	0.05	0.43	6.9	0.9	0.3	13.4	<0.01	0.04	4.1
CC118179		0.49	16.4	470	33.2	13.0	<0.001	0.05	0.69	3.3	0.5	0.4	14.2	0.01	0.04	1.5
CC118180		0.34	17.9	1820	18.8	11.9	<0.001	0.15	2.76	1.8	0.9	0.4	28.2	<0.01	0.03	0.5
CC118181		0.36	21.0	1770	24.8	14.1	<0.001	0.13	15.85	2.8	1.0	0.5	19.4	<0.01	0.03	1.0
CC118182		0.33	20.9	500	26.7	6.3	<0.001	0.06	2.33	3.5	0.6	0.4	32.7	<0.01	0.03	1.8
CC118183		0.45	17.8	1490	18.6	7.6	<0.001	0.15	0.75	1.9	0.7	0.5	24.4	<0.01	0.03	0.7
CC118184		0.52	16.4	1160	26.4	11.9	<0.001	0.07	0.43	3.0	0.7	0.6	30.4	<0.01	0.02	1.4
CC118185		0.53	22.2	590	29.4	13.6	<0.001	0.04	0.61	3.6	0.3	0.6	17.3	<0.01	0.03	2.1
CC118186		0.57	21.7	1320	16.8	10.6	<0.001	0.19	0.47	4.0	2.0	0.6	52.9	<0.01	0.02	1.5
CC118187		1.26	12.6	260	17.5	17.8	<0.001	0.02	0.61	2.5	0.3	0.8	7.7	<0.01	0.05	3.1
CC118188		1.46	10.8	600	27.8	14.1	<0.001	0.03	0.88	1.6	0.4	0.8	5.6	<0.01	0.05	1.5
CC118189		0.79	29.2	440	31.2	10.5	<0.001	0.02	1.60	4.4	0.7	0.6	12.6	<0.01	0.03	4.1
CC118190		0.49	14.8	730	21.8	18.0	<0.001	0.04	1.55	2.9	0.4	0.5	27.0	<0.01	0.03	1.2
CC118473		1.29	11.9	160	17.3	13.7	<0.001	0.02	1.45	2.1	0.4	0.7	7.6	<0.01	0.04	2.4
CC95286		0.34	27.8	420	26.7	7.5	<0.001	0.07	0.46	5.0	1.3	0.6	66.3	0.01	0.02	1.6
CC95287		0.41	25.3	380	22.7	7.6	<0.001	0.07	0.44	3.4	1.0	0.5	68.2	<0.01	0.02	1.3
CC95288		0.51	25.1	350	24.1	8.3	<0.001	0.05	0.50	4.6	0.8	0.6	49.1	<0.01	0.03	2.2
CC95289		0.46	25.6	490	22.7	10.1	<0.001	0.07	0.71	4.6	0.8	0.5	69.9	<0.01	0.04	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15296		0.006	18.95	1.47	28	0.07	10.80	198	1.7
ZZ15297		0.012	0.27	1.30	27	0.17	8.68	166	0.7
ZZ15298		0.005	0.79	1.51	42	0.07	11.65	659	1.5
ZZ15299		0.007	0.26	0.95	31	0.11	10.10	179	1.5
ZZ15300		0.019	0.22	0.91	40	0.16	12.25	160	1.2
ZZ16251		0.008	0.28	1.43	41	0.09	9.90	177	1.6
CC118162		0.007	0.25	1.88	20	0.06	9.34	332	1.4
CC118163		0.007	0.24	1.03	35	0.09	10.00	170	1.1
CC118164		0.005	0.21	0.77	39	0.07	7.71	275	1.4
CC118165		<0.005	0.26	0.99	41	0.06	8.78	150	1.6
CC118166		0.005	0.36	0.78	51	0.09	7.23	142	1.0
CC118167		0.020	0.25	0.66	55	0.18	2.64	53	<0.5
CC118168		<0.005	0.30	0.86	27	0.08	8.40	182	1.7
CC118169		0.013	0.29	0.74	51	0.19	3.70	97	<0.5
CC118170		0.012	0.28	0.66	47	0.16	3.39	82	<0.5
CC118171		0.006	0.28	0.63	40	0.08	5.06	159	1.2
CC118172		<0.005	0.32	0.69	42	0.09	4.70	225	1.3
CC118173		0.012	0.19	0.58	48	0.17	4.12	97	0.6
CC118174		<0.005	0.28	0.84	40	0.08	4.67	112	1.2
CC118175		0.006	0.17	0.55	34	0.07	4.06	94	0.7
CC118176		0.009	0.13	0.70	23	<0.05	6.51	82	0.6
CC118177		0.011	0.98	0.89	32	0.15	10.30	85	0.9
CC118178		0.006	0.27	0.98	15	<0.05	15.40	67	1.0
CC118179		0.011	0.73	0.78	23	0.09	6.62	70	0.6
CC118180		0.011	6.57	2.48	24	0.09	13.10	287	0.9
CC118181		0.011	54.9	3.45	26	0.14	13.35	186	1.5
CC118182		0.005	2.58	0.86	20	0.06	8.69	119	1.5
CC118183		0.008	0.26	1.91	28	0.09	7.50	74	1.3
CC118184		0.007	0.34	1.08	35	0.09	7.08	64	1.3
CC118185		0.007	0.30	0.72	40	0.10	4.79	138	1.1
CC118186		0.012	0.36	6.35	28	0.07	15.55	74	2.9
CC118187		0.014	0.33	0.49	49	0.17	2.56	49	1.2
CC118188		0.031	0.23	0.50	51	0.22	1.98	142	<0.5
CC118189		0.016	0.39	0.77	39	0.12	6.94	109	1.1
CC118190		0.008	0.71	0.93	30	0.12	11.05	59	0.5
CC118473		0.022	3.66	0.42	40	0.15	2.47	56	0.5
CC95286		0.005	0.14	1.53	15	0.07	22.0	85	1.2
CC95287		0.006	0.13	2.05	18	0.08	8.97	100	1.2
CC95288		0.007	0.14	1.12	21	0.10	9.71	76	1.2
CC95289		0.008	0.12	0.91	19	0.14	9.73	62	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC95290		0.18	0.001	0.18	0.52	24.2	<0.2	<10	200	0.80	0.27	1.88	0.23	18.15	8.8	8
CC95291		0.28	0.001	0.14	0.57	30.0	<0.2	<10	70	0.83	0.29	1.12	0.26	11.75	9.2	9
CC95292		0.16	0.001	0.12	1.15	41.4	<0.2	<10	150	0.98	0.28	1.64	0.38	14.55	11.3	16
CC95293		0.40	0.001	0.09	1.03	58.7	<0.2	<10	180	0.79	0.30	2.17	0.30	13.65	13.6	16
CC95294		0.24	0.002	0.07	1.04	69.7	<0.2	<10	290	0.93	0.28	2.03	0.37	13.10	26.0	16
CC95295		0.18	0.001	0.07	1.03	48.3	<0.2	<10	170	0.92	0.27	2.50	0.23	11.75	11.0	16
CC95296		0.26	0.001	0.07	1.40	40.4	<0.2	<10	250	1.43	0.35	0.77	0.19	15.30	16.3	24
CC95297		0.30	0.002	0.06	1.12	106.5	<0.2	<10	250	1.01	0.32	0.44	0.15	15.75	13.9	21
CC95298		0.42	0.001	0.05	1.05	136.5	<0.2	<10	240	1.02	0.35	0.82	0.13	15.50	15.6	18
CC95299		0.30	0.002	0.09	1.19	59.7	<0.2	<10	220	1.05	0.30	1.27	0.20	14.65	12.3	19
CC95300		0.38	0.002	0.06	1.13	94.1	<0.2	<10	180	1.17	0.32	0.88	0.17	15.55	14.1	20
ZZ15883		0.24	0.001	0.06	1.09	291	<0.2	<10	200	1.01	0.29	1.36	0.22	16.85	15.2	19
ZZ15884		0.32	0.002	0.08	1.15	196.5	<0.2	<10	230	1.05	0.28	1.64	0.18	13.45	13.1	19
ZZ15885		0.32	0.001	0.08	0.87	158.0	<0.2	<10	390	0.90	0.22	2.33	0.55	13.30	10.8	13
ZZ15886		0.26	0.001	0.07	0.90	229	<0.2	<10	190	0.87	0.28	0.99	0.14	15.85	13.1	16
ZZ15887		0.30	0.001	0.10	0.79	161.5	<0.2	<10	160	0.97	0.29	1.06	0.12	12.55	12.6	14
ZZ15888		0.36	0.001	0.04	1.19	153.0	<0.2	<10	180	1.14	0.33	0.96	0.09	13.15	13.7	19
ZZ15889		0.30	0.004	0.06	0.86	483	<0.2	<10	170	0.95	0.29	2.68	0.10	11.30	12.2	14
ZZ15890		0.24	0.001	0.07	0.74	109.0	<0.2	<10	120	1.01	0.29	1.10	0.08	11.95	11.4	12
ZZ15891		0.22	<0.001	0.05	0.81	143.0	<0.2	<10	130	1.01	0.33	0.53	0.12	12.20	14.0	13
ZZ15892		0.26	0.001	0.13	0.29	59.9	<0.2	<10	70	0.88	0.32	0.62	0.07	5.82	10.8	6
ZZ15893		0.22	0.001	0.10	0.28	155.5	<0.2	<10	50	0.77	0.29	0.33	0.06	5.82	10.9	6
ZZ15894		0.28	0.001	0.12	0.51	62.9	<0.2	<10	100	0.43	0.27	0.23	0.07	7.17	8.7	9
ZZ15895		0.24	0.001	0.09	0.98	32.6	<0.2	<10	220	0.86	0.25	2.09	0.16	10.15	10.5	16
ZZ15896		0.32	0.001	0.10	0.99	21.6	<0.2	<10	160	0.96	0.24	1.47	0.22	15.20	11.2	16
ZZ15897		0.24	0.001	0.07	0.95	32.9	<0.2	<10	120	0.74	0.25	0.76	0.16	14.45	10.9	18
ZZ15898		0.30	<0.001	0.09	0.54	12.8	<0.2	<10	80	0.85	0.15	0.25	0.04	22.3	6.6	9
ZZ15899		0.18	<0.001	0.03	0.51	14.1	<0.2	<10	50	0.29	0.17	0.11	0.03	10.85	6.2	10
ZZ15900		0.18	0.001	0.28	1.29	76.6	<0.2	<10	160	2.66	0.31	1.37	0.33	12.40	16.8	18
ZZ15901		0.32	0.001	0.07	0.78	10.9	<0.2	<10	180	0.72	0.25	1.03	0.06	9.62	6.7	11
ZZ15902		0.26	0.001	0.10	0.36	126.0	<0.2	<10	90	0.69	0.31	0.09	0.11	6.90	11.4	8
ZZ15903		0.18	0.002	0.48	0.69	79.9	<0.2	<10	140	0.73	0.32	0.52	0.14	7.70	9.6	14
ZZ15904		0.30	0.001	0.17	0.98	45.5	<0.2	<10	190	1.15	0.44	0.24	0.09	15.80	13.4	18
ZZ15905		0.36	0.001	0.06	0.63	84.2	<0.2	<10	110	0.80	0.36	0.11	0.07	10.85	10.1	10
ZZ15906		0.40	<0.001	0.05	1.48	22.1	<0.2	<10	170	0.60	0.28	0.21	0.04	13.10	7.3	20
ZZ15907		0.32	<0.001	0.07	1.27	15.1	<0.2	<10	170	0.39	0.23	0.11	0.08	16.80	6.4	19
ZZ15908		0.42	0.001	0.05	1.31	20.7	<0.2	<10	160	1.11	0.41	0.89	0.11	15.40	17.0	23
ZZ15909		0.26	0.001	0.09	0.95	21.1	<0.2	<10	190	0.76	0.28	1.65	0.21	11.35	11.5	17
ZZ15910		0.42	0.001	0.06	1.14	30.8	<0.2	<10	150	0.97	0.38	0.53	0.06	12.70	14.9	22
ZZ15911		0.16	0.001	0.20	0.71	26.9	<0.2	10	60	1.02	0.33	2.37	0.16	8.12	10.6	12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC95290		1.17	25.4	2.65	1.59	0.06	0.05	0.53	0.031	0.06	8.5	4.6	0.10	450	0.46
CC95291		4.61	24.0	2.71	1.75	0.05	0.05	0.59	0.032	0.06	5.7	5.4	0.11	410	0.47
CC95292		2.33	33.1	3.09	3.60	0.06	0.06	0.46	0.035	0.07	6.8	11.8	0.29	668	0.44
CC95293		2.06	32.7	3.48	3.82	0.06	0.07	0.56	0.038	0.10	5.7	13.7	0.61	1110	0.48
CC95294		2.00	29.7	4.25	3.41	0.11	0.05	0.45	0.029	0.10	5.1	11.1	0.39	2360	0.52
CC95295		1.83	32.2	3.09	3.44	0.11	0.05	0.56	0.030	0.10	5.0	11.1	0.41	927	0.45
CC95296		1.29	38.8	3.88	5.12	0.11	0.07	0.33	0.038	0.13	6.0	18.3	0.53	359	0.73
CC95297		1.45	43.6	4.54	3.99	0.12	0.04	0.58	0.042	0.09	6.4	11.6	0.33	1480	0.81
CC95298		1.36	44.6	4.56	3.48	0.12	0.05	1.10	0.040	0.08	6.6	10.0	0.49	1230	0.86
CC95299		1.19	37.5	3.50	4.06	0.10	0.04	0.37	0.032	0.11	6.8	14.2	0.43	703	0.73
CC95300		1.21	39.5	3.95	3.91	0.11	0.05	0.52	0.038	0.10	6.5	13.3	0.48	1020	0.94
ZZ15883		0.81	37.5	3.99	3.90	0.10	0.04	1.34	0.040	0.09	6.2	12.3	0.71	1160	0.99
ZZ15884		1.18	40.9	3.82	4.00	0.11	0.03	0.96	0.038	0.09	6.2	13.4	0.82	817	0.84
ZZ15885		1.78	42.3	3.12	2.51	0.10	0.02	0.87	0.031	0.08	6.2	7.6	0.47	1020	0.63
ZZ15886		1.80	35.6	3.92	3.00	0.11	0.03	1.14	0.037	0.08	6.1	9.4	0.45	1020	0.80
ZZ15887		5.01	39.7	3.55	2.56	0.10	0.04	1.06	0.034	0.08	5.4	8.2	0.37	917	0.62
ZZ15888		1.95	35.3	3.93	4.12	0.11	0.04	0.38	0.039	0.11	5.7	12.6	0.31	865	0.61
ZZ15889		2.84	34.3	3.57	2.57	0.09	0.03	2.29	0.034	0.09	4.8	7.6	1.00	941	0.56
ZZ15890		3.91	29.9	3.45	2.21	0.10	0.03	0.55	0.033	0.08	4.9	5.7	0.21	503	0.61
ZZ15891		2.46	31.1	3.95	2.55	0.10	0.02	0.60	0.034	0.09	4.6	6.0	0.18	1040	0.60
ZZ15892		10.10	34.4	3.51	0.80	0.09	0.05	0.64	0.031	0.07	2.2	1.6	0.08	312	0.64
ZZ15893		7.54	28.5	3.26	0.66	0.09	0.03	0.33	0.032	0.06	2.0	1.9	0.04	185	0.68
ZZ15894		5.31	20.1	2.84	1.99	0.08	<0.02	0.19	0.023	0.08	3.3	3.4	0.07	330	0.73
ZZ15895		1.92	29.7	2.94	3.16	0.10	<0.02	0.38	0.030	0.06	4.1	9.0	0.34	773	0.64
ZZ15896		2.15	28.9	2.91	3.00	0.10	0.03	0.82	0.030	0.07	6.4	10.1	0.23	665	0.60
ZZ15897		1.46	21.2	3.25	3.35	0.09	0.04	0.62	0.033	0.07	5.7	11.1	0.26	521	0.83
ZZ15898		4.79	11.1	2.80	0.95	0.11	<0.02	0.07	0.039	0.05	9.9	2.7	0.03	268	0.36
ZZ15899		2.98	9.3	2.16	1.81	0.08	<0.02	0.16	0.018	0.06	4.8	3.5	0.06	164	0.42
ZZ15900		18.80	46.0	4.19	3.22	0.12	0.09	1.68	0.048	0.12	6.1	12.7	0.27	1020	0.91
ZZ15901		9.77	20.0	2.06	2.44	0.08	0.02	0.08	0.022	0.09	4.6	7.8	0.14	384	0.40
ZZ15902		3.93	36.5	4.18	1.20	0.09	<0.02	0.69	0.034	0.07	2.5	2.2	0.05	292	1.42
ZZ15903		2.09	34.9	3.58	2.18	0.09	0.06	1.64	0.038	0.06	3.5	6.6	0.10	273	2.03
ZZ15904		3.05	37.5	4.33	3.61	0.08	0.04	1.13	0.045	0.06	6.7	10.9	0.16	327	0.77
ZZ15905		3.78	22.9	3.82	2.15	0.08	0.02	0.86	0.030	0.06	4.6	3.9	0.06	288	1.12
ZZ15906		5.00	11.2	3.00	5.50	0.07	0.03	0.12	0.026	0.03	5.9	14.8	0.19	304	0.64
ZZ15907		13.15	10.1	2.22	4.65	0.08	0.04	0.41	0.022	0.03	7.6	12.9	0.25	235	0.54
ZZ15908		1.24	44.9	4.04	4.70	0.10	0.06	0.28	0.035	0.08	6.4	20.2	0.50	1270	0.50
ZZ15909		0.84	25.7	2.95	3.17	0.10	0.05	0.22	0.026	0.07	4.7	11.4	0.25	901	0.48
ZZ15910		0.97	31.0	3.98	4.31	0.08	0.07	0.23	0.033	0.09	4.7	16.3	0.31	895	0.51
ZZ15911		8.13	31.3	3.04	2.28	0.09	0.07	0.44	0.024	0.10	3.5	8.2	0.24	815	0.52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC95290		0.25	23.8	640	22.3	6.2	0.001	0.06	0.44	4.1	1.1	0.5	118.0	<0.01	0.02
CC95291		0.28	23.4	350	23.9	15.8	<0.001	0.07	0.59	3.8	1.0	0.4	44.8	<0.01	0.03
CC95292		0.47	25.5	440	24.1	17.4	<0.001	0.08	0.50	4.0	1.3	0.7	51.1	<0.01	0.03
CC95293		0.49	27.2	420	25.5	15.2	0.001	0.07	0.50	4.5	1.0	0.6	45.7	<0.01	0.03
CC95294		0.42	32.1	550	23.5	16.2	0.002	0.13	0.55	4.7	1.6	0.6	53.2	<0.01	0.03
CC95295		0.45	23.4	530	20.8	14.7	<0.001	0.13	0.50	4.5	1.3	0.5	50.2	<0.01	0.02
CC95296		0.55	33.2	310	27.2	10.3	<0.001	0.06	0.52	6.8	0.6	0.8	24.4	<0.01	0.03
CC95297		0.59	26.9	200	29.1	9.6	<0.001	0.04	0.96	6.0	0.5	0.7	18.9	<0.01	0.04
CC95298		0.46	28.4	200	39.5	7.2	<0.001	0.04	0.98	6.6	0.6	0.5	19.3	<0.01	0.04
CC95299		0.48	25.8	390	23.0	10.9	<0.001	0.06	0.61	4.9	0.7	0.6	37.6	<0.01	0.03
CC95300		0.48	29.7	230	27.8	8.9	<0.001	0.04	0.71	5.9	0.7	0.9	22.8	<0.01	0.04
ZZ15883		0.54	27.1	220	29.5	8.6	<0.001	0.04	1.27	6.3	0.6	0.7	24.8	<0.01	0.04
ZZ15884		0.49	26.1	400	26.4	9.3	<0.001	0.05	1.14	6.0	0.7	0.6	27.9	<0.01	0.04
ZZ15885		0.34	22.8	540	23.8	10.7	<0.001	0.07	1.38	3.6	0.9	0.7	45.9	<0.01	0.03
ZZ15886		0.49	24.1	260	30.9	9.7	<0.001	0.01	1.31	5.9	0.5	0.6	25.7	<0.01	0.04
ZZ15887		0.33	28.0	350	28.9	10.5	<0.001	0.05	1.17	5.6	0.7	0.6	25.5	<0.01	0.04
ZZ15888		0.52	23.2	260	30.0	11.0	<0.001	0.05	0.59	6.0	0.5	0.7	28.1	<0.01	0.04
ZZ15889		0.31	24.6	400	27.4	7.7	<0.001	0.05	2.92	4.9	0.6	0.6	40.3	<0.01	0.03
ZZ15890		0.28	26.0	230	26.1	8.0	<0.001	0.05	0.47	5.6	0.6	0.6	32.3	<0.01	0.03
ZZ15891		0.36	25.3	200	30.4	8.9	<0.001	0.04	0.89	5.4	0.4	0.5	23.1	<0.01	0.04
ZZ15892		0.09	32.6	190	27.2	7.6	<0.001	0.05	0.30	5.8	0.7	0.5	19.9	<0.01	0.04
ZZ15893		0.09	34.0	260	28.9	7.5	<0.001	0.04	0.48	4.6	0.6	0.4	15.2	<0.01	0.04
ZZ15894		0.33	17.2	170	16.9	10.6	<0.001	0.03	0.23	3.4	0.3	0.6	12.3	<0.01	0.04
ZZ15895		0.47	23.2	420	19.7	8.4	<0.001	0.08	0.40	3.6	0.8	0.6	56.7	<0.01	0.04
ZZ15896		0.44	26.5	480	20.4	10.8	<0.001	0.09	0.32	4.5	1.1	0.6	50.2	<0.01	0.02
ZZ15897		0.61	21.1	490	23.4	8.4	<0.001	0.06	0.44	5.1	0.6	0.7	31.0	<0.01	0.03
ZZ15898		0.14	16.7	200	21.5	6.0	<0.001	0.04	0.15	5.1	0.5	0.3	16.2	<0.01	0.01
ZZ15899		0.33	15.1	110	15.0	8.2	<0.001	0.03	0.13	2.0	0.2	0.5	10.1	<0.01	0.01
ZZ15900		0.37	55.7	380	47.6	18.1	<0.001	0.08	0.49	9.7	1.3	0.7	41.4	<0.01	0.05
ZZ15901		0.41	14.2	280	10.8	18.6	<0.001	0.05	0.20	3.4	0.4	0.5	35.5	<0.01	0.03
ZZ15902		0.21	34.0	270	29.7	9.2	<0.001	0.03	0.44	4.5	0.7	0.6	20.6	<0.01	0.04
ZZ15903		0.33	33.4	180	22.4	7.6	<0.001	0.02	0.67	4.0	0.8	0.6	20.7	<0.01	0.02
ZZ15904		0.61	28.2	250	31.5	8.7	<0.001	0.01	0.41	5.0	1.2	0.8	15.9	<0.01	0.03
ZZ15905		0.27	35.2	170	21.8	7.7	<0.001	0.01	0.31	3.4	0.8	0.6	14.0	<0.01	0.01
ZZ15906		0.83	14.2	150	18.5	8.5	<0.001	0.01	0.25	2.6	0.2	0.8	10.9	<0.01	0.03
ZZ15907		0.97	15.8	100	20.3	8.4	<0.001	<0.01	0.31	2.0	0.4	0.8	8.4	<0.01	0.02
ZZ15908		0.98	28.7	390	30.0	7.5	<0.001	0.02	0.53	4.9	0.5	0.9	27.4	<0.01	0.03
ZZ15909		0.70	19.6	410	21.5	8.3	<0.001	0.06	0.55	3.2	0.8	0.6	42.7	<0.01	0.03
ZZ15910		0.90	23.4	160	28.5	8.8	<0.001	0.02	0.56	4.6	0.7	0.7	19.9	<0.01	0.03
ZZ15911		0.34	28.8	450	22.8	17.8	0.001	0.10	0.38	3.8	0.8	0.6	58.3	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC95290		<0.005	0.09	0.54	10	0.06	14.35	66	1.5
CC95291		<0.005	0.28	0.71	11	0.06	10.10	106	1.4
CC95292		0.005	0.25	1.42	20	0.08	11.10	106	1.5
CC95293		0.007	0.24	0.72	20	0.08	8.83	105	1.9
CC95294		0.006	0.21	1.00	21	0.08	8.06	125	1.8
CC95295		0.006	0.19	0.81	20	0.07	7.92	100	1.8
CC95296		0.006	0.18	0.74	27	0.07	9.92	95	2.9
CC95297		0.009	0.24	0.71	25	0.10	8.00	100	1.9
CC95298		0.006	0.27	0.65	22	0.11	11.85	109	2.1
CC95299		0.006	0.16	0.72	23	0.07	9.80	96	1.6
CC95300		0.007	0.24	0.65	25	0.08	10.70	102	2.1
ZZ15883		0.006	0.33	0.68	25	0.08	9.90	109	2.1
ZZ15884		0.006	0.25	0.55	24	0.10	10.55	109	1.5
ZZ15885		0.005	0.19	0.83	19	0.08	11.85	90	1.0
ZZ15886		0.007	0.31	0.55	22	0.09	8.48	102	1.4
ZZ15887		0.005	0.47	0.57	17	0.08	10.20	88	1.4
ZZ15888		0.005	0.28	0.81	21	0.09	9.38	82	1.8
ZZ15889		<0.005	0.58	0.71	16	0.08	9.03	90	1.1
ZZ15890		<0.005	0.37	0.45	15	0.13	9.22	82	1.3
ZZ15891		<0.005	0.36	0.38	16	0.08	7.30	87	1.4
ZZ15892		<0.005	0.70	0.39	8	<0.05	8.15	91	2.4
ZZ15893		<0.005	0.47	0.33	8	0.10	6.11	99	2.0
ZZ15894		0.005	0.31	0.34	16	0.07	3.31	74	1.3
ZZ15895		0.006	0.16	1.55	20	0.08	5.97	67	1.0
ZZ15896		0.005	0.16	1.06	19	0.08	10.10	76	1.3
ZZ15897		0.009	0.14	0.65	21	0.09	6.28	104	1.6
ZZ15898		<0.005	0.29	0.37	10	<0.05	11.60	31	0.9
ZZ15899		<0.005	0.18	0.26	13	<0.05	1.64	29	1.2
ZZ15900		<0.005	1.28	1.11	21	0.12	19.80	269	3.2
ZZ15901		0.006	0.08	0.47	18	0.07	5.14	39	0.9
ZZ15902		<0.005	0.27	0.41	14	0.08	5.11	117	0.7
ZZ15903		<0.005	0.33	0.80	21	0.09	5.94	135	1.8
ZZ15904		0.007	0.31	1.24	24	0.10	7.71	102	1.5
ZZ15905		<0.005	0.51	0.32	15	0.05	4.25	262	0.7
ZZ15906		0.007	0.29	0.38	34	0.15	2.08	64	0.9
ZZ15907		0.015	0.42	0.36	33	0.12	1.92	73	1.4
ZZ15908		0.011	0.11	0.66	24	0.12	7.91	87	1.7
ZZ15909		0.008	0.10	1.02	19	0.09	5.88	77	1.1
ZZ15910		0.010	0.11	0.56	23	0.11	4.98	87	1.9
ZZ15911		<0.005	1.83	0.80	13	0.07	6.97	114	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ15912		0.24	0.001	0.12	1.32	363	<0.2	10	210	1.20	0.36	2.67	0.30	21.0	14.7	20
ZZ15913		0.24	0.001	0.06	1.75	483	<0.2	<10	220	1.09	0.33	0.84	0.36	20.2	13.8	26
ZZ15914		0.20	0.002	0.06	1.87	640	<0.2	10	230	1.14	0.32	3.53	0.44	29.0	11.7	23
ZZ15915		0.14	0.001	0.08	0.85	710	<0.2	10	140	1.01	0.26	2.12	0.16	13.25	9.4	13
ZZ15916		0.40	0.001	0.05	1.23	135.0	<0.2	<10	180	0.87	0.32	0.84	0.15	12.95	12.2	21
ZZ15917		0.26	0.002	0.09	0.81	1425	<0.2	10	110	1.10	0.40	1.16	0.15	13.85	14.6	14
ZZ15918		0.20	<0.001	0.03	0.94	146.0	<0.2	<10	140	0.65	0.32	0.90	0.13	8.43	9.3	15
ZZ15919		0.22	0.001	0.10	0.65	507	<0.2	<10	130	0.90	0.33	1.15	0.18	12.20	9.5	12
CC95044		0.18	0.002	0.18	0.82	28.3	<0.2	10	300	0.78	0.25	2.19	0.60	11.90	9.4	14
CC95045		0.48	0.002	0.19	0.99	26.1	<0.2	10	350	0.98	0.27	1.98	0.69	14.30	12.3	17
CC95046		0.22	0.001	0.15	0.78	17.0	<0.2	10	400	0.57	0.20	2.93	1.05	7.94	7.7	12
CC95047		0.48	0.001	0.20	0.97	24.9	<0.2	<10	360	0.79	0.24	1.48	0.93	13.90	11.7	16
CC95048		0.28	0.001	0.18	0.88	20.0	<0.2	10	360	0.73	0.21	2.51	0.61	10.65	8.6	14
CC95049		0.34	0.001	0.44	0.90	25.8	<0.2	10	320	0.82	0.24	2.15	0.75	11.85	10.4	14
ZZ15701		0.34	0.001	0.29	0.97	29.9	<0.2	10	350	0.94	0.26	2.12	0.66	12.85	11.9	15
ZZ15702		0.32	0.001	0.15	1.08	28.0	<0.2	<10	270	1.21	0.32	0.76	0.58	15.75	11.1	17
ZZ15703		0.50	0.001	0.15	1.41	23.6	<0.2	<10	370	1.01	0.37	0.64	0.30	21.5	13.4	23
ZZ15704		0.44	0.001	0.14	1.23	30.7	<0.2	<10	320	1.36	0.39	0.36	0.18	17.35	15.9	21
ZZ15705		0.26	0.001	0.14	1.09	26.0	<0.2	<10	310	0.90	0.28	1.43	0.38	13.15	9.7	18
ZZ15706		0.48	0.001	0.14	1.12	45.9	<0.2	<10	180	1.07	0.37	0.66	0.20	13.55	12.8	21
ZZ15707		0.30	0.002	0.17	0.69	16.4	<0.2	10	190	0.61	0.22	3.10	0.20	8.20	7.3	10
ZZ15708		0.32	0.001	0.28	0.39	16.6	<0.2	<10	60	0.74	0.33	0.43	0.10	8.04	13.2	6
ZZ15709		0.22	<0.001	0.13	0.64	19.8	<0.2	<10	50	0.21	0.34	0.05	0.08	7.93	4.7	10
ZZ15710		0.38	<0.001	0.04	1.63	12.0	<0.2	<10	110	0.64	0.33	0.12	0.04	18.45	8.2	20
ZZ15711		0.14	0.001	0.16	0.83	7.1	<0.2	<10	330	0.70	0.18	3.30	0.22	16.15	13.6	8
ZZ15712		0.22	0.001	0.13	0.87	15.5	<0.2	10	150	0.82	0.32	2.17	0.20	11.85	11.1	15
ZZ15713		0.14	<0.001	0.10	0.57	8.3	<0.2	10	200	0.53	0.15	4.06	0.77	4.30	5.0	8
ZZ15714		0.38	<0.001	0.08	1.16	20.6	<0.2	<10	70	0.49	0.35	0.07	0.09	15.00	8.0	22
ZZ15715		0.36	<0.001	0.05	1.20	22.7	<0.2	<10	100	0.62	0.37	0.10	0.13	11.95	11.2	25
ZZ15716		0.34	0.001	0.04	1.26	21.7	<0.2	<10	140	1.48	0.38	0.25	0.12	16.55	20.6	26
ZZ15717		0.52	0.001	0.08	1.16	30.6	<0.2	<10	160	1.16	0.40	0.41	0.15	14.90	13.0	25
ZZ15718		0.30	0.002	0.39	0.95	33.0	<0.2	<10	240	1.59	0.40	0.60	0.41	11.90	15.6	16
ZZ15719		0.28	0.001	0.30	0.77	105.5	<0.2	<10	160	0.80	0.29	1.81	0.66	7.64	10.3	16
ZZ15720		0.26	0.001	0.19	0.98	48.4	<0.2	<10	140	0.73	0.30	1.64	0.26	15.25	10.6	17
ZZ15196		0.20	0.001	0.22	1.24	2450	<0.2	<10	270	1.06	0.27	1.20	0.41	16.80	12.9	20
ZZ15742		0.20	0.001	0.18	0.40	122.0	<0.2	<10	80	0.55	0.16	1.09	0.17	29.5	6.3	8
ZZ15743		0.14	0.001	0.08	0.60	129.0	<0.2	<10	90	0.27	0.13	2.72	0.70	10.30	3.9	9
ZZ15744		0.20	0.004	0.16	0.96	827	<0.2	<10	170	0.73	0.21	2.21	0.38	14.75	7.6	14
ZZ15745		0.36	<0.001	0.04	1.70	25.1	<0.2	<10	200	0.59	0.30	0.32	0.13	20.3	7.0	23
ZZ15746		0.40	0.002	0.04	1.43	42.7	<0.2	<10	190	1.12	0.29	0.28	0.11	23.3	13.0	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15912		1.47	30.0	4.96	4.21	0.10	0.09	1.58	0.032	0.11	11.5	11.5	1.29	2540	0.68
ZZ15913		1.16	20.0	4.37	5.64	0.08	0.06	1.09	0.036	0.08	7.4	21.1	0.46	1800	0.62
ZZ15914		1.88	23.5	5.84	5.47	0.12	0.07	0.55	0.031	0.08	17.2	16.2	2.00	3960	0.67
ZZ15915		10.10	27.8	3.00	2.68	0.09	0.03	1.88	0.023	0.08	6.9	10.6	0.24	719	0.41
ZZ15916		0.72	29.7	3.70	4.56	0.09	0.05	2.19	0.034	0.07	6.0	17.5	0.40	695	0.42
ZZ15917		11.40	39.2	3.55	2.77	0.09	0.05	3.36	0.032	0.10	5.9	11.1	0.48	812	0.54
ZZ15918		1.41	15.9	3.06	3.83	0.08	0.03	0.22	0.027	0.09	3.8	12.2	0.22	424	0.46
ZZ15919		4.23	29.6	3.35	2.09	0.09	0.06	1.05	0.030	0.08	5.8	6.6	0.38	648	0.65
CC95044		1.08	30.2	2.65	2.76	0.09	0.07	0.47	0.024	0.10	5.5	11.1	0.54	353	1.25
CC95045		0.78	29.5	3.04	3.39	0.10	0.07	0.39	0.029	0.11	6.2	13.8	0.45	527	1.49
CC95046		0.55	21.7	2.08	2.32	0.09	0.05	0.42	0.020	0.08	3.7	8.3	0.33	406	1.14
CC95047		0.74	28.3	2.85	3.24	0.08	0.06	0.50	0.024	0.09	6.2	12.2	0.28	615	1.54
CC95048		0.67	23.6	2.42	2.65	0.08	0.05	0.42	0.025	0.09	5.0	9.9	0.32	438	1.01
CC95049		0.95	27.4	2.61	2.89	0.09	0.06	0.54	0.029	0.11	5.5	10.5	0.35	642	1.14
ZZ15701		1.03	28.9	2.79	3.11	0.10	0.06	0.60	0.029	0.10	6.0	11.9	0.36	663	1.09
ZZ15702		1.90	31.7	2.98	3.75	0.09	0.05	0.70	0.030	0.11	7.9	11.3	0.22	660	0.85
ZZ15703		0.77	26.2	4.08	4.91	0.09	0.06	0.38	0.038	0.07	7.2	18.3	0.39	1010	1.05
ZZ15704		0.98	42.6	3.99	4.70	0.09	0.07	0.58	0.040	0.08	7.1	16.4	0.31	845	1.05
ZZ15705		0.66	27.4	3.00	3.80	0.09	0.05	0.32	0.030	0.07	6.0	13.9	0.31	456	0.83
ZZ15706		1.40	31.7	3.85	4.12	0.09	0.06	2.99	0.033	0.08	7.4	14.5	0.29	627	1.06
ZZ15707		1.17	21.5	2.04	2.04	0.08	0.04	0.31	0.023	0.05	3.6	7.3	0.23	428	0.50
ZZ15708		2.54	28.2	3.36	1.04	0.08	0.04	0.07	0.028	0.08	2.7	5.5	0.08	294	0.62
ZZ15709		1.79	32.6	5.99	4.38	0.07	<0.02	0.06	0.023	0.05	4.0	1.9	0.03	78	1.43
ZZ15710		1.74	14.7	3.82	6.06	0.09	0.04	0.05	0.031	0.05	7.4	34.2	0.30	290	0.78
ZZ15711		0.70	16.9	2.39	2.10	0.10	0.04	0.11	0.026	0.03	5.6	11.7	0.13	1160	0.36
ZZ15712		6.26	30.9	2.95	3.02	0.09	0.04	0.12	0.029	0.07	4.7	14.7	0.28	746	0.56
ZZ15713		6.28	26.6	1.35	1.78	0.08	0.04	0.19	0.015	0.05	2.2	5.7	0.37	601	0.41
ZZ15714		4.45	18.0	4.04	5.66	0.09	0.02	0.03	0.037	0.07	6.5	15.0	0.18	378	0.94
ZZ15715		1.59	28.7	4.32	4.78	0.08	0.02	0.23	0.043	0.09	4.5	17.6	0.27	531	0.99
ZZ15716		1.91	46.2	4.78	4.65	0.10	0.03	0.18	0.053	0.08	6.1	18.2	0.31	763	0.85
ZZ15717		1.45	35.6	4.39	4.48	0.09	0.05	0.24	0.045	0.09	6.1	16.0	0.30	591	0.76
ZZ15718		28.7	38.6	3.86	3.03	0.10	0.05	0.48	0.045	0.10	4.8	11.8	0.18	641	0.97
ZZ15719		23.5	30.1	3.08	2.71	0.09	0.03	0.97	0.047	0.08	3.2	10.6	0.18	593	0.95
ZZ15720		15.25	32.1	3.40	2.94	0.11	0.05	2.50	0.045	0.09	4.9	12.8	0.18	355	0.77
ZZ15196		1.69	32.3	3.42	3.87	0.09	0.07	3.29	0.035	0.10	7.3	13.1	0.36	740	1.25
ZZ15742		4.18	13.0	2.22	1.24	0.10	0.05	1.23	0.027	0.06	13.4	2.8	0.07	226	0.41
ZZ15743		1.03	13.9	1.49	2.05	0.08	0.05	1.08	0.018	0.04	3.8	2.5	0.32	875	0.48
ZZ15744		1.70	18.6	2.87	2.84	0.08	0.09	9.87	0.027	0.08	7.0	6.6	0.31	651	0.55
ZZ15745		2.44	12.2	3.45	6.12	0.08	0.03	0.28	0.032	0.07	8.3	15.3	0.32	605	0.99
ZZ15746		1.48	25.0	4.08	4.84	0.09	0.04	0.37	0.035	0.06	9.2	15.9	0.34	865	0.89



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ15912		0.64	27.4	470	55.0	8.8	<0.001	0.04	18.05	6.2	1.0	0.9	30.0	<0.01	0.05
ZZ15913		1.15	22.7	250	34.1	13.2	<0.001	0.02	11.10	4.4	0.5	0.8	15.4	<0.01	0.04
ZZ15914		0.79	23.2	470	44.1	9.7	<0.001	0.03	7.75	5.8	1.0	0.7	22.6	<0.01	0.05
ZZ15915		0.42	19.3	490	31.5	14.4	<0.001	0.07	6.95	2.6	1.0	0.5	49.5	<0.01	0.02
ZZ15916		1.10	22.1	240	25.7	8.1	<0.001	0.02	2.08	4.4	0.6	0.6	23.7	<0.01	0.03
ZZ15917		0.53	24.3	420	29.7	17.9	<0.001	0.04	2.95	4.1	0.7	0.6	27.3	<0.01	0.02
ZZ15918		0.64	13.9	190	22.2	14.1	<0.001	0.02	0.97	2.5	0.4	0.6	26.5	<0.01	0.02
ZZ15919		0.27	21.2	390	28.4	8.3	<0.001	0.04	1.84	4.5	0.8	0.5	25.0	<0.01	0.03
CC95044		0.36	27.2	630	18.7	8.1	0.004	0.08	1.03	3.4	1.7	0.7	47.2	<0.01	0.04
CC95045		0.42	31.0	590	20.2	8.2	0.002	0.06	0.90	4.1	1.7	0.7	47.1	<0.01	0.03
CC95046		0.32	20.2	620	13.9	5.9	0.001	0.12	0.82	1.8	1.4	0.5	59.9	<0.01	0.02
CC95047		0.40	30.1	700	20.1	7.7	0.001	0.06	0.89	3.4	1.2	0.5	39.4	<0.01	0.03
CC95048		0.33	22.6	660	15.9	6.9	0.002	0.11	0.82	2.5	1.6	0.5	55.2	<0.01	0.04
CC95049		0.37	25.9	640	18.8	8.9	0.001	0.09	0.91	2.9	1.6	0.5	55.2	<0.01	0.04
ZZ15701		0.42	28.9	560	20.5	9.8	0.001	0.07	0.91	3.3	1.9	0.5	56.0	<0.01	0.05
ZZ15702		0.50	27.6	370	21.7	15.6	<0.001	0.03	1.14	4.5	1.0	0.6	37.4	<0.01	0.02
ZZ15703		0.62	26.0	370	29.9	8.8	<0.001	0.02	0.59	4.4	0.9	0.7	23.6	<0.01	0.03
ZZ15704		0.48	29.8	230	32.4	8.7	<0.001	0.01	0.62	5.8	1.3	0.7	18.2	<0.01	0.03
ZZ15705		0.54	21.7	430	20.1	7.7	<0.001	0.05	0.65	3.3	1.2	0.6	39.4	<0.01	0.03
ZZ15706		0.49	27.5	330	25.1	8.3	<0.001	0.02	0.66	4.8	1.0	0.6	33.0	<0.01	0.05
ZZ15707		0.30	17.3	610	15.5	7.3	<0.001	0.14	0.37	1.9	1.7	0.4	115.0	<0.01	0.02
ZZ15708		0.12	34.0	230	27.5	6.9	<0.001	0.03	0.38	4.5	0.6	0.4	24.8	<0.01	0.04
ZZ15709		0.42	13.7	600	18.8	7.7	<0.001	0.03	0.56	1.5	0.4	1.1	6.0	<0.01	0.06
ZZ15710		0.66	17.1	230	20.8	13.5	<0.001	0.01	0.34	3.0	0.5	0.7	11.0	<0.01	0.05
ZZ15711		0.31	15.7	1010	16.6	5.6	<0.001	0.16	0.34	1.9	1.7	0.3	219	<0.01	0.02
ZZ15712		0.43	21.9	530	24.7	16.8	<0.001	0.09	0.40	3.0	1.0	0.5	84.9	<0.01	0.03
ZZ15713		0.27	14.0	830	8.5	10.9	0.001	0.25	0.38	1.0	1.1	0.4	90.4	<0.01	0.02
ZZ15714		0.88	13.7	220	23.4	19.2	<0.001	0.02	0.43	2.5	0.3	0.8	7.0	<0.01	0.03
ZZ15715		0.54	19.4	250	25.4	11.9	<0.001	0.02	0.42	3.3	0.4	0.8	12.3	<0.01	0.03
ZZ15716		0.54	35.5	330	29.1	10.6	<0.001	0.03	0.35	5.9	0.6	0.7	12.8	<0.01	0.03
ZZ15717		0.56	24.6	280	24.1	9.9	<0.001	0.03	0.35	6.1	0.9	0.7	17.3	<0.01	0.04
ZZ15718		0.37	42.2	530	27.9	29.9	<0.001	0.06	0.40	6.8	1.0	0.6	33.2	<0.01	0.06
ZZ15719		0.31	34.9	590	36.8	21.3	<0.001	0.18	1.07	2.9	1.0	0.5	60.4	<0.01	0.03
ZZ15720		0.36	23.6	580	27.5	17.5	<0.001	0.14	1.04	5.4	1.0	0.6	52.1	<0.01	0.03
ZZ15196		0.33	27.3	980	23.3	12.5	<0.001	0.11	3.35	3.0	1.4	0.6	26.7	<0.01	0.03
ZZ15742		0.23	17.1	690	40.2	4.5	<0.001	0.07	0.82	3.0	0.9	0.3	46.4	<0.01	0.02
ZZ15743		0.39	7.3	1020	18.8	3.9	<0.001	0.19	1.08	1.2	0.5	0.4	41.3	<0.01	0.03
ZZ15744		0.39	20.2	900	25.0	7.1	<0.001	0.11	5.49	2.6	0.8	0.5	64.1	<0.01	0.03
ZZ15745		0.83	14.7	530	20.0	14.9	<0.001	0.04	0.50	2.4	0.3	0.7	10.6	<0.01	0.03
ZZ15746		0.42	24.2	200	32.5	10.6	<0.001	0.02	0.47	4.8	0.8	0.7	11.7	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15912		0.006	0.71	0.80	27	0.21	13.30	137	2.1
ZZ15913		0.011	0.38	0.94	34	0.12	5.35	159	1.7
ZZ15914		0.010	0.45	0.95	39	0.16	18.50	190	2.0
ZZ15915		0.005	0.48	1.44	18	0.13	11.10	60	0.9
ZZ15916		0.011	0.16	0.91	23	0.10	6.36	95	1.2
ZZ15917		0.005	0.48	0.71	17	0.15	7.81	112	1.2
ZZ15918		0.007	0.22	0.38	22	0.08	2.29	77	1.1
ZZ15919		<0.005	0.36	0.76	17	0.07	9.79	89	1.2
CC95044		<0.005	0.18	1.03	29	0.05	8.42	128	1.9
CC95045		<0.005	0.16	1.09	34	0.06	8.96	133	1.8
CC95046		<0.005	0.12	1.73	27	0.05	5.27	128	1.5
CC95047		<0.005	0.15	1.34	34	0.07	8.97	136	1.5
CC95048		<0.005	0.13	1.63	28	0.05	7.57	113	1.5
CC95049		0.005	0.16	1.23	28	0.06	8.41	121	1.6
ZZ15701		<0.005	0.19	1.28	28	0.05	9.67	117	1.6
ZZ15702		0.006	0.14	1.20	28	0.08	13.45	90	1.4
ZZ15703		0.009	0.15	0.97	35	0.09	6.63	105	1.4
ZZ15704		0.006	0.18	0.75	30	0.07	10.30	101	2.1
ZZ15705		0.007	0.11	1.24	27	0.07	6.86	83	1.3
ZZ15706		0.006	0.22	0.78	30	0.09	9.06	95	1.7
ZZ15707		<0.005	0.11	1.05	14	0.05	6.15	83	1.2
ZZ15708		<0.005	0.14	0.35	8	<0.05	5.46	63	1.0
ZZ15709		0.005	0.14	0.22	38	0.10	1.19	60	<0.5
ZZ15710		0.009	0.11	0.59	38	0.12	3.77	51	1.6
ZZ15711		0.005	0.05	2.47	13	0.09	9.04	27	1.0
ZZ15712		0.006	0.09	1.74	19	0.08	8.33	104	1.0
ZZ15713		0.005	0.08	1.95	11	0.05	3.67	97	1.1
ZZ15714		0.017	0.12	0.42	41	0.13	2.16	84	1.1
ZZ15715		0.009	0.11	0.52	35	0.08	2.94	97	0.9
ZZ15716		0.011	0.11	1.01	30	0.11	7.56	124	1.0
ZZ15717		0.010	0.07	0.72	30	0.10	8.05	109	1.6
ZZ15718		<0.005	0.38	1.25	22	0.07	14.70	126	1.4
ZZ15719		0.005	1.25	1.08	27	0.11	6.04	123	0.7
ZZ15720		<0.005	1.24	1.36	22	0.07	10.20	108	1.3
ZZ15196		0.005	15.25	3.14	31	0.07	10.65	124	1.6
ZZ15742		0.005	0.38	0.81	10	0.06	12.75	70	1.8
ZZ15743		0.014	0.27	1.00	15	0.06	4.40	229	1.5
ZZ15744		<0.005	3.11	1.96	20	0.14	9.90	134	2.2
ZZ15745		0.012	0.27	0.55	51	0.16	2.87	63	0.6
ZZ15746		0.006	0.16	0.76	33	0.07	8.58	88	1.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15747		0.20	0.003	0.41	1.47	96.2	<0.2	<10	390	1.33	0.25	1.71	0.28	16.30	12.3	23
ZZ15748		0.26	0.002	0.17	1.39	59.7	<0.2	<10	300	0.96	0.28	0.97	0.68	18.10	10.0	22
ZZ15749		0.20	0.002	0.17	1.44	36.6	<0.2	<10	250	1.11	0.29	0.86	0.36	18.25	11.0	24
ZZ15750		0.24	0.001	0.08	1.38	20.3	<0.2	<10	300	0.94	0.27	0.50	0.29	15.30	9.4	21
ZZ15721		0.18	0.003	0.15	0.56	27.9	<0.2	<10	110	0.81	0.23	2.92	0.24	20.2	7.5	11
ZZ15722		0.24	0.002	0.17	1.19	18.7	<0.2	<10	240	1.04	0.29	2.16	0.22	9.02	8.8	18
ZZ15723		0.30	0.003	0.14	0.89	37.0	<0.2	<10	160	0.70	0.29	1.59	0.16	10.60	7.0	15
ZZ15724		0.28	0.002	0.20	0.75	17.1	<0.2	<10	180	0.71	0.25	1.15	0.10	6.27	4.9	13
ZZ15725		0.20	0.004	0.69	1.00	34.4	<0.2	<10	310	0.88	0.33	0.93	0.11	8.30	6.0	17
ZZ15726		0.44	0.005	0.35	0.96	19.2	<0.2	<10	240	0.84	0.35	0.58	0.08	9.39	7.1	17
ZZ15727		0.70	0.002	0.13	1.26	16.8	<0.2	<10	250	1.07	0.38	0.42	0.06	13.95	9.6	25
ZZ15728		0.28	0.002	0.22	0.99	14.8	<0.2	<10	250	0.87	0.34	0.42	0.10	12.55	8.0	19
ZZ15729		0.48	0.002	0.16	1.18	16.0	<0.2	<10	250	0.81	0.36	0.36	0.16	12.75	12.0	24
ZZ15730		0.22	0.005	0.38	1.39	28.3	<0.2	<10	310	1.19	0.41	0.83	0.29	14.00	11.5	25
ZZ15731		0.48	0.002	0.15	1.37	15.3	<0.2	<10	220	1.13	0.38	0.50	0.10	13.25	10.4	26
ZZ15732		0.34	0.002	0.13	1.11	11.9	<0.2	<10	250	0.94	0.28	1.33	0.25	14.20	8.8	19
ZZ15733		0.18	NSS	0.15	0.46	6.3	<0.2	10	190	0.36	0.07	3.45	0.91	3.03	1.4	6
ZZ15734		0.28	0.003	0.16	1.23	11.0	<0.2	<10	1490	1.18	0.24	1.53	0.71	9.19	22.3	17
ZZ15735		0.54	0.003	0.13	1.36	154.0	<0.2	<10	220	1.30	0.36	1.16	0.59	12.55	16.6	24
ZZ15736		0.24	0.003	0.08	0.94	923	<0.2	<10	180	1.34	0.26	0.88	9.07	9.00	41.1	16
ZZ15737		0.22	0.002	0.05	1.26	44.0	<0.2	<10	200	0.98	0.41	0.24	0.42	16.00	12.8	24
ZZ15738		0.48	0.002	0.08	1.46	18.1	<0.2	<10	270	1.11	0.36	0.43	0.13	18.50	11.9	25
ZZ15739		0.48	0.002	0.13	1.49	17.6	<0.2	<10	310	1.42	0.39	0.50	0.17	18.20	15.8	26
ZZ15740		0.42	0.002	0.24	0.73	18.0	<0.2	<10	110	0.50	0.34	0.05	0.09	7.83	7.2	16
ZZ15741		0.38	0.001	0.25	0.51	11.0	<0.2	<10	130	0.50	0.30	0.11	0.07	6.79	2.8	11



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15747		111.5	72.1	3.32	3.57	0.11	0.08	1.33	0.036	0.13	10.9	14.1	0.42	841	0.99
ZZ15748		66.2	30.5	3.59	4.01	0.09	0.07	2.16	0.032	0.11	9.1	13.0	0.35	847	0.89
ZZ15749		13.90	38.5	3.51	4.48	0.10	0.07	0.60	0.038	0.12	8.0	18.6	0.41	826	1.21
ZZ15750		3.81	22.1	3.25	4.43	0.08	0.07	0.23	0.033	0.12	6.1	17.8	0.27	866	0.82
ZZ15721		5.10	22.9	2.71	1.58	0.11	0.03	1.77	0.041	0.04	8.2	4.5	0.06	425	0.65
ZZ15722		1.23	44.6	3.23	3.82	0.09	0.04	0.42	0.036	0.08	3.6	10.0	0.21	686	1.01
ZZ15723		1.90	18.0	2.58	2.91	0.08	0.04	1.38	0.031	0.06	3.9	9.0	0.17	489	1.01
ZZ15724		1.36	22.8	2.05	2.73	0.08	0.04	1.07	0.024	0.07	2.7	7.2	0.14	283	3.20
ZZ15725		2.25	35.8	2.63	3.54	0.09	0.07	2.29	0.033	0.10	4.0	9.0	0.16	531	10.60
ZZ15726		1.62	32.7	2.82	3.61	0.09	0.06	0.49	0.030	0.09	3.9	10.3	0.20	407	8.83
ZZ15727		1.03	34.1	3.96	4.73	0.09	0.06	0.33	0.040	0.10	5.5	16.5	0.31	454	5.27
ZZ15728		1.23	33.1	2.78	4.01	0.08	0.03	0.42	0.033	0.10	5.1	11.7	0.23	417	6.80
ZZ15729		1.10	28.6	3.66	4.48	0.09	0.03	0.29	0.036	0.09	4.5	15.6	0.30	813	5.24
ZZ15730		1.76	46.9	3.78	5.09	0.10	0.09	0.90	0.049	0.13	5.7	18.0	0.35	676	2.62
ZZ15731		1.09	35.1	3.94	5.03	0.10	0.05	0.36	0.039	0.11	5.0	19.0	0.36	495	2.58
ZZ15732		0.86	32.6	2.74	3.82	0.09	0.06	0.33	0.031	0.11	4.8	14.5	0.31	733	1.49
ZZ15733		0.45	39.7	0.55	1.12	0.07	0.07	0.36	0.008	0.02	1.5	1.7	0.21	394	1.20
ZZ15734		1.02	45.5	5.27	3.51	0.09	0.07	0.33	0.031	0.08	3.3	14.2	0.22	11000	1.61
ZZ15735		1.19	51.0	5.03	4.44	0.10	0.06	0.20	0.048	0.11	5.0	23.9	0.33	1360	40.0
ZZ15736		9.80	39.0	15.30	3.25	0.12	0.04	0.35	0.032	0.10	3.2	12.1	0.22	4060	80.7
ZZ15737		0.99	35.1	4.70	5.29	0.09	0.03	0.12	0.049	0.10	6.3	14.5	0.25	679	3.57
ZZ15738		0.83	35.6	4.24	5.21	0.10	0.05	0.20	0.042	0.11	6.8	17.7	0.35	746	1.77
ZZ15739		1.60	45.1	4.17	5.06	0.11	0.06	0.97	0.040	0.13	7.6	21.4	0.39	1070	1.62
ZZ15740		1.81	25.4	2.34	3.39	0.09	<0.02	0.74	0.027	0.07	3.5	7.5	0.13	371	9.48
ZZ15741		2.08	22.6	1.42	2.32	0.08	<0.02	0.69	0.020	0.05	3.3	5.3	0.09	91	9.49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ15747		0.37	32.6	1740	20.1	22.9	<0.001	0.17	0.80	4.6	1.7	0.5	45.4	<0.01	0.05	1.0
ZZ15748		0.47	21.7	1430	23.9	20.6	<0.001	0.11	0.58	3.5	0.8	0.6	24.4	<0.01	0.03	1.3
ZZ15749		0.57	23.6	1080	24.0	27.8	<0.001	0.08	0.64	3.8	0.9	0.7	38.6	<0.01	0.03	1.7
ZZ15750		0.44	18.3	1030	17.6	20.1	<0.001	0.06	0.41	3.7	0.4	0.6	18.9	<0.01	0.02	2.1
ZZ15721		0.27	20.3	700	21.9	6.0	<0.001	0.13	0.46	3.7	1.1	0.7	68.5	<0.01	0.02	1.0
ZZ15722		0.43	21.3	750	22.2	9.5	<0.001	0.12	0.52	3.2	1.0	0.8	51.3	<0.01	0.04	0.9
ZZ15723		0.34	13.7	600	29.8	7.6	0.001	0.10	0.72	3.1	1.0	0.6	43.8	<0.01	0.03	1.2
ZZ15724		0.33	12.9	430	19.1	7.0	0.002	0.07	1.57	2.6	1.4	0.6	39.9	<0.01	0.04	1.1
ZZ15725		0.34	21.3	560	24.7	11.5	0.006	0.07	1.92	4.1	3.1	0.9	44.7	<0.01	0.07	1.6
ZZ15726		0.36	17.5	390	19.0	9.2	0.003	0.04	1.01	3.8	2.0	0.7	37.3	<0.01	0.07	2.5
ZZ15727		0.50	22.4	390	21.5	9.4	0.001	0.03	0.75	5.3	1.5	0.8	24.6	<0.01	0.05	4.6
ZZ15728		0.38	18.6	380	18.0	9.7	0.003	0.03	0.84	4.0	2.3	0.8	34.7	<0.01	0.09	2.7
ZZ15729		0.48	21.5	350	22.3	9.2	0.001	0.02	0.83	3.8	1.3	0.7	26.5	<0.01	0.05	3.4
ZZ15730		0.46	28.7	450	30.3	12.3	0.001	0.04	0.92	6.7	1.2	0.8	50.7	<0.01	0.05	3.9
ZZ15731		0.54	24.7	380	20.7	10.3	<0.001	0.03	0.59	5.0	1.2	0.8	26.8	<0.01	0.04	4.2
ZZ15732		0.44	22.2	440	19.7	9.6	0.001	0.07	0.46	4.1	1.1	0.6	50.6	<0.01	0.03	2.2
ZZ15733		0.26	10.4	870	3.5	1.9	0.003	0.65	0.53	0.9	1.4	0.5	106.5	<0.01	0.01	0.3
ZZ15734		0.27	31.0	860	17.2	10.7	0.002	0.23	0.33	4.2	2.0	0.5	70.0	<0.01	0.03	1.7
ZZ15735		0.53	57.1	490	25.5	19.6	0.004	0.11	0.47	6.1	4.3	0.7	28.5	<0.01	0.04	3.2
ZZ15736		0.40	175.5	430	18.3	17.9	0.002	0.09	0.56	4.7	3.0	0.6	22.3	<0.01	0.04	2.8
ZZ15737		0.63	21.3	330	25.3	15.5	<0.001	0.02	0.30	4.5	0.7	0.8	16.1	<0.01	0.04	4.0
ZZ15738		0.59	23.1	400	26.3	11.8	<0.001	0.02	0.37	5.0	0.9	0.8	23.5	<0.01	0.05	4.1
ZZ15739		0.48	35.4	440	27.8	11.1	<0.001	0.03	0.59	6.5	0.7	0.8	28.9	<0.01	0.04	4.5
ZZ15740		0.40	12.6	310	21.1	9.6	<0.001	0.02	0.88	2.4	1.4	0.7	25.8	<0.01	0.06	1.6
ZZ15741		0.30	9.7	210	18.0	7.4	0.001	0.02	0.83	1.9	1.3	0.6	22.9	<0.01	0.05	1.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11134834

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15747		<0.005	0.81	1.11	27	0.07	26.0	142	1.8
ZZ15748		0.008	0.38	3.37	32	0.12	13.35	246	1.5
ZZ15749		0.009	0.20	1.76	36	0.17	10.65	149	1.6
ZZ15750		0.006	0.18	0.98	30	0.08	6.80	101	1.4
ZZ15721		0.005	0.32	0.67	15	<0.05	13.50	78	0.9
ZZ15722		<0.005	0.13	0.65	23	0.09	6.55	79	1.1
ZZ15723		<0.005	0.35	0.90	21	0.05	5.52	85	1.0
ZZ15724		<0.005	0.21	0.68	32	0.09	4.09	50	1.1
ZZ15725		<0.005	0.78	0.77	49	0.11	7.42	61	1.7
ZZ15726		<0.005	0.27	0.74	43	0.09	5.39	66	1.6
ZZ15727		0.008	0.13	0.77	44	0.09	6.14	89	1.6
ZZ15728		<0.005	0.23	0.70	48	0.08	5.98	68	1.0
ZZ15729		0.009	0.18	0.76	47	0.09	4.15	88	1.1
ZZ15730		0.006	0.50	1.35	37	0.08	9.86	99	2.6
ZZ15731		0.009	0.15	0.71	32	0.08	5.61	89	1.8
ZZ15732		0.005	0.15	0.93	25	0.06	6.95	86	1.6
ZZ15733		0.006	0.09	1.11	8	<0.05	2.21	24	2.2
ZZ15734		<0.005	0.13	3.36	21	<0.05	10.00	121	1.8
ZZ15735		0.005	0.47	1.45	27	0.10	8.72	192	1.6
ZZ15736		0.006	3.21	2.94	21	0.09	7.06	412	1.1
ZZ15737		0.008	0.17	0.96	34	0.12	5.76	97	0.8
ZZ15738		0.009	0.11	0.97	35	0.11	7.14	93	1.3
ZZ15739		0.008	0.19	1.09	33	0.07	11.75	99	1.9
ZZ15740		0.006	0.40	0.63	49	0.09	2.90	42	<0.5
ZZ15741		0.005	0.48	0.73	34	0.08	3.48	24	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11134834

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41	NSS is non- sufficient sample. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2- SEP- 2011
Account: MTT

CERTIFICATE WH11138513

Project: Midas Touch- Crag East

P.O. No.:

This report is for 221 Soil samples submitted to our lab in Whitehorse, YT, Canada on 20-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15325		0.44	0.001	0.18	1.39	31.0	<0.2	<10	450	1.34	0.35	0.59	0.15	17.45	15.5	22
ZZ15326		0.40	0.001	0.15	1.47	38.6	<0.2	<10	540	2.06	0.33	0.31	0.17	18.65	15.7	24
ZZ15327		0.30	0.001	0.07	1.85	24.9	<0.2	<10	330	0.94	0.30	0.13	0.16	25.9	9.9	26
ZZ15328		0.34	0.001	0.07	2.03	32.2	<0.2	<10	270	0.95	0.34	0.08	0.17	25.7	15.6	29
ZZ15329		0.38	0.001	0.14	0.78	32.1	<0.2	<10	50	0.15	0.27	0.01	0.05	18.10	3.5	10
ZZ15330		0.44	0.001	0.17	0.54	34.9	<0.2	<10	160	0.78	0.30	0.89	0.44	14.65	10.9	9
ZZ15331		0.40	0.001	0.15	1.13	34.9	<0.2	<10	230	1.20	0.33	0.73	0.42	18.35	13.1	17
ZZ15332		0.48	0.003	0.14	0.78	49.0	<0.2	<10	260	1.11	0.33	1.64	0.50	15.20	17.6	13
ZZ15333		0.40	0.001	0.13	0.89	63.9	<0.2	<10	200	1.11	0.36	1.43	0.44	15.30	17.0	14
ZZ15334		0.40	0.002	0.27	1.08	86.1	<0.2	<10	350	1.24	0.32	0.80	1.19	21.1	16.2	19
ZZ15335		0.42	0.003	0.23	0.98	42.4	<0.2	<10	300	0.81	0.25	2.96	0.62	19.55	10.9	17
ZZ15336		0.46	0.002	0.34	1.35	69.6	<0.2	<10	310	1.14	0.31	1.28	0.74	20.7	18.4	22
ZZ15337		0.56	0.001	0.29	1.25	49.0	<0.2	<10	320	1.09	0.27	0.44	0.70	24.0	14.7	22
ZZ15338		0.32	0.002	0.24	1.16	219	<0.2	<10	230	1.06	0.31	0.64	0.67	18.65	14.3	19
ZZ15339		0.42	0.001	0.27	1.33	373	<0.2	<10	320	1.37	0.33	0.51	0.83	19.40	17.5	22
ZZ15340		0.48	0.002	0.25	1.27	56.0	<0.2	<10	370	1.25	0.35	0.49	0.68	20.3	14.5	21
ZZ15341		0.32	0.002	0.24	1.11	1475	<0.2	<10	220	0.96	0.25	2.30	2.52	15.95	10.5	18
ZZ15342		0.34	0.002	0.27	1.22	1305	<0.2	<10	260	1.09	0.32	1.33	0.57	18.00	13.2	19
ZZ15343		0.32	0.002	0.21	0.99	1420	<0.2	<10	230	1.07	0.32	1.40	0.33	24.2	12.2	17
ZZ15344		0.38	0.001	0.15	1.04	338	<0.2	<10	310	1.07	0.30	0.61	0.46	20.3	14.6	19
ZZ15345		0.38	0.001	0.19	1.24	79.4	<0.2	<10	350	1.22	0.33	0.80	0.56	18.40	14.7	20
ZZ15346		0.48	0.001	0.18	1.39	22.7	<0.2	<10	380	0.83	0.28	0.83	0.36	21.6	11.5	23
ZZ15347		0.32	0.001	0.22	1.39	150.5	<0.2	<10	280	0.97	0.31	0.80	1.63	22.2	12.3	23
ZZ15348		0.46	0.003	0.28	1.42	908	<0.2	<10	260	1.09	0.32	0.91	0.42	24.2	13.7	24
ZZ15349		0.48	0.003	0.23	1.30	1215	<0.2	<10	170	1.31	0.32	0.79	0.24	19.40	10.4	23
ZZ15350		0.32	0.003	0.21	1.47	601	<0.2	<10	280	1.36	0.31	1.32	0.35	18.80	10.3	23
ZZ15571		0.32	<0.001	0.07	1.97	36.2	<0.2	<10	140	0.92	0.33	0.10	0.07	13.90	10.9	24
ZZ15572		0.42	0.002	0.23	1.52	17.2	<0.2	<10	230	0.82	0.29	0.38	0.06	30.0	9.4	24
ZZ15573		0.48	0.001	0.07	0.40	15.0	<0.2	<10	50	0.24	0.21	0.05	0.01	13.25	2.8	6
ZZ15574		0.22	0.002	0.16	0.94	65.8	<0.2	<10	80	0.53	0.21	0.11	0.07	14.80	7.9	11
ZZ15575		0.44	0.002	0.23	1.03	44.4	<0.2	<10	280	0.85	0.30	1.60	0.23	16.35	13.4	18
ZZ15576		0.16	0.002	0.19	0.76	62.5	<0.2	<10	200	0.74	0.23	1.05	0.22	19.30	13.0	13
ZZ15577		0.16	0.003	0.31	0.39	14.2	<0.2	<10	140	0.38	0.22	0.37	0.07	5.16	3.6	8
ZZ15578		0.32	0.003	0.43	0.49	38.9	<0.2	<10	150	0.40	0.34	0.09	0.03	6.19	5.6	12
ZZ15579		0.22	0.003	0.31	1.48	30.7	<0.2	<10	440	0.82	0.38	0.73	0.30	11.15	17.5	25
ZZ15580		0.28	0.002	0.14	1.18	40.8	<0.2	<10	230	1.44	0.45	0.42	0.14	15.90	20.4	23
ZZ15581		0.28	0.002	0.25	0.47	31.3	<0.2	<10	110	0.76	0.24	0.95	0.10	11.50	10.8	8
ZZ15582		0.28	0.002	0.08	0.78	19.9	<0.2	<10	150	1.02	0.31	0.49	0.07	19.35	11.8	14
ZZ15583		0.32	0.001	0.14	0.34	34.6	<0.2	<10	40	0.19	0.18	0.12	0.05	7.02	4.2	5
ZZ15584		0.28	0.002	0.20	0.60	33.5	<0.2	<10	150	0.92	0.28	0.62	0.12	9.81	13.0	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15325		1.39	33.0	3.78	4.55	0.10	0.06	0.33	0.041	0.09	8.0	17.3	0.31	687	1.45
ZZ15326		52.5	30.9	4.12	4.84	0.11	0.05	0.54	0.046	0.12	9.6	22.3	0.32	1450	1.39
ZZ15327		6.84	20.7	3.63	6.85	0.09	0.02	0.13	0.040	0.07	11.5	24.1	0.35	463	1.30
ZZ15328		6.06	19.5	4.73	7.45	0.11	0.02	0.23	0.053	0.09	11.9	27.5	0.39	943	1.44
ZZ15329		3.37	11.8	1.72	5.54	0.08	<0.02	0.07	0.018	0.05	9.4	2.2	0.04	140	1.41
ZZ15330		6.33	26.0	3.15	1.70	0.10	0.06	0.62	0.035	0.07	6.1	6.7	0.33	526	0.74
ZZ15331		1.45	28.4	3.71	3.73	0.10	0.07	0.77	0.041	0.11	8.5	13.4	0.33	586	0.96
ZZ15332		2.81	36.1	3.53	2.76	0.09	0.07	1.43	0.036	0.12	6.5	12.4	0.87	798	1.01
ZZ15333		2.32	39.7	3.71	3.03	0.09	0.07	2.03	0.035	0.12	6.7	12.8	0.76	749	1.06
ZZ15334		2.61	46.0	4.00	3.67	0.13	0.07	1.47	0.038	0.13	10.7	15.0	0.46	830	2.52
ZZ15335		1.72	30.8	3.04	3.18	0.11	0.04	0.83	0.028	0.10	10.0	12.4	1.40	597	1.37
ZZ15336		2.36	49.1	3.82	4.34	0.11	0.07	0.79	0.041	0.16	10.3	19.1	0.86	852	2.35
ZZ15337		1.35	42.6	3.87	4.15	0.11	0.04	0.59	0.038	0.11	12.5	18.5	0.38	643	2.56
ZZ15338		3.55	33.8	3.70	3.90	0.09	0.06	0.94	0.041	0.11	7.7	15.5	0.34	676	1.61
ZZ15339		2.67	44.4	4.40	4.53	0.10	0.07	1.41	0.047	0.13	8.7	17.7	0.41	778	1.95
ZZ15340		2.17	47.1	4.10	4.28	0.10	0.07	1.03	0.045	0.13	10.8	18.3	0.39	502	2.13
ZZ15341		9.88	26.4	3.10	3.30	0.09	0.07	1.77	0.034	0.12	7.6	13.8	1.02	427	1.02
ZZ15342		10.50	36.3	3.60	3.90	0.10	0.06	0.65	0.039	0.11	9.0	17.8	0.66	636	1.49
ZZ15343		27.9	33.2	3.49	3.01	0.10	0.05	0.54	0.045	0.08	11.4	14.4	0.29	477	0.88
ZZ15344		30.8	20.0	2.83	3.74	0.10	0.02	15.20	0.034	0.07	9.8	13.8	0.28	509	1.08
ZZ15345		1.92	38.2	3.69	4.27	0.11	0.05	0.79	0.035	0.12	8.6	22.4	0.39	1000	1.40
ZZ15346		1.33	21.2	3.18	4.67	0.10	0.04	0.42	0.036	0.08	10.5	19.3	0.37	449	1.16
ZZ15347		5.30	28.1	3.43	4.35	0.09	0.07	1.08	0.036	0.12	10.8	28.0	0.42	683	1.04
ZZ15348		8.97	36.0	3.60	4.67	0.11	0.06	0.56	0.043	0.13	11.9	23.3	0.49	508	1.46
ZZ15349		31.1	27.9	3.26	4.92	0.10	0.07	1.25	0.037	0.12	10.3	20.8	0.48	321	0.88
ZZ15350		13.15	32.8	2.92	5.25	0.10	0.05	0.22	0.029	0.09	9.1	26.6	0.47	474	0.74
ZZ15351		4.04	18.2	3.79	6.38	0.08	0.05	0.26	0.046	0.05	5.6	20.0	0.27	437	0.74
ZZ15352		2.75	17.9	3.10	4.92	0.11	0.03	0.09	0.029	0.05	15.0	18.4	0.40	252	0.84
ZZ15353		1.46	5.3	1.24	1.39	0.07	<0.02	0.56	0.017	0.05	6.1	2.9	0.04	76	0.37
ZZ15354		3.11	7.2	2.36	2.42	0.08	0.03	1.93	0.029	0.05	6.3	8.1	0.06	188	0.76
ZZ15355		2.86	43.0	3.01	3.41	0.10	0.04	1.61	0.042	0.07	6.9	13.6	0.27	2000	1.16
ZZ15356		5.71	25.0	2.96	2.35	0.09	0.04	3.33	0.033	0.06	7.5	7.4	0.13	2180	0.60
ZZ15357		2.84	24.2	0.91	1.87	0.08	0.04	1.87	0.021	0.05	2.6	4.9	0.12	250	1.66
ZZ15358		5.85	23.4	1.95	2.69	0.09	<0.02	4.79	0.036	0.05	3.0	5.6	0.11	347	16.10
ZZ15359		1.68	49.9	5.04	5.51	0.11	0.03	0.85	0.084	0.10	4.9	13.5	0.24	2260	8.28
ZZ15360		0.89	71.8	4.73	5.21	0.09	0.05	0.45	0.063	0.06	6.0	16.9	0.33	1350	2.04
ZZ15361		2.11	21.3	3.12	1.24	0.08	0.03	0.48	0.032	0.05	4.6	3.8	0.07	436	0.69
ZZ15362		3.51	16.0	3.62	2.16	0.09	0.05	0.12	0.038	0.07	8.6	7.8	0.16	412	0.66
ZZ15363		1.72	13.8	1.87	1.59	0.07	<0.02	0.10	0.019	0.06	3.4	1.4	0.03	67	1.35
ZZ15364		5.70	28.3	3.44	1.70	0.08	0.04	0.71	0.037	0.07	3.8	5.8	0.09	400	0.81



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ15325		0.55	32.1	390	22.7	9.6	0.001	0.02	0.61	4.8	1.3	0.6	22.5	<0.01	0.05
ZZ15326		0.61	31.0	680	20.5	20.8	<0.001	0.03	0.77	7.4	1.3	0.6	19.9	<0.01	0.04
ZZ15327		1.20	22.7	420	18.8	14.0	<0.001	0.01	0.54	3.5	0.8	0.8	11.1	<0.01	0.06
ZZ15328		1.34	25.3	420	26.8	17.1	<0.001	0.01	0.70	4.1	0.8	0.8	11.0	<0.01	0.06
ZZ15329		0.60	6.7	270	11.6	10.5	0.001	<0.01	0.49	1.2	0.5	0.8	5.8	<0.01	0.05
ZZ15330		0.26	28.2	420	28.3	10.1	0.001	0.04	1.36	4.2	1.5	0.4	28.4	<0.01	0.05
ZZ15331		0.51	26.5	400	31.4	10.6	<0.001	0.02	1.27	5.1	1.2	0.5	21.5	<0.01	0.05
ZZ15332		0.30	32.2	380	39.8	9.1	0.001	0.07	1.80	5.2	0.9	0.5	30.8	<0.01	0.05
ZZ15333		0.29	31.7	360	36.2	8.6	0.001	0.05	1.90	5.3	1.1	0.5	28.3	<0.01	0.03
ZZ15334		0.34	44.1	780	35.0	10.1	0.001	0.01	1.78	6.1	1.3	0.5	33.1	<0.01	0.07
ZZ15335		0.57	27.0	680	32.0	9.0	0.001	0.04	1.54	4.4	1.0	0.4	43.3	<0.01	0.04
ZZ15336		0.39	43.8	710	28.8	11.3	0.001	0.02	1.39	6.2	1.7	0.6	33.8	<0.01	0.06
ZZ15337		0.49	43.0	960	43.1	8.7	<0.001	0.01	1.49	5.8	1.6	0.5	29.2	<0.01	0.06
ZZ15338		0.45	33.6	430	36.0	12.9	0.001	0.02	1.82	5.0	1.4	0.5	24.3	<0.01	0.04
ZZ15339		0.40	46.2	350	40.5	12.5	<0.001	0.01	2.05	7.0	1.1	0.6	24.4	<0.01	0.06
ZZ15340		0.42	40.1	730	40.5	11.0	0.001	0.01	1.45	6.5	1.4	0.6	31.5	<0.01	0.06
ZZ15341		0.39	27.6	740	29.9	18.4	<0.001	0.06	4.12	4.3	1.5	0.4	39.0	<0.01	0.04
ZZ15342		0.45	32.0	590	30.8	12.3	0.001	0.04	2.67	4.6	1.4	0.5	32.4	<0.01	0.04
ZZ15343		0.52	29.1	670	25.8	11.1	<0.001	0.03	2.72	6.4	1.1	0.4	57.3	<0.01	0.09
ZZ15344		0.65	25.9	620	28.3	10.2	0.001	0.04	1.27	3.6	0.6	0.4	23.4	0.01	0.07
ZZ15345		0.51	33.3	540	29.8	10.6	<0.001	0.03	3.05	5.2	1.7	0.5	30.3	<0.01	0.04
ZZ15346		0.76	22.7	650	19.0	11.0	<0.001	0.04	0.70	4.1	1.1	0.6	30.0	<0.01	0.04
ZZ15347		0.68	26.1	590	25.9	15.1	0.001	0.05	5.43	5.2	1.9	0.5	32.0	<0.01	0.03
ZZ15348		0.73	30.9	720	23.2	21.3	0.001	0.04	8.54	5.0	1.7	0.5	48.8	<0.01	0.04
ZZ15349		0.63	26.3	770	17.9	25.9	<0.001	0.05	19.25	4.9	1.4	0.6	39.1	<0.01	0.04
ZZ15350		0.86	22.9	730	13.8	18.9	<0.001	0.06	4.94	3.5	1.1	0.6	35.8	<0.01	0.03
ZZ15571		0.65	21.1	170	23.6	17.5	<0.001	<0.01	0.28	4.2	0.2	0.9	13.3	<0.01	0.03
ZZ15572		1.20	27.3	370	14.9	10.5	<0.001	<0.01	0.41	4.0	0.7	0.7	26.8	<0.01	0.05
ZZ15573		0.22	5.9	130	14.5	6.5	0.001	0.01	0.20	1.4	0.4	0.4	19.1	<0.01	0.02
ZZ15574		0.57	24.1	280	23.5	8.2	0.001	0.01	0.78	3.5	0.6	0.4	26.1	<0.01	0.04
ZZ15575		0.66	29.7	520	32.5	8.4	0.001	0.09	1.18	5.3	1.5	0.6	47.4	<0.01	0.03
ZZ15576		0.35	30.0	720	27.4	7.9	0.001	0.05	0.85	5.7	1.4	0.4	42.5	<0.01	0.04
ZZ15577		0.16	9.5	160	13.9	5.5	0.002	0.01	0.73	1.5	0.4	0.4	46.7	<0.01	0.09
ZZ15578		0.33	12.1	170	21.9	7.3	0.002	0.01	2.76	2.1	1.5	0.7	34.3	<0.01	0.09
ZZ15579		0.52	37.6	890	26.5	14.7	0.009	0.07	1.30	5.7	5.1	1.0	39.2	<0.01	0.05
ZZ15580		0.78	31.1	350	40.4	9.2	0.001	0.02	1.12	7.1	1.8	0.9	26.9	<0.01	0.05
ZZ15581		0.26	31.8	220	21.1	5.9	<0.001	0.02	0.60	4.9	0.6	0.5	22.8	<0.01	0.02
ZZ15582		0.47	34.0	180	21.3	7.1	<0.001	<0.01	0.32	6.4	0.7	0.7	19.9	<0.01	0.01
ZZ15583		0.35	15.2	140	9.5	8.1	<0.001	<0.01	0.32	1.6	0.2	0.5	9.7	<0.01	0.02
ZZ15584		0.35	33.4	260	26.7	8.6	0.001	0.01	0.41	4.7	0.9	0.6	23.5	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 2- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15325		0.010	0.15	1.23	35	0.10	9.17	98	1.4
ZZ15326		0.009	0.23	1.41	38	0.10	14.30	94	1.2
ZZ15327		0.014	0.20	0.83	53	0.18	5.12	91	0.6
ZZ15328		0.016	0.21	0.74	54	0.18	5.98	92	0.8
ZZ15329		0.011	0.14	0.43	46	0.12	1.86	41	<0.5
ZZ15330		<0.005	0.24	0.69	16	<0.05	11.80	125	1.4
ZZ15331		0.006	0.18	1.12	27	0.06	10.25	162	2.0
ZZ15332		<0.005	0.32	0.64	20	<0.05	7.29	189	2.3
ZZ15333		<0.005	0.36	0.77	23	<0.05	7.92	162	2.2
ZZ15334		0.005	0.43	1.05	47	0.06	13.90	254	2.7
ZZ15335		0.010	0.26	1.03	33	0.11	11.35	173	1.4
ZZ15336		0.006	0.37	0.98	48	0.06	12.70	185	2.4
ZZ15337		0.009	0.25	1.64	51	0.07	15.05	185	1.7
ZZ15338		0.006	0.29	1.10	36	0.07	8.40	215	1.6
ZZ15339		<0.005	0.42	0.81	42	0.06	12.90	334	2.3
ZZ15340		0.006	0.37	1.10	45	0.05	13.90	229	2.7
ZZ15341		0.005	2.51	1.33	33	0.06	11.10	987	1.9
ZZ15342		0.006	0.35	1.63	36	0.08	11.10	163	1.5
ZZ15343		0.010	0.31	1.05	28	0.11	14.15	141	1.3
ZZ15344		0.017	0.24	1.60	33	0.11	7.90	100	0.6
ZZ15345		0.008	0.24	1.15	36	0.07	10.60	138	1.5
ZZ15346		0.012	0.16	1.67	36	0.13	7.67	104	1.1
ZZ15347		0.009	0.32	1.55	40	0.10	10.50	318	1.7
ZZ15348		0.013	0.30	2.15	41	0.17	11.40	162	1.7
ZZ15349		0.010	0.17	1.79	31	0.10	10.25	136	1.9
ZZ15350		0.013	0.13	3.33	33	0.12	8.36	93	1.3
ZZ15571		0.005	0.22	0.56	32	0.18	2.86	93	1.8
ZZ15572		0.019	0.21	0.74	37	0.24	9.58	88	1.5
ZZ15573		<0.005	0.18	0.32	9	<0.05	2.06	23	<0.5
ZZ15574		0.008	0.32	0.58	26	0.10	5.14	78	1.2
ZZ15575		0.009	0.38	1.32	23	0.18	8.32	87	1.3
ZZ15576		<0.005	0.87	1.24	17	0.07	13.30	60	1.3
ZZ15577		<0.005	0.45	0.36	24	<0.05	2.57	23	1.5
ZZ15578		0.006	1.24	0.43	45	0.05	2.49	40	0.5
ZZ15579		<0.005	0.62	0.85	34	0.10	6.93	148	0.8
ZZ15580		0.009	0.14	0.85	28	0.12	7.59	141	1.5
ZZ15581		<0.005	0.30	0.51	12	0.05	11.05	86	1.2
ZZ15582		0.005	0.26	0.34	19	0.07	12.30	132	1.5
ZZ15583		0.005	0.32	0.22	18	0.07	1.71	51	0.5
ZZ15584		<0.005	0.54	0.71	12	0.05	7.53	109	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15585		0.38	0.002	0.19	1.00	37.5	<0.2	<10	240	1.19	0.31	1.17	0.13	12.90	16.4	18
ZZ15586		0.40	0.002	0.09	1.26	34.9	<0.2	<10	220	1.30	0.35	0.59	0.07	15.60	19.1	23
ZZ15587		0.22	0.001	0.04	1.07	32.8	<0.2	<10	120	0.31	0.21	0.15	0.09	13.35	6.9	15
ZZ15588		0.24	0.002	0.04	0.91	50.2	<0.2	<10	110	0.68	0.27	0.36	0.08	16.70	10.2	17
ZZ15589		0.42	0.002	0.10	1.08	57.0	<0.2	<10	180	1.14	0.32	0.89	0.10	14.65	14.5	20
ZZ15590		0.38	0.003	0.16	0.95	58.6	<0.2	<10	130	0.84	0.23	1.87	0.13	23.1	11.2	18
ZZ15591		0.22	0.002	0.05	0.67	35.6	<0.2	<10	130	0.44	0.15	0.42	0.17	22.7	6.1	12
ZZ15592		0.26	0.001	0.04	0.39	41.1	<0.2	<10	50	0.22	0.15	0.24	0.04	8.55	3.8	6
ZZ15593		0.34	0.002	0.25	0.75	87.4	<0.2	<10	120	1.25	0.32	0.28	0.06	23.8	13.3	12
ZZ15594		0.24	0.002	0.13	0.80	95.9	<0.2	<10	100	1.04	0.28	0.91	0.10	19.20	22.1	11
ZZ15595		0.22	0.002	0.17	0.74	356	<0.2	10	120	0.74	0.20	3.08	0.31	12.70	8.3	12
ZZ15596		0.28	0.002	0.31	0.69	407	<0.2	<10	120	0.98	0.28	0.54	0.10	14.75	10.8	10
ZZ15597		0.34	0.002	0.08	1.09	152.0	<0.2	<10	170	0.96	0.29	0.82	0.08	15.35	13.2	19
ZZ15598		0.32	0.002	0.12	0.76	99.7	<0.2	<10	130	0.86	0.26	1.03	0.08	13.65	11.4	13
ZZ15599		0.28	0.002	0.11	0.91	803	<0.2	<10	120	0.86	0.29	1.75	0.21	13.75	15.7	17
ZZ15600		0.26	0.002	0.16	0.68	303	<0.2	10	220	0.89	0.26	1.78	0.18	11.15	9.2	12
ZZ15841		0.34	0.002	0.13	0.42	23.1	<0.2	<10	120	0.97	0.30	0.60	0.07	13.60	11.9	5
ZZ15842		0.24	0.002	0.15	0.74	30.1	<0.2	<10	220	0.95	0.27	1.24	0.24	15.15	11.8	11
ZZ15843		0.52	0.003	0.12	0.95	35.3	<0.2	<10	160	1.09	0.31	0.96	0.29	14.75	14.5	17
ZZ15844		0.38	0.002	0.10	1.02	33.9	<0.2	<10	200	0.95	0.31	0.41	0.18	15.45	12.2	16
ZZ15845		0.48	0.004	0.34	0.93	32.1	<0.2	<10	170	1.03	0.26	0.67	0.51	19.35	15.1	16
ZZ15846		0.40	0.003	0.14	0.94	44.4	<0.2	<10	140	1.15	0.33	0.72	0.31	16.35	15.5	17
ZZ15847		0.38	0.002	0.10	1.10	52.0	<0.2	<10	160	1.01	0.30	1.56	0.25	14.85	16.2	19
ZZ15848		0.32	0.002	0.06	1.32	22.0	<0.2	<10	150	1.15	0.35	0.15	0.11	5.79	17.4	27
ZZ15849		0.38	0.002	0.11	1.28	38.5	<0.2	<10	190	1.14	0.31	1.29	0.28	15.45	16.3	21
ZZ15850		0.40	0.002	0.07	1.34	75.8	<0.2	<10	230	1.17	0.33	0.68	0.18	17.10	15.7	23
ZZ15551		0.34	0.002	0.11	1.19	132.5	<0.2	<10	130	1.06	0.28	1.84	0.32	16.40	14.5	19
ZZ15552		0.52	0.003	0.10	1.45	30.9	<0.2	<10	220	1.27	0.33	0.74	0.15	15.40	13.2	24
ZZ15553		0.42	0.002	0.05	1.32	66.4	<0.2	<10	170	0.96	0.29	0.80	0.25	15.00	13.6	21
ZZ15554		0.44	0.002	0.08	1.19	131.0	<0.2	<10	210	1.07	0.31	0.69	0.18	15.55	14.2	21
ZZ15555		0.28	0.002	0.10	1.14	203	<0.2	<10	200	0.91	0.28	0.70	0.29	15.75	14.4	18
ZZ15556		0.32	0.002	0.09	1.38	738	<0.2	<10	250	1.25	0.32	1.42	0.26	25.1	16.0	18
ZZ15557		0.24	0.004	0.12	1.75	2640	<0.2	<10	260	1.40	0.34	1.04	0.53	30.5	13.4	23
ZZ15558		0.20	0.002	0.05	1.55	550	<0.2	<10	200	1.17	0.36	0.82	0.27	26.4	14.6	21
ZZ15559		0.26	0.002	0.07	1.91	660	<0.2	10	270	1.21	0.26	5.20	0.21	31.7	11.3	19
ZZ15560		0.18	0.002	0.07	1.77	274	<0.2	10	220	1.26	0.33	2.54	0.24	25.8	13.4	21
ZZ15561		0.30	0.001	0.18	0.38	21.5	<0.2	<10	100	0.41	0.25	0.28	0.06	5.57	5.9	6
ZZ15562		0.42	0.002	0.07	1.41	24.2	<0.2	<10	230	1.30	0.37	0.46	0.06	15.05	12.7	23
ZZ15563		0.34	0.002	0.11	1.67	21.6	<0.2	<10	360	1.30	0.38	0.50	0.25	18.10	13.1	23
ZZ15564		0.36	0.002	0.03	1.22	27.5	<0.2	<10	90	0.61	0.47	0.03	0.04	8.73	13.8	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15585		2.30	46.0	4.12	3.18	0.09	0.05	0.58	0.042	0.08	5.0	10.4	0.28	988	0.97
ZZ15586		2.66	50.8	4.34	4.30	0.09	0.07	0.45	0.046	0.09	6.3	16.2	0.29	1280	0.69
ZZ15587		5.28	9.0	2.76	3.62	0.08	0.02	0.13	0.023	0.04	5.8	11.9	0.17	323	0.74
ZZ15588		2.63	19.1	3.28	3.11	0.08	0.05	0.41	0.031	0.07	7.5	10.3	0.21	634	0.66
ZZ15589		2.08	47.1	4.03	3.57	0.09	0.05	0.93	0.044	0.07	5.7	12.2	0.39	962	0.68
ZZ15590		5.28	24.1	3.01	2.95	0.10	0.05	1.12	0.032	0.07	10.3	9.6	0.40	613	0.76
ZZ15591		2.53	5.7	2.14	1.98	0.08	0.05	0.13	0.023	0.12	8.3	4.6	0.09	500	0.37
ZZ15592		1.08	6.1	1.73	1.22	0.06	0.02	0.02	0.017	0.08	3.3	3.3	0.04	116	0.43
ZZ15593		2.44	20.5	3.64	2.23	0.09	0.04	0.13	0.043	0.09	8.6	6.0	0.10	676	0.61
ZZ15594		3.77	21.7	6.21	2.27	0.09	0.05	0.07	0.036	0.09	7.6	6.2	0.10	738	0.73
ZZ15595		3.51	18.3	2.65	2.01	0.08	0.04	6.38	0.028	0.07	5.6	6.8	0.73	609	0.48
ZZ15596		4.24	29.0	3.51	1.92	0.09	0.04	1.82	0.041	0.07	5.8	5.6	0.14	529	0.84
ZZ15597		1.40	36.7	3.80	3.53	0.09	0.05	1.54	0.039	0.07	6.1	12.6	0.34	798	0.69
ZZ15598		3.22	26.8	3.28	2.20	0.09	0.04	0.52	0.038	0.07	5.2	7.6	0.28	628	0.62
ZZ15599		22.0	40.4	3.63	3.11	0.09	0.05	1.85	0.041	0.08	5.3	13.0	0.68	904	0.88
ZZ15600		4.03	32.8	2.94	2.06	0.09	0.04	1.03	0.034	0.08	4.6	6.8	0.22	333	0.66
ZZ15841		3.21	17.3	3.25	1.17	0.08	0.03	0.63	0.035	0.05	4.6	2.6	0.06	406	0.57
ZZ15842		1.85	26.5	3.14	2.28	0.09	0.04	0.60	0.035	0.06	5.9	6.6	0.26	746	0.62
ZZ15843		3.99	34.6	3.67	3.31	0.09	0.06	0.44	0.038	0.11	5.9	12.0	0.55	667	0.79
ZZ15844		1.86	28.1	3.73	3.50	0.09	0.03	0.34	0.035	0.09	6.1	10.8	0.19	504	0.90
ZZ15845		1.23	57.3	4.01	3.05	0.09	0.05	0.23	0.047	0.10	9.9	13.7	0.25	325	3.10
ZZ15846		3.66	41.3	3.73	3.35	0.09	0.06	0.40	0.036	0.12	7.3	12.6	0.43	597	1.05
ZZ15847		1.70	46.8	3.80	3.92	0.10	0.06	0.53	0.038	0.10	5.7	16.2	0.97	904	0.76
ZZ15848		3.02	38.0	4.63	4.87	0.08	0.02	0.11	0.030	0.10	2.1	31.5	0.43	477	0.53
ZZ15849		1.64	40.8	3.74	4.74	0.09	0.06	0.34	0.043	0.13	6.1	20.1	0.74	868	0.78
ZZ15850		1.24	35.9	3.84	4.88	0.08	0.06	0.30	0.045	0.11	5.9	18.6	0.47	830	0.66
ZZ15551		2.35	30.8	3.50	4.13	0.09	0.06	0.51	0.036	0.14	6.3	18.5	0.95	816	0.78
ZZ15552		1.26	36.7	3.84	4.82	0.09	0.05	0.55	0.040	0.12	7.6	18.7	0.48	531	0.75
ZZ15553		0.83	30.5	3.71	4.72	0.09	0.06	0.21	0.042	0.10	6.1	16.3	0.44	687	0.72
ZZ15554		0.91	37.1	3.88	4.09	0.09	0.06	0.74	0.042	0.09	6.1	15.2	0.46	757	0.91
ZZ15555		0.63	34.3	3.84	3.69	0.08	0.06	1.32	0.044	0.09	4.5	11.5	0.27	1040	1.24
ZZ15556		0.84	27.4	4.76	4.03	0.10	0.07	1.42	0.043	0.13	11.8	11.8	0.76	1980	1.05
ZZ15557		0.93	23.9	6.64	4.93	0.11	0.09	5.92	0.042	0.15	15.9	12.5	0.53	4180	0.84
ZZ15558		1.10	33.0	5.80	4.68	0.10	0.09	0.72	0.040	0.20	12.4	11.7	0.47	2760	0.76
ZZ15559		1.91	16.8	6.05	4.83	0.10	0.08	0.51	0.029	0.14	16.6	12.9	3.02	4900	0.62
ZZ15560		1.15	29.0	5.57	4.96	0.10	0.11	0.16	0.038	0.21	12.6	13.4	1.44	3140	0.62
ZZ15561		6.61	21.6	3.03	1.11	0.07	0.02	0.04	0.024	0.07	2.4	1.6	0.03	113	1.06
ZZ15562		4.19	42.5	4.02	4.72	0.09	0.05	0.22	0.040	0.08	6.6	17.1	0.30	543	0.68
ZZ15563		2.32	35.1	3.95	5.25	0.08	0.03	0.24	0.041	0.08	8.1	18.1	0.32	1020	0.71
ZZ15564		4.68	35.3	4.73	4.63	0.08	0.03	0.25	0.041	0.07	3.6	13.8	0.23	512	0.87



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ15585		0.61	38.2	320	29.7	7.5	<0.001	0.03	0.45	6.0	0.7	0.7	36.5	<0.01	0.02
ZZ15586		0.80	33.7	230	30.4	10.5	<0.001	0.01	0.44	6.8	0.6	0.8	27.4	<0.01	0.03
ZZ15587		0.82	13.6	160	19.4	9.4	<0.001	<0.01	0.36	2.2	<0.2	0.7	8.6	<0.01	0.01
ZZ15588		0.86	19.6	110	27.6	9.8	<0.001	<0.01	0.54	4.0	0.4	0.6	17.7	<0.01	0.02
ZZ15589		0.69	32.5	440	32.6	7.7	<0.001	0.01	0.87	6.5	0.8	0.8	30.3	<0.01	0.02
ZZ15590		0.69	29.8	450	43.5	8.8	<0.001	0.02	0.58	4.5	0.8	0.6	49.9	<0.01	0.03
ZZ15591		0.45	11.8	120	61.2	7.7	<0.001	<0.01	0.35	3.1	0.4	0.4	13.5	<0.01	<0.01
ZZ15592		0.30	9.3	140	14.6	5.2	<0.001	<0.01	0.23	1.3	<0.2	0.4	11.5	<0.01	0.01
ZZ15593		0.37	26.9	140	30.1	7.5	<0.001	0.01	0.33	6.8	0.7	0.7	18.0	<0.01	0.01
ZZ15594		0.45	60.4	260	24.3	11.2	<0.001	0.02	0.39	5.2	0.9	0.6	54.7	<0.01	0.02
ZZ15595		0.40	23.0	550	35.9	6.5	<0.001	0.07	4.61	2.8	0.9	0.5	54.7	<0.01	<0.01
ZZ15596		0.31	33.3	170	26.6	6.8	<0.001	0.01	1.41	5.3	0.8	0.6	17.4	<0.01	0.02
ZZ15597		0.73	26.3	190	30.5	7.5	<0.001	0.01	1.21	5.7	0.4	0.6	29.2	<0.01	0.02
ZZ15598		0.40	26.1	210	24.9	7.3	<0.001	0.02	0.87	5.2	0.5	0.6	28.4	<0.01	0.03
ZZ15599		0.67	27.3	370	28.1	16.5	0.001	0.01	1.25	5.1	0.5	0.6	41.0	<0.01	0.02
ZZ15600		0.40	22.6	350	24.6	14.4	<0.001	0.05	1.83	4.0	0.5	0.5	50.5	<0.01	0.02
ZZ15841		0.18	26.5	260	24.7	5.7	<0.001	0.01	0.39	5.2	0.7	0.5	44.8	<0.01	0.02
ZZ15842		0.33	28.7	370	23.4	6.6	<0.001	0.02	0.60	4.8	1.0	0.6	54.0	<0.01	0.02
ZZ15843		0.46	30.2	410	27.1	12.4	<0.001	0.01	0.53	5.5	0.8	0.6	31.2	<0.01	0.02
ZZ15844		0.50	23.0	250	25.3	10.4	<0.001	<0.01	0.49	4.6	0.7	0.6	23.7	<0.01	0.02
ZZ15845		0.44	39.7	830	19.5	11.1	0.001	0.02	0.91	7.3	1.2	0.6	37.2	<0.01	0.02
ZZ15846		0.42	31.6	500	26.8	12.2	<0.001	0.01	0.64	5.4	0.6	0.6	32.4	<0.01	0.04
ZZ15847		0.50	29.9	460	26.9	9.8	<0.001	0.01	0.59	5.7	0.5	0.6	29.1	<0.01	0.02
ZZ15848		0.85	29.1	270	24.8	12.2	<0.001	0.01	0.46	3.9	0.3	0.9	10.6	<0.01	0.04
ZZ15849		0.55	32.5	450	25.2	10.7	<0.001	0.03	0.55	5.7	0.7	0.9	31.6	<0.01	0.02
ZZ15850		0.53	30.0	220	27.1	10.0	<0.001	0.01	0.56	5.6	0.6	0.8	22.6	<0.01	0.02
ZZ15551		0.53	30.9	520	23.7	14.9	<0.001	0.02	0.74	5.0	0.6	0.7	45.2	<0.01	0.03
ZZ15552		0.53	29.1	390	27.4	10.0	<0.001	0.01	0.46	5.8	0.9	0.7	27.8	<0.01	0.02
ZZ15553		0.62	23.6	220	25.9	12.1	<0.001	0.01	0.58	5.1	0.4	0.7	25.0	<0.01	0.03
ZZ15554		0.53	26.7	220	29.6	7.9	<0.001	0.01	0.81	5.9	0.6	0.6	21.2	<0.01	0.02
ZZ15555		0.56	23.0	220	31.3	10.9	<0.001	0.01	1.40	5.3	0.7	0.6	24.1	<0.01	0.04
ZZ15556		0.42	27.6	280	45.6	8.3	<0.001	0.01	2.58	7.0	0.7	0.6	20.1	<0.01	0.04
ZZ15557		0.69	26.9	450	43.0	13.9	<0.001	0.03	17.85	6.6	0.9	0.7	16.2	<0.01	0.03
ZZ15558		0.56	28.3	480	43.6	13.2	<0.001	0.03	3.01	6.3	0.6	0.7	13.7	<0.01	0.03
ZZ15559		0.56	22.2	440	33.1	12.2	<0.001	0.02	4.29	5.1	0.7	0.6	23.6	<0.01	0.02
ZZ15560		0.59	25.4	670	34.8	12.7	<0.001	0.03	2.23	5.9	0.3	0.7	18.6	<0.01	0.04
ZZ15561		0.20	23.0	190	33.9	12.1	<0.001	<0.01	0.31	2.8	0.5	0.4	9.7	<0.01	0.01
ZZ15562		0.75	26.2	250	27.3	14.7	<0.001	0.01	0.38	6.1	0.5	0.7	21.5	<0.01	0.02
ZZ15563		0.71	27.3	420	27.1	17.0	<0.001	0.01	0.39	5.5	0.4	0.8	26.1	<0.01	0.03
ZZ15564		0.76	20.4	240	23.6	21.7	<0.001	<0.01	0.42	3.8	<0.2	0.7	8.8	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15585		0.005	0.20	0.77	21	0.09	11.25	108	1.8
ZZ15586		0.008	0.19	0.93	26	0.11	10.90	111	1.8
ZZ15587		0.007	0.49	0.33	28	0.11	2.01	72	0.7
ZZ15588		0.011	0.31	0.55	24	0.13	5.62	81	1.8
ZZ15589		0.007	0.43	0.83	23	0.11	10.65	108	1.7
ZZ15590		0.011	0.76	0.52	24	0.12	10.05	98	1.5
ZZ15591		0.005	0.27	0.24	16	0.06	4.82	99	1.8
ZZ15592		<0.005	0.14	0.18	11	0.05	1.44	29	0.6
ZZ15593		<0.005	0.36	0.49	16	0.05	9.59	72	1.7
ZZ15594		<0.005	0.51	0.63	16	0.06	14.95	492	1.9
ZZ15595		<0.005	1.81	1.08	15	0.19	9.73	141	1.0
ZZ15596		<0.005	0.78	0.59	15	0.07	10.90	121	1.4
ZZ15597		0.008	0.28	0.51	23	0.08	7.78	104	1.8
ZZ15598		<0.005	0.38	0.53	15	0.14	9.78	79	1.1
ZZ15599		0.008	0.37	0.56	22	0.08	7.68	103	1.4
ZZ15600		<0.005	0.45	0.61	15	0.07	9.40	79	1.2
ZZ15841		<0.005	0.22	0.35	8	<0.05	9.06	75	0.9
ZZ15842		<0.005	0.18	0.81	15	0.06	10.80	80	1.1
ZZ15843		0.005	0.27	0.68	23	0.07	9.36	115	1.6
ZZ15844		0.005	0.19	1.06	25	0.06	7.29	94	1.1
ZZ15845		0.005	0.25	0.60	24	0.05	12.65	113	1.8
ZZ15846		0.005	0.26	0.67	25	0.06	9.87	125	2.0
ZZ15847		0.008	0.22	0.68	23	0.06	8.55	115	1.9
ZZ15848		0.014	0.12	0.72	28	0.12	4.42	87	0.8
ZZ15849		0.006	0.19	0.86	25	0.06	9.22	112	1.8
ZZ15850		0.006	0.17	0.68	26	0.05	7.80	103	1.9
ZZ15551		0.006	0.23	0.66	26	0.06	8.50	111	1.7
ZZ15552		0.006	0.16	0.82	27	0.06	10.25	97	1.6
ZZ15553		0.006	0.19	0.67	26	0.07	7.09	107	1.9
ZZ15554		0.006	0.35	0.74	26	0.08	8.92	100	2.0
ZZ15555		0.005	0.45	0.77	27	0.09	6.00	94	1.7
ZZ15556		<0.005	1.18	0.70	30	0.15	16.10	118	2.0
ZZ15557		0.008	2.23	0.93	37	0.15	19.65	215	2.7
ZZ15558		0.006	1.12	0.73	31	0.13	14.45	135	2.5
ZZ15559		0.005	1.80	1.00	32	0.11	18.20	102	2.5
ZZ15560		0.006	0.75	0.84	30	0.13	14.10	101	3.1
ZZ15561		<0.005	0.54	0.31	11	<0.05	3.94	79	0.9
ZZ15562		0.007	0.13	0.88	28	0.12	9.30	92	1.4
ZZ15563		0.006	0.11	1.02	29	0.11	8.56	110	1.1
ZZ15564		0.007	0.20	0.45	27	0.14	2.38	75	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15565		0.34	0.002	0.13	1.45	33.1	<0.2	<10	100	1.02	0.38	0.02	0.05	8.48	11.7	23
ZZ15566		0.44	0.002	0.11	1.04	35.3	<0.2	<10	90	0.71	0.30	0.04	0.06	12.35	8.1	16
ZZ15567		0.34	0.002	0.06	1.48	23.9	<0.2	<10	150	0.67	0.32	0.08	0.07	14.35	10.1	22
ZZ15568		0.38	0.002	0.05	1.45	27.3	<0.2	<10	120	0.75	0.31	0.07	0.10	16.50	10.0	23
ZZ15569		0.28	0.001	0.24	0.90	33.8	<0.2	<10	80	0.32	0.27	0.04	0.17	10.70	7.8	14
ZZ15570		0.28	0.002	0.23	1.07	112.5	<0.2	<10	100	0.49	0.36	0.02	0.07	12.10	10.3	19
ZZ15401		0.22	0.002	0.07	1.34	731	<0.2	<10	180	0.97	0.30	0.80	0.08	17.90	12.4	22
ZZ15402		0.34	0.002	0.07	1.14	423	<0.2	<10	120	0.81	0.32	0.54	0.10	14.60	12.2	19
ZZ15403		0.30	0.002	0.08	1.01	247	<0.2	<10	310	1.12	0.35	0.68	0.05	15.90	11.6	17
ZZ15404		0.30	0.002	0.14	0.54	325	<0.2	10	120	1.34	0.32	1.13	0.13	14.70	12.7	9
ZZ15405		0.26	0.002	0.15	0.98	639	<0.2	<10	170	1.03	0.28	2.07	0.26	17.05	10.4	14
ZZ15406		0.20	0.002	0.10	0.66	775	<0.2	10	150	0.75	0.24	2.61	0.19	11.90	10.8	12
ZZ15407		0.30	0.002	0.09	0.79	170.5	<0.2	10	190	0.85	0.32	1.39	0.14	13.45	14.3	15
ZZ15408		0.30	0.002	0.14	0.72	328	<0.2	<10	180	0.87	0.32	1.50	0.15	12.55	12.1	12
ZZ15409		0.30	0.002	0.13	0.72	298	<0.2	10	200	0.87	0.28	1.98	0.20	12.00	10.1	12
ZZ15410		0.26	0.002	0.12	0.76	332	<0.2	<10	150	1.06	0.32	1.29	0.14	14.80	11.7	12
ZZ15411		0.28	0.002	0.08	0.76	445	<0.2	10	150	0.81	0.28	3.28	0.18	11.70	11.4	13
ZZ15412		0.30	0.002	0.10	1.03	141.0	<0.2	<10	170	0.92	0.32	0.91	0.14	13.10	11.4	18
ZZ15413		0.32	0.002	0.11	1.07	98.5	<0.2	<10	190	0.74	0.26	0.71	0.13	17.65	11.0	20
ZZ15414		0.22	0.003	0.17	1.15	52.8	<0.2	<10	250	0.86	0.25	1.66	0.25	16.25	10.6	20
ZZ15415		0.22	0.002	0.06	1.31	47.5	<0.2	<10	260	1.35	0.32	1.10	0.14	13.85	12.2	21
ZZ15416		0.30	0.001	0.04	1.59	34.7	<0.2	<10	430	1.36	0.31	0.60	0.22	13.75	11.8	24
ZZ15417		0.32	0.002	0.05	1.54	16.3	<0.2	<10	250	0.92	0.26	0.37	0.09	20.9	10.5	28
ZZ15418		0.20	0.001	0.03	1.25	27.2	<0.2	<10	180	0.92	0.31	0.34	0.10	10.55	11.5	24
ZZ15419		0.40	0.003	0.10	1.29	73.4	<0.2	<10	270	1.14	0.32	1.25	0.17	15.20	14.2	21
ZZ15420		0.28	0.003	0.11	0.96	32.6	<0.2	10	100	0.83	0.27	4.67	0.24	11.90	8.9	15
ZZ15421		0.24	0.001	0.07	0.64	24.2	<0.2	<10	60	0.15	0.34	0.19	0.10	11.70	6.1	8
ZZ15422		0.28	0.002	0.16	1.70	23.2	<0.2	<10	290	1.03	0.31	0.62	0.13	26.6	13.6	17
ZZ15423		0.34	0.002	0.13	1.48	21.8	<0.2	<10	100	0.56	0.25	0.08	0.04	19.55	8.7	21
ZZ15424		0.36	0.001	0.03	1.18	55.1	<0.2	<10	70	0.44	0.34	0.02	0.04	10.70	9.1	19
ZZ15425		0.38	0.003	0.08	1.15	35.6	<0.2	<10	190	1.00	0.35	0.37	0.11	12.45	12.6	21
ZZ15426		0.24	0.002	0.10	1.20	37.3	<0.2	<10	130	0.82	0.33	0.83	0.13	15.60	14.0	20
ZZ15427		0.18	0.002	0.12	0.78	22.2	<0.2	<10	170	0.65	0.21	2.85	0.30	11.80	9.0	11
ZZ15428		0.20	0.002	0.11	0.75	140.0	<0.2	<10	130	0.59	0.18	5.71	0.24	16.40	8.2	11
ZZ15429		0.16	0.001	0.10	1.09	88.5	<0.2	<10	150	0.54	0.15	2.32	0.22	15.60	5.1	13
ZZ15430		0.22	0.001	0.08	1.31	78.5	<0.2	<10	180	0.73	0.26	0.78	0.47	16.55	10.5	20
ZZ15431		0.16	0.002	0.27	0.75	37.0	<0.2	<10	170	0.69	0.17	2.12	0.13	20.7	7.9	13
ZZ15432		0.28	0.002	0.19	1.09	44.3	<0.2	<10	210	0.65	0.25	1.84	0.30	16.15	11.6	18
ZZ15433		0.16	0.002	0.16	0.81	22.7	<0.2	<10	280	0.66	0.20	2.38	0.19	11.00	8.6	12
ZZ15434		0.28	0.001	0.06	0.52	28.4	<0.2	<10	130	0.53	0.88	0.48	0.08	6.55	14.4	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ15565		7.20	37.3	4.49	4.55	0.07	0.04	0.87	0.043	0.06	3.4	21.2	0.24	301	1.00	<0.01
ZZ15566		10.40	24.5	3.68	3.83	0.08	<0.02	0.18	0.027	0.06	5.5	11.9	0.17	272	0.81	<0.01
ZZ15567		2.77	23.5	3.61	5.39	0.08	0.03	0.14	0.033	0.04	6.1	18.4	0.26	428	0.79	<0.01
ZZ15568		2.52	24.2	3.65	4.96	0.08	0.03	0.18	0.030	0.06	6.9	19.8	0.31	439	0.71	<0.01
ZZ15569		16.55	16.6	4.01	3.54	0.08	0.02	0.12	0.028	0.05	4.8	10.9	0.10	241	1.22	<0.01
ZZ15570		7.97	22.1	3.69	4.64	0.07	0.04	0.18	0.033	0.05	5.2	11.7	0.16	488	0.82	<0.01
ZZ15401		3.42	23.2	3.49	3.98	0.09	0.06	2.85	0.033	0.10	8.8	14.0	0.30	746	0.75	0.01
ZZ15402		1.91	22.2	3.58	3.83	0.08	0.05	4.30	0.033	0.10	5.7	11.3	0.21	794	0.62	0.01
ZZ15403		9.14	25.2	3.47	3.27	0.10	0.05	2.50	0.033	0.11	7.8	12.8	0.23	514	0.59	<0.01
ZZ15404		8.75	22.0	3.43	1.59	0.09	0.03	1.12	0.038	0.08	6.0	4.4	0.09	442	0.48	<0.01
ZZ15405		7.65	25.2	3.33	2.88	0.10	0.04	3.29	0.030	0.08	7.6	10.4	0.64	775	0.52	0.01
ZZ15406		3.70	29.5	2.78	2.14	0.09	0.03	2.34	0.027	0.06	4.4	7.7	0.60	843	0.62	0.01
ZZ15407		5.79	35.8	3.61	2.68	0.09	0.04	1.85	0.030	0.08	5.0	11.0	0.42	763	0.59	0.01
ZZ15408		6.31	28.1	3.40	2.30	0.08	0.03	2.21	0.033	0.08	4.1	7.9	0.41	638	0.72	0.01
ZZ15409		5.78	33.8	2.79	2.27	0.09	0.04	0.89	0.030	0.08	4.6	8.0	0.36	462	0.60	0.01
ZZ15410		3.46	29.6	3.34	2.20	0.10	0.04	1.07	0.033	0.10	5.9	7.4	0.31	646	0.63	0.01
ZZ15411		3.30	30.3	3.11	2.39	0.09	0.03	2.62	0.029	0.09	4.6	8.7	1.33	969	0.51	0.01
ZZ15412		2.95	35.2	3.57	3.28	0.10	0.05	0.80	0.035	0.09	5.8	12.3	0.28	604	0.55	0.01
ZZ15413		1.27	19.1	3.24	3.53	0.08	0.03	1.10	0.026	0.08	8.0	14.6	0.35	536	0.67	0.01
ZZ15414		1.27	39.7	3.05	3.63	0.09	0.04	1.33	0.027	0.09	8.1	17.2	0.58	535	0.69	0.01
ZZ15415		0.92	39.6	3.77	4.45	0.09	0.05	0.31	0.034	0.12	6.1	21.0	0.48	690	0.57	0.01
ZZ15416		1.17	21.0	3.88	4.99	0.09	0.04	0.10	0.034	0.10	5.7	20.6	0.33	501	0.58	0.01
ZZ15417		1.12	16.7	3.33	5.13	0.09	0.04	0.13	0.030	0.08	10.5	19.3	0.41	420	0.81	0.01
ZZ15418		1.19	18.1	3.95	5.09	0.08	0.02	0.07	0.033	0.10	4.5	20.0	0.28	437	0.79	0.01
ZZ15419		1.08	38.9	3.84	4.29	0.09	0.05	0.58	0.034	0.09	6.2	19.1	0.72	789	0.75	0.01
ZZ15420		1.83	24.1	2.67	2.94	0.08	0.06	0.52	0.025	0.09	4.9	12.9	0.47	386	0.35	0.01
ZZ15421		0.94	14.3	2.78	3.65	0.07	<0.02	0.03	0.015	0.05	5.3	1.9	0.04	216	0.77	<0.01
ZZ15422		1.96	16.9	4.11	3.98	0.09	0.03	0.06	0.041	0.08	9.2	34.0	0.14	805	0.60	0.01
ZZ15423		4.48	10.8	3.43	5.30	0.06	0.05	0.04	0.028	0.04	10.0	25.8	0.33	173	0.70	0.01
ZZ15424		2.47	20.5	4.04	5.14	0.06	0.05	1.07	0.033	0.06	5.2	15.4	0.20	289	0.76	<0.01
ZZ15425		1.98	37.8	3.79	4.25	0.07	0.06	0.39	0.036	0.09	6.1	16.7	0.34	473	0.47	0.01
ZZ15426		2.07	34.6	3.82	4.25	0.08	0.06	0.32	0.035	0.08	7.6	19.4	0.43	696	0.55	0.01
ZZ15427		2.33	23.0	2.18	2.36	0.05	0.05	0.28	0.024	0.05	5.6	6.2	0.17	566	0.43	0.01
ZZ15428		5.96	13.9	2.11	2.26	0.05	0.05	0.36	0.025	0.06	6.5	5.9	0.22	430	0.33	0.01
ZZ15429		2.40	7.3	1.94	3.07	<0.05	0.05	0.09	0.026	0.07	7.8	12.5	0.18	234	0.28	0.01
ZZ15430		1.16	16.3	3.37	4.64	0.06	0.06	0.40	0.037	0.08	8.3	14.4	0.33	890	0.53	0.01
ZZ15431		1.13	16.9	2.05	2.35	0.06	0.04	0.24	0.024	0.06	8.5	7.9	0.17	374	0.44	0.01
ZZ15432		2.21	24.7	2.85	3.76	0.05	0.04	0.33	0.029	0.06	7.4	11.5	0.33	772	0.64	0.01
ZZ15433		2.09	19.0	2.26	2.66	0.05	0.05	0.24	0.026	0.06	5.3	9.1	0.21	491	0.41	0.01
ZZ15434		4.78	24.7	2.37	2.04	<0.05	0.02	0.09	0.030	0.07	3.1	5.9	0.14	281	0.40	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ15565		0.63	22.6	200	27.1	19.2	<0.001	<0.01	0.53	3.6	0.4	0.7	8.6	<0.01	0.02
ZZ15566		0.69	18.5	220	20.7	19.0	<0.001	<0.01	0.42	3.5	0.2	0.6	8.8	<0.01	0.02
ZZ15567		0.92	17.8	160	21.1	13.3	<0.001	<0.01	0.33	3.8	0.3	0.8	9.0	<0.01	0.02
ZZ15568		0.76	20.7	160	21.7	14.5	<0.001	<0.01	0.41	4.0	0.3	0.7	9.2	<0.01	0.03
ZZ15569		0.70	19.5	250	25.4	14.2	<0.001	<0.01	0.44	2.4	0.2	0.6	5.8	<0.01	0.02
ZZ15570		0.76	13.8	200	24.0	16.7	<0.001	<0.01	0.42	2.9	<0.2	0.7	9.5	<0.01	0.02
ZZ15401		0.88	26.5	240	26.2	10.7	<0.001	0.02	5.67	5.7	0.6	0.7	30.4	<0.01	0.01
ZZ15402		0.85	20.2	160	33.1	12.7	<0.001	0.01	4.86	4.0	0.2	0.9	26.6	<0.01	0.01
ZZ15403		0.69	24.2	230	28.8	13.9	<0.001	0.02	2.87	5.5	0.5	0.8	26.5	<0.01	0.03
ZZ15404		0.26	34.6	260	30.3	8.1	<0.001	0.03	1.40	5.8	0.4	0.7	46.3	<0.01	0.01
ZZ15405		0.52	24.4	440	30.8	10.2	<0.001	0.04	3.32	4.5	0.6	0.6	38.8	<0.01	0.01
ZZ15406		0.41	20.6	500	26.7	7.9	<0.001	0.06	4.43	2.9	0.5	0.7	58.5	<0.01	0.01
ZZ15407		0.63	24.8	310	28.6	11.4	<0.001	0.04	1.29	4.7	0.6	0.6	34.4	<0.01	0.02
ZZ15408		0.45	22.6	440	29.7	10.7	<0.001	0.03	2.69	4.6	0.5	0.8	37.0	<0.01	0.02
ZZ15409		0.46	23.3	430	22.9	13.5	<0.001	0.07	1.35	3.7	0.7	0.7	56.3	<0.01	0.02
ZZ15410		0.38	26.1	280	29.8	8.6	<0.001	0.03	1.75	5.1	0.3	0.7	38.2	<0.01	<0.01
ZZ15411		0.35	21.3	530	27.1	13.5	<0.001	0.05	4.85	3.5	0.4	0.5	58.4	<0.01	0.02
ZZ15412		0.55	23.2	390	27.7	11.2	<0.001	0.04	1.09	4.6	0.5	0.6	28.7	<0.01	0.02
ZZ15413		0.89	19.8	310	20.0	8.9	<0.001	0.02	1.12	3.6	0.5	0.6	29.3	<0.01	0.02
ZZ15414		0.77	24.7	540	22.8	10.4	<0.001	0.04	0.87	3.8	0.8	0.6	53.5	<0.01	0.02
ZZ15415		0.61	23.5	330	31.3	11.6	<0.001	0.02	0.62	5.4	0.6	0.9	28.4	<0.01	0.02
ZZ15416		0.68	25.0	260	28.3	13.0	<0.001	0.02	0.47	4.7	0.4	1.0	24.5	<0.01	<0.01
ZZ15417		1.18	25.4	180	16.4	12.7	<0.001	<0.01	0.46	4.7	<0.2	0.8	18.2	<0.01	<0.01
ZZ15418		0.63	23.5	210	24.1	13.7	<0.001	<0.01	0.34	4.2	<0.2	1.0	15.9	<0.01	0.02
ZZ15419		0.64	26.3	410	27.9	9.0	<0.001	0.02	0.84	5.2	0.6	0.8	27.9	<0.01	0.01
ZZ15420		0.54	19.7	510	20.7	18.6	<0.001	0.10	0.53	3.8	1.0	0.7	90.3	<0.01	<0.01
ZZ15421		0.68	13.5	240	13.5	7.3	<0.001	<0.01	0.65	1.6	<0.2	0.7	7.4	<0.01	0.03
ZZ15422		0.65	26.3	340	31.5	20.7	<0.001	0.01	0.39	4.4	0.4	0.6	23.5	<0.01	0.03
ZZ15423		0.89	20.1	130	18.7	14.4	<0.001	<0.01	0.42	2.7	0.3	0.6	10.5	<0.01	0.04
ZZ15424		0.68	17.9	160	21.6	16.7	<0.001	<0.01	0.84	3.0	0.3	0.7	6.3	<0.01	0.04
ZZ15425		0.52	27.8	270	21.6	9.6	<0.001	0.01	0.52	5.8	0.6	0.7	20.1	<0.01	0.05
ZZ15426		0.49	26.9	420	29.2	8.9	<0.001	0.02	0.62	4.7	0.9	0.6	39.1	<0.01	0.05
ZZ15427		0.45	19.8	480	16.9	8.3	<0.001	0.09	0.45	2.6	1.2	0.7	94.0	<0.01	0.06
ZZ15428		0.35	16.0	440	18.5	10.8	<0.001	0.06	0.73	2.7	1.1	0.5	97.3	<0.01	0.05
ZZ15429		0.48	10.5	360	18.4	9.9	<0.001	0.06	0.77	2.6	0.5	0.6	73.9	<0.01	0.03
ZZ15430		0.72	17.7	200	25.3	12.1	<0.001	0.01	0.84	3.9	0.5	0.6	12.5	<0.01	0.04
ZZ15431		0.45	19.1	370	17.3	6.3	<0.001	0.03	0.94	2.9	0.9	0.5	73.7	<0.01	0.04
ZZ15432		0.68	21.1	560	19.2	9.0	<0.001	0.06	0.67	2.9	1.3	0.6	61.8	<0.01	0.05
ZZ15433		0.50	19.0	490	15.5	8.9	<0.001	0.08	0.43	2.9	1.2	0.5	122.5	<0.01	0.05
ZZ15434		0.35	23.1	190	17.1	9.4	<0.001	0.01	0.48	3.6	0.4	0.4	29.9	<0.01	0.12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15565		0.005	0.24	0.44	25	0.08	2.37	84	1.7
ZZ15566		0.008	0.42	0.46	25	0.12	3.12	68	0.6
ZZ15567		0.009	0.13	0.51	32	0.12	2.79	69	1.1
ZZ15568		0.009	0.14	0.54	30	0.09	3.81	81	1.3
ZZ15569		0.008	0.41	0.31	28	0.09	1.97	99	0.8
ZZ15570		0.010	0.53	0.38	31	0.13	2.09	79	1.5
ZZ15401		0.008	0.66	0.72	27	0.25	9.56	86	2.1
ZZ15402		0.008	0.98	0.61	24	0.26	4.06	73	1.9
ZZ15403		0.007	0.76	0.57	21	0.23	7.87	72	1.7
ZZ15404		<0.005	1.09	0.37	11	0.18	11.10	85	1.0
ZZ15405		0.005	1.14	0.92	18	0.13	11.10	109	1.0
ZZ15406		0.005	0.61	0.80	14	0.08	7.09	98	1.0
ZZ15407		0.006	0.37	0.57	18	0.07	6.87	103	1.1
ZZ15408		<0.005	0.73	0.80	17	0.09	6.38	102	1.2
ZZ15409		<0.005	0.33	0.72	15	0.07	7.52	78	1.1
ZZ15410		<0.005	0.69	0.55	16	0.09	10.15	84	1.6
ZZ15411		<0.005	1.42	0.75	16	0.08	8.53	101	0.9
ZZ15412		0.006	0.31	0.84	21	0.09	8.52	101	1.1
ZZ15413		0.016	0.21	0.68	27	0.18	4.92	84	1.0
ZZ15414		0.013	0.16	0.89	25	0.15	9.29	98	1.2
ZZ15415		0.006	0.17	1.09	26	0.07	11.40	75	1.5
ZZ15416		0.005	0.15	0.97	27	0.09	7.80	79	1.3
ZZ15417		0.021	0.12	0.86	36	0.13	5.12	91	1.6
ZZ15418		0.007	0.12	0.64	29	0.09	4.77	68	0.8
ZZ15419		0.008	0.17	0.78	26	0.09	8.21	101	1.3
ZZ15420		0.007	0.18	0.81	17	0.07	6.87	112	1.6
ZZ15421		0.011	0.11	0.21	33	0.09	1.30	34	<0.5
ZZ15422		<0.005	0.14	0.96	25	0.10	11.55	90	1.3
ZZ15423		0.014	0.14	0.41	36	0.09	3.03	63	1.7
ZZ15424		0.008	0.14	0.37	28	<0.05	2.44	60	1.8
ZZ15425		0.009	0.12	0.68	22	<0.05	8.51	90	1.8
ZZ15426		0.009	0.11	0.88	22	0.05	8.36	91	1.5
ZZ15427		0.007	0.09	3.28	15	<0.05	7.41	64	1.4
ZZ15428		<0.005	1.10	1.63	14	<0.05	7.42	728	1.5
ZZ15429		<0.005	0.29	1.28	19	<0.05	5.20	274	1.6
ZZ15430		0.008	0.23	1.70	28	0.07	6.24	225	1.7
ZZ15431		0.009	0.09	0.96	18	<0.05	8.11	46	1.2
ZZ15432		0.013	0.13	2.19	26	0.07	6.38	82	0.9
ZZ15433		0.008	0.09	1.59	17	<0.05	7.51	56	1.1
ZZ15434		0.007	0.07	0.46	14	<0.05	3.16	66	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15435		0.40	0.002	0.11	1.32	33.9	<0.2	<10	120	0.53	0.27	0.07	0.04	18.65	8.2	20
ZZ15436		0.32	0.003	0.73	0.32	19.4	<0.2	<10	420	0.95	0.30	4.97	0.08	17.30	9.6	6
ZZ15437		0.34	0.001	0.05	0.93	16.7	<0.2	<10	60	0.46	0.27	0.10	0.04	16.25	9.0	13
ZZ15438		0.26	0.003	0.13	0.48	7.1	<0.2	<10	80	0.67	0.23	0.82	0.08	17.60	8.3	8
ZZ15439		0.32	0.002	0.12	1.01	86.9	<0.2	<10	120	0.89	0.31	1.61	0.23	14.40	13.1	17
ZZ15440		0.36	0.002	0.07	1.48	33.3	<0.2	<10	170	0.72	0.27	0.33	0.06	18.85	10.5	23
ZZ15441		0.50	0.002	0.05	1.66	44.7	<0.2	<10	190	0.92	0.31	0.38	0.04	21.1	12.5	25
ZZ15442		0.38	0.003	0.04	1.11	16.0	<0.2	<10	140	1.20	0.39	0.03	0.06	9.05	19.4	22
ZZ15443		0.30	0.002	0.14	0.96	72.2	<0.2	<10	240	0.88	0.30	1.79	0.42	18.55	14.1	18
ZZ15444		0.32	0.002	0.13	1.17	63.5	<0.2	<10	140	0.82	0.29	0.74	0.15	12.85	11.7	23
ZZ15445		0.30	0.001	0.02	1.44	56.6	<0.2	<10	130	0.85	0.29	0.18	0.06	13.60	11.2	22
ZZ15446		0.36	0.002	0.11	1.20	97.9	<0.2	<10	210	1.07	0.29	1.34	0.25	12.85	12.4	20
ZZ15447		0.28	0.002	0.12	1.32	105.0	<0.2	<10	210	0.91	0.32	0.63	0.14	19.20	13.2	22
ZZ15448		0.28	0.002	0.10	1.28	94.3	<0.2	<10	220	1.13	0.32	0.60	0.17	17.15	14.3	20
ZZ15449		0.32	0.002	0.21	1.31	62.0	<0.2	<10	410	1.50	0.28	1.49	0.16	18.55	9.9	17
ZZ15450		0.22	0.001	0.12	0.89	124.5	<0.2	<10	190	0.94	0.26	1.77	0.20	10.55	11.2	14
ZZ15451		0.26	0.001	0.11	0.72	487	<0.2	<10	130	0.95	0.33	1.51	0.17	13.10	12.9	13
ZZ15452		0.36	0.001	0.03	1.55	42.3	<0.2	<10	250	1.05	0.27	0.36	0.21	27.8	12.9	22
ZZ15453		0.28	0.002	0.07	1.30	78.5	<0.2	<10	200	1.12	0.33	1.04	0.14	15.85	16.2	22
ZZ15454		0.50	0.001	0.08	1.28	84.4	<0.2	<10	130	1.05	0.31	1.10	0.21	15.05	14.6	22
ZZ15455		0.42	0.002	0.11	0.89	129.5	<0.2	<10	130	0.84	0.22	3.46	0.25	13.50	10.2	15
ZZ15456		0.40	0.002	0.09	1.40	27.6	<0.2	<10	160	1.19	0.36	0.71	0.15	13.50	14.5	24
ZZ15457		0.34	0.002	0.15	1.26	62.4	<0.2	<10	200	1.15	0.32	0.83	0.15	14.35	12.2	21
ZZ15458		0.30	0.001	0.04	1.43	28.0	<0.2	<10	170	1.09	0.38	0.22	0.04	13.25	15.5	26
ZZ15459		0.22	<0.001	0.15	0.65	36.1	<0.2	<10	120	0.29	0.22	0.08	0.04	18.85	2.8	9
ZZ15460		0.42	<0.001	0.07	0.57	8.8	<0.2	<10	70	0.23	0.26	0.03	0.02	11.60	2.2	6
ZZ15461		0.22	0.001	0.11	1.52	27.1	<0.2	<10	340	1.25	0.32	0.73	0.21	25.0	12.8	22
ZZ15462		0.38	0.001	0.04	1.65	24.4	<0.2	<10	270	0.85	0.25	0.23	0.06	25.0	9.8	25
ZZ15463		0.34	0.002	0.06	1.40	92.3	<0.2	<10	190	1.52	0.42	0.08	0.06	23.7	16.7	23
ZZ15464		0.30	0.001	0.04	0.55	18.7	<0.2	<10	50	0.28	0.36	0.02	0.04	17.45	4.6	8
ZZ15465		0.30	0.001	0.03	1.22	219	<0.2	<10	120	0.89	0.38	0.26	0.22	12.15	11.5	22
ZZ15466		0.40	0.001	0.04	1.22	453	<0.2	<10	170	1.30	0.37	0.10	0.21	17.30	14.0	21
ZZ15467		0.38	0.002	0.10	1.13	610	<0.2	<10	200	1.14	0.40	0.52	0.13	12.25	13.5	21
ZZ15468		0.32	0.001	0.13	1.16	217	<0.2	<10	340	0.99	0.34	1.49	0.36	11.85	12.6	19
ZZ15469		0.40	0.003	0.13	1.14	158.5	<0.2	10	170	1.19	0.39	0.89	0.22	16.00	12.2	19
ZZ15470		0.32	0.002	0.07	1.36	247	<0.2	10	250	1.11	0.38	1.26	0.28	16.35	13.4	20
ZZ15471		0.28	0.002	0.16	0.75	194.5	<0.2	10	170	0.95	0.32	1.78	0.19	12.10	9.6	12
ZZ15472		Not Recvd														
ZZ15473		Not Recvd														
ZZ15474		Not Recvd														



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15435		2.59	14.5	3.16	5.73	0.06	0.04	0.09	0.028	0.05	9.4	19.2	0.29	289	0.60
ZZ15436		1.61	43.4	3.78	0.67	0.08	0.06	1.99	0.038	0.04	7.3	1.3	0.07	329	1.51
ZZ15437		1.12	11.1	2.83	3.07	0.05	0.05	0.24	0.027	0.05	6.4	15.2	0.09	179	0.73
ZZ15438		1.77	13.3	2.12	1.53	0.05	0.06	0.87	0.028	0.06	6.8	4.4	0.06	168	0.29
ZZ15439		2.44	34.9	3.35	3.84	0.07	0.08	0.63	0.037	0.10	6.5	15.1	0.57	576	0.44
ZZ15440		1.12	15.3	3.08	5.69	0.06	0.04	0.16	0.030	0.07	9.2	22.9	0.37	337	0.60
ZZ15441		1.32	27.0	3.68	5.75	0.07	0.06	0.55	0.034	0.07	10.4	24.9	0.43	481	0.58
ZZ15442		2.28	38.9	3.79	4.60	0.06	0.04	0.07	0.032	0.12	3.5	15.0	0.20	579	0.40
ZZ15443		2.11	32.2	3.44	3.80	0.08	0.07	0.29	0.035	0.10	7.1	14.7	0.65	1780	0.94
ZZ15444		2.07	24.3	3.45	4.65	0.07	0.08	0.28	0.042	0.12	5.9	19.0	0.39	512	0.59
ZZ15445		0.95	23.8	3.71	4.98	0.07	0.05	0.31	0.033	0.07	6.1	20.8	0.30	423	0.78
ZZ15446		1.29	28.4	4.01	4.03	0.07	0.06	0.45	0.042	0.10	6.6	17.8	0.35	806	0.73
ZZ15447		1.90	36.0	3.59	4.59	0.08	0.07	0.55	0.040	0.11	9.9	23.7	0.38	689	0.76
ZZ15448		1.17	34.8	3.84	4.62	0.07	0.07	0.69	0.041	0.12	7.9	21.2	0.32	939	0.61
ZZ15449		1.85	88.6	2.80	4.10	0.08	0.10	0.41	0.035	0.13	12.7	24.4	0.37	638	0.53
ZZ15450		4.12	31.1	2.80	3.09	0.06	0.05	0.96	0.032	0.09	5.0	11.5	0.28	635	0.48
ZZ15451		5.87	33.5	3.58	2.45	0.07	0.06	1.68	0.039	0.09	5.9	8.1	0.49	701	0.62
ZZ15452		0.92	16.4	3.73	5.28	0.07	0.06	0.26	0.037	0.08	9.0	19.4	0.31	1080	0.80
ZZ15453		1.16	36.5	3.86	4.78	0.08	0.06	0.50	0.038	0.09	6.7	18.6	0.51	1160	0.57
ZZ15454		3.50	30.1	3.50	4.73	0.07	0.07	0.43	0.037	0.10	6.4	21.4	0.54	526	0.46
ZZ15455		8.58	22.0	2.57	3.09	0.05	0.07	0.48	0.030	0.09	5.7	12.2	0.48	443	0.35
ZZ15456		3.69	28.4	3.74	5.23	0.07	0.07	0.28	0.037	0.13	6.2	21.4	0.40	561	0.45
ZZ15457		1.84	37.8	3.84	4.32	0.08	0.06	0.53	0.039	0.09	7.4	20.6	0.36	631	0.93
ZZ15458		1.67	34.8	4.14	5.69	0.07	0.04	0.22	0.038	0.11	5.6	25.1	0.39	661	0.63
ZZ15459		1.92	8.8	1.71	3.28	0.11	<0.02	0.07	0.016	0.05	8.6	4.1	0.08	96	0.55
ZZ15460		5.93	5.0	1.29	2.84	0.10	<0.02	0.01	0.010	0.06	5.6	4.1	0.04	54	0.49
ZZ15461		2.81	28.6	3.28	4.41	0.12	0.06	1.53	0.035	0.07	10.2	27.7	0.36	815	0.60
ZZ15462		0.98	13.4	3.18	5.14	0.12	0.07	0.17	0.033	0.06	11.4	18.8	0.38	395	0.58
ZZ15463		1.15	52.5	4.48	4.68	0.13	0.02	2.57	0.041	0.07	8.4	20.2	0.32	917	0.70
ZZ15464		2.38	21.8	2.79	3.64	0.10	<0.02	0.03	0.025	0.09	8.1	1.4	0.06	112	0.82
ZZ15465		1.78	17.5	3.97	4.61	0.10	0.03	0.25	0.037	0.09	4.7	18.2	0.28	510	0.83
ZZ15466		2.45	28.8	3.97	4.01	0.11	0.03	2.98	0.040	0.07	6.2	17.8	0.25	534	0.94
ZZ15467		2.67	33.6	4.03	4.09	0.11	0.06	0.50	0.036	0.09	5.1	14.7	0.29	808	0.96
ZZ15468		1.76	32.7	3.32	3.77	0.12	0.04	0.48	0.036	0.09	4.7	14.8	0.35	727	0.80
ZZ15469		3.54	40.6	3.51	3.56	0.11	0.08	1.23	0.041	0.13	6.4	16.8	0.42	371	0.46
ZZ15470		2.68	29.8	3.91	3.96	0.10	0.05	0.60	0.043	0.13	5.6	17.9	0.34	1080	0.45
ZZ15471		4.35	31.3	3.18	2.10	0.11	0.04	0.82	0.033	0.09	5.4	7.5	0.35	603	0.60
ZZ15472															
ZZ15473															
ZZ15474															



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ15435		0.96	16.2	160	17.1	15.3	<0.001	<0.01	0.43	2.9	0.3	0.7	8.2	<0.01	0.04
ZZ15436		0.10	45.9	660	27.3	4.4	<0.001	0.06	0.53	5.2	2.3	0.5	319	<0.01	0.07
ZZ15437		0.50	19.3	120	22.0	10.1	<0.001	<0.01	0.29	2.1	0.4	0.6	20.1	<0.01	0.03
ZZ15438		0.22	21.0	200	18.7	5.6	<0.001	0.03	0.16	4.3	0.6	0.5	38.3	<0.01	0.02
ZZ15439		0.49	24.6	480	26.3	14.0	<0.001	0.06	0.67	5.1	1.4	0.6	41.6	<0.01	0.05
ZZ15440		0.83	22.0	130	19.6	12.2	<0.001	<0.01	0.47	3.5	0.4	0.7	16.0	<0.01	0.04
ZZ15441		0.67	28.2	190	23.7	12.0	<0.001	<0.01	0.62	5.0	0.5	0.7	14.5	<0.01	0.04
ZZ15442		0.54	22.6	160	27.0	14.3	<0.001	<0.01	0.25	4.1	0.3	0.9	7.8	<0.01	0.04
ZZ15443		0.48	25.9	650	30.3	13.1	<0.001	0.04	0.81	4.6	1.1	0.8	85.1	<0.01	0.05
ZZ15444		0.56	23.9	620	19.8	13.8	<0.001	0.03	0.58	5.0	0.7	0.8	32.1	<0.01	0.05
ZZ15445		0.65	22.6	100	26.2	11.6	<0.001	<0.01	0.65	3.6	0.4	0.7	9.6	<0.01	0.04
ZZ15446		0.49	22.0	510	30.0	11.1	<0.001	0.04	0.98	5.0	0.8	0.8	36.2	<0.01	0.06
ZZ15447		0.74	25.0	310	25.6	15.7	<0.001	0.01	0.88	5.8	0.7	0.7	22.6	<0.01	0.05
ZZ15448		0.55	25.4	250	27.9	11.0	<0.001	0.01	0.87	6.0	0.6	0.7	23.7	<0.01	0.04
ZZ15449		0.47	28.8	480	20.2	14.2	<0.001	0.04	0.92	5.7	1.3	0.7	43.5	0.01	0.06
ZZ15450		0.41	21.2	470	21.9	12.0	<0.001	0.06	1.15	3.9	0.8	0.6	42.1	<0.01	0.05
ZZ15451		0.36	24.7	300	32.4	11.5	<0.001	0.03	2.58	5.5	0.7	0.6	32.0	<0.01	0.05
ZZ15452		1.03	20.5	170	31.9	11.2	<0.001	0.01	0.62	4.7	0.5	0.7	12.7	<0.01	0.04
ZZ15453		0.68	26.8	230	28.2	8.8	<0.001	0.03	0.72	5.4	0.7	0.7	21.4	<0.01	0.04
ZZ15454		0.64	27.7	260	25.9	11.5	<0.001	0.03	0.68	5.4	0.9	0.8	25.8	<0.01	0.04
ZZ15455		0.48	22.0	500	19.2	14.7	<0.001	0.09	0.70	3.7	1.4	0.6	79.6	<0.01	0.04
ZZ15456		0.59	27.7	270	21.3	16.9	<0.001	0.02	0.39	5.4	0.8	1.1	34.3	<0.01	0.04
ZZ15457		0.60	28.1	460	29.5	10.1	<0.001	0.03	0.73	5.4	0.9	0.8	39.2	<0.01	0.05
ZZ15458		0.56	25.8	150	24.7	12.7	<0.001	<0.01	0.41	4.9	0.4	0.9	16.8	<0.01	0.04
ZZ15459		0.66	6.5	110	10.0	8.7	<0.001	0.03	0.38	1.4	0.4	0.5	8.4	<0.01	0.04
ZZ15460		0.42	4.9	90	13.7	23.9	<0.001	0.03	0.26	1.0	0.2	0.5	5.6	<0.01	0.05
ZZ15461		0.96	29.7	280	22.7	18.3	<0.001	0.05	0.65	5.7	0.6	0.7	68.2	<0.01	0.04
ZZ15462		0.75	19.9	110	18.0	10.8	<0.001	0.03	0.45	3.7	0.6	0.7	13.8	<0.01	0.03
ZZ15463		0.62	28.9	160	36.9	8.8	<0.001	0.04	1.28	5.0	0.6	0.7	10.9	<0.01	0.05
ZZ15464		0.51	7.2	190	9.1	15.2	<0.001	0.04	0.33	2.2	0.5	0.7	15.5	<0.01	0.04
ZZ15465		0.41	18.4	190	25.1	12.8	<0.001	0.04	0.62	3.4	0.3	0.9	14.8	<0.01	0.03
ZZ15466		0.36	22.7	130	25.1	12.6	<0.001	0.05	0.71	4.1	0.6	0.7	11.0	<0.01	0.03
ZZ15467		0.37	25.1	330	25.8	12.6	<0.001	0.05	1.14	4.6	0.6	0.8	24.6	<0.01	0.05
ZZ15468		0.40	19.8	620	22.4	13.2	<0.001	0.09	0.82	3.6	1.1	0.6	59.4	<0.01	0.03
ZZ15469		0.41	22.6	480	30.0	14.6	0.001	0.08	1.29	5.4	1.1	0.7	55.1	<0.01	0.04
ZZ15470		0.40	22.3	410	29.5	20.8	<0.001	0.07	1.30	4.4	0.7	0.9	50.3	<0.01	0.03
ZZ15471		0.25	22.1	460	28.6	9.3	<0.001	0.09	1.27	3.7	0.7	0.5	48.9	<0.01	0.03
ZZ15472															
ZZ15473															
ZZ15474															



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15435		0.013	0.14	0.44	36	0.15	2.99	52	1.3
ZZ15436		<0.005	0.45	0.92	8	<0.05	14.40	93	1.2
ZZ15437		0.005	0.10	0.42	18	<0.05	2.76	47	2.0
ZZ15438		<0.005	0.10	0.49	9	<0.05	6.74	49	1.7
ZZ15439		0.007	0.22	0.91	19	<0.05	9.02	117	2.0
ZZ15440		0.013	0.13	0.63	31	0.07	4.24	62	1.7
ZZ15441		0.009	0.16	0.74	30	0.06	8.36	81	1.9
ZZ15442		0.008	0.12	0.68	23	<0.05	4.24	64	1.5
ZZ15443		0.007	0.23	1.42	22	<0.05	9.55	115	1.5
ZZ15444		0.009	0.16	0.68	24	<0.05	6.89	107	1.9
ZZ15445		0.008	0.15	0.47	30	<0.05	3.24	69	2.0
ZZ15446		0.006	0.21	1.13	26	0.05	10.30	96	1.3
ZZ15447		0.013	0.22	0.71	31	0.07	10.60	109	1.6
ZZ15448		0.007	0.22	0.61	26	<0.05	10.05	83	1.9
ZZ15449		0.005	0.17	1.17	20	<0.05	25.8	62	1.9
ZZ15450		0.006	0.37	0.79	17	<0.05	7.96	88	1.3
ZZ15451		<0.005	0.72	0.53	16	0.05	9.60	104	1.4
ZZ15452		0.009	0.20	1.16	34	<0.05	6.47	96	2.1
ZZ15453		0.008	0.16	1.20	24	0.05	9.40	91	1.4
ZZ15454		0.008	0.69	1.08	23	0.05	8.53	348	2.0
ZZ15455		0.006	1.30	1.30	15	<0.05	7.09	652	2.1
ZZ15456		0.008	0.14	1.16	25	0.07	8.17	95	1.8
ZZ15457		0.008	0.15	1.10	24	0.05	10.30	96	1.5
ZZ15458		0.008	0.12	0.56	27	<0.05	4.21	80	1.4
ZZ15459		0.017	0.11	0.30	28	0.12	1.86	33	0.6
ZZ15460		0.008	0.11	0.18	21	0.08	1.11	29	<0.5
ZZ15461		0.017	0.13	1.07	31	0.14	9.09	70	1.8
ZZ15462		0.015	0.15	0.67	36	0.15	5.64	69	2.1
ZZ15463		0.009	0.21	0.76	25	0.08	6.13	90	1.0
ZZ15464		0.008	0.12	0.33	30	0.07	1.60	34	<0.5
ZZ15465		0.006	0.19	0.70	29	0.07	4.19	87	0.8
ZZ15466		0.006	0.21	1.04	27	0.06	4.72	99	1.6
ZZ15467		0.006	0.30	0.78	27	0.08	6.47	106	1.3
ZZ15468		0.007	0.27	1.23	24	0.08	5.86	122	1.1
ZZ15469		0.006	0.52	0.57	21	0.08	9.37	115	1.8
ZZ15470		0.005	0.45	0.79	23	0.10	5.84	129	1.1
ZZ15471		<0.005	0.51	0.80	16	0.07	10.25	89	1.0
ZZ15472									
ZZ15473									
ZZ15474									



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15475		Not Recvd														
ZZ15476		Not Recvd														
ZZ15963		0.32	0.003	0.07	0.22	53	<0.2	<10	40	0.26	0.14	14.85	0.44	8.63	6.5	5
ZZ15964		0.44	0.001	0.07	1.42	51.6	<0.2	<10	200	1.02	0.36	0.31	0.12	19.40	11.9	21
ZZ15965		0.20	0.001	0.11	1.21	46.6	<0.2	<10	180	0.78	0.24	2.00	0.20	12.35	7.9	18
ZZ15966		0.46	0.002	0.14	0.97	41.5	<0.2	<10	150	0.82	0.25	3.08	0.49	16.10	9.7	16
ZZ15967		0.42	0.002	0.14	1.04	63.0	<0.2	<10	200	0.90	0.25	2.13	0.54	17.70	12.8	16
ZZ15968		0.32	0.001	0.13	1.05	77.1	<0.2	<10	180	0.92	0.26	2.01	0.43	13.65	9.8	16
ZZ15969		0.34	0.002	0.14	0.94	63.1	<0.2	<10	170	0.74	0.24	2.87	0.52	14.60	9.6	14
ZZ15970		0.32	0.001	0.18	0.68	7.4	<0.2	<10	260	0.54	0.14	3.73	0.28	10.80	6.5	9
CC95320		0.52	0.002	0.12	1.22	30.9	<0.2	<10	210	1.06	0.36	0.99	0.43	19.70	14.8	20
CC95321		0.60	0.001	0.15	1.35	25.3	<0.2	<10	430	1.18	0.33	0.66	0.36	23.7	15.3	21
CC95322		0.40	0.002	0.15	1.27	31.1	<0.2	<10	310	1.35	0.36	1.37	0.28	17.35	15.8	21
CC95323		0.54	0.002	0.12	1.23	31.1	<0.2	<10	250	1.14	0.37	0.87	0.34	18.60	16.7	20
CC95324		0.52	0.002	0.20	1.29	30.6	<0.2	<10	240	1.21	0.34	1.12	0.48	18.95	15.2	21
CC95325		0.48	0.001	0.15	1.08	29.7	<0.2	<10	240	0.92	0.32	0.55	0.31	17.90	15.9	19
CC95326		0.32	<0.001	0.04	0.57	5.3	<0.2	<10	50	0.30	0.49	0.15	0.10	3.04	9.2	26
CC95327		0.28	0.001	0.11	1.07	39.3	<0.2	<10	180	1.20	0.34	1.10	0.14	14.20	11.6	19
CC95328		0.40	0.002	0.12	1.30	51.7	<0.2	<10	210	1.24	0.39	0.81	0.18	17.60	14.9	21
CC95329		0.48	0.001	0.07	1.41	30.1	<0.2	<10	150	1.20	0.40	0.32	0.13	16.90	13.4	23
CC95330		0.44	0.001	0.08	1.38	179.5	<0.2	<10	160	1.06	0.35	0.22	0.15	22.3	14.2	26
CC95331		0.46	0.001	0.06	1.24	247	<0.2	<10	240	0.77	0.35	0.68	0.29	16.30	11.7	21
CC95332		0.46	0.001	0.13	1.27	97.1	<0.2	<10	280	1.34	0.37	1.52	0.23	16.20	13.7	20
CC95333		0.30	0.001	0.06	0.57	12.9	<0.2	10	170	0.86	0.48	0.28	0.04	13.95	9.4	10
CC95334		0.38	0.001	0.10	1.03	1340	<0.2	<10	170	0.90	0.39	0.52	0.11	14.45	8.7	18
CC95335		0.52	0.001	0.10	1.12	219	<0.2	<10	250	1.13	0.42	1.01	0.18	16.90	16.3	22
CC95336		0.26	0.001	0.06	1.26	395	<0.2	<10	140	0.76	0.20	6.78	0.17	15.65	7.1	16
CC95337		0.38	0.001	0.04	1.78	84.2	<0.2	<10	230	1.53	0.40	0.38	0.12	24.5	13.7	27
CC95338		0.42	0.001	0.03	2.02	14.5	<0.2	<10	220	0.85	0.28	0.27	0.06	21.9	9.9	27
CC95339		0.48	<0.001	0.03	1.77	27.0	<0.2	<10	140	1.15	0.50	0.02	0.09	13.30	13.2	27
CC95340		0.30	0.001	0.03	1.47	21.6	<0.2	<10	110	0.56	0.30	0.07	0.07	15.40	10.0	20
CC95341		0.40	0.001	0.06	1.77	24.3	<0.2	<10	110	0.82	0.47	0.03	0.15	14.95	15.8	29
CC95342		0.52	0.001	0.05	1.14	23.6	<0.2	<10	110	0.58	0.50	0.03	0.06	12.35	10.5	21
CC95343		0.52	0.001	0.07	1.70	17.3	<0.2	<10	150	0.90	0.42	0.09	0.06	19.60	13.1	27
CC95344		0.40	0.003	0.06	1.61	22.6	<0.2	<10	110	1.08	0.48	0.02	0.03	13.40	12.3	27
ZZ15501		0.44	0.002	0.09	1.85	20.7	<0.2	<10	140	1.27	0.47	0.04	0.06	16.50	14.8	29
ZZ15502		0.36	0.002	0.11	2.13	18.3	<0.2	<10	230	1.37	0.49	0.07	0.06	22.6	13.8	32
ZZ15503		0.40	0.001	0.06	2.25	14.1	<0.2	<10	160	1.23	0.51	0.05	0.16	18.65	19.5	32
ZZ15504		0.42	0.001	0.33	2.07	27.2	<0.2	<10	140	0.98	0.47	0.03	0.48	13.40	18.6	33
ZZ15505		0.54	0.002	0.09	1.51	21.2	<0.2	<10	150	0.94	0.41	0.07	0.18	21.1	13.7	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
ZZ15475																
ZZ15476																
ZZ15963		0.97	18.1	4.35	0.76	0.11	0.03	2.35	0.008	0.04	4.9	1.9	8.92	1320	0.30	0.03
ZZ15964		0.86	28.3	3.87	5.15	0.10	0.05	0.75	0.035	0.08	8.4	18.9	0.34	510	0.64	0.01
ZZ15965		0.74	20.7	2.88	3.53	0.10	0.06	0.53	0.027	0.07	5.9	12.3	0.34	482	0.44	0.02
ZZ15966		0.85	22.4	2.27	2.94	0.10	0.05	2.76	0.030	0.09	6.4	12.3	1.48	451	0.58	0.02
ZZ15967		0.84	27.1	2.96	3.43	0.12	0.05	0.84	0.033	0.09	7.2	13.4	0.93	754	0.90	0.02
ZZ15968		1.27	25.1	2.86	3.29	0.11	0.05	0.63	0.031	0.09	5.8	13.1	0.56	531	0.64	0.02
ZZ15969		0.98	20.7	2.64	2.90	0.11	0.06	0.71	0.029	0.07	5.8	11.3	1.08	559	0.73	0.02
ZZ15970		1.18	15.2	1.57	1.69	0.11	0.03	0.18	0.019	0.04	4.6	5.5	0.30	720	0.27	0.02
CC95320		1.30	43.3	3.96	4.19	0.11	0.07	0.64	0.038	0.11	7.5	17.5	0.56	675	1.35	0.02
CC95321		0.97	32.4	3.77	4.22	0.11	0.06	0.35	0.038	0.09	8.9	17.4	0.38	786	1.52	0.02
CC95322		1.53	42.6	4.06	4.48	0.12	0.07	0.89	0.042	0.11	6.9	18.8	0.75	683	1.39	0.02
CC95323		1.21	39.0	4.01	4.13	0.12	0.05	0.50	0.041	0.10	6.7	18.5	0.52	822	1.47	0.02
CC95324		0.86	40.7	3.74	3.99	0.12	0.05	0.61	0.039	0.12	7.7	18.4	0.53	866	1.51	0.02
CC95325		0.70	30.5	3.62	3.65	0.12	0.04	0.58	0.032	0.07	6.1	17.5	0.36	848	1.43	0.02
CC95326		1.43	6.3	4.01	2.30	0.11	0.02	0.03	0.016	0.07	1.1	6.0	0.18	994	0.78	0.02
CC95327		1.56	41.9	3.69	3.72	0.13	0.06	0.57	0.038	0.10	5.5	14.4	0.47	547	0.81	0.02
CC95328		1.10	45.3	4.07	4.71	0.13	0.07	0.50	0.044	0.10	7.6	18.2	0.53	746	0.93	0.02
CC95329		0.91	31.2	3.91	5.36	0.10	0.04	0.26	0.040	0.10	6.0	20.9	0.34	560	0.78	0.02
CC95330		1.44	22.3	3.89	5.07	0.12	0.03	1.85	0.041	0.09	8.3	21.2	0.43	538	0.89	0.02
CC95331		0.77	18.7	3.33	5.17	0.11	0.03	0.12	0.030	0.09	6.4	18.8	0.31	667	0.82	0.02
CC95332		1.66	35.5	3.47	4.40	0.13	0.07	0.57	0.038	0.13	6.6	16.9	0.63	610	0.90	0.02
CC95333		6.32	34.3	3.88	2.49	0.11	0.02	0.04	0.046	0.12	6.3	5.1	0.11	176	0.57	0.02
CC95334		3.09	28.9	3.45	3.49	0.11	0.05	1.18	0.040	0.10	6.8	12.7	0.29	314	0.81	0.02
CC95335		2.40	45.4	4.00	4.24	0.13	0.06	1.40	0.045	0.09	6.8	14.2	0.63	1110	0.77	0.03
CC95336		1.81	11.9	2.49	3.52	0.14	0.05	1.02	0.024	0.07	7.6	7.7	3.82	1380	0.46	0.04
CC95337		2.75	31.9	4.37	5.45	0.13	0.07	0.60	0.057	0.08	12.9	12.4	0.31	1350	0.59	0.02
CC95338		4.89	15.5	2.98	6.75	0.13	0.04	0.18	0.038	0.04	11.2	18.7	0.38	324	0.57	0.02
CC95339		6.21	50.3	4.66	6.37	0.12	0.05	0.32	0.056	0.05	5.6	19.6	0.30	386	0.86	0.02
CC95340		4.67	17.7	3.57	5.54	0.11	0.04	0.21	0.036	0.04	7.4	22.1	0.23	227	0.93	0.02
CC95341		3.41	34.3	4.73	5.65	0.12	0.06	0.21	0.052	0.06	6.9	21.3	0.27	682	1.30	0.02
CC95342		4.75	41.2	4.71	4.95	0.12	0.04	0.12	0.043	0.06	5.9	11.3	0.20	363	1.07	0.02
CC95343		4.09	33.1	4.08	5.97	0.13	0.03	0.18	0.045	0.06	9.3	23.9	0.38	490	0.78	0.03
CC95344		12.30	43.6	4.86	6.33	0.13	0.06	0.26	0.054	0.06	6.1	25.3	0.31	345	0.76	0.02
ZZ15501		6.83	45.3	4.82	6.41	0.12	0.02	0.25	0.053	0.06	7.1	26.8	0.33	505	0.84	0.02
ZZ15502		12.30	38.5	4.62	7.24	0.14	0.02	0.26	0.046	0.07	10.3	32.8	0.43	565	0.57	0.03
ZZ15503		3.17	37.2	4.54	7.32	0.13	0.03	0.14	0.045	0.06	7.8	45.8	0.52	558	0.51	0.03
ZZ15504		6.73	38.0	5.30	6.91	0.12	0.05	0.16	0.056	0.07	6.4	37.5	0.31	460	1.23	0.03
ZZ15505		2.78	32.3	3.82	5.48	0.13	0.02	0.43	0.041	0.06	9.5	20.9	0.27	812	1.04	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ15475																
ZZ15476																
ZZ15963		<0.05	14.1	420	98.8	2.1	<0.001	0.12	4.47	2.7	0.7	0.2	46.3	<0.01	0.11	2.0
ZZ15964		0.73	22.3	210	25.8	11.0	<0.001	0.09	0.59	4.8	0.4	0.7	15.5	<0.01	0.04	4.0
ZZ15965		0.66	16.1	360	25.3	7.1	<0.001	0.17	1.01	3.2	0.7	0.5	70.5	<0.01	0.03	1.9
ZZ15966		0.45	19.5	570	25.7	8.2	0.001	0.19	0.85	3.5	1.0	0.4	32.1	<0.01	0.04	2.1
ZZ15967		0.46	23.9	580	28.0	8.9	0.001	0.14	1.05	4.0	1.3	0.5	27.1	<0.01	0.04	2.0
ZZ15968		0.49	20.6	530	21.3	11.6	0.001	0.14	0.90	3.4	1.3	0.5	42.1	<0.01	0.04	1.7
ZZ15969		0.44	18.3	570	24.0	8.6	0.003	0.16	0.92	3.1	1.0	0.5	38.6	<0.01	0.03	1.7
ZZ15970		0.34	13.4	760	10.5	6.9	0.001	0.19	0.27	1.4	0.8	0.3	187.5	<0.01	0.02	0.5
CC95320		0.49	31.6	430	31.4	11.0	<0.001	0.07	0.83	5.8	1.0	0.6	30.5	<0.01	0.04	4.4
CC95321		0.42	31.9	330	28.6	9.9	<0.001	0.05	0.71	5.5	0.9	0.6	28.8	<0.01	0.05	3.8
CC95322		0.41	32.6	510	29.8	10.2	<0.001	0.06	0.80	6.4	0.8	0.6	33.7	<0.01	0.03	4.2
CC95323		0.41	31.7	420	31.0	8.9	0.001	0.06	0.75	5.2	1.1	0.6	28.3	<0.01	0.07	3.8
CC95324		0.41	35.1	530	30.1	12.4	<0.001	0.07	0.84	5.1	1.3	0.6	38.6	<0.01	0.05	2.6
CC95325		0.44	26.1	190	40.3	6.6	<0.001	0.07	0.70	4.3	0.9	0.5	23.3	<0.01	0.07	3.3
CC95326		0.77	10.5	70	29.5	11.1	<0.001	0.04	0.41	2.0	0.3	0.9	8.4	<0.01	0.05	5.7
CC95327		0.43	21.9	270	28.0	14.7	0.001	0.08	0.55	5.1	0.8	0.6	44.7	<0.01	0.04	3.1
CC95328		0.41	29.8	320	29.6	9.8	<0.001	0.05	0.67	6.5	0.9	0.7	26.7	<0.01	0.05	4.6
CC95329		0.40	23.9	240	37.6	11.9	<0.001	0.04	0.48	5.1	0.6	0.7	15.4	<0.01	0.04	4.1
CC95330		0.56	35.1	190	28.4	13.9	<0.001	0.04	1.24	4.4	0.5	0.7	14.9	<0.01	0.04	3.9
CC95331		0.60	18.5	180	22.8	12.6	0.001	0.06	0.77	3.2	0.7	0.7	27.8	<0.01	0.05	2.7
CC95332		0.39	27.3	470	26.4	11.6	<0.001	0.08	0.74	5.2	0.8	0.7	38.5	<0.01	0.04	3.4
CC95333		0.19	15.3	250	15.8	11.8	<0.001	0.06	0.20	4.0	0.3	0.5	22.9	<0.01	0.03	3.8
CC95334		0.52	17.9	210	25.0	11.5	<0.001	0.09	3.38	4.9	0.7	0.6	24.4	<0.01	0.06	3.6
CC95335		0.37	30.2	380	50.1	9.3	<0.001	0.01	1.42	6.5	0.5	0.7	20.9	<0.01	0.06	5.2
CC95336		0.33	14.3	710	26.2	9.1	<0.001	0.03	3.37	2.6	0.4	0.5	33.0	<0.01	0.05	1.5
CC95337		0.33	26.6	220	45.8	14.1	0.001	<0.01	0.63	8.8	0.7	0.8	16.2	<0.01	0.04	6.7
CC95338		0.69	21.3	150	20.9	13.0	<0.001	<0.01	0.34	4.2	0.3	0.8	15.0	<0.01	0.03	4.3
CC95339		0.39	25.7	150	30.0	16.5	<0.001	<0.01	0.46	5.5	0.5	0.8	8.8	<0.01	0.03	5.0
CC95340		0.72	20.2	210	23.9	19.9	<0.001	<0.01	0.46	2.9	0.3	0.7	8.7	<0.01	0.03	3.5
CC95341		0.94	27.9	240	34.5	16.0	<0.001	<0.01	0.61	4.1	0.4	0.7	9.8	<0.01	0.06	4.9
CC95342		0.64	23.8	180	27.1	18.5	<0.001	<0.01	0.42	4.4	0.5	0.7	9.3	<0.01	0.04	4.0
CC95343		0.79	24.9	180	25.3	18.1	<0.001	<0.01	0.41	4.2	<0.2	0.7	10.9	<0.01	0.02	4.9
CC95344		0.58	24.2	190	28.4	21.0	<0.001	<0.01	0.42	5.0	0.5	0.7	8.5	<0.01	0.03	4.7
ZZ15501		0.55	28.9	180	27.4	18.4	<0.001	<0.01	0.43	5.2	0.6	0.7	8.4	<0.01	0.04	5.5
ZZ15502		0.45	31.5	130	31.0	16.7	<0.001	<0.01	0.47	6.0	0.5	0.8	11.1	<0.01	0.04	6.4
ZZ15503		0.30	36.7	130	29.9	15.7	<0.001	<0.01	0.47	4.1	0.3	0.7	8.6	<0.01	0.02	5.5
ZZ15504		0.76	30.8	230	30.7	20.5	<0.001	<0.01	0.54	4.2	0.2	0.8	8.7	<0.01	0.04	4.9
ZZ15505		0.62	25.4	190	28.5	15.5	<0.001	<0.01	0.71	4.7	0.5	0.7	9.7	<0.01	0.04	4.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15475									
ZZ15476									
ZZ15963		<0.005	0.62	2.18	7	0.12	6.21	1070	1.0
ZZ15964		0.008	0.15	0.78	28	0.09	7.98	126	1.5
ZZ15965		0.007	0.21	0.97	22	0.10	5.84	70	1.5
ZZ15966		0.006	0.37	1.35	22	0.05	8.28	191	1.4
ZZ15967		0.006	0.34	1.65	25	0.08	9.47	182	1.3
ZZ15968		0.006	0.40	1.92	22	0.07	7.74	255	1.5
ZZ15969		0.005	0.34	2.44	21	0.07	7.64	183	1.4
ZZ15970		0.009	0.07	2.60	12	<0.05	5.30	36	0.9
CC95320		0.006	0.23	0.97	30	0.07	10.65	140	2.4
CC95321		0.005	0.17	1.12	35	0.06	9.52	109	1.8
CC95322		0.005	0.24	0.74	30	0.06	10.25	132	2.1
CC95323		0.006	0.26	0.90	31	0.07	8.72	125	1.5
CC95324		<0.005	0.22	0.82	32	0.06	11.15	123	1.4
CC95325		0.008	0.14	0.61	30	0.06	6.31	104	1.3
CC95326		0.017	0.06	0.71	27	0.19	1.91	26	0.7
CC95327		0.008	0.19	0.99	25	0.08	7.13	104	1.5
CC95328		0.007	0.20	0.85	27	0.08	10.20	111	2.0
CC95329		0.006	0.17	0.68	28	0.06	6.34	90	1.5
CC95330		0.007	0.47	0.71	30	0.10	6.46	71	1.3
CC95331		0.010	0.12	0.70	31	0.13	3.40	82	1.2
CC95332		<0.005	0.25	1.02	26	0.07	9.02	95	2.0
CC95333		<0.005	0.19	0.55	17	<0.05	5.31	49	0.8
CC95334		0.009	1.85	0.82	25	0.72	5.57	57	1.5
CC95335		0.006	0.45	0.75	26	0.14	9.85	125	1.7
CC95336		0.006	0.67	1.07	25	0.12	10.15	61	1.4
CC95337		<0.005	0.31	1.15	32	0.11	16.05	97	2.0
CC95338		0.011	0.19	0.60	42	0.17	3.79	107	1.8
CC95339		0.005	0.15	0.63	34	0.10	3.97	90	2.1
CC95340		0.009	0.14	0.37	36	0.14	2.38	68	1.5
CC95341		0.015	0.16	0.60	39	0.23	3.09	102	2.1
CC95342		0.012	0.19	0.50	33	0.14	3.21	101	1.6
CC95343		0.015	0.14	0.59	40	0.19	3.33	79	1.5
CC95344		0.008	0.13	0.54	34	0.14	3.63	79	2.1
ZZ15501		0.008	0.18	0.70	35	0.13	4.17	88	1.2
ZZ15502		0.008	0.11	0.91	35	0.11	6.48	83	1.3
ZZ15503		0.006	0.11	0.53	29	0.07	3.50	91	1.7
ZZ15504		0.012	0.29	0.54	42	0.18	2.86	93	2.0
ZZ15505		0.010	0.17	0.92	33	0.14	5.95	107	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15506		0.44	0.001	0.03	1.56	38.1	<0.2	<10	180	0.79	0.45	0.09	0.15	14.30	16.2	26
ZZ15507		0.42	0.001	0.06	1.35	21.1	<0.2	<10	110	0.46	0.39	0.09	0.13	16.35	12.2	25
ZZ15508		0.40	0.001	0.05	0.97	23.9	<0.2	<10	60	0.25	0.34	0.02	0.09	14.55	6.6	19
ZZ15509		0.40	0.002	0.47	0.14	19.9	<0.2	<10	150	0.15	0.22	0.12	0.13	2.09	0.2	4
ZZ15510		0.50	0.002	0.23	0.26	16.5	<0.2	<10	90	0.17	0.22	0.01	0.03	5.14	0.4	6
ZZ15511		0.42	0.002	0.60	0.30	8.1	<0.2	<10	100	0.25	0.33	0.01	0.03	4.47	0.4	6
ZZ15512		0.38	0.001	0.20	0.31	6.1	<0.2	<10	100	0.20	0.28	0.02	0.01	4.48	0.5	5
ZZ15513		0.46	0.002	0.22	1.33	18.8	<0.2	<10	250	0.98	0.46	0.34	0.14	19.15	14.5	23
ZZ15514		0.42	0.002	0.24	0.94	40.3	<0.2	<10	180	0.77	0.31	0.51	0.12	16.95	8.3	18
ZZ15515		0.30	0.001	0.31	0.57	30.8	<0.2	<10	140	0.57	0.31	0.21	0.19	6.60	2.7	14
ZZ15516		0.56	0.002	0.19	1.40	24.5	<0.2	<10	270	1.07	0.35	1.31	0.19	15.20	11.8	24
ZZ15517		0.48	0.001	0.14	1.07	34.0	<0.2	<10	180	0.92	0.40	0.66	0.13	13.40	12.7	20
ZZ15518		0.42	0.001	0.32	0.83	33.5	<0.2	<10	120	1.15	0.39	1.06	0.13	11.30	11.3	14
ZZ15519		0.32	0.001	0.21	0.53	30.8	<0.2	10	90	0.87	0.35	0.87	0.15	9.79	12.6	9
ZZ15520		0.26	0.001	0.11	0.72	36.4	<0.2	10	210	0.80	0.21	3.47	0.32	7.17	9.0	11
ZZ15521		0.44	<0.001	0.07	1.48	205	<0.2	<10	140	0.97	0.33	0.39	0.21	20.6	12.4	25
ZZ15522		0.40	0.001	0.07	1.62	80.3	<0.2	<10	200	1.20	0.42	0.51	0.19	18.45	16.4	25
ZZ15523		0.36	0.001	0.04	1.40	389	<0.2	<10	170	1.18	0.36	0.24	0.20	23.7	14.2	22
ZZ15524		0.42	<0.001	0.12	1.32	452	<0.2	<10	180	0.99	0.34	1.00	0.28	16.65	11.4	20
ZZ15525		0.34	<0.001	0.11	1.12	89.3	<0.2	<10	160	0.50	0.23	1.23	0.26	10.95	9.8	21
ZZ15526		0.40	0.001	0.11	0.98	649	<0.2	<10	200	0.72	0.21	2.47	0.19	11.85	9.0	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15506		2.56	34.8	4.84	5.44	0.06	0.03	0.37	0.061	0.06	5.6	22.8	0.24	1120	1.05
ZZ15507		1.45	20.9	4.03	6.07	0.06	0.02	1.55	0.042	0.06	8.2	19.3	0.30	639	1.32
ZZ15508		3.60	19.8	3.47	5.47	0.05	0.02	0.71	0.031	0.05	7.6	8.9	0.16	320	1.64
ZZ15509		4.10	16.2	0.20	0.97	<0.05	0.02	16.30	0.015	0.04	1.4	1.2	0.03	30	2.45
ZZ15510		5.97	23.0	0.63	1.36	0.12	0.02	2.18	0.018	0.05	3.0	1.8	0.01	17	12.75
ZZ15511		3.53	16.9	0.50	1.45	0.12	0.02	0.68	0.011	0.04	2.5	1.0	0.01	14	8.47
ZZ15512		2.57	16.0	0.45	1.24	0.10	<0.02	0.57	0.010	0.04	2.4	1.1	0.01	13	6.35
ZZ15513		1.69	32.2	3.38	5.08	0.13	0.05	0.53	0.035	0.10	6.8	20.1	0.34	703	3.94
ZZ15514		2.57	29.4	2.38	3.62	0.13	0.04	2.52	0.031	0.07	8.1	12.7	0.23	423	9.68
ZZ15515		3.01	47.0	1.59	2.94	0.13	<0.02	0.51	0.037	0.05	3.1	5.7	0.09	73	16.55
ZZ15516		1.16	42.9	3.37	4.80	0.13	0.04	0.34	0.039	0.09	7.8	19.3	0.38	544	0.71
ZZ15517		1.84	34.4	3.76	3.74	0.12	0.04	0.38	0.037	0.08	5.9	15.3	0.29	760	0.82
ZZ15518		4.78	40.7	3.49	2.88	0.14	0.04	0.75	0.042	0.10	5.8	9.7	0.19	487	0.94
ZZ15519		15.15	31.7	2.65	1.86	0.12	0.04	0.52	0.033	0.09	3.9	6.1	0.11	278	0.69
ZZ15520		2.24	35.1	2.04	2.39	0.12	0.04	0.49	0.021	0.06	3.4	7.3	0.22	1040	0.54
ZZ15521		1.57	19.7	4.82	5.21	0.12	0.05	0.80	0.043	0.10	7.5	19.1	0.38	1660	0.89
ZZ15522		1.07	32.7	4.25	5.11	0.12	0.07	0.53	0.040	0.11	7.9	15.3	0.40	1340	0.78
ZZ15523		2.41	20.0	3.91	4.85	0.13	0.05	0.52	0.041	0.10	9.1	13.1	0.28	1180	0.79
ZZ15524		3.77	20.4	3.34	4.20	0.13	0.04	1.16	0.036	0.11	7.0	13.5	0.41	947	0.56
ZZ15525		2.24	17.6	2.96	3.70	0.05	0.03	0.75	0.030	0.09	5.0	11.1	0.34	632	0.56
ZZ15526		2.49	22.5	2.66	2.93	0.06	0.04	7.83	0.028	0.07	5.6	8.3	0.23	1040	0.46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 2- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ15506		0.65	20.9	260	29.7	18.4	<0.001	<0.01	0.55	4.5	0.3	0.8	11.9	<0.01	0.03	4.6
ZZ15507		1.09	17.7	230	23.9	14.4	<0.001	<0.01	0.92	3.3	0.3	0.8	13.1	<0.01	0.03	3.9
ZZ15508		0.94	11.7	240	28.3	15.7	<0.001	<0.01	0.92	2.5	0.3	0.9	14.8	<0.01	0.03	3.6
ZZ15509		<0.05	2.7	80	24.7	5.2	0.003	0.01	3.34	0.7	0.4	0.4	53.5	<0.01	0.05	0.6
ZZ15510		0.09	2.9	90	10.5	8.1	0.003	0.01	1.78	1.0	1.4	0.4	69.5	<0.01	0.07	1.1
ZZ15511		0.10	2.5	100	14.1	7.6	0.007	<0.01	1.17	1.0	1.0	0.7	66.6	<0.01	0.07	1.0
ZZ15512		0.10	3.3	110	13.8	6.3	0.005	<0.01	0.68	1.0	0.6	0.5	48.8	<0.01	0.07	0.7
ZZ15513		0.40	32.1	260	28.8	10.7	0.001	<0.01	0.72	4.5	1.3	0.8	32.3	<0.01	0.06	4.6
ZZ15514		0.27	19.4	470	24.4	9.8	0.002	0.02	1.47	3.7	1.4	0.7	43.4	<0.01	0.06	2.3
ZZ15515		0.19	12.5	300	16.9	8.6	0.005	0.01	1.60	3.2	1.0	0.6	38.8	<0.01	0.08	1.4
ZZ15516		0.74	29.3	490	22.0	9.7	<0.001	0.03	0.56	4.5	1.1	0.7	36.0	<0.01	0.04	1.9
ZZ15517		0.67	27.4	330	27.8	8.8	0.001	0.02	0.61	5.0	0.5	0.6	25.2	<0.01	0.03	4.3
ZZ15518		0.40	37.5	560	29.1	10.5	0.001	0.04	0.46	6.2	1.0	0.6	35.0	<0.01	0.05	3.3
ZZ15519		0.27	32.4	260	30.4	17.2	0.002	0.17	0.35	4.3	0.6	0.4	31.2	<0.01	0.04	3.1
ZZ15520		0.37	24.5	660	15.4	8.1	0.002	0.17	0.52	1.9	1.4	0.4	93.8	<0.01	0.03	0.6
ZZ15521		0.74	24.1	170	35.1	15.7	<0.001	<0.01	2.94	5.0	0.6	0.7	11.5	<0.01	0.07	5.1
ZZ15522		0.63	30.7	200	40.0	11.4	<0.001	<0.01	0.74	6.5	0.5	0.7	12.3	<0.01	0.04	5.0
ZZ15523		0.64	27.8	160	137.5	13.3	<0.001	<0.01	2.48	5.4	0.6	0.7	12.8	<0.01	0.05	5.5
ZZ15524		0.53	25.1	270	39.5	12.7	<0.001	0.01	3.09	5.1	0.9	0.6	26.1	<0.01	0.06	3.5
ZZ15525		0.66	19.1	380	20.7	10.1	<0.001	0.02	2.26	2.7	0.5	0.4	34.9	<0.01	0.03	1.4
ZZ15526		0.46	20.3	500	19.0	9.0	<0.001	0.06	6.18	2.6	1.0	0.4	66.2	<0.01	0.03	0.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 2- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11138513

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15506		0.007	0.17	0.75	34	0.15	3.70	111	1.3
ZZ15507		0.014	0.15	0.53	36	0.17	3.22	93	0.8
ZZ15508		0.014	0.21	0.40	35	0.15	2.16	58	1.0
ZZ15509		<0.005	1.53	0.23	18	0.08	1.16	10	0.8
ZZ15510		<0.005	1.14	0.66	40	0.13	2.20	4	1.4
ZZ15511		<0.005	0.82	0.92	32	0.12	2.14	4	1.2
ZZ15512		<0.005	0.55	0.87	24	0.09	2.06	4	<0.5
ZZ15513		0.007	0.31	0.92	36	0.10	5.92	86	1.7
ZZ15514		<0.005	0.61	1.18	36	0.09	6.97	64	1.3
ZZ15515		<0.005	0.72	1.91	73	0.11	5.35	28	0.7
ZZ15516		0.010	0.10	1.07	28	0.14	9.18	78	1.1
ZZ15517		0.009	0.19	0.93	23	0.09	6.89	98	1.3
ZZ15518		0.005	0.62	1.52	17	0.07	11.55	100	1.1
ZZ15519		<0.005	3.19	1.18	11	0.05	6.90	95	1.7
ZZ15520		0.005	0.42	2.86	13	0.07	5.96	72	1.1
ZZ15521		0.011	0.58	0.65	34	0.16	4.42	101	1.8
ZZ15522		0.007	0.27	1.00	31	0.12	10.05	131	2.4
ZZ15523		0.008	0.65	0.79	30	0.14	7.16	144	2.1
ZZ15524		0.006	0.80	1.69	26	0.16	10.30	103	1.4
ZZ15525		0.017	0.49	1.51	29	0.13	4.00	195	0.8
ZZ15526		0.007	1.54	1.41	22	0.27	7.16	90	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11138513

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 1- SEP- 2011
Account: MTT

CERTIFICATE WH11141037

Project: Midas Touch - Crag East

P.O. No.:

This report is for 104 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ16491		0.30	0.001	0.21	1.55	67.4	<0.2	<10	330	1.10	0.29	0.61	0.27	23.9	11.1	25
ZZ16492		0.32	0.001	0.08	1.69	87.8	<0.2	<10	230	1.20	0.31	0.24	0.20	27.2	13.2	24
ZZ16493		0.32	0.001	0.10	1.36	101.5	<0.2	<10	150	1.03	0.35	0.21	0.13	15.10	10.0	21
ZZ16494		0.32	0.001	0.11	0.58	77.2	<0.2	<10	100	0.56	0.13	9.34	0.72	16.65	5.4	10
ZZ16495		0.30	0.001	0.15	1.30	105.5	<0.2	<10	160	0.97	0.26	0.72	0.46	21.3	8.5	20
ZZ16496		0.34	0.001	0.19	0.95	117.5	<0.2	<10	100	0.86	0.20	2.21	0.47	31.9	7.4	18
ZZ16497		0.32	0.001	0.21	1.49	75.0	<0.2	<10	210	1.19	0.25	1.01	0.66	22.0	9.7	22
ZZ16498		0.16	0.001	0.12	0.93	44.9	<0.2	<10	260	0.66	0.12	8.26	0.62	25.0	5.2	10
ZZ16499		0.30	0.001	0.08	1.73	101.5	<0.2	<10	240	0.92	0.28	0.25	0.39	21.3	6.9	25
ZZ16500		0.14	0.001	0.18	1.20	266	<0.2	<10	160	0.79	0.14	4.91	0.72	17.95	4.9	17
ZZ16151		0.30	<0.001	0.08	0.95	36.5	<0.2	<10	180	0.40	0.32	0.53	1.01	15.00	6.5	17
ZZ16152		0.28	0.001	0.13	1.15	86.4	<0.2	<10	250	1.04	0.29	0.55	0.13	18.10	11.0	17
ZZ16153		0.28	0.001	0.15	1.19	40.4	<0.2	<10	180	0.87	0.23	1.33	0.45	21.2	7.9	19
ZZ16154		0.22	0.001	0.17	0.69	64.4	<0.2	<10	140	0.80	0.25	1.04	0.36	22.3	8.7	12
ZZ16155		0.24	0.001	0.12	1.23	51.3	<0.2	<10	200	0.94	0.25	0.77	0.23	18.85	7.0	19
ZZ16156		0.28	<0.001	0.12	1.00	90.4	<0.2	<10	150	0.75	0.19	0.89	1.40	28.9	7.2	15
ZZ16157		0.32	0.001	0.12	1.37	65.0	<0.2	<10	150	1.13	0.30	0.54	0.30	19.25	12.9	22
ZZ16158		0.26	0.001	0.13	1.39	201	<0.2	<10	190	1.17	0.25	2.71	0.75	26.6	10.4	19
ZZ16159		0.18	0.001	0.15	1.46	200	<0.2	<10	230	1.31	0.36	0.69	0.49	30.4	15.9	24
ZZ16160		0.26	0.001	0.05	0.74	53.8	<0.2	<10	190	1.46	0.56	1.02	0.14	24.8	25.3	12
ZZ16161		0.28	0.001	0.06	1.20	15.0	<0.2	<10	210	2.62	0.40	0.16	0.26	38.0	25.0	18
ZZ16162		0.38	0.001	0.08	0.98	78.9	<0.2	<10	170	0.67	0.31	0.16	0.73	17.80	11.0	18
ZZ16163		0.28	0.001	0.09	1.81	53.5	<0.2	<10	300	1.22	0.25	0.49	0.32	24.9	10.3	22
ZZ16164		0.36	0.001	0.13	1.40	49.0	<0.2	<10	290	0.97	0.26	0.66	0.21	19.35	8.6	20
ZZ16165		0.28	0.001	0.06	0.81	23.4	<0.2	<10	150	0.43	0.28	0.11	0.27	21.2	7.4	11
ZZ16166		0.18	0.001	0.10	0.82	25.9	<0.2	<10	160	0.53	0.15	3.58	0.69	13.05	6.2	11
ZZ16167		0.48	0.002	0.18	1.18	80.9	<0.2	<10	150	0.92	0.25	1.30	0.64	23.4	9.3	19
ZZ16168		0.28	0.001	0.11	0.98	25.9	<0.2	<10	180	0.88	0.21	0.75	0.23	24.1	5.6	12
ZZ16266		0.24	0.001	0.06	1.44	69.4	<0.2	<10	210	0.97	0.26	0.28	0.20	27.8	10.9	22
ZZ16267		0.40	0.003	0.06	1.46	129.5	<0.2	<10	270	0.99	0.31	0.35	0.25	21.3	12.7	23
ZZ16268		0.24	0.001	0.09	0.57	104.0	<0.2	<10	170	0.93	0.49	1.42	0.19	19.40	21.2	10
ZZ16269		0.34	0.002	0.14	1.05	112.0	<0.2	<10	100	1.01	0.30	2.46	0.22	25.0	10.8	18
ZZ16270		0.24	0.001	0.26	1.16	123.0	<0.2	<10	130	1.11	0.26	1.54	0.51	39.8	8.7	20
ZZ16271		0.26	0.002	0.24	1.21	103.5	<0.2	<10	180	1.12	0.26	1.31	0.29	18.15	8.0	18
ZZ16273		0.16	0.001	0.13	1.08	73.3	<0.2	<10	190	0.76	0.21	1.29	0.51	13.00	4.9	16
ZZ16274		0.28	0.001	0.17	0.85	96.8	<0.2	<10	170	0.67	0.10	3.60	0.64	18.00	4.1	12
ZZ16275		0.36	0.001	0.15	0.88	33.3	<0.2	<10	150	0.99	0.23	0.82	0.16	31.8	8.1	13
ZZ16276		0.44	0.001	0.16	0.78	57.6	<0.2	<10	90	0.75	0.18	0.46	0.13	24.9	7.3	13
ZZ16277		0.30	0.001	0.15	0.71	20.6	<0.2	<10	120	0.67	0.12	0.40	0.09	31.4	4.9	10
ZZ16278		0.22	0.001	0.11	0.67	23.2	<0.2	<10	100	0.53	0.14	1.22	0.14	17.95	3.5	9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ16491		1.68	21.1	3.86	4.91	0.13	0.06	0.45	0.039	0.07	10.2	15.2	0.45	1080	1.08
ZZ16492		1.67	21.9	4.42	4.76	0.13	0.05	0.57	0.042	0.06	9.4	16.8	0.37	1460	1.04
ZZ16493		6.24	26.3	3.92	4.56	0.13	0.04	0.85	0.040	0.07	5.9	13.1	0.25	738	1.07
ZZ16494		0.69	12.7	2.71	1.49	0.13	0.05	1.03	0.019	0.05	8.5	4.3	5.47	1560	0.54
ZZ16495		1.17	19.4	3.72	3.82	0.13	0.09	0.84	0.031	0.08	10.8	10.2	0.31	904	0.80
ZZ16496		1.12	15.6	4.21	2.42	0.15	0.10	1.55	0.028	0.06	13.9	5.8	1.12	2100	0.59
ZZ16497		3.33	23.5	3.46	4.19	0.14	0.07	1.15	0.032	0.08	11.6	10.5	0.36	920	0.71
ZZ16498		0.67	16.0	7.24	2.39	0.16	0.03	0.25	0.020	0.03	11.5	3.6	4.35	3610	0.60
ZZ16499		1.65	13.5	3.88	5.41	0.13	0.04	0.52	0.034	0.05	9.2	14.5	0.33	732	0.93
ZZ16500		0.68	12.3	5.58	2.76	0.14	0.06	0.44	0.020	0.03	10.2	5.1	2.36	4110	0.59
ZZ16151		4.62	11.9	2.60	4.65	0.12	<0.02	0.35	0.023	0.07	7.7	7.1	0.31	560	0.76
ZZ16152		1.81	23.5	3.54	3.51	0.12	0.08	1.45	0.033	0.06	7.4	9.2	0.19	755	0.76
ZZ16153		0.81	18.9	3.00	3.46	0.13	0.04	0.51	0.028	0.06	10.1	9.3	0.25	776	0.62
ZZ16154		4.07	21.2	2.66	2.09	0.14	0.07	1.35	0.022	0.08	10.7	5.0	0.14	591	0.61
ZZ16155		1.59	16.6	3.02	3.85	0.14	0.05	0.63	0.032	0.06	9.1	9.4	0.25	522	0.66
ZZ16156		0.63	10.8	3.97	2.84	0.13	0.07	0.79	0.026	0.07	10.5	5.9	0.37	2970	0.68
ZZ16157		0.73	23.4	3.70	4.20	0.13	0.10	0.45	0.035	0.09	6.4	11.7	0.29	1050	1.28
ZZ16158		0.77	21.4	5.87	3.91	0.16	0.08	0.84	0.034	0.08	14.3	8.9	1.23	2980	1.00
ZZ16159		0.88	25.5	5.75	4.44	0.16	0.17	1.91	0.037	0.10	17.2	8.8	0.25	3070	0.98
ZZ16160		14.00	47.8	4.06	2.28	0.15	0.09	0.18	0.045	0.10	11.7	5.8	0.45	1690	0.66
ZZ16161		15.15	64.8	3.93	3.49	0.16	0.04	0.10	0.042	0.12	15.7	18.6	0.22	3280	1.24
ZZ16162		1.34	19.6	3.94	4.08	0.14	0.02	0.64	0.033	0.09	6.4	13.9	0.24	1160	1.13
ZZ16163		1.45	16.2	3.89	4.95	0.13	0.08	1.29	0.037	0.07	11.2	17.3	0.38	1160	0.79
ZZ16164		1.49	18.6	3.15	4.16	0.13	0.07	0.88	0.032	0.06	9.1	10.0	0.28	780	0.89
ZZ16165		7.41	13.7	2.73	3.82	0.12	<0.02	0.16	0.022	0.11	9.3	4.2	0.08	309	1.07
ZZ16166		0.82	13.5	2.05	2.29	0.13	0.03	0.51	0.021	0.05	7.3	5.3	1.22	1050	0.50
ZZ16167		1.53	19.1	3.62	3.46	0.15	0.09	0.92	0.031	0.06	11.7	9.6	0.57	1100	0.73
ZZ16168		1.54	12.3	2.22	3.07	0.12	0.07	0.19	0.025	0.06	10.8	7.5	0.18	354	0.56
ZZ16266		1.18	20.6	4.14	4.54	0.14	0.04	0.55	0.036	0.06	8.9	15.1	0.35	1210	1.13
ZZ16267		1.85	24.0	4.50	4.88	0.12	0.05	0.58	0.039	0.06	7.3	19.8	0.30	1600	1.18
ZZ16268		12.55	29.7	3.20	1.80	0.14	0.04	0.74	0.039	0.12	11.0	4.8	0.58	1820	0.42
ZZ16269		1.19	22.2	4.02	3.02	0.16	0.11	1.88	0.036	0.08	15.2	7.5	1.27	1140	0.72
ZZ16270		1.02	19.1	3.36	3.34	0.14	0.07	2.74	0.031	0.08	15.9	7.2	0.21	708	0.68
ZZ16271		2.12	25.6	3.22	3.43	0.15	0.08	1.37	0.030	0.07	13.5	8.7	0.26	559	0.65
ZZ16273		5.11	13.4	2.64	3.31	0.13	0.06	0.78	0.027	0.07	5.3	6.8	0.22	624	0.64
ZZ16274		0.54	9.9	5.71	2.16	0.15	0.05	0.45	0.016	0.03	8.5	3.2	1.79	3010	0.50
ZZ16275		1.09	12.1	2.81	2.50	0.05	0.05	0.51	0.032	0.08	11.6	5.9	0.12	601	0.53
ZZ16276		1.63	12.4	2.42	2.18	<0.05	0.07	1.03	0.028	0.06	10.8	4.7	0.12	563	0.63
ZZ16277		2.22	7.2	1.81	1.97	0.06	0.05	1.02	0.021	0.04	15.0	4.7	0.08	262	0.32
ZZ16278		1.47	8.8	1.63	1.83	0.06	0.09	0.26	0.021	0.05	16.8	3.7	0.07	150	0.38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ16491		0.61	24.6	890	27.8	12.2	<0.001	0.06	0.95	3.6	0.9	0.6	15.4	<0.01	0.03
ZZ16492		0.65	26.9	560	32.3	11.8	<0.001	0.05	1.14	3.1	0.7	0.6	10.9	<0.01	0.04
ZZ16493		0.56	22.0	430	35.9	13.3	<0.001	0.04	1.22	3.3	0.9	0.6	15.0	<0.01	0.04
ZZ16494		0.19	12.2	1120	25.6	4.8	<0.001	0.09	1.64	2.0	1.0	0.2	46.1	<0.01	0.03
ZZ16495		0.49	21.2	950	34.1	10.2	<0.001	0.07	1.47	3.8	0.9	0.5	15.9	<0.01	0.04
ZZ16496		0.29	18.1	850	42.5	7.7	<0.001	0.07	1.75	3.9	0.9	0.4	11.5	<0.01	0.02
ZZ16497		0.52	26.7	990	37.2	12.6	<0.001	0.09	1.22	3.3	1.4	0.5	31.9	<0.01	0.03
ZZ16498		0.23	11.4	1630	14.1	4.5	<0.001	0.15	1.18	1.5	0.8	0.3	44.2	<0.01	0.05
ZZ16499		0.89	17.6	530	26.1	14.4	<0.001	0.04	1.01	3.1	0.8	0.7	10.7	<0.01	0.05
ZZ16500		0.36	13.8	1460	18.1	6.0	<0.001	0.14	1.08	1.8	0.8	0.3	31.1	<0.01	0.03
ZZ16151		0.56	13.3	660	20.4	14.9	<0.001	0.06	0.40	1.1	0.4	0.6	16.0	<0.01	0.03
ZZ16152		0.36	23.1	450	34.4	9.0	<0.001	0.05	1.02	4.1	0.7	0.5	34.1	<0.01	0.03
ZZ16153		0.47	20.5	920	39.6	7.3	<0.001	0.09	0.80	2.3	0.8	0.4	66.5	<0.01	0.04
ZZ16154		0.25	18.6	670	29.7	7.2	<0.001	0.09	0.87	2.6	0.9	0.4	47.1	<0.01	0.02
ZZ16155		0.50	18.0	770	23.5	11.0	<0.001	0.07	0.74	3.1	0.8	0.5	37.6	<0.01	0.03
ZZ16156		0.37	14.7	830	33.6	7.0	<0.001	0.08	1.39	2.7	0.9	0.4	15.0	<0.01	0.03
ZZ16157		0.53	25.7	560	33.1	8.9	<0.001	0.05	0.69	4.2	0.6	0.6	13.6	<0.01	0.04
ZZ16158		0.42	22.6	930	37.7	8.0	<0.001	0.08	1.24	4.4	1.3	0.5	23.8	<0.01	0.06
ZZ16159		0.49	30.6	950	50.9	9.6	<0.001	0.08	3.07	6.5	1.3	0.6	27.3	<0.01	0.11
ZZ16160		0.28	30.3	630	20.6	10.2	<0.001	0.06	0.89	9.1	1.0	0.4	21.5	<0.01	0.11
ZZ16161		0.39	39.1	890	32.0	13.6	<0.001	0.06	0.72	6.5	1.2	0.4	11.1	<0.01	0.07
ZZ16162		0.64	18.8	340	37.5	21.6	<0.001	0.04	1.32	2.7	0.7	0.5	10.9	<0.01	0.06
ZZ16163		0.48	24.4	640	31.1	14.1	<0.001	0.05	0.89	4.4	0.7	0.6	14.5	<0.01	0.05
ZZ16164		0.47	19.6	990	26.8	11.2	<0.001	0.08	0.82	3.2	1.0	0.5	24.4	<0.01	0.03
ZZ16165		0.61	12.1	370	14.9	15.8	<0.001	0.05	0.55	2.5	0.5	0.6	8.7	<0.01	0.05
ZZ16166		0.38	10.6	1200	13.4	4.9	<0.001	0.19	0.76	1.5	0.7	0.3	29.1	<0.01	0.04
ZZ16167		0.42	22.7	890	44.1	8.7	<0.001	0.09	1.92	3.9	1.1	0.4	15.5	<0.01	0.04
ZZ16168		0.44	14.1	1040	17.1	11.1	<0.001	0.09	0.34	2.5	0.7	0.4	32.3	<0.01	0.04
ZZ16266		0.59	22.8	530	28.5	10.5	<0.001	0.05	0.93	2.9	0.8	0.6	10.0	<0.01	0.04
ZZ16267		0.60	23.7	600	36.4	12.3	<0.001	0.05	1.32	3.2	0.6	0.6	17.4	<0.01	0.05
ZZ16268		0.22	20.5	560	24.2	11.0	<0.001	0.14	1.06	6.8	0.9	0.4	28.7	<0.01	0.08
ZZ16269		0.35	23.6	990	48.3	9.3	<0.001	0.08	2.44	4.9	1.2	0.5	22.0	<0.01	0.10
ZZ16270		0.40	22.4	1050	33.9	7.5	<0.001	0.09	0.82	3.7	1.0	0.5	41.1	<0.01	0.04
ZZ16271		0.37	23.9	1020	32.8	8.6	<0.001	0.10	1.40	3.5	1.2	0.5	48.1	<0.01	0.04
ZZ16273		0.48	13.4	1650	25.3	19.1	<0.001	0.14	0.98	2.1	0.8	0.5	38.5	<0.01	0.02
ZZ16274		0.24	10.9	1360	13.0	4.9	<0.001	0.10	0.94	1.5	0.9	0.2	26.7	<0.01	0.03
ZZ16275		0.42	17.9	700	20.8	11.8	<0.001	0.06	0.38	3.0	0.6	0.4	42.4	<0.01	0.02
ZZ16276		0.30	17.8	540	24.8	6.6	<0.001	0.03	1.10	3.4	0.6	0.3	17.8	<0.01	0.02
ZZ16277		0.33	11.8	370	13.6	7.1	<0.001	0.03	0.18	2.8	0.4	0.3	21.2	<0.01	0.01
ZZ16278		0.29	12.1	830	13.6	5.8	<0.001	0.09	0.33	1.8	0.7	0.2	60.6	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ16491		0.011	0.23	1.00	41	0.19	9.51	137	1.3
ZZ16492		0.007	0.25	0.79	36	0.12	5.74	124	1.1
ZZ16493		0.006	0.29	0.76	36	0.08	4.52	134	0.9
ZZ16494		0.005	0.35	1.30	15	0.07	10.85	310	1.3
ZZ16495		0.008	0.25	1.32	32	0.10	12.30	183	1.9
ZZ16496		0.006	0.53	1.18	26	0.08	16.20	187	2.3
ZZ16497		0.008	0.33	2.25	33	0.10	13.30	295	1.7
ZZ16498		0.010	0.33	1.35	18	0.08	22.6	159	0.9
ZZ16499		0.010	0.30	0.80	43	0.14	5.49	180	0.9
ZZ16500		0.013	0.29	2.07	27	0.10	15.50	164	1.5
ZZ16151		0.019	0.20	0.51	41	0.12	2.59	123	<0.5
ZZ16152		<0.005	0.25	0.79	26	0.06	7.00	121	1.8
ZZ16153		0.010	0.12	1.26	30	0.11	9.73	120	1.0
ZZ16154		0.005	0.30	1.42	17	0.06	10.55	124	1.8
ZZ16155		0.008	0.18	0.91	30	0.10	7.79	120	1.3
ZZ16156		0.011	0.21	1.30	27	0.10	10.85	437	1.7
ZZ16157		0.006	0.31	0.92	40	0.07	7.61	144	2.3
ZZ16158		0.006	0.33	1.36	34	0.08	18.85	255	2.1
ZZ16159		0.007	0.62	2.01	39	0.19	22.4	122	3.5
ZZ16160		0.006	0.29	0.57	21	0.05	17.75	56	2.1
ZZ16161		0.015	0.15	0.85	25	0.09	25.7	76	0.8
ZZ16162		0.011	0.18	0.46	33	0.09	2.70	201	<0.5
ZZ16163		0.005	0.26	0.83	33	0.10	9.64	159	1.8
ZZ16164		0.006	0.22	1.10	35	0.09	7.32	111	1.7
ZZ16165		0.009	0.17	0.39	34	0.09	2.33	55	<0.5
ZZ16166		0.008	0.12	0.66	20	0.05	5.90	180	0.9
ZZ16167		0.007	0.27	1.30	29	0.08	14.65	279	2.2
ZZ16168		0.008	0.14	0.61	21	0.07	6.48	72	1.7
ZZ16266		0.009	0.22	0.81	37	0.12	4.89	120	0.8
ZZ16267		0.007	0.30	0.64	38	0.14	4.41	153	1.2
ZZ16268		0.006	0.49	0.70	16	0.07	15.60	67	0.8
ZZ16269		0.007	0.60	1.66	27	0.18	22.3	102	2.6
ZZ16270		0.008	0.45	1.69	30	0.12	16.15	189	1.6
ZZ16271		0.005	0.27	1.35	27	0.08	17.35	142	1.9
ZZ16273		0.010	0.21	1.39	26	0.06	5.35	209	1.3
ZZ16274		0.010	0.18	1.46	18	0.07	13.15	87	1.5
ZZ16275		0.007	0.12	0.97	22	0.09	12.35	68	1.9
ZZ16276		<0.005	0.33	0.70	21	0.08	13.80	55	2.0
ZZ16277		0.006	0.12	0.87	15	0.07	12.95	32	1.5
ZZ16278		0.006	0.08	1.41	15	<0.05	14.05	35	2.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ16279		0.26	0.001	0.15	0.88	50.3	<0.2	<10	150	0.83	0.17	0.53	0.20	26.1	5.7	14
ZZ16280		0.26	0.001	0.13	0.77	72.1	<0.2	<10	130	0.61	0.13	4.56	0.66	24.2	6.2	12
ZZ16281		0.38	0.001	0.13	0.86	121.0	<0.2	<10	120	0.64	0.11	7.64	0.75	18.00	5.4	12
ZZ16282		0.32	0.002	0.17	0.96	234	<0.2	<10	90	0.97	0.23	1.43	0.45	30.8	9.4	17
ZZ16283		0.30	0.001	0.11	1.32	423	<0.2	<10	170	1.19	0.27	2.59	0.57	28.1	11.5	18
ZZ16284		0.38	0.002	0.16	0.77	572	<0.2	<10	120	0.97	0.28	5.75	0.66	15.30	12.4	13
ZZ16285		0.42	0.002	0.10	0.36	110.5	<0.2	<10	410	0.72	0.27	8.19	0.17	24.7	17.8	6
ZZ16286	Not Recvd															
ZZ16287		0.40	0.004	0.12	0.37	27.2	<0.2	<10	120	1.05	0.45	0.30	0.33	57.4	38.9	7
ZZ16288		0.28	0.001	0.09	0.67	13.0	<0.2	<10	200	1.40	0.46	0.45	0.16	60.8	33.0	10
ZZ16289		0.24	0.002	0.08	0.62	11.2	<0.2	<10	260	1.46	0.32	0.24	0.24	45.7	29.4	15
ZZ16290		0.32	0.001	0.09	0.73	28.6	<0.2	<10	130	0.35	0.31	0.14	0.35	23.8	8.0	14
ZZ15065		0.20	0.002	0.10	1.53	108.0	<0.2	<10	180	0.96	0.25	3.32	1.13	33.6	11.5	20
ZZ15066		0.20	0.001	0.12	1.28	98.5	<0.2	<10	190	1.02	0.28	1.03	0.93	18.90	11.1	19
ZZ15067		0.22	0.001	0.12	1.40	41.5	<0.2	<10	230	0.94	0.25	0.98	0.52	22.7	10.7	19
ZZ15068		0.18	0.002	0.14	1.36	62.9	<0.2	<10	170	1.03	0.24	1.12	0.50	21.7	8.5	17
ZZ15069		0.30	<0.001	0.04	1.28	22.9	<0.2	<10	240	0.51	0.31	0.17	0.60	17.55	10.7	20
ZZ15070		0.26	0.001	0.07	1.25	17.2	<0.2	<10	220	0.89	0.26	0.63	0.25	24.3	9.3	17
ZZ15071		0.20	0.001	0.09	1.65	31.5	<0.2	<10	280	1.34	0.30	0.37	0.11	24.4	8.7	23
ZZ15072		0.22	0.002	0.13	1.31	49.9	<0.2	<10	200	0.88	0.28	0.89	0.53	25.9	11.1	21
ZZ15073		0.12	0.001	0.12	0.59	36.7	<0.2	<10	110	0.67	0.16	1.16	0.14	29.2	5.8	10
ZZ15074		0.18	0.001	0.10	0.76	116.0	<0.2	<10	130	0.62	0.13	6.40	0.73	18.25	5.1	10
ZZ15075		0.16	0.001	0.08	1.07	253	<0.2	<10	160	0.88	0.22	2.40	1.02	24.4	8.3	12
ZZ15076		0.16	0.005	0.21	1.08	262	<0.2	<10	170	1.04	0.21	4.25	1.06	24.4	9.5	15
ZZ15077		0.22	0.002	0.07	0.42	125	<0.2	<10	110	0.32	0.06	13.15	1.19	12.20	3.0	5
ZZ15078		0.30	0.005	0.14	0.49	166.0	<0.2	<10	80	0.57	0.21	9.85	0.22	25.9	11.2	9
ZZ15079		0.16	0.001	0.09	0.58	14.8	<0.2	<10	140	0.44	0.32	0.35	0.26	36.9	14.2	8
ZZ15080		0.26	0.001	0.26	1.64	25.1	<0.2	<10	310	0.85	0.29	0.58	0.13	29.1	10.1	23
ZZ15081		0.22	0.002	0.09	1.52	26.6	<0.2	<10	270	0.98	0.32	0.52	0.25	34.6	11.7	21
ZZ15082		0.20	0.001	0.09	1.06	22.6	<0.2	<10	100	0.42	0.36	0.10	0.36	30.2	11.6	18
ZZ15083		0.30	0.001	0.04	0.41	6.1	<0.2	<10	150	1.27	0.32	0.24	0.07	61.6	23.9	9
ZZ15084		0.16	0.002	0.09	0.63	75.6	<0.2	<10	260	1.14	0.40	1.07	0.14	24.8	22.4	9
ZZ15085		0.32	0.003	0.11	0.36	161.5	<0.2	<10	100	1.29	0.82	0.95	0.06	16.25	42.7	5
ZZ15086		0.48	0.002	0.01	0.09	391	<0.2	<10	50	0.37	0.01	19.65	0.22	3.38	0.8	2
ZZ15087		0.14	0.001	0.12	1.25	510	<0.2	<10	190	1.05	0.23	4.66	1.11	26.7	9.6	18
ZZ15088		0.22	0.001	0.11	0.78	52.6	<0.2	<10	100	0.59	0.13	5.31	0.61	22.3	4.9	13
ZZ15089		0.18	0.001	0.09	1.08	30.7	<0.2	<10	210	0.87	0.26	0.83	0.51	21.9	7.8	16
ZZ15090		0.22	0.001	0.17	1.16	33.1	<0.2	<10	360	1.08	0.26	1.02	0.42	28.1	9.5	16
ZZ15091		0.12	0.001	0.10	0.45	11.0	<0.2	<10	120	0.72	0.18	0.87	0.28	36.4	8.3	6
ZZ15092		0.20	<0.001	0.06	0.47	15.2	<0.2	<10	80	0.21	0.23	0.07	0.16	16.85	5.3	7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ16279		1.23	12.9	2.44	2.37	0.06	0.08	0.72	0.023	0.06	12.9	5.9	0.16	382	0.57
ZZ16280		0.91	13.0	3.24	2.06	0.05	0.06	0.72	0.021	0.07	11.7	4.8	2.32	2550	0.51
ZZ16281		0.80	8.8	2.71	2.25	<0.05	0.05	0.59	0.014	0.05	7.4	5.1	4.39	2450	0.56
ZZ16282		0.67	18.4	3.33	2.80	0.06	0.07	1.37	0.037	0.08	13.5	6.9	0.41	844	0.87
ZZ16283		1.36	18.4	4.01	3.79	0.06	0.10	0.55	0.033	0.11	14.6	8.3	1.38	1900	1.19
ZZ16284		1.59	30.4	3.01	2.59	0.05	0.08	5.00	0.030	0.12	6.9	8.7	3.10	757	1.33
ZZ16285		4.91	43.6	2.56	1.14	0.05	0.04	0.66	0.025	0.09	10.0	3.8	4.66	1120	0.66
ZZ16286															
ZZ16287		8.00	100.0	3.54	1.41	0.09	0.05	0.12	0.034	0.14	23.0	3.3	0.10	1010	1.92
ZZ16288		8.43	41.4	3.62	2.73	0.08	0.04	0.08	0.034	0.15	24.6	9.3	0.17	2290	1.22
ZZ16289		6.16	61.5	3.94	2.68	0.07	<0.02	0.16	0.023	0.12	17.8	5.5	0.09	2220	0.98
ZZ16290		1.26	17.0	3.10	4.31	<0.05	<0.02	0.09	0.019	0.09	10.7	5.0	0.11	651	1.19
ZZ15065		0.73	19.1	5.42	4.57	0.07	0.10	0.49	0.035	0.09	16.9	9.7	1.78	3100	0.76
ZZ15066		1.17	24.7	3.30	4.24	<0.05	0.06	0.78	0.032	0.09	8.1	11.4	0.34	1000	0.93
ZZ15067		0.91	21.1	3.10	4.21	<0.05	0.05	0.32	0.027	0.07	9.9	10.5	0.32	870	0.77
ZZ15068		1.18	18.1	2.69	4.01	<0.05	0.05	0.33	0.030	0.05	9.1	9.1	0.31	769	0.67
ZZ15069		2.56	15.8	3.07	5.84	<0.05	0.02	0.11	0.024	0.06	7.2	12.9	0.25	694	0.76
ZZ15070		1.56	13.1	2.94	4.21	<0.05	0.03	0.17	0.031	0.05	8.8	9.4	0.14	672	0.76
ZZ15071		4.49	18.4	3.19	5.57	0.05	0.03	0.12	0.033	0.07	12.1	18.6	0.37	639	0.96
ZZ15072		2.60	20.8	3.13	3.91	<0.05	0.04	0.31	0.030	0.09	10.7	13.6	0.36	651	0.84
ZZ15073		1.47	11.9	1.93	1.80	0.05	0.09	0.34	0.023	0.07	13.3	4.5	0.11	230	0.46
ZZ15074		1.11	13.3	2.65	1.94	<0.05	0.05	0.68	0.016	0.06	9.2	4.1	3.23	1980	0.47
ZZ15075		1.95	21.1	3.44	2.82	0.05	0.06	1.59	0.026	0.07	13.9	6.0	0.64	2100	0.62
ZZ15076		3.49	20.5	4.14	2.77	0.06	0.05	2.75	0.026	0.06	12.5	6.8	2.09	2330	0.73
ZZ15077		0.51	8.2	2.51	1.14	<0.05	0.03	2.06	0.009	0.03	6.0	2.2	7.57	2130	0.32
ZZ15078		1.62	19.3	2.68	1.46	0.05	0.07	1.95	0.024	0.06	14.1	3.9	5.84	1080	0.45
ZZ15079		8.18	18.7	2.29	2.82	0.05	<0.02	0.11	0.023	0.19	17.5	2.8	0.11	602	0.58
ZZ15080		1.80	14.7	3.15	5.45	<0.05	0.05	0.14	0.029	0.07	13.6	13.1	0.33	898	0.83
ZZ15081		3.39	17.0	3.74	5.52	0.05	0.03	0.19	0.034	0.09	15.2	12.1	0.29	1140	0.89
ZZ15082		2.81	22.5	3.50	5.57	0.05	<0.02	0.04	0.027	0.10	14.6	11.5	0.18	482	1.68
ZZ15083		10.60	25.7	3.97	2.00	0.10	0.04	0.13	0.032	0.17	24.2	7.4	0.09	942	0.56
ZZ15084		11.95	54.4	2.78	1.89	0.06	0.06	0.18	0.037	0.14	12.1	4.9	0.11	622	0.76
ZZ15085		8.26	60.7	2.23	1.29	0.06	0.06	0.24	0.031	0.12	6.6	2.6	0.08	407	0.46
ZZ15086		0.31	2.6	1.28	0.24	0.09	0.02	0.07	0.008	0.01	1.7	1.6	11.85	1070	0.14
ZZ15087		2.58	19.7	3.77	3.17	0.11	0.10	0.65	0.031	0.09	11.3	8.1	2.16	1910	0.78
ZZ15088		0.94	8.9	3.01	2.06	0.10	0.06	0.63	0.018	0.05	8.8	5.0	2.77	2180	0.47
ZZ15089		1.61	14.1	2.69	3.94	0.10	0.04	0.11	0.032	0.07	8.1	8.2	0.18	815	0.73
ZZ15090		1.06	19.3	3.09	3.45	0.12	0.06	0.13	0.032	0.07	17.8	7.6	0.17	1480	0.67
ZZ15091		1.28	11.6	2.47	1.31	0.11	0.04	0.07	0.027	0.09	12.3	3.0	0.05	784	0.48
ZZ15092		1.46	9.7	2.11	2.72	0.09	<0.02	0.03	0.016	0.07	7.6	2.5	0.04	206	0.83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ16279		0.37	17.0	590	17.8	6.3	<0.001	0.04	0.52	3.1	0.7	0.3	28.6	<0.01	0.02	1.6
ZZ16280		0.32	13.9	770	30.9	5.5	<0.001	0.05	1.28	2.2	0.7	0.3	34.6	<0.01	0.01	1.1
ZZ16281		0.34	12.4	1130	17.1	5.0	<0.001	0.09	1.21	1.5	0.5	0.3	36.3	<0.01	0.03	0.7
ZZ16282		0.41	22.8	760	56.3	7.3	<0.001	0.06	2.37	3.9	0.8	0.5	27.1	0.01	0.04	2.0
ZZ16283		0.49	23.7	690	30.3	10.5	<0.001	0.06	1.87	4.3	1.0	0.6	23.5	<0.01	0.05	2.4
ZZ16284		0.31	27.8	690	29.8	6.5	<0.001	0.06	5.09	4.0	0.9	0.5	65.0	<0.01	0.05	2.0
ZZ16285		0.17	25.5	520	32.7	6.1	<0.001	0.05	1.69	4.6	0.4	0.3	51.6	<0.01	0.07	2.5
ZZ16286																
ZZ16287		0.16	48.9	400	74.4	8.6	<0.001	0.04	1.35	5.9	1.4	0.5	14.8	<0.01	0.05	5.1
ZZ16288		0.30	36.4	570	54.3	10.8	<0.001	0.05	0.58	6.7	1.3	0.3	16.0	<0.01	0.04	3.8
ZZ16289		0.56	39.5	520	41.2	12.0	<0.001	0.03	0.80	3.4	0.5	0.6	15.3	<0.01	0.05	2.0
ZZ16290		0.92	14.2	350	18.2	22.9	<0.001	0.03	0.64	1.4	0.4	0.6	10.7	<0.01	0.02	1.0
ZZ15065		0.53	22.9	1320	45.2	11.5	<0.001	0.09	1.79	4.0	1.0	0.5	19.6	0.01	0.06	1.6
ZZ15066		0.58	24.4	870	26.8	14.0	<0.001	0.08	1.04	3.0	0.6	0.5	24.6	<0.01	0.03	1.2
ZZ15067		0.56	22.7	870	22.1	8.8	<0.001	0.07	0.75	2.6	0.8	0.5	29.4	<0.01	0.02	1.1
ZZ15068		0.58	18.8	1230	20.8	9.6	<0.001	0.11	0.62	2.2	0.8	0.5	24.5	<0.01	0.04	0.9
ZZ15069		0.99	15.1	340	19.5	16.5	<0.001	0.04	0.36	2.5	<0.2	0.7	10.6	<0.01	0.03	2.3
ZZ15070		0.63	14.9	490	21.5	12.1	<0.001	0.04	0.24	2.5	0.6	0.6	32.4	<0.01	0.02	2.0
ZZ15071		0.86	23.5	580	19.4	20.3	<0.001	0.05	0.53	3.5	0.6	0.7	20.5	<0.01	0.03	1.5
ZZ15072		0.74	23.7	710	23.2	12.5	<0.001	0.08	0.76	2.8	0.8	0.5	30.1	<0.01	0.03	1.2
ZZ15073		0.32	15.7	880	17.7	6.6	<0.001	0.11	0.49	2.5	0.8	0.3	57.3	<0.01	0.02	1.5
ZZ15074		0.31	12.2	1180	16.8	7.9	<0.001	0.13	1.61	1.3	0.6	0.3	36.8	<0.01	0.01	0.5
ZZ15075		0.39	18.4	1680	26.0	6.4	<0.001	0.18	1.32	2.0	1.0	0.4	26.3	<0.01	0.04	0.8
ZZ15076		0.30	21.0	1630	35.4	10.2	<0.001	0.17	3.65	1.6	1.0	0.3	33.8	<0.01	0.04	0.5
ZZ15077		0.16	6.0	1550	10.5	3.2	<0.001	0.12	2.12	0.7	0.6	0.2	68.4	<0.01	0.03	0.2
ZZ15078		0.27	19.4	790	35.4	7.4	<0.001	0.03	4.06	3.9	0.6	0.3	82.6	<0.01	0.03	1.8
ZZ15079		0.44	12.6	850	12.5	22.3	<0.001	0.08	0.48	1.1	0.2	0.4	12.6	<0.01	0.06	0.4
ZZ15080		0.79	18.6	740	17.8	11.5	<0.001	0.03	0.48	3.0	0.5	0.6	19.0	<0.01	0.04	1.9
ZZ15081		0.82	20.1	620	24.2	15.4	<0.001	0.05	0.63	3.6	0.6	0.6	17.4	<0.01	0.05	2.3
ZZ15082		1.37	18.1	300	28.0	19.2	<0.001	0.06	0.75	2.2	0.3	0.7	8.7	<0.01	0.04	2.4
ZZ15083		0.26	45.3	470	17.0	12.0	<0.001	0.08	0.29	6.8	1.1	0.3	10.8	<0.01	0.05	6.3
ZZ15084		0.26	33.0	580	20.6	13.2	<0.001	0.12	0.99	5.9	1.4	0.4	29.8	<0.01	0.08	1.3
ZZ15085		0.17	45.6	710	27.2	6.9	<0.001	0.10	3.88	7.0	0.9	0.4	36.1	<0.01	0.22	2.6
ZZ15086		<0.05	3.7	820	7.5	0.8	<0.001	0.03	3.94	0.5	<0.2	<0.2	187.5	<0.01	0.02	0.2
ZZ15087		0.29	22.1	1090	33.1	10.2	<0.001	0.07	1.87	3.7	0.5	0.5	39.4	<0.01	0.07	1.6
ZZ15088		0.19	11.2	1070	34.4	5.1	<0.001	0.07	1.21	1.8	0.6	0.3	25.3	<0.01	0.03	1.0
ZZ15089		0.52	17.4	780	22.8	11.6	<0.001	0.06	0.56	2.4	0.3	0.5	42.7	<0.01	0.04	1.0
ZZ15090		0.42	24.3	700	25.3	11.4	<0.001	0.05	0.62	3.6	0.6	0.5	59.5	<0.01	0.03	1.4
ZZ15091		0.19	14.7	450	17.0	8.4	<0.001	0.05	0.14	3.9	0.5	0.2	38.8	<0.01	0.02	2.0
ZZ15092		0.58	12.2	210	15.3	13.5	<0.001	0.01	0.39	1.3	<0.2	0.4	9.8	<0.01	0.03	2.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ16279		0.007	0.13	0.84	23	0.07	13.75	64	2.1
ZZ16280		0.007	0.20	1.19	22	0.08	11.85	90	1.5
ZZ16281		0.008	0.17	1.34	19	0.09	9.56	137	1.6
ZZ16282		0.006	0.39	0.95	26	0.10	13.80	150	2.1
ZZ16283		0.006	0.64	1.20	38	0.11	14.80	176	2.8
ZZ16284		<0.005	1.02	0.81	28	0.10	10.10	186	2.3
ZZ16285		<0.005	0.25	1.05	11	0.06	11.35	74	1.4
ZZ16286									
ZZ16287		<0.005	0.14	1.62	18	<0.05	9.88	157	1.7
ZZ16288		0.007	0.10	0.85	16	0.06	17.10	89	1.1
ZZ16289		0.019	0.11	0.76	26	0.15	10.60	86	<0.5
ZZ16290		0.021	0.12	0.46	40	0.15	2.41	74	<0.5
ZZ15065		0.011	0.22	1.51	34	0.17	19.60	486	2.5
ZZ15066		0.011	0.19	1.03	34	0.09	7.78	158	1.7
ZZ15067		0.009	0.10	1.16	32	0.11	8.61	92	1.4
ZZ15068		0.010	0.11	1.18	35	0.09	8.07	93	1.5
ZZ15069		0.013	0.18	0.42	40	0.14	2.79	99	0.5
ZZ15070		0.005	0.12	0.81	31	0.16	5.13	94	0.9
ZZ15071		0.011	0.16	0.98	41	0.18	12.05	72	0.8
ZZ15072		0.015	0.15	1.10	36	0.15	7.93	140	1.2
ZZ15073		0.006	0.11	0.69	15	0.05	10.10	66	3.1
ZZ15074		0.007	0.16	1.14	17	0.07	11.75	191	1.2
ZZ15075		0.008	0.27	0.92	21	0.09	14.95	299	1.6
ZZ15076		0.007	0.58	1.62	25	0.13	15.05	622	1.2
ZZ15077		0.005	0.16	1.50	10	0.06	8.82	427	0.9
ZZ15078		0.006	0.55	0.76	15	0.13	11.75	105	1.7
ZZ15079		0.008	0.12	0.44	21	0.07	2.25	54	<0.5
ZZ15080		0.015	0.14	1.05	44	0.15	6.17	67	0.9
ZZ15081		0.012	0.14	0.85	40	0.13	6.14	86	0.9
ZZ15082		0.025	0.13	0.51	44	0.16	2.31	69	<0.5
ZZ15083		0.007	0.09	0.50	14	<0.05	17.05	77	1.1
ZZ15084		<0.005	0.19	0.95	13	<0.05	17.55	54	1.7
ZZ15085		<0.005	0.55	0.71	8	0.06	15.35	35	1.9
ZZ15086		<0.005	1.10	1.40	3	0.07	3.05	153	1.0
ZZ15087		0.005	0.72	1.72	28	0.12	14.65	411	2.3
ZZ15088		0.007	0.15	0.86	20	0.06	8.39	84	1.8
ZZ15089		0.014	0.11	1.13	31	0.08	5.60	76	1.1
ZZ15090		0.012	0.11	1.84	28	0.08	16.90	94	1.6
ZZ15091		0.007	0.07	0.48	11	<0.05	10.10	42	1.5
ZZ15092		0.015	0.07	0.32	24	0.08	1.71	49	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ16367		0.22	0.002	0.16	1.12	33.6	<0.2	<10	280	1.24	0.30	1.33	0.65	16.60	13.4	16
ZZ16368		0.36	0.002	0.18	1.32	62.6	<0.2	<10	390	1.26	0.36	1.70	0.85	18.20	14.5	21
ZZ16369		0.34	0.001	0.03	0.28	99	<0.2	<10	90	0.46	0.35	11.35	0.27	19.35	8.3	15
ZZ16370		0.26	0.006	0.17	0.85	14.4	<0.2	<10	280	1.15	0.35	0.79	0.42	24.9	15.7	16
ZZ16371		0.34	0.003	0.27	0.65	115.5	<0.2	<10	100	0.63	0.15	9.95	3.03	16.35	6.8	11
ZZ16372		0.38	0.002	0.14	0.95	100.5	<0.2	<10	140	0.77	0.19	7.99	4.08	15.25	8.3	15
ZZ16373		0.28	0.001	0.06	1.41	27.0	<0.2	<10	190	0.81	0.29	0.47	0.26	20.2	11.3	23
ZZ16374		0.24	0.001	0.09	0.89	28.2	<0.2	<10	170	0.65	0.20	3.75	1.92	13.30	7.2	13
ZZ16375		0.38	0.002	0.07	0.54	43.9	<0.2	<10	220	0.89	0.47	0.74	0.19	23.2	19.4	11
ZZ16376		0.24	0.002	0.22	1.33	41.9	<0.2	<10	580	1.01	0.29	0.83	0.41	16.50	11.3	23
ZZ16377		0.26	0.001	0.04	0.89	13.7	<0.2	<10	120	0.31	0.33	0.10	0.08	22.1	6.2	17
ZZ16378		0.36	0.001	0.02	0.49	4.1	<0.2	<10	100	0.83	0.46	0.11	0.08	12.70	13.2	10
ZZ16379		0.30	0.002	0.18	1.12	31.4	<0.2	<10	250	1.32	0.37	0.35	0.23	21.2	13.0	20
ZZ16380		0.26	0.002	0.25	1.31	30.1	<0.2	<10	280	1.19	0.33	0.87	0.25	18.05	11.1	20
ZZ16381		0.36	0.002	0.12	1.19	54.4	<0.2	<10	300	1.11	0.29	0.79	0.24	18.45	13.3	20
ZZ16382		0.32	0.002	0.16	0.90	76.1	<0.2	<10	220	0.85	0.27	1.16	0.45	21.1	12.5	17
ZZ16383		0.28	0.002	0.15	1.15	143.0	<0.2	<10	310	1.04	0.31	0.68	0.30	19.20	13.5	20
ZZ16384		0.38	0.002	0.15	1.31	54.5	<0.2	<10	300	1.15	0.34	0.86	0.34	17.00	13.4	22
ZZ16385		0.38	0.002	0.12	1.09	269	<0.2	<10	330	0.76	0.36	0.97	0.44	17.20	14.4	19
ZZ16386		0.30	0.001	0.15	1.16	39.9	<0.2	<10	260	0.84	0.29	0.82	0.51	15.70	12.1	19
ZZ16387		0.26	0.001	0.09	0.49	72.5	<0.2	<10	230	0.85	0.26	1.15	0.14	17.20	12.1	11
ZZ16388		0.44	0.002	0.14	0.88	104.0	<0.2	<10	210	1.02	0.42	1.61	1.25	15.40	29.4	16
ZZ16389		0.28	0.002	0.18	0.74	106.0	<0.2	<10	270	0.74	0.27	2.62	0.62	15.80	11.9	13
ZZ16390		0.26	0.002	0.18	0.72	161.0	<0.2	<10	290	0.80	0.22	1.66	4.03	12.00	10.6	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ16367		1.29	28.9	3.15	3.43	0.10	0.07	0.66	0.031	0.10	7.4	11.3	0.34	1040	0.81
ZZ16368		1.24	33.0	3.69	3.98	0.11	0.07	2.35	0.037	0.11	7.6	16.3	0.95	770	1.32
ZZ16369		3.25	20.4	1.87	0.63	0.11	0.04	0.91	0.022	0.06	12.6	1.5	6.77	539	0.27
ZZ16370		5.94	48.2	3.15	2.75	0.12	0.05	0.40	0.038	0.11	11.4	8.7	0.24	1090	0.90
ZZ16371		1.32	12.5	2.44	1.99	0.10	0.04	8.42	0.019	0.05	8.7	5.4	5.94	873	0.57
ZZ16372		1.11	16.0	2.68	2.78	0.09	0.03	5.68	0.022	0.06	7.8	9.0	4.79	1060	0.68
ZZ16373		0.77	18.3	3.45	4.86	0.10	0.05	0.18	0.036	0.06	8.3	15.0	0.41	536	0.81
ZZ16374		2.72	10.5	2.31	2.30	0.10	0.03	1.46	0.020	0.05	6.9	5.5	1.62	1130	0.55
ZZ16375		5.15	30.3	3.22	1.96	0.10	0.05	0.29	0.034	0.06	10.2	4.9	0.15	656	0.61
ZZ16376		3.69	28.5	3.30	4.33	0.11	0.06	0.59	0.032	0.09	7.4	15.4	0.33	546	1.31
ZZ16377		3.16	10.6	2.55	5.57	0.10	<0.02	0.04	0.021	0.07	11.6	8.6	0.22	237	1.10
ZZ16378		8.86	43.5	2.58	2.33	0.08	0.02	0.04	0.016	0.15	5.5	4.5	0.07	254	2.00
ZZ16379		11.00	36.7	3.69	3.91	0.12	0.06	0.36	0.040	0.10	10.1	15.9	0.29	684	1.09
ZZ16380		10.90	41.0	3.01	4.61	0.11	0.07	0.34	0.035	0.11	8.8	16.0	0.31	518	1.04
ZZ16381		18.15	67.9	2.85	3.94	0.10	0.05	0.39	0.030	0.11	7.9	14.4	0.31	475	0.95
ZZ16382		23.0	50.7	2.47	3.11	0.11	0.04	1.74	0.029	0.09	9.9	8.7	0.29	878	0.71
ZZ16383		7.40	25.8	3.04	3.82	0.10	0.06	0.83	0.033	0.08	8.9	13.6	0.31	712	0.89
ZZ16384		1.12	34.4	3.47	4.48	0.10	0.07	0.41	0.037	0.09	6.9	17.4	0.41	618	1.05
ZZ16385		7.07	22.1	3.05	3.75	0.09	0.04	0.71	0.032	0.08	7.6	11.5	0.30	658	0.82
ZZ16386		5.13	20.0	3.03	3.88	0.11	0.05	0.64	0.028	0.08	7.1	11.7	0.29	558	0.86
ZZ16387		14.05	20.0	2.25	1.49	0.11	0.04	0.82	0.028	0.08	8.8	4.7	0.18	449	0.46
ZZ16388		6.54	52.8	3.86	2.98	0.11	0.05	0.73	0.043	0.10	6.8	10.8	0.76	943	1.17
ZZ16389		6.27	24.9	2.75	2.37	0.11	0.05	1.22	0.025	0.07	7.8	7.4	0.81	780	0.68
ZZ16390		14.35	29.1	2.24	2.44	0.10	0.05	3.12	0.026	0.07	5.0	6.4	0.31	516	0.52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ16367		0.31	25.0	770	32.6	9.7	<0.001	0.06	1.18	3.3	0.7	0.5	19.7	<0.01	0.02	1.3
ZZ16368		0.35	34.9	470	37.5	9.1	<0.001	0.02	1.58	5.4	1.0	0.6	23.3	<0.01	0.04	4.0
ZZ16369		0.05	20.9	450	40.9	3.1	<0.001	0.02	3.07	7.3	0.3	0.4	45.6	<0.01	0.09	6.1
ZZ16370		0.36	29.2	530	23.7	10.1	<0.001	0.03	0.90	6.0	0.8	0.4	18.1	<0.01	0.04	2.2
ZZ16371		0.25	16.2	1160	960	4.8	<0.001	0.05	45.5	2.8	0.5	0.4	77.9	<0.01	0.05	1.1
ZZ16372		0.31	17.4	770	116.5	6.6	<0.001	0.04	17.05	2.5	0.7	0.4	42.8	<0.01	0.03	0.9
ZZ16373		0.52	22.1	390	26.1	9.7	<0.001	0.02	0.50	4.0	<0.2	0.6	9.9	<0.01	0.03	2.6
ZZ16374		0.38	14.7	1000	62.4	7.1	<0.001	0.08	4.07	2.3	0.2	0.3	23.5	<0.01	0.03	0.6
ZZ16375		0.27	27.2	410	25.1	6.8	<0.001	0.04	2.36	3.8	<0.2	0.4	31.9	<0.01	0.03	3.1
ZZ16376		0.50	26.9	570	23.7	9.8	<0.001	0.04	0.97	4.2	0.7	0.5	25.5	<0.01	0.05	2.0
ZZ16377		1.14	12.2	190	15.5	15.5	<0.001	0.01	0.35	2.4	<0.2	0.7	12.0	<0.01	0.02	2.8
ZZ16378		0.42	21.8	170	12.3	21.0	<0.001	<0.01	0.15	2.7	<0.2	0.6	15.4	<0.01	0.04	3.8
ZZ16379		0.48	30.7	520	28.2	16.1	<0.001	0.02	0.57	5.9	1.2	0.5	23.0	<0.01	0.03	4.0
ZZ16380		0.56	26.0	720	26.0	20.8	<0.001	0.05	0.46	4.2	0.9	0.6	27.7	<0.01	0.03	1.8
ZZ16381		0.65	26.4	610	17.5	17.2	<0.001	0.04	0.52	4.0	0.4	0.5	16.3	<0.01	0.03	1.8
ZZ16382		0.61	18.3	770	39.4	11.0	<0.001	0.07	1.69	3.5	0.7	0.5	19.1	<0.01	0.05	1.1
ZZ16383		0.55	23.0	550	26.1	12.3	<0.001	0.03	0.73	5.3	0.6	0.5	15.0	<0.01	0.04	2.1
ZZ16384		0.51	31.0	420	24.1	8.6	<0.001	0.03	0.63	4.9	0.5	0.6	17.8	<0.01	0.04	2.7
ZZ16385		0.67	22.3	690	20.5	9.7	<0.001	0.06	1.40	4.1	0.7	0.5	18.9	<0.01	0.06	1.4
ZZ16386		0.53	20.3	590	36.1	9.6	<0.001	0.04	0.89	4.3	0.6	0.5	15.2	<0.01	0.03	2.0
ZZ16387		0.32	16.6	550	17.9	8.2	<0.001	0.04	0.78	5.8	0.7	0.3	17.8	<0.01	0.08	1.9
ZZ16388		0.31	43.8	810	56.3	8.3	<0.001	0.07	1.78	7.8	0.7	0.5	27.7	<0.01	0.06	3.9
ZZ16389		0.36	22.3	790	68.9	9.1	<0.001	0.07	2.81	3.9	0.6	0.4	30.0	<0.01	0.05	1.3
ZZ16390		0.32	20.3	640	80.8	8.8	<0.001	0.08	2.01	4.3	0.6	0.4	20.9	<0.01	0.05	1.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- SEP- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141037

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ16367		<0.005	0.18	1.53	25	0.06	10.25	137	1.7
ZZ16368		<0.005	0.27	0.86	33	0.06	9.92	447	2.0
ZZ16369		<0.005	0.64	0.53	7	0.06	7.60	197	1.4
ZZ16370		0.008	0.20	1.13	28	0.07	14.05	117	1.5
ZZ16371		0.009	0.66	1.74	17	0.11	9.71	1570	1.3
ZZ16372		0.009	0.93	1.34	23	0.18	9.52	1160	0.9
ZZ16373		0.010	0.14	1.05	34	0.14	5.42	81	1.2
ZZ16374		0.011	0.20	1.32	23	0.18	6.21	578	0.8
ZZ16375		0.005	0.32	0.87	18	0.06	4.57	69	1.7
ZZ16376		0.008	0.21	1.10	39	0.09	7.55	124	1.4
ZZ16377		0.038	0.11	0.53	47	0.22	2.75	48	<0.5
ZZ16378		0.013	0.12	0.70	16	0.05	5.53	47	0.8
ZZ16379		0.008	0.18	1.02	30	0.09	13.80	113	1.6
ZZ16380		0.007	0.16	1.80	32	0.08	12.20	112	1.7
ZZ16381		0.011	0.17	1.73	31	0.13	8.24	119	1.5
ZZ16382		0.021	0.31	2.16	27	0.17	9.86	327	1.1
ZZ16383		0.010	0.21	1.81	31	0.10	10.80	185	1.3
ZZ16384		0.006	0.15	1.07	30	0.08	8.95	125	1.8
ZZ16385		0.014	0.38	1.54	31	0.17	9.42	202	1.2
ZZ16386		0.008	0.27	0.98	31	0.11	7.64	220	1.3
ZZ16387		0.010	0.24	0.61	15	0.11	11.50	87	1.2
ZZ16388		0.006	0.62	0.77	23	0.07	12.85	1060	1.4
ZZ16389		0.006	0.62	1.16	21	0.14	9.64	332	1.5
ZZ16390		0.006	1.10	1.35	19	0.13	7.58	2600	1.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11141037

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 31- AUG- 2011
Account: MTT

CERTIFICATE WH11141038

Project: Midas Touch - Crag East

P.O. No.:

This report is for 124 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ15684		0.36	0.001	0.10	0.90	53.7	<0.2	<10	120	0.93	0.26	0.43	0.46	23.3	10.4	14
ZZ15685		0.42	0.002	0.15	1.76	84.2	<0.2	<10	330	1.47	0.32	0.32	0.34	24.3	10.1	23
ZZ15686		0.46	0.003	0.07	2.08	83.7	<0.2	<10	160	1.18	0.34	0.05	0.39	21.5	19.0	28
ZZ15687		0.40	0.004	0.06	1.35	81.1	<0.2	<10	220	0.87	0.33	0.29	0.22	18.45	14.6	22
ZZ15688		0.42	0.002	0.17	1.32	58.7	<0.2	<10	280	1.11	0.27	0.87	0.45	23.4	13.6	21
ZZ15689		0.30	0.003	0.14	0.30	18.1	<0.2	<10	80	1.29	0.47	3.35	0.14	14.25	17.7	7
ZZ15690		0.26	0.003	0.35	0.46	111.5	<0.2	<10	120	0.67	0.21	5.39	0.67	18.30	8.3	9
ZZ15691		0.36	0.004	0.20	0.73	232	<0.2	<10	100	0.67	0.19	5.31	0.96	19.40	8.5	14
ZZ15692		0.30	0.003	0.22	1.34	60.8	<0.2	<10	240	1.01	0.27	0.54	0.32	25.9	10.1	22
ZZ15693		0.44	0.002	0.14	1.51	63.2	<0.2	<10	240	1.40	0.28	0.58	0.22	27.9	11.2	22
ZZ15694		0.40	0.002	0.12	1.76	76.2	<0.2	<10	240	1.18	0.32	0.11	0.24	29.3	13.0	25
ZZ15695		0.30	0.002	0.15	1.27	40.3	<0.2	<10	260	0.83	0.30	0.50	0.34	19.00	8.0	20
ZZ15696		0.30	0.002	0.21	1.20	41.4	<0.2	<10	240	1.14	0.26	0.84	0.48	20.7	7.5	16
ZZ15697		0.30	0.002	0.15	1.37	108.0	<0.2	<10	240	0.96	0.26	0.77	0.51	19.05	10.0	20
ZZ15698		0.50	0.002	0.16	1.38	62.1	<0.2	<10	200	1.06	0.26	0.47	0.27	30.0	11.2	23
ZZ15699		0.38	0.002	0.09	1.23	83.8	<0.2	<10	210	0.98	0.28	0.73	0.67	18.65	9.4	19
ZZ15700		0.30	0.004	0.16	0.87	135.0	<0.2	<10	150	0.84	0.16	5.84	1.19	22.7	7.0	13
ZZ16421		0.24	0.003	0.14	1.14	110.5	<0.2	<10	210	0.87	0.19	2.07	0.83	20.2	8.7	16
ZZ16422		0.28	0.003	0.13	0.85	112.0	<0.2	<10	170	0.73	0.15	5.54	0.55	12.85	7.2	11
ZZ16423		0.50	0.002	0.08	1.56	55.9	<0.2	<10	430	1.27	0.30	0.58	0.13	18.30	12.9	21
ZZ16424		0.40	0.001	0.06	0.97	11.9	<0.2	<10	170	0.71	0.27	0.14	0.30	28.7	8.0	14
ZZ16425		0.54	0.003	0.13	1.57	78.4	<0.2	<10	320	1.30	0.35	0.46	0.40	24.5	15.1	22
ZZ16426		0.34	0.003	0.13	1.64	41.6	<0.2	<10	250	1.18	0.27	0.40	0.16	22.7	13.4	24
ZZ16427		0.30	0.001	0.06	0.68	9.8	<0.2	<10	210	1.57	0.38	0.31	0.14	75.4	15.4	10
ZZ16428		0.24	0.002	0.05	0.84	13.8	<0.2	<10	140	0.59	0.36	0.25	0.23	38.4	8.4	16
ZZ16429		0.14	0.002	0.15	1.55	26.4	<0.2	<10	280	2.19	0.30	0.95	0.34	38.9	24.3	17
ZZ16430		0.20	0.002	0.10	0.55	56.2	<0.2	<10	140	0.60	0.09	6.15	1.48	11.80	3.9	7
ZZ16431		0.22	0.001	0.14	0.93	78.9	<0.2	<10	130	0.64	0.17	2.07	1.32	18.45	6.9	13
ZZ16432		0.38	0.001	0.12	1.29	65.3	<0.2	<10	320	0.99	0.26	1.08	0.37	25.0	12.5	19
ZZ16433		0.38	0.001	0.13	1.37	54.5	<0.2	<10	240	1.09	0.28	0.82	0.29	22.4	13.3	20
ZZ16434		0.30	0.001	0.09	1.31	56.7	<0.2	<10	190	0.87	0.20	1.01	1.19	18.50	7.2	20
ZZ16435		0.38	0.002	0.10	1.66	59.7	<0.2	<10	230	1.27	0.30	0.46	0.15	25.7	11.5	21
ZZ16436		0.38	0.001	0.22	2.14	71.6	<0.2	<10	370	1.72	0.29	0.48	0.64	42.9	15.8	27
ZZ16437		0.38	0.001	0.10	1.50	67.6	<0.2	<10	260	1.06	0.27	0.45	0.19	28.8	11.4	21
ZZ16438		0.40	0.001	0.15	0.95	121.5	<0.2	<10	120	1.45	0.32	0.58	0.28	14.65	12.2	16
ZZ16439		0.34	0.001	0.18	0.79	34.1	<0.2	<10	160	1.11	0.34	1.01	0.37	13.50	10.5	13
ZZ16440		0.36	0.001	0.14	0.46	43.9	<0.2	<10	120	1.26	0.62	0.38	0.05	21.2	15.6	11
ZZ16441		0.48	0.002	0.17	1.14	143.5	<0.2	<10	190	1.07	0.30	1.42	0.24	18.10	14.0	18
ZZ16442		0.32	0.003	0.25	1.34	80.2	<0.2	<10	200	0.93	0.26	0.62	0.66	25.0	11.2	25
ZZ16443		0.48	0.003	0.16	1.38	65.7	<0.2	<10	280	0.90	0.30	0.64	0.47	25.2	12.5	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15684		2.74	17.7	3.36	2.80	<0.05	0.03	0.33	0.033	0.07	6.6	8.6	0.13	584	0.78
ZZ15685		1.71	23.6	4.16	4.72	0.05	0.05	0.77	0.049	0.07	9.9	16.1	0.26	920	0.91
ZZ15686		2.85	27.5	4.53	4.67	<0.05	0.05	0.51	0.050	0.07	8.7	20.2	0.36	475	1.12
ZZ15687		1.28	26.6	4.32	4.28	<0.05	0.03	0.46	0.041	0.06	6.8	16.3	0.32	785	1.15
ZZ15688		8.21	25.2	3.37	4.01	0.05	0.05	2.51	0.040	0.06	11.0	15.7	0.34	795	1.01
ZZ15689		2.32	51.9	4.65	0.69	0.05	0.09	0.47	0.064	0.04	5.9	1.4	0.06	277	0.59
ZZ15690		29.9	19.2	2.58	1.16	0.05	0.05	0.85	0.023	0.06	8.5	3.1	2.30	871	0.45
ZZ15691		23.6	16.3	2.51	2.06	0.05	0.06	2.13	0.025	0.06	9.0	7.7	2.68	681	0.52
ZZ15692		1.25	20.4	3.81	3.87	0.05	0.05	1.03	0.038	0.06	13.3	13.2	0.36	734	0.80
ZZ15693		1.46	20.4	3.63	4.18	0.07	0.06	0.59	0.044	0.07	13.0	13.6	0.38	864	0.85
ZZ15694		1.33	24.4	4.41	5.53	0.06	0.07	0.57	0.045	0.07	12.1	18.4	0.31	837	0.97
ZZ15695		4.55	15.1	2.99	4.22	<0.05	0.04	0.60	0.039	0.06	8.0	11.8	0.26	600	1.01
ZZ15696		10.70	18.6	2.92	3.92	0.05	0.03	0.85	0.034	0.07	9.9	8.9	0.28	859	0.69
ZZ15697		4.65	14.2	3.24	4.59	<0.05	0.03	0.36	0.037	0.07	8.5	13.8	0.30	1000	0.80
ZZ15698		1.42	17.6	3.54	4.24	0.05	0.04	0.54	0.031	0.08	14.2	16.2	0.43	840	0.90
ZZ15699		1.93	19.5	3.39	4.01	<0.05	0.06	0.33	0.035	0.09	7.4	10.6	0.26	671	0.73
ZZ15700		1.03	16.3	3.03	2.54	0.05	0.07	2.64	0.027	0.07	11.5	6.4	3.21	1260	0.44
ZZ16421		0.75	19.0	3.73	3.09	0.05	0.06	0.97	0.029	0.06	11.8	8.4	0.58	2310	0.60
ZZ16422		0.96	14.1	2.33	2.24	<0.05	0.05	1.93	0.019	0.06	6.2	7.8	2.93	1240	0.50
ZZ16423		9.40	22.6	3.58	4.70	0.05	0.06	0.38	0.038	0.08	8.4	18.3	0.34	902	0.77
ZZ16424		4.58	11.4	2.66	3.68	<0.05	<0.02	0.11	0.026	0.13	11.6	7.5	0.15	613	0.60
ZZ16425		1.27	27.0	3.99	4.53	<0.05	0.06	0.81	0.036	0.08	9.7	15.8	0.36	1040	0.93
ZZ16426		1.38	18.3	3.30	4.95	0.05	0.06	0.47	0.035	0.10	10.0	28.4	0.40	554	0.68
ZZ16427		7.42	20.8	4.34	2.32	0.12	0.03	0.29	0.055	0.17	29.0	4.9	0.10	617	0.55
ZZ16428		2.66	16.2	3.81	4.57	0.06	<0.02	0.03	0.027	0.12	16.5	6.7	0.19	289	1.38
ZZ16429		19.65	19.5	3.36	4.15	0.09	0.03	0.31	0.059	0.06	14.3	14.4	0.31	999	0.77
ZZ16430		0.53	11.0	2.92	1.36	<0.05	0.03	1.50	0.014	0.04	6.6	2.8	2.79	2540	0.42
ZZ16431		1.09	13.8	2.18	2.68	<0.05	0.04	0.36	0.025	0.04	6.9	6.2	0.59	1110	0.48
ZZ16432		1.43	23.0	3.16	3.71	<0.05	0.04	0.60	0.031	0.07	9.4	11.5	0.34	1020	0.89
ZZ16433		1.02	23.6	3.44	4.05	0.05	0.06	0.73	0.040	0.07	9.6	12.6	0.36	971	1.04
ZZ16434		1.08	14.7	3.71	3.59	<0.05	0.09	0.54	0.033	0.06	8.3	8.4	0.39	1190	0.87
ZZ16435		1.86	20.3	3.82	5.02	0.05	0.05	0.80	0.040	0.07	11.1	15.5	0.33	778	1.10
ZZ16436		1.30	25.8	4.41	4.07	0.06	0.07	1.42	0.041	0.07	14.3	15.0	0.38	1430	1.37
ZZ16437		2.05	20.6	3.52	4.36	0.05	0.05	1.16	0.038	0.06	11.6	13.3	0.32	846	0.93
ZZ16438		1.74	27.3	3.87	2.79	0.05	0.06	1.05	0.035	0.11	9.9	7.7	0.25	961	0.76
ZZ16439		4.80	26.8	2.72	2.69	<0.05	0.07	0.27	0.031	0.10	6.8	6.3	0.24	390	0.51
ZZ16440		2.08	54.0	2.77	2.09	0.09	0.07	0.19	0.038	0.08	10.2	2.7	0.10	295	0.65
ZZ16441		5.81	34.7	4.09	3.59	0.10	0.08	1.60	0.035	0.09	9.0	12.8	0.91	1400	1.02
ZZ16442		2.74	24.7	3.59	4.31	0.12	0.06	0.97	0.032	0.08	14.8	21.1	0.42	989	0.98
ZZ16443		1.80	21.2	3.60	4.48	0.10	0.04	0.50	0.031	0.07	12.3	19.7	0.41	1100	1.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ15684		0.47	20.8	390	19.7	11.7	<0.001	0.04	0.40	3.8	0.3	0.5	26.1	<0.01	0.02	2.9
ZZ15685		0.61	26.6	660	26.1	11.3	<0.001	0.04	0.53	5.1	0.4	0.7	12.2	<0.01	0.05	2.7
ZZ15686		0.87	33.8	230	27.7	15.4	<0.001	0.02	0.86	4.6	0.3	0.6	9.1	<0.01	0.04	5.2
ZZ15687		0.65	25.1	510	27.8	9.7	<0.001	0.03	0.68	3.8	<0.2	0.6	13.8	<0.01	0.06	2.2
ZZ15688		0.68	27.4	830	21.4	12.4	<0.001	0.07	0.92	3.7	0.8	0.5	42.9	<0.01	0.05	1.2
ZZ15689		0.05	38.7	250	24.1	3.6	<0.001	0.04	0.33	10.0	1.0	0.4	138.0	<0.01	0.17	5.1
ZZ15690		0.23	17.7	890	25.7	8.8	<0.001	0.10	1.40	3.2	0.5	0.3	95.0	<0.01	0.05	0.9
ZZ15691		0.38	19.0	960	27.5	9.7	<0.001	0.07	1.09	3.2	0.7	0.3	68.0	<0.01	0.03	1.3
ZZ15692		0.64	23.8	550	29.7	8.9	<0.001	0.04	1.16	5.0	0.2	0.5	17.1	<0.01	0.04	2.4
ZZ15693		0.55	24.1	590	26.5	11.2	<0.001	0.04	0.75	4.4	0.4	0.6	15.2	<0.01	0.04	2.2
ZZ15694		0.70	25.8	430	36.5	13.5	<0.001	0.03	0.71	5.6	0.6	0.7	9.7	<0.01	0.04	4.2
ZZ15695		0.64	19.6	1340	21.3	14.1	<0.001	0.10	0.53	2.5	<0.2	0.6	24.5	<0.01	0.03	0.9
ZZ15696		0.46	15.8	1720	27.8	15.0	<0.001	0.13	0.68	2.0	0.5	0.5	25.1	<0.01	0.03	0.6
ZZ15697		0.69	17.0	880	22.2	10.6	<0.001	0.06	0.68	3.0	0.3	0.6	31.5	<0.01	0.04	1.2
ZZ15698		0.81	27.3	540	23.0	9.1	<0.001	0.04	0.92	4.3	0.7	0.5	19.2	<0.01	0.04	2.0
ZZ15699		0.52	21.7	900	29.5	14.8	<0.001	0.06	0.88	3.6	<0.2	0.5	26.3	<0.01	0.05	1.8
ZZ15700		0.30	17.8	1030	23.8	7.5	<0.001	0.09	2.07	2.6	0.4	0.4	37.5	<0.01	0.04	1.1
ZZ16421		0.38	17.6	1540	20.3	8.6	<0.001	0.19	1.69	2.1	1.1	0.4	20.1	<0.01	0.04	0.7
ZZ16422		0.37	14.1	1220	18.4	8.4	<0.001	0.14	1.40	1.8	0.4	0.3	32.5	<0.01	0.03	0.7
ZZ16423		0.62	27.1	610	28.3	13.3	<0.001	0.05	0.80	3.9	<0.2	0.6	18.6	<0.01	0.05	1.8
ZZ16424		0.76	13.3	460	15.0	17.3	<0.001	0.04	0.48	2.5	<0.2	0.6	9.2	<0.01	0.05	2.6
ZZ16425		0.49	27.8	550	39.2	11.1	<0.001	0.05	1.05	4.6	0.5	0.6	18.9	<0.01	0.04	2.9
ZZ16426		0.70	27.0	650	23.8	12.6	<0.001	0.05	0.76	4.0	<0.2	0.6	19.0	<0.01	0.05	2.6
ZZ16427		0.27	29.4	390	17.7	14.0	<0.001	0.03	0.38	12.2	0.6	0.5	9.2	<0.01	0.08	7.5
ZZ16428		1.47	20.0	390	15.6	16.4	<0.001	0.03	0.68	3.3	<0.2	0.6	10.4	<0.01	0.05	3.8
ZZ16429		0.78	18.1	1110	18.4	9.1	<0.001	0.09	0.57	5.3	1.2	0.5	23.7	<0.01	0.05	1.0
ZZ16430		0.20	7.9	1560	14.0	3.9	<0.001	0.22	1.60	0.7	<0.2	0.2	27.5	<0.01	0.03	0.2
ZZ16431		0.46	11.9	1070	31.0	7.3	<0.001	0.12	0.93	1.6	0.3	0.3	34.8	<0.01	0.04	0.6
ZZ16432		0.60	22.4	750	25.3	10.1	<0.001	0.07	0.91	2.7	0.3	0.5	35.4	<0.01	0.04	1.1
ZZ16433		0.56	25.8	560	27.1	7.9	<0.001	0.05	0.93	3.8	0.5	0.5	19.6	<0.01	0.04	1.8
ZZ16434		0.55	17.5	850	22.4	13.1	<0.001	0.07	1.04	3.5	<0.2	0.5	13.1	<0.01	0.05	1.7
ZZ16435		0.58	24.0	480	29.7	13.4	<0.001	0.03	0.75	4.7	0.3	0.7	19.0	<0.01	0.06	2.9
ZZ16436		0.75	33.9	590	34.0	10.2	<0.001	0.04	1.18	5.7	0.3	0.6	14.9	<0.01	0.04	4.6
ZZ16437		0.61	22.0	640	26.4	11.4	<0.001	0.04	0.79	3.6	0.5	0.5	17.7	<0.01	0.04	1.8
ZZ16438		0.36	25.8	740	34.1	9.7	<0.001	0.06	1.56	4.6	0.4	0.5	15.3	<0.01	0.06	1.6
ZZ16439		0.33	22.7	1010	20.3	16.0	<0.001	0.11	0.73	2.8	0.8	0.5	26.6	<0.01	0.04	1.4
ZZ16440		0.17	26.6	340	23.6	9.0	<0.001	0.02	0.35	4.9	0.3	0.4	32.0	<0.01	0.03	4.3
ZZ16441		0.38	34.1	450	32.1	15.8	<0.001	0.03	1.92	4.9	0.8	0.5	19.1	<0.01	0.04	2.7
ZZ16442		0.70	28.7	980	29.5	20.6	0.001	0.05	1.32	4.0	1.0	0.5	23.2	<0.01	0.04	1.7
ZZ16443		0.68	24.9	750	25.2	15.0	<0.001	0.05	1.14	2.9	0.5	0.5	20.8	<0.01	0.04	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
ZZ15684		0.005	0.35	0.75	24	0.08	6.63	104
ZZ15685		0.005	0.31	1.21	37	0.11	9.08	106
ZZ15686		0.010	0.31	0.74	40	0.10	3.85	134
ZZ15687		0.009	0.24	0.81	37	0.11	4.11	106
ZZ15688		0.011	0.20	2.06	33	0.12	10.20	99
ZZ15689		<0.005	0.14	1.33	13	<0.05	18.50	112
ZZ15690		0.011	0.39	1.41	14	0.07	12.50	216
ZZ15691		0.009	1.00	1.04	18	0.16	10.35	501
ZZ15692		0.011	0.22	1.15	34	0.13	11.85	172
ZZ15693		0.006	0.19	1.25	34	0.11	11.75	104
ZZ15694		0.006	0.24	1.10	38	0.11	9.63	133
ZZ15695		0.009	0.24	1.13	33	0.18	6.37	110
ZZ15696		0.009	0.14	1.53	27	0.10	11.40	106
ZZ15697		0.013	0.14	0.99	36	0.13	6.17	125
ZZ15698		0.016	0.18	0.85	34	0.19	12.00	129
ZZ15699		0.008	0.20	0.94	30	0.08	6.23	168
ZZ15700		0.005	0.35	1.44	19	0.09	11.55	312
ZZ16421		0.007	0.29	2.69	23	0.09	12.95	194
ZZ16422		0.007	0.18	2.42	17	0.10	7.85	129
ZZ16423		0.007	0.31	1.10	33	0.12	7.64	93
ZZ16424		0.012	0.13	0.48	27	0.10	2.50	60
ZZ16425		0.005	0.21	1.01	34	0.09	9.26	170
ZZ16426		0.009	0.19	1.19	31	0.11	9.94	111
ZZ16427		0.006	0.17	0.68	17	<0.05	10.60	60
ZZ16428		0.037	0.12	0.57	38	0.20	3.24	82
ZZ16429		0.015	0.26	3.43	34	0.12	19.60	81
ZZ16430		0.006	0.17	1.84	11	0.05	8.38	429
ZZ16431		0.010	0.17	1.37	22	0.11	5.00	380
ZZ16432		0.010	0.15	1.29	32	0.10	5.88	118
ZZ16433		0.007	0.16	1.39	35	0.09	8.19	106
ZZ16434		0.007	0.22	0.89	31	0.08	7.69	207
ZZ16435		0.005	0.24	0.87	41	0.09	8.53	99
ZZ16436		0.005	0.23	1.49	37	0.12	11.60	141
ZZ16437		0.008	0.20	1.04	37	0.11	7.21	93
ZZ16438		0.006	0.26	1.37	26	0.07	12.75	144
ZZ16439		<0.005	0.14	0.98	19	0.05	10.20	100
ZZ16440		<0.005	0.11	0.81	17	<0.05	5.58	62
ZZ16441		0.006	0.31	0.71	28	0.09	12.60	152
ZZ16442		0.019	0.17	1.27	37	0.15	13.30	158
ZZ16443		0.019	0.15	1.05	41	0.17	8.41	131



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ16444		0.28	0.002	0.11	0.93	131.5	<0.2	<10	240	1.15	0.36	0.57	0.23	19.20	13.7	17
ZZ16445		0.36	0.002	0.18	1.36	88.4	<0.2	<10	190	1.03	0.29	0.53	0.23	23.9	11.0	23
ZZ16446		0.48	0.001	0.05	0.69	31.3	<0.2	<10	160	1.08	0.57	0.35	0.05	19.40	15.6	9
ZZ16447		0.48	0.001	0.07	1.34	86.1	<0.2	<10	210	1.30	0.37	0.27	0.14	20.4	15.9	17
ZZ16448		0.38	0.003	0.21	1.31	38.2	<0.2	<10	180	0.94	0.26	0.46	0.21	25.5	9.9	24
ZZ16449		0.42	0.002	0.19	0.97	114.5	<0.2	<10	260	1.17	0.32	0.46	0.40	21.8	15.2	16
ZZ16450		0.48	0.001	0.10	1.03	79.3	<0.2	<10	210	1.37	0.41	0.30	0.21	20.7	14.1	17
ZZ16451		0.52	0.002	0.19	1.11	77.3	<0.2	<10	240	1.23	0.36	1.11	0.20	19.30	13.5	18
ZZ16452		0.40	0.001	0.16	1.49	76.2	<0.2	<10	250	1.18	0.31	0.49	0.29	26.2	12.1	24
ZZ16453		0.34	0.001	0.19	1.20	60.9	<0.2	<10	270	1.28	0.35	1.01	0.19	17.35	11.1	19
ZZ16454		0.26	0.001	0.11	1.14	21.9	<0.2	<10	270	1.02	0.30	1.11	0.16	15.70	10.4	18
ZZ16455		0.36	0.002	0.17	0.98	14.5	<0.2	<10	190	1.23	0.37	0.67	0.13	13.30	10.0	17
ZZ16456		0.28	0.002	0.15	0.84	59.7	<0.2	<10	180	1.11	0.38	0.64	0.14	19.55	12.1	13
ZZ16457		0.34	0.002	0.16	1.29	30.9	<0.2	<10	250	0.93	0.30	0.63	0.30	20.5	11.4	22
ZZ16458		0.40	0.002	0.14	1.08	40.2	<0.2	<10	190	0.90	0.27	0.80	0.27	22.7	11.6	19
ZZ16459		0.36	0.002	0.19	0.96	30.2	<0.2	<10	170	1.12	0.36	0.77	0.24	19.25	10.4	17
ZZ16460		0.44	0.004	0.17	1.39	59.5	<0.2	<10	160	1.21	0.37	0.46	0.25	24.7	18.6	24
ZZ16461		0.48	0.001	0.09	1.65	32.5	<0.2	<10	200	0.64	0.30	0.39	0.13	16.80	7.4	24
ZZ16462		0.32	0.001	0.04	1.31	48.7	<0.2	<10	110	0.54	0.37	0.02	0.10	14.05	12.1	20
ZZ16463		0.68	0.001	0.05	1.20	56.9	<0.2	<10	200	1.29	0.33	0.09	0.20	20.4	15.1	19
ZZ16464		0.26	0.011	0.11	0.70	684	<0.2	<10	120	0.57	0.14	7.41	0.35	13.25	5.2	9
ZZ16465		0.50	0.003	0.16	1.21	138.5	<0.2	<10	190	1.03	0.31	0.68	0.28	15.75	12.8	20
ZZ16466		0.40	0.004	0.16	1.03	1040	<0.2	<10	250	1.14	0.23	5.07	0.40	16.20	10.9	16
ZZ16467		0.48	0.003	0.22	1.30	56.1	<0.2	<10	260	1.02	0.27	0.57	0.22	21.3	9.2	23
ZZ16468		0.28	0.002	0.22	0.70	303	<0.2	<10	310	0.71	0.27	2.09	0.57	10.25	11.7	11
ZZ16469		0.42	0.002	0.11	0.25	99	<0.2	<10	90	0.27	0.07	15.15	0.45	13.20	3.6	4
ZZ16470		0.36	0.001	0.09	1.80	48.7	<0.2	<10	180	0.75	0.27	1.46	0.38	25.1	7.6	25
ZZ16471		0.38	0.002	0.14	1.05	85.9	<0.2	<10	200	1.22	0.28	0.77	1.19	27.3	11.8	17
ZZ16472		0.52	0.001	0.12	1.29	50.3	<0.2	<10	320	1.13	0.33	0.38	0.60	20.8	15.0	20
ZZ16473		0.56	0.002	0.24	1.51	99.2	<0.2	<10	310	1.43	0.33	0.55	1.01	21.6	17.9	24
ZZ16474		0.22	0.002	0.20	1.15	1110	<0.2	<10	330	0.98	0.28	1.21	0.76	14.90	10.1	18
ZZ16475		0.40	0.003	0.24	1.13	2020	<0.2	<10	310	1.09	0.28	1.18	0.72	15.95	12.1	19
ZZ16858		0.64	0.001	0.24	1.20	2870	<0.2	<10	280	1.07	0.33	1.19	1.87	17.25	14.4	22
ZZ16859		0.34	0.004	0.23	1.22	1055	<0.2	<10	250	0.88	0.29	0.63	0.66	18.40	12.4	22
ZZ16860		0.38	0.002	0.17	0.90	58.4	<0.2	<10	250	1.03	0.34	0.86	0.46	16.45	10.2	17
ZZ16861		0.56	0.002	0.18	1.27	34.3	<0.2	<10	470	1.00	0.33	0.66	0.50	19.05	11.7	22
ZZ16862		0.44	0.003	0.31	1.12	50.8	<0.2	<10	270	1.09	0.30	0.90	0.81	17.40	12.6	19
ZZ16863		0.42	0.003	0.30	1.14	231	<0.2	<10	300	0.91	0.28	0.82	0.56	14.80	9.4	20
ZZ16864		0.44	0.002	0.18	1.03	36.2	<0.2	<10	300	0.91	0.30	1.81	0.63	19.10	12.9	19
ZZ16865		0.54	0.002	0.17	1.04	77.6	<0.2	<10	320	1.18	0.37	0.36	0.43	19.10	15.0	18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ16444		2.09	29.0	4.21	3.00	0.10	0.08	1.12	0.036	0.08	8.3	8.7	0.22	1280	0.85
ZZ16445		2.47	22.4	3.62	4.26	0.10	0.05	0.68	0.030	0.06	11.5	14.3	0.41	926	0.94
ZZ16446		2.64	39.4	2.75	2.15	0.09	0.04	0.31	0.027	0.07	8.8	4.0	0.10	252	0.42
ZZ16447		2.77	38.5	4.84	3.81	0.09	0.05	1.05	0.040	0.06	7.9	11.3	0.21	1100	0.83
ZZ16448		1.12	20.1	3.15	4.03	0.11	0.06	0.54	0.030	0.06	14.2	22.2	0.44	547	0.79
ZZ16449		2.53	40.6	4.61	3.12	0.09	0.09	1.75	0.041	0.09	10.9	10.7	0.25	1460	0.83
ZZ16450		2.02	33.1	4.28	3.43	0.10	0.06	1.35	0.038	0.07	9.7	10.4	0.20	891	0.75
ZZ16451		2.97	37.5	4.11	3.56	0.11	0.07	1.29	0.038	0.08	11.1	10.4	0.60	1020	0.86
ZZ16452		3.39	26.5	3.96	4.48	0.10	0.05	1.06	0.038	0.07	12.9	14.4	0.36	1100	0.91
ZZ16453		8.02	42.9	3.27	3.75	0.09	0.08	0.70	0.037	0.08	9.0	10.3	0.28	578	0.76
ZZ16454		11.80	25.3	3.06	3.36	0.09	0.06	0.38	0.030	0.09	7.1	11.1	0.25	564	0.67
ZZ16455		21.6	28.6	3.34	2.91	0.09	0.09	0.42	0.035	0.11	7.0	12.3	0.25	295	0.50
ZZ16456		4.98	24.2	3.04	2.76	0.10	0.05	0.66	0.030	0.09	8.4	6.6	0.16	463	0.52
ZZ16457		10.45	21.9	3.42	4.14	0.09	0.06	0.52	0.035	0.07	8.9	15.4	0.31	785	0.85
ZZ16458		4.34	21.9	3.47	3.56	0.09	0.05	0.78	0.033	0.07	7.6	13.9	0.25	1070	0.77
ZZ16459		30.2	29.0	2.76	3.31	0.10	0.08	0.49	0.033	0.10	9.9	12.4	0.24	520	0.50
ZZ16460		37.7	28.0	3.45	4.53	0.10	0.12	0.53	0.036	0.10	12.1	26.7	0.35	194	0.70
ZZ16461		9.55	8.6	3.32	5.62	0.09	0.05	0.12	0.034	0.07	8.0	39.8	0.35	235	0.63
ZZ16462		5.17	24.5	4.16	5.08	0.08	0.02	0.43	0.031	0.07	6.5	13.2	0.18	592	1.03
ZZ16463		2.37	38.4	4.12	3.96	0.10	0.03	0.45	0.043	0.06	9.0	15.9	0.24	711	1.06
ZZ16464		9.54	15.0	2.24	2.08	0.09	0.07	2.28	0.015	0.06	6.5	4.0	3.68	1160	0.47
ZZ16465		1.59	24.5	3.48	3.86	0.09	0.06	0.73	0.030	0.09	6.6	13.9	0.35	693	1.26
ZZ16466		2.12	26.4	4.04	3.03	0.09	0.06	3.69	0.028	0.08	8.4	9.4	2.79	1560	1.01
ZZ16467		19.70	23.2	2.22	4.29	0.09	0.08	1.14	0.035	0.10	10.5	30.1	0.38	160	0.40
ZZ16468		12.00	18.8	3.43	2.12	0.09	0.06	1.49	0.028	0.06	4.9	6.8	0.48	1360	0.52
ZZ16469		1.28	12.0	2.38	0.61	0.10	0.03	0.80	0.010	0.02	7.3	1.4	9.08	1360	0.31
ZZ16470		1.67	10.7	3.33	6.16	0.10	0.02	0.67	0.029	0.05	13.2	13.2	0.88	990	0.99
ZZ16471		0.67	19.2	4.50	2.79	0.10	0.04	1.52	0.039	0.08	14.0	8.0	0.22	1710	0.90
ZZ16472		1.36	33.5	3.41	4.42	0.11	0.04	0.81	0.037	0.08	8.9	14.3	0.30	629	2.03
ZZ16473		1.47	44.6	3.97	4.58	0.11	0.05	1.40	0.039	0.11	9.7	19.3	0.45	715	2.30
ZZ16474		1.42	26.5	3.20	3.50	0.10	0.06	1.82	0.034	0.08	7.7	11.1	0.29	543	1.20
ZZ16475		1.47	29.7	3.38	3.39	0.09	0.07	8.25	0.031	0.10	7.7	11.9	0.37	761	1.21
ZZ16858		3.48	36.2	3.55	3.60	0.09	0.11	2.09	0.038	0.12	7.8	16.2	0.65	786	1.73
ZZ16859		3.79	29.4	3.25	3.94	0.09	0.07	0.57	0.036	0.11	8.0	19.5	0.36	550	1.41
ZZ16860		1.89	33.3	3.32	2.94	0.09	0.07	0.49	0.036	0.08	8.6	13.9	0.42	412	1.59
ZZ16861		1.82	37.0	3.32	4.18	0.09	0.07	0.55	0.032	0.10	9.3	21.6	0.36	536	1.34
ZZ16862		2.52	43.3	3.72	3.24	0.09	0.07	0.70	0.037	0.11	8.3	16.9	0.47	528	1.91
ZZ16863		2.17	36.1	3.26	3.58	0.08	0.09	0.90	0.037	0.11	7.6	17.5	0.35	328	1.47
ZZ16864		1.69	34.0	2.50	3.19	0.09	0.07	0.78	0.033	0.09	7.9	20.6	1.06	251	0.69
ZZ16865		1.90	33.2	3.78	3.13	0.09	0.06	1.10	0.037	0.07	8.5	14.2	0.28	694	1.23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ16444		0.34	24.7	490	39.6	12.4	<0.001	0.04	1.39	4.3	0.7	0.5	23.4	<0.01	0.05	2.6
ZZ16445		0.59	26.3	690	25.5	11.4	<0.001	0.04	1.14	3.8	0.8	0.5	17.0	<0.01	0.04	1.9
ZZ16446		0.16	25.2	190	24.3	9.2	<0.001	0.01	0.29	3.9	0.2	0.5	32.5	<0.01	0.02	4.3
ZZ16447		0.34	28.0	270	41.4	12.8	<0.001	0.01	1.28	4.6	0.4	0.6	17.5	<0.01	0.03	3.8
ZZ16448		0.75	27.0	520	18.7	9.8	<0.001	0.02	0.89	4.3	0.5	0.5	16.8	<0.01	0.04	2.4
ZZ16449		0.28	32.2	490	38.8	13.0	<0.001	0.03	1.75	5.9	1.2	0.6	20.3	<0.01	0.06	3.4
ZZ16450		0.28	27.7	280	32.3	10.4	<0.001	0.01	0.96	5.4	0.4	0.6	19.6	<0.01	0.03	4.5
ZZ16451		0.39	31.9	640	32.3	12.0	<0.001	0.04	1.11	5.0	0.9	0.5	22.7	<0.01	0.03	2.5
ZZ16452		0.57	26.0	910	32.5	15.0	<0.001	0.05	1.11	4.1	0.9	0.6	19.1	<0.01	0.04	1.7
ZZ16453		0.49	22.5	1110	29.3	22.0	0.001	0.09	0.88	3.3	0.9	1.1	38.5	<0.01	0.03	1.2
ZZ16454		0.47	20.0	840	23.0	23.9	<0.001	0.08	0.54	2.9	0.9	0.5	36.9	<0.01	0.03	1.1
ZZ16455		0.43	24.1	530	20.5	23.6	<0.001	0.04	0.38	4.8	0.7	0.5	27.9	<0.01	0.01	2.8
ZZ16456		0.33	21.8	500	22.8	13.5	<0.001	0.03	0.66	3.8	0.4	0.5	35.9	<0.01	0.03	1.9
ZZ16457		0.59	23.5	640	26.7	17.6	<0.001	0.03	0.70	3.7	0.6	0.5	25.8	<0.01	0.04	1.8
ZZ16458		0.48	21.8	620	28.5	15.5	<0.001	0.04	0.63	3.0	0.5	0.5	35.4	<0.01	0.04	1.6
ZZ16459		0.48	20.3	700	25.0	30.7	0.001	0.09	0.47	3.9	0.7	0.6	38.7	<0.01	0.04	2.1
ZZ16460		0.86	25.9	700	27.1	20.5	<0.001	0.08	0.49	6.0	0.8	0.8	33.5	<0.01	0.03	4.2
ZZ16461		0.89	16.7	320	15.4	15.0	<0.001	0.04	0.28	3.0	<0.2	0.6	18.9	<0.01	0.01	3.1
ZZ16462		0.71	21.8	210	26.1	17.0	<0.001	0.01	0.75	3.1	0.2	0.7	7.2	<0.01	0.02	3.0
ZZ16463		0.56	29.0	250	24.3	11.7	0.001	0.01	0.76	5.1	0.7	0.5	10.8	<0.01	0.02	3.8
ZZ16464		0.28	12.6	990	21.9	7.5	<0.001	0.12	3.05	1.6	1.0	0.4	54.4	<0.01	0.05	0.6
ZZ16465		0.48	26.6	700	23.4	9.1	<0.001	0.04	0.92	3.6	0.9	0.5	16.5	<0.01	0.05	1.7
ZZ16466		0.34	24.6	850	19.6	9.4	0.001	0.05	2.10	3.7	1.1	0.5	40.9	<0.01	0.03	1.2
ZZ16467		0.90	23.1	700	21.8	25.8	<0.001	0.07	0.45	5.7	0.7	0.6	25.9	<0.01	0.02	3.9
ZZ16468		0.32	17.7	900	24.3	11.2	<0.001	0.10	0.85	2.6	1.5	0.4	31.1	<0.01	0.03	0.9
ZZ16469		0.11	7.5	1750	24.2	2.8	<0.001	0.04	2.57	2.2	0.4	0.3	64.6	<0.01	0.02	0.7
ZZ16470		1.03	16.8	560	38.5	8.6	<0.001	0.03	3.43	3.5	0.2	0.7	21.2	<0.01	0.03	1.5
ZZ16471		0.37	21.3	680	69.9	8.4	0.001	0.03	4.74	4.4	0.4	0.4	14.2	<0.01	0.02	1.9
ZZ16472		0.41	34.2	470	27.2	9.6	<0.001	0.01	1.16	4.7	1.1	0.6	18.3	<0.01	0.04	3.4
ZZ16473		0.37	46.2	510	33.0	10.9	0.001	0.01	1.64	6.7	1.6	0.6	21.8	<0.01	0.06	4.3
ZZ16474		0.44	26.2	650	27.6	10.2	<0.001	0.05	1.81	3.8	1.2	0.5	34.9	<0.01	0.03	1.5
ZZ16475		0.36	28.3	760	28.9	9.6	<0.001	0.05	2.36	4.0	0.8	0.5	29.2	<0.01	0.03	1.4
ZZ16858		0.30	38.2	860	30.3	12.7	0.001	0.05	7.91	4.3	1.3	0.5	24.8	<0.01	0.04	1.8
ZZ16859		0.48	26.3	710	26.5	16.9	0.001	0.04	10.50	4.2	1.0	0.5	37.5	<0.01	0.04	1.9
ZZ16860		0.37	29.5	700	24.4	7.6	<0.001	0.03	1.69	4.3	1.3	0.5	30.1	<0.01	0.04	3.0
ZZ16861		0.61	28.8	690	24.4	10.5	0.001	0.03	1.13	4.8	1.2	0.6	26.9	<0.01	0.04	2.4
ZZ16862		0.36	37.6	720	34.8	8.7	0.001	0.01	1.63	6.4	1.4	0.5	31.2	<0.01	0.05	4.1
ZZ16863		0.41	28.9	810	26.2	10.7	0.002	0.05	6.35	4.5	1.3	0.5	31.2	<0.01	0.06	1.9
ZZ16864		0.46	28.8	590	29.7	8.7	0.001	0.04	1.07	5.6	1.0	0.5	28.9	<0.01	0.04	3.6
ZZ16865		0.43	33.2	290	35.8	7.4	<0.001	0.01	1.84	5.2	0.9	0.5	18.3	<0.01	0.04	4.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ16444		0.005	0.22	1.14	25	0.07	7.55	167	1.9
ZZ16445		0.011	0.16	1.56	35	0.13	9.42	127	1.5
ZZ16446		<0.005	0.12	0.75	14	<0.05	5.38	60	1.2
ZZ16447		<0.005	0.28	0.76	28	0.08	5.34	141	1.4
ZZ16448		0.018	0.11	0.92	36	0.15	10.45	109	1.5
ZZ16449		0.005	0.32	1.12	27	0.09	15.25	219	2.3
ZZ16450		<0.005	0.16	0.89	26	0.05	9.31	185	1.5
ZZ16451		0.005	0.22	1.19	29	0.08	12.45	134	1.7
ZZ16452		0.010	0.21	1.65	37	0.13	12.60	144	1.4
ZZ16453		0.006	0.41	3.01	26	0.08	10.55	128	2.1
ZZ16454		0.006	0.14	2.59	26	0.08	6.94	110	1.4
ZZ16455		<0.005	0.13	1.08	21	0.05	9.53	104	2.1
ZZ16456		0.005	0.20	1.32	19	0.06	8.34	95	1.3
ZZ16457		0.010	0.13	1.26	33	0.11	7.23	122	1.3
ZZ16458		0.008	0.14	0.98	28	0.11	6.54	116	1.3
ZZ16459		0.005	0.21	2.23	24	0.06	9.68	81	2.4
ZZ16460		0.009	0.23	2.45	35	0.11	9.99	109	3.0
ZZ16461		0.010	0.09	0.64	41	0.11	2.79	64	1.2
ZZ16462		0.007	0.26	0.48	35	0.08	2.82	85	0.6
ZZ16463		0.007	0.13	0.83	30	0.07	7.94	111	0.7
ZZ16464		<0.005	1.73	3.52	13	0.10	9.28	131	1.9
ZZ16465		0.006	0.35	1.64	35	0.10	7.61	108	1.5
ZZ16466		<0.005	2.67	1.44	29	0.10	13.00	164	1.5
ZZ16467		0.014	0.38	0.76	33	0.14	11.10	138	1.9
ZZ16468		0.005	0.49	1.47	19	0.08	7.44	147	1.8
ZZ16469		<0.005	0.26	1.19	8	<0.05	10.05	63	0.9
ZZ16470		0.026	0.20	0.87	54	0.18	6.66	91	0.6
ZZ16471		0.006	0.22	1.19	29	0.08	14.40	234	1.1
ZZ16472		0.006	0.17	0.88	46	0.07	9.80	146	0.9
ZZ16473		<0.005	0.27	1.06	52	0.07	14.45	189	1.7
ZZ16474		0.005	2.37	1.69	36	0.23	10.15	170	1.5
ZZ16475		0.005	10.75	1.65	34	0.10	11.25	188	1.4
ZZ16858		0.005	9.96	1.66	34	0.09	12.25	963	2.6
ZZ16859		0.008	0.31	1.78	39	0.10	9.20	203	1.7
ZZ16860		0.006	0.16	1.24	31	0.05	10.40	146	1.9
ZZ16861		0.011	0.15	1.96	36	0.10	10.45	131	1.6
ZZ16862		0.005	0.24	1.07	38	0.06	13.00	174	2.2
ZZ16863		0.006	0.17	1.85	40	0.05	11.60	179	2.1
ZZ16864		0.006	0.15	0.74	31	0.06	11.75	146	2.1
ZZ16865		0.006	0.26	0.95	38	0.06	10.30	135	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ16866		0.42	0.002	0.28	1.04	3920	<0.2	<10	410	1.38	0.33	2.43	4.36	14.85	12.0	19
ZZ16867		0.40	0.002	0.38	1.36	2550	<0.2	<10	240	1.05	0.31	0.71	3.68	17.85	13.8	24
ZZ16476		0.20	<0.001	0.12	1.38	59.8	<0.2	<10	220	0.65	0.29	0.11	0.60	17.85	8.3	19
ZZ16477		0.26	<0.001	0.14	1.02	201	<0.2	<10	110	0.79	0.38	0.08	0.19	19.45	3.9	13
ZZ16478		0.24	0.001	0.09	1.80	86.9	<0.2	<10	140	0.73	0.34	0.07	0.17	14.60	10.3	24
ZZ16479		0.28	0.002	0.16	1.15	826	<0.2	<10	260	0.89	0.28	0.96	0.57	15.65	10.4	18
ZZ16480		0.28	0.001	0.14	1.25	307	<0.2	<10	250	0.88	0.32	0.51	0.82	17.15	11.6	19
ZZ16481		0.26	0.001	0.19	1.20	341	<0.2	<10	220	0.83	0.29	0.85	0.76	19.20	10.5	20
ZZ16482		0.20	<0.001	0.08	1.07	45.3	<0.2	<10	130	0.43	0.32	0.04	0.14	13.40	6.5	16
ZZ16483		0.30	0.001	0.19	1.01	34.4	<0.2	<10	200	1.06	0.35	1.13	0.21	24.1	15.0	15
ZZ16484		0.30	0.001	0.12	1.06	129.5	<0.2	<10	160	0.77	0.25	0.47	0.39	17.25	8.0	18
ZZ16485		0.20	0.001	0.18	0.97	87.1	<0.2	<10	200	0.80	0.23	2.16	1.05	17.85	10.5	17
ZZ16486		0.30	0.001	0.14	1.23	72.8	<0.2	<10	230	1.03	0.29	1.12	0.41	21.6	11.4	19
ZZ16487		0.32	0.001	0.18	0.47	68.3	<0.2	<10	140	0.93	0.33	0.50	0.11	30.2	10.1	7
ZZ16488		0.20	0.001	0.20	0.57	206	<0.2	<10	100	0.85	0.21	1.92	0.26	34.6	10.9	20
ZZ16489		0.26	0.001	0.37	1.10	84.4	<0.2	<10	200	0.81	0.20	4.91	0.97	12.60	6.9	15
ZZ16490		0.32	0.001	0.22	1.57	75.5	<0.2	<10	330	1.18	0.32	0.73	0.31	22.4	14.9	23
ZZ16001		0.28	<0.001	0.11	0.79	18.8	<0.2	<10	80	0.78	0.20	0.53	0.09	16.50	5.9	9
ZZ16002		0.16	0.001	0.20	0.88	34.5	<0.2	<10	200	0.63	0.19	2.00	0.34	19.60	7.1	14
ZZ16003		0.34	<0.001	0.09	1.10	156.5	<0.2	<10	110	0.86	0.26	0.36	0.56	22.5	10.2	19
ZZ16004		0.28	0.002	0.20	1.26	110.0	<0.2	<10	130	0.93	0.29	1.00	1.05	26.5	10.8	22
ZZ16005		0.30	0.001	0.12	1.45	42.6	<0.2	<10	140	1.21	0.32	1.54	0.39	40.2	12.2	23
ZZ16006		0.16	0.002	0.12	1.51	83.7	<0.2	<10	220	1.05	0.26	4.63	0.47	40.4	11.5	18
ZZ16007		0.22	0.001	0.11	0.95	66.3	<0.2	<10	190	1.23	0.34	0.41	0.36	27.4	19.6	16
ZZ16008		0.14	<0.001	0.17	0.73	33.3	<0.2	10	290	0.55	0.16	3.65	0.31	8.15	5.3	12
ZZ16009		0.20	0.001	0.13	1.24	38.4	<0.2	<10	190	0.92	0.27	0.78	0.43	20.5	8.8	21
ZZ16010		0.24	0.002	0.16	1.30	29.6	<0.2	<10	230	0.92	0.26	1.64	0.90	18.80	10.3	19
ZZ16011		0.24	0.001	0.15	1.16	91.1	<0.2	<10	180	0.78	0.18	3.03	1.04	22.1	8.1	17
ZZ16012		0.14	0.002	0.18	1.45	56.8	<0.2	<10	180	0.94	0.27	3.27	0.59	38.0	11.8	19
ZZ16013		0.10	0.001	0.24	1.16	311	<0.2	<10	180	0.84	0.22	2.61	0.74	21.0	8.5	18
ZZ16014		0.16	<0.001	0.07	1.20	64.4	<0.2	<10	150	0.65	0.19	1.24	0.78	21.8	6.6	17
ZZ16015		0.16	0.001	0.16	1.47	157.0	<0.2	<10	220	1.02	0.27	1.22	1.15	28.0	9.6	21
ZZ16016		0.20	0.001	0.17	0.95	38.9	<0.2	<10	140	0.97	0.20	1.48	0.45	23.3	7.3	15
ZZ16017		0.18	0.001	0.21	0.80	19.9	<0.2	<10	180	0.82	0.23	0.98	0.18	23.5	8.4	13
ZZ16018		0.28	<0.001	0.13	0.75	18.1	<0.2	<10	140	0.98	0.34	1.18	0.35	12.85	7.9	12
ZZ16019		0.16	0.001	0.21	1.10	64.3	<0.2	<10	230	1.12	0.26	1.30	0.58	23.4	10.6	18
ZZ15093		0.26	<0.001	0.05	1.90	37.1	<0.2	<10	250	1.20	0.30	0.39	0.13	28.7	12.9	23
ZZ15094		0.16	0.001	0.11	1.00	30.7	<0.2	<10	220	1.10	0.33	1.84	0.49	34.4	12.0	15
ZZ15095		0.18	0.001	0.17	1.00	21.0	<0.2	<10	250	0.86	0.27	2.15	0.37	26.4	11.1	14
ZZ15096		0.16	0.001	0.11	0.85	30.6	<0.2	<10	160	1.01	0.33	1.62	0.30	25.3	12.0	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ16866		5.59	32.3	3.29	2.97	0.09	0.11	13.85	0.041	0.11	7.1	13.0	1.33	608	1.09
ZZ16867		22.9	43.5	3.84	4.03	0.10	0.11	1.79	0.040	0.14	9.2	19.3	0.45	656	2.55
ZZ16476		2.04	15.7	3.20	5.20	0.07	0.02	2.63	0.030	0.05	7.6	13.8	0.21	467	1.12
ZZ16477		5.34	16.8	2.50	4.61	0.08	<0.02	0.72	0.027	0.05	9.1	7.8	0.11	266	1.09
ZZ16478		1.78	18.3	4.52	5.49	0.07	0.04	0.81	0.042	0.06	6.3	24.9	0.26	458	1.31
ZZ16479		1.64	25.0	3.49	3.40	0.07	0.07	5.49	0.032	0.06	7.2	14.1	0.28	760	1.04
ZZ16480		0.81	20.3	3.43	4.47	0.08	0.06	6.26	0.034	0.08	7.9	15.8	0.25	603	1.02
ZZ16481		2.41	23.8	3.31	3.81	0.09	0.06	1.95	0.036	0.07	8.7	14.5	0.32	951	1.02
ZZ16482		1.86	14.2	3.28	4.80	0.07	<0.02	0.42	0.028	0.05	6.2	9.0	0.13	674	0.98
ZZ16483		1.53	29.8	3.79	2.68	0.08	0.06	0.41	0.045	0.05	10.6	8.7	0.19	592	0.68
ZZ16484		30.4	15.9	3.90	3.63	0.08	0.10	0.86	0.032	0.08	7.5	19.4	0.26	165	0.86
ZZ16485		41.4	32.5	2.84	2.97	0.10	0.06	0.84	0.028	0.08	8.5	13.2	0.82	747	0.84
ZZ16486		8.72	23.6	3.27	3.76	0.09	0.05	0.66	0.031	0.07	11.5	11.0	0.27	1080	0.85
ZZ16487		6.82	20.7	2.83	1.38	0.10	0.06	0.55	0.032	0.06	14.0	4.0	0.08	364	0.53
ZZ16488		2.11	14.9	3.09	1.72	0.09	0.06	1.25	0.033	0.06	14.9	4.4	0.13	522	0.40
ZZ16489		0.60	15.1	2.76	3.04	0.07	0.05	1.20	0.024	0.07	6.0	8.7	2.53	1140	0.69
ZZ16490		0.95	24.4	3.97	4.88	0.07	0.07	0.53	0.040	0.08	7.7	17.2	0.51	1040	1.32
ZZ16001		0.98	10.9	2.02	2.20	0.07	0.05	0.08	0.026	0.06	6.9	5.9	0.07	369	0.46
ZZ16002		2.73	19.3	2.09	2.28	0.09	0.06	0.49	0.025	0.06	8.9	7.0	0.20	405	0.59
ZZ16003		1.03	17.5	3.85	3.48	0.07	0.05	0.61	0.031	0.08	6.7	10.5	0.28	1180	1.10
ZZ16004		2.04	25.0	4.32	3.72	0.10	0.12	1.39	0.036	0.08	13.5	9.9	0.54	1260	0.89
ZZ16005		1.27	27.4	5.17	4.11	0.12	0.09	0.23	0.040	0.08	24.5	12.5	0.92	1640	1.05
ZZ16006		1.32	17.9	4.78	3.93	0.11	0.15	0.24	0.033	0.10	24.1	8.5	2.45	5180	0.79
ZZ16007		3.03	31.9	4.00	2.83	0.09	0.07	0.12	0.037	0.12	7.4	8.5	0.20	1060	1.23
ZZ16008		13.20	32.7	1.65	1.84	0.08	0.05	0.29	0.019	0.06	5.0	6.1	0.44	511	0.69
ZZ16009		1.59	21.0	3.48	3.82	0.08	0.06	0.30	0.034	0.07	10.9	13.7	0.32	719	0.98
ZZ16010		1.09	22.5	2.81	3.87	0.09	0.05	0.24	0.029	0.06	8.9	10.2	0.33	1060	0.79
ZZ16011		1.16	22.8	2.73	3.15	0.08	0.05	0.32	0.024	0.05	10.7	9.3	1.18	1180	0.72
ZZ16012		0.76	22.7	6.80	3.91	0.16	0.10	0.54	0.038	0.08	22.0	7.6	1.50	4450	0.81
ZZ16013		8.96	33.7	2.59	3.22	0.13	0.04	0.89	0.030	0.07	12.0	9.6	0.53	907	0.75
ZZ16014		1.15	10.3	2.91	3.36	0.13	0.05	0.41	0.026	0.05	9.0	9.5	0.58	1460	0.58
ZZ16015		2.08	21.8	4.34	4.11	0.13	0.07	0.36	0.033	0.08	11.6	12.7	0.57	2450	0.79
ZZ16016		1.68	19.5	2.54	2.67	0.12	0.06	0.41	0.025	0.07	11.9	7.7	0.22	881	0.60
ZZ16017		1.19	18.7	2.34	2.35	0.11	0.04	0.38	0.031	0.06	8.1	8.0	0.17	442	0.52
ZZ16018		2.82	26.1	2.44	2.25	0.12	0.05	0.18	0.025	0.08	7.4	6.8	0.21	564	0.60
ZZ16019		1.42	27.8	3.21	3.19	0.13	0.07	0.33	0.027	0.10	12.2	9.6	0.45	810	0.91
ZZ15093		3.01	21.2	3.86	5.24	0.12	0.04	0.17	0.036	0.07	11.8	16.4	0.29	689	1.16
ZZ15094		2.08	34.6	2.93	2.87	0.15	0.04	0.15	0.038	0.10	20.7	9.1	0.21	720	0.93
ZZ15095		2.06	34.5	2.35	2.74	0.13	0.06	0.34	0.027	0.07	15.6	8.1	0.20	770	0.85
ZZ15096		3.34	24.2	2.74	2.42	0.14	0.05	0.25	0.030	0.08	14.8	7.7	0.18	771	0.64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ16866		0.25	32.7	750	39.2	10.6	0.001	0.04	57.7	6.3	1.6	0.5	39.6	<0.01	0.05
ZZ16867		0.37	42.4	980	29.1	15.5	0.001	0.05	25.6	5.2	1.6	0.5	28.7	<0.01	0.05
ZZ16476		0.82	16.5	490	17.3	11.9	<0.001	0.01	0.66	2.4	0.7	0.7	10.2	<0.01	0.06
ZZ16477		0.70	11.7	480	18.2	10.4	<0.001	0.02	0.95	1.3	0.6	0.6	9.8	<0.01	0.03
ZZ16478		0.96	21.5	260	30.3	11.6	<0.001	0.01	1.35	3.2	0.4	0.7	7.8	<0.01	0.05
ZZ16479		0.42	24.6	770	28.0	10.7	0.001	0.07	6.83	3.6	1.0	0.4	35.5	<0.01	0.02
ZZ16480		0.61	23.5	250	41.5	9.1	<0.001	0.02	11.25	4.3	0.6	0.6	25.3	<0.01	0.04
ZZ16481		0.53	24.9	990	23.4	14.4	<0.001	0.06	3.68	3.2	1.0	0.5	34.4	<0.01	0.05
ZZ16482		0.73	13.8	320	16.0	15.7	<0.001	0.01	0.57	1.8	0.3	0.6	6.8	<0.01	0.05
ZZ16483		0.42	33.0	490	26.3	6.9	<0.001	0.03	0.52	5.5	1.0	0.5	53.5	<0.01	0.09
ZZ16484		0.66	22.5	660	17.2	13.8	0.001	0.03	0.54	4.3	0.9	0.4	33.0	<0.01	0.04
ZZ16485		0.50	26.2	960	20.6	13.2	0.001	0.11	0.98	3.1	1.8	0.4	70.2	<0.01	0.03
ZZ16486		0.52	22.0	1120	25.0	11.3	0.001	0.08	0.83	2.9	1.1	0.5	45.0	<0.01	0.05
ZZ16487		0.19	26.4	470	39.6	7.4	<0.001	0.02	0.46	4.1	1.1	0.3	29.4	<0.01	0.03
ZZ16488		0.21	26.4	680	109.5	5.0	<0.001	0.07	1.45	3.9	0.9	0.3	47.9	<0.01	0.03
ZZ16489		0.41	16.4	1100	19.5	6.5	<0.001	0.09	0.97	2.1	0.5	0.4	29.3	<0.01	0.04
ZZ16490		0.46	28.5	460	29.8	9.3	<0.001	0.03	1.04	4.7	0.7	0.6	12.8	<0.01	0.05
ZZ16001		0.34	16.5	440	18.3	6.5	<0.001	0.03	0.37	2.2	0.2	0.4	24.4	<0.01	0.04
ZZ16002		0.44	21.8	970	19.0	9.4	<0.001	0.11	0.82	1.8	1.2	0.4	72.9	<0.01	0.03
ZZ16003		0.54	21.1	380	28.5	10.9	<0.001	0.01	1.22	3.5	0.7	0.4	17.1	<0.01	0.05
ZZ16004		0.56	27.2	650	41.9	9.4	<0.001	0.03	2.67	4.8	1.1	0.6	19.9	<0.01	0.03
ZZ16005		0.69	24.5	610	35.2	12.9	0.001	0.03	1.34	6.9	1.1	1.1	14.0	<0.01	0.05
ZZ16006		0.41	22.2	1800	47.0	8.9	<0.001	0.10	2.62	3.4	1.3	0.7	28.0	0.01	0.10
ZZ16007		0.43	29.6	700	47.5	12.4	<0.001	0.05	1.13	5.5	1.1	0.7	18.9	<0.01	0.09
ZZ16008		0.38	18.4	1190	11.6	14.6	<0.001	0.19	0.78	1.2	2.0	0.8	75.5	<0.01	0.02
ZZ16009		0.63	23.3	550	24.4	12.4	<0.001	0.03	0.79	4.2	0.7	0.6	23.9	<0.01	0.05
ZZ16010		0.65	21.2	990	18.6	9.3	0.001	0.08	0.57	2.5	1.0	0.5	34.0	<0.01	0.03
ZZ16011		0.55	18.3	920	18.3	8.2	<0.001	0.08	0.89	2.3	0.8	0.6	37.3	<0.01	0.04
ZZ16012		0.38	23.2	1420	33.7	7.0	<0.001	0.10	1.63	4.2	0.9	0.6	23.6	0.01	0.07
ZZ16013		0.45	24.5	1400	19.9	9.8	0.001	0.13	1.19	1.8	1.4	0.5	41.5	<0.01	0.04
ZZ16014		0.43	11.8	800	28.0	6.5	<0.001	0.05	1.06	2.4	0.3	0.5	17.0	<0.01	0.02
ZZ16015		0.52	22.3	1150	28.1	18.1	<0.001	0.07	1.30	3.2	0.9	0.6	23.2	<0.01	0.05
ZZ16016		0.38	18.7	1020	23.8	7.7	<0.001	0.09	0.70	2.2	0.6	0.5	47.2	<0.01	0.04
ZZ16017		0.35	20.7	480	28.3	7.5	<0.001	0.04	0.47	2.8	0.4	0.5	39.6	<0.01	0.03
ZZ16018		0.38	20.0	880	19.6	21.4	<0.001	0.08	0.58	2.4	0.4	0.5	44.6	<0.01	0.06
ZZ16019		0.46	26.9	670	24.8	10.8	<0.001	0.04	1.07	4.3	1.2	0.6	39.3	<0.01	0.04
ZZ15093		0.39	21.8	180	24.2	12.5	<0.001	0.01	0.75	4.4	0.5	0.9	14.9	<0.01	0.06
ZZ15094		0.46	26.7	640	27.0	10.4	<0.001	0.07	1.04	3.6	0.9	0.6	37.0	<0.01	0.07
ZZ15095		0.38	21.6	1110	19.8	9.2	<0.001	0.13	0.74	2.2	0.8	0.6	37.7	<0.01	0.05
ZZ15096		0.40	17.8	740	18.9	11.1	<0.001	0.08	1.00	4.3	0.7	0.5	34.6	<0.01	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 31- AUG- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
ZZ16866		<0.005	6.06	1.98	31	0.06	13.45	921
ZZ16867		0.006	4.98	2.67	43	0.10	14.90	1440
ZZ16476		0.010	0.22	0.66	43	0.12	3.08	147
ZZ16477		0.013	0.74	0.70	39	0.14	5.97	52
ZZ16478		0.007	0.33	0.47	45	0.11	2.65	85
ZZ16479		0.006	4.74	1.44	31	0.08	8.61	164
ZZ16480		0.006	1.02	0.62	37	0.07	6.90	180
ZZ16481		0.011	1.10	1.31	33	0.19	9.19	199
ZZ16482		0.012	0.15	0.43	38	0.11	2.09	63
ZZ16483		0.005	0.06	0.94	25	0.13	11.65	91
ZZ16484		0.008	0.26	0.98	28	0.07	6.79	167
ZZ16485		0.010	0.31	0.83	26	0.12	10.50	171
ZZ16486		0.009	0.18	1.47	30	0.12	12.15	105
ZZ16487		<0.005	0.23	0.83	11	<0.05	17.80	87
ZZ16488		<0.005	0.57	0.78	16	0.06	13.35	119
ZZ16489		0.009	0.18	1.09	25	0.09	7.29	160
ZZ16490		<0.005	0.15	0.79	38	0.08	7.96	119
ZZ16001		0.005	0.03	0.70	17	0.05	6.11	29
ZZ16002		0.008	0.06	1.40	20	0.06	10.40	65
ZZ16003		0.007	0.20	0.75	36	0.10	5.20	211
ZZ16004		0.010	0.29	1.42	33	0.15	15.40	219
ZZ16005		0.011	0.22	1.34	37	0.13	21.4	122
ZZ16006		0.009	0.30	1.58	31	0.11	25.0	134
ZZ16007		0.008	0.17	1.07	28	0.10	10.10	147
ZZ16008		0.007	0.05	2.80	16	0.06	7.21	99
ZZ16009		0.010	0.09	1.10	37	0.10	10.80	110
ZZ16010		0.014	0.07	1.52	35	0.10	8.37	104
ZZ16011		0.013	0.08	1.39	29	0.09	9.65	253
ZZ16012		0.013	0.23	1.77	36	0.12	22.3	139
ZZ16013		0.010	0.35	2.30	27	0.12	14.20	283
ZZ16014		0.014	0.20	0.69	33	0.11	7.01	300
ZZ16015		0.015	0.17	1.90	37	0.11	11.20	382
ZZ16016		0.009	0.09	1.36	24	0.08	13.45	111
ZZ16017		0.007	0.07	0.80	22	0.10	6.91	60
ZZ16018		0.010	0.09	0.64	21	0.07	10.30	85
ZZ16019		0.009	0.13	1.22	31	0.12	12.85	115
ZZ15093		0.005	0.22	0.71	48	0.09	5.39	100
ZZ15094		0.009	0.11	2.14	29	0.09	12.90	124
ZZ15095		0.006	0.13	2.47	26	0.06	12.40	69
ZZ15096		0.007	0.12	1.00	24	0.07	13.85	79



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ15097		0.14	<0.001	0.08	0.55	73.3	<0.2	<10	110	0.42	0.11	4.45	0.81	8.54	3.9	5
ZZ15098		0.14	0.001	0.17	0.86	420	<0.2	<10	160	0.66	0.17	5.12	0.60	14.45	5.5	11
ZZ15099		0.18	0.001	0.22	0.86	445	<0.2	<10	140	0.74	0.19	3.85	1.35	16.45	6.6	12
ZZ15100		0.28	0.001	0.11	0.45	19.8	<0.2	<10	100	0.81	0.32	0.52	0.13	14.90	8.7	7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ15097		0.81	16.8	1.02	1.48	0.11	0.06	0.37	0.011	0.03	4.4	2.5	0.22	854	0.43
ZZ15098		1.85	19.3	2.33	2.25	0.12	0.05	0.53	0.020	0.05	7.8	6.1	2.21	935	0.56
ZZ15099		14.25	23.9	2.59	2.21	0.12	0.05	0.64	0.024	0.07	7.6	5.3	1.24	1290	0.59
ZZ15100		1.09	21.5	2.84	1.26	0.12	0.07	0.28	0.030	0.07	5.8	3.8	0.12	475	0.54
															<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
ZZ15097		0.23	8.0	1440	8.6	2.6	<0.001	0.22	0.80	0.5	0.7	0.5	113.5	<0.01	0.03	0.2
ZZ15098		0.31	15.6	1170	19.1	9.9	<0.001	0.13	1.74	1.3	0.8	0.5	47.9	<0.01	0.04	0.5
ZZ15099		0.32	20.3	1440	26.4	17.4	<0.001	0.15	1.63	1.5	1.2	0.4	46.2	<0.01	0.02	0.5
ZZ15100		0.15	21.4	410	25.4	7.6	<0.001	0.04	0.39	3.8	0.5	0.4	32.4	<0.01	0.03	2.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 31- AUG- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ15097		0.007	0.41	2.27	10	<0.05	5.33	52	1.7
ZZ15098		0.008	0.23	2.05	19	0.10	8.73	220	1.3
ZZ15099		0.007	0.49	3.27	18	0.12	10.95	506	1.5
ZZ15100		<0.005	0.09	0.60	13	<0.05	9.52	99	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 31- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11141038

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 28- JUL- 2011
This copy reported on
4- AUG- 2011
Account: MTT

CERTIFICATE WH11143235

Project: Midas Touch- Crag East

P.O. No.:

This report is for 26 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27- JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 28- JUL- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11143235

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC123857		0.002
CC123858		0.002
CC123859		0.002
CC123860		0.002
CC123861		0.005
CC123862		0.001
CC123863		0.002
CC123864		0.001
CC123865		0.005
CC123866		0.002
CC123779		0.001
CC123780		0.005
CC123781		0.005
CC123782		0.004
CC123783		0.001
CC123784		0.003
CC123785		0.008
CC123786		0.002
CC123787		0.001
CC123788		0.009
CC123789		0.003
CC123790		0.001
CC123829		0.002
CC123830		0.004
CC123831		0.003
CC123832		0.009

Comments: **RE- ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH11107300**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1

Finalized Date: 2- AUG- 2011

This copy reported on

4- AUG- 2011

Account: MTT

CERTIFICATE WH11143237

Project: Midas Touch- Crag East

P.O. No.:

This report is for 15 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27- JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Midas Touch- Crag East

Finalized Date: 2- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11143237

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC124081		NSS
CC124082		0.002
CC124083		0.013
CC124084		0.007
CC124085		0.003
CC124086		0.003
CC124087		0.003
CC124088		NSS
CC124089		0.011
CC124090		0.013
CC124091		0.009
CC124092		NSS
CC124102		0.004
CC124103		0.001
CC124104		0.003

Comments: **RE- ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH11107179**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11143237

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 20- SEP- 2011
Account: MTT

CERTIFICATE WH11159786

Project: Midas Touch- Crag East

P.O. No.:

This report is for 9 Rock samples submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS41	51 anal. aqua regia ICPMS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
As- OG46	Ore Grade As - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11159786

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
K976822		1.68	0.01	0.03	0.09	8580	<0.2	<10	20	0.06	0.09	18.85	0.30	3.78	1.3	3
K976823		1.40	0.01	0.10	0.21	>10000	<0.2	<10	80	0.05	0.31	0.64	0.18	3.42	2.0	9
K976824		2.10	<0.01	0.10	0.24	>10000	<0.2	<10	60	0.10	0.17	8.48	0.18	5.97	5.0	9
K976825		3.36	<0.01	0.03	0.11	5080	<0.2	<10	50	0.06	0.10	19.50	0.10	2.93	1.3	4
K976826		4.02	<0.01	0.01	0.07	2670	<0.2	<10	40	0.06	0.02	20.1	0.07	2.60	0.8	2
K976827		2.89	<0.01	0.01	0.05	1230	<0.2	<10	30	0.09	0.01	20.1	0.04	1.40	0.7	1
K976828		3.25	<0.01	0.01	0.04	1900	<0.2	10	30	0.10	0.01	19.45	0.05	2.14	1.1	1
K976829		4.65	<0.01	<0.01	0.09	423	<0.2	10	20	0.09	0.02	19.45	0.08	3.56	1.6	1
K976830		3.88	<0.01	<0.01	0.07	390	<0.2	10	20	0.12	0.01	20.0	0.06	2.48	1.4	1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11159786

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
K976822		0.07	4.6	1.64	0.27	<0.05	0.03	201	0.022	0.01	2.6	1.5	10.80	1360	0.06
K976823		0.21	15.0	3.41	0.78	0.07	0.27	1630	0.193	0.05	2.5	2.4	0.23	262	0.30
K976824		0.25	15.5	3.26	0.67	0.08	0.13	5170	0.144	0.04	4.4	2.1	4.72	726	0.14
K976825		0.14	5.5	1.26	0.34	0.05	0.04	233	0.013	0.02	2.2	1.1	11.60	1260	0.07
K976826		0.09	3.4	1.14	0.23	0.05	0.02	95.4	0.007	0.01	1.9	1.0	12.00	1250	0.07
K976827		0.06	1.3	0.68	0.19	0.07	<0.02	30.3	<0.005	0.01	1.0	0.7	12.05	959	0.06
K976828		0.07	1.1	0.97	0.23	<0.05	<0.02	44.2	0.005	0.01	1.4	0.8	11.95	1130	<0.05
K976829		0.17	2.0	0.64	0.39	<0.05	0.02	8.92	<0.005	0.02	2.5	1.4	11.80	949	0.06
K976830		0.15	1.1	0.48	0.39	0.06	<0.02	6.86	<0.005	0.01	1.5	1.1	12.50	861	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11159786

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
K976822		0.09	<0.2	190	7.0	0.4	<0.001	0.04	25.2	3.7	0.4	0.2	135.5	<0.01	0.02	0.3
K976823		0.12	3.0	200	41.5	2.3	<0.001	3.53	454	1.9	1.7	0.6	231	<0.01	0.09	1.8
K976824		0.10	5.9	240	61.0	1.6	<0.001	3.27	325	4.0	1.9	0.4	188.5	<0.01	0.09	1.0
K976825		0.10	0.2	170	11.7	0.8	<0.001	0.02	27.2	2.5	0.4	0.2	96.0	<0.01	0.02	0.4
K976826		0.07	0.3	140	4.5	0.5	<0.001	0.01	22.1	2.0	0.3	<0.2	91.3	<0.01	0.01	0.2
K976827		0.07	<0.2	120	2.8	0.4	<0.001	<0.01	9.99	1.0	0.2	<0.2	59.4	<0.01	0.01	<0.2
K976828		0.26	<0.2	90	2.4	0.5	<0.001	0.01	14.00	1.2	<0.2	<0.2	54.8	<0.01	0.02	<0.2
K976829		0.26	1.4	150	5.3	1.1	<0.001	0.01	2.52	1.2	<0.2	<0.2	82.9	<0.01	0.01	0.3
K976830		0.27	1.4	150	1.8	0.9	0.001	0.01	2.46	1.0	<0.2	<0.2	54.1	<0.01	0.01	0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11159786

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	As- OG46 As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
K976822		<0.005	50.9	1.38	7	0.07	6.69	118	1.8	
K976823		<0.005	181.5	2.02	5	0.15	9.91	36	11.2	11.45
K976824		<0.005	300	2.78	5	0.10	10.70	67	7.1	9.37
K976825		<0.005	36.6	1.50	4	0.07	4.79	36	2.1	
K976826		<0.005	20.0	1.55	3	0.06	3.33	32	1.1	
K976827		<0.005	13.35	1.45	1	<0.05	1.85	17	0.6	
K976828		<0.005	27.0	1.04	1	<0.05	1.90	15	<0.5	
K976829		<0.005	6.58	1.44	2	<0.05	2.60	24	0.9	
K976830		<0.005	3.30	1.58	1	<0.05	2.12	20	0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11159786

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 23- SEP- 2011
Account: MTT

CERTIFICATE WH11164703

Project: Midas Touch- Tasin- Crag East

P.O. No.:

This report is for 141 Silt samples submitted to our lab in Whitehorse, YT, Canada on 19- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001410		0.22	0.003	0.17	1.95	10.1	<0.2	<10	170	1.45	0.43	0.35	0.18	25.8	24.6	31
DD001411		0.22	0.003	0.18	1.80	14.9	<0.2	<10	170	1.20	0.35	0.42	0.33	27.4	22.2	36
DD001412		0.34	0.002	0.17	1.68	13.0	<0.2	<10	170	1.23	0.34	0.42	0.26	25.6	20.5	35
DD001413		0.18	0.003	0.19	1.70	11.9	<0.2	<10	160	1.25	0.34	0.43	0.25	26.4	20.0	33
DD001414		0.24	0.003	0.15	1.55	12.9	<0.2	<10	170	1.43	0.35	0.40	0.18	24.2	20.5	31
DD001415		0.22	0.003	0.31	1.50	14.3	<0.2	<10	180	1.22	0.36	0.43	0.22	23.7	20.4	29
DD001416		0.26	0.003	0.15	1.48	13.6	<0.2	<10	190	1.15	0.36	0.39	0.18	23.8	19.9	29
DD001417		0.24	0.003	0.16	1.49	12.9	<0.2	<10	180	1.15	0.33	0.42	0.21	24.8	20.0	30
DD001418		0.26	0.002	0.15	1.52	12.4	<0.2	<10	200	1.08	0.33	0.39	0.19	23.6	19.6	30
DD001419		0.26	0.002	0.13	1.49	11.8	<0.2	<10	220	1.10	0.35	0.40	0.16	21.8	18.4	30
DD001420		0.32	0.002	0.10	1.45	10.8	<0.2	<10	210	1.14	0.34	0.44	0.16	20.3	17.7	30
DD001421		0.24	0.002	0.12	1.50	11.3	<0.2	<10	180	1.05	0.34	0.32	0.16	22.3	18.5	29
DD001422		0.20	0.002	0.14	1.44	9.6	<0.2	<10	180	1.08	0.35	0.56	0.14	19.05	16.7	28
DD001423		0.26	0.002	0.09	1.32	14.2	<0.2	<10	160	1.03	0.30	0.41	0.11	17.35	15.7	27
DD001424		0.34	0.002	0.13	1.27	12.4	<0.2	<10	190	0.89	0.28	0.94	0.21	24.8	19.3	24
DD001425		0.32	0.002	0.11	1.24	12.3	<0.2	<10	200	0.93	0.29	0.82	0.20	22.0	18.4	23
DD001426		0.22	0.003	0.12	1.30	12.6	<0.2	<10	180	0.91	0.29	0.78	0.26	25.8	20.5	24
DD001427		0.18	0.003	0.11	1.22	10.4	<0.2	<10	180	0.84	0.30	0.71	0.20	21.7	16.9	24
DD001428		0.34	0.002	0.11	1.22	11.5	<0.2	<10	200	0.86	0.30	0.77	0.18	22.0	17.5	25
DD001429		0.18	0.002	0.09	1.17	11.0	<0.2	<10	160	0.84	0.28	0.70	0.15	18.60	16.6	23
DD001430		0.34	0.002	0.08	1.04	10.6	<0.2	<10	190	0.98	0.35	0.63	0.14	15.75	18.2	27
DD001431		0.32	0.001	0.07	0.99	10.8	<0.2	<10	140	0.93	0.31	0.63	0.12	15.90	16.8	24
DD001432		0.28	0.001	0.07	0.95	11.4	<0.2	<10	120	0.93	0.51	0.55	0.12	13.90	16.9	23
DD001433		0.32	0.001	0.07	0.97	11.4	<0.2	<10	110	0.98	0.34	0.56	0.11	14.10	18.1	25
DD001434		0.28	0.002	0.09	1.06	11.2	<0.2	<10	140	0.96	0.32	0.61	0.17	16.60	17.3	23
DD001435		0.34	0.001	0.07	1.06	11.6	<0.2	<10	170	1.02	0.35	0.59	0.13	14.95	19.0	26
DD001436		0.34	0.001	0.07	1.12	11.6	<0.2	<10	160	1.07	0.34	0.67	0.14	16.05	18.7	26
DD001437		0.26	0.001	0.07	1.05	10.3	<0.2	<10	130	0.91	0.30	1.00	0.16	15.30	16.5	23
DD001438		0.26	0.001	0.09	1.31	10.1	<0.2	<10	130	0.61	0.25	4.01	0.34	18.25	14.0	23
DD001439		0.24	0.001	0.08	1.37	10.8	<0.2	<10	130	0.65	0.25	3.80	0.31	20.3	14.7	25
DD002301		0.48	0.001	0.04	1.09	10.3	<0.2	<10	200	1.25	0.39	0.25	0.09	10.85	21.2	29
DD002302		0.28	0.001	0.07	1.12	9.0	<0.2	<10	160	1.23	0.31	0.39	0.07	10.95	16.3	26
DD002303		0.26	0.001	0.08	1.10	9.1	<0.2	<10	210	1.13	0.32	0.53	0.08	11.05	14.8	25
DD002304		0.32	0.001	0.05	1.06	9.0	<0.2	<10	200	1.21	0.33	0.40	0.08	10.55	17.2	26
DD002305		0.40	<0.001	0.05	1.06	9.0	<0.2	<10	200	1.15	0.32	0.34	0.06	11.30	16.1	26
DD002306		0.46	0.001	0.05	1.08	8.1	<0.2	<10	180	1.11	0.33	0.38	0.06	11.15	15.0	26
DD002307		0.36	0.001	0.05	1.03	8.3	<0.2	<10	190	1.15	0.32	0.40	0.07	11.00	15.3	25
DD002308		0.40	0.001	0.05	0.93	7.6	<0.2	<10	230	1.00	0.29	0.42	0.08	10.40	15.9	24
DD002309		0.42	0.001	0.07	0.93	11.5	<0.2	<10	350	1.15	0.34	0.43	0.06	11.75	17.8	25
DD002310		0.42	0.001	0.05	1.06	7.8	<0.2	<10	210	1.12	0.33	0.32	0.07	10.90	13.6	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001410		4.12	59.8	4.80	6.35	0.11	0.09	0.05	0.031	0.09	11.7	47.4	0.68	1180	1.45
DD001411		3.74	61.8	4.61	5.75	0.12	0.07	0.07	0.032	0.10	12.7	38.1	0.70	1370	2.27
DD001412		3.56	58.5	4.53	5.43	0.11	0.08	0.06	0.033	0.09	12.0	35.2	0.65	1360	1.93
DD001413		3.62	59.9	4.45	5.33	0.11	0.08	0.07	0.033	0.10	12.4	36.4	0.64	931	1.64
DD001414		3.92	79.0	4.28	5.01	0.11	0.07	0.07	0.030	0.09	10.6	33.3	0.57	1240	1.55
DD001415		4.04	65.4	4.37	5.43	0.12	0.06	0.07	0.034	0.08	11.9	34.0	0.59	1300	1.72
DD001416		3.85	66.5	4.31	5.26	0.12	0.06	0.06	0.032	0.08	12.0	35.2	0.58	1240	1.64
DD001417		3.84	59.4	4.30	5.33	0.13	0.07	0.07	0.032	0.09	12.7	35.5	0.58	1150	1.64
DD001418		3.09	52.4	4.46	5.48	0.11	0.07	0.06	0.031	0.09	12.0	34.8	0.60	1140	1.81
DD001419		3.14	53.6	4.33	5.59	0.12	0.06	0.05	0.031	0.08	11.0	33.0	0.59	967	1.42
DD001420		3.10	49.9	4.27	5.42	0.12	0.07	0.05	0.031	0.08	10.3	31.9	0.58	1040	1.38
DD001421		2.90	48.6	4.30	5.25	0.11	0.06	0.04	0.030	0.08	11.5	34.0	0.59	1000	1.45
DD001422		2.89	44.0	4.01	5.23	0.09	0.07	0.08	0.034	0.09	9.5	30.8	0.50	984	0.90
DD001423		2.41	34.8	3.97	4.76	0.10	0.06	0.05	0.029	0.08	8.7	29.1	0.49	869	0.90
DD001424		2.54	49.8	4.01	4.59	0.11	0.07	0.07	0.030	0.08	13.2	29.5	0.77	1720	2.17
DD001425		2.39	44.2	3.95	4.42	0.10	0.07	0.06	0.029	0.08	11.4	27.7	0.74	1540	1.83
DD001426		2.53	49.1	4.27	4.61	0.12	0.08	0.06	0.033	0.09	13.6	27.7	0.71	2330	2.40
DD001427		2.28	44.3	4.01	4.22	0.11	0.07	0.06	0.028	0.08	11.5	26.4	0.71	1580	1.85
DD001428		2.29	47.1	4.06	4.29	0.10	0.08	0.07	0.030	0.08	11.4	27.9	0.72	1520	1.86
DD001429		2.26	40.6	3.79	4.18	0.09	0.07	0.06	0.028	0.07	9.7	26.6	0.63	1400	1.47
DD001430		2.60	49.0	4.54	3.82	0.09	0.08	0.05	0.028	0.08	7.8	22.7	0.57	3040	1.59
DD001431		2.65	50.0	3.93	3.60	0.09	0.07	0.05	0.026	0.07	7.9	23.0	0.57	1360	1.28
DD001432		2.65	51.2	3.99	3.53	0.09	0.07	0.04	0.029	0.06	6.9	21.4	0.54	1360	1.23
DD001433		2.49	51.6	4.28	3.64	0.10	0.09	0.04	0.029	0.07	6.8	21.9	0.53	1420	1.25
DD001434		2.41	48.2	3.93	3.93	0.09	0.07	0.06	0.029	0.07	8.3	23.6	0.58	1500	1.29
DD001435		2.49	52.0	4.42	3.93	0.11	0.09	0.03	0.029	0.08	7.2	24.0	0.58	1470	1.37
DD001436		2.50	48.8	4.48	4.07	0.09	0.08	0.04	0.031	0.08	7.6	24.3	0.60	1700	1.35
DD001437		2.30	43.7	3.85	3.85	0.09	0.07	0.04	0.027	0.06	7.6	23.9	0.64	1280	1.10
DD001438		1.37	30.5	3.48	4.46	0.10	0.08	0.03	0.026	0.05	9.3	34.0	1.21	747	1.19
DD001439		1.35	29.1	3.63	4.75	0.11	0.09	0.03	0.027	0.05	10.5	36.3	1.25	715	1.22
DD002301		2.41	34.7	5.05	4.66	0.09	0.06	0.04	0.040	0.09	4.5	17.8	0.39	1500	0.56
DD002302		2.95	33.4	4.19	4.71	0.08	0.05	0.07	0.036	0.07	5.3	20.2	0.39	867	0.45
DD002303		2.66	28.5	4.04	4.47	0.08	0.06	0.09	0.036	0.07	5.3	19.8	0.38	849	0.45
DD002304		2.59	29.5	4.38	4.35	0.08	0.06	0.05	0.035	0.08	5.0	19.0	0.38	1310	0.48
DD002305		2.50	27.7	4.30	4.31	0.08	0.05	0.08	0.038	0.07	5.3	18.7	0.37	1030	0.46
DD002306		2.54	28.6	4.18	4.31	0.08	0.05	0.06	0.036	0.07	5.2	19.2	0.38	920	0.42
DD002307		2.48	30.0	4.15	4.23	0.08	0.05	0.07	0.039	0.07	5.2	18.2	0.36	965	0.45
DD002308		1.88	25.1	4.02	3.93	0.08	0.05	0.05	0.035	0.07	4.9	16.9	0.31	1270	0.47
DD002309		1.09	54.0	4.24	4.04	0.08	0.06	0.09	0.045	0.07	5.3	13.1	0.30	1480	0.66
DD002310		1.59	28.5	4.10	4.38	0.07	0.05	0.06	0.037	0.08	5.1	18.0	0.33	711	0.45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD001410		0.16	42.6	670	32.6	10.3	0.001	<0.01	0.57	4.7	0.7	0.6	36.4	<0.01	0.05	4.8
DD001411		0.23	40.9	770	26.6	10.6	0.001	<0.01	0.87	4.7	0.9	0.6	44.4	0.01	0.05	4.3
DD001412		0.25	37.0	720	27.4	10.1	0.001	<0.01	0.71	4.6	0.9	0.6	44.5	0.01	0.04	4.6
DD001413		0.30	36.4	730	29.4	10.9	0.001	<0.01	0.68	4.7	1.0	0.6	46.6	<0.01	0.05	4.4
DD001414		0.31	34.2	640	31.3	10.0	0.001	<0.01	0.55	4.8	0.8	0.6	42.1	<0.01	0.04	4.9
DD001415		0.39	34.6	680	30.1	8.2	<0.001	0.02	0.70	4.4	1.0	0.6	49.0	<0.01	0.04	4.2
DD001416		0.35	34.1	640	28.4	8.1	0.001	0.02	0.66	4.4	0.9	0.6	45.1	<0.01	0.05	4.6
DD001417		0.41	34.8	700	25.8	8.6	0.001	0.01	0.68	4.5	1.0	0.6	46.3	<0.01	0.04	4.2
DD001418		0.37	34.8	640	24.1	8.2	0.001	0.01	0.68	4.3	0.8	0.6	41.9	<0.01	0.04	4.5
DD001419		0.39	33.2	610	23.7	7.9	<0.001	0.01	0.60	4.1	0.8	0.6	38.3	<0.01	0.04	4.4
DD001420		0.42	32.7	590	23.6	7.9	0.001	0.01	0.59	4.2	0.8	0.7	40.6	<0.01	0.04	4.3
DD001421		0.33	32.9	620	25.0	7.2	0.001	<0.01	0.63	4.1	0.7	0.6	33.9	<0.01	0.04	4.5
DD001422		0.64	29.8	560	24.4	10.4	0.001	0.01	0.44	4.6	1.0	0.6	53.1	<0.01	0.03	3.9
DD001423		0.63	28.8	480	21.7	8.0	<0.001	0.01	0.41	4.0	0.8	0.6	37.6	<0.01	0.03	4.0
DD001424		0.40	41.9	630	21.1	6.8	0.001	0.03	0.76	4.0	0.7	0.5	49.0	<0.01	0.04	4.7
DD001425		0.46	37.3	580	20.9	6.6	0.001	0.03	0.66	3.9	0.7	0.5	44.5	<0.01	0.04	4.4
DD001426		0.36	46.6	650	22.3	6.8	0.001	0.03	0.82	4.1	0.8	0.5	47.9	<0.01	0.04	4.6
DD001427		0.39	36.7	600	20.1	6.3	<0.001	0.04	0.69	3.7	0.7	0.5	36.8	<0.01	0.04	4.5
DD001428		0.39	35.9	590	22.2	6.3	0.001	0.03	0.71	3.9	0.6	0.5	41.6	<0.01	0.04	4.6
DD001429		0.54	33.7	530	20.4	6.2	<0.001	0.02	0.59	3.8	0.6	0.5	39.6	<0.01	0.03	4.0
DD001430		0.24	31.2	440	21.8	6.4	0.001	0.02	0.45	4.4	0.4	0.6	39.4	<0.01	0.04	5.2
DD001431		0.36	29.1	490	21.2	5.8	<0.001	0.02	0.44	3.8	0.4	0.5	34.1	<0.01	0.03	4.7
DD001432		0.28	28.1	470	21.5	5.5	<0.001	0.01	0.43	3.7	0.4	0.5	28.6	<0.01	0.03	4.8
DD001433		0.29	29.6	430	21.3	5.7	<0.001	<0.01	0.41	4.0	0.4	0.6	24.7	<0.01	0.03	4.8
DD001434		0.54	32.3	490	23.3	5.9	<0.001	0.02	0.48	3.9	0.5	0.5	34.3	<0.01	0.03	4.4
DD001435		0.29	31.5	440	22.1	6.2	<0.001	0.01	0.44	4.3	0.5	0.6	31.9	<0.01	0.04	5.2
DD001436		0.34	31.8	460	26.1	6.4	<0.001	0.01	0.43	4.4	0.5	0.6	37.8	<0.01	0.03	5.0
DD001437		0.46	28.2	480	21.1	5.4	<0.001	0.01	0.41	3.7	0.4	0.5	40.9	<0.01	0.03	4.5
DD001438		0.85	29.6	680	19.3	4.2	0.001	0.01	0.58	3.6	0.6	0.3	118.0	<0.01	0.03	4.2
DD001439		0.74	31.7	720	19.5	4.1	<0.001	0.01	0.63	3.6	0.5	0.3	111.5	<0.01	0.03	4.6
DD002301		0.47	31.6	270	25.6	8.7	<0.001	<0.01	0.24	5.4	0.4	0.8	21.2	<0.01	0.03	3.6
DD002302		1.21	27.2	380	22.1	9.0	<0.001	<0.01	0.21	5.2	0.7	0.7	26.0	<0.01	0.03	3.1
DD002303		1.26	25.6	400	22.3	9.1	<0.001	0.02	0.22	5.2	0.8	0.7	35.2	<0.01	0.03	3.0
DD002304		1.17	27.4	340	22.3	9.6	<0.001	<0.01	0.23	5.1	0.7	0.7	29.7	<0.01	0.03	3.1
DD002305		1.23	25.5	350	21.5	9.0	<0.001	<0.01	0.21	5.0	0.5	0.7	25.4	<0.01	0.03	3.2
DD002306		1.24	24.5	360	21.1	9.0	<0.001	<0.01	0.22	4.9	0.5	0.7	26.6	<0.01	0.02	3.2
DD002307		1.16	25.2	350	21.2	9.4	<0.001	0.01	0.26	5.1	0.6	0.7	27.8	<0.01	0.03	3.1
DD002308		1.37	23.9	370	26.6	9.5	<0.001	0.01	0.18	4.7	0.6	0.6	23.3	<0.01	0.03	2.9
DD002309		1.35	23.6	320	30.4	8.6	<0.001	<0.01	0.32	5.9	0.4	0.8	24.3	<0.01	0.04	3.0
DD002310		1.20	24.1	310	21.0	8.9	<0.001	<0.01	0.19	5.1	0.5	0.7	22.9	<0.01	0.02	2.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001410		0.006	0.11	1.42	27	0.06	11.50	120	2.4
DD001411		0.009	0.14	1.24	34	0.05	10.35	129	2.1
DD001412		0.009	0.12	1.25	33	0.06	10.70	116	1.8
DD001413		0.009	0.10	1.28	32	0.06	10.80	116	2.1
DD001414		0.009	0.10	1.30	30	0.07	10.40	105	1.8
DD001415		0.013	0.10	1.34	30	0.06	11.75	105	2.0
DD001416		0.014	0.09	1.06	30	0.06	10.95	102	2.1
DD001417		0.015	0.09	1.21	30	0.05	11.50	105	2.2
DD001418		0.014	0.09	1.08	31	0.05	10.10	107	2.5
DD001419		0.015	0.08	0.98	30	0.05	9.26	103	2.4
DD001420		0.015	0.07	1.06	30	0.06	9.14	104	2.5
DD001421		0.014	0.08	0.99	30	0.05	9.33	106	2.3
DD001422		0.016	0.08	1.44	28	0.08	9.83	94	2.2
DD001423		0.016	0.07	0.99	27	0.07	8.01	96	2.1
DD001424		0.017	0.07	0.88	27	0.05	9.61	117	3.1
DD001425		0.016	0.07	0.92	26	0.10	9.04	110	2.8
DD001426		0.016	0.08	0.96	28	0.05	9.92	128	3.3
DD001427		0.017	0.07	0.87	27	0.05	8.40	111	3.0
DD001428		0.017	0.07	0.85	27	0.06	8.46	110	3.2
DD001429		0.017	0.06	0.92	24	0.06	8.00	106	2.4
DD001430		0.015	0.09	0.97	28	0.06	7.86	102	3.2
DD001431		0.016	0.06	0.88	25	0.06	7.38	94	2.6
DD001432		0.016	0.06	0.83	25	0.06	6.76	92	3.1
DD001433		0.017	0.06	0.86	26	0.06	6.57	100	3.5
DD001434		0.016	0.06	0.96	25	0.06	7.76	102	2.5
DD001435		0.017	0.07	0.93	28	0.06	7.01	105	3.6
DD001436		0.016	0.07	0.94	28	0.06	7.43	109	3.2
DD001437		0.017	0.05	0.81	25	0.05	6.82	96	2.5
DD001438		0.024	0.06	0.66	24	0.05	7.93	107	3.0
DD001439		0.025	0.05	0.67	25	0.05	7.98	109	3.5
DD002301		0.018	0.07	0.76	30	0.09	5.92	108	2.3
DD002302		0.021	0.06	0.89	28	0.09	7.07	99	1.7
DD002303		0.019	0.06	1.33	26	0.10	7.62	97	1.7
DD002304		0.021	0.06	0.82	28	0.10	6.89	98	1.8
DD002305		0.022	0.06	0.84	28	0.11	6.34	100	1.7
DD002306		0.022	0.06	0.82	28	0.09	6.29	95	1.6
DD002307		0.020	0.05	0.89	28	0.10	6.61	98	1.6
DD002308		0.022	0.06	0.70	27	0.10	6.11	94	1.6
DD002309		0.025	0.06	0.80	31	0.17	7.86	90	1.7
DD002310		0.018	0.06	0.92	27	0.10	6.71	88	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD002311		0.34	0.001	0.05	1.02	9.7	<0.2	<10	240	1.21	0.35	0.42	0.08	11.25	18.9	26
DD002312		0.30	0.001	0.11	1.07	7.7	<0.2	<10	210	1.23	0.31	0.51	0.09	11.10	16.2	25
DD002313		0.36	0.001	0.07	1.08	8.5	<0.2	<10	240	1.21	0.34	0.47	0.07	11.90	16.8	26
DD002314		0.30	0.001	0.07	1.06	10.3	<0.2	<10	250	1.49	0.40	0.40	0.09	12.95	21.6	27
DD002315		0.34	0.001	0.04	1.05	9.4	<0.2	<10	220	1.32	0.37	0.45	0.08	11.35	17.5	27
DD002316		0.30	0.001	0.05	1.16	9.5	<0.2	<10	200	1.23	0.36	0.69	0.07	12.75	17.3	27
DD002317		0.38	0.001	0.05	1.17	9.5	<0.2	<10	200	1.01	0.36	1.15	0.06	14.15	16.6	26
DD002318		0.44	0.001	0.12	1.18	8.9	<0.2	<10	190	1.16	0.35	0.99	0.07	14.25	16.6	26
DD002319		0.38	0.001	0.05	1.09	10.2	<0.2	<10	200	1.01	0.38	0.97	0.06	13.80	16.4	26
DD002320		0.48	0.001	0.04	1.15	10.2	<0.2	<10	180	1.13	0.38	0.78	0.06	12.20	17.6	25
DD002321		0.44	0.001	0.02	1.13	10.2	<0.2	<10	180	1.09	0.36	0.87	0.07	12.20	17.0	26
DD002322		0.32	0.001	0.04	1.14	8.7	<0.2	<10	170	1.09	0.32	0.81	0.06	13.45	15.4	25
DD002323		0.38	0.002	0.04	1.21	8.8	<0.2	<10	200	1.01	0.35	0.83	0.05	17.05	15.2	28
DD002324		0.32	0.001	0.04	1.08	8.6	<0.2	<10	180	0.99	0.32	0.81	0.05	14.60	14.5	26
DD003716		0.24	0.002	0.06	0.70	24.7	<0.2	<10	90	1.41	0.50	0.23	0.03	14.50	20.0	14
DD003717		0.30	0.001	0.08	0.88	26.9	<0.2	<10	110	1.32	0.51	0.32	0.04	16.65	18.9	16
DD003718		0.34	0.001	0.10	1.17	19.1	<0.2	<10	110	0.95	0.40	1.05	0.07	19.20	16.1	20
DD003719		0.34	0.001	0.07	1.22	14.5	<0.2	<10	140	1.02	0.40	0.71	0.06	16.80	15.1	23
DD003720		0.50	0.001	0.04	1.32	6.7	<0.2	<10	120	0.76	0.31	3.33	0.05	12.60	15.5	24
DD003721		0.26	0.002	0.29	0.97	28.9	<0.2	<10	250	1.09	0.30	0.92	0.10	11.60	11.7	19
DD003722		0.34	0.002	0.43	1.75	12.7	<0.2	<10	300	1.53	0.43	0.44	0.19	18.10	18.7	29
DD003723		0.56	0.001	0.06	2.02	7.1	<0.2	<10	150	1.11	0.37	3.16	0.07	17.65	17.3	30
DD003724		0.36	0.003	0.35	1.39	14.6	<0.2	<10	440	1.59	0.38	0.75	0.15	12.55	14.8	23
DD003725		0.32	0.001	0.07	1.44	10.3	<0.2	<10	130	0.90	0.34	1.69	0.08	18.65	18.0	25
DD003726		0.32	0.001	0.05	1.32	9.5	<0.2	<10	150	0.74	0.32	3.23	0.07	14.90	17.3	24
DD003727		0.48	0.001	0.07	1.88	6.6	<0.2	<10	170	1.04	0.38	1.53	0.10	20.4	16.3	31
DD003728		0.54	0.001	0.06	1.80	9.3	<0.2	<10	190	1.10	0.40	1.27	0.09	20.1	18.0	30
DD003729		0.54	0.001	0.05	1.43	9.0	<0.2	<10	170	0.90	0.33	2.73	0.08	16.70	16.0	26
DD003730		0.50	0.001	0.05	1.29	9.4	<0.2	<10	160	0.83	0.30	1.89	0.09	16.65	15.2	23
DD003731		0.44	0.001	0.04	1.30	8.3	<0.2	<10	140	0.83	0.32	2.10	0.07	15.95	16.5	24
DD003732		0.34	0.001	0.03	1.32	7.7	<0.2	<10	140	0.78	0.33	2.57	0.07	15.35	16.3	23
DD003733		0.50	0.001	0.06	1.42	8.6	<0.2	<10	190	0.85	0.34	1.68	0.06	17.75	13.9	27
DD003734		0.40	0.001	0.04	1.45	9.3	<0.2	<10	160	1.04	0.34	0.59	0.06	19.05	15.9	28
DD003735		0.36	0.001	0.05	1.44	9.6	<0.2	<10	160	0.90	0.33	1.03	0.10	20.5	15.9	27
DD003736		0.46	0.001	0.05	1.35	8.5	<0.2	<10	150	0.83	0.34	1.99	0.08	16.50	15.9	25
DD003737		0.34	0.001	0.06	1.25	9.0	<0.2	<10	160	0.87	0.31	1.53	0.08	14.25	15.5	24
DD003738		0.40	0.001	0.04	1.23	7.6	<0.2	<10	140	0.85	0.32	1.28	0.06	14.10	14.2	24
DD003739		0.48	0.001	0.04	1.32	8.4	<0.2	<10	200	1.05	0.35	1.03	0.07	17.80	16.8	27
DD003740		0.40	0.001	0.06	1.43	8.9	<0.2	<10	190	1.14	0.38	0.89	0.08	19.60	17.6	28
CC146961		0.56	0.001	0.05	1.37	8.7	<0.2	<10	160	1.04	0.34	0.87	0.07	18.55	16.5	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD002311		2.26	32.7	4.52	4.20	0.09	0.05	0.10	0.041	0.07	5.2	17.6	0.36	1540	0.50
DD002312		1.92	33.5	4.11	3.87	0.09	0.04	0.08	0.033	0.08	4.8	17.1	0.37	1310	0.50
DD002313		1.76	31.0	4.45	4.00	0.08	0.04	0.31	0.036	0.08	4.9	16.8	0.38	1340	0.46
DD002314		1.94	34.6	4.82	4.46	0.09	0.04	0.06	0.039	0.08	5.2	18.5	0.37	1680	0.53
DD002315		1.91	31.7	4.64	3.95	0.10	0.04	0.36	0.038	0.08	4.8	16.5	0.37	1330	0.47
DD002316		2.19	34.9	4.36	4.16	0.09	0.04	0.08	0.039	0.08	5.3	18.9	0.49	1100	0.42
DD002317		2.61	32.8	4.12	4.09	0.10	0.05	0.07	0.028	0.07	5.8	21.1	0.72	1080	0.44
DD002318		2.83	33.7	3.98	4.34	0.09	0.06	0.06	0.029	0.08	5.9	22.1	0.68	992	0.44
DD002319		2.49	34.0	4.04	3.97	0.11	0.05	0.05	0.033	0.07	5.7	19.9	0.67	1080	0.46
DD002320		3.06	34.0	4.32	4.15	0.10	0.06	0.05	0.032	0.08	5.0	20.3	0.59	1160	0.47
DD002321		3.73	34.5	4.26	4.09	0.11	0.06	0.03	0.030	0.08	5.1	20.3	0.64	1170	0.50
DD002322		3.78	32.1	3.95	3.94	0.10	0.05	0.06	0.028	0.07	5.6	20.7	0.60	925	0.39
DD002323		3.47	29.9	4.05	4.18	0.11	0.06	0.05	0.032	0.07	7.2	23.0	0.71	837	0.41
DD002324		2.89	28.8	3.89	3.90	0.10	0.06	0.09	0.030	0.06	6.3	20.4	0.67	799	0.38
DD003716		3.06	46.9	4.68	2.91	0.10	0.04	0.11	0.031	0.11	5.5	13.6	0.22	612	0.47
DD003717		3.20	44.4	4.39	3.35	0.09	0.06	0.17	0.031	0.11	6.8	17.0	0.27	616	0.47
DD003718		2.12	38.7	3.73	3.86	0.09	0.06	0.16	0.028	0.09	7.8	22.8	0.76	487	0.33
DD003719		2.17	35.2	3.70	4.21	0.11	0.05	0.08	0.025	0.09	6.9	24.6	0.57	583	0.40
DD003720		0.78	36.4	3.43	4.58	0.10	0.09	0.05	0.025	0.07	5.3	26.1	1.00	962	0.34
DD003721		5.83	33.8	2.76	3.21	0.09	0.09	0.11	0.025	0.10	5.1	16.5	0.29	264	0.98
DD003722		7.26	57.8	4.14	5.31	0.10	0.11	0.16	0.032	0.15	8.1	29.1	0.49	623	0.82
DD003723		1.33	33.7	4.01	6.20	0.10	0.12	0.04	0.030	0.17	7.4	36.5	0.98	848	0.35
DD003724		10.30	47.6	3.37	4.21	0.09	0.08	0.17	0.028	0.13	5.4	25.2	0.45	480	0.91
DD003725		1.22	35.1	3.77	5.04	0.10	0.05	0.04	0.023	0.09	7.5	29.8	0.99	1020	0.40
DD003726		1.00	30.6	3.52	4.50	0.10	0.05	0.05	0.024	0.07	6.3	26.9	1.06	1050	0.39
DD003727		1.31	33.7	4.19	5.76	0.09	0.07	0.06	0.024	0.14	8.3	32.2	0.90	953	0.45
DD003728		1.39	37.7	4.18	5.99	0.10	0.08	0.07	0.029	0.14	8.5	33.0	0.74	958	0.42
DD003729		1.18	38.4	3.63	4.83	0.09	0.06	0.06	0.022	0.09	6.9	27.8	1.00	954	0.39
DD003730		0.96	32.8	3.43	4.35	0.10	0.07	0.04	0.023	0.08	6.6	24.7	0.89	944	0.41
DD003731		1.08	32.1	3.40	4.55	0.12	0.06	0.03	0.026	0.08	6.4	27.0	0.93	809	0.34
DD003732		0.97	31.8	3.40	4.51	0.10	0.05	0.03	0.022	0.07	6.3	26.6	0.95	911	0.36
DD003733		1.07	31.3	3.73	4.64	0.11	0.06	0.05	0.022	0.09	7.5	26.9	1.00	734	0.34
DD003734		1.06	31.6	3.92	5.00	0.11	0.06	0.04	0.028	0.07	7.9	28.9	0.62	787	0.36
DD003735		1.17	33.1	3.76	5.01	0.11	0.05	0.03	0.025	0.09	9.3	29.4	0.87	870	0.33
DD003736		1.46	30.6	3.63	4.59	0.10	0.06	0.04	0.024	0.08	6.6	27.0	0.94	953	0.37
DD003737		2.52	33.0	3.60	4.20	0.10	0.05	0.05	0.025	0.07	6.0	24.0	0.79	1160	0.51
DD003738		2.39	30.0	3.51	3.91	0.09	0.05	0.04	0.023	0.07	5.8	23.0	0.88	808	0.36
DD003739		3.44	36.2	3.83	4.72	0.13	0.05	0.04	0.033	0.09	7.4	26.4	0.92	930	0.45
DD003740		3.58	37.6	3.95	5.14	0.12	0.05	0.05	0.032	0.09	8.2	27.6	0.83	1000	0.42
CC146961		2.83	34.8	3.85	4.78	0.11	0.05	0.04	0.033	0.08	7.6	26.8	0.77	899	0.41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD002311		1.12	27.8	360	24.4	9.7	<0.001	0.01	0.22	5.3	0.6	0.7	29.2	<0.01	0.03	3.2
DD002312		1.28	27.4	390	25.7	10.6	<0.001	0.05	0.21	5.3	0.6	0.7	30.2	<0.01	0.03	3.3
DD002313		1.26	26.5	370	25.5	9.6	<0.001	0.05	0.22	5.3	0.4	0.7	27.4	<0.01	0.05	3.3
DD002314		1.38	31.6	350	29.4	10.3	<0.001	0.04	0.29	6.0	0.9	0.8	28.4	<0.01	0.03	3.8
DD002315		1.37	27.1	370	27.5	9.8	<0.001	0.04	0.23	5.4	0.5	0.6	27.3	<0.01	0.03	3.5
DD002316		1.29	27.6	400	26.0	9.8	<0.001	0.05	0.25	5.3	1.0	0.6	31.0	<0.01	0.03	3.8
DD002317		1.35	27.4	430	23.3	8.0	<0.001	0.05	0.24	4.7	0.7	0.6	36.3	<0.01	0.04	4.3
DD002318		1.38	28.6	450	24.8	8.5	<0.001	0.05	0.26	4.8	0.6	0.6	34.4	<0.01	0.03	4.3
DD002319		1.14	27.2	430	23.4	7.4	<0.001	0.05	0.28	4.5	0.6	0.6	32.7	<0.01	0.05	4.1
DD002320		1.00	28.9	370	32.4	8.6	<0.001	0.04	0.25	4.8	0.5	0.7	30.4	<0.01	0.03	4.2
DD002321		1.02	28.6	380	25.0	8.8	<0.001	0.04	0.27	4.7	0.9	0.7	30.3	<0.01	0.03	4.1
DD002322		1.35	26.6	430	22.3	8.8	0.001	0.05	0.25	4.5	0.3	0.6	26.7	<0.01	0.04	3.9
DD002323		1.37	27.1	480	21.8	8.6	<0.001	0.05	0.26	4.5	0.4	0.6	28.8	<0.01	0.02	4.7
DD002324		1.12	25.3	460	20.2	7.3	<0.001	0.04	0.26	4.0	0.6	0.5	27.0	<0.01	0.03	4.1
DD003716		0.19	34.3	320	32.5	10.5	<0.001	0.03	0.31	4.6	0.3	0.5	26.3	<0.01	0.05	4.3
DD003717		0.35	33.0	380	34.9	11.4	<0.001	0.04	0.34	4.5	0.9	0.6	30.4	<0.01	0.04	4.1
DD003718		0.89	30.5	510	30.5	8.5	<0.001	0.05	0.34	4.2	1.0	0.5	30.5	<0.01	0.02	4.4
DD003719		0.91	28.2	500	26.7	8.9	<0.001	0.05	0.28	4.1	0.5	0.5	28.9	<0.01	0.03	3.9
DD003720		0.38	26.2	460	19.9	5.9	<0.001	0.14	0.27	3.8	0.4	0.5	88.8	<0.01	0.01	4.2
DD003721		0.47	23.2	530	24.8	14.2	0.001	0.12	0.47	3.3	1.8	0.5	50.8	<0.01	0.03	2.1
DD003722		0.65	36.0	490	33.6	14.1	<0.001	0.05	0.37	7.7	1.6	0.7	31.8	<0.01	0.04	4.7
DD003723		0.16	31.9	420	23.7	10.1	<0.001	0.07	0.26	4.8	0.4	0.6	103.0	<0.01	0.02	6.1
DD003724		0.47	30.1	590	29.9	17.0	<0.001	0.09	1.40	4.3	1.2	0.6	44.1	<0.01	0.03	2.6
DD003725		1.08	30.5	510	25.6	7.0	<0.001	0.07	0.31	4.1	<0.2	0.5	45.6	<0.01	0.02	4.7
DD003726		0.78	27.6	510	24.0	6.0	<0.001	0.11	0.34	3.8	0.5	0.5	87.0	<0.01	0.01	4.2
DD003727		0.51	31.8	510	26.5	8.9	<0.001	0.07	0.30	4.5	0.3	0.6	42.7	<0.01	0.05	6.1
DD003728		1.36	33.5	480	27.8	9.8	<0.001	0.06	0.31	4.9	0.8	0.6	44.1	<0.01	0.02	5.6
DD003729		1.00	28.7	480	23.5	7.1	<0.001	0.08	0.32	4.1	0.4	0.5	74.0	<0.01	0.01	4.6
DD003730		1.43	26.8	460	24.6	6.3	<0.001	0.05	0.31	3.8	0.9	0.5	54.3	<0.01	0.06	4.2
DD003731		1.17	27.6	460	23.5	6.4	<0.001	0.06	0.30	3.8	0.8	0.6	60.7	<0.01	0.04	4.4
DD003732		1.25	27.7	470	22.6	6.5	<0.001	0.07	0.27	3.7	0.3	0.5	73.9	0.01	0.04	4.4
DD003733		1.22	26.1	510	23.7	6.8	<0.001	0.05	0.26	3.8	1.2	0.5	45.0	<0.01	0.03	4.8
DD003734		1.54	30.2	500	25.0	7.1	<0.001	0.05	0.30	4.3	1.2	0.6	25.5	<0.01	0.03	5.0
DD003735		1.59	29.2	510	23.5	7.9	<0.001	0.04	0.29	4.1	0.4	0.5	28.6	<0.01	0.02	4.6
DD003736		1.23	27.1	500	23.3	6.9	<0.001	0.07	0.25	3.8	0.6	0.5	54.5	<0.01	0.03	4.5
DD003737		1.20	26.1	480	23.5	7.6	<0.001	0.07	0.28	3.9	0.8	0.5	46.3	<0.01	0.02	4.2
DD003738		1.12	24.1	450	21.5	6.8	<0.001	0.05	0.24	3.7	0.7	0.5	32.0	<0.01	0.02	4.1
DD003739		1.13	27.0	460	24.3	8.6	<0.001	0.04	0.27	4.7	0.6	0.6	25.7	<0.01	0.04	4.9
DD003740		1.21	29.2	490	25.7	9.7	0.001	0.04	0.28	4.9	0.7	0.6	30.2	<0.01	0.03	5.2
CC146961		1.27	27.3	500	23.3	8.4	<0.001	0.05	0.27	4.5	0.5	0.5	30.5	<0.01	0.04	4.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD002311		0.019	0.06	0.86	28	0.11	6.98	102	1.6
DD002312		0.013	0.07	0.93	27	0.10	6.61	98	1.5
DD002313		0.014	0.06	0.92	29	0.14	6.21	105	1.4
DD002314		0.015	0.06	1.01	31	0.12	6.58	109	1.7
DD002315		0.017	0.06	0.97	30	0.13	6.17	106	1.5
DD002316		0.015	0.07	1.08	28	0.11	6.78	100	1.7
DD002317		0.022	0.07	0.84	27	0.09	6.15	91	2.6
DD002318		0.020	0.06	0.86	27	0.10	6.37	92	2.1
DD002319		0.021	0.05	0.78	26	0.09	5.92	88	2.3
DD002320		0.017	0.07	0.80	27	0.10	5.68	93	2.0
DD002321		0.018	0.06	0.75	27	0.09	5.81	93	2.3
DD002322		0.020	0.06	0.77	26	0.08	6.00	90	1.8
DD002323		0.026	0.06	0.79	27	0.10	6.12	90	2.4
DD002324		0.028	0.05	0.65	26	0.09	5.31	86	2.4
DD003716		<0.005	0.11	1.19	18	<0.05	9.56	101	2.1
DD003717		0.005	0.12	1.20	18	<0.05	10.30	101	1.9
DD003718		0.010	0.11	0.71	19	0.05	8.28	95	2.0
DD003719		0.011	0.07	0.81	20	0.06	8.36	85	1.7
DD003720		0.027	0.05	0.58	23	0.08	5.22	78	3.3
DD003721		<0.005	0.09	1.54	17	0.05	7.92	75	2.5
DD003722		0.006	0.12	1.81	24	0.08	14.40	109	3.8
DD003723		0.013	0.07	0.75	27	0.06	6.22	92	4.3
DD003724		<0.005	0.12	1.84	21	0.06	11.80	101	2.2
DD003725		0.023	0.06	0.68	24	0.07	6.50	88	2.1
DD003726		0.029	0.05	0.62	23	0.08	5.86	82	2.1
DD003727		0.018	0.08	0.63	28	0.06	6.92	95	3.3
DD003728		0.017	0.08	0.68	27	0.10	7.22	96	2.9
DD003729		0.025	0.06	0.65	24	0.08	6.05	84	2.5
DD003730		0.024	0.05	0.60	23	0.08	6.01	77	2.4
DD003731		0.024	0.05	0.59	23	0.07	5.86	80	2.4
DD003732		0.023	0.05	0.58	22	0.07	5.71	78	2.3
DD003733		0.026	0.05	0.63	25	0.09	5.98	84	2.5
DD003734		0.023	0.06	0.81	26	0.09	6.62	87	2.0
DD003735		0.025	0.07	0.58	25	0.09	6.39	85	2.0
DD003736		0.024	0.06	0.63	24	0.08	6.02	87	2.0
DD003737		0.019	0.08	0.83	24	0.08	6.21	83	1.6
DD003738		0.022	0.05	0.60	23	0.08	5.53	81	1.9
DD003739		0.025	0.02	0.67	26	0.08	6.16	87	2.2
DD003740		0.022	0.02	0.81	27	0.09	6.73	89	2.0
CC146961		0.023	<0.02	0.75	25	0.08	6.18	90	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC146962		0.50	0.001	0.06	1.21	9.0	<0.2	<10	170	1.00	0.36	1.01	0.07	16.15	15.2	25
DD002411		0.40	0.002	0.17	1.46	10.6	<0.2	<10	190	1.50	0.39	0.82	0.47	17.95	15.7	27
DD002412		0.26	<0.001	0.20	1.08	9.1	<0.2	10	330	0.75	0.28	1.72	0.67	12.40	6.6	22
DD002413		0.38	0.001	0.09	1.32	12.4	<0.2	<10	120	1.48	0.38	0.29	0.14	18.35	17.5	25
DD002414		0.24	0.002	0.18	1.14	10.0	<0.2	<10	190	1.02	0.34	0.88	0.23	15.85	14.9	20
DD002415		0.20	0.002	0.19	1.03	12.5	<0.2	<10	220	2.04	0.34	0.93	0.30	13.45	16.6	23
DD002416		0.54	0.001	0.07	0.99	9.0	<0.2	<10	310	1.58	0.40	0.40	0.06	8.80	15.6	29
DD002417		0.32	0.002	0.05	0.94	7.4	<0.2	<10	180	1.24	0.42	0.38	0.05	8.00	14.0	29
DD002418		0.36	0.005	0.08	1.05	5.9	<0.2	<10	190	1.46	0.39	0.55	0.05	9.26	14.0	29
DD002419		0.52	0.003	0.06	1.05	6.4	<0.2	<10	170	1.42	0.42	0.37	0.08	9.46	14.2	29
DD002420		0.50	0.003	0.07	1.04	7.0	<0.2	<10	210	1.43	0.40	0.43	0.08	9.83	14.2	29
DD002421		0.30	0.003	0.14	1.07	10.2	<0.2	<10	390	1.70	0.34	1.11	0.60	12.05	13.6	24
DD002422		0.56	0.003	0.07	1.00	6.6	<0.2	<10	210	1.34	0.39	0.41	0.09	9.38	14.1	28
DD002423		0.42	0.003	0.08	0.99	7.7	<0.2	<10	220	1.37	0.42	0.39	0.09	9.69	15.0	28
DD002424		0.38	0.002	0.06	0.97	9.3	<0.2	<10	260	1.44	0.41	0.37	0.06	9.66	13.7	29
DD002425		0.46	0.002	0.08	0.99	8.2	<0.2	<10	200	1.42	0.40	0.39	0.08	9.37	13.4	28
DD002427		0.30	0.002	0.07	0.96	7.8	<0.2	<10	210	1.43	0.38	0.42	0.08	9.37	13.9	27
DD002428		0.48	0.002	0.06	1.03	7.9	<0.2	<10	210	1.28	0.39	0.31	0.07	10.25	14.8	29
DD002429		0.68	0.002	0.08	1.04	6.3	<0.2	<10	150	1.43	0.40	0.43	0.09	10.55	13.8	28
DD002430		0.66	0.003	0.06	0.98	7.8	<0.2	<10	160	1.21	0.38	0.33	0.06	10.65	14.5	27
DD002431		0.46	0.002	0.06	0.96	7.5	<0.2	<10	160	1.25	0.38	0.36	0.07	9.70	14.2	28
DD002432		0.30	0.003	0.07	0.98	7.6	<0.2	<10	200	1.36	0.39	0.54	0.10	10.35	14.3	27
DD002433		0.36	0.002	0.07	1.01	8.1	<0.2	<10	160	1.18	0.38	0.48	0.10	10.85	14.3	26
DD002434		0.48	0.003	0.06	0.95	8.9	<0.2	<10	170	1.24	0.37	0.48	0.08	10.65	15.2	26
DD002435		0.64	0.002	0.05	0.87	8.3	<0.2	<10	150	1.05	0.36	0.34	0.06	8.98	13.8	25
DD002436		0.44	0.002	0.06	0.90	8.2	<0.2	<10	150	1.18	0.35	0.41	0.07	9.83	13.4	25
DD001209		0.24	0.003	0.16	1.02	5.8	<0.2	<10	110	0.90	0.25	0.64	0.15	16.60	13.8	17
DD001210		0.22	0.002	0.14	0.98	6.3	<0.2	<10	110	0.98	0.28	0.49	0.14	16.75	15.7	16
DD001211		0.28	0.003	0.11	1.16	7.9	<0.2	<10	120	1.09	0.32	0.29	0.13	25.7	18.2	19
DD001212		0.14	0.004	0.24	1.28	5.5	<0.2	<10	130	1.42	0.31	0.67	0.34	16.50	16.0	21
DD001213		0.30	0.002	0.14	1.22	3.8	<0.2	<10	90	1.06	0.30	0.27	0.10	13.30	11.5	18
DD001179		0.26	0.003	0.18	1.37	13.3	<0.2	<10	150	0.99	0.34	0.32	0.15	36.1	17.8	22
DD001180		0.34	0.003	0.16	1.24	11.3	<0.2	<10	130	0.90	0.33	0.33	0.17	34.2	16.9	21
DD001181		0.32	0.003	0.12	1.45	8.5	<0.2	<10	200	1.04	0.36	0.29	0.16	34.1	17.9	22
DD001182		0.34	0.004	0.14	2.02	36.7	<0.2	<10	170	2.09	0.49	0.12	0.26	33.4	45.1	27
DD001183		0.28	0.003	0.22	1.49	23.3	<0.2	<10	220	1.20	0.50	0.46	0.26	29.6	29.8	20
DD001184		0.32	0.004	0.17	1.62	9.4	<0.2	<10	270	1.14	0.33	0.78	0.38	30.3	19.7	27
DD001185		0.22	0.003	0.20	1.38	18.8	<0.2	<10	310	1.09	0.44	0.49	0.24	28.8	23.6	20
DD001186		0.10	0.002	0.05	0.74	18.6	<0.2	<10	240	0.79	0.31	0.22	0.08	23.9	17.3	11
DD001187		0.22	0.003	0.22	2.00	8.9	<0.2	<10	500	1.32	0.38	0.49	0.36	41.4	25.1	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC146962		3.31	37.9	3.76	4.23	0.12	0.05	0.05	0.030	0.08	6.7	23.1	0.79	826	0.51
DD002411		4.28	40.8	3.56	4.63	0.11	0.10	0.06	0.034	0.10	7.1	32.8	0.51	883	2.35
DD002412		5.29	21.9	2.19	3.87	0.05	0.06	0.13	0.024	0.10	7.2	21.0	0.35	562	1.05
DD002413		1.85	36.5	4.30	3.54	0.05	0.05	0.04	0.033	0.06	6.2	23.6	0.32	1160	1.07
DD002414		1.97	34.7	3.24	3.29	0.05	0.10	0.08	0.031	0.11	6.9	25.5	0.40	905	0.87
DD002415		8.10	81.1	3.38	3.06	0.07	0.12	0.06	0.026	0.09	6.4	22.9	0.42	1500	1.69
DD002416		5.34	67.0	4.28	3.19	0.06	0.06	0.03	0.024	0.07	3.0	20.3	0.45	1820	0.93
DD002417		3.04	44.9	4.17	2.85	<0.05	0.06	0.03	0.022	0.06	2.6	20.5	0.44	1240	0.69
DD002418		5.18	53.2	3.94	3.11	<0.05	0.08	0.05	0.022	0.08	3.4	21.9	0.45	655	0.64
DD002419		4.89	47.6	4.30	3.18	0.05	0.06	0.04	0.024	0.07	3.5	22.8	0.46	895	0.68
DD002420		4.77	46.6	4.21	3.18	<0.05	0.07	0.04	0.025	0.07	3.6	22.4	0.46	937	0.80
DD002421		3.54	62.4	3.42	3.12	0.06	0.11	0.08	0.024	0.08	5.6	19.6	0.45	1260	1.23
DD002422		4.21	43.1	4.11	2.97	<0.05	0.06	0.04	0.024	0.07	3.5	22.0	0.45	989	0.80
DD002423		4.15	48.8	4.13	3.20	0.05	0.06	0.04	0.024	0.07	3.5	22.3	0.45	1160	0.93
DD002424		4.62	42.2	4.32	2.98	0.05	0.05	0.02	0.024	0.07	3.6	20.1	0.44	1360	0.89
DD002425		4.10	41.9	4.10	3.01	<0.05	0.06	0.03	0.024	0.08	3.4	20.1	0.43	1120	0.78
DD002427		3.98	40.4	4.12	2.92	<0.05	0.06	0.02	0.024	0.07	3.5	20.5	0.43	1140	0.84
DD002428		3.37	40.5	4.27	3.20	0.05	0.06	0.03	0.025	0.07	3.9	21.9	0.45	1160	0.84
DD002429		3.32	39.6	4.10	3.28	0.05	0.06	0.03	0.028	0.08	4.1	22.5	0.44	625	0.72
DD002430		3.00	36.1	4.18	3.22	0.05	0.05	0.03	0.026	0.07	4.0	19.7	0.41	970	0.80
DD002431		4.48	35.1	4.19	3.03	<0.05	0.06	0.03	0.026	0.07	3.6	19.8	0.42	1040	0.77
DD002432		4.18	41.6	4.06	3.03	<0.05	0.07	0.04	0.026	0.08	3.9	19.8	0.42	1040	0.75
DD002433		4.82	34.6	4.07	3.16	<0.05	0.07	0.04	0.027	0.08	4.2	20.2	0.41	843	0.67
DD002434		6.07	35.3	4.10	3.03	<0.05	0.07	0.03	0.027	0.07	4.1	19.7	0.41	1090	0.74
DD002435		5.38	26.8	4.06	2.79	<0.05	0.06	0.03	0.023	0.06	3.5	17.2	0.39	997	0.70
DD002436		4.71	32.1	3.94	2.82	<0.05	0.06	0.03	0.026	0.06	3.8	17.9	0.39	960	0.70
DD001209		1.17	25.4	2.84	2.74	<0.05	0.08	0.07	0.025	0.09	7.0	18.0	0.27	320	0.60
DD001210		1.25	28.4	3.22	2.80	<0.05	0.07	0.05	0.030	0.10	6.8	18.5	0.23	521	0.75
DD001211		1.22	34.0	3.68	3.58	0.08	0.07	0.04	0.033	0.10	11.0	19.5	0.30	699	0.98
DD001212		2.48	31.1	2.95	3.55	0.05	0.08	0.09	0.029	0.14	7.5	25.6	0.28	672	0.90
DD001213		1.92	18.5	2.69	3.72	<0.05	0.06	0.02	0.028	0.10	5.4	27.6	0.23	505	0.63
DD001179		1.73	53.5	4.11	4.12	0.10	0.10	0.08	0.041	0.13	16.5	20.8	0.47	326	1.15
DD001180		1.76	50.2	3.64	3.70	0.10	0.08	0.08	0.040	0.13	15.6	19.1	0.44	247	1.17
DD001181		1.46	53.3	2.62	4.52	0.14	0.08	0.09	0.046	0.11	17.3	24.0	0.42	103	1.32
DD001182		4.31	68.6	6.67	6.79	0.19	0.05	0.07	0.057	0.11	12.7	40.4	0.77	1340	11.65
DD001183		2.65	76.2	5.52	4.52	0.17	0.07	0.10	0.058	0.13	13.7	27.6	0.64	1200	5.85
DD001184		2.25	49.7	3.19	5.28	0.15	0.07	0.08	0.038	0.17	15.2	29.2	0.55	786	1.19
DD001185		1.95	58.7	4.47	4.12	0.16	0.08	0.10	0.048	0.15	13.2	24.7	0.53	1080	3.23
DD001186		0.82	43.8	2.98	2.40	0.14	0.06	0.04	0.028	0.13	11.0	13.3	0.24	551	1.08
DD001187		2.61	49.6	3.81	6.35	0.16	0.08	0.08	0.042	0.14	19.9	36.9	0.61	884	0.88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC146962		1.23	25.4	460	25.3	8.1	0.001	0.04	0.28	4.5	0.5	0.6	30.9	<0.01	0.03	4.4
DD002411		0.36	31.6	870	27.8	12.5	0.001	0.08	0.81	3.7	0.8	0.6	64.5	<0.01	0.05	2.3
DD002412		0.63	18.1	1340	14.9	20.1	0.001	0.18	0.50	2.1	3.5	0.5	133.5	0.01	0.07	0.9
DD002413		0.61	26.1	690	30.6	10.1	<0.001	0.04	0.56	2.9	0.6	0.6	24.5	0.01	0.04	2.4
DD002414		0.40	32.4	780	25.7	16.7	<0.001	0.11	0.48	3.1	1.7	0.5	68.6	0.01	0.04	2.3
DD002415		0.50	30.8	750	28.2	12.4	<0.001	0.08	0.67	3.8	1.8	0.6	66.5	0.01	0.03	2.8
DD002416		0.56	24.1	400	30.2	8.6	<0.001	0.03	0.35	4.0	1.1	0.7	38.1	0.01	0.03	5.9
DD002417		0.62	21.9	340	29.7	7.2	<0.001	0.03	0.31	3.5	0.5	0.7	33.6	0.01	0.02	6.2
DD002418		0.77	23.7	430	26.5	11.3	<0.001	0.06	0.29	4.1	1.0	0.7	45.2	0.01	0.02	5.4
DD002419		0.65	23.1	380	29.1	9.1	<0.001	0.03	0.31	3.9	0.7	0.7	30.7	0.01	0.03	6.5
DD002420		0.71	23.6	380	27.9	9.8	<0.001	0.04	0.34	4.0	0.8	0.7	38.3	0.01	0.02	6.2
DD002421		0.72	27.5	570	24.5	10.9	0.001	0.07	0.50	3.9	1.5	0.6	96.4	0.01	0.02	4.0
DD002422		0.66	22.4	380	26.5	9.2	<0.001	0.04	0.35	3.7	0.8	0.7	34.8	0.01	0.02	6.1
DD002423		0.66	24.2	380	28.4	9.0	<0.001	0.03	0.36	3.8	0.9	0.7	35.1	0.01	0.02	5.9
DD002424		0.65	21.1	370	30.3	8.9	<0.001	0.03	0.33	3.8	0.8	0.7	32.7	0.01	0.03	6.2
DD002425		0.70	21.8	380	27.8	9.6	<0.001	0.03	0.34	3.8	0.9	0.8	34.5	0.01	0.02	5.8
DD002427		0.73	22.3	370	26.0	8.8	<0.001	0.03	0.35	3.7	0.9	0.7	36.4	0.01	0.02	5.6
DD002428		0.65	23.9	350	27.5	8.4	<0.001	0.02	0.35	3.9	0.6	0.7	29.5	<0.01	0.02	6.2
DD002429		0.86	24.1	390	25.8	10.8	0.001	0.04	0.34	4.0	0.8	0.7	32.8	0.01	0.02	5.8
DD002430		0.89	23.2	340	26.6	9.0	<0.001	0.02	0.34	3.8	0.6	0.7	28.4	0.01	0.03	5.5
DD002431		0.78	23.4	350	26.9	9.6	<0.001	0.03	0.36	3.7	0.7	0.7	29.0	<0.01	0.02	5.8
DD002432		0.90	22.9	370	27.0	11.5	<0.001	0.04	0.36	4.0	0.9	0.7	43.3	0.01	0.02	5.4
DD002433		0.99	23.2	390	25.3	11.7	0.001	0.04	0.34	4.1	0.8	0.7	37.5	0.01	0.02	5.3
DD002434		0.98	23.9	350	26.2	10.5	<0.001	0.04	0.36	4.0	0.7	0.6	36.4	0.01	0.02	5.2
DD002435		0.82	22.0	310	24.4	9.4	<0.001	0.02	0.33	3.4	0.5	0.6	26.2	<0.01	0.02	5.3
DD002436		0.88	22.3	340	24.7	9.4	<0.001	0.03	0.34	3.6	0.6	0.6	30.1	<0.01	0.02	5.0
DD001209		0.30	23.9	510	19.1	10.5	<0.001	0.08	0.23	3.5	1.5	0.5	39.0	0.01	0.03	2.4
DD001210		0.29	27.9	480	20.9	9.9	<0.001	0.06	0.25	3.6	1.2	0.5	36.4	0.01	0.03	2.6
DD001211		0.36	33.0	580	23.6	10.9	<0.001	0.04	0.33	3.8	0.9	0.6	27.2	0.01	0.03	2.5
DD001212		0.40	35.5	740	22.2	13.7	<0.001	0.08	0.46	3.6	2.5	0.7	53.9	0.01	0.03	1.7
DD001213		0.35	18.9	620	17.4	14.3	<0.001	0.05	0.17	2.3	0.5	0.6	27.0	<0.01	0.02	1.4
DD001179		0.25	32.5	600	27.5	15.0	<0.001	0.06	0.35	6.2	1.2	0.6	28.0	0.01	0.06	3.9
DD001180		0.25	30.5	640	26.0	13.5	<0.001	0.08	0.37	5.5	1.4	0.6	25.3	0.01	0.05	4.0
DD001181		0.22	32.2	490	26.6	14.7	0.001	0.15	0.37	6.0	1.3	0.6	25.9	<0.01	0.06	3.7
DD001182		0.43	43.4	680	44.5	11.6	0.004	0.03	1.35	6.2	1.9	0.8	15.7	0.01	0.07	6.8
DD001183		0.19	50.9	770	33.6	12.0	0.002	0.14	0.77	7.1	1.6	1.1	35.5	0.01	0.13	5.3
DD001184		0.49	38.6	920	23.2	16.2	<0.001	0.15	0.62	4.9	4.4	0.6	48.5	<0.01	0.08	2.2
DD001185		0.17	41.5	780	29.5	13.5	0.002	0.12	0.56	5.9	1.6	0.6	39.3	<0.01	0.09	4.5
DD001186		0.09	30.4	580	21.4	8.1	0.001	0.12	0.35	3.5	0.6	0.4	35.0	<0.01	0.09	5.8
DD001187		0.49	40.5	820	27.7	19.9	<0.001	0.06	0.47	6.1	1.4	0.7	40.3	0.01	0.07	3.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC146962		0.024	0.02	0.89	26	0.09	6.08	88	1.9
DD002411		0.008	0.05	3.44	28	0.07	10.15	141	2.7
DD002412		0.012	0.09	4.01	22	0.10	8.67	108	1.5
DD002413		0.009	0.08	1.48	27	0.10	7.41	90	1.0
DD002414		0.007	0.09	2.69	18	0.07	11.15	89	2.9
DD002415		0.008	0.08	3.58	23	0.12	21.4	89	2.7
DD002416		0.011	0.05	4.48	27	0.12	11.60	71	1.3
DD002417		0.011	0.04	2.32	26	0.12	7.84	62	1.5
DD002418		0.011	0.05	3.49	24	0.13	10.25	63	2.0
DD002419		0.012	0.05	2.09	26	0.12	9.25	70	1.6
DD002420		0.012	0.05	2.10	26	0.12	9.42	71	1.7
DD002421		0.009	0.07	6.51	23	0.12	15.30	71	2.8
DD002422		0.012	0.05	2.30	25	0.11	8.77	70	1.7
DD002423		0.011	0.05	2.06	25	0.12	9.36	70	1.4
DD002424		0.013	0.05	2.10	26	0.12	8.83	68	1.4
DD002425		0.012	0.05	2.45	26	0.12	8.59	78	1.4
DD002427		0.012	0.05	2.58	25	0.11	8.26	69	1.6
DD002428		0.013	0.05	1.72	26	0.11	8.13	72	1.6
DD002429		0.013	0.05	2.90	26	0.13	9.15	69	1.7
DD002430		0.014	0.05	1.83	26	0.11	7.32	74	1.4
DD002431		0.014	0.04	1.92	26	0.11	7.22	74	1.8
DD002432		0.013	0.05	2.29	25	0.12	8.79	72	1.9
DD002433		0.014	0.06	2.26	25	0.12	7.67	80	1.9
DD002434		0.014	0.05	1.85	25	0.11	7.58	77	2.0
DD002435		0.013	0.04	1.29	25	0.10	6.14	74	1.9
DD002436		0.013	0.05	1.79	25	0.11	7.07	73	1.9
DD001209		0.006	0.08	0.96	16	<0.05	10.85	61	1.9
DD001210		0.006	0.08	1.13	17	0.05	10.70	68	1.7
DD001211		0.009	0.10	1.09	23	0.06	12.10	76	1.4
DD001212		0.009	0.10	2.67	19	0.08	17.75	93	1.4
DD001213		0.005	0.09	0.85	18	0.05	6.21	66	1.3
DD001179		<0.005	0.18	1.38	29	<0.05	13.80	80	2.6
DD001180		0.005	0.16	1.22	26	<0.05	11.95	80	2.2
DD001181		<0.005	0.21	1.17	29	<0.05	11.50	75	2.4
DD001182		0.013	0.21	2.09	35	0.09	18.90	144	1.1
DD001183		0.005	0.29	1.19	26	<0.05	14.80	122	2.2
DD001184		0.012	0.16	5.51	30	0.09	15.15	102	1.8
DD001185		<0.005	0.24	1.30	24	<0.05	13.30	110	2.6
DD001186		<0.005	0.12	0.67	11	<0.05	8.40	63	2.8
DD001187		0.013	0.19	1.87	37	0.14	16.85	116	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 23- SEP- 2011
Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001188		0.28	0.004	0.45	1.93	7.8	<0.2	<10	290	1.43	0.38	0.32	0.16	40.7	15.9	35
DD001189		0.26	0.003	0.19	2.02	9.3	<0.2	<10	550	1.05	0.32	0.64	0.36	35.0	15.8	33
DD001190		0.32	0.003	0.28	2.29	12.2	<0.2	<10	490	1.09	0.36	0.63	0.30	33.4	14.9	40
DD001191		0.20	0.003	0.14	2.00	12.0	<0.2	<10	410	0.80	0.30	0.55	0.26	31.9	12.6	39
DD001192		0.16	0.003	0.17	1.49	6.4	<0.2	<10	340	1.49	0.28	0.82	0.66	21.2	15.5	21
DD001193		0.18	0.002	0.13	1.22	17.0	<0.2	<10	340	0.91	0.38	0.39	0.19	27.1	21.0	18
DD001194		0.22	0.003	0.17	1.69	7.5	<0.2	<10	240	1.24	0.29	0.59	0.32	26.4	15.0	25
DD001195		0.20	0.003	0.13	1.74	9.2	<0.2	<10	250	1.22	0.32	0.51	0.42	25.8	18.4	26
DD001196		0.12	0.003	0.23	1.79	8.5	<0.2	<10	330	0.95	0.27	1.07	0.46	24.8	12.6	29
DD001197		0.34	0.003	0.18	1.73	8.5	<0.2	<10	280	0.94	0.29	0.66	0.41	31.2	13.6	28
DD001198		0.24	0.002	0.12	1.42	2.7	<0.2	<10	190	0.59	0.18	0.54	0.13	25.0	9.6	26
DD001199		0.24	0.003	0.11	1.69	6.4	<0.2	<10	230	0.72	0.28	0.98	0.26	20.9	7.4	32
DD001200		0.22	0.003	0.12	1.68	15.9	<0.2	<10	140	1.56	0.41	0.33	0.46	34.0	28.1	27
DD001201		0.26	0.003	0.13	1.70	12.1	<0.2	<10	220	1.36	0.39	0.50	0.41	30.3	22.9	26
DD001202		0.32	0.003	0.12	1.73	12.8	<0.2	<10	220	1.52	0.40	0.65	0.39	28.1	23.3	26
DD001203		0.18	0.003	0.12	1.83	11.2	<0.2	<10	190	1.45	0.38	0.37	0.23	30.7	17.6	25
DD001204		0.18	0.002	0.13	1.28	18.0	<0.2	<10	290	0.91	0.38	0.40	0.20	26.3	22.5	19
DD001205		0.18	0.002	0.13	1.24	16.5	<0.2	<10	320	0.97	0.35	0.38	0.19	25.9	20.8	18
DD001206		0.18	0.002	0.16	1.30	14.2	<0.2	<10	360	0.97	0.35	0.43	0.26	27.1	19.3	18
DD001207		0.14	0.006	0.16	0.97	5.3	<0.2	<10	140	0.84	0.24	0.95	0.39	14.60	11.7	16
DD001208		0.22	0.004	0.15	1.26	8.4	<0.2	<10	160	1.20	0.33	0.94	0.29	20.8	18.3	18



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- SEP- 2011
 Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001188		2.78	44.5	3.53	5.71	0.16	0.18	0.10	0.043	0.13	22.6	37.7	0.57	419	0.80
DD001189		1.93	37.2	3.24	6.64	0.14	0.06	0.06	0.039	0.12	17.7	35.2	0.54	590	1.02
DD001190		2.28	43.6	3.46	7.11	0.16	0.08	0.07	0.042	0.13	17.7	40.8	0.56	659	1.34
DD001191		2.15	26.3	3.53	6.66	0.14	0.03	0.05	0.039	0.10	16.6	35.8	0.54	460	1.11
DD001192		1.14	38.0	2.55	4.60	0.14	0.09	0.08	0.033	0.11	12.8	30.4	0.39	542	1.37
DD001193		1.62	53.1	3.98	3.69	0.14	0.06	0.07	0.040	0.13	12.7	22.0	0.49	788	2.66
DD001194		1.73	38.1	3.07	5.22	0.15	0.08	0.08	0.037	0.12	14.3	37.9	0.48	283	1.28
DD001195		1.47	38.0	3.58	5.17	0.14	0.09	0.07	0.039	0.11	12.9	39.8	0.51	702	1.57
DD001196		1.30	34.7	2.92	5.33	0.14	0.08	0.09	0.036	0.13	14.6	32.7	0.47	452	1.14
DD001197		1.29	36.3	3.16	5.50	0.14	0.08	0.07	0.038	0.12	17.0	32.5	0.46	477	0.91
DD001198		0.97	22.3	2.30	4.52	0.12	0.09	0.05	0.027	0.10	13.8	30.5	0.39	139	0.44
DD001199		1.22	24.8	2.61	4.88	0.11	0.07	0.04	0.035	0.09	11.5	36.8	0.39	211	1.01
DD001200		1.95	59.3	5.14	5.62	0.18	0.06	0.07	0.046	0.09	14.6	41.7	0.60	920	2.99
DD001201		1.65	49.9	4.57	5.28	0.15	0.08	0.07	0.042	0.10	13.1	44.5	0.61	704	2.30
DD001202		1.78	49.9	4.23	5.46	0.14	0.08	0.08	0.044	0.10	12.7	45.1	0.54	895	2.39
DD001203		1.75	43.7	3.86	5.56	0.13	0.06	0.06	0.044	0.11	14.4	46.6	0.52	654	2.17
DD001204		1.56	58.3	4.42	3.89	0.14	0.06	0.08	0.045	0.12	12.6	23.7	0.55	969	3.18
DD001205		1.37	51.8	4.11	3.83	0.13	0.06	0.07	0.039	0.12	12.2	23.3	0.53	863	3.11
DD001206		1.52	49.9	3.65	3.93	0.14	0.07	0.08	0.039	0.12	12.9	23.5	0.49	733	2.29
DD001207		1.03	32.6	2.46	2.99	0.14	0.08	0.10	0.026	0.10	8.8	17.7	0.26	599	0.72
DD001208		1.78	47.1	3.16	3.88	0.16	0.12	0.09	0.033	0.13	9.2	21.5	0.32	879	1.00



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- SEP- 2011
 Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD001188		0.47	43.9	810	19.8	21.2	<0.001	0.03	0.37	8.8	1.1	0.6	28.4	0.01	0.06	4.3
DD001189		0.60	31.2	950	21.3	22.3	<0.001	0.07	0.45	5.1	1.8	0.7	47.2	0.01	0.06	2.0
DD001190		0.66	33.6	1050	21.7	23.7	<0.001	0.08	0.56	5.3	2.0	0.8	45.9	0.01	0.09	2.0
DD001191		0.70	27.3	780	17.5	20.4	<0.001	0.11	0.50	4.1	2.1	0.7	35.4	<0.01	0.03	1.2
DD001192		0.38	34.4	1070	16.1	16.0	<0.001	0.15	0.37	4.0	1.3	0.6	67.0	0.01	0.05	2.0
DD001193		0.15	38.0	670	25.8	10.7	0.001	0.15	0.50	4.8	1.2	0.5	34.7	<0.01	0.10	4.5
DD001194		0.39	35.7	790	18.3	16.5	0.001	0.10	0.39	5.5	3.0	0.6	48.2	<0.01	0.04	3.0
DD001195		0.37	37.0	830	18.8	15.0	0.002	0.08	0.43	4.8	1.8	0.6	39.2	<0.01	0.05	2.8
DD001196		0.63	28.6	1030	16.9	19.5	<0.001	0.13	0.45	4.5	3.6	0.6	69.1	0.01	0.06	1.8
DD001197		0.50	30.5	810	17.9	18.5	<0.001	0.07	0.47	4.9	2.3	0.6	39.7	<0.01	0.07	2.0
DD001198		0.34	23.7	530	12.3	13.3	<0.001	0.07	0.16	5.1	1.3	0.5	31.6	<0.01	0.03	2.7
DD001199		0.56	23.1	1110	12.1	14.3	<0.001	0.13	0.41	3.1	2.3	0.6	48.0	<0.01	0.05	1.1
DD001200		0.30	60.5	870	28.5	9.8	0.001	0.07	0.82	5.3	1.6	0.6	28.1	0.01	0.07	5.3
DD001201		0.34	62.3	860	25.0	11.8	0.001	0.09	0.69	5.0	2.1	0.5	36.3	0.01	0.07	4.2
DD001202		0.40	53.4	1050	24.8	12.8	0.001	0.10	0.73	4.6	2.5	0.6	47.4	0.01	0.07	2.9
DD001203		0.36	37.3	950	19.7	13.3	0.001	0.07	0.58	3.9	1.3	0.8	30.5	0.01	0.05	2.1
DD001204		0.16	42.1	680	24.7	9.7	0.003	0.13	0.56	5.0	1.5	0.5	31.1	<0.01	0.09	4.2
DD001205		0.16	39.0	630	23.1	9.9	0.002	0.12	0.53	4.8	1.4	0.5	34.2	<0.01	0.08	4.2
DD001206		0.19	35.2	600	23.8	11.3	0.001	0.10	0.45	4.9	1.4	0.6	33.8	<0.01	0.08	4.2
DD001207		0.22	26.2	870	16.5	10.5	<0.001	0.12	0.25	3.1	4.3	0.7	52.0	<0.01	0.05	1.9
DD001208		0.31	44.9	880	23.9	14.8	<0.001	0.10	0.37	4.9	2.0	0.6	56.2	<0.01	0.07	2.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- SEP- 2011
 Account: MTT

Project: Midas Touch- Tasin- Crag East

CERTIFICATE OF ANALYSIS WH11164703

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001188		0.018	0.18	3.81	33	0.11	31.3	138	4.5
DD001189		0.013	0.18	2.03	42	0.13	14.70	102	1.5
DD001190		0.016	0.20	3.84	50	0.16	16.90	107	1.7
DD001191		0.024	0.17	1.94	49	0.18	12.95	89	0.5
DD001192		0.006	0.14	1.32	26	0.13	19.95	94	2.2
DD001193		<0.005	0.19	1.05	20	<0.05	11.10	87	1.8
DD001194		0.008	0.15	1.78	29	0.07	16.50	92	2.2
DD001195		0.009	0.14	1.41	33	0.07	13.25	112	2.3
DD001196		0.012	0.16	2.84	36	0.11	15.05	92	1.9
DD001197		0.012	0.16	1.14	37	0.10	13.75	100	1.9
DD001198		0.010	0.10	0.61	30	0.09	10.55	70	2.1
DD001199		0.013	0.14	1.61	32	0.08	8.65	104	1.8
DD001200		0.010	0.16	1.77	32	0.09	18.25	133	1.8
DD001201		0.009	0.15	1.69	31	0.07	16.45	112	2.3
DD001202		0.008	0.18	2.41	32	0.08	16.70	110	2.3
DD001203		0.007	0.16	1.33	33	0.07	15.50	93	1.3
DD001204		0.005	0.20	1.36	22	<0.05	12.00	97	1.8
DD001205		0.005	0.18	1.22	22	<0.05	10.85	90	2.0
DD001206		0.005	0.18	1.51	22	<0.05	11.80	84	2.0
DD001207		0.005	0.09	2.40	15	<0.05	12.35	67	2.2
DD001208		0.007	0.13	0.78	20	0.05	14.10	92	3.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Tasin- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11164703

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 4- OCT- 2011
Account: MTT

CERTIFICATE WH11166746

Project: Midas Touch- Crag East

P.O. No.:

This report is for 65 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 3 (A)
 Plus Appendix Pages
 Finalized Date: 4- OCT- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11166746

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC153027		0.002
CC153028		0.001
CC153029		0.002
CC153030		0.001
CC153031		2.41
CC153207		<0.001
CC153208		0.004
CC153209		<0.001
CC153210		<0.001
CC153211		0.002
CC153212		0.002
CC153213		0.004
CC153052		0.001
CC153057		0.007
CC153105		0.003
CC153106		0.003
CC153111		0.003
CC153112		0.002
CC153119		0.010
CC153120		<0.001
CC153121		0.001
CC153122		0.001
CC153123		<0.001
CC153133		0.008
CC153134		0.006
CC153135		0.008
CC153136		0.003
CC153137		0.003
CC153148		0.043
CC153149		0.002
CC153150		0.011
CC153174		0.002
CC153976		0.011
CC153977		<0.001
CC153978		0.008
CC153979		0.002
CC153980		0.002
CC153981		0.002
CC153982		0.001
CC153983		0.003



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 3 (A)
 Plus Appendix Pages
 Finalized Date: 4- OCT- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11166746

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC153984		0.003
CC153985		0.004
CC153986		0.001
CC153987		0.004
CC153988		0.001
CC153989		0.002
CC153990		0.002
CC153991		0.004
CC153992		0.004
CC153993		0.008
CC153994		0.009
CC153995		0.007
CC153996		0.006
CC153997		0.006
CC153998		0.010
CC153999		0.005
CC154000		0.004
CC153175		0.001
CC153176		0.001
CC153202		<0.001
CC153203		0.009
CC153204		0.002
CC153393		0.002
CC153394		NSS
CC153395		0.002



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11166746

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 7- SEP- 2011
Account: MTT

CERTIFICATE WH11166749

Project: Midas Touch- Crag East

P.O. No.:

This report is for 24 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 7- SEP- 2011
 Account: MTT

CERTIFICATE OF ANALYSIS WH11166749

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC153032		<0.001
CC153301		0.001
CC153302		0.001
CC153303		<0.001
CC153304		<0.001
CC153305		0.002
CC153157		<0.001
CC153158		<0.001
CC153159		<0.001
CC153160		0.002
CC153161		<0.001
CC153162		0.008
CC153163		<0.001
CC153090		<0.001
CC153091		<0.001
CC153092		<0.001
CC153093		<0.001
CC153094		<0.001
CC153100		<0.001
CC153016		<0.001
CC153017		<0.001
CC153018		0.001
CC153019		0.001
CC153020		<0.001



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 24- SEP- 2011
Account: MTT

CERTIFICATE WH11167790

Project: Midas Touch- Crag East

P.O. No.:

This report is for 12 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 24- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11167790

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC153934		<0.001
CC153935		<0.001
CC153621		<0.001
CC153622		<0.001
CC153623		0.001
CC153067		0.010
CC153068		0.002
CC153069		0.009
CC153768		<0.001
CC153769		0.001
CC153770		0.001
CC153771		0.003



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 12- SEP- 2011
Account: MTT

CERTIFICATE WH11167791

Project: Midas Touch- Crag East

P.O. No.:

This report is for 3 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 12- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11167791

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC153804		0.001
CC153805		0.004
CC153965		0.008



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 7- SEP- 2011
Account: MTT

CERTIFICATE WH11167792

Project: Midas Touch- Crag East

P.O. No.:

This report is for 6 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 7- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11167792

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC116536		<0.001
CC116537		0.003
CC116538		<0.001
CC116539		<0.001
CC116540		0.003
CC124837		<0.001



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 26- SEP- 2011
Account: MTT

CERTIFICATE WH11167793

Project: Midas Touch- Crag East

P.O. No.:

This report is for 57 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 3 (A)
 Finalized Date: 26- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11167793

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ICP21 Au ppm 0.001
CC124072			0.004
CC124081			0.002
CC124082			0.006
CC124083			0.006
CC124084			0.003
CC124085			0.002
CC124086			<0.001
CC124087			0.002
CC124088			0.004
CC124089			0.005
CC124090			0.011
CC124091			0.004
CC124092			0.004
CC124093			0.002
CC124094			0.001
CC124095			0.004
CC124096			0.003
CC124097			0.002
CC124098			0.005
CC124099			0.004
CC124100			0.003
CC124101			<0.001
CC124022			0.002
CC124023			<0.001
CC124024			0.004
CC124025			0.005
CC124026			0.003
CC124027			<0.001
CC124028			0.009
CC124029			<0.001
CC124030			0.002
CC124031			0.003
CC124032			0.002
CC124033			<0.001
CC124034			<0.001
CC124035			0.002
CC124036			0.003
CC124037			0.014
CC124038			<0.001
CC124039			<0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 3 (A)
 Finalized Date: 26- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11167793

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ICP21 Au ppm 0.001
CC124040			<0.001
CC124041			0.001
CC124042			0.002
CC124043			<0.001
CC124044			0.006
CC124045			0.001
CC124046			<0.001
CC124047			0.003
CC124048			0.004
CC124049			0.002
CC124050			0.002
CC124051		Not Recvd	
CC124052		Not Recvd	
CC124053		Not Recvd	
CC124102			<0.001
CC124103			<0.001
CC124104			0.001



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 7- SEP- 2011
Account: MTT

CERTIFICATE WH11167794

Project: Midas Touch- Crag East

P.O. No.:

This report is for 10 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Midas Touch- Crag East

Finalized Date: 7- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11167794

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC116274		0.001
CC116275		<0.001
CC116276		0.001
CC116277		0.002
CC116278		0.002
CC116279		0.002
CC116280		0.001
CC116281		0.001
CC116282		0.001
CC116283		0.007



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 20- SEP- 2011
Account: MTT

CERTIFICATE WH11167795

Project: Midas Touch- Crag East

P.O. No.:

This report is for 15 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

Project: Midas Touch- Crag East

Account: MTT

CERTIFICATE OF ANALYSIS WH11167795

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21
		Recvd Wt.	Au
		kg	ppm
		.02	0.001
CC116084			0.006
CC116029			0.002
CC116592			0.002
CC116593			0.003
CC116594			NSS
CC116595			0.001
CC116600			0.004
CC116604			0.002
CC116561			0.002
CC116562			0.007
CC116563			0.002
CC116571			<0.001
CC116574		Not Recvd	
CC116586			<0.001
CC116587			0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11167795

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 12- SEP- 2011
Account: MTT

CERTIFICATE WH11167797

Project: Midas Touch- Crag East

P.O. No.:

This report is for 8 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 12- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11167797

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC152579		0.011
CC152580		<0.001
CC152581		0.009
CC152590		0.015
CC152599		0.027
CC152769		0.020
CC152770		0.026
CC152771		0.075



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 8- OCT- 2011
Account: MTT

CERTIFICATE WH11170118

Project: Midas Touch Tasin - Crag East

P.O. No.:

This report is for 216 Silt samples submitted to our lab in Whitehorse, YT, Canada on 24- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ17688		0.26	0.001	0.07	0.89	16.4	<0.2	<10	150	1.38	0.38	0.32	0.07	14.00	21.8	20
ZZ17690		0.32	<0.001	0.05	1.16	18.6	<0.2	<10	140	1.44	0.45	0.14	0.06	14.95	24.8	22
ZZ17691		0.30	0.001	0.05	1.18	10.8	<0.2	<10	170	1.23	0.41	0.46	0.11	10.80	20.0	23
ZZ17692		0.28	0.001	0.08	0.54	9.8	<0.2	<10	270	0.98	0.29	0.91	0.07	11.40	17.7	13
ZZ17693		0.20	0.001	0.05	0.98	26.7	<0.2	<10	170	1.34	0.40	0.54	0.07	14.10	20.8	19
ZZ17694		0.16	0.001	0.09	1.05	12.1	<0.2	<10	250	0.98	0.27	0.59	0.34	15.85	14.7	19
ZZ17695		0.22	0.001	0.06	1.10	14.8	<0.2	<10	170	1.21	0.36	0.36	0.09	15.10	17.5	21
ZZ17696		0.26	0.002	0.10	1.29	11.0	<0.2	<10	170	1.00	0.36	0.43	0.11	13.45	14.4	22
ZZ17697		0.28	0.001	0.10	1.16	14.0	<0.2	<10	190	1.28	0.36	0.40	0.12	15.75	16.2	21
ZZ17698		0.36	0.001	0.07	1.11	16.4	<0.2	<10	170	1.35	0.39	0.42	0.12	15.15	18.4	20
ZZ17699		0.32	0.001	0.07	1.30	14.2	<0.2	<10	190	1.31	0.38	0.38	0.11	16.05	18.4	23
ZZ17700		0.38	0.001	0.06	1.18	14.6	<0.2	<10	160	1.20	0.36	0.33	0.09	14.75	17.7	22
ZZ17701		0.20	0.001	0.09	1.28	11.5	<0.2	<10	200	1.12	0.35	0.43	0.12	14.90	14.6	23
ZZ17702		0.24	0.001	0.09	1.30	10.4	<0.2	<10	190	1.12	0.34	0.41	0.09	15.50	15.3	23
ZZ17703		0.26	0.001	0.06	1.32	15.6	<0.2	<10	180	1.05	0.33	0.52	0.13	15.85	13.9	25
ZZ17704		0.28	0.001	0.07	1.69	12.1	<0.2	<10	260	1.43	0.33	0.42	0.13	15.85	13.6	28
ZZ17705		0.20	0.001	0.07	1.72	8.7	<0.2	<10	270	1.41	0.33	0.49	0.18	18.50	14.8	29
ZZ17706		0.24	0.001	0.09	1.80	18.3	<0.2	<10	330	1.74	0.35	0.59	0.19	19.10	15.8	29
ZZ17707		0.28	0.001	0.08	1.58	7.8	<0.2	<10	280	1.24	0.32	0.66	0.21	19.05	16.0	26
ZZ17708		0.24	0.001	0.09	2.00	9.5	<0.2	<10	290	1.40	0.35	0.34	0.11	18.15	14.6	31
ZZ17709		0.18	0.002	0.28	2.13	10.2	<0.2	<10	470	1.70	0.33	0.45	0.16	16.90	13.7	31
DD002001		0.30	<0.001	0.11	0.71	12.1	<0.2	<10	220	1.15	0.32	1.16	0.07	22.0	17.3	12
DD002002		0.22	<0.001	0.12	0.79	13.2	<0.2	<10	250	1.24	0.36	1.22	0.08	22.4	18.0	13
DD002003		0.32	0.001	0.12	1.20	9.2	<0.2	<10	220	0.89	0.27	0.74	0.16	20.7	13.2	19
DD002004		0.32	0.001	0.11	1.03	8.1	<0.2	<10	240	0.76	0.27	0.67	0.13	20.5	12.5	16
DD002005		0.22	0.001	0.09	1.04	8.6	<0.2	<10	180	0.74	0.26	0.70	0.11	20.2	12.9	16
DD002006		0.18	<0.001	0.09	1.03	7.8	<0.2	<10	210	0.74	0.26	0.75	0.14	18.40	12.5	17
DD002007		0.34	0.001	0.22	1.06	7.4	<0.2	<10	140	0.97	0.42	0.85	0.03	11.75	19.1	20
DD002008		0.22	0.001	0.10	1.25	8.1	<0.2	<10	120	1.13	0.42	0.66	0.04	14.85	18.9	22
DD002009		0.30	0.001	0.06	1.15	8.3	<0.2	<10	160	1.12	0.47	0.53	0.03	13.20	22.1	22
DD002010		0.30	0.001	0.06	1.27	7.9	<0.2	<10	150	1.22	0.43	0.44	0.03	15.20	22.4	24
DD002011		0.28	<0.001	0.08	0.78	15.6	<0.2	<10	70	0.59	0.27	3.46	0.07	11.60	11.0	14
DD002012		0.20	<0.001	0.04	1.38	6.8	<0.2	<10	170	1.37	0.46	0.34	0.04	16.55	24.0	25
DD002013		0.36	<0.001	0.03	0.85	7.0	<0.2	<10	190	1.18	0.51	0.22	0.01	12.00	24.8	20
DD002014		0.20	<0.001	0.06	1.00	7.5	<0.2	<10	170	0.86	0.30	0.75	0.11	16.35	13.7	18
DD002015		0.18	<0.001	0.07	1.05	8.1	<0.2	<10	170	0.73	0.28	1.09	0.11	17.60	14.2	17
DD002016		0.16	<0.001	0.08	1.16	11.1	<0.2	<10	140	0.95	0.34	1.00	0.10	16.80	14.6	18
DD002017		0.14	<0.001	0.09	0.97	16.5	<0.2	<10	120	1.06	0.33	2.08	0.14	14.85	14.3	16
DD001245		0.20	<0.001	0.12	0.40	9.7	<0.2	<10	190	0.91	0.34	0.96	0.07	17.75	14.5	6
DD001246		0.24	<0.001	0.08	0.46	8.1	<0.2	<10	130	1.31	0.28	1.16	0.05	16.00	17.5	8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ17688		9.97	44.8	4.42	3.18	<0.05	0.03	0.26	0.034	0.13	5.1	18.9	0.32	760	0.52
ZZ17690		3.94	52.5	4.94	4.27	<0.05	0.02	0.17	0.040	0.11	6.4	29.4	0.45	1050	0.53
ZZ17691		8.95	37.2	4.13	4.39	<0.05	0.03	0.07	0.033	0.11	4.6	29.7	0.43	1020	0.55
ZZ17692		10.65	38.0	2.78	1.99	<0.05	0.07	0.15	0.027	0.10	4.5	9.6	0.35	942	0.44
ZZ17693		4.73	43.5	4.10	3.65	<0.05	0.03	0.35	0.035	0.10	6.0	23.0	0.56	964	0.46
ZZ17694		3.09	29.7	2.74	3.54	<0.05	<0.02	0.16	0.027	0.09	7.3	17.9	0.47	786	0.61
ZZ17695		4.85	37.5	3.78	3.86	0.05	0.04	0.17	0.032	0.10	6.6	26.2	0.47	524	0.44
ZZ17696		6.11	30.4	3.17	4.27	<0.05	0.10	0.06	0.029	0.09	5.7	26.2	0.48	781	0.49
ZZ17697		5.29	36.9	3.63	4.03	0.08	0.06	0.21	0.030	0.09	7.3	33.2	0.48	577	0.55
ZZ17698		4.28	41.0	4.03	4.06	0.09	0.05	0.15	0.031	0.08	6.5	30.3	0.52	768	0.57
ZZ17699		3.87	35.3	3.95	4.62	0.09	0.07	0.14	0.031	0.09	6.8	31.8	0.51	798	0.49
ZZ17700		3.55	33.1	3.96	4.29	0.09	0.05	0.12	0.030	0.08	7.1	29.5	0.49	734	0.47
ZZ17701		5.07	33.2	3.56	4.14	<0.05	0.05	0.21	0.030	0.11	6.9	26.5	0.48	482	0.44
ZZ17702		5.11	30.3	3.32	4.17	<0.05	0.05	0.18	0.030	0.11	6.8	27.3	0.48	389	0.42
ZZ17703		3.52	31.5	3.52	4.13	<0.05	0.05	0.12	0.030	0.10	7.3	25.4	0.50	434	0.56
ZZ17704		3.04	27.9	4.15	5.00	<0.05	0.05	0.05	0.032	0.10	7.1	31.7	0.51	1240	0.79
ZZ17705		2.51	28.9	3.86	5.35	<0.05	0.06	0.06	0.036	0.11	8.0	33.4	0.53	982	0.63
ZZ17706		3.55	32.1	4.49	5.54	0.05	0.07	0.07	0.037	0.11	8.3	36.2	0.57	2000	1.13
ZZ17707		2.04	29.3	4.19	4.98	<0.05	0.04	0.06	0.036	0.10	7.9	30.3	0.62	2450	0.53
ZZ17708		2.77	26.9	4.40	6.00	<0.05	0.07	0.07	0.039	0.12	8.0	35.7	0.51	775	0.69
ZZ17709		7.82	39.4	3.85	6.15	0.06	0.05	0.10	0.045	0.16	7.5	36.3	0.52	693	0.84
DD002001		1.08	29.1	2.89	1.85	0.05	0.06	0.10	0.028	0.12	9.3	11.0	0.53	343	0.36
DD002002		1.23	32.3	3.19	2.00	0.05	0.07	0.12	0.032	0.13	9.9	11.2	0.52	382	0.40
DD002003		1.14	30.2	3.13	3.52	0.05	0.06	0.07	0.031	0.12	9.3	22.8	0.54	524	0.69
DD002004		1.10	28.1	2.76	3.10	0.05	0.07	0.07	0.029	0.11	9.2	18.6	0.50	348	0.57
DD002005		0.89	25.4	2.86	3.13	<0.05	0.07	0.07	0.029	0.10	8.9	19.5	0.43	542	0.52
DD002006		1.08	26.0	2.76	3.02	<0.05	0.06	0.06	0.028	0.11	8.4	19.9	0.53	602	0.57
DD002007		1.59	39.4	4.00	3.59	<0.05	0.08	0.02	0.034	0.09	4.6	26.3	0.57	877	0.45
DD002008		2.09	37.6	3.61	4.48	0.06	0.08	0.04	0.028	0.09	5.7	32.6	0.57	799	0.43
DD002009		1.81	45.1	4.54	3.93	<0.05	0.08	0.02	0.038	0.09	5.2	28.1	0.60	1030	0.45
DD002010		2.11	42.9	4.08	4.62	<0.05	0.06	0.03	0.030	0.10	5.8	34.5	0.59	1010	0.49
DD002011		1.13	28.0	2.89	2.29	<0.05	0.06	0.13	0.030	0.08	4.8	11.4	0.33	395	0.46
DD002012		2.67	45.3	4.03	5.17	0.05	0.04	0.02	0.029	0.11	6.0	36.3	0.59	1360	0.57
DD002013		1.85	49.9	4.64	3.00	<0.05	0.11	0.01	0.036	0.11	4.8	18.5	0.48	1220	0.40
DD002014		1.21	29.2	2.89	3.27	0.05	0.06	0.05	0.031	0.11	7.2	21.3	0.52	574	0.48
DD002015		1.26	31.2	3.10	3.37	<0.05	0.07	0.05	0.028	0.10	7.4	21.4	0.59	677	0.54
DD002016		1.65	34.8	3.23	4.00	0.05	0.08	0.09	0.023	0.10	7.2	22.5	0.58	538	0.47
DD002017		1.98	37.0	3.02	3.58	0.08	0.09	0.12	0.023	0.09	6.8	20.6	0.47	551	0.51
DD001245		0.64	31.5	2.65	1.22	0.07	0.06	0.12	0.021	0.11	7.6	4.5	0.24	333	0.41
DD001246		0.71	33.9	2.49	1.13	0.07	0.07	0.09	0.018	0.09	6.7	7.4	0.30	310	0.34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ17688		0.54	34.3	400	23.0	16.3	<0.001	0.04	0.31	4.4	0.7	0.7	34.7	<0.01	0.02	3.3
ZZ17690		0.35	40.6	360	26.1	11.4	<0.001	0.02	0.29	4.7	0.3	0.7	20.3	<0.01	0.03	4.5
ZZ17691		0.64	29.7	660	26.4	17.4	<0.001	0.06	0.31	3.1	0.4	0.7	29.7	<0.01	0.02	1.6
ZZ17692		0.26	27.0	610	22.6	13.3	<0.001	0.10	0.22	2.6	1.3	0.6	63.0	<0.01	0.02	1.7
ZZ17693		0.43	33.1	470	25.3	12.8	<0.001	0.03	0.51	4.0	0.3	0.6	24.8	<0.01	0.02	2.8
ZZ17694		0.66	26.0	740	18.4	13.0	<0.001	0.08	0.42	1.4	0.5	0.5	44.5	<0.01	0.01	0.4
ZZ17695		0.60	29.8	450	21.5	13.7	<0.001	0.04	0.34	4.0	0.7	0.6	29.6	<0.01	0.02	3.1
ZZ17696		0.70	24.8	690	26.9	14.6	<0.001	0.07	0.30	3.2	0.8	0.6	46.2	<0.01	0.01	2.4
ZZ17697		0.56	28.3	510	20.5	16.0	<0.001	0.03	0.46	4.4	0.8	0.6	30.8	<0.01	0.03	3.3
ZZ17698		0.49	31.4	450	22.5	12.1	<0.001	0.02	0.41	4.4	0.6	0.6	27.0	<0.01	0.04	3.5
ZZ17699		0.70	30.1	460	24.3	13.7	<0.001	0.02	0.38	4.5	0.6	0.7	30.2	<0.01	0.03	3.5
ZZ17700		0.71	29.6	390	23.2	12.2	<0.001	0.02	0.36	4.2	0.5	0.6	24.8	<0.01	0.03	3.9
ZZ17701		0.79	27.8	550	22.3	13.6	<0.001	0.06	0.27	4.1	0.9	0.6	34.3	<0.01	0.03	3.0
ZZ17702		0.86	27.9	500	20.7	16.3	<0.001	0.06	0.27	4.1	0.7	0.6	34.2	<0.01	0.01	3.1
ZZ17703		1.07	26.5	520	22.9	12.1	<0.001	0.06	0.28	4.2	0.7	0.6	30.1	<0.01	0.02	3.1
ZZ17704		1.56	27.3	630	26.1	14.0	<0.001	0.06	0.18	4.7	0.8	0.7	32.6	<0.01	0.02	3.3
ZZ17705		1.64	28.3	610	26.3	15.5	<0.001	0.06	0.18	4.7	0.6	0.7	40.1	<0.01	0.02	3.3
ZZ17706		1.52	30.2	680	26.6	17.1	<0.001	0.08	0.22	5.3	1.3	0.7	43.3	<0.01	0.02	3.5
ZZ17707		1.63	28.6	620	26.4	12.9	<0.001	0.09	0.20	4.5	0.5	0.6	37.0	<0.01	0.02	3.4
ZZ17708		1.58	28.7	620	27.4	18.6	<0.001	0.06	0.19	4.9	0.5	0.8	28.1	<0.01	0.01	3.2
ZZ17709		1.18	33.1	730	24.1	24.2	0.001	0.07	0.28	5.7	1.3	0.9	80.3	<0.01	0.02	2.9
DD002001		0.27	30.2	520	34.6	8.7	<0.001	0.10	0.21	4.0	0.8	0.4	44.7	<0.01	0.02	4.8
DD002002		0.27	32.0	550	39.6	9.1	<0.001	0.11	0.24	4.2	0.8	0.4	50.3	<0.01	0.03	5.0
DD002003		0.55	26.5	550	24.3	11.2	<0.001	0.09	0.25	3.9	1.3	0.5	43.5	<0.01	0.04	3.3
DD002004		0.40	25.1	510	24.0	10.1	<0.001	0.08	0.23	3.7	1.0	0.5	37.5	<0.01	0.03	3.4
DD002005		0.36	24.1	440	22.7	9.6	<0.001	0.07	0.26	3.3	0.6	0.5	38.5	<0.01	0.03	2.9
DD002006		0.35	24.2	500	22.1	9.5	<0.001	0.08	0.25	3.3	1.1	0.4	39.7	<0.01	0.02	3.2
DD002007		0.15	33.3	290	25.0	7.3	<0.001	0.06	0.20	4.1	0.3	0.5	40.9	<0.01	0.02	5.4
DD002008		0.37	32.6	370	30.6	8.7	<0.001	0.04	0.22	3.9	0.4	0.6	37.4	<0.01	0.02	5.3
DD002009		0.12	37.5	320	27.0	8.0	<0.001	0.06	0.20	4.5	0.3	0.6	32.1	<0.01	0.01	6.0
DD002010		0.28	35.9	360	29.7	9.1	<0.001	0.04	0.24	4.2	0.4	0.6	25.9	<0.01	0.03	5.6
DD002011		0.32	25.2	510	21.6	6.1	<0.001	0.03	0.36	3.8	0.4	0.4	63.9	<0.01	0.02	3.8
DD002012		0.40	37.2	410	36.9	10.9	<0.001	0.04	0.25	4.1	0.4	0.7	26.4	<0.01	0.02	5.2
DD002013		0.07	38.1	320	27.2	8.6	<0.001	0.06	0.20	5.0	0.3	0.6	25.9	<0.01	0.02	5.8
DD002014		0.39	26.0	470	22.9	9.0	<0.001	0.06	0.23	3.5	0.8	0.5	41.2	<0.01	0.02	3.3
DD002015		0.39	26.7	480	21.9	8.6	<0.001	0.08	0.27	3.5	0.7	0.4	50.5	<0.01	0.03	3.3
DD002016		0.34	25.2	480	24.7	9.7	<0.001	0.07	0.28	4.1	0.7	0.5	45.1	<0.01	0.03	4.1
DD002017		0.50	29.1	490	24.7	9.9	<0.001	0.09	0.32	3.8	0.8	0.4	77.3	<0.01	0.04	3.5
DD001245		0.09	31.1	470	38.3	7.0	<0.001	0.11	0.21	3.4	0.7	0.3	42.5	<0.01	0.04	3.4
DD001246		0.09	33.3	400	31.3	6.0	<0.001	0.11	0.18	4.3	0.7	0.3	49.1	<0.01	0.02	5.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ17688		0.011	0.11	1.49	24	0.09	9.04	96	1.1
ZZ17690		0.010	0.11	0.99	24	0.06	7.41	106	1.1
ZZ17691		0.011	0.09	0.81	27	0.09	4.83	92	1.0
ZZ17692		<0.005	0.09	6.61	16	<0.05	5.75	76	2.7
ZZ17693		0.009	0.12	0.91	22	0.06	7.38	95	1.1
ZZ17694		0.012	0.09	0.96	27	0.12	7.44	81	<0.5
ZZ17695		0.011	0.10	0.98	23	0.07	7.26	90	1.5
ZZ17696		0.008	0.07	1.03	22	0.09	7.94	78	2.8
ZZ17697		0.012	0.09	0.89	24	0.09	8.49	89	1.5
ZZ17698		0.010	0.08	0.88	23	0.10	7.61	96	1.5
ZZ17699		0.010	0.08	0.80	25	0.09	7.57	92	1.9
ZZ17700		0.012	0.07	0.73	24	0.08	6.53	93	1.7
ZZ17701		0.010	0.09	1.05	23	0.09	7.53	93	1.7
ZZ17702		0.010	0.08	0.88	23	0.11	7.15	78	1.6
ZZ17703		0.012	0.08	1.18	26	0.13	7.33	90	1.4
ZZ17704		0.012	0.07	1.65	28	0.12	8.87	120	1.4
ZZ17705		0.012	0.07	1.66	28	0.10	9.23	113	1.6
ZZ17706		0.011	0.10	2.39	29	0.13	11.75	127	1.8
ZZ17707		0.013	0.08	1.05	26	0.10	8.44	117	1.3
ZZ17708		0.008	0.11	1.29	31	0.11	9.13	108	1.7
ZZ17709		0.006	0.13	1.62	29	0.13	13.10	131	1.1
DD002001		<0.005	0.08	1.24	9	<0.05	8.92	75	2.8
DD002002		<0.005	0.09	1.49	10	<0.05	9.70	77	2.9
DD002003		0.007	0.09	1.67	18	<0.05	9.17	91	2.3
DD002004		0.006	0.09	1.58	15	<0.05	8.57	72	2.1
DD002005		0.006	0.09	1.69	16	0.05	7.48	64	2.3
DD002006		0.006	0.09	1.47	16	<0.05	7.94	70	2.1
DD002007		0.008	0.06	0.85	19	<0.05	6.79	87	3.6
DD002008		0.009	0.09	0.90	19	<0.05	8.17	82	2.9
DD002009		0.008	0.07	0.92	21	<0.05	7.91	95	3.9
DD002010		0.009	0.07	0.96	21	<0.05	8.67	90	2.6
DD002011		0.006	0.10	0.52	14	<0.05	6.04	68	2.9
DD002012		0.011	0.08	1.15	22	<0.05	10.35	88	1.9
DD002013		0.007	0.06	1.09	22	<0.05	8.17	100	4.9
DD002014		0.006	0.07	1.26	16	<0.05	7.77	79	2.2
DD002015		0.008	0.08	1.43	17	0.09	7.67	80	2.4
DD002016		0.007	0.08	0.87	17	0.05	8.46	80	2.1
DD002017		0.007	0.08	0.79	14	0.05	7.97	91	3.1
DD001245		<0.005	0.11	0.83	6	<0.05	8.70	57	2.1
DD001246		<0.005	0.08	2.14	5	<0.05	9.07	54	3.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001247		0.16	<0.001	0.12	0.57	11.3	<0.2	<10	140	1.40	0.36	0.80	0.06	22.8	20.1	9
DD001248		0.20	<0.001	0.09	0.64	13.0	<0.2	<10	190	1.39	0.29	0.91	0.07	18.45	17.7	11
DD001249		0.26	<0.001	0.10	0.61	12.2	<0.2	<10	220	1.22	0.33	1.05	0.06	21.3	17.4	10
DD000720		0.42	0.001	0.11	0.99	8.6	<0.2	<10	240	0.73	0.23	0.42	0.15	11.85	10.4	16
DD000721		0.32	0.002	0.36	1.73	8.4	<0.2	<10	350	1.05	0.31	0.84	0.25	11.15	10.4	21
DD000722		0.30	0.001	0.14	1.09	9.0	<0.2	<10	280	0.88	0.24	0.52	0.17	12.35	11.1	17
DD000723		0.38	0.002	0.23	1.50	8.6	<0.2	<10	370	0.83	0.29	0.73	0.17	15.65	10.1	24
DD000724		0.38	<0.001	0.12	1.10	8.7	<0.2	<10	240	0.73	0.24	0.44	0.16	12.60	10.4	17
DD000725		0.54	0.001	0.11	1.15	9.6	<0.2	<10	230	0.82	0.24	0.33	0.12	12.85	11.8	18
DD000726		0.50	<0.001	0.09	0.89	6.0	<0.2	<10	190	0.57	0.18	0.32	0.10	11.40	9.0	14
DD000727		0.40	0.001	0.08	1.01	6.2	<0.2	<10	230	0.72	0.24	0.30	0.10	13.60	11.4	16
DD000728		0.26	0.001	0.11	1.11	7.8	<0.2	<10	240	0.69	0.27	0.37	0.12	15.35	13.4	18
DD000729		0.44	0.001	0.10	1.05	7.2	<0.2	<10	210	0.71	0.24	0.35	0.14	14.35	12.6	16
DD000730		0.28	<0.001	0.11	1.04	7.0	<0.2	<10	210	0.78	0.24	0.37	0.13	13.65	11.4	16
DD000731		0.38	<0.001	0.09	1.01	9.0	<0.2	<10	220	0.79	0.26	0.36	0.11	14.35	11.8	16
DD000732		0.36	0.001	0.11	1.26	6.3	<0.2	<10	200	0.77	0.22	0.62	0.10	12.00	10.9	20
DD000733		0.36	0.002	0.12	1.17	9.7	<0.2	<10	310	0.77	0.28	0.40	0.09	14.60	13.2	18
DD000734		0.54	0.002	0.07	0.92	6.2	<0.2	<10	330	0.58	0.21	0.29	0.10	12.35	10.3	14
DD000735		0.56	<0.001	0.06	0.87	7.6	<0.2	<10	280	0.58	0.23	0.24	0.09	12.60	10.6	13
DD000736		0.48	0.001	0.10	1.03	8.0	<0.2	<10	270	0.72	0.28	0.37	0.11	14.10	11.7	15
DD000737		0.32	<0.001	0.07	0.91	6.9	<0.2	<10	350	0.61	0.24	0.31	0.11	13.85	10.7	14
DD000738		0.58	0.001	0.12	1.25	8.9	<0.2	<10	190	0.89	0.33	0.72	0.15	28.1	12.7	21
DD002018		0.22	0.001	0.08	0.37	44.8	<0.2	<10	60	0.85	0.39	0.60	0.09	14.25	15.9	7
DD002019		0.38	0.001	0.06	0.40	37.3	<0.2	<10	60	0.85	0.38	0.58	0.07	13.55	16.2	7
DD002020		0.32	0.001	0.08	0.39	40.1	<0.2	<10	50	0.79	0.37	0.76	0.08	16.15	15.6	7
DD002021		0.34	0.001	0.08	0.58	32.4	<0.2	<10	60	0.78	0.38	2.23	0.09	16.00	15.2	9
DD002022		0.28	0.001	0.08	0.84	21.3	<0.2	<10	80	0.75	0.34	3.51	0.13	14.20	14.2	12
DD002023		0.30	<0.001	0.07	0.91	8.4	<0.2	<10	140	0.81	0.31	0.66	0.09	16.90	13.2	15
DD002024		0.28	<0.001	0.06	0.92	7.9	<0.2	<10	170	0.78	0.30	1.09	0.08	13.40	13.5	15
DD002025		0.32	0.001	0.08	1.27	8.5	<0.2	<10	190	1.02	0.37	0.65	0.07	14.65	14.2	22
DD002026		0.26	0.001	0.08	1.32	8.9	<0.2	<10	200	0.97	0.37	0.75	0.09	15.40	14.9	23
DD002027		0.30	<0.001	0.07	1.54	8.2	<0.2	<10	160	1.09	0.36	0.98	0.16	14.30	16.6	26
DD002028		0.24	<0.001	0.12	1.15	8.4	<0.2	<10	200	1.01	0.33	0.84	0.08	17.15	14.8	21
DD002029		0.52	0.001	0.10	1.81	8.5	<0.2	<10	190	1.15	0.37	2.20	0.16	19.15	18.5	29
DD002030		0.22	0.001	0.10	1.41	8.0	<0.2	<10	130	0.92	0.31	1.49	0.25	20.2	15.0	25
DD002031		0.28	0.001	0.06	1.17	8.4	<0.2	<10	180	0.87	0.31	2.97	0.12	15.55	15.2	22
DD002032		0.26	0.001	0.06	1.57	6.3	<0.2	<10	140	1.06	0.33	2.51	0.09	18.90	15.2	26
DD002033		0.34	<0.001	0.05	1.03	7.9	<0.2	<10	160	0.70	0.28	2.95	0.09	14.85	14.2	19
DD002034		0.24	0.002	0.07	1.28	8.5	<0.2	<10	170	0.95	0.34	0.98	0.11	17.15	14.9	24
DD002035		0.32	<0.001	0.06	1.17	7.7	<0.2	<10	170	0.91	0.32	1.74	0.10	17.90	14.9	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001247		0.86	36.7	3.00	1.67	0.08	0.08	0.12	0.023	0.11	9.6	8.7	0.35	282	0.41
DD001248		0.91	30.0	2.79	1.69	0.08	0.06	0.10	0.022	0.10	8.0	10.1	0.39	295	0.35
DD001249		0.91	30.2	2.76	1.83	0.08	0.07	0.20	0.022	0.10	9.3	9.8	0.46	335	0.37
DD000720		1.17	27.1	2.45	3.64	0.08	0.07	0.06	0.019	0.09	5.5	22.7	0.32	354	0.47
DD000721		2.54	38.9	2.78	4.78	0.10	0.15	0.13	0.031	0.16	5.7	39.6	0.39	494	0.44
DD000722		1.21	32.1	2.54	3.73	0.08	0.09	0.08	0.022	0.10	5.8	24.4	0.34	390	0.48
DD000723		0.98	32.5	3.50	5.30	0.09	0.13	0.11	0.031	0.11	8.6	35.9	0.44	449	0.49
DD000724		1.30	27.6	2.61	3.73	0.08	0.08	0.06	0.021	0.10	6.1	26.9	0.34	451	0.44
DD000725		1.05	27.6	2.81	4.24	0.08	0.09	0.06	0.022	0.08	5.9	27.4	0.35	417	0.48
DD000726		0.97	20.1	2.10	3.23	0.08	0.06	0.06	0.017	0.07	5.3	21.5	0.28	203	0.32
DD000727		1.18	25.6	2.55	3.62	0.08	0.06	0.05	0.019	0.09	6.0	23.7	0.38	330	0.35
DD000728		1.39	29.8	2.86	4.02	0.09	0.07	0.07	0.021	0.10	6.8	25.7	0.40	368	0.44
DD000729		1.29	27.8	2.73	3.74	0.09	0.07	0.05	0.022	0.10	6.5	22.3	0.36	442	0.47
DD000730		1.22	26.1	2.56	3.53	0.08	0.06	0.06	0.022	0.09	6.4	23.3	0.33	265	0.45
DD000731		1.04	29.1	2.82	3.68	0.09	0.08	0.05	0.022	0.08	6.5	25.2	0.34	380	0.53
DD000732		0.66	21.0	2.73	4.62	0.08	0.10	0.06	0.021	0.09	5.7	29.1	0.45	332	0.35
DD000733		1.11	29.5	3.02	4.16	0.09	0.08	0.07	0.022	0.09	6.7	28.2	0.39	544	0.50
DD000734		1.11	22.8	2.32	3.15	0.07	0.05	0.04	0.017	0.08	5.5	22.5	0.32	301	0.32
DD000735		1.07	23.1	2.46	3.26	0.05	0.06	0.03	0.019	0.07	5.4	26.0	0.32	321	0.56
DD000736		1.34	26.6	2.74	3.69	0.06	0.08	0.05	0.023	0.08	5.8	28.8	0.35	354	0.47
DD000737		1.08	23.6	2.40	3.30	0.05	0.07	0.04	0.020	0.08	5.7	26.4	0.31	355	0.56
DD000738		0.61	33.1	3.00	4.83	0.07	0.09	0.08	0.031	0.09	13.7	28.2	0.47	391	0.62
DD002018		2.13	43.6	3.45	1.51	0.07	0.06	0.21	0.028	0.09	5.7	6.9	0.14	635	0.57
DD002019		1.79	42.7	3.44	1.62	0.07	0.06	0.15	0.029	0.07	5.8	10.0	0.16	577	0.87
DD002020		2.38	41.7	3.23	1.62	0.07	0.05	0.19	0.028	0.09	6.6	7.3	0.19	487	0.88
DD002021		2.11	36.8	3.12	2.21	0.07	0.06	0.15	0.026	0.09	6.8	11.8	0.37	542	0.84
DD002022		2.25	32.9	3.02	3.21	0.06	0.07	0.11	0.024	0.09	6.1	20.1	0.54	499	0.86
DD002023		1.43	29.7	2.80	3.51	0.07	0.07	0.05	0.023	0.08	6.9	24.1	0.48	537	0.57
DD002024		1.58	29.8	2.93	3.70	0.07	0.07	0.04	0.022	0.07	5.7	25.7	0.54	604	0.75
DD002025		4.69	35.5	3.46	4.99	0.08	0.07	0.05	0.026	0.10	6.1	30.1	0.62	569	0.66
DD002026		3.10	37.4	3.58	5.11	0.08	0.08	0.05	0.024	0.10	6.4	28.5	0.65	712	0.63
DD002027		2.13	36.1	3.74	5.18	0.08	0.09	0.05	0.025	0.13	6.2	31.2	0.63	739	0.63
DD002028		1.90	31.4	3.21	3.78	0.05	0.07	0.05	0.029	0.10	7.4	26.5	0.63	564	0.46
DD002029		1.71	41.7	4.02	6.14	0.05	0.10	0.05	0.036	0.17	8.6	34.8	0.88	872	0.74
DD002030		1.68	33.7	3.40	5.07	<0.05	0.08	0.08	0.031	0.11	9.4	28.1	0.85	692	0.77
DD002031		1.19	35.2	3.39	3.91	<0.05	0.07	0.04	0.034	0.08	6.9	25.2	1.05	854	0.54
DD002032		1.15	30.9	3.52	5.61	0.05	0.09	0.05	0.032	0.13	8.2	30.4	0.92	774	0.34
DD002033		1.12	39.3	3.13	3.62	<0.05	0.08	0.04	0.032	0.07	6.7	23.1	0.99	817	0.48
DD002034		1.60	35.2	3.52	4.52	<0.05	0.07	0.05	0.030	0.11	7.6	29.0	0.72	741	0.49
DD002035		1.23	32.0	3.31	3.91	<0.05	0.08	0.04	0.029	0.09	7.5	23.6	0.84	791	0.49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD001247		0.14	38.2	460	40.2	8.1	<0.001	0.07	0.30	4.5	0.9	0.4	37.1	<0.01	0.03
DD001248		0.17	30.5	450	33.9	8.0	<0.001	0.07	0.22	4.0	0.8	0.4	34.4	<0.01	0.02
DD001249		0.19	30.1	460	35.5	8.3	<0.001	0.08	0.21	4.2	0.9	0.4	40.8	<0.01	0.03
DD000720		0.25	22.1	520	18.0	11.4	<0.001	0.04	0.23	3.0	1.4	0.4	30.7	<0.01	0.03
DD000721		0.37	23.6	790	25.1	23.3	<0.001	0.11	0.25	4.9	2.2	0.5	83.3	0.01	0.03
DD000722		0.27	23.7	600	19.4	11.8	<0.001	0.07	0.25	3.2	2.1	0.4	39.0	<0.01	0.04
DD000723		0.43	24.5	730	22.7	15.2	<0.001	0.08	0.25	4.0	1.8	0.5	90.6	<0.01	0.04
DD000724		0.27	22.4	540	19.8	12.1	<0.001	0.05	0.21	3.1	1.4	0.4	34.9	<0.01	0.04
DD000725		0.27	23.3	440	20.5	11.2	<0.001	0.03	0.17	3.2	0.9	0.4	28.3	<0.01	0.04
DD000726		0.23	18.2	390	15.2	10.0	<0.001	0.03	0.14	2.5	0.9	0.3	25.6	<0.01	0.03
DD000727		0.20	22.0	370	17.6	8.9	<0.001	0.05	0.22	2.9	0.7	0.3	26.8	<0.01	0.03
DD000728		0.24	25.9	430	20.1	11.2	<0.001	0.06	0.21	3.5	1.0	0.4	32.0	<0.01	0.03
DD000729		0.23	24.5	410	18.6	10.6	<0.001	0.05	0.21	3.1	0.8	0.4	29.4	<0.01	0.04
DD000730		0.23	22.1	410	18.3	11.4	<0.001	0.05	0.48	3.2	1.0	0.4	30.3	<0.01	0.03
DD000731		0.25	23.5	420	20.8	9.6	<0.001	0.04	0.22	3.2	0.8	0.3	30.3	<0.01	0.04
DD000732		0.41	23.4	430	17.9	10.2	<0.001	0.05	0.17	3.3	0.8	0.4	57.4	<0.01	0.02
DD000733		0.27	25.4	480	22.1	11.1	0.001	0.05	0.27	3.3	0.9	0.4	33.6	<0.01	0.04
DD000734		0.20	19.9	340	16.4	9.1	<0.001	0.04	0.17	2.7	0.8	0.3	24.6	<0.01	0.03
DD000735		0.19	20.2	310	15.7	7.7	<0.001	0.03	0.17	2.8	0.4	0.3	19.8	<0.01	0.03
DD000736		0.27	21.5	420	17.8	10.4	<0.001	0.05	0.20	3.4	0.7	0.4	28.9	<0.01	0.03
DD000737		0.24	20.0	350	15.9	8.8	<0.001	0.05	0.18	3.0	0.6	0.3	25.3	<0.01	0.03
DD000738		0.82	25.2	520	23.3	9.1	<0.001	0.02	0.22	5.5	0.9	0.6	38.5	<0.01	0.02
DD002018		0.14	32.4	400	26.5	7.8	<0.001	0.09	0.48	4.1	0.6	0.3	35.3	<0.01	0.05
DD002019		0.12	31.7	330	25.2	7.0	<0.001	0.05	0.40	4.0	0.5	0.3	32.0	<0.01	0.04
DD002020		0.16	31.8	420	25.2	8.7	<0.001	0.07	0.49	3.9	0.6	0.3	41.7	<0.01	0.05
DD002021		0.29	29.3	420	24.9	9.2	<0.001	0.09	0.41	3.9	0.6	0.4	73.0	<0.01	0.04
DD002022		0.43	27.4	430	23.7	9.2	<0.001	0.09	0.32	3.8	0.5	0.4	97.0	<0.01	0.03
DD002023		0.40	24.2	400	20.6	8.6	<0.001	0.04	0.22	3.6	0.5	0.4	30.1	<0.01	0.02
DD002024		0.39	24.5	360	19.8	7.5	<0.001	0.05	0.22	3.6	0.4	0.4	42.1	<0.01	0.02
DD002025		0.92	24.7	430	21.6	11.2	<0.001	0.03	0.22	4.5	0.4	0.6	35.8	<0.01	0.02
DD002026		0.97	25.0	460	22.1	10.5	<0.001	0.03	0.28	4.5	0.5	0.5	34.4	<0.01	0.02
DD002027		0.80	30.9	530	22.0	10.1	<0.001	0.05	0.34	4.4	0.5	0.5	52.9	<0.01	0.03
DD002028		0.54	28.6	450	22.1	8.8	<0.001	0.05	0.25	4.1	0.6	0.5	39.4	<0.01	<0.01
DD002029		0.88	35.5	460	25.5	10.8	<0.001	0.05	0.31	5.6	0.5	0.7	73.6	<0.01	0.01
DD002030		2.08	31.5	590	21.9	9.1	0.002	0.07	0.39	4.6	0.7	0.6	70.0	<0.01	<0.01
DD002031		1.11	28.3	480	28.7	6.2	<0.001	0.13	0.29	4.1	0.4	0.5	90.3	<0.01	0.01
DD002032		2.06	30.4	490	21.7	9.2	0.001	0.05	0.25	4.6	0.7	0.6	89.0	<0.01	<0.01
DD002033		0.78	26.3	470	22.0	5.4	<0.001	0.12	0.29	3.7	0.3	0.4	90.5	<0.01	0.02
DD002034		0.92	30.7	470	23.4	8.3	<0.001	0.05	0.27	4.2	0.6	0.5	43.7	<0.01	0.02
DD002035		1.35	28.0	490	26.1	6.7	<0.001	0.06	0.27	4.0	0.3	0.5	56.3	<0.01	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 8- OCT- 2011
 Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001247		<0.005	0.09	1.49	7	<0.05	10.55	65	3.2
DD001248		<0.005	0.07	1.28	7	<0.05	9.11	69	2.4
DD001249		<0.005	0.08	1.39	8	<0.05	9.46	60	2.8
DD000720		0.007	0.07	1.33	13	<0.05	8.20	74	2.2
DD000721		0.005	0.14	1.50	18	0.07	17.95	106	3.8
DD000722		0.006	0.07	1.81	14	<0.05	9.89	73	2.4
DD000723		0.007	0.09	3.01	21	0.06	11.05	91	3.6
DD000724		0.006	0.08	1.39	14	<0.05	9.28	80	2.2
DD000725		0.006	0.08	1.46	15	0.06	8.88	75	2.6
DD000726		0.006	0.06	0.79	11	<0.05	6.53	62	1.9
DD000727		0.006	0.06	0.62	13	<0.05	6.69	57	1.9
DD000728		0.006	0.07	0.72	15	<0.05	8.16	65	2.2
DD000729		0.006	0.07	0.72	14	<0.05	7.52	69	2.0
DD000730		0.006	0.08	0.99	14	<0.05	7.86	62	2.0
DD000731		0.006	0.07	0.98	15	0.05	7.53	68	2.2
DD000732		0.009	0.07	0.96	19	<0.05	7.38	76	2.8
DD000733		0.007	0.08	1.23	16	<0.05	7.69	64	2.3
DD000734		0.006	0.07	0.75	12	<0.05	6.01	57	1.7
DD000735		0.005	0.06	0.70	13	<0.05	5.55	55	1.9
DD000736		0.006	0.08	1.32	15	<0.05	7.62	67	2.5
DD000737		0.005	0.07	1.01	13	<0.05	6.39	53	2.0
DD000738		0.010	0.08	1.12	23	0.08	9.75	79	3.4
DD002018		<0.005	0.18	0.94	10	<0.05	7.24	78	2.6
DD002019		<0.005	0.14	0.81	9	<0.05	6.80	77	3.0
DD002020		<0.005	0.17	0.91	10	<0.05	7.34	79	2.4
DD002021		<0.005	0.14	0.86	11	<0.05	7.48	79	2.6
DD002022		0.005	0.10	0.68	13	<0.05	7.35	78	2.6
DD002023		0.007	0.07	1.04	15	<0.05	7.65	60	2.4
DD002024		0.007	0.07	0.83	16	<0.05	7.18	64	2.4
DD002025		0.010	0.06	0.84	21	0.08	7.55	71	2.4
DD002026		0.011	0.07	0.76	22	0.08	7.34	78	2.7
DD002027		0.008	0.06	0.97	24	0.08	6.64	100	2.9
DD002028		0.009	0.07	1.08	18	0.05	7.92	75	2.6
DD002029		0.013	0.08	0.91	28	0.08	6.97	99	4.5
DD002030		0.020	0.07	0.79	25	0.09	7.13	93	3.5
DD002031		0.022	0.06	0.80	21	0.06	6.55	87	3.1
DD002032		0.019	0.06	0.71	25	0.10	6.28	85	3.7
DD002033		0.021	0.05	0.73	20	0.05	6.09	73	3.6
DD002034		0.012	0.07	1.11	22	0.07	6.93	83	2.8
DD002035		0.019	0.05	0.94	21	0.07	6.79	75	2.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD002036		0.26	<0.001	0.07	1.22	8.2	<0.2	<10	210	0.81	0.34	1.20	0.10	19.20	15.3	24
DD002037		0.26	<0.001	0.07	1.25	7.4	<0.2	<10	190	0.84	0.31	1.71	0.08	17.55	14.1	24
DD002038		0.32	<0.001	0.23	1.10	8.1	<0.2	<10	160	0.80	0.29	2.10	0.11	15.90	14.7	20
DD002039		0.34	0.001	0.09	1.13	8.3	<0.2	<10	160	0.83	0.28	2.72	0.11	17.35	16.0	21
DD002040		0.38	<0.001	0.06	1.14	8.0	<0.2	<10	170	0.79	0.35	2.29	0.09	15.50	14.9	20
DD002041		0.24	<0.001	0.07	1.25	8.3	<0.2	<10	210	0.97	0.33	1.15	0.15	17.30	15.3	25
DD002042		0.26	<0.001	0.06	1.10	7.6	<0.2	<10	200	0.79	0.27	1.88	0.10	16.10	14.0	20
ZZ17710		0.18	0.002	0.24	1.23	17.4	<0.2	<10	280	1.64	0.31	0.26	0.41	21.8	14.0	25
ZZ17711		0.28	0.001	0.18	0.98	14.6	<0.2	<10	250	1.73	0.40	0.25	0.25	15.70	18.8	28
ZZ17712		0.26	0.001	0.13	0.87	15.2	<0.2	<10	200	1.47	0.38	0.18	0.31	12.95	19.6	25
ZZ17713		0.26	0.001	0.23	1.53	12.6	<0.2	<10	210	0.72	0.27	0.27	0.45	24.7	10.9	27
ZZ17714		0.18	0.001	0.19	1.30	63.3	<0.2	<10	230	1.06	0.38	0.30	0.28	16.80	17.2	25
ZZ17715		0.18	0.001	0.10	1.10	44.6	<0.2	<10	210	1.17	0.39	0.39	0.27	14.70	17.6	24
ZZ17716		0.30	0.001	0.12	1.26	26.2	<0.2	<10	190	1.20	0.35	0.43	0.19	17.55	14.5	25
ZZ17717		0.22	0.001	0.14	1.40	32.5	<0.2	<10	190	1.29	0.45	0.37	0.23	17.60	16.9	27
ZZ17718		0.22	0.001	0.14	1.22	29.3	<0.2	<10	180	1.25	0.34	0.43	0.23	16.25	15.1	25
ZZ17719		0.26	0.002	0.11	1.22	28.9	<0.2	<10	190	1.28	0.36	0.40	0.22	16.20	15.3	25
ZZ17720		0.28	0.001	0.14	1.78	8.0	<0.2	<10	300	1.38	0.42	0.90	0.21	15.75	13.4	30
ZZ17721		0.28	0.001	0.12	1.32	23.2	<0.2	<10	180	1.14	0.37	0.38	0.15	15.05	14.2	26
ZZ17722		0.20	0.002	0.11	1.19	22.1	<0.2	<10	170	1.12	0.31	0.37	0.18	15.15	14.4	24
ZZ17723		0.22	0.001	0.10	1.43	13.3	<0.2	<10	210	1.27	0.35	0.46	0.16	16.45	15.7	27
ZZ17724		0.22	0.002	0.08	1.25	14.3	<0.2	<10	180	1.14	0.32	0.40	0.15	14.10	12.8	25
ZZ17725		0.26	0.001	0.11	1.36	17.8	<0.2	<10	210	1.28	0.35	0.52	0.19	16.25	14.5	25
ZZ17726		0.22	0.001	0.15	1.80	10.3	<0.2	<10	300	2.15	0.37	0.54	0.15	15.05	13.9	33
ZZ17727		0.30	0.002	0.11	1.69	13.7	<0.2	<10	290	2.18	0.41	0.53	0.14	14.80	14.3	33
ZZ17728		0.40	0.001	0.11	1.74	11.4	<0.2	<10	310	1.93	0.42	0.38	0.07	15.15	11.8	33
ZZ17729		0.16	0.001	0.19	1.55	10.1	<0.2	<10	390	2.28	0.34	1.23	0.24	16.25	11.2	25
ZZ17730		0.28	<0.001	0.06	1.70	10.3	<0.2	<10	300	1.44	0.38	0.37	0.08	16.45	12.4	31
ZZ17731		0.28	0.001	0.10	1.71	16.8	<0.2	<10	310	1.96	0.37	0.41	0.15	13.25	13.9	33
ZZ17732		0.28	0.002	0.14	1.92	21.2	<0.2	<10	380	2.82	0.36	0.61	0.28	16.00	13.9	32
ZZ17733		0.24	0.001	0.06	1.73	14.0	<0.2	<10	290	1.65	0.38	0.25	0.12	14.75	15.2	32
DD001440		0.14	0.001	0.11	0.99	10.1	<0.2	10	80	0.93	0.28	0.97	0.16	11.15	10.7	16
DD001441		0.26	<0.001	0.08	1.74	11.8	<0.2	<10	110	1.21	0.47	0.38	0.09	14.05	19.4	25
DD001442		0.28	<0.001	0.05	1.90	13.2	<0.2	<10	150	1.31	0.65	0.25	0.05	13.10	24.0	28
DD001443		0.32	0.001	0.21	1.99	15.5	<0.2	<10	120	1.33	0.52	0.52	0.60	18.10	22.9	30
DD001444		0.32	0.001	0.12	2.10	14.3	<0.2	<10	150	1.22	0.59	0.36	0.31	14.90	23.9	31
DD001445		0.26	0.001	0.19	1.96	14.2	<0.2	<10	130	1.27	0.53	0.60	0.57	17.75	23.0	29
DD001446		0.16	0.001	0.13	2.08	12.7	<0.2	<10	120	1.28	0.46	0.46	0.37	16.90	20.4	31
DD001447		0.24	0.001	0.16	2.05	13.8	<0.2	<10	140	1.24	0.77	0.59	0.40	17.00	22.4	29
DD001448		0.26	0.001	0.19	1.92	13.8	<0.2	<10	110	1.11	0.66	0.57	0.47	17.65	22.0	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD002036		1.13	39.9	3.47	4.11	0.05	0.08	0.06	0.029	0.08	8.4	25.2	0.95	736	0.47
DD002037		1.30	30.4	3.39	4.30	<0.05	0.08	0.05	0.028	0.09	7.6	24.8	0.89	736	0.46
DD002038		1.21	33.0	3.21	3.76	<0.05	0.06	0.03	0.027	0.08	7.0	23.9	0.84	884	0.51
DD002039		1.28	33.1	3.31	4.04	<0.05	0.07	0.03	0.029	0.08	7.5	24.9	0.94	973	0.57
DD002040		1.17	30.8	3.32	3.88	0.05	0.07	0.04	0.030	0.08	6.8	23.8	0.95	894	0.57
DD002041		1.75	30.5	3.55	4.35	<0.05	0.06	0.05	0.033	0.10	7.6	26.5	0.80	783	0.52
DD002042		1.78	31.6	3.19	3.72	<0.05	0.07	0.03	0.031	0.08	7.0	22.9	0.88	768	0.47
ZZ17710		4.38	55.8	3.45	4.23	0.05	0.02	0.06	0.040	0.09	9.8	23.3	0.35	748	3.27
ZZ17711		5.11	59.8	4.35	3.34	<0.05	0.02	0.07	0.044	0.08	6.8	19.2	0.36	1060	1.60
ZZ17712		4.02	57.6	4.24	3.02	<0.05	0.02	0.05	0.043	0.07	5.6	18.9	0.34	1140	1.95
ZZ17713		1.90	25.3	2.82	5.04	<0.05	<0.02	0.05	0.031	0.07	11.5	20.7	0.47	532	1.34
ZZ17714		3.53	36.3	3.74	4.90	<0.05	<0.02	0.17	0.039	0.08	7.2	26.2	0.38	1600	1.07
ZZ17715		5.41	45.4	3.72	3.55	<0.05	0.03	0.23	0.036	0.08	6.8	20.7	0.40	1100	1.14
ZZ17716		4.40	40.4	3.58	4.05	<0.05	0.04	0.14	0.035	0.08	8.0	25.0	0.44	664	0.92
ZZ17717		6.18	36.3	3.68	4.36	<0.05	0.03	0.19	0.037	0.09	7.9	28.0	0.48	640	0.80
ZZ17718		5.22	39.1	3.49	4.06	<0.05	0.04	0.16	0.035	0.09	8.1	25.5	0.43	644	0.91
ZZ17719		4.74	39.1	3.72	3.96	<0.05	0.03	0.13	0.035	0.09	7.6	25.6	0.44	755	0.93
ZZ17720		1.20	43.1	3.78	6.07	<0.05	0.06	0.08	0.044	0.13	8.7	31.3	0.53	601	0.49
ZZ17721		3.85	30.6	3.59	4.11	<0.05	0.04	0.15	0.037	0.09	6.9	27.3	0.45	380	0.67
ZZ17722		3.93	32.3	3.35	3.88	<0.05	0.04	0.14	0.032	0.09	7.0	24.4	0.42	609	0.75
ZZ17723		2.88	34.6	3.65	4.71	<0.05	0.06	0.11	0.033	0.10	7.0	28.4	0.48	871	0.61
ZZ17724		2.75	28.9	3.42	3.90	<0.05	0.05	0.11	0.033	0.09	6.7	25.7	0.46	685	0.76
ZZ17725		3.49	37.3	3.64	4.46	0.05	0.05	0.14	0.037	0.10	7.6	28.2	0.48	791	0.79
ZZ17726		5.09	43.1	3.75	5.83	0.05	0.06	0.06	0.037	0.13	7.0	38.3	0.52	546	0.92
ZZ17727		4.80	46.5	4.04	5.93	<0.05	0.06	0.05	0.041	0.11	7.7	39.2	0.52	773	0.95
ZZ17728		4.10	42.9	3.86	6.05	<0.05	0.05	0.04	0.041	0.10	7.9	36.6	0.51	511	0.93
ZZ17729		5.05	55.8	2.97	5.11	<0.05	0.04	0.07	0.036	0.12	8.8	24.5	0.49	908	0.77
ZZ17730		2.60	32.9	3.73	6.31	<0.05	0.04	0.02	0.037	0.12	7.2	30.9	0.49	612	0.90
ZZ17731		3.99	46.9	3.82	5.42	<0.05	0.04	0.06	0.031	0.10	6.4	36.6	0.48	849	1.05
ZZ17732		6.28	62.1	3.53	5.71	0.07	0.07	0.08	0.037	0.12	8.8	45.4	0.49	952	1.06
ZZ17733		3.33	35.3	3.83	5.90	0.05	0.03	0.04	0.038	0.09	6.3	31.6	0.46	1020	1.04
DD001440		1.24	34.5	2.75	3.13	<0.05	0.08	0.08	0.031	0.12	4.9	18.7	0.36	274	1.04
DD001441		2.45	53.9	4.11	4.85	0.05	0.08	0.02	0.037	0.10	5.6	42.9	0.55	1060	0.97
DD001442		2.46	63.4	4.19	5.78	0.06	0.07	0.02	0.041	0.10	5.0	48.3	0.63	1250	0.67
DD001443		2.80	71.6	4.45	5.90	0.06	0.12	0.07	0.039	0.10	9.0	51.5	0.75	1300	2.51
DD001444		3.09	68.7	4.64	5.79	0.06	0.08	0.04	0.030	0.07	6.7	52.7	0.71	1750	1.51
DD001445		3.04	65.6	4.37	5.52	0.07	0.07	0.05	0.036	0.09	8.7	49.9	0.72	1330	2.29
DD001446		2.49	53.4	4.44	5.86	0.05	0.14	0.05	0.040	0.11	8.1	51.7	0.73	1050	2.25
DD001447		2.91	64.5	4.48	5.80	0.06	0.14	0.01	0.033	0.08	8.0	54.9	0.74	1390	1.95
DD001448		2.74	63.3	4.39	5.77	0.07	0.12	0.03	0.036	0.08	8.7	51.9	0.73	1220	2.43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD002036		1.45	28.8	570	27.8	6.4	<0.001	0.08	0.28	4.0	0.5	0.5	34.0	<0.01	<0.01
DD002037		1.54	28.0	490	22.5	7.4	<0.001	0.09	0.28	4.0	0.4	0.5	58.7	<0.01	0.01
DD002038		0.86	27.7	440	23.0	6.0	<0.001	0.06	0.25	3.9	0.4	0.5	67.3	<0.01	0.01
DD002039		1.12	28.8	440	23.5	6.4	0.001	0.08	0.28	4.2	0.4	0.5	87.1	<0.01	<0.01
DD002040		0.82	27.0	460	23.2	5.7	<0.001	0.07	0.25	3.8	0.4	0.5	68.4	<0.01	0.02
DD002041		1.47	29.8	520	23.5	8.2	<0.001	0.08	0.25	4.2	0.5	0.5	43.1	<0.01	<0.01
DD002042		1.29	26.7	470	21.4	6.7	<0.001	0.08	0.27	3.9	0.5	0.5	57.8	<0.01	0.01
ZZ17710		0.51	34.9	1130	18.6	16.2	0.001	0.05	0.83	2.3	1.1	0.6	20.7	<0.01	0.03
ZZ17711		0.57	32.4	730	28.7	12.1	0.001	0.03	0.48	4.4	0.8	0.7	18.9	<0.01	0.03
ZZ17712		0.54	34.7	490	26.6	9.1	0.001	0.01	0.58	5.0	0.7	0.6	18.0	<0.01	0.02
ZZ17713		0.46	25.6	820	15.5	11.5	<0.001	0.03	0.66	1.3	0.4	0.5	19.9	<0.01	0.02
ZZ17714		0.53	27.2	1040	26.2	13.2	<0.001	0.04	0.50	2.1	0.6	0.6	20.7	<0.01	0.02
ZZ17715		0.69	32.2	670	25.4	12.6	<0.001	0.04	0.47	4.1	0.6	0.5	22.5	<0.01	0.01
ZZ17716		0.86	29.8	650	23.5	10.5	<0.001	0.03	0.44	4.5	0.5	0.6	25.9	<0.01	0.01
ZZ17717		0.83	32.3	630	25.6	12.5	<0.001	0.03	0.37	4.7	0.7	0.6	23.9	<0.01	0.01
ZZ17718		0.89	29.7	600	22.8	11.9	<0.001	0.03	0.41	4.5	0.7	0.6	26.4	<0.01	0.02
ZZ17719		0.89	31.9	570	24.6	11.1	<0.001	0.03	0.40	4.7	0.5	0.6	25.9	<0.01	0.02
ZZ17720		1.39	31.3	640	30.8	12.7	<0.001	0.05	0.25	5.8	1.0	0.8	43.0	<0.01	0.01
ZZ17721		0.91	28.0	520	24.2	10.6	<0.001	0.02	0.31	4.6	0.7	0.6	23.1	<0.01	0.01
ZZ17722		0.86	27.8	510	21.2	10.8	<0.001	0.03	0.34	4.3	0.6	0.5	22.1	<0.01	0.02
ZZ17723		1.12	29.4	550	24.2	11.5	<0.001	0.05	0.23	4.7	0.7	0.6	33.3	<0.01	0.02
ZZ17724		0.93	26.8	500	21.0	9.9	<0.001	0.04	0.26	3.9	0.7	0.5	26.3	<0.01	<0.01
ZZ17725		1.07	30.3	570	24.7	11.4	0.001	0.04	0.33	4.9	0.9	0.6	36.5	<0.01	0.01
ZZ17726		1.37	31.3	530	24.7	14.5	0.001	0.04	0.20	5.9	1.3	0.8	66.5	<0.01	<0.01
ZZ17727		1.54	29.2	510	29.3	13.6	<0.001	0.04	0.22	5.9	1.3	0.8	67.1	<0.01	0.01
ZZ17728		1.31	27.7	500	25.0	13.1	<0.001	0.03	0.19	5.7	1.0	0.8	41.4	<0.01	0.02
ZZ17729		1.13	26.1	820	23.2	13.9	0.001	0.08	0.28	4.8	1.5	0.7	146.5	<0.01	0.01
ZZ17730		1.27	25.7	510	22.7	13.6	<0.001	0.03	0.20	3.9	0.6	0.7	56.3	<0.01	0.01
ZZ17731		1.17	28.2	550	29.8	12.8	<0.001	0.02	0.35	4.7	0.3	0.7	66.5	<0.01	0.03
ZZ17732		1.13	30.2	700	26.1	17.3	<0.001	0.05	0.36	5.6	1.7	0.7	100.5	<0.01	0.02
ZZ17733		1.16	26.9	540	27.9	13.8	<0.001	0.02	0.33	4.0	0.2	0.7	40.7	<0.01	0.01
DD001440		0.19	23.7	790	24.2	12.2	<0.001	0.15	0.38	3.5	1.1	0.4	100.0	<0.01	0.05
DD001441		0.13	34.6	530	37.0	7.7	<0.001	0.06	0.40	4.0	0.9	0.6	46.3	<0.01	0.02
DD001442		0.10	37.7	390	44.6	7.8	<0.001	0.04	0.31	4.0	0.8	0.6	35.8	<0.01	0.05
DD001443		0.05	45.1	500	41.7	7.0	<0.001	0.07	0.89	4.8	1.0	0.6	42.0	<0.01	0.06
DD001444		<0.05	42.9	410	47.4	6.0	<0.001	0.04	0.60	4.3	0.4	0.6	39.0	<0.01	0.04
DD001445		0.06	44.2	500	40.0	6.7	<0.001	0.07	0.88	4.3	0.8	0.6	43.7	<0.01	0.07
DD001446		<0.05	43.5	470	32.1	7.2	0.001	0.03	0.72	4.4	0.6	0.6	35.6	<0.01	0.03
DD001447		<0.05	43.6	490	41.2	6.3	<0.001	0.06	0.76	4.4	0.2	0.6	43.8	<0.01	0.07
DD001448		<0.05	43.7	500	33.8	6.0	0.001	0.06	0.87	4.3	1.0	0.6	41.1	<0.01	0.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD002036		0.022	0.06	0.98	22	0.07	6.91	81	3.1
DD002037		0.021	0.05	1.00	23	0.07	6.41	80	3.2
DD002038		0.017	0.05	0.77	20	0.05	6.46	77	2.8
DD002039		0.020	0.05	0.81	21	0.06	6.62	77	3.4
DD002040		0.018	0.05	0.80	21	0.06	6.23	81	3.1
DD002041		0.019	0.05	0.94	23	0.08	6.81	96	2.9
DD002042		0.020	0.05	0.90	20	0.06	6.33	77	3.0
ZZ17710		0.011	0.12	1.32	36	0.14	12.40	120	0.5
ZZ17711		0.013	0.10	4.65	37	0.15	10.75	115	<0.5
ZZ17712		0.012	0.07	2.18	32	0.11	7.57	111	0.7
ZZ17713		0.021	0.12	0.99	46	0.26	6.33	108	<0.5
ZZ17714		0.014	0.11	2.00	32	0.12	6.22	92	<0.5
ZZ17715		0.014	0.11	1.62	30	0.13	8.89	99	0.8
ZZ17716		0.014	0.09	1.44	31	0.13	9.03	90	1.4
ZZ17717		0.014	0.08	1.31	30	0.12	8.80	101	0.9
ZZ17718		0.015	0.08	1.59	28	0.13	9.13	98	1.2
ZZ17719		0.014	0.08	1.24	29	0.10	8.43	102	1.2
ZZ17720		0.009	0.08	1.14	29	0.12	10.80	120	1.9
ZZ17721		0.012	0.08	1.26	28	0.20	7.47	96	1.3
ZZ17722		0.013	0.07	1.03	26	0.12	7.60	91	1.2
ZZ17723		0.012	0.08	1.33	26	0.10	8.02	98	1.7
ZZ17724		0.012	0.07	1.06	24	0.09	6.76	99	1.5
ZZ17725		0.012	0.08	1.47	26	0.11	9.19	101	1.7
ZZ17726		0.009	0.09	2.85	29	0.12	11.35	99	1.7
ZZ17727		0.012	0.08	3.35	32	0.13	10.80	97	1.7
ZZ17728		0.012	0.08	4.24	32	0.11	11.05	86	1.6
ZZ17729		0.007	0.09	5.86	26	0.12	14.25	77	1.3
ZZ17730		0.011	0.09	1.66	31	0.12	6.39	79	1.0
ZZ17731		0.012	0.08	3.47	33	0.14	9.28	106	1.2
ZZ17732		0.008	0.10	8.41	31	0.11	17.45	124	1.5
ZZ17733		0.014	0.09	1.37	34	0.12	6.43	101	0.6
DD001440		<0.005	0.11	1.82	14	<0.05	9.48	63	3.3
DD001441		<0.005	0.08	1.04	22	<0.05	9.25	96	3.4
DD001442		0.005	0.08	1.00	25	<0.05	8.51	98	2.8
DD001443		<0.005	0.11	1.34	31	<0.05	9.56	166	5.6
DD001444		<0.005	0.08	1.24	29	<0.05	8.71	136	5.3
DD001445		<0.005	0.09	1.35	29	<0.05	9.06	153	4.2
DD001446		<0.005	0.09	1.17	29	<0.05	8.45	140	6.9
DD001447		<0.005	0.08	1.24	28	<0.05	9.01	141	6.2
DD001448		<0.005	0.10	1.20	30	<0.05	8.90	153	6.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001449		0.26	0.001	0.17	1.99	12.9	<0.2	<10	140	1.18	0.44	0.65	0.46	17.90	21.4	30
DD001450		0.30	0.001	0.12	1.43	10.7	<0.2	<10	210	1.02	0.34	0.44	0.19	17.40	15.3	27
DD002390		0.18	0.001	0.15	1.96	13.1	<0.2	<10	120	1.10	0.52	0.61	0.41	17.30	22.3	28
DD002391		0.14	<0.001	0.11	1.80	10.8	<0.2	<10	130	1.08	0.45	0.59	0.29	15.75	20.1	30
DD002392		0.34	<0.001	0.11	1.67	11.6	<0.2	<10	130	1.12	0.39	0.64	0.32	15.65	20.0	27
DD002393		0.18	0.001	0.13	1.72	11.4	<0.2	<10	140	1.12	0.41	0.70	0.36	16.35	20.3	27
DD002394		0.32	0.001	0.12	1.69	11.2	<0.2	<10	120	1.13	0.44	0.64	0.28	15.95	19.5	27
DD002395		0.26	<0.001	0.11	1.72	11.6	<0.2	<10	130	1.14	0.44	0.62	0.29	16.30	20.6	27
DD002396		0.36	<0.001	0.11	1.72	11.1	<0.2	<10	130	1.15	0.42	0.62	0.28	15.45	20.1	28
DD002397		0.26	0.001	0.12	1.63	11.8	<0.2	<10	130	1.08	0.46	0.64	0.29	17.15	20.4	26
DD002398		0.24	0.001	0.14	1.61	12.2	<0.2	<10	110	1.06	0.42	0.57	0.33	17.35	20.1	26
DD002399		0.24	0.001	0.10	1.43	10.7	<0.2	<10	120	0.94	0.35	0.39	0.19	15.85	18.3	24
DD002400		0.20	0.001	0.09	1.49	9.7	<0.2	<10	120	1.02	0.34	0.67	0.18	17.25	17.5	27
DD001214		0.14	0.001	0.14	1.07	8.4	<0.2	<10	160	0.89	0.31	0.73	0.50	11.05	10.0	16
DD001215		0.14	0.001	0.16	1.30	8.7	<0.2	<10	180	0.94	0.33	0.74	0.27	12.90	10.6	20
DD001216		0.12	0.001	0.14	1.38	10.0	<0.2	<10	180	1.01	0.33	0.57	0.23	13.70	14.1	21
DD001217		0.22	0.001	0.12	1.01	11.3	<0.2	<10	200	0.89	0.27	0.40	0.16	14.20	10.8	15
DD001218		0.28	0.001	0.05	1.49	9.3	<0.2	<10	180	1.02	0.38	0.12	0.07	17.95	25.5	27
DD001219		0.20	0.002	0.11	1.40	10.7	<0.2	<10	180	1.12	0.33	0.45	0.14	15.80	15.7	25
DD001220		0.18	0.002	0.12	1.58	19.9	<0.2	<10	230	1.38	0.41	0.28	0.13	12.55	27.8	27
DD001221		0.20	0.001	0.10	1.48	10.0	<0.2	<10	200	1.11	0.31	0.43	0.12	13.95	15.4	24
DD001222		0.22	0.001	0.13	1.19	10.4	<0.2	<10	280	0.81	0.26	0.45	0.18	18.50	15.2	18
DD001223		0.22	0.001	0.15	1.25	10.5	<0.2	<10	260	0.81	0.26	0.38	0.21	19.20	16.7	18
DD001224		0.24	<0.001	0.16	1.19	9.3	<0.2	<10	280	0.82	0.24	0.34	0.20	18.55	14.7	17
DD001225		0.24	0.004	0.18	1.22	12.4	<0.2	<10	280	0.91	0.30	0.36	0.16	25.0	15.6	19
DD001226		0.22	0.001	0.17	1.26	13.3	<0.2	<10	330	1.00	0.31	0.43	0.26	26.3	19.0	19
DD001227		0.24	0.001	0.16	1.23	12.7	<0.2	<10	320	0.91	0.30	0.44	0.21	27.2	16.8	18
DD001228		0.20	0.001	0.16	1.25	14.3	<0.2	<10	360	0.94	0.33	0.45	0.27	26.7	18.3	18
DD001229		0.22	0.001	0.16	1.22	10.9	<0.2	<10	240	0.96	0.29	0.46	0.25	21.7	16.1	19
DD001230		0.26	0.001	0.14	1.21	11.4	<0.2	<10	200	0.95	0.30	0.48	0.18	23.4	16.2	19
DD001231		0.22	0.002	0.14	1.35	7.5	<0.2	<10	260	0.87	0.26	1.45	0.27	18.95	10.8	20
DD001232		0.16	0.002	0.13	1.56	9.6	<0.2	<10	310	0.85	0.31	0.97	0.23	23.5	12.6	23
DD001233		0.16	0.001	0.14	1.29	12.2	<0.2	<10	270	0.97	0.33	0.65	0.26	23.2	15.9	20
DD001234		0.14	0.002	0.20	1.19	9.7	<0.2	<10	150	1.04	0.32	1.49	0.24	31.4	13.7	22
DD001235		0.22	0.002	0.18	1.23	9.9	<0.2	<10	170	1.00	0.33	1.23	0.27	35.2	13.4	23
DD001236		0.14	0.002	0.21	1.23	9.1	<0.2	<10	150	1.00	0.31	1.08	0.22	34.3	13.8	24
DD001237		0.20	0.002	0.19	1.32	9.3	<0.2	<10	170	0.97	0.32	0.75	0.23	32.8	13.6	26
DD001238		0.08	0.002	0.18	1.29	8.0	<0.2	<10	130	0.98	0.30	1.33	0.24	27.2	13.6	23
DD001239		0.20	0.001	0.13	1.03	7.0	<0.2	<10	190	0.77	0.25	0.54	0.14	20.4	12.3	16
DD001240		0.20	0.001	0.13	1.07	9.8	<0.2	<10	200	0.80	0.27	0.71	0.18	23.5	13.6	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001449		2.65	61.6	4.41	5.78	0.06	0.12	0.04	0.031	0.08	8.5	50.6	0.74	1260	2.12
DD001450		2.25	48.4	3.95	4.53	0.05	0.07	0.06	0.035	0.08	8.5	26.3	0.52	959	1.37
DD002390		2.75	61.8	4.38	5.68	0.05	0.11	0.04	0.035	0.08	8.4	50.3	0.73	1300	2.08
DD002391		2.26	49.5	4.42	5.31	0.05	0.12	<0.01	0.033	0.09	7.5	44.9	0.70	1290	1.57
DD002392		2.19	54.5	4.17	4.85	0.05	0.08	0.01	0.031	0.07	7.1	40.3	0.68	1420	1.59
DD002393		2.21	55.0	4.22	4.90	<0.05	0.08	0.01	0.038	0.08	8.0	40.4	0.69	1490	1.71
DD002394		2.28	54.2	4.12	5.03	0.05	0.10	0.02	0.030	0.08	7.6	41.7	0.68	1350	1.61
DD002395		2.22	53.5	4.18	5.37	0.06	0.14	0.01	0.029	0.07	7.6	44.2	0.69	1300	1.56
DD002396		2.41	50.9	4.22	5.05	0.06	0.10	<0.01	0.033	0.08	7.4	41.6	0.69	1290	1.66
DD002397		2.43	53.3	4.35	5.30	0.12	0.13	0.03	0.034	0.08	7.9	42.1	0.69	1250	1.72
DD002398		2.40	52.3	4.30	5.30	0.11	0.13	0.04	0.035	0.08	8.2	40.9	0.68	1220	1.97
DD002399		2.05	46.2	3.97	4.77	0.11	0.07	0.04	0.028	0.08	7.2	32.2	0.55	1240	1.21
DD002400		1.90	40.9	3.93	4.68	0.06	0.07	0.02	0.032	0.08	8.2	35.8	0.72	901	1.06
DD001214		1.41	29.4	2.71	3.10	<0.05	0.09	0.07	0.030	0.12	5.5	21.5	0.28	298	0.83
DD001215		1.03	31.3	2.78	3.75	<0.05	0.07	0.07	0.035	0.13	6.2	25.7	0.37	274	0.65
DD001216		1.45	32.8	3.04	4.12	0.05	0.08	0.05	0.037	0.13	6.4	33.3	0.39	487	0.67
DD001217		0.90	25.6	3.54	3.11	0.05	0.08	0.04	0.029	0.09	6.6	17.4	0.26	367	0.64
DD001218		0.89	37.7	3.71	5.19	<0.05	0.02	0.02	0.032	0.10	7.5	35.7	0.54	1060	0.55
DD001219		1.58	40.7	3.32	4.78	0.05	0.05	0.04	0.031	0.14	7.7	31.2	0.49	587	0.70
DD001220		1.89	61.7	4.63	5.34	<0.05	0.06	0.05	0.042	0.13	5.7	44.0	0.56	2840	0.76
DD001221		1.47	39.9	3.56	4.73	<0.05	0.07	0.05	0.035	0.12	6.4	36.3	0.48	663	0.58
DD001222		1.05	33.9	3.25	3.55	0.05	0.04	0.04	0.031	0.11	9.2	21.8	0.45	839	1.22
DD001223		1.17	34.5	3.34	3.86	<0.05	0.06	0.04	0.033	0.11	9.6	24.4	0.43	711	1.27
DD001224		0.94	30.1	3.01	3.43	0.05	0.06	0.03	0.030	0.10	10.8	21.1	0.39	633	1.09
DD001225		1.34	39.7	3.26	3.84	0.05	0.08	0.09	0.037	0.11	11.4	23.0	0.45	633	1.23
DD001226		1.46	44.3	3.57	3.84	0.05	0.07	0.06	0.039	0.13	11.5	22.3	0.50	798	2.02
DD001227		1.34	43.1	3.43	3.72	0.05	0.07	0.09	0.040	0.12	12.0	21.2	0.47	698	1.76
DD001228		1.48	46.9	3.66	3.86	0.06	0.07	0.07	0.037	0.12	13.0	21.1	0.50	780	2.19
DD001229		1.33	38.3	3.28	3.94	0.05	0.07	0.07	0.034	0.12	9.9	24.4	0.48	861	1.15
DD001230		1.14	39.4	3.20	4.16	0.05	0.08	0.07	0.036	0.11	10.0	27.6	0.48	800	1.06
DD001231		0.56	33.5	2.82	4.16	<0.05	0.11	0.09	0.033	0.12	9.0	26.0	0.47	338	0.48
DD001232		1.00	31.2	3.06	4.71	0.05	0.07	0.08	0.035	0.09	11.8	24.0	0.47	779	0.76
DD001233		1.45	40.2	3.47	3.91	0.05	0.08	0.09	0.039	0.13	10.5	25.3	0.53	1140	1.12
DD001234		1.46	36.9	3.10	3.69	0.06	0.11	0.12	0.042	0.14	15.5	28.3	0.83	509	0.64
DD001235		1.37	35.8	3.10	3.91	0.07	0.11	0.12	0.038	0.12	16.9	28.4	0.85	483	0.66
DD001236		1.32	34.3	2.97	3.97	0.07	0.11	0.12	0.036	0.13	16.4	32.0	0.73	384	0.65
DD001237		1.30	36.6	3.20	4.16	0.06	0.12	0.11	0.039	0.13	15.6	31.8	0.60	592	0.60
DD001238		1.37	34.9	3.09	3.85	0.07	0.12	0.11	0.036	0.13	12.3	30.4	0.72	622	0.62
DD001239		1.03	27.2	2.50	3.24	0.05	0.07	0.06	0.028	0.10	9.6	22.0	0.47	313	0.55
DD001240		1.20	31.9	2.99	3.48	0.05	0.07	0.06	0.030	0.11	10.8	24.1	0.54	607	0.77



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD001449		0.07	42.4	500	36.0	6.4	<0.001	0.06	0.78	4.3	0.9	0.6	45.3	<0.01	0.06
DD001450		0.78	29.4	620	28.6	8.0	<0.001	0.03	0.52	4.2	0.6	0.6	29.3	<0.01	0.02
DD002390		0.08	42.8	480	35.7	6.3	0.001	0.05	0.77	4.2	0.9	0.6	43.4	<0.01	0.05
DD002391		0.13	38.1	470	32.1	6.5	<0.001	0.04	0.60	4.2	0.6	0.6	40.1	<0.01	0.04
DD002392		0.17	36.0	450	34.3	5.7	<0.001	0.05	0.59	4.1	0.9	0.5	42.8	<0.01	0.01
DD002393		0.25	37.7	490	32.8	6.6	<0.001	0.05	0.62	4.2	0.7	0.5	47.8	<0.01	0.04
DD002394		0.21	37.0	490	34.1	6.2	0.003	0.04	0.62	4.2	0.6	0.6	42.1	<0.01	0.05
DD002395		0.13	39.1	470	31.6	5.9	0.001	0.04	0.60	4.2	0.5	0.6	39.8	<0.01	0.03
DD002396		0.13	36.7	450	32.3	6.3	<0.001	0.04	0.62	4.0	0.5	0.5	39.7	<0.01	0.04
DD002397		0.16	37.6	480	32.2	6.4	0.001	0.06	0.61	4.6	0.5	0.6	41.4	<0.01	0.04
DD002398		0.14	38.0	470	31.3	6.6	0.002	0.05	0.65	4.6	0.6	0.6	39.6	<0.01	0.04
DD002399		0.37	32.3	470	27.3	6.9	<0.001	0.04	0.45	4.3	0.6	0.5	32.0	<0.01	0.03
DD002400		0.66	33.2	530	26.9	6.5	<0.001	0.02	0.43	4.0	<0.2	0.5	34.6	<0.01	0.03
DD001214		0.29	32.4	940	26.0	12.2	<0.001	0.13	0.27	3.2	1.8	0.5	62.9	<0.01	0.04
DD001215		0.38	39.4	760	28.6	13.3	<0.001	0.16	0.26	3.5	1.2	0.5	58.0	<0.01	0.05
DD001216		0.36	34.2	740	29.9	13.8	<0.001	0.09	0.26	3.5	1.6	0.6	51.3	<0.01	<0.01
DD001217		0.28	21.5	880	23.1	11.7	<0.001	0.18	0.22	3.5	0.9	0.5	40.8	<0.01	0.07
DD001218		0.25	35.1	340	38.0	7.3	<0.001	0.01	0.28	3.3	0.4	0.5	12.4	<0.01	0.04
DD001219		0.48	31.9	660	28.0	10.5	0.001	0.05	0.43	3.6	0.6	0.5	42.0	<0.01	0.04
DD001220		0.22	53.2	470	40.2	11.0	<0.001	0.12	1.16	4.4	0.9	0.6	36.8	<0.01	0.11
DD001221		0.36	31.4	580	30.2	10.9	<0.001	0.06	0.42	3.6	0.5	0.5	43.0	<0.01	0.03
DD001222		0.20	27.6	570	21.7	10.4	<0.001	0.08	0.30	3.7	1.0	0.4	36.2	<0.01	0.05
DD001223		0.21	28.7	570	21.2	11.0	<0.001	0.06	0.32	4.4	1.3	0.4	40.0	<0.01	0.07
DD001224		0.20	25.2	520	19.8	9.7	<0.001	0.05	0.28	3.8	0.9	0.4	35.0	<0.01	0.04
DD001225		0.26	29.4	540	22.7	10.8	<0.001	0.06	0.29	4.4	1.0	0.5	30.9	<0.01	0.03
DD001226		0.24	33.0	620	24.3	11.3	0.002	0.09	0.38	4.5	1.5	0.5	32.1	<0.01	0.07
DD001227		0.27	32.0	600	22.8	12.1	0.001	0.07	0.36	4.6	1.2	0.5	35.5	<0.01	0.06
DD001228		0.26	34.1	640	24.0	11.4	0.001	0.08	0.44	4.7	1.6	0.5	33.4	<0.01	0.05
DD001229		0.28	31.7	580	22.7	11.5	0.001	0.07	0.32	4.1	1.3	0.5	40.3	<0.01	0.06
DD001230		0.34	33.5	500	23.8	10.6	<0.001	0.07	0.36	4.1	1.0	0.5	42.1	<0.01	0.03
DD001231		0.51	25.7	790	18.6	11.8	<0.001	0.12	0.27	3.5	1.3	0.5	126.5	<0.01	0.03
DD001232		0.57	25.4	1290	21.2	12.8	<0.001	0.08	0.38	2.6	1.0	0.5	74.9	<0.01	0.03
DD001233		0.33	33.2	690	24.0	12.1	<0.001	0.10	0.35	4.4	1.6	0.5	50.6	<0.01	0.04
DD001234		0.38	33.5	920	28.1	12.1	<0.001	0.06	0.35	4.6	1.3	0.5	94.3	<0.01	0.04
DD001235		0.37	34.9	940	31.5	12.6	<0.001	0.06	0.32	4.9	1.5	0.5	71.8	<0.01	0.04
DD001236		0.43	35.4	900	28.1	13.2	<0.001	0.08	0.33	4.8	1.4	0.5	92.0	<0.01	0.03
DD001237		0.43	33.6	920	29.9	12.7	<0.001	0.07	0.36	4.7	1.6	0.5	106.5	<0.01	0.03
DD001238		0.36	33.7	980	26.0	11.7	<0.001	0.10	0.35	5.0	1.3	0.4	157.5	<0.01	0.03
DD001239		0.27	24.4	510	19.7	10.3	<0.001	0.06	0.23	3.5	1.0	0.4	41.3	<0.01	0.04
DD001240		0.27	29.5	580	22.7	10.1	<0.001	0.06	0.29	3.9	1.0	0.4	42.1	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001449		<0.005	0.10	1.26	29	<0.05	8.79	143	5.5
DD001450		0.012	0.08	1.10	30	0.08	7.58	110	2.2
DD002390		<0.005	0.10	1.19	28	<0.05	8.54	137	5.3
DD002391		0.006	0.08	1.07	29	<0.05	7.72	119	5.5
DD002392		0.006	0.07	1.03	27	<0.05	7.75	117	4.6
DD002393		0.006	0.08	1.11	28	<0.05	8.25	124	4.0
DD002394		0.006	0.07	1.15	27	<0.05	8.01	119	4.6
DD002395		0.006	0.08	1.03	27	<0.05	7.94	118	5.5
DD002396		0.006	0.08	1.03	27	<0.05	7.60	119	5.0
DD002397		0.007	0.08	1.11	26	<0.05	8.49	116	5.6
DD002398		0.005	0.08	1.12	26	<0.05	8.58	115	5.6
DD002399		0.007	0.07	1.23	23	0.05	8.16	95	2.8
DD002400		0.011	0.06	0.96	26	<0.05	7.29	107	2.9
DD001214		0.005	0.12	0.89	15	<0.05	8.54	92	2.9
DD001215		0.005	0.13	1.65	18	0.06	8.87	75	2.3
DD001216		0.005	0.14	1.47	20	0.06	9.15	93	2.3
DD001217		<0.005	0.10	1.04	16	<0.05	8.40	77	2.3
DD001218		0.013	0.12	0.70	22	<0.05	6.57	86	1.0
DD001219		0.016	0.13	1.14	25	0.05	8.33	92	1.7
DD001220		0.007	0.15	1.35	21	<0.05	9.46	126	2.0
DD001221		0.008	0.11	1.74	21	<0.05	8.91	100	2.4
DD001222		0.005	0.14	2.09	20	<0.05	9.19	81	1.8
DD001223		0.005	0.10	1.39	20	<0.05	9.99	89	2.0
DD001224		<0.005	0.13	1.64	20	<0.05	11.85	74	1.8
DD001225		0.006	0.13	1.69	20	0.09	10.50	75	2.4
DD001226		0.005	0.15	1.25	22	<0.05	10.95	84	1.9
DD001227		0.006	0.15	1.21	22	<0.05	11.05	82	2.1
DD001228		0.005	0.17	1.62	22	<0.05	11.20	87	2.1
DD001229		0.006	0.10	2.68	19	<0.05	9.94	84	2.4
DD001230		0.006	0.10	2.06	20	<0.05	10.00	75	2.2
DD001231		0.008	0.08	1.04	21	0.05	8.98	104	3.1
DD001232		0.010	0.14	3.12	31	0.11	10.80	121	1.9
DD001233		0.007	0.13	2.06	20	<0.05	11.20	89	2.4
DD001234		0.007	0.10	3.66	18	<0.05	13.05	118	3.8
DD001235		0.006	0.11	4.66	18	0.06	13.20	119	3.8
DD001236		0.007	0.09	4.23	18	<0.05	13.60	97	4.1
DD001237		0.008	0.10	8.06	20	0.05	13.80	115	4.4
DD001238		0.007	0.08	3.30	19	<0.05	14.20	118	4.0
DD001239		0.006	0.08	1.76	16	<0.05	7.93	66	2.3
DD001240		0.006	0.09	1.72	17	<0.05	9.51	79	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001241		0.22	0.001	0.15	1.22	10.4	<0.2	<10	250	0.86	0.30	0.64	0.17	22.9	13.6	19
DD001242		0.32	0.001	0.13	1.12	10.4	<0.2	<10	190	0.81	0.28	0.59	0.20	23.6	14.2	17
DD001243		0.14	0.001	0.15	1.20	8.7	<0.2	<10	210	0.85	0.27	0.67	0.23	22.1	14.1	18
DD001244		0.18	0.001	0.15	1.07	10.3	<0.2	<10	190	0.77	0.27	0.59	0.20	19.90	13.4	17
DD002278		0.74	0.001	0.18	1.38	7.4	<0.2	<10	350	1.10	0.43	0.30	0.12	19.10	12.0	24
DD002279		0.32	0.001	0.35	1.56	9.3	<0.2	<10	340	1.14	0.44	0.35	0.20	17.20	12.7	26
DD002280		0.22	0.003	0.42	1.42	12.8	<0.2	<10	240	1.23	0.38	0.49	0.48	16.45	13.8	22
DD002281		0.48	0.002	0.21	0.89	14.2	<0.2	<10	270	0.75	0.31	0.30	0.18	17.15	10.6	14
DD002282		0.32	0.001	0.24	1.09	14.5	<0.2	<10	270	0.87	0.31	0.42	0.22	16.95	12.0	16
DD002283		0.18	0.001	0.09	0.86	16.0	<0.2	<10	610	0.79	0.30	1.18	0.16	20.6	12.1	15
DD002284		0.36	0.001	0.15	0.85	19.9	<0.2	<10	350	0.59	0.30	0.57	0.16	20.3	11.0	14
DD002285		0.26	0.001	0.16	0.80	11.2	<0.2	<10	640	0.57	0.24	0.66	0.16	14.65	9.1	12
DD002286		0.28	0.001	0.13	0.82	11.4	<0.2	<10	570	0.63	0.24	0.64	0.17	14.70	9.7	12
DD002287		0.34	0.001	0.17	1.28	10.6	<0.2	<10	340	0.86	0.31	0.55	0.17	15.50	13.0	21
DD002437		0.58	0.001	0.12	1.26	11.2	<0.2	<10	240	0.90	0.30	0.35	0.18	16.50	14.5	21
DD002438		0.40	0.001	0.17	1.33	10.7	<0.2	<10	240	1.00	0.34	0.40	0.16	16.25	13.3	23
DD002439		0.42	0.001	0.17	1.34	12.1	<0.2	<10	260	1.04	0.36	0.37	0.18	17.25	15.1	22
DD002440		0.36	0.001	0.14	1.32	10.4	<0.2	<10	250	0.92	0.31	0.48	0.16	17.60	11.8	21
DD002441		0.28	0.001	0.14	1.25	12.2	<0.2	<10	260	0.95	0.32	0.50	0.24	17.10	13.1	18
DD002442		0.36	0.002	0.17	1.41	12.0	<0.2	<10	340	1.18	0.37	0.47	0.14	18.20	14.6	22
DD002443		0.30	0.002	0.26	1.70	6.2	<0.2	<10	240	1.09	0.24	0.57	0.28	20.9	9.5	29
DD002444		0.18	0.004	0.28	1.38	6.2	<0.2	<10	250	0.93	0.24	1.34	0.40	23.1	8.4	22
DD002445		0.34	0.001	0.22	1.43	5.6	<0.2	<10	240	0.86	0.24	1.03	0.11	18.95	8.1	23
DD002446		0.44	0.002	0.40	2.07	7.5	<0.2	<10	410	1.16	0.32	0.36	0.11	18.15	9.5	28
DD002447		0.38	0.002	0.21	1.57	6.7	<0.2	<10	230	0.96	0.28	0.73	0.25	17.90	11.7	24
DD002448		0.30	0.002	0.20	1.45	6.6	<0.2	<10	240	1.02	0.27	1.01	0.26	21.4	9.0	22
DD002449		0.44	0.002	0.24	1.70	8.3	<0.2	<10	310	1.08	0.32	0.82	0.17	14.15	9.1	25
DD002450		0.28	0.001	0.24	1.63	8.2	<0.2	<10	300	1.03	0.29	0.62	0.19	12.75	10.9	23
DD002451		0.48	0.001	0.09	0.59	12.4	<0.2	<10	250	0.50	0.21	0.31	0.19	16.05	9.4	9
DD002452		0.30	0.001	0.09	0.59	11.3	<0.2	<10	260	0.55	0.19	0.62	0.23	13.70	8.3	8
DD002453		0.40	0.001	0.17	1.23	10.6	<0.2	<10	330	0.88	0.27	0.45	0.14	14.25	11.6	19
DD002454		0.30	0.001	0.13	1.29	10.6	<0.2	<10	310	0.90	0.28	0.58	0.12	15.05	11.2	19
CC142973		0.70	0.001	0.08	1.05	11.9	<0.2	<10	140	1.10	0.38	0.69	0.11	16.25	20.4	25
CC142974		0.80	0.001	0.09	1.05	12.1	<0.2	<10	150	1.15	0.38	0.69	0.12	16.65	20.7	26
CC142975		0.66	0.001	0.08	1.01	13.4	<0.2	<10	140	1.15	0.38	0.74	0.15	17.50	21.4	26
CC142976		0.58	0.001	0.09	1.01	13.9	<0.2	<10	140	1.16	0.37	0.69	0.17	18.45	22.2	25
CC142977		0.54	0.001	0.09	1.06	14.1	<0.2	<10	140	1.12	0.35	0.72	0.16	18.40	20.9	25
CC142978		0.62	0.001	0.05	1.17	9.0	<0.2	<10	140	0.91	0.34	2.10	0.10	13.90	21.1	24
CC142979		0.52	0.001	0.05	0.90	8.8	<0.2	<10	200	0.51	0.18	1.01	0.17	13.55	10.9	17
CC142980		0.62	0.001	0.06	0.97	9.9	<0.2	<10	230	0.54	0.19	1.12	0.21	13.65	11.2	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001241		1.22	36.6	3.21	3.77	0.05	0.08	0.08	0.031	0.12	11.0	23.4	0.51	621	0.87
DD001242		1.16	35.1	3.03	3.63	0.05	0.08	0.06	0.034	0.11	10.8	23.1	0.49	732	0.92
DD001243		1.12	36.7	2.93	3.70	<0.05	0.08	0.08	0.033	0.12	9.8	23.4	0.48	751	0.80
DD001244		1.22	33.4	2.85	3.43	0.05	0.07	0.06	0.031	0.11	9.4	22.2	0.46	742	0.82
DD002278		1.84	35.4	3.32	4.22	0.05	0.09	0.09	0.038	0.14	8.5	34.8	0.42	419	0.39
DD002279		3.25	42.0	3.60	4.73	0.05	0.09	0.11	0.041	0.17	7.9	36.1	0.44	284	0.61
DD002280		2.94	41.0	3.17	4.47	0.05	0.10	0.13	0.035	0.17	7.3	33.1	0.40	426	0.64
DD002281		1.57	30.8	2.73	2.58	<0.05	0.05	0.06	0.029	0.12	7.2	14.2	0.22	455	0.63
DD002282		2.22	35.0	2.87	3.05	0.05	0.07	0.09	0.032	0.15	7.3	17.9	0.28	515	0.65
DD002283		1.49	33.7	2.59	2.75	0.06	0.11	0.08	0.032	0.14	8.4	10.7	0.30	631	0.79
DD002284		4.17	31.8	2.69	2.49	0.05	0.09	0.09	0.029	0.13	7.5	10.6	0.17	590	0.74
DD002285		1.44	26.1	2.16	2.27	<0.05	0.09	0.08	0.021	0.13	5.9	11.0	0.24	464	0.55
DD002286		1.50	27.9	2.19	2.40	<0.05	0.08	0.08	0.026	0.13	6.3	12.0	0.23	399	0.53
DD002287		1.64	33.3	3.12	3.85	<0.05	0.10	0.08	0.031	0.12	6.9	28.3	0.41	505	0.53
DD002437		1.65	35.1	3.28	4.20	0.05	0.07	0.05	0.028	0.11	7.0	32.5	0.44	522	0.56
DD002438		2.02	39.4	3.30	4.55	<0.05	0.09	0.08	0.037	0.12	7.3	33.5	0.43	364	0.60
DD002439		1.92	38.5	3.46	4.25	<0.05	0.08	0.06	0.034	0.11	7.6	32.0	0.45	511	0.60
DD002440		1.54	38.0	3.16	4.31	0.05	0.08	0.07	0.030	0.11	7.6	33.0	0.44	338	0.58
DD002441		1.52	34.9	3.34	3.58	0.05	0.09	0.08	0.032	0.11	7.5	23.1	0.43	597	1.01
DD002442		1.94	38.4	3.43	4.90	<0.05	0.13	0.06	0.038	0.13	8.0	34.1	0.36	582	0.56
DD002443		1.95	20.9	2.68	5.00	0.08	0.12	0.06	0.029	0.12	11.7	45.0	0.47	358	0.49
DD002444		1.58	33.0	2.51	4.02	0.09	0.15	0.12	0.032	0.09	15.1	20.6	0.39	291	0.65
DD002445		0.90	21.0	2.47	4.43	0.08	0.14	0.07	0.029	0.10	11.1	22.5	0.38	231	0.60
DD002446		2.47	21.4	3.26	6.32	0.08	0.19	0.10	0.039	0.13	10.4	51.9	0.46	226	0.58
DD002447		1.27	24.5	3.02	4.79	0.08	0.13	0.08	0.030	0.10	9.7	34.8	0.45	387	0.51
DD002448		1.29	25.7	2.55	4.39	0.08	0.10	0.10	0.027	0.10	13.0	26.1	0.37	433	0.65
DD002449		1.86	26.2	3.19	4.94	0.08	0.14	0.07	0.034	0.11	8.0	35.4	0.49	255	0.62
DD002450		1.62	33.6	3.15	4.80	0.08	0.14	0.08	0.031	0.10	7.4	35.7	0.46	338	0.58
DD002451		0.75	22.3	2.18	1.74	0.06	0.06	0.05	0.022	0.07	6.7	7.2	0.14	491	0.78
DD002452		0.69	19.9	1.98	1.69	0.06	0.07	0.06	0.020	0.08	5.6	8.2	0.15	344	0.69
DD002453		1.68	29.3	2.93	3.93	0.07	0.09	0.07	0.027	0.11	6.2	25.8	0.36	320	0.52
DD002454		1.31	27.7	2.90	4.06	0.07	0.10	0.07	0.030	0.11	6.6	26.3	0.38	351	0.54
CC142973		3.47	61.8	4.23	3.83	0.09	0.06	0.04	0.031	0.08	7.1	20.8	0.60	1440	1.19
CC142974		3.70	71.3	4.44	3.85	0.10	0.08	0.04	0.034	0.08	7.2	21.0	0.61	1500	1.21
CC142975		3.73	76.6	4.27	3.72	0.10	0.06	0.04	0.031	0.08	7.5	21.9	0.60	1630	1.45
CC142976		3.73	82.2	4.23	3.77	0.09	0.06	0.05	0.030	0.08	8.0	21.2	0.58	1690	1.45
CC142977		3.87	86.4	4.20	3.74	0.09	0.06	0.06	0.030	0.08	8.0	21.6	0.59	1540	1.37
CC142978		1.70	42.1	3.89	4.33	0.08	0.09	0.04	0.030	0.07	5.6	20.1	0.90	1580	0.69
CC142979		0.59	18.8	2.59	3.08	0.06	0.05	0.11	0.024	0.05	6.4	16.1	0.36	1140	0.37
CC142980		0.59	19.7	2.81	3.34	0.06	0.05	0.10	0.027	0.05	6.4	16.3	0.38	1060	0.28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD001241		0.31	28.9	640	23.8	10.9	0.001	0.07	0.29	4.0	1.6	0.4	48.6	<0.01	0.04	3.2
DD001242		0.30	29.7	560	22.1	11.1	<0.001	0.07	0.30	3.9	1.1	0.4	47.0	<0.01	0.04	3.4
DD001243		0.31	28.3	580	20.9	11.3	<0.001	0.07	0.27	4.0	1.3	0.5	50.5	<0.01	0.04	2.9
DD001244		0.28	28.8	570	20.7	10.5	<0.001	0.07	0.30	3.7	1.2	0.4	44.4	<0.01	0.03	2.8
DD002278		0.31	38.7	690	27.3	13.0	<0.001	0.05	0.19	4.1	0.7	0.5	48.0	<0.01	0.02	3.2
DD002279		0.38	39.7	790	34.6	16.9	<0.001	0.05	0.21	4.3	0.9	0.6	45.4	<0.01	0.03	2.7
DD002280		0.39	48.9	750	32.5	18.6	<0.001	0.08	0.26	4.3	1.8	0.6	46.5	<0.01	0.05	2.1
DD002281		0.25	24.7	630	25.0	10.3	<0.001	0.06	0.26	2.8	0.6	0.4	33.5	<0.01	0.08	2.1
DD002282		0.28	27.8	760	25.2	13.8	<0.001	0.07	0.27	3.2	1.1	0.5	38.4	<0.01	0.06	1.9
DD002283		0.27	22.8	1160	22.7	17.5	0.001	0.16	0.55	2.7	3.4	0.4	69.0	<0.01	0.08	2.1
DD002284		0.35	22.6	1060	26.5	17.1	0.002	0.11	0.50	2.6	1.4	0.4	42.9	<0.01	0.05	1.5
DD002285		0.22	20.6	860	19.5	12.1	<0.001	0.11	0.31	2.2	1.6	0.3	42.8	<0.01	0.04	1.7
DD002286		0.24	22.5	910	19.7	13.3	<0.001	0.11	0.32	2.4	2.1	0.3	44.3	<0.01	0.05	1.6
DD002287		0.34	27.3	670	25.0	12.0	<0.001	0.06	0.27	3.2	1.1	0.5	37.6	<0.01	0.03	2.6
DD002437		0.34	29.6	480	24.6	10.0	<0.001	0.03	0.26	3.3	0.8	0.5	28.2	<0.01	0.02	2.9
DD002438		0.38	31.3	540	26.2	11.6	<0.001	0.04	0.27	3.9	0.9	0.5	32.4	<0.01	0.04	3.1
DD002439		0.34	31.0	530	27.9	11.0	<0.001	0.04	0.27	3.6	0.8	0.5	33.2	<0.01	0.05	3.3
DD002440		0.38	29.2	580	23.9	11.8	<0.001	0.04	0.27	3.3	0.9	0.5	36.1	<0.01	0.05	2.5
DD002441		0.29	28.1	700	25.1	11.1	0.001	0.06	0.30	3.3	1.6	0.4	34.4	<0.01	0.06	2.7
DD002442		0.44	31.6	620	28.4	13.8	<0.001	0.04	0.24	3.9	0.7	0.6	32.5	<0.01	0.06	2.8
DD002443		0.41	26.2	830	19.3	16.8	<0.001	0.07	0.27	3.4	1.4	0.5	41.9	<0.01	0.03	1.9
DD002444		0.43	20.8	1650	17.4	17.0	0.001	0.15	0.44	4.0	2.5	0.4	85.3	0.01	0.04	1.6
DD002445		0.41	19.9	1190	14.4	13.8	<0.001	0.13	0.27	3.1	1.5	0.4	77.4	0.01	0.03	1.6
DD002446		0.41	25.1	810	21.4	21.0	<0.001	0.05	0.20	5.5	1.0	0.7	47.1	0.01	0.03	3.2
DD002447		0.38	24.8	860	21.0	15.0	0.001	0.07	0.32	3.6	1.6	0.5	56.5	0.01	0.04	2.2
DD002448		0.45	21.6	1170	18.6	16.6	0.001	0.10	0.39	2.8	2.0	0.5	76.7	0.01	0.04	1.3
DD002449		0.41	23.1	1040	21.2	18.4	0.001	0.10	0.29	3.6	2.0	0.5	76.7	0.01	0.04	2.0
DD002450		0.34	25.5	810	18.9	15.7	<0.001	0.08	0.33	3.6	2.0	0.5	53.5	<0.01	0.05	2.1
DD002451		0.13	18.0	570	17.2	7.4	<0.001	0.04	0.32	2.5	0.7	0.3	22.4	<0.01	0.06	1.8
DD002452		0.12	15.4	800	15.1	7.7	0.001	0.08	0.28	2.3	1.5	0.3	34.0	<0.01	0.05	1.5
DD002453		0.19	23.3	630	20.4	11.9	0.001	0.07	0.26	3.3	1.3	0.5	31.8	<0.01	0.04	2.3
DD002454		0.24	22.3	710	20.5	12.1	0.001	0.07	0.23	3.2	1.1	0.4	39.4	<0.01	0.04	2.2
CC142973		0.28	27.9	470	23.9	7.0	<0.001	0.04	0.38	4.3	0.4	0.6	37.4	<0.01	0.03	5.5
CC142974		0.22	28.5	470	27.8	7.4	<0.001	0.05	0.42	4.3	0.4	0.7	35.6	<0.01	0.04	5.8
CC142975		0.27	29.8	490	26.6	7.0	0.001	0.04	0.46	4.1	0.4	0.7	39.8	<0.01	0.04	5.9
CC142976		0.43	30.1	490	25.7	7.4	0.001	0.04	0.45	4.2	0.5	0.7	39.2	<0.01	0.04	5.7
CC142977		0.33	29.3	510	25.2	7.5	0.001	0.04	0.45	4.1	0.4	0.7	39.1	<0.01	0.04	5.6
CC142978		0.54	27.7	410	28.2	6.2	<0.001	0.06	0.33	4.2	0.3	0.6	71.5	<0.01	0.02	4.6
CC142979		1.37	17.7	480	17.4	5.6	<0.001	0.08	0.29	3.2	0.6	0.4	37.1	<0.01	0.02	2.3
CC142980		1.47	17.5	530	18.9	6.2	0.001	0.10	0.30	3.5	0.7	0.5	47.8	<0.01	0.02	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001241		0.006	0.10	1.70	19	<0.05	10.60	86	2.6
DD001242		0.006	0.11	1.74	18	<0.05	9.67	80	2.4
DD001243		0.006	0.10	2.28	18	<0.05	9.27	81	2.5
DD001244		0.006	0.09	2.15	17	<0.05	9.07	78	2.4
DD002278		0.007	0.13	1.33	18	<0.05	10.95	110	2.7
DD002279		0.006	0.15	1.65	22	0.06	13.80	124	2.5
DD002280		0.005	0.14	1.86	19	0.05	15.95	116	2.8
DD002281		0.006	0.11	0.99	16	0.05	8.60	72	1.3
DD002282		0.006	0.11	0.73	16	<0.05	9.77	85	1.9
DD002283		0.005	0.11	1.20	12	<0.05	9.11	97	2.9
DD002284		0.007	0.12	0.78	15	0.06	10.20	155	2.4
DD002285		0.007	0.07	1.16	11	<0.05	7.42	74	2.4
DD002286		0.005	0.09	1.01	12	<0.05	8.83	76	2.2
DD002287		0.008	0.09	1.08	18	<0.05	9.36	89	2.7
DD002437		0.009	0.08	0.85	18	<0.05	7.96	90	2.1
DD002438		0.008	0.09	0.97	19	<0.05	11.05	97	2.8
DD002439		0.009	0.10	0.87	19	<0.05	10.00	99	2.5
DD002440		0.008	0.09	0.88	19	<0.05	9.30	91	2.4
DD002441		0.005	0.11	1.05	19	<0.05	9.41	97	2.3
DD002442		0.007	0.12	1.12	19	<0.05	9.77	87	3.9
DD002443		0.011	0.12	3.03	24	0.09	12.60	102	3.3
DD002444		0.012	0.10	7.46	23	0.10	19.00	134	4.4
DD002445		0.010	0.09	9.10	22	0.07	13.75	74	4.1
DD002446		0.005	0.15	6.24	27	0.08	16.60	103	4.9
DD002447		0.009	0.10	4.21	20	0.06	12.80	118	3.8
DD002448		0.012	0.11	7.53	23	0.09	18.60	110	2.5
DD002449		0.010	0.13	23.5	23	0.07	14.00	121	4.0
DD002450		0.007	0.10	7.34	20	0.05	12.25	116	4.1
DD002451		0.005	0.07	0.54	12	0.05	7.09	61	1.6
DD002452		<0.005	0.07	0.85	10	<0.05	6.70	62	2.0
DD002453		0.006	0.10	0.89	16	<0.05	9.49	80	2.6
DD002454		0.006	0.10	1.88	18	<0.05	9.52	71	2.8
CC142973		0.011	0.07	1.00	27	0.07	6.87	94	2.9
CC142974		0.012	0.07	1.00	28	0.08	6.77	97	3.6
CC142975		0.012	0.08	1.05	29	0.08	7.18	100	3.0
CC142976		0.012	0.08	1.04	28	0.08	7.46	100	2.7
CC142977		0.012	0.08	1.05	28	0.08	7.42	96	2.3
CC142978		0.017	0.06	0.80	25	0.09	5.79	84	3.7
CC142979		0.020	0.05	0.79	19	0.16	5.01	98	1.5
CC142980		0.018	0.05	1.04	21	0.09	5.48	108	1.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142981		0.64	0.001	0.05	0.98	17.8	<0.2	<10	230	0.55	0.22	1.36	0.20	14.80	14.0	18
CC147983		0.48	0.001	0.08	1.14	11.9	<0.2	<10	330	0.64	0.23	1.65	0.25	14.20	12.2	20
DD002236		0.50	0.002	0.36	1.99	17.3	<0.2	<10	530	1.50	0.38	0.64	1.08	27.6	78.7	26
DD002237		0.46	0.002	0.17	1.45	9.9	<0.2	<10	180	0.86	0.31	2.21	0.27	27.0	22.0	22
DD002238		0.72	0.002	0.20	1.45	11.7	<0.2	<10	180	0.95	0.30	1.56	0.37	30.4	29.2	22
DD002239		0.76	0.001	0.08	1.50	9.1	<0.2	<10	120	1.01	0.34	1.28	0.09	16.65	16.9	26
DD002240		0.38	0.001	0.11	1.64	7.6	<0.2	<10	200	1.10	0.30	1.30	0.15	12.60	13.1	28
DD002241		0.56	0.002	0.17	1.39	10.5	<0.2	<10	190	0.91	0.30	1.45	0.30	28.2	22.1	23
DD002242		0.66	0.002	0.18	1.45	10.8	<0.2	<10	190	0.99	0.34	1.22	0.30	29.5	24.3	23
DD002243		0.68	0.002	0.13	1.37	10.0	<0.2	<10	190	0.91	0.30	1.17	0.22	26.1	21.0	23
DD002244		0.62	0.002	0.18	1.37	11.2	<0.2	<10	180	0.99	0.32	1.23	0.31	31.0	26.2	23
DD002245		0.70	0.003	0.15	1.38	10.1	<0.2	<10	180	0.97	0.31	1.23	0.24	27.3	21.7	24
DD002246		0.56	0.002	0.14	1.37	10.0	<0.2	<10	190	0.92	0.32	1.08	0.24	26.7	22.4	24
DD002247		0.62	0.002	0.14	1.44	11.1	<0.2	<10	190	1.03	0.34	0.92	0.24	26.4	22.4	25
DD002248		0.48	0.002	0.16	1.39	10.5	<0.2	<10	170	0.93	0.31	0.99	0.27	29.1	22.3	23
DD002249		0.54	0.001	0.08	1.06	10.1	<0.2	<10	130	1.08	0.37	0.58	0.13	16.60	18.7	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2011
Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
CC142981		0.49	23.2	3.37	3.45	0.07	0.05	0.12	0.030	0.04	6.8	15.8	0.53	1680	0.38	0.02
CC147983		0.74	23.7	3.20	3.66	0.06	0.06	0.17	0.031	0.06	6.6	17.6	0.49	1820	0.36	0.03
DD002236		5.49	71.2	4.34	6.68	0.10	0.10	0.14	0.041	0.13	13.8	45.4	0.75	23300	2.65	0.03
DD002237		2.29	53.4	4.01	4.80	0.09	0.05	0.08	0.036	0.10	13.8	26.2	1.09	1320	2.81	0.02
DD002238		2.91	61.0	4.15	4.99	0.11	0.06	0.09	0.036	0.10	15.8	27.3	0.99	3560	3.44	0.02
DD002239		2.07	50.2	3.84	5.34	0.08	0.08	0.08	0.031	0.11	7.2	32.9	1.05	856	0.57	0.03
DD002240		1.63	30.9	3.45	5.24	0.08	0.10	0.08	0.029	0.13	5.9	30.9	0.57	777	0.73	0.03
DD002241		2.75	53.8	4.05	4.62	0.10	0.08	0.10	0.034	0.09	14.0	26.6	0.94	1960	2.72	0.02
DD002242		2.99	57.1	4.15	4.87	0.11	0.07	0.09	0.035	0.10	14.6	27.4	0.88	2480	2.87	0.02
DD002243		2.83	50.0	4.07	4.55	0.10	0.08	0.06	0.034	0.09	12.9	26.2	0.86	1960	2.28	0.02
DD002244		2.83	60.4	4.06	5.07	0.11	0.07	0.08	0.036	0.10	15.4	29.0	0.86	2300	3.05	0.02
DD002245		2.87	53.3	4.07	4.63	0.10	0.08	0.08	0.033	0.10	13.9	27.0	0.88	2090	2.50	0.02
DD002246		2.98	54.4	3.99	4.74	0.09	0.08	0.07	0.034	0.09	13.0	27.7	0.88	2400	2.26	0.02
DD002247		3.15	52.4	4.25	5.11	0.10	0.08	0.07	0.036	0.10	12.9	27.9	0.85	2150	2.24	0.02
DD002248		2.66	51.3	4.11	4.58	0.09	0.07	0.08	0.034	0.09	14.4	26.3	0.84	2230	2.70	0.02
DD002249		3.48	54.7	4.01	3.86	0.07	0.06	0.04	0.031	0.08	7.3	22.0	0.59	1210	1.10	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 8- OCT- 2011
 Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC142981		1.52	20.3	520	25.0	5.1	0.001	0.06	0.48	3.4	0.6	0.4	43.6	0.01	0.03	2.3
CC147983		1.23	20.2	680	23.1	8.2	0.001	0.14	0.37	3.8	0.9	0.5	61.3	0.01	0.03	1.8
DD002236		0.19	291	740	35.6	13.0	0.001	0.09	0.82	4.9	1.6	0.8	103.5	0.01	0.05	3.7
DD002237		0.34	40.2	690	24.6	7.4	0.001	0.09	0.93	4.4	0.8	0.5	76.2	<0.01	0.04	4.3
DD002238		0.27	69.2	740	23.2	8.0	0.001	0.08	1.05	4.5	0.9	0.5	74.8	<0.01	0.04	4.5
DD002239		0.41	30.1	470	26.6	8.9	<0.001	0.07	0.35	4.1	0.6	0.6	39.4	<0.01	0.03	4.6
DD002240		0.66	25.9	650	22.0	12.6	0.001	0.13	0.32	3.8	2.1	0.7	89.7	<0.01	0.03	2.9
DD002241		0.29	46.2	700	23.6	7.2	0.001	0.08	0.96	4.2	0.7	0.5	57.8	<0.01	0.04	4.7
DD002242		0.33	51.9	700	25.0	7.8	0.001	0.07	0.94	4.3	0.8	0.5	57.4	<0.01	0.04	4.9
DD002243		0.24	43.1	670	22.4	7.2	0.001	0.07	0.84	4.1	0.7	0.5	52.3	<0.01	0.04	4.8
DD002244		0.29	53.8	690	24.6	8.1	0.001	0.06	0.95	4.7	0.8	0.5	60.3	<0.01	0.04	5.0
DD002245		0.24	45.8	680	23.5	7.5	0.001	0.07	0.85	4.2	0.7	0.5	54.2	<0.01	0.04	5.0
DD002246		0.37	45.1	690	23.5	7.5	0.001	0.08	0.76	4.2	0.7	0.6	47.4	<0.01	0.04	5.0
DD002247		0.26	46.3	640	24.4	7.9	0.001	0.06	0.76	4.3	0.7	0.6	46.2	<0.01	0.04	5.3
DD002248		0.28	47.6	700	22.7	7.4	0.001	0.06	0.84	4.1	0.7	0.5	43.8	<0.01	0.04	4.9
DD002249		0.32	27.1	470	23.8	7.4	<0.001	0.04	0.39	4.1	0.4	0.7	32.8	<0.01	0.04	5.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 8- OCT- 2011
 Account: MTT

Project: Midas Touch Tasin - Crag East

CERTIFICATE OF ANALYSIS WH11170118

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
CC142981		0.023	0.05	0.76	22	0.08	5.67	111
CC147983		0.015	0.06	1.27	23	0.10	6.49	132
DD002236		0.005	0.20	3.52	28	0.06	20.7	383
DD002237		0.012	0.09	0.89	27	0.05	8.55	136
DD002238		0.010	0.10	1.09	29	0.05	11.60	178
DD002239		0.012	0.07	1.06	22	0.05	7.54	99
DD002240		0.009	0.07	2.47	21	0.07	7.39	104
DD002241		0.011	0.08	0.94	27	0.06	9.10	142
DD002242		0.011	0.09	1.07	28	0.06	9.86	146
DD002243		0.011	0.08	0.89	27	0.05	8.70	130
DD002244		0.011	0.10	1.05	29	0.06	10.40	149
DD002245		0.011	0.09	0.95	29	0.06	8.95	138
DD002246		0.011	0.08	1.20	27	0.06	9.38	134
DD002247		0.011	0.09	1.05	29	0.06	9.27	131
DD002248		0.010	0.08	1.03	28	0.05	9.49	138
DD002249		0.011	0.07	1.08	27	0.07	6.79	93



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch Tasin - Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11170118

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 23- OCT- 2011
Account: MTT

CERTIFICATE WH11175465

Project: Midas Touch - CRAG EAST

P.O. No.:

This report is for 26 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2- SEP- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- OCT- 2011
 Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11175465

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD026246		0.18	0.001	0.20	1.09	12.1	<0.2	<10	540	0.68	0.24	1.67	0.45	14.65	11.6	17
DD026247		0.48	0.002	0.33	1.05	8.5	<0.2	<10	240	0.87	0.27	0.92	0.46	18.10	12.2	20
DD026248		0.36	0.001	0.12	0.89	13.8	<0.2	<10	230	0.87	0.40	0.48	0.24	13.05	13.1	17
DD026249		0.50	0.001	0.13	0.88	10.6	<0.2	<10	240	0.96	0.35	1.22	0.26	9.45	8.8	16
DD026250		0.40	0.001	0.11	1.07	10.1	<0.2	<10	300	1.60	0.39	0.77	0.16	9.84	11.6	18
ZZ17525		0.32	0.001	0.11	1.01	23.0	<0.2	<10	220	1.24	0.39	0.33	0.12	12.05	12.0	20
ZZ17526		0.50	0.002	0.10	0.99	35.4	<0.2	<10	210	0.88	0.32	0.23	0.11	14.65	11.9	21
ZZ17527		0.42	0.002	0.20	1.16	56.9	<0.2	<10	300	0.95	0.31	0.56	0.17	14.70	10.1	23
ZZ17528		0.54	0.001	0.09	0.98	33.9	<0.2	<10	210	0.65	0.31	0.30	0.10	12.50	11.0	21
ZZ17529		0.38	0.002	0.11	1.20	22.2	<0.2	<10	330	0.81	0.25	1.61	0.26	17.05	10.8	20
ZZ17530		0.48	0.002	0.10	1.26	35.4	<0.2	<10	210	0.79	0.34	0.74	0.17	14.30	9.6	24
ZZ17531		0.42	0.002	0.13	1.13	23.4	<0.2	<10	240	0.69	0.22	0.69	0.38	18.95	13.7	21
ZZ17532		0.30	0.002	0.16	0.64	278	<0.2	10	180	0.90	0.18	1.35	0.60	6.88	24.0	11
ZZ17533		0.52	0.005	0.13	0.73	1240	<0.2	<10	210	0.94	0.24	1.02	0.38	10.90	27.3	12
ZZ17534		0.26	0.003	0.17	0.82	234	<0.2	<10	280	0.78	0.21	1.07	0.58	14.00	23.9	14
ZZ17535		0.52	0.002	0.17	1.19	28.1	<0.2	<10	410	1.11	0.28	1.56	0.53	17.00	12.2	20
ZZ17536		0.40	0.002	0.07	1.24	26.4	<0.2	<10	300	0.89	0.33	0.35	0.37	24.1	12.6	22
ZZ17537		0.34	0.001	0.03	0.40	52.9	<0.2	<10	50	0.23	0.36	0.02	0.05	8.54	6.3	6
ZZ17538		0.38	0.001	0.06	1.12	22.6	<0.2	<10	220	0.86	0.31	0.30	0.14	17.20	9.5	21
ZZ17539		0.36	0.002	0.16	1.26	23.9	<0.2	<10	270	0.83	0.25	0.80	0.37	21.0	11.4	23
ZZ17540		0.38	0.002	0.13	1.15	26.6	<0.2	<10	270	0.94	0.29	0.84	0.33	16.10	10.9	21
ZZ17541		0.30	0.002	0.16	1.18	20.8	<0.2	<10	420	1.00	0.19	1.58	0.86	18.95	10.0	21
ZZ17542		0.40	0.002	0.13	0.90	17.9	<0.2	<10	210	0.90	0.22	1.08	0.39	9.42	12.9	14
ZZ17543		0.50	0.002	0.21	1.33	30.6	<0.2	<10	190	1.14	0.44	0.67	0.35	21.0	12.9	23
ZZ17544		0.44	0.002	0.12	1.31	18.0	<0.2	<10	230	1.01	0.33	0.97	0.30	16.70	10.8	23
ZZ17545		0.40	0.002	0.14	1.31	27.5	<0.2	<10	320	1.11	0.28	1.05	0.50	21.0	12.8	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23- OCT- 2011
Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11175465

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD026246		0.87	21.8	3.65	3.45	0.10	0.05	0.16	0.026	0.07	6.8	16.5	0.32	2490	0.80
DD026247		5.23	30.2	3.29	3.48	0.09	0.05	0.11	0.037	0.10	7.6	22.5	0.38	529	0.39
DD026248		3.01	29.9	3.60	3.11	0.08	0.04	0.16	0.041	0.08	5.2	15.1	0.30	557	0.55
DD026249		4.67	31.0	2.85	2.84	0.08	0.04	0.16	0.036	0.10	3.9	11.2	0.35	527	0.51
DD026250		2.95	60.0	3.55	3.74	0.08	0.06	0.18	0.046	0.10	4.3	14.2	0.29	629	0.52
ZZ17525		4.63	49.6	3.58	3.63	0.08	0.05	0.60	0.041	0.08	5.2	15.1	0.31	615	0.70
ZZ17526		1.01	33.6	3.60	4.37	0.09	0.05	0.97	0.038	0.07	5.7	17.3	0.35	591	0.68
ZZ17527		0.94	46.0	3.47	4.60	0.09	0.05	2.03	0.040	0.09	6.6	16.6	0.36	396	1.18
ZZ17528		0.50	29.5	3.62	4.26	0.08	0.05	2.18	0.047	0.07	4.1	14.9	0.35	534	0.77
ZZ17529		0.58	31.6	3.35	4.11	0.08	0.05	0.32	0.040	0.06	7.9	16.2	0.37	688	0.56
ZZ17530		0.83	28.8	3.75	5.14	0.07	0.07	0.35	0.043	0.10	6.6	22.1	0.52	463	0.91
ZZ17531		0.72	20.6	3.29	4.02	0.09	0.05	0.87	0.039	0.07	8.3	20.6	0.41	406	1.44
ZZ17532		2.51	36.8	7.00	1.89	0.09	0.06	0.44	0.036	0.08	2.9	6.4	0.22	158	8.23
ZZ17533		3.56	35.8	9.93	2.74	0.10	0.04	0.48	0.038	0.10	4.0	10.7	0.42	364	2.60
ZZ17534		2.74	29.4	3.89	2.89	0.09	0.03	0.36	0.037	0.07	5.7	9.3	0.28	460	1.21
ZZ17535		0.92	34.1	3.18	3.82	0.10	0.06	0.71	0.035	0.09	7.6	14.4	0.53	637	0.96
ZZ17536		0.66	25.9	3.57	4.58	0.08	0.03	0.35	0.038	0.08	9.4	17.2	0.36	913	1.05
ZZ17537		1.18	9.8	1.70	2.56	0.07	<0.02	0.06	0.026	0.05	4.1	1.9	0.05	94	1.14
ZZ17538		0.65	27.0	3.35	3.94	0.09	0.04	0.25	0.038	0.07	7.4	15.4	0.34	264	0.96
ZZ17539		0.71	23.9	3.22	4.17	0.09	0.04	0.60	0.038	0.07	10.4	17.2	0.41	472	0.82
ZZ17540		0.72	27.8	3.57	3.83	0.09	0.05	0.32	0.039	0.08	7.2	17.1	0.38	406	1.11
ZZ17541		0.58	42.7	2.69	3.66	0.09	0.05	0.27	0.041	0.07	8.8	16.3	0.38	453	0.97
ZZ17542		2.36	30.9	4.34	2.60	0.08	0.05	0.16	0.043	0.11	3.5	10.0	0.27	488	2.44
ZZ17543		1.31	41.3	4.02	4.93	0.09	0.08	0.62	0.048	0.14	9.6	22.7	0.56	680	0.82
ZZ17544		0.97	32.7	3.68	4.59	0.09	0.08	0.29	0.038	0.14	7.7	21.6	0.58	652	0.65
ZZ17545		1.15	32.6	3.78	4.83	0.10	0.07	0.53	0.040	0.13	9.6	21.7	0.44	1800	1.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23- OCT- 2011
Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11175465

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD026246		0.61	16.5	630	14.6	9.5	<0.001	0.17	0.42	3.3	1.1	0.4	79.3	<0.01	0.03	1.8
DD026247		0.88	27.2	520	21.8	27.3	<0.001	0.11	0.26	4.9	0.5	0.5	60.7	<0.01	0.02	3.8
DD026248		0.51	22.0	290	24.9	13.5	<0.001	0.05	0.31	4.2	0.3	0.5	30.2	<0.01	0.02	3.0
DD026249		0.45	19.7	560	18.1	19.6	<0.001	0.06	0.31	3.7	0.4	0.5	101.5	<0.01	0.02	1.3
DD026250		0.46	25.4	450	22.0	12.4	<0.001	0.04	0.29	6.0	0.4	0.6	52.5	<0.01	0.03	2.6
ZZ17525		0.50	23.6	350	24.8	13.9	<0.001	0.02	0.43	4.9	0.6	0.5	21.0	<0.01	0.03	2.8
ZZ17526		0.50	26.4	200	26.7	9.6	<0.001	0.02	0.55	4.7	0.4	0.6	25.2	<0.01	0.04	3.4
ZZ17527		0.48	36.1	460	28.1	8.5	<0.001	0.03	0.77	5.4	1.0	0.7	36.2	<0.01	0.04	3.1
ZZ17528		0.48	21.1	230	30.1	6.4	<0.001	0.02	0.54	3.8	0.3	0.6	30.7	<0.01	0.04	3.3
ZZ17529		0.62	23.5	530	25.0	7.5	<0.001	0.07	0.48	4.0	1.3	0.5	53.0	<0.01	0.04	1.9
ZZ17530		0.61	24.5	550	24.1	11.3	<0.001	0.06	0.55	4.6	1.3	0.6	80.7	<0.01	0.03	3.5
ZZ17531		0.63	26.7	730	25.4	7.7	<0.001	0.05	0.50	4.7	3.2	0.5	39.3	<0.01	0.03	3.5
ZZ17532		0.27	80.1	600	15.2	22.0	0.014	1.19	0.66	4.4	3.7	0.3	66.8	<0.01	0.03	1.9
ZZ17533		0.31	78.7	500	21.9	18.3	0.001	0.20	0.52	5.4	0.7	0.5	62.9	<0.01	0.05	3.1
ZZ17534		0.41	50.3	590	19.2	12.2	0.001	0.18	0.49	4.5	0.8	0.5	46.2	<0.01	0.04	2.0
ZZ17535		0.45	32.3	590	25.5	7.1	0.001	0.04	0.54	4.7	1.4	0.6	45.4	<0.01	0.03	2.4
ZZ17536		0.63	28.6	510	26.7	7.7	<0.001	0.01	0.49	4.3	0.6	0.6	19.4	<0.01	0.03	4.1
ZZ17537		0.38	13.5	140	16.5	7.6	<0.001	0.01	0.34	1.9	<0.2	0.4	6.8	<0.01	0.05	1.2
ZZ17538		0.48	28.0	480	17.7	6.3	<0.001	0.01	0.39	4.8	0.6	0.6	17.4	<0.01	0.04	3.8
ZZ17539		0.74	27.7	500	24.1	7.4	<0.001	0.04	0.45	4.5	0.7	0.5	28.1	<0.01	0.04	2.7
ZZ17540		0.46	29.6	460	22.7	6.6	<0.001	0.03	0.53	4.7	0.6	0.6	29.8	<0.01	0.04	2.9
ZZ17541		0.64	35.6	740	18.6	7.0	0.002	0.11	0.67	4.5	1.7	0.5	52.3	<0.01	0.04	2.0
ZZ17542		0.23	41.5	640	15.8	20.1	<0.001	0.11	0.41	4.9	0.8	0.4	49.6	<0.01	0.05	2.3
ZZ17543		0.45	34.6	620	27.2	10.4	<0.001	0.03	0.58	6.7	0.9	0.7	31.4	<0.01	0.05	4.8
ZZ17544		0.49	29.3	590	20.8	9.9	<0.001	0.05	0.41	5.5	0.9	0.7	56.7	<0.01	0.04	3.6
ZZ17545		0.55	32.0	750	23.3	10.0	<0.001	0.07	0.48	5.7	0.9	0.7	39.3	<0.01	0.04	3.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- OCT- 2011
 Account: MTT

Project: Midas Touch - CRAG EAST

CERTIFICATE OF ANALYSIS WH11175465

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD026246		0.012	0.09	1.70	31	0.13	7.25	74	1.4
DD026247		0.016	0.09	1.37	26	0.16	8.52	97	1.7
DD026248		0.010	0.07	0.96	22	0.11	5.35	91	1.1
DD026249		0.007	0.07	1.00	20	0.11	5.38	109	1.1
DD026250		0.006	0.07	1.24	21	0.11	9.31	78	1.4
ZZ17525		0.011	0.09	1.35	24	0.10	6.30	79	1.2
ZZ17526		0.011	0.13	0.81	24	0.08	6.42	89	1.4
ZZ17527		0.009	0.26	1.28	29	0.08	11.35	96	1.5
ZZ17528		0.010	0.12	0.52	26	0.06	3.68	93	1.4
ZZ17529		0.008	0.07	1.67	26	0.12	10.75	70	1.4
ZZ17530		0.010	0.11	1.14	27	0.08	8.76	139	1.8
ZZ17531		0.012	0.17	1.71	29	0.12	8.56	145	1.5
ZZ17532		<0.005	0.61	3.19	18	0.08	6.99	177	1.7
ZZ17533		<0.005	0.69	1.08	19	0.05	8.78	210	1.8
ZZ17534		0.006	0.55	1.01	22	0.08	9.94	114	0.9
ZZ17535		0.006	0.11	1.44	27	0.10	10.95	110	1.5
ZZ17536		0.012	0.08	0.93	36	0.15	8.17	103	1.2
ZZ17537		0.008	0.06	0.25	22	0.08	1.28	43	<0.5
ZZ17538		0.010	0.07	1.04	28	0.09	8.09	95	1.0
ZZ17539		0.014	0.10	1.39	34	0.17	9.62	104	1.2
ZZ17540		0.007	0.10	0.96	30	0.10	9.26	118	1.7
ZZ17541		0.008	0.09	3.65	30	0.11	12.45	108	1.6
ZZ17542		<0.005	0.14	1.08	21	0.06	7.51	120	1.4
ZZ17543		0.007	0.17	0.87	30	0.08	12.85	187	2.7
ZZ17544		0.007	0.12	1.33	29	0.08	10.80	150	2.5
ZZ17545		0.007	0.12	1.40	31	0.08	13.60	125	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - CRAG EAST

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11175465

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 7- OCT- 2011
Account: MTT

CERTIFICATE WH11177063

Project: Midas Touch- Tasin Crag East

P.O. No.:

This report is for 227 Silt samples submitted to our lab in Whitehorse, YT, Canada on 28- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001511		0.40	0.002	0.13	1.24	7.5	<0.2	<10	120	1.25	0.46	0.37	0.04	13.10	14.1	28
DD001512		0.50	0.002	0.04	1.21	12.9	<0.2	<10	120	1.79	0.47	0.18	0.04	16.85	24.3	28
DD001513		0.30	0.004	0.16	2.29	8.2	<0.2	<10	110	1.60	0.44	0.70	0.18	21.2	29.7	47
DD001514		0.30	0.001	0.11	1.37	8.7	<0.2	<10	80	0.41	0.39	0.49	0.12	13.85	8.4	22
DD001515		0.38	0.002	0.06	1.28	11.7	<0.2	<10	110	1.64	0.49	0.19	0.04	16.50	23.3	29
DD001516		0.40	0.002	0.06	1.32	9.9	<0.2	<10	100	1.42	0.45	0.27	0.05	15.75	21.0	30
DD001517		0.44	0.002	0.06	1.21	9.5	<0.2	<10	90	1.29	0.42	0.20	0.05	14.00	21.7	27
DD001518		0.54	0.003	0.05	1.21	9.2	<0.2	<10	90	1.22	0.41	0.19	0.05	13.50	21.0	26
DD001519		0.34	0.001	0.05	1.27	9.9	<0.2	<10	90	1.21	0.44	0.21	0.05	15.05	21.5	27
DD001520		0.40	0.001	0.05	1.34	10.0	<0.2	<10	90	1.34	0.43	0.22	0.04	16.25	22.2	27
DD001521		0.60	0.001	0.05	1.30	9.6	<0.2	<10	80	1.24	0.41	0.19	0.05	15.00	22.3	27
DD001522		0.46	0.001	0.05	1.28	9.5	<0.2	<10	90	1.23	0.42	0.22	0.05	14.30	20.2	28
DD001523		0.42	0.002	0.06	1.30	8.7	<0.2	<10	90	1.23	0.38	0.29	0.06	14.05	17.9	27
DD001524		0.34	0.001	0.06	1.39	9.3	<0.2	<10	90	1.31	0.42	0.26	0.06	15.80	19.1	28
DD001525		0.42	0.001	0.05	1.32	9.6	<0.2	<10	80	1.35	0.43	0.22	0.06	14.70	20.2	27
DD001526		0.46	0.001	0.05	1.30	10.2	<0.2	<10	90	1.32	0.42	0.19	0.06	14.65	20.6	27
DD001527		0.46	0.001	0.03	1.29	8.9	<0.2	<10	90	1.25	0.49	0.21	0.08	13.75	18.7	28
DD001528		0.36	0.002	0.05	1.45	8.0	<0.2	<10	120	1.32	0.39	0.37	0.06	14.00	17.4	30
DD001529		0.36	0.002	0.04	1.31	8.8	<0.2	<10	90	1.32	0.39	0.23	0.05	14.25	19.1	27
DD001530		0.44	0.001	0.04	1.26	8.6	<0.2	<10	90	1.29	0.38	0.24	0.06	13.60	18.2	27
DD001531		0.56	0.001	0.05	1.32	8.8	<0.2	<10	90	1.39	0.40	0.26	0.05	14.95	18.3	28
DD001532		0.34	0.001	0.05	1.29	8.2	<0.2	<10	90	1.27	0.37	0.33	0.09	14.00	16.6	27
DD001533		0.24	0.001	0.06	1.30	7.4	<0.2	<10	100	1.25	0.36	0.43	0.09	14.30	16.2	27
DD001534		0.48	0.001	0.05	1.26	7.4	<0.2	<10	90	1.24	0.34	0.32	0.07	13.40	15.8	27
DD001535		0.50	0.001	0.04	1.23	7.1	<0.2	<10	80	1.10	0.31	0.30	0.07	12.80	15.4	25
DD001536		0.46	0.001	0.03	1.17	7.3	<0.2	<10	80	0.97	0.30	0.30	0.07	13.55	15.4	24
DD001537		0.32	0.001	0.06	1.18	7.9	<0.2	<10	90	1.05	0.33	0.32	0.09	13.20	16.6	25
DD001538		0.54	0.001	0.03	1.18	7.6	<0.2	<10	80	1.01	0.32	0.27	0.07	13.15	16.2	24
DD002071		0.24	0.002	0.09	1.71	9.7	<0.2	<10	120	1.49	0.45	0.44	0.14	17.70	27.0	27
DD002072		0.46	0.001	0.08	1.71	11.2	<0.2	<10	110	1.25	0.48	0.23	0.17	17.05	25.9	28
DD002073		0.46	0.003	0.15	1.61	11.5	<0.2	<10	110	1.16	0.41	0.21	0.48	20.7	26.5	26
DD002074		0.34	0.001	0.08	1.82	17.5	<0.2	<10	100	1.35	0.55	0.20	0.24	21.0	27.5	27
DD002075		0.24	0.002	0.15	1.61	13.3	<0.2	<10	110	1.28	0.47	0.27	0.42	23.3	25.1	26
DD002076		0.32	0.002	0.14	1.59	12.6	<0.2	<10	100	1.28	0.42	0.27	0.40	22.0	24.7	25
DD002077		0.20	0.002	0.17	1.49	12.9	<0.2	<10	100	1.14	0.43	0.35	0.46	23.1	24.4	24
DD002078		0.24	0.001	0.07	1.52	12.4	<0.2	<10	90	1.15	0.60	0.27	0.30	20.8	21.9	23
DD002079		0.28	0.003	0.89	0.84	13.3	<0.2	<10	140	0.73	0.24	0.67	0.87	42.9	11.0	13
DD002080		0.32	0.002	0.17	1.55	11.9	<0.2	<10	110	1.09	0.44	0.37	0.45	24.7	22.7	24
DD002081		0.28	0.002	0.14	1.46	13.6	<0.2	<10	110	1.15	0.43	0.26	0.37	23.9	22.6	24
DD002082		0.28	0.001	0.12	1.46	12.8	<0.2	<10	110	1.16	0.43	0.27	0.36	24.5	23.0	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD001511		4.43	54.1	4.21	4.43	<0.05	0.04	0.06	0.025	0.08	6.3	19.7	0.39	594	0.62	0.01
DD001512		3.14	80.5	5.58	4.75	<0.05	0.02	0.03	0.033	0.05	6.2	26.9	0.45	1290	0.87	0.01
DD001513		4.68	162.5	5.32	8.17	0.06	0.05	0.06	0.034	0.08	8.8	42.8	1.14	1430	0.80	0.02
DD001514		2.54	30.0	3.33	6.53	<0.05	<0.02	0.03	0.021	0.06	6.2	15.0	0.29	465	1.03	0.02
DD001515		2.81	77.7	5.47	4.67	0.05	0.02	0.04	0.033	0.05	6.3	26.7	0.48	1320	0.82	0.01
DD001516		3.19	69.6	4.99	4.65	0.05	0.03	0.05	0.028	0.06	6.3	25.8	0.51	1050	0.67	0.01
DD001517		2.36	57.6	5.13	4.10	<0.05	0.03	0.04	0.029	0.05	5.6	24.4	0.46	1150	0.67	0.01
DD001518		1.99	53.0	4.79	4.27	0.05	0.03	0.03	0.027	0.05	5.2	25.5	0.48	1080	0.66	0.01
DD001519		2.21	54.9	4.82	4.56	0.06	0.04	0.03	0.030	0.05	6.0	28.1	0.50	1120	0.65	0.01
DD001520		2.36	56.9	4.80	4.83	0.06	0.03	0.03	0.027	0.05	6.5	28.7	0.51	1160	0.70	0.01
DD001521		1.98	53.0	5.03	4.76	0.05	0.05	0.04	0.033	0.05	5.7	30.5	0.52	1060	0.64	0.01
DD001522		2.18	53.9	4.60	4.49	<0.05	0.04	0.03	0.026	0.05	5.9	28.8	0.51	1020	0.66	0.01
DD001523		2.43	47.0	4.31	4.49	<0.05	0.05	0.04	0.025	0.06	5.9	27.8	0.52	898	0.60	0.01
DD001524		2.20	49.8	4.68	4.91	<0.05	0.05	0.03	0.029	0.06	6.6	31.1	0.55	976	0.68	0.02
DD001525		2.20	50.3	4.70	4.75	0.05	0.06	0.06	0.030	0.06	6.1	30.2	0.56	968	0.67	0.01
DD001526		2.01	49.6	4.78	4.73	0.06	0.05	0.03	0.027	0.05	5.8	30.2	0.52	1010	0.69	0.01
DD001527		2.27	47.7	4.97	4.47	0.10	0.05	0.06	0.033	0.05	5.7	33.2	0.55	995	0.84	<0.01
DD001528		1.89	43.1	4.57	4.94	0.08	0.06	0.06	0.029	0.07	6.0	35.2	0.61	693	0.65	0.01
DD001529		2.30	46.8	4.81	4.59	0.10	0.05	0.05	0.031	0.06	5.9	33.7	0.55	1040	0.68	<0.01
DD001530		2.17	45.9	4.73	4.53	0.10	0.06	0.04	0.031	0.05	5.6	34.1	0.55	1000	0.67	<0.01
DD001531		2.47	49.2	4.76	4.60	0.10	0.05	0.05	0.032	0.06	6.3	34.1	0.55	1030	0.73	<0.01
DD001532		2.45	42.1	4.55	4.50	0.09	0.06	0.05	0.030	0.06	5.9	33.0	0.54	886	0.63	0.01
DD001533		2.49	39.4	4.21	4.66	0.08	0.06	0.07	0.029	0.07	6.3	33.8	0.55	858	0.59	<0.01
DD001534		2.22	38.4	4.33	4.32	0.08	0.07	0.06	0.028	0.05	5.8	33.5	0.52	568	0.52	<0.01
DD001535		2.07	29.5	4.37	4.28	0.09	0.06	0.04	0.028	0.05	5.4	32.8	0.52	736	0.54	<0.01
DD001536		1.98	32.2	3.76	4.41	0.11	0.06	0.04	0.030	0.05	5.2	29.4	0.49	652	0.45	0.02
DD001537		1.94	38.6	3.93	4.35	0.11	0.06	0.04	0.028	0.05	5.2	30.7	0.48	871	0.56	0.02
DD001538		1.91	31.6	3.96	4.30	0.11	0.06	0.08	0.026	0.05	5.1	31.3	0.49	845	0.47	0.02
DD002071		2.70	54.2	4.37	6.38	0.10	0.06	0.03	0.028	0.07	6.6	43.5	0.58	1160	1.03	0.02
DD002072		2.54	58.0	4.56	6.11	0.12	0.06	0.02	0.032	0.06	6.5	49.0	0.68	905	1.17	0.02
DD002073		2.60	66.8	4.59	5.69	0.11	0.04	0.04	0.029	0.07	8.7	47.3	0.72	995	1.82	0.02
DD002074		2.62	67.7	5.01	6.17	0.14	0.11	0.02	0.036	0.06	8.5	55.4	0.65	1220	1.51	0.02
DD002075		2.68	68.2	4.50	5.98	0.11	0.07	0.06	0.032	0.07	9.9	45.1	0.69	951	1.75	0.02
DD002076		2.59	61.0	4.48	5.89	0.12	0.06	0.05	0.029	0.07	9.3	45.1	0.68	939	1.55	0.02
DD002077		2.67	60.8	4.27	5.32	0.11	0.08	0.08	0.033	0.08	10.3	40.2	0.62	893	1.89	0.02
DD002078		2.33	58.3	4.55	5.32	0.12	0.12	0.04	0.030	0.06	8.1	48.1	0.58	986	1.58	0.02
DD002079		2.24	61.5	2.52	2.67	0.12	0.06	0.22	0.031	0.10	23.5	17.0	0.20	314	7.78	0.02
DD002080		2.65	58.4	4.44	5.14	0.12	0.06	0.07	0.030	0.08	11.5	41.1	0.63	918	1.90	0.02
DD002081		2.72	62.4	4.49	5.16	0.12	0.05	0.06	0.033	0.08	11.0	40.7	0.59	980	1.94	0.02
DD002082		2.57	59.8	4.38	5.18	0.13	0.07	0.06	0.029	0.07	10.5	41.3	0.57	964	1.90	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD001511		0.21	24.8	670	22.1	12.6	<0.001	0.01	0.19	3.3	0.3	0.5	18.7	<0.01	0.03
DD001512		0.22	36.2	390	33.1	5.6	<0.001	<0.01	0.30	5.0	0.3	0.6	15.0	<0.01	0.04
DD001513		0.66	45.4	580	34.4	10.7	<0.001	0.02	0.34	8.3	0.7	0.7	20.5	<0.01	0.04
DD001514		0.35	14.3	740	24.0	12.8	<0.001	0.01	0.35	0.9	<0.2	0.6	17.3	<0.01	0.03
DD001515		0.21	35.3	390	35.1	5.2	<0.001	<0.01	0.27	4.6	0.2	0.6	14.5	<0.01	0.03
DD001516		0.30	32.8	410	29.8	6.4	<0.001	<0.01	0.25	4.6	0.2	0.5	15.3	<0.01	0.02
DD001517		0.20	33.8	340	28.3	4.8	<0.001	<0.01	0.26	4.2	<0.2	0.6	13.7	<0.01	0.04
DD001518		0.18	33.1	310	27.4	4.1	<0.001	<0.01	0.25	4.1	<0.2	0.5	13.3	<0.01	0.03
DD001519		0.22	34.1	330	29.5	4.8	<0.001	<0.01	0.26	4.3	<0.2	0.5	14.7	<0.01	0.03
DD001520		0.25	34.6	360	29.7	5.2	0.001	<0.01	0.26	4.4	0.3	0.6	15.2	<0.01	0.02
DD001521		0.17	36.8	320	26.8	4.4	<0.001	<0.01	0.26	4.4	<0.2	0.5	14.4	<0.01	0.03
DD001522		0.25	32.2	350	28.6	4.9	<0.001	<0.01	0.24	4.1	<0.2	0.5	15.5	<0.01	0.02
DD001523		0.40	31.5	360	24.5	6.1	<0.001	<0.01	0.24	4.3	<0.2	0.5	18.0	<0.01	0.02
DD001524		0.31	33.1	380	28.0	5.6	<0.001	<0.01	0.24	4.3	0.2	0.5	18.0	<0.01	0.03
DD001525		0.28	33.6	340	27.4	5.5	<0.001	<0.01	0.26	4.4	<0.2	0.6	18.3	<0.01	0.02
DD001526		0.20	35.0	310	26.4	4.7	<0.001	<0.01	0.26	4.2	<0.2	0.5	15.3	<0.01	0.02
DD001527		0.28	31.7	350	25.8	4.8	<0.001	<0.01	0.29	4.4	0.2	0.5	15.0	<0.01	0.03
DD001528		0.49	30.5	310	22.9	6.6	<0.001	0.01	0.24	4.7	0.6	0.5	21.2	<0.01	0.03
DD001529		0.35	31.9	360	25.2	5.2	<0.001	<0.01	0.26	4.5	0.3	0.5	16.3	<0.01	0.03
DD001530		0.36	31.7	320	24.5	5.0	<0.001	<0.01	0.27	4.4	0.3	0.5	16.5	<0.01	0.03
DD001531		0.37	31.8	360	25.4	5.6	<0.001	<0.01	0.28	4.6	0.4	0.5	16.7	<0.01	0.03
DD001532		0.50	30.2	380	22.3	6.2	<0.001	0.01	0.25	4.4	0.5	0.5	18.7	<0.01	0.03
DD001533		0.54	29.4	340	21.3	7.9	<0.001	0.02	0.25	4.5	0.6	0.5	24.1	<0.01	0.03
DD001534		0.51	29.0	360	21.4	5.7	<0.001	0.02	0.22	4.2	0.4	0.5	18.4	<0.01	0.02
DD001535		0.50	28.0	330	18.9	5.9	<0.001	<0.01	0.21	3.9	0.3	0.5	18.0	<0.01	0.03
DD001536		0.51	27.9	340	18.3	5.7	<0.001	0.03	0.19	4.0	0.5	0.5	26.9	<0.01	0.03
DD001537		0.48	28.9	350	22.5	5.7	0.001	0.03	0.19	4.2	0.7	0.5	24.9	<0.01	0.02
DD001538		0.44	28.1	320	19.2	5.6	<0.001	0.02	0.19	3.9	0.4	0.5	20.3	<0.01	0.02
DD002071		0.23	36.0	730	34.9	8.3	<0.001	0.05	0.41	3.4	0.7	0.6	28.9	<0.01	0.03
DD002072		0.11	41.5	390	29.2	5.7	<0.001	0.03	0.44	4.6	0.8	0.6	22.7	<0.01	0.02
DD002073		0.11	43.8	510	29.4	6.1	0.001	0.05	0.74	4.8	0.8	0.6	26.7	<0.01	0.05
DD002074		<0.05	46.8	400	35.6	5.4	<0.001	0.03	0.57	5.3	0.6	0.6	27.7	<0.01	0.04
DD002075		0.18	42.9	520	30.9	7.0	0.001	0.05	0.60	5.1	1.1	0.5	31.8	<0.01	0.04
DD002076		0.15	41.2	510	27.5	6.5	0.001	0.04	0.63	4.8	1.0	0.5	29.0	<0.01	0.04
DD002077		0.18	40.3	600	28.3	6.5	0.001	0.06	0.67	4.7	0.9	0.5	34.4	<0.01	0.03
DD002078		<0.05	41.1	510	29.2	5.4	0.001	0.04	0.58	4.7	0.7	0.5	26.7	<0.01	0.03
DD002079		0.16	31.6	900	15.3	10.8	0.002	0.05	2.53	3.8	2.8	0.4	45.5	<0.01	0.06
DD002080		0.14	39.2	590	27.4	6.7	0.001	0.05	0.68	4.6	1.0	0.5	30.4	<0.01	0.04
DD002081		0.17	40.0	590	29.1	6.5	0.001	0.05	0.70	4.8	0.8	0.5	28.2	<0.01	0.04
DD002082		0.11	40.8	550	29.0	6.3	0.001	0.05	0.72	4.6	0.9	0.5	28.4	<0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- OCT- 2011
 Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001511		0.016	0.07	1.62	37	0.05	7.77	70	0.8
DD001512		0.019	0.05	1.26	37	<0.05	7.99	106	0.7
DD001513		0.066	0.07	1.12	75	0.07	14.65	97	1.2
DD001514		0.020	0.10	0.59	40	0.08	2.96	61	<0.5
DD001515		0.018	0.05	1.33	37	<0.05	7.84	106	0.9
DD001516		0.023	0.06	1.16	39	0.05	7.97	95	0.9
DD001517		0.020	0.04	1.09	34	<0.05	6.54	108	1.0
DD001518		0.021	0.04	0.96	32	<0.05	6.49	93	1.3
DD001519		0.024	0.04	1.07	33	<0.05	6.78	93	1.4
DD001520		0.021	0.05	1.13	33	<0.05	7.35	94	1.4
DD001521		0.023	0.04	1.00	33	<0.05	6.56	97	2.1
DD001522		0.023	0.04	1.03	33	<0.05	6.74	93	1.3
DD001523		0.023	0.04	1.09	32	0.08	7.23	83	1.6
DD001524		0.026	0.05	1.03	34	0.05	7.34	92	1.7
DD001525		0.024	0.04	1.00	32	<0.05	6.75	93	2.1
DD001526		0.023	0.04	0.95	32	0.05	6.67	93	2.2
DD001527		0.029	0.04	0.96	34	0.13	7.29	101	2.1
DD001528		0.030	0.04	1.02	34	0.08	8.37	84	2.2
DD001529		0.029	0.04	1.01	32	0.06	7.55	95	2.1
DD001530		0.028	0.04	1.01	31	0.06	7.49	93	2.8
DD001531		0.027	0.04	1.09	33	0.07	8.16	96	2.0
DD001532		0.030	0.04	1.04	31	0.08	7.69	117	2.3
DD001533		0.029	0.04	1.18	30	0.07	8.02	127	2.0
DD001534		0.028	0.04	1.05	30	0.08	7.54	121	2.5
DD001535		0.029	0.03	0.92	29	0.07	6.71	117	2.4
DD001536		0.017	0.03	0.78	27	0.05	6.43	112	2.4
DD001537		0.017	0.03	0.96	28	0.06	6.96	118	2.2
DD001538		0.018	0.03	0.79	28	0.05	6.06	115	2.2
DD002071		0.008	0.07	1.09	25	<0.05	6.95	105	1.7
DD002072		0.007	0.06	0.98	24	<0.05	7.85	118	2.6
DD002073		0.007	0.09	1.32	26	<0.05	8.48	135	2.2
DD002074		<0.005	0.06	0.97	25	<0.05	8.19	130	5.2
DD002075		0.006	0.08	1.44	25	<0.05	9.48	125	3.1
DD002076		0.007	0.07	1.44	26	<0.05	8.46	128	2.9
DD002077		0.006	0.08	1.44	25	<0.05	8.98	128	3.1
DD002078		0.005	0.07	1.02	22	<0.05	8.36	119	6.5
DD002079		<0.005	0.25	0.95	29	0.06	13.05	171	1.9
DD002080		0.006	0.08	1.06	26	<0.05	8.60	133	2.7
DD002081		0.007	0.08	1.19	26	<0.05	8.84	126	2.7
DD002082		0.006	0.08	1.05	24	<0.05	8.88	121	3.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD002083		0.26	0.002	0.16	1.31	11.2	<0.2	<10	100	1.14	0.39	0.32	0.32	24.2	19.0	24
DD002084		0.22	0.002	0.14	1.35	11.0	<0.2	<10	110	1.13	0.40	0.33	0.40	25.2	18.1	26
DD002085		0.16	0.001	0.09	1.52	12.5	<0.2	<10	90	1.06	0.45	0.26	0.28	20.0	22.4	23
DD002086		0.20	0.002	0.12	1.46	10.9	<0.2	<10	100	1.09	0.42	0.32	0.31	20.8	21.2	23
DD002087		0.30	0.002	0.14	1.37	13.2	<0.2	<10	100	1.28	0.46	0.32	0.41	27.1	23.3	23
DD002088		0.36	0.001	0.08	1.61	13.1	<0.2	<10	90	1.10	0.47	0.23	0.24	21.6	22.7	25
DD002089		0.44	0.001	0.07	1.58	13.9	<0.2	<10	100	1.18	0.48	0.27	0.26	21.1	23.7	24
DD002090		0.18	0.002	0.13	1.29	22.5	<0.2	<10	140	1.70	0.34	0.63	0.14	15.75	12.4	23
DD002091		0.36	0.001	0.08	1.59	12.7	<0.2	<10	100	1.17	0.44	0.24	0.24	20.7	21.0	23
DD002092		0.22	0.002	0.13	1.32	10.3	<0.2	<10	120	1.08	0.35	0.38	0.32	24.6	16.8	24
DD002093		0.22	0.001	0.10	1.69	11.1	<0.2	<10	100	1.16	0.43	0.26	0.23	21.6	22.3	27
DD002094		0.28	0.001	0.10	1.42	11.9	<0.2	<10	110	1.19	0.41	0.32	0.31	23.6	21.8	23
DD002095		0.18	0.003	0.15	1.38	11.4	<0.2	<10	110	1.07	0.36	0.41	0.31	23.9	16.8	26
DD002096		0.26	0.002	0.15	1.30	10.2	<0.2	<10	130	0.94	0.37	0.43	0.34	25.6	16.5	24
DD002097		0.20	0.001	0.16	1.37	11.2	<0.2	<10	110	1.05	0.35	0.38	0.32	24.5	17.6	25
DD001601		0.44	0.001	0.07	1.29	9.6	<0.2	<10	140	0.84	0.29	0.73	0.12	20.0	18.7	29
DD001602		0.32	0.001	0.41	1.26	8.3	<0.2	<10	130	0.83	0.31	0.76	0.21	19.80	17.2	30
ZZ1 7734		0.14	0.002	0.35	1.60	12.0	<0.2	<10	280	1.02	0.34	0.48	0.25	38.7	19.6	27
ZZ1 7735		0.08	0.002	0.33	1.29	8.4	<0.2	<10	280	0.71	0.27	1.25	0.50	22.2	14.8	23
ZZ1 7736		0.24	0.001	0.25	1.48	10.0	<0.2	<10	270	0.91	0.32	0.68	0.24	30.9	16.3	25
ZZ1 7737		0.34	0.001	0.13	1.48	6.3	<0.2	<10	220	0.96	0.28	0.47	0.16	51.6	13.0	24
ZZ1 7738		0.10	0.001	0.23	1.27	5.7	<0.2	<10	320	0.73	0.18	1.42	0.21	23.4	8.4	21
ZZ1 7739		0.14	0.001	0.33	1.52	9.5	<0.2	<10	340	0.83	0.25	1.30	0.25	23.9	12.7	29
ZZ1 7740		0.18	0.002	0.31	1.76	10.7	<0.2	<10	330	0.85	0.29	0.89	0.19	33.6	19.7	32
ZZ1 7741		0.14	0.001	0.27	1.69	9.5	<0.2	<10	410	0.80	0.28	1.05	0.18	27.1	14.3	33
ZZ1 7742		0.24	0.001	0.11	1.27	9.2	<0.2	<10	260	0.94	0.29	0.45	0.18	35.0	19.5	27
ZZ1 7743		0.22	0.003	0.08	1.16	9.2	<0.2	<10	260	0.81	0.30	0.35	0.10	34.2	19.0	22
ZZ1 7744		0.28	0.001	0.12	1.42	10.2	<0.2	<10	220	0.74	0.25	0.50	0.16	35.4	20.8	31
ZZ1 7745		0.16	0.005	0.34	2.26	10.5	<0.2	<10	80	1.06	0.34	1.28	0.13	30.1	21.4	43
ZZ1 7746		0.32	0.002	0.13	1.56	9.6	<0.2	<10	140	1.21	0.37	0.47	0.10	23.9	23.5	33
ZZ1 7747		0.40	0.001	0.04	1.06	5.8	<0.2	<10	90	0.53	0.18	0.30	0.07	22.4	14.0	25
ZZ1 7748		0.30	0.002	0.07	0.93	6.9	<0.2	<10	80	1.07	0.42	0.56	0.06	18.30	28.5	33
ZZ1 7749		0.18	0.001	0.07	1.15	6.7	<0.2	<10	110	0.68	0.24	0.41	0.09	23.6	15.9	27
ZZ1 7750		0.36	0.001	0.09	1.22	6.4	<0.2	<10	90	0.90	0.27	0.40	0.05	21.0	14.6	31
DD002098		0.14	0.003	0.36	1.43	15.1	<0.2	20	90	0.84	0.27	0.99	0.58	28.9	22.2	33
DD002099		0.12	0.003	0.23	0.92	65.7	<0.2	10	90	0.70	0.23	1.69	0.77	19.70	13.4	20
DD002100		0.08	0.002	0.20	0.96	44.8	<0.2	10	120	0.70	0.23	1.38	0.72	20.1	18.0	20
DD001651		0.14	0.002	0.09	1.17	25.9	<0.2	<10	140	0.75	0.32	0.65	0.45	29.7	21.1	26
DD001652		0.20	0.003	0.30	1.19	22.5	<0.2	<10	150	0.90	0.32	0.84	0.51	29.3	22.1	26
DD001653		0.12	0.002	0.16	1.37	9.3	<0.2	<10	130	1.25	0.39	0.88	0.20	23.4	17.2	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD002083		2.67	54.3	4.00	4.74	0.13	0.07	0.06	0.029	0.08	10.9	34.7	0.56	513	1.78
DD002084		2.52	55.7	4.08	4.75	0.12	0.06	0.06	0.031	0.09	10.7	31.0	0.56	476	1.89
DD002085		2.18	54.2	4.42	5.10	0.13	0.11	0.05	0.030	0.07	8.5	44.8	0.59	1000	1.52
DD002086		2.43	52.3	4.07	4.95	0.11	0.08	0.07	0.027	0.08	9.1	41.1	0.56	940	1.65
DD002087		2.73	59.7	4.22	5.54	0.13	0.09	0.07	0.031	0.07	11.4	45.1	0.57	908	2.01
DD002088		2.34	56.7	4.53	5.42	0.13	0.12	0.03	0.028	0.07	8.7	50.0	0.61	1040	1.50
DD002089		2.20	58.9	4.76	5.36	0.11	0.12	0.03	0.031	0.06	8.7	47.5	0.60	1060	1.61
DD002090		2.54	57.4	3.70	4.37	0.08	0.06	0.07	0.032	0.07	8.2	27.4	0.42	693	1.55
DD002091		2.42	54.7	5.05	4.89	0.11	0.12	0.04	0.035	0.07	9.5	47.4	0.63	1040	1.73
DD002092		2.75	51.4	3.99	4.63	0.11	0.06	0.07	0.028	0.09	12.0	31.8	0.56	563	1.72
DD002093		2.39	51.5	4.37	5.80	0.12	0.07	0.04	0.032	0.08	9.0	52.7	0.63	989	1.30
DD002094		2.44	56.7	4.30	5.12	0.12	0.08	0.05	0.029	0.07	10.9	43.1	0.59	899	1.75
DD002095		2.44	49.1	4.18	4.34	0.09	0.07	0.06	0.031	0.09	10.3	29.6	0.62	779	1.56
DD002096		2.42	49.1	4.13	4.33	0.10	0.08	0.08	0.033	0.09	11.4	28.2	0.60	544	1.73
DD002097		2.19	52.9	4.18	4.61	0.11	0.08	0.08	0.029	0.09	11.1	31.7	0.61	648	1.81
DD001601		1.68	45.6	3.99	4.43	0.09	0.08	0.03	0.029	0.07	8.6	27.6	0.73	1020	0.98
DD001602		1.73	40.1	3.87	4.14	0.11	0.06	0.06	0.028	0.08	8.6	26.0	0.76	847	1.31
ZZ1 7734		2.07	51.7	3.83	4.83	0.12	0.11	0.13	0.039	0.18	17.6	23.0	0.55	904	0.84
ZZ1 7735		2.01	50.8	2.98	3.50	0.10	0.08	0.22	0.028	0.16	10.3	15.5	0.47	870	0.67
ZZ1 7736		2.00	56.2	3.23	4.64	0.11	0.13	0.12	0.047	0.16	14.2	20.0	0.54	382	0.61
ZZ1 7737		1.38	37.2	3.18	5.45	0.12	0.08	0.04	0.030	0.12	25.2	23.1	0.47	220	0.69
ZZ1 7738		1.16	35.6	2.14	4.12	0.09	0.08	0.08	0.022	0.10	11.1	16.7	0.35	329	0.75
ZZ1 7739		2.44	49.9	2.81	4.52	0.11	0.11	0.15	0.030	0.19	11.4	19.3	0.48	384	0.66
ZZ1 7740		1.93	62.4	3.37	5.45	0.10	0.08	0.13	0.042	0.15	15.7	25.5	0.68	427	0.62
ZZ1 7741		1.72	57.9	3.28	5.01	0.10	0.09	0.10	0.031	0.15	13.1	20.5	0.65	366	0.73
ZZ1 7742		1.16	55.1	3.58	4.21	0.10	0.08	0.06	0.032	0.13	16.1	18.0	0.55	535	1.21
ZZ1 7743		0.96	51.4	3.65	3.91	0.11	0.09	0.04	0.027	0.12	15.6	16.0	0.52	489	0.71
ZZ1 7744		1.40	70.3	3.95	4.99	0.11	0.07	0.05	0.031	0.11	15.5	20.0	0.74	667	0.86
ZZ1 7745		4.68	195.0	4.20	8.08	0.12	0.07	0.08	0.038	0.07	21.3	27.4	0.78	878	0.97
ZZ1 7746		4.49	95.6	4.44	5.59	0.11	0.08	0.05	0.035	0.08	10.5	27.0	0.73	899	0.74
ZZ1 7747		1.15	32.5	2.73	3.52	0.09	0.05	0.01	0.018	0.06	9.4	19.3	0.52	612	0.41
ZZ1 7748		2.73	99.9	5.50	3.79	0.08	0.08	0.04	0.030	0.06	8.2	13.0	0.53	958	0.75
ZZ1 7749		1.68	43.8	3.04	3.97	0.09	0.06	0.02	0.023	0.07	9.9	20.7	0.55	733	0.51
ZZ1 7750		2.84	48.2	3.32	4.32	0.11	0.06	0.05	0.025	0.07	9.1	25.5	0.57	406	0.57
DD002098		7.05	153.0	4.25	4.99	0.13	0.09	0.17	0.034	0.10	15.6	22.1	0.97	806	2.53
DD002099		6.58	87.7	3.15	3.08	0.08	0.08	0.72	0.029	0.10	11.0	14.4	0.67	532	1.66
DD002100		3.29	83.0	3.21	3.20	0.08	0.09	0.37	0.029	0.09	10.5	15.1	0.66	868	2.29
DD001651		1.83	73.2	4.33	4.02	0.09	0.07	0.16	0.034	0.10	14.3	19.1	0.58	895	2.77
DD001652		2.54	83.4	4.37	4.09	0.10	0.08	0.19	0.032	0.08	14.2	19.4	0.57	934	2.83
DD001653		4.64	54.8	3.68	4.87	0.09	0.08	0.11	0.033	0.08	10.4	29.4	0.55	980	0.86



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD002083		0.28	33.9	580	23.7	7.4	0.001	0.05	0.65	4.7	1.2	0.5	30.7	<0.01	0.04	5.2
DD002084		0.38	34.5	600	23.4	8.1	0.001	0.06	0.68	4.7	1.2	0.6	31.2	<0.01	0.03	4.9
DD002085		0.12	39.2	490	27.0	5.3	0.001	0.04	0.59	4.3	0.7	0.5	24.9	<0.01	0.03	4.8
DD002086		0.20	37.2	530	27.7	6.4	0.001	0.06	0.64	4.3	0.9	0.5	29.2	<0.01	0.05	4.9
DD002087		0.18	43.1	570	28.9	6.7	0.001	0.05	0.75	5.1	1.1	0.6	31.6	<0.01	0.05	5.8
DD002088		0.05	40.6	480	29.7	5.6	0.001	0.03	0.55	4.4	0.5	0.5	24.4	<0.01	0.04	5.2
DD002089		0.05	41.3	540	30.6	5.0	0.001	0.04	0.53	4.7	0.7	0.5	27.5	<0.01	0.05	5.2
DD002090		0.79	22.9	570	22.6	9.3	<0.001	0.02	0.34	4.6	0.8	0.5	55.2	<0.01	0.04	3.5
DD002091		0.10	38.9	490	28.1	5.3	0.001	0.01	0.69	4.3	0.5	0.5	23.6	<0.01	0.04	5.6
DD002092		0.33	31.7	600	21.3	7.9	<0.001	0.05	0.65	4.4	1.3	0.5	32.4	<0.01	0.03	4.9
DD002093		0.16	39.8	480	27.7	6.6	<0.001	0.03	0.47	4.6	0.8	0.6	28.0	<0.01	0.03	5.2
DD002094		0.18	39.2	570	26.5	6.6	<0.001	0.05	0.66	4.7	1.1	0.5	30.8	<0.01	0.04	5.2
DD002095		0.31	31.8	620	23.6	7.1	0.001	0.07	0.57	3.9	1.1	0.5	29.7	<0.01	0.03	4.7
DD002096		0.34	31.4	680	22.3	7.5	0.001	0.07	0.66	3.9	0.6	0.5	32.7	<0.01	0.07	4.8
DD002097		0.31	33.8	640	23.9	6.9	0.001	0.07	0.66	4.1	0.8	0.5	31.6	<0.01	0.06	4.9
DD001601		0.35	34.1	450	31.2	5.6	0.002	0.08	0.37	4.1	0.5	0.4	27.1	<0.01	0.05	4.5
DD001602		0.61	33.2	510	24.6	6.6	0.001	0.09	0.47	4.0	1.0	0.4	23.5	<0.01	0.02	4.5
ZZ1 7734		0.30	35.7	660	30.0	16.6	0.001	0.09	0.44	5.9	1.7	0.6	35.1	<0.01	0.06	3.4
ZZ1 7735		0.29	26.8	1150	25.1	14.6	0.001	0.24	0.39	4.1	5.7	0.5	72.8	<0.01	0.03	1.5
ZZ1 7736		0.29	30.9	770	26.1	17.6	0.001	0.13	0.37	6.3	2.0	0.6	44.0	<0.01	0.02	2.7
ZZ1 7737		0.48	25.8	570	21.6	15.2	0.001	0.08	0.35	4.2	1.1	0.6	31.1	<0.01	0.07	3.2
ZZ1 7738		0.41	16.9	1000	16.0	12.5	0.001	0.32	0.33	3.1	2.1	0.5	84.4	<0.01	<0.01	1.2
ZZ1 7739		0.29	25.1	950	20.9	18.9	<0.001	0.23	0.43	4.9	2.7	0.5	76.4	<0.01	0.04	1.8
ZZ1 7740		0.31	30.7	710	24.2	16.7	0.001	0.14	0.38	6.0	2.2	0.6	56.9	<0.01	0.02	2.4
ZZ1 7741		0.27	28.2	880	21.7	16.6	0.001	0.15	0.37	5.4	1.8	0.5	60.8	<0.01	0.03	1.8
ZZ1 7742		0.19	35.5	520	22.3	10.1	0.001	0.09	0.31	5.2	0.6	0.5	31.7	<0.01	0.02	3.9
ZZ1 7743		0.18	31.0	440	22.5	8.3	0.001	0.08	0.32	4.5	0.5	0.4	24.2	<0.01	0.03	4.5
ZZ1 7744		0.41	36.5	540	19.9	9.5	0.001	0.07	0.36	6.7	1.1	0.5	29.1	<0.01	0.06	3.3
ZZ1 7745		0.69	34.2	980	22.0	14.2	<0.001	0.08	0.33	8.3	1.6	0.6	30.0	<0.01	0.02	1.5
ZZ1 7746		0.51	37.4	460	25.9	7.4	<0.001	0.05	0.25	7.0	0.9	0.5	30.3	<0.01	0.03	4.0
ZZ1 7747		0.34	24.7	290	14.4	4.7	<0.001	0.03	0.21	3.4	<0.2	0.3	14.0	<0.01	0.03	3.0
ZZ1 7748		0.33	41.8	370	19.8	5.9	<0.001	0.04	0.16	7.4	0.6	0.5	27.1	<0.01	0.03	4.7
ZZ1 7749		0.45	27.6	380	17.6	5.7	<0.001	0.04	0.25	4.0	0.5	0.3	20.0	<0.01	0.03	3.4
ZZ1 7750		0.49	29.6	390	16.7	6.7	0.001	0.05	0.22	4.6	0.9	0.4	25.8	<0.01	0.02	3.5
DD002098		0.61	45.5	1010	17.6	12.1	0.002	0.15	1.01	7.8	1.3	0.4	66.6	<0.01	0.06	2.6
DD002099		0.35	33.2	1020	18.4	9.7	0.002	0.24	0.93	4.5	1.4	0.4	93.9	<0.01	0.04	2.1
DD002100		0.37	36.8	990	18.2	9.8	0.002	0.14	0.99	4.1	1.1	0.3	85.2	<0.01	0.03	2.0
DD001651		0.45	37.5	690	21.5	9.2	0.001	0.07	1.05	4.7	0.3	0.4	31.5	<0.01	0.05	3.5
DD001652		0.45	38.1	770	22.5	7.8	0.001	0.06	1.01	5.2	1.3	0.4	37.5	<0.01	0.02	3.4
DD001653		0.47	32.2	560	26.5	10.0	0.001	0.10	0.33	4.7	0.8	0.5	44.8	<0.01	0.04	4.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD002083		0.008	0.07	1.20	27	0.05	8.36	116	2.6
DD002084		0.009	0.07	1.09	29	0.06	8.76	113	2.6
DD002085		0.005	0.07	1.01	23	<0.05	7.79	115	4.4
DD002086		0.006	0.08	1.32	22	<0.05	8.18	111	3.6
DD002087		0.007	0.08	1.13	25	<0.05	9.48	117	4.5
DD002088		0.005	0.06	0.93	24	<0.05	7.97	118	6.1
DD002089		0.005	0.07	1.02	25	<0.05	8.25	123	5.6
DD002090		0.022	0.05	2.72	27	0.10	10.50	84	1.6
DD002091		0.016	0.07	1.04	24	<0.05	8.42	119	6.7
DD002092		0.009	0.06	1.25	28	<0.05	8.39	115	2.5
DD002093		0.007	0.06	0.91	24	<0.05	8.87	114	3.5
DD002094		0.007	0.07	1.10	24	<0.05	8.65	115	4.0
DD002095		0.009	0.07	1.34	28	0.07	8.33	116	3.0
DD002096		0.009	0.07	1.27	29	0.05	8.48	111	3.0
DD002097		0.008	0.08	1.56	28	0.05	8.52	115	3.1
DD001601		0.024	0.05	0.69	32	0.05	6.95	85	3.3
DD001602		0.023	0.05	0.76	32	0.11	7.08	97	2.4
ZZ1 7734		0.008	0.16	0.99	26	<0.05	12.25	112	2.4
ZZ1 7735		0.007	0.15	1.30	21	0.05	13.35	105	2.1
ZZ1 7736		0.007	0.16	0.80	30	<0.05	13.40	94	3.2
ZZ1 7737		0.015	0.13	1.63	29	0.07	10.55	73	2.1
ZZ1 7738		0.008	0.12	3.47	22	<0.05	10.85	40	2.4
ZZ1 7739		0.006	0.14	2.87	29	0.05	12.55	80	3.1
ZZ1 7740		0.006	0.12	2.00	38	0.05	14.05	87	2.4
ZZ1 7741		0.006	0.14	1.46	40	0.05	13.15	81	2.2
ZZ1 7742		0.010	0.09	0.83	28	<0.05	11.20	85	3.0
ZZ1 7743		0.012	0.09	0.75	28	<0.05	8.85	76	3.8
ZZ1 7744		0.049	0.10	0.82	50	0.05	12.10	82	2.3
ZZ1 7745		0.036	0.13	0.91	72	0.12	29.1	69	1.6
ZZ1 7746		0.044	0.05	1.18	50	0.07	12.35	89	2.5
ZZ1 7747		0.031	0.04	0.44	31	<0.05	5.72	51	2.3
ZZ1 7748		0.029	0.04	1.13	59	0.05	11.35	109	3.0
ZZ1 7749		0.027	0.05	0.75	33	0.13	7.71	58	2.1
ZZ1 7750		0.024	0.03	1.89	33	<0.05	8.40	66	2.3
DD002098		0.061	0.09	2.25	53	0.06	16.30	115	2.8
DD002099		0.018	0.20	1.53	27	0.08	12.40	152	2.4
DD002100		0.023	0.16	4.34	33	0.06	10.45	121	3.3
DD001651		0.031	0.11	1.34	45	0.06	9.76	115	2.4
DD001652		0.028	0.11	1.45	44	0.05	11.55	127	2.6
DD001653		0.010	0.07	1.72	24	0.05	11.55	100	2.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001654		0.16	0.002	0.14	1.41	10.6	<0.2	<10	140	1.12	0.40	0.69	0.19	22.4	16.7	25
DD001655		0.20	0.002	0.15	1.30	11.1	<0.2	<10	130	1.02	0.33	0.76	0.25	22.2	15.9	25
DD001656		0.20	0.002	0.18	1.21	13.7	<0.2	<10	120	1.05	0.34	0.94	0.29	23.3	18.2	24
DD001657		0.36	0.002	0.15	1.25	13.2	<0.2	<10	150	1.07	0.34	0.97	0.20	21.9	18.0	25
DD001658		0.26	0.001	0.16	1.28	8.7	<0.2	<10	130	1.01	0.32	1.05	0.24	21.0	16.6	25
DD001659		0.24	0.003	0.13	1.23	11.0	<0.2	<10	130	1.04	0.32	0.92	0.16	19.60	14.7	24
DD001660		0.12	0.019	0.14	1.27	10.3	<0.2	<10	140	1.05	0.30	1.07	0.21	19.50	14.4	25
DD001566		0.44	0.002	0.20	1.28	23.7	<0.2	<10	150	0.86	0.36	0.85	0.64	42.1	27.2	25
DD001567		0.60	0.002	0.28	1.41	22.6	<0.2	<10	180	0.97	0.41	0.75	0.79	46.5	29.4	28
DD001568		0.40	0.002	0.20	1.17	21.6	<0.2	<10	150	0.91	0.34	0.53	0.68	35.4	23.9	24
DD001569		0.38	0.002	0.16	1.15	19.9	<0.2	<10	160	0.77	0.34	0.56	0.71	38.5	22.5	23
DD001570		0.38	0.002	0.21	1.08	20.8	<0.2	<10	180	0.86	0.35	0.51	0.89	37.8	22.7	21
DD001571		0.46	0.002	0.16	1.13	17.7	<0.2	<10	170	0.87	0.33	0.42	0.57	35.5	20.4	23
DD001572		0.48	0.002	0.17	1.09	18.2	<0.2	<10	140	0.98	0.31	0.44	0.58	34.2	20.7	23
DD001573		0.30	<0.001	0.19	1.11	20.2	<0.2	<10	150	0.99	0.36	0.45	0.69	36.4	22.8	23
DD001574		0.66	<0.001	0.13	1.07	14.8	<0.2	<10	130	0.82	0.31	0.58	0.46	28.7	17.9	22
DD001575		0.40	<0.001	0.14	1.04	15.2	<0.2	<10	150	0.87	0.36	0.66	0.53	27.3	19.5	22
DD001576		0.36	<0.001	0.20	1.09	17.5	<0.2	<10	160	0.89	0.36	0.63	0.68	30.7	21.7	22
DD001577		0.44	<0.001	0.14	1.08	16.2	<0.2	<10	150	0.85	0.34	0.50	0.51	31.8	19.5	22
DD001578		0.48	<0.001	0.26	1.18	19.5	<0.2	<10	170	0.96	0.38	0.66	0.70	37.3	22.9	24
DD001579		0.46	<0.001	0.15	1.18	11.3	<0.2	<10	130	0.98	0.34	0.61	0.33	25.0	15.5	24
DD001580		0.60	<0.001	0.32	0.79	62.5	<0.2	<10	380	0.75	0.30	0.58	0.74	29.0	18.0	19
DD001581		0.48	<0.001	0.26	0.93	43.4	<0.2	<10	350	0.76	0.31	1.14	0.83	27.8	18.3	19
DD001582		0.56	<0.001	0.25	0.85	51.1	<0.2	<10	260	0.87	0.30	0.60	0.76	29.4	20.1	20
DD001828		0.44	<0.001	0.36	0.84	51.9	<0.2	<10	160	0.66	0.32	0.58	0.71	26.2	18.2	21
DD001829		0.46	<0.001	0.31	0.72	46.3	<0.2	<10	120	0.72	0.34	0.45	0.38	25.1	16.2	19
DD001830		0.38	<0.001	0.29	0.90	37.5	<0.2	<10	130	0.90	0.33	0.61	0.59	25.4	18.0	21
DD001831		0.62	<0.001	0.73	0.70	153.0	<0.2	<10	440	0.93	0.34	0.90	2.04	35.8	32.5	17
DD001832		0.58	<0.001	0.70	0.59	163.5	<0.2	<10	390	0.66	0.31	0.93	2.21	35.4	31.2	15
DD001833		0.44	<0.001	0.67	0.56	165.5	<0.2	<10	340	0.54	0.26	0.88	1.99	32.7	29.3	14
DD001834		0.58	<0.001	0.25	0.78	59.2	<0.2	<10	280	0.89	0.36	0.58	0.75	24.6	20.3	20
DD001835		0.52	<0.001	0.28	0.82	65.3	<0.2	<10	290	0.88	0.35	0.60	0.85	26.7	22.0	21
DD001836		0.44	<0.001	0.39	0.69	84.3	<0.2	<10	310	0.81	0.28	0.70	1.06	28.8	22.1	18
DD001837		0.56	<0.001	0.27	0.74	64.0	<0.2	<10	270	0.80	0.30	0.60	0.77	26.4	20.4	19
DD001838		0.48	<0.001	0.44	0.68	93.3	<0.2	<10	330	0.85	0.33	0.59	1.17	31.8	23.7	19
DD001839		0.48	<0.001	0.38	0.76	71.1	<0.2	<10	310	0.83	0.32	0.59	0.95	28.2	21.8	20
DD001840		0.58	<0.001	0.27	0.69	67.6	<0.2	<10	290	0.73	0.28	0.59	0.83	26.2	19.8	18
DD001841		0.62	<0.001	0.33	0.75	71.7	<0.2	<10	340	0.74	0.32	0.56	0.87	27.8	20.5	19
DD001842		0.56	<0.001	0.15	1.59	12.6	<0.2	<10	170	1.65	0.46	0.53	0.17	20.9	16.5	27
DD001843		0.54	<0.001	0.16	1.39	15.2	<0.2	<10	190	1.56	0.38	0.69	0.23	20.8	14.7	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001654		3.33	51.9	3.86	4.90	0.08	0.07	0.11	0.036	0.07	9.9	29.2	0.52	838	0.98
DD001655		2.47	48.2	3.72	4.52	0.10	0.07	0.11	0.035	0.08	10.0	26.5	0.56	562	1.05
DD001656		3.09	58.0	3.73	4.30	0.09	0.09	0.16	0.034	0.08	11.2	23.2	0.56	731	1.41
DD001657		2.46	50.6	3.89	4.47	0.09	0.07	0.10	0.038	0.07	9.8	25.1	0.60	1010	1.14
DD001658		2.70	48.6	3.49	4.54	0.10	0.08	0.13	0.036	0.09	9.7	26.2	0.58	675	0.89
DD001659		2.16	46.6	3.57	4.24	0.08	0.07	0.10	0.028	0.08	8.8	23.1	0.50	734	1.03
DD001660		2.33	46.4	3.57	4.26	0.10	0.06	0.12	0.031	0.09	8.8	23.6	0.54	728	1.05
DD001566		2.74	86.2	4.77	4.26	0.13	0.20	0.09	0.036	0.11	20.0	19.2	0.81	875	2.47
DD001567		3.33	104.5	4.93	4.50	0.14	0.11	0.09	0.035	0.15	23.0	20.7	0.86	1000	2.78
DD001568		2.88	84.5	4.50	4.21	0.11	0.10	0.11	0.034	0.10	18.3	20.8	0.75	770	2.63
DD001569		2.71	82.8	4.45	3.87	0.11	0.12	0.09	0.034	0.11	18.2	19.6	0.73	770	2.74
DD001570		2.90	88.6	4.39	3.79	0.11	0.12	0.09	0.027	0.12	17.8	19.2	0.70	786	3.27
DD001571		2.85	74.2	4.41	3.89	0.12	0.11	0.10	0.030	0.11	17.6	19.6	0.71	686	2.41
DD001572		2.89	75.4	4.27	3.80	0.11	0.09	0.07	0.031	0.10	16.7	19.4	0.69	720	2.42
DD001573		3.01	82.7	4.37	4.11	0.15	0.09	0.11	0.032	0.11	19.1	20.5	0.69	754	2.75
DD001574		2.32	62.9	4.12	3.49	0.12	0.07	0.08	0.024	0.09	13.2	18.4	0.67	789	1.95
DD001575		2.63	65.1	4.21	3.51	0.11	0.07	0.08	0.033	0.09	12.8	18.8	0.67	823	2.03
DD001576		2.76	77.1	4.19	3.79	0.11	0.08	0.11	0.027	0.10	15.0	19.5	0.67	833	2.44
DD001577		2.38	67.1	4.25	3.64	0.10	0.09	0.08	0.023	0.09	14.8	18.9	0.68	785	2.14
DD001578		2.90	93.1	4.38	3.98	0.12	0.08	0.11	0.031	0.11	18.0	20.1	0.71	849	2.69
DD001579		2.46	54.3	3.73	3.85	0.08	0.06	0.11	0.027	0.10	11.5	21.1	0.60	522	1.20
DD001580		3.64	84.9	3.88	2.96	0.10	0.09	0.41	0.035	0.10	14.9	15.9	0.47	551	4.38
DD001581		2.80	72.9	3.91	3.07	0.10	0.02	0.25	0.026	0.11	13.1	18.0	0.53	937	3.60
DD001582		3.61	83.4	4.07	3.18	0.11	0.08	0.29	0.035	0.10	14.3	17.2	0.54	840	4.30
DD001828		5.55	107.0	4.03	3.13	0.09	0.03	0.47	0.033	0.10	13.0	12.0	0.40	540	4.01
DD001829		4.46	72.3	3.71	2.71	0.11	0.05	0.38	0.024	0.08	11.9	13.2	0.32	300	3.14
DD001830		6.16	77.9	4.01	3.25	0.10	0.05	0.32	0.033	0.08	11.9	18.5	0.41	540	3.36
DD001831		7.49	155.5	5.33	2.78	0.12	0.07	0.86	0.050	0.14	19.2	13.6	0.52	1140	10.35
DD001832		6.42	153.0	5.17	2.47	0.13	0.10	0.89	0.046	0.14	19.1	10.1	0.49	1000	10.65
DD001833		5.72	146.0	4.88	2.31	0.11	0.16	0.81	0.038	0.14	16.9	9.1	0.48	923	9.83
DD001834		4.16	84.8	4.29	2.80	0.11	0.05	0.33	0.031	0.09	11.4	17.3	0.48	922	4.58
DD001835		4.26	93.6	4.38	3.00	0.11	0.06	0.40	0.027	0.10	12.4	18.4	0.50	959	5.02
DD001836		4.90	104.5	4.18	2.61	0.12	0.07	0.43	0.035	0.11	14.3	15.0	0.49	880	6.22
DD001837		3.98	84.1	4.11	2.71	0.10	0.09	0.40	0.028	0.09	12.5	16.7	0.48	866	4.84
DD001838		5.32	110.0	4.22	2.83	0.11	0.06	0.52	0.039	0.11	15.8	15.2	0.43	801	6.80
DD001839		4.71	96.3	4.32	2.90	0.12	0.04	0.47	0.036	0.10	13.4	16.9	0.47	915	5.36
DD001840		3.86	85.6	3.99	2.65	0.13	0.09	0.40	0.027	0.09	12.8	15.2	0.46	806	5.08
DD001841		4.31	91.9	4.11	2.93	0.12	0.04	0.43	0.029	0.10	14.2	16.2	0.44	730	5.53
DD001842		3.42	49.2	4.01	5.40	0.10	0.08	0.10	0.031	0.08	9.0	36.3	0.59	797	1.12
DD001843		3.23	51.5	3.77	4.42	0.10	0.07	0.13	0.026	0.08	9.0	29.0	0.53	989	1.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD001654		0.42	31.0	560	29.2	9.9	0.001	0.09	0.38	4.4	1.0	0.5	38.8	<0.01	0.03
DD001655		0.68	31.2	520	23.2	10.9	0.001	0.09	0.42	4.8	0.2	0.5	38.7	<0.01	0.01
DD001656		0.63	31.6	600	24.1	9.2	0.001	0.09	0.56	4.9	1.1	0.4	46.8	<0.01	0.03
DD001657		0.76	31.2	520	26.5	8.7	0.003	0.08	0.48	4.8	0.9	0.5	46.1	<0.01	0.03
DD001658		0.75	31.1	580	22.0	11.2	0.002	0.11	0.38	4.7	1.7	0.5	50.7	<0.01	0.03
DD001659		0.69	27.7	600	22.6	9.0	0.004	0.10	0.44	4.4	1.5	0.5	42.7	<0.01	0.04
DD001660		0.67	28.6	590	21.1	9.9	0.001	0.11	0.45	4.5	1.3	0.5	48.9	<0.01	0.02
DD001566		0.06	47.5	730	20.4	6.9	0.004	0.12	0.99	5.4	0.6	0.4	35.9	<0.01	0.04
DD001567		0.09	55.6	780	37.0	9.4	0.003	0.11	1.12	6.1	1.4	0.4	35.2	<0.01	0.04
DD001568		0.12	46.4	760	19.6	7.4	0.004	0.10	1.02	5.4	1.2	0.4	36.4	<0.01	0.03
DD001569		0.08	44.7	800	18.9	7.2	0.003	0.09	1.09	5.1	1.9	0.3	35.3	<0.01	0.05
DD001570		0.09	46.4	840	20.0	7.8	0.003	0.09	1.27	5.0	1.6	0.3	38.8	<0.01	0.07
DD001571		0.11	40.9	840	18.9	7.6	0.003	0.07	0.92	4.9	0.8	0.4	33.9	<0.01	0.01
DD001572		0.13	41.4	770	18.2	7.4	0.002	0.07	0.97	4.9	1.2	0.4	34.1	<0.01	0.04
DD001573		0.15	45.4	770	20.1	8.0	0.003	0.07	1.09	5.4	1.5	0.4	36.8	<0.01	0.03
DD001574		0.22	35.8	720	20.0	6.5	0.003	0.06	0.74	4.5	0.8	0.4	34.4	<0.01	0.03
DD001575		0.26	36.9	690	22.6	6.8	0.001	0.07	0.85	4.5	1.1	0.4	35.6	<0.01	0.02
DD001576		0.31	41.2	720	23.3	7.5	0.002	0.08	0.98	4.9	1.0	0.4	38.1	<0.01	0.03
DD001577		0.17	39.0	730	19.9	6.6	0.003	0.07	0.88	4.6	1.1	0.3	31.7	<0.01	0.04
DD001578		0.24	49.1	770	29.5	7.9	0.003	0.09	1.05	5.3	1.5	0.4	39.1	<0.01	0.03
DD001579		0.59	30.1	630	23.1	8.9	0.001	0.08	0.51	4.6	1.0	0.4	36.2	<0.01	0.01
DD001580		0.30	38.0	1040	20.9	7.6	0.005	0.10	1.33	4.9	2.1	0.4	53.7	<0.01	0.04
DD001581		0.32	37.7	1040	20.2	8.0	0.003	0.11	1.11	4.4	1.6	0.4	74.5	<0.01	0.03
DD001582		0.25	41.0	910	21.1	7.3	0.004	0.13	1.37	4.9	1.5	0.4	48.2	<0.01	0.04
DD001828		0.22	38.8	910	20.3	10.1	0.003	0.08	1.18	5.5	1.4	0.3	39.5	<0.01	0.02
DD001829		0.18	32.1	730	20.5	8.6	0.003	0.06	0.93	4.6	1.2	0.3	34.7	<0.01	0.03
DD001830		0.25	36.8	800	21.6	9.1	0.003	0.08	0.94	5.0	1.4	0.4	41.5	<0.01	0.03
DD001831		0.13	69.2	1370	29.9	9.6	0.007	0.34	2.93	6.7	3.8	0.4	82.3	<0.01	0.13
DD001832		0.08	68.6	1520	25.3	9.4	0.007	0.43	2.97	6.5	3.5	0.4	87.5	<0.01	0.13
DD001833		0.07	65.1	1530	22.5	8.6	0.008	0.50	2.79	6.0	3.7	0.4	83.4	<0.01	0.11
DD001834		0.17	41.7	950	24.3	6.4	0.005	0.23	1.28	4.7	1.2	0.4	45.7	<0.01	0.02
DD001835		0.19	44.3	1000	24.3	7.0	0.006	0.22	1.19	5.1	2.2	0.4	50.7	<0.01	0.06
DD001836		0.16	46.8	1160	21.3	7.6	0.005	0.24	1.83	5.3	2.2	0.4	60.2	<0.01	0.06
DD001837		0.16	42.0	1010	21.0	6.4	0.005	0.19	1.37	4.9	1.7	0.4	49.7	<0.01	0.06
DD001838		0.21	49.3	1100	23.6	8.1	0.006	0.17	2.03	5.6	2.5	0.4	60.5	<0.01	0.06
DD001839		0.27	44.9	970	22.8	7.1	0.003	0.17	1.55	5.2	2.0	0.4	51.4	<0.01	0.07
DD001840		0.14	41.2	1050	19.4	6.4	0.005	0.19	1.47	4.8	2.2	0.4	53.3	<0.01	0.08
DD001841		0.23	44.5	1030	21.1	7.5	0.003	0.16	1.56	5.2	1.9	0.4	54.8	<0.01	0.04
DD001842		0.38	34.9	480	26.3	8.6	0.001	0.07	0.29	5.0	0.8	0.5	47.5	<0.01	0.01
DD001843		0.41	31.8	540	25.1	9.1	<0.001	0.07	0.34	4.8	1.5	0.5	55.8	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001654		0.009	0.08	1.58	27	0.06	10.40	98	2.4
DD001655		0.017	0.07	1.36	30	0.07	9.30	95	2.5
DD001656		0.019	0.08	2.11	31	0.07	10.95	100	2.8
DD001657		0.016	0.08	1.59	30	0.08	9.91	100	2.6
DD001658		0.014	0.06	1.36	26	0.07	10.05	101	2.7
DD001659		0.014	0.06	3.21	28	0.06	9.34	93	2.2
DD001660		0.014	0.07	1.69	27	0.06	9.25	102	2.4
DD001566		0.011	0.11	1.26	44	<0.05	11.20	129	8.9
DD001567		0.014	0.16	1.43	51	<0.05	12.65	147	6.1
DD001568		0.011	0.13	1.60	44	<0.05	11.45	131	5.3
DD001569		0.010	0.12	1.57	43	<0.05	11.05	136	6.5
DD001570		0.008	0.15	1.77	43	<0.05	11.55	155	7.1
DD001571		0.011	0.12	1.65	44	<0.05	10.45	132	5.9
DD001572		0.011	0.10	1.63	43	<0.05	10.35	130	4.9
DD001573		0.010	0.12	1.85	42	<0.05	11.50	134	5.3
DD001574		0.012	0.10	1.50	38	<0.05	8.96	116	4.2
DD001575		0.013	0.10	1.39	37	<0.05	8.90	122	3.9
DD001576		0.011	0.11	1.80	39	<0.05	10.50	133	3.6
DD001577		0.012	0.10	1.53	40	<0.05	9.15	124	5.4
DD001578		0.010	0.13	1.93	42	<0.05	11.35	136	4.4
DD001579		0.013	0.09	2.58	33	0.05	8.41	95	2.6
DD001580		0.011	0.17	1.99	40	<0.05	11.30	133	3.1
DD001581		0.012	0.12	1.44	38	<0.05	9.82	163	1.3
DD001582		0.011	0.17	1.73	39	<0.05	10.85	132	4.2
DD001828		0.015	0.16	1.67	43	<0.05	11.40	128	1.5
DD001829		0.009	0.15	1.80	35	<0.05	9.74	105	2.1
DD001830		0.012	0.14	1.44	34	<0.05	10.65	119	1.8
DD001831		0.007	0.44	2.45	53	<0.05	16.10	206	4.7
DD001832		<0.005	0.41	2.56	52	<0.05	16.20	207	7.3
DD001833		<0.005	0.40	2.52	50	<0.05	15.25	202	10.0
DD001834		0.012	0.19	1.59	39	0.05	10.35	129	3.7
DD001835		0.011	0.21	1.73	41	<0.05	11.05	140	4.0
DD001836		0.009	0.23	1.77	42	<0.05	12.35	151	4.3
DD001837		0.011	0.19	1.58	38	0.05	10.70	125	5.4
DD001838		0.010	0.28	1.99	43	0.05	12.85	159	3.2
DD001839		0.011	0.23	1.76	40	0.08	11.75	138	3.0
DD001840		0.010	0.19	1.63	38	<0.05	10.85	130	6.0
DD001841		0.011	0.20	1.70	41	0.06	11.50	138	3.0
DD001842		0.006	0.07	1.86	25	<0.05	12.55	95	2.9
DD001843		0.007	0.08	1.77	26	0.05	13.70	101	2.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001844		0.52	<0.001	0.31	0.81	65.3	<0.2	<10	340	0.82	0.30	0.75	0.88	26.9	20.4	19
DD001845		0.42	<0.001	0.28	0.69	71.3	<0.2	<10	300	0.68	0.25	0.62	0.77	27.4	18.2	17
DD001846		0.50	<0.001	0.28	0.71	70.5	<0.2	<10	340	0.76	0.28	0.62	0.84	29.0	19.5	18
DD001847		0.40	<0.001	0.22	0.72	56.7	<0.2	<10	290	0.72	0.31	0.56	0.68	25.6	18.5	18
DD001848		0.56	<0.001	0.29	0.67	69.1	<0.2	<10	260	0.74	0.31	0.60	0.81	24.9	19.2	19
DD001849		0.40	<0.001	0.29	0.63	73.7	<0.2	<10	250	0.72	0.27	0.61	0.83	26.6	19.3	16
DD001850		0.50	<0.001	0.26	0.85	47.6	<0.2	<10	250	0.95	0.33	0.49	0.59	26.7	18.8	20
DD001689		0.28	<0.001	0.12	2.04	10.7	<0.2	<10	90	0.79	0.27	0.75	0.20	29.4	29.8	52
DD001690		0.22	<0.001	0.11	1.90	13.5	<0.2	<10	90	0.82	0.27	0.98	0.24	27.4	24.7	46
DD001691		0.28	<0.001	0.12	1.44	9.8	<0.2	<10	100	0.92	0.29	0.85	0.20	18.45	19.1	31
DD001692		0.24	0.006	0.19	2.58	13.1	<0.2	30	170	1.09	0.18	1.29	0.31	26.9	56.4	70
DD001693		0.22	<0.001	0.19	1.50	9.8	<0.2	10	130	1.09	0.30	1.22	0.24	18.75	20.8	33
DD001694		0.24	<0.001	0.13	1.59	10.5	<0.2	10	100	0.85	0.26	0.82	0.18	20.1	22.6	36
DD001695		0.30	<0.001	0.19	1.69	13.8	<0.2	<10	150	1.03	0.32	0.75	0.25	28.3	27.1	36
DD001696		0.30	<0.001	0.42	1.63	42.4	<0.2	<10	140	0.96	0.30	0.79	0.27	28.5	22.4	35
DD001697		0.26	<0.001	0.13	1.69	15.8	<0.2	<10	90	0.87	0.26	0.68	0.15	26.3	22.6	38
DD001698		0.30	<0.001	0.11	1.67	13.6	<0.2	<10	100	0.85	0.25	0.63	0.13	27.6	21.0	37
DD001699		0.28	<0.001	0.09	1.57	13.7	<0.2	<10	100	0.82	0.24	0.65	0.13	23.8	20.5	34
DD001700		0.28	<0.001	0.11	1.53	13.7	<0.2	<10	110	0.85	0.24	0.73	0.18	24.7	19.9	33
DD001701		0.20	<0.001	0.12	1.44	12.8	<0.2	<10	120	0.84	0.25	0.71	0.17	24.7	19.8	30
DD001702		0.22	<0.001	0.11	1.41	14.5	<0.2	<10	140	0.86	0.28	0.97	0.18	23.0	18.8	32
DD001703		0.28	<0.001	0.10	1.23	13.7	<0.2	<10	130	0.71	0.24	0.87	0.16	19.75	16.7	26
DD001704		0.28	<0.001	0.09	1.32	34.4	<0.2	<10	110	0.85	0.22	0.71	0.15	22.4	17.9	28
DD001705		0.26	<0.001	0.08	1.25	43.8	<0.2	<10	140	0.77	0.27	1.08	0.14	19.85	17.9	26
DD001706		0.30	<0.001	0.06	1.23	46.3	<0.2	<10	110	0.61	0.26	0.83	0.12	21.3	16.8	25
DD001707		0.14	<0.001	0.15	0.94	15.1	<0.2	<10	130	0.94	0.35	2.03	0.30	15.05	10.2	14
DD001708		0.18	0.001	0.14	0.88	20.4	<0.2	<10	120	0.77	0.32	2.04	0.27	17.70	10.3	15
DD001709		0.12	<0.001	0.11	0.83	22.4	<0.2	<10	130	0.63	0.28	2.19	0.29	15.15	9.4	15
DD001710		0.10	<0.001	0.07	0.48	16.9	<0.2	10	210	0.51	0.21	2.42	0.41	9.34	8.2	7
DD000151		0.36	0.001	0.67	1.43	17.4	<0.2	<10	180	0.88	0.36	0.23	1.15	42.2	20.0	24
DD000152		0.30	<0.001	0.17	1.58	18.1	<0.2	<10	130	1.22	0.57	0.29	0.32	24.1	23.5	25
DD000153		0.20	<0.001	0.20	1.49	15.9	<0.2	<10	140	1.16	0.56	0.52	0.48	24.5	22.4	24
DD000154		0.18	<0.001	0.30	1.27	17.0	<0.2	<10	160	0.87	0.45	0.90	0.64	29.1	20.9	21
DD000155		0.26	<0.001	0.27	1.25	15.9	<0.2	<10	160	0.86	0.42	0.99	0.63	29.5	19.5	21
DD000156		0.24	<0.001	0.29	1.36	16.0	<0.2	<10	170	1.00	0.41	0.72	0.63	30.2	20.4	23
DD000157		0.24	0.002	0.51	1.14	16.2	<0.2	<10	250	0.79	0.26	1.27	1.18	37.6	20.7	19
DD000158		0.30	0.001	0.37	1.18	16.1	<0.2	<10	220	0.79	0.30	1.15	0.88	36.6	19.2	20
DD000159		0.36	<0.001	0.35	1.24	16.0	<0.2	<10	230	0.83	0.30	1.16	0.86	36.7	19.5	20
DD000160		0.20	<0.001	0.31	1.21	14.2	<0.2	<10	220	0.75	0.33	0.93	0.75	32.8	17.5	21
DD000161		0.30	0.001	0.37	1.38	12.3	<0.2	<10	240	1.00	0.34	0.73	0.77	33.8	18.4	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001844		4.02	91.0	4.18	2.93	0.11	0.05	0.38	0.031	0.10	13.0	17.1	0.50	824	4.94
DD001845		3.85	84.3	3.82	2.68	0.10	0.07	0.39	0.031	0.10	13.4	14.7	0.46	744	5.02
DD001846		4.00	87.2	3.92	2.75	0.13	0.09	0.36	0.037	0.10	14.0	15.4	0.46	758	5.07
DD001847		3.43	78.6	3.78	2.60	0.12	0.08	0.32	0.032	0.09	12.4	15.7	0.46	774	4.34
DD001848		3.55	85.9	3.85	2.59	0.12	0.08	0.38	0.035	0.09	12.9	14.5	0.45	813	4.85
DD001849		3.74	83.8	3.72	2.50	0.13	0.08	0.39	0.028	0.09	14.0	13.5	0.44	779	4.96
DD001850		3.06	75.1	3.94	3.09	0.11	0.05	0.30	0.037	0.08	13.6	16.5	0.45	661	3.51
DD001689		1.87	115.5	5.12	7.11	0.15	0.09	0.08	0.038	0.09	13.8	29.1	1.31	872	1.17
DD001690		5.51	111.5	4.60	6.22	0.12	0.08	0.14	0.029	0.09	13.0	28.1	1.14	651	0.82
DD001691		1.97	88.6	3.85	4.77	0.10	0.07	0.07	0.030	0.07	9.1	26.4	0.65	642	1.21
DD001692		3.52	266	5.78	9.59	0.13	0.08	0.07	0.048	0.06	13.2	31.8	1.63	1480	0.92
DD001693		3.55	127.5	3.67	4.65	0.10	0.07	0.12	0.031	0.07	9.7	25.1	0.71	752	1.15
DD001694		2.60	102.5	4.10	5.36	0.10	0.06	0.08	0.029	0.07	9.8	27.1	0.84	657	1.10
DD001695		1.85	108.0	4.74	5.32	0.11	0.06	0.16	0.031	0.07	14.0	24.4	0.76	1100	1.29
DD001696		1.93	90.7	4.52	5.41	0.10	0.06	0.13	0.035	0.08	13.6	26.5	0.74	1020	1.36
DD001697		2.14	76.0	4.42	5.64	0.11	0.07	0.10	0.029	0.07	13.0	27.3	0.90	693	1.03
DD001698		1.74	74.3	4.46	5.56	0.09	0.10	0.08	0.031	0.06	13.0	27.4	0.87	501	0.84
DD001699		1.67	58.1	4.52	5.18	0.11	0.07	0.07	0.030	0.07	11.4	25.9	0.85	870	0.68
DD001700		1.90	66.2	4.19	4.86	0.10	0.08	0.13	0.024	0.07	12.2	26.0	0.75	680	0.57
DD001701		1.60	54.8	3.83	4.79	0.11	0.07	0.15	0.028	0.07	11.8	25.7	0.69	861	0.56
DD001702		1.70	53.6	3.84	4.54	0.10	0.07	0.16	0.026	0.07	11.0	24.4	0.66	909	0.61
DD001703		1.40	47.3	3.59	3.88	0.10	0.06	0.14	0.026	0.06	9.4	21.0	0.62	1070	0.53
DD001704		1.61	44.9	3.66	4.38	0.10	0.07	0.12	0.027	0.06	10.7	24.7	0.65	890	0.50
DD001705		1.56	46.0	3.71	3.89	0.10	0.06	0.16	0.026	0.07	9.2	21.9	0.64	1160	0.49
DD001706		1.54	39.0	3.57	4.15	0.10	0.06	0.18	0.022	0.06	10.0	22.8	0.67	873	0.45
DD001707		2.81	55.2	2.44	2.53	0.07	0.07	0.38	0.022	0.09	8.5	14.3	0.32	523	0.37
DD001708		2.66	46.8	2.53	2.48	0.08	0.07	0.38	0.026	0.08	10.3	12.6	0.31	489	0.48
DD001709		12.15	26.1	2.64	2.20	0.09	0.06	0.63	0.025	0.09	7.4	11.7	0.35	1440	0.46
DD001710		13.15	25.7	2.25	1.09	0.08	0.07	0.17	0.016	0.08	4.4	4.8	0.30	5250	0.59
DD000151		2.73	73.2	4.07	4.40	0.11	0.05	0.13	0.040	0.12	23.0	20.6	0.46	919	7.11
DD000152		3.33	67.0	4.77	4.89	0.09	0.07	0.03	0.038	0.08	11.1	36.8	0.57	1240	2.13
DD000153		3.88	64.1	4.05	4.84	0.10	0.08	0.05	0.036	0.09	11.1	36.3	0.56	1010	2.28
DD000154		2.81	68.8	4.31	3.80	0.14	0.05	0.06	0.038	0.09	14.5	29.0	0.64	979	3.21
DD000155		2.73	63.9	4.18	3.80	0.10	0.06	0.07	0.041	0.08	14.6	28.0	0.66	883	3.26
DD000156		2.99	67.0	4.23	4.27	0.11	0.06	0.07	0.039	0.09	14.6	31.5	0.64	966	3.08
DD000157		2.13	91.7	3.56	3.55	0.12	0.08	0.12	0.032	0.13	20.4	22.3	0.80	939	5.06
DD000158		2.18	80.3	3.61	3.68	0.13	0.08	0.09	0.039	0.13	19.9	24.0	0.82	830	4.48
DD000159		2.39	75.8	3.78	3.91	0.11	0.07	0.09	0.036	0.13	20.5	25.8	0.81	847	4.48
DD000160		2.36	70.1	3.63	3.77	0.09	0.07	0.09	0.028	0.12	18.6	25.3	0.73	777	3.79
DD000161		2.88	66.7	3.63	3.98	0.10	0.06	0.11	0.036	0.12	18.8	28.0	0.64	750	2.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD001844		0.32	42.2	990	21.4	7.5	0.005	0.20	1.44	4.9	1.9	0.4	57.8	<0.01	0.01
DD001845		0.17	40.2	1100	18.1	7.0	0.006	0.18	1.42	4.6	1.6	0.3	56.2	<0.01	0.06
DD001846		0.16	42.3	1110	18.7	7.2	0.005	0.18	1.48	4.9	2.0	0.4	55.8	<0.01	0.07
DD001847		0.19	38.5	960	19.2	6.4	0.004	0.14	1.29	4.6	1.3	0.3	48.0	<0.01	0.04
DD001848		0.18	40.9	940	20.9	6.1	0.005	0.15	1.45	4.7	1.7	0.4	49.3	<0.01	0.10
DD001849		0.17	40.7	1050	18.4	6.5	0.003	0.15	1.52	4.7	1.9	0.4	51.8	<0.01	0.09
DD001850		0.36	37.6	890	20.8	7.0	0.003	0.07	1.20	4.9	1.3	0.4	42.0	<0.01	0.05
DD001689		0.92	52.9	690	19.2	8.0	<0.001	0.07	0.45	9.6	1.3	0.5	35.1	<0.01	0.04
DD001690		0.81	47.1	680	18.9	9.1	<0.001	0.09	0.40	8.1	0.7	0.4	41.7	<0.01	0.02
DD001691		0.55	32.2	600	16.9	8.1	<0.001	0.05	0.41	5.5	1.1	0.5	34.9	<0.01	0.03
DD001692		1.18	57.3	720	14.2	10.7	<0.001	0.08	0.32	13.4	2.5	0.6	29.6	<0.01	0.04
DD001693		0.52	32.1	700	18.3	10.0	<0.001	0.09	0.38	5.8	1.1	0.4	49.7	<0.01	0.02
DD001694		0.63	36.8	620	15.8	9.2	<0.001	0.07	0.40	6.6	1.0	0.5	34.4	<0.01	0.01
DD001695		0.56	39.1	720	20.7	8.4	<0.001	0.06	0.50	7.2	1.8	0.4	30.8	<0.01	0.02
DD001696		0.60	39.8	660	21.2	9.6	0.001	0.07	0.43	7.0	0.9	0.4	35.0	<0.01	0.02
DD001697		0.67	39.0	520	18.3	6.9	<0.001	0.05	0.38	6.6	0.8	0.4	27.4	<0.01	0.03
DD001698		0.67	38.3	520	17.6	7.1	<0.001	0.05	0.32	6.6	1.0	0.4	24.3	<0.01	0.06
DD001699		0.60	36.4	530	16.9	6.6	<0.001	0.05	0.32	5.8	0.4	0.4	23.7	<0.01	0.02
DD001700		0.64	34.9	560	17.4	7.6	0.001	0.08	0.30	6.3	0.9	0.4	31.2	<0.01	0.03
DD001701		0.59	33.3	530	17.1	7.1	<0.001	0.06	0.27	5.6	0.6	0.5	33.0	<0.01	0.02
DD001702		0.61	32.7	570	18.8	8.2	<0.001	0.09	0.34	5.5	1.0	0.4	40.5	<0.01	0.01
DD001703		0.53	28.1	500	17.8	6.4	0.001	0.06	0.30	4.6	0.8	0.4	32.9	<0.01	0.02
DD001704		0.61	29.9	480	16.4	7.7	<0.001	0.05	0.29	5.0	0.7	0.4	32.7	<0.01	0.04
DD001705		0.61	30.4	480	21.0	6.9	<0.001	0.05	0.46	4.6	1.0	0.4	39.7	<0.01	0.01
DD001706		0.66	29.5	470	17.4	6.8	<0.001	0.05	0.33	4.5	0.8	0.4	30.3	<0.01	0.01
DD001707		0.44	20.1	810	29.9	8.7	<0.001	0.17	0.77	3.3	1.1	0.4	93.6	<0.01	0.06
DD001708		0.52	23.2	810	26.6	9.4	<0.001	0.11	1.04	3.2	1.2	0.3	63.2	<0.01	0.02
DD001709		0.44	20.2	1060	19.1	13.0	<0.001	0.20	0.42	2.7	0.7	0.3	102.5	<0.01	0.01
DD001710		0.20	19.7	1220	14.0	9.9	<0.001	0.25	0.25	1.7	<0.2	0.2	117.0	<0.01	0.03
DD000151		0.19	46.9	1270	26.7	9.6	0.001	0.06	2.45	3.3	2.2	0.5	19.3	<0.01	0.07
DD000152		0.07	43.5	510	41.2	6.8	<0.001	0.04	0.96	4.9	1.3	0.6	39.1	<0.01	0.05
DD000153		0.12	43.3	650	40.7	7.9	<0.001	0.08	0.97	4.7	0.6	0.6	53.0	<0.01	0.04
DD000154		0.07	42.8	1030	32.3	6.0	<0.001	0.19	1.21	4.8	1.5	0.4	53.8	<0.01	0.07
DD000155		0.08	41.2	1040	31.4	6.0	<0.001	0.18	1.19	4.8	0.8	0.4	51.9	<0.01	0.09
DD000156		0.09	42.9	900	31.7	7.4	0.002	0.13	1.16	5.0	1.1	0.5	51.2	<0.01	0.05
DD000157		0.14	45.2	1470	22.7	8.4	0.004	0.18	1.92	5.4	2.1	0.4	71.8	<0.01	0.08
DD000158		0.10	41.3	1480	21.9	8.4	0.003	0.18	1.64	5.0	2.0	0.4	61.9	<0.01	0.09
DD000159		0.11	42.8	1400	24.5	8.5	0.004	0.18	1.55	5.1	2.1	0.4	62.8	<0.01	0.07
DD000160		0.12	38.9	1260	23.5	8.3	0.002	0.16	1.34	4.6	1.9	0.4	56.8	<0.01	0.05
DD000161		0.21	36.6	1160	24.9	11.0	0.001	0.12	1.07	5.1	1.3	0.5	59.4	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001844		0.011	0.20	1.91	39	0.07	11.00	133	2.3
DD001845		0.009	0.17	1.63	39	<0.05	10.90	133	4.9
DD001846		0.010	0.19	1.68	41	<0.05	11.35	134	6.0
DD001847		0.011	0.18	1.67	38	<0.05	10.25	127	4.8
DD001848		0.010	0.20	1.80	39	0.07	10.35	136	4.4
DD001849		0.009	0.19	1.69	37	0.05	10.85	130	5.2
DD001850		0.011	0.14	1.62	37	0.06	10.40	115	2.3
DD001689		0.134	0.07	1.34	89	0.13	13.40	92	3.2
DD001690		0.110	0.09	0.83	77	0.08	13.65	99	2.6
DD001691		0.031	0.07	1.41	46	0.07	9.95	88	2.1
DD001692		0.183	0.12	1.25	154	0.11	18.90	90	2.6
DD001693		0.035	0.08	1.90	51	0.11	12.50	82	2.0
DD001694		0.057	0.07	1.71	61	0.09	10.95	85	2.2
DD001695		0.044	0.09	1.77	57	0.08	14.55	88	2.0
DD001696		0.045	0.08	1.66	57	0.09	12.75	105	2.2
DD001697		0.070	0.06	1.30	62	0.06	11.00	88	2.8
DD001698		0.066	0.07	1.05	61	0.07	10.70	86	3.2
DD001699		0.060	0.06	0.88	55	0.07	9.13	91	2.9
DD001700		0.050	0.07	1.02	52	0.06	10.40	92	3.1
DD001701		0.042	0.06	0.91	47	0.07	9.38	85	2.4
DD001702		0.035	0.07	1.06	44	0.08	9.56	82	2.5
DD001703		0.032	0.05	0.94	39	0.09	8.22	83	2.2
DD001704		0.039	0.06	0.80	43	0.06	8.37	86	2.3
DD001705		0.029	0.09	0.97	36	0.08	8.22	86	2.4
DD001706		0.035	0.09	0.82	37	0.07	7.29	85	2.3
DD001707		0.007	0.08	4.56	16	0.07	9.46	118	2.4
DD001708		0.010	0.10	2.87	18	0.10	9.76	144	1.9
DD001709		0.009	0.10	1.26	16	0.06	8.82	118	1.8
DD001710		0.005	0.10	1.25	9	<0.05	4.76	141	2.1
DD000151		0.007	0.23	1.70	38	0.05	11.80	198	1.7
DD000152		<0.005	0.09	1.52	26	<0.05	9.65	138	2.9
DD000153		<0.005	0.11	2.03	23	<0.05	10.25	124	3.2
DD000154		<0.005	0.10	1.51	24	<0.05	11.55	146	2.7
DD000155		<0.005	0.09	1.46	25	<0.05	11.65	143	3.2
DD000156		<0.005	0.09	1.54	26	<0.05	11.65	144	2.9
DD000157		<0.005	0.17	1.85	40	<0.05	15.15	164	4.2
DD000158		<0.005	0.14	1.67	40	<0.05	13.90	155	4.6
DD000159		<0.005	0.13	1.71	37	<0.05	13.85	154	4.1
DD000160		<0.005	0.11	1.68	34	<0.05	12.50	147	4.0
DD000161		<0.005	0.10	1.76	33	<0.05	13.10	137	2.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD000162		0.22	<0.001	0.41	1.34	13.5	<0.2	<10	210	1.05	0.38	0.62	0.56	33.4	17.4	22
DD000163		0.34	<0.001	0.13	1.25	8.2	<0.2	<10	180	0.89	0.36	1.06	0.16	16.25	13.1	23
DD000164		0.26	<0.001	0.25	1.34	12.1	<0.2	<10	190	1.09	0.39	0.69	0.48	27.6	16.7	24
DD000165		0.26	<0.001	0.27	1.20	14.3	<0.2	<10	180	0.83	0.34	0.95	0.57	29.9	16.4	19
DD000166		0.28	<0.001	0.29	1.31	14.0	<0.2	<10	180	0.96	0.38	0.68	0.53	31.0	17.7	22
DD000167		0.32	<0.001	0.23	1.22	14.5	<0.2	<10	160	0.88	0.36	0.96	0.56	33.7	17.5	19
DD000168		0.32	0.002	0.25	1.26	14.3	<0.2	<10	190	0.92	0.36	0.89	0.56	32.1	18.4	20
DD000169		0.18	0.001	0.31	1.32	12.1	<0.2	<10	180	1.05	0.36	0.68	0.49	27.9	17.1	22
DD000170		0.20	0.001	0.30	1.22	13.6	<0.2	<10	180	0.94	0.36	0.94	0.57	30.7	17.1	20
DD000171		0.22	0.002	0.27	1.23	14.1	<0.2	<10	190	0.88	0.33	0.93	0.58	32.4	16.9	20
DD000172		0.26	0.002	0.20	1.25	12.9	<0.2	<10	180	0.88	0.35	0.63	0.49	29.5	15.9	20
DD000173		0.24	0.001	0.18	1.35	14.1	<0.2	<10	150	1.01	0.39	0.77	0.24	22.5	13.4	24
DD000174		0.24	0.001	0.22	1.35	11.7	<0.2	<10	180	0.93	0.37	0.73	0.45	30.1	15.2	22
DD001748		0.30	0.001	0.12	1.06	8.8	<0.2	<10	150	0.76	0.31	0.49	0.22	22.1	9.5	19
DD001749		0.40	<0.001	0.09	0.95	8.2	<0.2	<10	140	0.82	0.28	0.31	0.19	26.4	10.8	16
DD001750		0.38	0.001	0.08	0.73	7.6	<0.2	<10	120	0.71	0.26	0.28	0.17	20.7	9.6	12
DD001751		0.30	0.002	0.08	0.71	7.2	<0.2	<10	120	0.67	0.24	0.49	0.15	19.00	9.0	13
DD001752		0.36	0.002	0.08	0.73	6.0	<0.2	<10	100	0.68	0.26	0.35	0.15	19.75	9.3	13
DD001753		0.26	0.001	0.09	0.83	7.6	<0.2	<10	120	0.70	0.26	0.48	0.16	21.2	10.3	14
DD001754		0.30	0.001	0.10	0.92	7.2	<0.2	<10	120	0.73	0.27	0.51	0.16	20.5	11.5	15
DD001755		0.20	<0.001	0.23	1.19	4.1	<0.2	<10	210	0.93	0.28	1.65	0.48	13.65	8.1	19
DD001756		0.38	<0.001	0.16	1.07	6.4	<0.2	<10	150	0.85	0.27	0.85	0.25	19.90	11.4	17
DD001757		0.40	<0.001	0.13	0.95	6.7	<0.2	<10	130	0.77	0.28	2.52	0.30	16.95	11.4	15
DD001758		0.30	<0.001	0.14	1.02	7.6	<0.2	<10	130	0.75	0.30	1.71	0.17	19.20	11.6	15
DD001759		0.32	<0.001	0.15	1.20	3.3	<0.2	<10	140	0.79	0.28	2.24	0.20	13.70	8.7	19
DD001760		0.24	<0.001	0.16	1.14	6.9	<0.2	<10	150	0.85	0.32	1.39	0.26	20.0	12.1	18
DD001761		0.36	<0.001	0.07	0.61	5.6	<0.2	<10	80	0.53	0.25	0.81	0.14	17.60	8.3	9
DD001762		0.46	<0.001	0.09	0.68	5.9	<0.2	<10	80	0.62	0.30	0.45	0.13	24.2	8.4	10
DD001763		0.34	<0.001	0.09	0.88	6.6	<0.2	<10	110	0.78	0.43	0.73	0.15	30.8	9.3	13
DD001764		0.32	<0.001	0.09	0.95	6.5	<0.2	<10	130	0.78	0.31	1.35	0.19	20.8	11.9	15
DD001765		0.48	0.001	0.09	1.01	6.4	<0.2	<10	130	0.72	0.30	1.70	0.18	16.50	10.7	16
DD001766		0.24	0.001	0.12	0.94	5.3	<0.2	<10	120	0.77	0.27	1.32	0.19	18.65	10.5	15
DD001767		0.40	0.001	0.11	0.90	5.9	<0.2	<10	110	0.74	0.30	1.34	0.12	19.65	10.3	13
DD001768		0.30	<0.001	0.10	1.02	6.5	<0.2	<10	140	0.86	0.31	1.10	0.17	19.05	11.0	15
DD001769		0.32	0.001	0.10	1.07	4.7	<0.2	<10	130	0.80	0.29	1.05	0.17	17.90	10.6	17
DD001770		0.26	0.001	0.09	1.25	2.7	<0.2	<10	190	1.34	0.33	1.39	0.08	10.10	11.6	23
DD001771		0.22	<0.001	0.09	0.97	7.8	<0.2	<10	170	1.15	0.32	1.23	0.21	22.7	14.6	15
DD001772		0.46	0.001	0.06	1.01	8.7	<0.2	<10	130	0.95	0.42	1.14	0.10	29.1	16.5	15
DD001773		0.48	0.002	0.06	1.10	9.5	<0.2	<10	160	1.03	0.46	0.38	0.10	34.7	19.5	17
DD000342		0.16	0.001	0.25	1.65	64.8	<0.2	<10	150	1.70	0.44	1.02	0.16	14.00	16.9	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD000162		2.37	62.5	3.63	4.22	0.12	0.07	0.12	0.034	0.12	17.9	27.2	0.62	492	2.89	0.01
DD000163		1.05	39.3	3.57	4.27	0.12	0.07	0.07	0.031	0.08	7.3	20.9	0.51	720	1.16	0.02
DD000164		2.28	58.2	3.80	4.45	0.14	0.07	0.08	0.032	0.11	13.4	25.8	0.59	855	2.46	0.01
DD000165		1.94	59.1	3.60	3.76	0.13	0.08	0.10	0.029	0.10	15.0	22.7	0.68	856	3.51	0.01
DD000166		2.45	58.9	3.78	4.03	0.13	0.08	0.09	0.029	0.11	14.5	26.0	0.60	842	2.92	0.01
DD000167		2.14	57.5	3.70	4.19	0.16	0.10	0.06	0.034	0.10	17.0	26.1	0.70	855	3.45	0.02
DD000168		2.21	59.9	3.79	4.00	0.12	0.08	0.08	0.031	0.10	15.4	25.3	0.68	904	3.35	0.02
DD000169		2.17	61.7	3.61	4.42	0.12	0.08	0.09	0.033	0.09	13.4	26.1	0.58	707	2.45	0.01
DD000170		2.05	67.1	3.59	3.84	0.12	0.08	0.09	0.031	0.10	15.3	23.3	0.64	907	3.22	0.01
DD000171		2.17	61.5	3.66	3.95	0.13	0.08	0.09	0.033	0.10	16.4	24.5	0.66	898	3.39	0.01
DD000172		1.94	52.5	3.69	3.88	0.11	0.08	0.07	0.028	0.09	14.7	24.0	0.62	770	2.76	0.01
DD000173		3.12	35.2	3.57	4.32	0.13	0.07	0.10	0.027	0.11	11.5	22.4	0.47	528	1.43	0.01
DD000174		2.04	50.9	3.69	4.12	0.13	0.08	0.09	0.027	0.11	14.5	24.7	0.64	706	2.14	0.02
DD001748		0.55	25.6	3.09	3.26	0.10	0.10	0.06	0.027	0.12	11.2	15.5	0.30	605	0.68	0.01
DD001749		0.66	27.6	3.00	3.16	0.11	0.07	0.04	0.023	0.11	12.5	17.5	0.32	566	0.59	0.01
DD001750		0.62	23.3	2.67	2.38	0.10	0.06	0.04	0.021	0.10	9.1	12.1	0.23	483	0.52	0.01
DD001751		0.54	21.9	2.47	2.15	0.10	0.06	0.04	0.019	0.09	8.4	12.0	0.34	465	0.59	0.01
DD001752		0.61	24.0	2.14	2.38	0.09	0.07	0.05	0.019	0.08	8.2	12.9	0.24	224	0.46	<0.01
DD001753		0.73	23.6	2.56	2.57	0.11	0.06	0.07	0.019	0.09	10.0	14.6	0.34	348	0.50	0.01
DD001754		0.71	25.5	2.55	2.88	0.11	0.07	0.06	0.024	0.09	9.4	17.3	0.38	241	0.52	0.01
DD001755		1.46	28.0	2.36	3.31	0.10	0.11	0.12	0.023	0.12	7.1	25.4	0.42	355	0.75	0.02
DD001756		0.99	26.2	2.65	3.28	0.10	0.10	0.08	0.022	0.10	8.8	23.7	0.45	360	0.56	0.01
DD001757		1.05	22.7	2.63	2.71	0.09	0.08	0.10	0.022	0.10	7.5	19.4	1.46	603	0.50	0.02
DD001758		1.04	26.2	2.89	2.90	0.10	0.09	0.09	0.021	0.10	8.5	20.5	0.98	538	0.57	0.01
DD001759		1.52	27.4	2.75	3.52	0.11	0.11	0.21	0.021	0.10	7.6	20.5	0.43	416	0.51	0.02
DD001760		0.96	25.0	2.99	3.12	0.10	0.09	0.13	0.027	0.11	8.5	21.4	0.72	505	0.71	0.01
DD001761		0.72	21.2	2.23	1.78	0.10	0.05	0.05	0.017	0.07	6.9	11.2	0.36	432	0.40	0.01
DD001762		0.71	19.8	2.42	1.98	0.10	0.05	0.04	0.020	0.08	10.3	11.7	0.28	339	0.45	0.01
DD001763		0.72	25.3	2.67	2.93	0.11	0.05	0.03	0.028	0.11	13.8	11.5	0.38	321	0.68	0.01
DD001764		1.00	25.3	2.78	2.72	0.11	0.07	0.08	0.024	0.09	8.8	18.1	0.73	554	0.53	0.01
DD001765		1.19	25.4	2.71	2.82	0.10	0.07	0.08	0.021	0.10	7.3	17.9	0.98	546	0.52	0.01
DD001766		1.05	26.3	2.43	2.81	0.09	0.09	0.10	0.023	0.10	8.3	18.9	0.72	376	0.49	0.01
DD001767		0.98	24.7	2.55	2.73	0.11	0.08	0.08	0.024	0.09	8.3	18.5	0.77	397	0.39	0.01
DD001768		0.93	25.8	2.79	2.87	0.10	0.08	0.09	0.021	0.09	8.2	19.4	0.55	669	0.50	0.01
DD001769		1.15	24.5	2.57	3.15	0.11	0.07	0.08	0.020	0.09	7.7	20.2	0.62	432	0.51	0.01
DD001770		2.32	44.4	2.67	4.10	0.11	0.10	0.04	0.018	0.11	4.0	27.2	0.60	876	0.51	0.02
DD001771		1.36	36.6	2.79	3.15	0.10	0.11	0.07	0.023	0.13	10.5	19.1	0.42	997	0.68	0.02
DD001772		1.16	35.1	3.27	3.70	0.10	0.06	0.03	0.028	0.14	13.4	17.9	0.76	710	0.50	0.01
DD001773		1.30	39.2	3.62	4.10	0.10	0.08	0.04	0.031	0.16	15.8	20.1	0.39	881	0.59	0.01
DD000342		4.92	44.2	3.59	5.61	0.10	0.15	0.39	0.030	0.13	6.1	32.5	0.40	598	0.56	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD000162		0.27	35.7	990	25.1	10.5	0.003	0.17	0.84	4.7	1.4	0.5	50.0	<0.01	0.06	4.4
DD000163		0.94	26.2	540	22.9	7.5	0.001	0.18	0.43	3.9	0.9	0.5	61.2	<0.01	0.03	3.6
DD000164		0.48	32.8	830	22.7	9.1	<0.001	0.15	0.68	4.8	1.3	0.5	50.8	<0.01	0.07	4.0
DD000165		0.22	34.1	1070	23.1	7.2	0.003	0.19	0.97	4.2	1.2	0.4	49.7	<0.01	0.08	4.4
DD000166		0.30	36.0	900	24.6	8.3	0.002	0.15	0.88	4.5	1.3	0.5	48.7	<0.01	0.06	4.0
DD000167		0.21	36.4	1050	22.6	7.8	0.003	0.18	0.94	4.5	1.1	0.4	54.0	<0.01	0.07	4.7
DD000168		0.27	36.6	1010	23.5	7.6	0.004	0.19	0.92	4.5	1.3	0.5	52.4	<0.01	0.07	4.2
DD000169		0.38	35.5	820	25.0	8.3	0.002	0.09	0.68	4.6	1.4	0.5	51.4	<0.01	0.05	3.8
DD000170		0.28	35.5	1000	23.1	7.6	0.003	0.21	0.90	4.5	1.0	0.4	55.0	<0.01	0.06	3.9
DD000171		0.30	35.6	1030	23.2	7.9	0.002	0.20	0.92	4.6	1.5	0.4	57.1	<0.01	0.05	4.1
DD000172		0.27	32.3	1000	23.6	7.1	0.003	0.18	0.74	4.1	1.0	0.4	41.6	<0.01	0.04	4.1
DD000173		0.56	28.3	750	20.9	11.1	<0.001	0.12	0.50	4.5	1.1	0.5	54.8	<0.01	0.04	3.7
DD000174		0.39	32.9	950	22.5	7.7	0.002	0.16	0.67	4.3	0.9	0.4	46.1	<0.01	0.05	4.4
DD001748		0.27	22.1	870	33.4	8.5	<0.001	0.14	0.27	3.2	0.9	0.4	32.7	<0.01	0.03	2.4
DD001749		0.23	23.9	630	27.0	7.8	<0.001	0.14	0.25	3.3	0.6	0.4	26.5	<0.01	0.04	3.6
DD001750		0.20	20.1	520	26.8	7.4	<0.001	0.14	0.26	2.8	0.7	0.4	24.6	<0.01	0.03	2.7
DD001751		0.17	19.2	510	24.4	6.3	<0.001	0.11	0.23	2.4	0.7	0.3	35.0	<0.01	0.03	2.5
DD001752		0.21	19.3	500	22.3	7.2	<0.001	0.04	0.20	2.8	0.7	0.3	26.9	<0.01	0.04	2.7
DD001753		0.22	21.0	560	24.7	7.7	0.001	0.19	0.24	2.8	1.1	0.3	30.5	<0.01	0.05	3.1
DD001754		0.22	22.6	540	25.8	7.6	<0.001	0.14	0.21	3.0	1.5	0.3	33.0	<0.01	0.04	2.9
DD001755		0.38	22.2	1070	17.7	17.3	<0.001	0.30	0.22	3.2	2.4	0.4	123.5	<0.01	0.02	1.7
DD001756		0.31	25.1	720	23.1	10.4	<0.001	0.14	0.24	3.3	1.0	0.4	49.2	<0.01	0.03	2.1
DD001757		0.22	22.2	730	22.6	9.3	<0.001	0.15	0.23	3.0	1.3	0.4	40.3	<0.01	0.03	2.2
DD001758		0.24	24.2	750	25.2	9.7	<0.001	0.16	0.24	3.2	1.0	0.3	40.1	<0.01	0.03	2.2
DD001759		0.50	21.6	1030	16.7	17.5	<0.001	0.27	0.21	3.4	1.6	0.4	72.0	<0.01	0.01	1.9
DD001760		0.29	25.1	810	27.0	11.4	0.001	0.15	0.26	3.6	1.1	0.4	43.6	<0.01	0.04	2.4
DD001761		0.15	18.7	510	23.3	6.1	<0.001	0.10	0.21	2.1	0.4	0.3	29.0	<0.01	0.03	2.0
DD001762		0.17	19.8	520	24.2	6.0	<0.001	0.04	0.20	2.3	0.3	0.4	20.3	<0.01	0.03	2.4
DD001763		0.22	21.2	740	28.8	9.0	<0.001	0.17	0.27	2.6	0.5	0.5	21.2	<0.01	0.04	1.9
DD001764		0.24	24.0	680	27.0	9.9	<0.001	0.18	0.23	3.2	1.0	0.4	41.8	<0.01	0.03	2.5
DD001765		0.25	21.2	660	23.1	8.8	<0.001	0.16	0.22	3.0	0.9	0.3	32.7	<0.01	0.03	2.5
DD001766		0.23	21.8	680	21.2	10.1	<0.001	0.14	0.21	3.1	1.9	0.4	41.5	<0.01	0.02	2.2
DD001767		0.23	21.8	600	22.7	8.8	<0.001	0.13	0.21	3.0	0.9	0.4	37.6	<0.01	0.03	2.5
DD001768		0.25	23.0	690	24.5	8.4	0.001	0.14	0.23	3.1	1.1	0.4	44.2	<0.01	0.04	2.5
DD001769		0.30	22.2	570	20.0	9.6	<0.001	0.12	0.21	3.1	1.3	0.4	38.4	<0.01	0.03	2.5
DD001770		0.49	24.5	650	18.1	10.2	0.001	0.20	0.26	3.1	1.4	0.6	55.0	<0.01	0.02	2.9
DD001771		0.28	25.9	900	28.6	12.7	<0.001	0.14	0.26	3.5	1.3	0.5	74.0	<0.01	0.03	2.5
DD001772		0.24	25.9	600	34.2	10.1	<0.001	0.06	0.26	3.9	0.3	0.5	20.7	<0.01	0.04	3.5
DD001773		0.24	29.5	600	39.3	10.9	<0.001	0.08	0.26	4.4	0.4	0.5	19.9	<0.01	0.03	4.4
DD000342		0.38	30.8	780	29.3	17.8	<0.001	0.12	0.41	5.2	1.4	0.6	41.1	0.01	0.03	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000162		0.013	0.09	1.51	31	<0.05	12.00	130	3.4
DD000163		0.020	0.07	1.14	25	0.08	6.99	90	2.3
DD000164		0.015	0.09	1.56	28	0.05	9.81	114	2.9
DD000165		0.011	0.09	1.41	31	<0.05	10.85	128	3.6
DD000166		0.012	0.10	1.48	28	<0.05	11.10	125	3.3
DD000167		0.012	0.08	1.31	30	<0.05	11.55	122	4.9
DD000168		0.012	0.09	1.35	30	<0.05	11.70	124	3.8
DD000169		0.012	0.08	1.38	27	0.05	10.70	109	3.2
DD000170		0.011	0.09	1.60	29	<0.05	11.60	125	3.4
DD000171		0.012	0.07	1.55	30	<0.05	11.85	124	3.6
DD000172		0.011	0.07	1.41	29	<0.05	10.80	120	3.5
DD000173		0.014	0.07	1.25	28	0.07	9.06	109	2.8
DD000174		0.013	0.08	1.47	29	<0.05	10.15	116	3.2
DD001748		0.013	0.10	1.61	18	0.05	9.13	81	3.1
DD001749		0.012	0.09	1.34	16	0.06	8.56	67	2.5
DD001750		0.013	0.07	1.03	13	<0.05	7.30	58	2.0
DD001751		0.011	0.06	1.77	12	<0.05	6.55	53	2.0
DD001752		0.012	0.07	2.05	12	<0.05	6.81	51	2.1
DD001753		0.013	0.07	1.75	14	<0.05	7.41	60	2.2
DD001754		0.012	0.07	2.40	14	<0.05	7.82	59	2.3
DD001755		0.013	0.07	7.67	15	0.07	12.65	112	3.3
DD001756		0.013	0.08	2.39	15	<0.05	11.10	78	2.9
DD001757		0.013	0.08	2.09	13	0.05	9.12	96	2.4
DD001758		0.013	0.09	1.84	14	0.05	11.15	81	2.2
DD001759		0.017	0.06	0.88	16	0.06	13.15	101	3.5
DD001760		0.013	0.09	1.61	15	0.05	10.00	100	2.8
DD001761		0.010	0.07	0.66	10	<0.05	6.55	61	1.5
DD001762		0.013	0.06	0.60	12	0.07	7.53	66	1.4
DD001763		0.013	0.09	0.61	15	0.05	8.95	71	1.5
DD001764		0.013	0.08	1.32	14	0.07	10.00	80	2.4
DD001765		0.014	0.07	1.67	14	0.05	9.27	84	2.2
DD001766		0.011	0.06	1.26	12	<0.05	10.05	79	2.3
DD001767		0.013	0.07	1.26	13	<0.05	8.87	67	2.2
DD001768		0.013	0.07	2.07	14	0.06	10.15	72	2.4
DD001769		0.014	0.08	1.40	15	0.05	9.27	77	2.2
DD001770		0.019	0.05	5.67	18	0.07	10.70	70	2.8
DD001771		0.006	0.08	3.50	14	0.05	14.55	101	2.9
DD001772		0.007	0.09	0.73	16	<0.05	10.30	74	1.5
DD001773		0.007	0.11	0.80	16	<0.05	12.45	78	2.0
DD000342		<0.005	0.22	4.16	19	0.07	17.70	91	3.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD000343		0.26	0.001	0.11	1.36	39.9	<0.2	<10	150	1.15	0.38	0.31	0.07	13.70	10.8	21
DD000344		0.28	0.001	0.12	1.23	26.2	<0.2	<10	120	1.18	0.37	0.36	0.09	14.00	16.4	21
DD000345		0.30	0.002	0.11	1.34	25.9	<0.2	<10	130	1.32	0.41	0.41	0.08	14.85	15.7	24
DD000346		0.24	0.003	0.06	0.68	217	<0.2	<10	220	0.89	0.19	0.33	0.03	8.83	7.0	11
DD000347		0.36	0.002	0.16	0.82	20.5	<0.2	<10	110	1.37	0.48	0.23	0.34	16.30	17.8	19
DD000348		0.36	0.002	0.05	0.98	11.6	<0.2	<10	230	1.54	0.51	0.15	0.10	12.85	23.9	22
DD000349		0.48	0.002	0.06	0.98	12.8	<0.2	<10	210	1.63	0.49	0.15	0.11	14.60	28.3	22
DD000350		0.42	0.002	0.06	1.37	19.3	<0.2	<10	210	1.79	0.50	0.16	0.16	14.20	21.3	30
DD000801		0.42	0.002	0.06	1.23	13.0	<0.2	<10	190	1.55	0.69	0.16	0.15	13.05	21.7	27
DD000802		0.50	0.001	0.05	1.28	11.6	<0.2	<10	210	1.65	0.47	0.16	0.11	13.20	22.8	27
DD000803		0.48	0.001	0.06	1.26	11.7	<0.2	<10	190	1.60	0.55	0.17	0.11	12.75	21.2	27
DD000804		0.28	0.001	0.06	1.27	9.8	<0.2	<10	180	1.41	0.49	0.20	0.10	12.20	19.9	27
DD000805		0.30	0.001	0.06	1.19	9.4	<0.2	<10	160	1.35	0.42	0.34	0.13	13.65	18.4	25
DD000806		0.32	<0.001	0.07	1.16	8.5	<0.2	<10	150	1.26	0.39	0.43	0.13	14.00	16.1	25
DD000807		0.32	0.001	0.05	1.18	8.2	<0.2	<10	160	1.32	0.42	0.27	0.11	13.25	16.7	26
DD000808		0.30	<0.001	0.05	1.22	8.0	<0.2	<10	140	1.34	0.42	0.27	0.10	12.40	16.8	26
DD000809		0.34	<0.001	0.04	1.23	8.3	<0.2	<10	180	1.25	0.42	0.31	0.09	12.80	16.6	26
DD000810		0.48	0.001	0.05	1.23	8.3	<0.2	<10	180	1.36	0.44	0.35	0.11	13.60	17.4	26
DD000811		0.34	0.001	0.06	1.24	7.3	<0.2	<10	160	1.12	0.43	0.34	0.12	13.10	16.6	26
DD000812		0.36	0.001	0.27	1.27	7.3	<0.2	<10	160	1.38	0.43	0.35	0.11	14.80	16.4	26
DD000813		0.30	0.006	0.11	1.25	7.3	<0.2	<10	150	1.33	0.46	0.34	0.10	12.65	16.0	27
DD000814		0.26	<0.001	0.11	1.46	6.9	<0.2	<10	190	1.01	0.34	0.64	0.18	15.05	12.8	26
DD000815		0.32	0.001	0.10	1.23	10.8	<0.2	<10	130	1.13	0.36	0.41	0.11	16.50	14.1	25
DD000816		0.38	<0.001	0.06	1.12	8.8	<0.2	<10	110	1.08	0.37	0.34	0.09	15.00	15.1	24
DD000817		0.34	0.001	0.06	1.18	7.5	<0.2	<10	150	1.14	0.38	0.30	0.10	16.30	15.9	25
DD000818		0.30	<0.001	0.08	1.24	6.5	<0.2	<10	160	1.16	0.40	0.37	0.09	15.65	15.3	27
DD000819		0.34	0.001	0.06	1.22	7.3	<0.2	<10	140	1.11	0.39	0.38	0.11	13.90	14.5	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD000343		5.23	29.6	3.44	4.40	0.10	0.11	0.26	0.032	0.10	6.9	26.8	0.31	319	0.57
DD000344		5.01	37.1	3.59	4.57	0.10	0.07	0.17	0.031	0.07	6.0	29.7	0.38	501	0.54
DD000345		5.01	37.1	3.72	5.19	0.09	0.09	0.15	0.033	0.08	6.9	32.5	0.41	558	0.76
DD000346		2.09	20.7	29.8	2.60	0.30	0.05	0.06	0.015	0.06	3.6	14.9	0.19	1160	0.79
DD000347		2.57	51.0	4.33	3.65	0.10	0.06	0.07	0.046	0.07	7.5	14.8	0.30	737	2.18
DD000348		2.33	68.6	4.91	3.75	0.05	0.03	0.04	0.047	0.06	5.2	18.4	0.48	1550	1.09
DD000349		2.63	59.5	5.00	3.93	<0.05	0.02	0.03	0.045	0.06	5.8	19.8	0.48	1730	1.21
DD000350		3.10	95.9	4.74	4.70	0.05	0.03	0.02	0.035	0.06	3.9	30.5	0.57	2030	1.95
DD000801		2.97	70.3	4.47	4.50	0.05	0.03	0.03	0.036	0.06	4.5	28.0	0.54	1620	1.31
DD000802		2.78	61.2	4.79	4.66	<0.05	0.03	0.03	0.039	0.06	4.6	28.6	0.57	1720	1.24
DD000803		2.70	62.0	4.60	4.53	<0.05	0.04	0.02	0.032	0.06	4.2	29.3	0.58	1660	1.17
DD000804		2.55	56.1	4.45	4.37	0.06	0.03	0.02	0.035	0.07	4.2	27.8	0.57	1570	0.93
DD000805		2.39	48.9	4.00	4.21	<0.05	0.06	0.03	0.033	0.07	5.1	26.3	0.51	1350	0.81
DD000806		2.17	45.2	3.72	4.08	0.05	0.07	0.05	0.032	0.07	5.5	25.2	0.48	990	0.93
DD000807		2.47	39.9	4.05	4.15	0.05	0.05	0.05	0.031	0.07	4.8	25.5	0.50	1210	0.76
DD000808		2.24	46.2	4.11	4.17	<0.05	0.04	0.03	0.031	0.07	4.6	27.2	0.53	943	0.69
DD000809		2.34	43.6	4.19	4.09	<0.05	0.04	0.06	0.030	0.07	4.6	25.5	0.57	1160	0.77
DD000810		2.61	42.9	4.10	4.35	<0.05	0.05	0.02	0.031	0.07	5.2	27.2	0.58	1040	0.76
DD000811		2.40	40.4	4.04	4.34	<0.05	0.05	0.04	0.031	0.08	5.0	25.5	0.55	1110	0.72
DD000812		2.55	43.3	4.03	4.47	<0.05	0.05	0.04	0.032	0.09	5.7	27.4	0.54	994	0.70
DD000813		2.42	41.0	4.14	4.11	0.05	0.05	0.03	0.029	0.08	4.8	25.7	0.55	1050	0.71
DD000814		1.35	26.8	3.41	5.16	<0.05	0.07	0.06	0.028	0.09	6.7	26.6	0.48	748	0.49
DD000815		1.81	32.4	3.75	4.27	<0.05	0.05	0.09	0.027	0.09	6.8	23.3	0.49	369	0.56
DD000816		1.88	36.2	3.71	3.99	0.05	0.05	0.04	0.030	0.07	5.8	23.8	0.49	821	0.62
DD000817		1.94	34.0	3.77	4.29	0.05	0.04	0.05	0.029	0.08	6.1	23.5	0.49	1160	0.64
DD000818		2.01	30.5	3.68	4.37	<0.05	0.05	0.78	0.031	0.08	6.3	25.3	0.53	606	0.50
DD000819		1.87	31.4	3.79	4.03	<0.05	0.05	0.04	0.029	0.08	5.4	22.5	0.51	1100	0.59



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD000343		0.37	26.0	720	19.9	13.8	<0.001	0.05	0.33	4.9	0.5	0.5	18.4	<0.01	0.03	2.4
DD000344		0.34	29.2	470	23.3	11.9	<0.001	0.04	0.27	4.7	0.6	0.5	22.9	<0.01	0.03	3.3
DD000345		0.37	30.7	540	25.2	12.4	<0.001	0.05	0.30	5.0	0.6	0.5	26.6	<0.01	0.03	3.2
DD000346		0.43	14.4	540	13.2	7.6	<0.001	0.08	0.18	3.4	0.8	0.2	24.7	<0.01	0.05	2.5
DD000347		0.21	34.4	600	33.5	8.6	0.001	0.04	0.64	5.7	0.8	0.5	19.8	<0.01	0.04	3.7
DD000348		0.12	37.7	310	27.8	5.1	<0.001	0.03	0.22	6.0	0.4	0.5	15.6	<0.01	0.03	4.7
DD000349		0.12	43.0	310	28.8	5.7	<0.001	0.03	0.21	6.3	0.4	0.5	17.0	<0.01	0.04	4.1
DD000350		0.13	35.4	380	39.4	5.2	<0.001	0.01	0.40	4.9	0.5	0.6	16.8	<0.01	0.03	5.7
DD000801		0.18	35.3	360	33.6	6.0	<0.001	0.02	0.31	5.0	0.7	0.6	17.1	<0.01	0.02	5.6
DD000802		0.13	38.6	350	31.7	5.8	<0.001	0.02	0.26	5.4	0.3	0.6	17.2	<0.01	0.02	5.7
DD000803		0.16	36.1	350	31.4	5.8	<0.001	0.02	0.27	5.0	0.5	0.6	17.5	<0.01	0.02	5.9
DD000804		0.20	32.9	380	32.5	5.6	<0.001	0.02	0.23	4.8	0.5	0.6	17.6	<0.01	0.02	5.8
DD000805		0.38	31.0	410	27.9	7.1	<0.001	0.03	0.25	4.5	0.7	0.6	25.1	<0.01	0.01	4.7
DD000806		0.42	30.5	450	25.9	6.4	<0.001	0.04	0.24	4.2	0.3	0.5	25.4	<0.01	0.02	4.0
DD000807		0.37	29.2	400	27.1	6.6	<0.001	0.03	0.23	4.3	0.4	0.5	20.7	<0.01	0.01	5.3
DD000808		0.32	29.6	360	26.3	5.8	<0.001	0.03	0.19	4.6	0.2	0.6	21.2	<0.01	0.01	5.0
DD000809		0.30	29.8	380	25.3	5.8	<0.001	0.03	0.21	4.4	0.6	0.5	20.5	<0.01	0.01	4.9
DD000810		0.36	30.7	400	25.2	6.3	<0.001	0.03	0.24	4.5	0.3	0.6	22.1	<0.01	0.03	5.0
DD000811		0.40	30.0	410	26.2	6.7	<0.001	0.03	0.22	4.5	0.3	0.6	22.5	<0.01	0.02	5.3
DD000812		0.43	31.0	420	25.3	6.9	0.001	0.03	0.20	4.7	0.6	0.6	23.8	<0.01	0.02	5.5
DD000813		0.43	30.2	410	25.2	6.8	<0.001	0.03	0.22	4.5	0.3	0.6	21.6	<0.01	0.03	5.1
DD000814		0.93	28.7	540	22.0	14.8	<0.001	0.07	0.19	4.1	0.5	0.6	39.6	<0.01	0.02	2.3
DD000815		0.72	28.7	470	24.4	8.3	<0.001	0.06	0.25	4.1	0.8	0.5	25.4	<0.01	0.03	3.9
DD000816		0.48	29.3	390	23.2	6.5	<0.001	0.04	0.22	4.1	0.3	0.5	19.9	<0.01	0.02	4.5
DD000817		0.51	30.4	410	23.3	7.1	<0.001	0.03	0.20	4.2	0.5	0.5	20.0	<0.01	0.01	4.8
DD000818		0.62	28.9	410	22.4	7.6	<0.001	0.05	0.19	4.4	0.6	0.6	24.4	<0.01	0.03	5.0
DD000819		0.52	27.7	440	23.2	6.8	<0.001	0.04	0.21	3.8	0.5	0.5	22.4	<0.01	0.02	4.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2011
Account: MTT

Project: Midas Touch- Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177063

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD000343		0.005	0.13	1.48	22	0.08	11.85	86	2.5
DD000344		0.006	0.09	1.36	19	0.08	8.89	82	1.9
DD000345		0.005	0.09	1.64	21	0.06	10.65	83	2.2
DD000346		<0.005	0.04	0.80	13	0.05	6.32	47	2.0
DD000347		<0.005	0.10	1.38	23	<0.05	10.20	133	1.5
DD000348		0.006	0.06	1.15	25	<0.05	5.52	120	1.6
DD000349		0.006	0.06	1.15	25	<0.05	6.11	121	0.8
DD000350		0.010	0.07	1.33	29	0.05	7.76	104	1.4
DD000801		0.010	0.06	1.39	26	0.05	7.55	99	1.8
DD000802		0.009	0.06	1.26	27	<0.05	7.16	109	1.7
DD000803		0.010	0.06	1.20	26	<0.05	7.31	102	1.9
DD000804		0.010	0.06	1.41	26	0.05	7.42	99	1.5
DD000805		0.010	0.05	1.63	24	0.07	7.79	93	2.0
DD000806		0.009	0.06	1.61	24	0.06	7.95	90	2.4
DD000807		0.011	0.04	1.22	25	0.05	7.46	91	1.8
DD000808		0.010	0.05	1.27	25	0.05	6.83	99	1.8
DD000809		0.010	0.05	1.17	25	0.05	6.71	97	1.7
DD000810		0.010	0.04	1.25	25	0.06	7.23	98	1.7
DD000811		0.010	0.04	1.20	25	0.06	7.14	96	1.7
DD000812		0.015	0.05	1.34	25	0.06	7.73	93	1.9
DD000813		0.012	0.04	1.13	26	0.07	7.11	96	1.9
DD000814		0.012	0.07	0.91	25	0.08	7.72	99	1.8
DD000815		0.013	0.07	1.03	23	0.07	7.64	96	2.2
DD000816		0.011	0.04	0.95	23	0.05	6.69	88	2.0
DD000817		0.012	0.05	1.04	24	0.08	6.92	89	1.8
DD000818		0.012	0.05	1.00	25	0.06	7.01	87	2.1
DD000819		0.012	0.04	1.14	24	0.06	6.86	94	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Tasin Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11177063

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 10- OCT- 2011
Account: MTT

CERTIFICATE WH11177864

Project: Midas Touch Tasin Crag East

P.O. No.:

This report is for 63 Soil samples submitted to our lab in Whitehorse, YT, Canada on 31- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: Midas Touch Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177864

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001774		0.18	0.002	0.19	1.01	12.1	<0.2	<10	130	0.99	0.28	0.69	0.25	22.0	12.5	16
DD001775		0.24	0.001	0.21	1.20	13.9	<0.2	<10	160	1.19	0.33	0.57	0.29	21.5	16.1	19
DD001776		0.30	0.001	0.21	1.36	11.4	<0.2	<10	130	1.12	0.36	0.42	0.19	20.8	16.5	21
DD001777		0.20	0.001	0.17	1.08	13.3	<0.2	10	150	1.19	0.32	0.99	0.19	19.55	13.3	16
DD001778		0.24	0.002	0.18	1.25	13.9	<0.2	<10	130	1.02	0.34	1.78	0.41	28.9	16.8	18
DD001779		0.22	0.002	0.19	1.24	12.4	<0.2	<10	160	1.06	0.34	1.28	0.29	24.0	15.3	19
DD001780		0.28	0.002	0.09	0.41	23.1	<0.2	<10	90	0.98	0.42	1.23	0.26	18.30	15.9	9
DD001781		0.32	0.002	0.06	0.32	22.3	<0.2	<10	80	0.74	0.33	1.46	0.16	16.20	15.6	7
DD001782		0.32	0.002	0.06	0.31	21.2	<0.2	<10	70	0.69	0.33	1.39	0.14	15.50	15.2	7
DD001783		0.18	0.003	0.09	0.58	17.8	<0.2	<10	100	0.75	0.32	2.39	0.21	17.60	13.9	10
DD001784		0.26	0.001	0.06	0.37	20.7	<0.2	<10	70	0.75	0.34	1.47	0.17	17.20	15.2	7
DD001785		0.28	0.001	0.07	0.43	19.5	<0.2	<10	90	0.70	0.33	1.59	0.18	16.45	14.2	8
DD001786		0.24	0.002	0.08	0.44	20.0	<0.2	<10	90	0.82	0.34	1.57	0.20	17.90	14.3	8
DD001787		0.26	0.002	0.08	0.51	18.5	<0.2	<10	100	0.85	0.35	1.86	0.24	18.35	14.0	9
DD001788		0.18	0.001	0.11	0.85	12.1	<0.2	10	140	0.78	0.27	2.56	0.36	19.40	11.9	13
DD001789		0.22	0.001	0.12	0.91	13.3	<0.2	<10	150	0.76	0.27	2.42	0.28	19.70	12.3	14
DD001790		0.30	0.002	0.11	0.89	11.5	<0.2	10	130	0.70	0.26	3.04	0.28	18.30	11.4	14
DD001791		0.18	0.001	0.07	0.69	13.5	<0.2	<10	100	0.66	0.25	2.38	0.19	16.85	10.9	11
DD001792		0.26	0.001	0.08	0.79	12.6	<0.2	<10	120	0.68	0.25	2.60	0.24	18.10	11.2	13
DD001793		0.34	0.002	0.16	1.05	19.0	<0.2	<10	200	1.03	0.33	1.30	0.36	25.2	15.3	17
DD000051		0.08	<0.001	0.09	0.94	8.3	<0.2	10	300	0.78	0.27	1.67	0.18	13.15	7.6	15
DD000052		0.28	0.001	0.04	1.83	8.0	<0.2	<10	170	0.99	0.34	0.28	0.18	25.7	16.0	32
DD000053		0.18	0.001	0.16	1.54	8.8	<0.2	<10	220	1.11	0.33	0.59	0.46	18.30	14.4	27
DD000054		0.16	0.001	0.18	1.47	10.0	<0.2	<10	220	1.10	0.31	0.97	0.60	16.70	12.9	25
DD000055		0.14	0.001	0.18	1.53	7.8	<0.2	<10	230	1.06	0.30	0.73	0.55	16.25	12.2	26
DD000056		0.14	0.001	0.17	1.50	8.6	<0.2	<10	230	1.13	0.32	0.71	0.56	17.05	13.0	27
DD000057		0.12	0.001	0.17	1.52	10.9	<0.2	<10	300	1.05	0.31	0.59	0.74	13.60	12.4	25
DD000058		0.12	0.001	0.17	1.55	90.8	<0.2	<10	210	1.07	0.32	0.83	0.53	15.35	12.8	26
DD000059		0.12	0.001	0.16	1.55	92.7	<0.2	<10	230	1.13	0.34	0.78	0.47	15.20	13.1	26
DD000060		0.32	0.001	0.12	1.24	58.5	<0.2	<10	170	1.30	0.42	0.46	0.17	15.35	14.9	25
DD000061		0.30	0.001	0.11	1.15	60.5	<0.2	<10	160	1.52	0.51	0.40	0.20	17.25	18.1	23
DD000062		0.30	0.002	0.09	1.48	39.8	<0.2	<10	190	1.19	0.42	0.53	0.21	15.15	16.7	28
DD000063		0.44	0.001	0.11	1.39	54.3	<0.2	<10	220	1.36	0.41	0.59	0.25	14.45	15.8	26
DD001921		0.36	0.005	1.04	1.58	11.3	<0.2	<10	350	0.96	0.31	0.57	1.00	13.15	9.9	22
DD001922		0.46	0.002	0.11	1.29	11.5	<0.2	<10	220	0.97	0.36	0.31	0.30	14.90	14.7	22
DD001923		0.44	0.002	0.31	1.51	11.0	<0.2	<10	270	0.97	0.35	0.51	0.55	16.85	13.5	24
DD001924		0.52	0.003	0.28	1.45	12.2	<0.2	<10	250	1.02	0.37	0.53	0.49	21.5	15.4	23
DD001925		0.44	0.003	0.29	1.34	11.3	<0.2	<10	230	0.86	0.32	0.59	0.54	18.95	13.5	21
DD001926		0.44	0.004	0.33	1.45	10.1	<0.2	<10	260	0.93	0.33	0.78	0.61	18.40	12.9	23
DD001927		0.48	0.003	0.26	1.39	10.0	<0.2	<10	260	1.01	0.32	0.66	0.43	17.90	12.5	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: Midas Touch Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177864

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD001774		3.15	32.9	2.93	2.89	0.10	0.10	0.09	0.029	0.07	10.2	28.9	0.44	365	0.74
DD001775		5.01	39.7	3.39	3.70	0.11	0.09	0.09	0.030	0.08	10.1	37.9	0.49	827	0.72
DD001776		5.39	39.7	3.56	3.97	0.11	0.09	0.09	0.029	0.06	9.5	49.0	0.57	474	0.60
DD001777		3.54	38.7	2.98	3.22	0.11	0.11	0.09	0.027	0.07	9.4	36.7	0.53	531	0.81
DD001778		3.35	43.9	3.29	3.73	0.11	0.12	0.08	0.031	0.08	13.9	36.9	0.98	614	1.68
DD001779		4.42	43.4	3.30	3.67	0.11	0.11	0.11	0.030	0.09	11.6	40.0	0.84	518	0.95
DD001780		1.19	41.4	3.30	1.27	0.10	0.10	0.22	0.041	0.07	8.5	3.8	0.33	492	0.69
DD001781		1.02	36.3	3.09	1.05	0.09	0.06	0.20	0.029	0.05	6.9	4.1	0.40	538	0.65
DD001782		1.00	35.0	3.10	0.98	0.08	0.06	0.16	0.029	0.05	6.5	4.1	0.37	507	0.61
DD001783		2.09	36.8	2.90	1.78	0.09	0.08	0.17	0.031	0.07	8.1	12.8	0.59	410	0.74
DD001784		1.19	36.3	2.98	1.23	0.09	0.07	0.16	0.033	0.05	7.4	5.7	0.37	488	0.66
DD001785		1.23	34.1	2.96	1.33	0.08	0.08	0.18	0.030	0.05	7.3	7.5	0.43	473	0.64
DD001786		1.31	35.9	2.91	1.39	0.08	0.10	0.20	0.031	0.05	8.1	7.3	0.42	491	0.70
DD001787		1.51	36.8	2.91	1.58	0.08	0.11	0.18	0.031	0.06	8.5	9.7	0.47	463	0.67
DD001788		2.02	32.9	2.63	2.52	0.08	0.10	0.21	0.029	0.08	9.2	21.6	0.85	350	0.67
DD001789		1.99	31.2	2.79	2.82	0.09	0.09	0.18	0.030	0.08	9.4	24.5	0.98	362	0.78
DD001790		1.96	29.2	2.70	2.62	0.09	0.09	3.02	0.027	0.07	8.8	23.0	0.95	372	0.69
DD001791		1.68	26.1	2.61	2.13	0.09	0.07	0.13	0.025	0.06	8.0	18.2	0.75	349	0.66
DD001792		1.79	26.9	2.63	2.47	0.09	0.08	0.15	0.026	0.07	8.6	22.0	0.88	358	0.69
DD001793		1.54	42.6	3.39	3.18	0.11	0.10	0.24	0.036	0.09	11.9	23.5	0.53	793	0.95
DD000051		1.39	18.2	2.10	3.28	0.07	0.08	0.06	0.025	0.07	6.5	16.5	0.26	248	0.54
DD000052		1.04	22.4	4.05	6.15	0.11	0.08	0.03	0.031	0.09	10.2	35.4	0.56	872	0.56
DD000053		1.95	29.3	3.64	5.16	0.11	0.09	0.08	0.032	0.09	8.7	29.2	0.54	770	1.24
DD000054		1.74	28.1	3.32	4.74	0.11	0.08	0.10	0.028	0.10	8.1	28.0	0.65	779	1.40
DD000055		1.72	26.6	3.39	4.70	0.10	0.08	0.11	0.028	0.10	7.9	28.5	0.52	503	1.02
DD000056		1.84	26.0	3.39	4.80	0.10	0.08	0.13	0.029	0.10	8.2	29.5	0.51	662	1.12
DD000057		2.58	31.8	3.34	4.94	0.07	0.07	0.09	0.032	0.09	7.7	24.6	0.44	1400	1.57
DD000058		3.66	29.1	3.31	4.72	0.07	0.08	0.13	0.031	0.10	7.9	25.0	0.47	609	0.93
DD000059		4.68	29.9	3.50	4.95	0.08	0.07	0.11	0.033	0.10	8.2	26.7	0.46	928	1.01
DD000060		6.31	41.0	3.80	4.29	0.07	0.07	0.08	0.041	0.08	7.4	21.4	0.40	623	0.90
DD000061		5.07	45.4	4.16	3.86	0.07	0.06	0.07	0.046	0.08	8.7	20.7	0.37	782	0.89
DD000062		3.82	32.1	3.82	5.01	0.07	0.07	0.08	0.037	0.10	7.4	25.0	0.48	770	0.80
DD000063		5.32	34.4	3.86	4.43	0.07	0.08	0.12	0.039	0.10	7.4	23.6	0.44	859	0.85
DD001921		3.10	33.6	2.82	4.23	0.08	0.11	0.27	0.032	0.11	7.9	23.1	0.37	638	2.26
DD001922		1.75	25.2	3.65	4.27	0.07	0.03	0.07	0.031	0.07	7.3	19.1	0.35	1080	1.49
DD001923		2.28	34.4	3.45	4.74	0.08	0.07	0.14	0.033	0.10	9.3	23.0	0.40	672	1.49
DD001924		2.51	39.1	3.69	4.49	0.08	0.06	0.15	0.035	0.10	12.2	25.0	0.41	750	1.75
DD001925		2.43	39.4	3.35	4.05	0.08	0.07	0.21	0.033	0.10	11.0	22.8	0.42	561	1.62
DD001926		2.58	41.9	3.36	4.31	0.08	0.07	0.20	0.034	0.10	10.9	24.9	0.47	534	1.81
DD001927		3.00	39.2	3.38	4.21	0.08	0.07	0.15	0.033	0.10	10.5	24.7	0.45	493	1.77



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: Midas Touch Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177864

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD001774		0.35	24.9	890	21.5	12.0	0.001	0.06	0.45	4.4	1.6	0.3	70.6	0.01	0.05	2.1
DD001775		0.34	30.1	850	27.9	11.8	<0.001	0.04	0.47	4.5	1.3	0.4	67.1	0.01	0.06	2.1
DD001776		0.32	30.5	690	28.3	10.3	<0.001	0.02	0.37	4.8	1.1	0.4	57.6	0.01	0.06	2.8
DD001777		0.32	26.8	990	26.0	8.4	<0.001	0.06	0.39	4.2	1.2	0.3	121.0	0.01	0.06	1.9
DD001778		0.26	31.1	880	27.1	8.2	0.001	0.04	0.47	5.0	1.2	0.3	123.0	0.01	0.06	3.1
DD001779		0.29	31.1	830	26.8	10.6	0.001	0.05	0.45	4.9	1.7	0.3	107.0	0.01	0.06	2.8
DD001780		0.20	38.3	760	18.4	6.3	<0.001	0.03	0.82	5.8	0.9	0.3	54.1	0.01	0.04	2.4
DD001781		0.16	32.7	520	19.4	4.7	<0.001	<0.01	0.83	4.2	0.6	0.2	59.6	0.01	0.04	2.6
DD001782		0.14	32.8	500	17.2	4.6	<0.001	<0.01	0.77	4.0	0.6	0.2	53.5	<0.01	0.03	2.9
DD001783		0.21	30.0	650	18.3	8.2	<0.001	0.03	0.66	4.2	1.2	0.3	111.0	0.01	0.04	2.6
DD001784		0.17	32.8	570	18.0	5.2	<0.001	0.01	0.76	4.2	0.7	0.3	63.3	0.01	0.04	2.7
DD001785		0.17	30.3	590	18.4	5.3	<0.001	0.01	0.72	4.1	0.7	0.3	76.5	<0.01	0.04	2.6
DD001786		0.20	31.0	630	18.9	6.2	<0.001	0.02	0.75	4.5	0.8	0.3	81.9	0.01	0.04	2.6
DD001787		0.23	31.1	710	18.9	6.6	<0.001	0.03	0.69	4.6	0.9	0.3	89.9	0.01	0.04	2.6
DD001788		0.29	25.2	690	18.5	11.6	0.001	0.06	0.45	4.3	1.4	0.3	160.0	0.01	0.04	2.6
DD001789		0.29	25.0	700	19.3	12.1	0.002	0.06	0.43	4.1	1.5	0.3	142.0	0.01	0.05	2.7
DD001790		0.28	22.5	650	18.4	10.2	0.001	0.05	0.40	3.8	1.3	0.3	170.0	0.01	0.04	2.7
DD001791		0.22	23.3	540	16.6	7.4	0.001	0.02	0.46	3.5	0.9	0.3	111.0	<0.01	0.04	2.8
DD001792		0.26	22.8	590	18.1	9.4	0.001	0.03	0.42	3.7	1.4	0.3	137.5	<0.01	0.04	2.8
DD001793		0.38	30.0	750	26.5	10.4	0.001	0.04	0.60	5.4	1.5	0.4	149.5	0.01	0.06	2.7
DD000051		0.60	16.5	1000	16.8	11.7	<0.001	0.12	0.33	2.6	1.0	0.4	67.4	0.01	0.03	1.2
DD000052		1.14	27.6	350	29.6	11.9	<0.001	<0.01	0.35	4.5	0.5	0.6	19.7	0.01	0.03	3.6
DD000053		1.26	26.8	610	26.8	14.2	0.001	0.02	0.57	4.4	1.0	0.6	35.2	0.01	0.03	2.7
DD000054		1.42	25.0	620	24.6	14.0	0.003	0.04	0.44	4.5	2.4	0.5	45.9	0.01	0.03	2.7
DD000055		1.50	24.7	590	22.7	15.4	0.003	0.04	0.39	4.4	2.3	0.6	43.4	0.01	0.03	2.9
DD000056		1.44	25.4	630	24.4	14.8	0.003	0.04	0.42	4.6	2.5	0.6	43.6	0.01	0.03	2.9
DD000057		1.21	28.2	670	21.7	14.3	0.002	0.07	0.48	4.7	2.4	0.7	41.1	<0.01	0.03	2.5
DD000058		1.26	27.1	690	24.0	15.3	0.002	0.10	0.41	4.9	2.3	0.6	46.0	0.01	0.03	2.9
DD000059		1.20	27.7	660	25.3	15.2	0.001	0.09	0.45	4.9	2.2	0.7	43.4	<0.01	0.04	2.8
DD000060		0.89	28.4	510	29.0	11.9	0.001	0.06	0.38	5.6	1.3	0.7	30.1	<0.01	0.04	3.3
DD000061		0.70	31.3	500	34.1	10.6	0.001	0.07	0.36	6.2	1.1	0.7	27.8	<0.01	0.04	3.5
DD000062		0.97	30.0	450	27.2	11.8	0.001	0.06	0.38	5.4	1.0	0.8	33.5	<0.01	0.03	3.9
DD000063		0.91	28.6	520	28.3	12.9	0.001	0.07	0.40	5.7	1.5	0.7	36.3	<0.01	0.04	3.5
DD001921		0.50	28.7	1440	15.1	18.4	0.005	0.10	0.87	4.3	3.0	0.6	38.6	0.01	0.05	1.7
DD001922		0.52	25.6	690	23.4	11.7	0.001	0.03	0.58	3.3	0.8	0.7	19.0	<0.01	0.04	1.3
DD001923		0.67	29.0	850	20.2	13.1	0.002	0.06	0.61	4.4	2.0	0.7	31.7	<0.01	0.04	2.2
DD001924		0.68	31.3	860	22.7	12.5	0.003	0.06	0.78	4.8	1.6	0.7	36.4	<0.01	0.05	2.2
DD001925		0.66	29.5	790	20.7	12.1	0.002	0.07	0.73	4.7	1.9	0.6	40.0	<0.01	0.05	2.5
DD001926		0.69	29.7	860	19.9	12.1	0.004	0.08	0.67	4.8	2.1	0.6	53.1	<0.01	0.05	2.4
DD001927		0.69	28.3	770	20.0	12.6	0.004	0.07	0.65	4.7	1.7	0.6	48.9	<0.01	0.05	2.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: Midas Touch Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177864

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001774		0.008	0.06	2.29	20	0.10	12.20	85	2.3
DD001775		0.009	0.06	1.73	22	0.09	12.55	95	2.0
DD001776		0.008	0.05	1.30	21	0.08	11.40	96	2.2
DD001777		0.007	0.06	1.45	17	0.08	12.95	79	2.6
DD001778		0.006	0.08	1.49	19	0.06	13.60	107	3.1
DD001779		0.006	0.06	1.89	19	0.08	12.20	93	2.6
DD001780		<0.005	0.07	2.42	11	0.06	11.65	90	2.6
DD001781		<0.005	0.06	1.50	10	<0.05	7.77	84	1.8
DD001782		<0.005	0.05	1.37	10	<0.05	7.32	80	1.6
DD001783		<0.005	0.05	1.63	12	0.48	8.82	81	2.2
DD001784		<0.005	0.05	1.56	10	<0.05	8.48	81	2.1
DD001785		<0.005	0.05	1.59	11	<0.05	8.23	83	2.3
DD001786		<0.005	0.06	1.82	11	0.07	9.25	82	2.8
DD001787		<0.005	0.06	2.19	12	0.06	10.20	84	3.0
DD001788		0.005	0.06	1.45	15	0.06	9.66	83	2.7
DD001789		0.005	0.06	1.32	16	0.07	9.38	81	2.5
DD001790		0.005	0.06	1.15	16	0.08	8.79	82	2.4
DD001791		<0.005	0.05	1.16	13	0.05	7.43	80	2.2
DD001792		0.005	0.05	1.30	15	0.05	8.10	82	2.2
DD001793		0.006	0.08	2.82	22	0.09	13.10	106	2.6
DD000051		0.007	0.07	1.27	18	0.07	7.41	71	2.2
DD000052		0.019	0.07	0.81	30	0.12	6.60	123	2.0
DD000053		0.014	0.08	0.97	27	0.10	8.13	122	2.0
DD000054		0.014	0.08	1.21	24	0.10	8.62	114	2.0
DD000055		0.015	0.07	0.95	24	0.10	7.95	113	1.9
DD000056		0.014	0.08	1.05	24	0.10	8.18	121	2.0
DD000057		0.013	0.10	2.06	27	0.09	9.35	113	1.9
DD000058		0.012	0.10	1.53	24	0.09	9.65	139	2.1
DD000059		0.012	0.10	1.65	25	0.10	9.66	146	2.0
DD000060		0.010	0.07	1.33	25	0.08	7.98	119	1.8
DD000061		0.007	0.07	1.47	25	0.08	8.05	128	1.5
DD000062		0.010	0.08	1.03	26	0.09	7.61	107	2.1
DD000063		0.010	0.09	1.39	26	0.09	8.74	123	2.0
DD001921		0.006	0.14	2.25	28	0.09	11.65	131	2.7
DD001922		0.010	0.10	1.11	31	0.11	5.20	86	0.7
DD001923		0.009	0.12	2.25	29	0.09	8.34	115	1.7
DD001924		0.009	0.12	1.87	29	0.09	8.92	111	1.5
DD001925		0.009	0.12	1.33	26	0.09	8.99	105	1.8
DD001926		0.007	0.11	2.12	26	0.09	9.40	116	1.8
DD001927		0.009	0.09	1.84	26	0.09	8.97	111	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: Midas Touch Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177864

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD001928		0.36	0.003	0.28	1.40	8.9	<0.2	<10	280	1.11	0.31	1.02	0.53	15.40	12.3	21
DD001929		0.32	0.002	0.20	1.47	9.9	<0.2	<10	300	1.29	0.33	0.89	0.39	15.10	12.4	23
DD001930		0.22	0.002	0.20	1.44	8.8	<0.2	<10	230	1.14	0.34	0.64	0.30	16.55	13.3	24
DD001931		0.44	0.002	0.17	1.39	7.6	<0.2	<10	180	0.97	0.33	0.61	0.26	14.00	14.0	25
DD001932		0.66	0.002	0.08	1.36	13.0	<0.2	<10	200	1.18	0.36	0.36	0.15	13.15	14.2	26
DD001933		0.38	0.002	0.08	1.34	12.3	<0.2	<10	220	1.21	0.35	0.47	0.19	14.50	14.4	25
DD001934		0.62	0.002	0.09	1.35	11.7	<0.2	<10	190	1.07	0.35	0.37	0.13	13.95	13.9	26
DD001935		0.44	0.002	0.11	1.32	13.2	<0.2	<10	190	1.15	0.34	0.51	0.20	13.55	13.1	24
DD001936		0.38	0.001	0.13	1.72	9.3	<0.2	<10	270	1.40	0.40	0.55	0.23	12.95	12.7	30
DD001937		0.38	0.001	0.07	1.49	10.1	<0.2	<10	210	1.30	0.42	0.39	0.13	12.50	13.5	30
DD001938		0.46	0.003	0.09	1.65	13.6	<0.2	<10	270	1.84	0.42	0.41	0.12	14.25	12.5	32
DD001939		0.38	0.002	0.06	1.38	11.5	<0.2	<10	180	1.23	0.37	0.37	0.13	14.40	14.6	28
DD001940		0.62	0.003	0.06	1.27	10.2	<0.2	<10	140	0.95	0.36	0.36	0.12	14.15	14.8	26
DD001941		0.54	0.002	0.07	1.14	8.8	<0.2	<10	150	0.98	0.34	0.67	0.12	13.55	16.3	25
DD001942		0.54	0.002	0.05	1.14	8.8	<0.2	<10	150	1.05	0.34	0.59	0.10	13.95	16.2	24
DD001943		0.54	0.002	0.05	1.13	7.8	<0.2	<10	160	0.98	0.33	0.36	0.08	16.30	14.6	24
DD001944		0.58	0.002	0.05	1.20	10.2	<0.2	<10	160	1.08	0.36	0.59	0.12	13.75	16.5	25
DD001945		0.50	0.004	0.05	1.24	9.2	<0.2	<10	140	1.13	0.35	0.29	0.12	16.05	16.5	24
DD001946		0.56	0.003	0.05	1.41	8.4	<0.2	<10	160	1.05	0.34	0.59	0.10	16.65	15.9	27
DD001947		0.40	0.003	0.08	1.41	6.1	<0.2	<10	330	1.25	0.28	0.91	0.13	12.70	11.4	25
DD001948		0.42	0.003	0.08	1.59	7.1	<0.2	<10	270	1.47	0.32	0.55	0.14	15.10	13.2	30
DD001949		0.46	0.003	0.07	1.60	8.0	<0.2	<10	280	1.54	0.35	0.44	0.11	14.05	14.2	31
DD001950		0.48	0.002	0.09	1.14	9.0	<0.2	<10	150	1.08	0.36	0.39	0.09	15.00	15.8	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: Midas Touch Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177864

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD001928		2.41	42.7	2.98	4.09	0.08	0.07	0.18	0.031	0.10	9.3	24.7	0.48	690	1.27	0.01
DD001929		2.27	39.5	3.40	4.56	0.08	0.08	0.11	0.032	0.09	8.4	27.6	0.48	1160	1.11	0.01
DD001930		2.09	34.3	3.37	4.49	0.07	0.07	0.11	0.033	0.09	8.8	26.4	0.47	1180	1.14	0.01
DD001931		1.76	34.2	3.39	4.71	0.08	0.06	0.08	0.031	0.08	7.6	24.5	0.46	781	0.75	0.01
DD001932		3.13	34.3	3.67	4.41	0.08	0.06	0.08	0.031	0.08	6.8	25.3	0.45	958	0.72	0.01
DD001933		3.06	34.6	3.41	4.31	0.07	0.06	0.09	0.030	0.08	7.1	25.4	0.45	889	0.63	0.01
DD001934		2.87	34.4	3.44	4.36	0.07	0.06	0.08	0.030	0.08	6.7	25.0	0.44	668	0.66	0.01
DD001935		3.16	38.4	3.35	4.29	0.07	0.06	0.10	0.030	0.09	7.0	23.9	0.43	733	0.74	0.01
DD001936		2.31	36.8	3.60	5.42	0.07	0.06	0.05	0.037	0.10	6.8	28.6	0.48	759	0.71	0.01
DD001937		2.35	39.1	3.65	5.38	0.08	0.04	0.04	0.033	0.08	6.2	24.9	0.47	701	0.65	0.01
DD001938		4.15	44.5	3.91	5.53	0.08	0.06	0.04	0.036	0.10	7.2	27.5	0.47	943	1.05	0.01
DD001939		2.33	35.0	3.76	4.60	0.08	0.05	0.05	0.034	0.07	6.8	26.5	0.49	854	0.68	0.01
DD001940		1.81	30.3	3.48	4.21	0.07	0.05	0.05	0.028	0.07	6.5	24.5	0.47	863	0.55	0.01
DD001941		1.95	34.6	4.02	4.16	0.07	0.06	0.03	0.031	0.07	5.3	22.9	0.58	1140	0.73	0.01
DD001942		2.03	34.4	4.04	4.19	0.07	0.05	0.03	0.031	0.07	5.5	23.0	0.58	1100	0.73	0.01
DD001943		1.88	32.1	3.75	3.98	0.07	0.06	0.05	0.029	0.07	6.6	22.5	0.50	734	0.54	0.01
DD001944		1.93	34.6	4.08	4.42	0.07	0.05	0.04	0.029	0.07	5.4	23.6	0.56	1200	0.70	0.01
DD001945		1.81	35.4	3.72	4.54	0.06	0.06	0.05	0.030	0.07	6.4	24.6	0.49	357	0.59	0.01
DD001946		1.74	32.2	3.93	4.98	0.07	0.06	0.04	0.029	0.09	6.8	26.4	0.65	882	0.55	0.01
DD001947		1.58	34.6	3.02	4.96	0.06	0.06	0.06	0.028	0.09	6.3	20.9	0.48	508	0.53	0.01
DD001948		2.52	31.0	3.71	5.51	0.06	0.06	0.05	0.031	0.10	6.7	26.1	0.52	721	0.58	0.01
DD001949		2.40	33.2	3.86	5.96	0.07	0.05	0.04	0.033	0.09	6.4	27.8	0.53	628	0.62	0.01
DD001950		2.09	35.5	3.72	4.11	0.10	0.06	0.05	0.029	0.07	6.1	26.6	0.54	1060	0.73	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: Midas Touch Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177864

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD001928		0.77	27.1	810	18.1	12.5	0.004	0.11	0.53	4.6	2.5	0.6	69.3	<0.01	0.04	2.3
DD001929		0.92	26.7	740	21.4	12.8	0.004	0.09	0.43	4.9	2.4	0.6	61.1	<0.01	0.05	2.4
DD001930		0.79	27.1	660	21.1	10.8	0.004	0.08	0.47	4.9	2.0	0.6	44.7	<0.01	0.04	2.9
DD001931		0.99	25.5	630	21.3	10.0	0.002	0.07	0.35	4.7	1.5	0.6	39.6	<0.01	0.04	3.0
DD001932		0.88	27.7	490	24.5	9.5	<0.001	0.04	0.34	5.2	0.8	0.7	26.9	<0.01	0.04	3.4
DD001933		0.93	27.3	580	23.6	10.9	<0.001	0.06	0.31	5.1	0.9	0.6	34.0	<0.01	0.03	3.2
DD001934		0.99	25.6	530	22.6	9.8	<0.001	0.04	0.29	4.8	0.7	0.6	28.7	<0.01	0.03	3.6
DD001935		0.89	24.9	600	22.4	10.0	0.001	0.06	0.37	4.9	1.3	0.6	35.6	<0.01	0.03	2.9
DD001936		0.99	27.9	620	23.4	11.6	<0.001	0.06	0.29	5.4	0.7	0.8	43.2	<0.01	0.03	3.1
DD001937		1.11	26.7	490	23.6	10.7	<0.001	0.03	0.27	5.1	0.6	0.8	38.2	<0.01	0.03	3.3
DD001938		0.93	25.5	580	24.6	13.0	<0.001	0.03	0.30	5.8	0.8	0.9	43.5	<0.01	0.04	3.5
DD001939		1.03	26.5	470	26.5	8.7	<0.001	0.03	0.32	4.8	0.6	0.7	25.0	<0.01	0.03	3.7
DD001940		1.02	26.3	450	25.4	7.2	<0.001	0.03	0.32	4.4	0.4	0.6	21.6	<0.01	0.03	3.8
DD001941		0.52	29.0	350	37.1	6.2	<0.001	0.06	0.33	3.9	0.4	0.5	24.5	<0.01	0.03	4.8
DD001942		0.52	28.6	360	23.9	6.3	<0.001	0.07	0.31	4.0	0.4	0.5	23.1	<0.01	0.03	4.8
DD001943		0.71	24.2	440	22.6	6.6	<0.001	0.07	0.27	3.9	0.5	0.5	22.0	<0.01	0.03	4.9
DD001944		0.63	28.3	390	25.1	6.9	<0.001	0.04	0.30	4.1	0.5	0.5	22.9	<0.01	0.03	4.3
DD001945		0.84	27.6	410	26.2	7.3	<0.001	0.05	0.30	4.3	0.5	0.5	16.1	<0.01	0.03	4.5
DD001946		0.78	27.3	430	23.8	7.9	<0.001	0.03	0.31	4.3	0.5	0.5	25.1	<0.01	0.03	4.9
DD001947		1.05	23.3	630	17.7	9.9	<0.001	0.07	0.25	3.8	0.7	0.6	65.7	<0.01	0.03	2.0
DD001948		1.23	24.7	480	22.2	10.6	<0.001	0.03	0.24	5.0	0.6	0.7	39.3	<0.01	0.02	3.4
DD001949		1.32	26.2	430	24.4	10.6	<0.001	0.03	0.24	5.1	0.6	0.7	38.7	<0.01	0.03	3.4
DD001950		0.49	27.5	380	23.7	7.4	<0.001	0.01	0.30	4.1	0.4	0.5	17.6	<0.01	0.02	5.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- OCT- 2011
 Account: MTT

Project: Midas Touch Tasin Crag East

CERTIFICATE OF ANALYSIS WH11177864

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD001928		0.007	0.10	2.57	23	0.07	9.32	105	2.0
DD001929		0.008	0.08	2.17	26	0.08	8.58	106	1.9
DD001930		0.009	0.09	2.85	26	0.08	8.34	95	1.9
DD001931		0.012	0.07	2.14	25	0.09	8.87	93	1.7
DD001932		0.013	0.06	1.24	26	0.10	8.21	91	1.6
DD001933		0.013	0.07	1.34	25	0.10	9.12	93	1.5
DD001934		0.014	0.06	1.43	26	0.10	8.16	87	1.5
DD001935		0.012	0.07	1.72	25	0.09	9.07	91	1.6
DD001936		0.009	0.07	1.95	29	0.10	9.01	98	1.3
DD001937		0.015	0.06	1.02	29	0.11	8.22	85	0.9
DD001938		0.011	0.07	1.58	32	0.13	10.20	82	1.1
DD001939		0.017	0.06	0.97	28	0.10	6.99	89	1.3
DD001940		0.018	0.05	0.71	26	0.09	5.89	84	1.6
DD001941		0.015	0.05	0.83	24	0.07	6.05	94	2.3
DD001942		0.013	0.05	0.87	23	0.07	6.24	89	2.0
DD001943		0.014	0.05	1.15	23	0.07	6.50	84	1.9
DD001944		0.014	0.06	0.83	25	0.07	6.58	100	1.8
DD001945		0.013	0.06	0.86	25	0.07	6.80	89	2.0
DD001946		0.014	0.06	0.82	25	0.07	6.62	88	2.0
DD001947		0.009	0.06	1.82	23	0.08	8.21	69	1.4
DD001948		0.012	0.07	1.43	28	0.13	8.99	90	1.4
DD001949		0.014	0.07	1.37	30	0.10	8.57	91	1.4
DD001950		0.015	0.05	0.83	23	0.07	6.74	87	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch Tasin Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11177864

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 26- JUL- 2011
Account: MTT

CERTIFICATE WH11134771

Project: Midas Touch - Crag East

P.O. No.:

This report is for 18 Rock samples submitted to our lab in Whitehorse, YT, Canada on 16-JUL- 2011.

The following have access to data associated with this certificate:

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL44	Trace Level Au - 50 g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
As- OG46	Ore Grade As - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- JUL- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11134771

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL44 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I079139		0.72	0.002	0.01	0.04	>10000	<0.2	<10	50	0.11	0.03	12.30	>1000	1.53	0.7	1
I079140		0.26	0.001	0.75	0.76	240	<0.2	<10	100	1.13	8.46	16.15	2.13	23.2	4.6	25
I079141		0.65	<0.001	0.03	0.10	>10000	<0.2	<10	40	0.05	0.03	0.10	8.82	3.33	0.3	3
I079142		1.61	0.004	0.02	0.03	28	<0.2	<10	10	<0.05	0.05	19.35	0.36	1.06	0.8	1
I079143		0.64	0.002	0.07	0.30	>10000	<0.2	<10	180	0.07	0.12	0.32	7.30	3.84	0.4	4
I079144		0.07	0.005	0.28	1.13	8230	<0.2	20	430	0.47	0.19	0.38	0.41	7.28	11.2	7
I079145		0.49	0.001	0.01	0.06	1180	<0.2	<10	20	0.07	0.01	20.8	0.47	5.69	0.9	1
I079146		0.64	0.001	<0.01	0.04	337	<0.2	<10	20	0.06	<0.01	20.6	0.32	4.46	0.8	1
I079147		0.26	0.001	0.40	0.78	925	<0.2	20	140	0.56	0.57	11.90	3.82	18.70	6.1	38
I079148		0.56	<0.001	0.01	0.17	>10000	<0.2	<10	50	<0.05	0.05	0.55	0.08	1.02	0.3	3
I079149		0.19	0.015	0.03	0.27	>10000	<0.2	<10	50	0.11	0.05	0.13	0.20	1.32	0.7	4
I079150		0.34	0.001	0.02	0.08	807	<0.2	<10	20	0.07	0.01	15.25	1.33	5.45	1.7	3
I079151		0.15	0.004	0.03	0.20	>10000	<0.2	<10	100	0.09	0.03	0.44	0.09	1.77	0.8	4
I079152		1.58	0.001	0.01	0.04	33	<0.2	<10	20	<0.05	0.02	18.90	0.08	1.07	0.9	<1
I079153		0.40	0.001	<0.01	0.06	>10000	<0.2	<10	20	0.10	0.01	19.00	67.9	3.73	0.9	1
I079154		0.73	0.001	0.02	0.09	>10000	<0.2	<10	70	<0.05	0.04	0.15	0.98	1.64	0.2	2
I079155		0.12	0.001	0.05	0.51	>10000	<0.2	10	320	0.14	0.08	0.47	0.12	6.65	0.7	6
I079156		1.40	0.002	0.04	0.16	>10000	<0.2	<10	100	<0.05	0.09	0.23	0.08	1.63	0.6	5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- JUL- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11134771

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I079139		0.13	7.5	0.44	1.81	0.08	0.02	6800	0.023	0.01	1.1	0.9	6.86	781	0.05
I079140		2.38	79.8	2.46	4.02	0.06	0.23	2.22	0.639	0.24	16.2	6.9	3.37	1620	74.2
I079141		0.22	3.2	4.66	0.51	0.07	0.03	416	0.025	0.04	1.9	0.7	0.03	62	0.18
I079142		0.09	3.1	0.47	0.09	<0.05	<0.02	1.50	<0.005	0.02	0.5	0.8	12.70	212	0.33
I079143		0.47	7.4	9.33	1.42	0.16	0.08	820	0.094	0.11	2.3	1.8	0.07	71	0.27
I079144		1.36	44.5	42.6	3.79	0.82	0.26	15.70	0.024	0.42	5.5	6.8	0.37	377	0.75
I079145		0.10	1.1	1.50	0.29	0.05	<0.02	3.75	<0.005	0.02	3.9	1.0	11.00	1390	0.06
I079146		0.05	0.7	0.84	0.27	<0.05	0.02	1.75	<0.005	0.01	2.9	0.8	10.05	848	<0.05
I079147		2.64	31.9	1.49	2.08	0.11	0.20	5.62	0.061	0.36	10.2	2.2	0.60	293	11.85
I079148		0.25	4.7	1.28	0.69	<0.05	0.05	85.2	0.024	0.06	0.6	1.5	0.20	58	0.11
I079149		0.37	8.6	4.57	1.02	0.07	0.04	487	0.051	0.08	0.8	2.5	0.04	74	0.18
I079150		0.08	2.0	0.87	0.74	<0.05	0.03	18.85	0.016	0.02	3.7	1.5	8.82	976	0.05
I079151		0.45	4.4	3.46	0.67	0.06	0.02	358	0.033	0.05	1.2	3.8	0.07	139	0.32
I079152		0.15	1.7	0.44	0.11	<0.05	<0.02	0.38	<0.005	0.03	0.5	0.8	12.35	205	0.09
I079153		0.07	1.8	0.54	0.40	0.05	<0.02	446	0.011	0.01	2.5	1.2	11.05	1080	<0.05
I079154		0.09	1.4	1.07	0.35	<0.05	0.02	328	0.005	0.04	0.9	0.7	0.07	52	0.09
I079155		0.35	6.0	3.41	1.46	0.08	0.08	687	0.039	0.17	4.4	2.1	0.16	123	0.37
I079156		0.13	5.2	2.63	0.51	0.05	0.07	523	0.028	0.03	1.1	3.7	0.05	87	0.14



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- JUL- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11134771

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
I079139		0.15	0.9	100	>10000	0.4	<0.001	>10.0	613	0.6	17.4	<0.2	42.9	<0.01	0.03	<0.2
I079140		<0.05	76.4	1130	20.3	17.5	0.056	0.96	7.15	3.7	3.6	3.8	220	<0.01	0.39	3.5
I079141		0.09	0.9	100	524	2.0	<0.001	0.12	557	0.5	0.3	<0.2	70.1	<0.01	0.03	0.3
I079142		<0.05	1.6	180	4.9	0.6	<0.001	0.02	0.53	0.1	<0.2	<0.2	50.4	<0.01	<0.01	<0.2
I079143		0.24	0.9	280	1680	5.0	0.001	0.09	1240	1.1	0.6	0.4	213	<0.01	0.07	1.0
I079144		0.76	25.6	650	376	14.1	0.001	0.43	50.6	9.2	0.9	0.4	36.5	0.01	0.11	4.3
I079145		0.18	1.0	420	10.3	0.5	0.001	0.05	2.08	0.5	0.3	<0.2	84.3	<0.01	0.03	<0.2
I079146		0.17	1.2	240	4.6	0.3	0.001	0.02	1.18	0.3	0.3	<0.2	89.9	<0.01	0.02	<0.2
I079147		0.13	58.7	4250	5.8	26.0	0.034	1.42	6.94	5.3	8.2	0.9	138.5	0.01	0.51	4.1
I079148		0.06	0.6	80	12.0	3.1	<0.001	0.36	47.4	0.3	<0.2	0.2	48.3	<0.01	0.02	0.4
I079149		0.16	1.3	70	20.6	3.6	<0.001	0.07	355	0.6	0.2	0.3	34.4	<0.01	0.02	0.5
I079150		0.12	1.8	200	4.7	0.7	0.001	0.04	3.01	1.2	0.3	<0.2	87.4	<0.01	0.03	0.2
I079151		0.26	2.0	240	28.3	2.7	<0.001	0.07	156.5	0.7	0.2	0.2	68.0	<0.01	0.05	0.3
I079152		<0.05	1.5	160	1.4	1.7	<0.001	0.02	0.15	0.1	<0.2	<0.2	49.5	<0.01	0.01	<0.2
I079153		0.19	1.2	240	3870	0.5	0.001	1.01	50.7	0.5	1.5	<0.2	67.7	<0.01	0.03	<0.2
I079154		0.09	0.3	80	243	1.1	<0.001	0.13	319	0.1	<0.2	0.2	43.7	<0.01	0.03	0.2
I079155		0.12	1.2	640	41.9	5.8	0.001	0.08	402	0.5	0.3	0.4	526	<0.01	0.03	1.5
I079156		0.13	0.8	140	25.6	1.2	<0.001	0.61	95.1	0.8	0.3	0.3	127.0	<0.01	0.05	0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- JUL- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11134771

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	Pb- OG46 Pb %	Zn- OG46 Zn %	As- OG46 As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.001	0.01
I079139		<0.005	15.40	1.37	<1	<0.05	2.43	>10000	0.5	2.38	21.5	3.14
I079140		0.005	1.02	14.95	167	17.20	21.1	414	8.7			
I079141		<0.005	430	0.85	5	0.28	2.45	1630	1.4			1.76
I079142		<0.005	0.38	0.63	5	0.09	0.83	61	<0.5			
I079143		<0.005	800	3.49	6	0.15	1.57	750	4.8			10.65
I079144		<0.005	9.48	7.46	17	0.22	9.12	72	12.4			
I079145		<0.005	0.63	1.72	2	<0.05	3.86	77	0.5			
I079146		<0.005	0.87	1.45	2	<0.05	3.22	91	0.5			
I079147		<0.005	6.54	4.36	120	9.48	23.2	283	9.7			
I079148		<0.005	185.5	0.67	2	0.09	0.48	35	2.7			1.97
I079149		<0.005	206	0.90	4	0.10	0.64	53	2.7			5.30
I079150		<0.005	2.75	0.60	4	<0.05	4.76	704	1.0			
I079151		<0.005	154.5	2.27	3	0.11	1.24	16	1.3			3.02
I079152		<0.005	0.19	0.49	1	0.07	0.81	23	<0.5			
I079153		<0.005	4.11	2.19	3	<0.05	3.24	>10000	0.6		1.415	1.04
I079154		<0.005	540	0.39	1	0.07	0.29	174	0.8			1.11
I079155		<0.005	56.9	2.18	5	0.13	1.27	74	4.5			3.44
I079156		<0.005	143.5	1.02	2	0.07	3.70	14	3.4			3.10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26- JUL- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11134771

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1

Finalized Date: 3- AUG- 2011

This copy reported on

4- AUG- 2011

Account: MTT

CERTIFICATE WH11143177

Project: Midas Touch - Crag East

P.O. No.:

This report is for 18 Rock samples submitted to our lab in Whitehorse, YT, Canada on 27-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
Au- TL44	Trace Level Au - 50 g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11143177

Sample Description	Method Analyte Units LOR	Au- TL44 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05
I079139		0.002	0.02	0.03	>10000	<0.2	<10	50	0.07	0.03	11.40	>1000	1.58	0.4	<1	0.12
I079140		0.013	0.69	0.77	268	<0.2	<10	100	1.03	7.98	16.65	2.12	22.0	4.4	26	2.68
I079141		0.001	0.02	0.09	>10000	<0.2	<10	40	<0.05	0.04	0.11	9.70	3.04	0.2	3	0.21
I079142		0.004	<0.01	0.02	51	<0.2	<10	10	<0.05	0.04	18.60	0.35	1.16	1.0	<1	0.11
I079143		0.002	0.06	0.29	>10000	<0.2	<10	170	0.06	0.12	0.33	7.78	3.83	0.3	5	0.46
I079144			0.21	0.96	5870	<0.2	10	370	0.31	0.16	0.37	0.52	8.05	5.9	10	1.41
I079145		0.001	<0.01	0.05	836	<0.2	<10	10	<0.05	<0.01	18.25	0.52	5.00	0.6	1	0.09
I079146		0.001	<0.01	0.04	283	<0.2	<10	20	<0.05	<0.01	18.85	0.32	3.82	0.5	1	<0.05
I079147		0.009	0.44	0.71	839	<0.2	20	130	0.39	0.58	11.60	3.96	17.70	5.3	35	2.49
I079148		0.001	0.01	0.16	>10000	<0.2	<10	40	0.05	0.05	0.52	0.11	0.92	0.3	3	0.23
I079149			0.02	0.26	>10000	<0.2	<10	50	0.07	0.05	0.12	0.17	1.33	0.6	4	0.36
I079150		0.002	0.03	0.08	598	<0.2	<10	20	0.06	0.02	14.80	1.34	4.84	1.2	4	0.08
I079151		0.007	0.02	0.18	>10000	<0.2	<10	90	0.08	0.03	0.41	0.08	1.60	0.8	4	0.41
I079152		0.008	<0.01	0.04	76	<0.2	<10	20	<0.05	0.02	18.20	0.08	1.19	1.0	<1	0.17
I079153		0.001	<0.01	0.05	9970	<0.2	<10	20	0.08	0.01	17.20	65.9	3.21	0.6	1	0.06
I079154		0.001	0.03	0.09	>10000	<0.2	<10	70	<0.05	0.04	0.14	1.01	1.85	0.2	2	0.10
I079155			0.04	0.48	>10000	<0.2	<10	300	0.09	0.08	0.45	0.09	5.83	0.6	6	0.33
I079156		0.003	0.04	0.14	>10000	<0.2	<10	90	<0.05	0.08	0.22	0.08	1.51	0.6	4	0.12

Comments: **RE- ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH11134771**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11143177

Sample Description	Method Analyte Units LOR	ME- MS41 Cu ppm	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
I079139		8.5	0.40	1.51	0.09	<0.02	6160	0.040	0.01	1.1	0.5	6.38	695	0.05	0.02	0.07
I079140		80.4	2.46	3.71	0.12	0.24	0.83	0.635	0.23	14.5	6.6	3.34	1640	68.3	0.02	0.06
I079141		3.0	4.34	0.47	0.07	0.03	392	0.035	0.04	1.7	0.5	0.04	55	0.15	0.01	0.07
I079142		2.3	0.45	0.11	0.05	<0.02	1.58	0.005	0.01	0.6	0.6	12.05	208	0.22	0.02	0.10
I079143		5.8	8.93	1.20	0.12	0.09	796	0.144	0.11	2.2	1.2	0.07	70	0.24	0.01	0.16
I079144		24.2	40.3	2.22	0.49	0.25	15.30	0.029	0.37	5.8	3.8	0.36	346	0.61	0.02	0.33
I079145		0.9	1.35	0.18	<0.05	<0.02	3.68	<0.005	0.01	3.5	0.5	10.25	1280	<0.05	0.02	0.09
I079146		0.7	0.75	0.15	<0.05	0.02	1.67	<0.005	0.01	2.5	0.4	9.20	746	<0.05	0.02	0.08
I079147		29.6	1.40	1.90	0.08	0.30	5.71	0.060	0.34	9.5	1.4	0.56	275	10.35	0.02	0.07
I079148		5.2	1.22	0.71	<0.05	0.06	87.8	0.031	0.06	0.5	1.2	0.20	56	0.09	0.01	<0.05
I079149		8.0	4.36	0.97	0.06	0.05	465	0.077	0.08	0.8	1.7	0.04	70	0.16	0.01	0.11
I079150		2.4	0.85	0.53	0.07	0.02	20.2	0.011	0.02	3.1	1.0	8.69	938	0.13	0.02	<0.05
I079151		4.3	3.16	0.63	0.05	0.03	332	0.043	0.05	1.0	2.8	0.07	127	0.25	0.01	0.19
I079152		1.3	0.43	0.12	<0.05	<0.02	0.55	<0.005	0.02	0.6	0.6	11.65	203	0.05	0.01	0.08
I079153		1.8	0.50	0.24	<0.05	<0.02	396	0.012	0.01	2.1	0.6	10.05	940	<0.05	0.02	0.10
I079154		1.6	1.04	0.34	0.08	0.02	321	<0.005	0.03	1.0	0.7	0.06	48	0.09	<0.01	0.07
I079155		6.0	3.24	1.30	0.11	0.08	646	0.019	0.16	3.6	1.5	0.16	113	0.31	0.01	0.05
I079156		5.4	2.50	0.51	0.05	0.07	490	0.041	0.03	1.1	2.9	0.05	80	0.13	0.01	0.10

Comments: **RE- ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH11134771**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11143177

Sample Description	Method Analyte Units LOR	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2	ME- MS41 Ti % 0.005
I079139		0.8	90	>10000	0.4	<0.001	>10.0	565	0.4	17.6	<0.2	40.0	<0.01	0.04	<0.2	<0.005
I079140		73.7	1160	20.1	16.5	0.058	1.03	6.96	3.6	3.4	3.3	224	<0.01	0.37	3.4	0.006
I079141		0.8	80	497	2.2	<0.001	0.11	529	0.5	0.3	<0.2	63.8	<0.01	0.02	0.3	<0.005
I079142		2.3	180	5.0	0.6	<0.001	0.06	0.83	0.3	0.2	<0.2	48.2	<0.01	0.01	<0.2	<0.005
I079143		0.7	270	1595	5.1	<0.001	0.08	1190	0.8	0.6	0.3	197.0	<0.01	0.06	1.0	<0.005
I079144		15.0	600	359	11.1	<0.001	0.40	58.6	4.2	0.6	0.5	26.9	<0.01	0.11	3.2	<0.005
I079145		0.4	380	8.4	0.5	<0.001	0.09	1.75	0.5	0.2	<0.2	76.1	<0.01	0.01	<0.2	<0.005
I079146		0.8	210	3.7	0.3	<0.001	0.06	1.06	0.3	0.2	<0.2	78.7	<0.01	0.01	<0.2	<0.005
I079147		54.2	4080	5.2	24.2	0.031	1.34	6.92	4.8	7.6	0.9	133.0	0.01	0.54	3.9	<0.005
I079148		0.6	60	11.2	3.3	<0.001	0.33	45.0	0.4	<0.2	0.2	43.4	<0.01	0.01	0.4	<0.005
I079149		1.2	70	18.9	3.9	<0.001	0.07	344	0.6	0.2	0.2	34.4	<0.01	0.02	0.5	<0.005
I079150		1.7	200	4.4	0.6	<0.001	0.06	2.42	0.7	<0.2	<0.2	82.4	<0.01	0.01	0.2	<0.005
I079151		2.0	220	24.1	2.8	<0.001	0.06	145.5	0.7	0.2	<0.2	63.6	<0.01	0.04	0.3	<0.005
I079152		2.4	160	1.4	1.9	<0.001	0.06	0.25	0.3	<0.2	<0.2	47.9	<0.01	<0.01	<0.2	<0.005
I079153		1.6	210	3350	0.5	<0.001	0.92	47.0	0.4	1.5	<0.2	60.2	<0.01	0.01	<0.2	<0.005
I079154		0.4	90	240	1.1	<0.001	0.14	324	0.1	0.2	0.2	46.3	<0.01	0.03	0.2	<0.005
I079155		1.3	620	38.6	5.1	<0.001	0.07	398	0.3	<0.2	0.4	500	<0.01	0.02	1.5	<0.005
I079156		0.9	130	22.6	1.3	<0.001	0.56	92.4	0.9	0.3	0.3	116.5	<0.01	0.04	0.5	<0.005

Comments: **RE- ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH11134771**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 3- AUG- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11143177

Sample Description	Method Analyte Units LOR	ME- MS41 TI ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Pb- OG46 Pb % 0.001	Zn- OG46 Zn % 0.001	Au- ICP21 Au ppm 0.001
I079139		14.30	1.19	1	<0.05	2.15	>10000	0.5	2.28	21.2	<0.001
I079140		0.80	12.20	173	15.20	20.1	442	8.6			1.120
I079141		400	0.88	4	0.29	2.37	1560	1.5			<0.001
I079142		0.57	0.50	2	0.08	0.81	81	<0.5			0.003
I079143		770	3.38	6	0.15	1.38	729	4.5			0.001
I079144		8.10	5.07	15	0.24	7.22	67	9.9			NSS
I079145		0.50	1.48	2	<0.05	3.34	66	<0.5			<0.001
I079146		0.75	1.16	1	<0.05	2.70	80	0.5			<0.001
I079147		6.78	3.95	111	10.05	22.6	268	12.7			7.59
I079148		187.5	0.66	2	0.07	0.42	35	2.8			0.001
I079149		199.0	0.89	4	0.11	0.60	52	2.8			0.018
I079150		2.18	0.57	4	<0.05	4.32	683	0.8			<0.001
I079151		145.5	2.12	3	0.11	1.12	12	1.4			0.006
I079152		0.26	0.36	2	0.06	0.80	23	<0.5			0.010
I079153		3.71	1.79	2	<0.05	2.72	>10000	0.6		1.525	<0.001
I079154		530	0.39	1	0.07	0.30	176	0.9			<0.001
I079155		50.3	2.07	5	0.13	1.18	65	3.7			<0.001
I079156		144.5	0.98	2	0.08	3.47	14	3.5			0.001

Comments: **RE- ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH11134771**

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11143177

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41 ME- MS41	NSS is non- sufficient sample. Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 28- JUL- 2011
This copy reported on
4- AUG- 2011
Account: MTT

CERTIFICATE WH11143234

Project: Midas Touch - Crag East

P.O. No.:

This report is for 3 Rock samples submitted to our lab in Whitehorse, YT, Canada on 27-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 28- JUL- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11143234

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
I078610		<0.01
I078611		<0.01
I078612		<0.01

Comments: **RE- ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH11103178**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 20- SEP- 2011
Account: MTT

CERTIFICATE WH11159786

Project: Midas Touch- Crag East

P.O. No.:

This report is for 9 Rock samples submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS41	51 anal. aqua regia ICPMS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
As- OG46	Ore Grade As - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11159786

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
K976822		1.68	0.01	0.03	0.09	8580	<0.2	<10	20	0.06	0.09	18.85	0.30	3.78	1.3	3
K976823		1.40	0.01	0.10	0.21	>10000	<0.2	<10	80	0.05	0.31	0.64	0.18	3.42	2.0	9
K976824		2.10	<0.01	0.10	0.24	>10000	<0.2	<10	60	0.10	0.17	8.48	0.18	5.97	5.0	9
K976825		3.36	<0.01	0.03	0.11	5080	<0.2	<10	50	0.06	0.10	19.50	0.10	2.93	1.3	4
K976826		4.02	<0.01	0.01	0.07	2670	<0.2	<10	40	0.06	0.02	20.1	0.07	2.60	0.8	2
K976827		2.89	<0.01	0.01	0.05	1230	<0.2	<10	30	0.09	0.01	20.1	0.04	1.40	0.7	1
K976828		3.25	<0.01	0.01	0.04	1900	<0.2	10	30	0.10	0.01	19.45	0.05	2.14	1.1	1
K976829		4.65	<0.01	<0.01	0.09	423	<0.2	10	20	0.09	0.02	19.45	0.08	3.56	1.6	1
K976830		3.88	<0.01	<0.01	0.07	390	<0.2	10	20	0.12	0.01	20.0	0.06	2.48	1.4	1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20- SEP- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11159786

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
K976822		0.07	4.6	1.64	0.27	<0.05	0.03	201	0.022	0.01	2.6	1.5	10.80	1360	0.06
K976823		0.21	15.0	3.41	0.78	0.07	0.27	1630	0.193	0.05	2.5	2.4	0.23	262	0.30
K976824		0.25	15.5	3.26	0.67	0.08	0.13	5170	0.144	0.04	4.4	2.1	4.72	726	0.14
K976825		0.14	5.5	1.26	0.34	0.05	0.04	233	0.013	0.02	2.2	1.1	11.60	1260	0.07
K976826		0.09	3.4	1.14	0.23	0.05	0.02	95.4	0.007	0.01	1.9	1.0	12.00	1250	0.07
K976827		0.06	1.3	0.68	0.19	0.07	<0.02	30.3	<0.005	0.01	1.0	0.7	12.05	959	0.06
K976828		0.07	1.1	0.97	0.23	<0.05	<0.02	44.2	0.005	0.01	1.4	0.8	11.95	1130	<0.05
K976829		0.17	2.0	0.64	0.39	<0.05	0.02	8.92	<0.005	0.02	2.5	1.4	11.80	949	0.06
K976830		0.15	1.1	0.48	0.39	0.06	<0.02	6.86	<0.005	0.01	1.5	1.1	12.50	861	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11159786

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
K976822		0.09	<0.2	190	7.0	0.4	<0.001	0.04	25.2	3.7	0.4	0.2	135.5	<0.01	0.02	0.3
K976823		0.12	3.0	200	41.5	2.3	<0.001	3.53	454	1.9	1.7	0.6	231	<0.01	0.09	1.8
K976824		0.10	5.9	240	61.0	1.6	<0.001	3.27	325	4.0	1.9	0.4	188.5	<0.01	0.09	1.0
K976825		0.10	0.2	170	11.7	0.8	<0.001	0.02	27.2	2.5	0.4	0.2	96.0	<0.01	0.02	0.4
K976826		0.07	0.3	140	4.5	0.5	<0.001	0.01	22.1	2.0	0.3	<0.2	91.3	<0.01	0.01	0.2
K976827		0.07	<0.2	120	2.8	0.4	<0.001	<0.01	9.99	1.0	0.2	<0.2	59.4	<0.01	0.01	<0.2
K976828		0.26	<0.2	90	2.4	0.5	<0.001	0.01	14.00	1.2	<0.2	<0.2	54.8	<0.01	0.02	<0.2
K976829		0.26	1.4	150	5.3	1.1	<0.001	0.01	2.52	1.2	<0.2	<0.2	82.9	<0.01	0.01	0.3
K976830		0.27	1.4	150	1.8	0.9	0.001	0.01	2.46	1.0	<0.2	<0.2	54.1	<0.01	0.01	0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2011
 Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11159786

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	As- OG46 As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
K976822		<0.005	50.9	1.38	7	0.07	6.69	118	1.8	
K976823		<0.005	181.5	2.02	5	0.15	9.91	36	11.2	11.45
K976824		<0.005	300	2.78	5	0.10	10.70	67	7.1	9.37
K976825		<0.005	36.6	1.50	4	0.07	4.79	36	2.1	
K976826		<0.005	20.0	1.55	3	0.06	3.33	32	1.1	
K976827		<0.005	13.35	1.45	1	<0.05	1.85	17	0.6	
K976828		<0.005	27.0	1.04	1	<0.05	1.90	15	<0.5	
K976829		<0.005	6.58	1.44	2	<0.05	2.60	24	0.9	
K976830		<0.005	3.30	1.58	1	<0.05	2.12	20	0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11159786

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 26- SEP- 2011
Account: MTT

CERTIFICATE WH11177867

Project: Midas Touch Crag East

P.O. No.:

This report is for 1 Rock sample submitted to our lab in Whitehorse, YT, Canada on 5- SEP- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch Crag East

CERTIFICATE OF ANALYSIS WH11177867

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
1079187		1.24	<0.01	0.01	0.13	6960	<0.2	10	270	0.07	0.04	0.16	0.06	1.65	2.8	5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- SEP- 2011
 Account: MTT

Project: Midas Touch Crag East

CERTIFICATE OF ANALYSIS WH11177867

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
1079187		0.79	1.7	0.64	0.47	0.08	0.02	1270	0.012	0.05	0.8	0.6	0.01	297	0.09	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch Crag East

CERTIFICATE OF ANALYSIS WH11177867

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
1079187		<0.05	2.2	170	5.4	3.0	<0.001	0.19	29.1	1.5	0.2	<0.2	61.3	<0.01	0.01	0.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- SEP- 2011
 Account: MTT

Project: Midas Touch Crag East

CERTIFICATE OF ANALYSIS WH11177867

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
1079187		0.005	0.02	0.05	1	0.05	0.05	2	0.5
		<0.005	6.05	0.34	2	0.07	1.73	23	0.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11177867

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 26- AUG- 2011
Account: MTT

CERTIFICATE VA11159863

Project: Midas Touch - Crag East

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
PUL- QC	Pulverizing QC Test
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159863

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
I358930		4.36	<0.01	0.02	0.05	204	10	0.08	<0.01	20.2	<0.02	1.31	0.8	1	<0.05	3.0
I358931		8.38	<0.01	0.02	0.05	334	30	0.09	<0.01	21.4	0.10	1.89	0.8	1	<0.05	2.1
I358932		9.22	<0.01	0.01	0.06	1040	20	0.11	<0.01	21.2	0.03	2.21	0.7	1	<0.05	1.3
I358933		9.54	<0.01	<0.01	0.05	191	30	0.09	<0.01	21.1	<0.02	1.77	0.8	1	<0.05	1.2
I358934		9.00	<0.01	<0.01	0.04	157	10	0.08	<0.01	21.7	<0.02	1.59	0.8	1	<0.05	1.0
I358935		0.30	3.90	1.53	3.21	779	470	0.79	4.24	2.10	2.04	38.7	7.6	53	7.50	73.0
I358936		9.34	<0.01	0.01	0.06	1260	20	0.08	0.01	21.8	<0.02	1.55	0.8	1	<0.05	1.9
I358937		9.50	<0.01	<0.01	0.03	333	10	0.09	<0.01	20.7	<0.02	1.08	0.7	1	<0.05	1.6
I358938		10.10	<0.01	0.02	0.09	315	30	0.07	<0.01	21.2	0.08	2.98	0.9	<1	<0.05	2.2
I358939		4.30	<0.01	0.01	0.09	1200	30	0.08	<0.01	22.2	0.14	3.13	0.9	<1	0.05	0.9
I358940		4.50	<0.01	0.01	0.13	2420	70	0.05	0.01	20.1	0.02	5.35	0.9	3	0.05	2.1
I358941		6.92	0.01	0.01	0.29	4380	60	<0.05	0.01	29.2	<0.02	3.50	1.1	4	0.05	1.6
I358942		7.60	<0.01	<0.01	0.27	2880	80	0.05	<0.01	22.1	0.02	4.63	0.8	1	0.09	1.5
I358943		7.72	<0.01	<0.01	0.13	>10000	80	0.06	<0.01	20.4	0.09	6.73	0.8	1	0.05	0.9
I358944		9.32	<0.01	0.01	0.12	9220	70	<0.05	0.01	20.5	0.28	6.50	0.7	2	0.05	1.3
I358945		8.52	<0.01	0.02	0.20	444	90	0.09	0.01	21.7	0.05	8.81	1.7	2	0.10	2.8
I358946		9.66	<0.01	<0.01	0.04	2660	10	0.08	<0.01	21.3	0.03	3.04	0.7	<1	<0.05	1.3
I358947		6.56	<0.01	<0.01	0.12	1900	40	0.11	<0.01	20.7	0.06	4.69	0.9	1	0.06	2.0
I358948		5.58	<0.01	0.04	1.09	>10000	290	0.19	0.05	17.30	4.02	20.1	3.3	8	0.61	8.8
I358949		5.64	<0.01	0.03	1.28	>10000	350	0.20	0.06	17.20	0.03	23.9	3.2	11	0.77	7.4
I358950		6.36	<0.01	<0.01	0.07	80	20	0.06	0.02	20.6	0.07	1.73	1.2	1	0.16	1.8
I358951		9.74	<0.01	0.03	0.80	6630	210	0.15	0.04	21.1	0.08	16.00	2.6	8	0.38	8.7
I358952		7.30	<0.01	0.04	1.74	8930	430	0.26	0.09	18.75	0.10	23.9	4.2	14	1.11	11.0
I358953		6.40	<0.01	0.01	3.21	>10000	570	0.23	0.15	2.32	0.05	35.8	8.5	26	0.86	17.6
I358954		6.54	<0.01	<0.01	0.06	91	20	0.05	0.02	20.6	0.07	1.09	1.1	1	0.11	1.4
I358955		6.22	<0.01	0.01	2.95	>10000	640	0.28	0.15	5.05	0.08	41.4	7.0	23	0.81	17.1
I358956		4.66	<0.01	0.05	3.73	8970	1020	0.40	0.18	7.32	0.45	54.6	8.2	27	1.39	21.2
I358957		6.72	<0.01	0.01	0.23	2360	70	0.06	0.01	22.2	0.02	6.39	1.0	3	0.08	1.6
I358958		6.46	<0.01	<0.01	0.06	460	20	0.06	<0.01	21.6	<0.02	4.98	0.8	1	<0.05	0.7
I358959		10.54	<0.01	<0.01	0.03	280	10	0.08	<0.01	21.4	<0.02	1.41	0.7	1	<0.05	0.2
I358960		10.10	<0.01	<0.01	0.06	509	30	<0.05	<0.01	21.3	0.05	4.89	0.8	4	<0.05	0.9
I358961		8.70	<0.01	<0.01	0.08	128	20	0.10	<0.01	25.7	0.05	3.15	0.8	3	<0.05	0.8
I358962		0.28	7.52	0.43	3.48	969	160	0.77	0.62	11.95	4.11	41.3	5.0	93	7.26	32.6
I358963		9.32	<0.01	0.02	1.66	128	320	0.31	0.10	21.1	<0.02	21.8	3.7	11	2.21	9.6
I358964		9.46	<0.01	0.01	1.85	57	260	0.33	0.10	18.00	0.02	22.9	3.7	12	2.15	8.2
I358965		8.82	<0.01	0.02	1.75	56	240	0.26	0.08	16.20	0.06	20.2	3.4	13	1.98	7.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159863

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I358930		0.64	0.21	0.07	<0.1	6.12	<0.005	0.01	0.7	1.1	11.20	605	0.43	0.02	0.1	<0.2
I358931		0.64	0.26	0.09	<0.1	6.58	<0.005	0.01	1.2	1.2	12.05	649	0.18	0.01	0.1	<0.2
I358932		0.53	0.28	0.12	<0.1	5.34	<0.005	0.01	1.4	1.1	11.95	626	0.08	0.02	0.1	<0.2
I358933		0.46	0.27	0.11	<0.1	5.20	<0.005	0.01	1.2	1.0	12.10	515	0.08	0.02	0.1	<0.2
I358934		0.48	0.24	0.12	<0.1	3.63	<0.005	0.01	1.0	0.9	12.50	559	0.06	0.02	0.1	<0.2
I358935		3.01	9.22	0.12	1.7	5.40	0.168	1.41	21.8	12.6	1.01	297	27.9	0.01	6.9	77.1
I358936		0.43	0.23	0.07	<0.1	43.5	<0.005	0.02	0.9	1.0	12.45	474	0.10	0.02	0.1	<0.2
I358937		0.47	0.22	0.12	<0.1	6.13	<0.005	0.01	0.7	0.9	11.95	497	0.05	0.02	0.1	<0.2
I358938		0.65	0.29	<0.05	<0.1	6.81	<0.005	0.02	1.9	0.8	11.35	887	0.21	0.01	0.3	1.2
I358939		0.69	0.34	<0.05	<0.1	9.9	<0.005	0.02	2.1	0.9	11.95	971	0.11	0.01	0.3	1.2
I358940		1.04	0.40	0.08	<0.1	8.82	0.007	0.02	3.5	1.2	11.60	1160	0.07	0.01	0.2	<0.2
I358941		0.59	0.50	0.06	0.1	17.0	0.009	0.02	2.5	6.2	4.91	546	0.06	0.01	0.3	<0.2
I358942		1.18	0.55	0.06	<0.1	16.2	0.007	0.03	3.3	5.8	10.55	1300	0.05	0.01	0.1	<0.2
I358943		1.07	0.35	0.08	<0.1	66.1	0.021	0.02	4.8	1.1	11.00	1140	0.05	0.01	0.1	<0.2
I358944		1.06	0.37	0.07	<0.1	64.0	0.019	0.02	4.7	1.2	10.70	1080	0.09	0.01	0.2	<0.2
I358945		1.21	0.54	0.08	0.1	19.8	<0.005	0.05	6.3	1.4	11.85	1290	0.08	0.01	0.4	1.4
I358946		1.13	0.25	0.06	<0.1	5.06	0.006	0.01	2.3	0.7	11.65	1300	<0.05	0.01	0.1	<0.2
I358947		1.21	0.44	0.06	<0.1	4.23	<0.005	0.03	3.6	1.1	11.60	1440	<0.05	0.01	0.2	0.4
I358948		1.70	3.49	0.08	0.4	88.6	0.053	0.27	15.1	6.0	8.26	945	0.26	0.02	1.7	5.1
I358949		1.75	3.04	0.08	0.5	68.5	0.029	0.33	17.6	6.6	9.11	1020	0.17	0.02	2.1	5.2
I358950		0.48	0.30	0.11	<0.1	0.25	<0.005	0.03	0.9	1.0	12.10	212	0.06	0.01	0.3	0.9
I358951		1.36	2.19	0.07	0.3	32.6	0.015	0.21	12.0	4.2	11.20	1120	0.17	0.02	1.3	5.6
I358952		1.81	4.74	0.07	0.8	67.3	0.020	0.52	18.1	9.2	9.90	992	0.23	0.02	3.4	8.4
I358953		1.95	8.21	0.10	1.5	>100	0.028	0.65	27.9	15.6	1.20	174	0.31	0.02	5.7	18.4
I358954		0.47	0.32	0.18	<0.1	1.14	<0.005	0.02	0.6	0.9	12.15	200	0.07	<0.01	0.2	2.3
I358955		2.16	7.48	0.11	1.4	>100	0.038	0.63	31.9	15.1	2.74	381	0.27	0.02	5.8	14.8
I358956		2.43	9.98	0.11	1.6	>100	0.031	0.92	41.8	16.6	3.53	537	0.26	0.03	6.9	17.5
I358957		1.16	0.66	<0.05	0.1	8.47	0.005	0.05	5.0	1.6	10.80	1280	0.07	0.01	0.5	1.2
I358958		1.35	0.33	0.05	<0.1	5.46	<0.005	0.01	3.7	0.9	11.35	1580	0.07	0.01	0.2	0.7
I358959		0.65	0.29	0.16	<0.1	2.27	<0.005	<0.01	1.0	0.7	12.20	945	<0.05	0.01	0.2	1.0
I358960		1.08	0.35	0.10	<0.1	2.92	<0.005	0.01	3.8	0.8	11.75	1200	0.07	0.01	0.2	1.6
I358961		0.87	0.39	0.08	<0.1	2.24	<0.005	0.02	2.3	0.8	9.63	1210	<0.05	0.01	0.2	1.1
I358962		1.39	7.39	0.10	2.3	5.84	0.062	1.45	27.2	9.3	0.72	272	10.85	0.01	7.7	60.6
I358963		1.35	4.26	0.06	0.7	3.08	0.010	0.63	17.1	7.6	9.13	865	0.18	0.02	2.7	8.2
I358964		1.28	4.58	0.06	0.7	1.12	0.010	0.73	14.9	6.6	8.74	881	0.09	0.03	3.1	9.6
I358965		1.41	4.24	0.05	0.7	1.40	0.011	0.67	12.6	5.8	7.84	892	0.21	0.03	2.9	8.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159863

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005	ppm 0.02
I358930		190	2.4	0.4	<0.002	0.01	0.96	0.2	1	<0.2	105.5	<0.05	<0.05	<0.2	<0.005	0.44
I358931		260	3.7	0.4	<0.002	0.01	0.76	0.3	1	<0.2	185.5	<0.05	<0.05	<0.2	<0.005	0.79
I358932		360	2.1	0.4	<0.002	0.05	2.31	0.2	2	<0.2	167.5	<0.05	<0.05	<0.2	<0.005	1.80
I358933		320	2.2	0.3	<0.002	0.03	0.44	0.2	2	<0.2	206	<0.05	<0.05	<0.2	<0.005	0.90
I358934		260	1.5	0.2	<0.002	0.03	0.43	0.2	1	<0.2	131.0	<0.05	<0.05	<0.2	<0.005	1.33
I358935		870	18.8	110.5	0.040	1.94	26.7	5.9	7	3.2	56.0	0.46	0.89	5.4	0.176	5.59
I358936		280	1.3	0.4	<0.002	0.08	5.37	0.2	1	<0.2	151.5	<0.05	<0.05	<0.2	<0.005	1.11
I358937		200	1.7	0.2	<0.002	0.04	1.44	0.2	1	<0.2	123.5	<0.05	<0.05	<0.2	<0.005	0.97
I358938		220	2.6	0.9	<0.002	0.10	2.65	0.2	1	<0.2	160.5	<0.05	<0.05	<0.2	<0.005	3.51
I358939		210	2.4	0.9	<0.002	0.14	3.86	0.2	1	<0.2	158.0	<0.05	<0.05	<0.2	<0.005	3.08
I358940		360	3.5	1.0	<0.002	0.12	6.43	0.4	2	<0.2	334	<0.05	<0.05	0.2	<0.005	5.86
I358941		260	1.8	0.8	<0.002	0.35	13.35	0.5	2	<0.2	330	<0.05	<0.05	0.3	<0.005	12.60
I358942		330	1.1	1.0	<0.002	0.11	9.31	0.4	2	<0.2	410	<0.05	<0.05	0.2	<0.005	8.05
I358943		350	1.2	0.5	<0.002	0.58	29.3	0.4	2	<0.2	401	<0.05	<0.05	<0.2	<0.005	9.11
I358944		370	1.7	0.5	<0.002	0.53	25.4	0.4	2	<0.2	369	<0.05	<0.05	0.2	<0.005	9.42
I358945		400	4.0	1.5	<0.002	0.25	4.07	0.8	2	<0.2	455	<0.05	<0.05	0.5	0.007	15.45
I358946		130	1.6	0.2	<0.002	0.13	5.00	0.3	2	<0.2	94.6	<0.05	<0.05	<0.2	<0.005	1.84
I358947		220	3.4	0.9	<0.002	0.14	4.57	0.6	1	<0.2	206	<0.05	<0.05	0.2	<0.005	4.38
I358948		860	27.8	10.0	<0.002	2.30	62.6	2.2	2	0.5	1100	0.11	0.05	2.1	0.036	80.6
I358949		950	22.9	11.4	<0.002	1.89	50.5	2.3	1	0.4	1195	0.14	<0.05	2.9	0.045	76.2
I358950		180	1.4	1.1	<0.002	0.01	0.26	0.3	1	<0.2	49.1	<0.05	<0.05	<0.2	<0.005	0.28
I358951		670	15.6	8.1	<0.002	0.97	24.0	1.9	1	0.3	717	0.08	<0.05	1.9	0.029	34.6
I358952		890	31.8	21.3	<0.002	1.82	45.1	3.8	1	0.5	1060	0.25	<0.05	4.3	0.070	67.6
I358953		1790	27.6	27.0	<0.002	2.58	57.2	1.9	1	0.9	2110	0.43	0.08	7.4	0.143	74.8
I358954		190	1.3	0.9	<0.002	0.01	0.27	0.3	1	<0.2	49.5	<0.05	<0.05	<0.2	<0.005	0.29
I358955		1950	30.9	26.2	<0.002	3.17	73.4	2.0	1	0.8	2320	0.43	0.07	6.9	0.132	92.7
I358956		3120	45.5	38.0	<0.002	2.68	67.4	3.4	1	1.2	3760	0.50	0.09	8.9	0.158	108.5
I358957		370	4.2	2.0	<0.002	0.28	5.06	0.7	1	<0.2	296	<0.05	<0.05	0.5	0.008	8.14
I358958		290	1.8	0.4	<0.002	0.08	1.91	0.3	1	<0.2	115.0	<0.05	<0.05	0.2	<0.005	4.71
I358959		110	1.1	0.1	<0.002	0.06	1.12	0.2	1	<0.2	61.9	<0.05	<0.05	<0.2	<0.005	2.44
I358960		180	1.8	0.4	<0.002	0.08	1.71	0.4	1	<0.2	147.5	<0.05	<0.05	<0.2	<0.005	3.18
I358961		120	2.0	0.7	<0.002	0.06	0.44	0.7	1	<0.2	122.5	<0.05	<0.05	<0.2	<0.005	1.49
I358962		4170	4.8	118.5	0.035	1.35	18.25	6.0	9	1.7	144.0	0.52	0.53	6.9	0.210	13.00
I358963		280	16.8	21.2	<0.002	0.90	2.39	3.2	1	0.5	291	0.18	<0.05	4.2	0.064	3.33
I358964		300	16.9	25.3	<0.002	0.81	1.06	3.6	1	0.5	265	0.21	<0.05	4.6	0.067	1.20
I358965		320	16.7	22.6	<0.002	0.85	1.11	3.6	1	0.5	266	0.20	<0.05	4.0	0.065	1.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159863

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
I358930		1.5	1	0.1	1.4	31	0.9	
I358931		1.6	<1	0.1	1.6	68	1.1	
I358932		1.7	<1	0.1	1.5	25	1.1	
I358933		1.6	<1	0.1	1.4	6	1.0	
I358934		1.5	<1	0.1	1.5	6	0.8	
I358935		5.3	334	15.6	16.6	157	59.7	
I358936		1.7	1	0.1	1.5	3	0.8	
I358937		1.4	<1	0.1	1.1	3	0.6	
I358938		2.1	2	0.1	2.5	171	1.3	
I358939		2.2	1	0.1	2.6	262	1.3	
I358940		2.4	1	0.1	3.4	13	1.6	
I358941		1.4	<1	0.2	2.6	5	3.2	
I358942		1.7	1	0.1	2.7	37	2.7	
I358943		1.9	1	0.1	3.6	55	1.3	1.120
I358944		1.8	1	0.1	3.5	144	1.5	
I358945		2.2	2	0.3	3.8	64	3.6	
I358946		1.7	1	0.2	2.3	23	1.7	
I358947		1.7	1	0.3	2.6	40	2.8	
I358948		3.7	7	0.7	4.6	2460	15.0	1.735
I358949		3.8	9	0.8	4.5	18	17.5	1.295
I358950		0.5	1	0.1	0.9	18	0.5	
I358951		3.6	6	0.6	5.3	65	10.5	
I358952		4.3	14	1.2	6.1	49	23.6	
I358953		5.2	17	2.2	13.2	46	43.5	1.575
I358954		0.6	1	0.1	0.8	19	<0.5	
I358955		5.6	16	2.2	14.8	67	42.7	2.53
I358956		7.4	23	2.8	9.1	187	51.3	
I358957		2.6	2	0.2	5.3	12	3.0	
I358958		2.3	<1	0.1	3.6	4	1.1	
I358959		1.6	<1	0.1	1.7	4	0.5	
I358960		1.7	<1	0.1	3.0	20	0.9	
I358961		1.7	1	0.1	9.7	26	1.6	
I358962		8.1	387	35.5	28.1	291	74.0	
I358963		3.2	13	0.8	7.8	9	21.7	
I358964		2.4	13	0.8	7.4	16	23.4	
I358965		2.3	14	0.7	6.8	44	24.3	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159863

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 20- AUG- 2011
Account: MTT

CERTIFICATE VA11159864

Project: Midas Touch - Crag East

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159864

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
I358966		9.24	<0.01	0.03	0.80	30	130	0.19	0.03	24.3	0.05	11.15	1.8	7	0.83	4.4
I358967		5.46	<0.01	0.06	2.54	51	220	0.57	0.07	25.9	0.03	29.9	4.6	21	4.54	8.2
I358968		12.86	<0.01	0.13	2.16	55	230	0.39	0.08	27.8	0.05	24.3	3.9	19	3.63	10.3
I358969		10.10	<0.01	0.05	1.60	47	160	0.32	0.04	26.1	0.22	16.45	2.6	13	2.93	4.8
I358970		10.24	<0.01	0.03	0.84	81	120	0.17	0.02	17.80	<0.02	9.35	1.6	7	1.33	2.8
I358971		10.20	<0.01	0.01	0.28	35	60	0.08	0.01	20.5	<0.02	3.47	1.0	3	0.26	1.2
I358972		9.32	<0.01	<0.01	0.26	28	40	0.06	<0.01	20.8	<0.02	3.02	1.0	3	0.12	1.1
I358973		0.28	1.48	32.4	7.74	123.0	500	0.61	11.30	6.07	37.8	30.5	89.9	128	1.76	7010
I358974		9.10	<0.01	0.04	0.38	45	80	0.09	0.01	21.7	0.02	5.05	0.9	6	0.42	4.0
I358975		10.32	0.03	0.02	0.79	50	130	0.15	0.01	18.75	<0.02	7.52	1.4	7	1.38	2.7
I358976		5.38	<0.01	0.01	0.62	21	130	0.16	0.01	18.05	0.02	7.59	1.1	7	0.97	1.5
I358977		4.66	<0.01	0.14	4.15	91	460	0.89	0.10	16.35	0.09	37.4	6.9	46	13.85	17.9
I358978		7.82	<0.01	0.01	0.07	<5	10	0.05	0.02	20.8	0.07	1.09	1.4	4	0.14	2.5
I358979		5.96	0.01	0.04	1.27	25	210	0.29	0.03	19.60	0.06	14.75	2.5	15	2.04	4.6
I358980		8.50	<0.01	0.03	1.77	31	190	0.37	0.03	25.3	0.04	19.95	2.7	14	3.01	3.8
I358981		5.76	<0.01	0.02	1.68	30	160	0.33	0.03	24.6	<0.02	17.25	2.6	14	3.21	3.5
I358982		3.56	<0.01	0.08	2.53	216	390	0.53	0.07	26.4	0.07	26.9	3.9	25	3.85	8.8
I358983		3.40	<0.01	0.10	3.10	851	710	0.56	0.10	15.30	0.05	36.0	4.7	26	3.27	18.0
I358984		5.54	<0.01	<0.01	0.08	<5	10	0.05	0.03	21.2	0.07	1.09	1.4	2	0.32	1.9
I358985		6.46	<0.01	0.02	0.38	1760	100	0.10	0.01	19.55	0.05	6.62	1.1	6	0.20	2.0
I358986		10.54	<0.01	<0.01	0.33	73	90	0.10	0.01	18.25	0.02	3.12	0.9	4	0.29	0.9
I358987		4.58	0.01	0.01	0.37	55	80	0.09	0.01	16.25	<0.02	2.93	0.9	9	0.37	0.9
I358988		10.32	<0.01	0.01	0.21	691	90	0.07	0.01	20.0	0.02	3.28	0.9	5	0.14	1.1
I358989		9.84	<0.01	0.02	0.39	214	80	0.11	0.01	18.85	0.07	5.46	1.0	4	0.33	2.0
I358990		9.68	<0.01	<0.01	0.21	161	50	0.08	<0.01	18.70	<0.02	2.72	0.9	4	0.14	0.9
I358991		9.80	<0.01	<0.01	0.22	89	60	0.10	<0.01	18.90	<0.02	3.12	0.9	3	0.13	0.7
I358992		10.32	<0.01	<0.01	0.29	47	90	0.11	<0.01	17.75	<0.02	3.50	0.8	2	0.20	0.7
I358993		0.30	7.85	0.45	3.44	970	150	0.78	0.64	11.60	4.19	43.1	5.7	91	7.11	34.6
I358994		9.94	<0.01	<0.01	0.18	59	50	0.08	<0.01	19.75	0.11	3.46	0.9	2	0.11	0.9
I358995		10.34	<0.01	<0.01	0.20	71	70	0.10	<0.01	21.1	<0.02	3.61	1.0	3	0.13	1.0
I358996		9.74	<0.01	<0.01	0.17	32	40	0.07	<0.01	18.95	<0.02	2.41	1.0	4	0.11	0.7
I358997		9.70	<0.01	0.03	0.43	105	110	0.12	0.01	20.0	0.05	6.19	1.3	6	0.32	2.9
I358998		9.10	<0.01	0.10	1.69	39	250	0.39	0.05	26.6	0.02	19.80	2.3	14	2.59	6.1
I358999		9.46	0.01	0.03	1.27	19	130	0.21	0.02	24.1	<0.02	13.90	1.3	8	1.63	2.3
I359000		10.06	<0.01	0.01	1.11	12	90	0.21	0.02	23.3	<0.02	11.15	1.0	7	1.46	1.6
I359001		10.32	0.01	0.02	0.90	23	80	0.14	0.01	26.5	0.12	9.61	1.0	7	1.12	1.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159864

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I358966		0.89	1.91	0.10	0.3	0.54	0.007	0.28	6.9	4.0	6.52	762	0.16	0.02	1.3	<0.2
I358967		1.04	6.34	0.12	1.0	0.88	0.016	1.02	16.0	9.7	0.87	180	0.22	0.04	4.5	5.7
I358968		0.87	5.37	0.11	0.9	1.16	0.012	0.83	14.0	8.4	1.07	179	0.25	0.03	3.6	5.2
I358969		0.72	3.69	0.09	0.7	1.31	0.008	0.62	8.7	7.2	2.37	320	0.12	0.04	2.6	0.8
I358970		0.61	1.86	0.10	0.4	1.08	0.005	0.29	5.0	8.6	10.35	481	0.10	0.03	1.3	<0.2
I358971		0.26	0.76	0.24	0.2	0.33	<0.005	0.10	1.7	2.6	11.65	208	0.09	0.02	0.5	<0.2
I358972		0.24	0.59	0.27	0.1	0.22	<0.005	0.06	1.5	25.0	12.00	242	0.05	0.01	0.5	<0.2
I358973		9.52	12.30	0.31	0.7	0.07	2.61	1.06	16.8	11.6	2.26	911	56.7	0.88	3.0	361
I358974		0.42	0.73	0.10	0.2	0.40	<0.005	0.11	2.7	14.7	9.48	373	0.14	0.02	0.7	<0.2
I358975		0.39	1.87	0.16	0.4	0.61	<0.005	0.29	3.8	12.3	10.80	211	0.14	0.03	1.1	1.4
I358976		0.52	1.46	0.13	0.3	0.31	<0.005	0.24	3.8	3.5	8.93	597	0.07	0.02	0.9	<0.2
I358977		1.97	10.90	0.15	2.0	1.58	0.022	1.66	19.5	22.0	7.45	734	0.50	0.07	7.2	19.2
I358978		0.48	0.30	0.18	<0.1	<0.01	<0.005	0.02	0.5	1.2	12.70	226	0.07	<0.01	0.4	0.5
I358979		1.11	3.14	0.12	0.6	0.52	0.006	0.50	7.5	5.7	8.96	878	0.14	0.03	2.2	3.5
I358980		0.71	4.00	0.12	0.9	0.66	0.010	0.72	9.7	5.4	1.93	274	0.09	0.04	3.1	1.8
I358981		0.58	3.98	0.13	0.7	0.59	0.007	0.69	8.3	5.4	1.50	218	0.08	0.03	3.1	1.7
I358982		1.02	6.12	0.11	1.2	3.12	0.014	1.05	14.3	9.1	0.62	155	0.22	0.03	4.9	7.0
I358983		1.22	7.46	0.13	1.9	4.58	0.014	1.17	18.6	14.1	1.25	233	0.37	0.04	5.0	9.3
I358984		0.45	0.35	0.20	<0.1	0.01	<0.005	0.03	0.5	1.4	12.95	219	<0.05	<0.01	0.4	<0.2
I358985		0.57	0.99	0.13	0.2	6.24	<0.005	0.10	3.6	2.9	10.80	905	0.07	0.01	0.6	0.3
I358986		0.32	0.87	0.22	0.1	0.26	<0.005	0.12	1.8	2.3	11.00	460	0.07	0.01	0.4	<0.2
I358987		0.29	0.92	0.18	0.1	0.23	<0.005	0.14	1.7	2.3	9.82	383	0.11	0.02	0.4	1.5
I358988		0.76	0.66	0.15	0.1	2.29	<0.005	0.07	1.8	2.0	11.55	930	0.07	0.01	0.4	0.2
I358989		0.85	0.95	0.12	0.2	0.85	<0.005	0.13	3.1	3.0	10.50	961	0.08	0.01	0.5	<0.2
I358990		0.26	0.62	0.28	0.1	3.72	<0.005	0.07	1.4	2.0	10.90	322	<0.05	0.02	0.3	<0.2
I358991		0.34	0.68	0.27	0.1	5.17	<0.005	0.07	1.6	2.0	11.45	365	<0.05	0.01	0.4	<0.2
I358992		0.33	0.72	0.24	0.1	5.67	<0.005	0.09	1.8	2.2	10.40	316	0.05	0.01	0.4	<0.2
I358993		1.28	7.35	0.17	2.0	5.71	0.060	1.38	28.4	12.1	0.70	257	11.00	0.01	7.5	59.3
I358994		0.43	0.57	0.19	0.1	16.7	<0.005	0.05	1.7	1.9	11.55	562	<0.05	0.01	0.4	<0.2
I358995		0.38	0.60	0.24	0.1	30.3	<0.005	0.05	1.7	1.8	10.85	542	0.05	0.01	0.5	<0.2
I358996		0.19	0.66	0.37	0.1	0.34	<0.005	0.06	1.2	1.6	11.45	372	<0.05	0.02	0.3	<0.2
I358997		0.52	1.13	0.16	0.3	1.40	<0.005	0.15	3.4	3.2	10.75	647	0.10	0.02	0.7	1.3
I358998		0.58	3.77	0.12	1.0	1.05	0.009	0.74	9.9	5.7	0.59	97	0.21	0.03	2.7	3.2
I358999		0.30	2.67	0.14	0.7	0.37	<0.005	0.54	6.7	2.9	1.47	119	0.09	0.02	1.6	<0.2
I359000		0.24	2.33	0.16	0.6	0.27	<0.005	0.46	5.3	2.5	2.71	187	0.06	0.02	1.3	<0.2
I359001		0.23	1.92	0.16	0.6	0.30	<0.005	0.36	4.5	2.4	2.09	175	<0.05	0.02	1.2	<0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159864

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005	ppm 0.02
I358966		340	9.3	9.6	<0.002	0.34	0.64	1.8	2	0.3	471	0.08	<0.05	1.5	0.029	0.43
I358967		470	36.4	36.4	<0.002	1.19	0.89	4.4	2	0.8	629	0.31	<0.05	4.8	0.110	1.45
I358968		850	33.6	28.5	<0.002	1.02	1.19	3.8	2	0.7	672	0.24	<0.05	4.2	0.087	1.36
I358969		420	22.1	20.8	<0.002	0.69	1.15	2.5	2	0.5	582	0.17	<0.05	2.8	0.063	0.94
I358970		280	11.8	9.9	<0.002	0.29	1.78	1.1	2	0.2	169.0	0.08	<0.05	1.5	0.030	0.52
I358971		300	3.6	3.2	<0.002	0.07	0.60	0.4	2	<0.2	139.5	<0.05	<0.05	0.5	0.009	0.16
I358972		250	3.1	2.1	<0.002	0.04	0.51	0.3	2	<0.2	105.5	<0.05	<0.05	0.4	0.007	0.09
I358973		700	8710	42.0	0.016	6.88	32.6	13.8	16	7.4	159.0	0.21	0.67	3.6	0.210	2.37
I358974		140	7.5	3.7	<0.002	0.08	0.84	0.3	2	<0.2	173.5	<0.05	<0.05	0.7	0.014	0.20
I358975		110	7.0	9.3	<0.002	0.19	1.02	0.7	2	0.2	117.5	0.08	<0.05	1.2	0.024	0.34
I358976		190	5.4	7.6	<0.002	0.12	0.56	0.7	2	0.2	123.0	0.05	<0.05	1.0	0.018	0.22
I358977		1860	155.0	53.5	<0.002	2.17	4.10	6.2	2	1.4	186.5	0.52	<0.05	7.5	0.185	2.65
I358978		200	2.1	1.2	<0.002	0.03	0.16	0.3	2	<0.2	37.4	<0.05	<0.05	<0.2	<0.005	0.02
I358979		420	26.0	17.2	<0.002	0.66	1.60	2.2	2	0.4	173.0	0.14	<0.05	2.8	0.049	0.67
I358980		230	27.4	21.8	<0.002	0.78	0.52	2.5	2	0.5	331	0.20	<0.05	3.5	0.072	0.67
I358981		190	19.5	21.7	<0.002	0.61	0.77	2.1	2	0.5	329	0.20	<0.05	3.0	0.068	0.72
I358982		490	34.7	35.3	<0.002	1.26	2.30	3.5	2	0.8	734	0.34	<0.05	5.3	0.108	1.92
I358983		700	42.9	42.0	<0.002	1.37	7.42	3.4	2	2.2	529	0.38	<0.05	6.4	0.134	1.71
I358984		190	1.6	1.9	<0.002	0.01	0.13	0.3	2	<0.2	40.7	<0.05	<0.05	<0.2	<0.005	0.02
I358985		540	7.0	3.8	<0.002	0.21	3.60	0.8	2	<0.2	236	<0.05	<0.05	0.6	0.010	0.19
I358986		280	3.5	3.9	<0.002	0.04	0.73	0.3	2	<0.2	126.0	<0.05	<0.05	0.4	0.007	0.07
I358987		210	1.7	4.5	<0.002	0.03	0.29	0.3	2	<0.2	86.7	<0.05	<0.05	0.3	0.007	0.06
I358988		230	2.5	2.8	<0.002	0.09	1.13	0.4	2	<0.2	106.0	<0.05	<0.05	0.3	0.005	0.16
I358989		500	4.6	4.4	<0.002	0.11	1.10	0.5	2	<0.2	124.5	<0.05	<0.05	0.6	0.011	0.26
I358990		200	2.0	2.6	<0.002	0.04	0.53	0.2	2	<0.2	104.5	<0.05	<0.05	0.3	0.005	0.10
I358991		180	1.8	2.5	<0.002	0.03	0.50	0.3	2	<0.2	131.0	<0.05	<0.05	0.3	0.005	0.12
I358992		160	2.3	2.9	<0.002	0.03	0.78	0.2	2	<0.2	168.0	<0.05	<0.05	0.3	0.006	0.18
I358993		4090	4.8	107.5	0.031	1.34	17.85	6.2	9	1.7	142.0	0.50	0.54	5.6	0.204	11.95
I358994		240	3.1	2.0	<0.002	0.05	0.82	0.3	2	<0.2	157.0	<0.05	<0.05	0.3	0.005	0.19
I358995		290	2.9	1.9	<0.002	0.05	0.71	0.3	1	<0.2	196.0	<0.05	<0.05	0.3	0.005	0.17
I358996		160	1.3	2.0	<0.002	0.02	0.30	0.2	2	<0.2	73.2	<0.05	<0.05	0.3	<0.005	0.06
I358997		290	7.6	5.1	<0.002	0.19	1.57	0.7	2	<0.2	226	<0.05	<0.05	0.9	0.016	0.41
I358998		560	16.7	24.1	<0.002	0.69	0.46	2.3	2	0.5	858	0.18	<0.05	3.4	0.069	0.71
I358999		190	13.5	15.3	<0.002	0.31	0.35	1.3	2	0.3	743	0.10	<0.05	2.4	0.040	0.30
I359000		170	15.1	12.6	<0.002	0.21	0.34	0.9	2	0.2	383	0.08	<0.05	1.9	0.032	0.12
I359001		280	12.9	9.8	<0.002	0.22	0.38	0.9	2	0.2	652	0.07	<0.05	1.7	0.029	0.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159864

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
I358966		2.3	6	0.2	5.9	38	12.4
I358967		3.3	20	0.4	10.2	25	32.7
I358968		4.1	18	0.4	10.6	33	31.2
I358969		2.7	12	0.3	6.5	93	26.5
I358970		2.1	5	0.4	3.1	7	12.6
I358971		1.5	1	0.2	1.7	4	5.1
I358972		1.5	1	0.2	1.5	5	4.3
I358973		6.2	398	6.0	13.0	8290	24.9
I358974		1.6	2	0.4	2.2	9	7.5
I358975		1.8	3	0.4	2.2	5	12.1
I358976		1.6	3	0.2	2.4	9	10.5
I358977		5.9	34	0.9	11.1	52	45.0
I358978		0.4	3	0.1	0.7	18	<0.5
I358979		1.8	11	0.3	4.9	27	22.9
I358980		2.3	13	0.3	5.5	51	30.9
I358981		2.1	11	0.3	4.8	8	24.9
I358982		3.6	19	0.8	8.1	46	41.5
I358983		5.0	25	1.4	9.9	50	42.0
I358984		0.5	2	0.1	0.7	18	<0.5
I358985		2.5	4	0.3	3.1	20	6.5
I358986		2.1	1	0.1	1.4	9	4.5
I358987		1.9	1	0.1	1.4	7	4.4
I358988		1.9	1	0.1	1.7	10	4.4
I358989		2.4	2	0.2	2.8	38	7.0
I358990		1.9	1	0.1	1.2	3	3.0
I358991		2.1	1	0.1	1.4	3	3.3
I358992		1.7	<1	0.1	1.5	3	3.6
I358993		7.6	374	34.4	25.7	275	55.0
I358994		2.1	1	0.1	1.8	64	3.4
I358995		2.0	2	0.1	3.6	4	3.6
I358996		1.6	1	0.1	1.2	4	2.4
I358997		2.6	4	0.3	2.9	30	9.4
I358998		2.8	13	0.3	7.1	10	37.1
I358999		2.3	6	0.2	3.9	10	25.1
I359000		2.1	4	0.1	3.4	7	22.5
I359001		1.9	5	0.1	3.0	79	20.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159864

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61 Hg- CV41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method. Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 19- AUG- 2011
Account: MTT

CERTIFICATE VA11159865

Project: Midas Touch - Crag East

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 19- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159865

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
I359002		8.84	<0.01	0.07	0.99	13	70	0.19	0.02	25.4	0.02	11.50	0.7	5	1.25	4.1
I359003		8.94	<0.01	0.04	1.16	47	140	0.23	0.03	23.7	0.05	12.50	0.9	6	1.58	2.5
I359004		9.78	<0.01	0.04	0.89	83	160	0.15	0.02	18.45	<0.02	10.95	1.1	9	1.12	2.6
I359005		10.44	<0.01	0.04	0.81	85	140	0.17	0.02	19.10	<0.02	8.95	0.9	5	0.89	2.5
I359006		3.74	0.01	0.04	0.98	56	160	0.20	0.02	22.9	0.04	13.55	0.9	4	1.22	2.3
I359007		0.30	7.87	0.46	3.65	1020	160	0.77	0.64	11.90	4.34	49.3	5.5	89	7.40	33.2
I359008		3.86	<0.01	0.05	0.93	104	190	0.34	0.05	18.80	0.02	13.00	2.3	3	0.98	5.0
I359009		8.60	<0.01	0.04	1.00	147	210	0.35	0.06	19.35	<0.02	14.30	3.0	4	0.85	6.4
I359010		9.34	<0.01	0.03	0.49	686	150	0.25	0.03	19.90	0.18	9.13	1.4	8	0.43	3.5
I359011		7.80	<0.01	<0.01	0.07	601	40	0.17	0.01	21.4	0.05	2.39	0.3	5	0.05	0.9
I359012		10.00	<0.01	0.01	0.03	602	10	0.13	0.01	21.3	<0.02	1.02	0.2	1	<0.05	0.8
I359013		4.48	<0.01	0.01	0.03	643	10	0.13	<0.01	21.0	<0.02	0.98	0.2	1	<0.05	0.8
I359014		10.14	<0.01	0.01	0.05	382	20	0.07	0.01	21.2	<0.02	1.24	0.2	<1	<0.05	0.7
I359015		9.56	<0.01	0.01	0.04	480	20	0.12	0.01	21.9	<0.02	1.18	0.3	1	<0.05	0.7
I359016		9.30	<0.01	0.09	0.54	530	210	0.16	0.04	20.5	0.05	10.30	2.0	5	0.21	5.9
I359017		9.52	<0.01	0.02	0.17	1320	110	0.07	0.01	23.5	0.26	8.56	0.5	2	0.06	1.3
I359018		10.14	<0.01	0.02	0.21	149	90	0.10	0.02	21.3	0.06	7.01	0.6	3	0.11	1.4
I359019		10.20	<0.01	0.02	0.67	41	210	0.21	0.04	20.0	<0.02	12.45	2.0	6	0.61	5.0
I359020		4.56	<0.01	0.02	0.56	88	170	0.21	0.03	21.1	0.02	10.20	1.5	7	0.52	4.1
I359021		0.30	3.89	1.60	3.43	815	290	0.73	4.32	2.17	1.95	39.4	7.4	53	7.08	71.3
I359022		4.94	<0.01	0.04	1.40	29	300	0.51	0.08	31.2	0.05	26.8	3.0	9	1.99	6.3
I359023		9.42	<0.01	0.03	1.22	23	220	0.45	0.06	29.9	0.02	22.1	2.8	8	1.93	5.5
I359024		9.36	<0.01	0.01	0.42	171	80	0.22	0.03	29.1	0.04	7.85	1.1	1	0.52	2.9
I359025		4.28	<0.01	0.01	0.49	1100	80	0.14	0.02	28.4	0.04	14.15	1.1	2	0.62	2.8
I359026		6.76	<0.01	0.01	0.09	<5	30	0.06	0.02	20.8	0.06	1.07	0.7	1	0.40	2.0
I359027		7.44	<0.01	0.02	0.87	1100	170	0.25	0.05	20.3	0.26	16.20	1.8	5	1.07	5.6
I359028		6.76	<0.01	0.02	0.49	974	120	0.13	0.02	21.1	0.12	13.50	1.0	2	0.37	3.8
I359029		10.38	<0.01	0.02	0.27	805	80	0.09	0.02	21.3	0.04	8.72	0.8	1	0.20	2.8
I359030		8.92	<0.01	0.01	0.07	244	20	0.07	0.01	21.4	0.10	3.93	0.2	<1	0.05	0.8
I359031		7.92	<0.01	0.01	0.03	333	10	0.08	0.01	21.2	<0.02	1.94	0.2	2	<0.05	0.9
I359032		11.34	<0.01	<0.01	0.04	194	10	<0.05	0.01	20.6	0.02	2.90	0.2	<1	<0.05	0.7
I359033		9.14	<0.01	<0.01	0.04	74	10	<0.05	0.01	20.9	<0.02	4.27	0.2	<1	<0.05	0.8
I359034		10.04	<0.01	<0.01	0.02	136	<10	0.07	0.01	20.5	0.02	2.31	0.2	<1	<0.05	0.6
I359035		9.90	<0.01	<0.01	0.05	142	20	0.09	0.01	21.4	<0.02	4.16	0.2	<1	<0.05	0.9
I359036		4.44	<0.01	<0.01	0.07	<5	10	<0.05	0.02	21.3	0.06	1.26	0.7	<1	0.15	1.9
I359037		5.82	<0.01	0.01	0.04	368	10	<0.05	0.01	21.0	<0.02	5.17	0.2	<1	<0.05	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 19- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159865

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I359002		0.29	2.01	0.14	0.4	0.28	0.005	0.43	5.1	2.3	4.53	260	0.15	0.02	1.0	3.0
I359003		0.59	2.27	0.12	0.5	0.79	<0.005	0.49	6.0	3.6	3.50	303	0.13	0.02	1.3	2.4
I359004		1.15	1.97	0.14	0.5	0.66	0.006	0.36	4.9	3.8	9.98	1080	0.09	0.02	1.1	4.7
I359005		1.10	1.71	0.12	0.4	0.57	<0.005	0.33	4.2	3.3	9.90	1100	0.09	0.02	0.9	2.7
I359006		0.69	2.06	0.16	0.5	0.74	<0.005	0.40	5.9	3.8	6.52	668	0.09	0.02	1.0	2.4
I359007		1.39	7.47	0.24	2.1	5.98	0.063	1.50	28.8	9.7	0.72	277	11.70	0.01	7.7	64.1
I359008		0.98	2.22	0.16	0.3	1.64	0.008	0.35	8.1	7.5	10.35	875	0.13	0.04	1.3	3.3
I359009		1.85	2.66	0.13	0.3	4.06	0.009	0.38	9.8	6.4	10.95	956	0.18	0.02	1.4	4.1
I359010		1.37	1.38	0.14	<0.1	9.80	<0.005	0.17	6.1	3.0	11.15	991	0.13	0.02	0.6	5.9
I359011		0.77	0.23	0.14	<0.1	7.43	<0.005	0.02	1.5	1.3	12.05	800	0.05	0.01	0.1	2.9
I359012		0.53	0.14	0.25	<0.1	>100	<0.005	0.01	0.6	1.1	11.90	646	<0.05	0.01	<0.1	0.9
I359013		0.53	0.12	0.23	<0.1	81.3	<0.005	0.01	0.5	1.0	11.75	641	<0.05	0.01	<0.1	1.4
I359014		0.38	0.17	0.28	<0.1	>100	<0.005	0.01	0.7	1.1	11.70	470	<0.05	0.01	<0.1	0.3
I359015		0.48	0.16	0.25	<0.1	>100	<0.005	0.01	0.7	1.1	11.80	632	<0.05	0.01	<0.1	1.0
I359016		1.17	1.27	0.16	<0.1	22.6	<0.005	0.12	6.9	3.7	11.20	1080	0.13	0.01	0.8	5.1
I359017		0.88	0.42	0.21	<0.1	10.4	<0.005	0.03	5.2	1.2	12.00	1100	0.06	0.01	0.2	2.1
I359018		0.56	0.63	0.23	<0.1	2.49	<0.005	0.08	4.8	1.5	11.60	581	0.06	0.01	0.2	2.4
I359019		0.47	1.69	0.23	0.1	2.03	<0.005	0.27	9.3	4.4	11.15	320	0.07	0.02	0.9	4.9
I359020		0.45	1.51	0.28	<0.1	1.23	<0.005	0.23	7.5	3.7	11.95	278	0.08	0.01	0.7	4.3
I359021		3.12	9.09	0.21	1.5	5.72	0.153	1.46	20.7	11.7	1.06	316	27.5	0.01	6.6	73.3
I359022		0.55	3.44	0.20	0.3	0.64	0.013	0.61	20.8	4.5	0.62	208	0.07	0.02	2.2	6.8
I359023		0.49	2.99	0.21	0.3	0.46	0.009	0.55	17.2	4.2	0.44	183	0.13	0.02	2.1	5.6
I359024		0.72	1.04	0.18	<0.1	1.15	<0.005	0.16	5.6	3.0	4.79	673	0.05	0.01	0.6	2.0
I359025		0.75	1.24	0.18	<0.1	1.65	0.009	0.20	9.8	2.9	5.53	772	<0.05	0.01	0.7	1.6
I359026		0.47	0.29	0.25	<0.1	0.02	<0.005	0.04	0.5	1.2	12.25	212	0.08	0.01	0.2	2.3
I359027		1.22	2.29	0.19	0.1	1.93	0.008	0.35	11.0	5.1	10.45	1120	0.10	0.02	1.4	4.1
I359028		1.21	1.31	0.17	<0.1	2.04	0.006	0.19	9.5	3.1	10.65	1300	0.08	0.02	0.7	2.4
I359029		1.11	0.67	0.17	<0.1	1.27	<0.005	0.08	6.0	2.5	11.30	1240	0.07	0.01	0.5	1.7
I359030		0.51	0.21	0.25	<0.1	1.35	<0.005	0.02	2.4	1.0	11.80	580	<0.05	0.01	0.1	0.7
I359031		0.86	0.14	0.18	<0.1	2.05	<0.005	<0.01	1.4	0.8	10.75	1180	<0.05	0.01	<0.1	1.1
I359032		0.82	0.15	0.21	<0.1	1.09	<0.005	0.01	1.9	0.8	11.55	1110	<0.05	0.01	<0.1	0.8
I359033		0.98	0.14	0.19	<0.1	2.31	<0.005	0.01	3.2	0.9	11.80	1170	0.06	0.01	<0.1	0.4
I359034		0.96	0.13	0.16	<0.1	0.77	<0.005	<0.01	1.6	0.8	11.65	1220	<0.05	0.01	<0.1	<0.2
I359035		1.06	0.17	0.14	<0.1	1.83	<0.005	0.01	2.8	1.5	11.15	1320	<0.05	0.01	0.1	0.3
I359036		0.47	0.24	0.24	<0.1	0.03	<0.005	0.03	0.6	1.1	12.55	231	0.17	0.01	0.1	2.3
I359037		1.02	0.14	0.17	<0.1	42.9	<0.005	0.01	4.4	0.8	11.35	1340	<0.05	0.01	<0.1	0.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 19- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159865

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005	ppm 0.02
I359002		210	15.7	10.2	<0.002	0.21	0.20	0.8	<1	0.2	585	0.07	<0.05	1.9	0.029	0.17
I359003		240	25.2	12.9	<0.002	0.32	0.62	1.0	1	0.3	789	0.09	<0.05	2.4	0.039	0.39
I359004		800	11.3	9.9	<0.002	0.29	1.43	0.9	1	0.3	151.5	0.07	<0.05	1.8	0.031	0.31
I359005		250	11.9	9.0	<0.002	0.29	1.24	0.8	1	0.2	114.5	0.06	<0.05	1.7	0.026	0.26
I359006		250	14.5	11.3	<0.002	0.29	1.29	0.9	<1	0.3	378	0.07	<0.05	2.2	0.029	0.34
I359007		4280	4.9	120.0	0.042	1.40	19.30	5.9	9	1.9	151.0	0.48	0.60	6.9	0.214	12.65
I359008		310	8.2	11.5	<0.002	0.04	1.46	1.7	<1	0.4	192.5	0.09	<0.05	2.1	0.035	1.12
I359009		330	21.3	12.7	<0.002	0.16	3.03	2.0	1	0.6	332	0.09	<0.05	2.1	0.039	1.30
I359010		340	13.5	6.1	<0.002	0.03	4.98	1.2	1	0.3	331	<0.05	<0.05	1.0	0.017	2.16
I359011		280	4.3	0.7	<0.002	0.01	4.53	0.2	<1	<0.2	142.5	<0.05	<0.05	<0.2	<0.005	1.81
I359012		200	1.1	0.3	<0.002	0.03	2.48	0.1	<1	<0.2	101.5	<0.05	<0.05	<0.2	<0.005	1.21
I359013		220	1.0	0.2	<0.002	0.02	2.63	0.1	<1	<0.2	98.6	<0.05	<0.05	<0.2	<0.005	1.31
I359014		310	0.9	0.4	<0.002	0.03	1.90	0.1	1	<0.2	118.0	<0.05	<0.05	<0.2	<0.005	0.81
I359015		220	1.1	0.3	<0.002	0.02	1.74	0.1	<1	<0.2	107.5	<0.05	<0.05	<0.2	<0.005	1.30
I359016		770	9.6	4.1	<0.002	0.02	8.88	0.8	1	0.2	885	0.05	<0.05	1.2	0.018	1.94
I359017		640	3.0	0.9	<0.002	0.09	14.05	0.3	<1	<0.2	565	<0.05	<0.05	0.3	<0.005	1.83
I359018		440	4.9	2.5	<0.002	0.08	5.64	0.4	<1	<0.2	253	<0.05	<0.05	0.4	0.005	1.04
I359019		430	7.8	8.7	<0.002	0.29	2.98	1.4	1	0.3	222	0.06	<0.05	1.6	0.024	1.02
I359020		450	7.6	7.5	<0.002	0.27	2.66	1.2	1	0.2	206	<0.05	<0.05	1.2	0.016	0.52
I359021		930	20.0	110.5	0.037	2.06	26.7	5.1	6	3.3	54.5	0.42	0.98	5.7	0.182	5.47
I359022		320	14.2	20.0	<0.002	0.51	1.21	2.6	<1	0.4	594	0.14	<0.05	3.2	0.053	0.52
I359023		270	11.6	17.9	<0.002	0.49	0.63	2.1	1	0.4	458	0.14	<0.05	2.8	0.046	0.39
I359024		340	8.6	4.8	<0.002	0.21	1.98	0.7	<1	<0.2	276	<0.05	<0.05	0.9	0.015	0.77
I359025		220	9.7	6.2	<0.002	0.07	2.44	1.4	1	0.2	149.5	0.05	<0.05	1.2	0.017	0.62
I359026		160	1.3	2.1	<0.002	0.01	<0.05	0.2	<1	<0.2	40.3	<0.05	<0.05	0.2	<0.005	0.02
I359027		300	8.9	10.8	<0.002	0.04	3.16	1.8	1	0.5	143.0	0.09	<0.05	2.0	0.031	0.69
I359028		350	6.4	5.9	<0.002	0.04	2.54	1.2	1	0.2	209	0.05	<0.05	1.2	0.017	1.03
I359029		480	5.0	2.7	<0.002	0.03	2.95	0.6	<1	<0.2	247	<0.05	<0.05	0.8	0.010	1.25
I359030		320	2.7	0.5	<0.002	0.01	0.80	0.2	1	<0.2	111.0	<0.05	<0.05	0.2	<0.005	0.61
I359031		160	2.2	0.1	<0.002	0.03	0.74	<0.1	<1	<0.2	64.3	<0.05	<0.05	<0.2	<0.005	0.34
I359032		160	1.0	0.2	<0.002	0.02	0.56	0.1	<1	<0.2	61.6	<0.05	<0.05	<0.2	<0.005	0.45
I359033		190	1.2	0.2	<0.002	0.03	0.58	0.1	<1	<0.2	68.4	<0.05	<0.05	<0.2	<0.005	0.34
I359034		130	0.8	0.1	<0.002	0.01	0.39	0.1	<1	<0.2	46.9	<0.05	<0.05	<0.2	<0.005	0.21
I359035		310	1.4	0.2	<0.002	0.03	0.41	0.1	1	<0.2	123.0	<0.05	<0.05	<0.2	<0.005	0.33
I359036		340	1.2	1.2	<0.002	0.01	<0.05	0.3	<1	<0.2	40.3	<0.05	<0.05	<0.2	<0.005	<0.02
I359037		300	1.3	0.2	<0.002	0.05	2.08	0.1	1	<0.2	78.4	<0.05	<0.05	<0.2	<0.005	0.84



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 19- AUG- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159865

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
I359002		2.0	4	0.1	3.5	10	19.9
I359003		2.3	5	0.3	4.0	31	21.8
I359004		2.2	6	0.4	4.1	6	23.9
I359005		2.2	5	0.3	3.6	4	18.8
I359006		2.8	4	0.3	4.0	18	21.9
I359007		8.4	383	33.6	29.8	291	80.7
I359008		1.1	8	0.4	5.2	12	14.8
I359009		1.3	8	0.6	4.4	6	16.1
I359010		1.2	4	0.3	4.1	63	8.0
I359011		1.7	<1	0.1	2.5	37	1.2
I359012		1.3	<1	<0.1	1.9	14	0.6
I359013		1.3	<1	<0.1	1.9	14	0.5
I359014		1.5	<1	<0.1	2.1	7	0.6
I359015		1.5	<1	<0.1	2.7	7	0.6
I359016		3.2	4	0.5	3.8	49	6.7
I359017		2.4	1	0.2	5.0	81	2.1
I359018		1.8	1	0.1	4.5	31	2.9
I359019		2.4	6	0.3	5.6	8	8.8
I359020		2.3	4	0.3	4.7	10	6.5
I359021		5.6	344	14.9	17.2	164	56.1
I359022		0.9	10	0.4	8.5	29	15.9
I359023		2.0	7	0.2	7.6	21	14.5
I359024		1.9	2	0.2	3.6	40	5.1
I359025		2.0	4	0.2	6.2	20	8.0
I359026		0.5	2	0.1	0.7	15	<0.5
I359027		2.0	6	0.3	5.9	55	11.1
I359028		1.8	4	0.3	5.8	38	6.5
I359029		2.0	2	0.2	4.2	22	3.9
I359030		1.4	<1	0.1	3.1	42	1.1
I359031		1.4	<1	<0.1	1.8	6	0.5
I359032		1.3	<1	<0.1	2.1	9	0.6
I359033		1.1	<1	<0.1	2.5	5	<0.5
I359034		1.3	<1	<0.1	1.8	6	<0.5
I359035		2.0	<1	<0.1	3.0	6	0.9
I359036		0.5	2	0.1	0.8	16	<0.5
I359037		2.2	<1	<0.1	2.8	7	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 19- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11159865

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61 Hg- CV41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method. Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 24- AUG- 2011
Account: MTT

CERTIFICATE VA11162759

Project: Midas Touch - Crag East

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11162759

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
I359038		5.34	<0.01	0.02	0.10	<5	20	<0.05	0.03	21.1	0.05	1.08	0.7	<1	0.21	1.9
I359039		9.40	<0.01	0.02	0.13	1640	40	<0.05	0.02	21.9	0.28	7.49	0.4	1	0.09	2.4
I359040		9.34	<0.01	0.01	0.06	377	20	<0.05	0.01	21.0	<0.02	3.96	0.2	2	<0.05	1.7
I359041		9.94	<0.01	0.02	0.18	758	60	0.06	0.02	21.7	0.02	5.06	0.5	1	0.15	3.4
I359042		4.80	<0.01	0.08	4.00	6760	540	0.59	0.23	13.85	0.14	52.3	8.7	27	6.69	24.0
I359043		6.00	<0.01	0.03	0.11	32	30	0.05	0.03	20.7	0.06	1.34	0.8	1	0.47	3.4
I359044		6.06	<0.01	0.04	3.91	4400	370	0.58	0.23	11.85	<0.02	58.6	7.0	25	5.76	19.3
I359045		5.32	<0.01	0.02	0.27	1490	40	0.07	0.02	27.8	<0.02	4.60	0.4	2	0.30	2.4
I359046		4.04	<0.01	0.21	4.24	7350	590	0.58	0.14	14.75	0.06	42.2	6.9	39	7.93	24.9
I359047		0.28	3.87	1.54	3.32	798	840	0.69	3.96	1.97	1.80	37.1	6.8	47	6.72	73.7
I359048		8.60	<0.01	0.15	2.28	5300	260	0.28	0.08	25.0	0.04	25.7	2.9	19	3.98	12.1
I359049		9.14	<0.01	0.06	0.84	537	90	0.20	0.04	33.1	0.02	11.00	1.3	6	1.49	5.4
I359050		9.62	<0.01	0.06	0.73	366	60	0.28	0.04	34.0	0.10	10.95	1.2	5	1.42	4.6
I359051		10.16	<0.01	0.09	1.66	567	130	0.44	0.05	28.8	0.75	19.70	2.2	13	3.86	8.9
I359052		10.04	<0.01	<0.01	0.96	103	60	0.30	0.02	23.2	4.10	17.50	1.8	8	2.48	5.4
I359053		10.46	<0.01	<0.01	0.74	46	80	0.17	0.01	18.70	0.32	12.95	1.6	7	1.68	3.2
I359054		10.36	<0.01	<0.01	0.59	31	50	0.11	0.01	17.05	<0.02	6.66	1.2	6	1.21	2.8
I359055		9.48	<0.01	<0.01	0.38	44	50	0.13	0.01	19.25	0.03	5.94	1.2	4	0.40	1.4
I359056		9.84	<0.01	<0.01	0.39	49	50	0.07	0.01	19.25	<0.02	5.45	1.1	3	0.54	2.6
I359057		0.28	1.47	31.1	7.80	138.5	610	0.56	9.84	6.07	34.5	28.4	87.4	121	1.55	6630
I359058		10.12	<0.01	0.07	1.54	44	150	0.35	0.05	21.0	1.06	22.2	3.2	16	6.91	6.8
I359059		9.84	<0.01	0.03	1.38	10	150	0.37	0.03	30.5	0.03	20.6	2.4	12	5.80	6.6
I359060		10.10	<0.01	0.02	1.61	16	210	0.41	0.04	29.4	0.03	25.9	2.9	15	6.72	6.7
I359061		9.36	<0.01	0.04	1.80	12	180	0.46	0.05	28.5	0.03	27.2	3.0	17	7.74	7.7
I359062		4.94	<0.01	0.04	1.80	8	160	0.53	0.04	29.2	0.03	29.0	3.1	17	8.25	7.8
I359063		9.70	<0.01	0.06	2.33	19	130	0.49	0.06	17.70	0.05	26.3	3.6	21	9.74	16.4
I359064		10.36	<0.01	0.03	0.76	85	80	0.21	0.02	18.75	0.88	17.60	1.9	7	1.99	5.8
I359065		10.06	<0.01	<0.01	0.27	71	30	0.08	0.01	18.50	0.02	3.92	0.9	3	0.24	2.9
I359066		9.34	<0.01	<0.01	0.23	86	40	0.08	0.01	19.50	0.05	4.76	0.9	3	0.21	2.4
I359067		9.48	<0.01	<0.01	0.33	75	50	0.08	0.01	18.00	0.10	4.34	0.9	5	0.39	2.1
I359068		10.08	<0.01	<0.01	0.34	42	50	0.10	0.01	19.45	0.03	6.48	1.1	4	0.43	2.5
I359069		10.56	<0.01	<0.01	0.25	41	40	0.09	0.01	19.70	<0.02	5.25	1.0	3	0.27	1.4
I359070		9.76	<0.01	0.01	0.35	67	60	0.10	0.01	18.80	0.09	5.39	1.1	4	0.45	2.3
I359071		9.86	<0.01	0.03	0.38	88	80	0.15	0.01	21.0	0.08	7.39	1.3	4	0.37	6.8
I359072		9.90	<0.01	<0.01	0.24	87	40	0.09	0.01	21.1	0.07	5.47	1.2	2	0.20	2.0
I359073		10.04	<0.01	<0.01	0.20	124	40	0.13	<0.01	21.3	<0.02	4.31	1.1	2	0.15	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11162759

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I359038		0.49	0.23	0.13	<0.1	<0.01	0.006	0.02	0.5	0.9	12.75	232	0.08	<0.01	0.2	1.6
I359039		1.08	0.32	0.17	<0.1	36.9	<0.005	0.03	6.1	1.0	12.30	1410	0.62	<0.01	0.2	0.8
I359040		1.13	0.15	0.12	<0.1	4.65	<0.005	0.01	3.5	0.7	12.00	1440	0.09	<0.01	<0.1	0.3
I359041		0.71	0.42	0.13	0.1	2.78	<0.005	0.06	3.7	1.3	11.60	907	0.08	<0.01	0.3	1.2
I359042		1.70	10.15	0.18	1.4	34.6	0.026	1.60	41.9	13.7	1.25	603	0.27	0.02	5.8	22.1
I359043		0.47	0.28	0.11	<0.1	0.11	0.005	0.05	0.7	1.2	12.65	223	0.07	<0.01	0.2	2.4
I359044		1.57	9.44	0.20	1.4	60.6	0.026	1.47	41.3	10.8	0.33	421	0.18	0.01	5.7	19.0
I359045		0.44	0.53	0.16	0.1	2.57	0.008	0.09	2.9	1.1	3.51	456	0.08	<0.01	0.3	1.1
I359046		1.66	11.15	0.18	1.9	48.1	0.019	1.73	28.7	10.2	0.77	592	0.78	0.02	6.6	23.3
I359047		2.80	9.16	0.19	1.6	4.68	0.153	1.33	22.5	10.0	0.98	298	24.5	<0.01	5.9	71.9
I359048		0.80	5.02	0.16	1.0	15.4	0.011	0.93	15.0	4.7	0.52	408	0.33	<0.01	2.9	10.8
I359049		0.33	1.97	0.18	0.4	3.99	0.008	0.35	7.1	2.1	0.50	253	0.13	<0.01	1.2	3.5
I359050		0.31	1.68	0.15	0.3	2.84	0.007	0.30	7.0	2.2	0.64	188	0.10	<0.01	1.1	3.5
I359051		0.61	4.06	0.20	0.9	6.09	0.012	0.68	10.8	5.3	0.67	214	0.22	<0.01	2.4	6.8
I359052		0.92	2.65	<0.05	0.6	0.95	0.009	0.38	9.3	4.6	7.16	611	0.15	0.02	1.8	1.0
I359053		0.99	1.88	<0.05	0.5	0.61	0.005	0.27	6.6	6.6	10.30	773	0.10	0.02	1.4	1.4
I359054		0.47	1.42	0.10	0.3	0.25	<0.005	0.20	3.6	7.0	10.00	547	0.08	0.04	1.0	0.3
I359055		0.29	1.16	0.28	0.2	0.23	<0.005	0.13	3.1	10.8	11.10	268	0.07	0.03	0.8	<0.2
I359056		0.43	1.08	0.25	0.2	0.24	<0.005	0.13	2.7	9.4	10.80	402	0.07	0.02	0.7	<0.2
I359057		9.48	11.80	0.15	0.8	0.07	2.56	1.06	16.3	10.5	2.28	908	54.5	0.89	3.2	366
I359058		1.14	3.99	0.08	0.8	0.60	0.018	0.70	13.0	20.1	7.15	568	0.20	0.02	3.6	7.1
I359059		0.52	3.43	<0.05	0.8	0.49	0.010	0.68	10.9	6.0	0.55	96	0.13	0.02	3.0	<0.2
I359060		0.65	4.24	<0.05	1.1	0.58	0.011	0.83	13.6	7.6	0.57	133	0.15	0.02	3.5	2.8
I359061		0.70	4.48	<0.05	1.1	0.67	0.013	0.90	15.8	8.0	0.43	122	0.18	0.02	4.0	5.0
I359062		0.69	4.80	<0.05	1.1	0.63	0.012	0.90	16.4	8.6	0.43	117	0.21	0.02	4.2	4.7
I359063		1.16	5.50	<0.05	1.7	0.74	0.012	1.06	15.9	9.8	3.99	385	0.25	0.03	4.4	9.3
I359064		1.41	2.06	<0.05	0.5	1.71	0.005	0.31	9.5	11.2	10.05	871	0.13	0.02	1.4	2.3
I359065		0.59	0.71	0.06	0.1	0.41	<0.005	0.07	2.4	14.1	10.40	910	0.07	0.02	0.4	<0.2
I359066		0.82	0.75	0.06	0.1	0.78	<0.005	0.07	2.8	3.2	10.90	1000	0.07	0.02	0.4	<0.2
I359067		0.83	0.89	0.06	0.1	1.02	<0.005	0.11	2.7	3.0	10.15	975	0.07	0.02	0.5	0.8
I359068		0.78	0.98	0.07	0.2	0.49	<0.005	0.11	4.1	5.3	10.60	890	0.08	0.02	0.6	0.4
I359069		1.19	0.76	<0.05	0.1	0.38	<0.005	0.08	3.7	3.1	10.85	1340	0.08	0.02	0.5	<0.2
I359070		0.93	1.01	0.05	0.2	0.84	0.006	0.12	3.4	4.1	10.55	1110	0.09	0.02	0.6	<0.2
I359071		1.00	1.13	0.05	0.3	1.89	<0.005	0.13	4.4	6.3	10.90	1120	0.18	0.02	0.7	0.8
I359072		0.81	0.82	0.10	0.2	1.95	<0.005	0.08	3.2	7.7	10.65	966	0.08	0.01	0.6	0.5
I359073		0.61	0.85	0.19	0.1	0.90	<0.005	0.07	2.4	3.8	11.35	911	0.06	0.01	0.5	<0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11162759

Sample Description	Method Analyte Units LOR	ME- MS61 P ppm 10	ME- MS61 Pb ppm 0.5	ME- MS61 Rb ppm 0.1	ME- MS61 Re ppm 0.002	ME- MS61 S % 0.01	ME- MS61 Sb ppm 0.05	ME- MS61 Sc ppm 0.1	ME- MS61 Se ppm 1	ME- MS61 Sn ppm 0.2	ME- MS61 Sr ppm 0.2	ME- MS61 Ta ppm 0.05	ME- MS61 Te ppm 0.05	ME- MS61 Th ppm 0.2	ME- MS61 Ti % 0.005	ME- MS61 Tl ppm 0.02
I359038		170	1.2	1.3	<0.002	<0.01	0.06	0.3	<1	<0.2	46.8	<0.05	<0.05	0.4	<0.005	<0.02
I359039		500	3.8	0.9	<0.002	0.17	3.26	0.4	1	<0.2	171.5	<0.05	<0.05	0.6	0.005	1.50
I359040		140	1.1	0.2	<0.002	0.05	1.43	0.2	1	<0.2	60.0	<0.05	<0.05	0.4	<0.005	1.92
I359041		330	3.2	1.8	<0.002	0.12	2.07	0.5	<1	<0.2	175.0	<0.05	<0.05	0.8	0.007	1.00
I359042		540	33.8	58.7	<0.002	2.27	15.45	5.7	1	1.1	623	0.40	0.07	8.8	0.158	29.1
I359043		210	1.6	2.6	<0.002	<0.01	0.14	0.4	<1	<0.2	48.6	<0.05	<0.05	0.4	<0.005	0.13
I359044		630	30.7	49.1	<0.002	2.08	21.0	5.0	<1	1.2	715	0.42	0.08	8.6	0.153	31.3
I359045		160	3.1	2.5	<0.002	0.18	1.90	1.5	<1	0.2	323	<0.05	<0.05	0.9	0.009	1.09
I359046		1310	52.7	54.9	0.003	2.34	24.8	5.3	1	1.9	1300	0.50	0.07	8.9	0.193	28.1
I359047		890	18.4	105.5	0.040	2.04	24.6	5.0	7	2.9	59.3	0.42	0.88	5.7	0.179	5.60
I359048		960	26.5	25.4	<0.002	1.25	10.75	3.4	1	0.7	809	0.23	<0.05	4.7	0.087	11.45
I359049		500	14.1	9.3	<0.002	0.41	1.15	1.6	<1	0.3	767	0.08	<0.05	1.9	0.034	4.42
I359050		390	14.9	8.4	<0.002	0.38	0.40	1.2	1	0.3	862	0.08	<0.05	1.7	0.030	2.30
I359051		720	51.6	19.8	<0.002	0.80	0.66	2.3	1	0.6	602	0.18	<0.05	3.8	0.070	4.75
I359052		360	42.6	13.9	<0.002	0.48	0.33	1.7	1	0.4	235	0.11	<0.05	2.1	0.039	1.37
I359053		330	11.3	9.6	<0.002	0.32	0.50	1.2	1	0.3	112.5	0.08	<0.05	1.5	0.029	0.75
I359054		200	5.0	7.0	<0.002	0.17	0.47	0.7	1	0.2	58.3	0.05	<0.05	1.0	0.020	0.31
I359055		330	4.5	4.5	<0.002	0.14	0.47	0.6	1	0.2	92.0	0.05	<0.05	0.8	0.015	0.20
I359056		170	4.8	4.5	<0.002	0.17	0.53	0.5	1	<0.2	80.4	<0.05	<0.05	0.9	0.014	0.21
I359057		680	8320	31.9	0.016	6.67	32.5	13.5	14	7.1	158.5	0.22	0.54	3.5	0.208	2.37
I359058		740	165.5	21.4	<0.002	0.85	1.11	2.9	2	0.5	306	0.23	<0.05	3.8	0.073	0.72
I359059		240	21.8	25.4	<0.002	0.63	0.11	2.4	1	0.4	780	0.17	<0.05	3.3	0.062	0.18
I359060		620	24.4	31.9	<0.002	0.75	0.10	3.0	2	0.6	933	0.21	<0.05	4.3	0.078	0.24
I359061		370	26.2	35.8	<0.002	0.83	0.11	3.2	2	0.7	840	0.25	<0.05	4.5	0.086	0.29
I359062		460	27.4	37.5	<0.002	0.82	0.11	3.4	2	0.7	896	0.26	<0.05	4.6	0.085	0.31
I359063		770	35.1	41.5	<0.002	0.99	0.34	4.0	1	0.8	333	0.29	<0.05	6.0	0.110	0.87
I359064		590	13.2	12.3	<0.002	0.43	1.71	1.6	1	0.3	112.0	0.08	<0.05	1.8	0.030	0.76
I359065		300	2.7	2.5	<0.002	0.09	0.70	0.3	1	<0.2	89.9	<0.05	<0.05	0.3	0.006	0.23
I359066		210	3.4	2.6	<0.002	0.14	0.73	0.3	1	<0.2	102.5	<0.05	<0.05	0.4	0.006	0.34
I359067		270	4.4	3.9	<0.002	0.13	0.62	0.4	1	<0.2	97.3	<0.05	<0.05	0.5	0.008	0.31
I359068		310	5.2	4.5	<0.002	0.13	0.57	0.5	1	<0.2	83.8	<0.05	<0.05	0.6	0.009	0.29
I359069		270	2.7	3.1	<0.002	0.10	0.46	0.3	1	<0.2	71.6	<0.05	<0.05	0.4	0.006	0.25
I359070		320	4.2	4.9	<0.002	0.13	0.68	0.5	1	<0.2	89.9	<0.05	<0.05	0.6	0.009	0.33
I359071		370	8.6	5.4	<0.002	0.22	1.55	0.8	1	0.2	140.5	<0.05	<0.05	0.8	0.013	0.64
I359072		260	5.4	3.4	<0.002	0.16	1.37	0.5	1	<0.2	132.5	<0.05	<0.05	0.6	0.007	0.43
I359073		260	2.8	3.1	<0.002	0.11	1.13	0.3	1	<0.2	119.5	<0.05	<0.05	0.4	0.005	0.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11162759

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
I359038		0.8	3	0.1	0.8	15	0.5
I359039		2.9	2	0.1	3.5	127	1.9
I359040		1.3	<1	<0.1	2.1	6	0.6
I359041		2.4	2	0.2	3.1	13	2.7
I359042		4.7	30	1.7	12.3	75	48.4
I359043		0.6	3	0.1	0.8	21	0.5
I359044		3.4	26	1.6	13.3	16	49.9
I359045		1.6	3	0.4	7.5	14	3.8
I359046		8.9	34	2.0	13.2	59	63.1
I359047		5.1	336	14.1	14.3	154	54.9
I359048		6.1	17	1.0	12.3	34	31.9
I359049		3.0	7	0.4	7.5	15	12.9
I359050		2.5	7	0.4	6.6	56	12.7
I359051		3.2	14	1.1	7.9	405	30.1
I359052		2.4	8	0.5	5.7	1180	21.4
I359053		2.0	6	0.3	5.2	136	16.7
I359054		1.7	3	0.2	2.2	6	11.1
I359055		1.7	4	0.3	2.2	15	9.6
I359056		2.0	2	0.3	2.6	7	10.0
I359057		5.8	404	5.8	13.1	7770	26.3
I359058		3.1	15	0.4	7.8	402	32.6
I359059		2.4	11	0.2	5.5	23	28.2
I359060		2.8	14	0.3	7.6	20	37.9
I359061		2.8	16	0.3	8.0	22	38.6
I359062		3.0	15	0.3	8.7	20	40.9
I359063		3.7	20	0.4	10.0	41	53.6
I359064		3.5	7	0.3	7.9	346	19.4
I359065		1.5	2	0.1	2.0	6	4.4
I359066		1.8	2	0.1	2.3	28	4.2
I359067		2.2	2	0.1	2.1	38	5.3
I359068		2.2	3	0.2	3.2	13	7.1
I359069		2.0	2	0.1	2.5	3	5.0
I359070		2.9	2	0.2	2.7	47	8.2
I359071		3.0	4	0.3	3.8	39	9.3
I359072		2.3	3	0.2	3.1	27	7.6
I359073		2.4	2	0.1	2.5	4	4.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24- AUG- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS VA11162759

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61 Hg- CV41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method. Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 6- DEC- 2011
Account: MTT

CERTIFICATE VA11251131

Project: Midas Touch - Crag East

P.O. No.:

This report is for 3 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1- DEC- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: 2 - A
Total # Pages: 2 (A)
Plus Appendix Pages
Finalized Date: 6- DEC- 2011
Account: MTT

CERTIFICATE OF ANALYSIS VA11251131

Sample Description	Method Analyte Units LOR	Hg- CV42 Hg ppm 0.1
I358953		499
I358955		638
I358956		139.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6- DEC- 2011
Account: MTT

CERTIFICATE OF ANALYSIS VA11251131

Method	CERTIFICATE COMMENTS
Hg- CV42	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 6- DEC- 2011
Account: MTT

CERTIFICATE VA11251132

Project: Midas Touch - Crag East

P.O. No.:

This report is for 3 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1- DEC- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: 2 - A
Total # Pages: 2 (A)
Plus Appendix Pages
Finalized Date: 6- DEC- 2011
Account: MTT

CERTIFICATE OF ANALYSIS VA11251132

Sample Description	Method Analyte Units LOR	Hg- CV42 Hg ppm 0.1
I359012 I359014 I359015		310 402 260



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6- DEC- 2011
Account: MTT

CERTIFICATE OF ANALYSIS VA11251132

Method	CERTIFICATE COMMENTS
Hg- CV42	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 16- SEP- 2011
Account: MTT

CERTIFICATE WH11169072

Project: Midas Touch - Crag East

P.O. No.: Batch 5

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11169072

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I359074		10.13	<0.01	0.02	0.25	800	70	0.12	0.02	21.7	<0.02	5.45	0.3	3	0.17	1.9
I359075		10.42	<0.01	0.04	0.37	4820	60	0.08	0.02	22.1	0.08	5.60	0.4	4	0.20	2.5
I359076		6.65	<0.01	0.03	0.09	19	20	<0.05	0.03	20.9	0.05	1.24	0.6	1	0.32	3.3
I359077		9.51	<0.01	0.04	1.18	96	130	0.31	0.05	29.4	0.08	16.05	1.6	10	2.48	5.2
I359078		4.58	<0.01	0.06	1.21	52	120	0.34	0.05	29.0	0.07	17.45	1.6	10	2.65	5.7
I359079		8.91	<0.01	0.07	1.45	23	90	0.39	0.05	28.9	0.06	20.9	1.9	11	3.18	5.8
I359080		9.08	<0.01	0.03	1.20	26	60	0.24	0.03	26.5	0.08	12.70	0.8	6	2.36	2.4
I359081		9.09	<0.01	0.03	0.90	21	40	0.17	0.02	21.6	0.08	12.35	0.7	5	1.51	2.8
I359082		9.53	<0.01	0.03	0.78	8	40	0.13	0.02	25.5	0.03	10.40	0.4	4	1.46	3.0
I359083		9.16	<0.01	0.03	1.27	9	80	0.22	0.02	26.3	0.04	13.90	0.8	7	2.57	2.5
I359084		9.38	<0.01	0.02	0.86	<5	40	0.17	0.02	30.1	0.03	9.38	0.6	5	1.86	1.9
I359085		9.34	<0.01	0.04	1.45	18	130	0.30	0.03	26.0	0.19	16.35	1.4	9	3.67	3.6
I359086		9.54	<0.01	0.04	1.03	19	150	0.20	0.02	17.20	<0.02	12.15	0.9	7	1.90	3.3
I359087		9.54	<0.01	0.05	1.02	14	140	0.26	0.02	23.6	0.03	13.05	1.1	6	2.36	5.5
I359088		0.20	1.12	0.72	2.39	264	130	1.22	9.11	18.40	2.28	33.5	4.5	43	6.61	79.2
I359089		9.26	<0.01	0.06	0.95	8	70	0.26	0.04	30.9	0.04	11.90	0.9	6	2.08	3.3
I359090		9.75	<0.01	0.09	2.91	10	240	0.64	0.10	21.9	0.03	37.8	4.0	22	8.00	9.0
I359091		9.11	<0.01	0.09	2.65	<5	300	0.66	0.09	22.4	0.03	33.3	3.6	21	6.80	8.3
I359092		9.35	0.03	0.08	4.08	19	780	0.85	0.12	17.45	0.04	51.4	4.9	27	9.34	10.0
I359093		9.65	<0.01	0.07	4.79	11	630	1.12	0.13	13.15	0.03	58.2	6.1	34	13.10	10.3
I359094		9.70	<0.01	0.06	2.84	17	380	0.56	0.07	21.0	<0.02	29.8	2.7	17	5.85	5.4
I359095		11.96	<0.01	0.03	3.99	7	250	1.12	0.17	18.65	0.05	55.4	9.7	29	6.15	23.5
I359096		9.14	<0.01	0.03	4.71	7	280	1.64	0.25	12.10	0.05	70.2	9.7	32	14.50	57.3
I359097		9.62	<0.01	0.21	7.47	53.9	510	2.76	0.36	3.16	0.57	101.5	35.8	62	27.7	53.4
I359098		9.34	<0.01	0.12	7.32	13.4	480	2.40	0.38	2.71	0.02	93.2	25.7	62	34.6	58.2
I359099		7.92	<0.01	0.02	0.08	<5	20	0.07	0.03	21.7	0.06	1.52	0.7	1	0.23	1.9
I359100		8.99	<0.01	0.02	5.65	16.4	390	1.64	0.24	8.20	0.06	77.0	11.8	41	16.50	41.5
I359101		9.76	<0.01	0.07	7.05	1.9	520	2.28	0.38	2.12	<0.02	78.4	18.3	55	39.6	57.5
I359102		9.78	<0.01	0.07	6.31	6.2	480	1.93	0.29	6.28	0.04	82.0	14.9	46	31.6	65.2
I359103		9.98	<0.01	0.08	6.36	16.8	480	1.83	0.30	8.18	0.03	80.1	22.6	43	37.1	110.5
I359104		4.98	<0.01	0.02	7.06	1.7	500	2.33	0.37	4.60	0.03	78.9	14.2	55	36.1	11.2
I359105		0.20	7.76	0.48	3.36	924	160	0.72	0.63	11.65	3.94	43.0	5.7	94	6.98	34.2
I359106		9.05	<0.01	0.02	6.58	2.8	530	2.01	0.33	6.60	0.06	86.0	12.6	48	26.8	11.1
I359107		9.24	<0.01	0.01	5.71	<5	570	1.81	0.38	11.15	0.16	76.1	9.5	41	16.90	20.5
I359108		9.57	<0.01	0.11	5.31	20	520	1.74	0.27	11.25	0.05	63.3	18.9	40	13.25	47.2
I359109		9.56	<0.01	0.02	5.98	14.8	880	1.82	0.28	1.32	<0.02	72.5	16.4	41	16.85	7.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11169072

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I359074		0.68	0.55	0.12	<0.1	0.91	<0.005	0.08	2.9	2.1	10.45	759	0.11	0.02	0.3	1.2
I359075		0.53	0.71	0.13	0.1	2.08	<0.005	0.10	2.8	10.0	8.91	540	0.11	0.01	0.3	1.6
I359076		0.46	0.29	0.13	<0.1	0.01	<0.005	0.03	0.6	1.1	12.30	204	0.06	<0.01	0.3	1.7
I359077		0.49	2.84	0.15	0.7	0.99	0.008	0.52	7.8	4.5	0.71	117	0.20	0.03	1.6	4.8
I359078		0.49	3.01	0.13	0.7	0.95	0.008	0.54	8.5	4.7	0.61	112	0.24	0.03	1.7	4.9
I359079		0.51	3.68	0.15	0.9	0.50	0.006	0.66	10.3	5.0	0.27	81	0.15	0.03	2.1	5.4
I359080		0.25	2.78	0.17	0.7	0.46	<0.005	0.52	5.9	3.6	0.49	82	0.09	0.03	1.3	1.9
I359081		0.59	1.98	0.16	0.5	0.35	<0.005	0.33	5.9	11.0	4.51	430	0.09	0.03	0.9	1.7
I359082		0.16	1.60	0.19	0.3	0.28	<0.005	0.30	4.6	3.4	0.55	108	0.05	0.03	0.7	0.6
I359083		0.25	2.76	0.16	0.8	0.30	0.005	0.57	6.4	2.9	0.59	58	0.06	0.03	1.3	1.9
I359084		0.17	1.82	0.20	0.4	0.19	<0.005	0.37	4.4	2.2	0.23	40	0.06	0.03	0.9	1.4
I359085		0.45	3.41	0.20	0.8	0.48	0.005	0.64	7.9	4.8	0.91	146	0.09	0.03	1.7	4.0
I359086		1.20	2.28	0.15	0.7	0.33	<0.005	0.43	5.9	3.9	8.75	1060	0.08	0.03	1.1	2.3
I359087		0.72	2.36	0.16	0.6	0.44	0.006	0.43	6.0	3.4	5.99	582	0.09	0.03	1.2	2.6
I359088		2.67	9.68	0.16	1.2	2.50	0.701	0.75	22.8	14.0	3.55	1680	73.9	0.01	4.8	79.2
I359089		0.29	2.11	0.15	0.5	0.26	0.006	0.44	5.3	2.9	0.66	102	0.17	0.02	1.1	2.3
I359090		1.10	7.17	0.19	1.7	0.91	0.017	1.53	17.9	9.1	0.43	134	0.29	0.02	4.2	10.3
I359091		1.06	6.65	0.18	1.5	0.65	0.020	1.46	16.8	9.5	0.43	183	0.31	0.02	3.9	9.7
I359092		1.48	9.72	0.22	2.4	1.16	0.024	2.49	24.9	12.6	0.48	182	0.35	0.04	6.1	12.7
I359093		1.62	11.55	0.22	3.0	2.04	0.029	3.01	28.4	14.8	0.45	182	0.27	0.05	7.6	14.7
I359094		0.84	6.50	0.20	1.8	1.29	0.015	1.87	14.4	8.3	0.26	150	0.16	0.05	3.8	6.9
I359095		2.53	10.25	0.19	1.3	0.06	0.037	1.90	28.3	45.7	0.76	1910	0.24	0.12	5.5	21.3
I359096		2.64	12.80	0.18	1.7	0.07	0.045	2.28	34.2	76.1	1.25	1500	0.46	0.07	7.0	24.6
I359097		3.87	22.1	0.23	3.1	0.21	0.063	3.85	47.6	79.9	1.90	1370	5.30	0.12	11.9	56.5
I359098		4.28	19.70	0.21	3.1	0.09	0.057	3.58	45.8	106.5	1.30	532	1.10	0.22	11.1	44.1
I359099		0.48	0.21	0.13	<0.1	<0.01	<0.005	0.03	0.7	1.1	12.85	212	0.06	<0.01	0.2	1.4
I359100		3.52	14.75	0.21	2.0	0.14	0.046	2.77	35.4	77.1	1.20	859	0.31	0.02	8.1	31.5
I359101		4.14	18.75	0.16	2.3	0.14	0.063	3.63	38.2	70.4	1.21	425	0.63	0.16	12.7	43.3
I359102		3.57	16.65	0.20	3.5	0.08	0.050	3.30	39.6	45.6	1.07	668	0.50	0.06	9.5	35.9
I359103		3.56	16.10	0.20	2.3	0.07	0.058	3.46	38.8	25.6	1.15	620	0.81	0.04	9.5	39.0
I359104		4.50	19.05	0.20	2.4	0.06	0.056	4.09	40.2	17.2	1.17	361	0.22	0.04	11.2	43.4
I359105		1.35	7.24	0.11	2.2	5.57	0.064	1.40	27.9	9.6	0.70	259	10.60	0.01	8.0	63.5
I359106		4.17	17.35	0.20	2.3	0.08	0.051	3.76	41.1	22.8	1.14	376	0.20	0.04	10.0	39.5
I359107		3.67	15.50	0.20	1.9	0.22	0.047	3.05	38.7	44.3	1.03	526	0.29	0.03	8.9	32.8
I359108		2.39	13.90	0.12	1.9	0.25	0.046	2.61	30.3	52.8	1.03	729	0.72	0.03	8.6	26.5
I359109		3.47	16.25	0.16	2.5	0.16	0.052	3.10	32.2	49.6	0.92	160	0.34	0.04	9.9	24.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11169072

Sample Description	Method Analyte Units LOR	ME- MS61 P ppm 10	ME- MS61 Pb ppm 0.5	ME- MS61 Rb ppm 0.1	ME- MS61 Re ppm 0.002	ME- MS61 S % 0.01	ME- MS61 Sb ppm 0.05	ME- MS61 Sc ppm 0.1	ME- MS61 Se ppm 1	ME- MS61 Sn ppm 0.2	ME- MS61 Sr ppm 0.2	ME- MS61 Ta ppm 0.05	ME- MS61 Te ppm 0.05	ME- MS61 Th ppm 0.2	ME- MS61 Ti % 0.005	ME- MS61 Tl ppm 0.02
I359074		310	3.9	2.9	<0.002	0.13	2.52	0.3	<1	0.2	202	<0.05	<0.05	0.5	0.008	0.32
I359075		230	14.9	3.4	<0.002	0.33	9.98	0.5	1	0.3	223	<0.05	<0.05	0.7	0.009	0.54
I359076		170	1.5	2.1	<0.002	0.01	0.11	0.3	<1	0.2	43.6	<0.05	<0.05	<0.2	<0.005	0.02
I359077		370	24.7	16.8	0.002	0.52	1.07	1.9	1	0.5	905	0.14	<0.05	2.7	0.052	0.44
I359078		400	21.0	17.6	0.002	0.54	0.74	2.1	1	0.5	863	0.14	<0.05	2.9	0.054	0.48
I359079		350	21.8	21.7	0.002	0.59	0.65	2.3	1	0.6	1310	0.17	<0.05	3.5	0.065	0.33
I359080		180	17.4	13.8	<0.002	0.24	0.44	1.0	<1	0.4	992	0.10	<0.05	2.1	0.039	0.18
I359081		170	60.6	9.0	<0.002	0.17	0.40	0.8	<1	0.4	326	0.08	<0.05	1.7	0.028	0.18
I359082		130	18.7	7.5	<0.002	0.11	0.31	0.4	<1	0.4	726	0.06	<0.05	1.6	0.025	0.10
I359083		230	17.0	14.7	<0.002	0.26	0.13	1.1	<1	0.4	1020	0.11	<0.05	2.5	0.041	0.14
I359084		170	9.4	9.4	<0.002	0.19	0.21	0.8	<1	0.3	1165	0.07	<0.05	1.5	0.028	0.08
I359085		170	53.7	17.5	<0.002	0.43	0.71	1.5	1	0.6	896	0.16	<0.05	3.1	0.055	0.16
I359086		290	12.3	11.1	<0.002	0.32	1.02	1.2	<1	0.4	108.5	0.09	<0.05	2.2	0.035	0.13
I359087		290	41.7	12.0	<0.002	0.31	0.79	1.1	<1	0.4	360	0.09	<0.05	2.2	0.036	0.15
I359088		1110	20.8	61.5	0.063	0.96	13.30	4.4	4	5.8	223	0.37	0.37	4.8	0.128	1.51
I359089		250	12.3	12.2	<0.002	0.29	0.27	1.1	<1	0.4	1020	0.09	<0.05	1.8	0.034	0.13
I359090		420	11.6	46.1	0.003	1.02	0.18	4.2	1	1.0	699	0.36	0.06	6.4	0.131	0.41
I359091		350	12.4	44.8	0.003	0.81	0.18	4.1	1	1.0	686	0.35	<0.05	6.1	0.122	0.34
I359092		540	13.2	81.6	<0.002	1.27	0.17	5.3	2	1.3	605	0.54	<0.05	9.0	0.184	0.61
I359093		260	17.8	99.4	0.002	1.62	0.19	6.4	1	1.5	569	0.65	<0.05	10.8	0.233	0.92
I359094		300	12.5	58.0	<0.002	0.72	0.15	3.3	1	0.8	852	0.33	<0.05	5.8	0.117	0.53
I359095		240	12.6	71.2	0.002	0.01	0.43	7.8	<1	1.8	320	0.49	<0.05	7.8	0.205	0.39
I359096		420	12.7	94.3	0.002	0.04	0.71	9.6	<1	1.7	253	0.58	<0.05	9.3	0.250	0.43
I359097		420	75.2	151.0	0.002	0.31	2.00	16.0	1	2.8	96.4	0.96	0.07	15.1	0.405	0.91
I359098		400	30.5	141.5	0.006	0.11	1.08	14.7	1	2.7	120.0	0.99	<0.05	15.5	0.416	0.76
I359099		160	1.4	1.4	<0.002	0.01	0.07	0.2	<1	0.2	49.2	<0.05	<0.05	<0.2	<0.005	<0.02
I359100		360	10.8	104.5	<0.002	0.02	0.54	10.7	1	2.0	287	0.73	<0.05	11.1	0.290	0.52
I359101		310	13.7	147.5	0.002	0.04	0.98	15.9	1	2.2	96.5	0.94	0.05	13.4	0.370	0.76
I359102		410	12.9	120.0	0.003	0.05	0.89	12.3	2	2.2	174.5	0.81	0.07	12.1	0.364	0.60
I359103		360	21.4	123.0	0.002	0.07	0.92	12.4	1	2.1	148.5	0.83	<0.05	12.1	0.369	0.58
I359104		370	14.7	133.5	<0.002	<0.01	0.98	13.4	1	2.4	102.5	0.93	0.09	12.6	0.396	0.61
I359105		4080	4.7	115.0	0.034	1.32	17.90	7.2	8	1.6	144.5	0.57	0.48	6.6	0.207	13.15
I359106		340	13.1	135.0	<0.002	0.01	0.86	12.8	<1	2.2	124.0	0.88	<0.05	12.8	0.369	0.62
I359107		380	13.3	112.0	0.002	0.01	0.63	11.2	1	2.1	153.0	0.75	0.07	11.1	0.301	0.50
I359108		370	11.6	94.1	0.002	0.18	0.61	11.6	3	1.8	254	0.63	0.06	8.9	0.252	0.52
I359109		290	7.1	125.0	<0.002	0.21	0.37	13.5	2	2.2	92.4	0.75	0.08	11.4	0.295	0.74



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11169072

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
I359074		2.4	3	0.2	2.5	2	5.7
I359075		2.6	4	0.2	2.7	31	8.1
I359076		0.5	4	0.1	0.9	12	<0.5
I359077		2.7	11	0.3	5.8	37	24.7
I359078		2.9	12	0.3	6.3	33	26.7
I359079		2.7	14	0.2	6.6	24	34.4
I359080		2.1	6	0.1	3.5	41	24.0
I359081		1.6	4	0.1	4.1	31	19.0
I359082		2.4	3	0.1	3.0	12	14.0
I359083		2.4	6	0.1	3.8	19	27.5
I359084		1.9	5	0.1	2.8	15	16.1
I359085		2.6	9	0.2	4.7	86	28.2
I359086		2.4	7	0.2	4.0	4	22.4
I359087		2.7	6	0.2	4.2	19	25.1
I359088		16.8	331	31.2	21.4	447	43.2
I359089		2.7	7	0.2	3.8	23	19.8
I359090		2.9	25	0.4	9.7	29	53.3
I359091		2.9	23	0.4	9.7	24	57.0
I359092		2.8	33	0.5	12.1	36	76.2
I359093		2.7	37	0.7	13.2	39	90.1
I359094		2.2	19	0.4	7.8	9	59.5
I359095		2.2	49	1.0	14.9	45	42.8
I359096		2.1	51	1.2	18.2	55	59.8
I359097		4.4	86	2.0	22.1	206	103.0
I359098		5.1	111	2.0	19.8	81	87.9
I359099		0.9	3	0.1	0.8	16	<0.5
I359100		2.1	78	1.5	17.9	60	60.4
I359101		2.9	90	1.8	18.7	77	78.6
I359102		3.6	105	1.6	19.0	66	71.2
I359103		4.1	101	1.5	18.9	62	78.2
I359104		1.6	82	1.7	18.2	69	74.5
I359105		8.1	367	36.4	26.6	270	73.0
I359106		1.5	73	1.6	18.3	63	72.8
I359107		1.9	81	1.4	19.0	48	64.1
I359108		3.2	89	1.0	17.8	29	68.4
I359109		1.5	58	1.3	15.4	30	87.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11169072

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5- OCT- 2011
Account: MTT

CERTIFICATE WH11169074

Project: Midas Touch - Crag East

P.O. No.: Batch 7

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11169074

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
I359146		4.77	<0.01	<0.01	0.55	5940	90	0.11	0.02	18.15	<0.02	10.70	1.7	4	0.28	3.6
I359147		4.99	<0.01	0.02	0.19	>10000	70	0.12	0.01	18.95	0.02	6.81	1.1	2	0.08	2.3
I359148		5.17	<0.01	0.02	0.13	49	30	0.09	0.03	21.3	0.07	1.34	1.4	2	1.21	3.2
I359149		5.24	<0.01	0.01	0.15	>10000	50	0.08	0.01	21.6	0.02	5.18	0.8	<1	<0.05	1.6
I359150		8.45	<0.01	0.07	0.06	5450	20	0.07	0.01	21.1	0.08	3.80	0.8	1	<0.05	2.0
I359151		9.30	<0.01	0.09	0.04	9170	20	0.09	0.01	20.0	0.02	2.30	0.9	<1	<0.05	1.3
I359152		9.74	<0.01	0.01	0.05	6010	30	0.11	0.01	22.4	<0.02	2.79	0.9	1	<0.05	4.8
I359153		10.00	<0.01	<0.01	0.04	6520	10	0.06	<0.01	19.50	0.02	2.56	0.9	1	<0.05	1.6
I359154		10.68	<0.01	0.01	0.05	830	20	0.07	<0.01	19.75	0.07	2.53	1.0	1	<0.05	1.5
I359155		4.83	<0.01	0.01	0.09	3680	30	0.05	0.01	20.1	0.05	3.32	1.1	1	<0.05	1.7
I359156		9.68	<0.01	0.01	0.03	1040	10	0.06	<0.01	20.8	<0.02	1.49	1.0	1	<0.05	1.0
I359157		0.20	3.53	1.67	3.24	741	550	0.79	4.64	1.97	1.87	36.2	7.8	52	6.88	73.1
I359158		9.98	<0.01	0.03	0.06	>10000	20	0.07	0.01	20.7	<0.02	2.91	0.9	1	<0.05	1.3
I359159		6.58	<0.01	<0.01	0.03	3150	10	0.07	<0.01	19.60	0.03	2.11	0.9	1	<0.05	1.2
I359160		5.90	0.01	0.10	0.21	>10000	60	0.10	0.02	17.85	0.08	6.91	1.0	2	0.10	2.4
I359161		2.63	<0.01	0.04	0.06	>10000	20	0.07	0.01	19.65	<0.02	3.92	0.8	2	0.05	2.3
I359162		6.21	<0.01	<0.01	0.07	111	20	<0.05	0.01	21.7	0.06	1.14	1.4	1	0.30	1.8
I359163		3.83	<0.01	0.01	0.17	6970	40	<0.05	0.01	19.25	<0.02	4.69	1.0	2	0.08	1.9
I359164		9.85	<0.01	0.02	0.43	7470	120	0.06	0.02	19.40	0.12	9.27	1.4	3	0.15	3.5
I359165		9.81	<0.01	0.02	1.34	3830	310	0.21	0.08	15.80	0.32	21.8	3.4	15	0.65	7.9
I359166		4.51	<0.01	0.03	0.92	2590	220	0.14	0.04	13.55	0.13	15.60	2.4	8	0.44	5.9
I359167		10.04	0.01	0.01	2.52	903	440	0.50	0.16	13.45	<0.02	24.9	5.4	21	2.99	12.9
I359168		9.78	<0.01	0.02	1.44	91	250	0.36	0.10	18.40	<0.02	18.25	3.7	10	2.43	9.8
I359169		9.74	0.01	<0.01	0.82	95	140	0.22	0.05	19.80	<0.02	14.00	2.4	12	1.26	5.2
I359170		8.74	<0.01	<0.01	0.74	1300	120	0.13	0.04	19.05	<0.02	13.05	2.1	6	0.82	4.8
I359171		5.82	<0.01	0.02	4.23	>10000	390	0.72	0.30	2.41	<0.02	52.6	9.4	31	5.59	22.1
I359172		5.71	<0.01	0.02	4.57	>10000	170	0.91	0.32	0.14	0.03	65.8	10.9	38	6.70	24.5
I359173		4.97	0.01	0.06	1.75	>10000	150	0.26	0.09	0.56	0.06	19.90	3.5	21	2.22	11.3
I359174		0.20	7.51	0.45	3.49	1100	160	0.76	0.69	11.50	3.75	39.9	5.7	95	6.87	32.2
I359175		4.00	<0.01	0.07	2.89	>10000	360	0.39	0.11	10.60	0.05	20.8	4.8	26	3.48	14.6
I359176		3.68	<0.01	0.05	2.53	7590	270	0.35	0.07	18.70	0.04	20.0	4.1	21	3.54	8.6
I359177		6.34	<0.01	0.04	2.22	1720	150	0.46	0.06	25.8	0.04	20.6	4.1	19	4.57	7.0
I359178		10.19	<0.01	0.06	1.85	365	140	0.39	0.06	19.20	0.05	19.85	3.5	15	4.00	8.2
I359179		9.01	<0.01	0.02	0.68	70	140	0.16	0.04	23.4	0.07	8.23	2.0	5	0.85	4.4
I359180		7.67	<0.01	0.01	1.46	72	260	0.41	0.10	21.5	<0.02	20.8	3.6	9	2.71	9.4
I359181		7.04	0.01	0.01	5.21	120.5	640	1.29	0.37	3.16	0.02	69.0	11.5	36	14.05	24.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11169074

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I359146		0.62	1.48	0.07	0.2	7.37	0.012	0.13	8.4	5.3	10.65	754	0.65	0.01	0.7	3.7
I359147		0.77	0.62	0.11	0.1	>100	0.022	0.02	4.7	2.2	11.20	979	0.65	0.01	0.4	2.6
I359148		0.48	0.35	0.08	<0.1	0.45	<0.005	0.06	0.6	1.7	12.60	209	0.08	<0.01	0.4	3.0
I359149		0.58	0.53	0.16	<0.1	>100	0.016	0.01	3.1	1.4	10.85	982	0.69	<0.01	0.2	1.9
I359150		1.01	0.28	0.10	<0.1	94.5	0.008	0.01	2.4	0.9	12.40	1120	0.73	<0.01	0.2	1.5
I359151		0.94	0.27	0.09	<0.1	56.1	0.024	<0.01	1.4	0.7	11.85	996	<0.05	<0.01	0.2	0.8
I359152		0.94	0.24	0.08	<0.1	>100	0.010	0.01	1.7	0.9	13.30	1130	0.13	<0.01	0.2	<0.2
I359153		0.55	0.35	0.20	<0.1	95	0.009	0.01	1.7	0.7	11.75	845	0.07	<0.01	0.2	<0.2
I359154		0.50	0.43	0.29	<0.1	12.7	<0.005	0.01	1.7	0.8	11.95	803	0.08	<0.01	0.2	<0.2
I359155		0.68	0.48	0.23	<0.1	31.0	0.005	0.02	2.2	1.0	11.65	970	0.07	<0.01	0.3	<0.2
I359156		0.36	0.44	0.40	<0.1	11.0	<0.005	<0.01	1.0	0.8	12.30	723	0.06	<0.01	0.2	<0.2
I359157		2.85	9.86	0.19	1.6	5.21	0.143	1.34	20.7	12.3	1.01	289	27.1	<0.01	6.9	76.8
I359158		0.86	0.32	0.14	<0.1	23.0	0.017	0.01	1.7	0.8	11.95	1040	0.08	<0.01	0.2	<0.2
I359159		0.64	0.34	0.24	<0.1	13.6	0.005	<0.01	1.5	0.7	12.05	966	0.05	<0.01	0.2	<0.2
I359160		1.70	0.62	0.08	0.1	>100	0.064	0.04	4.6	1.7	9.68	1180	0.09	<0.01	0.5	<0.2
I359161		1.30	0.25	0.06	<0.1	77.8	0.039	0.01	2.6	1.1	9.92	1160	0.08	<0.01	0.2	<0.2
I359162		0.47	0.28	0.15	<0.1	0.26	<0.005	0.03	0.5	1.2	12.85	202	0.05	<0.01	0.2	3.2
I359163		1.32	0.50	0.07	0.1	55.7	0.010	0.03	3.3	1.5	10.90	1200	0.05	<0.01	0.4	<0.2
I359164		1.26	1.08	0.07	0.2	48.4	0.012	0.08	6.4	2.7	9.51	1100	0.10	<0.01	0.7	<0.2
I359165		1.05	3.56	0.08	0.6	12.3	0.013	0.37	16.5	5.9	5.99	673	0.16	<0.01	2.5	3.8
I359166		0.81	2.41	0.09	0.4	10.9	0.009	0.24	11.1	4.3	4.89	570	0.17	<0.01	1.6	2.6
I359167		1.18	6.22	0.12	1.1	4.1	0.014	0.97	16.6	8.2	6.09	405	0.23	0.02	4.3	11.4
I359168		0.74	3.69	0.18	0.6	2.16	0.007	0.61	13.3	6.6	8.58	416	0.19	0.01	2.5	6.1
I359169		0.48	2.28	0.25	0.3	1.43	<0.005	0.35	9.2	3.3	9.07	504	0.08	0.01	1.4	2.0
I359170		0.46	1.95	0.29	0.3	2.25	0.007	0.25	8.8	3.3	8.34	540	0.06	<0.01	1.1	1.6
I359171		2.62	11.55	0.23	1.7	94.0	0.042	1.60	34.3	14.1	1.48	266	0.28	0.04	7.4	24.8
I359172		3.22	14.00	0.24	1.9	>100	0.072	1.92	41.0	11.8	0.32	120	0.39	0.05	8.5	28.0
I359173		4.86	4.63	0.11	0.8	>100	0.145	0.63	12.7	12.8	0.21	71	0.29	0.01	3.0	10.8
I359174		1.32	7.41	0.08	2.3	6.19	0.058	1.45	25.7	9.9	0.72	260	11.20	<0.01	8.1	62.7
I359175		2.41	7.51	0.06	1.4	>100	0.058	1.04	14.1	13.8	0.21	538	0.39	0.02	5.1	12.0
I359176		1.27	6.32	<0.05	1.2	53.0	0.024	0.99	13.0	8.0	0.46	894	0.31	0.02	4.4	7.7
I359177		1.04	5.23	<0.05	0.9	14.1	0.017	0.94	12.3	4.9	0.52	700	0.18	0.02	4.3	5.9
I359178		1.02	4.46	<0.05	0.8	3.09	0.011	0.76	12.1	5.8	7.59	642	0.24	0.02	3.3	5.7
I359179		0.58	1.65	0.05	0.3	1.63	<0.005	0.26	6.2	2.5	5.61	471	0.10	<0.01	1.2	1.0
I359180		0.79	3.51	0.08	0.6	1.37	0.011	0.62	15.8	5.0	5.78	390	0.12	0.01	2.6	4.8
I359181		2.17	14.25	0.26	2.2	1.38	0.032	2.31	42.3	13.5	0.77	209	0.41	0.06	9.8	29.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11169074

Sample Description	Method Analyte Units LOR	ME- MS61 P ppm 10	ME- MS61 Pb ppm 0.5	ME- MS61 Rb ppm 0.1	ME- MS61 Re ppm 0.002	ME- MS61 S % 0.01	ME- MS61 Sb ppm 0.05	ME- MS61 Sc ppm 0.1	ME- MS61 Se ppm 1	ME- MS61 Sn ppm 0.2	ME- MS61 Sr ppm 0.2	ME- MS61 Ta ppm 0.05	ME- MS61 Te ppm 0.05	ME- MS61 Th ppm 0.2	ME- MS61 Ti % 0.005	ME- MS61 Tl ppm 0.02
I359146		220	6.0	5.8	<0.002	0.60	7.12	1.6	2	0.2	266	<0.05	<0.05	0.9	0.013	5.68
I359147		360	4.3	1.0	<0.002	0.96	17.10	0.7	2	<0.2	408	<0.05	<0.05	0.4	0.005	13.70
I359148		180	1.9	4.6	<0.002	0.01	0.13	0.3	1	0.2	48.3	<0.05	<0.05	<0.2	0.005	0.05
I359149		300	3.2	0.4	<0.002	0.76	16.35	0.4	2	<0.2	333	<0.05	<0.05	<0.2	<0.005	17.35
I359150		180	3.3	0.3	<0.002	0.62	15.70	0.4	2	<0.2	148.0	<0.05	<0.05	<0.2	<0.005	24.2
I359151		210	1.9	0.2	<0.002	0.74	14.75	0.4	2	<0.2	145.5	<0.05	<0.05	<0.2	<0.005	18.25
I359152		200	4.2	0.4	<0.002	0.51	15.05	0.5	2	<0.2	178.5	<0.05	<0.05	<0.2	<0.005	25.2
I359153		190	2.4	0.2	<0.002	0.42	10.70	0.3	2	<0.2	104.5	<0.05	<0.05	<0.2	<0.005	13.15
I359154		300	2.8	0.3	<0.002	0.15	5.09	0.3	2	<0.2	115.0	<0.05	<0.05	<0.2	<0.005	9.11
I359155		250	3.1	0.7	<0.002	0.33	12.20	0.3	2	<0.2	161.0	<0.05	<0.05	0.2	<0.005	15.25
I359156		110	0.8	0.1	<0.002	0.13	7.91	0.3	2	<0.2	75.3	<0.05	<0.05	<0.2	<0.005	11.00
I359157		840	21.3	110.0	0.037	1.88	25.5	6.0	8	2.8	54.8	0.44	0.75	6.6	0.166	5.41
I359158		190	2.2	0.3	<0.002	0.81	28.7	0.4	2	<0.2	165.0	<0.05	<0.05	<0.2	<0.005	23.8
I359159		110	1.9	0.1	<0.002	0.27	12.35	0.2	2	<0.2	64.1	<0.05	<0.05	<0.2	<0.005	13.10
I359160		310	6.7	1.8	<0.002	2.93	128.0	0.5	1	<0.2	320	<0.05	<0.05	0.5	0.005	127.0
I359161		190	5.6	0.6	<0.002	1.89	78.8	0.4	1	<0.2	141.5	<0.05	<0.05	0.2	<0.005	83.1
I359162		170	1.4	2.0	<0.002	0.01	0.31	0.3	1	<0.2	44.5	<0.05	<0.05	<0.2	<0.005	0.25
I359163		260	3.7	1.6	<0.002	0.87	52.0	0.4	2	<0.2	213	<0.05	<0.05	0.4	0.005	59.8
I359164		490	7.4	3.8	<0.002	1.00	52.6	0.6	2	0.2	567	<0.05	<0.05	1.0	0.013	58.7
I359165		940	16.6	17.7	<0.002	0.95	11.85	2.0	2	0.4	1190	0.17	<0.05	3.7	0.051	15.00
I359166		680	11.3	11.8	<0.002	0.66	8.68	1.5	2	0.4	859	0.11	<0.05	2.4	0.033	10.45
I359167		470	21.9	32.4	<0.002	1.22	4.14	5.1	2	0.7	450	0.30	<0.05	6.9	0.091	5.33
I359168		410	15.9	24.7	<0.002	0.74	1.58	2.4	2	0.4	223	0.17	<0.05	3.9	0.054	1.59
I359169		350	9.5	14.0	<0.002	0.42	0.92	1.8	2	0.3	243	0.09	<0.05	2.3	0.028	1.09
I359170		300	7.7	10.1	<0.002	0.42	1.82	2.1	2	0.2	303	0.07	<0.05	1.8	0.023	1.69
I359171		410	32.0	56.1	<0.002	3.46	49.9	4.1	2	1.5	423	0.54	0.08	12.2	0.167	125.5
I359172		280	39.2	75.0	<0.002	4.73	95.9	4.8	2	1.5	271	0.58	0.09	13.7	0.189	197.0
I359173		670	26.7	22.0	<0.002	8.63	333	1.2	2	1.0	394	0.20	<0.05	4.2	0.068	690
I359174		4000	5.1	116.5	0.036	1.31	17.95	6.1	9	1.5	144.0	0.52	0.47	7.6	0.203	13.70
I359175		790	21.3	36.6	0.002	3.90	90.9	3.3	2	1.1	818	0.35	<0.05	6.5	0.111	209
I359176		620	14.6	33.2	<0.002	1.66	27.0	2.9	2	0.8	697	0.32	<0.05	5.3	0.097	64.2
I359177		300	26.4	31.9	<0.002	1.22	8.60	3.6	3	0.7	433	0.27	<0.05	4.3	0.096	18.15
I359178		400	29.0	27.2	<0.002	0.88	1.78	2.9	3	0.7	196.5	0.22	<0.05	4.4	0.073	3.30
I359179		230	6.6	10.5	<0.002	0.32	1.05	1.2	2	0.2	371	0.07	<0.05	1.6	0.024	1.07
I359180		390	13.3	24.9	<0.002	0.70	1.16	2.7	2	0.6	309	0.17	<0.05	3.8	0.053	1.46
I359181		240	51.9	78.0	0.002	2.24	0.41	11.1	2	1.5	89.3	0.69	0.08	15.6	0.215	2.56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11169074

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
I359146		1.4	4	0.2	3.9	3	6.5	
I359147		2.8	2	0.2	2.4	6	3.3	1.470
I359148		0.7	1	0.1	0.9	19	0.8	
I359149		1.8	1	0.1	5.1	7	1.1	1.190
I359150		1.8	1	0.1	2.1	36	0.9	
I359151		1.8	1	0.1	1.5	4	0.9	
I359152		1.9	1	<0.1	2.0	5	1.0	
I359153		1.9	<1	<0.1	1.7	13	0.8	
I359154		2.6	<1	0.1	1.9	38	1.2	
I359155		2.3	1	0.1	2.4	22	1.5	
I359156		1.8	<1	<0.1	1.5	<2	0.7	
I359157		5.8	312	14.8	15.8	146	53.9	
I359158		2.0	1	0.1	1.7	4	1.0	1.225
I359159		1.6	<1	<0.1	1.3	22	0.6	
I359160		2.1	2	0.2	2.3	34	2.7	4.46
I359161		2.2	1	0.1	2.8	4	1.3	2.78
I359162		0.8	1	0.1	0.8	13	<0.5	
I359163		2.2	1	0.1	2.2	5	2.5	
I359164		3.2	3	0.4	3.4	81	5.7	
I359165		5.0	9	1.2	7.4	182	22.0	
I359166		3.5	7	0.8	6.2	73	14.2	
I359167		3.5	17	1.2	9.2	9	37.9	
I359168		3.6	10	0.7	8.2	9	23.2	
I359169		2.4	6	0.4	8.2	4	12.2	
I359170		2.3	6	0.4	8.7	3	10.4	
I359171		4.1	31	2.9	7.4	15	59.2	1.720
I359172		3.3	40	3.3	8.2	17	60.0	3.37
I359173		3.9	14	1.3	4.9	34	29.3	9.60
I359174		8.5	377	35.7	28.3	273	82.3	
I359175		5.9	22	2.2	15.8	49	45.3	2.98
I359176		4.3	18	1.9	19.1	44	42.4	
I359177		2.4	17	1.8	16.9	45	32.8	
I359178		3.0	14	0.8	9.4	38	30.3	
I359179		1.9	5	0.3	3.8	74	10.8	
I359180		2.6	10	0.5	9.8	5	22.5	
I359181		2.8	42	1.1	16.2	20	72.4	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11169074

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61 Hg- CV41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method. Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 14- SEP- 2011
Account: MTT

CERTIFICATE WH11170957

Project: Midas Touch - Crag East

P.O. No.: Batch 8

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11170957

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
I359182		9.33	<0.01	0.05	2.60	40	250	0.49	0.14	18.05	0.08	36.9	5.6	17	7.48	13.9
I359183		9.37	<0.01	0.02	1.25	28	90	0.27	0.04	28.2	0.02	14.85	2.6	7	3.22	6.4
I359184		9.58	<0.01	0.03	1.16	23	100	0.33	0.04	29.4	0.03	16.50	2.2	7	2.68	6.1
I359185		9.90	0.02	0.06	1.83	23	110	0.43	0.04	29.1	0.02	23.0	3.5	13	4.92	6.8
I359186		9.97	<0.01	0.04	1.34	29	80	0.39	0.03	29.5	0.02	17.20	2.7	9	3.09	5.6
I359187		9.33	0.13	0.04	1.51	35	120	0.32	0.01	27.7	0.02	16.55	2.1	9	3.10	4.0
I359188		9.85	<0.01	0.06	1.05	154	80	0.27	0.02	20.6	1.77	18.25	2.3	8	2.48	4.9
I359189		0.27	1.16	0.69	2.37	264	130	1.23	8.34	18.10	2.19	33.6	4.6	41	7.34	78.8
I359190		9.86	<0.01	0.02	0.42	132	40	0.09	<0.01	20.4	0.44	5.06	1.1	1	0.35	1.9
I359191		10.28	<0.01	0.01	0.25	34	30	0.08	0.01	19.80	<0.02	3.62	1.0	<1	0.20	2.0
I359192		10.45	<0.01	0.01	0.21	82	30	0.07	<0.01	20.9	<0.02	3.61	1.0	<1	0.14	1.1
I359193		4.58	<0.01	0.01	0.22	54	30	0.06	<0.01	21.0	<0.02	3.64	1.0	<1	0.13	1.3
I359194		9.28	<0.01	0.02	0.68	129	50	0.14	0.01	20.6	<0.02	8.73	1.5	3	0.97	2.5
I359195		9.42	<0.01	0.02	0.94	97	50	0.15	<0.01	17.15	<0.02	11.70	1.5	4	1.85	3.1
I359196		9.93	<0.01	0.07	1.92	78	70	0.36	0.04	17.15	<0.02	26.0	3.2	15	5.01	6.6
I359197		10.33	<0.01	0.06	1.72	49	50	0.30	0.03	16.70	<0.02	24.5	3.1	14	4.94	5.5
I359198		10.57	<0.01	0.07	2.29	76	190	0.36	0.05	15.65	0.38	19.30	3.6	19	5.23	8.4
I359199		0.27	3.81	1.47	3.33	796	450	0.67	3.93	2.11	1.99	40.0	7.1	52	7.47	75.6
I359200		9.38	<0.01	0.12	3.67	149	140	0.45	0.09	12.05	3.65	25.5	6.0	35	9.31	14.1
L829501		9.54	<0.01	0.07	1.77	417	90	0.25	0.03	16.35	9.16	21.4	2.7	13	3.92	7.7
L829502		10.19	<0.01	0.06	1.18	192	90	0.21	0.02	18.05	11.55	19.20	2.1	9	2.70	6.0
L829503		10.43	<0.01	0.02	0.33	83	40	0.08	<0.01	18.85	12.50	11.35	0.8	1	0.30	1.9
L829504		9.48	<0.01	0.01	0.29	550	40	0.08	<0.01	18.60	1.24	6.88	0.8	1	0.22	1.5
L829505		7.77	<0.01	0.03	0.39	1740	60	0.09	<0.01	18.30	7.38	10.55	1.0	1	0.30	2.9
L829506		9.53	<0.01	0.01	0.07	6	30	0.08	0.01	21.3	0.06	1.19	1.4	<1	0.42	2.4
L829507		5.17	<0.01	0.01	0.29	2540	50	0.09	<0.01	19.20	0.14	5.62	0.9	1	0.20	2.0
L829508		7.41	<0.01	0.01	0.36	1300	60	0.09	<0.01	19.80	0.02	6.53	1.0	1	0.27	2.1
L829509		9.86	<0.01	0.01	0.27	114	40	0.11	<0.01	20.1	0.03	6.09	1.0	<1	0.20	1.9
L829510		10.22	<0.01	0.01	0.26	95	40	0.09	<0.01	20.0	0.02	4.39	0.9	<1	0.21	1.6
L829511		4.35	<0.01	0.02	0.26	128	60	0.10	<0.01	21.3	0.18	6.29	0.9	<1	0.20	1.7
L829512		5.97	0.01	0.02	0.36	502	60	0.12	<0.01	21.0	0.06	5.72	1.1	1	0.13	2.4
L829513		8.02	<0.01	0.01	0.10	<5	20	0.07	0.12	20.4	0.06	1.21	1.4	<1	0.49	2.2
L829514		10.40	<0.01	0.01	0.18	380	50	0.09	<0.01	21.1	0.12	5.59	1.0	<1	0.12	1.7
L829515		6.76	<0.01	0.04	9.36	20.5	850	2.56	0.39	0.18	0.12	124.0	18.6	89	15.70	34.3
L829516		3.11	<0.01	0.06	9.67	21.7	710	3.16	0.43	0.18	0.12	112.5	22.3	92	14.85	30.3
L829517		6.13	<0.01	0.04	8.02	21.8	620	2.50	0.32	1.06	0.22	113.0	20.9	73	11.55	24.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11170957

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I359182		1.37	6.18	0.07	1.1	0.77	0.027	1.11	22.1	7.3	1.12	327	0.45	0.03	4.2	16.3
I359183		0.59	2.92	0.06	0.6	0.33	0.008	0.55	8.6	4.0	0.75	121	0.10	0.02	2.2	5.7
I359184		0.46	2.82	0.06	0.6	0.35	0.009	0.54	9.8	3.2	0.49	70	0.13	0.02	2.0	4.7
I359185		0.79	4.45	0.07	0.8	0.68	0.012	0.85	12.4	5.7	0.68	114	0.15	0.03	3.2	7.6
I359186		0.58	3.28	0.06	0.6	0.68	0.010	0.61	9.1	3.6	0.43	86	0.13	0.02	2.4	5.8
I359187		0.47	3.26	0.07	0.8	0.57	0.009	0.66	8.0	4.5	0.76	85	0.10	0.03	2.2	4.5
I359188		0.84	2.79	0.06	0.6	2.88	0.011	0.42	8.9	5.8	8.83	591	0.11	0.03	1.9	5.5
I359189		2.67	9.05	0.11	1.4	2.31	0.740	0.73	22.8	13.9	3.53	1720	73.4	0.01	5.2	77.6
I359190		0.34	0.95	0.06	0.2	2.09	<0.005	0.12	2.5	13.0	11.10	276	0.17	0.02	0.6	1.6
I359191		0.21	0.54	0.12	0.1	0.51	<0.005	0.07	1.7	9.9	11.50	198	0.09	0.02	0.4	1.1
I359192		0.29	0.50	0.13	0.2	0.66	<0.005	0.05	1.7	12.3	12.05	287	0.07	0.02	0.4	1.1
I359193		0.26	0.54	0.14	0.2	0.63	<0.005	0.05	1.7	13.4	12.05	263	0.08	0.02	0.4	1.4
I359194		0.51	1.50	0.06	0.4	6.10	<0.005	0.23	4.5	15.8	11.15	399	0.08	0.03	1.1	2.4
I359195		0.58	1.88	<0.05	0.5	1.39	<0.005	0.34	5.8	4.8	9.04	346	0.11	0.04	1.3	3.5
I359196		1.01	4.46	0.07	1.1	1.33	0.009	0.79	13.9	7.6	9.73	311	0.16	0.04	3.4	8.0
I359197		0.98	4.00	0.06	1.2	0.82	0.007	0.71	12.5	6.5	9.77	287	0.12	0.03	3.4	7.0
I359198		1.16	5.06	<0.05	1.4	2.39	0.007	0.85	11.7	10.6	7.81	364	0.17	0.03	3.9	9.7
I359199		3.06	8.67	0.12	1.7	5.37	0.168	1.42	22.8	12.3	1.03	303	27.4	0.01	6.2	74.2
I359200		1.80	8.28	0.06	2.3	5.66	0.013	1.30	17.5	16.5	5.93	403	0.32	0.05	7.0	17.3
L829501		1.16	4.29	0.06	1.1	5.26	0.012	0.69	11.6	7.8	9.47	653	0.18	0.03	2.7	7.1
L829502		1.10	3.34	0.05	0.7	4.59	0.007	0.42	10.0	6.9	10.25	851	0.20	0.02	1.8	6.0
L829503		0.76	1.80	<0.05	0.1	7.17	0.007	0.10	5.2	3.0	10.25	856	0.06	0.02	0.4	1.0
L829504		0.76	0.78	<0.05	0.1	23.5	<0.005	0.07	3.3	2.6	10.20	889	0.10	0.02	0.3	1.3
L829505		0.99	1.98	0.05	0.2	15.9	0.012	0.12	5.1	3.0	10.35	1040	0.09	0.02	0.5	2.0
L829506		0.47	0.29	0.07	<0.1	0.06	<0.005	0.03	0.5	1.3	13.05	208	0.07	0.01	0.3	3.0
L829507		0.96	0.65	<0.05	0.2	1.65	<0.005	0.09	3.1	2.5	11.05	1040	0.06	0.02	0.4	1.7
L829508		0.92	0.80	0.05	0.2	1.31	<0.005	0.09	3.8	3.7	11.35	1150	0.09	0.02	0.5	1.9
L829509		0.91	0.61	<0.05	0.2	0.80	<0.005	0.08	3.4	2.5	11.35	1140	0.08	0.01	0.4	2.7
L829510		0.76	0.63	0.05	0.2	0.51	<0.005	0.09	2.3	2.5	10.90	982	0.06	0.02	0.4	1.5
L829511		0.81	0.64	<0.05	0.2	0.99	<0.005	0.08	3.1	2.5	10.85	934	0.07	0.02	0.4	1.5
L829512		0.54	0.68	0.05	0.2	2.12	<0.005	0.05	3.0	3.8	11.75	641	0.10	0.01	0.5	2.2
L829513		0.44	0.35	0.08	<0.1	0.01	<0.005	0.05	0.6	1.3	12.45	200	0.06	0.01	0.3	2.6
L829514		0.49	0.52	0.09	0.2	0.66	<0.005	0.05	2.9	2.0	11.90	885	0.07	0.02	0.4	1.8
L829515		5.07	24.7	0.19	3.6	0.20	0.084	4.33	58.8	76.6	0.68	934	0.87	0.13	15.7	35.1
L829516		5.00	26.6	0.17	3.4	0.18	0.073	4.76	54.6	64.0	0.90	814	2.36	0.15	16.5	39.1
L829517		5.15	22.0	0.16	3.3	0.16	0.071	3.68	52.0	58.2	1.26	2410	0.85	0.30	14.6	34.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11170957

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005	ppm 0.02
I359182		590	26.9	40.8	0.003	1.45	0.49	6.1	2	1.1	250	0.34	0.05	6.0	0.100	1.41
I359183		310	8.4	19.0	<0.002	0.59	0.11	2.6	2	0.4	413	0.17	<0.05	2.8	0.051	0.55
I359184		380	5.5	18.0	0.002	0.44	0.07	2.4	2	0.4	533	0.16	<0.05	2.4	0.047	0.37
I359185		400	5.9	28.5	0.002	0.71	0.09	3.2	2	0.6	551	0.26	<0.05	3.5	0.080	0.74
I359186		420	7.0	21.5	<0.002	0.57	0.07	2.5	2	0.5	657	0.19	<0.05	2.5	0.057	0.62
I359187		410	17.6	20.0	<0.002	0.48	0.06	2.1	2	0.5	607	0.17	<0.05	2.6	0.053	0.79
I359188		540	22.6	13.8	<0.002	0.60	1.56	1.9	2	0.5	270	0.16	<0.05	2.5	0.048	1.56
I359189		1120	21.1	65.4	0.062	0.95	12.60	4.6	5	5.9	213	0.41	0.29	5.0	0.122	1.75
I359190		190	4.3	3.8	<0.002	0.13	0.87	0.6	2	0.2	105.0	<0.05	<0.05	0.7	0.014	0.43
I359191		220	3.0	2.1	<0.002	0.05	0.56	0.3	2	<0.2	76.8	<0.05	<0.05	0.6	0.009	0.20
I359192		260	4.0	1.8	<0.002	0.05	0.84	0.4	2	<0.2	88.5	<0.05	<0.05	0.6	0.008	0.26
I359193		260	3.9	1.8	<0.002	0.05	0.82	0.4	2	<0.2	87.7	<0.05	<0.05	0.5	0.008	0.26
I359194		170	6.6	7.2	<0.002	0.22	1.55	0.9	2	0.2	104.0	0.09	<0.05	1.4	0.025	0.90
I359195		230	7.5	10.6	<0.002	0.27	1.27	1.1	2	0.3	74.3	0.10	<0.05	1.8	0.032	0.87
I359196		400	16.7	25.2	0.002	0.97	1.65	2.9	2	0.7	70.0	0.29	<0.05	4.7	0.085	1.72
I359197		300	17.0	21.7	<0.002	0.91	1.23	2.6	2	0.6	58.8	0.28	<0.05	4.8	0.083	1.39
I359198		800	32.5	26.6	<0.002	1.08	1.38	2.6	2	0.8	206	0.34	<0.05	5.6	0.100	2.12
I359199		890	20.8	113.0	0.041	1.99	27.1	5.3	9	3.4	54.5	0.51	0.78	6.0	0.178	5.65
I359200		730	77.2	43.0	<0.002	2.01	2.23	3.7	2	1.6	221	0.61	<0.05	9.6	0.177	3.91
L829501		760	22.4	21.9	<0.002	1.04	3.17	2.4	2	0.6	126.0	0.24	<0.05	4.2	0.071	1.77
L829502		910	27.5	13.9	<0.002	0.78	2.79	1.6	3	0.4	217	0.15	<0.05	2.9	0.046	1.29
L829503		220	3.1	2.9	<0.002	0.31	0.71	1.2	2	0.2	103.0	<0.05	<0.05	0.5	0.007	0.25
L829504		270	3.0	2.4	<0.002	0.11	1.47	0.6	2	0.2	129.5	<0.05	<0.05	0.4	0.006	0.19
L829505		470	7.0	4.0	<0.002	0.40	4.55	0.6	2	0.2	207	<0.05	<0.05	0.7	0.010	0.56
L829506		180	1.8	2.4	<0.002	0.01	<0.05	0.3	2	<0.2	43.6	<0.05	<0.05	0.2	<0.005	0.02
L829507		270	5.4	3.2	<0.002	0.24	5.78	0.5	2	<0.2	116.5	<0.05	<0.05	0.6	0.008	0.26
L829508		340	6.0	3.2	<0.002	0.21	3.43	0.6	2	<0.2	162.0	0.05	<0.05	0.7	0.011	0.36
L829509		290	4.3	2.6	<0.002	0.11	0.79	0.5	2	<0.2	154.0	<0.05	<0.05	0.5	0.008	0.22
L829510		350	3.8	3.2	<0.002	0.10	0.65	0.3	2	<0.2	95.8	<0.05	<0.05	0.4	0.006	0.15
L829511		860	4.4	2.6	<0.002	0.12	0.99	0.4	2	<0.2	234	<0.05	<0.05	0.5	0.007	0.20
L829512		440	5.2	1.8	0.002	0.18	2.42	0.6	2	0.2	260	<0.05	<0.05	0.7	0.009	0.31
L829513		170	1.4	3.4	<0.002	0.01	<0.05	0.4	2	<0.2	41.0	<0.05	<0.05	<0.2	<0.005	0.03
L829514		500	3.7	1.9	<0.002	0.10	1.56	0.4	2	<0.2	187.5	<0.05	<0.05	0.5	0.007	0.13
L829515		430	80.0	183.0	<0.002	0.18	0.64	16.9	2	3.3	132.5	1.44	<0.05	23.7	0.513	1.06
L829516		490	64.6	182.5	<0.002	0.93	0.66	20.5	1	3.4	93.3	1.34	<0.05	21.3	0.533	1.04
L829517		470	57.8	148.0	<0.002	0.92	0.61	16.5	1	3.0	157.5	1.21	<0.05	21.1	0.461	0.86



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 14- SEP- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11170957

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
		U	V	W	Y	Zn	Zr
		ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5
I359182		2.8	22	0.5	16.1	36	37.4
I359183		2.1	10	0.3	6.4	12	20.2
I359184		2.5	9	0.2	8.1	20	20.3
I359185		2.5	15	0.3	9.2	12	27.4
I359186		2.0	11	0.2	6.7	12	22.5
I359187		2.3	9	0.3	6.4	10	27.9
I359188		2.8	9	0.5	7.2	763	21.3
I359189		16.6	331	34.9	25.4	449	50.2
I359190		1.5	2	0.3	2.5	197	7.8
I359191		1.9	1	0.2	1.8	3	5.0
I359192		1.8	1	0.2	2.0	2	6.3
I359193		1.8	1	0.2	2.0	2	5.9
I359194		1.8	4	0.5	3.1	5	12.1
I359195		2.2	5	0.4	4.2	4	16.3
I359196		3.0	15	0.5	7.4	5	35.2
I359197		2.8	14	0.4	7.4	4	38.2
I359198		3.5	18	0.5	8.0	148	48.0
I359199		5.8	344	16.2	17.4	155	58.2
I359200		5.4	31	0.7	10.3	2270	76.0
L829501		4.2	14	0.7	8.8	3250	39.4
L829502		3.8	10	0.4	8.0	3700	26.5
L829503		1.5	3	0.2	4.0	4140	5.1
L829504		1.8	1	0.2	2.7	407	4.5
L829505		2.6	2	0.3	3.9	2660	7.9
L829506		0.5	2	0.1	0.9	16	<0.5
L829507		2.0	1	0.2	2.6	101	6.6
L829508		2.9	2	0.3	3.2	8	7.7
L829509		2.0	2	0.2	3.1	13	6.0
L829510		2.2	2	0.2	2.5	9	5.9
L829511		2.2	1	0.2	3.5	72	6.7
L829512		2.8	3	0.5	2.6	26	8.6
L829513		0.5	3	0.2	0.9	13	<0.5
L829514		3.4	2	0.2	3.3	51	6.7
L829515		4.1	105	1.9	25.4	165	112.0
L829516		3.5	113	1.9	23.2	194	113.0
L829517		3.0	88	1.6	22.8	276	108.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11170957

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 20- SEP- 2011
Account: MTT

CERTIFICATE WH11170958

Project: Midas Touch - Crag East

P.O. No.: Batch 9

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11170958

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
L829518		8.61	<0.01	0.04	8.69	18.6	640	2.86	0.36	0.31	0.17	121.0	20.9	84	16.80	27.5
L829519		7.93	<0.01	0.04	7.73	11.6	550	2.14	0.29	0.90	0.03	93.2	17.1	66	12.30	27.6
L829520		7.59	<0.01	0.06	9.09	12.4	690	3.00	0.41	0.80	0.03	115.0	21.2	80	14.60	33.0
L829521		8.71	<0.01	0.02	5.89	4.3	400	0.94	0.11	1.08	<0.02	81.2	10.9	43	7.23	16.0
L829522		6.81	<0.01	0.04	7.81	12.0	510	2.00	0.26	1.55	0.06	102.0	16.5	67	14.70	23.7
L829523		5.56	0.01	0.03	9.09	24.4	710	3.14	0.42	0.34	0.05	90.5	21.2	90	18.85	24.7
L829524		0.25	7.63	0.42	3.38	985	160	0.76	0.59	11.95	4.07	41.4	5.2	89	6.70	29.4
L829525		9.55	<0.01	0.04	9.10	23.2	710	2.78	0.39	0.36	0.10	109.0	20.7	90	16.40	31.9
L829526		9.84	<0.01	0.04	8.44	25.4	640	2.47	0.35	0.72	0.03	117.0	24.2	80	18.65	33.7
L829527		9.54	<0.01	0.02	8.23	5.0	620	2.65	0.38	0.32	<0.02	75.4	21.7	69	28.6	37.8
L829528		9.88	<0.01	0.03	7.18	10.4	490	2.31	0.38	0.26	<0.02	78.3	22.0	60	20.4	70.1
L829529		8.78	<0.01	0.03	7.55	5.3	530	2.80	0.36	0.16	<0.02	73.1	20.2	59	17.85	50.6
L829530		9.51	<0.01	0.03	7.71	7.2	530	2.69	0.36	0.24	<0.02	81.8	20.4	58	16.25	51.2
L829531		9.66	<0.01	0.02	7.98	7.0	600	2.80	0.38	0.18	<0.02	92.9	21.3	62	16.45	66.7
L829532		9.97	<0.01	0.01	8.37	7.1	660	2.87	0.43	0.23	<0.02	94.2	22.0	65	19.20	82.0
L829533		7.48	<0.01	<0.01	8.08	2.7	680	3.01	0.37	0.31	<0.02	82.8	18.3	65	18.95	7.8
L829534		9.59	<0.01	<0.01	8.35	3.8	590	2.80	0.38	0.15	<0.02	85.9	18.7	65	18.55	5.7
L829535		5.78	0.01	<0.01	8.17	3.9	630	2.78	0.41	0.15	<0.02	76.4	18.9	68	19.65	6.8
L829536		11.55	<0.01	<0.01	8.21	5.2	550	2.91	0.43	0.16	<0.02	80.0	20.1	66	19.40	8.0
L829537		10.42	<0.01	0.32	8.42	5.3	630	2.96	0.44	0.19	<0.02	89.5	20.8	67	20.7	7.6
L829538		10.28	<0.01	0.09	7.97	4.7	540	2.62	0.40	0.20	<0.02	92.9	19.2	63	19.50	8.1
L829539		10.17	<0.01	0.06	8.40	4.6	580	3.04	0.43	0.26	<0.02	81.1	21.8	72	22.7	8.9
L829540		9.49	<0.01	0.03	8.45	5.1	670	2.86	0.39	0.62	<0.02	89.3	21.3	71	23.4	12.4
L829541		9.20	<0.01	0.05	8.06	27.9	600	2.74	0.39	1.38	0.06	94.3	21.1	64	23.4	11.9
L829542		9.39	<0.01	0.02	8.13	20.6	560	3.01	0.35	1.34	0.02	94.7	21.3	71	32.9	14.7
L829543		4.24	<0.01	0.01	7.96	21.2	530	2.91	0.39	1.67	0.04	99.7	21.5	69	33.4	16.2
L829544		10.29	<0.01	0.05	7.19	79.3	670	2.34	0.33	6.42	0.06	86.2	18.2	57	21.7	84.6
L829545		9.67	<0.01	0.02	0.10	5	20	0.06	0.09	21.2	0.08	1.68	0.7	<1	0.31	2.7
L829546		9.55	<0.01	0.05	6.77	63.9	1010	2.08	0.32	6.77	0.07	80.6	15.7	54	23.8	65.0
L829547		0.21	1.08	0.64	2.33	269	130	1.20	7.75	17.50	2.28	31.6	4.4	41	6.93	73.4
L829548		10.06	<0.01	0.06	7.00	41.2	740	2.24	0.33	6.91	0.06	85.1	14.5	54	25.9	83.8
L829549		9.92	0.03	0.04	7.16	74.7	610	2.26	0.28	4.13	0.03	84.4	17.2	57	15.75	32.5
L829550		10.01	<0.01	0.10	6.85	130.0	570	2.36	0.36	3.97	0.20	81.7	25.6	54	17.85	63.2
L829551		7.32	<0.01	<0.01	0.11	<5	20	0.08	0.03	21.1	0.06	1.37	0.7	<1	0.48	5.1
L829552		9.18	<0.01	<0.01	6.85	22.6	500	2.83	0.27	2.62	0.02	93.8	15.5	52	27.0	38.3
L829553		9.97	0.01	0.05	6.05	73.5	370	2.10	0.25	8.49	0.04	81.0	14.8	42	21.0	111.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11170958

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
L829518		5.47	24.4	0.16	3.4	0.11	0.078	3.98	51.1	64.2	1.19	1680	0.40	0.31	16.2	34.6
L829519		4.61	20.1	0.13	2.8	0.07	0.060	3.14	42.0	54.2	1.05	1270	0.43	0.65	12.4	30.0
L829520		4.36	25.4	0.18	3.7	0.08	0.070	4.16	55.6	36.6	1.18	956	0.45	0.53	15.3	35.5
L829521		3.94	14.80	0.12	3.6	0.02	0.034	1.92	34.4	48.1	0.91	901	0.16	1.25	9.1	21.9
L829522		4.24	21.5	0.15	2.9	0.06	0.053	3.29	45.2	50.1	1.32	1380	0.37	0.76	12.8	30.1
L829523		4.81	26.2	0.16	3.5	0.09	0.065	4.65	36.8	52.4	1.21	934	1.43	0.19	16.8	36.6
L829524		1.35	6.71	0.12	2.0	6.07	0.053	1.44	26.5	8.6	0.69	257	9.94	0.01	6.7	56.2
L829525		5.50	25.2	0.15	3.5	0.09	0.064	4.37	48.0	55.3	1.31	1550	0.46	0.26	16.4	34.4
L829526		5.11	23.5	0.17	3.4	0.08	0.069	3.86	53.2	55.2	1.28	1840	1.29	0.30	15.7	36.8
L829527		4.43	22.9	0.14	2.7	0.04	0.063	4.00	33.2	47.8	1.19	985	0.51	0.40	12.6	33.0
L829528		4.13	18.70	0.12	2.5	0.05	0.056	3.35	39.6	38.3	1.01	1200	1.88	0.52	10.7	35.1
L829529		4.74	21.8	0.12	2.4	0.02	0.065	3.58	32.5	49.4	0.98	180	1.13	0.62	12.4	35.5
L829530		4.50	21.1	0.14	2.3	0.04	0.066	3.67	37.9	77.2	0.98	824	1.04	0.50	11.8	36.3
L829531		4.67	22.2	0.16	2.3	0.06	0.063	3.97	44.1	64.5	0.92	823	1.42	0.43	12.3	41.0
L829532		4.68	24.2	0.13	2.4	0.02	0.071	4.10	44.5	43.8	0.99	619	1.17	0.45	13.0	46.9
L829533		4.95	22.9	0.12	2.2	0.01	0.064	4.22	38.8	18.3	0.99	411	0.86	0.34	12.3	43.5
L829534		5.04	22.5	0.12	2.3	0.02	0.064	4.32	39.8	16.4	0.96	306	0.74	0.32	12.2	43.5
L829535		5.10	22.7	0.13	2.3	0.02	0.072	4.25	34.6	18.9	0.97	381	0.73	0.35	12.5	43.4
L829536		4.82	22.5	0.14	2.3	0.02	0.069	4.25	37.2	17.6	1.02	416	0.54	0.37	12.3	45.0
L829537		5.04	23.6	0.14	2.3	0.02	0.066	4.30	40.5	20.1	1.05	434	0.77	0.35	12.6	46.9
L829538		4.88	21.8	0.15	2.5	0.02	0.071	4.06	47.1	26.5	0.98	406	0.49	0.37	12.2	41.8
L829539		5.04	23.3	0.13	2.4	0.02	0.072	4.39	40.0	53.0	1.07	446	0.41	0.31	12.8	45.9
L829540		5.39	23.5	0.15	2.6	0.05	0.073	4.45	39.0	80.6	1.18	927	0.52	0.24	12.9	47.2
L829541		4.98	21.8	0.13	2.4	0.24	0.070	3.66	39.6	118.0	1.28	435	0.71	0.17	12.8	48.1
L829542		4.00	22.7	0.13	2.6	0.02	0.071	3.74	44.0	82.4	1.20	613	0.78	0.54	13.8	51.7
L829543		3.98	22.6	0.14	2.5	0.03	0.074	3.64	44.0	83.5	1.19	676	1.00	0.53	13.7	52.4
L829544		3.06	18.85	0.13	2.3	0.30	0.062	3.20	42.7	81.1	1.11	1560	0.25	0.32	11.1	42.3
L829545		0.47	0.33	0.05	<0.1	<0.01	0.005	0.04	0.8	1.5	12.60	204	0.09	0.01	0.2	1.7
L829546		2.90	17.55	0.13	3.0	0.52	0.058	3.19	39.7	66.1	1.07	1460	0.24	0.17	10.3	38.0
L829547		2.58	9.49	0.08	1.1	2.28	0.646	0.74	21.3	12.8	3.41	1630	73.5	0.01	5.2	74.5
L829548		3.30	18.30	0.13	2.2	0.38	0.055	3.43	42.4	81.7	1.07	1250	0.35	0.13	10.7	37.6
L829549		3.80	18.95	0.12	2.5	0.71	0.057	3.48	40.2	138.5	1.33	811	0.45	0.04	11.4	37.8
L829550		3.38	18.40	0.13	2.4	1.47	0.059	3.36	40.4	133.5	1.46	712	1.02	0.04	11.1	45.2
L829551		0.48	0.29	0.05	<0.1	0.01	<0.005	0.05	0.7	1.6	12.55	204	0.06	0.01	0.2	1.8
L829552		4.15	19.40	0.22	2.5	0.5	0.059	3.35	44.0	186.5	1.26	439	0.29	0.03	12.0	41.4
L829553		3.22	15.50	0.16	2.2	0.99	0.051	2.78	38.6	126.0	1.15	687	0.65	0.03	10.3	35.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11170958

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005	ppm 0.02
L829518		430	47.8	161.0	<0.002	0.71	0.59	18.7	1	3.2	89.4	1.34	<0.05	21.7	0.521	0.90
L829519		510	35.0	119.5	<0.002	0.33	0.41	14.4	1	2.5	110.5	1.03	<0.05	16.6	0.383	0.63
L829520		570	21.9	153.5	<0.002	0.41	0.42	17.4	1	3.2	109.5	1.29	<0.05	23.8	0.464	0.82
L829521		370	16.3	75.2	<0.002	0.10	0.22	8.5	1	1.9	109.0	0.81	<0.05	18.2	0.275	0.35
L829522		500	29.7	128.0	<0.002	0.53	0.45	14.0	1	2.7	124.5	1.02	<0.05	17.7	0.382	0.66
L829523		500	56.1	151.0	<0.002	1.09	0.81	19.1	1	3.2	76.9	1.35	<0.05	17.4	0.530	1.02
L829524		4100	4.9	98.3	0.034	1.32	16.95	6.0	8	1.6	133.5	0.51	0.50	6.3	0.203	11.85
L829525		440	44.6	159.5	0.002	0.89	0.75	18.6	1	3.2	83.1	1.39	<0.05	20.7	0.540	0.96
L829526		410	53.0	167.0	<0.002	0.85	0.93	18.5	1	3.1	97.2	1.27	<0.05	22.3	0.492	0.86
L829527		330	20.2	157.5	<0.002	0.19	0.69	16.6	1	2.7	63.8	0.99	0.05	13.1	0.379	0.81
L829528		310	22.0	140.0	<0.002	0.34	1.14	14.8	1	2.2	60.2	0.87	0.06	14.7	0.349	0.79
L829529		290	18.6	145.0	<0.002	0.15	1.01	16.4	1	2.6	53.3	0.95	0.06	13.7	0.361	0.74
L829530		270	18.9	153.5	<0.002	0.24	0.90	15.7	1	2.5	97.6	0.89	0.06	14.3	0.363	0.74
L829531		280	19.1	165.5	<0.002	0.15	1.02	17.0	1	2.8	93.5	0.93	<0.05	14.9	0.377	0.83
L829532		310	17.8	171.5	0.002	0.11	1.17	18.4	<1	2.8	128.0	0.99	0.08	15.9	0.391	0.91
L829533		280	16.0	163.5	<0.002	0.01	1.28	17.0	<1	2.7	76.0	0.99	0.07	13.7	0.377	0.87
L829534		300	18.4	172.0	<0.002	<0.01	1.34	16.8	1	2.6	63.2	0.96	0.10	14.3	0.393	0.87
L829535		300	22.9	155.0	0.002	<0.01	1.36	17.5	1	2.7	58.8	0.96	0.07	13.4	0.397	0.89
L829536		320	18.9	160.0	<0.002	<0.01	1.42	16.9	1	2.6	57.5	0.97	0.11	13.6	0.390	0.90
L829537		300	18.9	164.0	<0.002	<0.01	1.56	17.7	1	2.7	63.6	0.95	0.10	14.1	0.386	0.88
L829538		310	18.2	172.0	<0.002	<0.01	1.58	17.5	1	2.6	67.1	0.97	0.10	14.9	0.375	0.86
L829539		350	17.9	168.0	0.002	0.01	1.69	17.5	1	2.7	73.9	0.99	0.05	14.1	0.388	1.07
L829540		330	19.8	173.0	<0.002	0.01	1.69	17.1	1	2.7	76.2	1.05	0.06	14.5	0.402	1.07
L829541		330	19.4	145.0	<0.002	0.03	1.38	17.1	1	2.8	126.0	1.00	0.10	14.3	0.402	1.05
L829542		350	18.0	138.0	<0.002	0.01	1.16	17.8	1	2.8	118.5	1.08	0.11	14.2	0.419	0.96
L829543		340	16.3	137.5	<0.002	0.01	1.19	17.8	1	2.9	123.0	1.04	0.08	14.4	0.411	0.96
L829544		290	9.9	120.5	<0.002	0.03	0.92	14.5	1	2.3	222	0.89	0.09	13.0	0.350	0.86
L829545		180	1.8	1.9	0.002	0.01	0.09	0.3	<1	0.2	42.3	<0.05	<0.05	0.2	<0.005	<0.02
L829546		280	12.4	132.5	<0.002	0.03	0.81	13.8	1	2.2	174.5	0.81	0.05	12.6	0.334	0.78
L829547		1090	19.6	58.9	0.057	0.93	12.65	4.5	4	5.5	212	0.33	0.43	4.5	0.122	1.53
L829548		290	9.3	136.0	<0.002	0.04	0.91	14.4	1	2.3	155.0	0.85	0.09	12.9	0.342	0.96
L829549		360	10.9	134.0	<0.002	0.06	1.06	14.7	1	2.5	146.0	0.91	0.06	14.2	0.377	0.96
L829550		410	51.3	124.5	0.005	0.12	2.23	14.8	1	2.4	188.0	0.87	0.06	13.9	0.365	1.01
L829551		170	1.4	2.2	<0.002	0.02	0.07	0.3	<1	0.2	37.0	<0.05	<0.05	<0.2	<0.005	<0.02
L829552		320	11.6	151.0	<0.002	0.04	0.91	14.9	2	2.4	108.5	0.95	0.05	14.2	0.367	0.89
L829553		410	11.9	118.5	<0.002	0.07	0.83	12.3	2	1.9	175.0	0.77	0.05	11.8	0.339	0.80



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20- SEP- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11170958

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
L829518		3.3	103	1.7	21.4	233	107.5
L829519		2.9	79	1.4	18.6	94	87.7
L829520		4.2	98	1.8	22.4	64	122.5
L829521		2.7	50	0.9	16.6	45	115.0
L829522		3.0	79	1.3	19.0	102	101.5
L829523		3.3	110	1.9	19.4	126	113.5
L829524		7.9	385	35.4	32.2	274	65.7
L829525		3.5	111	1.9	21.3	183	108.0
L829526		3.2	96	1.8	22.0	78	113.5
L829527		2.3	87	1.8	15.9	68	87.9
L829528		2.7	81	2.0	18.0	50	81.2
L829529		2.5	80	1.9	16.2	61	77.5
L829530		2.8	80	1.9	17.6	60	83.0
L829531		2.5	92	1.9	18.7	62	75.0
L829532		2.6	98	1.9	21.0	67	82.2
L829533		2.0	106	1.8	18.2	68	79.7
L829534		2.1	101	1.8	18.4	70	74.0
L829535		1.9	98	1.9	17.6	72	77.5
L829536		2.4	119	1.9	18.0	76	78.7
L829537		2.0	103	1.8	19.0	77	77.3
L829538		2.0	101	1.9	19.5	71	81.6
L829539		2.0	100	1.9	18.4	82	81.7
L829540		1.8	95	2.0	18.4	81	83.6
L829541		2.1	108	2.1	18.5	93	78.9
L829542		1.9	114	2.0	20.3	89	87.6
L829543		1.9	112	2.0	20.6	89	88.8
L829544		1.7	93	1.6	19.3	85	77.1
L829545		0.7	2	0.1	0.9	17	0.8
L829546		1.7	91	1.6	18.9	76	74.2
L829547		15.5	327	31.9	21.0	444	44.6
L829548		1.8	89	1.7	18.4	76	75.6
L829549		2.3	88	2.1	17.4	86	76.3
L829550		4.1	101	2.3	19.6	122	84.5
L829551		0.5	2	0.1	0.8	12	0.6
L829552		2.5	79	1.8	19.8	86	84.2
L829553		3.0	90	1.5	19.3	70	76.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11170958

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 25- SEP- 2011
Account: MTT

CERTIFICATE WH11172367

Project: Midas Touch - Crag East

P.O. No.: Batch 10

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11172367

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
L829554		9.60	<0.01	0.03	6.55	3.3	500	2.19	0.33	4.44	0.03	76.0	14.4	52	36.0	11.5
L829555		9.86	<0.01	0.04	6.24	5.4	400	2.18	0.30	6.60	0.07	80.6	11.7	49	34.6	12.6
L829556		0.24	0.60	0.77	2.37	262	130	1.23	8.97	17.10	2.33	32.4	4.6	47	6.93	77.3
L829557		9.06	0.01	0.02	6.31	10.2	540	2.17	0.34	6.46	0.11	84.4	10.5	53	37.0	20.8
L829558		5.14	<0.01	0.08	3.36	51	380	1.24	0.14	20.2	0.18	45.8	8.5	49	9.64	69.8
L829559		5.43	<0.01	0.06	3.03	25	390	1.16	0.16	22.0	0.12	42.6	12.5	38	9.58	46.1
L829560		9.92	<0.01	0.07	1.48	58	250	0.54	0.08	27.9	0.13	26.4	7.0	19	3.83	17.6
L829561		9.33	<0.01	0.06	3.16	59	600	0.95	0.15	17.20	0.07	40.8	17.0	42	8.67	39.8
L829562		10.06	<0.01	0.06	1.99	71	330	0.62	0.10	25.4	0.11	30.3	9.5	30	4.75	18.0
L829563		6.99	0.02	0.06	2.28	67	280	0.71	0.14	24.6	0.28	36.9	24.3	25	6.12	42.6
L829564		3.41	<0.01	0.06	1.55	131	190	0.45	0.09	25.7	0.25	28.0	47.6	16	4.17	56.5
L829565		8.81	<0.01	0.11	7.44	126.5	890	2.23	0.43	2.05	0.03	107.5	51.0	59	26.5	190.0
L829566		9.12	<0.01	0.02	6.30	30.8	570	2.02	0.39	0.98	<0.02	96.5	13.7	48	22.7	8.5
L829567		9.36	<0.01	0.03	5.44	44.4	430	1.47	0.31	2.77	<0.02	70.5	14.1	40	18.20	7.4
L829568		9.66	<0.01	0.02	6.07	47.0	440	1.82	0.33	0.92	<0.02	76.5	12.3	42	26.1	4.9
L829569		9.58	<0.01	0.01	6.03	28.0	440	1.92	0.45	0.89	<0.02	83.3	12.8	41	25.5	12.1
L829570		9.55	<0.01	<0.01	6.74	132.0	440	2.05	0.43	1.19	<0.02	96.6	17.8	46	27.7	9.2
L829571		9.86	<0.01	<0.01	6.91	136.0	610	2.40	0.41	1.55	<0.02	101.5	14.6	50	30.2	10.4
L829572		0.24	3.67	1.65	3.26	746	570	0.84	4.67	2.12	2.08	42.1	7.9	56	7.64	79.6
L829573		5.46	<0.01	<0.01	6.99	165.0	900	2.45	0.45	1.81	<0.02	107.5	21.4	51	27.2	26.5
L829574		4.55	<0.01	0.02	6.18	130.5	850	1.94	0.41	2.68	<0.02	89.4	17.1	47	22.3	16.1
L829575		6.18	<0.01	0.03	6.24	244	1080	1.66	0.38	4.58	0.02	89.3	14.1	48	19.10	24.4
L829576		10.03	<0.01	0.01	0.09	<5	20	0.08	0.04	19.75	0.06	1.36	1.1	2	0.41	1.2
L829577		8.41	<0.01	0.04	1.42	104	420	0.40	0.10	16.10	0.10	26.7	4.4	14	1.92	6.4
L829578		6.37	<0.01	0.04	1.25	2720	300	0.38	0.14	15.75	0.06	28.1	4.7	17	1.10	7.6
L829579		6.47	<0.01	0.01	0.28	3340	50	0.40	0.01	18.95	0.03	4.91	0.8	1	0.20	0.9
L829580		3.25	<0.01	0.01	0.25	2530	60	0.43	0.01	19.90	0.05	5.47	0.9	1	0.15	0.9
L829581		6.38	<0.01	0.01	0.11	>10000	30	0.11	0.01	18.80	0.03	2.61	0.7	<1	0.08	0.8
L829582		7.78	<0.01	0.01	0.04	1040	10	0.13	<0.01	20.1	0.02	1.56	0.6	1	<0.05	0.8
L829583		9.18	0.01	0.01	0.15	31	40	0.09	0.02	19.90	0.06	1.31	1.6	5	0.57	2.0
L829584		7.11	<0.01	0.01	0.05	2750	20	0.22	0.01	19.65	0.09	2.32	0.7	1	<0.05	0.8
L829585		9.64	<0.01	0.01	0.06	445	80	0.21	0.01	20.2	0.08	2.97	0.8	2	<0.05	1.6
L829586		9.81	<0.01	<0.01	0.02	701	30	0.09	<0.01	19.45	<0.02	1.08	0.6	2	<0.05	0.3
L829587		10.41	<0.01	<0.01	0.04	260	40	0.11	0.01	20.3	<0.02	1.79	0.6	1	<0.05	0.8
L829588		10.51	<0.01	<0.01	0.04	67	20	0.13	<0.01	20.5	0.04	1.92	0.7	1	<0.05	0.7
L829589		10.00	0.01	0.01	0.08	172	40	0.05	0.01	20.1	0.04	4.66	0.9	2	<0.05	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11172367

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
L829554		4.12	18.35	0.20	2.0	0.43	0.063	3.52	37.0	116.0	1.11	429	0.27	0.03	12.1	40.9
L829555		3.71	16.35	0.20	2.2	0.07	0.057	3.35	40.0	81.2	1.06	370	0.33	0.03	11.7	36.2
L829556		2.61	9.57	0.14	1.3	1.95	0.759	0.72	22.2	14.6	3.48	1710	77.1	0.01	5.7	72.8
L829557		3.73	16.95	0.19	2.1	0.90	0.061	3.26	41.5	67.2	0.97	320	0.29	0.03	12.2	37.9
L829558		1.77	8.38	0.11	1.1	0.97	0.031	1.68	25.9	21.9	0.85	739	1.25	0.02	6.0	18.3
L829559		1.35	8.13	0.13	1.1	0.42	0.030	1.49	22.8	12.8	0.83	1000	0.25	0.02	5.5	18.4
L829560		0.72	3.84	0.11	0.6	0.48	0.018	0.72	15.3	4.7	0.58	1440	0.66	0.01	2.8	8.1
L829561		1.80	8.25	0.11	1.2	0.74	0.031	1.51	23.4	9.0	1.05	619	0.92	0.02	5.6	19.9
L829562		0.99	5.13	0.11	0.8	1.02	0.017	0.94	17.7	5.5	0.71	1110	0.59	0.02	3.7	11.7
L829563		0.97	5.82	0.13	0.9	1.32	0.021	1.05	23.9	8.6	0.66	1200	0.96	0.02	4.1	15.6
L829564		1.31	4.03	0.10	0.5	2.17	0.017	0.72	17.5	8.7	0.83	1120	4.59	0.01	2.7	31.0
L829565		3.15	21.1	0.23	2.9	2.19	0.073	3.59	55.9	66.8	0.92	172	0.59	0.04	15.2	47.6
L829566		3.40	17.70	0.19	2.7	0.77	0.065	3.06	45.5	73.8	0.78	96	0.29	0.04	11.0	24.2
L829567		2.78	14.40	0.20	2.5	1.03	0.046	2.62	33.2	41.1	1.17	191	0.29	0.03	9.6	20.9
L829568		2.95	16.60	0.20	2.5	0.72	0.055	2.95	36.7	55.7	0.79	87	0.17	0.03	10.2	22.5
L829569		3.60	17.30	0.19	2.7	0.57	0.056	3.02	39.2	66.9	0.80	90	0.16	0.03	11.2	23.4
L829570		2.85	19.70	0.20	2.8	1.94	0.064	3.34	44.9	68.7	0.88	83	0.18	0.04	12.3	30.2
L829571		2.36	20.6	0.22	3.1	2.33	0.067	3.43	49.3	76.6	0.90	79	0.28	0.04	12.9	26.7
L829572		3.01	9.65	0.18	1.7	4.86	0.167	1.38	24.3	13.2	1.01	306	28.4	0.01	7.0	76.6
L829573		2.26	21.4	0.21	3.1	1.47	0.071	3.37	52.7	82.1	1.18	173	0.32	0.04	13.0	26.1
L829574		3.65	17.55	0.21	2.4	1.36	0.056	2.92	47.2	57.9	1.59	305	0.47	0.04	11.3	29.8
L829575		2.64	17.30	0.22	2.5	2.47	0.053	2.82	60.5	46.0	2.60	256	0.33	0.04	11.1	21.3
L829576		0.46	0.41	0.32	<0.1	<0.01	<0.005	0.04	0.7	1.4	12.40	203	0.07	<0.01	0.3	0.2
L829577		1.40	4.14	0.13	0.8	2.41	0.013	0.54	18.2	15.9	8.97	770	0.35	0.02	2.2	4.5
L829578		1.23	3.01	0.12	0.8	>100	0.018	0.33	18.8	18.9	8.99	684	0.36	0.01	1.9	6.1
L829579		0.83	0.57	0.12	0.1	61.2	0.007	0.02	2.9	12.3	9.44	829	0.11	0.01	0.4	<0.2
L829580		0.83	0.59	0.13	0.1	50.0	0.007	0.02	3.4	8.5	10.00	867	0.14	0.01	0.3	<0.2
L829581		0.62	0.39	0.23	<0.1	48.5	0.016	0.02	1.8	1.5	11.30	628	0.10	0.02	0.3	<0.2
L829582		0.59	0.22	0.22	<0.1	1.09	<0.005	0.01	0.9	1.0	12.15	591	0.08	0.02	0.2	<0.2
L829583		0.47	0.53	0.35	<0.1	0.08	0.005	0.07	0.6	1.8	12.55	211	0.08	0.01	0.4	1.4
L829584		0.76	0.29	0.27	<0.1	3.16	<0.005	0.01	1.6	0.9	11.85	822	0.08	0.01	0.2	<0.2
L829585		0.91	0.25	0.17	<0.1	7.13	<0.005	<0.01	2.0	0.8	11.95	928	0.11	0.01	0.3	<0.2
L829586		0.46	0.23	0.35	<0.1	1.24	<0.005	<0.01	0.6	0.7	11.80	517	0.11	0.02	0.2	<0.2
L829587		0.55	0.20	0.11	<0.1	15.9	<0.005	<0.01	1.1	0.8	12.10	606	0.10	0.02	0.2	<0.2
L829588		0.61	0.21	0.14	<0.1	0.92	<0.005	0.01	1.3	0.8	12.15	654	0.07	0.02	0.2	<0.2
L829589		0.89	0.29	0.05	<0.1	2.07	<0.005	0.02	3.2	0.8	11.60	948	0.05	0.01	0.3	<0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11172367

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005	ppm 0.02
L829554		330	10.2	146.5	<0.002	0.01	0.91	14.3	1	2.3	115.5	0.81	<0.05	11.6	0.367	1.03
L829555		330	12.5	142.0	<0.002	0.01	0.81	13.1	2	2.1	141.0	0.80	0.05	12.0	0.336	0.78
L829556		1100	19.8	62.7	0.059	0.97	12.50	4.7	4	6.2	220	0.34	0.32	4.7	0.122	1.67
L829557		370	10.3	137.0	<0.002	0.01	0.76	14.0	2	2.2	136.5	0.81	0.07	12.2	0.327	0.77
L829558		310	7.4	58.6	0.002	0.19	0.66	6.9	1	1.2	299	0.39	<0.05	6.1	0.168	0.53
L829559		200	10.5	52.2	<0.002	0.16	0.61	6.4	2	1.1	312	0.37	<0.05	5.8	0.149	0.49
L829560		160	20.9	23.7	<0.002	0.32	0.95	3.2	2	0.6	393	0.17	<0.05	3.1	0.074	0.60
L829561		210	13.8	52.5	0.002	0.39	1.10	7.2	2	1.1	257	0.38	<0.05	5.9	0.152	0.69
L829562		180	27.5	33.3	0.002	0.29	1.11	4.1	2	0.7	360	0.23	<0.05	4.2	0.096	0.70
L829563		240	15.3	38.6	<0.002	0.43	1.23	5.0	2	0.8	362	0.26	<0.05	4.6	0.109	0.77
L829564		290	9.8	26.4	<0.002	0.30	1.43	3.6	2	0.6	361	0.16	<0.05	3.0	0.072	0.75
L829565		350	18.9	152.5	<0.002	0.64	2.12	18.0	2	2.7	113.0	1.08	0.09	14.6	0.350	1.81
L829566		290	6.5	142.0	<0.002	0.03	0.53	14.3	1	2.4	105.0	0.79	0.10	13.0	0.300	0.77
L829567		290	5.8	111.0	<0.002	0.20	0.70	12.3	1	2.1	138.5	0.71	0.06	11.2	0.263	0.90
L829568		280	6.1	133.5	<0.002	0.10	0.57	13.6	1	2.3	91.5	0.75	0.08	12.5	0.289	0.67
L829569		260	6.5	144.0	<0.002	0.02	0.56	14.1	1	2.4	96.2	0.80	0.08	13.1	0.298	0.72
L829570		650	9.9	157.5	<0.002	0.37	0.95	16.0	1	2.6	104.5	0.89	0.08	14.4	0.317	1.04
L829571		300	9.0	160.0	<0.002	0.61	1.06	16.9	1	2.7	103.5	0.92	0.07	14.8	0.346	1.38
L829572		880	20.5	120.5	0.041	2.01	28.0	6.2	8	3.5	57.6	0.47	0.83	5.4	0.175	5.38
L829573		400	7.4	150.0	<0.002	0.67	1.11	17.0	2	2.8	119.5	0.95	0.07	14.9	0.354	1.23
L829574		450	11.1	123.0	<0.002	2.56	0.99	15.5	2	2.3	103.5	0.79	0.07	13.4	0.296	1.87
L829575		1030	40.0	114.0	<0.002	2.11	2.29	10.3	1	2.3	281	0.78	0.07	14.1	0.279	2.19
L829576		170	1.2	2.7	<0.002	0.01	0.05	0.1	1	<0.2	43.3	<0.05	<0.05	<0.2	<0.005	0.02
L829577		370	11.7	18.8	<0.002	0.82	1.96	3.2	1	0.6	298	0.14	<0.05	3.1	0.055	1.28
L829578		380	11.6	11.8	<0.002	0.90	7.87	3.3	1	0.5	441	0.11	<0.05	3.5	0.046	2.19
L829579		370	3.0	0.7	<0.002	0.61	15.75	0.6	1	<0.2	255	<0.05	<0.05	0.4	<0.005	56.0
L829580		380	3.2	0.8	<0.002	0.53	13.70	0.6	1	<0.2	274	<0.05	<0.05	0.4	<0.005	49.4
L829581		240	4.9	0.9	<0.002	1.65	28.3	0.3	1	<0.2	141.0	<0.05	<0.05	0.2	<0.005	20.2
L829582		250	2.3	0.4	<0.002	0.12	1.59	<0.1	1	<0.2	106.5	<0.05	<0.05	<0.2	<0.005	0.57
L829583		200	1.4	3.8	<0.002	0.02	0.09	0.2	1	<0.2	43.6	<0.05	<0.05	<0.2	0.005	0.07
L829584		360	3.1	0.3	<0.002	0.51	4.42	<0.1	1	<0.2	122.0	<0.05	<0.05	<0.2	<0.005	0.67
L829585		410	6.1	0.1	<0.002	0.35	2.66	<0.1	1	<0.2	210	<0.05	<0.05	0.2	<0.005	2.99
L829586		190	1.6	0.1	<0.002	0.09	1.04	<0.1	1	<0.2	115.0	<0.05	<0.05	<0.2	<0.005	0.52
L829587		270	2.1	0.2	<0.002	0.07	0.68	0.2	1	<0.2	145.5	<0.05	<0.05	<0.2	<0.005	0.53
L829588		300	1.8	0.3	<0.002	0.06	0.43	0.2	1	<0.2	123.0	<0.05	<0.05	<0.2	<0.005	0.35
L829589		260	6.6	0.7	<0.002	0.34	1.98	0.3	1	<0.2	129.5	<0.05	<0.05	0.2	<0.005	0.96



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- SEP- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11172367

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
L829554		1.6	78	1.5	17.8	76	69.1	
L829555		1.4	72	1.5	20.8	65	71.5	
L829556		16.4	328	28.6	24.0	445	47.4	
L829557		1.6	85	1.5	22.2	59	73.8	
L829558		3.1	83	0.7	15.3	39	40.6	
L829559		3.2	66	0.6	13.1	37	38.1	
L829560		3.8	32	0.5	9.0	47	20.4	
L829561		3.4	66	0.7	14.7	29	39.5	
L829562		4.5	48	0.6	11.3	51	28.7	
L829563		2.0	36	0.9	12.2	16	29.1	
L829564		1.7	30	0.7	13.5	13	18.6	
L829565		2.0	76	2.1	18.9	35	92.6	
L829566		1.5	66	2.2	17.9	30	83.6	
L829567		1.4	54	1.9	15.7	23	76.1	
L829568		1.6	61	2.0	15.0	27	76.5	
L829569		1.7	61	2.6	16.6	30	86.1	
L829570		1.9	67	2.6	20.2	29	88.6	
L829571		1.9	73	2.4	19.6	29	97.5	
L829572		5.3	344	14.9	18.2	155	54.4	
L829573		1.9	71	2.9	20.3	22	97.6	
L829574		1.6	57	1.7	18.6	18	78.6	
L829575		2.3	51	2.3	18.3	36	78.1	
L829576		0.3	2	0.1	0.9	15	0.5	
L829577		1.8	13	0.9	7.1	48	25.2	
L829578		1.6	12	1.1	6.9	31	26.7	
L829579		1.7	1	1.2	2.9	22	2.9	
L829580		1.7	1	1.2	3.2	31	2.7	
L829581		1.4	1	0.1	1.5	21	1.5	2.81
L829582		1.5	<1	0.1	1.5	17	0.7	
L829583		0.6	3	0.2	1.0	14	<0.5	
L829584		1.7	1	0.1	1.6	96	1.0	
L829585		2.1	<1	0.2	1.9	76	1.3	
L829586		1.4	<1	0.1	1.2	3	0.5	
L829587		1.9	<1	0.1	1.5	7	1.0	
L829588		1.8	<1	0.1	1.8	49	0.7	
L829589		1.7	1	0.2	2.5	26	1.7	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11172367

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61 Hg- CV41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method. Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 29- SEP- 2011
Account: MTT

CERTIFICATE WH11172368

Project: Midas Touch - Crag East

P.O. No.: Batch 11

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11172368

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
L829590		9.90	0.02	0.03	0.74	143	200	0.19	0.06	20.3	<0.02	14.70	2.7	6	1.10	7.9
L829591		10.03	<0.01	0.02	0.55	159	140	0.14	0.04	19.40	<0.02	10.60	2.0	4	0.74	5.0
L829592		4.50	<0.01	0.02	0.53	129	140	0.15	0.03	19.30	<0.02	10.05	1.8	4	0.73	4.8
L829593		9.87	<0.01	0.01	0.16	64	50	0.08	0.01	20.6	<0.02	5.39	0.9	2	0.14	1.8
L829594		9.82	0.01	0.02	0.26	516	90	0.09	0.01	19.20	<0.02	6.45	1.1	3	0.19	2.6
L829595		9.25	<0.01	0.01	0.11	128	30	0.05	0.01	18.65	<0.02	2.04	0.5	1	0.08	0.8
L829596		10.14	<0.01	0.01	0.31	2290	90	0.12	0.01	19.75	<0.02	6.05	1.1	3	0.16	2.7
L829597		9.37	<0.01	0.01	0.05	233	20	0.08	0.02	22.0	<0.02	2.13	0.6	1	<0.05	0.9
L829598		12.65	<0.01	0.01	0.06	264	30	0.06	0.01	22.0	<0.02	2.42	0.5	2	<0.05	0.9
L829599		10.22	<0.01	0.01	0.16	2910	60	0.06	0.01	22.7	<0.02	4.88	0.8	2	0.06	2.4
L829600		10.55	<0.01	0.02	0.51	2650	70	0.11	0.03	20.7	<0.02	12.20	1.7	5	0.25	4.1
L829601		10.18	<0.01	0.01	0.34	804	60	0.09	0.03	18.05	<0.02	5.96	1.1	3	0.44	2.5
L829602		9.59	<0.01	0.01	0.10	1640	30	<0.05	0.01	20.1	0.16	3.50	0.6	2	0.06	1.0
L829603		10.15	<0.01	0.01	0.13	293	40	<0.05	0.01	20.8	<0.02	7.47	0.9	2	0.07	2.2
L829604		10.45	<0.01	<0.01	0.06	89	10	<0.05	<0.01	21.3	<0.02	5.24	0.6	1	<0.05	0.8
L829605		10.22	<0.01	0.01	0.13	627	40	0.05	0.01	19.90	0.04	6.82	0.8	2	0.08	2.0
L829606		9.71	<0.01	0.01	0.14	4120	60	0.07	0.01	19.70	0.08	10.90	0.8	2	0.09	1.8
L829607		0.06	<0.01	0.01	0.18	8930	50	0.06	0.03	20.8	<0.02	9.64	0.9	2	0.12	2.0
L829608		10.02	1.39	29.0	7.10	186.0	180	0.49	10.55	5.99	31.3	29.2	74.9	124	1.63	6640
L829609		9.78	<0.01	0.03	0.14	8530	310	0.05	0.02	21.6	0.15	5.59	0.9	1	0.11	3.5
L829610		9.74	<0.01	0.01	0.04	7630	10	0.05	<0.01	23.3	0.11	3.75	0.5	7	<0.05	0.9
L829611		3.43	<0.01	0.01	0.04	1960	10	<0.05	0.02	23.4	<0.02	6.25	0.5	1	<0.05	0.7
L829612		7.55	0.01	0.01	0.06	327	50	<0.05	<0.01	23.9	<0.02	7.04	0.5	1	<0.05	0.9
L829613		7.97	<0.01	0.01	0.07	14	20	<0.05	0.02	20.7	0.05	1.18	0.9	1	0.52	1.8
L829614		3.12	<0.01	0.03	0.54	197	90	0.14	0.03	21.3	0.19	23.0	1.4	7	0.78	5.6
L829615		1.79	<0.01	0.02	4.52	3410	480	0.77	0.29	4.62	0.06	76.6	12.2	35	6.24	29.1
L829616		2.98	<0.01	0.01	4.30	>10000	530	0.68	0.28	2.59	0.03	64.7	10.6	36	6.33	27.4
L829617		8.00	<0.01	<0.01	0.08	17	20	0.05	0.05	21.3	0.06	1.39	0.9	1	0.16	1.6
L829618		4.19	<0.01	<0.01	2.09	>10000	200	0.32	0.12	19.00	<0.02	30.7	4.9	18	3.14	10.5
L829619		4.29	0.01	<0.01	1.68	3550	120	0.32	0.09	27.6	<0.02	30.7	3.4	12	2.88	7.9
L829620		9.37	<0.01	<0.01	2.87	262	160	0.49	0.15	25.1	<0.02	42.6	6.8	19	5.65	13.3
L829621		8.75	<0.01	<0.01	1.58	104	80	0.31	0.07	28.3	<0.02	29.8	4.6	10	3.38	8.9
L829622		0.06	1.18	0.60	2.30	261	130	1.13	8.39	17.60	2.04	34.0	4.2	41	7.19	76.2
L829623		9.57	<0.01	<0.01	1.97	89	100	0.33	0.14	27.9	<0.02	30.8	3.1	12	3.55	8.2
L829624		9.67	<0.01	<0.01	0.60	37	70	0.17	0.03	34.5	<0.02	13.60	1.9	4	1.00	3.9
L829625		9.59	<0.01	<0.01	0.62	20	60	0.14	0.16	33.0	<0.02	13.85	2.0	4	1.58	4.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11172368

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
L829590		2.42	2.05	0.06	0.3	5.63	0.005	0.30	11.4	6.7	11.05	1260	0.16	0.02	1.3	6.4
L829591		1.20	1.53	0.05	0.2	1.83	<0.005	0.21	7.6	5.9	10.75	1140	0.14	0.02	1.1	3.7
L829592		1.17	1.47	<0.05	0.2	1.77	0.005	0.20	7.3	5.9	10.75	1120	0.12	0.02	1.0	3.4
L829593		1.07	0.47	<0.05	0.1	0.93	<0.005	0.05	3.7	1.5	11.10	1100	0.11	0.01	0.3	1.4
L829594		1.12	0.76	0.05	0.1	2.96	<0.005	0.09	4.2	2.6	10.75	1100	0.08	0.01	0.4	2.0
L829595		0.79	0.31	<0.05	<0.1	0.30	<0.005	0.03	1.2	1.1	10.75	926	0.14	0.01	0.2	0.5
L829596		0.87	0.75	<0.05	0.1	3.58	<0.005	0.08	4.2	5.9	11.10	834	0.13	0.01	0.5	1.8
L829597		0.51	0.12	<0.05	<0.1	0.72	<0.005	0.01	1.4	1.3	12.50	539	0.07	0.02	0.2	0.8
L829598		0.36	0.11	<0.05	<0.1	1.13	<0.005	0.01	1.6	0.8	12.45	472	0.08	0.02	0.1	1.2
L829599		0.46	0.33	<0.05	0.1	12.3	<0.005	0.03	3.5	1.3	12.05	591	0.08	0.02	0.4	1.9
L829600		0.96	1.13	<0.05	0.2	5.52	<0.005	0.12	9.2	9.8	11.80	974	0.10	0.02	1.0	3.4
L829601		0.91	0.97	<0.05	0.2	5.10	<0.005	0.11	4.0	4.5	10.35	839	0.10	0.01	0.7	1.9
L829602		0.82	0.29	<0.05	<0.1	1.89	<0.005	0.03	2.1	1.3	10.70	928	0.06	0.01	0.2	0.9
L829603		1.11	0.38	<0.05	0.1	8.7	<0.005	0.03	5.0	1.3	11.25	1240	0.09	0.02	0.4	1.6
L829604		0.92	0.22	<0.05	<0.1	0.65	0.010	0.01	3.4	0.8	11.70	1140	0.07	0.01	0.3	0.8
L829605		1.00	0.41	<0.05	0.1	3.14	<0.005	0.04	4.2	1.3	10.90	1120	0.09	0.01	0.4	1.3
L829606		1.04	0.44	<0.05	0.1	4.34	<0.005	0.03	6.7	1.4	10.75	1150	0.11	0.02	0.4	1.6
L829607		1.07	0.52	<0.05	0.1	13.3	0.006	0.04	6.9	1.6	10.90	1240	0.09	0.01	0.5	1.5
L829608		9.34	11.35	0.19	0.8	0.4	2.69	0.99	17.7	7.2	2.19	877	58.4	0.84	3.2	336
L829609		1.24	0.42	<0.05	0.1	1.89	0.006	0.05	4.2	1.3	10.70	1360	0.17	0.02	0.4	1.7
L829610		1.04	0.17	<0.05	<0.1	0.50	<0.005	<0.01	2.8	0.6	10.30	1250	<0.05	0.01	0.1	0.8
L829611		1.05	0.17	<0.05	<0.1	0.63	<0.005	0.01	4.4	0.7	10.70	1230	<0.05	0.01	0.1	0.7
L829612		1.16	0.25	<0.05	<0.1	4.40	<0.005	0.01	5.1	0.7	10.20	1330	0.06	0.01	0.2	1.2
L829613		0.45	0.23	<0.05	<0.1	0.02	<0.005	0.03	0.6	1.1	12.25	202	0.10	0.01	0.2	1.8
L829614		0.68	1.42	0.05	0.2	48.5	0.010	0.21	15.6	4.6	8.84	766	0.15	0.01	0.9	3.4
L829615		2.57	12.60	0.10	2.1	24.2	0.019	1.84	58.0	17.5	2.33	349	0.38	0.04	9.3	28.3
L829616		2.11	12.05	0.11	1.9	21.5	0.019	1.79	48.2	16.6	0.99	193	0.33	0.04	8.8	25.5
L829617		0.46	0.23	<0.05	<0.1	0.12	<0.005	0.03	0.8	0.8	12.65	207	0.05	<0.01	0.2	1.9
L829618		1.22	5.57	0.06	0.8	70.6	0.028	0.88	26.5	7.7	0.23	342	0.14	0.02	4.1	11.4
L829619		0.76	4.54	<0.05	0.8	38.3	0.016	0.72	22.5	5.6	0.21	500	0.05	0.02	4.2	8.4
L829620		0.96	7.82	0.07	1.3	5.02	0.022	1.25	32.4	9.3	0.54	353	0.11	0.03	6.1	15.6
L829621		0.56	4.28	0.05	0.7	2.46	0.013	0.69	25.1	5.8	0.37	348	0.06	0.01	3.2	8.6
L829622		2.53	9.53	0.08	1.3	2.25	0.758	0.69	25.7	12.4	3.40	1620	73.5	0.01	5.7	76.7
L829623		0.70	4.79	0.06	0.8	2.04	0.013	0.79	27.9	7.4	0.34	257	0.17	0.02	4.2	7.2
L829624		0.33	1.42	<0.05	0.3	0.51	<0.005	0.23	11.2	2.0	0.45	162	0.09	0.01	1.2	3.5
L829625		0.59	1.46	<0.05	0.2	0.36	<0.005	0.25	10.8	2.8	1.50	195	0.07	0.01	1.1	3.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11172368

Sample Description	Method Analyte Units LOR	ME- MS61 P ppm 10	ME- MS61 Pb ppm 0.5	ME- MS61 Rb ppm 0.1	ME- MS61 Re ppm 0.002	ME- MS61 S % 0.01	ME- MS61 Sb ppm 0.05	ME- MS61 Sc ppm 0.1	ME- MS61 Se ppm 1	ME- MS61 Sn ppm 0.2	ME- MS61 Sr ppm 0.2	ME- MS61 Ta ppm 0.05	ME- MS61 Te ppm 0.05	ME- MS61 Th ppm 0.2	ME- MS61 Ti % 0.005	ME- MS61 Tl ppm 0.02
L829590		460	30.5	13.5	<0.002	1.73	6.91	1.5	1	0.3	251	0.09	<0.05	2.0	0.028	4.07
L829591		480	7.2	9.8	<0.002	0.33	2.17	1.0	1	0.2	246	0.07	<0.05	1.5	0.021	1.00
L829592		460	7.8	9.4	<0.002	0.33	2.17	0.9	1	0.2	244	0.06	<0.05	1.4	0.019	1.05
L829593		190	3.4	2.4	<0.002	0.15	1.31	0.4	1	<0.2	152.0	<0.05	<0.05	0.4	0.006	0.47
L829594		410	6.0	4.2	<0.002	0.20	3.48	0.5	1	<0.2	217	<0.05	<0.05	0.7	0.008	1.92
L829595		160	0.9	1.4	<0.002	0.02	0.53	0.1	1	<0.2	56.7	<0.05	<0.05	0.2	<0.005	0.17
L829596		320	8.6	3.6	<0.002	0.35	7.08	0.5	1	<0.2	253	<0.05	<0.05	0.7	0.009	2.51
L829597		230	1.8	0.4	<0.002	0.07	1.09	0.2	1	<0.2	130.0	<0.05	<0.05	<0.2	<0.005	0.44
L829598		280	2.7	0.4	<0.002	0.07	1.59	0.2	1	<0.2	190.5	<0.05	<0.05	0.2	<0.005	0.54
L829599		350	6.6	1.3	<0.002	0.28	7.43	0.4	1	<0.2	309	<0.05	<0.05	0.4	0.008	0.81
L829600		370	10.8	5.6	<0.002	0.53	10.35	1.2	1	<0.2	269	0.07	<0.05	1.5	0.018	4.13
L829601		270	6.5	5.3	<0.002	0.31	5.89	0.6	1	0.2	186.5	<0.05	<0.05	0.8	0.014	3.82
L829602		190	3.2	1.1	<0.002	0.15	5.77	0.2	1	<0.2	121.5	<0.05	<0.05	0.2	<0.005	1.20
L829603		260	7.5	1.3	<0.002	0.20	9.97	0.4	1	<0.2	214	<0.05	<0.05	0.4	0.007	6.96
L829604		170	1.0	0.5	<0.002	0.03	0.93	0.1	1	<0.2	71.9	<0.05	<0.05	<0.2	0.006	0.48
L829605		360	4.0	1.7	<0.002	0.13	4.08	0.4	1	<0.2	176.5	<0.05	<0.05	0.4	0.008	1.89
L829606		650	3.3	1.6	<0.002	0.27	11.50	0.4	1	<0.2	329	<0.05	<0.05	0.4	0.006	2.69
L829607		350	3.9	2.1	<0.002	0.51	23.1	0.6	1	<0.2	187.5	<0.05	<0.05	0.4	0.009	3.19
L829608		680	8170	32.0	0.019	6.53	31.2	10.7	14	7.1	151.0	0.25	0.57	4.0	0.203	2.49
L829609		300	6.6	2.0	<0.002	0.48	21.0	0.4	1	<0.2	97.9	<0.05	<0.05	0.4	0.007	1.25
L829610		180	1.1	0.2	<0.002	0.34	18.05	0.3	1	<0.2	65.6	<0.05	<0.05	<0.2	<0.005	0.25
L829611		200	1.6	0.3	<0.002	0.11	5.30	0.2	1	<0.2	77.2	<0.05	<0.05	<0.2	<0.005	0.45
L829612		290	1.5	0.6	<0.002	0.06	1.14	0.4	1	<0.2	98.8	<0.05	<0.05	0.2	<0.005	0.26
L829613		170	1.5	2.8	<0.002	0.01	0.14	0.2	1	<0.2	38.7	<0.05	<0.05	<0.2	<0.005	0.02
L829614		720	58.8	8.6	<0.002	0.43	4.62	2.2	1	0.3	335	0.06	<0.05	1.5	0.018	1.36
L829615		1770	52.2	67.8	<0.002	2.73	30.5	4.1	1	1.6	1915	0.72	0.15	12.2	0.216	16.90
L829616		1930	44.4	67.0	<0.002	2.60	48.6	2.5	1	1.5	2110	0.70	0.13	12.3	0.202	13.65
L829617		150	1.3	1.6	<0.002	0.01	0.27	0.2	1	<0.2	46.7	<0.05	<0.05	<0.2	<0.005	0.10
L829618		810	16.3	39.6	<0.002	2.81	187.5	3.9	1	0.6	1060	0.30	0.06	5.5	0.088	62.3
L829619		440	9.1	32.5	<0.002	0.95	55.1	4.9	1	0.6	648	0.30	<0.05	4.4	0.070	37.7
L829620		440	15.0	55.2	<0.002	0.96	5.89	5.6	1	0.9	624	0.45	0.07	7.2	0.122	3.90
L829621		230	6.6	30.8	<0.002	0.54	2.32	3.8	1	0.5	420	0.23	<0.05	4.1	0.061	1.82
L829622		1080	20.4	62.3	0.059	0.91	12.75	4.3	4	5.8	211	0.38	0.33	5.2	0.118	1.69
L829623		270	9.3	34.0	<0.002	0.73	1.95	3.7	1	0.6	469	0.31	0.05	5.0	0.080	1.38
L829624		360	5.6	9.5	<0.002	0.32	0.37	1.1	1	0.2	436	0.09	<0.05	1.7	0.026	0.43
L829625		280	7.4	9.8	<0.002	0.42	0.29	1.2	1	0.2	335	0.08	<0.05	1.6	0.025	0.41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11172368

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
L829590		2.9	5	0.5	5.6	7	10.9	
L829591		2.6	4	0.4	4.6	5	9.0	
L829592		2.6	3	0.3	4.2	4	8.2	
L829593		1.4	<1	0.1	3.0	3	2.6	
L829594		2.2	1	0.2	2.9	4	4.7	
L829595		1.4	<1	0.1	1.5	3	1.6	
L829596		2.2	1	0.2	2.8	9	4.6	
L829597		2.0	<1	0.1	2.0	4	0.9	
L829598		1.9	<1	0.1	1.7	5	0.9	
L829599		2.2	<1	0.2	2.6	5	2.9	
L829600		3.0	2	0.5	4.2	5	8.3	
L829601		2.0	2	0.3	2.5	4	5.2	
L829602		1.6	<1	0.1	2.2	56	1.8	
L829603		2.2	<1	0.2	3.8	4	2.9	
L829604		1.4	<1	0.1	3.3	3	1.1	
L829605		2.4	1	0.4	3.7	26	2.7	
L829606		3.6	1	0.4	4.0	32	2.4	
L829607		2.4	1	0.2	3.5	7	2.7	
L829608		6.3	395	6.7	13.2	7440	25.0	
L829609		2.2	1	0.2	3.3	23	2.1	
L829610		1.7	<1	0.1	3.6	38	<0.5	
L829611		1.7	<1	0.1	5.7	4	<0.5	
L829612		2.2	<1	0.1	5.6	6	0.6	
L829613		0.7	1	0.1	0.8	13	<0.5	
L829614		4.7	6	0.3	9.1	148	5.8	
L829615		11.6	34	2.7	8.6	59	63.0	
L829616		10.9	33	2.3	7.5	33	56.1	0.984
L829617		0.5	1	0.2	0.9	17	0.5	
L829618		4.8	16	1.2	9.0	10	28.8	3.12
L829619		2.5	13	0.9	12.7	7	27.2	
L829620		3.8	22	1.4	16.1	9	45.2	
L829621		1.8	11	0.8	15.9	4	22.5	
L829622		16.5	312	30.0	25.0	431	47.5	
L829623		2.0	13	1.1	12.8	6	26.1	
L829624		2.7	3	0.3	5.8	3	8.6	
L829625		1.8	3	0.2	5.3	5	8.2	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 29- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11172368

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61 Hg- CV41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method. Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 25- SEP- 2011
Account: MTT

CERTIFICATE WH11177043

Project: Midas Touch - Crag East

P.O. No.: Batch 12

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3- SEP- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11177043

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
L829626		9.90	<0.01	0.01	0.84	10	100	0.26	0.07	31.3	0.07	14.60	2.1	6	2.72	4.3
L829627		0.26	3.66	1.57	3.17	763	990	0.78	3.93	2.05	2.11	39.2	7.8	52	7.42	74.3
L829628		4.90	<0.01	0.01	0.76	12	40	0.26	0.05	33.3	0.02	14.30	2.3	5	2.28	3.5
L829629		9.56	<0.01	0.03	1.56	11	70	0.47	0.08	28.8	0.02	26.7	3.7	10	4.95	7.3
L829630		9.73	<0.01	0.01	0.18	7	30	0.10	0.01	34.1	0.05	4.76	0.8	2	0.51	1.8
L829631		9.84	<0.01	0.01	0.10	6	20	0.06	0.01	35.4	0.03	2.70	0.6	1	0.19	1.4
L829632		9.70	<0.01	0.01	0.07	7	10	0.06	0.01	35.8	0.03	2.18	0.5	1	0.13	1.2
L829633		9.45	<0.01	<0.01	0.06	40	30	0.07	0.01	36.5	0.02	1.87	0.5	1	0.06	1.1
L829634		9.31	<0.01	0.01	0.07	385	30	0.10	0.01	32.9	0.07	1.96	0.6	1	0.05	1.1
L829635		3.85	<0.01	0.01	0.11	103	40	0.11	0.01	32.8	0.07	3.38	0.7	2	0.11	1.5
L829636		6.75	<0.01	<0.01	0.02	134	10	0.12	<0.01	20.7	0.03	1.17	0.7	1	<0.05	0.6
L829637		10.43	<0.01	0.02	0.03	47	10	0.09	0.01	21.1	0.04	2.27	0.8	1	<0.05	0.8
L829638		8.92	<0.01	<0.01	0.03	910	10	0.06	0.01	20.2	0.05	2.45	0.7	<1	<0.05	0.7
L829639		1.99	<0.01	<0.01	0.04	>10000	10	0.10	0.01	20.8	<0.02	1.32	0.7	1	<0.05	0.7
L829640		1.35	0.01	<0.01	0.03	>10000	10	0.10	0.01	20.6	0.02	1.30	0.6	<1	<0.05	0.8
L829641		6.05	<0.01	0.01	0.05	81	10	0.05	0.04	19.50	0.06	1.02	1.1	1	0.21	2.0
L829642		4.23	<0.01	<0.01	0.02	444	10	0.09	<0.01	20.7	<0.02	1.23	0.7	<1	<0.05	0.7
L829643		5.41	0.01	<0.01	0.03	50	10	0.07	<0.01	21.0	0.02	2.53	0.8	1	<0.05	0.7
L829644		0.24	1.17	0.73	2.42	274	130	1.14	8.15	17.30	2.30	33.1	4.9	40	7.29	78.2
L829645		10.28	<0.01	0.01	0.08	46	10	0.07	0.01	20.2	0.09	3.24	0.7	1	<0.05	1.0
L829646		9.98	<0.01	0.05	0.09	82	40	0.10	0.01	20.6	0.39	4.39	0.9	1	0.05	1.6
L829647		10.23	<0.01	0.08	0.03	39	<10	0.06	<0.01	19.95	<0.02	1.63	0.7	1	<0.05	1.0
L829648		10.07	<0.01	0.02	0.05	126	<10	0.05	<0.01	20.2	<0.02	1.50	0.7	1	<0.05	0.6
L829649		9.46	<0.01	0.01	0.02	16	10	0.08	<0.01	19.75	<0.02	1.57	0.8	<1	<0.05	0.6
L829650		10.38	<0.01	0.01	0.03	20	10	0.08	<0.01	19.40	<0.02	2.06	0.7	1	<0.05	0.6
L829651		9.46	<0.01	<0.01	0.04	34	10	0.06	<0.01	20.8	<0.02	2.11	0.8	1	<0.05	0.8
L829652		10.75	<0.01	0.01	0.09	30	10	<0.05	0.01	20.2	0.03	3.12	0.9	1	0.05	1.3
L829653		5.06	<0.01	0.01	0.17	41	30	0.06	0.02	22.4	0.03	5.27	1.0	1	0.11	1.7
L829654		4.48	<0.01	<0.01	0.14	26	30	0.07	0.01	33.1	0.05	4.12	0.8	1	0.21	1.5
L829655		8.84	<0.01	0.02	1.13	21	140	0.31	0.06	29.2	0.05	18.85	3.2	7	3.18	6.6
L829656		5.51	0.01	0.01	1.28	13	100	0.34	0.08	26.5	0.03	22.3	3.4	9	4.14	7.8
L829657		5.17	<0.01	0.01	0.66	15	60	0.20	0.04	31.8	0.02	12.10	1.8	4	1.37	4.6
L829658		9.20	<0.01	0.01	0.10	<5	20	0.07	0.02	20.3	0.06	1.27	1.4	2	0.27	2.6
L829659		3.08	<0.01	0.18	3.14	727	430	3.77	0.10	3.20	1.65	33.7	41.2	68	2.05	10.3
L829660		6.04	<0.01	0.23	1.51	528	220	3.16	0.05	1.03	1.74	8.89	55.4	23	0.80	10.9
L829661		1.15	<0.01	0.07	0.92	242	130	4.78	0.02	2.17	1.67	3.56	76.3	6	0.58	2.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11177043

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
L829626		0.42	2.09	0.05	0.3	0.14	0.010	0.37	11.2	3.7	0.55	129	0.05	0.01	1.5	0.7
L829627		2.83	9.47	0.05	1.7	4.79	0.160	1.36	22.1	13.2	0.98	293	25.7	<0.01	6.4	70.6
L829628		0.35	1.85	<0.05	0.3	0.07	0.006	0.32	10.3	3.1	0.53	125	0.06	0.01	1.3	0.4
L829629		0.68	3.86	<0.05	0.6	0.10	0.012	0.73	21.1	6.1	0.75	169	0.05	0.02	2.9	3.8
L829630		0.17	0.50	0.09	0.1	0.08	<0.005	0.07	3.5	0.8	1.42	135	0.05	0.01	0.6	<0.2
L829631		0.06	0.35	0.21	<0.1	0.06	<0.005	0.04	1.9	0.3	0.92	76	0.05	0.01	0.4	<0.2
L829632		0.04	0.34	0.29	<0.1	0.09	<0.005	0.03	1.6	0.3	0.79	60	<0.05	0.01	0.4	<0.2
L829633		0.04	0.32	0.31	<0.1	0.26	<0.005	0.02	1.3	0.2	0.36	55	<0.05	0.01	0.4	<0.2
L829634		0.14	0.32	0.25	<0.1	1.30	<0.005	0.02	1.3	0.5	2.93	189	0.06	0.01	0.3	<0.2
L829635		0.21	0.42	0.19	<0.1	20.1	<0.005	0.03	2.3	0.9	3.77	272	0.07	0.01	0.4	<0.2
L829636		0.50	0.30	0.31	<0.1	16.9	<0.005	<0.01	0.7	0.8	12.40	879	<0.05	0.01	0.2	<0.2
L829637		0.54	0.35	0.30	<0.1	0.68	<0.005	<0.01	1.5	0.6	12.65	994	0.05	0.01	0.2	<0.2
L829638		0.71	0.28	0.18	<0.1	0.45	<0.005	<0.01	1.6	0.5	12.30	1060	<0.05	0.01	0.2	<0.2
L829639		0.49	0.28	0.16	<0.1	0.29	0.034	0.01	0.9	0.5	10.90	842	<0.05	0.01	0.2	<0.2
L829640		0.47	0.26	0.15	<0.1	0.29	0.027	0.01	0.9	0.5	10.85	874	<0.05	0.01	0.2	<0.2
L829641		0.44	0.35	0.27	<0.1	<0.01	<0.005	0.02	0.5	0.8	12.30	202	<0.05	0.01	0.3	1.1
L829642		0.42	0.30	0.30	<0.1	0.25	<0.005	<0.01	0.8	0.6	12.75	845	<0.05	0.01	0.2	<0.2
L829643		0.55	0.32	0.27	<0.1	0.51	<0.005	<0.01	1.7	0.6	12.60	923	<0.05	0.01	0.2	0.3
L829644		2.59	9.58	0.05	1.2	2.23	0.695	0.74	22.9	10.8	3.55	1720	74.9	0.01	5.4	75.5
L829645		0.74	0.29	0.07	<0.1	1.71	<0.005	0.01	2.4	4.1	12.20	1090	0.09	0.01	0.2	<0.2
L829646		0.56	0.47	0.21	<0.1	1.61	<0.005	0.02	2.8	1.0	12.25	979	0.11	0.01	0.3	0.4
L829647		0.24	0.24	0.24	<0.1	2.80	<0.005	<0.01	1.0	0.9	12.20	539	0.08	0.01	0.2	0.5
L829648		0.30	0.33	0.36	<0.1	0.90	<0.005	<0.01	0.9	1.2	12.10	473	<0.05	0.01	0.2	<0.2
L829649		0.29	0.31	0.36	<0.1	0.38	<0.005	<0.01	1.0	0.5	11.95	692	<0.05	0.01	0.2	0.4
L829650		0.49	0.34	0.30	<0.1	0.48	<0.005	<0.01	1.3	0.5	11.45	921	<0.05	0.01	0.2	0.6
L829651		0.55	0.34	0.25	<0.1	0.45	<0.005	0.01	1.4	0.5	12.20	962	<0.05	0.01	0.2	0.5
L829652		0.43	0.42	0.34	<0.1	0.68	<0.005	0.02	2.4	1.3	12.00	631	0.05	0.02	0.3	0.8
L829653		0.68	0.49	0.14	0.1	0.80	0.005	0.05	4.0	2.8	10.50	828	0.06	0.02	0.4	1.1
L829654		0.11	0.47	0.25	0.1	0.47	<0.005	0.06	3.4	1.4	2.43	194	<0.05	0.01	0.5	0.8
L829655		0.51	2.70	0.10	0.4	0.60	0.010	0.51	15.5	2.7	1.72	224	0.11	0.02	1.9	4.9
L829656		0.66	3.17	0.07	0.5	0.30	0.009	0.59	16.2	3.1	1.47	293	0.15	0.02	2.2	5.6
L829657		0.30	1.61	0.06	0.2	0.15	<0.005	0.29	8.5	1.2	0.85	164	0.05	0.01	1.2	3.1
L829658		0.47	0.42	0.29	<0.1	<0.01	<0.005	0.03	0.6	0.7	12.80	206	0.05	0.01	0.4	2.4
L829659		12.65	4.71	0.14	1.1	0.9	0.019	0.44	21.6	16.4	0.46	1720	3.76	0.16	5.3	205
L829660		15.85	1.15	0.13	0.2	1.0	<0.005	0.05	10.4	6.0	0.08	1880	2.15	0.01	0.8	262
L829661		22.1	0.53	0.13	0.1	0.3	<0.005	0.03	5.7	2.9	0.09	2490	1.23	0.01	0.3	323



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11177043

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005	ppm 0.02
L829626		260	8.3	12.9	<0.002	0.45	0.08	1.7	1	0.3	340	0.09	<0.05	2.0	0.032	0.28
L829627		850	20.3	120.5	0.042	1.95	30.5	5.8	8	3.4	55.2	0.45	0.85	5.1	0.171	5.34
L829628		280	7.7	11.6	<0.002	0.35	0.09	1.6	2	0.3	341	0.08	<0.05	1.8	0.029	0.22
L829629		290	13.7	25.9	<0.002	0.71	0.11	3.1	2	0.6	328	0.19	<0.05	3.7	0.062	0.34
L829630		340	3.4	2.5	<0.002	0.14	0.06	0.4	2	<0.2	345	<0.05	<0.05	0.4	0.006	0.09
L829631		410	4.6	1.2	<0.002	0.06	0.05	0.3	1	<0.2	462	<0.05	<0.05	0.2	<0.005	0.06
L829632		340	3.6	0.8	<0.002	0.04	0.06	0.2	2	<0.2	533	<0.05	<0.05	0.2	<0.005	0.06
L829633		320	4.2	0.6	<0.002	0.03	0.31	0.2	2	<0.2	666	<0.05	<0.05	0.2	<0.005	0.10
L829634		380	5.9	0.5	<0.002	0.05	1.29	0.2	2	<0.2	588	<0.05	<0.05	0.2	<0.005	0.14
L829635		550	41.6	1.1	<0.002	0.06	0.90	0.3	2	<0.2	594	<0.05	<0.05	0.3	<0.005	0.27
L829636		190	0.9	0.1	<0.002	0.04	0.52	0.1	1	<0.2	52.7	<0.05	<0.05	<0.2	<0.005	0.10
L829637		240	1.8	0.2	<0.002	0.06	0.62	0.1	1	<0.2	83.1	<0.05	<0.05	<0.2	<0.005	0.19
L829638		210	1.8	0.1	<0.002	0.14	2.12	0.1	2	<0.2	51.1	<0.05	<0.05	<0.2	<0.005	0.16
L829639		120	1.2	0.4	<0.002	2.41	99.3	0.1	1	<0.2	52.2	<0.05	<0.05	<0.2	<0.005	0.08
L829640		130	1.6	0.2	<0.002	1.85	77.1	0.1	1	<0.2	53.1	<0.05	<0.05	<0.2	<0.005	0.09
L829641		170	1.3	1.3	<0.002	0.01	0.22	0.2	1	<0.2	39.7	<0.05	<0.05	<0.2	<0.005	<0.02
L829642		180	1.0	0.1	<0.002	0.07	1.15	0.1	1	<0.2	52.3	<0.05	<0.05	<0.2	<0.005	0.11
L829643		230	2.2	0.2	<0.002	0.06	0.96	0.1	1	<0.2	52.8	<0.05	<0.05	<0.2	<0.005	0.11
L829644		1140	20.6	65.8	0.063	0.98	14.10	4.4	4	6.2	228	0.34	0.34	4.8	0.122	1.67
L829645		250	2.2	0.3	<0.002	0.08	1.00	0.1	1	<0.2	71.4	<0.05	<0.05	<0.2	<0.005	0.24
L829646		530	5.7	0.8	<0.002	0.11	4.05	0.3	2	<0.2	217	<0.05	<0.05	0.3	<0.005	0.41
L829647		160	2.3	0.2	<0.002	0.02	2.12	0.1	1	<0.2	48.6	<0.05	<0.05	<0.2	<0.005	0.16
L829648		100	0.9	0.1	<0.002	0.02	1.20	0.1	1	<0.2	53.9	<0.05	<0.05	<0.2	<0.005	0.53
L829649		150	0.7	0.1	<0.002	0.01	0.51	0.1	1	<0.2	57.4	<0.05	<0.05	<0.2	<0.005	0.22
L829650		190	1.0	0.1	<0.002	0.03	0.53	0.1	1	<0.2	60.8	<0.05	<0.05	<0.2	<0.005	0.17
L829651		190	1.7	0.3	<0.002	0.05	0.65	0.2	1	<0.2	55.8	<0.05	<0.05	<0.2	<0.005	0.15
L829652		250	2.2	0.8	<0.002	0.07	1.18	0.3	2	<0.2	70.9	<0.05	<0.05	0.3	<0.005	0.24
L829653		320	3.1	1.6	<0.002	0.15	1.55	0.4	1	<0.2	144.0	<0.05	<0.05	0.4	0.005	0.44
L829654		380	3.8	1.8	<0.002	0.07	0.83	0.4	2	<0.2	319	<0.05	<0.05	0.4	0.005	0.19
L829655		420	13.9	17.0	<0.002	0.58	0.78	2.3	2	0.4	316	0.11	<0.05	2.8	0.041	0.54
L829656		270	13.0	20.4	<0.002	0.69	0.64	2.7	2	0.4	310	0.14	<0.05	3.3	0.050	0.53
L829657		250	8.4	9.5	<0.002	0.33	0.29	1.4	2	0.2	337	0.07	<0.05	1.7	0.024	0.25
L829658		190	1.4	1.8	<0.002	0.01	<0.05	0.3	1	<0.2	41.5	<0.05	<0.05	<0.2	0.006	<0.02
L829659		950	11.6	22.3	0.010	0.41	1.94	6.2	3	0.8	349	0.33	0.05	5.1	0.112	0.54
L829660		440	5.0	2.9	0.026	0.41	1.60	3.2	5	0.3	177.0	0.05	<0.05	1.0	0.023	0.31
L829661		240	1.6	1.8	0.009	0.20	0.61	2.6	3	<0.2	43.5	<0.05	<0.05	0.4	0.007	0.29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11177043

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Zn- OG62 Zn % 0.001	As- OG62 As % 0.001
L829626		2.1	6	0.2	5.3	5	10.2		
L829627		5.2	320	16.1	16.6	149	51.0		
L829628		2.1	6	0.2	5.3	3	9.8		
L829629		2.2	11	0.4	8.5	5	19.4		
L829630		1.9	1	0.1	2.6	37	2.3		
L829631		2.5	1	0.1	2.7	8	1.3		
L829632		2.5	<1	0.1	2.4	30	1.0		
L829633		2.3	1	0.1	2.1	10	0.9		
L829634		2.6	1	0.1	2.5	38	1.0		
L829635		4.0	<1	0.1	3.2	21	1.6		
L829636		1.6	<1	0.1	1.3	14	<0.5		
L829637		2.0	<1	0.1	1.8	14	0.7		
L829638		1.9	<1	0.1	1.6	30	0.6		
L829639		1.8	<1	0.1	1.1	3	0.5		3.92
L829640		1.7	<1	0.1	1.0	2	0.6		2.75
L829641		0.5	1	0.1	0.7	13	<0.5		
L829642		1.7	<1	<0.1	0.9	5	0.5		
L829643		1.7	<1	0.1	1.6	11	0.6		
L829644		17.4	317	32.5	21.9	445	45.1		
L829645		1.8	<1	0.1	1.9	36	0.8		
L829646		3.5	1	0.1	2.3	150	1.7		
L829647		1.6	<1	0.1	1.3	2	0.6		
L829648		1.4	<1	0.1	1.1	2	0.5		
L829649		1.5	<1	0.1	1.1	2	0.6		
L829650		1.6	<1	0.1	1.5	6	0.7		
L829651		1.7	1	0.1	1.9	5	0.8		
L829652		1.9	<1	0.1	2.0	14	1.5		
L829653		1.9	1	0.2	3.3	12	2.7		
L829654		1.8	1	0.1	2.7	18	2.5		
L829655		2.5	8	0.3	5.8	34	13.0		
L829656		2.9	9	0.3	6.7	22	15.7		
L829657		2.6	5	0.2	5.0	17	8.8		
L829658		0.5	2	0.4	0.8	13	0.6		
L829659		6.5	188	0.7	95.3	>10000	42.1	1.350	
L829660		5.8	122	0.3	93.1	>10000	7.8	1.785	
L829661		4.4	77	0.2	83.1	>10000	2.8	1.960	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11177043

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61 Hg- CV41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method. Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 26- SEP- 2011
Account: MTT

CERTIFICATE WH11177375

Project: Midas Touch - Crag East

P.O. No.: Batch 13

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- SEP- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% <75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11177375

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
L829662		4.14	<0.01	0.14	2.06	397	260	1.62	0.03	10.45	1.86	7.96	30.9	34	2.18	4.9
L829663		7.39	<0.01	0.04	0.10	<5	40	0.07	0.04	20.4	0.06	1.28	0.7	2	0.32	1.7
L829664		3.79	<0.01	0.38	0.57	135	340	0.33	0.03	12.50	0.37	7.29	14.0	28	1.33	7.7
L829665		6.81	<0.01	0.11	0.22	19	170	0.12	0.01	10.80	0.13	3.91	2.8	31	0.51	3.5
L829666		4.16	<0.01	0.16	0.37	40	210	0.17	0.03	10.40	0.62	6.01	8.7	55	0.84	4.9
L829667		9.97	<0.01	0.16	0.28	20	250	0.17	0.03	17.35	0.32	5.09	4.0	31	0.76	4.9
L829668		7.95	<0.01	0.08	0.24	47	260	0.10	0.03	17.65	0.40	4.59	1.8	31	0.60	4.2
L829669		0.21	1.30	31.5	7.78	141.5	450	0.61	11.50	6.16	35.0	36.9	91.4	126	1.83	6900
L829670		8.52	<0.01	0.28	0.35	159	190	0.16	0.02	15.50	0.36	5.63	1.7	40	1.02	10.4
L829671		8.58	<0.01	0.08	0.21	23	180	0.10	0.02	18.05	0.40	4.05	0.9	28	0.56	4.7
L829672		7.85	<0.01	0.06	0.14	48	150	0.06	0.02	18.35	0.40	2.75	0.8	21	0.29	3.9
L829673		8.66	<0.01	0.05	0.23	24	160	0.10	0.02	19.95	0.49	5.23	0.8	22	0.49	3.6
L829674		9.10	<0.01	0.06	0.19	29	170	0.13	0.02	23.7	0.48	4.75	0.8	27	0.53	3.5
L829675		7.57	<0.01	0.05	0.12	29	110	0.09	0.01	16.90	0.39	2.97	0.7	23	0.34	3.9
L829676		4.64	<0.01	0.05	0.17	24	120	0.09	0.02	18.80	0.47	4.13	0.6	22	0.38	2.1
L829677		0.21	1.14	0.84	2.44	271	130	1.30	9.79	17.70	2.26	37.0	4.4	42	7.28	82.4
L829678		9.14	<0.01	0.11	0.18	15	140	0.12	0.03	17.50	0.49	5.16	0.7	21	0.37	3.0
L829679		8.94	<0.01	0.03	0.10	5	130	0.08	0.02	30.2	0.66	3.30	0.4	9	0.21	1.6
L829680		8.50	<0.01	0.03	0.07	<5	100	0.06	0.02	30.2	0.55	3.72	0.4	7	0.15	1.4
L829681		9.28	<0.01	0.02	0.10	13	120	0.09	0.02	33.6	0.79	4.28	0.6	7	0.17	1.2
L829682		4.01	<0.01	0.02	0.08	12	110	0.09	0.02	33.6	0.80	3.73	0.5	4	0.13	1.5
L829683		9.26	<0.01	0.05	0.18	10	220	0.14	0.03	33.6	1.29	8.12	0.8	6	0.34	2.1
L829684		9.47	<0.01	0.27	0.19	61	200	0.13	0.03	29.9	0.83	8.23	1.3	18	0.28	17.5
L829685		9.24	<0.01	0.09	0.31	28	300	0.18	0.06	27.0	0.93	13.45	1.3	17	0.62	5.0
L829686		10.27	<0.01	0.16	0.43	31.3	180	0.09	0.04	2.01	0.20	7.93	2.3	74	0.65	6.9
L829687		8.71	<0.01	0.13	0.17	26.1	90	0.06	0.03	7.30	0.13	4.48	0.7	32	0.42	2.9
L829688		10.17	<0.01	0.09	0.83	28.5	540	0.23	0.05	1.46	0.09	11.30	2.6	90	1.95	19.1
L829689		7.04	<0.01	0.02	0.08	<5	20	0.06	0.04	19.50	0.05	1.18	0.7	3	0.49	2.0
L829690		6.32	<0.01	0.09	1.18	58.2	950	0.31	0.06	3.12	0.02	16.60	2.0	87	1.77	6.4
L829691		3.57	0.04	0.92	3.63	304	670	1.93	0.84	2.29	0.17	100.5	9.4	1670	7.58	24.4
L829692		9.80	<0.01	0.86	3.81	62.2	1200	0.74	0.21	1.73	0.50	33.5	6.1	181	6.30	20.4
L829693		9.50	<0.01	0.87	3.12	14.6	1100	0.78	0.14	1.38	0.53	25.6	5.1	114	8.02	22.0
L829694		10.24	<0.01	0.99	2.99	29.9	860	0.76	0.14	0.85	0.60	25.1	6.7	99	6.58	21.5
L829695		9.25	<0.01	1.00	5.23	17.3	1240	1.62	0.19	1.34	0.61	39.4	6.8	137	18.60	33.2
L829696		10.40	<0.01	0.79	5.87	19.1	330	2.74	0.36	1.33	0.77	46.2	9.1	439	22.2	37.8
L829697		9.70	<0.01	0.12	7.35	28.3	320	1.94	0.29	1.23	0.61	68.3	19.5	98	21.0	47.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11177375

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
L829662		6.78	1.62	0.10	0.2	0.51	<0.005	0.16	8.8	8.4	0.32	996	2.46	0.02	1.0	155.0
L829663		0.48	0.26	0.09	<0.1	0.01	<0.005	0.04	0.6	1.2	12.95	212	0.18	0.01	0.2	2.0
L829664		3.53	1.21	0.10	0.2	0.60	<0.005	0.09	8.8	4.1	0.33	478	1.45	0.01	0.9	65.0
L829665		0.72	0.52	0.13	0.1	0.30	0.005	0.05	4.9	1.6	0.46	159	2.27	0.01	0.6	15.1
L829666		1.47	0.95	0.12	0.1	0.78	0.006	0.09	8.9	2.1	1.11	227	3.61	0.01	0.8	37.9
L829667		0.80	0.69	0.10	0.1	0.36	0.006	0.07	8.4	1.9	0.66	183	2.02	0.01	0.6	20.7
L829668		0.49	0.61	0.09	0.1	0.38	0.005	0.06	7.0	1.9	0.56	164	1.90	0.01	0.7	12.0
L829669		9.61	12.10	0.16	1.0	0.08	2.70	1.10	18.8	9.3	2.30	892	56.8	0.87	2.7	346
L829670		0.48	0.84	0.09	0.1	0.39	0.006	0.08	8.3	4.0	0.43	143	2.60	0.01	1.0	12.9
L829671		0.30	0.58	0.09	0.1	0.33	0.005	0.05	7.4	3.1	0.44	131	1.56	0.01	0.5	5.9
L829672		0.26	0.35	0.09	0.1	0.30	<0.005	0.03	5.1	2.3	0.29	143	1.21	<0.01	0.4	6.0
L829673		0.26	0.62	0.12	0.2	0.36	<0.005	0.05	8.3	4.7	0.34	170	0.98	0.01	0.5	5.1
L829674		0.25	0.51	0.11	0.2	0.37	0.005	0.05	7.3	4.8	0.29	201	1.86	0.01	0.6	4.9
L829675		0.23	0.33	0.11	0.1	0.30	<0.005	0.02	5.4	5.3	0.20	182	1.32	<0.01	0.3	4.8
L829676		0.31	0.46	0.13	0.1	0.28	0.006	0.03	7.2	18.4	0.23	174	1.29	<0.01	0.6	4.3
L829677		2.67	9.95	0.15	1.6	2.21	0.803	0.75	23.6	14.1	3.56	1690	75.4	0.01	5.0	82.0
L829678		0.34	0.51	0.13	0.1	0.27	0.008	0.04	9.3	14.0	0.41	162	1.43	<0.01	0.6	4.0
L829679		0.12	0.30	0.14	<0.1	0.24	<0.005	0.03	6.8	5.5	0.18	185	0.32	<0.01	0.2	1.7
L829680		0.08	0.25	0.14	<0.1	0.21	<0.005	0.02	7.4	2.4	0.17	181	0.46	<0.01	0.2	1.9
L829681		0.11	0.32	0.16	<0.1	0.24	<0.005	0.03	7.5	4.4	0.17	201	0.19	<0.01	0.2	3.7
L829682		0.12	0.28	0.19	<0.1	0.23	<0.005	0.02	6.8	3.6	0.17	197	0.20	<0.01	0.2	2.5
L829683		0.24	0.57	0.18	0.1	0.53	<0.005	0.06	12.6	5.6	0.16	174	0.40	0.01	0.4	7.2
L829684		0.76	0.60	0.14	0.1	1.99	0.006	0.06	11.8	6.3	0.12	130	1.01	0.01	0.6	14.7
L829685		0.51	0.93	0.14	0.1	0.49	0.008	0.09	20.0	7.7	0.27	238	0.52	0.01	0.7	8.7
L829686		0.92	1.19	0.11	0.2	0.41	0.008	0.07	6.0	25.6	0.24	92	4.47	0.01	1.6	14.6
L829687		0.58	0.43	0.10	0.1	0.22	<0.005	0.03	4.5	6.1	0.13	177	1.76	<0.01	0.6	4.9
L829688		0.85	2.03	0.12	0.4	0.49	0.008	0.17	10.2	22.9	0.28	85	5.00	0.03	1.8	8.9
L829689		0.44	0.24	0.15	<0.1	<0.01	<0.005	0.04	0.6	1.3	12.20	193	0.12	<0.01	0.2	2.2
L829690		1.65	2.56	0.13	0.9	0.42	0.009	0.19	15.1	28.2	0.73	107	4.16	0.06	2.3	9.1
L829691		10.30	11.95	0.32	1.3	2.39	0.132	0.74	82.3	163.5	0.67	159	2.00	0.06	15.0	62.8
L829692		2.03	8.90	0.16	2.0	0.71	0.040	0.57	18.8	195.5	0.69	70	1.41	0.14	5.3	33.1
L829693		2.48	8.10	0.17	1.2	1.06	0.030	0.59	15.0	80.9	0.82	95	1.41	0.12	4.4	23.6
L829694		2.06	8.01	0.17	1.4	1.16	0.026	0.48	14.0	129.0	0.51	56	5.70	0.11	4.6	41.8
L829695		2.99	13.00	0.23	2.2	0.52	0.049	1.27	23.8	98.6	0.95	89	1.01	0.22	6.0	32.0
L829696		7.70	16.20	0.28	2.0	1.42	0.080	1.74	33.3	65.4	1.48	280	3.08	0.13	6.7	51.0
L829697		4.57	19.45	0.25	2.8	2.55	0.068	2.40	35.1	74.0	1.07	206	14.40	0.21	11.3	60.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11177375

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005	ppm 0.02
L829662		840	3.2	9.0	0.008	0.30	1.16	4.1	2	0.3	156.5	0.06	<0.05	1.2	0.023	0.68
L829663		180	1.5	2.2	<0.002	0.02	0.05	0.3	<1	<0.2	45.1	<0.05	<0.05	0.9	0.005	<0.02
L829664		450	2.4	4.8	0.006	0.29	0.97	1.2	3	0.3	287	0.05	<0.05	0.9	0.022	0.44
L829665		160	1.4	2.7	0.005	0.12	0.36	0.9	1	0.2	197.0	<0.05	<0.05	0.5	0.010	0.07
L829666		380	2.4	4.7	0.045	0.23	0.65	1.2	2	0.4	258	<0.05	<0.05	0.8	0.015	0.15
L829667		200	2.4	3.7	0.016	0.16	0.52	1.1	1	0.3	208	<0.05	<0.05	0.5	0.014	0.10
L829668		170	2.1	3.0	0.003	0.14	0.53	1.1	2	0.3	231	<0.05	<0.05	0.5	0.011	0.05
L829669		710	8250	48.7	0.015	6.89	30.5	13.9	13	7.0	164.5	0.25	0.63	4.6	0.214	2.95
L829670		260	5.0	4.3	<0.002	0.15	0.67	1.2	1	0.7	142.5	<0.05	<0.05	0.6	0.016	0.06
L829671		200	2.6	2.6	0.002	0.10	0.45	1.0	<1	0.3	183.0	<0.05	<0.05	0.4	0.010	0.04
L829672		140	1.6	1.3	<0.002	0.11	0.36	0.8	<1	0.6	202	<0.05	<0.05	0.3	0.007	0.05
L829673		250	1.7	2.7	0.002	0.12	0.37	1.2	1	0.3	306	<0.05	<0.05	0.5	0.012	0.05
L829674		180	1.8	2.5	0.003	0.12	0.39	1.1	<1	0.3	268	<0.05	<0.05	0.5	0.009	0.04
L829675		150	1.3	1.3	<0.002	0.10	0.34	0.8	<1	0.5	203	<0.05	<0.05	0.3	0.006	0.04
L829676		290	2.3	1.9	<0.002	0.27	0.42	0.8	1	0.3	192.0	<0.05	<0.05	0.4	0.008	0.05
L829677		1150	23.1	64.9	0.062	0.98	12.35	4.8	3	5.8	230	0.40	0.39	5.7	0.127	1.63
L829678		570	2.4	2.4	<0.002	0.25	0.33	0.9	1	0.3	202	<0.05	<0.05	0.5	0.009	0.06
L829679		250	1.3	1.5	<0.002	0.06	0.17	0.7	<1	0.2	279	<0.05	<0.05	0.3	<0.005	0.02
L829680		230	1.2	1.1	<0.002	0.03	0.10	0.8	<1	0.2	253	<0.05	<0.05	0.3	<0.005	<0.02
L829681		320	1.8	1.6	<0.002	0.07	0.15	0.8	<1	0.2	367	<0.05	<0.05	0.3	<0.005	0.03
L829682		300	1.7	1.4	<0.002	0.08	0.16	0.7	1	0.2	363	<0.05	<0.05	0.3	<0.005	0.02
L829683		2060	5.5	3.2	0.002	0.21	0.45	1.4	1	0.2	348	<0.05	0.08	0.6	0.009	0.05
L829684		480	51.0	3.0	<0.002	0.91	2.62	0.9	2	0.3	266	<0.05	0.08	0.5	0.010	0.23
L829685		2120	7.2	4.5	<0.002	0.39	0.55	1.8	1	0.3	369	<0.05	0.08	0.9	0.019	0.08
L829686		180	4.8	3.8	<0.002	0.66	0.79	1.8	1	0.5	57.0	0.05	<0.05	0.7	0.021	0.08
L829687		210	2.1	1.5	<0.002	0.42	0.37	1.3	<1	0.3	43.1	<0.05	<0.05	0.4	0.009	0.06
L829688		540	4.7	9.6	<0.002	0.48	0.87	3.2	1	0.5	105.5	0.06	<0.05	1.1	0.050	0.10
L829689		160	1.3	2.6	<0.002	0.01	0.06	0.3	1	0.2	43.1	<0.05	<0.05	<0.2	<0.005	<0.02
L829690		5760	3.6	10.5	<0.002	0.90	1.24	2.7	2	0.6	228	0.05	<0.05	1.8	0.042	0.09
L829691		3370	37.3	54.1	0.002	>10.0	6.94	9.4	8	1.3	325	0.59	0.89	11.3	0.234	0.76
L829692		370	10.8	38.1	0.027	1.15	1.61	7.1	4	1.1	184.0	0.38	0.12	5.7	0.177	0.34
L829693		240	8.6	43.3	0.027	0.34	0.90	7.1	4	0.9	170.5	0.26	0.06	4.1	0.135	0.37
L829694		210	9.8	35.2	0.028	0.94	1.04	5.8	5	1.1	164.5	0.30	0.05	3.9	0.118	0.55
L829695		390	11.3	89.4	0.035	0.37	0.85	10.9	6	1.2	136.0	0.37	0.07	6.3	0.242	0.68
L829696		850	13.5	122.0	0.040	2.14	1.32	12.5	8	1.6	126.0	0.39	0.12	8.3	0.257	1.27
L829697		570	18.1	141.0	0.008	2.95	1.54	16.6	5	2.2	179.5	0.73	0.13	10.0	0.381	3.75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11177375

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
L829662		5.8	81	0.3	39.7	5590	6.9
L829663		0.9	3	0.1	1.0	22	1.3
L829664		2.8	28	0.7	16.5	1120	6.3
L829665		2.3	13	0.2	7.8	209	3.2
L829666		4.0	25	0.2	14.0	490	5.2
L829667		2.7	20	0.2	10.8	211	4.4
L829668		1.9	21	0.1	9.0	72	3.9
L829669		6.0	412	6.0	13.8	7870	28.0
L829670		1.3	23	0.1	9.5	55	5.1
L829671		2.8	20	0.1	9.4	27	3.4
L829672		1.9	14	0.1	8.0	27	2.2
L829673		1.7	15	0.1	9.4	29	4.5
L829674		1.5	14	0.1	10.2	21	3.4
L829675		1.3	10	0.1	7.9	26	2.3
L829676		1.4	12	0.1	8.1	18	3.4
L829677		17.8	332	30.0	23.5	454	50.4
L829678		1.5	13	0.1	9.8	20	3.0
L829679		0.6	9	<0.1	9.4	14	2.1
L829680		0.9	8	<0.1	11.1	13	1.9
L829681		0.5	11	0.1	12.4	18	2.1
L829682		0.5	10	<0.1	11.4	16	1.7
L829683		2.0	19	0.1	19.2	31	1.5
L829684		0.8	21	0.1	13.6	30	5.1
L829685		1.6	25	0.1	25.1	27	3.4
L829686		1.3	17	0.2	4.9	25	9.9
L829687		1.0	13	0.1	5.9	11	4.6
L829688		1.4	38	0.2	11.1	34	16.6
L829689		0.4	4	0.1	0.8	13	<0.5
L829690		4.0	49	0.2	25.6	30	9.0
L829691		2.0	687	1.9	49.8	497	57.9
L829692		3.7	108	0.6	14.3	111	69.6
L829693		3.2	106	0.6	11.1	110	45.2
L829694		2.9	78	0.5	9.9	107	49.5
L829695		3.9	140	0.7	17.8	143	83.0
L829696		4.5	219	0.7	22.1	210	80.5
L829697		7.1	191	1.4	18.3	156	101.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26- SEP- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11177375

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2- OCT- 2011
Account: MTT

CERTIFICATE WH11181490

Project: Midas Touch - Crag East

P.O. No.: Batch 14

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- SEP- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2- OCT- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11181490

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
L829698		9.79	<0.01	0.25	7.20	25.4	510	1.94	0.26	0.92	0.54	68.1	16.2	84	21.0	46.0
L829699		10.08	0.01	0.19	7.65	24.6	540	2.00	0.25	0.60	0.53	68.6	16.2	90	19.85	45.7
L829700		9.22	<0.01	0.15	7.26	15.2	560	1.43	0.20	1.07	0.36	59.4	12.9	80	12.40	33.8
L829701		10.01	0.01	0.19	7.54	14.4	960	2.03	0.23	1.00	0.24	72.0	17.7	91	15.20	48.4
L829702		4.57	0.01	0.15	8.16	13.6	820	1.99	0.26	0.63	0.22	73.0	16.4	97	16.85	41.8
L829703		9.75	<0.01	0.15	8.28	15.0	750	2.24	0.26	0.75	0.18	83.6	19.9	95	20.8	43.7
L829704		9.85	0.01	0.13	7.89	15.8	730	2.38	0.27	0.72	0.16	81.5	19.8	85	22.1	39.4
L829705		9.95	<0.01	0.10	7.26	13.8	610	2.01	0.24	1.65	0.17	78.8	17.6	77	18.75	36.0
K829706		9.95	<0.01	0.12	7.88	12.5	720	2.29	0.26	0.75	0.27	85.5	18.1	84	19.40	38.9
L829707		4.49	<0.01	0.13	8.11	14.4	730	2.49	0.27	0.88	0.30	88.0	18.8	88	20.2	42.0
L829708		10.27	<0.01	0.12	7.87	15.9	780	2.36	0.25	1.30	0.20	83.2	17.9	84	17.95	35.9
L829709		9.98	0.01	0.12	7.73	15.9	690	2.19	0.23	0.53	0.25	86.8	19.2	88	18.20	40.6
L829710		0.19	1.39	31.2	7.57	147.5	530	0.55	10.15	6.01	32.3	32.5	92.2	120	2.05	6730
L829711		9.55	<0.01	0.16	7.52	15.1	690	2.23	0.24	0.40	0.24	81.4	18.0	86	19.20	40.3
L829712		9.94	0.01	0.15	7.86	18.4	700	2.34	0.24	0.86	0.33	85.6	19.9	85	21.1	44.0
L829713		9.77	0.01	0.12	7.84	18.0	660	2.21	0.24	2.07	0.39	81.4	18.6	79	18.15	39.4
L829714		10.04	0.01	0.12	8.04	18.7	680	2.37	0.26	0.65	0.31	86.7	19.2	88	18.15	40.4
L829715		2.47	<0.01	0.35	7.88	19.4	620	2.25	0.23	1.02	0.23	83.2	19.9	80	16.15	36.5
L829716		7.18	0.01	0.02	0.12	<5	20	0.05	0.03	19.90	0.05	1.70	1.8	1	0.48	2.1
L829717		6.93	<0.01	0.16	7.20	12.5	540	1.96	0.23	1.91	0.20	82.3	16.9	82	14.80	33.3
L829718		5.18	<0.01	0.16	8.17	16.9	680	2.33	0.25	0.67	0.17	90.1	22.4	90	17.15	37.1
L829719		10.15	<0.01	0.14	7.16	10.8	600	2.04	0.20	0.69	0.20	78.3	15.6	88	14.15	34.5
L829720		9.88	<0.01	0.13	7.47	12.7	640	2.12	0.21	0.60	0.21	84.6	17.5	91	15.40	37.5
L829721		6.54	<0.01	0.16	7.66	14.8	580	2.21	0.22	2.11	0.23	82.8	17.6	80	15.05	35.1
L829722		3.45	0.01	0.13	8.74	17.2	780	2.85	0.27	0.43	0.19	95.3	21.6	90	19.65	38.7
L829723		8.49	0.01	0.11	8.29	16.8	730	2.53	0.25	0.61	0.22	87.4	20.2	87	17.25	38.1
L829724		9.38	0.01	0.11	7.79	17.0	660	2.47	0.23	1.77	0.22	83.7	18.9	77	16.25	35.9
L829725		9.30	0.01	0.10	7.57	13.6	630	2.32	0.22	1.16	0.17	81.3	18.7	80	15.35	35.0
L829726		9.46	0.01	0.10	7.91	14.3	740	2.35	0.22	0.70	0.21	85.5	19.6	83	15.10	41.8
L829727		5.91	0.01	0.02	0.09	<5	10	0.07	0.02	20.7	0.06	1.50	1.7	<1	0.48	2.0
L829728		9.50	0.01	0.12	8.18	14.5	790	2.29	0.24	0.58	0.20	86.8	19.5	89	16.00	40.8
L829729		0.19	1.09	0.89	2.32	257	120	1.12	7.74	17.05	2.09	34.7	5.1	39	8.01	74.7
L829730		9.38	<0.01	0.11	7.84	13.3	700	2.08	0.23	0.70	0.18	85.4	18.6	91	13.85	36.2
L829731		9.63	<0.01	0.10	8.37	13.1	770	2.39	0.25	0.35	0.16	86.1	19.2	91	14.15	37.8
L829732		9.87	<0.01	0.11	8.24	14.5	770	2.52	0.24	0.38	0.21	82.1	19.6	90	13.25	38.4
L829733		9.55	<0.01	0.13	8.70	15.7	810	2.68	0.25	0.42	0.20	91.7	20.5	91	13.95	40.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2- OCT- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11181490

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
L829698		4.33	18.05	0.22	2.9	0.97	0.063	2.32	35.3	69.4	0.96	185	13.45	0.23	11.3	56.0
L829699		4.57	19.05	0.22	2.8	0.77	0.062	2.49	35.0	78.5	0.93	222	7.08	0.24	10.8	56.9
L829700		4.76	15.55	0.16	2.1	0.28	0.052	1.90	30.4	105.5	1.06	310	2.49	0.24	9.3	44.9
L829701		5.04	19.15	0.22	2.6	0.12	0.066	2.16	36.6	105.5	1.08	377	1.44	0.33	11.7	55.8
L829702		5.45	19.90	0.21	2.6	0.07	0.073	2.45	36.7	124.0	1.18	399	1.18	0.36	11.9	54.4
L829703		5.16	22.7	0.20	3.0	0.06	0.089	2.41	39.2	134.0	1.15	392	1.40	0.35	13.3	64.5
L829704		4.84	21.5	0.23	3.1	0.07	0.084	2.32	38.6	141.0	1.02	364	1.86	0.34	13.3	63.4
L829705		5.18	18.20	0.24	2.9	0.07	0.073	2.09	37.3	118.0	1.28	572	2.46	0.30	12.0	53.0
K829706		4.80	20.9	0.23	3.1	0.06	0.083	2.30	40.4	129.0	1.06	407	2.02	0.33	13.6	57.7
L829707		4.71	22.9	0.26	3.1	0.05	0.088	2.37	41.1	132.0	1.09	392	2.14	0.34	14.2	60.6
L829708		4.58	20.8	0.25	3.2	0.05	0.080	2.23	39.4	126.0	1.18	350	2.74	0.33	13.2	57.6
L829709		4.53	21.6	0.25	3.3	0.05	0.080	2.28	40.6	122.0	0.90	256	3.07	0.34	13.8	63.0
L829710		9.44	12.35	0.31	0.9	0.12	2.85	1.06	17.7	9.0	2.26	873	66.0	0.84	3.5	344
L829711		4.76	20.1	0.22	3.3	0.04	0.074	2.21	38.0	106.5	0.95	325	2.03	0.32	13.2	57.3
L829712		4.71	22.2	0.26	3.3	0.11	0.079	2.39	40.0	98.5	1.14	297	5.51	0.33	14.0	65.3
L829713		4.69	20.8	0.24	3.3	0.08	0.082	2.34	38.8	87.8	1.58	425	7.78	0.31	13.3	56.6
L829714		4.43	22.5	0.25	3.5	0.08	0.086	2.38	40.8	96.4	0.97	289	5.70	0.32	13.7	59.3
L829715		4.96	20.7	0.26	3.1	0.07	0.084	2.16	39.0	113.0	1.16	321	3.05	0.28	13.3	64.8
L829716		0.46	0.51	0.15	<0.1	<0.01	0.005	0.05	0.8	1.7	12.35	193	0.14	0.01	0.4	3.4
L829717		4.61	19.50	0.19	2.8	0.03	0.075	1.95	38.6	122.0	1.67	467	1.50	0.29	13.1	51.4
L829718		4.60	22.2	0.25	3.2	0.03	0.083	2.37	42.0	82.4	1.16	303	1.88	0.34	14.4	69.6
L829719		4.48	19.05	0.23	3.1	0.03	0.069	2.01	36.6	82.4	1.18	429	1.18	0.30	12.9	50.3
L829720		4.58	20.8	0.23	3.2	0.03	0.079	2.12	39.4	84.4	1.19	383	1.43	0.30	14.2	56.2
L829721		4.63	20.2	0.26	3.4	0.04	0.074	2.11	38.9	79.1	1.64	534	2.80	0.30	13.1	52.7
L829722		4.66	24.6	0.27	3.4	0.05	0.093	2.60	44.2	76.3	1.12	291	2.44	0.40	15.3	65.6
L829723		4.71	23.0	0.26	3.2	0.05	0.086	2.41	41.2	73.1	1.19	314	3.03	0.37	13.9	61.0
L829724		4.47	21.2	0.24	3.2	0.07	0.079	2.24	39.8	67.8	1.56	480	5.15	0.38	13.1	55.6
L829725		4.21	20.5	0.24	2.9	0.10	0.079	2.08	38.5	83.2	1.22	412	2.18	0.40	12.9	56.1
L829726		4.48	21.4	0.25	3.3	0.05	0.076	2.22	39.3	71.8	1.15	356	3.18	0.41	13.7	59.2
L829727		0.48	0.44	0.16	<0.1	<0.01	0.006	0.04	0.7	1.4	12.60	205	0.07	0.01	0.4	2.9
L829728		4.93	22.0	0.22	3.3	0.04	0.086	2.32	40.0	72.6	1.26	467	1.94	0.44	13.7	59.2
L829729		2.55	9.98	0.11	1.5	2.24	0.837	0.70	23.2	12.4	3.39	1600	79.9	0.01	6.0	76.1
L829730		4.70	21.3	0.24	3.2	0.04	0.085	2.16	39.1	75.9	1.25	493	1.56	0.40	13.3	57.4
L829731		4.79	22.3	0.25	3.2	0.03	0.086	2.34	40.3	79.1	1.27	462	1.14	0.40	13.6	60.4
L829732		4.67	22.7	0.24	3.3	0.05	0.086	2.40	37.1	82.2	1.19	415	2.97	0.41	13.8	63.3
L829733		4.73	24.5	0.29	3.4	0.05	0.086	2.46	43.0	87.5	1.19	350	3.14	0.42	14.8	66.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 2- OCT- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11181490

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005
L829698		670	18.8	141.0	0.007	2.60	1.22	16.1	4	2.2	201	0.79	0.12	11.1	0.406
L829699		630	17.3	144.0	0.005	2.74	1.12	16.3	4	2.2	253	0.76	0.09	10.8	0.428
L829700		670	13.8	93.5	0.002	2.21	0.80	13.5	2	1.8	347	0.64	0.07	9.2	0.410
L829701		860	18.7	124.5	<0.002	1.61	0.89	17.2	2	2.1	180.0	0.82	0.07	11.4	0.476
L829702		830	18.5	129.5	<0.002	1.16	0.95	17.6	2	2.2	137.0	0.85	0.06	11.7	0.474
L829703		860	22.4	145.5	<0.002	1.55	0.97	20.3	2	2.7	123.0	0.93	0.07	12.6	0.473
L829704		840	22.3	145.5	<0.002	2.24	0.82	20.0	2	2.6	114.5	0.92	0.07	12.9	0.450
L829705		1300	19.6	126.5	0.002	2.72	0.64	17.2	2	2.3	147.5	0.85	0.07	11.9	0.424
K829706		1160	19.2	144.0	0.002	1.95	0.86	19.6	2	2.6	113.0	0.94	0.08	12.7	0.453
L829707		1190	20.5	150.5	<0.002	2.02	0.89	20.6	2	2.7	119.0	0.95	0.07	13.2	0.466
L829708		1000	20.8	136.5	0.002	2.24	0.82	18.7	2	2.6	150.0	0.94	0.09	12.7	0.452
L829709		900	21.2	142.5	0.002	2.41	1.02	19.1	2	2.6	104.5	0.98	0.08	12.7	0.453
L829710		730	8140	48.6	0.021	6.82	33.5	14.9	16	7.6	162.5	0.25	0.59	4.0	0.207
L829711		770	21.5	138.5	<0.002	2.01	0.94	18.0	2	2.4	94.4	0.97	0.08	12.4	0.455
L829712		770	21.0	155.5	0.004	2.52	1.12	20.2	3	2.7	117.0	0.97	0.09	12.5	0.457
L829713		850	19.6	150.5	0.003	2.10	1.03	19.4	3	2.7	134.5	0.91	0.08	12.4	0.427
L829714		930	20.9	155.0	0.003	2.31	0.97	19.4	3	2.8	125.0	1.04	0.07	13.3	0.451
L829715		880	20.7	141.0	0.002	1.96	1.02	18.9	2	2.7	143.5	0.92	0.07	12.7	0.444
L829716		210	1.7	3.4	<0.002	0.01	<0.05	0.4	1	<0.2	48.0	<0.05	<0.05	0.2	0.006
L829717		850	18.1	125.0	<0.002	1.01	0.98	16.6	2	2.7	158.0	0.88	0.06	11.9	0.423
L829718		920	27.2	146.5	0.002	1.48	1.38	19.0	2	2.9	114.0	1.01	0.08	13.7	0.471
L829719		800	13.8	126.5	<0.002	0.72	0.82	16.7	2	2.3	111.0	0.94	0.06	12.5	0.447
L829720		830	15.7	140.5	<0.002	1.01	0.92	18.3	2	2.6	114.0	0.99	0.07	13.0	0.458
L829721		940	18.2	136.0	0.003	1.67	0.79	18.1	2	2.6	180.0	0.97	0.07	12.5	0.426
L829722		860	21.7	171.5	0.002	2.09	0.98	21.6	2	3.1	113.5	1.05	0.07	14.3	0.478
L829723		800	20.4	157.0	0.002	2.03	0.95	19.9	2	2.9	113.0	1.00	0.07	13.0	0.460
L829724		890	19.6	145.0	0.003	1.89	0.92	19.2	2	2.7	119.0	0.91	0.07	12.7	0.420
L829725		830	20.2	139.0	0.002	1.60	0.79	18.3	2	2.7	133.5	0.88	0.06	12.5	0.425
L829726		920	18.5	141.0	0.002	1.93	0.87	19.2	2	2.6	101.0	0.99	0.07	12.9	0.460
L829727		190	1.5	3.0	<0.002	0.01	<0.05	0.3	1	<0.2	48.4	<0.05	<0.05	<0.2	<0.005
L829728		880	20.0	143.0	0.002	1.70	0.95	18.9	2	2.7	98.4	1.00	0.08	13.3	0.479
L829729		1120	20.0	63.0	0.063	0.94	13.75	4.7	4	6.0	216	0.39	0.36	5.1	0.120
L829730		830	17.1	141.5	<0.002	1.02	0.85	18.6	2	2.7	111.0	0.93	0.08	12.8	0.457
L829731		750	17.4	153.5	0.002	0.86	0.84	20.0	2	2.7	103.5	0.96	0.08	13.0	0.460
L829732		840	19.7	151.0	0.002	1.59	0.94	19.7	2	2.7	108.0	0.97	0.07	12.4	0.460
L829733		940	20.4	163.0	0.002	1.89	0.99	21.2	2	3.0	116.5	1.00	0.07	13.8	0.477



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 2- OCT- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11181490

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
L829698		7.3	186	1.4	20.6	156	101.5
L829699		6.6	189	1.3	20.5	178	96.6
L829700		3.3	168	3.1	15.6	154	78.0
L829701		3.0	171	1.2	19.1	155	93.6
L829702		3.0	190	1.6	19.1	179	90.4
L829703		3.0	184	1.8	22.4	172	102.5
L829704		3.2	169	2.7	22.3	167	105.5
L829705		3.1	142	1.5	23.3	134	96.8
K829706		3.3	173	2.1	23.5	156	108.0
L829707		3.3	178	1.7	24.7	162	111.5
L829708		3.5	160	2.7	21.2	151	104.5
L829709		3.6	171	1.7	22.3	165	114.0
L829710		6.9	393	8.1	15.7	7630	31.1
L829711		3.3	168	2.4	21.2	170	106.0
L829712		3.9	179	1.7	23.9	168	112.0
L829713		4.4	170	2.7	23.7	153	116.0
L829714		4.4	170	1.8	23.3	157	109.0
L829715		3.5	160	3.2	22.0	302	104.5
L829716		0.8	5	0.1	1.1	14	1.4
L829717		2.9	145	1.5	20.9	134	103.0
L829718		3.4	168	2.8	21.7	141	108.0
L829719		3.1	152	1.6	19.9	152	102.0
L829720		3.2	162	2.4	22.2	161	109.5
L829721		3.8	142	1.6	22.3	143	111.5
L829722		3.6	173	2.3	23.9	160	119.5
L829723		3.5	164	1.7	22.3	151	109.0
L829724		3.9	149	2.2	22.1	144	109.5
L829725		2.9	145	1.5	21.1	136	101.0
L829726		3.6	163	2.9	21.9	151	109.0
L829727		0.7	4	0.1	1.0	14	0.8
L829728		3.4	172	2.3	22.2	160	109.0
L829729		18.0	307	35.2	26.7	439	57.0
L829730		3.2	164	2.3	22.5	154	110.5
L829731		3.2	177	1.6	21.9	161	108.5
L829732		3.5	179	2.1	22.0	170	116.0
L829733		3.8	183	1.7	24.2	162	120.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11181490

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 11- OCT- 2011
Account: MTT

CERTIFICATE WH11191238

Project: Midas Touch- Crag East

P.O. No.: Batch 16

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- SEP- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11- OCT- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11191238

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
L829770		4.81	<0.01	0.14	0.17	49	130	0.07	0.02	10.85	0.40	2.85	1.1	34	0.75	2.8
L829771		8.84	<0.01	0.14	0.20	28	510	0.11	0.02	25.3	0.31	3.98	2.0	22	0.65	3.5
L829772		4.28	<0.01	5.06	0.16	105	340	0.23	0.01	26.8	0.32	4.63	9.3	13	0.62	23.1
L829773		8.76	<0.01	0.22	0.83	48	350	0.24	0.03	18.20	0.42	10.10	3.5	50	2.97	7.5
L829774		9.11	<0.01	0.34	1.26	81	400	0.37	0.06	11.75	0.65	16.95	5.7	59	4.74	13.2
L829775		4.59	<0.01	0.11	0.23	34	160	0.09	0.01	22.4	0.33	5.88	2.3	22	0.78	3.4
L829776		9.24	<0.01	0.10	0.20	74	330	0.09	0.02	21.2	0.84	4.29	3.2	18	0.78	3.1
L829777		9.30	<0.01	0.14	0.27	35	630	0.14	0.02	27.6	0.85	7.22	3.5	20	1.91	4.9
L829778		9.44	<0.01	0.12	0.24	17	370	0.10	0.02	11.20	1.11	5.89	2.8	29	0.72	3.4
L829779		4.05	<0.01	0.14	0.23	15	640	0.07	0.01	11.75	0.91	6.34	2.5	42	0.63	5.7
L829780		4.35	0.01	0.06	0.11	9.4	250	<0.05	0.01	5.83	0.44	1.90	1.6	65	0.71	3.7
L829781		6.27	<0.01	0.09	0.15	22.6	230	0.06	0.01	5.87	0.16	2.56	1.9	55	0.68	5.3
L829782		7.94	<0.01	0.19	0.73	64.3	250	0.24	0.04	8.80	0.58	12.90	5.1	56	2.28	8.6
L829783		8.33	<0.01	0.35	1.07	106.5	460	0.31	0.05	7.02	2.15	17.15	12.5	106	3.07	13.9
L829784		5.35	<0.01	0.21	0.60	31.4	190	0.11	0.05	4.80	0.80	8.38	3.6	64	1.75	8.3
L829785		7.11	<0.01	0.24	0.72	42	290	0.25	0.04	12.30	2.44	12.25	6.3	59	2.16	9.2
L829786		7.36	<0.01	0.07	0.07	18	340	0.07	0.01	18.35	1.05	2.63	2.0	15	0.41	1.7
L829787		8.87	<0.01	0.19	0.45	56	220	0.16	0.03	12.65	0.79	9.12	5.2	37	1.25	7.3
L829788		8.99	<0.01	0.21	0.55	31	410	0.21	0.04	13.20	0.42	10.05	4.5	65	2.02	7.2
L829789		0.20	1.13	0.69	2.32	253	130	1.09	7.88	17.10	2.14	34.8	4.5	42	7.25	76.1
L829790		0.20	0.29	98.0	5.29	224	570	0.58	4.87	1.71	23.4	20.9	10.8	64	0.93	5840
L829791		8.96	0.01	0.54	0.57	26	310	0.20	0.06	16.75	0.57	9.73	3.3	37	1.56	14.0
L829792		9.57	<0.01	0.96	0.27	14	450	0.12	0.05	27.8	0.70	5.56	1.4	13	0.30	31.4
L829793		10.61	<0.01	0.11	0.04	<5	550	0.09	0.01	29.0	0.41	1.81	0.9	15	0.18	2.0
L829794		8.58	<0.01	0.17	0.06	6	380	0.07	0.01	19.95	0.25	1.97	0.9	30	0.28	5.5
L829795		8.99	<0.01	0.39	0.43	7.1	240	0.14	0.03	4.59	0.21	6.79	1.3	66	1.30	7.0
L829796		6.32	<0.01	0.04	0.08	<5	20	0.06	0.04	20.5	0.07	1.41	1.1	1	0.29	3.1
L829797		9.17	<0.01	0.34	0.37	5	460	0.16	0.03	26.8	0.49	7.94	1.4	20	0.73	9.8
L829798		9.12	<0.01	0.14	0.20	7	370	0.12	0.02	19.60	0.34	4.95	1.6	25	0.72	5.1
L829799		9.24	<0.01	0.16	0.76	7.4	630	0.29	0.05	3.81	0.17	13.25	1.5	87	2.20	9.6
L829800		8.66	<0.01	0.07	0.30	11	300	0.15	0.02	19.35	0.59	6.40	1.4	32	0.89	5.0
L829801		8.03	<0.01	0.02	0.07	<5	20	0.05	0.02	20.8	0.07	1.30	1.1	1	0.63	2.0
L829802		9.52	<0.01	0.07	0.35	10	440	0.18	0.02	13.70	0.32	5.73	1.6	28	0.78	5.7
L829803		8.75	<0.01	0.12	0.71	13.1	280	0.31	0.04	5.25	0.37	10.85	2.2	98	1.96	10.4
L829804		9.41	<0.01	0.03	0.11	11	600	0.09	0.01	33.0	0.78	3.61	1.4	5	0.18	3.3
L829805		9.76	<0.01	0.03	0.10	6	250	0.10	0.01	32.6	0.81	3.25	1.2	5	0.15	2.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11- OCT- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11191238

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
L829770		0.29	0.41	<0.05	0.1	0.40	<0.005	0.04	4.7	8.3	0.56	159	2.16	0.01	0.4	9.1
L829771		0.35	0.55	<0.05	0.1	0.35	<0.005	0.05	7.3	11.7	1.41	187	1.23	0.02	0.4	13.1
L829772		1.83	0.52	0.06	0.1	0.24	<0.005	0.04	9.3	9.5	1.49	445	0.63	0.01	0.4	54.2
L829773		0.73	2.20	0.07	0.3	0.63	0.007	0.28	12.0	16.5	0.49	142	2.15	0.02	1.5	26.5
L829774		0.69	3.23	0.09	0.5	1.02	0.012	0.40	18.2	18.5	0.28	115	2.10	0.02	2.4	41.0
L829775		0.47	0.60	<0.05	0.1	0.31	<0.005	0.05	9.7	7.9	0.28	153	1.08	0.01	0.5	15.2
L829776		0.48	0.54	<0.05	0.1	0.49	0.009	0.05	7.3	2.1	0.87	156	1.57	0.01	0.5	18.6
L829777		0.37	0.81	0.05	0.1	0.58	<0.005	0.08	12.7	2.2	1.31	212	2.21	0.02	0.7	20.3
L829778		0.40	0.61	0.05	0.1	0.80	<0.005	0.06	9.4	1.5	0.74	98	2.38	0.01	0.6	15.7
L829779		0.39	0.57	<0.05	0.1	0.81	<0.005	0.05	10.0	0.9	0.82	102	3.18	0.01	0.5	16.2
L829780		0.28	0.23	<0.05	0.1	0.27	<0.005	0.02	2.6	0.5	0.25	64	4.15	0.01	0.3	8.6
L829781		0.30	0.32	<0.05	0.1	0.31	<0.005	0.04	3.2	0.5	0.39	67	3.32	0.01	0.4	19.3
L829782		0.57	1.96	0.07	0.4	0.68	0.007	0.21	14.6	4.2	1.81	141	2.36	0.02	1.6	52.3
L829783		1.54	2.51	0.07	0.5	1.29	0.013	0.28	18.4	4.8	0.31	158	5.62	0.02	2.2	93.0
L829784		0.71	1.44	<0.05	0.3	0.79	0.006	0.13	8.9	3.3	0.21	73	4.16	0.01	1.1	33.3
L829785		0.99	1.92	0.05	0.4	0.84	0.009	0.20	13.6	3.4	1.00	160	4.62	0.01	1.6	48.3
L829786		0.40	0.18	<0.05	<0.1	0.28	<0.005	0.01	6.0	0.6	0.23	156	1.79	0.01	0.2	10.8
L829787		0.67	1.21	0.05	0.2	0.76	0.005	0.13	14.4	2.1	1.05	175	3.52	0.01	1.0	30.4
L829788		0.54	1.37	0.05	0.3	0.57	0.008	0.17	15.2	3.1	1.21	122	4.87	0.02	1.2	34.9
L829789		2.50	9.18	0.08	1.3	2.19	0.738	0.68	24.3	11.3	3.45	1630	70.5	0.01	5.3	78.4
L829790		5.68	10.80	0.10	1.7	1.36	0.428	1.01	10.3	11.1	1.08	1640	20.6	1.48	3.3	27.3
L829791		0.44	1.40	0.06	0.3	0.56	0.008	0.14	14.8	4.0	0.88	133	2.46	0.02	1.1	19.7
L829792		0.24	0.65	0.05	0.1	0.22	0.006	0.04	10.2	1.5	0.61	153	0.66	0.02	0.6	12.3
L829793		0.17	0.13	0.05	<0.1	0.08	<0.005	0.01	5.8	0.3	0.55	134	1.11	0.01	0.2	7.7
L829794		0.18	0.16	0.05	<0.1	0.11	<0.005	0.01	5.6	0.5	0.44	99	1.98	0.01	0.3	6.2
L829795		0.51	0.99	0.05	0.2	0.23	0.005	0.10	11.6	2.4	0.80	70	3.42	0.01	0.9	10.5
L829796		0.44	0.28	0.07	<0.1	<0.01	<0.005	0.03	0.7	1.1	12.50	207	0.07	<0.01	0.3	2.0
L829797		0.41	0.93	0.07	0.2	0.30	0.005	0.09	13.4	2.1	1.00	156	0.61	0.02	0.8	9.4
L829798		0.37	0.50	0.05	0.1	0.15	<0.005	0.06	8.0	1.5	0.70	136	1.34	0.01	0.6	8.3
L829799		0.73	1.87	0.06	0.4	0.29	0.008	0.23	16.6	5.2	0.95	75	3.63	0.02	1.5	11.8
L829800		0.47	0.79	<0.05	0.2	0.20	0.009	0.09	10.1	1.8	0.80	117	1.50	0.01	0.7	10.8
L829801		0.46	0.30	0.08	<0.1	<0.01	0.005	0.04	0.7	1.3	12.65	211	0.23	<0.01	0.4	2.4
L829802		0.49	0.88	0.06	0.2	0.23	0.005	0.11	9.0	2.0	1.31	133	1.14	0.01	0.8	8.5
L829803		0.58	1.85	0.06	0.3	0.53	0.008	0.21	14.4	5.1	0.61	92	4.69	0.01	1.5	12.5
L829804		0.24	0.32	0.05	0.1	0.21	<0.005	0.03	7.5	0.7	0.52	170	0.36	0.01	0.4	7.1
L829805		0.32	0.30	0.06	0.1	0.18	<0.005	0.03	7.3	0.7	0.79	172	0.28	0.01	0.4	6.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11- OCT- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11191238

Sample Description	Method Analyte Units LOR	ME- MS61 P ppm 10	ME- MS61 Pb ppm 0.5	ME- MS61 Rb ppm 0.1	ME- MS61 Re ppm 0.002	ME- MS61 S % 0.01	ME- MS61 Sb ppm 0.05	ME- MS61 Sc ppm 0.1	ME- MS61 Se ppm 1	ME- MS61 Sn ppm 0.2	ME- MS61 Sr ppm 0.2	ME- MS61 Ta ppm 0.05	ME- MS61 Te ppm 0.05	ME- MS61 Th ppm 0.2	ME- MS61 Ti % 0.005	ME- MS61 Tl ppm 0.02
L829770		160	1.5	2.2	0.003	0.06	0.52	0.5	2	0.2	145.0	<0.05	<0.05	0.3	0.007	0.06
L829771		240	1.6	3.3	0.003	0.14	0.56	0.8	3	0.2	226	<0.05	<0.05	0.4	0.009	0.08
L829772		480	1.4	2.8	0.004	0.16	0.46	1.9	3	0.2	243	<0.05	<0.05	0.4	0.007	0.16
L829773		360	2.8	17.0	0.009	0.37	0.98	1.9	7	0.4	235	0.08	<0.05	1.3	0.039	0.31
L829774		390	8.3	25.0	0.034	0.39	2.20	3.0	12	0.6	212	0.13	0.08	2.1	0.063	0.35
L829775		170	1.9	3.2	0.006	0.12	0.52	1.7	4	0.2	254	<0.05	<0.05	0.5	0.010	0.08
L829776		220	2.3	3.4	0.034	0.18	0.73	0.9	3	<0.2	190.5	<0.05	<0.05	0.5	0.010	0.21
L829777		360	2.3	4.9	0.094	0.22	0.61	1.5	3	0.2	240	<0.05	<0.05	0.7	0.016	0.17
L829778		230	2.0	3.5	0.077	0.17	0.57	1.1	2	0.2	115.0	<0.05	<0.05	0.6	0.013	0.12
L829779		210	3.1	3.3	0.069	0.18	0.56	1.0	2	0.2	122.0	<0.05	<0.05	0.6	0.012	0.12
L829780		70	1.5	1.5	0.013	0.06	0.33	0.3	1	0.4	46.9	<0.05	<0.05	0.2	0.005	0.05
L829781		80	4.9	2.4	0.008	0.09	0.71	0.4	2	0.2	48.7	<0.05	<0.05	0.3	0.006	0.07
L829782		320	4.0	13.3	0.025	0.31	1.00	2.1	7	0.3	91.4	0.09	<0.05	1.4	0.039	0.43
L829783		350	5.6	16.9	0.191	0.58	2.19	2.1	5	0.7	102.0	0.13	0.06	2.1	0.056	0.80
L829784		210	5.1	7.9	0.018	0.31	1.78	1.4	2	0.5	83.8	0.06	<0.05	1.0	0.027	0.24
L829785		310	3.2	12.6	0.042	0.35	1.44	1.9	3	0.5	134.5	0.08	<0.05	1.4	0.037	0.39
L829786		110	0.8	1.0	0.021	0.10	0.31	0.5	1	<0.2	139.0	<0.05	<0.05	0.2	<0.005	0.09
L829787		540	2.3	7.8	0.040	0.31	0.79	1.7	2	0.3	124.0	0.05	<0.05	1.0	0.024	0.23
L829788		350	3.2	10.4	0.027	0.26	0.47	1.9	3	0.3	121.5	0.06	0.05	1.1	0.029	0.22
L829789		1060	20.4	59.9	0.056	0.94	12.90	4.2	4	5.7	216	0.33	0.37	4.8	0.119	1.63
L829790		430	9330	27.9	0.012	2.27	418	11.0	2	1.8	189.5	0.21	1.13	2.2	0.227	0.46
L829791		300	11.9	8.6	0.026	0.23	1.37	1.7	5	0.3	162.0	0.06	0.05	1.1	0.029	0.14
L829792		160	59.9	2.0	0.002	0.12	3.34	0.9	2	<0.2	211	<0.05	<0.05	0.5	0.013	0.04
L829793		130	2.1	0.5	<0.002	0.06	0.25	0.4	2	<0.2	163.5	<0.05	<0.05	<0.2	<0.005	<0.02
L829794		130	7.3	0.7	<0.002	0.04	0.46	0.4	1	<0.2	126.5	<0.05	<0.05	0.2	<0.005	<0.02
L829795		250	2.4	6.0	<0.002	0.15	0.43	1.6	2	0.3	54.1	0.05	<0.05	0.8	0.021	0.07
L829796		170	2.1	1.9	<0.002	0.01	0.09	0.3	1	<0.2	45.7	<0.05	<0.05	<0.2	<0.005	<0.02
L829797		280	3.0	4.9	<0.002	0.15	0.36	1.3	3	0.2	245	<0.05	<0.05	0.8	0.018	0.06
L829798		360	3.2	3.4	<0.002	0.12	0.29	1.0	2	0.2	148.5	<0.05	<0.05	0.5	0.010	0.04
L829799		930	3.0	13.0	<0.002	0.21	0.60	2.5	2	0.4	79.3	0.09	<0.05	1.4	0.041	0.11
L829800		330	2.8	5.1	<0.002	0.10	0.32	1.2	1	0.2	120.0	<0.05	<0.05	0.6	0.015	0.04
L829801		170	2.0	2.8	<0.002	<0.01	0.06	0.3	1	<0.2	44.7	<0.05	<0.05	<0.2	<0.005	0.02
L829802		280	2.0	6.2	<0.002	0.10	0.53	1.2	1	0.2	129.5	<0.05	<0.05	0.7	0.018	0.04
L829803		250	2.1	12.3	<0.002	0.06	1.65	2.0	1	0.5	60.5	0.08	<0.05	1.4	0.038	0.09
L829804		80	1.9	1.7	<0.002	0.06	0.27	0.7	1	<0.2	174.5	<0.05	<0.05	0.2	0.005	<0.02
L829805		270	2.2	1.6	<0.002	0.09	0.17	0.6	1	<0.2	178.5	<0.05	<0.05	0.2	0.005	<0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11- OCT- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11191238

Sample Description	Method Analyte Units LOR	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
		U	V	W	Y	Zn	Zr
		ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5
L829770		2.6	9	0.1	7.0	20	2.1
L829771		3.8	15	0.9	9.8	36	2.8
L829772		4.6	18	42.1	20.3	385	2.5
L829773		3.8	51	0.4	15.8	102	11.1
L829774		4.4	86	0.6	17.5	84	18.0
L829775		3.4	19	0.1	16.1	72	3.7
L829776		4.5	22	0.2	11.3	84	3.1
L829777		6.7	23	0.2	16.8	80	5.0
L829778		5.6	19	0.1	10.7	98	4.0
L829779		6.0	18	0.1	10.7	91	4.1
L829780		3.8	6	0.1	4.4	22	1.9
L829781		4.8	8	0.1	5.9	13	2.6
L829782		6.5	62	0.2	16.3	36	11.7
L829783		5.4	55	0.5	14.9	403	16.6
L829784		2.8	23	0.2	8.0	90	8.9
L829785		4.6	35	0.2	14.5	211	12.7
L829786		2.3	7	0.1	10.1	106	1.9
L829787		5.0	28	0.1	16.5	126	7.5
L829788		4.6	32	0.2	15.6	72	9.2
L829789		16.7	313	28.0	24.0	428	47.3
L829790		1.6	78	0.6	14.9	4890	53.2
L829791		3.4	37	0.2	13.6	71	10.0
L829792		2.4	18	0.1	12.8	88	5.1
L829793		1.9	14	<0.1	9.5	19	1.1
L829794		1.6	10	<0.1	8.7	17	1.4
L829795		1.6	25	0.1	11.7	27	6.8
L829796		0.5	1	0.1	0.8	14	<0.5
L829797		1.7	29	0.1	15.0	33	5.9
L829798		1.7	15	0.1	10.6	44	3.9
L829799		1.7	41	0.2	19.6	46	13.0
L829800		2.0	20	0.1	13.6	36	5.5
L829801		0.5	1	0.1	1.0	14	<0.5
L829802		1.8	24	0.1	9.8	54	5.7
L829803		2.1	40	0.2	9.5	122	12.9
L829804		3.1	14	<0.1	11.4	22	2.3
L829805		2.4	14	<0.1	10.0	21	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11- OCT- 2011
Account: MTT

Project: Midas Touch- Crag East

CERTIFICATE OF ANALYSIS WH11191238

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 12- OCT- 2011
Account: MTT

CERTIFICATE WH11193086

Project: Midas Touch - Crag East

P.O. No.: Batch 17

This report is for 24 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12- OCT- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11193086

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- AA26 Au ppm	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
L829806		9.48	<0.01	0.02	0.13	16	300	0.12	0.01	33.8	0.81	4.26	1.7	5	0.16	2.9
L829807		9.85	<0.01	0.02	0.07	8	300	0.05	0.01	18.55	0.41	1.96	1.0	25	0.18	2.4
L829808		9.49	<0.01	0.12	0.48	11.5	310	0.21	0.03	8.33	0.18	6.41	1.3	46	1.42	6.9
L829809		9.41	<0.01	0.12	0.54	8	340	0.21	0.03	14.40	0.34	7.67	1.7	42	1.26	7.2
L829810		10.56	<0.01	0.05	0.39	4.3	270	0.17	0.03	9.85	0.25	5.82	1.3	56	1.09	7.5
L829811		9.54	<0.01	0.03	0.10	<5	380	0.10	0.01	22.3	0.45	2.41	1.1	18	0.25	3.0
L829812		10.57	<0.01	0.04	0.34	7	300	0.17	0.04	14.70	0.46	5.19	1.5	48	1.12	8.5
L829813		10.00	<0.01	0.01	0.29	13	390	0.21	0.02	33.9	0.66	6.49	1.5	12	0.95	3.2
L829814		5.06	0.01	0.02	0.07	6	120	0.07	0.03	12.55	0.27	1.48	1.1	60	0.41	2.2
L829815		7.98	<0.01	1.86	0.09	7	80	0.10	0.01	13.40	0.24	1.94	2.6	52	0.42	4.3
L829816		7.53	<0.01	0.02	0.08	5	20	0.09	0.02	21.0	0.06	1.20	2.1	3	0.30	1.7
L829817		0.24	1.21	0.77	2.33	267	130	1.32	8.20	17.50	2.05	32.7	4.9	42	7.75	73.7
L829818		4.97	<0.01	0.08	0.08	4.1	50	0.10	0.02	3.70	0.15	1.32	3.1	51	0.42	1.9
L829819		9.17	<0.01	0.03	0.06	4.5	50	0.06	0.01	5.35	0.12	0.96	1.5	47	0.29	1.2
L829820		4.54	<0.01	0.05	0.07	3.7	60	0.09	0.02	9.51	0.16	1.19	1.9	25	0.38	2.6
L829821		7.47	<0.01	0.02	0.07	29	50	0.16	0.01	35.2	0.17	1.38	2.7	15	0.12	1.7
L829822		0.24	1.15	31.8	7.74	145.0	230	0.63	10.20	6.36	33.2	30.9	97.2	116	1.90	6990
L829823		5.10	0.01	0.08	0.14	10	90	0.11	0.03	14.15	0.33	2.34	3.4	61	0.73	6.6
L829824		8.00	<0.01	0.03	0.18	16	220	0.12	0.08	33.3	0.68	3.32	1.8	10	0.40	3.6
L829825		10.23	<0.01	0.01	0.10	8	270	0.11	0.01	35.9	0.70	2.10	2.5	5	0.19	2.0
L829826		10.23	<0.01	<0.01	0.08	6	540	0.09	0.01	36.1	0.62	1.98	1.1	5	0.11	2.3
L829827		9.40	<0.01	0.01	0.05	7	160	0.11	0.01	36.4	0.52	1.50	1.2	3	0.07	2.3
L829828		5.41	<0.01	<0.01	0.05	7	360	0.09	0.01	35.3	0.51	1.38	1.0	4	0.08	1.8
L829865		2.06	<0.01	<0.01	0.05	7	160	0.10	<0.01	36.0	0.53	1.45	1.0	3	0.07	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12- OCT- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11193086

Sample Description	Method Analyte Units LOR	ME- MS61 Fe %	ME- MS61 Ga ppm	ME- MS61 Ge ppm	ME- MS61 Hf ppm	Hg- CV41 Hg ppm	ME- MS61 In ppm	ME- MS61 K %	ME- MS61 La ppm	ME- MS61 Li ppm	ME- MS61 Mg %	ME- MS61 Mn ppm	ME- MS61 Mo ppm	ME- MS61 Na %	ME- MS61 Nb ppm	ME- MS61 Ni ppm
L829806		0.34	0.40	<0.05	0.1	0.17	<0.005	0.04	9.3	0.9	0.76	184	0.34	0.01	0.6	4.5
L829807		0.23	0.25	<0.05	<0.1	0.12	<0.005	0.02	4.8	0.5	0.31	108	2.49	0.01	0.8	4.6
L829808		0.39	1.32	<0.05	0.2	0.16	0.005	0.16	8.3	2.4	0.69	81	2.47	0.01	1.4	7.5
L829809		0.59	1.42	<0.05	0.2	0.21	0.005	0.17	10.2	2.3	0.84	131	2.58	0.02	1.6	9.4
L829810		0.43	1.13	<0.05	0.2	0.23	0.005	0.13	9.4	1.7	0.53	105	3.32	0.01	1.3	7.0
L829811		0.29	0.32	<0.05	0.1	0.11	<0.005	0.03	5.2	0.6	0.53	134	1.81	0.01	0.8	3.7
L829812		0.43	0.93	<0.05	0.1	0.20	0.005	0.11	8.3	1.8	0.64	127	3.20	0.01	1.2	6.8
L829813		0.28	0.83	<0.05	0.1	0.17	<0.005	0.10	11.7	1.9	0.52	176	0.42	0.01	1.1	3.9
L829814		0.27	0.21	<0.05	<0.1	0.14	<0.005	0.02	3.6	0.4	0.19	99	4.75	0.01	0.9	4.7
L829815		0.66	0.23	<0.05	<0.1	0.11	<0.005	0.02	3.9	0.6	0.36	155	5.67	0.01	5.0	14.2
L829816		0.46	0.49	0.29	<0.1	0.01	<0.005	0.03	0.7	1.1	12.30	204	0.19	0.01	0.4	4.0
L829817		2.54	9.76	0.07	1.3	2.14	0.699	0.71	22.9	12.8	3.39	1640	72.5	0.01	5.7	75.2
L829818		0.81	0.23	<0.05	<0.1	0.12	<0.005	0.02	2.4	0.6	0.19	99	3.89	<0.01	1.0	18.5
L829819		0.47	0.16	<0.05	<0.1	0.15	<0.005	0.01	2.1	0.5	0.27	86	3.10	<0.01	0.6	9.3
L829820		0.49	0.18	<0.05	<0.1	0.13	<0.005	0.01	2.5	0.5	0.52	127	2.19	<0.01	0.7	10.2
L829821		0.66	0.23	<0.05	0.1	0.05	<0.005	0.01	2.3	0.5	0.11	478	0.89	<0.01	0.7	10.2
L829822		9.77	12.70	0.23	0.8	0.07	2.60	1.09	17.3	9.1	2.32	925	57.0	0.91	3.4	347
L829823		0.67	0.35	<0.05	0.1	0.14	<0.005	0.03	4.6	0.8	0.20	196	4.41	0.01	0.9	16.5
L829824		0.33	0.56	<0.05	0.1	0.19	<0.005	0.05	6.1	1.4	0.54	291	0.40	0.01	0.9	7.6
L829825		0.43	0.38	<0.05	0.1	0.16	<0.005	0.03	4.4	0.8	0.44	334	0.17	0.01	0.7	10.8
L829826		0.21	0.35	0.07	0.1	0.17	<0.005	0.02	4.6	0.6	0.55	329	0.17	0.01	0.6	4.9
L829827		0.27	0.30	0.07	<0.1	0.17	<0.005	0.01	4.0	0.4	0.70	352	0.17	<0.01	0.5	6.2
L829828		0.19	0.30	0.09	<0.1	0.17	<0.005	0.01	3.7	0.5	0.55	330	0.14	0.01	0.5	4.5
L829865		0.19	0.32	0.10	<0.1	0.18	<0.005	0.01	3.8	0.5	0.56	335	0.13	<0.01	0.5	4.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12- OCT- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11193086

Sample Description	Method Analyte Units LOR	ME- MS61 P ppm 10	ME- MS61 Pb ppm 0.5	ME- MS61 Rb ppm 0.1	ME- MS61 Re ppm 0.002	ME- MS61 S % 0.01	ME- MS61 Sb ppm 0.05	ME- MS61 Sc ppm 0.1	ME- MS61 Se ppm 1	ME- MS61 Sn ppm 0.2	ME- MS61 Sr ppm 0.2	ME- MS61 Ta ppm 0.05	ME- MS61 Te ppm 0.05	ME- MS61 Th ppm 0.2	ME- MS61 Ti % 0.005	ME- MS61 Tl ppm 0.02
L829806		440	2.2	2.0	<0.002	0.07	0.19	0.9	1	<0.2	176.0	<0.05	<0.05	0.4	0.007	0.02
L829807		140	1.3	1.0	<0.002	0.03	0.21	0.5	1	<0.2	102.0	<0.05	<0.05	0.2	<0.005	0.02
L829808		350	1.7	9.5	<0.002	0.06	0.30	1.7	1	0.2	70.4	0.06	<0.05	0.9	0.027	0.06
L829809		210	2.4	9.7	<0.002	0.08	0.62	1.9	1	0.2	119.5	0.06	<0.05	0.9	0.028	0.07
L829810		310	1.7	7.2	<0.002	0.06	0.61	1.5	1	0.2	92.3	<0.05	<0.05	0.7	0.020	0.05
L829811		110	1.6	1.7	<0.002	0.06	0.18	0.6	1	<0.2	127.0	<0.05	<0.05	0.2	0.005	0.02
L829812		310	3.4	6.5	<0.002	0.06	0.60	1.5	1	0.2	100.5	<0.05	<0.05	0.6	0.017	0.04
L829813		260	2.1	6.0	<0.002	0.08	0.16	1.3	1	<0.2	196.5	0.05	<0.05	0.5	0.016	0.05
L829814		70	1.7	1.0	<0.002	0.05	0.17	0.5	1	<0.2	77.0	<0.05	<0.05	<0.2	<0.005	0.02
L829815		90	1.3	1.4	<0.002	0.04	0.15	0.7	1	<0.2	101.5	<0.05	<0.05	0.2	<0.005	0.02
L829816		170	1.5	1.6	<0.002	0.01	0.06	0.4	1	<0.2	46.7	<0.05	<0.05	<0.2	0.005	<0.02
L829817		1100	19.3	64.5	0.061	0.93	12.45	5.0	4	5.8	215	0.34	0.36	4.4	0.123	1.72
L829818		70	0.8	1.3	<0.002	0.04	0.19	0.6	1	0.2	33.7	<0.05	<0.05	0.2	0.005	0.03
L829819		50	<0.5	0.7	<0.002	0.03	0.17	0.4	1	<0.2	41.4	<0.05	<0.05	<0.2	<0.005	0.02
L829820		80	1.2	0.8	<0.002	0.06	0.35	0.5	1	0.3	96.3	<0.05	<0.05	<0.2	<0.005	0.02
L829821		40	0.7	0.4	<0.002	0.10	0.24	1.0	1	<0.2	354	<0.05	<0.05	<0.2	0.005	0.02
L829822		720	8440	36.2	0.018	6.87	31.5	14.9	15	7.1	163.5	0.23	0.71	3.8	0.216	2.62
L829823		70	6.0	1.8	<0.002	0.12	0.34	0.9	1	0.2	134.0	<0.05	<0.05	0.2	0.008	0.03
L829824		170	4.8	2.9	<0.002	0.08	0.24	0.9	1	<0.2	200	<0.05	<0.05	0.3	0.011	0.04
L829825		130	1.6	1.7	0.002	0.07	0.17	0.8	1	<0.2	216	<0.05	<0.05	0.2	0.006	0.03
L829826		180	1.7	1.2	<0.002	0.07	0.11	0.7	1	<0.2	204	<0.05	<0.05	0.2	0.005	0.02
L829827		120	1.5	0.7	0.002	0.08	0.14	0.5	1	<0.2	218	<0.05	<0.05	<0.2	<0.005	0.02
L829828		150	1.0	0.7	<0.002	0.07	0.11	0.5	1	<0.2	208	<0.05	<0.05	<0.2	<0.005	0.02
L829865		140	1.0	0.8	<0.002	0.07	0.13	0.5	1	<0.2	209	<0.05	<0.05	<0.2	<0.005	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12- OCT- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11193086

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
L829806		2.9	13	0.1	12.5	30	2.6
L829807		1.3	9	0.1	6.9	22	1.5
L829808		1.5	28	0.3	8.8	34	8.2
L829809		1.2	30	0.2	11.0	74	8.9
L829810		1.6	25	0.3	10.1	39	6.4
L829811		1.2	11	0.1	7.4	22	2.2
L829812		2.8	28	0.4	10.0	36	5.8
L829813		1.3	26	0.1	13.7	31	6.0
L829814		1.6	6	0.1	5.2	36	1.4
L829815		1.6	9	0.1	6.7	76	1.9
L829816		0.5	1	0.1	1.1	15	0.7
L829817		14.6	323	31.3	23.1	447	48.8
L829818		1.2	6	0.1	4.3	84	1.4
L829819		1.2	5	0.1	3.9	55	1.0
L829820		1.2	6	<0.1	5.6	45	1.5
L829821		0.7	9	0.1	17.3	101	2.9
L829822		5.9	423	6.3	13.7	7840	26.4
L829823		1.5	11	0.1	10.5	155	3.2
L829824		1.2	16	0.1	10.4	65	4.2
L829825		1.0	12	0.1	11.2	130	2.9
L829826		0.9	13	0.1	10.4	18	2.9
L829827		1.1	11	<0.1	10.5	21	1.9
L829828		1.2	10	<0.1	8.9	13	1.8
L829865		1.2	9	<0.1	8.9	14	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12- OCT- 2011
Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11193086

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. REE's may not be totally soluble in this method.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 17- OCT- 2011
Account: MTT

CERTIFICATE WH11201698

Project: Midas Touch - Crag East

P.O. No.: Batch 10

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3- OCT- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 17- OCT- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11201698

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
L829554		<0.01
L829555		<0.01
L829556		1.14
L829557		<0.01
L829558		0.01
L829559		<0.01
L829560		<0.01
L829561		<0.01
L829562		<0.01
L829563		<0.01
L829564		<0.01
L829565		<0.01
L829566		<0.01
L829567		<0.01
L829568		<0.01
L829569		<0.01
L829570		<0.01
L829571		<0.01
L829572		3.87
L829573		<0.01
L829574		<0.01
L829575		<0.01
L829576		0.01
L829577		<0.01
L829578		<0.01
L829579		<0.01
L829580		<0.01
L829581		<0.01
L829582		<0.01
L829583		<0.01
L829584		<0.01
L829585		<0.01
L829586		<0.01
L829587		0.01
L829588		<0.01
L829589		<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 14- OCT- 2011
Account: MTT

CERTIFICATE WH11203949

Project: Midas Touch - Crag East

P.O. No.: Batch 7

This report is for 16 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7- OCT- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Plus Appendix Pages
 Finalized Date: 14- OCT- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11203949

Sample Description	Method Analyte Units LOR	Hg- CV42 Hg ppm 0.1
I359147		253
I359149		613
I359151		62.7
I359152		173.0
I359158		25.9
I359159		15.2
I359160		131.5
I359161		86.3
I359163		60.9
I359164		55.0
I359165		13.5
I359166		11.8
I359172		172.5
I359173		595
I359175		227
I359176		60.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11203949

Method	CERTIFICATE COMMENTS
Hg- CV42	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 26- OCT- 2011
Account: MTT

CERTIFICATE WH11211271

Project: Midas Touch - Crag East

P.O. No.: Batch 17

This report is for 24 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 14- OCT- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 26- OCT- 2011
 Account: MTT

Project: Midas Touch - Crag East

CERTIFICATE OF ANALYSIS WH11211271

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
L829806		0.01
L829807		<0.01
L829808		<0.01
L829809		<0.01
L829810		<0.01
L829811		0.01
L829812		<0.01
L829813		<0.01
L829814		<0.01
L829815		<0.01
L829816		<0.01
L829817		1.17
L829818		<0.01
L829819		<0.01
L829820		<0.01
L829821		<0.01
L829822		1.47
L829823		<0.01
L829824		<0.01
L829825		<0.01
L829826		<0.01
L829827		<0.01
L829828		<0.01
L829865		<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 6- DEC- 2011
Account: MTT

CERTIFICATE WH11251133

Project: Midas Touch - Crag East

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Whitehorse, YT, Canada on 1- DEC- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Crag East

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 6- DEC- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11251133

Sample Description	Method Analyte Units LOR	Hg- CV42 Hg ppm 0.1
L829578		165.5

APPENDIX IV
ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions			Project: <u>Midas Touch</u>		Property: <u>Crag East</u>	
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078610	UTM:	619144 E	UTM:	7107948 N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	12 piece composite sample of variably dense, variably coloured rusty-orange to rusty-brown, goethitic limonite? (could be ferricrete, but there are no clasts). In prominent gossan.					
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078611	UTM:	619132 E	UTM:	7107978 N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	6 piece composite sample of limonite (ferricrete?), varies from orange to red to dark brown, goethitic, occurs across 4 m width. 5 m east of massive limestone outcrop. In prominent gossan.					
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078612	UTM:	619137 E	UTM:	7107993 N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	8 piece composite sample across 10 m width of orange to dark brown, variably dense limonite (ferricrete?) talus. No clasts. In prominent gossan.					
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079139	UTM:	614339 E	UTM:	7107410 N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	On north bank of linear gully, one block (about 30 x 15 x 15 cm) of brown weathering, calcite and quartz veined, grey dolomite with moderate realgar within the veins. Veins have a yellowish alteration. One of four cobbles within a 1 m area.					
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079140	UTM:	E	UTM:	N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	Standard CDN-GS-1G					
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079141	UTM:	614458 E	UTM:	7107307 N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	At east end of gravelly kill zone/meadow. In grass all rocks poking out are grey weathering, somewhat clay altered, decalcified dolomite breccia often with realgar and limonite. This sample is a 35 x 20 x 10 cm block of grey-brown weathering, non-calcareous brecciated, clay(?) altered, grey dolomite with moderate rusty limonite and minor realgar. Fairly porous. Collected at head of kill zone.					

Rock Sample Descriptions			Project: <u>Midas Touch</u>	Property: <u>Crag East</u>		
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079142	UTM:	E	UTM:	N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Blank						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079143	UTM:	614454 E	UTM:	7107309 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 4 blocks (up to 45 x 30 x 15 cm) of locally weakly lomonitic, grey to locally rusty weathering, brecciated, decalcified, grey dolomite. Fairly porous and altered. All blocks are within 2 x 1 m of each other. Trace realgar.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079144	UTM:	614674 E	UTM:	7107148 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 5 small pieces of rusty limonite collected from float in broad gully. No source found. Taken within 1 x 2 m of each other.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079145	UTM:	614678 E	UTM:	7107160 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 1 cobble (12 x 10 x 8 cm) of weakly to moderately calcite veined grey dolomite with minor realgar in vugs adjacent to and within calcite vein. In broad gully, near massive calcite float.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079146	UTM:	614678 E	UTM:	7107160 N	Sample Width: 6m	Abundance:
	Elevation:	m				
Comments: Composite sample of pieces from 4 cobbles of variably calcite veined dolomite with trace to minor vuggy realgar, taken within 2 x 1 m area.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079147	UTM:	E	UTM:	N	Sample Width:	Abundance: plentiful
	Elevation:	m				
Comments: Standard CDN-GS-8B						

Rock Sample Descriptions			Project: <u>Midas Touch</u>		Property: <u>Crag East</u>	
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079148	UTM:	614708 E	UTM:	7107091 N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	1 block (20 x 20 x 10 cm) of grey-brown weathering, decalcified dolomite with moderate to strong realgar, locally darker grey and spongy. Realgar is pervasive in dolomite - crystalline.					
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079149	UTM:	614708 E	UTM:	7107091 N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	Grey-brown-yellow weathering, porous, decalcified dolomite talus. 2 small cobbles.					
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079150	UTM:	614771 E	UTM:	7106967 N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	1 cobble within gully that is brown weathering, silica-veined grey dolomite with pervasive yellow and orange stain. Trace realgar in silica.					
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079151	UTM:	614743 E	UTM:	7106985 N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	knubbly and grey to rusty weathering, spongy black, decalcified dolomite. 2 cobbles in float, 1 sampled. Just uphill of massive calcite blocks.					
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079152	UTM:	E	UTM:	N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	Blank					
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079153	UTM:	614339 E	UTM:	7107410 N	Sample Width:	Abundance:
	Elevation:	m				
Comments:	Similar to I079139 - those were the two highest grade of the four cobbles in the area.					

Rock Sample Descriptions			Project: <u>Midas Touch</u>		Property: <u>Crag East</u>	
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079154	UTM:	614455 E	UTM:	7107308 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 1 block (20 x 20 x 12 cm) of grey weathering, non-calcareous (decalcified) strongly altered dolomite with moderate realgar in vugs. Collected from same area as I079141						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079155	UTM:	614708 E	UTM:	7107091 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: black, spongy, decalcified dolomite with 1 bleb of realgar (weathering to orpiment). 1 cobble 8 x 6 x 3 cm.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079156	UTM:	614751 E	UTM:	7107005 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 13 piece composite sample from blocks of grey to green to rusty weathering, weakly silicified, decalcified dolomite with weak limonite or moderate to strong realgar. Some pieces have local darker spongy patches. Talus train is 3 m wide and 15 m long - trend 132 degrees.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Trench chip	Dimension:
K976822	UTM:	614752 E	UTM:	7107006 N	Sample Width: 1.55 m	Abundance: 0-1.55
	Elevation:	m				
Comments: Sampled NW wall. Shattered, grey dolostone with zebra texture. Weakly rusty stained on few fracture faces. Rusty alteration increases to southeast. Minor blebby and fracture-controlled realgar. No rep, too shattered.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Trench chip	Dimension:
K976823	UTM:	614752 E	UTM:	7107006 N	Sample Width: 1.1 m	Abundance: 1.55-2.65
	Elevation:	m				
Comments: Sampled floor. Light blue-grey, clay altered dolomite with moderate to strong blebby realgar throughout. Forms resistant hump within trench.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Trench chip	Dimension:
K976824	UTM:	614752 E	UTM:	7107006 N	Sample Width: 1.8 m	Abundance: 2.65-4.45
	Elevation:	m				
Comments: Sampled SE wall. Strongly broken, "recessive", grey to black decalcified dolostone with moderate to strong, blebby to massive realgar. Rare green stain.						

Rock Sample Descriptions			Project: <u>Midas Touch</u>		Property: <u>Crag East</u>	
Sample Number:	Grid East:	E	Grid North:	N	Type: Trench chip	Dimension:
K976825	UTM:	614752 E	UTM:	7107006 N	Sample Width: 2.75	Abundance: 4.45-7.2
	Elevation:	m				
Comments: Sampled SE wall. Sandy to shattered dolostone. No mienralization observed. No rep.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Trench chip	Dimension:
K976826	UTM:	614752 E	UTM:	7107006 N	Sample Width: 4.2	Abundance: 7.2-11.4
	Elevation:	m				
Comments: Sampled SE wall. Orange to light grey to dark grey, sandy to shattered dolostone. No rep.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Trench chip	Dimension:
K976827	UTM:	614752 E	UTM:	7107006 N	Sample Width: 3.4	Abundance: 11.4-14.8
	Elevation:	m				
Comments: Sampled SE wall. Strongly fractured to shattered, light grey dolostone, often with zebra texture. Minor black or orange alteration along 165/80 E orientation.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Trench chip	Dimension:
K976828	UTM:	614752 E	UTM:	7107006 N	Sample Width: 2.9	Abundance: 14.8-17.7
	Elevation:	m				
Comments: Sampled SE wall. Same as K976827, but with rare rusty alteration. No rep.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Trench chip	Dimension:
K976829	UTM:	614752 E	UTM:	7107006 N	Sample Width: 4.1	Abundance: 17.7-21.8
	Elevation:	m				
Comments: Sampled SE wall and floor. Weakly to non-fractured, grey to black zebra textured dolostone.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Trench chip	Dimension:
K976830	UTM:	614736 E	UTM:	7106986 N	Sample Width: 3.7	Abundance: 21.8-25.5
	Elevation:	m				
Comments: Sampled SE wall. Same as K976829, but with rare 2 cm wide calcite veins. Fracture orientation is same as in K976827. No rep.						

Rock Sample DescriptionsProject: Midas TouchProperty: Crag East

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079187	UTM:	618694 E	UTM:	7106745 N	Sample Width:	Abundance:
	Elevation:	m				

Comments: 1 block (20 x 15 x 6 cm) of knubbly brown weathering, light bluish gray, decalcified limestone or dolostone with moderate realgar and minor greenish coloration. In thickly vegetated area. Three other weakly realgar-bearing cobbles found nearby.

APPENDIX V
QA/QC RESULTS

During the field season, core samples were divided into batches, each containing 31 core samples, 2 blanks, 2 standards and 1 duplicate. A total of 33 blanks, 34 standards and 17 duplicates were inserted into the sample sequences. Blank samples each comprise 7 kg of landscaping marble obtained from a garden centre in Whitehorse. Samples of this material were randomly selected and analyzed prior to the field season in order to use as a “blank”. QA/QC Results are summarized in Appendix V.

Five standards were chosen from CDN Resource Laboratories Ltd. prepared from matrix compatible material. Certificates for each of the standard samples are found below.

Gold values from all blank samples were within acceptable range (≤ 0.05 g/t). All but three of the standard sample gold values are within acceptable range. Gold values from two of the sample batches (10 and 17) that included failed standards were reanalyzed by the laboratory to ensure results were accurate. Results from the reanalysis returned acceptable gold values from standards. Reanalyzed gold values from drill core were consistent with the original values. Reanalysis for failed lead, zinc or silver standards were not done as gold was the targeted commodity.

A total of 17 duplicate samples, prepared from quarter core, were collected and analyzed throughout the program. Little to no variation between the initial and duplicate samples occurred.

BLANK SAMPLES

SAMPLE	TYPE	BATCH	<u>Au Original</u>	<u>Au ReRun</u>
I358950	Blank	1	<0.01	
I358954	Blank	1	<0.01	
I358978	Blank	2	<0.01	
I358984	Blank	2	<0.01	
I359026	Blank	3	<0.01	
I359036	Blank	3	<0.01	
I359038	Blank	4	<0.01	
I359043	Blank	4	<0.01	
I359076	Blank	5	<0.01	
I359099	Blank	5	<0.01	
I359141	Blank	6	<0.01	
I359144	Blank	6	<0.01	
I359148	Blank	7	<0.01	
I359162	Blank	7	<0.01	
L829506	Blank	8	<0.01	
L829513	Blank	8	<0.01	
L829545	Blank	9	<0.01	

SAMPLE	TYPE	BATCH	<u>Au Original</u>	<u>Au ReRun</u>
L829551	Blank	9	<0.01	
L829576	Blank	10	<0.01	0.01
L829583	Blank	10	0.01	<0.01
L829613	Blank	11	<0.01	
L829617	Blank	11	<0.01	
L829641	Blank	12	<0.01	
L829658	Blank	12	<0.01	
L829663	Blank	13	<0.01	
L829689	Blank	13	<0.01	
L829716	Blank	14	0.01	
L829727	Blank	14	0.01	
L829742	Blank	15	<0.01	
L829763	Blank	15	<0.01	
L829796	Blank	16	<0.01	
L829801	Blank	16	<0.01	
L829816	Blank	17	<0.01	<0.01

STANDARD SAMPLES

ME-16

SAMPLE	TYPE	BATCH	<u>Au Original</u>	<u>Au ReRun</u>	<u>Ag-1st</u>	<u>Ag-2nd</u>	<u>Pb-1st</u>	<u>Pb-2n</u>	<u>Zn-1st</u>	<u>Zn-2nd</u>
I358973	C-1	2	1.48		32.4		8710		8290	
I359057	C-1	4	1.47		31.1		8320		7770	
L829608	C-1	11	1.39		29		8170		7440	
L829669	C-1	13	1.3		31.5		8250		7870	
L829710	C-1	14	1.39		31.2		8140		7630	
L829822	C-1	17	1.15	1.47	31.8		8440		7840	

ME-6

SAMPLE	TYPE	BATCH	<u>Au Original</u>	<u>Au ReRun</u>	<u>Ag-1st</u>	<u>Ag-2nd</u>	<u>Pb-1st</u>	<u>Pb-2n</u>	<u>Zn-1st</u>	<u>Zn-2nd</u>
L829737	C-2	15	0.3		98.6		9760		5020	
L829790	C-2	16	0.29		98		9330		4890	

GS-1G

SAMPLE	TYPE	BATCH	<u>Au Original</u>	<u>Au ReRun</u>
I359088	C-3	5	1.12	
I359123	C-3	6	1.17	
I359189	C-3	8	1.16	
L829547	C-3	9	1.08	
L829556	C-3	10	0.6	1.14
L829622	C-3	11	1.18	
L829644	C-3	12	1.17	
L829677	C-3	13	1.14	
L829729	C-3	14	1.09	
L829789	C-3	16	1.13	
L829817	C-3	17	1.21	1.17

GS-4D

SAMPLE	TYPE	BATCH	<u>Au Original</u>	<u>Au ReRun</u>
I358935	C-4	1	3.9	
I359021	C-4	3	3.89	
I359047	C-4	4	3.87	
I359157	C-4	7	3.53	3.87
I359199	C-4	8	3.81	
L829572	C-4	10	3.67	
L829627	C-4	12	3.66	

GS-8B

SAMPLE	TYPE	BATCH	Au Original	Au ReRun
I358962	C-5	1	7.52	
I358993	C-5	2	7.85	
I359007	C-5	3	7.87	
I359105	C-5	5	7.76	
I359130	C-5	6	7.78	
I359174	C-5	7	7.51	
L829524	C-5	9	7.63	
L829754	C-5	15	7.91	

DUPLICATE SAMPLES

Hole	From	To	Interval	Sample	Batch	Au Original	Au Duplicate	Au Diference
CE11-01	24.38	27.43	3.05	I358938	1	<0.01	<0.01	0
CE11-01	126.49	129.54	3.05	I358986	2	<0.01	0.01	0.01
CE11-02	16.76	19.81	3.05	I359012	3	<0.01	<0.01	0
CE11-02	129.54	132.59	3.05	I359061	4	<0.01	<0.01	0
CE11-02	172.21	175.26	3.05	I359077	5	<0.01	<0.01	0
CE11-03	53.34	56.39	3.05	I359114	6	<0.01	<0.01	0
CE11-03	166.02	169.19	3.17	I359165	7	<0.01	<0.01	0
CE11-03	228.60	231.65	3.05	I359192	8	<0.01	<0.01	0
CE11-04	76.20	79.25	3.05	L829542	9	<0.01	<0.01	0
CE11-04	156.00	158.00	2.00	L829579	10	<0.01	<0.01	0
CE11-04	182.88	185.93	3.05	L829591	11	<0.01	<0.01	0
CE11-04	293.73	294.32	0.59	L829639	12	<0.01	0.01	0
CE11-05	59.44	62.48	3.04	L829681	13	<0.01	<0.01	0
CE11-05	124.97	128.02	3.05	L829706	14	<0.01	<0.01	0
CE11-06	33.53	35.05	1.52	L829759	15	<0.01	<0.01	0
CE11-06	71.63	74.68	3.05	L829778	16	<0.01	<0.01	0
CE11-06	187.45	188.98	1.53	L829828	17	<0.01	<0.01	0

RE-RUNS

Batch 10

Sample	Au Original	Au Re-Run
L829554	<0.01	<0.01
L829555	<0.01	<0.01
L829556	0.6	1.14
L829557	0.01	<0.01
L829558	<0.01	0.01
L829559	<0.01	<0.01
L829560	<0.01	<0.01
L829561	<0.01	<0.01
L829562	<0.01	<0.01
L829563	0.02	<0.01
L829564	<0.01	<0.01
L829565	<0.01	<0.01
L829566	<0.01	<0.01
L829567	<0.01	<0.01
L829568	<0.01	<0.01
L829569	<0.01	<0.01
L829570	<0.01	<0.01
L829571	<0.01	<0.01
L829572	3.67	3.87
L829573	<0.01	<0.01
L829574	<0.01	<0.01
L829575	<0.01	<0.01
L829576	<0.01	0.01
L829577	<0.01	<0.01
L829578	<0.01	<0.01
L829579	<0.01	<0.01
L829580	<0.01	<0.01
L829581	<0.01	<0.01
L829582	<0.01	<0.01
L829583	0.01	<0.01
L829584	<0.01	<0.01
L829585	<0.01	<0.01
L829586	<0.01	<0.01
L829587	<0.01	0.01
L829588	<0.01	<0.01
L829589	0.01	<0.01

Batch 17

Sample	Au Original	Au Re-Run
L829806	<0.01	0.01
L829807	<0.01	<0.01
L829808	<0.01	<0.01
L829809	<0.01	<0.01
L829810	<0.01	<0.01
L829811	<0.01	0.01
L829812	<0.01	<0.01
L829813	<0.01	<0.01
L829814	0.01	<0.01
L829815	<0.01	<0.01
L829816	<0.01	<0.01
L829817	1.21	1.17
L829818	<0.01	<0.01
L829819	<0.01	<0.01
L829820	<0.01	<0.01
L829821	<0.01	<0.01
L829822	1.15	1.47
L829823	0.01	<0.01
L829824	<0.01	<0.01
L829825	<0.01	<0.01
L829826	<0.01	<0.01
L829827	<0.01	<0.01
L829828	<0.01	<0.01
L829865	<0.01	<0.01

APPENDIX VI
GEOLOGICAL AND GEOTECHNICAL LOGS

CRAG EAST PROPERTY - MIDAS TOUCH PROJECT

ZONE: CRAG EAST

SECTION: _____

Grid East	Grid North	Easting	Northing	Elev. (m)	Depth (m)
		614791	7107039	1442	182.57

HOLE: CE 11-01

CLAIM: CRAG EAST

Contractor: Beaudoin

Drill: 1

Core size: NTW

Casing depth: 15 m in/out

Drilling dates: August 6th to August 8th

TARGET: Gold

Geology logged by: Andrew Mitchell

SURVEY							
Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
182.57	60	-50	Acid Test				
			Failed				

SUMMARY				
From (m)	To (m)	Interval	Unit	Comments
3.05	86.97	83.92	DST	Rg (~ 1 mm) within Ca veinlets/blebs. Collapse BX
86.97	97.15	10.18	LST	Banded (Decarb?) LST
97.15	118.48	21.33	DST	BX DST
118.48	124.07	5.59	LST	Banded (Decarb?) LST
124.07	156.60	32.53	DST	Rg within Ca veinlets
156.60	169.83	13.23	LST	Banded (Decarb?) LST
169.83	171.05	1.22	DST	Weakly crackle BX LST
171.05	173.98	2.93	LST	Banded (Decarb?) LST
173.98	182.35	8.37	DST	Crackle brecciated DST
182.35	182.57	0.22	LST	Banded (Decarb?) LST

SAMPLES
Numbers: I358930 to I359007
Total: <u>2 batches plus 6 samples on batch 3</u>
Batch: <u>1,2 and part of 3</u>
Date Sent: _____
Certificate: _____

COMMENTS
Hole ended due to lack of mineralization and potential for drill becoming stuck.

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
G	0	3.05	OVB										
G	3.05	86.97	DST	MG	MD LT	GY GY	BX BD	OX	1	Rg	1	Medium to fine grained, medium to light grey locally brecciated/zebra banded dolostone. Brecciation comprises Ca veinlets in the form of a crackle breccia which is found locally. Tectonic breccia's present filled with Ca, ASO, and (RG?). ASO found along fracture faces. RG found within Ca veinlets as FG to MG euhedral x-stals. Also found disseminated through and along fracture faces. Zebra textures tend to be light orange in color but may be composed of white calcite. Orange zebra textures may be weathring Rg? or some other oxidation weathering product. minor local sections of Brittle/minor ARG with carbonaceous material along fracture faces. Black stylolites found locally throughout. Locally bedded DST usually found in thin intervals.	
D	18.31	18.34		MG	MD LT	GY GY				Rg	0.01	Rg found as euhedral MG to CG xstals hosted within Ca veinlets within DST unit.	
D	28.47	28.87		MG	MD	GY						Brecciated/rubbly DST. Bx Comprises ~1mm wealy calcareous white and light/med orange veinlets.	
D	30.1	31.1		MG								Ca vein 30 degrees TCA	
D	31.1	34.71		MG	MD	GY	zBN	ASO Ox				Tectonically brecciated DST. More highly brecciated in middle of interval and less near beginning and end. Tectonic breccia comprises angular dolostone clasts (~1-2mm) infilled with a wealy to moderately calcareous fine grained to medium grained light orange/olive green matrix. Matrix is sandy/silty with local sections dark red in color (Rg weathering?) Rg is found within vugs which are located in less brecciated zones. Crackle breccia comprises Rg and black dissolution seams. Rg also found as patches (MG to FG) and within vugs. ASO found mostly along fracture faces but also within crackle brecciated matrix.	
D	39.85	41.03		MG	MD LT	GY GY	BN	Ox ASO	1 1			Intermittent zebra banding and solution breccia. Banding and breccia light orange/beige in color. Local fracture surfaces consist of light orange sandy/clay. Fracture faces may contain red (near vitreous) clasts/xstals (Rg?) Local section of rubbly/sand altered DST with oragne snady/clay.	
D	43.24	47.6		MG	MD LT	GY GY	sBX zBN					Intermittent zebra banding and solution breccia. Banding and breccia are light orange/beige in color (Op + Rg?). Local fracture surfaces consist of light orange sand/clay. Fracture faces may also contain red (near vitreous) clasts/xstals (Rg?). Local section of rubbly/sand altered DST with orange sand/clay	
D	48.1	57.14		MG	MD LT	GY GY	cBX colBX	ARG	2	Rg	1	Intermittent tectonic breccia and Ca/Dol banding/cBX DST. Tectonic breccia's are more competant with angular dolostone clasts and calcite/dolomite clasts. Clast sizes range from 3cm to 1mm with some tabular in shape. Rg is found locally within calcite/dolomite clasts and between (within the matrix). Also intermittent sections of Ca/Dolomite banding (!1-2 cm) found in light grey dolostone (Trace Rg within this section). Black stylolites also pervasive throughout this unit. Dark grey/black sooty zones (Decarbonatized?) with Rg within found as FG to MG euhedral to subhedral xstals. Zones exhibit local spongy like textures. Other units found intermittently illustrate banding ~ 1mm consisting of black material and massive DST beds with no grading.	
					DK	GY	Bx	Decarb	4	Rg	1	Collapse brecciated/argillized/decarbonatized DST. Tabular dark grey clasts (soft and decarbonatized). Relict bedding? Randomly oriented. Relict dolostone clasts found within breccia. Ca/Dolomite clasts are angular and present in minor amount and distributed randomly. Vuggy textures (spongy) found locally. Rg is found between clasts (late?) as stringers and blebs. Py found in blebs and within relict decarbonatized dark grey bands and tabular clasts pervasively throughout.	

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
D	57.14	63.04		MG-FG	MD	GY				Py	0.01		
D	63.04	76.23		MG	MD	GY	sBX	ASO	1	Rg	0.01	Solution brecciated DST. Solution breccia consists of Ca and dolomite matrix with minor Rg. ASO found along fracture faces. Pervasive black carbonaceous stylolites which may host Rg as FG xstals. Rg appears to be restricted to black stylolites or solution breccias.	
D	78.49	78.94		MG	DK	GY						Dissolution textures (stylolites) pervasive throughout the unit. Carbonaceous material found along fracture faces and within stylolites.	
					MD	GY							
D	81.17	83.01	LST	FG	MD	GY	BN			Py	0.01	Weakly calcareous silty LST. Thinly banded with signs of sediment deformation (micro folds). Alternating bands of medium grey LST and (Decarb?Silt? thinly bedded). Minor Py found as blebs and within styloites (black) and along banded planes. Few interbedded DST units and Ca veinlets found locally. White/grey clay residue along fracture faces.	
G	86.97	97.15	LST	FG	MD	GY	BD			Py	0.01	Interbedded MG/FG LST and silty LST (Thin (<1cm). Silty LST is darker in color and tends to be more banded and thinly bedded. Some beds show signed of deformation (folding). Calcite veining and stylolites (clack) found pervasively throughout the unit. Trace Py found within silty LST (very fine grained). Carbonaceous material (black sooty) found along many fracture faces. Other fracture faces may exhibit light grey clay alteration	
					DK	GY							
G	97.15	118.48	DST	MG	MD	GY						Intermittent banded/brecciated DST. Bands are defined by beds? And styloties. Calcite veinlets pervasive throughout and may or may not follow banding. Crackle breccia and solution breccia found locally and comprises dolostone clasts and Ca/dolomite matrix.	
D	114.32	115.55		MG	DK	GY		ARG	2	Py	0.01	Dark grey, decarbonatized and weakly argillized DST. Relict DST clasts with a black sooty matrix. (Collapse breccia?) Trace FG Py found disseminated throughout black sooty/carbonaceous altered DST.	
G	118.48	124.07	LST	MG	MD	GY	BN					Interbedded MG/FG LST and silty LST. Silty LST tends to be more banded and darker in color. Stylolites found locally throughout. Calcite veining present which may or may not follow bedding. Non-banded sections have pitted surface. Fracture faces may be argillized/sooty. Near bottom contact (123.81-124.07) decarbonatized LST with relict bedding with zones of intense argillization (FLT?)	
					LT	GY							
G	124.07	156.6	DST	MG	MD	GY	BN			Rg	0.01	Intermittent banded/solution/crackle brecciated and tectonic brecciated DST. Tectonic brecciated DST tends to be more fine grained and dark grey (minor decarb?). Trace Rg found as FG xstals associated with ~ 1 mm randomly oriented Ca veinlets within this unit. Fine grained Py associated with sooty regions Some exhibit pitted textures with Rg found in blebs and within void spaces. Banded/solution brecciated/cracle brecciated zones tend to be found within medium grey, medium grained sections. Matrix tends to be weakly dolomitized (hydrothermal dolomite?) with sparry textures. No Rg found in these sections (147.7 last appearance of Rg).	
					LT	GY				Py	0.01		
G	156.6	169.83	LST	MG	MD	GY	BX			Py	Tr	Intermittent MG/FG and Silty LST found as bands (bedded?). Calcite veining pervasive throughout and may or may not follow banding. Dark grey/black stylolites found locally. Some fracture faces carbonaceous/grey clayey. Trace Py within silty LST. Exhibits soft sed deformation.	
							BN						
G	169.83	171.05	DST	MG	MD	GY	BX					Weakly crackle brecciated DST. Ca veinlets pervasive throughout.	

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
G	171.05	173.98	LST	MG								Intermittent MG LST and Silty LST. Black stylolites pervasive throughout with some black clay altred bands ~ 1-2cm	
G	173.98	182.35	DST	MG	MD	GY	BX					Weakly crackle brecciated DST. Ca veinlets pervasive throughout. Grey clay altred fracture faces dominate fracture faces. Dark black stylolites randomly oriented.	
G	182.35	182.57	LST	MG	MD DK	GY GY	BN					Intermittent MG LST and silty LST beds. Black stylolites pervasive throughout with some black arg altred bands ~ 1-2cm. Ca veining pervasive throughout	
	EOH												

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Comments
3.05	6.10	3.05	1.11	36	I358930	1	<0.01	204	0.44	6.12	
6.10	9.14	3.04	2.24	74	I358931	1	<0.01	334	0.79	6.58	
9.14	12.19	3.05	2.85	93	I358932	1	<0.01	1040	1.80	5.34	
12.19	15.24	3.05	2.87	94	I358933	1	<0.01	191	0.90	5.20	
15.24	18.29	3.05	2.74	90	I358934	1	<0.01	157	1.33	3.63	
					I358935	1	3.90	779	5.59	5.40	CDN-GS-4D
18.29	21.34	3.05	2.89	95	I358936	1	<0.01	1260	1.11	43.50	
21.34	24.38	3.04	2.96	97	I358937	1	<0.01	333	0.97	6.13	
24.38	27.43	3.05	2.95	97	I358938	1	<0.01	315	3.51	6.81	
					I358939	1	<0.01	1200	3.08	9.90	DUPLICATE
27.43	29.00	1.57	1.57	100	I358940	1	<0.01	2420	5.86	8.82	
29.00	31.10	2.10	2.08	99	I358941	1	0.01	4380	12.60	17.00	
31.10	34.00	2.90	2.74	94	I358942	1	<0.01	2880	8.05	16.20	
34.00	36.58	2.58	2.42	94	I358943	1	<0.01	11200	9.11	66.10	
36.58	39.62	3.04	3.04	100	I358944	1	<0.01	9220	9.42	64.00	
39.62	42.67	3.05	2.76	90	I358945	1	<0.01	444	15.45	19.80	
42.67	45.72	3.05	2.77	91	I358946	1	<0.01	2660	1.84	5.06	
45.72	48.10	2.38	2.32	97	I358947	1	<0.01	1900	4.38	4.23	
48.10	50.00	1.90	1.79	94	I358948	1	<0.01	17350	80.60	88.60	
50.00	51.82	1.82	1.77	97	I358949	1	<0.01	12950	76.20	68.50	
					I358950	1	<0.01	80	0.28	0.25	BLANK
51.82	54.86	3.04	2.89	95	I358951	1	<0.01	6630	34.60	32.60	
54.86	57.14	2.28	2.28	100	I358952	1	<0.01	8930	67.60	67.30	
57.14	59.38	2.24	2.20	98	I358953	1	<0.01	15750	74.80	499.00	
					I358954	1	<0.01	91	0.29	1.14	BLANK
59.38	61.50	2.12	2.06	97	I358955	1	<0.01	25300	92.70	638.00	
61.50	63.04	1.54	1.53	99	I358956	1	<0.01	8970	108.50	139.00	
63.05	65.00	1.95	1.91	98	I358957	1	<0.01	2360	8.14	8.47	
65.00	67.06	2.06	2.00	97	I358958	1	<0.01	460	4.71	5.46	
67.06	70.10	3.04	3.02	99	I358959	1	<0.01	280	2.44	2.27	
70.10	73.15	3.05	2.81	92	I358960	1	<0.01	509	3.18	2.92	
73.15	76.20	3.05	2.82	92	I358961	1	<0.01	128	1.49	2.24	
					I358962	1	7.52	969	13.00	5.84	CDN-GS-8B
76.20	79.25	3.05	2.79	91	I358963	1	<0.01	128	3.33	3.08	
79.25	82.30	3.05	2.83	93	I358964	1	<0.01	57	1.20	1.12	
82.30	85.34	3.04	2.87	94	I358965	1	<0.01	56	1.07	1.40	
85.34	88.39	3.05	2.63	86	I358966	2	<0.01	30	0.43	0.54	
88.39	91.44	3.05	2.81	92	I358967	2	<0.01	51	1.45	0.88	
91.44	94.49	3.05	2.77	91	I358968	2	<0.01	55	1.36	1.16	
94.49	97.54	3.05	2.97	97	I358969	2	<0.01	47	0.94	1.31	

97.54	100.58	3.04	2.78	91	I358970	2	<0.01	81	0.52	1.08	

Hole: CE 11-01

Name: Crag East

Page 6 of 12

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Comments
100.58	103.63	3.05	2.82	92	I358971	2	<0.01	35	0.16	0.33	
103.63	106.68	3.05	2.91	95	I358972	2	<0.01	28	0.09	0.22	
					I358973	2	1.48	123	2.37	0.07	CDN-ME-16
106.68	109.73	3.05	2.84	93	I358974	2	<0.01	45	0.20	0.40	
109.73	112.78	3.05	2.72	89	I358975	2	0.03	50	0.34	0.61	
112.78	114.32	1.54	2.79	181	I358976	2	<0.01	21	0.22	0.31	
114.32	115.55	1.23	1.39	113	I358977	2	<0.01	91	2.65	1.58	
					I358978	2	<0.01	<5	0.02	<0.01	BLANK
115.55	117.35	1.80	1.78	99	I358979	2	0.01	25	0.67	0.52	
117.35	120.40	3.05	2.11	69	I358980	2	<0.01	31	0.67	0.66	
120.40	122.00	1.60	1.89	118	I358981	2	<0.01	30	0.72	0.59	
122.00	123.44	1.44	1.10	76	I358982	2	<0.01	216	1.92	3.12	
123.44	124.07	0.63	0.99	157	I358983	2	<0.01	851	1.71	4.58	
					I358984	2	<0.01	<5	0.02	0.01	BLANK
124.07	126.49	2.42	1.86	77	I358985	2	<0.01	1760	0.19	6.24	
126.49	129.54	3.05	3.00	98	I358986	2	<0.01	73	0.07	0.26	
					I358987	2	0.01	55	0.06	0.23	DUPLICATE
129.54	132.59	3.05	2.97	97	I358988	2	<0.01	691	0.16	2.29	
132.59	135.64	3.05	3.05	100	I358989	2	<0.01	214	0.26	0.85	
135.64	138.68	3.04	3.01	99	I358990	2	<0.01	161	0.10	3.72	
138.68	141.73	3.05	3.00	98	I358991	2	<0.01	89	0.12	5.17	
141.73	144.78	3.05	3.04	100	I358992	2	<0.01	47	0.18	5.67	
					I358993	2	7.85	970	11.95	5.71	CDN-GS-8B
144.78	147.83	3.05	2.93	96	I358994	2	<0.01	59	0.19	16.70	
147.83	150.88	3.05	3.01	99	I358995	2	<0.01	71	0.17	30.30	
150.88	153.92	3.04	2.99	98	I358996	2	<0.01	32	0.06	0.34	
153.92	156.97	3.05	2.88	94	I358997	2	<0.01	105	0.41	1.40	
156.97	160.02	3.05	2.63	86	I358998	2	<0.01	39	0.71	1.05	
160.02	163.07	3.05	2.84	93	I358999	2	0.01	19	0.30	0.37	
163.07	166.12	3.05	2.94	96	I359000	2	<0.01	12	0.12	0.27	
166.12	169.17	3.05	2.98	98	I359001	2	0.01	23	0.09	0.30	
169.17	172.21	3.04	2.87	94	I359002	3	<0.01	13	0.17	0.28	
172.21	175.26	3.05	2.98	98	I359003	3	<0.01	47	0.39	0.79	
175.26	178.31	3.05	2.86	94	I359004	3	<0.01	83	0.31	0.66	
178.31	181.36	3.05	2.97	97	I359005	3	<0.01	85	0.26	0.57	
181.36	182.57	1.21	1.11	92	I359006	3	0.01	56	0.34	0.74	
					I359007		7.87	1020	12.65	5.98	CDN-GS-8B

SAMPLE LOG

From (m)	To (m)	Interval (m)	Recovery (m)	Recover (%)	RQD (m)	RQD (%)	HCI	Reactivity	Weathering	Hardness	DESCRIPTION
3.05	6.10	3.05	1.11	36	0.32	10			FR	MS	
6.10	7.62	1.52	1.00	66	0.53	35			FR	S	
7.62	9.14	1.52	1.24	82	0.69	45			FR	MS	
9.14	10.67	1.53	1.47	96	0.99	65			FR	MS	
10.67	12.19	1.52	1.38	91	1.12	74			FR	MS	
12.19	15.24	3.05	2.87	94	2.27	74			FR	MS	
15.24	18.29	3.05	2.74	90	2.46	81			FR	MS	
18.29	21.34	3.05	2.89	95	2.36	77			FR	MS	
21.34	24.38	3.04	2.96	97	2.56	84			FR	MS	
24.38	27.43	3.05	2.95	97	2.68	88			FR	MS	
27.43	30.48	3.05	2.65	87	1.82	60			FR	MS	
30.48	33.53	3.05	2.71	89	2.14	70			MW	MS	
33.53	36.58	3.05	2.66	87	2.21	72			MW	MS	
36.58	39.62	3.04	2.89	95	2.34	77			MW	MS	
39.62	42.67	3.05	2.76	90	2.22	73			SW	MS	
42.67	45.72	3.05	2.77	91	2.15	70			MW	MS	
45.72	48.77	3.05	2.60	85	1.76	58			MW	MS	
48.77	51.82	3.05	2.93	96	2.55	84			MW	MS	
51.82	54.86	3.04	2.89	95	2.39	79			MW	MS	
54.86	57.91	3.05	2.91	95	2.47	81			MW	MS	
57.91	60.96	3.05	3.00	98	2.85	93			MW	S	
60.96	64.01	3.05	2.98	98	2.79	91			MW	S	
64.01	67.06	3.05	2.90	95	2.44	80			MW	MS	
67.06	70.10	3.04	3.02	99	2.36	78			FR	MS	
70.10	73.15	3.05	2.81	92	2.48	81			FR	MS	
73.15	76.20	3.05	2.82	92	2.46	81			FR	MS	
76.20	79.25	3.05	2.79	91	2.25	74			FR	MS	
79.25	82.30	3.04	2.83	93	2.16	71			FR	MS	
82.30	85.34	3.04	2.87	94	2.16	71			FR	MS	
85.34	88.39	3.05	2.63	86	1.95	64			FR	MS	
88.39	91.44	3.05	2.81	92	2.08	68			FR	MS	
91.44	94.49	3.05	2.77	91	2.27	74			FR	MS	
94.49	97.54	3.05	2.97	97	1.85	61			FR	MS	
97.54	100.58	3.04	2.78	91	2.24	74			FR	MS	
100.58	103.63	3.05	2.82	92	2.43	80			FR	MS	
103.63	106.68	3.05	2.91	95	2.50	82			FR	MS	
106.68	109.73	3.05	2.84	93	2.62	86			FR	MS	
109.73	112.78	3.05	2.72	89	2.12	70			FR	MS	
112.78	115.82	3.05	2.79	91	2.17	71			MW	MS	
115.82	117.35	1.53	1.42	93	1.19	78			FR	MS	
117.35	120.40	3.05	2.11	69	0.66	22			FR	MS	
120.40	123.44	3.04	3.03	100	2.80	92			FR	MS	
123.44	126.49	3.05	2.82	92	1.88	62			MW	S	
126.49	129.54	3.05	3.00	98	2.77	91			FR	MS	
129.54	132.59	3.05	2.97	97	2.74	90			FR	MS	
132.59	135.64	3.05	3.05	100	2.65	87			FR	MS	

135.64	138.68	3.04	3.01	99	2.57	85	FR	MS
138.68	141.73	3.05	3.00	98	2.87	94	FR	MS
141.73	144.78	3.05	3.04	100	3.04	100	FR	MS
144.78	147.83	3.05	2.93	96	2.29	75	FR	MS
147.83	150.88	3.05	3.01	99	2.66	87	FR	MS
150.88	153.92	3.04	2.99	98	2.18	72	FR	MS
153.92	156.97	3.05	2.88	94	2.35	77	FR	MS
156.97	160.02	3.05	2.63	86	2.03	67	FR	MS
160.02	163.07	3.05	2.84	93	2.34	77	FR	S
163.07	166.12	3.05	2.94	96	2.33	76	FR	S
166.12	169.17	3.04	2.98	98	2.59	85	FR	MS
169.17	172.21	3.05	2.87	94	2.34	77	FR	MS
172.21	175.26	3.05	2.98	98	2.98	98	FR	S
175.26	178.31	3.05	2.86	94	1.83	60	FR	MS
178.31	181.36	3.05	2.97	97	2.58	85	FR	MS
181.36	182.57	1.21	1.11	92	0.51	42	FR	MS
EOH								

Page: 9 of 12

[illegible]

BOX LOG

CONTACT LOG

Depth (m)	DESCRIPTION
49.83	Decarbonatized DST and Brecciated DST 60 degrees TCA
50.74	Brecciated DST and decarbonatized DST 80 degrees TCA
86.97	DST and LST 50 degrees TCA, Grades over approx 5 cm
97.15	LST and DST graded over ~ 10 cm @ 60 degrees TCA
118.48	DST and LST 45 degrees TCA (Sharp Contact)
124.07	LST and DST. Argillized LST into DST with Rg approx 2 cm from contact. 55 degrees TCA
156.6	DST and LST. Sharp contact along stylolite. 55 degrees TCA

Hole:CE 11-01

Name: Crag East

Page: 11 of 12

2° Structure Type	From (m)	To (m)	Attitude (TCA)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
BN	9.2	9.35	40		10/15cm			Zebra banding (Moderately calcareous) and white. 40 degrees Rg found within one of the bands as Fg xstals	
BD	11.47	11.64	40					DST beds	
BD	15.68	15.77	45					DST beds	
BN	17.17	17.5	45		7/33cm			Zebra banding (white calcareous)	
VT	25.2	25.23	50.00					Ca veinlet with Rg MG euهدral xtal within	
VT	25.42	25.44	50					Ca veinlet ~1cm	
VT	27.78		45					Ca veinlet ~1cm	
VN	30.07	31.08	30					Ca vein	
BN	39.92	40.03	30					Zebra banding, white to beige in color and wealy to moderately calcareous	
BN	45.8	45.01	80					Zebra banding comprising light orange coloration and weakly to moderately calcareous	
BD	58.7		70					Decarbonatized DST beds (may have changed angle due to collapse BX	
VT	66.6		70					Dolomite veinlet ~ 7cm	
VT	72.68		40					Dolomite veinlet ~ 2cm	
BD	81.17	83	50					MG LST beds/Silty LST beds	
BD	88.55	92.15	40-50					MG LST beds/Silty LST beds	
BN	96.20	96.33	60					DST bedding? Alternating dark greg/edium grey bands	
BN	98.73	98.75	80					Dark grey bands with Ca intermittent. Leaves black soot on fingers	

Hole:CE 11-01

Name: Crag East

Page: 12 of 12

2° Structure Type	From (m)	To (m)	Attitude (TCA)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
BD	117.90	118.10	Feb-00					LST/Silty LST bedding	
CN	131.87		50					DST against Decarbonatized/Rg Section	
CN	135.02		55					DST against Decarbonatized/Rg section	
VT	140.05		35					Ca veinlet with fine grained Rg	
BD	144.92	144.97	50					DST beds	
VT	149.96	150.09	60					Ca veinlet x-cutting DST	
VT	151.56		40					Weakly dolomitized veinlet	
VT	152.76		45					Weakly dolomitized veinlet	
BD	157.39	157.55	55					Silty LST beds	
BD	158.28		45					Silty LST beds	
BD	166.78		50					LST beds	
BD	168.47		55					LST beds	
BD	172.97		50					LST beds/stylolites	
FX	182.50		Feb-00					Dark black carbonaceous fracture faces ~ 2cm	

ZONE: CRAG EAST

Grid East	Grid North	Easting	Northing	Elev. (m)	Depth (m)
		614673	7107010	1381	220.98

SECTION: _____

HOLE: CE 11-02

CLAIM: _____

Contractor: Beaudoin

Drill: 1

Core size: NTW

Casing depth: _____ in/out

Drilling dates: August 9th to 12th

Geology logged by: Andrew Mitchell

SURVEY

Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
700	242.95	-52.1	Ranger	400	240.65	-52.6	Ranger
650	242.65	-52.4	Ranger	300	239.95	-52.4	Ranger
600	241.95	-52.7	Ranger	200	238.55	-51.9	Ranger
500	241.25	-52.7	Ranger	100	240.25	-51.3	Ranger

TARGET: _____

SUMMARY

From (m)	To (m)	Interval	Unit	Comments
0.00	39.50	39.50	DST	Intermittent Soln and crackle brecciated DST
39.50	46.02	6.52	LST	Bedded MG LST and silty LST
46.02	47.75	1.73	DST	Crackle brecciated DST with few black sooty FX
47.75	50.34	2.59	LST	Rubbly to competent LST with few purple stylolites
50.34	54.10	3.76	DST	Sandy/clayey orangy/beige altered Soln Bx DST
54.10	86.80	32.70	DST	Soln BX DST exhibiting orange/beige dusted matrix
86.80	106.37	19.57	LST	Intermittent bedded and collapse Bx (sooty LST)
106.37	122.42	16.05	DST	cBX and soln BX with trace Rg within Ca veinlets
122.42	134.43	12.01	LST	Bedded LST with Py within silty LST and Tr Rg
134.43	171.93	37.50	DST	Weakly Bx and locally bedded DST with Tr Rg
171.93	196.26	24.33	LST	Bedded LST with Tr Py within silty LST beds
196.26	201.19	4.93	DST	Locally bedded DST with Ca veining
201.19	220.98	19.79	LST	Bedded LST with Tr Py within silty LST beds

SAMPLES

Numbers: I359008 to I359094

Total: _____

Batch: Part of 3, all of 4 and part of 5

Date Sent: _____

Certificate: _____

COMMENTS

Ended hole due to lack of mineralization

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
G	0.00	39.50	DST	MG	MD	GY	BX	OX	1	Rg	0.01	Medium grained, medium grey, intermittent solution breccia, crackle breccia and bedded DST. Dark black stylolites pervasive throughout. Top of interval is moderately weathered (rubbly/sandy) with moderate oxidation on surface and along fracture faces. Local tectonic breccias with light orange alteration in matrix (Rg + Op?) ASO alteration found locally and tends to be found in weakly calcareous dolomite veins/blebs. Rg found as Fg to Mg euhedral to subhedral xstals and associated with Ca veinlets and blebs or along fracture faces which may be calcareous and sooty. Foliation found locally comprising dark grey bands (Stylolites/Beds?)	
D	13.90	15.48		MG	MD	GY	BX	ASO	2	Rg?	1	Crackle brecciated/solution brecciated DST. Matrix comprises dolomite (locally weakly calcareous) with light orange and olive green (ASO) rimming dusting dolomite blebs/breccia. Dark purple stylolites found within breccia textures	
D	18.91	19.69		MG	MD	GY	BX	OX	2	Op?	1		
D					MD	GY	BX	ASO	1	Rg	0.1	Tectonic brecciated DST. Breccia consists of dolomite and calcite with dusting of light orange/yellow (Op/Rg?) Vuggy textures associated with ASO and Rg. Possible cinnabar (Deep red -> different than Rg).	
D	25.08	33.67		MG	MD	GY	BX			Cinnabar	0.01		
D					MD	GY	BX			Rg	0.1	Solution brecciated, medium grey DST. Local zones of Non-calcareous, moderately argillized fracture faces near top of interval. Solution breccias comprises dolomite matrix with beige/light orange/yellow dusting with others lacking this coloration. Black sooty calcareous fracture face hosting coarse grained Rg at 30.32m. Dark black calcareous stylolites found locally. FG AsPy/Py found within darker DST zones. Rg found within Ca veinlets/blebs	
G	39.50	46.02	LST	MG	MD	GY	Fo	ARG	1	AsPy?	0.01		
G	46.02	47.75	DST	MG	DK	GY		Py				Bedded MG-FG LST. Silty LST is found as beds <1mm to 1 cm found pervasively throughout. Zones with high concentrations of bands and others with few. Stylolites pervasive throughout and dark grey/black in color. Py is FG and found as bands/streaks ~ 1cm wide near dark black foliation or disseminated throughout. Few bands/stylolites exhibit sediment deformation (micro-folds)	
G	47.75	50.34	LST	MG	MD	GY		ARG	1			Crackle brecciated DST. Few fracture faces exhibit black sooty/Arg alteration. Weak ASO within breccia which comprises dolomite	
G	50.34	54.10	DST	MG	MD	GY						Rubbly and competent MG LST. Rubble sections have ASO and purple red alteration. Clay (orangy/brown) found as matrix of angular LST clasts. More competent section has few dark grey stylolites and minor calcite veinlets found pervasively throughout.	
G					MD	GY		OX	1			Medium grey, rubbly/sandy/clayey, solution brecciated DST. Solution breccia consists of calcite. Locally calcite is drusted/rimmed with light orange/beige/yellow alteration. Rubbly sections exhibit oxidized surfaces. Low angled veining (non-calcareous) of dark grey/orange stringers.	
G	54.10	86.80	DST	MG	MD	GY	BD	ASO	1	Rg	0.01	Medium grey, solution brecciated, crackle brecciated DST. Breccias comprise dolomite. Many fracture faces exhibit sandy (Op weathering?). These are associated with orange/beige/yellow dusted breccias. Calcite veinlets ~ 1mm hosting FG Rg pervasive throughout and mostly associated with dark grey DST. Rg found within calcareous few black stylolites. Ca veinlets hosting Rg x-cut Dolomite breccia.	
D	74.71	74.91		MG	MD	ORG				Py	0.01		
D					LT	ORG				Op?	60	Highly weathered, rubbly, Orangy/beige/yellow DST. Alteration/weathering may have Op within giving the yellow color. Relict DST bands present within.	

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
G	86.80	106.37	LST	MG	MD	GY	BD BX	Decarb Sooty		Rg Py	0.1 0.01	Intermittent collapse brecciated, crackle brecciated and bedded LST. Collapse breccia comprises black sooty matrix with LST/Decarb LST clasts (angular and tabular). Rg found disseminated throughout the unit or within a crackle breccia as a relict clast. Grey-brown clasts found within (angular). Bedded LST consists of MG and MD grey LST with intermittent silty LST beds < 1mm-1cm. Rg found for first time within this section within black stylolites (decarb?) and within calcite veins, blebs, and along fracture faces. Fg Py found within silty LST units and MG LST as well as FG Rg. Black stylolites pervasive throughout and may host Rg. Op/Rg vein/fracture face round within.	
D	86.80	93.30		MG	MD BL	Gy		Decarb Sooty		Rg Py	0.01 0.01	Intermittent crackle brecciated and black sooty collapse brecciated DST. Collapse brecciated DST matrix is black, sooty, moderately porous and non calcareous. FG Py is found disseminated throughout (trace). Clasts tend to be angular and tabular. Tabular (relict LST Beds?) show signs of sagging and undulation. Rg is found as blebs within the matrix and few within the clasts. A blueish hue is found within some of the collapse brecciated zones. Clasts are randomly oriented collapse BX (~ 2.30m).	
G	106.37	122.42	DST	MG	MD	GY	BX BD			Rg	0.01	Crackle brecciated and solution brecciated DST. Breccia consists of hydrothermal dolomite. Beds present locally as well as black stylolites which are randomly oriented or may follow bedding. Sparry textures present in the breccia and infilled with insoluble black material. Trace Rg found along fracture faces and within Ca blebs.	
G	122.42	134.43	LST	MG	MD DK	GY GY	BD			Py Rg	0.01 0.01	Medium grained, medium grey to dark grey silty LST. Bedded limestone consists of alternating MG and silty LST. Ca vein/flooding pervasive throughout. Zones of sediment deformation (microfolds and faults). Py is found in bands (along silty LST bedding) and disseminated throughout. Py is FG. Stylolites cross-cutting beds or following bedding are found pervasively throughout. Very FG Rg is found along some fracture faces, but trace.	
G	134.43	171.93	DST	MG	MD DK	GY GY	BX BD			Rg	0.01	Weakly brecciated, medium grained, medium grey, locally bedded DST. Breccia comprises weakly calcareous dolomite. Bedding is illustrated by alternating MD GY to DK GY bands. Few fracture faces are sooty. Few stylolites found locally consisting of dark black material. Zone of FG Rg found within Ca veinlets and blebs near bottom of interval.	
G	167.46	171.93		MG	MD DK	GY GY				Rg	0.1	Medium grey to dark grey (weakly decarb?) moderately brecciated DST. High concentration of stylolites in DK GY DST relative to MD GY DST. Rg is found within Ca veinlets and within stylolites (black) and along fracture faces and within Ca blebs. Rg also found within sparry hydrothermal dolomite (associated with black insoluble material).	
G	171.93	196.26	LST	MG	MD MDK	GT GY	BD			Py	0.01	Medium grained to silty LST. Locally bedded defined by alternating MG and silty LST. Silty LST found as thin bands relative to MG LST. Few stylolites found pervasively throughout. Very FG Py (trace) found within silty LST beds. Ca veinlets found pervasively throughout. Few veinlets follow bedding	
G	196.26	201.19	DST	MG	MD	GY	BD					Medium grey, medium grained, locally bedded DST. Ca veining pervasive throughout and x-cut by stylolites. Zone of dissolution textures illustrated by randomly oriented stylolites and elongated/stretched Dk GY clasts. Section is bounded by stylolites with short ~1-3 cm stylolites and Ca veinlets found within.	

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
					MD	GY	BD			Py	0.01	Medium grained and silty LST. Beds consist of alternating MG LST and silty LST. Ca veinlets found pervasively throughout and few follow bedding and others oriented randomly. Ca veinlets x-cut bedding and are x-cut by black stylolites which are found pervasively throughout (few). Intervals of thinly spaced (~ 1cm) alternating MG LST and silty LST. FG Py (trace) found within silty LST units. Interval of deformed sediment (MG and silty LST beds propogating and piercing into eachother/pinching out. FG Py blebs found within the interval (within MG LST unit).	
G	201.19	220.98	LST	MG	DK	GY							
	EOH												

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Comments
4.57	7.62	3.05	1.20	39.34	I359008	3	<0.01	104	1.12	1.64	
7.62	10.67	3.05	2.65	86.89	I359009	3	<0.01	147	1.30	4.06	
10.67	13.72	3.05	2.06	67.54	I359010	3	<0.01	686	2.16	9.80	
13.72	16.76	3.04	2.39	78.62	I359011	3	<0.01	601	1.81	7.43	
16.76	19.81	3.05	2.84	93.11	I359012	3	<0.01	602	1.21	310.00	
16.76	19.81	3.05	2.84	93.11	I359013	3	<0.01	643	1.31	81.30	Duplicate
19.81	22.86	3.05	2.99	98.03	I359014	3	<0.01	382	0.81	402.00	
22.86	25.91	3.05	2.95	96.72	I359015	3	<0.01	480	1.30	260.00	
25.91	28.96	3.05	2.88	94.43	I359016	3	<0.01	530	1.94	22.60	
28.96	32.00	3.04	3.01	99.01	I359017	3	<0.01	1320	1.83	10.40	
32.00	35.05	3.05	2.91	95.41	I359018	3	<0.01	149	1.04	2.49	
35.05	38.10	3.05	2.97	97.38	I359019	3	<0.01	41	1.02	2.03	
38.10	39.50	1.40	1.40	100	I359020	3	<0.01	88	0.52	1.23	
-	-			#####	I359021	3	3.89	815	5.47	5.72	Standard (CDN-GS-4D)
39.50	41.15	1.65	1.61	97.58	I359022	3	<0.01	29	0.52	0.64	
41.15	44.20	3.05	3.01	98.69	I359023	3	<0.01	23	0.39	0.46	
44.20	47.24	3.04	2.84	93.42	I359024	3	<0.01	171	0.77	1.15	
47.24	50.29	3.05	1.32	43.28	I359025	3	<0.01	1100	0.62	1.65	
-	-			#####	I359026	3	<0.01	<5	0.02	0.02	Blank
50.29	52.73	2.44	2.13	87.3	I359027	3	<0.01	1100	0.69	1.93	
52.73	54.86	2.13	0.93	43.66	I359028	3	<0.01	974	1.03	2.04	
54.86	57.91	3.05	3.01	98.69	I359029	3	<0.01	805	1.25	1.27	
57.91	60.96	3.05	2.88	94.43	I359030	3	<0.01	244	0.61	1.35	
60.96	64.01	3.05	2.85	93.44	I359031	3	<0.01	333	0.34	2.05	
64.01	67.06	3.05	2.98	97.7	I359032	3	<0.01	194	0.45	1.09	
67.06	70.10	3.04	2.66	87.5	I359033	3	<0.01	74	0.34	2.31	
70.10	73.15	3.05	2.91	95.41	I359034	3	<0.01	136	0.21	0.77	
73.15	76.20	3.05	2.76	90.49	I359035	3	<0.01	142	0.33	1.83	
-	-			#####	I359036	3	<0.01	<5	<0.02	0.03	Blank
76.20	77.72	1.52	1.38	90.79	I359037	4	<0.01	368	0.84	42.90	
-	-	#####		#####	I359038	4	<0.01	<5	<0.02	<0.01	Blank
77.72	80.77	3.05	2.98	97.7	I359039	4	<0.01	1640	1.50	36.90	
80.77	83.82	3.05	2.93	96.07	I359040	4	<0.01	377	1.92	4.65	
83.82	86.80	2.98	2.89	96.98	I359041	4	<0.01	758	1.00	2.78	
86.80	88.47	1.67	1.56	93.41	I359042	4	<0.01	6760	29.10	34.60	
-	-			#####	I359043	4	<0.01	32	0.13	0.11	Blank
88.47	90.30	1.83	1.83	100	I359044	4	<0.01	4400	31.30	60.60	
90.30	91.93	1.63	1.63	100	I359045	4	<0.01	1490	1.09	2.57	
91.93	93.30	1.37	1.22	89.05	I359046	4	<0.01	7350	28.10	48.10	
-	-			#####	I359047	4	3.87	798	5.60	4.68	Standard CDN-GS-4D
93.30	96.01	2.71	2.66	98.15	I359048	4	<0.01	5300	11.45	15.40	
96.01	99.06	3.05	2.93	96.07	I359049	4	<0.01	537	4.42	3.99	
99.06	102.11	3.05	2.90	95.08	I359050	4	<0.01	366	2.30	2.84	
102.11	105.16	3.05	2.96	97.05	I359051	4	<0.01	567	4.75	6.09	
105.16	108.20	3.04	2.94	96.71	I359052	4	<0.01	103	1.37	0.95	
108.20	111.25	3.05	3.02	99.02	I359053	4	<0.01	46	0.75	0.61	
111.25	114.30	3.05	2.86	93.77	I359054	4	<0.01	31	0.31	0.25	
114.30	117.35	3.05	2.93	96.07	I359055	4	<0.01	44	0.20	0.23	
117.35	120.40	3.05	3.03	99.34	I359056	4	<0.01	49	0.21	0.24	
-	-			#####	I359057	4	1.47	139	2.37	0.07	Standard CDN-ME-16
120.40	123.44	3.04	3.00	98.68	I359058	4	<0.01	44	0.72	0.60	
123.44	126.49	3.05	2.93	96.07	I359059	4	<0.01	10	0.18	0.49	

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Comments
126.49	129.54	3.05	2.85	93.44	I359060	4	<0.01	16	0.24	0.58	
129.54	132.59	3.05	2.92	95.74	I359061	4	<0.01	12	0.29	0.67	
129.54	132.59	3.05	2.92	95.74	I359062	4	<0.01	8	0.31	0.63	Duplicate
132.59	135.64	3.05	2.95	96.72	I359063	4	<0.01	19	0.87	0.74	
135.64	138.68	3.04	3.02	99.34	I359064	4	<0.01	85	0.76	1.71	
138.68	141.73	3.05	2.94	96.39	I359065	4	<0.01	71	0.23	0.41	
141.73	144.78	3.05	2.72	89.18	I359066	4	<0.01	86	0.34	0.78	
144.78	147.82	3.04	2.91	95.72	I359067	4	<0.01	75	0.31	1.02	
147.82	150.88	3.06	2.95	96.41	I359068	4	<0.01	42	0.29	0.49	
150.88	153.92	3.04	2.88	94.74	I359069	4	<0.01	41	0.25	0.38	
153.92	156.97	3.05	2.91	95.41	I359070	4	<0.01	67	0.33	0.84	
156.97	160.02	3.05	2.90	95.08	I359071	4	<0.01	88	0.64	1.89	
160.02	163.07	3.05	2.98	97.7	I359072	4	<0.01	87	0.43	1.95	
163.07	166.12	3.05	3.03	99.34	I359073	4	<0.01	124	0.30	0.90	
166.12	169.16	3.04	2.81	92.43	I359074	5	<0.01	800	0.32	0.91	
169.16	172.21	3.05	2.85	93.44	I359075	5	<0.01	4820	0.54	2.08	
-	-			#####	I359076	5	<0.01	19	0.02	0.01	Blank
172.21	175.26	3.05	2.90	95.08	I359077	5	<0.01	96	0.44	0.99	
172.21	175.26	3.05	2.90	95.08	I359078	5	<0.01	52	0.48	0.95	Duplicate
175.26	178.31	3.05	2.84	93.11	I359079	5	<0.01	23	0.33	0.50	
178.31	181.36	3.05	2.92	95.74	I359080	5	<0.01	26	0.18	0.46	
181.36	184.40	3.04	2.94	96.71	I359081	5	<0.01	21	0.18	0.35	
184.40	187.45	3.05	2.92	95.74	I359082	5	<0.01	8	0.10	0.28	
187.45	190.50	3.05	2.96	97.05	I359083	5	<0.01	9	0.14	0.30	
190.50	193.55	3.05	3.00	98.36	I359084	5	<0.01	<5	0.08	0.19	
193.55	196.60	3.05	2.91	95.41	I359085	5	<0.01	18	0.16	0.48	
196.60	199.64	3.04	2.76	90.79	I359086	5	<0.01	19	0.13	0.33	
199.64	202.69	3.05	2.87	94.1	I359087	5	<0.01	14	0.15	0.44	
-	-			#####	I359088	5	1.12	264	1.51	2.50	Standard CDN-GS-1D
202.69	205.74	3.05	3.00	98.36	I359089	5	<0.01	8	0.13	0.26	
205.74	208.79	3.05	2.77	90.82	I359090	5	<0.01	10	0.41	0.91	
208.79	211.84	3.05	2.67	87.54	I359091	5	<0.01	<5	0.34	0.65	
211.84	214.88	3.04	2.91	95.72	I359092	5	0.03	19	0.61	1.16	
214.88	217.93	3.05	2.76	90.49	I359093	5	<0.01	11	0.92	2.04	
217.93	220.98	3.05	2.85	93.44	I359094	5	<0.01	17	0.53	1.29	

EOH

From (m)	To (m)	Interval (m)	Recovery (m)	Recover (%)	RQD (m)	RQD (%)	HCI	Reactivity	Weathering	Hardness	DESCRIPTION
4.57	7.62	3.05	1.2	39	0	0			MW	MS	
7.62	10.67	3.05	2.65	87	1.44	47			MW	MS	
10.67	13.72	3.05	2.06	68	0.98	32			MW	MS	
13.72	16.76	3.04	2.39	79	2.06	68			MW	MS	
16.76	19.81	3.05	2.84	93	2.31	76			SW	MS	
19.81	22.86	3.05	2.99	98	2.84	93			SW	S	
22.86	25.91	3.05	2.95	97	2.9	95			SW	S	
25.91	28.96	3.05	2.88	94	2.14	70			SW	MS	
28.96	32.00	3.04	3.01	99	2.7	89			SW	MS	
32.00	35.05	3.05	2.91	95	2.74	90			FR	MS	
35.05	38.10	3.05	2.97	97	2.61	86			FR	MS	
38.10	41.15	3.05	2.94	96	2.24	73			FR	MS	
41.15	44.20	3.05	3.01	99	2.25	74			FR	MS	
44.20	47.24	3.04	2.84	93	1.26	41			FR	MS	
47.24	50.29	3.05	1.32	43	0.69	23			MW	S	
50.29	52.73	2.44	2.13	87	0.2	8			MW	MS	
52.73	54.86	2.13	0.93	44	1.14	54			SW	MS	
54.86	57.91	3.05	3.01	99	1.95	64			MW	MS	
57.91	60.96	3.05	2.88	94	2.58	85			SW	S	
60.96	64.01	3.05	2.85	93	1.49	49			SW	MS	
64.01	67.06	3.05	2.98	98	2.55	84			SW	S	
67.06	70.10	3.04	2.66	88	2.78	91			SW	S	
70.10	73.15	3.05	2.91	95	2.35	77			SW	S	
73.15	76.20	3.05	2.76	90	1.73	57			SW	MS	
76.20	77.72	1.52	2.83	186	2.71	178			SW	MS	
77.72	80.77	3.05	2.98	97.7	2.65	87			FR	MS	
80.77	83.77	3.05	2.93	96.1	2.67	88			FR	MS	
83.77	86.87	3.05	3.01	98.7	2.86	94			FR	S	
86.87	89.92	3.05	3.01	98.7	2.61	86			SW	MS	
89.92	92.96	3.04	2.89	95.1	2.04	67			FR	MS	
92.96	96.01	3.05	2.92	95.7	1.91	63			SW	MS	
96.01	99.06	3.05	2.93	96.1	2.03	67			FR	MS	
99.06	102.11	3.05	2.9	95.1	2.34	77			FR	MS	
102.11	105.16	3.05	2.96	97	2.25	74			FR	MS	
105.16	108.20	3.04	2.94	96.7	2.33	77			FR	MS	
108.20	111.25	3.05	3.02	99	2.42	79			FR	MS	
111.25	114.30	3.05	2.86	93.8	2.56	84			FR	MS	
114.30	117.35	3.05	2.93	96.1	2.41	79			FR	S	
117.35	120.40	3.05	3.03	99.3	2.06	68			FR	MS	
120.40	123.44	3.04	3.00	98.7	1.44	47			FR	MS	
123.44	126.49	3.05	2.93	96.1	1.27	42			FR	MS	
126.49	129.54	3.05	2.85	93.4	2.45	80			FR	MS	
129.54	132.59	3.05	2.92	95.7	2.43	80			FR	MS	
132.59	135.64	3.05	2.95	96.7	2.63	86			FR	MS	
135.64	138.68	3.04	3.02	99.3	2.72	89			SW	MS	
138.68	141.73	3.05	2.94	96.4	2.58	85			SW	MS	

From (m)	To (m)	Interval (m)	Recovery (m)	Recover (%)	RQD (m)	RQD (%)	HCl Reactivity	Weathering	Hardness	DESCRIPTION
141.73	144.78	3.05	2.72	89.2	2.46	81		SW	MS	
144.78	147.82	3.04	2.91	95.7	2.29	75		SW	MS	
147.82	150.88	3.06	2.95	96.4	2.20	72		SW	MS	
150.88	153.92	3.04	2.88	94.7	2.46	81		SW	MS	
153.92	156.97	3.05	2.91	95.4	2.50	82		SW	S	
156.97	160.02	3.05	2.90	95.1	2.63	86		SW	S	
160.02	163.07	3.05	2.98	97.7	2.56	84		SW	MS	
163.07	166.12	3.05	3.03	99.3	2.87	94		SW	MS	
166.12	169.16	3.04	2.81	92.4	2.67	88		SW	MS	
169.16	172.21	3.05	2.85	93.4	2.56	84		SW	MS	
172.21	175.26	3.05	2.90	95.1	2.79	91		SW	MS	
175.26	178.31	3.05	2.84	93.1	2.34	77		SW	MS	
178.31	181.36	3.05	2.92	95.7	2.15	70		SW	S	
181.36	184.40	3.04	2.94	96.7	2.70	89		SW	S	
184.40	187.45	3.05	2.92	95.7	2.40	79		SW	MS	
187.45	190.50	3.05	2.96	97	2.53	83		SW	MS	
190.50	193.55	3.05	3.00	98.4	2.76	90		SW	MS	
193.55	196.60	3.05	2.91	95.4	2.49	82		SW	MS	
196.60	199.64	3.04	2.76	90.8	2.45	81		SW	MS	
199.64	202.69	3.05	2.87	94.1	2.19	72		FR	MS	
202.69	205.74	3.05	3.00	98.4	2.07	68		FR	MS	
205.74	208.79	3.05	2.77	90.8	1.76	58		FR	MS	
208.79	211.84	3.05	2.67	87.5	2.15	70		FR	S	
211.84	214.88	3.04	2.91	95.7	2.46	81		FR	S	
214.88	217.93	3.05	2.76	90.5	2.41	79		FR	MS	
217.93	220.98	3.05	2.85	93.4	2.38	78		FR	MS	
EOH										

Hole: CE 11-02

Box #	From (m)	To (m)	Photo Taken
1	4.57	10.76	X
2	10.76	16.00	X
3	16.00	21.50	X
4	21.50	27.13	X
5	27.13	32.66	X
6	32.66	38.24	X
7	38.24	43.39	X
8	43.39	49.94	X
9	49.94	54.10	X
10	54.10	58.88	X
11	58.88	64.01	X
12	64.01	69.76	X
13	69.76	74.57	
14	74.57	79.43	
15	79.43	84.71	
16	84.71	89.92	
17	89.92	95.29	
18	95.29	100.40	
19	100.40	105.68	
20	105.68	111.25	
21	111.25	116.69	
22	116.69	120.40	
23	120.40	125.13	

Page 9 of 13

Box #	From (m)	To (m)	Photo Taken
24	125.13	130.11	
25	130.11	134.62	
26	134.62	139.27	
27	139.27	144.48	
28	144.48	149.61	
29	149.61	154.58	
30	154.58	159.65	
31	159.65	164.98	
32	164.98	170.28	
33	170.28	175.37	
34	175.37	180.74	
35	180.74	186.07	
36	186.07	190.99	
37	190.99	196.20	
38	196.20	200.93	
39	200.93	205.95	
40	205.95	210.39	
41	210.39	215.40	
42	215.40	220.78	
43	220.78	220.98	
	EOH		

BOX LOG

CONTACT LOG

Depth (m)	DESCRIPTION
39.5	DST and LST 55 degrees TCA. Contact is Argillaceous and black/sooty
106.37	LST and DST 50 degrees TCA
122.42	DST and Silty LST 40 degrees TCA -> Sharp contact
171.93	DST and LST (ARG/sooty contact) 35 degrees TCA
196.26	LST and DST 30 degrees TCA
EOH	

Hole: CE 11-02

Name: CRAG EAST

Page 12 of 13

[illegible]

2° Structure Type	From (m)	To (m)	Attitude (TCA)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
								Silty LST	
	188.00		40					LST Bed	
	196.80		15					Black stylolite within DST (Bunch of dissolution textures)	
	204.00	220.00	35-40					LST Bed	

Grid East	Grid North	Easting	Northing	Elev. (m)	Depth (m)
		614872	7107098	1432	280.42

SECTION:

CLAIM:

Drill: 1

Casing depth: 4.57m in/out

Drilling dates: August 9th to August 20th

Geology logged by: Andrew Mitchell

TARGET: GOLD

SAMPLES

Total:

Batch: Part of 5, all of 6, 7 and part of 8

Date Sent:

Certificate:

Hole ended as a result of running out of rods

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
G	0.00	2.13	OVB										
G	2.13	66.90	SLT/MST	FG	MD	GR	BD	OX				Interbedded green/maroon MST and medium to FG LST. Zones of shale with foliation comprising white, non-calcareous < 1mm-1mm bands. Near top of interval, most of the foliation is oxidized to an orangy-brown color. Few black beds ~ 2-5 cm thick (MST) within greeny grey MST unit. LST may be weakly brecciated (calcite matrix), thinly bedded or massive and FG. FG LST found b/w MST range from 1mm to 22cm. Bedded LST tends to be thinly bedded (~1-2mm). First appearance of maroon MST @ 26.10 and ends at 32.35m	
D	36.95	37.95		FG	MD	GR						Qz veining/flooding within SHL unit	
D	50.40	51.00		FG	GY	MD	Fo BD					Gradational change from maroon/green Mudstone/Siltstone into grey-green SLT	
D	51.21	66.90	SLT	FG	MD	GY	Fo BD			Py	0.01	Fine grained, medium grey/green and locally foliated/bedded SLT. Foliation comprises dark grey streaks/bands. Qz veinlets found pervasively throughout and may exhibit cBX textures of DK grey seams. Qz veinlets may be deformed into fold structures. Flourite? found within qz veinlets. SLT has maroon/pale pink elongated clasts oriented in the same direction as the Fo and range in size from < 1mm to 1mm. Near the bottom of the interval, DK GY stylolites and banding more prominent relative to upper section. Bedding becomes more deformed (sed deformation?) near bottom of the interval and Py abundance increases. Py is FG and found as blebs and stringers mostly within darker banded SLT	
G	66.90	129.70	DST	CG-FG	MD LT	GY GY	BX BD			Py	0.01	Intermittently crackle brecciated, bedded DST. Bedding is defined by alternating MD GY DST and DK GY DST, where DK GY DST is thinly bedded relative to MD GY DST (DK ~ 1-7mm). Near top of interval, cBX is DK GY and found within CG LT GY DST. Dolospar found within MG and DK GY banded DST. Few fracture faces dark grey and clayey. FG Py found as blebs and disseminations throughout DK FG DST beds/bands. DK GY/black stylolites pervasive throughout and post dolospar. Few Qz veinlets ~ 1-2 mm found throughout, which appear to be post dolospar. Few Qz veinlets ~ 1-2mm found throughout. Intervals of weakly decarb? DST defined by DK GY DST with cBX (black non-calcareous matrix angular DST clasts ~ 1-2 cm. Ca with FG Rg found within these regions. Also Rg blebs and veinlets which are non-calcareous. Black non-calcareous sinuous bands (~ 1-2cm) which usually definite fracture faces where present. Rg also found infilling dolospar voids (late) and exhibit cBx textures within DST.	
D	99.07	100.85		MG	MD	GY	BX			Rg	0.01	Medium grained, medium grey and crackle brecciated DST. Breccia consists of DK GY seams < 1mm. Late Rg found within Ca veinlets < 1mm (many exhibit cBX textures), blebs and infilling few DK GY stylolites. Rg found as MG to CG x-stals along FX faces	
D	117.56	126.99		DK	MD	GY	cBX	ARG	2	Rg Py	0.01 0.01	DK GY to MG, locally crackle brecciated DST. cBX textures comprise DK GY < 1mm seams within ~ 1-2 mm relict DST casts. Few calcareous veinlets < 1mm hosting Rg found within this zone. Local Ca veinlets ~ 1mm to 2 cm found pervasively throughout the unit with few hosting Rg. DK GY/black sinuous veinlets (1mm-2cm) found randomly and pervasively throughout section (non-calcareous) FG Py found disseminated throughout (blebs also). These usually result in fractures within the core.	

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
G	129.70	180.72	DST	MG	DK MD	GY GY	Bx	ASO	1	Rg	0.1	Intermittent solution brecciated, crackle brecciated and puzzle brecciated DST. Solution breccia comprises dolospar with Ca infill (Rg may infill due to association with Ca) Crackle breccia matrix dominatly Ca and few zones comprises DK GY/black non calcareous matrix. Puzzle breccia matrix black and non-calcareous (decarb?) Rg is found associated with Ca (veinlets/Bx's blebs and dolospar infill). Rg also found as MG to CG euhedral xstals along fracture faces. Much of the Rg is associated with Decarb/brecciated intervals as stringers and blebs are usually more fine grained. Sections of DST beds found intermittently	
D	131.19	132.81		FG	DK	GY	BX	Decarb	4	Rg	1	Collapse brecciated DST. DK GY with local spongy-like textures (Decarb?). Clasts consist of angular DK GY DST. Rg is found within Ca veinlets/cBX filling voids b/w DST clasts and as blebs (FG to CG)	
D	160.86	161.80		FG	DK	GY	BX	Decarb	3	Rg	1 to 2	Decarbonatized collapse brecciated DST. Clasts are angular and defined by FG DK GY DST clasts and dolomite clasts ranging from 1mm - 1cm. Few dissolution seams black and ~ 1mm. Widely spaced clasts seperated by non-calcareous DK GY FG matrix and closely spaced clasts seperated by FG and MG Rg xstals (Clast supported).	
D	166.93	168.47		MG	MD	GY	BX	Decarb	2	Rg	0.01	Weakly decarbonatized, collapse brecciated DST. Matrix is FG DK GY and non-calcareous. Clasts are angular and range from 1 mm- 3 cm and breccia is clast supported. Clasts are DST with few exhibiting relict Ca veinlets. Doolomite clasts (angular) found randomly throughout. FG Rg is found within Ca veinlets/blebs	
G	180.72	198.89	LST	MG	DK Black	GY	BD	Decarb	4	Rg Py	0.1 0.01	Interbedded MG LST and silty LST. Silty LST is less abundand and thinly bedded relative to MG LST. Ca veining pervasive throughout non-decarb LST. Sections of mod to high and extremely decarbonatized LST. Textures within these units defined by collapse breccia, but mostly DK GY/black alteration. Relict bedding is still visible beneath the alteration. Rg is mostly associated with the decarbonatized units as < 1mm stringers, blebs and collapse breccia matrix as late infill (clast supported). Qz veinlets/blebs hosting Rg within decarb zones. On either side of these zones veinlets are Ca rich, with few hosting FG Rg. Trace Py found within non-decarb LST and Decarb zones host FG Py as blebs and stringers.	
D	180.91	187.21		MG	DK Black	GY		Decarb	4 to 5	Rg Py	0.1 0.01	Intermittent zones of moderate to high decarbonatized and extremely decarbonatized LST. Moderate to high zones of decarb are DK GY, bedded, and exhibit Qz veinlets/blebs hosting FG Rg. Few of these zones illustrate brecciated zones with Rg matrix b/w non-calcareous angular clasts (clast supported). MG-CG Rg is found along fracture faces. Few micro faults infilled with Qz and Rg offsetting bedding. Py found as blebs/stringers (FG) mostly within more DK GY/Black bands. Extremely decarb zone is more sooty-like (spongy) in appearance (185.50-185.65m). Bedding is not as prominant as other less decarb zones. Bluey-hue defined by stringers < 1mm-2mm. Rg is found as stringers/blebs intertwined. Few collapse Bx textures with late Rg infill b/w clasts (make up the matrix) with dark sooty clasts. FG Aspy? and Py blebs found within extremely decarb zone as FG blebs and disseminated throughout.	
G	198.89	201.10	SLT	FG	DK	GY	Fo			Py	0.01	DK GY, foliated SLT. Py found as blebs and stringers following Fo. Ca veinlets found pervasively throughout. Ca veinlets may follow bedding or be randomly oriented. Fo defined by DK GY bands and med grey elongated clasts.	
G	201.10	202.28	DST		MD	GY	Bx					Intermittent LST and DST. Qz veinlets restricted to DST. Ca veinlets found pervasively throughout both units.	

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
G	202.28	203.19	SLT									Dark grey and foliated SLT. Foliation is defined by elongated medium grey clasts and dark grey bands. Ca veinlets found following bedding and randomly oriented throughout (~ 1mm-2mm). Py found locally as stringers and blebs within the darker black bands	
G	203.19	206.06	LST	MG	MD DK	GY GY				Py	0.01	Interbedded MG LST and silty LST. Ca veinlets found pervasively throughout. Silty LST exhibits DK-Gy color and more fine grained and thinly bedded relative to MG LST. Py found disseminated throughout silty LST (Trace). Few DK GY (< 1mm) stylolites found pervasively throughout.	
G	206.06	206.56	SLT	FG	DK	GY	Fo BD			Py	0.01	DK GY bedded and foliated SLT. Fo defined by < 1mm Ca veinlets which follow bedding. Py found as stringers (following bedding) and as blebs throughout.	
G	206.56	220.48	LST	MG	MD DK	GY GY				Py	0.01	to MG LST. Ca veinlets found pervasively throughout following bedding and randomly oriented. Few patches of Ca	
G	220.48	244.08	DST	MG	MD DK	GY GY				Rg Py	0.01 0.01	Intermittent solution brecciated and bedded DST. Abundance of pitted textures (< 1mm pits) near top of interval defined by a peppered-like appearance with black pits and medium grey DST. Solution breccia defined by dolomite/Ca matrix. Few fracture faces ARG and black. Dolostone bedding defined by alternating MG DST and FG DST (MD GY and DK GY alternating bands). DK GY FG DST hosts FG Py disseminated throughout (Trace). Rg is found along fracture faces(MG) and within Ca veinlets/DK GY stylolites (FG). Near bottom of interval, intermittent DK GY DST (weakly to moderately Decarb) DST. These zones are defined by DK GY, crackle brecciated or solution DST with FG Rg associated with Ca as stringers/blebs. Relict DST beds may be present along with local spongy-like textures within more decarbonated regions	
D	244.08	252.95	DST	MG	DK MG	GY GY				Rg Sp?	0.01 0.01	Intermittent DK GY solution brecciated and bedded DST. Near end of interval appears to be a debrite? With DK GY FG DST clasts and MG-MD GY DST clasts. DK GY clasts/matrix exhibit angularity and others whisps which proigate into and around MG DST clasts. Clasts sizes ~ 1mm to > 5cm. Beige-yellow mineral/clast? ~ 1mm to 1 cm found disseminated throughout debrite zone. ARG FX found within interval (~ 3 cm). Within debrite sequences, lower energy deposition with poly lithic sediment making up bedding. Bedding spotted with white dolomite clasts < 1mm within more dark, fine grained weakly to non calcareous. Rg found near the end of interval and found as FG-MG euhedral xstals within Ca veinlets and blebs.	
G	252.95	280.42	DST	MG	MD DK	GY GY	BX BD	DCB		Rg Py	0.01 Tr	Intermittent solution brecciated, tectonic brecciated, bedded and decarbonated DST. Solution breccia consists of hydrothermal dolomite with DK gy stylolites x-cutting. Ca veinlets also found within dolospar and within voids which may host Rg (Fine grained). Few sections of DK GY to MD GY DST beds found b/w solution brecciated DST. Ca veinlets found intermittently throughout and may host FG Rg. Tectonic breccia is typically found within more decarb zones awith trace amounts of Rg. Matrix is carbonaceous and clast supported. Clasts are non calcareous and angular. Rg found as MG to CG euhedral xstals along FX faces. Py found within black stylolites as FG metallic xstals (minor)	
D	260.52	260.82		MG	DK	GY	BX	DCB	1 to 2	Rg	0.1	Solution brecciated DST. Weakly decarb DST defined by DK GY color with few pitted-like textures (spongy-like). FG Rg is found within Ca veinlets. Solution breccia comprises dolospar	
					DK	GY	BX	DCB	1 to 2	Rg	0.1	Solution brecciated, weakly to moderately decarb DST. Zones of higher degree of decarb are more sooty-like with pitted like textures. Rg found within Ca blebs/veinlets and tend to be FG. Few veinlets/blebs of grey Qz within sooty region. Solution breccia consists of dolospar with DK GY stylolites throughout. Blebs of FG Py found within some sooty areas	

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
D	261.97	264.33		MG	MD	GY				Py	0.01		
												Intermittent solution brecciated, tectonic brecciated and bedded DST. DST is weakly to moderately decarb with local Ca veinlets/blebs hosting FG Rg. Rg tends to be MG to FG. Rg also found along FX faces. Tectonic breccia consists of DK GY weakly to non calcareous clasts with a calcareous grey/white matrix (Clast supported). Bedded DST is DK GY to MD GY and defined by alternating bands. Ca veinlets/dolomite veinlets may follow bedding or be randomly oriented. Zones exhibiting more decarb tend to be spongy-like in texture and be more pitted.	
D	275.52	280.42		MG	DK	GY	BX	DCB	1 to 2	Rg	0.01		
					MD	GY	BD						
	EOH												

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Comments
3.05	6.10	3.05	2.30	75	I359095	5	<0.01	7.0	0.39	0.06	
6.10	9.14	3.04	2.81	92	I359096	5	<0.01	7.0	0.43	0.07	
9.14	12.19	3.05	2.93	96	I359097	5	<0.01	53.9	0.91	0.21	
12.19	15.24	3.05	2.71	89	I359098	5	<0.01	13.4	0.76	0.09	
-	-				I359099	5	<0.01	<5	<0.02	<0.01	Blank
15.24	18.29	3.05	2.61	86	I359100	5	<0.01	16.4	0.52	0.14	
18.29	21.33	3.04	3.02	99	I359101	5	<0.01	1.9	0.76	0.14	
21.33	24.38	3.05	2.75	90	I359102	5	<0.01	6.2	0.60	0.08	
24.38	27.43	3.05	3.02	99	I359103	5	<0.01	16.8	0.58	0.07	
27.43	28.96	1.53	1.44	94	I359104	5	<0.01	1.7	0.61	0.06	
-	-				I359105	5	7.76	924.0	13.15	5.57	Standard CDN-GS-8B
28.96	32.00	3.04	1.73	57	I359106	5	<0.01	2.8	0.62	0.08	
32.00	35.05	3.05	2.63	86	I359107	5	<0.01	<5	0.50	0.22	
35.05	38.10	3.05	2.79	91	I359108	5	<0.01	20.0	0.52	0.25	
38.10	41.15	3.05	2.75	90	I359109	5	<0.01	14.8	0.74	0.16	
41.15	44.20	3.05	2.92	96	I359110	6	<0.01	9.1	0.58	0.06	
44.20	47.24	3.04	2.82	93	I359111	6	<0.01	2.9	0.75	0.05	
47.24	50.29	3.05	2.88	94	I359112	6	<0.01	2.8	0.73	0.05	
50.29	53.34	3.05	2.70	89	I359113	6	<0.01	4.7	0.60	0.04	
53.34	56.39	3.05	2.74	90	I359114	6	<0.01	11.9	0.78	1.93	
53.34	56.39	3.05	3.00	98	I359115	6	<0.01	13.6	0.82	1.88	Duplicate
56.39	59.44	3.05	3.00	98	I359116	6	<0.01	12.8	0.87	1.93	
59.44	62.48	3.04	2.71	89	I359117	6	<0.01	19.5	2.69	2.11	
62.48	65.53	3.05	2.93	96	I359118	6	<0.01	30.7	2.17	1.10	
65.53	67.06	1.53	1.53	100	I359119	6	<0.01	29.4	0.94	0.48	
67.06	70.10	3.04	2.84	93	I359120	6	<0.01	27.0	0.58	0.42	
70.10	73.15	3.05	2.91	95	I359121	6	<0.01	22.0	0.41	1.00	
73.15	76.20	3.05	2.73	90	I359122	6	<0.01	28.0	0.20	1.20	
-	-				I359123	6	1.17	265.0	1.68	2.30	Standard CDN-GS-1G
76.20	79.25	3.05	2.86	94	I359124	6	<0.01	22.0	0.46	1.10	
79.25	82.30	3.05	3.04	100	I359125	6	<0.01	32.0	0.47	0.88	
82.30	85.34	3.04	2.90	95	I359126	6	<0.01	11.0	0.43	0.65	
85.34	88.39	3.05	2.94	96	I359127	6	<0.01	28.0	0.45	0.60	
88.39	91.44	3.05	0.92	30	I359128	6	<0.01	68.0	0.99	1.94	
91.44	94.49	3.05	1.79	59	I359129	6	<0.01	47.0	0.74	1.28	
-	-				I359130	6	7.78	978.0	13.05	5.50	Standard CDN-GS-8B
94.49	97.54	3.05	2.78	91	I359131	6	<0.01	58.0	0.79	1.33	
97.54	100.58	3.04	2.79	92	I359132	6	<0.01	629.0	2.14	2.45	
100.58	103.63	3.05	2.81	92	I359133	6	<0.01	427.0	1.52	1.82	
103.63	106.68	3.05	2.97	97	I359134	6	<0.01	37.0	0.36	0.59	
106.68	109.73	3.05	2.54	83	I359135	6	<0.01	53.0	0.83	1.40	
109.73	112.78	3.05	2.90	95	I359136	6	<0.01	169.0	2.63	4.12	
112.78	115.82	3.04	2.91	96	I359137	6	<0.01	250.0	5.10	6.80	
115.82	117.56	1.74	1.74	100	I359138	6	<0.01	109.0	1.63	2.00	
117.56	119.71	2.15	1.97	92	I359139	6	<0.01	209.0	6.99	8.70	
119.71	121.92	2.21	2.03	92	I359140	6	<0.01	900.0	2.85	3.64	
-	-				I359141	6	<0.01	<5	0.04	0.05	Blank
121.92	124.97	3.05	2.80	92	I359142	6	<0.01	64.0	1.97	2.24	
124.97	126.99	2.02	1.92	95	I359143	6	<0.01	85.0	3.05	3.33	
-	-				I359144	6	<0.01	<5	0.02	0.02	Blank
126.99	129.70	2.71	2.71	100	I359145	6	<0.01	292.0	4.75	5.40	
129.70	131.19	1.49	1.28	86	I359146	7	<0.01	5940.0	5.68	7.37	
131.19	132.81	1.62	1.62	100	I359147	7	<0.01	14700.0	13.70	>100	

Hole: CE 11-03

Name: CRAG EAST

Page 7 of 16

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Comments
-	-				I359148	7	<0.01	49.0	0.05	0.45	Blank
132.81	134.50	1.69	1.55	92	I359149	7	<0.01	11900.0	17.35	>100	
134.50	137.16	2.66	2.66	100	I359150	7	<0.01	5450.0	24.20	94.50	
137.16	140.21	3.05	2.94	96	I359151	7	<0.01	9170.0	18.25	56.10	
140.21	143.26	3.05	2.87	94	I359152	7	<0.01	6010.0	25.20	>100	
143.26	146.30	3.04	2.94	97	I359153	7	<0.01	6520.0	13.15	95.00	
146.30	149.35	3.05	1.47	48	I359154	7	<0.01	830.0	9.11	12.70	
149.35	150.88	1.53	1.52	99	I359155	7	<0.01	3680.0	15.25	31.00	
150.88	153.92	3.04	1.44	47	I359156	7	<0.01	1040.0	11.00	11.00	
-	-				I359157	7	3.53	741.0	5.41	5.21	Standard CDN-GS-4D
153.92	156.97	3.05	3.00	98	I359158	7	<0.01	12250.0	23.80	23.00	
156.97	159.00	2.03	1.99	98	I359159	7	<0.01	3150.0	13.10	13.60	
159.00	160.86	1.86	1.63	88	I359160	7	0.01	44600.0	127.00	>100	
160.86	161.80	0.94	0.94	100	I359161	7	<0.01	27800.0	83.10	77.80	
-	-				I359162	7	<0.01	111.0	0.25	0.26	Blank
161.80	163.07	1.27	1.06	83	I359163	7	<0.01	6970.0	59.80	55.70	
163.07	166.02	2.95	2.95	100	I359164	7	<0.01	7470.0	58.70	48.40	
166.02	169.19	3.17	3.02	95	I359165	7	<0.01	3830.0	15.00	12.30	
166.02	169.19	3.17	3.02	95	I359166	7	<0.01	2590.0	10.45	10.90	Duplicate
169.16	172.21	3.05	2.94	96	I359167	7	0.01	903.0	5.33	4.10	
172.21	175.26	3.05	3.05	100	I359168	7	<0.01	91.0	1.59	2.16	
175.26	178.31	3.05	3.04	100	I359169	7	0.01	95.0	1.09	1.43	
178.31	180.91	2.60	2.60	100	I359170	7	<0.01	1300.0	1.69	2.25	
180.91	182.66	1.75	1.71	98	I359171	7	<0.01	17200.0	125.5	94	
182.66	184.40	1.74	1.72	99	I359172	7	<0.01	33700.0	197	>100	
184.40	185.84	1.44	1.53	106	I359173	7	0.01	96000.0	690	>100	
-	-				I359174	7	7.51	1100.0	13.7	6.19	Standard (CDN-GS-8B)
185.84	187.21	1.37	1.18	86	I359175	7	<0.01	29800.0	209	>100	
187.21	188.44	1.23	1.15	93	I359176	7	<0.01	7590.0	64.2	53	
188.44	190.50	2.06	2.05	100	I359177	7	<0.01	1720.0	18.15	14.1	
190.50	193.55	3.05	3.01	99	I359178	7	<0.01	365.0	3.3	3.09	
193.55	196.60	3.05	1.72	56	I359179	7	<0.01	70.0	1.07	1.63	
196.60	198.89	2.29	2.29	100	I359180	7	<0.01	72.0	1.46	1.37	
198.89	201.25	2.36	2.18	92	I359181	7	0.01	120.5	2.56	1.38	
201.25	204.22	2.97	2.97	100	I359182	8	<0.01	40.0	1.41	0.77	
204.22	207.26	3.04	2.99	98	I359183	8	<0.01	28.0	0.55	0.33	
207.26	210.31	3.05	3.00	98	I359184	8	<0.01	23.0	0.37	0.35	
210.31	213.36	3.05	2.98	98	I359185	8	0.02	23.0	0.74	0.68	
213.36	216.41	3.05	2.93	96	I359186	8	<0.01	29.0	0.62	0.68	
216.41	219.46	3.05	2.81	92	I359187	8	0.13	35.0	0.79	0.57	
219.46	222.50	3.04	2.76	91	I359188	8	<0.01	154.0	1.56	2.88	
-	-				I359189	8	1.16	264.0	1.75	2.31	Standard (CDN-GS-1G)
222.50	225.55	3.05	2.76	90	I359190	8	<0.01	132.0	0.43	2.09	
225.55	228.60	3.05	2.85	93	I359191	8	<0.01	34.0	0.2	0.51	
228.60	231.65	3.05	2.96	97	I359192	8	<0.01	82.0	0.26	0.66	
228.60	231.65	3.05	2.96	97	I359193	8	<0.01	54.0	0.26	0.63	Duplicate
231.65	234.70	3.05	3.05	100	I359194	8	<0.01	129.0	0.9	6.1	
234.70	237.74	3.04	2.87	94	I359195	8	<0.01	97.0	0.87	1.39	
237.74	240.79	3.05	2.92	96	I359196	8	<0.01	78.0	1.72	1.33	
240.79	243.84	3.05	2.83	93	I359197	8	<0.01	49.0	1.39	0.82	
243.84	246.89	3.05	3.05	100	I359198	8	<0.01	76.0	2.12	2.39	
-	-				I359199	8	3.81	796.0	5.65	5.37	Standard (CDN-GS-4D)
246.89	249.94	3.05	2.85	93	I359200	8	<0.01	149.0	3.91	5.66	
249.94	252.98	3.04	2.95	97	L829501	8	<0.01	417.0	1.77	5.26	
252.98	256.03	3.05	2.93	96	L829502	8	<0.01	192.0	1.29	4.59	
256.03	259.08	3.05	2.96	97	L829503	8	<0.01	83.0	0.25	7.17	
259.08	261.97	2.89	2.89	100	L829504	8	<0.01	550.0	0.19	23.5	
261.97	264.33	2.36	2.36	100	L829505	8	<0.01	1740.0	0.56	15.9	
-	-				L829506	8	<0.01	6.0	0.02	0.06	Blank

SAMPLE LOG

Hole: CE 11-03

Name: CRAG EAST

Page 8 of 16

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Comments
264.33	266.00	1.67	1.57	94	L829507	8	<0.01	2540.0	0.26	1.65	
266.00	268.22	2.22	2.16	97	L829508	8	<0.01	1300.0	0.36	1.31	
268.22	271.27	3.05	2.91	95	L829509	8	<0.01	114.0	0.22	0.8	
271.27	274.32	3.05	2.93	96	L829510	8	<0.01	95.0	0.15	0.51	
274.32	275.52	1.20	1.24	103	L829511	8	<0.01	128.0	0.2	0.99	
275.52	277.37	1.85	1.78	96	L829512	8	0.01	502.0	0.31	2.12	
-	-				L829513	8	<0.01	<5	0.03	0.01	Blank
277.37	280.42	3.05	2.81	92	L829514	8	<0.01	380.0	0.13	0.66	

EOH

From (m)	To (m)	Interval (m)	Recovery (m)	Recover (%)	RQD (m)	RQD (%)	HCI	Reactivity	Weathering	Hardness	DESCRIPTION
2.13	3.05	0.92	0.8	87	0.58	63			FR	MS	
3.05	6.10	3.05	2.3	75	0.82	27			MW	MS	
6.10	9.14	3.04	2.81	92	0.75	25			FR	MS	
9.14	12.19	3.05	2.93	96	1.09	36			MW	MS	
12.19	15.24	3.05	2.71	89	1.29	42			SW	MS	
15.24	18.29	3.05	2.61	86	1.54	50			FR	S	
18.29	21.33	3.04	3.02	99	2.23	73			SW	S	
21.33	24.38	3.05	2.75	90	0.49	16			FR	MS	
24.38	27.43	3.05	3.02	99	0.85	28			FR	S	
27.43	28.96	1.53	1.44	94	0.96	63			FR	MS	
28.96	32.00	3.04	1.73	57	1.21	40			FR	S	
32.00	35.05	3.05	2.63	86	0.73	24			FR	S	
35.05	38.10	3.05	2.79	91	1.36	45			FR	S	
38.10	41.15	3.05	2.75	90	1.08	35			FR	MS	
41.15	44.20	3.05	2.92	96	1.86	61			FR	MS	
44.20	47.24	3.04	2.82	93	2	66			FR	MS	
47.24	50.29	3.05	2.88	94	2.6	85			FR	MS	
50.29	53.34	3.05	2.7	89	2.19	72			FR	MS	
53.34	56.39	3.05	2.74	90	2.13	70			SW	S	
56.39	59.44	3.05	3	98	2.1	69			FR	MS	
59.44	62.48	3.04	2.71	89.1	1.74	57			FR	MS	
62.48	65.53	3.05	2.93	96.1	2.06	68			FR	S	
65.53	67.06	1.53	1.53	100	0.96	63			FR	S	
67.06	70.10	3.04	2.84	93.4	2.17	71			FR	MS	
70.10	73.15	3.05	2.91	95.4	1.89	62			FR	MS	
73.15	76.20	3.05	2.73	89.5	1.36	45			FR	MS	
76.20	79.25	3.05	2.86	93.8	2.28	75			FR	S	
79.25	82.30	3.05	3.04	99.7	2.54	83			FR	MS	
82.30	85.34	3.04	2.9	95.4	2.1	69			FR	S	
85.34	88.39	3.05	2.94	96.4	2.29	75			FR	MS	
88.39	89.31	0.92	0.92	100	0.62	67			FR	MS	
89.31	91.44	2.13	1.79	84	1.37	64			FR	MS	
91.44	94.49	3.05	2.85	93.4	2.23	73			FR	MS	
94.49	97.54	3.05	2.78	91.1	2.32	76			FR	S	
97.54	100.58	3.04	2.79	91.8	1.74	57			FR	MS	
100.58	103.63	3.05	2.81	92.1	2.4	79			FR	S	
103.63	106.68	3.05	2.97	97.4	2.67	88			FR	S	
106.68	109.73	3.05	2.54	83.3	2.21	72			FR	MS	
109.73	112.78	3.06	2.9	94.8	2.21	72			FR	MS	
112.78	115.82	3.04	2.91	95.7	2.44	80			FR	S	
115.82	118.87	3.05	2.92	95.7	2.6	85			FR	MS	
118.87	121.92	3.05	2.82	92.5	2.29	75			FR	MS	
121.92	124.97	3.05	2.8	91.8	2.56	84			FR	MS	
124.97	128.02	3.05	2.86	93.8	1.85	61			FR	S	
128.02	131.06	3.04	2.91	95.7	2.72	89			FR	S	
131.06	134.12	3.06	2.99	97.7	2.75	90			FR	S	

From (m)	To (m)	Interval (m)	Recovery (m)	Recover (%)	RQD (m)	RQD (%)	HCl Reactivity	Weathering	Hardness	DESCRIPTION
134.12	137.16	3.04	3.04	100	2.74	90		FR	MS	
137.16	140.21	3.05	2.94	96.4	2.75	90		FR	MS	
140.21	143.26	3.05	2.87	94.1	2.38	78		FR	MS	
143.26	146.30	3.04	2.94	96.7	2.38	78		FR	MS	
146.30	147.83	1.53	1.47	96.1	1.21	79		FR	S	
147.83	149.35	1.52	1.52	100	1.39	91		FR	MS	
149.35	150.88	1.53	1.44	94.1	1.24	81		FR	MS	
150.88	153.92	3.04	2.92	96.1	2.8	92		FR	MS	
153.92	156.97	3.05	3.00	98.4	2.81	92		FR	S	
156.97	160.02	3.05	2.93	96.1	2.4	79		FR	MS	
160.02	163.07	3.05	2.86	93.8	2.65	87		FR	S	
163.07	166.12	3.05	2.98	97.7	2.55	84		FR	S	
166.12	169.16	3.04	3.02	99.3	2.81	92		FR	MS	
169.16	172.21	3.05	2.94	96.4	2.37	78		FR	MS	
172.21	175.26	3.05	3.05	100	2.64	87		FR	MS	
175.26	178.31	3.05	3.04	99.7	2.98	98		FR	MS	
178.31	181.36	3.05	2.97	97.4	2.57	84		SW	MS	
181.36	184.40	3.04	2.95	97	2.19	72		SW	S	
184.40	187.45	3.05	2.86	93.8	2.45	80		SW	S	
187.45	190.50	3.05	2.88	94.4	2.29	75		SW	MS	
190.50	193.55	3.05	3.01	98.7	2.2	72		FR	S	
193.55	196.60	3.05	1.72	56.4	2.49	82		FR	S	
196.60	199.64	3.04	2.99	98.4	2.52	83		FR	S	
199.64	201.17	1.53	1.38	90.2	1.13	74		FR	S	
201.17	204.22	3.05	3.02	99	2.46	81		FR	S	
204.22	207.26	3.04	2.99	98.4	2.55	84		FR	S	
207.26	210.31	3.05	3	98.4	2.18	71		FR	S	
210.31	213.36	3.05	2.98	97.7	2.44	80		FR	S	
213.36	216.41	3.05	2.93	96.1	2.69	88		FR	S	
216.41	219.46	3.05	2.81	92.1	2.57	84		FR	MS	
219.46	222.50	3.04	2.76	90.8	1.61	53		FR	S	
222.50	225.55	3.05	2.76	90.5	1.81	59		FR	S	
225.55	228.60	3.05	2.85	93.4	1.88	62		FR	S	
228.60	231.65	3.05	2.96	97	2.28	75		FR	S	
231.65	234.70	3.05	3.05	100	2.5	82		FR	S	
234.70	237.74	3.04	2.87	94.4	2.23	73		FR	S	
237.74	240.79	3.05	2.92	95.7	2.23	73		FR	S	
240.79	243.84	3.05	2.83	92.8	2.36	77		FR	S	
243.84	246.89	3.05	3.05	100	2.18	71		SW	S	
246.89	249.94	3.05	2.85	93.4	2.43	80		SW	S	
249.94	252.98	3.04	2.95	97	2.56	84		FR	S	
252.98	256.03	3.05	2.93	96.1	2.36	77		FR	S	
256.03	259.08	3.05	2.96	97	2.43	80		FR	S	
259.08	262.13	3.05	2.96	97	2.53	83		FR	MS	
262.13	265.18	3.05	2.99	98	2.89	95		FR	MS	
265.18	268.22	3.04	2.98	98	2.54	84		FR	MS	
268.22	271.27	3.05	2.91	95.4	2.73	90		FR	MS	
271.27	274.32	3.05	2.93	96.1	2.65	87		FR	MS	
274.32	277.37	3.05	3.03	99.3	2.52	83		FR	MS	
277.37	280.42	3.05	2.81	92.1	2.27	74		FR	S	
E.O.H.										

Hole: CE 11-03

Box #	From (m)	To (m)	Photo Taken
1	2.13	6.42	X
2	6.42	10.92	X
3	10.92	15.72	X
4	15.72	20.92	X
5	20.92	25.12	X
6	25.12	29.87	X
7	29.87	34.85	X
8	34.85	40.26	X
9	40.26	45.04	X
10	45.04	50.40	X
11	50.40	55.50	X
12	55.50	60.68	X
13	60.68	66.19	X
14	66.19	71.18	X
15	71.18	76.20	X
16	76.20	81.49	X
17	81.49	86.78	X
18	86.78	91.77	X
19	91.77	97.15	X
20	97.15	102.37	X
21	102.37	107.71	X
22	107.71	112.78	X
23	112.78	118.50	X

Page: 11 of 12

Box #	From (m)	To (m)	Photo Taken
24	118.50	123.94	X
25	123.94	129.42	X
26	129.42	135.04	X
27	135.04	140.21	X
28	140.21	145.80	X
29	145.80	151.06	X
30	151.06	156.77	X
31	156.77	162.13	X
32	162.13	167.20	X
33	167.20	172.50	X
34	172.50	177.86	X
35	177.86	182.75	X
36	182.75	187.83	X
37	187.83	193.31	X
38	193.31	198.53	X
39	198.53	203.58	X
40	203.58	208.50	X
41	208.50	213.64	X
42	213.64	219.03	X
43	219.03	224.00	X
44	224.00	229.10	X
45	229.10	234.30	X
46	234.30	239.21	X

BOX LOG

Hole: CE 11-03

Page12 of 16

Box #	From (m)	To (m)	Photo Taken
47	239.21	244.10	X
48	244.10	249.51	X
49	249.51	254.73	X
50	254.73	259.90	X
51	259.90	265.18	X
52	265.18	270.16	X
53	270.16	275.31	X
54	275.31	280.42	X
	E.O.H.		

BOX LOG

CONTACT LOG

Depth (m)	DESCRIPTION
26.95	Maroon MST and LST 45 degrees TCA
29.30	Maroon MST and LST 35 degrees TCA
45.99	Maroon MST and green MST 50 degrees TCA
48.75	Green MST and Maroon MST 75 degrees TCA
66.90	MST/SLT and DST 60 degrees TCA
142.02	Decarb DST and DST 50 degrees TCA
180.91	LST and Decarb LST 45 degrees TCA
198.89	LST and SLT 40 degrees TCA
201.10	SLT and DST Irreg ~ 15 degrees
202.28	DST and SLT irreg contact
203.19	SLT and LST irreg contact
206.06	LST and SLT 40 degrees TCA
206.56	SLT and LST 50 degrees TCA
EOH	

Hole: CE 11-03

Name: CRAG EAST

Page 15 of 16

2° Structure Type	From (m)	To (m)	Attitude (TCA)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
BD	146.40	146.60	35					MG, MD GY DST beds	
VT	150.60		40					Dolospars infilled with Rg and Ca	
FX	180.91		45					FX face of decarb LST	
BD	181.90		35 to 30					Highly decarb LST -> relict bedding	
VT	182.30		60					Qz VT hosting Rg	
BD	184.15		30					Silty LST bed	
FX	186.05		45					FX within decarb LST	
BD	189.00	190.50	45					MG LST and silty LST beds	
BD	198.50	199.00	40					MG LST and silty LST beds	
BD	203.00		50					SLT bedding	
BD	209.20	213.36	50					MG/Silty LST bedding	
BD	218.50	219.50	50					LST/Silty LST bedding	
BN	224.00	224.50	60					DK GY elongated clasts/pits within DST forming Fo-like appearance	
VT	224.30		60					Ca veinlet hosting Rg	
VN	230.15	242.15	70					Dolospars veinlet with Rg (late infill hosting in Ca)	
FX	237.74		40					Black, ARG FX face	
BD	239.30	243.00	45 to 50					DST bedding	

CRAG EAST PROPERTY - MIDAS TOUCH PROJECT

ZONE: CRAG EAST

SECTION: _____

Grid East	Grid North	Easting	Northing	Elev. (m)	Depth (m)
		614954	7107156	1399	330.71

HOLE: **CE-11-04**

CLAIM: CRAG EAST

Contractor: Beaudoin

Drill: 1

Core size: NTW

Casing depth: 4.57m in/out

Drilling dates: August 20th to Aug. 27, 2011

Geology logged by: A. Mitchell, K. Unger

SURVEY							
Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
0	240	-50	Compass				

TARGET: _____

SUMMARY				
From (m)	To (m)	Interval	Unit	Comments
0.00	4.57	4.57	OVb	OVb/casing, no recovery
4.57	31.78	27.21	SLT	Interbedded DK GY SLT and FG sandy layers
31.78	36.35	4.57	SLT	Grey and green bedded SLT.
36.35	109.51	73.16	MST	Maroon and blue-green Mudstone
109.51	125.26	15.75	LST	sBX LST with silty interbeds.
125.26	151.33	26.07	MST	Grey to green FG MST and dolomitic bands/beds.
151.33	242.25	90.92	DST	Variably BX DST, trace Rg.
242.25	243.92	1.67	LST	Dark grey-black, ARG alt. silty LST, 2% Rg.
243.92	282.10	38.18	LST	FG medium grey LST with silty narrow interbeds.
282.10	323.10	41.00	DST	strongly sBX to cBX DST
323.1	330.71	7.61	LST	LST CGL to LST with silty interbeds.

SAMPLES
Numbers: L829515 to L829658
Total: 144
Batch: 8, 9, 10, 11, 12
Date Sent: _____
Certificate: _____

COMMENTS

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
G	0.00	2.13											
G	0.00	4.57	OVB										
G	4.57	31.78	SLT	FG	DK	GY				Py	0.01	Interbedded weakly foliated DK GY SLT and FG sandstone. Foliaion within DK GY siltstone cosists of < 1mm white/orange altered veinlets. SLT zone exhibits rubbly/clay alteration with an abundance of irregualr fractures. FG SST is defined by medium grey color with few dark clasts (same size as grey clasts). Qz veinlets found pervasively throughtout (~ 1mm - 2 mm) with approximately 10-50 cm spacings. vFG silvery mineral found disseminated throughtout SST unit (Trace). Small intervals of Qz veinlets found within SLT.	
G	31.78	36.35	SLT	FG	DK	GY	Fo			Py	0.01	Bedded and foliated MD DK GY to MD GY/GN SLT. Fo comprises dark elongated clasts. Bedding consists of black bands ~1-3 cm thick. Few MG beige bands found throughtout (~ 1mm-1cm) SST? These may host FG disseminated Py. Py also found as stringers win/near black bands.	
G	36.35		MST	FG	GN	BN	BN					Blue-green to maroon, banded mudstone with dark grey silty interbeds. Maroon rock appears at 44.28 m with bands of green rock of variable orientations and widths from 2 mm to over 2 mm wide. Dark grey, narrow cBX/parallel fracturing preferential to widerst green bands. Red and green banding becomes narrower and more regular with depth. Shear is exhibited where bands become dark grey and more silty.	
D	76.49	95.28	SLT	FG	DK	GY						Dark grey to green, variably sheared SLT with interbeds of calcareous, light grey LST(?) up to 3.5 cm wide. LST interbeds appear brittle and broken with tension gash-like white and black cracks orthogonal to bedding. Dark grey and green silts are variably deformed, foliation is convolute and highly variable throughout with clasts of SLT with stitched, dark grey <1mm wide margins to breccia textures throughout. Some Qz-Ca veining and irregular masses are present where shear appears strongest.	
D	95.28	109.51	MST	FG	MN	BN						Banded maroon and green mudstone with MG-CG interbeds(?) of light grey calcareous LST(?). Green-maroon bedding/banding is narrower and more frequent than uphole, widths range from <1 mm to 25 cm wide with a strongly common orientation. Trace black cBX is seen in some green mudstone interbeds.	
D	100.05	100.30	CGL	CG	LT	GY						Light to dark grey pebble to sand sized, calcareous conglomerate. Clasts are <8mm in size within a sandy matrix. Clasts are tabular, commonly oriented parallel to bedding/FO. Trace elongate blebs of dark metallic yellow Py present. Interbed generally coarsens downwards.	
G	109.51	125.26	LST		LT	GY				Py	0.01	Light to dark grey, MG to FG, variably BX LST with silty LST/SST laminations and interbeds. Solution collpase BX textrures variable throughout, overprinting narrow dark grey cBX. Silty interbeds variably deformed where BX textures are strongest.	
D	115.90	119.44	LST		LT	GY	BX			Py	0.1	Light to dark grey, strongly to intensely BX LST with deformed, dark grey silty interbeds. Angular light to medium grey LST clasts are supported by CG, white calcite and quartz sBX matrix with intermittent patches of tBX textures where dark grey silts appear strongly deformed. Trace blembos of Py are present as blebs <1 mm with deformed silty interbeds.	

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
G	125.26	151.33	MST	FG	DK	GY				Py	0.1	Dark grey to dark grey-green FG MST/SLT with vFG grains of trace Py disseminated throughout. Fine black grains of sand/silt visible with handlens. Bands of light grey dolomitic rock 1 mm to 2.7 cm thick are intermittent throughout, often hosting black cracks orthogonal to banding/bedding. Dolomitic bands/beds generally planar but do exhibit shear and are undulate and broken where core is deformed. Trace Rg is present on fractures as powdery orange coatings.	
D	133.48	133.85	MST	FG	DK	GY	SH	ARG	3			Medium to dark grey, ARG altered, strongly deformed banded/bedded MST and DST. Broken clasts of dolomitic rock appear rounded and are 1 mm to 2.1 cm in size, supported by dark to medium grey ARG altered mudstone.	
D	149.45	151.33	MST		DK	GY		ARG	3			Medium to dark grey, moderately ARG altered, strongly deformed LST with irregular and broken dolomitic beds/bands. An undulate shear fabric is pervasive with medium grey-green and dark grey, soft, FG bands with light grey, non-calcareous nodules throughout with trace blebs of Py forming stringers of blebs up to 1.8 cm long parallel with shear FO. ARG alteration best exhibited on fracture faces which feel soapy with powdery clay partings.	
G	151.33	243.92	DST		LT	GY	BX					Medium to light grey, variably BX DST with intermittent Rg MX and trace Py. Rock is dolomitic throughout, fizzing only when scratched. sBX textures most common, with intermittent cBX sometimes overprinting sBX. sBX characterized by white, variably calcareous and quartz bearing, CG bands and structures supporting angular, grey DST clasts to narrow, <1 cm wide "zebra-like" stripes. Rg present as orange fillings along cracks and brittle, angular fractures. Py present as dark yellow, FG blebs and sinuous masses.	
D	151.33	162.31	DST	MG	DK	GY	BX			Rg	0.5	Medium to dark grey, FG to MG cBX DST with red-orange Rg MX intermittently throughout. Core is strongly cBX to a few scattered <20 cm intervals of mBX(tBX?) with FG, dark matrix supporting round DST clasts (debrite?) Rg is present as fracture fills in narrow angular cracks and spaces, locally up to 2-5% on 20 cm scale. Py present as dark yellow, FG, sinuous bands with soft black margins.	
D	162.31	167.64	DST		LT	GY	BX			Rg	0.1	Medium to light grey, intensely sBX DST with trace Rg. CG white dolomite +/- calcite supports angular, medium to dark grey DST clasts. Trace pastel-orange Rg is present as fracture fills in angular cracks and spaces. Rg decreases with depth.	
D	167.64	188.65	DST		LT	GY	BX			Py	0.1	Medium to light grey, variably BX DST. sBX textures are intermittent, appearing stronger over intervals up to 2.2 m to weak or "zebra-like" on 20 cm scale. Trace Py present as sinuous veinlets, dark yellow stringers and irregular masses of FG crystals whereas BX is strongest. Trace Rg is present as powdery orange coatings on some fracture faces. Weak black <1 mm wide cBX overprints sBX textures.	
D	188.65	189.58	DST		LT	GY	BX			Rg	0.01	Medium to light grey clasts of angular DST tBX in a dark grey, FG matrix with white, weak cBX. Trace Rg present as rare fracture fills. tBX overprints sBX textures.	
D	189.58	207.26	DST	MG	LT	GY				Rg	0.01	Medium to light grey, MG to CG DST with weak to moderate sBX textures between bands/beds of "massive", MG to CG pitted, DST. sBX strong over small intervals of 20 cm, though typically weaker, patchy and "zebra-like". Some white weak cBX is present variably throughout. Rg is present as fills in brittle, angular cracks and open vugs where sBX is strongest. Dark yellow Py stringers locally associated with Rg Mx. sBX matrix is dolomitic with variable Qz and Ca.	
										Py	0.01		

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
D	207.26	238.75	DST	MG	MD LT	GY GY	BX BX			Rg	0.5	Medium to light grey, MG to CG DST with moderate to strong sBX. Coarse dolomite +/- Ca and Qz sBX matrix supports angular grey DST clasts in bands up to 80 cm in widths, down to "zebra-like" stripes <1 cm in width. Rg present as brilliant red and orange fracture fills along brittle, angular fractures throughout DST and sBX matrix. Rg increases with depth.	
D	238.75	241.25	DST	CG	MD LT	GY GY	BX BX			Rg	0.01	Medium to light grey, intensely BX DST with angular, sporadic tBX textures overprinting sBX. Anomalous, yellow-brown, CG translucent calcite forming irregular veins and masses overprint sBX textures. Core surface is variably pitted. Trace Rg present as brilliant red angular growths in white sBX.	
D	241.25	242.25	DST		MD DK	GY GY	BX BX	ARG DCB	2 2			Medium to dark grey, intensely BX DST with deformed silty interbeds. ARG alteration of silty beds is weak, and defined by clay-like softness. Core is variably pitted throughout (DCB?) Soft, white calcareous structures and blebs are variably oriented throughout. Py is present as dark yellow, very soft, sinuous stringers with dark grey, ARG altered fractures and stringer margins.	
G	242.25	243.92	MX?	FG	DK	GY		DCB ARG	4 4	Rg	1	Dark grey and orange, intensely deformed, pitted, interbedded, very soft, ARG and DCB altered silty carbonate (?). Rock exhibits folded and deformed bedding with broken, tabular clasts with relict bedding in a soft, dark grey matrix. 1-2 % Rg, present as angular fills in cracks and open space. Core surface is variably pitted. Where ARG alteration is strongest, irregular blocks of core are bound in the tray by clay.	
G	243.92		LST	FG	MD	GY				Rg	0.01	Medium grey, intensely calcareous, FG LST with narrow, dark grey silty interbeds. Silty interbeds 1 mm to 2 cm thick, at times weakly sinuous. Clastic CGL textures sometimes seen in LST. Irregular, white CG Ca veins intermittent and randomly oriented throughout. BD fabric is pervasive and strong. Trace Rg present with white Ca veins.	
D	243.92	245.55	LST	FG	DK MD	GY GY		ARG	3	Rg	2	Dark to medium grey, variably deformed, interbedded LST and SLT with 2% Rg. Tg present as CG, angular fills in open fractures and narrow cracks along deformed silty interbeds. Rock is folded and brecciated (soft sediment?), dark but calcareous and lacks pitting associated with DCB/SIL alteration. ARG alteration of silty interbeds strong, most are dark grey and very soft.	
D	245.55	251.54	LST	FG	MD	GY				Rg	0.01	Interbedded silty LST with weakARG. Some silty interbeds altered to soft, powdery grey clays. Silty interbeds 1 mm to 2.2 cm thick, appearing more sinuous when thin. ~30-35% of rock is silty interbeds. Trace Rg with variably oriented CG Ca veins.	
D	251.54	252.95	LST	FG	MD	GY	CGL			Rg	0.01	Medium grey, clastic DST. Rounded tabular, medium to dark grey LST clasts 2 mm to 3.2 cm in size present in a clast supported CGL. Irregular Ca veins crosscut CGL, hosting trace Rg.	
D	252.95	281.94	LST	FG	MD	GY	BD					Medium grey, FG LST with silty, variably calcareous, FG dark grey interbeds and laminations. Bedding fabric strong and pervasive throughout. Silty interbeds <1 mm to 4.9 cm thick, appearing sinuous where thinnest. CG, white calcite veins are scattered throughout and are randomly oriented. Intermittent masses/veins of beef calcite with dark grey narrow striations (?) scattered throughout. Weak white cBX structures become evident with increasing depth.	

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
D	281.94	282.10	LST	FG	MD DK	GY GY	BX BX	DOL	3	Rg	0.2	Medium to dark grey LST with cbX increasing to sBX with depth. Dolomitic alteration present, HCl reaction variable and patchy. Core is darker as depth increases, silty interbeds becoming obscured or absent. Trace brilliant red Rg present as angular, coarse grained crystals with calcareous fracture fills/vein breccia at 282.51 m.	
G	282.10	323.10	LST	FG	DK LT	GY GY	BX BX			Rg Sp	0.01 0.01	Dark to medium grey, strongly sBX to cBX DST. CG white dolomite +/- Ca and Qz sBX matrix supports angular, dark grey to medium grey DST clasts to irregular, white pock marks (ooids?) where sBX is weakest. cBX textures variable, often associated with weak ARG alteration. Trace Rg present as CG brilliant red crystals with white, calcareous sBX. Trace CG, yellow spalerite present with a band if texturally different sBX.	
D	293.72	293.96	DST	MG		GY RD	BX BX			Rg	10	Grey angular DST clasts with brilliant red and white calcite and realgar sBX matrix, Rg ~10% of subinterval. uCN and ICN sharp, defined by extent of Rg MX on fracture faces.	
D	294.32	295.42	DST	CG	DK LT	GY GY		ARG	2			Dark to light grey, fairly ARG altered, variably BX DST. Angular grey DST clasts supported by sBX matrix with cBX overprints. ARG present as soft grey clay along cBX structures, at times appearing an anomalous grey-green colour. Core is blocky, less competent than above or below.	
D	319.33	323.10	DST	CG	MD LT	GY GY	BX BX					Medium to light grey clastic DST, tabular clasts of polyolithic DST and LST form a breccia/conglomerate, coarsening downwards from 2mm to >core width. Core becomes increasingly calcareous with depth. Some CGL clasts have sutured margins.	
G	323.10	330.71	LST	FG	MD DK	GY GY						Medium to dark grey, BX to bedded LST. Tabular to sub rounded clasts 4 mm to >core width abruptly changed to bedded LST with silty interbeds at 327.30 m. Narrow dark grey sinuous silty interbeds defined bedding. EOH Low on rods, hole terminated at end of day shift.	

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Comments
4.57	7.62	3.05	0.91	30	L829515	8	<0.01	20.5	1.06	0.20	
7.62	9.14	1.52	1.15	76	L829516	8	<0.01	21.7	1.04	0.18	
9.14	10.67	1.53	1.53	100	L829517	8	<0.01	21.8	0.86	0.16	
10.67	13.72	3.05	2.46	81	L829518	9	<0.01	18.6	0.90	0.11	
13.72	16.76	3.04	2.20		L829519	9	<0.01	11.6	0.63	0.07	
16.76	19.10	2.34	2.31	99	L829520	9	<0.01	12.4	0.82	0.08	
19.10	22.00	2.90	2.73	94	L829521	9	<0.01	4.3	0.35	0.02	
22.00	24.00	2.00	2.03	102	L829522	9	<0.01	12.0	0.66	0.06	
24.00	25.91	1.91	1.71	90	L829523	9	0.01	24.4	1.02	0.09	
-	-		#####		L829524	9	7.63	985.0	11.85	6.07	Standard (CDN-GS-8B)
25.91	28.96	3.05	2.80		L829525	9	<0.01	23.2	0.96	0.09	
28.96	32.00	3.04	2.85	94	L829526	9	<0.01	25.4	0.86	0.08	
32.00	35.05	3.05	2.90	95	L829527	9	<0.01	5.0	0.81	0.04	
35.05	38.10	3.05	2.92	96	L829528	9	<0.01	10.4	0.79	0.05	
38.10	41.15	3.05	2.70	89	L829529	9	<0.01	5.3	0.74	0.02	
41.15	44.20	3.05	2.60	85	L829530	9	<0.01	7.2	0.74	0.04	
44.20	47.24	3.04	2.96	97	L829531	9	<0.01	7.0	0.83	0.06	
47.24	50.29	3.05	2.89	95	L829532	9	<0.01	7.1	0.91	0.02	
50.29	53.34	3.05	2.30	75	L829533	9	<0.01	2.7	0.87	0.01	
53.34	56.39	3.05	2.97	97	L829534	9	<0.01	3.8	0.87	0.02	
56.39	57.91	1.52	1.52	100	L829535	9	0.01	3.9	0.89	0.02	
57.91	60.96	3.05	3.04	100	L829536	9	<0.01	5.2	0.90	0.02	
60.96	64.01	3.32	2.97	89	L829537	9	<0.01	5.3	0.88	0.02	
64.01	67.06	3.05	2.97	97	L829538	9	<0.01	4.7	0.86	0.02	
67.06	70.10	3.04	2.93	96	L829539	9	<0.01	4.6	1.07	0.02	
70.10	73.15	3.05	3.02	99	L829540	9	<0.01	5.1	1.07	0.05	
73.15	76.20	3.05	2.98	98	L829541	9	<0.01	27.9	1.05	0.24	
76.20	79.25	3.05	2.88	94	L829542	9	<0.01	20.6	0.96	0.02	
76.20	79.25	3.05	3.01		L829543	9	<0.01	21.2	0.96	0.03	Duplicate
79.25	82.30	3.05	3.01	99	L829544	9	<0.01	79.3	0.86	0.30	
-	-	-	#####		L829545	9	<0.01	5.0	<0.02	<0.01	Blank
82.30	85.34	3.04	3.01	99	L829546	9	<0.01	63.9	0.78	0.52	
-	-	#####	-	#####	L829547	9	1.08	269.0	1.53	2.28	Standard C-3
85.34	88.39	3.05	3.02	99	L829548	9	<0.01	41.2	0.96	0.38	
88.39	91.44	3.05	2.98	98	L829549	9	0.03	74.7	0.96	0.71	
91.44	94.49	3.05	2.97		L829550	9	<0.01	130.0	1.01	1.47	
-	-	#####	-	#####	L829551	9	<0.01	<5	<0.02	0.01	Blank
94.49	97.54	3.05	2.88	94	L829552	9	<0.01	22.6	0.89	0.50	
97.54	100.58	3.04	2.89	95	L829553	9	0.01	73.5	0.80	0.99	
100.58	103.63	3.05	2.86	94	L829554	10	<0.01	3.3	1.03	0.43	
103.63	106.68	3.05	2.97	97	L829555	10	<0.01	5.4	0.78	0.07	
-	-	#####	-	#####	L829556	10	1.14	262.0	1.67	1.95	Standard C-3
106.68	109.50	2.82	2.54	90	L829557	10	<0.01	10.2	0.77	0.90	
109.50	111.00	1.50	1.49	99	L829558	10	0.01	51.0	0.53	0.97	
111.00	112.75	1.75	1.69	97	L829559	10	<0.01	25.0	0.49	0.42	
112.78	115.82	3.04	2.83	93	L829560	10	<0.01	58.0	0.60	0.48	
115.82	118.87	3.05	2.69	88	L829561	10	<0.01	59.0	0.69	0.74	
118.87	121.92	3.05	3.03	99	L829562	10	<0.01	71.0	0.70	1.02	
121.92	124.26	2.34	2.23	95	L829563	10	<0.01	67.0	0.77	1.32	
124.26	125.26	1.00	0.99	99	L829564	10	<0.01	131.0	0.75	2.17	
125.26	128.02	2.76	2.76	100	L829565	10	<0.01	126.5	1.81	2.19	
128.02	131.06	3.04	3.04	100	L829566	10	<0.01	30.8	0.77	0.77	
131.06	134.11	3.05	2.86	94	L829567	10	<0.01	44.4	0.90	1.03	

Hole: CE 11-04

Name: CRAG EAST

Page 7 of 17

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Comments
134.11	137.16	3.05	3.00	98	L829568	10	<0.01	47.0	0.67	0.72	
137.16	140.21	3.05	3.02	99	L829569	10	<0.01	28.0	0.72	0.57	
140.21	143.26	3.05	3.05	100	L829570	10	<0.01	132.0	1.04	1.94	
143.26	146.30	3.04	3.04	100	L829571	10	<0.01	136.0	1.38	2.33	
-	-	#####	-	#####	L829572	10	3.87	746.0	5.38	4.86	Standard C-4
146.30	148.00	1.70	1.70	100	L829573	10	<0.01	165.0	1.23	1.47	
148.00	149.45	1.45	1.43	99	L829574	10	<0.01	130.5	1.87	1.36	
149.45	151.33	1.88	1.85	98	L829575	10	<0.01	244.0	2.19	2.47	
-	-	#####	-	#####	L829576	10	0.01	<5	0.02	<0.01	Blank
151.33	154.00	2.67	2.66	100	L829577	10	<0.01	104.0	1.28	2.41	
154.00	156.00	2.00	1.98	99	L829578	10	<0.01	2720.0	2.19	165.50	
156.00	158.00	2.00	2.00	100	L829579	10	<0.01	3340.0	56.00	61.20	
156.00	158.00	2.00	2.00	100	L829580	10	<0.01	2530.0	49.40	50.00	Duplicate
158.00	160.00	2.00	1.96	98	L829581	10	<0.01	28100.0	20.20	48.50	
160.00	162.31	2.31	2.31	100	L829582	10	<0.01	1040.0	0.57	1.09	
-	-	#####	2.22	#####	L829583	10	<0.01	31.0	0.07	0.08	Blank
162.31	164.59	2.28	3.05	134	L829584	10	<0.01	2750.0	0.67	3.16	
164.59	167.64	3.05	3.00	98	L829585	10	<0.01	445.0	2.99	7.13	
167.64	170.69	3.05	2.98	98	L829586	10	<0.01	701.0	0.52	1.24	
170.69	173.74	3.05	3.04	100	L829587	10	0.01	260.0	0.53	15.90	
173.74	176.78	3.04	3.05	100	L829588	10	<0.01	67.0	0.35	0.92	
176.78	179.83	3.05	3.04	100	L829589	10	<0.01	172.0	0.96	2.07	
179.83	182.88	3.05	3.05	100	L829590	11	0.02	143.0	4.07	5.63	
182.88	185.93	3.05	3.05	100	L829591	11	<0.01	159.0	1.00	1.83	
182.88	185.93	3.05	3.05	100	L829592	11	<0.01	129.0	1.05	1.77	Duplicate
185.93	188.98	3.05	3.05	100	L829593	11	<0.01	64.0	0.47	0.93	
188.98	192.02	3.04	3.04	100	L829594	11	0.01	516.0	1.92	2.96	
192.02	195.07	3.05	2.92	96	L829595	11	<0.01	128.0	0.17	0.30	
195.07	198.12	3.05	3.04	100	L829596	11	<0.01	2290.0	2.51	3.58	
198.12	201.17	3.05	2.93	96	L829597	11	<0.01	233.0	0.44	0.72	
201.17	204.22	3.05	3.02	99	L829598	11	<0.01	264.0	0.54	1.13	
204.22	207.26	3.04	3.02	99	L829599	11	<0.01	2910.0	0.81	12.30	
207.26	210.31	3.05	3.04	100	L829600	11	<0.01	2650.0	4.13	5.52	
210.31	213.36	3.05	3.03	99	L829601	11	<0.01	804.0	3.82	5.10	
213.36	216.41	3.05	3.01	99	L829602	11	<0.01	1640.0	1.20	1.89	
216.41	219.46	3.05	3.05	100	L829603	11	<0.01	293.0	6.96	8.70	
219.46	222.50	3.04	3.04	100	L829604	11	<0.01	89.0	0.48	0.65	
222.50	225.55	3.05	3.05	100	L829605	11	<0.01	627.0	1.89	3.14	
225.55	228.60	3.05	3.04	100	L829606	11	<0.01	4120.0	2.69	4.34	
-	-	#####	-	#####	L829607	11	<0.01	8930.0	3.19	13.30	Standard C-1
228.60	231.65	3.05	3.03	99	L829608	11	1.39	186.0	2.49	0.40	
231.65	234.70	3.05	3.03	99	L829609	11	<0.01	8530.0	1.25	1.89	
234.70	237.74	3.04	3.04	100	L829610	11	<0.01	7630.0	0.25	0.50	
237.74	238.75	1.01	1.00	99	L829611	11	<0.01	1960.0	0.45	0.63	
238.75	241.25	2.50	2.41	96	L829612	11	0.01	327.0	0.26	4.40	
-	-	#####	-	#####	L829613	11	<0.01	14.0	0.02	0.02	Blank
241.25	242.25	1.00	1.00	100	L829614	11	<0.01	197.0	1.36	48.50	
242.25	243.07	0.82	0.72	88	L829615	11	<0.01	3410.0	16.90	24.20	
243.07	243.92	0.85	0.82	96	L829616	11	<0.01	9840.0	13.65	21.50	
-	-	#####	-	#####	L829617	11	<0.01	17.0	0.10	0.12	Blank
243.92	245.55	1.63	1.42	87	L829618	11	<0.01	31200.0	62.30	70.60	
245.55	246.89	1.34	1.28	96	L829619	11	0.01	3550.0	37.70	38.30	
246.89	249.94	3.05	2.96	97	L829620	11	<0.01	262.0	3.90	5.02	
249.94	252.98	3.04	3.04	100	L829621	11	<0.01	104.0	1.82	2.46	
-	-	#####	-	#####	L829622	11	1.18	261.0	1.69	2.25	Standard C-3
252.98	256.03	3.05	3.02	99	L829623	11	<0.01	89.0	1.38	2.04	
256.03	259.08	3.05	3.01	99	L829624	11	<0.01	37.0	0.43	0.51	
259.08	262.13	3.05	3.02	99	L829625	11	<0.01	20.0	0.41	0.36	
262.13	265.18	3.05	2.97	97	L829626	12	<0.01	10.0	0.28	0.14	

SAMPLE LOG

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Comments
-	-	#####	-	#####	L829627	12	3.66	763.0	5.34	4.79	Standard C-4
265.18	266.70	1.52	1.50	99	L829628	12	<0.01	12.0	0.22	0.07	
266.70	269.75	3.05	3.02	99	L829629	12	<0.01	11.0	0.34	0.10	
269.75	272.80	3.05	2.98	98	L829630	12	<0.01	7.0	0.09	0.08	
272.80	275.84	3.04	2.98	98	L829631	12	<0.01	6.0	0.06	0.06	
275.84	278.89	3.05	3.01	99	L829632	12	<0.01	7.0	0.06	0.09	
278.89	281.94	3.05	3.04	100	L829633	12	<0.01	40.0	0.10	0.26	
281.94	284.99	3.05	2.92	96	L829634	12	<0.01	385.0	0.14	1.30	
284.99	286.10	1.11	10.90	982	L829635	12	<0.01	103.0	0.27	20.10	
286.10	288.04	1.94	1.94	100	L829636	12	<0.01	134.0	0.10	16.90	
288.04	291.08	3.04	3.04	100	L829637	12	<0.01	47.0	0.19	0.68	
291.08	293.73	2.65	2.63	99	L829638	12	<0.01	910.0	0.16	0.45	
293.73	294.32	0.59	0.59	100	L829639	12	<0.01	39200.0	0.08	0.29	
293.73	294.32	0.59	0.59	100	L829640	12	0.01	27500.0	0.09	0.29	Duplicate
-	-	#####	-	#####	L829641	12	<0.01	81.0	<0.02	<0.01	Blank
294.32	295.42	1.10	1.08	98	L829642	12	<0.01	444.0	0.11	0.25	
295.42	297.18	1.76	1.74	99	L829643	12	0.01	50.0	0.11	0.51	
-	-	#####	-	#####	L829644	12	1.17	274.0	1.67	2.23	Standard C-3
297.18	300.23	3.05	3.00	98	L829645	12	<0.01	46.0	0.24	1.71	
300.23	303.28	3.05	3.05	100	L829646	12	<0.01	82.0	0.41	1.61	
303.28	306.32	3.04	3.04	100	L829647	12	<0.01	39.0	0.16	2.80	
306.32	309.37	3.05	2.96	97	L829648	12	<0.01	126.0	0.53	0.90	
309.37	312.42	3.05	3.01	99	L829649	12	<0.01	16.0	0.22	0.38	
312.42	315.47	3.05	3.05	100	L829650	12	<0.01	20.0	0.17	0.48	
315.47	318.52	3.05	2.95	97	L829651	12	<0.01	34.0	0.15	0.45	
318.52	321.56	3.04	3.02	99	L829652	12	<0.01	30.0	0.24	0.68	
321.56	323.10	1.54	1.54	100	L829653	12	<0.01	41.0	0.44	0.80	
323.10	324.61	1.51	1.45	96	L829654	12	<0.01	26.0	0.19	0.47	
324.61	327.30	2.69	2.68	100	L829655	12	<0.01	21.0	0.54	0.60	
327.30	329.00	1.70	1.70	100	L829656	12	0.01	13.0	0.53	0.30	
329.00	330.71	1.71	1.61	94	L829657	12	<0.01	15.0	0.25	0.15	
-	-	-	-	#####	L829658	12	<0.01	<5	<0.02	<0.01	Blank

From (m)	To (m)	Interval (m)	Recovery (m)	Recover (%)	RQD (m)	RQD (%)	HCI	Reactivity	Weathering	Hardness	DESCRIPTION
0.00	4.57	4.57	0.26	6	0.00	0			MW	W	Overburden
4.57	6.10	1.53	0.90	59	0.00	0			MW	W	
6.10	7.62	1.52	0.91	60	0.00	0			MW	W	
7.62	9.14	1.52	1.15	76	0.24	16			MW	W	
9.14	10.67	1.53	1.53	100	0.52	34			MW	W	
10.67	13.72	3.05	2.46	81	0.42	14			MW	MS	
13.72	16.76	3.02	2.20	73	0.80	26			MW	S	
16.76	19.81	3.07	2.82	92	1.58	51			SW	MS	
19.81	22.86	3.05	2.98	98	2.73	90			SW	S	
22.86	25.91	3.05	2.82	92	1.84	60			SW	S	
25.91	28.96	3.05	2.80	92	1.79	59			FR	S	
28.96	32.00	3.04	2.85	94	1.97	65			FR	S	
32.00	35.05	3.05	2.90	95	1.79	59			FR	S	
35.05	38.10	3.05	2.92	96	1.93	63			FR	S	
38.10	41.15	3.05	2.70	89	1.95	64			FR	S	
41.15	44.20	3.05	2.60	85	1.21	40			FR	S	
44.20	47.24	3.04	2.96	97	1.72	57			FR	S	
47.24	50.29	3.05	2.89	95	2.03	67			FR	S	
50.29	53.34	3.05	2.30	75	2.12	70			FR	S	
53.34	56.39	3.05	2.97	97	2.07	68			FR	S	
56.39	57.91	1.52	1.52	100	1.44	95			FR	S	
57.91	60.96	3.05	3.04	100	3.04	100			FR	S	
60.96	64.01	3.05	2.97	97	2.56	84			FR	S	
64.01	67.06	3.05	2.97	97	2.74	90			FR	S	
67.06	70.10	3.04	2.93	96	2.24	74			FR	S	
70.10	73.15	3.05	3.02	99	2.54	83			FR	S	
73.15	76.20	3.05	2.98	98	2.33	76			FR	S	
76.20	79.25	3.05	2.88	94	2.46	81			FR	S	
79.25	82.30	3.05	3.01	99	2.85	93			FR	S	
82.30	85.34	3.04	3.01	99	1.83	60			FR	S	
85.34	88.39	3.05	3.02	99	2.35	77			FR	S	
88.39	91.44	3.05	2.98	98	1.55	51			FR	S	
91.44	94.49	3.05	2.97	97	1.97	65			FR	S	
94.49	97.54	3.05	2.88	94	2.42	79			FR	S	
97.54	100.58	3.04	2.89	95	2.13	70			FR	S	
100.58	103.63	3.05	2.86	94	2.46	81			FR	S	
103.63	106.68	3.05	2.97	97	1.31	43			FR	S	
106.68	109.72	3.04	2.75	90	2.00	66			FR	S	
109.72	112.78	3.06	2.96	97	1.01	33			FR	S	
112.78	115.82	3.04	2.83	93	1.69	56			MW	MS	
115.82	118.87	3.05	2.68	88	1.75	57			MW	MS	
118.87	121.92	3.05	3.03	99	2.17	71			FR	MS	
121.92	124.97	3.05	3.04	100	2.37	78			FR	MS	
124.97	128.02	3.05	3.05	100	2.02	66			FR	MS	
128.02	131.06	3.04	3.04	100	2.72	89			FR	MS	

From (m)	To (m)	Interval (m)	Recovery (m)	Recover (%)	RQD (m)	RQD (%)	HCl Reactivity	Weathering	Hardness	DESCRIPTION
131.06	134.11	3.05	2.86	94	1.93	63		FR	MS	
134.11	137.16	3.05	3.00	98	2.23	73		FR	MS	
137.16	140.21	3.05	3.02	99	2.54	83		FR	MS	
140.21	143.26	3.05	3.05	100	2.80	92		FR	MS	
143.26	146.30	3.04	3.06	101	2.49	82		FR	MS	
146.30	149.35	3.05	3.03	99	2.30	75		FR	MS	
149.35	152.40	3.05	3.04	100	2.67	88		FR	MS	
152.40	155.45	3.05	2.99	98	2.71	89		FR	MS	
155.45	158.50	3.05	3.04	100	2.78	91		FR	MS	
158.50	161.54	3.04	3.05	100	2.75	90		FR	MS	
161.54	164.59	3.05	3.05	100	2.68	88		FR	MS	
164.59	167.64	3.05	3.05	100	2.69	88		FR	MS	
167.64	170.69	3.05	3.00	98	2.16	71		FR	MS	
170.69	173.74	3.05	2.98	98	0.71	23		FR	MS	
173.74	176.78	3.04	3.04	100	2.54	84		FR	MS	
176.78	179.83	3.05	3.05	100	2.64	87		FR	MS	
179.83	182.88	3.05	3.04	100	2.88	94		FR	MS	
182.88	185.93	3.05	3.05	100	2.55	84		FR	MS	
185.93	188.98	3.05	3.05	100	2.92	96		FR	MS	
188.98	192.02	3.04	3.04	100	2.09	69		FR	MS	
192.02	195.07	3.05	2.92	96	2.42	79		FR	MS	
195.07	198.12	3.05	3.04	100	2.26	74		FR	MS	
198.12	201.17	3.05	2.93	96	2.52	83		FR	MS	
201.17	204.22	3.05	3.02	99	2.39	78		FR	MS	
204.22	207.26	3.04	3.02	99	2.69	88		FR	MS	
207.26	210.31	3.05	3.04	100	2.64	87		FR	MS	
210.31	213.36	3.05	3.03	99	2.39	78		FR	MS	
213.36	216.41	3.05	3.01	99	2.75	90		FR	MS	
216.41	219.46	3.05	3.05	100	2.95	97		FR	MS	
219.46	222.50	3.04	3.04	100	2.90	95		FR	MS	
222.50	225.55	3.05	3.05	100	2.97	97		FR	MS	
225.55	228.60	3.05	3.04	100	3.04	100		FR	MS	
228.60	231.65	3.05	3.03	99	2.85	93		FR	S	
231.65	234.70	3.05	3.03	99	2.89	95		FR	MS	
234.70	237.74	3.04	3.04	100	3.04	100		FR	MS	
237.74	240.79	3.05	3.02	99	2.95	97		FR	MS	
240.79	243.84	3.05	3.02	99	1.64	54		FR	EW	
243.84	246.89	3.05	2.91	95	1.91	63		FR	MS	
246.89	249.94	3.05	2.96	97	2.38	78		FR	MS	
249.94	252.98	3.04	3.04	100	2.40	79		FR	MS	
252.98	256.03	3.05	3.02	99	2.39	78		FR	MS	
256.03	259.08	3.05	3.01	99	1.97	65		FR	MS	
259.08	262.13	3.05	3.02	99	2.45	80		FR	MS	
262.13	265.18	3.05	2.97	97	1.43	47		FR	MS	
265.18	266.70	1.52	1.50	99	0.55	36		FR	MS	
266.70	269.75	3.05	3.02	99	2.70	89		FR	MS	
269.75	272.80	3.05	2.98	98	2.54	83		FR	MS	
272.80	275.84	3.04	2.98	98	2.92	96		FR	MS	
275.84	278.89	3.05	3.01	99	2.62	86		FR	MS	
278.89	281.94	3.05	3.04	100	2.80	92		FR	MS	
281.94	284.99	3.05	2.92	96	2.53	83		FR	MS	
284.99	288.04	3.05	3.05	100	2.75	90		FR	MS	

Hole: CE 11-04

Box #	From (m)	To (m)	Photo Taken
1	0	9.10	
2	9.10	12.80	
3	12.80	17.19	
4	17.19	22.37	
5	22.37	26.70	
6	26.70	31.66	
7	31.66	36.28	
8	36.28	41.05	
9	41.05	45.77	
10	45.77	50.29	
11	50.29	56.39	
12	56.39	60.96	
13	60.96	66.88	
14	66.88	71.14	
15	71.14	76.20	
16	76.20	81.65	
17	81.65	86.63	
18	86.63	91.44	
19	91.44	96.65	
20	96.65	101.76	
21	101.76	106.77	
22	106.77	111.77	
23	111.77	116.53	

Page 12 of 17

Box #	From (m)	To (m)	Photo Taken
24	116.53	121.25	
25	121.25	126.33	
26	126.33	131.06	
27	131.06	136.80	
28	136.80	141.39	
29	141.39	146.30	
30	146.30	151.12	
31	151.12	156.26	
32	156.26	161.54	
33	161.54	166.60	
34	166.60	171.35	
35	171.35	176.05	
36	176.05	181.49	
37	181.49	187.02	
38	187.02	192.25	
39	192.25	197.75	
40	197.75	202.83	
41	202.83	207.85	
42	207.85	212.86	
43	212.86	217.82	
44	217.82	222.78	
45	222.78	227.84	
46	227.84	232.88	

BOX LOG

Box #	From (m)	To (m)	Photo Taken
47	232.88	238.24	
48	238.24	243.59	
49	243.59	248.51	
50	248.51	252.98	
51	252.98	257.87	
52	257.87	262.90	
53	262.90	267.93	
54	267.93	273.11	
55	273.10	278.57	
56	278.57	283.55	
57	283.55	288.55	
58	288.55	293.73	
59	293.73	298.54	
60	298.54	303.73	
61	303.73	309.27	
62	309.27	314.40	
63	314.40	319.73	
64	319.73	324.94	
65	324.94	330.10	
66	330.10	330.71	

CONTACT LOG

Depth (m)	DESCRIPTION
14.73	SLT and SST. SLT highly altered (ARG) over ~ 10 cm.
16.30	SST and SLT with an irregular contact
18.47	SLT and SST 60 degrees TCA
18.97	SST and SLT with an irregular contact
19.10	SLT and SST with an irregular contact
22.81	SST with SLT and an irregular contact
31.60	SLT and SST 30 degrees TCA
31.78	SST and SLT with an irregular contact
36.35	Contact is gradational, becoming more green with black bands dropping off below 36.35 m.
109.51	Gradational change in MST, less green to more grey, core dominantly LST below 109.51 m
125.96	Sharp contact 40 degrees TCA, BX LST above FG, dark grey and medium grey interbedded MST.
151.33	CN irregular, defined by black gougy clay and BX seam oriented 50 degrees TCA, deformed MST above and BX DST below
238.75	Change from broad sBX DST textures to tighter tBX DST over 10 cm.
241.25	Change from tBX-cBX DST to pitted, darker DST over 3 cm.
242.25	Abrupt contact obscured by broken core, rapid change in DST to dark, black, pitted DCB altered, deformed core.
243.92	CN defined by sharp change from no reaction with HCl to strong reaction below 243.92 m
282.10	LST above, DST below, defined by hiatus of HCl reaction at 252.10 m
323.10	Gradational change from DST to LST, LST dominates below 323.10 m.

Depth (m)	DESCRIPTION
327.30	Clastic LST CGL above deformed interbeds at 327.30 m.

CRAG EAST PROPERTY - MIDAS TOUCH PROJECT

ZONE: CRAG EAST

Grid East	Grid North	Easting	Northing	Elev. (m)	Depth (m)
		619147	7107948	847	195.07

SECTION: _____

HOLE: **CE11-05**

CLAIM: CRAG EAST

Contractor: Beaudoin

Drill: 1

Core size: NTW

Casing depth: _____ in/out

Drilling dates: Aug. 28 to Sept. 1st, 2011

Geology logged by: K. Unger

SURVEY							
Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
0	0	-50	Compass				

TARGET: _____

SUMMARY				
From (m)	To (m)	Interval	Unit	Comments
0.00	7.62	7.62	OVB	OVB/casing, no recovery
7.62	19.80	12.18	LST	Rubbly, variably SIL and ARG altered LST
19.80	82.84	63.04	LST	Variably SIL altered fossiliferous LST grainstone
82.84	95.28	12.44	SLT	SIL altered dark grey SLT
95.28	195.07	99.79	SHL	Shale with scattered silty and dolomitic interbeds.
		0.00		
		0.00		
		0.00		

SAMPLES
Numbers: L829659 to L829735
Total: 77
Batch: 12, 13, 14
Date Sent: _____
Certificate: _____

COMMENTS
Strong SIL alteration present in bands through fossiliferous limestone and upper margin of fine grained dark grey silts and shale. Drilling was problematic, poor footage throughout due to hard SIL alteration and high torque and water pressure at depth. Hole shut down after night shift only managed 10'.

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
G	0.00	7.62	OVB									OVB/casing, no recovery	
G	7.62	19.80	LST		DK LT	GY GY		ARG SIL	3 4			Dark to light grey, rubbly and gritty gouge, core is variably calcareous and silicious (SIL alt. LST?) ARG alteration is present as clay linings on some rubble chunks. Grit-gouge variably fizzes with HCl. Calcite veinlets evident on larger chunks of rubble. Recovery is generally poor.	
D	7.62	14.00	LST		DK LT	GY GY		SIL ARG	4 3			Dark grey to light grey with rusty brown weathering coating rubble and grit, weathering is absent below 14.00 m. Some brown-yellow Qz sand-sized grains coat fractures, bound loosely with rusty clay. SIL alteration is patchy, unbroken cloasts are hard and lack reaction with HCl.	
G	19.80	82.84	LST		MD LT	GY GY		SIL	4			Medium to light grey, variably SIL altered, FG to grainstone LST. Bands of hard, FG SIL altered rock is between light grey, CG to FG fossiliferous grainstone LST. White-light grey tabular to ovoid grains <5 mm in size are bound by a medium grey, FG calcareous cement. One hole crinoid and gastropod fossils scattered throughout, <1% of core. Calcite veins are intermittent throughout, forming angular, brittle textures in SIL altered rock becoming cBX where strongest. Core becomes more competent with depth. SIL altered bands are up to 90 cm in width.	
D	19.80	25.86	LST		MD LT	GY GY		SIL ARG	4 2			Rock is as general description but rubbly to blocky with grey-yellow, powdery clay on broken rock faces. Clasts are angular, <8 cm in size (most commonly 2.5 to 3 cm) and calcareous. SIL altered core is more competent and is present as longer blocks and chunks of unbroken core.	
D	71.41	82.84	SIL	FG	MD DK	GY GY		SIL	5	Py	0.1	Medium to dark grey, silicic rock, FG and hard with irregular Qz +/- Ca stockwork veinlets throughout. Core is competent to rubbly with angular chunks and blocks. Some powdery grey clay lines some broken clasts, the grey powdery clay is variably calcareous. Trace Py present as irregular blebs of metallic yellow MG grains locally associated with narrow calcite veinlets and fracture fills. Relict fossil textures may be present, but very cryptic to obliterated by SIL alteration. Black cBX throughout is crosscut by narrow white, calcareous fractures.	
G	82.84	94.28	SLT	FG	DK	GY		SIL	4	Py	0.1	Dark grey, FG to MG< variably SIL altered SLT. Core is variably pitted and hard, slick when scratched with a scribe. Narrow, white dolomitic veinlets scattered throughout with a loose common orientation. At times soft, sea foam green-blue talc scratched easily with finger nail is present with dolomite along fractures and within stringers. Dolomite/talc stringers also present partially filling open vugs. Py present as small blebs along bitted structures and as clouds of MG disseminations forming nebulous masses. ARG alteration present along narrow shear planes as smooth, polished coatings on bedding/slip planes. SIL alteration pervasive to 95.28 m.	
D	82.84	83.22	SLT	FG	MD DK	GY GY		SIL ARG	4 3	Py	1	Medium to dark grey, clastic, SIL altered SLT with rounded clasts of SIL altered rock and SLT in grey, FG, moderately ARG altered matrix. Clasts are up to 2.1 cm in size and are commonly oriented. Py present as FG disseminations of yellow and silvery (arsenopyrite?) grains and as MG yellow blebs forming small aggregates up to 1.2 cm in size.	
D	83.32	83.62	SLT	FG	DK	GY		SIL	4	Py	30	Dark grey, FG, silicic altered sediments (SLT?) with MG, <2 mm blebs of Py forming cloud-like masses. White, translucent Qz veins crosscut Py MX.	

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
D	90.71	91.84	SLT	FG	DK	GY		SIL	4			Dark grey, blocky to rubbly, variably SIL altered SLT with soft black gouge where core is most broken. Narrow subparallel to parallel white, Qz filled fractures are crosscut by narrow black argilic slip planes along bedding parallel foliation.	
G	95.28	195.07	SHL	FG	DK	GY				Py	0.1	Dark grey, FG, foliated/laminated shale. Core is blocky, fracturing readily along bedding planes. Patchy ARG alteration is intermittent, appearing along narrow slip planes and where bedding/foliation is deformed. Trace Py seen as trace disseminations.	
D	108.39	110.76	SHL	FG	DK	GY		ARG	4			Dark grey, deformed ARG altered SHL. Bedding is convolute to broken, clasts of SHL are held within grey, ARG altered matrix (shear). Core is blocky to rubbly. White dolomitic stringers and masses are curvilinear and appear sheared. Fracture faces of core are smooth and polished, at times weakly graphitic.	
D	121.61	128.08	SHL	FG	DK	GY		ARG	1	Py	0.1	Dark grey shale with intermittent medium grey, dolomitic interbeds up to 8 mm thick scattered throughout. Interval is 3-5% dolomitic interbeds, often with <1mm wide, white fractures orthogonal to bedding. Dark grey and black silty/muddy laminations dominate. Core is fissile along bedding. Weak ARG is intermittent throughout. Trace Py is present along medium grey silty interbeds.	
D	128.08	128.42	SHL	FG	DK	GY		ARG	3			Dark grey, broken/sheared SHL, ARG alteration is moderate. White dolomitic masses crosscut bedding. Clasts of SHL are commonly oriented within grey, argillic clay, fabric.	
D	131.75	132.02	SHL	FG	DK	GY						Dark grey, FG SHL with folded beds (slump?) with irregular white dolomitic tension gash textures in folded beds. Fracture faces lined with medium grey powdery clay coatings. Folding is orthogonal to bedding.	
D	146.22	159.34	SHL	FG	DK	GY		ARG	3			Dark to medium grey, variably broken and ARG altered, interbedded shale and FG sandy silt. Silt interbeds medium grey, harder than SHL and up to 1.9 cm in width. ARG alteration is intermittent, strongest locally where core is deformed, breaking easily along ARG bands or bedding planes. ARG present as medium to dark grey soft clay. Core is more broken in general even where ARG alteration is absent, and is blocky throughout. Irregular dolomitic veinlets and masses present in silty beds as fracture fills orthogonal to bedding.	
D	166.31	166.56	SHL	FG	DK	GY		ARG	4			Dark to medium grey, broken and ARG altered SLT SHL with bands of strong ARG alteration as soft, medium grey clay with deformed interbeds and white dolomitic masses. ARG preferential to dark grey, FG interbeds. Silty interbeds harder than typical (SIL?).	
D	183.33	183.88	SHL	FG	DK	GY		ARG	1			Dark to medium grey interbedded SHL and SLT, bedding is undulate and shallow. Irregular white dolomite is present as <3 mm wide crack seals in angular brittle structures. Weak ARG is present as grey powdery clay on fracture faces.	
D	185.43	195.07	SHL	FG	DK	GY		ARG	2			Dark grey SHL and mudstone with undulate bedding shallowing from 40 degrees TCA to 0 degrees in generally gently folded beds. ARG alteration present as soft grey clay where bedding is most strongly deformed. Fracture faces feature polished ARG alteration. Core fractures along bedding planes.	
												EOH, drilling problems with high torque and water pressure and poor footage.	

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Zn (ppm)	Comments
7.62	10.67	3.05	0.96	31	L829659	12	<0.01	727	0.54	0.90	13500	
10.67	12.19	1.52	1.50	99	L829660	12	<0.01	528	0.31	1.00	17850	
12.19	15.24	3.05	0.29	10	L829661	12	<0.01	242	0.29	0.30	19600	
15.24	18.29	3.05	1.32	43	L829662	13	<0.01	397	0.68	0.51	5590	
-	-		-		L829663	13	<0.01	<5	<0.02	0.01	22	Blank
18.29	19.81	1.52	1.17	77	L829664	13	<0.01	135	0.44	0.60	1120	
19.81	22.86	3.05	1.98	65	L829665	13	<0.01	19	0.07	0.30	209	
22.86	24.38	1.52	1.05	69	L829666	13	<0.01	40	0.15	0.78	490	
24.38	27.73	3.35	2.91	87	L829667	13	<0.01	20	0.10	0.36	211	
27.43	30.48	3.05	2.50	82	L829668	13	<0.01	47	0.05	0.38	72	
-	-		-		L829669	13	1.30	142	2.95	0.08	7870	Standard C-1
30.48	33.53	3.05	2.77	91	L829670	13	<0.01	159	0.06	0.39	55	
33.53	36.58	3.05	2.78	91	L829671	13	<0.01	23	0.04	0.33	27	
36.58	39.62	3.04	2.59	85	L829672	13	<0.01	48	0.05	0.30	27	
39.62	42.67	3.05	2.83	93	L829673	13	<0.01	24	0.05	0.36	29	
42.67	45.72	3.05	2.98	98	L829674	13	<0.01	29	0.04	0.37	21	
45.72	48.77	3.05	2.41	79	L829675	13	<0.01	29	0.04	0.30	26	
48.77	50.29	1.52	1.51	99	L829676	13	<0.01	24	0.05	0.28	18	
-	-		-		L829677	13	1.14	271	1.63	2.21	454	Standard C-4
50.29	53.34	3.05	3.05	100	L829678	13	<0.01	15	0.06	0.27	20	
53.34	56.39	3.05	3.03	99	L829679	13	<0.01	5	0.02	0.24	14	
56.39	59.44	3.05	2.95	97	L829680	13	<0.01	<5	<0.02	0.21	13	
59.44	62.48	3.04	3.03	100	L829681	13	<0.01	13	0.03	0.24	18	
59.44	62.48	3.04	3.03	100	L829682	13	<0.01	12	0.02	0.23	16	Duplicate
62.48	65.63	3.15	2.96	94	L829683	13	<0.01	10	0.05	0.53	31	
65.53	68.58	3.05	3.05	100	L829684	13	<0.01	61	0.23	1.99	30	
68.58	71.63	3.05	2.87	94	L829685	13	<0.01	28	0.08	0.49	27	
71.63	74.68	3.05	3.05	100	L829686	13	<0.01	31	0.08	0.41	25	
74.68	77.72	3.04	2.98	98	L829687	13	<0.01	26	0.06	0.22	11	
77.72	80.77	3.05	2.87	94	L829688	13	<0.01	29	0.10	0.49	34	
-	-		-		L829689	13	<0.01	<5	<0.02	<0.01	13	Blank
80.77	82.83	2.06	1.96	95	L829690	13	<0.01	58	0.09	0.42	30	
82.83	83.82	0.99	0.99	100	L829691	13	0.04	304	0.76	2.39	497	
83.82	86.87	3.05	3.02	99	L829692	13	<0.01	62	0.34	0.71	111	
86.87	89.92	3.05	2.93	96	L829693	13	<0.01	15	0.37	1.06	110	
89.92	92.96	3.04	2.96	97	L829694	13	<0.01	30	0.55	1.16	107	
92.96	96.01	3.05	3.02	99	L829695	13	<0.01	17	0.68	0.52	143	
96.01	99.06	3.05	3.05	100	L829696	13	<0.01	19	1.27	1.42	210	
99.06	102.11	3.05	2.95	97	L829697	13	<0.01	28	3.75	2.55	156	
102.11	105.16	3.05	2.97	97	L829698	14	<0.01	25	2.51	0.97	156	
105.16	108.20	3.04	3.03	100	L829699	14	0.01	25	2.28	0.77	178	
108.20	111.25	3.05	2.87	94	L829700	14	<0.01	15	1.27	0.28	154	
111.25	114.30	3.05	3.05	100	L829701	14	0.01	14	0.88	0.12	155	
114.30	115.82	1.52	1.45	95	L829702	14	0.01	14	0.88	0.07	179	
115.82	118.87	3.05	3.04	100	L829703	14	<0.01	15	1.02	0.06	172	
118.87	121.92	3.05	3.05	100	L829704	14	0.01	16	1.12	0.07	167	
121.92	124.97	3.05	2.98	98	L829705	14	<0.01	14	1.04	0.07	134	
124.97	128.02	3.05	3.02	99	L829706	14	<0.01	13	1.16	0.06	156	
124.97	128.02	3.05	3.02	99	L829707	14	<0.01	14	1.23	0.05	162	Duplicate
128.02	131.06	3.04	3.01	99	L829708	14	<0.01	16	1.01	0.05	151	
131.06	134.11	3.05	3.05	100	L829709	14	0.01	16	1.02	0.05	165	

SAMPLE LOG

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Zn (ppm)	Comments
-	-	-	-	-	L829710	14	1.39	148	2.59	0.12	7630	Standard C-1
134.11	137.16	3.05	3.05	100	L829711	14	<0.01	15	0.93	0.04	170	
137.16	140.21	3.05	3.02	99	L829712	14	0.01	18	1.30	0.11	168	
140.21	143.26	3.05	3.03	99	L829713	14	0.01	18	1.32	0.08	153	
143.26	146.30	3.04	3.04	100	L829714	14	0.01	19	1.20	0.08	157	
146.30	147.22	0.92	0.88	96	L829715	14	<0.01	19	0.94	0.07	302	
-	-	-	-	-	L829716	14	0.01	<5	0.02	<0.01	14	Blank
147.22	149.35	2.13	1.84	86	L829717	14	<0.01	13	0.76	0.03	134	
149.35	150.88	1.53	1.53	100	L829718	14	<0.01	17	0.96	0.03	141	
150.88	153.92	3.04	2.91	96	L829719	14	<0.01	11	0.76	0.03	152	
153.92	156.97	3.05	2.92	96	L829720	14	<0.01	13	0.82	0.03	161	
156.97	159.34	2.37	2.13	90	L829721	14	<0.01	15	0.92	0.04	143	
159.34	160.34	1.00	1.00	100	L829722	14	0.01	17	1.17	0.05	160	
160.34	163.07	2.73	2.72	100	L829723	14	0.01	17	1.17	0.05	151	
163.07	166.12	3.05	3.00	98	L829724	14	0.01	17	1.15	0.07	144	
166.12	169.16	3.04	2.99	98	L829725	14	0.01	14	0.95	0.10	136	
169.16	172.21	3.05	3.03	99	L829726	14	0.01	14	1.00	0.05	151	
-	-	-	-	-	L829727	14	0.01	<5	0.02	<0.01	14	Blank
172.21	175.26	3.05	3.05	100	L829728	14	0.01	15	1.01	0.04	160	
-	-	-	-	-	L829729	14	1.09	257	1.78	2.24	439	Standard C-3
175.26	178.31	3.05	3.05	100	L829730	14	<0.01	13	0.91	0.04	154	
178.31	181.36	3.05	2.96	97	L829731	14	<0.01	13	0.95	0.03	161	
181.36	184.40	3.04	3.03	100	L829732	14	<0.01	15	1.00	0.05	170	
184.40	187.45	3.05	3.01	99	L829733	14	<0.01	16	1.14	0.05	162	
187.45	192.02	4.57	4.47	98	L829734	14	0.01	15	0.95	0.04	176	
192.02	195.07	3.05	3.05	100	L829735	14	<0.01	16	0.98	0.06	170	

From (m)	To (m)	Interval (m)	Recovery (m)	Recover (%)	RQD (m)	RQD (%)	HCI	Reactivity	Weathering	Hardness	DESCRIPTION
7.62	10.67	3.05	0.96	31	0.10	3			MW	EW	
10.67	12.19	1.52	1.52	100	0.25	16			MW	W	
12.19	15.24	3.05	0.29	10	0.00	0			MW	W	
15.24	18.29	3.05	1.32	43	0.00	0			SW	EW	
18.29	19.81	1.52	1.17	77	0.00	0			SW	EW	
19.81	22.86	3.05	1.98	65	0.64	21			FR	MS	
22.86	24.38	1.52	1.05	69	0.00	0			FR	MS	
24.38	27.43	3.05	2.91	95	0.48	16			FR	MS	
27.43	30.48	3.05	2.5	82	0.47	15			FR	MS	
30.48	33.53	3.05	2.77	91	1.01	33			FR	MS	
33.53	35.05	1.52	1.25	82	0.95	63			FR	MS	
35.05	36.58	1.53	1.53	100	1.21	79			FR	MS	
36.58	39.62	3.04	2.59	85	1.37	45			FR	MS	
39.62	42.67	3.05	2.83	93	1.88	62			FR	MS	
42.67	45.72	3.05	2.98	98	2.05	67			FR	MS	
45.72	48.77	3.05	2.41	79	1.15	38			FR	MS	
48.77	50.29	1.52	1.51	99	1.37	90			FR	MS	
50.29	53.34	3.05	3.05	100	2.72	89			FR	S	
53.34	56.39	3.05	3.03	99	2.86	94			FR	S	
56.39	59.44	3.05	2.95	97	2.71	89			FR	S	
59.44	62.48	3.04	3.03	100	1.92	63			FR	S	
62.48	65.53	3.05	2.96	97	1.69	55			FR	S	
65.53	68.58	3.05	3.05	100	2.40	79			FR	S	
68.58	70.10	1.52	1.5	99	0.97	64			FR	S	
70.10	71.63	1.53	1.37	90	0.53	35			FR	S	
71.63	74.68	3.05	3.05	100	0.89	29			FR	S	
74.68	77.72	3.04	2.98	98	2.17	71			FR	S	
77.72	80.77	3.05	2.87	94	0.77	25			FR	S	
80.77	83.82	3.05	3.02	99	1.92	63			FR	MS	
83.82	86.87	3.05	3.02	99	0.95	31			FR	MS	
86.87	89.92	3.05	2.93	96	0.85	28			FR	MS	
89.92	92.96	3.04	2.96	97	0.83	27			FR	MS	
92.96	96.01	3.05	3.02	99	2.40	79			FR	S	
96.01	99.06	3.05	3.05	100	1.87	61			FR	S	
99.06	102.11	3.05	2.95	97	2.14	70			FR	S	
102.11	105.16	3.05	2.97	97	1.98	65			FR	S	
105.16	108.20	3.04	3.03	100	2.18	72			FR	MS	
108.20	111.25	3.05	2.87	94	1.02	33			FR	MS	
111.25	114.30	3.05	3.05	100	0.37	12			FR	MS	
114.30	115.82	1.52	1.45	95	0.56	37			FR	MS	
115.82	118.87	3.05	3.04	100	2.45	80			FR	MS	
118.87	121.92	3.05	3.05	100	2.24	73			FR	MS	
121.92	124.97	3.05	2.98	98	2.22	73			FR	MS	
124.97	128.02	3.05	3.02	99	2.42	79			FR	MS	
128.02	131.06	3.04	3.01	99	1.58	52			FR	MS	
131.06	134.11	3.05	3.05	100	2.24	73			FR	MS	

From (m)	To (m)	Interval (m)	Recovery (m)	Recover (%)	RQD (m)	RQD (%)	HCl Reactivity	Weathering	Hardness	DESCRIPTION
134.11	137.16	3.05	3.05	100	3.02	99		FR	MS	
137.16	140.21	3.05	3.02	99	2.43	80		FR	MS	
140.21	143.26	3.05	3.03	99	1.98	65		FR	MS	
143.26	146.30	3.04	3.04	100	1.87	62		FR	MS	
146.30	149.35	3.05	2.72	89	0.43	14		FR	W	
149.35	150.88	1.53	1.53	100	1.04	68		FR	MS	
150.88	153.92	3.04	2.91	96	1.08	36		FR	MS	
153.92	156.97	3.05	2.92	96	1.38	45		FR	MS	
156.97	160.02	3.05	2.87	94	0.70	23		FR	W	
160.02	163.07	3.05	3.05	100	1.76	58		FR	MS	
163.07	166.12	3.05	3	98	1.50	49		FR	MS	
166.12	169.16	3.04	2.99	98	0.42	14		FR	MS	
169.16	172.21	3.05	3.03	99	0.38	12		FR	MS	
172.21	175.26	3.05	3.05	100	0.76	25		FR	S	
175.26	178.31	3.05	3.05	100	1.30	43		FR	MS	
178.31	179.83	1.52	1.45	95	0.94	62		FR	S	
179.83	181.36	1.53	1.51	99	0.51	33		FR	S	
181.36	184.40	3.04	3.03	100	1.03	34		FR	S	
184.40	187.45	3.05	3.01	99	1.99	65		FR	S	
187.45	188.98	1.53	1.43	93	1.05	69		FR	S	
188.98	192.02	3.04	3.04	100	1.73	57		FR	MS	
192.02	195.07	3.05	2.66	87	1.23	40		FR	MS	

CE-11-04

Box #	From (m)	To (m)	Photo Taken
1	7.62	18.20	x
2	18.20	23.26	x
3	23.26	27.43	x
4	27.43	32.72	x
5	32.72	37.17	x
6	37.17	42.36	x
7	42.36	48.26	x
8	48.26	53.23	x
9	53.23	58.29	x
10	58.29	63.36	x
11	63.36	68.76	x
12	68.76	72.02	x
13	72.02	77.46	x
14	77.46	81.71	x
15	81.71	86.38	x
16	86.38	90.62	x
17	90.62	95.32	x
18	95.32	100.71	x
19	100.71	105.67	x
20	105.67	111.02	x
21	111.02	115.70	x
22	115.70	120.72	x
23	120.72	125.32	x

Box #	From (m)	To (m)	Photo Taken
24	125.32	130.68	x
25	130.68	135.96	x
26	135.96	141.19	x
27	141.19	146.30	x
28	146.30	150.62	x
29	150.62	155.75	x
30	155.75	160.48	x
31	160.48	165.77	x
32	165.77	170.73	x
33	170.73	175.80	x
34	175.80	180.71	
35	180.71	185.43	
36	185.43	190.57	
37	190.57	195.07	

BOX LOG

CONTACT LOG

[illegible]

Hole: CE 11-05

Name: CRAG EAST

Page 10 of 10

2° Structure Type	From (m)	To (m)	Attitude (TCA)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
VN	19.80	71.41	30	n/a				Ca veins losely parallel, 30-40 degrees TCA, 3 mm to 1.9 cm wide. Ca structures form angular stockwork fractures in silicic bands.	
VN	75.07	77.20	10					CG, white, translucent Ca vein, irregular propigation generally 10 degrees TCA, 1.7 to 2.3 cm wide.	
shear	79.64		55	n/a				2.9cm wide, grey, soft clay seam/shear plane, oriented 55 degrees TCA.	
VN	83.41		45	n/a				Qz vein, 1.8 cm wide, white Qz crosscuts blebby Py Mx at 83.41 m.	
FO	83.62	90.71	40					Foliation in altered, dark grey SLT, bedding parallel foliation at times ARG and graphite on slip planes on BD, 40-45 degrees TCA.	
shear	90.71	91.84	35					Shear fabric in deformed SHL/MST, defined by clast orientations and mylonitic(?) fabric, generally 30 degrees TCA, but as steep as 55 degrees.	
FO	91.84	146.22	45					FO/BD, strong throughout, 40 to 60 degrees TCA, most commonly 40-45 degrees.	
VN	129.12		50	290	1			White and grey dolomitic vein, 1.2 cm wide, 50 degrees TCA, 290 degrees to BD.	
VT	123.93		30	300	1			White and grey dolomitic veinlet, 9 mm wide, 30 degrees TCA and 300 degrees to BD.	
shear	128.08	128.42	40	310				Broken and sheared SHL/MST, 30-50 degrees TCA, 310 degrees to FO, broken core orientation and ARG alteration fabric defines shear.	
FO	146.22	159.34	35					Variable BD/FO, often broken or obliterated by ARG/shear, 25-40 degrees TCA where visible.	
BD	159.34		45					Bedding parallel FO, 45-50 degrees TCA.	
VN	164.03		30	310	1			Dolomitic veinlets x-cutting bedding, 30 degrees TCA, 310 degrees to FO, 9mm to 1.4 cm wide.	

SECONDARY STRUCTURE LOG

Grid East	Grid North	Easting	Northing	Elev. (m)	Depth (m)
		619147	7107948	847	188.98

SECTION: _____

CLAIM: CRAG EAST

Drill: 1

Casing depth: _____ in/out

Geology logged by: K.Unger

TARGET:

SUMMARY

SAMPLES

Certificate:

COMMENTS

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
G	0.00	6.18	OX		RD	BR		OX	5			Brick red to medium brown, intensely altered rock to regolith, protolith clasts of variably SIL altered grey fossiliferous LST are rounded and intermittent, supported by brown earth and clay, up to 4.5 cm in size. Core gradationally less brick red with depth, becoming brown to grey clay continuously over the interval. Recovery is poor at start of interval.	
G	6.18	15.24	CLY		BK	BL		ARG	5	Py	8	Black to baby blue and grey, variably mineralized, intensely clay altered rock. Bands of black clay and very soft light grey to sky blue clay/talc and massive/semi-massive sulphide bands. Recovery is variable, better where core is more competent and sulphide bearing. Bands of clay/talc altered rock are up to 2.9 m wide.	
D	6.18	9.14	CLY		LT	BL		ARG	5	Py	1	Baby blue to whitem very soft clay/talc. Core is easily scratched with a finger nail. Irregular blobs of light grey to metallic yellow pyrite and grey clay are patchy and intermittent throughout and are up to 4.2 cm in width.	
D	9.14	12.40	MX		DK	YL		ARG	4	Py	45	Dark metallic yellow to black, massive to semi-massive sulphide and ARG altered core. Sulphides are dark yellow to brassy brown, unmagnetic throughout with a swaly to banded fabric. 3 phases of sulphides present: 1) FG-MG dark yellow sulphide blobs and bands with iridescent sheen, with a 2nd bright yellow, splashy pyrite forming narrow rims around the blebs, and finally a dark brassy-yellow FG sulphide partially filling spaces between 1st generation sulphide blobs and bands, with a soft white and creamy yellow clay matrix. Black clay found between bands of massive/semi-massive MX, is very soft with rare white clay altered, angular fracture fills. Black clay up to 1.7 m wide.	
D	12.40	15.24	CLY	FG	LT	BL		ARG	5			Grey to baby blue, intensely clay altered core, blocky to gritty rubble. Recovery is poor, blocks of core up to 8 cm long with rubble that have been poured into the core box. Rock becomes darker with depth, grading from baby blue to light grey to dark grey rubble above ICN.	
G	15.24	188.98	LST		DK	GY		SIL	4			Dark to light grey, strongly SIL altered LST, variably BX and altered throughout. Relict fossil textures obscured to obliterated where SIL alteration is strongest. Core is blocky and hard where silicic and crumbly where argillic. SIL defined by bands of hard grey, glassy rock where strongest to cryptic fossils with a hardness not typical of LST where more moderate.	
D	15.24	18.53	LST		LT	GY		ARG	3			Medium grey to olive yellow, strongly ISL altered, weakly calcareous rock. Core reacts very weakly with HCl, more so when scratched. Core is harder than typical LST. Randomly oriented stockwork, olive-yellow/grungy green clay altered veinlets present throughout. Core is blocky to rubbly, fracturing readily along clay altered stockworkveinlets. Anomalous grungy green-yellow arsenic oxide? Cryptic, irregular textures (relict fossils?) sometimes evident in SIL LST blocks.	
D	18.53	21.67	CLY	FG		BK		ARG	5			Medium to light grey, cBX, variably SIL and ARG altered, rubbly to blocky core. Black cBX evident on blocks and rubble clasts. Core is variably hard to easily broken without change in appearance.	
D	23.85	27.55	RBL			BK		SIL	4			Black to medium grey, strongly ARG altered rubble. Black, very soft and broken ARG altered rubble with grungy yellow, variably calcareous coatings on some rubble faces to medium grey, hard, SIL altered angular clasts or rock. Recovery is poor, at times appearing as black sandy mud poured into the core box.	
D	27.55	35.70	LST		MD	GY		ARG	3			Medium grey, variably SIL and ARG altered, fossiliferous LST with patchy brown-yellow alteration overprinting SIL and cryptic fossil textures. Core is blocky to rubbly, broken where ARG is strongest.	
					LT	GY		SIL	4				

INTERVAL			LITHOLOGY					ALTERATION		MINERALS		DESCRIPTION	Photo
Type	From (m)	To (m)	Unit	Grain Size	Shade	Colour	Texture	Type	Intensity	Type	Conc. (%)		
D	42.08	43.78	CLY	FG	MD	GY		ARG	5			Grey to olive yellow, intensely ARG altered rock with white, snad sized grit supported by clay matrix. uCN is gradational, with blocks of SIL LST becoming dominated by clay over 16 cm. ICN is sharp, abrupt shift to LST. Orientation is obscured by broken core.	
D	43.78	50.18	LST		DK	GY		SIL	4			As general description, but SIL bands strongle crackled with parallel to sub-parallel narrow white calcite veinlets.	
					LT	GY		ARG	3				
D	50.18	50.85	LST		MD	GY		SIL	4			Strongly mBX to tBX, SIL altered LST. mBX becomes tBX with depth to dark grey grit/gouge in calcareous clay matrix. Clasts are angular, variably supported by white Ca veinlets and FG, medium grey clay/SIL "gouge".	
					DK	GY		ARG	3				
D	50.85	80.68	LST		MD	GY		SIL	4			As general description but SIL alteration patches are seen as irregular blobs as well as bands. SIL is disquished by hardness and hosting brittle, calcarous filled fractures and glassy surface. SIL alteration lacks a common orientation. Fossil textures are pervasive in non SIL core, white pock marks and other cryptic textures are observed in SIL altered rock. SIL bands are up to 1 m in width to blobs 3.5 cm in size.	
D	80.68	165.38	LST		MD	GY		SIL	4			As general description but rock takes on banded fabric oriented shallow TCA. Bands of SIL alteration and undulate, vFG, light grey LST up to 1.05 m lay between fossiliferous packstone/grainstone. SIL alteration oriented commonly with bedding with cryptic fossil textures in SOL alteration sections still reacting with HCl. Narrow, white calcite veinlets through SIL altered rock share common orientation. SIL bands are up to 3.58 m in core width.	
					DK	GY							
D	165.38	171.94	SIL	FG	MD	GY		SIL	5			Medium to dark grey, intensely silicified metasediments (LST?) with narrow, white calcareous stockwork veinlets 2 mm to 1.9 cm between veinlets sharing a common orientation. Anomalous, grungy green mineral partially occupies fractures shallow TCA that crosscut calcite veinlets, forming blobs to irregular masses 1-2 mm wide, becoming absent below 169.90 m (ASO?). Core mottled to banded with dark grey SIL fabric.	
					DK	GY		ASO	1				
D	171.94	174.18	VN			WT						White to medium grey, CG calcite vein. Some angular, irregular blocks of LST with relict FOS textures within the vein. White and grey Ca vein is crosscut by white Ca veinlets that are typical throughout hole.	
					MD	GY							
D	174.18	175.89	SIL		MD	GY		SIL	5			As typical SIL with calcite stockwork veinlets, ICN is irregular with a lens of SIL present down hole, up to half the core width in diameter, oriented 10 degrees TCA.	
					DK	GY							
D	175.89	188.98	LST		MD	GY						Medium to light grey, fossiliferous LST grainstone with angular clasts of black-dark grey, noncalcareous mudstone. Mudstone clasts are soft, lacking bedding or other fabrics. Clasts and fossils are randomly oriented. Crinoid stem fragments and bryzoan fragments with other broken shells. Core is 60-70% fossils and <5% black clasts. Black clasts decrease in in occurance with depth, <1.2 cm in size and are typically 5mm to 1.0 cm. Clasts and fossils are in a medium grey calcareous matrix. White calcite veinlets are common in two major orientations. EOH, slow drilling, hole terminated due to poor drilling conditions.	
					LT	GY							

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Zn (ppm)	Comments
0.00	3.05	3.05	0.59	19	L829736	15	<0.01	1145	1.85	2.01	3170	
-	-	#####	-	#####	L829737	15	0.30	253	0.46	1.29	5020	Standard C-2
3.05	4.57	1.52	0.46	30	L829738	15	<0.01	18	0.33	0.15	91	
4.57	6.10	1.53	0.21	14	L829739	15	<0.01	26	0.34	0.20	130	
6.10	7.62	1.52	1.36	89	L829740	15	<0.01	717	6.80	5.52	8140	
7.62	9.14	1.52	1.38	91	L829741	15	<0.01	1560	6.49	0.18	1720	
-	-	#####	-	#####	L829742	15	<0.01	8	0.07	0.02	69	Blank
9.14	10.97	1.83	1.83	100	L829743	15	<0.01	4670	17.70	4.32	6350	
10.97	12.40	1.43	1.31	92	L829744	15	<0.01	28100	52.90	0.16	25700	
12.40	13.72	1.32	1.30	98	L829745	15	<0.01	3960	15.40	0.08	2980	
13.72	15.24	1.52	0.65	43	L829746	15	<0.01	637	7.67	0.45	3820	
15.24	16.76	1.52	1.04	68	L829747	15	<0.01	292	1.66	0.59	19150	
16.76	18.53	1.77	1.37	77	L829748	15	<0.01	344	1.75	0.95	17700	
18.53	19.81	1.28	1.01	79	L829749	15	<0.01	704	1.89	2.58	8000	
19.81	21.67	1.86	1.79	96	L829750	15	<0.01	1115	1.92	4.22	1640	
21.67	22.86	1.19	0.80	67	L829751	15	<0.01	436	0.84	0.92	379	
22.86	23.85	0.99	0.32	32	L829752	15	<0.01	337	0.83	1.50	282	
23.85	25.91	2.06	1.48	72	L829753	15	<0.01	930	1.43	1.02	2200	
-	-	#####	-	#####	L829754	15	7.91	956	12.70	5.98	271	Standard C-5
25.91	27.55	1.64	1.00	61	L829755	15	<0.01	344	1.16	2.31	3580	
27.55	30.48	2.93	2.14	73	L829756	15	<0.01	125	0.20	0.67	1250	
30.48	32.00	1.52	1.34	88	L829757	15	<0.01	206	0.57	0.41	1120	
32.00	33.53	1.53	0.94	61	L829758	15	<0.01	152	0.54	1.74	933	
33.53	35.05	1.52	0.95	63	L829759	15	<0.01	68	0.13	0.31	591	
33.53	35.05	1.52	0.95	63	L829760	15	<0.01	106	0.19	0.34	892	Duplicate
35.05	38.10	3.05	2.79	91	L829761	15	<0.01	76	0.05	0.18	268	
38.10	41.15	3.05	2.48	81	L829762	15	0.01	110	0.07	0.66	87	
-	-	#####	-	#####	L829763	15	<0.01	<5	<0.02	<0.01	14	Blank
41.15	42.08	0.93	0.31	33	L829764	15	<0.01	24	0.12	0.33	251	
42.08	43.78	1.70	0.89	52	L829765	15	<0.01	86	0.20	0.29	3780	
43.78	45.00	1.22	1.18	97	L829766	15	<0.01	23	0.03	0.17	69	
45.00	47.24	2.24	2.16	96	L829767	15	<0.01	130	0.08	0.32	91	
47.24	50.18	2.94	2.86	97	L829768	15	<0.01	56	0.12	0.52	77	
50.18	50.85	0.67	0.66	99	L829769	15	<0.01	1790	0.34	0.97	57	
50.85	53.34	2.49	1.45	58	L829770	16	<0.01	49	0.06	0.40	20	
53.34	56.39	3.05	2.78	91	L829771	16	<0.01	28	0.08	0.35	36	
56.39	57.91	1.52	1.44	95	L829772	16	<0.01	105	0.16	0.24	385	
57.91	60.98	3.07	3.05	99	L829773	16	<0.01	48	0.31	0.63	102	
60.98	64.01	3.03	2.99	99	L829774	16	<0.01	81	0.35	1.02	84	
64.01	65.53	1.52	1.49	98	L829775	16	<0.01	34	0.08	0.31	72	
65.53	68.58	3.05	2.92	96	L829776	16	<0.01	74	0.21	0.49	84	
68.58	71.63	3.05	3.02	99	L829777	16	<0.01	35	0.17	0.58	80	
71.63	74.68	3.05	3.04	100	L829778	16	<0.01	17	0.12	0.80	98	
71.63	74.68	3.05	3.04	100	L829779	16	<0.01	15	0.12	0.81	91	Duplicate
74.68	76.20	1.52	1.49	98	L829780	16	0.01	9	0.05	0.27	22	
76.20	78.33	2.13	2.06	97	L829781	16	<0.01	23	0.07	0.31	13	
78.33	80.77	2.44	2.44	100	L829782	16	<0.01	64	0.43	0.68	36	
80.77	83.82	3.05	2.91	95	L829783	16	<0.01	107	0.80	1.29	403	
83.82	85.95	2.13	1.68	79	L829784	16	<0.01	31	0.24	0.79	90	
85.95	88.39	2.44	2.37	97	L829785	16	<0.01	42	0.39	0.84	211	
88.39	91.44	3.05	2.69	88	L829786	16	<0.01	18	0.09	0.28	106	
91.44	94.49	3.05	3.02	99	L829787	16	<0.01	56	0.23	0.76	126	
94.49	97.54	3.05	3.01	99	L829788	16	<0.01	31	0.22	0.57	72	
-	-	#####	-	#####	L829789	16	1.13	253	1.63	2.19	428	Standard C-3
-	-	#####	-	#####	L829790	16	0.29	224	0.46	1.36	4890	Standard C-2

From (m)	To (m)	Interval (m)	Recovery (m)	Recovery (%)	Sample	Batch	Au (g/t)	As (ppm)	Tl (ppm)	Hg (ppm)	Zn (ppm)	Comments
97.54	100.58	3.04	2.87	94	L829791	16	0.01	26	0.14	0.56	71	
100.58	103.63	3.05	3.00	98	L829792	16	<0.01	14	0.04	0.22	88	
103.63	106.68	3.05	2.63	86	L829793	16	<0.01	<5	<0.02	0.08	19	
106.68	109.73	3.05	2.77	91	L829794	16	<0.01	6	<0.02	0.11	17	
109.73	112.78	3.05	2.98	98	L829795	16	<0.01	7	0.07	0.23	27	
-	-	#####	-	#####	L829796	16	<0.01	<5	<0.02	<0.01	14	Blank
112.78	115.82	3.04	2.96	97	L829797	16	<0.01	5	0.06	0.30	33	
115.82	118.87	3.05	3.05	100	L829798	16	<0.01	7	0.04	0.15	44	
118.87	121.92	3.05	3.00	98	L829799	16	<0.01	7	0.11	0.29	46	
121.92	124.97	3.05	2.89	95	L829800	16	<0.01	11	0.04	0.20	36	
-	-	#####	-	#####	L829801	16	<0.01	<5	0.02	<0.01	14	Blank
124.97	128.02	3.05	3.05	100	L829802	16	<0.01	10	0.04	0.23	54	
128.02	131.06	3.04	2.91	96	L829803	16	<0.01	13	0.09	0.53	122	
131.06	134.11	3.05	2.96	97	L829804	16	<0.01	11	<0.02	0.21	22	
134.11	137.16	3.05	3.05	100	L829805	16	<0.01	6	<0.02	0.18	21	
137.16	140.21	3.05	3.01	99	L829806	17	0.01	16	0.02	0.17	30	
140.21	143.26	3.05	2.97	97	L829807	17	<0.01	8	0.02	0.12	22	
143.26	146.30	3.04	2.91	96	L829808	17	<0.01	12	0.06	0.16	34	
146.30	149.35	3.05	3.04	100	L829809	17	<0.01	8	0.07	0.21	74	
149.35	152.40	3.05	2.99	98	L829810	17	<0.01	4	0.05	0.23	39	
152.40	155.45	3.05	3.00	98	L829811	17	0.01	<5	0.02	0.11	22	
155.45	158.50	3.05	3.05	100	L829812	17	<0.01	7	0.04	0.20	36	
158.50	161.54	3.04	3.01	99	L829813	17	<0.01	13	0.05	0.17	31	
161.54	163.07	1.53	1.46	95	L829814	17	<0.01	6	0.02	0.14	36	
163.07	165.38	2.31	2.25	97	L829815	17	<0.01	7	0.02	0.11	76	
-	-	#####	-	#####	L829816	17	<0.01	5	<0.02	0.01	15	Blank
-	-	#####	-	#####	L829817	17	1.17	267	1.72	2.14	447	Standard C-3
165.38	167.64	2.26	1.87	83	L829818	17	<0.01	4	0.03	0.12	84	
167.64	170.69	3.05	2.79	91	L829819	17	<0.01	5	0.02	0.15	55	
170.69	171.94	1.25	1.22	98	L829820	17	<0.01	4	0.02	0.13	45	
171.94	174.18	2.24	2.17	97	L829821	17	<0.01	29	0.02	0.05	101	
-	-	#####	-	#####	L829822	17	1.47	145	2.62	0.07	7840	Standard C-1
174.18	175.89	1.71	1.71	100	L829823	17	<0.01	10	0.03	0.14	155	
175.89	178.31	2.42	2.42	100	L829824	17	<0.01	16	0.04	0.19	65	
178.31	181.36	3.05	3.04	100	L829825	17	<0.01	8	0.03	0.16	130	
181.36	184.40	3.04	2.97	98	L829826	17	<0.01	6	0.02	0.17	18	
184.40	187.45	3.05	3.00	98	L829827	17	<0.01	7	0.02	0.17	21	
187.45	188.98	1.53	1.48	97	L829828	17	<0.01	7	0.02	0.17	13	
							<0.01	7	0.02	0.18	14	

From (m)	To (m)	Interval (m)	Recovery (m)	Recover (%)	RQD (m)	RQD (%)	HCI	Reactivity	Weathering	Hardness	DESCRIPTION
	3.05		0.59		0.16				EW	EW	
3.05	4.57	1.52	0.46	30.3	0.38	25			EW	EW	
4.57	6.10	1.53	0.21	13.7	0.15	10			FR	EW	
6.10	7.62	1.52	1.36	89.5	0.45	30			FR	EW	
7.62	9.14	1.52	1.38	90.8	0.44	29			FR	EW	
9.14	10.67	1.53	1.52	99.3	0.12	8			FR	EW	
10.67	12.19	1.52	1.52	100	0.33	22			FR	S	
12.19	13.72	1.53	1.5	98	0.1	7			FR	EW	
13.72	15.24	1.52	0.65	42.8	0	0			FR	EW	
15.24	16.76	1.52	1.04	68.4	0.25	16			FR	VW	
16.76	18.29	1.53	1.16	75.8	0	0			FR	MS	
18.29	19.81	1.52	1.22	80.3	0.1	7			FR	EW	
19.81	21.34	1.53	1.36	88.9	0.81	53			FR	EW	
21.34	22.86	1.52	1.23	80.9	0.26	17			FR	EW	
22.86	24.38	1.52	0.48	31.6	0	0			FR	EW	
24.38	25.91	1.53	1.32	86.3	0	0			FR	EW	
25.91	27.43	1.52	0.83	54.6	0	0			FR	EW	
27.43	28.96	1.53	1.07	69.9	0.14	9			FR	EW	
28.96	30.48	1.52	1.24	81.6	0.13	9			FR	EW	
30.48	32.00	1.52	1.34	88.2	0.41	27			FR	MS	
32.00	33.53	1.53	0.94	61.4	0	0			FR	EW	
33.53	35.05	1.52	0.95	62.5	0.16	11			FR	MS	
35.05	36.58	1.53	1.51	98.7	0.36	24			FR	MS	
36.58	38.10	1.52	1.28	84.2	0.56	37			FR	VS	
38.10	39.62	1.52	1.35	88.8	0.3	20			FR	S	
39.62	41.15	1.53	1.13	73.9	0.61	40			FR	S	
41.15	42.67	1.52	0.4	26.3	0.22	14			FR	VS	
42.67	44.20	1.53	1.21	79.1	0.33	22			FR	EW	
44.20	45.72	1.52	1.47	96.7	0.36	24			FR	VS	
45.72	47.24	1.52	1.51	99.3	0.72	47			FR	S	
47.24	48.77	1.53	1.46	95.4	0.22	14			FR	S	
48.77	50.29	1.52	1.41	92.8	0.32	21			FR	S	
50.29	53.34	3.05	2	65.6	1.58	52			FR	S	
53.34	54.86	1.52	1.35	88.8	0.51	34			FR	S	
54.86	56.39	1.53	1.43	93.5	1.43	93			FR	S	
56.39	57.91	1.52	1.44	94.7	0.59	39			FR	S	
57.91	60.96	3.05	3.05	100	1.37	45			FR	S	
60.96	64.01	3.05	2.99	98	1.92	63			FR	MS	
64.01	65.53	1.52	1.49	98	0.79	52			FR	MS	
65.53	68.58	3.05	2.92	95.7	2.24	73			FR	S	
68.58	71.63	3.05	3.02	99	2.79	91			FR	S	
71.63	74.68	3.05	3.04	99.7	2.38	78			FR	S	
74.68	76.20	1.52	1.49	98	1.14	75			FR	MS	
76.20	78.33	2.13	2.06	96.7	1.74	82			FR	S	
78.33	80.77	2.44	2.44	100	2.2	90			FR	MS	
80.77	81.99	1.22	1.22	100	0.21	17			FR	MS	

From (m)	To (m)	Interval (m)	Recovery (m)	Recover (%)	RQD (m)	RQD (%)	HCl Reactivity	Weathering	Hardness	DESCRIPTION
81.99	83.82	1.83	1.69	92.3	0.38	21		FR	MS	
83.82	85.95	2.13	1.68	78.9	0.24	11		FR	MS	
85.95	88.39	2.44	2.37	97.1	1.37	56		FR	S	
88.39	91.44	3.05	2.69	88.2	1.4	46		FR	VS	
91.44	94.49	3.05	3.02	99	1.29	42		FR	S	
94.49	96.01	1.52	1.48	97.4	1.06	70		FR	VS	
96.01	97.54	1.53	1.53	100	0.96	63		FR	VS	
97.54	99.06	1.52	1.49	98	0.68	45		FR	S	
99.06	100.58	1.52	1.38	90.8	0.95	63		FR	VS	
100.58	102.11	1.53	1.53	100	0.77	50		FR	S	
102.11	103.63	1.52	1.47	96.7	1.38	91		FR	VS	
103.63	105.16	1.53	1.52	99.3	1.41	92		FR	S	
105.16	106.68	1.52	1.52	100	1.22	80		FR	VS	
106.68	108.20	1.52	1.52	100	1.09	72		FR	VS	
108.20	109.73	1.53	1.25	81.7	0.72	47		FR	S	
109.73	111.25	1.52	1.51	99.3	0.93	61		FR	S	
111.25	112.78	1.53	1.47	96.1	1.27	83		FR	S	
112.78	114.30	1.52	1.46	96.1	1.32	87		FR	S	
114.30		-114.30		0		0				
		0.00		####		####				
		0.00		####		####				
		0.00		####		####				
		0.00		####		####				
		0.00		####		####				
		0.00		####		####				
		0.00		####		####				
		0.00		####		####				
		0.00		####		####				
EOH										

Hole: CE-11-06

Box #	From (m)	To (m)	Photo Taken
1		9.14	
2	9.14	13.64	
3	13.64	18.76	
4	18.76	23.85	
5	23.85	30.48	
6	30.48	35.50	
7	35.50	40.82	
8	40.82	46.81	
9	46.81	50.85	
10	50.85	56.85	
11	56.85	61.21	
12	61.21	65.79	
13	65.79	70.60	
14	70.60	75.75	
15	75.75	80.77	
16	80.77	85.68	
17	85.68	90.65	
18	90.65	95.11	
19	95.11	99.77	
20	99.77	104.81	
21	104.81	109.81	
22	109.81	115.06	

Page 8 of 10

Box #	From (m)	To (m)	Photo Taken


BOX LOG


CONTACT LOG


[illegible]


2° Structure Type	From (m)	To (m)	Attitude (TCA)	Attitude (TRFE)	Count	MINERALS		DESCRIPTION	Photo
						Type	Conc. (%)		
BN	9.14	12.40	80					Fabric in sulphide MX, 70 to 90 degrees TCA, most commonly 80-85 degrees. Defined by banding (flow?) and elongate, commonly oriented blobs of sulphide within planar to swaly fabric.	
VT	17.00	18.00	50					Major orientation to stockwork veinlets, 50 degrees TCA.	
VT	27.55	46.70	65					White calcite veinlets, <1 mm to 1.1 cm wide, most commonly 1-3 mm, oriented 65-70 degrees TCA, up to 30 per meter.	
VT	46.70	47.24	75					Narrow white calcite veinlets, primarily oriented 75-80 degrees TCA, seen as low as 50 degrees and as high as 90. Veinlets are <1 mm to 2 mm wide, typical in SIL altered rock.	
VT	46.70	47.24	0					2nd orientation of calcite veinlets, 0 to 10 degrees TCA in SIL altered rock.	
VN	55.80	88.85	50					White, MG-CG Ca veins, 5 mm to 1.9 cm wide, 45-70 degrees TCA, 1 to 3 per meter, crosscuts patchy SIL alteration. Veins become less common with depth.	
VN	64.75	82.85	65		3			White MG-CG Ca veins, 5 mm to 1.9 cm wide, 45-70 degrees TCA, crosscut by SIL alteration.	
VT	61.10	62.90	15					Dark grey, soft, flaky ARG veinlets, undulate propagation, at times like braided streams. Oriented 10-30 degrees TCA, at times as low as 0 degrees, crosscutting SIL alteration and white, calcareous veinlets.	
BN	80.68	171.94	30					Loosely parallel bands and bedding(?), SIL alteration and vFG, light grey LST beds with undulating margins are oriented 15-45 degrees TCA, most commonly 25-30 degrees TCA.	
VT	86.37	171.94	40	280				White calcite veinlets/fracture fills, angular and brittle through SIL altered rock, 35-45 degrees TCA though as low and high as 20 and 60 degrees TCA, 280-300 degrees to BN/BD.	
VN	124.72		20	0				White, CG calcite vein, 4.6 cm wide, 20 degrees TCA, 0 degrees to BD.	
VN	175.89	188.98	65					White calcite veinlets/veins with sharp margins, 60-65 degrees TCA, 7 mm to 1.4 cm wide.	
VN	175.89	188.98	30					White and grey calcite veins/veinlets, irregular margins and propagations, variably oriented, most commonly 25-30 degrees TCA, 80 to 30 degrees to other Ca veining.	


Looking 000


















Crag East Lithology		Gold (g/t)	
	Dolostone		0 - 0.01
	Limestone		0.01 - 0.02
	Overburden		0.02 - 0.05
	Mudstone		0.05 - 0.1
	Siltstone		0.1 - 0.2
			0.2 - 0.5
			0.5 - 2.07






Looking East




Looking East




Crag East Lithology		Gold (g/t)	
	Limestone		0 - 0.01
	Overburden		0.01 - 0.02
	Siltstone		0.02 - 0.05
	Shale		0.05 - 0.1
	Clay		0.1 - 0.2
	Massive pyrite		0.2 - 0.5
			0.5 - 2.07

Looking East




Crag East Lithology		Mercury (ppm)	
	Limestone		0 - 1
	Overburden		1 - 2
	Siltstone		2 - 5
	Shale		5 - 10
	Clay		10 - 20
	Massive pyrite		20 - 50
			50 - 638

Looking East





Crag East Lithology		Thalium (ppm)	
	Limestone		0 - 1
	Overburden		1 - 2
	Siltstone		2 - 5
	Shale		5 - 10
	Clay		10 - 20
	Massive pyrite		20 - 690


Looking East



Crag East Lithology		Zinc (%)	
	Limestone		0 - 0.1
	Overburden		0.1 - 0.2
	Siltstone		0.2 - 0.5
	Shale		0.5 - 1
	Clay		1 - 2
	Massive pyrite		2 - 5
			5 - 33







• Soil Sample

● DDH Collar Location

STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL SAMPLE LOCATIONS (2/3)


Crag East Property

0 50 100 150 200 250 m

UTM ZONE 8, NAD 83, 106C02 Contour Interval: 100 feet


FILE: ...2011\Crag East\FIGURES\SOILS-2

DATE: MARCH 2012



Crag East 2011 Soil As (ppm)

- $\geq 500 \leq 11,700$
- $\geq 200 < 500$
- $\geq 100 < 200$
- $\geq 50 < 100$
- $\geq 20 < 50$
- $0 < 20$



CRAG EAST PROPERTY BOUNDARY


STRATEGIC METALS LTD.

FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ARSENIC SOIL GEOCHEMISTRY
CRAG EAST PROPERTY

0 0.5 1 1.5 2 km

UTM ZONE 8, NAD 83, 105N/15, 16, 106C/01, 02 Contour Interval: 100 m

FILE: 2011\CRAG EAST\FIGURES\SOIL_As DATE: MARCH 2012



Crag East 2011 Soil Au (g/t)

- $\geq 0.02 \leq 0.042$
- $\geq 0.01 < 0.02$
- $\geq 0.005 < 0.01$
- $\geq 0 < 0.005$

T.N.

Grid north 2° 12'

Magnetic north 24° 21'

Annual change 27 W

CRAG EAST PROPERTY BOUNDARY

Cc153031:
0.002 g/t Au
Reanalysis:
2.41 g/t Au


STRATEGIC METALS LTD.

FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
GOLD SOIL GEOCHEMISTRY
CRAG EAST PROPERTY

0 0.5 1 1.5 2 km

UTM ZONE 8, NAD 83, 105N/15, 16, 106C/01, 02 Contour Interval: 100 m

FILE: ...2011\CRAG EAST\FIGURES\SOIL_Au DATE: MARCH 2012



Crag East 2011 Soil TI (ppm)

- ≥10 ≤67.7
- ≥5 <10
- ≥2 <5
- ≥1 <2
- ≥.5 <1
- ≥0 <.5

T.N.

Grid north 2° 1.2'

Magnetic north 24° 21'


Annual change 27' W


STRATEGIC METALS LTD.

FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
THALIUM SOIL GEOCHEMISTRY
CRAG EAST PROPERTY

0 0.5 1 1.5 2 km

UTM ZONE 8, NAD 83, 105N/15, 16, 106C/01, 02 Contour Interval: 100 m
FILE: 2011\CRAG EAST\FIGURES\SOIL_TI DATE: MARCH 2012





Crag East 2011 Soil Sb (ppm)

- ≥ 50 ≤ 146
- ≥ 20 < 50
- ≥ 10 < 20
- ≥ 5 < 10
- ≥ 2 < 5
- ≥ 0 < 2

T.N.

Grid north 2° 12'

Magnetic north 24° 21'

Annual change 27' W

Crag East Property Boundary


STRATEGIC METALS LTD.

FIGURE 14
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ANTIMONY SOIL GEOCHEMISTRY
Crag East Property

0 0.5 1 1.5 2 km

UTM ZONE 8, NAD 83, 105N/15, 16, 106C/01, 02 Contour Interval: 100 m

FILE: ...2011/Crag East/FIGURES/Soil_Hg DATE: MARCH 2012



Crag East Property Boundary

2011 Soil Sample Grid

2011 Soil Sample Grid

◆ Silt Samples
■ Rock Samples

STRATEGIC METALS LTD.

FIGURE 15
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SILT AND ROCK
SAMPLE LOCATIONS
CRAG EAST PROPERTY

0 0.5 1 1.5 2 km

UTM ZONE 8, NAD 83, 105N15, 16, 106C01, 02 Contour Interval: 100 m
FILE: ...2011CRAG EAST FIGURES/SILTS DATE: MARCH 2012