



DRILL LOG

Project: Haldane	Collar Elevation (m): 1143.0
Hole HLD10-02	Azimuth (°): 135
Location: 7082039 m North 456522 m East	Dip (°): -50.0
Logged by: T. Branson	Length (m): 126.39
Drilled by: Dorado Drilling	Horizontal Projection:
Assayed by: ALS Chemex	Vertical Projection:
Core Size: NQ	Objective To intersect the Middlecoff veins below the historic drifts
Date Started: 2010/06/14	
Date Completed: 2010/06/16	
Dip Tests By: Reflex tool	

Summary Log:

0 - 4.60m Overburden
 4.60 - 15.45 m Phyllite with common quartz veining
 15.45 - 27.00 m Quartzite
 27.00 - 35.20 m Phyllite
 35.20 - 45.00 m Felsic dyke with 1-2% arsenopyrite
 45.00 - 63.85 m Quartzite and phyllite interbedded units
 63.85 - 69.33 m Fault gouge
 69.33 - 77.25 m Fault breccia
 77.25 - 83.30 m Clay altered phyllite
 83.30 - 86.45 m Fault breccia
 86.45 - 122.50 m Quartzite
 86.45 - 90.10 m Vein fault structural zone hosting strongly weathered, oxidized, mineralized and bleached quartzite.
 93.15 - 99.50 m Quartzite mineralized and bleached with ~1% mineralization.
 117.10 - 122.50 m Quartzite with patchy manganese oxide alteration along fractures.
 118.75 - 120.15 m Strong alteration with poor recovery
 122.50 - 122.75 m Fault gouge
 122.75 - 126.39 m Quartzite with 1-3% fracture-fill and fracture-coating mineralization
 126.39 m - End of Hole



DRILL LOG

Project: Haldane

Hole ID: HLD10-02

Downhole surveys:

Depth	Dip	Azimuth
9.00	50.50	134.75
75.00	51.30	135.65
114.00	51.80	137.45