ASSESSMENT REPORT

on the

AUREX PROJECT

Aurex 1 – 34 (YB28429 – YB28462)
Aurex 87 – 113 (YB29366 – YB29392)
Aurex 172 – 187 (YC10862 – YC10877)
Fisher 23 – 67 (YC01996 – YC02040)
Moon 4 – 11 (YC10753 – YC10760)
Nis 1 – 75 (YC01589 – YC01663)
Rex 29 – 49 (YC02069 – YC02089)
Rex 65 – 74 (YC11043 – TC11052)
Sin 1 – 11 (YA39499 – YA39509)
Sin 35 (YA39533)
Sin 39 -40 (YA39537 – YA39538)
Sin 47 – 49 (YC10884 – YC10886)
Sun 1 – 12 (YC10698 – YC10709)

Aurex 51 – 86 (YB28465 – YB28500)
Aurex 114 – 171 (YB29669 –YB29726)
Fisher 1 – 22 (YC01769 – YC01790)
Moon 1 – 2 (YC10750 – YC10751)
Moon 12-13 (YC10895 – YC10896)
Rex 1 – 14 (YC02041 – YC02054)
Rex 63 (YC11041)
Rex 75 – 82 (YC11063 – YC11070)
Sin 13 – 33 (YA39511 – YA39531)
Sin 37 (YA39535)
Sin 45 (YC10882)
Sin 56 – 57 (YC10893 – YC10894)

Mayo Mining District
Yukon Territory, Canada
NTS 105 M-13, 105 M-14

for:

Victoria Gold Corporation

by:

Coast Mountain Geological Ltd.

Vancouver, B.C.
March 20th, 2012

Peter Dadson, B.Sc., P.Geol.
Patrick McLaughlin, B.Sc.

Table of Contents

1.0 Summary.....1
2.0 Introduction and Terms of Reference.....5
3.0 Property Description and Location.....5
3.1 Royalty Summary.....6
4.0 Accessibility, Climate, Local Resources, Infrastructure and Physiography.....7
5.0 Property History.....7
6.0 Regional Geological Setting.....9
7.0 Property Geology.....10
8.0 2011 Exploration Program.....12
8.1 Introduction.....12
9.0 Sampling Method, Preparation, Analysis and Security.....12
10.0 Data Verification.....13
11.0 Geological Mapping.....14
11.1 Stratigraphy.....14
11.1.1 Felsic Schists.....14
11.1.2 Chlorite Schist / Phyllite / Graphitic Schist.....15
11.1.3 Quartzite.....15
11.1.4 Calc-Silicate Skarn.....16
11.1.5 Marble / Limestone.....16
11.1.6 Hornblende Porphyry / Gabbro.....16
11.1.7 Granitic Rocks.....17
11.2 Structural Geology.....17
11.3 Mineralization.....19
11.4 Alteration.....20
12.0 Rock Sampling.....21
12.1 Whole Rock Sampling.....21
13.0 Soil Sampling.....22
13.1. Orientation Survey.....22
13.1.1 "A" Horizon Sampling Aurex Hill.....23
13.1.2 "B" Horizon Sampling Aurex Hill.....23
13.1.3 "A" Horizon Sampling Snowdrfit Area.....24
13.1.4 "B" Horizon Sampling Snowdrift Area.....24
13.2 "B" Horizon Soil Surveys.....24
13.2.1 Galena Hill.....24
13.2.2 Aurex Hill.....25
13.2.2.1 East Corkery Creek.....25
13.2.2.2 West Aurex.....26
14.0 Interpretation and Discussion.....26
15.0 Conclusions.....28
16.0 Recommendations.....29
17.0 Expenditures and Preliminary Budget.....30
18.0 Statement of Qualifications.....31
19.0 Bibliography and References.....33

List of Figures

Figure 1	Property Location Map Aurex Property
Figure 2	Aurex Property, Claims
Figure 3	Regional Geology, Aurex Property
Figure 4	Property Geology and 2011 Mapping Areas
Figure 4a	Aurex Hill Outcrop Locations
Figure 4b	East Corkery Creek Outcrop Locations
Figure 4c	Aurex North Outcrop Locations
Figure 4d	West Corkery Creek Outcrop Locations
Figure 5	Aurex Property 2011 Rock Sample Locations and Map Areas
Figure 5a	Aurex 2011 Rock Samples – East Corkery Creek
Figure 5b	Aurex 2011 Rock Samples – Aurex North
Figure 5c	Aurex 2011 Rock Samples – Aurex Hill
Figure 5d	Aurex 2011 Rock Samples – Aurex West
Figure 5e	Aurex 2011 Rock Samples – Other Areas
Figure 6	Aurex 2011 Whole Rock Geochemistry Sampling
Figure 7	Jenson Cation Plot, Aurex Property
Figure 8	Aurex Property 2011 Soil Grids
Figure 9	Soil Orientation Survey – Aurex Hill – Au in A and B Horizons
Figure 9a	Orientation Soil Survey Aurex Hill Soil Sample Site Location for A Horizon
Figure 9b	Orientation Soil Survey Aurex Hill Soil Sample Site Location for B Horizon
Figure 10	Soil Orientation Survey – Snowdrift Area- Au in A and B Horizons
Figure 10a	Orientation Soil Survey Snowdrift Area Soil Sample Site Location for A&B Horizons
Figure 11	Galena Hill Soil Sample Site Location
Figure 11a	Galena Hill Au in Soil
Figure 11b	Galena Hill Ag in Soil
Figure 12	East Corkery Creek Soil Sample Site Location
Figure 12a	East Corkery Creek Au in Soil
Figure 13	Aurex West Soil Sample Site Location
Figure 13a	Aurex West Au in Soil
Figure 14	Interpretation Map A
Figure 15	Interpretation Map B

List of Tables

Table 1	Aurex Property, Claims List
Table 2	List of Formations
Table 3	Preliminary Proposed Budget

List of Appendices

Appendix 1	Expenditures
Appendix 2	Personnel
Appendix 3	Rock Sample Sheets
Appendix 4	Soil Sample Sheets
Appendix 5	Rock Assay Certificates
Appendix 6	Soil Assay Certificates
Appendix 7	ALS Chemex Sample Methodology

1.0 Summary

The Aurex property is located in the Mayo Mining District, Yukon, approximately 56 kilometres northeast of Mayo and 350 kilometres due north of Whitehorse. The Silver Trail Highway and a power line transect the claims immediately southwest of the abandoned town site of Elsa. A network of four-wheel drive roads and trails provide excellent access to a large portion of the property.

The property comprises 433 contiguous quartz mining claims covering approximately 8273 hectares of land that is owned 100% by StrataGold Corporation. A portion of the property (171 Aurex claims) is subject to a 1.5% NSR royalty to Gtech International Resources Ltd. and a 3% NSR royalty to James McFaull International. Each of the royalties may be purchased for $1 million.

The property is underlain by meta-sedimentary rocks of probable Precambrian and/or Paleozoic age. They consist of schist, phyllite, quartzite, argillite, calc-silicate rocks and marble lenses and have been divided into three formations: Lower Schist, Keno Hill Quartzite and Upper Schist. Conformable lenses and sills of gabbro-diorite intrusions, quartz-feldspar porphyry and biotite-granodiorite sills occur in the Lower Schist and Keno Hill Quartzite formations.

The region is crosscut by the east trending Robert Service Thrust of Jurassic-Cretaceous age. A series of stacked, imbricate thrust blocks occur along this fault zone; however, there are two additional fault systems which occur in the area. The first being a northeast-striking system which host some of the quartz-arsenopyrite-gold veins at Aurex and silver-lead-zinc veins at Keno Hill and a later, northwest-trending series which offset the earlier east trending low-angle faults.

The claims are situated at the west end of the Keno Hill District that has produced approximately 192,500,000 ounces of silver from veins cutting Mississippian quartzite and schist (Murphy, 1997). More importantly, the claim block lies in the northeastern portion of the Tintina Gold Belt, a loosely defined 2100 kilometre long zone of gold and silver deposits extending across central Alaska and Yukon. Nearby are the Brewery Creek and Dublin Gulch deposits. The adjoining McQuesten property, immediately to the north of Aurex, hosts south dipping gold bearing skarn and replacement style mineralization defined by excavator trenching over 10 to 120 metre widths for a 2.5 kilometre strike length (Burke, 1998). Samples from the excavator trenches reportedly produced an arithmetic average grade of 2.48 g/t gold across 18 metres (Burke, 1998). Similar values were obtained in drill intercepts reported in 2000 by Eagle Plains. Results from this drilling included 18.3 metres averaging 3.74 g/t gold, 16.2 metres averaging 2.19 g/t gold and 24.2 metres averaging 2.16 g/t gold (Eagle Plains News Release, March 8, 2002).

Exploration on the Aurex claims in the early 1990's was directed toward intrusive hosted mineralization modeled after Fort Knox, which is a large tonnage, relatively low-grade mine located in Alaska. Early w
ork was successful in identifying several areas of significant mineralization including 62 air track percussion drill holes which intersected at least 3 metres grading 1 g/t gold from skarn and veins (Davidson, 1995). The best intersection was 6.42 g/t gold over 6.1 metres (Davidson, 1995). Visible gold was also identified in cuttings from three holes. It was described as being very fine grained, crystalline and having some attached quartz vein material (McFaull, 1993). Work on the claims in 1999 specifically targeted this mineralization. Soil geochemical sampling identified a 2700 by 350-metre arcuate gold-arsenic-antimony anomaly. Skarn mineralization in this area returned samples of up to 8.87 g/t gold and vein float returned values as high as 9.31g/t gold (Wengzynowski, 1999).

The exploration program in 2011 centred on geological mapping, soil sampling and rock sampling.

The geological mapping did confirm the mapping completed by other operators, primarily Newmont, but it also expanded on the interpretation of the data by defining three or possibly four imbricated thrust panels cored by intrusive diorite or other mafic to intermediate composition rocks. With the exception of one occurrence all of these rocks were found to be mineralized with disseminated pyrrhotite and certainly in the Aurex North area these rocks are gold bearing.

Although these units may be of limited strike extent, about 500 m at Aurex North, they consist of a probable braided intrusive system over considerable widths to >80 m again at Aurex North. The mineralization on Aurex Hill could possibly be one locale for these intrusives which appear to have associated skarn formation similar to that found at the McQuesten deposit immediately north of the property boundary.

Rock sampling has confirmed the gold bearing nature of these rocks in the Aurex North area and has shown the occurrence of new showings related to schists and mineralized quartz veins. On Aurex Hill values of over 1 gpt Au were returned while at the ASPY showing a high of 9.16. 9.8 and 30.3 gpt Au was obtained from mineralized quartz veins. These veins are similar to those in a boulder located on the Corkery Creek Road and to the north of the property where samples ranged from 10 to 15 gpt Au.

Soil sampling was conducted over three GPS type grids; two in the vicinity of Aurex Hill and one on Galena Hill to the east.

On Galena Hill structural complexities were the main targets immediately southeast of the Coral and Wigwam veins and the mine at Elsa. Gold results were erratic and generally low with few anomalies. Not unexpected since the regional mineralizing zonation has shown to be more silver rich as one approaches the deposits on Keno and Galena Hills. Gold becomes more prevalent to the SW in the Aurex Hill area.

Silver in comparison to gold is more prevalent on the Galena Hill grid and numerous anomalies do exist some with multi-station and multi-line values greater than one half gram Ag.

In the Aurex Hill area the West Aurex grid located on the western flank of the hill was a test of pre-existing anomalies as well as a test of some prominent structural linears defined by satellite imagery.

At West Aurex the east portion of the grid was most active with a broad elevated gold anomaly which confirmed previous surveys but within this area are two distinct NE trends with gold values >50 ppb Au. The first occurs within an area of historic RC drilling while the other, although weaker, is about 600 m in length and is untested. Further south is a third group of anomalous gold within a large area of elevated gold. This occurs in the vicinity of the Corkery Creek Road and may be due to soil creep and/or contamination by the road.

To the west is the long linear that trends NNE. Values show an abrupt termination at this feature. However there are two anomalies of >100 ppb within or closely associated with this feature and the sources are unknown.

The East Corkery Creek Grid was tested to cover the mineralization at the ASPY showing and mafic or intermediate rocks to the south of and in the vicinity of Corkery Creek. Results show a

large number of areas >10 ppb with the largest concentration being along Corkery Creek. The ASPY has a modest response of about 20 ppb but the diorite to the NE returned over 800 ppb Au. Of interest in this area is the clustering of values of >100 ppb Au around this showing and to the SE a well defined and discrete 400 m long NW trending anomaly. This area is underlain by marbles but the anomaly also transgresses the topography.

Immediately to the west is a long, 500 m, wide, 100 m, anomaly on the downslope to Corkery Creek and along the Corkery Creek Road. The width may be accentuated by the slope. This anomaly also has a NW trend and is underlain by marbles and various phyllites and quartzites.

Further south is a very loosely defined NW trending anomaly consisting of numerous discontinuous Au highs that is about 1000 m in length. Cause is unknown but this could be a NW trending structure. A much smaller anomaly with a similar trend occurs in the vicinity of the hornblende porphyry outcrop in the SW corner of the grid.

Conclusions from the program include the following:

1. Dioritic intrusions, mineralized with disseminated pyrrhotite contain gold values of economic interest.
2. Historic diamond drilling and RC drilling shows wide gold bearing mineralized intersections having quartz stringers with arsenopyrite and pyrrhotite. Weighted averages are < 1 gpt Au but persist over a minimum strike length of about 1.5 km.
3. Mineralization in 2 above does include some high grade sections.
4. Historic RC holes indicate economic grades not related to the main Aurex Hill mineralization as outlined in 2 and 3 above.
5. Mapping/prospecting/rock sampling has confirmed but also expanded upon historical work including a new mineralized exposure between Aurex North and Aurex Hill which may define a new zone.
6. Geochemical soil surveys within the area of the ASPY showing and West Aurex Hill have enhanced the potential of these areas by indicating well defined gold anomalies. In the latter area these correspond with previous sampling by Newmont.
7. Historic diamond drill holes from 2003 show numerous intersections and all relate to increase concentrations of quartz veining and sulphide mineralization.
9. Although this program has been extensive and supported the results of past work the data set (some was received late) requires compilation and integration with the current data and then re-interpreted.
10. Previous airborne geophysical surveys are of sufficient detail to outline regional structures and rock units over the entire property however the definition of small scale structures and economically interesting rock units cannot be accomplished.
11. Soil data current and historic indicate that the “B” horizon is probably the most prospective horizon for gold detection. However continued testing has to be made in areas of deep overburden.
12. Previous exploration has defined anomalous gold, arsenic, antimony and bismuth in soil and bedrock over an area of 3 by 5 kilometres. A large part of the property remains to be sampled and explored including the western extension of the McQuesten Structure. Overburden has interfered with previous exploration; however, recent survey work is shedding new information for guiding exploration.
13. The extent, style, and mineralogy on Aurex are characteristic of a large, distal setting for intrusion-related gold systems similar to other large gold deposits in the Tintina Gold belt.
14. The orientation soil survey indicates that the “A” horizon responds well in areas of deep overburden.

15. The “B” soil horizon responds best in areas of shallow overburden but can work in deep cover as long as a “B” is developed.
16. The diabase, in the Bema Industries Ltd’s. drilling, may be similar to the intrusions at Aurex North and other locations which may indicate another target area with gold mineralization and potential for large tonnages.
17. Soil sampling has successfully outlined numerous gold anomalies of possible structural origin on all grids.
18. The Galena Hill area, from soil sampling, indicates a stronger response to Ag than Au.

Based on these conclusions the following recommendations have been developed:

1. Continued compilation and integration of all data is imperative to developing future interpretations for program planning.
2. Continued geological mapping/rock sampling/prospecting in areas outlying from Aurex Hill including Galena Hill (Fisher Claims).
3. Continued soil sampling in the Galena Hill area over areas assumed to be underlain by Keno Hill quartzites but also areas of geophysical and/or structural targets.
4. A diamond drill program to test various targets on the west side of the property including Aurex Hill proper also but not exclusively the ASPY showing, Aurex North and west of Snowdrift. Other targets will become evident from recommendations 1 to 3 above and may include the along strike possibilities of the Silver King deposit or the 1980’s drilling of Bema Industries.
5. As an aid to outline potential structures ground based VLF-EM and magnetic surveys should be performed on an ongoing basis. Close hand contouring of the corrected magnetic and Fraser Filter data can assist in the outlining of potential new targets.
6. Whole rock geochemistry to vector into potential new targets and to better define the alteration geochemistry associated with the known mineralization.
7. The soil geochemical data could be normalized with the historic data and analyzed with statistical methods to determine anomalous levels. Hand contouring will enhance the data and most likely outline structural trends and breaks.

A preliminary budget of $1,325,000 has been put forth for discussion purposes, to cover all aspects of a one phase program.

2.0 Introduction and Terms of Reference

This report outlines the 2011 exploration program carried out over a portion of the Aurex Property which is located in the Mayo Mining District of central Yukon (Figure 1). The authors have prepared this report for Victoria Gold Corporation as a summary of this work to assist in the formulation of a budget/program for the 2012 field season and for assessment requirements.

The property comprises an area of approximately 8273 hectares in one contiguous claim block consisting of 433 unsurveyed quartz mineral claims. StrataGold Corporation wholly owns the claims although a portion of the claim group is subject to a 4.5% aggregate Net Smelter Return (NSR) royalty which may be purchased for $2 million.

One author is a qualified person under the guidelines of National Instrument 43-101, has been contracted through Coast Mountain Geological Inc. who are the program managers to undertake this program which consisted of geological mapping, rock and soil sampling and a soil orientation survey. Previous exploration data was consulted prior to the field season as well as during the program to effectively guide the program and to undertake necessary variations as per the client's requests. This report is based on previous work and referenced reports and contains conclusions and recommendations based on the current field work. It also presents a very preliminary proposed budget for guidance based on these recommendations.

The report only closely follows the guidelines of National Instrument 43-101 "Standards of Disclosure for Mineral Projects" and is not only based on data and geological information gathered from public sources, assessment files, internal company reports but more importantly on the findings resulting from the 2011 field season. Background and historical information is derived from government maps, reports and assessment files. With regard to past exploration activity carried out on areas which now fall within the subject claim boundaries, the author has been informed that data supplied by Victoria Gold Corporation represents a reasonable search of historical data, and as such is believed to include a portion of the meaningful past work completed on the subject property.

The following Victoria Gold personnel have provided assistance in the preparation of this report; Dr. William Keats, Exploration Manager and Hugh Coyle.

3.0 Property Description and Location

The Aurex property is located in central Yukon Territory, 56 kilometres northeast of Mayo and approximately 350 kilometres due north of Whitehorse (Figure 1). The property is within the Mayo Mining District on NTS map sheets 105M13 and 105M14 and is centred on 63^0 52' North Latitude and 135^0 35' West Longitude (Figure 1).

The property, which comprises 433 unsurveyed, contiguous, quartz mineral claims as listed in Table 1, covers a surface area of approximately 8273 hectares (Figure 2)
.

A review of government records indicates the registered owner of all mineral claims that comprise the Aurex property is StrataGold Corporation.

StrataGold is the company on record that has a 100% interest in the mineral claims listed in Table 1, some of the Aurex claims however are subject to an aggregate 4.5% net smelter



Figure 1: Location Aurex Property



Victoria Gold Corp.

Aurex Property

Claims

March 19, 2012

Figure 2

Table 1: Aurex Property, Claims List

Claim Name	Claim No.	Grant Number	Claim Type	NTS Map Number	District	Staking Date	Recording Date	Expiry Date	Status	Claim Owner
AUREX	1	YB28429	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	2	YB28430	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	3	YB28431	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	4	YB28432	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	5	YB28433	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	6	YB28434	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	7	YB28435	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	8	YB28436	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	9	YB28437	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	10	YB28438	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	11	YB28439	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	12	YB28440	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	13	YB28441	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	14	YB28442	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	15	YB28443	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	16	YB28444	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	17	YB28445	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	18	YB28446	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	19	YB28447	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	20	YB28448	Quartz	105M13	Mayo	4/12/1992	4/21/1992	3/10/2014	Active	StrataGold Corp - 100%
AUREX	21	YB28449	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	22	YB28450	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	23	YB28451	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	24	YB28452	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	25	YB28453	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	26	YB28454	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	27	YB28455	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	28	YB28456	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	29	YB28457	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	30	YB28458	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	31	YB28459	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	32	YB28460	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	33	YB28461	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	34	YB28462	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	51	YB28465	Quartz	105M13	Mayo	4/15/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	52	YB28466	Quartz	105M13	Mayo	4/15/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	53	YB28467	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	54	YB28468	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	55	YB28469	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	56	YB28470	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	57	YB28471	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	58	YB28472	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%

Table 1: Aurex Property, Claims List

Claim Name	Claim No.	Grant Number	Claim Type	NTS Map Number	District	Staking Date	Recording Date	Expiry Date	Status	Claim Owner
AUREX	59	YB28473	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	60	YB28474	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	61	YB28475	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	62	YB28476	Quartz	105M13	Mayo	4/10/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	63	YB28477	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	64	YB28478	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	65	YB28479	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	66	YB28480	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	67	YB28481	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	68	YB28482	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	69	YB28483	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	70	YB28484	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	71	YB28485	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	72	YB28486	Quartz	105M13	Mayo	4/12/1992	4/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	73	YB28487	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	74	YB28488	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	75	YB28489	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	76	YB28490	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	77	YB28491	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	78	YB28492	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	79	YB28493	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	80	YB28494	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	81	YB28495	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	82	YB28496	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	83	YB28497	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	84	YB28498	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	85	YB28499	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2017	Active	StrataGold Corp - 100%
AUREX	86	YB28500	Quartz	105M13	Mayo	4/13/1992	4/21/1992	2/22/2017	Active	StrataGold Corp - 100%
AUREX	87	YB29366	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	88	YB29367	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	89	YB29368	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	90	YB29369	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	91	YB29370	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	92	YB29371	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	93	YB29372	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	94	YB29373	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	95	YB29374	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	96	YB29375	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	97	YB29376	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	98	YB29377	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	99	YB29378	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	100	YB29379	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2014	Active	StrataGold Corp - 100%

Table 1: Aurex Property, Claims List

Claim Name	Claim No.	Grant Number	Claim Type	NTS Map Number	District	Staking Date	Recording Date	Expiry Date	Status	Claim Owner
AUREX	101	YB29380	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	102	YB29381	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	103	YB29382	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	104	YB29383	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	105	YB29384	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	106	YB29385	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	107	YB29386	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	108	YB29387	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	109	YB29388	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2014	Active	StrataGold Corp - 100%
AUREX	110	YB29389	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	111	YB29390	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	112	YB29391	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	113	YB29392	Quartz	105M13	Mayo	10/15/1992	10/21/1992	2/22/2013	Active	StrataGold Corp - 100%
AUREX	114	YB29669	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	115	YB29670	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	116	YB29671	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	117	YB29672	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	118	YB29673	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	119	YB29674	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	120	YB29675	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	121	YB29676	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	122	YB29677	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	123	YB29678	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	124	YB29679	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	125	YB29680	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	126	YB29681	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	127	YB29682	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	128	YB29683	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	129	YB29684	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	130	YB29685	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	131	YB29686	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	132	YB29687	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	133	YB29688	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	134	YB29689	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	135	YB29690	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	136	YB29691	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	137	YB29692	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	138	YB29693	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	139	YB29694	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	140	YB29695	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	141	YB29696	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	142	YB29697	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%

Table 1: Aurex Property, Claims List

Claim Name	Claim No.	Grant Number	Claim Type	NTS Map Number	District	Staking Date	Recording Date	Expiry Date	Status	Claim Owner
AUREX	143	YB29698	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	144	YB29699	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	145	YB29700	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	146	YB29701	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	147	YB29702	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	148	YB29703	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	149	YB29704	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	150	YB29705	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	151	YB29706	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	152	YB29707	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	153	YB29708	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	154	YB29709	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	155	YB29710	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	156	YB29711	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	157	YB29712	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	158	YB29713	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	159	YB29714	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	160	YB29715	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	161	YB29716	Quartz	105M13	Mayo	3/3/1993	3/10/1993	2/22/2013	Active	StrataGold Corp - 100%
AUREX	162	YB29717	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	163	YB29718	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	164	YB29719	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	165	YB29720	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	166	YB29721	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	167	YB29722	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	168	YB29723	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	169	YB29724	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	170	YB29725	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	171	YB29726	Quartz	105M13	Mayo	3/4/1993	3/10/1993	2/22/2014	Active	StrataGold Corp - 100%
AUREX	172	YC10862	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
AUREX	173	YC10863	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
AUREX	174	YC10864	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
AUREX	175	YC10865	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
AUREX	176	YC10866	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
AUREX	177	YC10867	Quartz	105M13	Mayo	6/28/2003	6/30/2003	6/30/2012	Active	StrataGold Corp - 100%
AUREX	178	YC10868	Quartz	105M13	Mayo	6/28/2003	6/30/2003	6/30/2012	Active	StrataGold Corp - 100%
AUREX	179	YC10869	Quartz	105M13	Mayo	6/28/2003	6/30/2003	6/30/2012	Active	StrataGold Corp - 100%
AUREX	180	YC10870	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
AUREX	181	YC10871	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
AUREX	182	YC10872	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
AUREX	183	YC10873	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
AUREX	184	YC10874	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%

Table 1: Aurex Property, Claims List

Claim Name	Claim No.	Grant Number	Claim Type	NTS Map Number	District	Staking Date	Recording Date	Expiry Date	Status	Claim Owner
AUREX	185	YC10875	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
AUREX	186	YC10876	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
AUREX	187	YC10877	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
Fisher	1	YC01769	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2021	Active	StrataGold Corp - 100%
Fisher	2	YC01770	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2021	Active	StrataGold Corp - 100%
Fisher	3	YC01771	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2021	Active	StrataGold Corp - 100%
Fisher	4	YC01772	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2021	Active	StrataGold Corp - 100%
Fisher	5	YC01773	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	6	YC01774	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	7	YC01775	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	8	YC01776	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	9	YC01777	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	10	YC01778	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	11	YC01779	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	12	YC01780	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	13	YC01781	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2021	Active	StrataGold Corp - 100%
Fisher	14	YC01782	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2021	Active	StrataGold Corp - 100%
Fisher	15	YC01783	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2021	Active	StrataGold Corp - 100%
Fisher	16	YC01784	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2021	Active	StrataGold Corp - 100%
Fisher	17	YC01785	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	18	YC01786	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	19	YC01787	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	20	YC01788	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	21	YC01789	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	22	YC01790	Quartz	105M14	Mayo	5/29/1999	6/7/1999	3/6/2020	Active	StrataGold Corp - 100%
Fisher	23	YC01996	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	24	YC01997	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	25	YC01998	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	26	YC01999	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	27	YC02000	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	28	YC02001	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	29	YC02002	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	30	YC02003	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	31	YC02004	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	32	YC02005	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	33	YC02006	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	34	YC02007	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	35	YC02008	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	36	YC02009	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	37	YC02010	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	38	YC02011	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	39	YC02012	Quartz	105M14	Mayo	11/13/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%

Table 1: Aurex Property, Claims List

Claim Name	Claim No.	Grant Number	Claim Type	NTS Map Number	District	Staking Date	Recording Date	Expiry Date	Status	Claim Owner
Fisher	40	YC02013	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	41	YC02014	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	42	YC02015	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	43	YC02016	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	44	YC02017	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	45	YC02018	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	46	YC02019	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	47	YC02020	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	48	YC02021	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	49	YC02022	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	50	YC02023	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	51	YC02024	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	52	YC02025	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	53	YC02026	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	54	YC02027	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	55	YC02028	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	56	YC02029	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	57	YC02030	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	58	YC02031	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	59	YC02032	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	60	YC02033	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	61	YC02034	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	62	YC02035	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	63	YC02036	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	64	YC02037	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	65	YC02038	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	66	YC02039	Quartz	105M14	Mayo	11/13/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Fisher	67	YC02040	Quartz	105M14	Mayo	11/13/1999	11/22/1999	2/22/2020	Active	StrataGold Corp - 100%
Moon	1	YC10750	Quartz	105M13	Mayo	1/11/2003	1/13/2003	1/13/2012	Active	StrataGold Corp - 100%
Moon	2	YC10751	Quartz	105M13	Mayo	1/11/2003	1/13/2003	1/13/2012	Active	StrataGold Corp - 100%
Moon	4	YC10753	Quartz	105M13	Mayo	1/11/2003	1/13/2003	1/13/2012	Active	StrataGold Corp - 100%
Moon	5	YC10754	Quartz	105M13	Mayo	1/11/2003	1/13/2003	1/13/2012	Active	StrataGold Corp - 100%
Moon	6	YC10755	Quartz	105M13	Mayo	1/11/2003	1/13/2003	1/13/2012	Active	StrataGold Corp - 100%
Moon	7	YC10756	Quartz	105M13	Mayo	1/11/2003	1/13/2003	1/13/2012	Active	StrataGold Corp - 100%
Moon	8	YC10757	Quartz	105M13	Mayo	1/11/2003	1/13/2003	1/13/2012	Active	StrataGold Corp - 100%
Moon	9	YC10758	Quartz	105M13	Mayo	1/11/2003	1/13/2003	1/13/2012	Active	StrataGold Corp - 100%
Moon	10	YC10759	Quartz	105M13	Mayo	1/11/2003	1/13/2003	1/13/2012	Active	StrataGold Corp - 100%
Moon	11	YC10760	Quartz	105M13	Mayo	1/11/2003	1/13/2003	1/13/2012	Active	StrataGold Corp - 100%
Moon	12	YC10895	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2013	Active	StrataGold Corp - 100%
Moon	13	YC10896	Quartz	105M13	Mayo	6/28/2003	6/30/2003	2/22/2013	Active	StrataGold Corp - 100%
Nis	1	YC01589	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	2	YC01590	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%

Table 1: Aurex Property, Claims List

Claim Name	Claim No.	Grant Number	Claim Type	NTS Map Number	District	Staking Date	Recording Date	Expiry Date	Status	Claim Owner
Nis	3	YC01591	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	4	YC01592	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	5	YC01593	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	6	YC01594	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	7	YC01595	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	8	YC01596	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	9	YC01597	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	10	YC01598	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	11	YC01599	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	12	YC01600	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	13	YC01601	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	14	YC01602	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	15	YC01603	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	16	YC01604	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	17	YC01605	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	18	YC01606	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	19	YC01607	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	20	YC01608	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	21	YC01609	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	22	YC01610	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	23	YC01611	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	24	YC01612	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	25	YC01613	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	26	YC01614	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	27	YC01615	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	28	YC01616	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	29	YC01617	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	30	YC01618	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	31	YC01619	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	32	YC01620	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	33	YC01621	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	34	YC01622	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	35	YC01623	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	36	YC01624	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	37	YC01625	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	38	YC01626	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	39	YC01627	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	40	YC01628	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	41	YC01629	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	42	YC01630	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	43	YC01631	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	44	YC01632	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%

Table 1: Aurex Property, Claims List

Claim Name	Claim No.	Grant Number	Claim Type	NTS Map Number	District	Staking Date	Recording Date	Expiry Date	Status	Claim Owner
Nis	45	YC01633	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	46	YC01634	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	47	YC01635	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	48	YC01636	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	49	YC01637	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	50	YC01638	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	51	YC01639	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	52	YC01640	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	53	YC01641	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	54	YC01642	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	55	YC01643	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	56	YC01644	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	57	YC01645	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	58	YC01646	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	59	YC01647	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	60	YC01648	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	61	YC01649	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	62	YC01650	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	63	YC01651	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	64	YC01652	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	65	YC01653	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	66	YC01654	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	67	YC01655	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	68	YC01656	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	69	YC01657	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	70	YC01658	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	71	YC01659	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	72	YC01660	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	73	YC01661	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	74	YC01662	Quartz	105M13	Mayo	11/2/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Nis	75	YC01663	Quartz	105M13	Mayo	11/1/1998	11/6/1998	2/6/2012	Active	StrataGold Corp - 100%
Rex	1	YC02041	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	2	YC02042	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	3	YC02043	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	4	YC02044	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	5	YC02045	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	6	YC02046	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	7	YC02047	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	8	YC02048	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	9	YC02049	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	10	YC02050	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	11	YC02051	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%

Table 1: Aurex Property, Claims List

Claim Name	Claim No.	Grant Number	Claim Type	NTS Map Number	District	Staking Date	Recording Date	Expiry Date	Status	Claim Owner
Rex	12	YC02052	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	13	YC02053	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	14	YC02054	Quartz	105M13	Mayo	11/13/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	29	YC02069	Quartz	105M13	Mayo	11/11/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	30	YC02070	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2015	Active	StrataGold Corp - 100%
Rex	31	YC02071	Quartz	105M13	Mayo	11/11/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	32	YC02072	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	33	YC02073	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	34	YC02074	Quartz	105M13	Mayo	11/11/1999	11/22/1999	2/22/2015	Active	StrataGold Corp - 100%
Rex	35	YC02075	Quartz	105M13	Mayo	11/11/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	36	YC02076	Quartz	105M13	Mayo	11/11/1999	11/22/1999	2/22/2015	Active	StrataGold Corp - 100%
Rex	37	YC02077	Quartz	105M14	Mayo	11/13/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	38	YC02078	Quartz	105M14	Mayo	11/13/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	39	YC02079	Quartz	105M14	Mayo	11/13/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	40	YC02080	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	41	YC02081	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	42	YC02082	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	43	YC02083	Quartz	105M14	Mayo	11/11/1999	11/22/1999	2/22/2014	Active	StrataGold Corp - 100%
Rex	44	YC02084	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2015	Active	StrataGold Corp - 100%
Rex	45	YC02085	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2015	Active	StrataGold Corp - 100%
Rex	46	YC02086	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2015	Active	StrataGold Corp - 100%
Rex	47	YC02087	Quartz	105M14	Mayo	11/12/1999	11/22/1999	2/22/2015	Active	StrataGold Corp - 100%
Rex	48	YC02088	Quartz	105M13	Mayo	11/18/1999	11/23/1999	2/22/2012	Active	StrataGold Corp - 100%
Rex	49	YC02089	Quartz	105M13	Mayo	11/18/1999	11/23/1999	2/22/2015	Active	StrataGold Corp - 100%
Rex	63	YC11041	Quartz	105M13	Mayo	11/26/2003	12/11/2003	12/11/2012	Active	StrataGold Corp - 100%
Rex	65	YC11043	Quartz	105M14	Mayo	11/26/2003	12/11/2003	12/11/2012	Active	StrataGold Corp - 100%
Rex	66	YC11044	Quartz	105M14	Mayo	11/26/2003	12/11/2003	12/11/2012	Active	StrataGold Corp - 100%
Rex	67	YC11045	Quartz	105M14	Mayo	11/26/2003	12/11/2003	12/11/2012	Active	StrataGold Corp - 100%
Rex	68	YC11046	Quartz	105M14	Mayo	11/26/2003	12/11/2003	12/11/2012	Active	StrataGold Corp - 100%
Rex	69	YC11047	Quartz	105M14	Mayo	11/26/2003	12/11/2003	12/11/2012	Active	StrataGold Corp - 100%
Rex	70	YC11048	Quartz	105M14	Mayo	11/26/2003	12/11/2003	12/11/2012	Active	StrataGold Corp - 100%
Rex	71	YC11049	Quartz	105M14	Mayo	11/26/2003	12/11/2003	12/11/2012	Active	StrataGold Corp - 100%
Rex	72	YC11050	Quartz	105M14	Mayo	11/26/2003	12/11/2003	12/11/2012	Active	StrataGold Corp - 100%
Rex	73	YC11051	Quartz	105M14	Mayo	11/27/2003	12/11/2003	12/11/2012	Active	StrataGold Corp - 100%
Rex	74	YC11052	Quartz	105M14	Mayo	11/27/2003	12/11/2003	12/11/2012	Active	StrataGold Corp - 100%
Rex	75	YC11063	Quartz	105M14	Mayo	12/14/2003	12/15/2003	12/15/2012	Active	StrataGold Corp - 100%
Rex	76	YC11064	Quartz	105M14	Mayo	12/14/2003	12/15/2003	12/15/2012	Active	StrataGold Corp - 100%
Rex	77	YC11065	Quartz	105M14	Mayo	12/14/2003	12/15/2003	12/15/2012	Active	StrataGold Corp - 100%
Rex	78	YC11066	Quartz	105M14	Mayo	12/14/2003	12/15/2003	12/15/2012	Active	StrataGold Corp - 100%
Rex	79	YC11067	Quartz		Mayo	12/14/2003	12/15/2003	12/15/2012	Pending	StrataGold Corp - 100%
Rex	80	YC11068	Quartz		Mayo	12/14/2003	12/15/2003	12/15/2012	Pending	StrataGold Corp - 100%
Rex	81	YC11069	Quartz	105M14	Mayo	12/14/2003	12/15/2003	12/15/2012	Active	StrataGold Corp - 100%

Table 1: Aurex Property, Claims List

Claim Name	Claim No.	Grant Number	Claim Type	NTS Map Number	District	Staking Date	Recording Date	Expiry Date	Status	Claim Owner
Rex	82	YC11070	Quartz	105M14	Mayo	12/14/2003	12/15/2003	12/15/2012	Active	StrataGold Corp - 100%
Sin	1	YA39499	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	2	YA39500	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	3	YA39501	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	4	YA39502	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	5	YA39503	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	6	YA39504	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	7	YA39505	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	8	YA39506	Quartz	105M13	Mayo	4/4/1979	4/9/1979	4/9/2012	Active	StrataGold Corp - 100%
Sin	9	YA39507	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	10	YA39508	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	11	YA39509	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	13	YA39511	Quartz	105M13	Mayo	4/4/1979	4/9/1979	4/9/2012	Active	StrataGold Corp - 100%
Sin	14	YA39512	Quartz	105M13	Mayo	4/4/1979	4/9/1979	4/9/2012	Active	StrataGold Corp - 100%
Sin	15	YA39513	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	16	YA39514	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	17	YA39515	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	18	YA39516	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	19	YA39517	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	20	YA39518	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	21	YA39519	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	22	YA39520	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	23	YA39521	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	24	YA39522	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	25	YA39523	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	26	YA39524	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	27	YA39525	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	28	YA39526	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	29	YA39527	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	30	YA39528	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	31	YA39529	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	32	YA39530	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	33	YA39531	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2012	Active	StrataGold Corp - 100%
Sin	35	YA39533	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2013	Active	StrataGold Corp - 100%
Sin	37	YA39535	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2013	Active	StrataGold Corp - 100%
Sin	39	YA39537	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2013	Active	StrataGold Corp - 100%
Sin	40	YA39538	Quartz	105M13	Mayo	4/4/1979	4/9/1979	2/22/2013	Active	StrataGold Corp - 100%
Sin	45	YC10882	Quartz	105M13	Mayo	6/29/2003	6/30/2003	2/22/2013	Active	StrataGold Corp - 100%
Sin	47	YC10884	Quartz	105M13	Mayo	6/29/2003	6/30/2003	2/22/2013	Active	StrataGold Corp - 100%
Sin	48	YC10885	Quartz	105M13	Mayo	6/29/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
Sin	49	YC10886	Quartz	105M13	Mayo	6/30/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
Sin	56	YC10893	Quartz	105M13	Mayo	6/29/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%

Table 1: Aurex Property, Claims List

Claim Name	Claim No.	Grant Number	Claim Type	NTS Map Number	District	Staking Date	Recording Date	Expiry Date	Status	Claim Owner
Sin	57	YC10894	Quartz	105M13	Mayo	6/29/2003	6/30/2003	2/22/2012	Active	StrataGold Corp - 100%
Sun	1	YC10698	Quartz	105M13	Mayo	8/13/2002	8/15/2002	2/22/2012	Active	StrataGold Corp - 100%
Sun	2	YC10699	Quartz	105M13	Mayo	8/13/2002	8/15/2002	2/22/2012	Active	StrataGold Corp - 100%
Sun	3	YC10700	Quartz	105M13	Mayo	8/13/2002	8/15/2002	2/22/2012	Active	StrataGold Corp - 100%
Sun	4	YC10701	Quartz	105M13	Mayo	8/13/2002	8/15/2002	2/22/2012	Active	StrataGold Corp - 100%
Sun	5	YC10702	Quartz	105M13	Mayo	8/13/2002	8/15/2002	2/22/2012	Active	StrataGold Corp - 100%
Sun	6	YC10703	Quartz	105M13	Mayo	8/13/2002	8/15/2002	2/22/2012	Active	StrataGold Corp - 100%
Sun	7	YC10704	Quartz	105M13	Mayo	8/13/2002	8/15/2002	2/22/2012	Active	StrataGold Corp - 100%
Sun	8	YC10705	Quartz	105M13	Mayo	8/13/2002	8/15/2002	2/22/2012	Active	StrataGold Corp - 100%
Sun	9	YC10706	Quartz	105M13	Mayo	8/15/2002	8/15/2002	8/15/2012	Active	StrataGold Corp - 100%
Sun	10	YC10707	Quartz	105M13	Mayo	8/15/2002	8/15/2002	8/15/2012	Active	StrataGold Corp - 100%
Sun	11	YC10708	Quartz	105M13	Mayo	8/15/2002	8/15/2002	8/15/2012	Active	StrataGold Corp - 100%
Sun	12	YC10709	Quartz	105M13	Mayo	8/15/2002	8/15/2002	8/15/2012	Active	StrataGold Corp - 100%

return royalty. These royalties may be purchased at any time for a total of $2,000,000. The following outlines the various agreements currently in place:

100% owned by StrataGold (SGV) and was transferred to SGV by Expatriate Resources (Expatriate spun out SGV) subject to the royalties described below.

From the operation recording date it is assumed that all Rex, Sun, Moon, and Aurex 172-187 claims were staked by StrataGold and/or Expatriate and thus not bound by any obligations/agreements. Sin 41-57 have operating recording dates from 1979 but have not been able to establish how these were obtained by Expatriate.

Yukon Revenue Mines Ltd (YKR) entered into an option agreement for 100% interest in Aurex 1-36, 51-86, 87-113 with James McFaull on November 23, 1992 for cash payments, share issuance, expenditure commitments and granting a 3%NSR purchasable for $1,000,000.

Expatriate entered into option agreement with YKR on January 12, 1999 to acquire a 100% interest in the McFaull claims for cash payments, expenditure commitments and 1.5% NSR purchasable for $1,000,000. All payment and expenditure commitments have been met and only the royalty is still active.

Expatriate entered into an agreement with GTech International Resources Ltd (formerly YKR) on August 16, 2001 to accelerate the purchase of the McFaull claims optioned under the January 1999 agreement for share issuance. The agreement terms have all been met and only the YKR royalty from the above agreement is still active.

3.1 Royalty Summary

James McFaull:
November 23, 1992 Agreement between James McFaull & Yukon Revenue Mines Ltd.

3% NSR - Purchasable for $1,000,000.
Claims: **Aurex** 1-34, 51-86, 87-113

GTech International Resources Ltd:
January 12, 1999 Agreement between Expatriate Resources & GTech International Resources Ltd

1.5% NSR - Purchasable for $1,000,000.
Claims: **Aurex** 1-34, 51-86, 87-113

No work during the 2011 field season required any reclamation as per the terms of the issued Quartz Mining Land Use Approval permit (Permit - LQ00252a; class 3). The permit expires on February 18, 2014.

4.0 Accessibility, Climate, Local Resources, Infrastructure, and Physiography

The Aurex property is located in central Yukon 56 kilometres northeast of Mayo along the Silver Trail Highway (Figure 1). Both the Silver Trail Highway and a power line transect the claims immediately southwest of Elsa. The property is crossed by a series of four-wheel drive roads and trails which provide access to the southwest portion of the property. Pre-existing roads from former mining operations on the top and north side of Galena Hill partially penetrate into the central and northern portions of the eastern portion of the property.

The terrain consists of large, broad to narrow flatlands with small valleys between rolling hills. Mount Haldane, which rises to 1840 m, is the most prominent feature in the area and forms the northwestern boundary of the Aurex property. It is flanked to the north by the McQuesten River Valley and to the east by Haldane Creek. The three kilometre long, east-trending "Aurex Hill", with the summit at 1021 metres, dominates the Aurex property while the west - flowing Corkery Creek is located south of Aurex Hill.

The Aurex property is dominated by elevations below 1021 metres, where rock outcroppings are sparse, and slopes are covered with thick deposits of till, soil, rock debris, muck and muskeg. Black spruce, birch and aspen predominate while grassy meadows from 1006 metres and below accompany circular ponds and marshy areas which are locally coincident with till blankets. Extensive rock outcrops are uncommon in the area with the exception of the creek valleys and gulches where good geological sections can be mapped.

The climate of the central Yukon area is intense with a mean annual temperature at the town site of Mayo of -3^0 C, the average minimum temperature is -10^0 C, and the average maximum $+3^0$ C. Temperatures as low as -62^0 C and as high as $+35^0$ C have been recorded. The winters are long and cold with only 4-5 hours of daylight each day; the summers are short and warm with nearly continuous daylight. The average annual precipitation at Mayo is 28 centimetres. Snowfall is moderate and usually starts in late September or early October. Most of the snow has melted by the end of May, but local patches remain in sheltered places on northern slopes until late August.

5.0 Property History

Several authors reporting on this property and its history have stated that early prospecting and other geological work is not well documented. However, W. A. Wengzynowski (1999) mentions that the "first reported activity on the ground now covered by the Aurex claims was in 1935". He goes on to mention that "parts of the area were held at various times until the early 1980's" and that the work was targeted on the discovery of vein hosted silver bearing veins and that this work was in the form of prospecting, hand trenching, shallow shafts and bulldozer trenches. Unfortunately there are no written reports of this work so his source(s) is unknown.

Stammers (2003) states that "Documented exploration on the Aurex property dates only from the early 1990's. Historically the area nearby at Keno and Galena Hill has been subject to intensive silver exploration, development and mining. Work in the 1990's defined gold, arsenic, antimony and bismuth mineralization on the Aurex property through rotary circulation (RC) drilling, diamond drilling, trenching, prospecting and soil sampling." A brief but not extensive summary of historical work from the property and adjoining areas is outlined below.

1906: First silver, lead, zinc discovery in the Keno Hill area was made at Galena Creek which became the Silver King Mine the area's fourth largest producer of silver.

1963: United Keno Hill Mines Limited begins an extensive program of overburden percussion drilling in the Galena Hill area.

1970: Seigel Associates Limited completes an aero-magnetic survey for Lacanex Mining Company Limited over the McQuesten River Valley from Mt. Haldane to McQuesten Lake.

1980: Bema Industries work their Sinister, Cone and Zap claim groups with the Sinister and Cone groups being in part the NW corner of the current Aurex property. Exploration included overburden drilling, soil geochemistry, lake sediment geochemistry, road building and surveying.

1983: Island Mining & Explorations Co. Ltd. drills five diamond drill holes of which three are located in the northwest portion of the property. These short NQ size holes equalled 224.39 m.

April 1993: Yukon Revenue Mines (herein YRM) performed 2,175 metres of RC drilling in 128 holes. The drill holes ranged from 15 to 45 metres in depth and were drilled on a wide-spaced prospecting grid. Anomalous Au-As-Sb-Bi was obtained in 67 of the 709 drill samples collected. A peak value of 4.2 g/t Au was recorded in holes 93-44 from 50-60 feet. In 12 of the 128 holes drilled, gold values greater than 0.5g/t Au over 10 foot sample widths was intersected.

July 1993: YRM conducted a follow-up program consisting of 914 metres of RC drilling in 20 drill holes. Gold values > 0.5g/t Au were recovered from 17 of the 225 samples taken. Drill hole 93-147 assayed 6.7 g/t Au from 32-40 feet and 6.1 g/t Au from 40-50 feet. Visible gold was seen in cuttings from three drill holes as very fine-grained, crystalline fragments of gold in: quartz vein, quartz-sericite schist, diopside skarn, limestone, and quartz veins. Sample results indicate a nugget effect on the assays due to the presence of free gold in some samples.

April 1994: A third phase of RC drilling was completed by YRM to further define the known drill results and to establish the orientation of known gold-bearing structures. This program included 6,260 metres of RC drilling in approximately 202 drill holes.

August-September 1994: Four diamond drill holes totalling 608 metres were completed over three areas of the property by YRM. A peak value of 0.032 ounces per ton Au was recorded in drill hole A-94-3 from 210-220 feet (McFaull, 1995).

August-September 1996: A fourth phase of RC drilling was completed by YRM in the three areas of the Aurex property. This program included 2,750 metres of RC drilling in approximately 92 drill holes. Hole 96-67 returned 10 feet of 0.147 ounces per ton gold from the 20 to 30 foot interval (McFaull, 1997).

August 1998: Amerok Geosciences Ltd. conducted a 4.25 line kilometre Induced Polarization survey in the northwest corner of the Aurex claims near the adjoining Snowdrift property.

July 1999: Newmont Exploration of Canada Ltd. collected 130 soil samples from four wide spaced lines on the Aurex claims during the course of a property evaluation program.

Fall 1999: Expatriate collected 1039 soil samples from a 5 kilometre square soil grid on the Aurex claims and an additional 252 soil samples from claim lines on the Nis and Sin claims.

2000: Newmont Exploration of Canada Ltd. completed geophysical, geological and geochemical surveys on the Aurex group of mineral claims. Work included 1226 line kilometres of airborne electromagnetic and magnetic geophysical surveys; 12.7 kilometres of line cutting; geological mapping; 139 soils and other rock and silt samples, 290 metres of backhoe trenching with

mapping and rock sampling; 65 auger drill holes with bedrock chip logging and sampling; claim post tagging, hand held GPS surveys and reclamation.

2001: Newmont Exploration of Canada completed reclamation of trenches excavated in 2000.

2001: Expatriate acquired 100% of the Aurex claims in August 2001 subject to 1.5% NSR royalty to Gtech International Resources Ltd. and a 3% NSR royalty to James McFaull International. Each of the royalties may be purchased for $1 million.

2003: StrataGold acquired 100% of the Aurex property from Expatriate Resources Ltd., purchased 100% interest in Sun claims (previously known as Snowdrift) and staked the Moon 1 to 14 claims. Completes 4037.58 m of core drilling in 26 holes.

2006: Alexco Resources Corporation acquires through its wholly-owned subsidiary Elsa Reclamation & Development Company Ltd. the entire assets of the Keno Hill district from the receiver of UKHM (collectively United Keno Hill Mines Limited and subsidiary UKH Minerals Limited). Although mentioned, Alexco never worked the Aurex Property their ground is immediately adjacent to the north and east and as stated includes all of the former producing properties of silver in the area. Exploration work has proceeded each year since 2006.

2007: StrataGold undertakes a soil geochemical survey over a portion of the eastern Fisher Claim Group of the Aurex Property. A total of 342 soil (auger) samples and 3 rock (grab) samples were collected in the summer field season.

2009: Victoria Gold Corp. acquires assets of StrataGold Corporation including the Aurex Property.

2011: In January commercial production began at Alexco's Bellekeno Mine in the Keno City area. Victoria Gold Corp. mounts an exploration project on the Aurex Property consisting of prospecting, rock sampling, geological mapping and soil sampling in preparation for a diamond drill program.

6.0 Regional Geological Setting

The regional geology (Figure 3) has been described adequately by several authors and appears within numerous assessment and summary reports written within the past ten to fifteen years. What follows is in part the Regional Geology Setting as it appears in Stammers' report of 2003. This description does not outline in any detail the development of the Robert Service Thrust, movement along the thrust or the regional affects of the Tombstone Strain Deformation.

The regional geology of the Mayo district, where the Aurex property and Keno Hill-Galena Hill area are located, has been recently described by Murphy (1997) and in the past by McTaggart (1950) and Boyle (1965). Collectively they described the local geology as being comprised of three main units. From structurally higher to lower position, these are: the Upper Schist formation, the Keno Hill Quartzite formation, and the Lower Schist formation. The Upper Schist formation is referred to as Upper Plate Rocks. The Keno Hill Quartzite formation and the Lower Schist formation are referred to as Lower Plate Rocks (Figure 3).

The rocks underlying the Aurex property and surrounding area are mainly metamorphosed sedimentary rocks; they include various types of schist, phyllite, argillite, limestone (marble) and quartzite of early Paleozoic age (Yukon Group). Conformable gabbro-diorite lenses and sills, of slightly later age occur throughout the sedimentary strata, and a few narrow quartz-


450000
460000
470000
480000
490000
500000
7110000
7100000
7090000
7080000
N
Dublin Gulch
McQuesten Road
Silver Trail Highway
Keno City
Aurex
Halfway Lakes
Silver Trail Inn
Legend
Highways
River
Faults
Aurex Claims
Lakes
0
5
10
Kilometers
Victoria Gold Corporation
Regional Geology - Aurex Property
March 20, 2012
Figure 3
YGS Geology
Earn Group - Siliceous Slate, Quartz-Chert Greywacke
Keno Hill - Quartz, Arenite, & Carbonaceous Phyllite
Hyland Group - Limestone, Locally Sandy
Hyland Group - Phyllite, Shale, Sandstone, Grit, Conglomerate, Limestone
Galena Suite - Hornblend, Diorite, to Gabbro Sills, Greenstones
Ross Group - Rhyolite Flows, Tuffs, Breccias
Selwyn Suite - Intermediate Quartz, Monzonite, to Granodiorite

biotite granodiorite and quartz-feldspar porphyry sills, of suggested Cretaceous age, are present locally. Granitic plutons crosscut the sedimentary rocks and gabbro sills at several locations: east of Mayo Lake, northwest of Hanson Lake and south and east of Dublin Gulch. The Roop Lake Pluton is comprised of granodiorite and granite porphyry; it is located 30 kilometres east of the Aurex property.

On Aurex Hill and the surrounding area, sedimentary rocks dip gently south and are cut by early and late brittle fault zones. Most of the early faults strike northeast, generally dip steeply southeast, and contain lead-zinc-silver lodes at Keno and Galena Hill, high grade silver at the Silver King Mine, and gold-arsenic-antimony-bismuth mineralization at Aurex Hill. Most of the late faults strike northwest, dip southwest, and offset the early faults. The age of these faults is uncertain, but as they are cut by the quartz-feldspar porphyry dykes and sills at Keno Hill and Galena Hill, they are probably Cretaceous or younger (Boyle 1965). The last recorded movement on these faults is likely post-Cretaceous.

7.0 Property Geology

Stammers' (2003) text has formed the basis of this section. His work presents a well documented assessment of the property geology derived from similar sources that have been consulted by the author. For the full detailed account please refer to his report.

The interpreted geological data, including various rock types on the Aurex property and surrounding area, are plotted in Figure 4. On a lithological basis, previous explorers have grouped the rocks within the map area and surrounding areas into three formations: the Lower Schist or the Proterozoic aged Yusezyu Formation of the Hyland Group, the central Keno Hill Quartzite of Mississippian age, and the Upper Schist or rocks of the Devono-Mississippian Earn Group. Each contain numerous subunits as defined in the Table of Formations (Table 2).

The Lower Schist or Yusezyu Formation on Aurex Hill includes a lower sequence of rocks composed mainly of quartz-sericite schist, quartz-eye muscovite schist, marble, and silver phyllite. Along the valley of Corkery Creek and beyond to the south, the lower is composed of graphitic schist, phyllite, thin-bedded quartzite, argillite, quartz-mica schist, and limestone (Stammers and Caira, 2001).

The most distinctive members in the Yusezyu Formation are the competent calc-silicate, pyrrhotite-bearing horizons or lenses, together with the brittle typically green in colour quartz-eye-muscovite schist. Both of these units are favourable hosts to mineralization. In general, the various schist, phyllite, argillite and thin-bedded quartzite in the Yusezyu Formation are structurally incompetent and unfavourable for the occurrence of mineralization. Minor gabbro sills that occur throughout these formations are favourable sites for mineralization (Stammers and Caira, 2001).

The Keno Hill Quartzite does not occur on the Aurex property but occurs on adjacent properties to the north. In the Silver King Mine region, located 1.6 kilometres to the north, there is a lateral transition westward from the thick-bedded quartzite to graphitic schist. To the west and south, there is a transition to phyllite and thin-bedded quartzite (Stammers and Caira, 2001).

Similarly rocks of the Earn Group do not occur on the Aurex Property.

Historical trenching and drilling has shown that most contacts have been defined by float boulder trains, detailed structural data, as well as airborne magnetic and EM survey results.

West Corkery Creek

Aurex North

Aurex Hill

East Corkery Creek

7,084,000mN

7,083,000mN

7,082,000mN

7,081,000mN

7,080,000mN

7,079,000mN

463,000mE

464,000mE

465,000mE

466,000mE

467,000mE

468,000mE

469,000mE

470,000mE

471,000mE

472,000mE

473,000mE

474,000mE

475,000mE

476,000mE

4(c)

4(a)

4(d)

4(b)

Legend

- Aurex Claims Boundary
- Outcrop Areas and Map Inlays
- Silver Trail Highway
- Aurex Access Roads
- Backcountry Roads
- Rough Backcountry Roads
- Creek
- Lake
- Topography (100ft)
- UTM Grid (500m)

0 1.5 3

kilometers

N

Victoria Gold Corporation	
Aurex Regional Outcrop & Mapping Location	
March 20, 2012	Figure 4

Many of the lithologic contacts are interpretive, at best, and errors may exist of several tens of metres (Stammers and Caira, 2001).

The principal sedimentary rocks in the area as stated are quartzite, phyllite, schist, argillite and limestone and these have been intruded locally and regionally by metagabbro, metadiorite, quartz-biotite-granodiorite, granite, quartz-feldspar porphyry, hornblende porphyry, syenite and a few biotite lamprophyre dykes all of Triassic and Cretaceous (Tombstone Intrusions) in age (Stammers and Caira, 2001).

Most of the sediment is low-grade greenschist or quartz-sericite-muscovite facies of metamorphism. Adjacent to granite intrusions, calc-silicate skarn and hornfels occur. The Robert Service Thrust Zone, 250-1000 metres north of the northern claim boundary of the Aurex claims has created an additional extensive, shear-induced metamorphism where low angle shear planes have facilitated diffusion of hydrothermal fluids. The Aurex property hosts a series of pyrrhotite-gold bearing skarn lenses, where regional shear foliation clearly controls pyrrhotite mineralization (Stammers and Caira, 2001).

The sedimentary strata throughout the Aurex property have an average dip of 35^0 S, while near the summit of Aurex Hill; beds dip an average of 70^0 S. On Galena Hill, to the east of Aurex Hill, the strata have an average dip of 20^0 S. Aurex Hill is transected by numerous low-angle faults and other structural complexities. Additionally, a periodicity in stratigraphic units on and to the south of the Aurex ground suggests that the geology is more complex and involves a series of broad, open folds. The repetition of the surface trace of the Roberts Surface Thrust Fault on the McQuesten property to the north of the map area may be the result of the isoclinal folding and/or fault imbrications of the thrust.

There are at least two types of faults that occur within the map area: those that contain major concentrations of ore minerals, called ‘vein faults’; and those with small amounts of ore minerals, generally of supergene origin, called cross-faults, bedding faults, etc. In general, the detailed stratigraphy cannot be worked out due to extensive drift cover.

The Aurex property and surrounding map area have undergone three main stages of mineralization. The first stage was marked by the introduction of metamorphogenic silica, which resulted in the development of quartz veins and lenses in local dilatent zones throughout the area in which scheelite can be found. These veins are more common in the competent Keno Hill Quartzite formation. The second stage was characterized by an extensive introduction of silica that precipitated as quartz lenses and boudins in dilatent zones in a series of northeasterly-striking vein faults and fracture zones. The quartz veins carry significant quantities of arsenopyrite, pyrite and gold that generally accompanies the arsenopyrite. These minerals make up the principal ore minerals on Aurex Hill. The third stage of mineralization started with an introduction of carbon dioxide, iron, sulphur, lead, zinc, silver and cadmium. These mobile elements were concentrated in a carbon dioxide-rich fluid to form siderite, pyrite, galena, sphalerite and steel-grey galena. These minerals make up the principal economic deposits of the mineral belt as a whole extending from Keno and Galena Hills through to Aurex Hill and the surrounding prospect areas.

Table 2: List of Formations

Mesozoic
- Quartz-feldspar porphyry dacite
- Quartz-biotite granodiorite (Cretaceous)
- Diorite, gabbro (Triassic?)

UPPER SCHIST: Devonian-Mississippian Earn Group thrusted over the Mississippian Keno Hill Quartzite formation by the Robert Service Thrust Fault consists of graphitic schist, graphitic phyllite, thin-bedded quartzite, argillite, quartz-mica schist, limestone (marble)

ROBERT SERVICE THRUST FAULT

KENO HILL QUARTZITE: Mississippian in age and consisting of: thick-bedded and thin-bedded quartzite, graphitic phyllite, graphitic schist and argillite

ROBERT SERVICE THRUST FAULT (exploited by felsic intrusions & hornblende porphyry)

LOWER SCHIST: late Proterozoic age; Yusezyu Fm of the Hyland Group has been locally thrust over the Mississippian age Keno Hill Quartzite and rocks of the Devonian-Mississippian Earn Group; consists of quartz-sericite schist, graphitic schist, graphitic phyllite, thin bedded quartzite, argillite and calcareous schist

8.0 2011 Exploration Program

8.1 Introduction

The original multi-faceted program as first planned changed during the course of the summer season. The initial goal; however, was maintained and that was to define historic areas of economic potential and not only to expand upon these but to develop and outline new drill ready targets for future programs.

Considerable historical data was available prior to the field season and it was upon this data that the program was planned. During the period of the program additional archived data became available and guided to a lesser extent the remaining portion of the season's work.

The following sections outline the scope of the program of geological mapping/prospecting/ rock sampling as well as soil sampling on both the Aurex Hill area but also an abbreviated survey on Galena Hill.

9.0 Sampling Method, Preparation, Analysis and Security

Stammers' (2003) has reported on the type and quality of previous operators in regards to sampling method, preparation, analysis and security. This information is significant since some of the interpretation used for the current program's planning was based on historic sampling and the practises used during those exploration efforts.

Stammers states: “Sampling method and approach from past work varies considerably by the individual operator conducting the exploration program. Sampling procedures of percussion drill holes between 1993 and 1996 is described in McFaull, 1995 and appears to have been conducted by acceptable industry standards. Samples were analysed by NAL Laboratories in Whitehorse, Yukon. Expatriate and Newmont consider the data from these work programs less reliable than subsequent work.”

“The 1999 geological mapping and soil sampling program conducted by Archer, Cathro and Associates and supervised by W.A. Wengzynowski, P.Eng. on behalf of Expatriate Resources Ltd. was completed using acceptable industry standard procedures and can be considered reliable in the opinion of the author.”

“The most comprehensive QA-QC program applied to rock, soil and auger sampling was followed by Newmont Exploration of Canada Ltd. during the 2000 program. The data generated from the 2000 program can be deemed accurate and reliable.”

This statement by Stammers (2003) clearly shows that he considers that there is a very high probability that the historic work sampling and assay procedures were reliable and that the values can be used with confidence.

The current 2011 program consisted of the collection of rock and soil samples either as grab samples (rock) or on a regular grid (soil). All rock and soil samples were placed in either a plastic (rocks) or Kraft paper (soil) sample bag with a numbered laboratory tag and the corresponding number was written on the outside of the bag. The location was marked in the field with flagging tape and an aluminum tag bearing the same sample number. The sampler recorded all pertinent information on field data collection sheets or in their field notebooks. The exception for these general procedures would be the sample collection for the soil orientation survey. In this case all samples were collected using a plastic spoon, cleaned between sample sites, and placed in ZipLoc plastic bags. Samples were submitted to the ALS Chemex or Acme preparation labs in Whitehorse generally through the expediting services of Smalls in Whitehorse who also conducted a similar service for Victoria Gold’s Dublin Gulch Project. Some sample dispatches were delivered directly by Coast Mountain Geological personnel. Once prepared in either lab sample pulps were sent to Vancouver for final analysis. The one exception was some of the soil orientation samples that were analyzed by ALS Chemex by their Me-MS23 method which were sent directly by their preparation laboratory in Whitehorse to their facilities in Perth, Australia.

Appendix 7 presents the labs’ technical sheets for the various processes used in this program.

10.0 Data Verification

No independent survey was initiated to verify the data collected by previous operators including the diamond drill program by StrataGold in 2003. Stammers on the other hand as previously stated, reports “the quality control measures applied by Newmont and Expatriate Resources Ltd. during the 1999 and 2000 work programs are considered sufficient to verify the accuracy of geochemical data for gold and other elements, for an early stage of exploration.” With regard to the verification of the sampling and analytical data referred to and relied on in this report, the author, M. Stammers, has viewed the original ALS Chemex and NAL Laboratory certificates as well as descriptions and maps. Like Stammers the current authors have also reviewed copies of the historical data referred to in this report and everything seems to be in order.

11.0 Geological Mapping

Geological mapping has been conducted over the Aurex Hill area by Newmont in 2000 as reported by Caira and Stammers, 2001. Geologists of the Yukon Geological Survey (D.C. Murphy, 1997) and the Geological Survey of Canada (C.F. Roots, 1997) have also mapped the area on a regional scale. Others such as R.W. Boyle (1965) and K.C. McTaggart (1950) both for the Geological Survey of Canada concentrated more on the Keno Hill area and the silver-lead deposits.

For the current program, mapping was conducted at a variety of scales from 1:1000 to 1:500 depending on the prior concentration of known outcroppings (Figure 4). For the most part few new outcrops were found but they did occur in areas generally thought to be devoid of outcrops and therefore filled in some gaps from the previous mapping.

Map sheets/pages were scanned each day and outcrops digitized into a map layer within MapInfo. Corresponding notes were entered, complete with UTM coordinates, sample numbers, outcrop designation and unit description into an Excel file to be used in conjunction with the outcrop layer. This data in conjunction with historical data including airborne geophysical maps was used to derive a geological model of the Aurex Hill area. Figure 4a,4b,4c,4d is a geological map of the western half of the property based on the mapping in 2011.

11.1 Stratigraphy

The property is underlain by a conformable sequence of quartz-sericite schists/quartzites, phyllites, marbles, and calc-silicates of the Proterozoic aged Hyland Group's Yusezyu Formation. These have been intruded by diorite of probable Triassic age and hornblende porphyry related to the Tombstone group of intrusions.

11.1.1 Felsic Schists

This unit is the most common rock type on the property. It is differentiated from the darker schists by the presence of abundant lighter coloured, minerals such as quartz (quartz eyes), muscovite and sericite.

Quartz eye schist outcrops everywhere on the property. It is characterized by the presence of up to 10-15%, 1-3mm sized, rounded, blue-grey quartz eyes with varying intensity of schistosity. In thicker beds, >0.5 meters, the rock is less schistose and more homogenous and blocky. In the thicker, less deformed variations of this unit the muscovite and sericite alteration is minimal. The thinner, schistose units that have undergone more strain and contain proportionally more alteration minerals of sericite and muscovite are frequently interbedded with phyllite or chlorite schist.

These rocks range in colour from buff-grey to grey-yellow and are very fine grained to fine grained. In highly schistose, muscovite/sericite enriched varieties, the predominant colour is yellow, and cleavage planes have a silvery yellow sheen.

These rock units are well veined with late stage, crosscutting and interbedded quartz veins, stringers and boudins. The boudins and stringer veins of quartz are milky white, opaque and mineralized with 1-3% very fine to fine grained disseminated pyrite. However, crosscutting quartz veins, when exposed on surface are usually semi-translucent, white-grey in colour and are mineralized with up to 5% fine grained disseminated pyrite.

7,082,500 mN

469,000 mE

469,500 mE

470,000 mE

D 57

D 81

i 50

7,082,000 mN

D 50

Legend

- Aurex Access Roads
- Creek
- Lake
- Topography (100ft)
- UTM Grid (500m)
- Geological Contacts

Structural Symbols

- 35 ← Dip Amount
- Bedding Foliation
- Foliation
- Contact Foliation
- Joints
- Crenulation Lineation

Geology

- Intermediate Intrusive/Calc-Silicate Skarn/Diorite
- Marble (altered/dirty)
- Graphitic Schist / Argillite
- Siliceous Schist (Qtz Schists/Qtz-Ser Schist/Qtz Eye Schist/Ser Schist)
- Quartzite (sometimes limey/typically massive to wk fol - not a schist)
- Chlorite Schist/Phyllite/Altered Phyllite (lesser sericite)
- Limy Quartzite
- Intrusive (felsic to intermediate; "not skarny"/typical deformed intrusion or some deviation of a siliceous dyke)

0 125 250

Meters

N

Victoria Gold Corporation	
Aurex Hill Outcrop Location	
March 20, 2012	Figure 4(a)


468,500 mE
469,000 mE
469,500 mE
470,000 mE
470,500 mE
471,000 mE
471,500 mE
7,081,500 mN
7,081,000 mN
7,080,500 mN
Legend
Aurex Access Roads
Creek
Lake
Topography (100ft)
UTM Grid (500m)
Geological Contacts
Structural Symbols
35 Dip Amount
Bedding Foliation
Foliation
Contact Foliation
Joints
Crenulation Lineation
Geology
Intermediate Intrusive/Calc-Silicate Skarn/Diorite
Marble (altered/dirty)
Graphitic Schist / Argillite
Siliceous Schist (Qtz Schists/Qtz-Ser Schist/Qtz Eye Schist/Ser Schist)
Quartzite (sometimes limey/typically massive to wk fol - not a schist)
Chlorite Schist/Phyllite/Altered Phyllite (lesser sericite)
Limy Quartzite
Intrusive (felsic to intermediate; "not skarny"/typical deformed intrusion or some deviation of a siliceous dyke)
0
250
500
N
Victoria Gold Corporation
East Corkery Creek Outcrop Location
March 20, 2012
Figure 4(b)

Legend

- Aurex Access Roads
- Creek
- Lake
- Topography (100ft)
- UTM Grid (500m)
- Geological Contacts

Structural Symbols

- 35 ← Dip Amount
- Bedding Foliation
- Foliation
- Contact Foliation
- Joints
- Crenulation Lineation

Geology

- Intermediate Intrusive/Calc-Silicate Skarn/Diorite
- Marble (altered/dirty)
- Graphitic Schist / Argillite
- Siliceous Schist (Qtz Schists/Qtz-Ser Schist/Qtz Eye Schist/Ser Schist)
- Quartzite (sometimes limey/typically massive to wk fol - not a schist)
- Chlorite Schist/Phyllite/Altered Phyllite (lesser sericite)
- Limy Quartzite
- Intrusive (felsic to intermediate; "not skarny"/typical deformed intrusion or some deviation of a siliceous dyke)

7,083,500 mN

7,083,000 mN

468,500 mE

469,000 mE

469,500 mE

0 125 250

Meters

N

Victoria Gold Corporation	
Aurex North Outcrop Location	
March 20, 2012	Figure 4(c)

464,500 mE

465,000 mE

465,500 mE

466,000 mE

7,081,000 mN

7,080,500 mN

30 42 30 48 37 35 43 14 14 23 21 25 25 42 11 41 85 31 22 24 32

0 125 250

N

Legend

- Aurex Access Roads
- Creek
- Lake
- Topography (100ft)
- UTM Grid (500m)
- Geological Contacts

Structural Symbols

- Bedding Foliation (35 ← Dip Amount)
- Foliation
- Contact Foliation
- Joints
- Crenulation Lineation

Geology

- Intermediate Intrusive/Calc-Silicate Skarn/Diorite
- Marble (altered/dirty)
- Graphitic Schist / Argillite
- Siliceous Schist (Qtz Schists/Qtz-Ser Schist/Qtz Eye Schist/Ser Schist)
- Quartzite (sometimes limey/typically massive to wk fol - not a schist)
- Chlorite Schist/Phyllite/Altered Phyllite (lesser sericite)
- Limy Quartzite
- Intrusive (felsic to intermediate; "not skarny"/typical deformed intrusion or some deviation of a siliceous dyke)

Victoria Gold Corporation

West Corkery Creek Outcrop Location

March 20, 2012 | **Figure 4(d)**

11.1.2 Chlorite Schist / Phyllite / Graphite Schist

This is the second most abundant rock unit on the property next to the felsic schist group. All three of these rock types occur on the property with chlorite schist being the most abundant and phyllite and graphite schist/graphitic argillite being the second and third abundant types. All of these rocks occur within the Upper and Lower schist formation (Yusezyu Formation) of the Hyland group and outcrop throughout the property.

Chlorite schist is dark green to green in colour, very fine grained to fine grained, schistose rock unit that in outcrop is frequently warped, drag folded, and strongly veined with augen, boudined and stringer quartz veins up to 15cm wide. This unit is sometimes weakly, pervasively carbonatized where quartz veining frequently contains Fe-carbonate. The chlorite schist is mineralized with 3-5% fine grained disseminated pyrite and on surface is oxidized.

Phyllites usually have a dull grey/black/green-grey colouration with a silky sheen on fresh cleavage surfaces and they are both fine grained and well foliated. They are thinly laminated, crenulated, drag folded and faulted. In outcrop there are occasional quartz stringer veins and boudins mineralized with up to 5% fine grained disseminated pyrite although no significant gold mineralization occurs within the veined phyllites.

The least abundant, graphitic schist, occurs in two locations on the property and in both locations it is a fine grained to very fine grained, dark grey to black carbonaceous argillite. It is a well foliated, thinly laminated schist that cleaves easily and can sometimes contain fine grained disseminated pyrite on the cleavage planes.

11.1.3 Quartzite

Quartzites occur throughout the property in both thin and thick bedded varieties. Beds ranging in thickness from 1 m to 10 m comprise the thick bedded and more dominant variety and occur as prominent knobs along the tributaries to Corkery Creek. Other areas include small outcrops along the northern flanks of Aurex Hill and the steep sided sections of lower Corkery Creek north of the Silver Trail Highway.

The thin bedded varieties have thicknesses of up to several cm's. They are similar in texture, and composition to the thick bedded variety; however, due to their thinness they are generally well foliated more easily deformed and exhibit a stronger schistosity. To simplify mapping, this type is frequently interbedded with the other members of the Hyland group sequence and therefore included in the quartz-muscovite-sericite, quartz-eye mappable units on the property.

The thick bedded horizons that occupy the Corkery creek area are semi-translucent, grey on fresh surfaces and whitish grey on weathered surfaces. They are very-fine to fine-grained and are deformed with overturned and tightly folded bedding planes in cross section. Both are generally poorly mineralized although local mineralization of trace to 2% fine grained pyrite exists in the vicinity of east Corkery Creek. These poorly mineralized rocks do not contain any significant gold values.

Compositionally both units are the same with quartz being the dominant mineral with minor amounts of sericite and muscovite more prevalent in the thin bedded varieties.

Structurally, both types are aligned within the dominant regional deformation of the area and have ENE strikes and moderate SE dips.

11.1.4 Calc-Silicate Skarn

This rock type outcrops as sills and discontinuous lenses along the northern flanks of Aurex Hill with less exposure on Aurex Hill and lower Corkery Creek. The best exposure of this unit occurs on the northern flanks of Aurex Hill (Aurex North) where they form prominent knobs and outcrops and, historically, have been extensively trenched and prospected. This area is also one of the few locations gold mineralization occurs on the property's surface.

The bodies are dark green, green-brown, and green in colour, homogenous, fine to medium grained, hard and well indurated. They range in textures from weakly to well foliated with a slight banded appearance imparted by oriented bands of biotite. The main mineral constituents are predominantly amphibole, biotite, and an unknown pale white to whitish grey, calcium silicate. In the foliated derivations of this unit, local shearing had lead to development of sheared quartz, pyrite, and carbonate stringer veins. The foliated outcrops, where exposed, strike NE to E and dip gently to the SE.

The well foliated varieties which occur mostly at Aurex North are mineralized with trace to 7% disseminated to blebby pyrrhotite. Outcrops with higher concentrations of pyrrhotite have associated fine grain disseminated arsenopyrite to 2%. The arsenopyrite mineralization is also associated with elevated levels of gold which range, in this location, from 0.516-1.525 g/t Au. In all collected samples the level of arsenic ranges from ~1,000-5,000 ppm As.

11.1.5 Marble / Limestone

This unit occurs sporadically throughout the entire property within the upper schist formation. Aside from small exposures in the north of the property and lower Corkery Creek it is predominantly exposed in the headwaters of Corkery Creek where there is a thick sequence, up to 10 m thick, and forms large ridges along the tributary edges. Thin bedded, <5cm, varieties do occur on the property, however due to their lack of thickness, they are often incorporated into the felsic schist unit and noted as being limey.

In hand specimen the unit is grey-dark grey-black to buff in colour and fine to medium grained. On fresh surfaces the unit is granular. It has a weakly layered appearance imparted by thin layering of grey/black bands. This layering may represent original compositional bedding and is due to higher concentrations of carbonaceous or clay material during sedimentation. The lighter, white-buff coloured variety has a higher concentration of felsic grains which can occasionally be weakly altered to sericite or muscovite.

In large outcrops, the compositional bedding is contorted and tightly folded and the axial planes are oriented sub-parallel to regional deformation. Throughout the property this unit is generally striking E to NE and has shallow S to SE dips. Poorly mineralized, the limestone sporadically contains late Fe-carbonate veinlets that contain <1% mm sized grains of pyrite. In the thick bedded unit in the headwaters of Corkery Creek, occasional quartz and sericitic veining has undergone strain and has formed quartz boudins up to 10cm in diameter with minor oxidization around the boudins' margins. This oxidization represents trace pyrite mineralization and sampling reveals very poor gold values.

11.1.6 Hornblende Porphyry / Gabbro

This green to dark green, coarse to very coarse grained, homogenous and weakly foliated to schistose unit occurs in two locations within the Upper Schist formation on the property. They occur as sills and conformable lenses in both locations and are composed of predominantly 2-5mm, laths of hornblende and actinolite that are moderately altered to chlorite.

Both units are poorly mineralized with nil to trace disseminated pyrrhotite and contain no gold. Intense strain has led to the development of quartz and calcite stringer veins at both locations; 1) 470654 mE / 7079829 mN and 2) 471561 mE / 7081702 mN.

Bema Industries Ltd. in 1981 (C.N. Orssich) while completing some drill holes at the north end of the property not far from the McQuesten Road intersected similar type rocks. They were described as highly altered greenstones (diabases) which were dark green in colour and moderately foliated.

11.1.7 Granitic Rocks

Stammers (2003) does mention granitic rocks, more specifically pegmatites on Aurex Hill but none were observed in the 2011 mapping. Old trenches were backfilled giving little true evidence of the exposed rock surfaces. Spoil piles did not reveal any pegmatites either and no granitic boulders were observed.

11.2 Structural Geology

The property has undergone several phases of structural deformation. Mapping has revealed a general east-west or ENE-WSW strike with relatively gentle southerly dips. However in the Aurex North area an exposure had sedimentary units dipping northerly but these have been interpreted to occur on the or close to the axis of an antiform probably associated with one of the several imbricated thrust panels of the Robert Service Thrust. Other such features may occur on the top of Aurex Hill and possibly along or close to the course of Corkery Creek south of the Silver Trail Highway and in the vicinity of the Bema Industries Ltd's. diamond drilling in 1981 (C.N. Orssich). Another abrupt departure from the regional trends occurs in a trench at 468842 mE, 7081879 mN. Here a black very fine grained limey sediment(?) intruded by 1-2 cm wide carbonate veins is highly schistose with a vertical dip. Immediately adjacent rocks, however dip gently to the south. A similar, albeit small, exposure in one of the trenches to the east has a similar structure with again a vertical dip.

The historic airborne magnetic survey has indicated several NW trending structures which are known in the area but also regional NE or ENE trends. Small scale structures, many of which probably parallel these trends, are not evident in the airborne data.

NE trends represent the main mineralized structures in the region including the prolific Ag deposits of the Keno Hill and Galena Hill area. Many of these have been offset by crosscutting NW structures which have resulted in the development of brecciated junctures which have also been shown to be mineralized and host to rich Ag mineralization.

Trends can also be interpreted from the geochemical soil data which also delineates NW and NE structures and their junctures on the Aurex West and to a lesser extent on the Corkery Creek and Galena Hill grids.

Stammers' (2003) has outlined in detail the property structure and the following is from his report where he describes the faulting and brecciation and rock rheology based on his work and that of other historical data.

"There are at least two types of faults that occur within the map area: those that contain major concentrations of ore minerals, called 'vein faults'; and those with small amounts of ore

minerals, generally of supergene origin, called cross-faults, bedding faults, etc. In general, the detailed stratigraphy cannot be worked out due to extensive drift cover.

Field mapping and magnetic-electromagnetic airborne interpretation indicates that there are at least three ages of faulting present. From oldest to youngest these are:

1) Early low angle-bedding faults
2) Vein faults. There is more than one period of movement, such as the Silver King fault or the Aurex Hill fault.
3) Late cross-faults, low angle faults and bedding faults that cut and offset 1.) and 2.) above.

The vein faults occur throughout the map area and surrounding areas in all types of rocks but differ in their nature where cutting through quartzite, gabbro, schist and phyllite respectively.

In most of the more brittle units, such as quartzite, siliceous schist, and gabbro, the faults are composed of narrow fracture and sheeted zones, crenulated zones and narrow breccia zones. The sheeted and fracture zones within the siliceous schist and quartzite, range from 2->30 metres in width and can be traced along strike for several 10's of metres. Locally, more competent slabs of siliceous schist are separated by narrow clay-gouge filled fracture zones.

The breccia zones are composed of rock fragments that are angular and locally rounded in a clay-sandy matrix indicating attrition during fault movements. This type was present on the east auger lines in two sample sites. One of these sites was on Corkery Creek where a true fault breccia was obvious.

In the less competent schist, phyllite and thin-bedded quartzite, vein faults are narrow, 10-20 centimetres in width, and contain some gouge materials. The schist and phyllite wallrock is commonly dragged and contorted along these fault-fracture planes. This is common in the geological sections exposed along Corkery Creek.

These faults generally form a series of parallel to sub-parallel gouge or breccia-zones along which recurring movement has taken place. Slickenslide on related fracture surfaces are common. Late faults seem to follow the same course as the early-mineralized faults. Field mapping indicates that the degree of competency and the tendency to form broken zones favourable to mineralization decrease according to the rock type in following order: thick-bedded quartzite, calc-silicate lenses, siliceous quartz-eye schist, gabbro, thin-bedded quartzite, phyllite and schist.

Nearly all of these faults strike northeast and dip southeast. This type of fault is suggested on Aurex Hill where a series of northeast - trending faults at their intersection with a northwest cross fault are coincident with gold-arsenic-antimony-bismuth mineralization. Elsewhere outside of the map area, near Galena Hill, 1.5 kilometres to the east of Aurex Hill these faults strike between N35-80^{0}E.

Cross-, low-angle and bedding faults are similar in nature to the above-mentioned faults, these are only distinguishable when crossing each other. The early bedding plane faults are very common and are marked by contorted, crenulated schist beds between more competent quartzite or gabbro and were probably formed by early shearing along and between beds during folding. The low-angle faults are similar structures that follow bedding planes or schist beds and then cut across strata. The crosscutting portion of the fault is generally marked by breccia zones, where mineralization can occur. These faults are related to earlier fold and thrust events along competent and incompetent beds during regional folding of the sedimentary

strata. These faults are common throughout the map area and the surrounding area. These tend to be tight structures not amenable to mineralization unless dilatent where crossed by other structures.

The late cross faults are recognized as a series of slips, fractures and breccia zones several feet in width. The most common of these faults strike northwest to north-northeast and were recognized during the field-mapping, trenching and geophysical (Mag-EM) data interpretation processes. Additionally, lineaments on air photographs mark the traces of these faults, where they can control the unusually straight parts of streams.

The cross-faults strike northwest and dip southwest at 60 degrees. Locally northeast dips are present. There are several of these faults that transect the Aurex map area. At favourable intersections with northeast faults, they can be mineralized. Within the map area, these faults show drag features and elsewhere have been mapped as thrust faults. Horizontal displacements range from a few metres to several hundreds of metres.

Within the Aurex map area; these northwest-striking faults are right-hand faults with dominant horizontal displacements."

11.3 Mineralization

Centimetre wide semi-massive to massive, coarse grained arsenopyrite veins in historic trenches and float; crosscutting quartz and lesser arsenopyrite-gold veins; and disseminated pyrrhotite and arsenopyrite in altered intrusive bodies comprise the main mineralization styles mapped this past summer on the Aurex Property.

The first style occurs in the headwaters of Corkery Creek (471369 mE; 7081485 mN) as angular boulders uncovered from historic trenches and contain semi-massive to massive, medium to coarse grained arsenopyrite. The host for this mineralization is a banded, coarse grained, quartz-rich, altered sedimentary rock. There are also scattered erratic boulders (on and off the property) that contain massive veins of arsenopyrite associated with large barren quartz veins.

The second type of mineralization predominantly occurs in outcrop on the crest of Aurex Hill in several locations as earlier concordant/foliaform quartz sweats or lenses followed by later thin discordant east-west trending veins. Both vein sets contain arsenopyrite with minor amounts of pyrite and gold. The latter, ore-bearing discordant vein sets tend to contain higher concentrations of arsenopyrite and pyrite and elevated gold values. The earlier, concordant type of veins, can be identified in outcrop located at 468842 mE; 7081875 mN on the western edge of Aurex Hill. This second vein type is only identifiable in core.

The third mineralization style occurs as fine grained disseminations of pyrrhotite and lesser arsenopyrite in units identified as "calc-silicate skarns" or "altered intermediate intrusive" in outcroppings at Aurex Hill north where a series of concordant and sheared sills are exposed. A nice cross section of this unit is observed in AuxPM0626d (468717 mE; 7083312 mN) where the concordant "calc-silicate skarn" body is well foliated and mineralized with up to 3% pyrrhotite, lesser arsenopyrite and gold to 0.89 ppm.

11.4 Alteration

Strong sericitization occurs throughout the property, predominantly in siliceous or quartz-rich sediments. Conversely, in more clay rich sediments the more prevalent alteration mineral is chlorite forming chlorite schists with varying degrees of accessory minerals. Sericite and chlorite are the most prevalent forms of alteration throughout the property, especially in areas of high strain along ductile faults and later brittle fractures, however the degree of this alteration is difficult to discern due to pre-existing regional metamorphism.

Aurex Hill north is also an area with notable alteration. The “intermediate-intrusive” or “calc-silicate skarn” bodies here are locally strongly sheared and hydrothermally altered. The main forms of alteration consists of calc silica alteration of feldspar and retrograde biotization.

12.0 Rock Sampling

A program of rock sampling was initiated in order to enhance the dataset by other operators including core/rock chip sampling from the previous diamond and RC drilling programs. In the course of geological mapping, outcrops that were mineralized or veined were routinely sampled, however this program also included the sampling of what appeared to be unmineralized rock exposures. This survey has assisted in the determining the economic potential of various host rocks.

A total of 214 samples (Figure 5,5a,5b,5c,5d,5e) were collected as part of this program mainly in the Corkery Creek area along the lower Corkery Creek road but it was not restricted to this area. Difficult access to the outcrops along Corkery Creek north of the Silver Trail Highway hampered rock sampling in this area.

Of these samples 34 registered gold values of 100 ppb Au or greater with the best on property sample being 30.3 gpt Au from a mineralized quartzite sample with 15% arsenopyrite (ASPY Showing). Ten samples were from exposures of diorite all of which were mineralized with fine grained disseminated pyrrhotite in concentrations upwards of 3%. Five came from skarns or calc-silicate rocks which also are mineralized with fine grained pyrrhotite. The remainder are from quartzites, quartz-sericite schists or quartz veins having variable sulphide contents of pyrite and/or arsenopyrite.

Twenty five samples have elevated As while twenty one have elevated Ag. Bi although prevalent or moderately high in some samples is not as common while Cu, Cr, P, V and Ba have only sporadic increases. Tungsten on the other hand, is present in seven samples and reaching a value of 4050 ppm W (3.01 gpt Au) in sample AUX0100579 a diorite that contains 2-5% po. Like W, Sb is not common but is anomalous in six samples all of which have been reported as having a concentration of 15% or greater arsenopyrite.

Of note is that all samples collected north of the Silver Trail Highway along Corkery Creek only returned low gold values regardless of rock type. However samples AUX0100448 and 449 had increased P and samples AUX0100451 and 452 have elevated Sr and Th. The former samples are calc-silicates while the latter two are limey quartzite or marble.



Legend

- Aurex Rock Sample 2011
- Areas of sampling and Map Inlays
- Aurex Claims Boundary
- Silver Trail Highway
- Aurex Access Roads
- Backcountry Roads
- Rough Backcountry Roads
- Creek
- Lake
- Topography (100ft)
- UTM Grid (500m)

0 0.750 1.5
kilometers

N

Victoria Gold Corporation	
Aurex 2011 Rock Samples	
March 20, 2012	Figure 5



Legend

- Aurex Rock Sample 2011, Sample Number, Au (ppb)
- Aurex Access Roads
- Creek
- Lake
- Topography (100ft)
- UTM Grid (500m)

0 125 250
metres

N

Victoria Gold Corporation	
Aurex 2011 Rock Samples - East Corkery Creek	
March 20, 2012	Figure 5(a)



Victoria Gold Corporation	
Aurex 2011 Rock Samples - Aurex North	
March 20, 2012	Figure 5(b)

469,000mE

469,500mE

470,000mE

7,082,500mN

AUX0100461,313

AUX0100462,19

AUX0100373,199

AUX0100372,5

AUX0100370,12

AUX0100371,1015

AUX0101004,

AUX0100579,3010

AUX0100351,66

AUX0100352,31

AUX0100353,3

AUX0101003,

AUX0100354,1600

AUX0100359,26

AUX0100358,3

AUX0100360,3

AUX0100361,158

AUX0100369,115

AUX0100355,4480

AUX0100356,29

AUX0100357,41

AUX0100580,24

AUX0101002,

AUX0100378,1385

AUX0100377,10

AUX0100376,30

AUX0100582,90

AUX0100374,3

AUX0100375,21

AUX0100581,18

Legend

- Aurex Rock Sample 2011, Sample Number, Au (ppb)
- Aurex Access Roads
- Topography (100ft)
- UTM Grid (500m)

0 125 250

meters

N

Victoria Gold Corporation	
Aurex 2011 Rock Samples - Aurex Hill	
March 20, 2012	Figure 5(c)



Legend

- Aurex Rock Sample 2011, Sample Number, Au (ppb)
- Aurex Access Roads
- Creek
- Lake
- Topography (100ft)
- UTM Grid (500m)

Victoria Gold Corporation	
Aurex 2011 Rock Samples - Aurex West	
March 20, 2012	Figure 5(d)

Snowdrift



South Corkery Creek



Galena Hill



Lower Corkery Creek



Legend

- Aurex Rock Sample 2011, Sample Number, Au (ppb)
- Aurex Claims Boundary
- Silver Trail Highway
- Aurex Access Roads
- Backcountry Roads
- Rough Backcountry Roads
- Creek
- Lake
- Topography (100ft)
- UTM Grid (500m)

N

Victoria Gold Corporation	
Aurex 2011 Rock Samples - Other Areas	
March 20, 2012	Figure 5(e)

12.0 Rock Sampling

12.1 Whole Rock Sampling

A total of 8 rock samples were collected for whole rock determinations (Figure 6, Appendices 3 and 5). With one exception all were taken in the Aurex Hill vicinity with the purpose of outlining a possible association between various intrusives of intermediate composition.

One sample (AUX0101003) was retrieved on the west flank of Galena Hill and was an example of a quartzitic sediment common throughout the area. The Jensen Cation Plot (Figure 7) reveals this rock to be of andesitic composition in the tholeiitic field and distinct from all other samples.

Sample AUX0101008 comes from an intrusive towards the southern limit of geological mapping. Hand specimen examination confirms its mafic composition but also reveals this sample to be an example of hornblende porphyry most likely related to the Tombstone Intrusive Suite. This medium grained rock is massive with the original amphibole being altered to biotite. Phenocrysts to one centimetre are common.

The remaining samples all fell within the High-Iron or High-Magnesium Tholeiitic Basalt Fields on the Jensen Cation Plot. Of these samples AUX0101002 and AUX0101004 came from exposures/trenches atop Aurex Hill with both being described as calc-silicate skarns which may be related to mafic intrusions. Both are fine grained, light blue to grey in colour, foliated and moderately altered with biotite and chlorite.

Although both are described as containing a low percentage of iron sulphides, sample AUX0101002 is stated to have no amphiboles but banded by biotite perhaps reflected in the higher Mg content.

The other four samples come from rock exposures of an intermediate intrusive rock termed diorite all of which are grey-green in colour, fine to medium grained, foliated and altered weak to moderately by chlorite and for samples AUX0101005 and AUX0101006 by silica. From the laboratory analysis however these two samples have the lowest silica content of the entire data set but do have elevated total iron, P_2O_3 and MnO in respect to the other samples.

Although spatially close in the field they do have some oxide differences best shown in the MgO and K_2O data.

Differences also occur between AUX0101001 and AUX0101007. The latter sample, collected just north of the property boundary comes from or close to an outcrop mapped by D.C. Murphy (Murphy, 1997, Geoscience Map 1996-4) and described as being Triassic in age and being “a foliation concordant podiform to lenticular body of fine- to medium grained green amphibole-chlorite-plagioclase meta-diorite or meta-gabbro”. Figure 4c and 5b indicates that this exposure along Thompson Creek may in fact broaden the area that has been termed Aurex North further northeast. Similar rocks logged in holes AX-03-12 and AX-03-25 although untested for major oxides, may be of the same family. These rocks are also different from the Territorial mapping in that they occur in the Proterozoic aged rocks of the Yusezyu Formation. If they are related then they define a belt of intrusives having a minimum strike length of 30 km.


468,000mE
469,000mE
470,000mE
471,000mE
472,000mE
7,084,000mN
7,083,000mN
7,082,000mN
7,081,000mN
AUX0101007
AUX0101006
AUX0101005
AUX0101002
AUX0101004
AUX0101003
AUX0101001
AUX0101008
Legend
Aurex Whole Rock Samples 2011
Aurex Claims Boundary
Silver Trail Highway
Aurex Access Roads
Backcountry Roads
Rough Backcountry Roads
Creek
Lake
Topography (100ft)
UTM Grid (500m)
0
0.5
1
kilometers
N
Victoria Gold Corporation
Aurex 2011 Rock Samples - Whole Rock Samples
March 20, 2012
Figure 6



Victoria Gold Corporation	
Jensen Cation Plot - Aurex Property	
March 20, 2012	Figure 7

13.0 Soil Sampling

This portion of the program was designed to test not only those areas not previously explored but also to attempt to formulate a method that would enhance those areas covered by thick overburden such as west of the Snowdrift Prospect or the McQuesten deposit.
In preparation of a planned “A” horizon soil survey, an orientation type survey was conducted. It was laid out to test known gold mineralization atop Aurex Hill as well as a deep overburden covered area west of the Snowdrift Prospect. The purpose was to determine which if either technique would prove positive in the detection of gold especially in the area of thick overburden. No attempt was undertaken to assess the type of overburden cover. Certainly some was till resulting from the McConnell glaciation (C.F. Roots, 1997 and D.C. Murphy, 1997) while others could have been derived from earlier periods of glaciation.

Initially case studies were consulted (Heberlein, D.R. and Samson, H., 2010; Heberlein, D.R., 2010 and Heberlein, D.R. and Dunn, C.E., 2011) that undertook orientation studies in the Mt. Milligan area of British Columbia. Although not directly related to this area in the Yukon these works did evaluate various laboratory techniques offered by some of the commercial labs. From this work it was determined that samples from the “A” horizon were best analyzed by Acme Laboratories while ALS Chemex’s procedure worked best on upper “B” horizon soils. For this reason, from each of the sample sites, four samples were collected, two each of the “A” and upper “B” horizons. One each was sent to each of these assay laboratories to compare the results and to determine not only which soil horizon may be the best medium to sample but which laboratory’s technique was producing the best results.

Sampling technique was consistent on all grids for which “B” horizon soils were obtained. All samples were collected using a proper soil auger with soil being put into paper kraft bags, labelled with the assay tag number with part of the tyvek tag being within the bag. Each sample site was based on GPS units and actual GPS readings were taken at each site and each sample was marked with a metal tag having the sample number inscribed upon it as well as piece of coloured flagging which also had the identical number written upon it.

All samples were organized at camp, partially air-dried in the unopened bag as they awaited shipment to the ALS Chemex laboratory in Whitehorse. Twenty samples were then placed in a plastic poly bag and four of these were then put into a labelled rice bag and were then transported via Smalls Expediting to the prep lab in Whitehorse. Each shipment was accompanied by a chain of custody form and the lab was informed of their arrival.

In total three grids were sampled with that on Galena Hill not being completed due to program time constraints.

All lab certificates are contained within Appendix 6.

13.1 Orientation Survey

On Aurex Hill two lines for a total of 57 sampling stations were set out with one having a north-south orientation and the other east-west (Figure 8, 9a and b). The first almost cross-cuts the local stratigraphy while the second is perpendicular to the first line and cross-cuts the rock units at a very low angle. Both test the known mineralization on the hill and are in areas of relatively shallow overburden as determined by previous diamond drilling.

The third line located as stated west of the Snowdrift Prospect and the McQuesten deposit was oriented north-south in an area of known deep overburden. Here the same sampling procedures


7,088,000
462,000
467,000
472,000
477,000
482,000
Elsa
Galena Hill
Thompson Creek
Silver Trail HWY
McQuesten Rd.
McQuesten Deopsit
Aurex Hill Orientation
7,083,000
Snowdrift Orientation Survey
Snowdrift Showing
Haldane River
West Aurex
Corkery Ck.
East Corkery Creek
Duncan Creek Road
7,078,000
Soil Sample Areas
0
1
2
kilometres
N
Victoria Gold Corporation
Aurex Property - 2011 Soil Grids
March 20, 2012
Figure 8


3,100
469,500mE
470,000mE
7,083,000mN
3,200
Aurex Hill
7,082,500mN
3,300
7,082,000mN
3,200
3,100
7,081,500mN
3,000
2,900
1 3
1 6
1 4
4 13
1 8
3 16
1 1
2 89
6 45
1 47
1 68
1 19
1 111
1 60
2 25
1 51
1 282
1 16
2 56
1 37
2 25
1 46
2 14
2 63
5 39
2 256
5 71
1 158
3 27
2
43 1
115 1
19 2
1 1
1 1
1 1
2 1
84 2
55 1
17 1
171 1
98 1
30 1
2 1
97 3
2 1
1 1
1 50
1 54
1 53
1 73
2 649
1 103
1 101
1 51
1 41
2 56
1 54
1 52
7 30
6 13
Legend
Soil Sample Site
(x100 ppb Au)
A Horizon
B Horizon
Aurex Access Roads
Topography (100ft)
UTM Grid (500m)
0
0.1
0.2
kilometers
N
Victoria Gold Corporation
Orientation Soil Survey - Aurex Hill
Au in A and B Horizons
March 20, 2012
Figure 9


3,100
469,500mE
470,000mE
7,083,000mN
3,200
Aux0100028
Aux0100032
Aux0100036
Aux0100040
Aurex Hill
7,082,500mN
3,300
Aux0100044
Aux0100048
Aux0100052
Aux0100056
Aux0100060
Aux0100064
Aux0100068
Aux0100072
Aux0100192
Aux0100196
Aux0100204
Aux0100212
Aux0100220
Aux0100228
Aux0100236
Aux0100244
Aux0100252
Aux0100248
Aux0100240
Aux0100232
Aux0100224
Aux0100216
Aux0100208
Aux0100200
Aux0100164
Aux0100184
Aux0100176
Aux0100168
Aux0100148
Aux0100156
Aux0100136
Aux0100140
Aux0100152
Aux0100144
Aux0100160
Aux0100172
Aux0100180
Aux0100188
Aux0100080
Aux0100084
Aux0100088
Aux0100092
Aux0100096
Aux0100100
Aux0100104
Aux0100108
Aux0100112
Aux0100076
3,200
7,082,000mN
Aux0100116
Aux0100120
Aux0100124
Aux0100128
Aux0100132
Legend
Soil Sample Site
Aurex Access Roads
Topography (100ft)
UTM Grid (500m)
3,100
0
0.1
0.2
kilometers
3,000
7,081,500mN
N
2,900
Victoria Gold Corporation
Orientation Soil Survey - Aurex Hill
Soil Sample Site Location for A Horizon
March 20, 2012
Figure 9(a)


3,100
469,500mE
470,000mE
7,083,000mN
3,200
Aux0100029
Aux0100033
Aux0100037
Aux0100041
Aux0100045
Aux0100049
Aux0100053
Aux0100057
Aux0100061
Aux0100065
Aux0100069
Aux0100193
Aux0100201
Aux0100209
Aux0100217
Aux0100225
Aux0100233
Aux0100241
Aux0100249
Aux0100253
Aux0100245
Aux0100237
Aux0100229
Aux0100221
Aux0100213
Aux0100205
Aux0100197
Aux0100189
Aux0100181
Aux0100173
Aux0100165
Aux0100157
Aux0100149
Aux0100141
Aux0100137
Aux0100145
Aux0100153
Aux0100161
Aux0100169
Aux0100177
Aux0100185
Aux0100073
Aux0100077
Aux0100081
Aux0100085
Aux0100089
Aux0100093
Aux0100097
Aux0100101
Aux0100105
Aux0100109
Aux0100113
Aux0100117
Aux0100121
Aux0100125
Aux0100129
Aux0100133
Aurex Hill
7,082,500mN
3,300
7,082,000mN
3,200
Legend
Soil Sample Site
Aurex Access Roads
Topography (100ft)
UTM Grid (500m)
3,100
0
0.1
0.2
kilometers
3,000
7,081,500mN
N
2,900
Victoria Gold Corporation
Orientation Soil Survey - Aurex Hill
Soil Sample Site Location for B Horizon
March 20, 2012
Figure 9(b)

were followed and the same laboratory techniques were undertaken. Here the station interval was 50 m and a total of 78 samples were collected.

In total 228 samples were collected evenly distributed by soil horizon and lab destination. Most samples were collected at 25 m intervals but some were taken at 50 m intervals. Those on the north-south line west of Snowdrift were all taken at 50 m interval with the line being 1400 m in length (Figure 8, 9a and 9b).

Due to the usual summer field season back-up at the labs some of the sample results were not received in good time to assess and then start a program. Those from ALS Chemex were 100% received while those from Acme were excessively delayed and although some results were received the order was cancelled once Victoria Gold Corporation was informed that the results would not be available until the fall.

Both labs had analytical procedures that detected extremely low gold values and results are variable from both areas.

Detailed notes were taken at each sample station and the final collection sheets contained within Appendix 4 for both the “A” and “B” Horizon sampling. Appendix 6 contains the assay lab certificates.

13.1.1 “A” Horizon Sampling Aurex Hill

No statistical manipulation has been applied to the gold values. However for ease of use each data value has been multiplied by 100 and each original value of <0.02 ppb Au has been reduced to 0.01 ppb Au.

The N-S line, in the vicinity of the historic trenching, within which current rock grab samples registered up to 4.48 gpt Au, has one value of 0.06 ppb Au or 6 ppb Au in Figure 9. This may be representative of the mineralization. At the south end of this line, values of 0.07 and 0.06 ppb Au (7 and 6 in Figure 9) would also be considered anomalous. These were collected on a south facing down slope in an area presumed to be underlain by quartz-sericite or other felsic schists and about 830 m east of a rock grab sample that returned 586 ppb Au (Figure 5d). Although this particular sample may not relate directly with these anomalous soil samples, they may indicate a parallel gold bearing rock unit or a crosscutting structure. Both of these samples have elevated Ca, Co, Cu and U.

Conversely the single station anomaly of 0.06 ppb Au towards the north end of the line, sample AUX0100060, is slightly depleted in Ca, Co, Mg and U (Figure 9 and 9a). However this sample would be considered to have anomalous values for La, Nb, Sn and Ti. These suggest a difference in parent sources or a mixing of sources for the two areas.

13.1.2 “B” Horizon Sampling Aurex Hill

As with the “A” horizon data all gold values have been multiplied by 100 to clear the decimals but no other statistical manipulation has been applied.

Plotting of the results in Figure 9, with the multiplier, generally shows that the response is considerably better/higher than the “A” horizon data.

As an example the “A” horizon value of 6 ppb (0.06 ppb Au) is now reflected by a 45 ppb Au (0.45 ppb Au). Similar differences are evident over the entire study area. The results also reveal other anomalies not evident from the “A” horizon data.

13.1.3 “A” Horizon Sampling Snowdrift Area

Thirty samples were collected along a N-S line located about 2.2 kilometres west of both the McQuesten gold deposit and the gold bearing Snowdrift prospect (Figure 10 and 10a). The area is topographically flat and blanketed with a thick cover of vegetative material generally moist or water saturated. All samples were spaced at 50 m and gold data points have been multiplied by 100 to eliminate the decimal reports. Any values of <0.02 ppb Au were assigned a value of 0.01 ppb Au and 1 ppb Au after multiplication.

This line returned many samples considered anomalous with the best being 1.29 ppb Au or 129 ppb Au as plotted on the map (Figure 10 and 10a). The remaining anomalous samples ranged from 0.11 ppb Au to 0.70 ppb Au or 11 to 70 ppb Au after applying the multiplication factor.

Although the geology is not well known in the area; it is believed to be underlain by rocks of the Hyland Group similar to those outcropping on Aurex Hill. The historic airborne magnetic survey shows a moderate response defining an E-W trend. If this trend reflects the underlying strike of the stratigraphy then the cluster of anomalous values occurs directly west of the McQuesten gold deposit.

13.1.4 “B” Horizon Sampling Snowdrift Area

The data shows one obvious observation and that is the lack of sufficient or even the total absence of the “B” horizon.

A comparison of the two data sets shows a direct correspondence in regards to the main zone of elevated gold values. The magnitude of the anomalous values is also similar. Between the two soil horizons there is little difference in this area with the one exception being the lack of “B” horizon soil (Figure 10). This greatly affects the usefulness of this sampling medium in areas of deeper overburden cover. For this particular survey the small number of samples resulted in the non-detection of the anomaly at the south end of the line which possibly is related to the mineralization at the Snowdrift Prospect.

13.2 “B” Horizon Soil Surveys

13.2.1 Galena Hill

The Galena Hill Grid (Figure 8) which consisted of 12 lines spaced 100 m apart had a total sample count of 480 (Figure 11). The grid covered several structural and stratigraphic targets based on historical and government mapping and the evaluation of silver bearing structures in the immediate area. This area had not been soil sampled in the immediate past and was considered an effective method to outline any new targets. Access was problematic but enough access points were established to the grid area to cut down on some of the travel time.

Lines were oriented at N 310 E and samples were collected at 25 m intervals on each line.


464,500mE
465,000mE
465,500mE
466,000mE
466,500mE
467,000mE
467,500mE
468,000mE
7,084,500mN
7,084,00mN
7,083,500mN
7,083,000mN
2,200ft
2,300ft
2,400ft
2,500ft
2,600ft
1
1
1
2
1
1
2
1
1
1
3
33 54
1 2
37 58
2 2
42 26
2 3
129 3
4 1
70
2
1
2
9
2 1
2
3
11
4
11
McQueston Deposit
Snowdrift Deposit
Legend
Soil Sample Site (x100 ppb Au)
A Horizon
B Horizon
Deposit
Silver Trail Highway
Aurex Access Roads
McQueston Road
Rough Backcountry Roads
Creek
Lake
Topography (100ft)
UTM Grid (500m)
0
250
500
Meters
N
Victoria Gold Corporation
Orientation Soil Survey - Snowdrift Area
Au in A and B Horizons
March 20, 2012
Figure 10


464,500mE
465,000mE
465,500mE
466,000mE
466,500mE
467,000mE
467,500mE
468,000mE
7,084,500mN
7,084,00mN
7,083,500mN
7,083,000mN
2,200ft
2,300ft
2,400ft
2,500ft
2,600ft
Aux0100349
Aux0100347
Aux0100345
Aux0100343
Aux0100341
Aux0100339
Aux0100337
Aux0100335
Aux0100333
Aux0100331
Aux0100329
Aux0100325
Aux0100326
Aux0100321
Aux0100322
Aux0100317
Aux0100318
Aux0100313
Aux0100314
Aux0100309
Aux0100310
Aux0100305
Aux0100306
Aux0100301
Aux0100302
Aux0100297
Aux0100298
Aux0100295
Aux0100293
Aux0100288
Aux0100284
Aux0100280
Aux0100276
Aux0100277
Aux0100272
Aux0100268
Aux0100264
Aux0100260
Aux0100256
McQueston Deposit
Snowdrift Deposit
Legend
Soil Sample Number
A Horizon
B Horizon
Deposit
Silver Trail Highway
Aurex Access Roads
McQueston Road
Rough Backcountry Roads
Creek
Lake
Topography (100ft)
UTM Grid (500m)
0
250
500
Meters
N
Victoria Gold Corporation
Orientation Soil Survey - Snowdrift Area
Soil Sample Site for A and B Horizons
March 20, 2012
Figure 10(a)


478,500mE
479,000mE
479,500mE
480,000mE
7,085,000mN
7,084,500mN
4,500ft
4,400ft
4,300ft
4,200ft
4,100ft
4,000ft
3,900ft
3,800ft
3,700ft
4,600ft
Line 10
Line 11
Line 12
Line 13
Line 14
Line 15
Line 16
Line 17
Line 18
Line 19
Line 20
Line 21
0
125
250
meters
N
Victoria Gold Corporation
Galena Hill - Soil Sample Site Location
March 20, 2012
Figure 11

Gold (Figure 11a) is not well represented on Galena Hill with the best value being 162 ppb located in the eastern portion of the grid (area “A” on Figure 11a). If a 5 ppb contour was used it would outline a multi-line anomaly in this area which has an ENE trend. Upon examination it can possibly be extended to the west and represented by values of 22 ppb Au and 27 ppb Au (area “B” on Figure 11a). To the ESE and on the eastern border of the grid is a local high of 9 ppb Au which may be the eastern extent of this trend (area “C” on Figure 11a). This would result in a discontinuous anomaly having a length of about 1100 m.
The northern portion of the grid has one poorly represented ENE trend over a strike length of about 100 m. This could possibly be expanded to the west by an additional 200 m. In either case both are weak, narrow, discontinuous and of low priority (area “D” on Figure 11a).

Contrasting to this is the extreme SW corner of the grid which has a broad anomalous zone that has a high value of 49 ppb Au and a poorly defined trend to the NE (area “E” on Figure 11a). A similar type occurrence is located along the SE boundary of the grid. This could be interpreted to define one or more trends but data is lacking and so defining this as a cluster of anomalous values over an elliptically shaped area of about 100 to 150 m and therefore an area of interest is best.

Since this grid is relatively close to the past producing silver mines at Elsa and Keno Hill, a silver map has been produced (Figure 11b). Based on this it can be seen that the northern portion of the grid is relatively flat in respect to Ag in comparison to the lower or southeastern portion of the grid.

High Ag values along the south end of the grid can, other than forming an anomalous cluster, be correlated to form a NW trend. Although the best values occur at line ends and there needs to be an expansion of the grid to fully interpret this zone (area “A” on Figure 11b).

To the north is a two line anomaly also having a presumed NW trend but this does not clearly extend into the northern portion of the grid (area “B” on Figure 11b).

The eastern border of the grid has a large number of low to moderate Ag anomalies or stations. Trends appear to be in a SW or southern direction (area “C” on Figure 11b).

13.2.2 Aurex Hill

13.2.2.1 East Corkery Creek

This grid is located at the east end of Corkery Creek and is in part beyond the end of the Lower Corkery Creek Road (Figure 8). It extends south of Corkery Creek and in part north of the creek. All lines are 100 m apart and all samples were taken at 25 m intervals (Figure 12). The main target is the arsenopyrite veined prospect (ASPY Showing) at about 471365 mE, 7081488 mN which when sampled returned values to 9.16, 9.8 and 30.3 gpt Au (sample numbers AUX0100488, ..393, ..489).

A total of 1341 samples of “B” horizon soil were collected over the grid with all samples being submitted to ALS Chemex for their ME-MS41L analytical procedure.

The strongest Au anomalies occur on the northern third of this grid (area “A” on Figure 12a). Although not exclusively, the best Au values define NW or WNW trending anomalies in areas underlain in general by quartz-sericite or quartzitic rock types. The exception would be along the eastern or northeastern border which shows one anomaly associated with intrusive diorite mineralized with disseminated pyrrhotite (area “B” on Figure 12a).


478,500mE
479,000mE
479,500mE
480,000mE
4,500ft
4,400ft
4,300ft
4,200ft
4,100ft
4,000ft
3,900ft
3,800ft
3,700ft
4,600ft
7,085,000mN
7,084,500mN
D
B
E
A
C
Line 10
Line 11
Line 12
Line 13
Line 14
Line 15
Line 16
Line 17
Line 18
Line 19
Line 20
Line 21
100 ppb
50 ppb
40 ppb
30 ppb
20 ppb
0
125
250
Meters
N
Victoria Gold Corporation
Galena Hill - Au in Soil
March 20, 2012
Figure 11(a)

478,500mE
479,000mE
479,500mE
480,000mE
7,085,000mN
7,084,500mN
4,500ft
4,400ft
4,300ft
4,200ft
4,100ft
4,000ft
3,900ft
3,800ft
3,700ft
A
B
C
Line 10
Line 11
Line 12
Line 13
Line 14
Line 15
Line 16
Line 17
Line 18
Line 19
Line 20
Line 21
3,440
5,560
1,525
1,230
1,200
1,140
1,235
804
663
833
1,005
3,170
1,405
1,025
900 ppb
800 ppb
700 ppb
600 ppb
500 ppb
0
125
250
meters
N
Victoria Gold Corporation
Galena Hill - Ag in Soil
March 20, 2012
Figure 11(b)

Victoria Gold Corporation

East Corkery Creek - Soil Sample Site Location

March 20, 2012 | **Figure 12**



100 ppb
50 ppb
40 ppb
30 ppb
20 ppb

Victoria Gold Corporation

East Corkery Creek - Au in Soil

March 20, 2012 | **Figure 12(a)**

0 0.25 0.5
kilometers

N

470,500mE 471,000mE 471,500mE 7,082,000mN

7,081,500mN 7,081,000mN 7,080,000mN 7,079,500mN

3,100ft 3,000ft 2,900ft 3,200ft 3,300ft 3,400ft

A B C

Line 1 Line 2 Line 3 Line 4 Line 5 Line 6 Line 7 Line 8 Line 9 Line 10 Line 11 Line 12 Line 13 Line 14

Areas underlain by marble or phyllite generally returned low to moderate gold values. The ASPY showing (area “C” on Figure 12a) fits within this category however the sample and line spacing may have been too great to detect the quartz veined occurrence that is mineralized with arsenopyrite.

South of Corkery Creek the results are rarely greater than 100 ppb Au. These would be one station anomalies although any one line may have multi-stations recording moderate results.

Outcrop is scarce but where present samples taken in the vicinity with quartz-sericite schists have strong anomalies of moderate strength.

13.2.2.2 West Aurex

This grid is located on the southwest flank of Aurex Hill (Figures 8 and 13). Like the East Corkery Creek Grid it consists of lines spaced 100 m apart with sample stations at 25 m along each line. Only the portion of the grid north of Corkery Creek was sampled and this area contains 819 sample stations and all were sampled.

Figure 13a is a thematic plot of the Au values in ppb Au. Results show a number of anomalies of elevated Au values that have been interpreted to be either NW-SE or ENE-WSW structures. The first of these and also the strongest is in the NE corner of the grid and is characterized by a two prong anomaly in the trend directions mentioned above (area “A” on Figure 13a). The ENE trend is parallel to the mineralized set typical of the Keno Hill silver deposits. Although the figure shows a termination, the extension of this trend is shown in the elongated anomaly immediately to the SW and further by an additional 400 m along strike by a small localized zone.

The initial anomalous area has a conjugate arm which trends northwesterly which can be interpreted to continue to the NW albeit intermittently (area “B” on Figure 13a).

In the SE corner of the grid are two anomalous zones (area “C” on Figure 13a) which in part follow the path of the lower Corkery Creek Road and may again in part be a causative effect of the road disturbance. Trends here are north of east with no obvious extensions to the west.

The SW quadrant of the grid has numerous low to moderate intensity Au anomalies (area “D” on Figure 13a) of which one is a collection of discontinuous single or multi-station zones. These define a well developed NW trend parallel to that outlined in the NE corner of the grid.

A similar trend can be outlined by a series of single station anomalies of moderate strength approximately 500 m to the north. The most easterly zone also has a ENE arm which may be related to two strong single station anomalies in the NE corner. There is a very small single station anomaly between the two areas and enhances the trend’s definition.

14.0 Interpretation and Discussion

A review of the historical data including government generated maps indicates the major geological features of this area/property.

Certainly the Robert Service Thrust is one of the major structural elements in the area and is only one element of a complex structural and mineralization history. Geological interpretations however are not prolific and for the Aurex property this could well be due to the fact that there


467,500mE
468,000mE
468,500mE
469,000mE
2,700ft
2,800ft
2,900ft
3,000ft
3,100ft
7,082,000mN
7,081,500mN
Line 1
Line 2
Line 3
Line 4
Line 5
Line 6
Line 7
Line 8
Line 9
Line 10
Line 11
Line 12
Line 13
Line 14
Line 15
Line 16
Line 17
Line 18
2,900ft
3,000ft
0
125
250
meters
N
Victoria Gold Corporation
Aurex West - Soil Sample Site Location
March 20, 2012
Figure 13


467,500mE
468,000mE
468,500mE
469,000mE
7,082,000mN
7,081,500mN
2,700ft
2,800ft
2,900ft
3,000ft
3,100ft
E
D
A
B
C
Line 1
Line 2
Line 3
Line 4
Line 5
Line 6
Line 7
Line 8
Line 9
Line 10
Line 11
Line 12
Line 13
Line 14
Line 15
Line 16
Line 17
Line 18
100 ppb
50 ppb
40 ppb
30 ppb
20 ppb
N
0
125
250
Metres
Victoria Gold Corporation
Aurex West - Au in Soil
March 20, 2012
Fugure 13(a)

is little outcrop exposure (<5%) and the drilling, RC or trenching is of limited extent with little being recorded for the eastern half of the property south of Elsa.

The geological data suggests that the intrusion of the diorites are controlled by the folding inherent of the imbrications of thrust panels related to the Robert Service Thrust. This is similar to the interpretation at the McQuesten deposit and as presented by Newmont (2000).

These units as mentioned are mineralized, lenticular in shape and of unknown depth extent. The intrusions of the Aurex North area are the most extensive although similar rocks occur along Corkery Creek north of the Silver Trail Highway, on Aurex Hill and to the east near the ASPY Prospect. The hornblende porphyry south of Corkery Creek may be related in regards to site of emplacement.

Of interest is the near equal spacing of these rocks with most being about 1200 m apart. This also supports the theory that they are structurally controlled.

A study of the linears present on a satellite image indicates many trends some being NW while others are ENE or rarely just east of north. Of note is the radiating pattern of linears in the Aurex North area, the close match with the Silver King trend and there is another circular-like feature on the satellite image which may represent another radiating hub.

Throughout the remainder of the eastern half of the property there are numerous trends either from the satellite image or the magnetic data which form junctions and these become important exploration targets.

One such target is in the NE corner of the West Aurex soil grid which matches quite well with past data as well as being along a ENE trend derived from the magnetics.

All historic data sources have not been used in this interpretive process and therefore many future refinements/improvements can be and should be made.

Figure 14 and 15 is a map based on the 2011 program showing trends from the historic airborne geophysics, from the satellite photo and the soil data.

15.0 Conclusions

The following conclusions have been developed from the 2011 exploration program:

1. Dioritic intrusions, mineralized with disseminated pyrrhotite contain gold values of economic interest.
2. Historic diamond drilling and RC drilling shows wide gold bearing mineralized intersections having quartz stringers with arsenopyrite and pyrrhotite. Weighted averages are < 1 gpt Au but persist over a minimum strike length of about 1.5 km.
3. Mineralization in 2 above does include some high grade sections.
4. Historic RC holes indicate economic grades not related to the main Aurex Hill mineralization as outlined in 2 and 3 above.
5. Mapping/prospecting/rock sampling has confirmed but also expanded upon historical work including a new mineralized exposure between Aurex North and Aurex Hill which may define a new zone.
6. Geochemical soil surveys within the area of the ASPY showing and West Aurex Hill have enhanced the potential of these areas by indicating well defined gold anomalies. In the latter area these correspond with previous sampling by Newmont.

7. Historic diamond drill holes from 2003 show numerous intersections and all relate to increase concentrations of quartz veining and sulphide mineralization.
9. Although this program has been extensive and supported the results of past work the data set (some was received late) requires compilation and integration with the current data and then re-interpreted.
10. Previous airborne geophysical surveys are of sufficient detail to outline regional structures and rock units over the entire property however the definition of small scale structures and economically interesting rock units cannot be accomplished.
11. Soil data current and historic indicate that the “B” horizon is probably the most prospective horizon for gold detection. However continued testing has to be made in areas of deep overburden.
12. Previous exploration has defined anomalous gold, arsenic, antimony and bismuth in soil and bedrock over an area of 3 by 5 kilometres. A large part of the property remains to be sampled and explored including the western extension of the McQuesten Structure. Overburden has interfered with previous exploration; however, recent survey work is shedding new information for guiding exploration.
13. The extent, style, and mineralogy on Aurex are characteristic of a large, distal setting for intrusion-related gold systems similar to other large gold deposits in the Tintina Gold belt.
14. The orientation soil survey indicates that the “A” horizon responds well in areas of deep overburden.
15. The “B” soil horizon responds best in areas of shallow overburden but can work in deep cover as long as a “B” is developed.
16. The diabase, in the Bema Industries Ltd’s. drilling, may be similar to the intrusions at Aurex North and other locations which may indicate another target area with gold mineralization and potential for large tonnages.
17. Soil sampling has successfully outlined numerous gold anomalies of possible structural origin on all grids.
18. The Galena Hill area, from soil sampling, indicates a stronger response to Ag than Au.

16.0 Recommendations

The conclusions as stated above lead to the following recommendations:

1. Continued compilation and integration of all data is imperative to developing future interpretations for program planning.
2. Continued geological mapping/rock sampling/prospecting in areas outlying from Aurex Hill including Galena Hill (Fisher Claims).
3. Continued soil sampling in the Galena Hill area over areas assumed to be underlain by Keno Hill quartzites but also areas of geophysical and/or structural targets.
4. A diamond drill program to test various targets on the west side of the property including Aurex Hill proper also but not exclusively the ASPY showing, Aurex North and west of Snowdrift. Other targets will become evident from recommendations 1 to 3 above and may include the along strike possibilities of the Silver King deposit or the 1980’s drilling of Bema Industries.
5. As an aid to outline potential structures ground based VLF-EM and magnetic surveys should be performed on an ongoing basis. Close hand contouring of the corrected magnetic and Fraser Filter data can assist in the outlining of potential new targets.
6. Whole rock geochemistry to vector into potential new targets and to better define the alteration geochemistry associated with the known mineralization.

7. The soil geochemical data could be normalized with the historic data and analyzed with statistical methods to determine anomalous levels. Hand contouring will enhance the data and most likely outline structural trends and breaks.



Legend

- Aurex Claims Boundary
- Aurex 2011 Rock Sample
- Silver Trail Highway
- Aurex Access Roads
- Backcountry Roads
- Rough Backcountry Roads
- Creek
- Lake
- Topography (100ft)
- UTM Grid (500m)
- Satellite Image Trends
- Magnetic Image Trends
- Priority Areas
- Newmont Soil Au Contours (2000)
- Vein System Trends
- Diamond Drill Collars (2000)

Base Map Newmont Airborne Magnetics (2000)

0 — 4 kilometers

N

Victoria Gold Corporation	
Interpretation Map A	
March 20, 2012	**Figure 14**



Legend

- Aurex Claims Boundary
- Aurex 2011 Rock Sample
- Silver Trail Highway
- Aurex Access Roads
- Backcountry Roads
- Rough Backcountry Roads
- Creek
- Lake
- Topography (100ft)
- UTM Grid (500m)
- Satellite Image Trends
- Magnetic Image Trends
- Priority Areas
- Newmont Soil Au Contours (2000)
- Vein System Trends
- Diamond Drill Collars (2000)

Base Map Newmont Airborne Magnetics (2000)

0 — 4 kilometers

N

Victoria Gold Corporation	
Interpretation Map B	
March 20, 2012	**Figure 15**

17.0 Expenditures and Preliminary Budget

The 2011 exploration program as managed by Coast Mountain Geological began in earnest in March when one of the authors made a field visit to the property/area accompanied by Dr. Keats the exploration manager for Victoria Gold Corp. Although the property was snow covered the magnitude of the claim group's size became evident and moulded future program discussions and the development of an initial working budget and then a final configuration. Total expenditures for the 2011 program were $628,017.61. Appendix 1 is a tabulation of this figure while Appendix 2 lists the personnel for the project.

The preliminary proposed budget of $1,325,000 as presented in Table 3 is for discussion purposes only but it does reflect the recommendations in the previous section.

Respectively submitted,



_____
Peter Dadson, B.Sc., P.Geol.



_____
Patrick McLaughlin, B.Sc.

18.0 Statement of Qualifications

I, Peter A. Dadson, of 52 Hirtle's Beach Road, Kingsburg, in the Province of Nova Scotia, Canada, do certify that:

I have practiced in my profession for 37 years with various mining companies in Yukon, British Columbia, Nova Scotia, Northwest Territories, Ontario, New Brunswick, Newfoundland and Labrador, Quebec, Manitoba, Senegal, Niger, Albania and the USA.

I am a graduate of Carleton University (1974) and hold a B.Sc. in geology.

I am duly registered as a Professional Geologist in the Province of Alberta (M63980).

This report is based on work that I supervised on the Aurex Property from May to September 2011.

I am independent of Victoria Gold Corporation in accordance with the application of Section 1.5 of National Instrument 43-101. I do not, directly or indirectly, hold securities in Victoria Gold Corporation.

As a result of my experience and qualifications, I am a Qualified Person as defined in National Policy 43-101.

I have read National Instrument 43-101 and Form 43-101FI and have co-authored this report dated January 29, 2012, in compliance with the same.

Dated at Vancouver, British Columbia, Canada, this 29th day of January, 2012.





_____
Peter A. Dadson, B.Sc., P. Geol.

March 20th, 2012

I, Patrick DM. McLaughlin, of 5-179 Hamilton Ave, Winnipeg, in the Province of Manitoba, do hereby certify that:

I am a geologist in the mineral exploration industry employed by Coast Mountain Geological, Ltd., 620-650 West Georgia Street, Vancouver, British Columbia, V6B 4N9.

I am a graduate of the University of Manitoba (2005), Canada, with a Bachelor of Science (Hns) Degree in Geology.

I have been actively engaged in the mineral exploration industry since 2004.

I do not, directly or indirectly, hold securities in Victoria Gold Corporation.

Dated this 20th day of March 2012, in Vancouver, British Columbia, Canada.

SIGNED,



_____

Patrick DM. McLaughlin, B.Sc.

March 20th, 2012

Table 3: Preliminary Proposed Budget

Salaries / Wages / Consultants		250,000.00
Diamond drilling		475,000.00
Geophysics		50,000.00
Camp Expenses		140,000.00
Field Expenses		20,000.00
Field Vehicles		45,000.00
Communications		5,000.00
Assays		150,000.00
Travel		30,000.00
Land payments / permitting		15,000.00
		1,180,000.00
12% contingency		141,600.00
		1,321,600.00
	say	**1,325,000.00**

19.0 Bibliography and References

Boyle, R. W., 1965: Geology, Geochemistry, and Origin of the Lead-Zinc-Silver Deposits of the Keno Hill-Galena Hill Area, Territory, Bulletin 111, Geological Survey of Canada, Department of Mines and Technical Surveys, Canada

Brownlee, D.J., 1998; McQuesten Project 1998 Exploration Report, Blackfox Minerals Ltd. of Viceroy Exploration (Canada) Inc.

Burke, M., 1998: Yukon Exploration and Geology, Yukon Mining and Exploration Overview.

Cairnes, D.D., 1916: Mayo Area; Geological Survey of Canada, Geological Map.

Carmichael, A.D., 1957: United Keno Hill Mines; Structural Geology of Canadian Ore Deposits, Vol. 2, pp. 66-77.

Davidson, G.S., 1995: Summary Report on the Aurex Property; In-house report, Yukon Revenue Mines Ltd.

Department of Indian and Northern Affairs, 1993: Yukon Minfile, Sheet 105M, Exploration and Geological Services, Whitehorse, Yukon.

Eagle Plains March 8, 2002 News Release, 2002: NovaGold to Drill Eagle Plains' McQuesten Gold Property, Yukon

Hart, Craig J.R et. al., The Tintina Gold Belt: Concepts, Exploration and Discoveries. Special Volume 2, BC&YC of Mines, January 2000.

Heberlein, D.R., 2010: An Assessment of Soil Geochemical Method for Detecting Copper-Gold Porphyry Mineralization through Quarternary Glaciofluvial Sediments at the WBX-MBX and 66 Zones, Mt. Milligan, North-Central British Columbia; Geoscience BC Report 2010-08, Heberlein Geoconsulting

Heberlein, D.R. and Dunn, C.E., 2011: The Application of Surface Organic Materials as Sample Media Over Deeply Buried Mineralization at the Kwanika Central Zone, North-Central British Columbia; Geoscience BC Report 2011-3, Heberlein Geoconsulting

Heberlein, D.R. and Samson, H., 2010: An Assessment of Soil Geochemical Methods for Detecting Copper Gold Porphyry Mineralization through Quaternary Glaciofluvial Sediments at the Kwanika Central Zone, North-Central British Columbia; Geoscience BC Report 2010-03, Heberlein Geoconsulting

Hunt, J.A., Murphy, D.C., Roots, C.F., Poole, W.H., 1996: Geological Map of Mount Haldane Area, Yukon (105M/13), Geoscience Map 1996-4, Indian and Northern Affairs Canada and Exploration and Geological Services Division, Yukon Region.

Lynch, J.V.G.,1989: Hydrothermal Zoning in the Keno Hill Ag-Pb-Zn Vein System: A Study in Structural Geology, Mineralogy, Fluid Inclusions, and Stable Isotope Geochemistry, Unpublished PhD Thesis, Department of Geology, University of Alberta.

McFaull, A.J., 1992: The Geology, Geochemistry and Geophysics of the Aurex 1-36 & 51-86 Quartz Claims YB28429-YB28500 Mayo Mining District, for Aurex Exploration

McFaull, A.J., 1993: Report on Rotary Percussion Drilling on the Aurex Claims YB28429-YB28500, YB29366-YB29392, YB29669-YB29726, Mayo Mining District, Yukon Territory, Aurex Exploration for Yukon Revenue Mines Ltd.

McFaull, A.J., 1995: Report on 1994 Rotary Percussion Drilling on the Aurex Claims, YB28429-YB28500, YB29366-YB29392, YB29669-YB29726, Mayo Mining District, Yukon Territory, by Aurex Exploration for Yukon Revenue Mines Limited.

McFaull, A.J., 1997: Summary of the 1996 Percussion Drill Program on the Aurex Claims, Mayo Mining District, Yukon Territory, for Yukon Revenue Mines Limited.

McFaull, A.J., 1995: Report on Diamond Drill Program on the Aurex Claims, Mayo Mining District, and Yukon Territory for Yukon Revenue Mines Limited.

McTaggart, K.C., 1950: Keno and Galena Hills, Yukon Territory (preliminary maps with marginal notes); Geological Survey of Canada., Paper 50-20

Murphy, D.C., 1997: Bulletin 6: Geology of the McQuesten River Region, Northern McQuesten and Mayo Map Area, Yukon Territory (115P/14, 15, 16; 105M/13, 14) Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region.

Murphy, D.C., and Roots, C.F., 1996: Geology Map of the Keno Hill Area, Yukon (105M/14), Open File 1996-5; Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region

Orssich, C.N.,1981: Diamond Drilling Report on the ZAP Claims, Bema Industries Ltd., Assessment Report 090999

Roots, C.F., 1997: Bulletin 7: Geology of the Mayo Map Area, Yukon Territory (105M), Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region

Stammers, M.A. and Caira, N.M., 2001: 2000 Geological, Geochemical, Geophysical and Trenching Assessment report on the Aurex Project for Newmont Exploration of Canada Ltd.

Wright, J., 2000: Magnetic and electromagnetic survey compilation map (1:10,000); Newmont Exploration, Carlin, Nevada.

Wengzynowski, W.A., 1999: Assessment Report describing Geological Mapping and Geochemical Surveys on the Aurex Property for Expatriate Resources Ltd.

APPENDIX 1

Expenditures

		TOTAL
Administration		
	Postage, Freight & Courier	312.94
Environment		
	Permitting	315.00
	Land Pymts & Taxes - Prop Fees	11,970.00
Site Operations		
	Camp - Food	2,053.43
	Camp - Accommodation	44,145.00
	Communication	2,334.14
Engineering		
	Meals & Entertainment	508.07
Exploration		
	Assays	12,449.94
	Fuel	9,482.34
	Camp - Operation	139.50
	Camp - Food	23,133.61
	Field Supplies	10,353.71
	Equipment Rental	13,974.00
	ATV Rental	3,900.00
	Truck Rental	39,750.00
	Vehicle Maintenance	1,083.19
	Travel - Air	18,339.78
	Travel - Hotel	1,900.12
	Travel - Meals	122.26
	Travel - Other	7,297.65
	Meals & Entertainment	1,421.68
	Consultants - Field Geology	423,031.25
Total Expense		628,017.61

APPENDIX 2

Personnel

Personnel

Patrick McLaughlin senior project geologist	Winnipeg, Manitoba	May 4 to 28, 2011 June 7 to July 9, 2011
Peter Dadson project manager	Kingsburg, Nova Scotia	May 4 to 24, 2011 May 28 to June 9, 2011
Tyson Cowley junior geologist	Vancouver, B.C.	May 16 to June 8, 2011 June 16 to July 9, 2011
Lorelle Binnion junior geologist	Calgary, Alberta	May 18 to June 17, 2011 June 28 to July 1, 2011
Laura Betton junior geologist	Victoria, B.C.	May 18 to June 8, 2011 June 16 to July 9, 2011
Greg Sotiropoulis senior technician	Vancouver, B.C.	May 18 to June 17, 2011 June 28 to July 7, 2011
Kevin Graber senior technician	Vancouver, B.C.	May 16 to May 29, 2011
Franklyn Skeete junior technician	Vancouver, B.C.	June 1 to June 29, 2011 July 7, 2011
Sydney van Loon junior technician (Victoria Gold Corp.)	Whitehorse, Yukon	Aug. 14 to Aug. 24, 2011
Robert Parsons junior technician	Powell River, B.C.	Sept. 1 to Sept. 23, 2011
Douglas Scoffield junior technician	Vancouver, B.C.	Sept. 8 to Sept. 23, 2011
Emily Roeder junior technician	Portland, Oregon	Sept. 8 to Sept. 23, 2011
Munro Pickering CMG Safety Supervisor	Rossland, B.C.	June 6 to 7, 2011
Mathias Martinez cook	Vancouver, B.C.	May 18 to June 1, 2011 July 6 to Aug. 3, 2011 Aug. 16 to Sept. 23, 2011
Carolyn Smith-Levesque cook	Stewart, B.C.	Aug. 3 to Aug. 16, 2011

APPENDIX 3

Rock Sample Sheets

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100351	assay	Aurex	June 9 2011	Lorelle Binnion	NAD 83, Zone 8	469530	7082289	1013	Trench				Meta-basalt	medium green-grey	vfg	schisty-massive	micaceous foliation planes with biotite and chlorite	weak-moderate	silver/metallic grains that are too small to identify	trace	mineralization is likely pyrrhotite or arsenopyrite
AUX0100352	assay	Aurex	June 9 2011	Lorelle Binnion	NAD 83, Zone 8	469521	7082289	1011	Trench				Intrusive schist?	steel blue -purple (because of oxidation)	vfg	schistose	very foliated, high concentration of qtz veins, lots of oxidation minerals	strong	galena and po	trace	mineralization is elongated along foliation planes. There is lots of quartz but too much mafic phase to be a quartzite
AUX0100353	assay	Aurex	June 9 2011	Lorelle Binnion	NAD 83, Zone 8	469523	7082289	1012	Trench				Quartz sericite chlorite schist	light to medium grey	fg	schistose	sericite and chlorite, lots of quartz veins and 3-5% oxidized sulfides	strong	n/a	n/a	
AUX0100354	assay	Aurex	June 3 2011	Lorelle Binnion	NAD 83, Zone 8	469791	7082400	1009	trench	3m	n/a	n/a	Diabase	steel grey	fg	massive/poorly foliated	silicified, carbonate alteration	weak	po	5%	Silver, magnetic po found in thin trains (fg) along foliation planes, disseminated throughout the rock.
AUX0100355	assay	Aurex	June 3 2011	Lorelle Binnion	NAD 83, Zone 8	469796	7082371	1009	trench	3m	n/a	n/a	Intermediate Intrusive	steel grey - greenish	fg	massive/poorly foliated	silicified	weak	po and gal	5%	po is found as above, galena is found as medium sized grains in a vein, crystals exhibit striations. Sample is not magnetic
AUX0100356	assay	Aurex	June 9 2011	Lorelle Binnion	NAD 83, Zone 8	469798	7082371	1010	trench	3m	n/a	n/a	Phyllite	dark grey	vfg	fissile	chlorite, qtz veins common	moderate	n/a	n/a	Found near S side of trench, no grains are visible, sub mm foliations
AUX0100357	assay	Aurex	June 9 2011	Lorelle Binnion	NAD 83, Zone 8	469797	7082370	1012	Trench				Quartzite	light grey with green and orange undertones	f-mg	massive	some oxidized sulfides and a weak foliation	weak	pyrite and arsenopyrite	trace	
AUX0100358	assay	Aurex	June 9 2011	Lorelle Binnion	NAD 83, Zone 8	469907	7082418	1016	Trench				Quartz chlorite schist	medium grey	fg	schistose with strong foliation	chlorite and oxidation minerals	moderate	n/a	n/a	
AUX0100359	assay	Aurex	June 9 2011	Lorelle Binnion	NAD 83, Zone 8	469905	7082416	1016	Trench				Phyllite	dark grey	vfg	extremely foliated and fissile	chlorite, some qtz veins	moderate	n/a	n/a	
AUX0100360	assay	Aurex	June 9 2011	Lorelle Binnion	NAD 83, Zone 8	469900	7082370	1014	Trench				Basalt	dark grey-green	fg	massive	nearly unaltered	weak	n/a	n/a	
AUX0100361	assay	Aurex	June 9 2011	Lorelle Binnion	NAD 83, Zone 8	469901	7082370	1015	Trench				Intermediate Intrusive	light blue grey	fg	sugary	slight foliation	weak	po, cpy	trace	
AUX0100362	assay	Aurex	June 12 2011	Lorelle Binnion	NAD 83, Zone 8	469047	7083251		Outcrop				Intermediate Intrusive	medium steel grey	fg	massive, competent	sericite, weak foliation	weak	po, cpy, aspy?	1-2%	
AUX0100363	assay	Aurex	June 12 2011	Lorelle Binnion	NAD 83, Zone 8	469047	7083254		Outcrop				Intermediate Intrusive	steel grey	fg	massive, competent	sericite, weak foliation	weak	fg po elongated along foliation planes	trace	
AUX0100364	assay	Aurex	June 12 2011	Lorelle Binnion	NAD 83, Zone 8	468978	7083186	919	Outcrop				Quartz sericite schist	light grey	fg	schisty	sericite, trace oxidized sulfides	weak-moderate	n/a	n/a	
AUX0100365	assay	Aurex	June 12 2011	Lorelle Binnion	NAD 83, Zone 8	468923	7083187	909	Outcrop				Intermediate Intrusive	blue grey	vfg	massive with slight foliation	sericite and chlorite	weak	disseminated po	1-2%	
AUX0100366	assay	Aurex	June 12 2011	Lorelle Binnion	NAD 83, Zone 8	468751	7082882		Outcrop				Quartz sericite schist	light grey to tan	fg	schisty, foliated	sericite, oxidation minerals	moderate	silver, but appears cubic. pyrite?	trace	
AUX0100367	assay	Aurex	June 12 2011	Lorelle Binnion	NAD 83, Zone 8	468749	7082823		Outcrop				Intermediate intrusive	medium grey	f-mg	massive	quartz-carbonate veins, oxidized sulfides, some biotite	weak	n/a	n/a	
AUX0100368	assay	Aurex	June 12 2011	Lorelle Binnion	NAD 83, Zone 8	468749	7082823	916	Outcrop				Phyllite	light blue grey	fg	waxy	lots of chlorite	strong	n/a	n/a	

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100369	assay	Aurex	June 9 2011	Lorelle Binnion	NAD 83, Zone 8	469900	7082374	1015	Trench				Quartz sericite schist (altered)	tan-brown	f-mg	very foliated, crumbly	minerals in foliation planes are oxidized	moderate-strong	n/a	n/a	
AUX0100370	assay	Aurex	June 10 2011	Lorelle Binnion	NAD 83, Zone 8	469549	7082343	1014	Trench				Quartz sericite schist	light grey (80% qtz)	fg	schisty	chlorite, sericite, oxidized sulfides along closely spaced foliation planes.	moderate-strong	n/a	n/a	
AUX0100371	assay	Aurex	June 10 2011	Lorelle Binnion	NAD 83, Zone 8	469549	7082344	1014	Trench				Intermediate Intrusive	medium blue-grey	fg	massive	beginning development of a foliation	weak	disseminated po	2-5%	This rock type is found in the middle of the trench with sedimentary rocks on either side- could be a dyke^ Strong shearing in rocks to the east including pure muscovite
AUX0100372	assay	Aurex	June 10 2011	Lorelle Binnion	NAD 83, Zone 8	469547	7082345	1014	Trench				Quartzite	light grey with dark grey foliation planes	mg	massive, chloritized along foliation planes	foliated, trace oxidized sulfides	weak	n/a	n/a	This rock is much more competent and way less altered than the quartz sericite schist
AUX0100373	assay	Aurex	June 10 2011	Lorelle Binnion	NAD 83, Zone 8	469232	7082304	1000	Trench				Quartz sericite schist	pale grey- tan yellow on foliation planes	vfg	schisty and fissile	sericite, trace oxidized sulfides	moderate	n/a	n/a	Outcrop is extremely fissile and has separated into thin sheets. Quartz veins exhibit vuggy texture
AUX0100374	assay	Aurex	June 10 2011	Lorelle Binnion	NAD 83, Zone 8	469993	7082405	1015	Trench				Phyllite	dark grey	vfg	schisty, fissile	chlorite, very foliated	moderate	n/a	n/a	
AUX0100375	assay	Aurex	June 10 2011	Lorelle Binnion	NAD 83, Zone 8	469990	7082412	1014	Trench				Quartz sericite schist	medium grey, orange on foliation planes	vfg	schisty, fissile	sericite, very foliated	moderate	n/a	n/a	
AUX0100376	assay	Aurex	June 6 2011	Lorelle Binnion	NAD 83, Zone 8	470170	7082450		Trench				Intermediate Intrusive	medium blue-grey	vf-fg	massive	lots of qtz veins and some carbonate alteration, light foliation	weak	po in clusters, cpy trace	2%	
AUX0100377	assay	Aurex	June 6 2011	Lorelle Binnion	NAD 83, Zone 8	470170	7082455		Trench				Calc silicate	light grey- peach	f-mg	massive, feels rough like sandstone	carbonate alteration, some oxidized sulfides, light foliation (no mica), some	moderate	po	trace	
AUX0100378	assay	Aurex	June 7 2011	Lorelle Binnion	NAD 83, Zone 8	470134	7082483		Trench				Intermediate Intrusive	steel grey	vfg	massive, schisty	qtz veins and weak pervasive carbonate alteration, v weakly foliated with sericite	weak	disseminated po	1-2%	
AUX0100379	assay	Aurex	June 14 2011	Lorelle Binnion	NAD 83, Zone 8	469142	7083019	962	Outcrop	3m	lineation 088/32	n/a	Intermediate "Intrusive"	steel grey	vfg	massive, moderate foliation, fairly fissile	quartz veins common	weak	disseminated galena and po	1%	
AUX0100380	assay	Aurex	June 14 2011	Lorelle Binnion	NAD 83, Zone 8	469211	7083335	928	Outcrop		n/a	n/a	quartz vein	pale grey		massive	chlorite, epidote, mica	weak-moderate	magnetite or po	trace	mineralization is magnetic
AUX0100381	assay	Aurex	June 14 2011	Lorelle Binnion	NAD 83, Zone 8	468631	7083213	880	Outcrop/Trench		lineation and contact 078/26	n/a	Intermediate "Intrusive"	steel grey (sometimes green and purple)	vfg	massive but very foliated	sericite, weathered surface rusty with chalky yellow-green alteration	moderate	po	2-3%	mineralization is disseminated with some larger crystals along a vein. Foliations exhibit some undulations
AUX0100382	assay	Aurex	June 17 2011	TSC/LAB	NAD 83, Zone 8	468317	7082954	-	Outcrop		-	-	Quartzite sericite schist	light grey to brown	fg	schisty	sericite, weathered surface rusty	moderate	aspy	trace	
AUX0100383	assay	Aurex	June 17 2011	TSC/LAB	NAD 83, Zone 8	468350	7083004	-	Outcrop		-	-	Quartzite sericite schist	light grey to brown	fg	schisty	sericite, weathered surface rusty	moderate	Sph	trace	
AUX0100384	assay	Aurex	June 18 2011	TSC/LAB	NAD 83, Zone 8	468340	7083139	-	Float		-	-	Calc-silicate skarn	dark green to gray	fg - mg	foliated, phaneritic	chlorite, epidote, garnet,	moderate	po	trace	
AUX0100385	assay	Aurex	June 18 2011	TSC/LAB	NAD 83, Zone 8	468279	7083018	-	Outcrop		-	-	Quartzite sericite schist	white to light brown	fg	schisty,	sericite	moderate	aspy	5-8%	Aspy vein that crosscuts into the host rock and contains a alteration halo around it. Aspy is coarse grained and euhedral.
AUX0100386	assay	Aurex	June 18 2011	TSC/LAB	NAD 83, Zone 8	468305	7083021	-	Outcrop		-	-	Quartzite sericite schist	light grey to brown	fg	weakly foliated	sericite	weak	aspy	trace	Aspy is found as a fine grained sulfide throughout the host rock.

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100387	assay	Aurex	June 18 2011	TSC/LAB	NAD 83, Zone 8	468305	7083021	-	Outcrop		-	-	Quartzite sericite schist	light grey to yellow	fg	foliated and boudined	sericite	moderate	ox. sulfides	trace	Contains quartz eyes
AUX0100388	assay	Aurex	June 20 2011	TSC/LAB	NAD 83, Zone 8	471371	7081486	-	Subcrop		-	-	Quartzite	light grey to yellow	fg	foliated (original bedding)	sericite	weak	aspy, ox.sulfides	5%	Found from excavated pit
AUX0100389	assay	Aurex	June 20 2011	TSC/LAB	NAD 83, Zone 8	471393	7081491	-	Outcrop		-	-	Chlorite sericite phyllite	dark grey to green	vfg	phyllitic and undulatory	chlorite, sericite	moderate	ox. sulfides, aspy, py	2-3%	Mineralization occurs within the quatz boudins
AUX0100390	assay	Aurex	June 20 2011	TSC/LAB	NAD 83, Zone 8	471362	7081489	-	Subcrop		-	-	Quartzite	steele grey to brown	fg - cg	minor foliation	sericite	weak	aspy, py,	25%	Mineralization occurs within quartz vein and occurs as coarse grained sulfides.
AUX0100391	assay	Aurex	June 20 2011	TSC/LAB	NAD 83, Zone 8	471355	7081490	-	Subcrop		-	-	Quartzite	light grey to brown	fg - mg	minor foliation	sericite, chlorite	weak	aspy	10%	Mineralization occurs as fine grained sulfides. Also contains quartz eyes
AUX0100392	assay	Aurex	June 21 2011	TSC/LAB	NAD 83, Zone 8	471384	7081543	-	Outcrop		-	-	Chlorite phyllit with qtz vein	dark green to grey	fg	phyllitic	sericite, chlorite	moderate	aspy	2-3%	Mineralization occurs near the contact between the chlorite phyllite and bull quartz vein.
AUX0100393	assay	Aurex	June 23 2011	TSC/LAB	NAD 83, Zone 8	471371	7081486	-	Subcrop		-	-	Quartzite	white to pale yellow	fg - cg	massive	sericite	weak	aspy, py	15%	Mineralization occurs in a network fashion (semi-massive) as coarse grained subhedral to euhedral crystals.
AUX0100394	assay	Aurex	June 25 2011	TSC/LAB	NAD 83, Zone 8	469192	7083279	-	Outcrop		-	-	Quartz vein in contact with quarzite sericite schist	grey (rusty on weathered)	fg	foliated	sericite, weathered surface rusty	moderate	aspy (tarnished)	2-3%	Mineralization occurs near the contact between the quartzite sericite schist and the quartz vein.
AUX0100395	assay	Aurex	June 25 2011	TSC/LAB	NAD 83, Zone 8	469177	7083277	-	Outcrop		-	-	Quartzite sericite schist	grey to pale yellow	fg	foliated and boudined	sericite, chlorite	moderate	aspy	trace	Mineralization occurs as a fine grained throughout the rock
AUX0100396	assay	Aurex	June 25 2011	TSC/LAB	NAD 83, Zone 8	469046	7083264	-	Outcrop		-	-	Calc-silicate	dark grey to green	fg - mg	minor foliations	sericite, chlorite, silicified	weak	aspy, po	2-3%	Mineralization occurs as fine grained disseminated sulfides
AUX0100397	assay	Aurex	June 26 2011	TSC/LAB	NAD 83, Zone 8	468982	7083396	-	Outcrop		-	-	Calc-silicate	dark grey to brown	mg	massive and phaneritic	chlorite	weak	po	trace	Contains fine grained po and fibrous amphiboles.
AUX0100398	assay	Aurex	June 26 2011	TSC/LAB	NAD 83, Zone 8	468989	7083403	-	Outcrop		-	-	Calc-silicate skarn	dark grey to green	fg - mg	minor foliations	sericite, chlorite, silicified	moderate	aspy, po	1-3%	Mineralization occurs as fine grained disseminated sulfides
AUX0100399	assay	Aurex	June 26 2011	TSC/LAB	NAD 83, Zone 8	468971	7083387	-	Outcrop		-	-	Calc-silicate skarn	dark grey to green	fg - mg	minor foliations	sericite, chlorite, silicified	moderate	aspy, po	3-4%	Mineralization occurs in a disseminated fashion with a few along stringers
AUX0100400	assay	Aurex	June 26 2011	TSC/LAB	NAD 83, Zone 8	468995	7083355	-	Outcrop		-	-	Calc-silicate skarn	light grey to green	fg - mg	minor foliations	sericite, chlorite, silicified	moderate	aspy, po	trace	
AUX0100401	assay	Aurex	June 26 2011	TSC/LAB	NAD 83, Zone 8	468932	7083371	-	Outcrop		-	-	Calc-silicate skarn	dark grey to brown	fg - mg	foliated to schisty	sericite, chlorite, silicified	moderate	aspy, po	trace	
AUX0100402	assay	Aurex	June 28 2011	TSC/LAB	NAD 83, Zone 8	469662	7081183	-	Outcrop		-	-	Graphitic argillite	dark blue to grey	vfg - fg	Phyllitic and fissile	Graphite, sericite	moderate	oxidized sulfides	trace	
AUX0100403	assay	Aurex	June 28 2011	TSC/LAB	NAD 83, Zone 8	468311	7081034	-	Subcrop		-	-	Graphitic argillite	dark blue to grey	vfg - fg	Phyllitic and fissile	graphite	moderate	-	-	
AUX0100404	assay	Aurex	June 26 2011	PM	NAD 83, Zone 8	468983	7083285	-	Outcrop	~2m	68°/28° contacts & fol		Calc-silicate skarn	dark grey green	fg-mg	weakly foliated	actinolite?/sericite/fibrous hydrous amphibole	moderate	po (2-3%)> aspy (<1%)		Fg disseminations of Po and Aspy parallel to foliation. This thin calc-silicate unit is in sharp contact with a strongly deformed and crenulated Qtz-schist

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100405	assay	Aurex	June 26 2011	PM	NAD 83, Zone 8	468867	7083228	-	Outcrop		60°/70°		Calc-silicate skarn	dark grey green	fg-mg	moderately foliated	actinolite?/sericite/fibrous hydrous amphibole	moderate	po (2-3%)		Fg disseminated Po. Grab is part of a large roadcut that contains a wide unit of Calc-Silicate. Moderately foliated/weakly sheared grab sample
AUX0100406	assay	Aurex	June 26 2011	PM	NAD 83, Zone 8	468850	7083227	-	Grab		-	-	Calc-silicate skarn	grey & green	mg-cg		chlorite/quartz flooded vein in Calc Silicate Skarn		po (3%), aspy 1%		Grab is directly from nearby otucrop. Sample is an up to 5cm wide chlorite/quartz flooded vein in calc-silicate skarn. Contains disseminated Po/Aspy
AUX0100407	assay	Aurex	June 26 2011	PM	NAD 83, Zone 8	468800	7083255	-	Subcrop		-	-	Veined Quartzite/Calc Sil?	grey-light green	mg	weakly foliated	quartz-chl-actin (grn?)-Quartzite/Calc-Sil?		py (3%)> po(2%)> Tr. aspy/Tr. cpy		Grab sample on top of knoll/subcrop. Appearance of a thin veined quartzite with Sulphide mineralization within the veins.
AUX0100408	assay	Aurex	June 26 2011	PM	NAD 83, Zone 8	468799	7083257	-	Subcrop		-	-	Veined Quartzite/Calc Sil?	grey-light green	mg	weakly foliated	quartz-chl-actin (grn?)-Quartzite/Calc-Sil?		py (3%)> po(2%)> Tr. aspy/Tr. cpy		Grab sample on top of knoll/subcrop. Appearance of a thin veined quartzite with Sulphide mineralization within the veins.
AUX0100409	assay	Aurex	June 26 2011	PM	NAD 83, Zone 8	468714	7083315	-	Outcrop		66°/38°		Phyllite w/ Qtz Vein	Light green-grey-white, waxy	mg	intensely folded/def	chlorite	moderate	py <2%.		Intensly sheared/deformed Phyllite at contact with Calc-Silicate Skarn. 8-10cm-wide white, boudined quartz veins.
AUX0100410	assay	Aurex	June 26 2011	PM	NAD 83, Zone 8	468712	7083318	-	Outcrop		-	-	Calc-silicate skarn	brown-green	fg-mg	moderately foliated	chlorite/biotite/diopside?	moderate	po	2	Wide outcrop of Calc-Silicate Skarn. Deformed and dense unit with 1cm banding of biotite. Altered quartz-schist?
AUX0100411	assay	Aurex	June 26 2011	PM	NAD 83, Zone 8	468710	7083305	-	Outcrop		-	-	Calc-silicate skarn	brown-green	fg=mg	Intensely sheared/crenulates	chlorite/biotite/diopside?	moderate	po (5-7%), aspy 2%		Same as AUX0100410 except within a hight strain zone. Tight microfolding. Ca-Silicate and Birotite/Chlorite bands.
AUX0100412	assay	Aurex	June 29 2011	TSC/LOB	NAD 83, Zone 8	471549	7081715	966	Outcrop		-	-	Calc-silicate	grey blue, green grey when wet	fg to mg	phaneritic and massive (minor foliation)	chlorite (3) sericite (1)	moderate	po (not magnetic)	trace	Lots of quartz grains, intrusive appearance
AUX0100413	assay	Aurex	June 29 2011	TSC/LOB/LAB/GS	NAD 83, Zone 8	470983	7081322	-	Outcrop		-	-	Marble	light grey with occational dark grey layers	mg	granular and crystalline	sericite (1-2)	weak	oxidized sulfides	trace	z/s folds with quartz and calcite veins, quartz boudins 1-10cm diameter
AUX0100414	assay	Aurex	June 29 2011	TSC/LOB/LAB/GS	NAD 83, Zone 8	471000	7081316	-	Outcrop		-	-	Marble	light grey with occational dark grey layers	mg	granular and crystalline	sericite (1-2)	weak	oxidized sulfides, aspy	trace	z/s folds with quartz and calcite veins, quartz boudins 1-10cm diameter
AUX0100415	assay	Aurex	June 29 2011	TSC/LOB/LAB/GS	NAD 83, Zone 8	470804	7081274	914	Subcrop		-	-	Limey Quartzite	cream	f-mg	granular	sericite (1)	weak	oxidized sulfides (1-2%) aspy (trace)	2%	
AUX0100416	assay	Aurex	June 30 2011	Laura Betton	NAD 83, Zone 8	470697	7081183		Outcrop		Foliation 356/30	-	Marble	white and blueish grey	mg	granular and crystalline	chlorite (1)	weak	py (tr), ox(2-3%)	-	some sections are very foliated where other are massive, qtz boudins present with fine grained chlorite alteration
AUX0100417	assay	Aurex	June 30 2011	Tyson Cowley	NAD 83, Zone 8	470790	7081113	945	Outcrop		foliation 056/22	-	Chlorite Sericite Phyllite	dark green to grey	vfg-fg	phyllitic and fissile	chlorite (3), sericite (1)	weak	ox	trace	Quartz boudins with vugs. Some small layers of graphitic argillite
AUX0100418	assay	Aurex	June 30 2011	Tyson Cowley	NAD 83, Zone 8	470854	7081093	949	Outcrop		foliation 039/11	-	quartzite sericite schist	grey to pale brown	fg	schisty and competant	sericite (3), Chlorite (2)	moderate	ox	2-4%	
AUX0100419	assay	Aurex	June 30 2011	Laura Betton	NAD 83, Zone 8	470707	7081177		Outcrop			-	Sericite Chlorite Phyllite	dark green to yellow green	vfg	phyllitic and fissile	sericite (4), Chlorite (2)	heavy	ox	trace	black needle like grains that are more resistant than the micas, Qtz layers between sheets which are very ox (15%)
AUX0100420	assay	Aurex	June 30 2011	Laura Betton	NAD 83, Zone 8	470707	7081191		Outcrop			-	Sericite Quartzite Schist	white to brown	fg	foliated	sericite (2)	weak	aspy	trace	layers are laminated and almost crenulated
AUX0100421	assay	Aurex	June 30 2011	Tyson Cowley	NAD 83, Zone 8	470653	7081165	934	Outcrop		foliation 012/20	-	Marble	grey with dark grey bands	mg	granular, foliated, competant	sericite (2), Sil (1)	weak	ox (banded)	1-2%	
AUX0100422	assay	Aurex	June 30 2011	Tyson Cowley	NAD 83, Zone 8	470532	7081198	920	Outcrop		contact+foliation 088/32, fold hinge 08->098	-	limy quartzite	white to pale yellow	mg	granular and competant	Sericite (2)	weak	ox	1-3%	

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100423	assay	Aurex	June 30 2011	TSC/LOB	NAD 83, Zone 8	470860	7081310	944	Outcrop				Marble	light grey with occational dark grey laters	mg	granular crystalline	-	-	-	-	
AUX0100424	assay	Aurex	June 30 2011	Laura Betton	NAD 83, Zone 8	470707	7081191		Outcrop			-	Sericite Quartzite Schist	white to brown	fg	foliated	sericite (2)	weak	aspy	trace	layers are laminated and almost crenulated
AUX0100425	assay	Aurex	June 30 2011	Laura Betton	NAD 83, Zone 8	470577	7081253		Outcrop		foliation 075/23	-	Chlorite Sericite Phyllite	dark green to golden	vfg	phyllitic, fissile and crenulated	chlorite(4) Sericite (4) epidote(1)	heavy	ox	trace	abundance of qtz boudins which has 5-8% ox and trace pyrite
AUX0100426	assay	Aurex	June 30 2011	Laura Betton	NAD 83, Zone 8	470576	7081255		Outcrop			-	Marble	green	fg	crystalline	chlorite (4)	heavy	ox	4-5%	
AUX0100427	assay	Aurex	July 1 2011	Tyson Cowley	NAD 83, Zone 8	470654	7079829	1008	Outcrop		foliation 032/34	-	Calc-silicate	medium grey green to silver	fg	schisty	chlorite (2)	weak	-	-	Outcrop contains cross-cutting qtz calcite veins. Dark green chlorite which is altered from amphiboles. At base of outcrop there is higher deformation and shearing.
AUX0100428	assay	Aurex	July 4 2011	Tyson Cowley	NAD 83, Zone 8	470490	7081376	915	Subcrop		foliation 075/24		sericite chlorite phyllite	pale green to dark green	vfg	phyliitic and undulatory	Sericite (4), chlorite (2)	moderate	aspy (tr), ox (tr-3%)	tr-3%	well defined and spaced quartz boudins (1cm). High amount of oxidized sulphides in quartz boudins
AUX0100429	assay	Aurex	July 1 2011	Tyson Cowley	NAD 83, Zone 8	470649	7079787	1006	Outcrop		foliation 074/34	-	quartzite sericite schist	medium grey	fg	schisty, plan with trace areas of crenulation	sericite (3), chlorite (1)	moderate	-	-	Quartz veins, presence of quartz eyes and foliaform quartz boudins
AUX0100430	assay	Aurex	July 1 2011	Greg Sotiropoulos	NAD 83, Zone 8	470440	7080966	917	Outcrop		foliation 052/35		quartzite sericite schist	blue grey	f-mg	schisty	chlorite (2), sericite (2)	weak	ox		Outcrop contains quartz boudins.
AUX0100431	assay	Aurex	July 1 2011	Greg Sotiropoulos	NAD 83, Zone 8	470672	7080728		Outcrop		foliation 061/20		quartzite sericite schist	grey blue	f-mg	schisty	chlorite (2), sericite (2)	weak	ox		Outcrop contains quartz boudins.
AUX0100432	assay	Aurex	July 1 2011	Greg Sotiropoulos	NAD 83, Zone 8	470667	7080725		Outcrop				Chlorite Sericite Phyllite	green	vfg	phyllitic	chlorite (3), sericite (3)	moderate	ox		Outcrop contains quartz boudins.
AUX0100433	assay	Aurex	July 3 2011	Tyson Cowley	NAD 83, Zone 8	470563	7081136	910	Outcrop + subcrop		Foliation 123/37		Sericite chlorite phyllite	pale green to grey	vfg-fg	phyllitic and fissile	Sericite(4), Chlorite (2)	moderate	ox	tr-3%	Heavy alteration close to marble contact. Rock appears to be bleached in areas and shows signs of effervescene. Also contains large quartz boudins lined by heavy chlorite alteration.
AUX0100434	assay	Aurex	July 3 2011	Tyson Cowley	NAD 83, Zone 8	470571	7081139	912	Outcrop		Contact between a and b 002/28		Marble	Light grey with dark grey bands	fg-mg	competant and highly deformed	Sericite (1)	weak	ox	trace	
AUX0100435	assay	Aurex	July 3 2011	Tyson Cowley	NAD 83, Zone 8	470554	7081120	908	Outcrop		foliation 35/38		Limy quartzite	white to pale brown	fg-mg	granularm competant and foliated	Sericite(1)	weak	aspy	trace	Protolith most likely quart arenite with a carbonate matrix. Outcrop also contains quartz veins (5cm) that cross cut.
AUX0100436	assay	Aurex	July 3 2011	Tyson Cowley	NAD 83, Zone 8	470603	7081076	914	Outcrop		foliation 104/42, 81/48, Cleavage 232/51, Contact mapview 002, real 081/48		Sericite chlorite phyllite	silver green to pale green	vfg	phyllitic, fissile, highly altered	Sericite (5), chlorite (2)	heavy	ox (5-10%), aspy (tr)	-	Heavily chlorite alteration around quartz boudins. Quartz boudins 1cm-7cm throughout whole outcrop. Some contain vugs. Small units of QSSH are interbedded within the phyllite.
AUX0100437	assay	Aurex	July 3 2011	Tyson Cowley	NAD 83, Zone 8	470598	7081054	907	Outcrop		foliation 104/42, 81/48, Cleavage 232/51, Contact mapview 002, real 081/48		Sericite chlorite phyllite	silver green to pale green	vfg	phyllitic, fissile, highly altered	Sericite (5), chlorite (2)	heavy	ox (5-10%), aspy (tr)	-	Heavily chlorite alteration around quartz boudins. Quartz boudins 1cm-7cm throughout whole outcrop. Some contain vugs. Small units of QSSH are interbedded within the phyllite.
AUX0100438	assay	Aurex	July 3 2011	Tyson Cowley	NAD 83, Zone 8	470604	7081087	917	Outcrop		foliation 104/42, 81/48, Cleavage 232/51, Contact mapview 002, real 081/48		Sericite chlorite phyllite	silver green to pale green	vfg	phyllitic, fissile, highly altered	Sericite (5), chlorite (2)	heavy	ox (5-10%), aspy (tr)	-	Heavily chlorite alteration around quartz boudins. Quartz boudins 1cm-7cm throughout whole outcrop. Some contain vugs. Small units of QSSH are interbedded within the phyllite.
AUX0100439	assay	Aurex	July 4 2011	Tyson Cowley	NAD 83, Zone 8	475049	7081091	955	Outcrop		Foliation 107/23		quartzite sericite schist	grey to pale brown	fg	competant and shisty	Sericite (2), Chlorite (1)	weak	ox	tr-2%	Outcrop contains quartz boudins 2-5cm in width.
AUX0100440	assay	Aurex	July 5 2011	Laura Betton	NAD 83, Zone 8	471360	7080315	956	Outcrop		foliation 086/26, joint 036/88		quartzite sericite schist	grey to brown	fg	schisty and crenulated	sericite (2), Chlorite (1), Calcite (2)	weak	ox	5%	interbedded phyllitic layers (chlorite),

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100441	assay	Aurex	July 6 2011	Tyson Cowley	NAD 83, Zone 8	470336	7081338	914	outcrop		foliation 040/11		quartzite sericite schist	pale brown to light grey	fg-mg (quartz eyes)	schisty and crenulated	Sericite (4), Chlorite (1)	moderate	ox	3-7%	
AUX0100442	assay	Aurex	July 7 2011	Greg Sotiropoulos	NAD 83, Zone 8	470074	7081307		Outcrop		foliation 085/29		Sericite chlorite phyllite	green	vfg	phllitic	Sericite (4), chlorite (2)	moderate	ox	trace	Lots of quartz, seems to be where most oxidation occurs. Quartz boudins. S/Z folds.
AUX0100443	assay	Aurex	July 7 2011	Greg Sotiropoulos	NAD 83, Zone 8	469931	7081427		Outcrop		foliation 060/40		quartzite sericite schist and quartz veins	blue grey	vfg-fg	schisty	Sericite (2), Chlorite (1)	weak			Interbedding with phillite, has quartz boudins. Quartz boudins containg chlorite and oxides
AUX0100444	assay	Aurex	July 7 2011	Greg Sotiropoulos	NAD 83, Zone 8	468842	7081875	965	Outcrop		foliation 112/31		quartzite sericite schist and quartz veins	white- pale brown	fg	massive	Sericite (2)	weak	aspy (1-3%), py (tr), ox (tr-2%)		foliaform quartz veins
AUX0100445	assay	Aurex	July 5 2011	Greg Sotiropoulos	NAD 83, Zone 8	470931	7080777		Outcrop				quartzite	light grey to blue	fg-mg	minner foliations, compitent	Sericite (1), Sil (1)	weak	aspy (tr-2%)		aphanitic qtz
AUX0100446	assay	Aurex	July 8 2011	Laura Betton	NAD 83, Zone 8	464712	7081110	717	Outcrop		Foliation 097/50		Chlorite Phyllite	dark green and golden sheen	vfg	phyllitic and crenulated	Chlorite (4), Sericite (2)	moderate	ox	2-3%	very folded and altered, qtz boudins between 30cm and 2 cm ox in qtz
AUX0100447	assay	Aurex	July 8 2011	Laura Betton	NAD 83, Zone 8	464719	7081095	708	Outcrop		folaition120/30		Marble	blue grey to rusty white	crystalline	massive	chlorte (2)	weak	ox	trace	interbedded with phyllite, some parts are folded, qtz boudins and qtz/calcite veins
AUX0100448	assay	Aurex	July 10 2011	Tyson Cowley	NAD 83, Zone 8	465048	7080747	748	Outcrop	-			Calc-silicate	dark green to grey	fg	foliated, sheared and crenulated	Chlorite (3), Sericite (1), Sil (1)	weak	po (1-2%), py (Tr), aspy (3-5%)	tr-5%	
AUX0100449	assay	Aurex	July 10 2011	Tyson Cowley	NAD 83, Zone 8	465048	7080747	748	Outcrop	-			Calc-silicate	dark green to grey	fg	foliated, sheared and crenulated	Chlorite (3), Sericite (1), Sil (1)	weak	po (1-2%), py (Tr), aspy (3-5%)	tr-5%	
AUX0100450	assay	Aurex	July 10 2011	Tyson Cowley	NAD 83, Zone 8	465070	7080805	749	Outcrop	-	foliation 131/41		Calc-silicate	medium green to grey	fg	foliated and sheared	Chlorite (3), Sericite (1), Sil (2)	moderate	ox	trace	
AUX0100451	assay	Aurex	July 8 2011	Tyson Cowley	NAD 83, Zone 8	465214	7080590		Outcrop	-	foliation 079/11		limy quartzite	dark grey to blue	fg	schisty with 1cm spaced laminae	chlorite (2), sericite (1)	weak	ox (2-3%), py (tr)	tr-3%	
AUX0100452	assay	Aurex	July 8 2011	Tyson Cowley	NAD 83, Zone 8	465265	7080577		Outcrop	-			Marble	grey blue	fg	recrystalline	sericite (1)	weak	ox (tr), py (tr)	trace	Dogtooth calcite on vein fracture wall. Large calcite sigma clasts.
AUX0100453	assay	Aurex	July 8 2011	Tyson Cowley	NAD 83, Zone 8	465483	7080451		Outcrop	-	Fold hinge 31->205, m fold 24->206, cren 02->221, foliation 044/27		Bull quartz with sulfides	white to colourless	fg	massive	sericite (1)	weak	ox, po	trace	Large foliaform quartz boudins (1-10cm) in size which contain minor sulfides. There are two distict zones in this outcrop, chlorite gouge zones and a chlorite rich rock which grades from phyllite to schist. Large 0.5m
AUX0100454	assay	Aurex	July 8 2011	Tyson Cowley	NAD 83, Zone 8	465480	7080448		Outcrop	-	Fold hinge 31->205, m fold 24->206, cren 02->221, foliation 044/27		Chlorite phyllite/Chlorite schist	green grey	fg	schisty with 1-4mm spaced laminae	Chlorite (4), Sericite (1)	heavy	ox, po	trace	Large foliaform quartz boudins (1-10cm) in size which contain minor sulfides. There are two distict zones in this outcrop, chlorite gouge zones and a chlorite rich rock which grades from phyllite to schist. Large 0.5m
AUX0100455	assay	Aurex	July 8 2011	Tyson Cowley	NAD 83, Zone 8	465478	7080443		Outcrop	-	Fold hinge 31->205, m fold 24->206, cren 02->221, foliation 044/27		Chlorite phyllite/Chlorite schist	green grey	fg	schisty with 1-4mm spaced laminae	Chlorite (4), Sericite (1)	heavy	ox, po	trace	Large foliaform quartz boudins (1-10cm) in size which contain minor sulfides. There are two distict zones in this outcrop, chlorite gouge zones and a chlorite rich rock which grades from phyllite to schist. Large 0.5m
AUX0100456	assay	Aurex	July 8 2011	Tyson Cowley	NAD 83, Zone 8	465766	7080331		Outcrop	-	foliation 089/32		quartzite sericite schist with quartz boudin	medium grey to blue	fg-mg (qtz eyes)	competant, schisty with 2-4mm spaced laminae	Sericite (2)	weak	po Tr-1%(in qtz veins), ox trace	trace	Quartz eyes present as fine grained blue black grains. Foliaform quartz boudins and cross cutting quartz veinlets
AUX0100457	assay	Aurex	July 8 2011	Tyson Cowley	NAD 83, Zone 8	465696	7080292		Outcrop + Subcrop	-			Quartzite schist	medium grey to blue	fg	planar, fissile with areas of weak crenulation	Sericite (3), chlorite (1)	weak	ox (tr), fine grained sulfide (py or aspy) tr	trace	
AUX0100458	assay	Aurex	July 9 2011	Tyson Cowley	NAD 83, Zone 8	465037	7080920	762	Outcrop	-	foliation 077/23		Quartzite schist	lihgt grey	fg-mg (qtz eyes)	schisty with 1-2mm spaced laminae	Sericite (2)	weak	aspy, ox	trace	weathered surface has chalky calcium carbonate build up and effervescence on fracture surfaces.

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100459	assay	Aurex	July 9 2011	Tyson Cowley	NAD 83, Zone 8	465045	7080730	754	Outcrop	-			altered intermediate intrusive	medium green to dark green	fg-mg	sheared intrusive	chlorite (3)	moderate	ox, apsy	tr-1%	
AUX0100460	assay	Aurex	July 9 2011	Tyson Cowley	NAD 83, Zone 8	465092	7080679	774	Outcrop	-			quartz boudin	white to colourless	fg	massive	sericite (1), chlorite (1)	weak	ox, aspy	tr-1%	
AUX0100461	assay	Aurex	July 10 2011	PM	NAD 83, Zone 8	468725	7082531	-	subcrop	-			quartz vein	white to colourless	vfg	massive	n/a	n/a	ox (5%) aspy (trace-3%)	trace - 5%	
AUX0100462	assay	Aurex	July 10 2011	PM	NAD 83, Zone 8	468725	7082531	-	outcrop	-	foliation 041/25		quartzite sericite schist	white to light brown	fg	schisty with 1-3mm spaced laminae	Sericite (2)	weak	ox (3-5%) aspy (trace)	3-5%	
AUX0100463	assay	Aurex	July 10 2011	PM/PD	NAD 83, Zone 8	468981	7083385	-	outcrop	-			brecciated carbonate in quartzite	salmon to grey	fg	brecciated	n/a	n/a	aspy	trace	
AUX0100464	assay	Aurex	July 10 2011	PM/PD	NAD 83, Zone 8	468988	7083389	-	outcrop	-			quartzite schist	light grey to green	vfg	mircofolded and schisty	cholrite and sericite (1)	weak	aspy	3-6%	
AUX0100465	assay	Aurex	July 10 2011	PM/PD	NAD 83, Zone 8	468981	7083400	-	outcrop	-			quartzite	medium grey to green	fg	foliated and competent	sericite (1)	weak	po	trace - 1%	
AUX0100466	assay	Aurex	July 10 2011	PM/PD	NAD 83, Zone 8	468981	7083400	-	outcrop	-			boudined quartzite schist	medium grey to green	vfg	schisty and boudined	sericite (3)	moderate	ox (1-2%) aspy (trace)	trace - 2%	
AUX0100467	assay	Aurex	July 10 2011	PM/PD	NAD 83, Zone 8	468981	7083400	-	outcrop	-			brecciated carbonate in quartzite	salmon to dark grey	fg	brecciated	sericite (1)	weak	n/a	n/a	
AUX0100468	assay	Aurex	July 10 2011	PM/PD	NAD 83, Zone 8	468980	7083400	-	outcrop	-			quartzite	medium blue to grey	fg	competent and foilated	sericite (1)	weak	py (trace) aspy (trace)	trace	
AUX0100469	assay	Aurex	July 10 2011	PM/PD	NAD 83, Zone 8	468980	7083397	-	outcrop	-			quartz vein	white to colourless	vfg	massive	chlorite and sericite (1)	weak	aspy (trace-1%)	trace - 1%	
AUX0100470	assay	Aurex	July 10 2011	PM/PD	NAD 83, Zone 8	468982	7083398	-	outcrop	-			carbonate vein	pale brown	fg-mg	massive	sericite (2) calcite (1)	weak	n/a	n/a	possible galena and sphalerite looks like MVT vein
AUX0100471	assay	Aurex	July 10 2011	PM/PD	NAD 83, Zone 8	468987	7083403	-	outcrop	-			skarn	dark green to medium grey	fg	massive and competent	chlorite (4) sil (2)	moderate	po	trace	from fractures, surface conatins coarse grained calcite cyrstals
AUX0100472	assay	Aurex	July 10 2011	PM/PD	NAD 83, Zone 8	468965	7083382	-	float	-			carbonate stringer complex	white to colourless	fg	spongy/vuggy	n/a	n/a	n/a	n/a	
AUX0100473	assay	Aurex	July 10 2011	PM/PD	NAD 83, Zone 8	468963	7083385	-	outcrop	-			skarn	dark green to grey	fg	massive and competent	chlorite (3)	moderate	po	2-3%	
AUX0100474	assay	Aurex	July 17 2011	LOB	NAD 83, Zone 8	468713	7083316	-	outcrop	-			Calc-Silicate/Phyllite	Intensely fol (Phy) to sheared and massive (Calc_Sil)	mg	phyllitic and schisty			po (3-5%), 1-2% aspy. No min in phyll.		Broad road cut with a wide (>7m-wide) Calc-Silicate unit in contact with a strongly crenulated phyllite footwall to the Skarn. The skarn is massive to weajly foliated and sheared locally.
AUX0100475	assay	Aurex	July 17 2011	LOB	NAD 83, Zone 8	468710	7083313	-	outcrop	-			Calc-Silicate/Phyllite	Intensely fol (Phy) to sheared and massive (Calc_Sil)	mg	phyllitic and schisty			po (3-5%), 1-2% aspy. No min in phyll.		Broad road cut with a wide (>7m-wide) Calc-Silicate unit in contact with a strongly crenulated phyllite footwall to the Skarn. The skarn is massive to weajly foliated and sheared locally.
AUX0100476	assay	Aurex	July 17 2011	LOB	NAD 83, Zone 8	468735	7083316	-	outcrop	-			amphibole-rich intrusive	dark grey with some green chlorite	fg	intrusive, no schistosity	chlorite (2) limonite (2)	weak	po dissemninated	1%	intermediate intrusive

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100477	assay	Aurex	July 17 2011	LOB	NAD 83, Zone 8	468734	7083323	-	outcrop	-			amphibole-rich intrusive	dark grey with some green chlorite	fg	intrusive, no schistosity	chlorite (2) limonite (2)	weak	po dissemninated	1%	intermediate intrusive
AUX0100478	assay	Aurex	July 17 2011	LOB	NAD 83, Zone 8	468474	7083322	-	outcrop	-			amphibole-rich intrusive	dark grey with some green chlorite	mg	intrusive with weak schistosity	chlorite (2)	weak	po dissemninated	1-2%	There appears to be a silicification contact in the trench. The rock on the bottom (AUX0100478) was more silicified than that on the top.
AUX0100479	assay	Aurex	July 17 2011	LOB	NAD 83, Zone 8	468747	7083322	-	outcrop	-			amphibole-rich intrusive	dark grey with some green chlorite	mg	intrusive with weak schistosity	chlorite (2)	weak	po dissemninated	1-2%	There appears to be a silicification contact in the trench. The rock on the bottom (AUX0100478) was more silicified than that on the top.
AUX0100480	assay	Aurex	July 18 2011	LAB	NAD 83, Zone 8			-		-			STANDARD 152a								
AUX0100481	assay	Aurex	July 15 2011	PD	NAD 83, Zone 8	466955	7083006	-	Subcrop	-			quartz vein	tan to dark brown	cg	veiny with vugs	sericite (1)	weak	stibnite? (needle like)(2-3%) ox(trace)	3-5%	
AUX0100482	assay	Aurex	July 15 2011	PD	NAD 83, Zone 8	466958	7083048	-	Subcrop	-			quartz vein in quartzite sericite schist	tan to dark brown	cg	veiny with vugs	sericite (3)	moderate	stibnite? (needle like)	3-5%	
AUX0100483	assay	Aurex	July 15 2011	PD	NAD 83, Zone 8	466958	7083048	-	Subcrop	-			quartz vein with sericite	tan to dark brown	cg	veiny with vugs	sericite (3) limonite (3)	moderate	stibnite? (needle like)	1-2%	mostly powder/clay
AUX0100484	assay	Aurex	July 18 2011	LAB	NAD 83, Zone 8			-		-			BLANK								
AUX0100485	assay	Aurex	July 19 2011	LOB	NAD 83, Zone 8	468785	7083333	892	Outcrop				Intermediate intrusive	medium blue-grey	fg	competent with slight foliation	sil (2)	weak	po dissemninated	2-3%	
AUX0100486	assay	Aurex	July 19 2011	LOB	NAD 83, Zone 8	468750	7083335		Outcrop				quartz sericite schist	light grey	fg	schisty	sil (2-3)	moderate	-	-	
AUX0100487	assay	Aurex	July 19 2011	LOB	NAD 83, Zone 8	468750	7083335		Outcrop				quartz vein	white	-	competent	manganese, limonite	moderate	-	-	some vugs
AUX0100488	assay	Aurex	1-Sep-11	PM	NAD 83, Zone 8	471370	7081488	952	Showing	-			Bedded quartzite	beige-white	fg-mg	bedded	ser	weak	aspy (CG), py	7%/1%	Sample from old overgrown Aspy showing.
AUX0100489	assay	Aurex	1-Sep-11	PM	NAD 83, Zone 8	471370	7081488	952	Showing				Altered bedded quartzite	beige/green	vfg-fg		Ser? Waxy green soft mineral. Hydrothermal clay alteration?	Strong	aspy (cg-vcg)	15%	Sample from old overgrown Aspy showing. Very strong hydrothermal clay alteration. Soft and altered host rock with diss Aspy.
AUX0100490	assay	Aurex	1-Sep-11	PM	NAD 83, Zone 8	471382	7081500	950	outcrop				Chlorite Schist	dark green	vfg	well fol/bedded	nil	nil	py	tr	Typical chlorite schist. Thinly laminated. Well bedded and foliated. Abundant boudined quartz veins.
AUX0100491	assay	Aurex	1-Sep-11	PM	NAD 83, Zone 8	471376	7081507	933	outcrop				Chlorite Schist	dark green	vfg	well fol/bedded	nil	nil	py	tr	Typical chlorite schist. Thinly laminated. Well bedded and foliated. Abundant boudined quartz veins.
AUX0100492	assay	Aurex	1-Sep-11	PM	NAD 83, Zone 8	471361	7081479	951	outcrop				Limey Quartz-Ser Schist	white-beige-grey	fg-mg	fol/sheared	ser				sample at base of large limestone outcrop adjacent to underlying chlorite schist. This horizon may be the host for the Aspy mineralization observed within the historic trenches.
AUX0100493	assay	Aurex	1-Sep-11	PM	NAD 83, Zone 8	471353	7081490	955	showing				Altered quartzite	white-beige	fg-mg	bedded/fol	ser/clay mineral alt	moderate	aspy cg-vcg	20%	Grab sample from old overgrown Aspy showing.
AUX0100494	assay	Aurex	1-Sep-11	PM	NAD 83, Zone 8	471357	7081471	947	outcrop				Limestone	white-dark grey/black	fg-mg	bedded/well foliated/folded	nil	nil	none	0	Homogenous and bedded limstone. No alt and mineralization

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100495	assay	Aurex	September 2 2011	LOB	NAD 83, Zone 8	471527	7081667	951	Outcrop				Quartz sericite schist	light grey	fg	schisty, fissile	ser(2)	moderate	-	-	mm laminations
AUX0100496	assay	Aurex	September 2 2011	LOB	NAD 83, Zone 8	471540	7081701	958	Outcrop				Quartz sericite schist	light grey	vfg	extremely schisty and fissile	ser (4)	moderate	-	-	
AUX0100497	assay	Aurex	September 2 2011	LOB	NAD 83, Zone 8	471561	7081702	959	Outcrop				amphibole-rich intrusive	medium-dark green	mg	intrusive with weak schistocity	chl (2)	weak	-	-	
AUX0100498	assay	Aurex	September 2 2011	LOB	NAD 83, Zone 8	471579	7081716	961	Outcrop				amphibole-rich intrusive	medium-dark green	mg	intrusive with weak schistocity	chl (2)	weak	-	-	
AUX0100499	assay	Aurex	September 2 2011	LOB	NAD 83, Zone 8	471571	7081734	965	Outcrop				amphibole-rich intrusive	medium-dark green	mg	intrusive with weak schistocity	chl (2)	weak	-	-	
AUX0100500	assay	Aurex	September 2 2011	LOB	NAD 83, Zone 8	471532	7081723	964	Outcrop				amphibole-rich intrusive	medium-dark green	mg	intrusive with weak schistocity	chl (2)	weak	-	-	
AUX0100513	assay	Aurex	September 2 2011	LOB	NAD 83, Zone 8	471535	7081712	962	Outcrop				amphibole-rich intrusive	medium-dark green	mg	intrusive with weak schistocity	chl (2)	weak	-	-	
AUX0100532	assay	Aurex	September 2 2011	LOB	NAD 83, Zone 8	471508	7081727	959	Outcrop				Quartz sericite schist	light grey	vfg	extremely schisty and fissile	ser (4)	moderate	-	-	
AUX0100533	assay	Aurex	September 2 2011	LOB	NAD 83, Zone 8	471486	7081701	960	Outcrop				Quartz sericite schist	light grey	vfg	extremely schisty and fissile	ser (4)	moderate	-	-	
AUX0100535	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469423	7083999		float				Wide Quartz Veins	White-Grey		veins	nil		aspy	30%	Float in excavator trench. Angular, close to source. 1-3cm wide barren quartz veins rimmed with vfg-fg massive Aspy.
AUX0100536	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469422	7083989		float				Wide Quartz Veins	White-Grey		veins	nil		aspy	30%	Float in excavator trench. Angular, close to source. 1-3cm wide barren quartz veins rimmed with vfg-fg massive Aspy.
AUX0100537	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469644	7083483		outcrop				Qtz/Ser <Chl Schist	white-beige-grey		foliated and veined	nil	nil			Relatively unaltered qtzx rich schist
AUX0100538	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469627	7083475		outcrop				Qtz/Ser <Chl Schist	white-beige-grey		foliated and veined	nil	nil			
AUX0100539	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469561	7083483		outcrop				Qtz veins in Qtz-Ser sch	white	vcg	foliated	nil		py	tr	Trace diss Py within Quartz veins in Qtz-eye schist. Hemaititc fracture coatings within the veins.
AUX0100540	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469565	7083542		outcrop				Qtz/Ser sch w/ thin qtz veins	white-grey	fg	foliated	nil	nil	nil	nil	Unaltered Qtz/Ser schist. Thinly laminated. Mm-szied quartz eyes.
AUX0100541	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469472	7083469		outcrop				Qtz/ser sch. No veins	white-grey	fg	foliated					
AUX0100542	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469419	7083257		outcrop				Qtz/ser sch w/ qtz veins	white-dark grey	fg	well foliated					

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100543	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469380	7083245		outcrop				Qtz/ser sch. Qtz boudins	white drk grey	fg-mg	well foliated	nil	nil		0	Unaltered Qtz/Ser schist. Thinly laminated. Mm-szied quartz eyes.
AUX0100544	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469330	7083215		outcrop				qtz eye sch. Minor 1-2 cm, foliaform qtz veins. Tr diss Py		fg-mg	well foliated	nil	nil	py	tr	Unaltered qtz schist
AUX0100545	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469362	7083267		outcrop				Qtz eye chl sch. Weak veining	white-drk grey	fg-mg	well foliated	nil	nil	py	tr	Unaltered qtz schist
AUX0100546	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469336	7083271		outcrop				qtz/ser schist.	white- drk grey	fg-mg	well foliated	nil	nil	nil	nil	Unaltered qtz schist
AUX0100547	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469313	7083324		outcrop		25°/40°		Quartzite/ Qtz sch.	white-grey	fg-mg	well foliated	nil	nil	py	1%	Unaltered qtz schist
AUX0100548	assay	Aurex	Sept 3rd, 11	PM	NAD 83, Zone 8	469243	7083375		outcrop				Qtz schist.	white-beige-grey	fg-mg	well foliated	nil	nil	oy	tr	Qtz-schist near old historic blast trench. 2-3% mm-sized, x-cutting and oxidized veinlets.
AUX0100549	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	468299	7081026	869	outcrop		120/40		Graphitic schist	Dark grey	fg	schisty, friable	chl, graphite	3	py	tr	Laminations 2mm thick, outcrop is rusted
AUX0100550	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	468307	7081031	871	outcrop				Possible dyke or quartz vein	White, very dark grey	vfg	competent	-	-	-	-	The dark grey material in this vein/dyke appears to have been brecciated by quartz
AUX0100551	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	468382	7081063	870	outcrop				Quartz vein	light brown	-	competent	limonite, manganese, chlorite	2	-	-	Host rock is a fissile qtz-ser-chl schist. Relationship between vein and hostrock obscured due to frost heave
AUX0100552	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	468517	7081125	872	outcrop		078/28		Qtz ser schist	light-medium grey	vfg	schisty	ser, chl	3	-	-	Fine laminations
AUX0100553	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	468732	7081226	882	outcrop		116/32		Qtz ser schist	light grey	vfg	schisty, fissile	ser	3	-	-	Very fine laminations
AUX0100554	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	468739	7081277	909	outcrop				Calc-silicate	blue-grey	mg	intrusive	limonite, ser	1	-	-	very silicious
AUX0100555	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	468860	7081288	888	outcrop				Qtz ser schist	light grey	fg	competent, schisty	ser	2	-	-	sample contains crosscutting 1-2mm barren quartz veinlets
AUX0100556	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	468852	7081288	890	boulder				Quartz	light grey	-	competent	calcite, manganese, light brown alt. mineral	2	py	tr	This did not come from outcrop but there are several such boulders where the sample was taken
AUX0100557	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	468851	7081298	894	outcrop				Calc-silicate	light grey	mg	intrusive	limonite, ser	1	-	-	very silicious, crosscutting qtz veinlets
AUX0100558	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	468998	7081373	893	outcrop		084/44		Qtz ser schist	light grey	fg	schisty, competent	ser	2	-	-	2-3mm laminations
AUX0100559	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	469048	7081405	913	outcrop				Qtz ser schist	light grey	fg	schisty, competent	ser	2	-	-	2-3mm laminations
AUX0100560	assay	Aurex	Sept 5th, 11	LOB	NAD 83, Zone 8	469117	7081360	887	outcrop				Qtz ser schist	medium grey	fg	schisty	ser, chl, lim	3	-	-	

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100561	assay	Aurex	Sept 6th, 11	LOB	NAD 83, Zone 8	468011	7080862	878	outcrop				Qtz vein	white	-	competent	lim	3	-	-	Large nodules of rusted, weathered-away material 1-2cm diameter. Host rock qtz ser schist
AUX0100562	assay	Aurex	Sept 6th, 11	LOB	NAD 83, Zone 8	468007	7080853	874	outcrop				Qtz ser schist	light grey	fg	competent, schisty	ser	2	-	-	
AUX0100563	assay	Aurex	Sept 6th, 11	LOB	NAD 83, Zone 8	469144	7081350	887	outcrop				Aspy boulder	silver	fg	competent	-	-	arsenopyrite	50%	boulder also contains quartz
AUX0100564	assay	Aurex	Sept 6th, 11	LOB	NAD 83, Zone 8	469151	7081386	901	outcrop				Qtz ser schist	light grey	fg	schisty, fissile	ser, chl, lim	3	-	-	lots of oxidized sulfides
AUX0100565	assay	Aurex		PD	NAD 83, Zone 8																
AUX0100566	assay	Aurex		PD	NAD 83, Zone 8																
AUX0100567	assay	Aurex		PD	NAD 83, Zone 8																
AUX0100568	assay	Aurex	Sept 7th, 11	LOB	NAD 83, Zone 8	469550	7081557	904	outcrop				Qtz ser schist	light grey	fg	schsity	ser (2)	2	pyrite (euhedral)	trace	
AUX0100569	assay	Aurex	Sept 7th, 11	LOB	NAD 83, Zone 8	469661	7081566	907	outcrop				Qtz ser schist	light grey	fg	schisty	ser (2)	2	-	-	quartz eyes, some oxidized sulfides
AUX0100570	assay	Aurex	Sept 7th, 11	LOB	NAD 83, Zone 8	469721	7081463	885	outcrop				Qtz ser schist	light blue-grey	fg	weathered surface is schisty, fresh is competent	ser	2	-	-	many oxidized sulfides
AUX0100571	assay	Aurex	Sept 7th, 11	LOB	NAD 83, Zone 8	469717	7081468	890	outcrop				Qtz vein	white	-	competent	manganese staining, chl, ser, rust	2	-	-	host rock is qtz ser schist
AUX0100572	assay	Aurex	Sept 7th, 11	LOB	NAD 83, Zone 8	469893	7081414	903	outcrop				Intrusive	light grey	f-mg	competent	cal	1			
AUX0100573	assay	Aurex	Sept 7th, 11	LOB	NAD 83, Zone 8	469935	7081398	910	outcrop				Qtz ser schist	light blue-grey	fg	schisty, competent	ser	2	-	-	high density
AUX0100574	assay	Aurex	Sept 8th, 11	LOB	NAD 83, Zone 8	470077	7081320	904	outcrop		102/31		Qtz ser schist/phyllite	very light grey	fg	schisty and fissile	ser	3	-	-	outcrop is interbedded schist and phyllite
AUX0100575	assay	Aurex	Sept 8th, 11	LOB	NAD 83, Zone 8	470123	7081272	903	outcrop		104/40		Chloritic phyllite	Dark grey	vfg	very schisty	chl, ser	4	-	-	
AUX0100576	assay	Aurex	Sept 8th, 11	LOB	NAD 83, Zone 8	470233	7081230	892	outcrop				Qtz ser schist	Medium grey	fg	schisty	chl, ser	3	-	-	lots of disseminated oxidized sulfides
AUX0100577	assay	Aurex	Sept 9th, 11	LOB	NAD 83, Zone 8	470269	7081263	911	outcrop		044/40		Qtz ser schist	Light grey, rust coloured	fg	schisty, fissile	ser, chl, qtz eyes, rusty alt on weathered surface	3	-	-	
AUX0100578	assay	Aurex	Sept 9th, 11	LOB	NAD 83, Zone 8	470413	7081333	904	outcrop				Chloritic phyllite	Dark grey	vfg	phyllitic, extremely fissile	some patches of oxidation, chl	4	-	-	very finely laminated

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0100579	assay	Aurex	Sept 10th, 11	LOB	NAD 83, Zone 8	469553	7082338		outcrop		080/90		Intermediate Intrusive	medium blue-grey	fg	massive	beginning development of a foliation	weak	disseminated po	2-5%	This rock type is found in the middle of the trench with sedimentary rocks on either side- could be a dyke^ Strong shearing in rocks to the east including pure muscovite
AUX0100580	assay	Aurex	Sept 10th, 11	LOB	NAD 83, Zone 8	469796	7082370	1012	outcrop				Diorite?	dark green	mg	competent	chl	3	disseminated po	1%	
AUX0100581	assay	Aurex	Sept 10th, 11	LOB	NAD 83, Zone 8	469989	7082410		block in trench				Qtz vein	Rust	-	competent	limonite	3	-	-	
AUX0100582	assay	Aurex	Sept 10th, 11	LOB	NAD 83, Zone 8	470175	7082438	1019	block in trench				Intermediate intrusive	light blue-grey	fg	competent, slight foliation	-	-	disseminated po	2%	
AUX0100583	assay	Aurex	Sept 11 2011	LOB	NAD 83, Zone 8	467842	7080978		Boulder	-			Qtz ser schist	light blue-grey	fg	schisty	ser 2	weak-moderate	-	-	Found in a trench, appears to have been "cooked" similar to the rocks ontop of Aurex Hill
AUX0100584	assay	Aurex	Sept 11 2011	LOB	NAD 83, Zone 8	467844	7080978		Boulder	-			Silicious boulder	very light grey	cg	competent, intrusive	oxidized	4	pY	tr	Found in trench
AUX0100585	assay	Aurex	Sept 11 2011	LOB	NAD 83, Zone 8	468014	7080828	871	Outcrop	-			Qtz vein/boudin	white	-	competent	oxidized	2	-	-	Contained in qtz ser schist with chl alteration
AUX0100586	assay	Aurex	Sept 11 2011	LOB	NAD 83, Zone 8	468013	7080827	871	Outcrop	-			Qtz boudin	white	-	competent	oxidized	1	-	-	Contained in qtz ser schist with chl alteration
AUX0100587	assay	Aurex	Sept 11 2011	LOB	NAD 83, Zone 8	468294	7081022		Outcrop				Qtz ser schist	light grey	fg	schisty, fissile	ser	3-Apr	-	-	
AUX0100588	assay	Aurex	Sept 12 2011	LOB	NAD 83, Zone 8	471174	7081381	943	Outcrop				Marble	very light blue-grey with darker grey bands	fg	sugary, competent	lim	slight	-	-	
AUX0100589	assay	Aurex	Sept 12 2011	LOB	NAD 83, Zone 8	471224	7081381	955	Outcrop		085/19		Sheared marble	very light blue-grey	fg	sugary, sheared	-	-	-	-	
AUX0100590	assay	Aurex	Sept 12 2011	LOB	NAD 83, Zone 8	471283	7081415	-	Outcrop		090/34		Marble	medium grey	fg	surgary, competent	calcite, rust	weak	-	-	
AUX0100591	assay	Aurex	Sept 12 2011	LOB	NAD 83, Zone 8	471313	7081390	944	Subcrop				Marble, calcite vein	dark grey	vfg	competent	-	-	-	-	Looks like the qtz vein in AUX0100550
AUX0100592	assay	Aurex	September 14 2011	LOB	NAD 83, Zone 8	471379	7081546		Outcrop				Quartz	White, light grey	-	competent	chl, dark grey fg mineral	moderate	-	-	Quartz block in the outcrop
AUX0100593	assay	Aurex	September 14 2011	LOB	NAD 83, Zone 8	471379	7081596		Outcrop		052/32		Qtz ser schist	Light grey	fg	schisty, fissile	ser	4	-	-	Extremely fine laminations- increased shearing?
AUX0100594	assay	Aurex	September 16 2011	LOB/PM	NAD 83, Zone 8	469170	7083026		Outcrop				Altered schist	Med-dark grey	fg	schisty	ser, chl	3	-	-	qtz rich
AUX0100595	assay	Aurex	September 16 2011	LOB/PM	NAD 83, Zone 8	469360	7083882		Outcrop				Phyllite	Dark blue-grey	vfg	schisty, fissile	chl	3 to 4	-	-	very finely laminated
AUX0101001	whole rock	Aurex	September 16 2011	LOB/PM	NAD 83, Zone 8	471580	7081712		Outcrop				Sheared Intermediate Intrusive	Grey-green	mg	foliated	chl	2	-	-	no sulfides or veins, well foliated

Sample No.	Type	Project	Date	Sampler	Datum	UTMx	UTMy	Elev (m)	Type	Width	Dip/Dir	Fractures	Host Rock	Colour	Grn. Sz.	Text.	Alt.	Alt. Int.	Metals	%	Comments/Description
AUX0101002	whole rock	Aurex	September 16 2011	LOB/PM	NAD 83, Zone 8	470133	7082480		Outcrop				Calc-silicate skarn	Light blue-grey	fg	foliated	bt, chl	3	disseminated sulfides	2%	no amphibole, biotite bands, altered
AUX0101003	whole rock	Aurex	September 16 2011	LOB/PM	NAD 83, Zone 8	769791	7082402		Outcrop				Altered sedimentary (quartzite)	Light blue-grey	fg	laminated	ser	2	disseminated aspy	7-10%	no veins, qtz rich
AUX0101004	whole rock	Aurex	September 16 2011	LOB/PM	NAD 83, Zone 8	469553	7082402		Outcrop				Calc-silicate skarn	Light blue-grey	fg	foliated	bt, chl	3	disseminated sulfides	2%	
AUX0101005	whole rock	Aurex	September 16 2011	LOB/PM	NAD 83, Zone 8	469041	7083248		Outcrop				Intermediate intrusive	Medium grey-green	fg	foliated	chl, sil	2	disseminated po	8%	
AUX0101006	whole rock	Aurex	September 16 2011	LOB/PM	NAD 83, Zone 8	468978	7083392		Outcrop				Intermediate Intrusive	Medium grey	fg	foliated	sil	2	disseminated po	10%	
AUX0101007	whole rock	Aurex	September 16 2011	LOB/PM	NAD 83, Zone 8	469422	7083993		Outcrop				Intermediate Intrusive	Medium grey-green	fg	foliated	chl	1	disseminated po	tr	no veins
AUX0101008	whole rock	Aurex	September 16 2011	GS	NAD 83, Zone 8	470649	7089830		Outcrop				Intermediate Intrusive	Medium green-grey	mg	foliated	chl	2 to 3	-	-	chloritized amphiboles, no sulfides or veins

APPENDIX 4

Soil Sample Sheets

Line	Sample No.	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Comp.	Depth	Horizon	Au ppb	Aux100 ppb
Orientation N-S	AUX0100028	469700	7082705	986	silt	moist	Black	clay/silt	11-14cm	A	<0.02	1
Orientation N-S	AUX0100032	469696	7082653	998	soil	moist	black	clay/silt	6-8cm	A	<0.02	1
Orientation N-S	AUX0100036	469702	7082603	1003	soil	moist	black/brown	clay/silt	11-15cm	A	<0.02	1
Orientation N-S	AUX0100040	469703	7082545	997	soil	moist	black/brown	clay/silt	13-15cm	A	0.04	4
Orientation N-S	AUX0100044	469695	7082496	998	soil	moist	black/brown	clay/silt	15-17cm	A	<0.02	1
Orientation N-S	AUX0100048	469695	7082479	999	soil	moist	black/brown	clay/silt	16-18cm	A	0.03	3
Orientation N-S	AUX0100052	469700	7082448	1002	soil	saturated	black	clay/silt	16-18cm	A	<0.02	1
Orientation N-S	AUX0100056	469702	7082425	1004	soil	saturated	black/brown	clay/silt	10-11cm	A	0.02	2
Orientation N-S	AUX0100060	469696	7082395	1004	Silt	saturated	black/brown	clay/silt	10-11cm	A	0.06	6
Orientation N-S	AUX0100064	469699	7082370	1011	soil	moist	Black/Brown	clay/silt	7cm	A	<0.02	1
Orientation N-S	AUX0100068	469706	7082342	1011	soil	moist	black/brown	clay/silt	9cm	A	<0.02	1
Orientation N-S	AUX0100072	469697	7082317	1016	soil	moist	black/brown	clay/silt	7cm	A	<0.02	1
Orientation N-S	AUX0100076	469695	7082300	10118	soil	moist	black/brown	clay/silt	5cm	A	<0.02	1
Orientation N-S	AUX0100080	469707	7082278	1020	soil	dry	black /brown	clay/silt	5cm	A/B	<0.02	1
Orientation N-S	AUX0100084	469702	7082249	1008	soil	dry	black/brown	clay/silt	4cm	A	<0.02	1
Orientation N-S	AUX0100088	469702	7082221	1003	soil	moist/dry	black/brown	clay/silt	12cm	A	<0.02	1
Orientation N-S	AUX0100092	469703	7082199	1004	soil	dry	black /brown	clay/silt	9cm	A	<0.02	1
Orientation N-S	AUX0100096	469706	7082177	999	soil	dry	black /brown	clay/silt	5cm	A	0.02	2
Orientation N-S	AUX0100100	469707	7082154	1015	soil	dry	black/brown	clay/silt	7cm	A	<0.02	1
Orientation N-S	AUX0100104	469708	7082115	1008	soil	dry	black/brown	clay/silt	8cm	A	<0.02	1
Orientation N-S	AUX0100108	469703	7082100	1007	soil	dry	black/brown	clay/silt	10cm	A	<0.02	1
Orientation N-S	AUX0100112	469700	7082052	995	soil	moist	black/brown	clay/silt	9cm	A	<0.02	1
Orientation N-S	AUX0100116	469701	7081999	990	soil	moist	black/grey	clay/silt	6cm	A	0.02	2
Orientation N-S	AUX0100120	469703	7081950	985	soil	moist	black/brown	clay/silt	9cm	A	<0.02	1
Orientation N-S	AUX0100124	469699	7081896	975	soil	moist	black/brown	clay/silt	8cm	A	<0.02	1
Orientation N-S	AUX0100128	469700	7081848	976	soil	moist	black/brown	clay/silt	9cm	A	0.07	7
Orientation N-S	AUX0100132	469699	7081808	975	soil	moist	black	clay/silt	10cm	A	0.06	6
Orientation E-W	AUX0100136	469252	7082313	996	soil	dry	black/brown	clay/silt	13cm	A	<0.02	1
Orientation E-W	AUX0100140	469301	7082307	999	soil	dry	black/brown	clay/silt	7cm	A	<0.02	1
Orientation E-W	AUX0100144	469353	7082313	1002	soil	dry	black/brown	clay/silt	16cm	A	0.02	2
Orientation E-W	AUX0100148	469403	7082313	1005	soil	moist	black/brown	clay/silt	15cm	A	<0.02	1
Orientation E-W	AUX0100152	469423	7082311	1013	soil	moist	black/brown	clay/silt	13cm	A	<0.02	1
Orientation E-W	AUX0100156	469452	7082311	1010	soil	moist	black/brown	clay/silt	12cm	A	<0.02	1
Orientation E-W	AUX0100160	469475	7082314	1012	soil	moist	black/brown	clay/silt	17cm	A	<0.02	1
Orientation E-W	AUX0100164	469513	7082325	1011	soil	moist	black/brown	clay/silt	8cm	A	0.02	2
Orientation E-W	AUX0100168	469525	7082303	1006	soil	dry	black/brown	clay/silt	8cm	A	<0.02	1
Orientation E-W	AUX0100172	469552	7082307	1005	soil	dry	black/brown	clay/silt	9cm	A	<0.02	1
Orientation E-W	AUX0100176	469574	7082309	1010	soil	dry	black/grey	clay/silt	9cm	A	<0.02	1
Orientation E-W	AUX0100180	469599	7082315	1009	soil	moist	black/brown	clay/silt	7cm	A	<0.02	1
Orientation E-W	AUX0100184	469654	7082307	1008	soil	dry	black/grey	clay/silt	7cm	A	<0.02	1
Orientation E-W	AUX0100188	469673	7082309	1007	soil	dry	black/brown	clay/silt	8cm	A	0.02	2

Line	Sample No.	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Comp.	Depth	Horizon	Au ppb	Aux100 ppb
Orientation E-W	AUX0100192	469699	7082309	1012	soil	dry	black/brown	clay/silt	5cm	A	0.02	2
Orientation E-W	AUX0100196	469731	7082305	1010	soil	dry	black/brown	clay/silt	6cm	A	0.03	3
Orientation E-W	AUX0100200	469754	7082307	1012	soil	dry	black/brown	clay/silt	8cm	A	0.02	2
Orientation E-W	AUX0100204	469774	7082309	1014	soil	dry	black/brown	clay/silt	6cm	A	<0.02	1
Orientation E-W	AUX0100208	469799	7082309	1015	soil	dry	black/brown	clay/silt	6cm	A	<0.02	1
Orientation E-W	AUX0100212	469822	7082311	1022	soil	dry	black/brown	clay/silt	8cm	A	0.02	2
Orientation E-W	AUX0100216	469852	7082309	1022	soil	dry	black/grey	clay/silt	8cm	A	0.02	2
Orientation E-W	AUX0100220	469873	7082310	1020	soil	dry	black/grey	clay/silt	6cm	A	<0.02	1
Orientation E-W	AUX0100224	469902	7082313	1015	soil	dry	black/grey	clay/silt	5cm	A	0.02	2
Orientation E-W	AUX0100228	469926	7082313	1016	soil	dry	black/grey	clay/silt	6cm	A	0.02	2
Orientation E-W	AUX0100232	469951	7082311	1017	soil	dry	black/grey	clay/silt	8cm	A	0.05	5
Orientation E-W	AUX0100236	469975	7082312	1015	soil	Dry	black/brown	clay/silt	6cm	A	0.02	2
Orientation E-W	AUX0100240	470000	7082311	1018	soil	moist	black /brown	clay/silt	4cm	A	0.05	5
Orientation E-W	AUX0100244	470047	7082311	1022	soil	moist	black /brown	clay/silt	8cm	A	<0.02	1
Orientation E-W	AUX0100248	470102	7082315	1030	soil	moist	brown/black	clay/silt	6cm	A	0.03	3
Orientation E-W	AUX0100252	470152	7082307	1028	soil	dry	brown/black	clay/silt	7cm	A	0.02	2
MQ N-S	AUX0100256	464769	7082957	681	soil	moist	black	clay/silt	9cm	A	0.11	11
MQ N-S	AUX0100260	464768	7083006	686	soil	saturated	black	clay/silt	14cm	A	0.04	4
MQ N-S	AUX0100264	464775	7083057	693	soil	saturated	black/brown	clay/silt	32cm	A	0.11	11
MQ N-S	AUX0100268	464773	7083102	693	soil	saturated	black/brown	clay/silt	23cm	A	0.03	3
MQ N-S	AUX0100272	464775	7083159	685	soil	saturated	black	clay/silt	18cm	A	0.02	2
MQ N-S	AUX0100276	464767	7083204	686	soil	moist	black	clay/silt	8cm	A	0.02	2
MQ N-S	AUX0100280	464767	7083250	684	soil	saturated	black/brown	clay/silt	12cm	A	0.09	9
MQ N-S	AUX0100284	464768	7083300	685	soil	saturated	black/brown	clay/silt	27cm	A	0.02	2
MQ N-S	AUX0100288	464770	7083352	688	soil	saturated	black/brown	clay/silt	23cm	A	<0.02	1
MQ N-S	AUX0100293	464772	7083402	694	soil	moist	black/brown	clay/silt	19cm	A	0.02	2
MQ N-S	AUX0100295	464765	7083451	694	soil	moist	black	clay/silt	23cm	A	0.7	70
MQ N-S	AUX0100297	464771	7083497	697	soil	moist	black	clay/silt	23cm	A	0.04	4
MQ N-S	AUX0100301	464771	7083554	691	soil	moist	black/brown	clay/silt	9cm	A	1.29	129
MQ N-S	AUX0100305	464769	7083604	690	soil	dry	black/brown	clay/silt	13cm	A	0.02	2
MQ N-S	AUX0100309	464773	7083652	690	soil	dry	black /brown	clay/silt	7cm	A	0.42	42
MQ N-S	AUX0100313	464770	7083705	691	soil	moist	black/brown	clay/silt	10cm	A	0.02	2
MQ N-S	AUX0100317	464774	7083758	694	soil	moist	black/brown	clay/silt	10cm	A	0.37	37
MQ N-S	AUX0100321	464771	7083803	693	soil	moist	black/brown	clay/silt	18cm	A	<0.02	1
MQ N-S	AUX0100325	464771	7083855	693	soil	moist	black/brown	clay/silt	11cm	A	0.33	33
MQ N-S	AUX0100329	464771	7083905	693	soil	saturated	black/brown	clay/silt	16cm	A	0.03	3
MQ N-S	AUX0100331	464770	7083956	692	soil	saturated	black/brown	clay/silt	17cm	A	<0.02	1
MQ N-S	AUX0100333	464770	7084003	690	soil	saturated	black/brown	clay/silt	20cm	A	<0.02	1
MQ N-S	AUX0100335	464772	7084051	691	soil	saturated	black/brown	clay/silt	18cm	A	<0.02	1
MQ N-S	AUX0100337	464775	7084101	685	soil	saturated	black/brown	clay/silt	22cm	A	0.02	2
MQ N-S	AUX0100339	464769	7084156	682	soil	moist	black/brown	clay/silt	24cm	A	<0.02	1

Line	Sample No.	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Comp.	Depth	Horizon	Au ppb	Aux100 ppb
MQ N-S	AUX0100341	464773	7084204	683	soil	moist	black/brown	clay/silt	18cm	A	<0.02	1
MQ N-S	AUX0100343	464769	7084257	682	soil	moist	black/brown	clay/silt	16cm	A	0.02	2
MQ N-S	AUX0100345	464776	7084301	679	soil	moist	black/brown	clay/silt	19cm	A	<0.02	1
MQ N-S	AUX0100347	464768	7084351	681	soil	moist	black/brown	clay/silt	19cm	A	<0.02	1
MQ N-S	AUX0100349	464771	7084404	680	soil	moist	black/brown	clay/silt	17cm	A	<0.02	1
Orientation N-S	AUX0100029	469700	7082705	986	silt	moist	Grey	silt/sand	15-17cm	B	0.03	3
Orientation N-S	AUX0100033	469696	7082653	998	Silt	moist	black/brown	silt/sand	17-22cm	B	0.06	6
Orientation N-S	AUX0100037	469702	7082603	1003	silt	moist	black/brown	clay/silt	17-19cm	B	0.04	4
Orientation N-S	AUX0100041	469703	7082545	997	silt	moist	brown	clay/silt	17-20cm	B	0.13	13
Orientation N-S	AUX0100045	469695	7082496	998	silt	moist	black/brown	clay/silt	20-23cm	B	0.08	8
Orientation N-S	AUX0100049	469695	7082479	999	silt	moist	brown/tan	clay/silt	19-21cm	B	0.16	16
Orientation N-S	AUX0100053	469700	7082448	1002	silt	saturated	brown	clay/silt	20-22cm	B	0.1	1
Orientation N-S	AUX0100057	469702	7082425	1004	silt	saturated	brown/tan	clay/silt	18-19cm	B	0.89	89
Orientation N-S	AUX0100061	469696	7082395	1004	Silt	saturated	brown/tan	clay/silt	19-21cm	B	0.45	45
Orientation N-S	AUX0100065	469699	7082370	1011	silt	moist	brown tan	clay/silt	.15cm	B	0.47	47
Orientation N-S	AUX0100069	469706	7082342	1011	silt	moist	brown tan	clay/silt	15cm	B	0.68	68
Orientation N-S	AUX0100073	469697	7082317	1016	silt	moist	brown tan	clay/silt	11cm	B	0.19	19
Orientation N-S	AUX0100077	469695	7082300	10118	silt	moist	brown tan	clay/silt	10cm	B	0.97	97
Orientation N-S	AUX0100081	469707	7082278	1020	silt	moist	brown tan	clay/silt	11cm	B	0.5	50
Orientation N-S	AUX0100085	469702	7082249	1008	silt	moist	brown tan	clay/silt	13cm	B	0.54	54
Orientation N-S	AUX0100089	469702	7082221	1003	silt	moist	brown tan	clay/silt	18cm	B	0.53	53
Orientation N-S	AUX0100093	469703	7082199	1004	silt	moist	brown tan	clay/silt	12cm	B	0.73	73
Orientation N-S	AUX0100097	469706	7082177	999	silt	moist	brown tan	clay/silt	18cm	B	6.49	649
Orientation N-S	AUX0100101	469707	7082154	1015	silt	moist	tan/brown	clay/silt	10cm	B	1.03	103
Orientation N-S	AUX0100105	469708	7082115	1008	silt	moist	tan/brown	clay/silt	16cm	B	1.01	101
Orientation N-S	AUX0100109	469703	7082100	1007	silt	moist	tan/brown	clay/silt	22cm	B	0.51	51
Orientation N-S	AUX0100113	469700	7082052	995	silt	moist	tan/brown	clay/silt	22cm	B	0.41	41
Orientation N-S	AUX0100117	469701	7081999	990	silt	moist	grey	clay/silt	18cm	B	0.56	56
Orientation N-S	AUX0100121	469703	7081950	985	silt	moist	black/grey	clay/silt	17cm	B	0.54	54
Orientation N-S	AUX0100125	469699	7081896	975	silt	moist	brown/tan	clay/silt	20cm	B	0.52	52
Orientation N-S	AUX0100129	469700	7081848	976	silt	moist	black/grey	clay/silt	22cm	B	0.3	30
Orientation N-S	AUX0100133	469699	7081808	975	silt	moist	black/grey	clay/silt	18cm	B	0.13	13
Orientation E-W	AUX0100137	469252	7082313	996	silt	moist	brown/tan	clay/silt	25cm	B	0.43	43
Orientation E-W	AUX0100141	469301	7082307	999	silt	moist	brown/tan	clay/silt	22cm	B	1.15	115
Orientation E-W	AUX0100145	469353	7082313	1002	silt	moist	black/brown	clay/silt	27cm	B	0.19	19
Orientation E-W	AUX0100149	469403	7082313	1005	silt	moist	black/grey	clay/silt	27cm	B	<0.02	1
Orientation E-W	AUX0100153	469423	7082311	1013	silt	moist	black/grey	clay/silt	19cm	B	<0.02	1
Orientation E-W	AUX0100157	469452	7082311	1010	silt	moist	black/grey	clay/silt	23cm	B	<0.02	1
Orientation E-W	AUX0100161	469475	7082314	1012	silt	moist	black/grey	clay/silt	20cm	B	0.02	2
Orientation E-W	AUX0100165	469513	7082325	1011	silt	moist	brown/tan	clay/silt	15cm	B	0.84	84
Orientation E-W	AUX0100169	469525	7082303	1006	silt	dry	brown/tan	clay/silt	22cm	B	0.55	55

Line	Sample No.	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Comp.	Depth	Horizon	Au ppb	Aux100 ppb
Orientation E-W	AUX0100173	469552	7082307	1005	silt	moist	brown/tan	clay/silt	20cm	B	0.17	17
Orientation E-W	AUX0100177	469574	7082309	1010	silt	moist	brown/tan	clay/silt	27cm	B	1.71	171
Orientation E-W	AUX0100181	469599	7082315	1009	silt	moist	brown/tan	clay/silt	18cm	B	0.98	98
Orientation E-W	AUX0100185	469654	7082307	1008	silt	moist	brown/tan	clay/silt	17cm	B	0.3	30
Orientation E-W	AUX0100189	469673	7082309	1007	silt	moist	brown/grey	clay/silt	19cm	B	1.11	111
Orientation E-W	AUX0100193	469699	7082309	1012	silt	moist	brown/tan	clay/silt	14cm	B	0.6	60
Orientation E-W	AUX0100197	469731	7082305	1010	silt	moist	brown/tan	clay/silt	14cm	B	0.51	51
Orientation E-W	AUX0100201	469754	7082307	1012	silt	moist	brown/tan	clay/silt	14cm	B	0.25	25
Orientation E-W	AUX0100205	469774	7082309	1014	silt	moist	brown/tan	clay/silt	16cm	B	2.82	282
Orientation E-W	AUX0100209	469799	7082309	1015	silt	moist	brown/tan	clay/silt	16cm	B	0.16	16
Orientation E-W	AUX0100213	469822	7082311	1022	silt	moist	brown/tan	clay/silt	27cm	B	0.56	56
Orientation E-W	AUX0100217	469852	7082309	1022	silt	moist	brown/tan	clay/silt	22cm	B	0.37	37
Orientation E-W	AUX0100221	469873	7082310	1020	silt	moist	brown/tan	clay/silt	17cm	B	0.25	25
Orientation E-W	AUX0100225	469902	7082313	1015	silt	moist	brown/tan	clay/silt	20cm	B	0.46	46
Orientation E-W	AUX0100229	469926	7082313	1016	silt	moist	brown/tan	clay/silt	14cm	B	0.14	14
Orientation E-W	AUX0100233	469951	7082311	1017	silt	moist	brown/tan	clay/silt	20cm	B	0.63	63
Orientation E-W	AUX0100237	469975	7082312	1015	silt	moist	brown tan	clay/silt	14cm	B	0.39	39
Orientation E-W	AUX0100241	470000	7082311	1018	silt	moist	brown tan	clay/silt	12cm	B	2.56	256
Orientation E-W	AUX0100245	470047	7082311	1022	silt	moist	brown/tan	clay/silt	17cm	B	0.71	71
Orientation E-W	AUX0100249	470102	7082315	1030	silt	moist	brown/black	clay/silt	26cm	B	1.58	158
Orientation E-W	AUX0100253	470152	7082307	1028	silt	moist	brown/tan	clay/silt	22cm	B	0.27	27
MQ N-S	AUX0100277	464767	7083204	686	silt	moist	black/grey	clay/silt	18cm	B	<0.02	1
MQ N-S	AUX0100298	464771	7083497	697	silt	moist	Grey	clay/silt	42cm	B	<0.02	1
MQ N-S	AUX0100302	464771	7083554	691	silt	moist	brown/tan	clay/silt	15cm	B	0.03	3
MQ N-S	AUX0100306	464769	7083604	690	silt	moist	brown tan	clay/silt	28cm	B	0.03	3
MQ N-S	AUX0100310	464773	7083652	690	silt	moist	brown tan	clay/silt	17cm	B	0.26	26
MQ N-S	AUX0100314	464770	7083705	691	silt	moist	Grey	clay/silt	22cm	B	0.02	2
MQ N-S	AUX0100318	464774	7083758	694	silt	moist	Grey	clay/silt	24cm	B	0.58	58
MQ N-S	AUX0100322	464771	7083803	693	silt	moist	Grey	clay/silt	23cm	B	0.02	2
MQ N-S	AUX0100326	464771	7083855	693	silt	moist	brown/grey	clay/silt	18cm	B	0.54	54

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100601	Aurex	8/8/2011	TC	NAD 83, Zone 8	480212	7084771	1146	Soil	Moist	Black to brown	Clay/Silt	38	B	tr	tr	SE	8	First sample of Line 21
AUX0100602	Aurex	8/8/2011	TC	NAD 83, Zone 8	480190	7084780	1150	Soil	Moist	Brown to tan	Clay/Silt	53	B	tr	1-3	SE	8	Rock fragments appear to be weathered and oxidized QSSH
AUX0100603	Aurex	8/8/2011	TC	NAD 83, Zone 8	480174	7084800	1150	Soil	Moist	Brown to grey	Clay/Silt	46	B	tr	1-2	SE	12	
AUX0100604	Aurex	8/8/2011	TC	NAD 83, Zone 8	480156	7084817	1153	Soil	Moist	Brown to tan	Clay/Silt	41	B	0	5	SE	10	Large rock fragments (1-2cm)
AUX0100605	Aurex	8/8/2011	TC	NAD 83, Zone 8	480139	7084834	1156	Soil	Moist	Brown to tan	Clay/Silt	34	B	tr	tr	SE	4	Rocks range in size from 1mm-5mm
AUX0100606	Aurex	8/8/2011	TC	NAD 83, Zone 8	480120	7084850	1159	Soil	Very Moist	Brown to tan	Clay/Silt	41	B	tr	3-5%	SE	8	
AUX0100607	Aurex	8/8/2011	TC	NAD 83, Zone 8	480100	7084866	1162	Soil	Very Moist	Brown to grey	Clay/Silt	48	B	tr-3	3-5	E	8	Rock fragments vary in size from 1mm-25mm
AUX0100608	Aurex	8/8/2011	TC	NAD 83, Zone 8	480084	7084882	1164	Soil	Moist	Brown to tan	Clay/Silt	53	B	tr-2	tr-2	SE	8	
AUX0100609	Aurex	8/8/2011	TC	NAD 83, Zone 8	480062	7084898	1168	Soil	Moist	Brown to tan	Clay/Silt	36	B	tr	tr	SE	8	
AUX0100610	Aurex	8/8/2011	TC	NAD 83, Zone 8	480045	7084917	1172	Soil	Moist	Tan to grey	Clay/Silt	43	B	tr-5	tr-2	E	6	
AUX0100611	Aurex	8/8/2011	TC	NAD 83, Zone 8	480027	7084932	1175	Soil	Moist	Brown to grey	Clay/Silt	36	B	tr	5	NE	8	
AUX0100612	Aurex	8/8/2011	TC	NAD 83, Zone 8	480008	7084948	1177	Soil	Moist	Brown to grey	Clay/Silt	43	B	tr	2-3	E	4	
AUX0100613	Aurex	8/8/2011	TC	NAD 83, Zone 8	479988	7084964	1176	Soil	Moist	Brown to tan	Clay/Silt	30	B	tr	tr	NE	8	Many large boulders 5cm in the ground, most likely glacial till.
AUX0100614	Aurex	8/8/2011	TC	NAD 83, Zone 8	479970	7084984	1178	Soil	Moist	Brown to tan	Clay/Silt	41	B	tr	5-10	NE	8	
AUX0100615	Aurex	8/8/2011	TC	NAD 83, Zone 8	479948	7084999	1178	Soil	Saturated	Tan	Clay/Silt	33	B	tr	tr	NE	10	
AUX0100616	Aurex	8/8/2011	TC	NAD 83, Zone 8	479932	7085017	1177	Soil	Moist	Black to brown	Clay/Silt	40	B	tr	tr	NE	12	
AUX0100617	Aurex	8/8/2011	TC	NAD 83, Zone 8	479915	7085035	1183	Soil	Moist	Brown to tan	Clay/Silt	25	B	tr	tr	NE	10	
AUX0100618	Aurex	8/8/2011	TC	NAD 83, Zone 8	479891	7085055	1179	Soil	Moist	Brown to grey	Clay/Silt	43	B	2-3	tr	NE	8	
AUX0100619	Aurex	8/8/2011	TC	NAD 83, Zone 8	479877	7085065	1184	Soil	Moist	Black to brown	Clay/Silt	25	B	tr	tr	SE	8	
AUX0100620	Aurex	8/8/2011	TC	NAD 83, Zone 8	479857	7085082	1187	Soil	Moist	Brown to grey	Clay/Silt	50	B	tr-2	tr-3	E	12	Slightly off track due to stream
AUX0100621	Aurex	8/8/2011	TC	NAD 83, Zone 8	479838	7085099	1191	Soil	Saturated	Tan to grey	Clay/Silt	53	B	tr	5-7	SE	16	
AUX0100622	Aurex	8/8/2011	TC	NAD 83, Zone 8	479820	7085118	1199	Soil	Moist	Saturated	Clay/Silt	57	B	0	10	E	20	Water table was hit. Sub mm micaceous fragments located within sample
AUX0100623	Aurex	8/8/2011	TC	NAD 83, Zone 8	479803	7085133	1202	Soil	Moist	Brown to tan	Clay/Silt	33	B	tr-2	tr	E	10	
AUX0100624	Aurex	8/8/2011	TC	NAD 83, Zone 8	479784	7085150	1204	Soil	Moist	Brown to tan	Clay/Silt	60	B	tr-3	tr	SE	4	Duplicate sample taken.
AUX0100625	Aurex	8/8/2011	TC	NAD 83, Zone 8	479784	7085150	1204	Soil	Moist	Brown to tan	Clay/Silt	60	B	tr-3	tr	SE	4	Duplicate sample taken.
AUX0100626	Aurex	8/8/2011	TC	NAD 83, Zone 8	479767	7085169	1212	Soil	Moist	Tan to orange	Clay/Silt	27	B	tr-2	tr-3	E	10	Small amount of oxidization seen.
AUX0100627	Aurex	8/8/2011	TC	NAD 83, Zone 8	479747	7085184	1217	Soil	Moist	Brown to grey	Clay/Silt	30	B	tr	3	E	6	Micaceous fragments.
AUX0100628	Aurex	8/8/2011	TC	NAD 83, Zone 8	479728	7085199	1220	Soil	Moist	Brown to tan	Clay/Silt	33	B	tr	3-5	E	8	Micaceous fragments.
AUX0100629	Aurex	8/8/2011	TC	NAD 83, Zone 8	479712	7085218	1225	Soil	Moist	Tan to grey	Clay/Silt	45	B	tr	tr	SE	6	Micaceous fragments.
AUX0100630	Aurex	8/8/2011	TC	NAD 83, Zone 8	479689	7085237	1228	Soil	Moist	Tan	Clay/Silt	25	B	tr-3	tr-5	E	6	Slightly off track due to saturated area.
AUX0100631	Aurex	8/8/2011	TC	NAD 83, Zone 8	479673	7085251	1233	Soil	Moist	Grey to tan	Clay/Silt	41	B	tr	tr-4	SE	10	
AUX0100632	Aurex	8/9/2011	TC	NAD 83, Zone 8	480079	7084617	1156	Soil	Moist	Black to brown	clay/silt	56	B	5	tr	4	SE	First sample taken on line 19.
AUX0100633	Aurex	8/9/2011	TC	NAD 83, Zone 8	480059	7084635	1160	Soil	Moist	Brown	clay/silt	26	B	2	tr	6	SE	Small micaceous fragments.
AUX0100634	Aurex	8/9/2011	TC	NAD 83, Zone 8	480039	7084652	1163	Soil	Moist	Brown to grey	clay/silt	38	B	4	tr	18	S	
AUX0100635	Aurex	8/9/2011	TC	NAD 83, Zone 8	480021	7084667	1169	Soil	Moist	Brown	clay/silt	33	B	5	tr	14	SE	

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100636	Aurex	8/9/2011	TC	NAD 83, Zone 8	480006	7084687	1173	Soil	Moist	Black to brown	clay/silt	44	B	5	2	6	E	Off location due to proximity to stream.
AUX0100637	Aurex	8/9/2011	TC	NAD 83, Zone 8	479984	7084702	1176	Soil	Moist	Black to brown	clay/silt	53	B	3	tr	6	E	
AUX0100638	Aurex	8/9/2011	TC	NAD 83, Zone 8	479966	7084717	1182	Soil	Moist	Brown to tan	clay/silt	38	B	4	tr	2	E	
AUX0100639	Aurex	8/9/2011	TC	NAD 83, Zone 8	479946	7084735	1188	Soil	Moist	Brown to grey	clay/silt	39	B	tr	3	8	E	
AUX0100640	Aurex	8/9/2011	TC	NAD 83, Zone 8	479927	7084752	1188	Soil	Moist	Brown to grey	clay/silt	38	B	2	2	8	E	
AUX0100641	Aurex	8/9/2011	TC	NAD 83, Zone 8	479909	7084765	1193	Soil	Moist	Brown	clay/silt	24	B	tr	20	4	E	Small, sub mm, micaceous fragments and off course due to tree roots.
AUX0100642	Aurex	8/9/2011	TC	NAD 83, Zone 8	479891	7084779	1197	Soil	Moist	Black to brown	clay/silt	23	B	5	tr	4	SE	Off course due to stream proximity.
AUX0100643	Aurex	8/9/2011	TC	NAD 83, Zone 8	479866	7084806	1201	Soil	Moist	Black to brown	clay/silt	30	B	tr	tr	6	E	Large stream located at proposed sample location.
AUX0100644	Aurex	8/9/2011	TC	NAD 83, Zone 8	479854	7084817	1204	Soil	Moist to Sat.	Tan to grey	clay/silt	21	B	5	tr	8	E	
AUX0100645	Aurex	8/9/2011	TC	NAD 83, Zone 8	479837	7084835	1207	Soil	Moist	Tan to grey	clay/silt	30	B	tr	2	6	E	
AUX0100646	Aurex	8/9/2011	TC	NAD 83, Zone 8	479818	7084850	1208	Soil	Moist	Tan to grey	clay/silt	29	B	tr	3	6	E	
AUX0100647	Aurex	8/9/2011	TC	NAD 83, Zone 8	479799	7084870	1208	Soil	Moist	Tan to grey	clay/silt	23	B	5	3	6	E	
AUX0100648	Aurex	8/9/2011	TC	NAD 83, Zone 8	479780	7084886	1208	Soil	Moist	Tan to grey	clay/silt	25	B	tr	tr	2	NE	
AUX0100649	Aurex	8/9/2011	TC	NAD 83, Zone 8	479763	7084904	1205	Soil	Moist	Tan to grey	clay/silt	40	B	tr	tr	6	NE	
AUX0100650	Aurex	8/9/2011	TC	NAD 83, Zone 8	479763	7084904	1205	Soil	Moist	Tan to grey	clay/silt	40	B	tr	tr	6	NE	
AUX0100651	Aurex	8/9/2011	TC	NAD 83, Zone 8	479746	7084915	1201	Soil	Moist	Black to brown	clay/silt	27	B	tr	tr	8	NE	
AUX0100652	Aurex	8/9/2011	TC	NAD 83, Zone 8	479725	7084930	1200	Soil	Moist	Brown to grey	clay/silt	42	B	tr	tr	6	NE	Diverted due to stream proximity.
AUX0100653	Aurex	8/9/2011	TC	NAD 83, Zone 8	479706	7084945	1211	Soil	Moist	Brown	clay/silt	20	B	3	tr	2	E	Diverted due to large boulder pile.
AUX0100654	Aurex	8/9/2011	TC	NAD 83, Zone 8	479688	7084965	1212	Soil	Moist	Black to brown	clay/silt	26	B	2	tr	4	E	
AUX0100655	Aurex	8/9/2011	TC	NAD 83, Zone 8	479670	7084985	1218	Soil	Moist	Brown	clay/silt	33	B	3	tr	8	E	
AUX0100656	Aurex	8/9/2011	TC	NAD 83, Zone 8	479650	7085002	1224	Soil	Moist	Black to brown	clay/silt	31	B	tr	tr	6	E	
AUX0100657	Aurex	8/9/2011	TC	NAD 83, Zone 8	479635	7085019	1236	Soil	Moist	Brown to grey	clay/silt	25	B	tr	4	8	E	
AUX0100658	Aurex	8/9/2011	TC	NAD 83, Zone 8	479612	7085034	1236	Soil	Moist	Brown to grey	clay/silt	19	B	5	5	10	E	
AUX0100659	Aurex	8/9/2011	TC	NAD 83, Zone 8	479595	7085051	1246	Soil	Moist	Brown to tan	clay/silt	29	B	3	5	10	SE	
AUX0100660	Aurex	8/9/2011	TC	NAD 83, Zone 8	479578	7085072	1248	Soil	Moist	Brown to grey	clay/silt	23	B	tr	2	8	E	Diverted due to stumps and brush.
AUX0100661	Aurex	8/9/2011	TC	NAD 83, Zone 8	479558	7085084	1256	Soil	Moist	Black to brown	clay/silt	28	B	tr	5	4	E	Micaceous fragments.
AUX0100662	Aurex	8/9/2011	TC	NAD 83, Zone 8	479540	7085101	1261	Soil	Moist	Black to brown	clay/silt	29	B	10	2	8	E	
AUX0100663	Aurex	8/11/2011	TC	NAD 83, Zone 8	479945	7084473	1172	Soil	Moist	Grey to tan	Clay/silt	56	B	tr	3	10	E	
AUX0100664	Aurex	8/11/2011	TC	NAD 83, Zone 8	479925	7084489	1177	Soil	Moist	Grey to tan	Clay/silt	45	B	tr	4	10	E	
AUX0100665	Aurex	8/11/2011	TC	NAD 83, Zone 8	479912	7084505	1183	Soil	Moist	Black to brown	Clay/silt	53	B	2	5	4	E	
AUX0100666	Aurex	8/11/2011	TC	NAD 83, Zone 8	479891	7084517	1189	Soil	Moist	Grey to tan	Clay/silt	66	B	2	10	6	SE	
AUX0100667	Aurex	8/11/2011	TC	NAD 83, Zone 8	479870	7084533	1194	Soil	Moist	Black to brown	Clay/silt	56	B	tr	10	4	SE	Oxidized zones within the sample
AUX0100668	Aurex	8/11/2011	TC	NAD 83, Zone 8	479852	7084554	1190	Soil	Moist	Brown to tan	Clay/silt	34	B	2	8	2	E	
AUX0100669	Aurex	8/11/2011	TC	NAD 83, Zone 8	479833	7084571	1199	Soil	Moist	Grey to brown	Clay/silt	59	B	3	10	4	E	Micaceous fragments
AUX0100670	Aurex	8/11/2011	TC	NAD 83, Zone 8	479816	7084587	1205	Soil	Moist	Black to brown	Clay/silt	75	B	tr	8	6	E	Permafrost hit

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100671	Aurex	8/11/2011	TC	NAD 83, Zone 8	479796	7084605	1213	Soil	Moist	Black to brown	Clay/silt	61	B	tr	5	4	E	
AUX0100672	Aurex	8/11/2011	TC	NAD 83, Zone 8	479777	7084619	1219	Soil	Moist	Grey to tan	Clay/silt	49	B	tr	3	4	SE	Permafrost hit
AUX0100673	Aurex	8/11/2011	TC	NAD 83, Zone 8	479758	7084634	1222	Soil	Moist	Grey to brown	Clay/silt	56	B	2	3	4	SE	
AUX0100674	Aurex	8/11/2011	TC	NAD 83, Zone 8	479738	7084651	1229	Soil	Moist	Grey	Clay/silt	62	B	tr	15	8	SE	Oxidized zones within the sample
AUX0100675	Aurex	8/11/2011	TC	NAD 83, Zone 8	479722	7084669	1238	Soil	Moist	Grey to tan	Clay/silt	55	B	2	5	4	E	
AUX0100676	Aurex	8/11/2011	TC	NAD 83, Zone 8	479722	7084669	1238	Soil	Moist	Grey to tan	Clay/silt	55	B	2	5	4	E	
AUX0100677	Aurex	8/11/2011	TC	NAD 83, Zone 8	479701	7084688	1242	Soil	Moist	Grey to tan	Clay/silt	39	B	3	5	10	E	Oxidized zones within the sample
AUX0100678	Aurex	8/11/2011	TC	NAD 83, Zone 8	479683	7084703	1243	Soil	Moist	Grey to tan	Clay/silt	43	B	tr	3	8	E	
AUX0100679	Aurex	8/11/2011	TC	NAD 83, Zone 8	479665	7084720	1243	Soil	Moist	Grey to tan	Clay/silt	46	B	tr	5	6	E	
AUX0100680	Aurex	8/11/2011	TC	NAD 83, Zone 8	479645	7084737	1243	Soil	Moist	Grey	Clay/silt	31	B	3	15	2	E	Coarse schist fragments and micas
AUX0100681	Aurex	8/11/2011	TC	NAD 83, Zone 8	479626	7084751	1245	Soil	Moist	Grey to tan	Clay/silt	44	B	2	15	2	E	
AUX0100682	Aurex	8/11/2011	TC	NAD 83, Zone 8	479609	7084771	1248	Soil	Saturated	Grey to tan	Clay/silt	62	B	tr	10	2	E	
AUX0100683	Aurex	8/11/2011	TC	NAD 83, Zone 8	479589	7084789	1252	Soil	Moist	Grey to tan	Clay/silt	63	B	tr	3	2	E	
AUX0100684	Aurex	8/11/2011	TC	NAD 83, Zone 8	479572	7084807	1247	Soil	Moist	Grey to green	Clay/silt	52	B	tr	5	6	E	
AUX0100685	Aurex	8/11/2011	TC	NAD 83, Zone 8	479553	7084821	1248	Soil	Semi-saturated	Grey to tan	Clay/silt	64	B	tr	25	4	E	
AUX0100686	Aurex	8/11/2011	TC	NAD 83, Zone 8	479532	7084835	1257	Soil	Moist	Grey to tan	Clay/silt	55	B	tr	8	8	E	
AUX0100687	Aurex	8/11/2011	TC	NAD 83, Zone 8	479518	7084859	1254	Soil	Moist	Brown	Clay/silt	57	B	3	2	10	E	
AUX0100688	Aurex	8/11/2011	TC	NAD 83, Zone 8	479498	7084870	1262	Soil	Moist	Brown to black	Clay/silt	67	B	tr	3	10	E	
AUX0100689	Aurex	8/11/2011	TC	NAD 83, Zone 8	479478	7084888	1269	Soil	Semi-saturated	Dark grey	Clay/silt	57	B	2	5	12	E	
AUX0100690	Aurex	8/11/2011	TC	NAD 83, Zone 8	479460	7084902	1269	Soil	Saturated	Light brown	Clay/silt	58	B	2	5	6	E	
AUX0100691	Aurex	8/11/2011	TC	NAD 83, Zone 8	479444	7084921	1273	Soil	Moist	Brown to tan	Clay/silt	54	B	2	5	6	E	
AUX0100692	Aurex	8/11/2011	TC	NAD 83, Zone 8	479423	7084938	1281	Soil	Moist	Brown	Clay/silt	53	B	tr	3	8	E	
AUX0100693	Aurex	8/11/2011	TC	NAD 83, Zone 8	479406	7084952	1286	Soil	Moist	Brown to tan	Clay/silt	56	B	tr	5	6	E	
AUX0100694	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479809	7084321	1195	Soil	Moist	brw	clay/silt	63	B	5	5	8	SE	
AUX0100695	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479809	7084322	1198	Soil	Moist	brw	clay/silt	63	B	5	5	8	SE	Field duplicate sample
AUX0100696	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479794	7084337	1199	Soil	Moist	blk/brw	clay/silt	54	B	10	10	12	SE	hit permafrost
AUX0100697	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479775	7084354	1205	Soil	Moist	blk/brw/gry	clay/silt	44	B	Tr	2	5	SE	
AUX0100698	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479753	7084371	1210	Soil	Moist	blk/brw	clay/silt	54	B	Tr	7	10	SE	hit permafrost
AUX0100699	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479732	7084388	1215	Soil	Moist	brw/gry	clay/silt	42	B	5	15	8	SE	micas present
AUX0100700	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479716	7084404	1219	Soil	Moist	brw/grey	clay/silt	46	B	Tr	20	8	SE	micas present
AUX0100701	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479700	7084423	1224	Soil	Moist	blk/brw/gry	clay/silt	58	B	5	12	10	SE	orange weathered mottles of clay
AUX0100702	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479681	7084440	1227	Soil	Moist	tan/gry	clay/silt	46	B	2	10	8	SE	micas present
AUX0100703	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479657	7084459	1237	Soil	Moist	blk/brw	clay/silt	47	B	5	2	12	SE	minor mica percentage
AUX0100704	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479641	7084473	1241	Soil	Moist	brw/gry	clay/silt	52	B	Tr	10	15	SE	minor mica percentage
AUX0100705	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479621	7084492	1249	Soil	Moist	brw/gry	clay/silt	43	B	2	30	15	SE	

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100706	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479607	7084510	1252	Soil	Moist	brw/gry	clay/silt	49	B	Tr	10	10	SE	
AUX0100707	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479587	7084523	1257	Soil	Moist	brw/tan/gry	clay/silt	48	B	2	20	8	SE	
AUX0100708	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479567	7084542	1263	Soil	Moist	brw/gry	clay/silt	53	B	Tr	20	6	SE	
AUX0100709	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479548	7084558	1267	Soil	Moist	brw/gry	clay/silt	51	B	Tr	15	8	SE	
AUX0100710	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479528	7084575	1270	Soil	Moist	blk/brw/gry	clay/silt	54	B	Tr	Tr	8	E	minor mica percentage
AUX0100711	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479510	7084589	1277	Soil	Moist	blk/brw	clay/silt	38	B	Tr	2	10	SE	micas present
AUX0100712	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479494	7084606	1284	Soil	Moist	blk/brw	clay/silt	55	B	Tr	2	10	SE	micas present
AUX0100713	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479474	7084624	1284	Soil	Moist	blk/tan/gry	clay/silt	46	B	Tr	10	8	SE	lots of micas
AUX0100714	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479456	7084640	1288	Soil	Moist	tan/gry	clay/silt	38	B	Tr	8	6	SE	
AUX0100715	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479438	7084657	1292	Soil	Moist	brw/tan/gry	clay/silt	52	B	Tr	Tr	6	SE	
AUX0100716	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479417	7084670	1295	Soil	Moist	brw/tan	clay/silt	42	B	Tr	15	6	E	lots of micas
AUX0100717	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479400	7084690	1298	Soil	Moist	blk/gry	clay/silt	40	B	Tr	8	6	E	lots of micas
AUX0100718	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479383	7084705	1301	Soil	Moist	brw/tan/gry	clay/silt	55	B	Tr	8	6	E	lots of micas
AUX0100719	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479365	7084721	1306	Soil	Moist	brw/tan	clay/silt	33	B	Tr	8	6	E	lots of micas
AUX0100720	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479345	7084736	1309	Soil	Moist	brw/gry	clay/silt	46	B	Tr	8	4	E	lots of micas
AUX0100721	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479332	7084758	1309	Soil	Moist	blk/gry	clay/silt	20	B	Tr	Tr	4	E	
AUX0100722	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479309	7084773	1314	Soil	Moist	blk/gry	clay/silt	41	B	Tr	Tr	8	E	
AUX0100723	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479290	7084789	1319	Soil	Moist	brw/org	clay/silt	51	B	Tr	8	6	E	lots of micas
AUX0100724	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479271	7084805	1320	Soil	Moist	blk/brw/gry	clay/silt	58	B	Tr	12	8	E	lots of micas. Large angular rocks under organic
AUX0100725	Aurex	AUG 15/2011	GS	NAD 83, Zone 8	479271	7084805	1320	Soil	Moist	blk/brw/gry	clay/silt	58	B	Tr	12	8	E	lots of micas. Large angular rocks under organic
AUX0100726	Aurex	8/16/2011	TC	NAD 83, Zone 8	479686	7084177	1176	Soil	Moist	Grey to tan	Clay/Silt	35	B	2	5	4	SE	
AUX0100727	Aurex	8/16/2011	TC	NAD 83, Zone 8	479657	7084189	1180	Soil	Moist	Grey to brown	Clay/Silt	45	B	2	3	8	SE	Contains micaceous fragments
AUX0100728	Aurex	8/16/2011	TC	NAD 83, Zone 8	479640	7084205	1185	Soil	Moist	Dark grey	Clay/Silt	33	B	3	tr	6	SE	
AUX0100729	Aurex	8/16/2011	TC	NAD 83, Zone 8	479621	7084220	1194	Soil	Moist	Grey to tan	Clay/Silt	38	B	3	5	6	SE	
AUX0100730	Aurex	8/16/2011	TC	NAD 83, Zone 8	479605	7084238	1199	Soil	Moist	Grey to tan	Clay/Silt	44	B	3	10	8	SE	Large, 2cm quartz vein fragments
AUX0100731	Aurex	8/16/2011	TC	NAD 83, Zone 8	479587	7084257	1204	Soil	Moist	Dark grey	Clay/Silt	38	B	2	2	8	SE	Contains micaceous fragments
AUX0100732	Aurex	8/16/2011	TC	NAD 83, Zone 8	479565	7084274	1211	Soil	Moist	Grey to tan	Clay/Silt	41	B	3	5	10	SE	
AUX0100733	Aurex	8/16/2011	TC	NAD 83, Zone 8	479546	7084290	1219	Soil	Moist	Grey to tan	Clay/Silt	30	B	5	8	6	SE	Large 1-4cm oxidixed schist fragments
AUX0100734	Aurex	8/16/2011	TC	NAD 83, Zone 8	479530	7084305	1222	Soil	Moist	Light grey	Clay/Silt with gravel	30	B	2	25	4	SE	Large 1-5cm oxidized schist fragments (possible c layer?)
AUX0100735	Aurex	8/16/2011	TC	NAD 83, Zone 8	479512	7084325	1236	Soil	Moist	Grey to tan	Clay/Silt	43	B	5	4	8	SE	
AUX0100736	Aurex	8/16/2011	TC	NAD 83, Zone 8	479491	7084338	1241	Soil	Moist	Light grey	Clay/Silt	54	B	5	10	10	SE	
AUX0100737	Aurex	8/16/2011	TC	NAD 83, Zone 8	479474	7084355	1244	Soil	Moist	Grey to tan	Clay/Silt	41	B	2	5	12	SE	Oxidized schist and quartzite frament s
AUX0100738	Aurex	8/16/2011	TC	NAD 83, Zone 8	479454	7084372	1248	Soil	Moist	Brown to black	Clay/Silt	47	B	3	3	8	SE	
AUX0100739	Aurex	8/16/2011	TC	NAD 83, Zone 8	479439	7084387	1256	Soil	Moist	Grey to tan	Clay/Silt	32	B	2	10	6	SE	Fine grained micaceous fragments
AUX0100740	Aurex	8/16/2011	TC	NAD 83, Zone 8	479418	7084406	1261	Soil	Moist	Grey to tan	Clay/Silt	35	B	3	7	8	SE	

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100741	Aurex	8/16/2011	TC	NAD 83, Zone 8	479395	7084424	1269	Soil	Moist	Grey to tan	Clay/Silt	29	B	2	5	6	SE	
AUX0100742	Aurex	8/16/2011	TC	NAD 83, Zone 8	479382	7084439	1276	Soil	Moist	Light grey	Clay/Silt	27	B	2	6	6	SE	
AUX0100743	Aurex	8/16/2011	TC	NAD 83, Zone 8	479363	7084458	1278	Soil	Moist	Grey to brown	Clay/Silt	28	B	10	tr	6	SE	
AUX0100744	Aurex	8/16/2011	TC	NAD 83, Zone 8	479343	7084470	1286	Soil	Moist	Grey to brown	Clay/Silt	33	B	2	15	8	SE	Fine grained micaceous fragments
AUX0100745	Aurex	8/16/2011	TC	NAD 83, Zone 8	479327	7084492	1290	Soil	Moist	Grey to tan	Clay/Silt	24	B	5	8	8	SE	Off proposed location--> dense vegetation. Sample w/ FG mica fragments.
AUX0100746	Aurex	8/17/2011	RS	NAD 83, Zone 8	479303	7084504	1306	Soil	Moist	brw/gry	Clay/Silt	57	B	7	20	4	SE	
AUX0100747	Aurex	8/17/2011	RS	NAD 83, Zone 8	479289	7084530	1309	Soil	Moist	brw/gry	Clay/Silt	55	B	Tr	20	4	SE	
AUX0100748	Aurex	8/17/2011	RS	NAD 83, Zone 8	479266	7084548	1317	Soil	Moist	brw/tan/gry	Clay/Silt	56	B	Tr	5	4	SE	
AUX0100749	Aurex	8/17/2011	RS	NAD 83, Zone 8	479247	7084554	1321	Soil	Moist	Dark grey	Clay/Silt	48	B	5	40	2	SE	
AUX0100750	Aurex	8/17/2011	RS	NAD 83, Zone 8	479247	7084554	1321	Soil	Moist	Dark grey	Clay/Silt	48	B	5	40	2	SE	
AUX0100751	Aurex	8/17/2011	RS	NAD 83, Zone 8	479230	7084570	1320	Soil	Moist	brw/gry	Clay/Silt	62	B	Tr	50	4	SE	
AUX0100752	Aurex	8/17/2011	RS	NAD 83, Zone 8	479204	7084582	1327	Soil	satuarated	brw/gry	Clay/Silt	71	B	Tr	40	4	SE	hit watertable
AUX0100753	Aurex	8/17/2011	RS	NAD 83, Zone 8	479187	7084604	1333	Soil	satuarated	brw/gry	Clay/Silt	46	B	3	23	2	SE	hit watertable
AUX0100754	Aurex	8/17/2011	RS	NAD 83, Zone 8	479175	7084625	1336	Soil	satuarated	Dark grey	Clay/Silt	53	B	3	15	2	SE	hit watertable
AUX0100755	Aurex	8/17/2011	RS	NAD 83, Zone 8	479155	7084640	1343	Soil	Moist	brw/gry	Clay/Silt	76	B	Tr	15	2	SE	
AUX0100756	Aurex	8/17/2011	RS	NAD 83, Zone 8	479144	7084657	1346	Soil	Moist	brw/tan	Clay/Silt	57	B	Tr	10	4	SE	
AUX0100757	Aurex	8/17/2011	RS	NAD 83, Zone 8	479125	7084681	1350	Soil	Moist	brw/gry	Clay/Silt	37	B	Tr	60	2	SE	
AUX0100758	Aurex	8/17/2011	RS	NAD 83, Zone 8	479107	7084696	1353	Soil	Moist	brw/gry	Clay/Silt	47	B	Tr	15	6	SE	
AUX0100759	Aurex	8/17/2011	RS	NAD 83, Zone 8	479082	7084713	1359	Soil	Moist	light brown	Clay/Silt	37	B	2	30	2	SE	
AUX0100760	Aurex	8/17/2011	RS	NAD 83, Zone 8	479059	7084724	1361	Soil	Moist	light brown	Clay/Silt	37	B	2	5	4	SE	
AUX0100761	Aurex	8/17/2011	RS	NAD 83, Zone 8	479048	7084739	1363	Soil	Moist	brw/tan	Clay/Silt	40	B	5	15	4	SE	
AUX0100762	Aurex	8/17/2011	RS	NAD 83, Zone 8	479027	7084760	1366	Soil	Moist	brw/tan	Clay/Silt	38	B	2	40	4	SE	
AUX0100763	Aurex	8/17/2011	RS	NAD 83, Zone 8	479005	7084774	1369	Soil	Moist	tan/gry	Clay/Silt	39	B	3	20	2	SE	
AUX0100764	Aurex	8/17/2011	RS	NAD 83, Zone 8	478984	7084791	1372	Soil	Moist	light brown	Clay/Silt	37	B	Tr	25	2	SE	
AUX0100765	Aurex	8/17/2011	RS	NAD 83, Zone 8	478969	7084806	1373	Soil	Moist	brown	Clay/Silt	47	B	2	20	1	SE	micatious fragments
AUX0100766	Aurex	8/17/2011	RS	NAD 83, Zone 8	478958	7084828	1376	Soil	Moist	brown	Clay/Silt	37	B	Tr	3	2	SE	
AUX0100767	Aurex	8/17/2011	RS	NAD 83, Zone 8	478935	7084842	1379	Soil	Moist	light brown	Clay/Silt	29	B	4	5	2	SE	
AUX0100768	Aurex	8/17/2011	RS	NAD 83, Zone 8	478915	7084859	1381	Soil	Moist	light brown	Clay/Silt	40	B	Tr	5	1	SE	
AUX0100769	Aurex	8/17/2011	RS	NAD 83, Zone 8	478896	7084875	1382	Soil	Moist	brw/tan	Clay/Silt	52	B	2	5	1	SE	
AUX0100770	Aurex	8/17/2011	RS	NAD 83, Zone 8	478877	7084894	1385	Soil	Moist	brw/tan	Clay/Silt	56	B	Tr	3	1	SE	
AUX0100771	Aurex	8/17/2011	RS	NAD 83, Zone 8	478862	7084912	1388	Soil	Moist	brw/tan	Clay/Silt	48	B	Tr	5	1	SE	
AUX0100772	Aurex	8/17/2011	RS	NAD 83, Zone 8	478844	7084928	1390	Soil	Moist	brown	Clay/Silt	38	B	Tr	Tr	1	SE	
AUX0100773	Aurex	8/17/2011	RS	NAD 83, Zone 8	478823	7084945	1393	Soil	Moist	light brown	Clay/Silt	36	B	3	4	1	SE	
AUX0100774	Aurex	8/17/2011	RS	NAD 83, Zone 8	478803	7084958	1394	Soil	Moist	light tan/brw	Clay/Silt	55	B	Tr	Tr	1	SE	
AUX0100775	Aurex	8/17/2011	RS	NAD 83, Zone 8	478803	7084958	1394	Soil	Moist	light tan/brw	Clay/Silt	55	B	Tr	Tr	1	SE	

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100776	Aurex	8/17/2011	RS	NAD 83, Zone 8	478784	7084975	1397	Soil	Moist	light brown	Clay/Silt	40	B	Tr	Tr	1	SE	
AUX0100777	Aurex	8/17/2011	RS	NAD 83, Zone 8	478775	7084993	1399	Soil	Moist	light brown	Clay/Silt	40	B	Tr	Tr	1	SE	
AUX0100778	Aurex	8/17/2011	RS	NAD 83, Zone 8	478754	7085013	1401	Soil	Moist	light brown	Clay/Silt	46	B	Tr	2	1	SE	latge rocks, grater then 1cm
AUX0100779	Aurex	8/17/2011	RS	NAD 83, Zone 8	478729	7085029	1401	Soil	Moist	tan/grn	Clay/Silt	37	B	Tr	Tr	1	SE	
AUX0100780	Aurex	8/17/2011	RS	NAD 83, Zone 8	478709	7085043	1402	Soil	Moist	light brown	Clay/Silt	30	B	6	2	1	SE	
AUX0100781	Aurex	8/17/2011	RS	NAD 83, Zone 8	478692	7085053	1403	Soil	Moist	light brown	Clay/Silt	41	B	8	10	1	NW	lots of micas
AUX0100782	Aurex	8/17/2011	RS	NAD 83, Zone 8	478670	7085069	1405	Soil	Moist	light tan	Clay/Silt	43	B	Tr	6	1	NW	
AUX0100783	Aurex	8/17/2011	RS	NAD 83, Zone 8	478653	7085093	1403	Soil	Moist	light tan	Clay/Silt	59	B	Tr	5	1	NW	
AUX0100784	Aurex	8/17/2011	RS	NAD 83, Zone 8	478638	7085110	1403	Soil	Moist	light tan	Clay/Silt	42	B	2	3	1	NW	
AUX0100785	Aurex	8/17/2011	RS	NAD 83, Zone 8	478618	7085126	1402	Soil	Moist	brw/tan	Clay/Silt	45	B	2	3	1	NW	lots of micas
AUX0100786	Aurex	8/17/2011	RS	NAD 83, Zone 8	478599	7085141	1402	Soil	Moist	tan/gry	Clay/Silt	51	B	2	7	2	NW	3m from road. Large sized rocks, grater then 1cm
AUX0100787	Aurex	8/17/2011	RS	NAD 83, Zone 8	478576	7085150	1401	Soil	Moist	brw/tan	Clay/Silt	39	B	Tr	Tr	1	NW	
AUX0100788	Aurex	8/17/2011	RS	NAD 83, Zone 8	478556	7085170	1399	Soil	Moist	brw/tan	Clay/Silt	44	B	Tr	Tr	1	NW	
AUX0100789	Aurex	8/17/2011	RS	NAD 83, Zone 8	478543	7085189	1396	Soil	Moist	light brown	Clay/Silt	51	B	Tr	Tr	1	NW	
AUX0100790	Aurex	8/17/2011	RS	NAD 83, Zone 8	478520	7085202	1395	Soil	Moist	brw/tan	Clay/Silt	34	B	Tr	2	2	NW	moved over 5m due to road
AUX0100791	Aurex	8/17/2011	RS	NAD 83, Zone 8	478509	7085224	1392	Soil	Moist	light brown	Clay/Silt	43	B	Tr	2	2	NW	3m from old road
AUX0100811	Aurex	8/18/2011	TC	NAD 83, Zone 8	479205	7084322	1300	Soil	Moist	blk/tan	ClayéSilt	48	B	10	2	7	SE	has slight amount of A horizone. Hit permafrost
AUX0100812	Aurex	8/18/2011	TC	NAD 83, Zone 8	479186	7084337	1302	Soil	Moist	tan/gry	ClayéSilt	49	B	4	5	6	SE	
AUX0100813	Aurex	8/18/2011	TC	NAD 83, Zone 8	479166	7084355	1308	Soil	Moist	tan/gry	ClayéSilt	58	B	2	3	2	SE	small micaceous fragments
AUX0100814	Aurex	8/18/2011	TC	NAD 83, Zone 8	479147	7084371	1313	Soil	Moist	tan/gry	ClayéSilt	63	B	Tr	3	4	SE	small micaceous fragments
AUX0100815	Aurex	8/18/2011	TC	NAD 83, Zone 8	479129	7084388	1321	Soil	Moist	tan/gry	ClayéSilt	51	B	3	20	7	SE	small (sub-man) to large 4cm micaseous/ schisty units
AUX0100816	Aurex	8/18/2011	TC	NAD 83, Zone 8	479111	7084405	1327	Soil	Moist	brw/tan	ClayéSilt	58	B	2	10	8	SE	micaceous frags
AUX0100817	Aurex	8/18/2011	TC	NAD 83, Zone 8	479093	7084423	1334	Soil	Moist	tan/gry	ClayéSilt	53	B	Tr	3	7	SE	Fg micaceous frags. Oxidized sections. Qtz vein frags.
AUX0100818	Aurex	8/18/2011	TC	NAD 83, Zone 8	479073	7084439	1339	Soil	Moist	brw/tan	ClayéSilt	63	B	4	2	4	SE	
AUX0100819	Aurex	8/18/2011	TC	NAD 83, Zone 8	479056	7084453	1342	Soil	Moist	blk/tan	ClayéSilt	32	B	Tr	3	7	SE	
AUX0100820	Aurex	8/18/2011	TC	NAD 83, Zone 8	479031	7084470	1349	Soil	Semi Saturated	tan/gry	ClayéSilt	62	B	5	4	6	SE	off due to heavy veg.
AUX0100821	Aurex	8/18/2011	TC	NAD 83, Zone 8	479015	7084488	1352	Soil	Moist	brw/gry	ClayéSilt	46	B	2	5	4	SE	micaceous frags
AUX0100822	Aurex	8/18/2011	TC	NAD 83, Zone 8	479001	7084503	1357	Soil	Moist	blk/brw	ClayéSilt	61	B	Tr	2	3	SE	
AUX0100823	Aurex	8/18/2011	TC	NAD 83, Zone 8	478979	7084522	1362	Soil	Moist	grey	ClayéSilt	41	B	3	3	5	SE	
AUX0100824	Aurex	8/18/2011	TC	NAD 83, Zone 8	478961	7084542	1364	Soil	Moist	tan/gry	ClayéSilt	44	B	Tr	Tr	3	SE	off due to heavy veg. Contains micaceous frags. Contains large, 2cm, qtz frags.
AUX0100825	Aurex	8/18/2011	TC	NAD 83, Zone 8	478961	7084542	1364	Soil	Moist	tan/gry	ClayéSilt	44	B	Tr	Tr	3	SE	off due to heavy veg. Contains micaceous frags. Contains large, 2cm, qtz frags.
AUX0100826	Aurex	8/18/2011	TC	NAD 83, Zone 8	478944	7084555	1368	Soil	Moist	dark grey	ClayéSilt	39	B	3	5	4	SE	
AUX0100827	Aurex	8/18/2011	TC	NAD 83, Zone 8	478925	7084574	1373	Soil	Moist	tan/gry	ClayéSilt	41	B	2	4	4	SE	
AUX0100828	Aurex	8/18/2011	TC	NAD 83, Zone 8	478905	7084588	1375	Soil	Moist	tan/gry	ClayéSilt	40	B	Tr	2	4	SE	Fg micaceous frags. Oxidized sections. 1-2cm Qtz vein frags.
AUX0100829	Aurex	8/18/2011	TC	NAD 83, Zone 8	478887	7084604	1377	Soil	Moist	tan/gry	ClayéSilt	40	B	2	5	4	SE	Fg micaceous frags.

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100830	Aurex	8/18/2011	TC	NAD 83, Zone 8	478867	7084621	1380	Soil	Moist	tan	ClayéSilt	38	B	Tr	6	2	SE	contains 2mm-12mm micaceous and qtz vein frags
AUX0100831	Aurex	8/18/2011	TC	NAD 83, Zone 8	478850	7084638	1382	Soil	Moist	tan	ClayéSilt	37	B	2	3	2	SE	micaceous frags
AUX0100832	Aurex	8/18/2011	TC	NAD 83, Zone 8	478833	7084657	1388	Soil	Moist	brw/tan	ClayéSilt	39	B	2	6	3	SE	
AUX0100833	Aurex	8/18/2011	TC	NAD 83, Zone 8	478812	7084673	1390	Soil	Moist	tan/gry	ClayéSilt	49	B	Tr	2	4	SE	
AUX0100834	Aurex	8/18/2011	TC	NAD 83, Zone 8	478793	7084689	1393	Soil	Moist	tan/gry	ClayéSilt	37	B	2	8	0	SE	micaceous frags
AUX0100835	Aurex	8/18/2011	TC	NAD 83, Zone 8	478776	7084703	1394	Soil	Moist	brw/tan	ClayéSilt	34	B	2	3	2	SE	micaceous frags
AUX0100836	Aurex	8/18/2011	TC	NAD 83, Zone 8	478757	7084724	1396	Soil	Moist	tan	ClayéSilt	40	B	Tr	3	2	SE	large 3cm qtz vein frags
AUX0100837	Aurex	8/18/2011	TC	NAD 83, Zone 8	478737	7084739	1399	Soil	Semi Saturated	brw/tan	ClayéSilt	37	B	2	Tr	3	SE	fg micaceous frags. Qtz frags
AUX0100838	Aurex	8/18/2011	TC	NAD 83, Zone 8	478719	7084755	1401	Soil	Moist	tan	ClayéSilt	48	B	3	4	3	SE	
AUX0100839	Aurex	8/18/2011	TC	NAD 83, Zone 8	478698	7084775	1404	Soil	Moist	tan	ClayéSilt	40	B	Tr	3	3	SE	off due to heavy veg. Micaceous frags.
AUX0100840	Aurex	8/18/2011	TC	NAD 83, Zone 8	478684	7084790	1405	Soil	Moist	tan	ClayéSilt	39	B	Tr	2	2	SE	contains small qtz vein frags 3-4mm. Small micaceous frags also present.
AUX0100841	Aurex	8/18/2011	TC	NAD 83, Zone 8	478665	7084805	1406	Soil	Moist	tan	ClayéSilt	41	B	Tr	4	3	SE	contains angular qtz vein frags (2cm).
AUX0100842	Aurex	8/18/2011	TC	NAD 83, Zone 8	478643	7084824	1407	Soil	Moist	brw/tan	ClayéSilt	43	B	3	4	2	SE	
AUX0100843	Aurex	8/18/2011	TC	NAD 83, Zone 8	478626	7084840	1409	Soil	Moist	tan	ClayéSilt	39	B	2	3	2	SE	
AUX0100844	Aurex	8/18/2011	TC	NAD 83, Zone 8	478609	7084858	1408	Soil	Moist	tan	ClayéSilt	49	B	Tr	Tr	2	E	
AUX0100845	Aurex	8/18/2011	TC	NAD 83, Zone 8	478589	7084873	1408	Soil	Moist	tan	ClayéSilt	38	B	2	5	2	E	rock frags very from sub mm to 2cm and are somewhat rounded.
AUX0100846	Aurex	8/18/2011	TC	NAD 83, Zone 8	478572	7084890	1410	Soil	Moist	brw/tan	ClayéSilt	46	B	Tr	2	1	E	
AUX0100847	Aurex	8/18/2011	TC	NAD 83, Zone 8	478555	7084906	1409	Soil	Moist	light brw	ClayéSilt	33	B	Tr	5	2	E	
AUX0100848	Aurex	8/18/2011	TC	NAD 83, Zone 8	478536	7084920	1408	Soil	Semi Saturated	tan	ClayéSilt	34	B	3	8	2	NW	sam[ple taken on edge of old drill pad/open space. Soil, however, is not disturbed since many years past. Silt rich.
AUX0100849	Aurex	8/18/2011	TC	NAD 83, Zone 8	478516	7084938	1407	Soil	Moist	brown	ClayéSilt	30	B	Tr	2	2	NW	trench located 5m away and contains qtz, schist, quartzite fragments (angular)
AUX0100850	Aurex	8/18/2011	TC	NAD 83, Zone 8	478516	7084938	1407	Soil	Moist	brown	ClayéSilt	30	B	Tr	2	2	NW	trench located 5m away and contains qtz, schist, quartzite fragments (angular)
AUX0100851	Aurex	8/18/2011	TC	NAD 83, Zone 8	478501	7084960	1407	Soil	Moist	brw/tan	ClayéSilt	38	B	3	5	2	N	proposed location in 5-10 year old trench. Sample moved to this location. Trench has schist and qtz veins
AUX0100852	Aurex	8/18/2011	TC	NAD 83, Zone 8	478474	7084980	1407	Soil	Moist	brown	ClayéSilt	35	B	5	3	2	N	sample taken off course due to trench rubble at proposed loaction
AUX0100853	Aurex	8/18/2011	TC	NAD 83, Zone 8	478462	7084991	1409	Soil	Moist	brw/tan	ClayéSilt	32	B	4	2	2	N	off due to heavy veg
AUX0100854	Aurex	8/18/2011	TC	NAD 83, Zone 8	478439	7085006	1406	Soil	Moist	brw/tan	ClayéSilt	36	B	Tr	2	2	N	
AUX0100855	Aurex	8/18/2011	TC	NAD 83, Zone 8	478423	7085020	1405	Soil	Moist	brw/tan	ClayéSilt	41	B	2	5	2	N	qtz and micaceous frags
AUX0100856	Aurex	8/18/2011	TC	NAD 83, Zone 8	478403	7085040	1403	Soil	Moist	brown	ClayéSilt	43	B	2	3	3	N	
AUX0100857	Aurex	8/18/2011	TC	NAD 83, Zone 8	478386	7085055	1401	Soil	Moist	brw/tan	ClayéSilt	38	B	Tr	4	2	N	small micaceous fragments and qtz veins
AUX0100858	Aurex	8/18/2011	TC	NAD 83, Zone 8	478369	7085074	1399	Soil	Moist	tan/gry	ClayéSilt	32	B	Tr	3	2	N	
AUX0102001	Aurex	8/8/2011	GS	NAD 83, Zone 8	480148	7084692	1149	soil	moist	tan/grey	silt/sand	54	B	Tr	6	6	SE	First sample in line 20
AUX0102002	Aurex	8/8/2011	GS	NAD 83, Zone 8	480128	7084709	1152	soil	moist	brw/gry	clay/silt	42	B	Tr	10	9	SE	slightly gravely
AUX0102003	Aurex	8/8/2011	GS	NAD 83, Zone 8	480110	7084722	1157	soil	moist	tan/grey	clay/silt	57	B	Tr	15	10	SE	very thick A horizone
AUX0102004	Aurex	8/8/2011	GS	NAD 83, Zone 8	480091	7084741	1162	soil	moist	Grey	clay/silt	43	B	Tr	Tr	5	SE	
AUX0102005	Aurex	8/8/2011	GS	NAD 83, Zone 8	480071	7084759	1167	soil	moist	blk/gry	clay/silt	46	B	Tr	Tr	6	SE	
AUX0102006	Aurex	8/8/2011	GS	NAD 83, Zone 8	480053	7084775	1173	soil	moist	brw/gry	clay/silt	49	B	Tr	Tr	7	SE	

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102007	Aurex	8/8/2011	GS	NAD 83, Zone 8	480031	7084791	1176	soil	moist	Grey	clay/silt	41	B	Tr	10	6	SE	
AUX0102008	Aurex	8/8/2011	GS	NAD 83, Zone 8	480015	7084808	1178	soil	moist	brw/gry	clay/silt	46	B	Tr	10	5	SE	
AUX0102009	Aurex	8/8/2011	GS	NAD 83, Zone 8	479996	7084824	1183	soil	moist	blk/gry	clay/silt	33	B	3	6	5	SE	
AUX0102010	Aurex	8/8/2011	GS	NAD 83, Zone 8	479979	7084841	1183	soil	moist	blk/gry	clay/silt	46	B	Tr	5	4	SE	
AUX0102011	Aurex	8/8/2011	GS	NAD 83, Zone 8	479961	7084860	1187	soil	moist	blk/gry	silt/sand	43	B	2	5	3	SE	
AUX0102012	Aurex	8/8/2011	GS	NAD 83, Zone 8	479942	7084875	1189	soil	saturated	brown	silt/sand	35	B	Tr	5	3	SE	
AUX0102013	Aurex	8/8/2011	GS	NAD 83, Zone 8	479923	7084891	1192	soil	saturated	brw/tan	silt/sand	32	B	2	10	4	SE	Lots of rocks, both angular and rounded. Hit water table
AUX0102014	Aurex	8/8/2011	GS	NAD 83, Zone 8	479905	7084910	1191	soil	saturated	brw/tan	silt/sand	43	B	Tr	10	2	SE	
AUX0102015	Aurex	8/8/2011	GS	NAD 83, Zone 8	479886	7084923	1191	soil	saturated	brw/gry	silt/sand	36	B	5	8	4	E	
AUX0102016	Aurex	8/8/2011	GS	NAD 83, Zone 8	479866	7084941	1189	soil	moist	brw/gry	silt/sand	48	B	Tr	6	4	E	
AUX0102017	Aurex	8/8/2011	GS	NAD 83, Zone 8	479850	7084959	1191	soil	moist	brw/tan/gry	silt/sand	38	B	Tr	8	6	E	Hit water table
AUX0102018	Aurex	8/8/2011	GS	NAD 83, Zone 8	479829	7084976	1188	soil	moist	brw/gry	silt/sand	33	B	Tr	2	3	E	
AUX0102019	Aurex	8/8/2011	GS	NAD 83, Zone 8	479814	7084993	1187	soil	moist	brw/gry	silt/sand	30	B	Tr	3	3	E	
AUX0102020	Aurex	8/8/2011	GS	NAD 83, Zone 8	479793	7085009	1190	soil	moist	Grey	silt/sand	34	B	Tr	Tr	2	E	
AUX0102021	Aurex	8/8/2011	GS	NAD 83, Zone 8	479777	7085024	1195	soil	moist	Grey	silt/sand	42	B	2	2	3	E	
AUX0102022	Aurex	8/9/2011	GS	NAD 83, Zone 8	479753	7085043	1202	soil	moist	blk/gry	clay/silt	51	B	8	6	10	E	
AUX0102023	Aurex	8/9/2011	GS	NAD 83, Zone 8	479737	7085058	1207	soil	moist	blk/gry	clay/silt	42	B	5	12	7	E	
AUX0102024	Aurex	8/9/2011	GS	NAD 83, Zone 8	479717	7085077	1216	soil	moist	brw/gry	silt/sand	55	B	5	6	4	E	
AUX0102025	Aurex	8/9/2011	GS	NAD 83, Zone 8	479720	7085077	1218	soil	moist	Grey	silt/sand	51	B	3	4	4	E	
AUX0102026	Aurex	8/9/2011	GS	NAD 83, Zone 8	479699	7085091	1217	soil	moist	brw/gry	silt/sand	37	B	4	5	9	E	
AUX0102027	Aurex	8/9/2011	GS	NAD 83, Zone 8	479683	7085109	1228	soil	moist	Grey	clay/silt	42	B	Tr	Tr	7	E	
AUX0102028	Aurex	8/9/2011	GS	NAD 83, Zone 8	479663	7085125	1233	soil	moist	Grey	clay/silt	43	B	3	Tr	6	E	
AUX0102029	Aurex	8/9/2011	GS	NAD 83, Zone 8	479644	7085142	1235	soil	moist	Grey	clay/silt	38	B	Tr	Tr	5	E	
AUX0102030	Aurex	8/9/2011	GS	NAD 83, Zone 8	479627	7085155	1239	soil	moist	blk/gry	silt/sand	36	B	3	15	4	E	moved sample due to subcrop. Subcrop lookes like QSSH, quartz cross cutting veins.
AUX0102031	Aurex	8/9/2011	GS	NAD 83, Zone 8	479609	7085176	1245	soil	moist	brw/gry	silt/sand	34	B	Tr	12	3	E	fine rock chips, less then 1cm
AUX0102032	Aurex	8/11/2011	GS	NAD 83, Zone 8	480009	7084546	1163	Soil	Moist	blk/brw	clay/silt	63	B	2	Tr	4	SE	
AUX0102033	Aurex	8/11/2011	GS	NAD 83, Zone 8	480008	7084545	1164	Soil	Moist	blk/brw	clay/silt	63	B	2	Tr	4	SE	
AUX0102034	Aurex	8/11/2011	GS	NAD 83, Zone 8	479994	7084564	1169	Soil	Moist	tan/gry	clay/silt	65	B	Tr	5	6	SE	
AUX0102035	Aurex	8/11/2011	GS	NAD 83, Zone 8	479974	7084574	1176	Soil	Moist	blk/brw	clay/silt	53	B	Tr	2	4	SE	lots of micas
AUX0102036	Aurex	8/11/2011	GS	NAD 83, Zone 8	479955	7084594	1182	Soil	Moist	brw/tan/gry	clay/silt	44	B	Tr	5	4	SE	
AUX0102037	Aurex	8/11/2011	GS	NAD 83, Zone 8	479937	7084615	1186	Soil	Moist	tan/gry	clay/silt	63	B	2	10	4	E	lots of micas
AUX0102038	Aurex	8/11/2011	GS	NAD 83, Zone 8	479918	7084629	1192	Soil	Moist	blk/gry	clay/silt	49	B	3	10	4	E	permafrost
AUX0102039	Aurex	8/11/2011	GS	NAD 83, Zone 8	479901	7084644	1196	Soil	Moist	blk/brw	clay/silt	61	B	Tr	3	6	E	
AUX0102040	Aurex	8/11/2011	GS	NAD 83, Zone 8	479881	7084662	1200	Soil	Moist	blk/brw/gry	clay/silt	56	B	Tr	3	4	SE	
AUX0102041	Aurex	8/11/2011	GS	NAD 83, Zone 8	479863	7084678	1203	Soil	Moist	brw/gry	clay/silt	53	B	8	8	6	E	

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102042	Aurex	8/11/2011	GS	NAD 83, Zone 8	479842	7084694	1209	Soil	Moist	brw/gry	clay/silt	55	B	Tr	3	4	SE	
AUX0102043	Aurex	8/11/2011	GS	NAD 83, Zone 8	479830	7084719	1213	Soil	Moist	brw/tan/gry	clay/silt	53	B	2	6	6	E	moved sample over a few meters due to stream
AUX0102044	Aurex	8/11/2011	GS	NAD 83, Zone 8	479807	7084731	1218	Soil	Moist	tan/gry	clay/silt	41	B	2	5	4	SE	
AUX0102045	Aurex	8/11/2011	GS	NAD 83, Zone 8	479788	7084745	1221	Soil	Moist	tan/gry	clay/silt	47	B	Tr	14	4	SE	lots of micas and rocks ranging from 1-2cm
AUX0102046	Aurex	8/11/2011	GS	NAD 83, Zone 8	479770	7084764	1221	Soil	Moist	tan/gry	silt/sand	43	B	Tr	8	2	E	
AUX0102047	Aurex	8/11/2011	GS	NAD 83, Zone 8	479754	7084776	1227	Soil	Moist	blk/gry	clay/silt	557	B	Tr	3	6	SE	
AUX0102048	Aurex	8/11/2011	GS	NAD 83, Zone 8	479734	7084794	1228	Soil	Moist	brw/tan/	silt/sand	59	B	Tr	10	6	E	some micatius rocks in sample
AUX0102049	Aurex	8/9/2011	GS	NAD 83, Zone 8	479713	7084811	1229	Soil	Saturated	brw/tan/gry	silt/sand	33	B	Tr	10	3	E	Lots of pebbles, mostly rounded (1cm>)
AUX0102050	Aurex	8/9/2011	GS	NAD 83, Zone 8	479713	7084811	1229	Soil	Saturated	brw/tan/gry	silt/sand	53	B	Tr	10	3	E	Lots of pebbles, mostly rounded (1cm>)
AUX0102051	Aurex	8/9/2011	GS	NAD 83, Zone 8	479698	7084829	1231	Soil	Moist	blk/brw/gry	silt/sand	64	B	3	6	3	E	
AUX0102052	Aurex	8/9/2011	GS	NAD 83, Zone 8	479675	7084844	1233	Soil	Moist	brw/gry	silt/sand	45	B	Tr	10	7	E	
AUX0102053	Aurex	8/9/2011	GS	NAD 83, Zone 8	479656	7084861	1232	Soil	Saturated	blk/gry	silt/sand	51	B	Tr	6	5	E	lots of rounded rocks.
AUX0102054	Aurex	8/9/2011	GS	NAD 83, Zone 8	479638	7084880	1233	Soil	Moist	blk/brw/gry	silt/sand	53	B	Tr	Tr	6	E	
AUX0102055	Aurex	8/9/2011	GS	NAD 83, Zone 8	479623	7084893	1230	Soil	Moist	brw/gry	silt/sand	47	B	3	8	5	E	
AUX0102056	Aurex	8/9/2011	GS	NAD 83, Zone 8	479603	7084914	1236	Soil	Moist	brw/gry	silt/sand	46	B	Tr	Tr	9	E	
AUX0102057	Aurex	8/9/2011	GS	NAD 83, Zone 8	479583	7084928	1234	Soil	Moist	blk/brw	silt/sand	38	B	Tr	Tr	6	E	
AUX0102058	Aurex	8/9/2011	GS	NAD 83, Zone 8	479564	7084945	1245	Soil	Moist	blk/brw	clay/silt	68	B	Tr	Tr	6	E	
AUX0102059	Aurex	8/9/2011	GS	NAD 83, Zone 8	479545	7084960	1254	Soil	Moist	blk/gry	clay/silt	63	B	Tr	Tr	3	E	
AUX0102060	Aurex	8/9/2011	GS	NAD 83, Zone 8	479529	7084981	1258	Soil	Moist	blk/brw/gry	silt/sand	58	B	5	Tr	5	E	
AUX0102061	Aurex	8/9/2011	GS	NAD 83, Zone 8	479509	7084996	1264	Soil	Moist	brw/gry	clay/silt	42	B	5	Tr	6	E	
AUX0102062	Aurex	8/9/2011	GS	NAD 83, Zone 8	479488	7085010	1269	Soil	Moist	brw/gry	silt/sand	53	B	Tr	6	4	E	small rock chips(look like micas and schists)
AUX0102063	Aurex	8/9/2011	GS	NAD 83, Zone 8	479469	7085029	1273	Soil	Moist	grey	clay/silt	61	B	Tr	5	5	E	very rocky under organic layer.
AUX0102064	Aurex	8/12/2011	TC	NAD 83, Zone 8	479877	7084394	1180	Soil	Moist	Grey	Clay/silt	54	B	8	4	2	SE	
AUX0102065	Aurex	8/12/2011	TC	NAD 83, Zone 8	479858	7084411	1185	Soil	Semi-saturated	Black to brown	Clay/silt	46	B	3	2	6	SE	
AUX0102066	Aurex	8/12/2011	TC	NAD 83, Zone 8	479839	7084432	1186	Soil	Moist	Grey to tan	Clay/silt	56	B	1	3	2	E	
AUX0102067	Aurex	8/12/2011	TC	NAD 83, Zone 8	479823	7084447	1190	Soil	Moist	Grey to tan	Clay/silt	44	B	tr	5	4	E	
AUX0102068	Aurex	8/12/2011	TC	NAD 83, Zone 8	479804	7084462	1194	Soil	Moist	Gren to tan	Clay/silt	39	B	2	10	4	E	
AUX0102069	Aurex	8/12/2011	TC	NAD 83, Zone 8	479785	7084478	1204	Soil	Moist	Grey to brown	Clay/silt	30	B	tr	3	4	E	
AUX0102070	Aurex	8/12/2011	TC	NAD 83, Zone 8	479765	7084496	1207	Soil	Moist	Grey to tan	Clay/silt	26	B	2	6	6	E	
AUX0102071	Aurex	8/12/2011	TC	NAD 83, Zone 8	479747	7084514	1210	Soil	Moist	Grey to tan	Clay/silt	33	B	tr	5	2	E	
AUX0102072	Aurex	8/12/2011	TC	NAD 83, Zone 8	479725	7084529	1223	Soil	Semi-saturated	Grey to tan	Clay/silt	36	B	tr	5	6	E	
AUX0102073	Aurex	8/12/2011	TC	NAD 83, Zone 8	479708	7084548	1228	Soil	Semi-saturated	Dark grey	Clay/silt	61	B	3	5	4	E	
AUX0102074	Aurex	8/12/2011	TC	NAD 83, Zone 8	479691	7084562	1235	Soil	Moist	Dark grey	Clay/silt	42	B	3	10	4	E	
AUX0102075	Aurex	8/12/2011	TC	NAD 83, Zone 8	479691	7084562	1235	Soil	Moist	Dark grey	Clay/silt	42	B	3	10	4	E	Duplicate sample
AUX0102076	Aurex	8/12/2011	TC	NAD 83, Zone 8	479672	7084581	1239	Soil	Moist	Grey to tan	Clay/silt	32	B	tr	5	6	E	

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102077	Aurex	8/12/2011	TC	NAD 83, Zone 8	479652	7084596	1243	Soil	Saturated	Grey to tan	Clay/silt	40	B	tr	15	4	E	
AUX0102078	Aurex	8/12/2011	TC	NAD 83, Zone 8	479635	7084613	1249	Soil	Moist	Brown to tan	Clay/silt	53	B	tr	4	6	E	
AUX0102079	Aurex	8/12/2011	TC	NAD 83, Zone 8	479617	7084630	1252	Soil	Moist	Brown to tan	Clay/silt	58	B	3	5	6	E	
AUX0102080	Aurex	8/12/2011	TC	NAD 83, Zone 8	479598	7084648	1256	Soil	Moist	Brown to tan	Clay/silt	47	B	3	8	6	E	
AUX0102081	Aurex	8/12/2011	TC	NAD 83, Zone 8	479579	7084663	1256	Soil	Moist	Grey to tan	Clay/silt	38	B	2	3	6	E	
AUX0102082	Aurex	8/12/2011	TC	NAD 83, Zone 8	479560	7084682	1261	Soil	Moist	Grey to tan	Clay/silt	42	B	2	5	6	NE	
AUX0102083	Aurex	8/12/2011	TC	NAD 83, Zone 8	479541	7084696	1268	Soil	Moist	Grey to dark brown	Clay/silt	56	B	2	10	4	NE	
AUX0102084	Aurex	8/12/2011	TC	NAD 83, Zone 8	479525	7084715	1274	Soil	Moist	Grey to tan	Clay/silt	40	B	2	35	4	NE	Large amount of micaceous fragments that are sub-mm to 2cm.
AUX0102085	Aurex	8/12/2011	TC	NAD 83, Zone 8	479504	7084732	1280	Soil	Moist	Grey to tan	Clay/silt	28	B	tr	5	8	NE	
AUX0102086	Aurex	8/12/2011	TC	NAD 83, Zone 8	479488	7084747	1277	Soil	Moist	Grey to tan	Clay/silt	33	B	tr	5	6	NE	
AUX0102087	Aurex	8/12/2011	TC	NAD 83, Zone 8	479470	7084766	1279	Soil	Moist	Grey to black	Clay/silt	56	B	2	10	6	E	
AUX0102088	Aurex	8/12/2011	TC	NAD 83, Zone 8	479449	7084781	1281	Soil	Moist	Black to brown	Clay/silt	65	B	tr	2	8	E	
AUX0102089	Aurex	8/12/2011	TC	NAD 83, Zone 8	479431	7084798	1284	Soil	Moist	Brown to tan	Clay/silt	38	B	2	5	4	E	
AUX0102090	Aurex	8/12/2011	TC	NAD 83, Zone 8	479412	7084815	1290	Soil	Moist	Grey to brown	Clay/silt	36	B	2	tr	4	E	
AUX0102091	Aurex	8/12/2011	TC	NAD 83, Zone 8	479397	7084833	1295	Soil	Moist	Brown	Clay/silt	35	B	2	tr	4	E	
AUX0102092	Aurex	8/12/2011	TC	NAD 83, Zone 8	479374	7084848	1299	Soil	Moist	Brown	Clay/silt	26	B	tr	2	6	E	
AUX0102093	Aurex	8/12/2011	TC	NAD 83, Zone 8	479356	7084865	1305	Soil	Moist	Grey to brown	Clay/silt	32	B	tr	10	8	E	
AUX0102094	Aurex	8/12/2011	TC	NAD 83, Zone 8	479338	7084885	1310	Soil	Moist	Tan to brown	Clay/silt	31	B	tr	5	6	E	
AUX0102095	Aurex	8/16/2011	SD	NAD 83, Zone 8	479743	7084246	1183	Soil	Moist	Brown to grey	Clay/Silt	47	B	tr	5	8	SE	Hit permafrost
AUX0102096	Aurex	8/16/2011	SD	NAD 83, Zone 8	479725	7084261	1190	Soil	Moist	Brown to grey	Clay/Silt	43	B	40	8	12	SE	
AUX0102097	Aurex	8/16/2011	SD	NAD 83, Zone 8	479706	7084281	1195	Soil	Moist	Grey to black/brown	Clay/Silt	56	B	5	5	6	SE	Hit permafrost
AUX0102098	Aurex	8/16/2011	SD	NAD 83, Zone 8	479689	7084297	1199	Soil	Moist	Brown to grey	Clay/Silt	41	B	tr	15	8	SE	
AUX0102099	Aurex	8/16/2011	SD	NAD 83, Zone 8	479669	7084311	1207	Soil	Moist	Brown to grey	Clay/Silt	53	B	54	7	6	SE	Minor micas present
AUX0102100	Aurex	8/16/2011	SD	NAD 83, Zone 8	479669	7084311	1207	Soil	Moist	Brown to grey	Clay/Silt	53	B	54	7	6	SE	Duplicate sample, and minor micas present
AUX0102101	Aurex	8/16/2011	SD	NAD 83, Zone 8	479650	7084330	1213	Soil	Moist	Brown to grey	Clay/Silt	40	B	5	8	7	SE	
AUX0102102	Aurex	8/16/2011	SD	NAD 83, Zone 8	479631	7084348	1217	Soil	Moist	Brown to grey	Clay/Silt	44	B	15	5	6	SE	
AUX0102103	Aurex	8/16/2011	SD	NAD 83, Zone 8	479614	7084366	1222	Soil	Moist	Brown to grey	Clay/Silt	42	B	tr	8	6	SE	Minor micas present
AUX0102104	Aurex	8/16/2011	SD	NAD 83, Zone 8	479592	7084379	1231	Soil	Moist	Brown to grey	Clay/Silt	50	B	10	15	7	SE	
AUX0102105	Aurex	8/16/2011	SD	NAD 83, Zone 8	479576	7084394	1235	Soil	Moist	Grey	Clay/Silt	49	B	tr	12	9	SE	Minor micas present
AUX0102106	Aurex	8/16/2011	SD	NAD 83, Zone 8	479559	7084411	1244	Soil	Moist	Grey to black/brown	Clay/Silt	65	B	20	8	5	SE	
AUX0102107	Aurex	8/16/2011	SD	NAD 83, Zone 8	479540	7084428	1248	Soil	Moist	Black to brown	Clay/Silt	53	B	10	5	8	SE	
AUX0102108	Aurex	8/16/2011	SD	NAD 83, Zone 8	479521	7084445	1253	Soil	Moist	Grey to black/brown	Clay/Silt	53	B	tr	12	10	SE	Minor micas present
AUX0102109	Aurex	8/16/2011	SD	NAD 83, Zone 8	479504	7084463	1261	Soil	Moist	Grey to black/brown	Clay/Silt	49	B	10	8	8	SE	
AUX0102110	Aurex	8/16/2011	SD	NAD 83, Zone 8	479483	7084477	1263	Soil	Moist	Grey	Clay/Silt	33	B	tr	8	7	SE	Larger percentage of micas and alos contains large angular clasts
AUX0102111	Aurex	8/16/2011	SD	NAD 83, Zone 8	479465	7084493	1272	Soil	Moist	Brown to grey	Clay/Silt	47	B	tr	20	7	SE	Minor micas present

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102112	Aurex	8/16/2011	SD	NAD 83, Zone 8	479445	7084509	1277	Soil	Moist	Brown to grey	Clay/Silt	55	B	10	2	7	SE	Minor micas present
AUX0102113	Aurex	8/16/2011	SD	NAD 83, Zone 8	479425	7084527	1236	Soil	Moist	Black to grey	Clay/Silt	41	B	15	5	12	SE	
AUX0102114	Aurex	8/16/2011	SD	NAD 83, Zone 8	479409	7084542	1291	Soil	Moist	Grey to black/brown	Clay/Silt	58	B	12	2	6	SE	Minor micas present
AUX0102115	Aurex	8/17/2011	SD	NAD 83, Zone 8	479392	7084558	1292	Soil	Moist	grey	Clay/Silt	39	B	Tr	8	8	SE	Minor micas present
AUX0102116	Aurex	8/17/2011	SD	NAD 83, Zone 8	479372	7084578	1313	Soil	moist	brw/gry	clay/silt	37	B	3	8	7	SE	
AUX0102117	Aurex	8/17/2011	SD	NAD 83, Zone 8	479352	7084596	1313	Soil	moist	brw/gry	clay/silt	48	B	Tr	15	8	SE	Minor micas present
AUX0102118	Aurex	8/17/2011	SD	NAD 83, Zone 8	479334	7084614	1319	Soil	moist	brw/org/gry	clay/silt	56	B	Tr	10	9	SE	
AUX0102119	Aurex	8/17/2011	SD	NAD 83, Zone 8	479317	7084628	1323	Soil	moist	brown	clay/silt	51	B	3	8	6	SE	
AUX0102120	Aurex	8/17/2011	SD	NAD 83, Zone 8	479296	7084647	1325	Soil	moist	brw/gry	clay/silt	71	B	Tr	8	10	SE	
AUX0102121	Aurex	8/17/2011	SD	NAD 83, Zone 8	479277	7084663	1330	Soil	moist	blk/brw	clay/silt	52	B	Tr	5	5	SE	Minor micas present
AUX0102122	Aurex	8/17/2011	SD	NAD 83, Zone 8	479261	7084684	1330	Soil	moist	brw/org	clay/silt	59	B	5	10	6	SE	
AUX0102123	Aurex	8/17/2011	SD	NAD 83, Zone 8	479238	7084700	1334	Soil	moist	blk/brw	clay/silt	53	B	Tr	25	8	SE	
AUX0102124	Aurex	8/17/2011	SD	NAD 83, Zone 8	479223	7084712	1336	Soil	moist	brown	clay/silt	43	B	Tr	12	8	SE	
AUX0102125	Aurex	8/17/2011	SD	NAD 83, Zone 8	479223	7084712	1336	Soil	moist	brown	clay/silt	44	B	Tr	12	8	SE	
AUX0102126	Aurex	8/17/2011	SD	NAD 83, Zone 8	479203	7084730	1340	Soil	moist	brw/gry	clay/silt	34	B	12	8	8	SE	tough ground at A/B horizone contact
AUX0102127	Aurex	8/17/2011	SD	NAD 83, Zone 8	479184	7084747	1344	Soil	moist	brw/org/gry	clay/silt	29	B	5	12	6	SE	
AUX0102128	Aurex	8/17/2011	SD	NAD 83, Zone 8	479165	7084763	1346	Soil	moist	blk/brw	clay/silt	24	B	Tr	45	8	SE	angular rock fragments (phyllitic, schist?)
AUX0102129	Aurex	8/17/2011	SD	NAD 83, Zone 8	479145	7084780	1350	Soil	moist	brw/org	clay/silt	29	B	6	14	8	SE	
AUX0102130	Aurex	8/17/2011	SD	NAD 83, Zone 8	479130	7084797	1352	Soil	moist	blk/brw	clay/silt	45	B	10	2	5	SE	large A horizone
AUX0102131	Aurex	8/17/2011	SD	NAD 83, Zone 8	479109	7084814	1355	Soil	moist	brw/gry	clay/silt	17	B	5	30	6	SE	
AUX0102132	Aurex	8/17/2011	SD	NAD 83, Zone 8	479092	7084832	1356	Soil	moist	brw/org	clay/silt	17	B	Tr	25	8	SE	
AUX0102133	Aurex	8/17/2011	SD	NAD 83, Zone 8	479072	7084846	1364	Soil	moist	brw/gry	clay/silt	26	B	Tr	30	5	SE	
AUX0102134	Aurex	8/17/2011	SD	NAD 83, Zone 8	479054	7084862	1365	Soil	moist	brw/org	clay/silt	28	B	5	5	6	E	
AUX0102135	Aurex	8/17/2011	SD	NAD 83, Zone 8	479037	7084882	1367	Soil	moist	dark brw/gry	clay/silt	18	B	Tr	25	6	SE	large precent of phyllitic fragments (clasts)
AUX0102136	Aurex	8/17/2011	SD	NAD 83, Zone 8	479019	7084896	1370	Soil	moist	brw/org	clay/silt	30	B	Tr	20	7	E	
AUX0102137	Aurex	8/17/2011	SD	NAD 83, Zone 8	478999	7084914	1371	Soil	moist	brw/org	clay/silt	25	B	Tr	15	4	SE	
AUX0102138	Aurex	8/17/2011	SD	NAD 83, Zone 8	478981	7084929	1373	Soil	moist	brw/gry	clay/silt	29	B	12	10	5	S	larger clasts then previous stn.
AUX0102139	Aurex	8/17/2011	SD	NAD 83, Zone 8	478963	7084947	1376	Soil	moist	brw/gry	clay/silt	31	B	8	15	5	S	end of grassy field
AUX0102140	Aurex	8/17/2011	SD	NAD 83, Zone 8	478942	7084961	1379	Soil	moist	brw/gry	clay/silt	36	B	10	8	4	S	duff layer -10cn. Grassey fields
AUX0102141	Aurex	8/17/2011	SD	NAD 83, Zone 8	478925	7084981	1382	Soil	moist	brw/org	clay/silt	31	B	5	12	4	S	grassey field
AUX0102142	Aurex	8/17/2011	SD	NAD 83, Zone 8	478906	7084997	1386	Soil	moist	brw/org	clay/silt	28	B	5	12	2	S	grassey field
AUX0102143	Aurex	8/17/2011	SD	NAD 83, Zone 8	478887	7085014	1388	Soil	moist	brown	clay/silt	37	B	Tr	15	3	S	thick A horizone, grassey field
AUX0102144	Aurex	8/17/2011	SD	NAD 83, Zone 8	478867	7085030	1388	Soil	moist	brw/org	clay/silt	21	B	5	5	3	SE	grassey field
AUX0102145	Aurex	8/17/2011	SD	NAD 83, Zone 8	478849	7085046	1391	Soil	moist	brw/org	clay/silt	33	B	8	3	3	SE	grassey field
AUX0102146	Aurex	8/17/2011	SD	NAD 83, Zone 8	478831	7085064	1396	Soil	moist	brw/org	clay/silt	21	B	4	12	0	NA	plateau. Large clast subsurface.

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102147	Aurex	8/17/2011	SD	NAD 83, Zone 8	478811	7085079	1396	Soil	moist	brw/org	clay/silt	24	B	3	20	0	NA	plateau.
AUX0102148	Aurex	8/17/2011	SD	NAD 83, Zone 8	478795	7085098	1398	Soil	moist	brw/org	clay/silt	23	B	5	10	0	NA	plateau.
AUX0102149	Aurex	8/17/2011	SD	NAD 83, Zone 8	478775	7085113	1397	Soil	moist	brw/org	clay/silt	25	B	5	12	0	NA	QAQC. Plateau
AUX0102150	Aurex	8/17/2011	SD	NAD 83, Zone 8	478775	7085113	1397	Soil	moist	brw/org	clay/silt	25	B	5	10	0	NA	
AUX0102151	Aurex	8/17/2011	SD	NAD 83, Zone 8	478758	7085130	1400	Soil	moist	brw/org/gry	clay/silt	28	B	Tr	8	2	NW	
AUX0102152	Aurex	8/17/2011	SD	NAD 83, Zone 8	478738	7085146	1401	Soil	moist	brown	clay/silt	23	B	8	30	3	NW	rocky soil with cobble sized clasts, angular, max size 10x5cm
AUX0102153	Aurex	8/17/2011	SD	NAD 83, Zone 8	478719	7085164	1399	Soil	moist	brw/org	clay/silt	18	B	8	10	2	NW	
AUX0102154	Aurex	8/17/2011	SD	NAD 83, Zone 8	478702	7085180	1401	Soil	moist	brw/tan	clay/silt	26	B	5	8	2	NW	rocky ground- subsurface
AUX0102155	Aurex	8/17/2011	SD	NAD 83, Zone 8	478682	7085197	1400	Soil	moist	brown	clay/silt	21	B	Tr	6	3	NW	large 20x30 cm clasts under duff layer
AUX0102156	Aurex	8/17/2011	SD	NAD 83, Zone 8	478665	7085213	1401	Soil	moist	brw/tan	clay/silt	25	B	Tr	15	4	NW	
AUX0102157	Aurex	8/17/2011	SD	NAD 83, Zone 8	478645	7085230	1398	Soil	moist	brown	clay/silt	32	B	3	5	3	NW	
AUX0102158	Aurex	8/17/2011	SD	NAD 83, Zone 8	478628	7085246	1396	Soil	moist	brw/gry	clay/silt	23	B	Tr	15	4	NW	mottles of orange with cathered clay packages (1cmx1cm)
AUX0102159	Aurex	8/17/2011	SD	NAD 83, Zone 8	478608	7085263	1396	Soil	moist	brown	clay/silt	17	B	Tr	12	4	NW	
AUX0102160	Aurex	8/17/2011	SD	NAD 83, Zone 8	478588	7085281	1390	Soil	moist	brown	clay/silt	22	B	10	8	6	NW	
AUX0102161	Aurex	8/17/2011	SD	NAD 83, Zone 8	478571	7085296	1387	Soil	moist	brown	clay/silt	24	B	8	10	5	NW	
AUX0102180	Aurex	8/18/2011	SV	NAD 83, Zone 8	479273	7084397	1296	Soil	Moist	brw/gry	clay/silt	30	B	Tr	30	12	SE	small angular rock fragments
AUX0102181	Aurex	8/18/2011	SV	NAD 83, Zone 8	479255	7084415	1303	Soil	Moist	brw/gry	clay/silt	40	B	3	30	10	SE	thick duff layer
AUX0102182	Aurex	8/18/2011	SV	NAD 83, Zone 8	479236	7084433	1312	Soil	Moist	blk/brw/gry	clay/silt	35	B	8	10	14	SE	
AUX0102183	Aurex	8/18/2011	SV	NAD 83, Zone 8	479218	7084449	1310	Soil	Moist	brw/gry	clay/silt	15	B	Tr	60	6	SE	sampled under wind blowen tree, no mess cover with water ponding
AUX0102184	Aurex	8/18/2011	SV	NAD 83, Zone 8	479201	7084466	1317	Soil	Moist	brw/gry	clay/silt	35	B	5	15	10	SE	
AUX0102185	Aurex	8/18/2011	SV	NAD 83, Zone 8	479181	7084481	1322	Soil	Moist	brw/gry	clay/silt	38	B	Tr	30	12	SE	angular fragments
AUX0102186	Aurex	8/18/2011	SV	NAD 83, Zone 8	479162	7084498	1330	Soil	Moist	brw/gry	clay/silt	44	B	3	17	8	SE	wind fall piles of trees
AUX0102187	Aurex	8/18/2011	SV	NAD 83, Zone 8	479144	7084514	1337	Soil	Moist	brw/gry	clay/silt	33	B	3	20	10	SE	phyllitic fragmments
AUX0102188	Aurex	8/18/2011	SV	NAD 83, Zone 8	479126	7084532	1342	Soil	Moist	brw/gry	clay/silt	31	B	3	22	6	SE	
AUX0102189	Aurex	8/18/2011	SV	NAD 83, Zone 8	479107	7084547	1340	Soil	Moist	org/brw	clay/silt	36	B	Tr	8	7	SE	
AUX0102190	Aurex	8/18/2011	SV	NAD 83, Zone 8	479088	7084565	1347	Soil	Moist	brown	clay/silt	27	B	Tr	20	8	SE	
AUX0102191	Aurex	8/18/2011	SV	NAD 83, Zone 8	479070	7084584	1353	Soil	Moist	brw/gry	clay/silt	39	B	6	15	5	SE	
AUX0102192	Aurex	8/18/2011	SV	NAD 83, Zone 8	479052	7084599	1359	Soil	Moist	brown	clay/silt	35	B	8	5	7	SE	thick moss matt
AUX0102193	Aurex	8/18/2011	SV	NAD 83, Zone 8	479035	7084616	1360	Soil	Moist	blk/brw	clay/silt	46	B	10	2	5	SE	thick brush, thick moss matt
AUX0102194	Aurex	8/18/2011	SV	NAD 83, Zone 8	479014	7084632	1366	Soil	Moist	blk/brw	clay/silt	33	B	8	8	7	SE	
AUX0102195	Aurex	8/18/2011	SV	NAD 83, Zone 8	478998	7084648	1370	Soil	Moist	brown	clay/silt	32	B	5	8	5	SE	
AUX0102196	Aurex	8/18/2011	SV	NAD 83, Zone 8	478979	7084665	1372	Soil	Moist	org/brw	clay/silt	29	B	Tr	10	7	SE	
AUX0102197	Aurex	8/18/2011	SV	NAD 83, Zone 8	478958	7084683	1374	Soil	Moist	brown	clay/silt	24	B	3	8	5	SE	large boulders sub-surface
AUX0102198	Aurex	8/18/2011	SV	NAD 83, Zone 8	478940	7084700	1378	Soil	Moist	org/brw	clay/silt	18	B	3	18	6	SE	
AUX0102199	Aurex	8/18/2011	SV	NAD 83, Zone 8	478922	7084716	1379	Soil	Moist	org/brw	clay/silt	26	B	5	20	4	SE	

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102200	Aurex	8/18/2011	SV	NAD 83, Zone 8	478922	7084716	1379	Soil	Moist	org/brw	clay/silt	26	B	5	20	4	SE	
AUX0102201	Aurex	8/18/2011	SV	NAD 83, Zone 8	478903	7084733	1384	Soil	Moist	org/brw	clay/silt	20	B	Tr	15	4	SE	
AUX0102202	Aurex	8/18/2011	SV	NAD 83, Zone 8	478884	7084749	1387	Soil	Moist	red/org/brw	clay/silt	26	B	Tr	45	4	SE	qtz, phyllite, and qtzite fragments with minor % of pebble - cobble sized clasts
AUX0102203	Aurex	8/18/2011	SV	NAD 83, Zone 8	478866	7084765	1388	Soil	Moist	red/org/brw	clay/silt	32	B	3	45	5	SE	abundace of angular clasts (max size 5x3cm) - qtzite with micatious fragments
AUX0102204	Aurex	8/18/2011	SV	NAD 83, Zone 8	478847	7084783	1392	Soil	Moist	org/brw	clay/silt	35	B	Tr	15	6	SE	
AUX0102205	Aurex	8/18/2011	SV	NAD 83, Zone 8	478828	7084798	1394	Soil	Moist	org/brw	clay/silt	43	B	5	15	4	SE	
AUX0102206	Aurex	8/18/2011	SV	NAD 83, Zone 8	478809	7084814	1396	Soil	Moist	brown	clay/silt	30	B	5	12	4	SE	large boulders sub-surface
AUX0102207	Aurex	8/18/2011	SV	NAD 83, Zone 8	478791	7084832	1397	Soil	Moist	brown	clay/silt	27	B	3	22	3	SE	large percentage of angular clasts (cobble sized)
AUX0102208	Aurex	8/18/2011	SV	NAD 83, Zone 8	478773	7084850	1402	Soil	Moist	org/brw	clay/silt	43	B	3	35	3	SE	phyllitic fragmments
AUX0102209	Aurex	8/18/2011	SV	NAD 83, Zone 8	478755	7084866	1401	Soil	Moist	org/brw	clay/silt	27	B	Tr	12	3	SE	
AUX0102210	Aurex	8/18/2011	SV	NAD 83, Zone 8	478735	7084884	1399	Soil	Moist	org/brw	clay/silt	39	B	3	7	3	SE	
AUX0102211	Aurex	8/18/2011	SV	NAD 83, Zone 8	478718	7084899	1403	Soil	Moist	org/brw	clay/silt	27	B	3	14	3	SE	
AUX0102212	Aurex	8/18/2011	SV	NAD 83, Zone 8	478699	7084918	1404	Soil	Moist	org/brw	clay/silt	32	B	6	8	3	SE	area surounded by frost heaves (sp?)
AUX0102213	Aurex	8/18/2011	SV	NAD 83, Zone 8	478680	7084933	1404	Soil	Moist	org/brw	clay/silt	33	B	5	15	2	SE	aboundent angular boulders sub-surface
AUX0102214	Aurex	8/18/2011	SV	NAD 83, Zone 8	478661	7084950	1405	Soil	Moist	org/brw	clay/silt	37	B	Tr	10	2	SE	
AUX0102215	Aurex	8/18/2011	SV	NAD 83, Zone 8	478641	7084965	1405	Soil	Moist	org/brw	clay/silt	22	B	3	8	0	NA	plateau
AUX0102216	Aurex	8/18/2011	SV	NAD 83, Zone 8	478625	7084983	1405	Soil	Moist	gry/org/brw	clay/silt	43	B	Tr	25	0	NA	large cobble sized boulders. Plateau
AUX0102217	Aurex	8/18/2011	SV	NAD 83, Zone 8	478605	7085000	1406	Soil	Moist	brw/gry	clay/silt	42	B	5	35	1	NW	large cobble sized boulders. Plateau
AUX0102218	Aurex	8/18/2011	SV	NAD 83, Zone 8	478587	7085016	1406	Soil	Moist	brw/gry	clay/silt	27	B	Tr	30	2	NW	large %of angular clasts, max size 10x6cm
AUX0102219	Aurex	8/18/2011	SV	NAD 83, Zone 8	478568	7085033	1402	Soil	Moist	brown	clay/silt	30	B	Tr	20	2	NW	rocky ground
AUX0102220	Aurex	8/18/2011	SV	NAD 83, Zone 8	478549	7085051	1404	Soil	Moist	org/brw	clay/silt	36	B	10	8	2	NW	crossed road
AUX0102221	Aurex	8/18/2011	SV	NAD 83, Zone 8	478532	7085067	1401	Soil	Moist	brown	clay/silt	47	B	5	12	2	NW	
AUX0102222	Aurex	8/18/2011	SV	NAD 83, Zone 8	478513	7085085	1402	Soil	Moist	org/brw	clay/silt	33	B	3	7	2	NW	
AUX0102223	Aurex	8/18/2011	SV	NAD 83, Zone 8	478493	7085099	1401	Soil	Moist	brw/gry	clay/silt	32	B	5	8	2	NW	cobble sized angualr clasts
AUX0102224	Aurex	8/18/2011	SV	NAD 83, Zone 8	478476	7085117	1398	Soil	Moist	brown	clay/silt	30	B	7	12	3	NW	
AUX0102225	Aurex	8/18/2011	SV	NAD 83, Zone 8	478476	7085117	1398	Soil	Moist	brown	clay/silt	30	B	7	12	3	NW	
AUX0102226	Aurex	8/18/2011	SV	NAD 83, Zone 8	478462	7085133	1396	Soil	Moist	org/brw	clay/silt	33	B	5	15	5	NW	large boulders sub-surface
AUX0102227	Aurex	8/18/2011	SV	NAD 83, Zone 8	478437	7085155	1392	Soil	Moist	org/brw	clay/silt	29	B	8	20	6	NW	
AUX0102228	Aurex	8/18/2011	SV	NAD 83, Zone 8	478437	7085155	1392	Soil	Moist	org/brw	clay/silt	29	B	8	20	6	NW	
AUX0102273	Aurex	8/18/2011	RS	NAD 83, Zone 8	478821	7084535	1378	Soil	Moist	brw/tan/gry	clay/silt	30	B	Tr	2	2	SE	
AUX0102274	Aurex	8/18/2011	RS	NAD 83, Zone 8	478803	7084549	1381	Soil	Moist	tan	clay/silt	32	B	2	5	4	SE	
AUX0102275	Aurex	8/18/2011	RS	NAD 83, Zone 8	478803	7084549	1381	Soil	Moist	tan	clay/silt	32	B	2	5	4	SE	
AUX0102276	Aurex	8/18/2011	RS	NAD 83, Zone 8	478788	7084561	1385	Soil	Moist	brw/tan	clay/silt	28	B	3	10	4	SE	5m from line due to vegition
AUX0102277	Aurex	8/18/2011	RS	NAD 83, Zone 8	478773	7084579	1389	Soil	Moist	light brown	clay/silt	35	B	3	7	2	SE	5m from line due to vegition
AUX0102278	Aurex	8/18/2011	RS	NAD 83, Zone 8	478751	7084603	1391	Soil	Moist	tan/grn	clay/silt	42	B	5	5	2	SE	5m from line due to vegition

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102279	Aurex	8/18/2011	RS	NAD 83, Zone 8	478738	7084613	1392	Soil	Moist	dark gry	clay/silt	30	B	5	15	3	SE	5m from line due to vegition
AUX0102280	Aurex	8/18/2011	RS	NAD 83, Zone 8	478711	7084635	1396	Soil	Moist	dark gry	clay/silt	29	B	5	20	1	SE	
AUX0102281	Aurex	8/18/2011	RS	NAD 83, Zone 8	478694	7084649	1400	Soil	Moist	brw/tan	clay/silt	30	B	5	15	2	SE	
AUX0102282	Aurex	8/18/2011	RS	NAD 83, Zone 8	478674	7084666	1401	Soil	Moist	brw/gry	clay/silt	36	B	3	5	2	SE	
AUX0102283	Aurex	8/18/2011	RS	NAD 83, Zone 8	478656	7084680	1404	Soil	Moist	light brown	clay/silt	31	B	5	3	2	SE	
AUX0102284	Aurex	8/18/2011	RS	NAD 83, Zone 8	478638	7084700	1407	Soil	Moist	brw/gry	clay/silt	29	B	3	5	2	SE	
AUX0102285	Aurex	8/18/2011	RS	NAD 83, Zone 8	478619	7084718	1407	Soil	Moist	brw/gry	clay/silt	33	B	4	8	1	SE	
AUX0102286	Aurex	8/18/2011	RS	NAD 83, Zone 8	478601	7084736	1409	Soil	Moist	brown	clay/silt	30	B	5	10	1	SE	
AUX0102287	Aurex	8/18/2011	RS	NAD 83, Zone 8	478582	7084751	1410	Soil	Moist	light brown	clay/silt	34	B	3	8	1	SE	
AUX0102288	Aurex	8/18/2011	RS	NAD 83, Zone 8	478561	7084766	1413	Soil	Moist	brw/tan	clay/silt	31	B	5	10	1	SE	
AUX0102289	Aurex	8/18/2011	RS	NAD 83, Zone 8	478545	7084782	1413	Soil	Moist	light brown	clay/silt	35	B	3	8	1	SE	
AUX0102290	Aurex	8/18/2011	RS	NAD 83, Zone 8	478526	7084799	1413	Soil	Moist	light brown	clay/silt	34	B	3	6	1	NW	
AUX0102291	Aurex	8/18/2011	RS	NAD 83, Zone 8	478504	7084815	1414	Soil	Moist	light brown	clay/silt	33	B	2	5	1	NW	
AUX0102292	Aurex	8/18/2011	RS	NAD 83, Zone 8	478489	7084833	1414	Soil	Moist	brw/grn	clay/silt	32	B	4	2	1	NW	
AUX0102293	Aurex	8/18/2011	RS	NAD 83, Zone 8	478470	7084852	1413	Soil	Moist	light brown	clay/silt	39	B	3	5	1	NW	
AUX0102294	Aurex	8/18/2011	RS	NAD 83, Zone 8	478449	7084865	1413	Soil	Moist	light brown	clay/silt	29	B	3	4	1	NW	
AUX0102295	Aurex	8/18/2011	RS	NAD 83, Zone 8	478434	7084884	1413	Soil	Moist	brw/tan	clay/silt	27	B	2	Tr	1	NW	
AUX0102296	Aurex	8/18/2011	RS	NAD 83, Zone 8	478415	7084900	1411	Soil	Moist	tan	clay/silt	31	B	Tr	Tr	1	NW	
AUX0102297	Aurex	8/18/2011	RS	NAD 83, Zone 8	478397	7084917	1409	Soil	Moist	brw/tan	clay/silt	41	B	Tr	Tr	1	NW	
AUX0102298	Aurex	8/18/2011	RS	NAD 83, Zone 8	478376	7084934	1407	Soil	Moist	light brown	clay/silt	32	B	5	2	2	NW	
AUX0102299	Aurex	8/18/2011	RS	NAD 83, Zone 8	478358	7084951	1405	Soil	Moist	light brw/tan	clay/silt	23	B	5	2	2	NW	
AUX0102300	Aurex	8/18/2011	RS	NAD 83, Zone 8	478358	7084951	1405	Soil	Moist	light brw/tan	clay/silt	23	B	5	2	2	NW	
AUX0102301	Aurex	8/18/2011	RS	NAD 83, Zone 8	478337	7084964	1404	Soil	Moist	dark brw	clay/silt	28	B	Tr	5	1	NW	large rock fragments grater then 1cm
AUX0102302	Aurex	8/18/2011	RS	NAD 83, Zone 8	478321	7084985	1401	Soil	Moist	brw/tan	clay/silt	28	B	Tr	5	1	NW	
AUX0102303	Aurex	8/18/2011	RS	NAD 83, Zone 8	478304	7084999	1401	Soil	Moist	brw/tan	clay/silt	38	B	Tr	3	1	NW	
AUX0100792	Aurex	08/29/11	GS	NAD 83, Zone 8	470339	7081652	958	Soil	moist	gry/blk	clay/silt	39	B	Tr	8			
AUX0100793	Aurex	08/29/11	GS	NAD 83, Zone 8	470340	7081626	955	Soil	semi-saturated	brw/tan/gry	clay/silt	56	B	Tr	15	-	-	Small amounts of A horizon are found in the sample
AUX0100794	Aurex	08/29/11	GS	NAD 83, Zone 8	470340	7081601	948	Soil	semi-saturated	brw/tan/gry	clay/silt	37	B	Tr	10	-	-	Contains quartz fragments
AUX0100795	Aurex	08/29/11	GS	NAD 83, Zone 8	470336	7081576	947	Soil	saturated	brw/tan/gry	clay/silt	33	B	Tr	8	-	-	Contains quartz fragments
AUX0100796	Aurex	08/29/11	GS	NAD 83, Zone 8	470338	7081551	946	Soil	moist	brw/tan/gry	clay/silt	47	B	Tr	15	-	-	Micaceous, schist fragments, with minor amounts of quartz fragments
AUX0100797	Aurex	08/29/11	GS	NAD 83, Zone 8	470338	7081525	945	Soil	semi-saturated	brw/tan/gry	clay/silt	50	B	Tr	10	-	-	Large schist and phillitic fragments (1-15cm)
AUX0100798	Aurex	08/29/11	GS	NAD 83, Zone 8	470340	7081501	943	Soil	moist	tan/gry	clay/silt	42	B	Tr	8	-	-	Large quartz vein fragment (10cm), with minor amounts of schist and micaceous fragments
AUX0100799	Aurex	08/29/11	GS	NAD 83, Zone 8	470340	7081479	943	Soil	saturated	gry/blk	clay/silt	69	B	Tr	t	-	-	Quartz, schist and phyllitic fragments.
AUX0100800	Aurex	08/29/11	GS	NAD 83, Zone 8	470338	7081477	941	Soil	saturated	gry/blk	clay/silt	66	B	Tr	t	-	-	Close proximity to stream
AUX0100801	Aurex	08/29/11	GS	NAD 83, Zone 8	470339	7081450	940	Soil	semi-saturated	gry/blk	clay/silt	72	B	Tr	t	-	-	

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100802	Aurex	08/29/11	GS	NAD 83, Zone 8	470337	7081426	933	Soil	semi-saturated	gry/blk	clay/silt	47	B	Tr	15	-	-	Micaceous fragments and quartz fragments
AUX0100803	Aurex	08/29/11	GS	NAD 83, Zone 8	470336	7081402	928	Soil	moist	gry/blk	clay/silt	42	B	2	10	-	-	
AUX0100804	Aurex	08/29/11	GS	NAD 83, Zone 8	470339	7081378	925	Soil	moist	gry/blk	clay/silt	34	B	Tr	15	-	-	
AUX0100805	Aurex	08/29/11	GS	NAD 83, Zone 8	470339	7081350	915	Soil	moist	brw/tan	clay/silt	23	B	5	40	-	-	
AUX0100806	Aurex	08/29/11	GS	NAD 83, Zone 8	470337	7081326	903	Soil	moist	brw/tan	clay/silt	31	B	5	15	-	-	Fine grained micaceous fragments
AUX0100807	Aurex	08/29/11	GS	NAD 83, Zone 8	470338	7081300	902	Soil	semi-saturated	gry/tan	clay/silt	41	B	5	50	-	-	Large QSSH fragments and micas
AUX0100808	Aurex	08/29/11	GS	NAD 83, Zone 8	470340	7081275	899	Soil	moist	gry/tan/blk	clay/silt	38	B	Tr	5	-	-	
AUX0100809	Aurex	08/29/11	GS	NAD 83, Zone 8	470340	7081251	895	Soil	moist	tan/brw/org	clay/silt	46	B	Tr	7	-	-	
AUX0100810	Aurex	08/30/11	GS	NAD 83, Zone 8	470743	7081652	970	Soil	Semi-saturated	gry/tan/org	clay/silt	28	B	Tr	6			
AUX0100859	Aurex	08/30/11	GS	NAD 83, Zone 8	470739	7081650	964	Soil	Semi-saturated	gry/tan/org	clay/silt	27	B	Tr	6			micatious
AUX0100860	Aurex	08/30/11	GS	NAD 83, Zone 8	470737	7081626	968	Soil	moist	gry/tan/org	clay/silt	23	B	Tr	5			
AUX0100861	Aurex	08/30/11	GS	NAD 83, Zone 8	470742	7081601	963	Soil	Semi-saturated	gry/tan	clay/silt	19	B	Tr	4			micatious with lots of phillite
AUX0100862	Aurex	08/30/11	GS	NAD 83, Zone 8	470739	7081575	963	Soil	Semi-saturated	gry/blk/tan	clay/silt	20	B	Tr	6			
AUX0100863	Aurex	08/30/11	GS	NAD 83, Zone 8	470740	7081551	965	Soil	Semi-saturated	gry/blk/tan	clay/silt	16	B	Tr	5			
AUX0100864	Aurex	08/30/11	GS	NAD 83, Zone 8	470741	7081527	965	Soil	moist	tan/brw	clay/silt	21	B	3	6			
AUX0100865	Aurex	08/30/11	GS	NAD 83, Zone 8	470741	7081502	960	Soil	moist	tan/gry/org	clay/silt	24	B	2	9			
AUX0100866	Aurex	08/30/11	GS	NAD 83, Zone 8	470736	7081477	960	Soil	moist	gry/tan/brw	clay/silt	28	B	Tr	10			
AUX0100867	Aurex	08/30/11	GS	NAD 83, Zone 8	470738	7081451	957	Soil	moist	tan/gry	clay/silt	23	B	Tr	17			
AUX0100868	Aurex	08/30/11	GS	NAD 83, Zone 8	470739	7081425	948	Soil	moist	tan/gry	clay/silt	24	B	2	30			
AUX0100869	Aurex	08/30/11	GS	NAD 83, Zone 8	470737	7081400	937	Soil	moist	gry/tan/brw	clay/silt	22	B	5	50			
AUX0100870	Aurex	08/30/11	GS	NAD 83, Zone 8	470738	7081377	930	Soil	moist	gry/tan/brw	clay/silt	34	B	7	55			
AUX0100871	Aurex	08/30/11	GS	NAD 83, Zone 8	470736	7081376	929	Soil	moist	gry/tan/brw	clay/silt	34	B	7	55			
AUX0100872	Aurex	08/29/11	TC	NAD 83, Zone 8	470440	7081651	961	Soil	Moist	Tan to grey	Clay / Silt	48	B	3	2			
AUX0100873	Aurex	08/29/11	TC	NAD 83, Zone 8	470438	7081624	962	Soil	Moist	Grey to tan	Clay / Silt	24	B	4	5	-	-	
AUX0100874	Aurex	08/29/11	TC	NAD 83, Zone 8	470435	7081601	958	Soil	Moist	Grey to tan	Clay / Silt	24	B	4	5	-	-	
AUX0100875	Aurex	08/29/11	TC	NAD 83, Zone 8	470435	7081601	958	Soil	Moist	Grey to tan	Clay / Silt	23	B	5	8	-	-	Contains quartz fragments
AUX0100876	Aurex	08/29/11	TC	NAD 83, Zone 8	470439	7081575	956	Soil	Moist	Grey to tan	Clay / Silt	12	B	3	35	-	-	
AUX0100877	Aurex	08/29/11	TC	NAD 83, Zone 8	470437	7081553	950	Soil	Moist	Grey to tan	Clay / Silt	33	B	3	15	-	-	Contains micaceous and schist fragments
AUX0100878	Aurex	08/29/11	TC	NAD 83, Zone 8	470438	7081525	950	Soil	Moist	Grey	Clay / Silt	25	B	5	20	-	-	Contains quartz and micaceous fragments
AUX0100879	Aurex	08/29/11	TC	NAD 83, Zone 8	470434	7081502	947	Soil	Moist	Grey	Clay / Silt	29	B	20	3	-	-	
AUX0100880	Aurex	08/29/11	TC	NAD 83, Zone 8	470437	7081473	946	Soil	Moist	Tan to grey	Clay / Silt	27	B	tr	6	-	-	Large amount of micaceous fragments near the bottom on auger
AUX0100881	Aurex	08/29/11	TC	NAD 83, Zone 8	470437	7081453	942	Soil	Moist	Grey	Clay / Silt	30	B	2	10	-	-	Contains fine grained micaceous fragments
AUX0100882	Aurex	08/29/11	TC	NAD 83, Zone 8	470439	7081425	926	Soil	Moist	Grey	Clay / Silt	28	B	3	3	-	-	
AUX0100883	Aurex	08/29/11	TC	NAD 83, Zone 8	470437	7081401	920	Soil	Moist	Grey to tan	Clay / Silt	14	B	2	5	-	-	Contains quartz, schist, and micaceous fragments
AUX0100884	Aurex	08/29/11	TC	NAD 83, Zone 8	470439	7081377	914	Soil	Moist	Grey	Clay / Silt	16	B	3	7	-	-	Contains small fine grained micaceous fragments

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100885	Aurex	08/29/11	TC	NAD 83, Zone 8	470439	7081352	903	Soil	Moist	Grey to green	Clay / Silt	21	B	2	3	-	-	Contains small fine grained micaceous fragments
AUX0100886	Aurex	08/29/11	TC	NAD 83, Zone 8	470437	7081325	895	Soil	Moist	Grey to brown	Clay / Silt	20	B	4	5	-	-	Contains phyllitic fragments
AUX0100887	Aurex	08/30/11	TC	NAD 83, Zone 8	470837	7081651	969	Soil	Saturated	Dark brown	clay/silt	35	B	3	2			
AUX0100888	Aurex	08/30/11	TC	NAD 83, Zone 8	470839	7081625	969	Soil	Saturated	Tan	clay/silt	41	B	tr	tr			Lowlying marshy area
AUX0100889	Aurex	08/30/11	TC	NAD 83, Zone 8	470836	7081600	971	Soil	Moist	Grey to tan	clay/silt	43	B	tr	2			
AUX0100890	Aurex	08/30/11	TC	NAD 83, Zone 8	470835	7081577	970	Soil	Moist	an	clay/silt	40	B	3	2			
AUX0100891	Aurex	08/30/11	TC	NAD 83, Zone 8	470838	7081550	968	Soil	Moist	Light brown to tan	clay/silt	31	B	tr	2			Micaceous fragments
AUX0100892	Aurex	08/30/11	TC	NAD 83, Zone 8	470841	7081527	968	Soil	Moist	Tan	clay/silt	42	B	tr	3			Micaceous fragments
AUX0100893	Aurex	08/30/11	TC	NAD 83, Zone 8	470839	7081501	964	Soil	Moist	Tan to grey	clay/silt	37	B	2	6			Micaceous fragments
AUX0100894	Aurex	08/30/11	TC	NAD 83, Zone 8	470838	7081477	963	Soil	Moist	Tan to light brown	clay/silt	39	B	tr	4			Quartz vein and micaceous fragments
AUX0100895	Aurex	08/30/11	TC	NAD 83, Zone 8	470838	7081450	960	Soil	Moist	Tan	clay/silt	32	B	2	2			
AUX0100896	Aurex	08/30/11	TC	NAD 83, Zone 8	470837	7081425	957	Soil	Moist	Tan	clay/silt	29	B	tr	3			Small quartz veins and micaceous fragments
AUX0100897	Aurex	08/30/11	TC	NAD 83, Zone 8	470837	7081400	953	Soil	Moist	Tan to grey	clay/silt	39	B	2	2			
AUX0100898	Aurex	08/30/11	TC	NAD 83, Zone 8	470837	7081378	949	Soil	Moist	Tan	clay/silt	35	B	tr	5			Micaceous fragments
AUX0100899	Aurex	08/30/11	TC	NAD 83, Zone 8	470838	7081352	942	Soil	Moist	Tan	clay/silt	46	B	tr	3			Micaceous fragments
AUX0100900	Aurex	08/30/11	TC	NAD 83, Zone 8	470838	7081352	942	Soil	Moist	Tan	clay/silt	46	B	tr	3			Micaceous fragments
AUX0100901	Aurex	08/30/11	TC	NAD 83, Zone 8	470835	7081329	943	Soil	Dry to Moist	Tan	clay/silt	32	B	tr	10			Micaceous fragments
AUX0100902	Aurex	08/30/11	TC	NAD 83, Zone 8	470838	7081300	935	Soil	Dry to Moist	Tan to grey	clay/silt	36	B	2	25			Large amounts of phyllitic fragments
AUX0100903	Aurex	08/30/11	TC	NAD 83, Zone 8	470838	7081273	917	Soil	Dry to Moist	Light brown to tan	clay/silt	37	B	tr	8			Large marble outcrop in close proximity and contains marble, phyllite and quartz fragments
AUX0100904	Aurex	08/30/11	TC	NAD 83, Zone 8	470838	7081253	909	Soil	Moist	Light brown to tan	clay/silt	32	B	tr	5			Marble, micaceous and quartz fragments
AUX0100905	Aurex	08/29/11	GS	NAD 83, Zone 8	470540	7081651	959	Soil	moist	brw/tan/gry	clay/silt	19	B	Tr	10			
AUX0100906	Aurex	08/29/11	GS	NAD 83, Zone 8	470539	7081625	961	Soil	moist	brw/tan	clay/silt	27	B	Tr	15			
AUX0100907	Aurex	08/29/11	GS	NAD 83, Zone 8	470537	7081602	958	Soil	semi-saturated	gry/brw	clay/silt	30	B	Tr	20			rounded rocks
AUX0100908	Aurex	08/29/11	GS	NAD 83, Zone 8	470537	7081574	956	Soil	moist	tan/gry	clay/silt	21	B	Tr	10			
AUX0100909	Aurex	08/29/11	GS	NAD 83, Zone 8	470538	7081550	953	Soil	saturated	tan/gry	clay/silt	28	B	Tr	8			
AUX0100910	Aurex	08/29/11	GS	NAD 83, Zone 8	470537	7081526	951	Soil	saturated	tan/gry	clay/silt	32	B	Tr	5			
AUX0100911	Aurex	08/29/11	GS	NAD 83, Zone 8	470537	7081501	948	Soil	moist	gry/blk	clay/silt	28	B	Tr	8			micatious
AUX0100912	Aurex	08/29/11	GS	NAD 83, Zone 8	470538	7081477	944	Soil	moist	gry/blk	clay/silt	26	B	5	40			
AUX0100913	Aurex	08/29/11	GS	NAD 83, Zone 8	470538	7081453	932	Soil	moist	gry/brw/blk	clay/silt	30	B	Tr	10			
AUX0100914	Aurex	08/29/11	GS	NAD 83, Zone 8	470538	7081427	925	Soil	dry	tan/gry/brw	clay/silt	24	B	15	10			
AUX0100915	Aurex	08/29/11	GS	NAD 83, Zone 8	470537	7081402	911	Soil	moist	gry/blk	clay/silt	30	B	15	10			
AUX0100916	Aurex	08/29/11	GS	NAD 83, Zone 8	470537	7081377	908	Soil	moist	gry/tan/blk	clay/silt	28	B	5	10			
AUX0100917	Aurex	08/29/11	GS	NAD 83, Zone 8	470539	7081352	906	Soil	moist	gry/tan	clay/silt	30	B	5	5			hit water table
AUX0100918	Aurex	08/29/11	GS	NAD 83, Zone 8	470542	7081323	901	Soil	moist	gry/blk/brw	clay/silt	36	B	5	Tr			
AUX0100919	Aurex	08/30/11	GS	NAD 83, Zone 8	470738	7081325	910	Soil	moist	gry/tan/brw	clay/silt	36	B	5	40			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100920	Aurex	08/30/11	GS	NAD 83, Zone 8	470739	7081298	907	Soil	moist	tan/brw/org	clay/silt	19	B	3	15			
AUX0100921	Aurex	08/30/11	GS	NAD 83, Zone 8	470936	7081654	972	Soil	satuarated	tan/gry	clay/silt	42	B	Tr	2			
AUX0100922	Aurex	08/30/11	GS	NAD 83, Zone 8	470936	7081626	971	Soil	moist	gry/tan/brw	clay/silt	30	B	Tr	4			
AUX0100923	Aurex	08/30/11	GS	NAD 83, Zone 8	470941	7081601	970	Soil	moist	gry/tan/brw	clay/silt	22	B	Tr	Tr			
AUX0100924	Aurex	08/30/11	GS	NAD 83, Zone 8	470938	7081575	970	Soil	moist	gry/tan/brw	clay/silt	32	B	Tr	13			
AUX0100925	Aurex	08/30/11	GS	NAD 83, Zone 8	470939	7081575	970	Soil	moist	gry/tan/brw	clay/silt	35	B	Tr	13			
AUX0100926	Aurex	08/30/11	GS	NAD 83, Zone 8	470937	7081550	969	Soil	moist	brw/tan	clay/silt	42	B	Tr	10			
AUX0100927	Aurex	08/30/11	GS	NAD 83, Zone 8	470940	7081526	967	Soil	semi-saturated	brw/gry	clay/silt	53	B	Tr	6			
AUX0100928	Aurex	08/30/11	GS	NAD 83, Zone 8	470937	7081501	967	Soil	semi-saturated	blk/gry	clay/silt	45	B	Tr	7			
AUX0100929	Aurex	08/30/11	GS	NAD 83, Zone 8	470938	7081476	966	Soil	semi-saturated	brw/gry	clay/silt	37	B	Tr	5			
AUX0100930	Aurex	08/30/11	GS	NAD 83, Zone 8	470939	7081451	964	Soil	semi-saturated	gry/tan/brw	clay/silt	36	B	Tr	7			
AUX0100931	Aurex	08/30/11	GS	NAD 83, Zone 8	470937	7081426	961	Soil	moist	blk/gry/tan	clay/silt	38	B	Tr	8			
AUX0100932	Aurex	08/30/11	GS	NAD 83, Zone 8	470938	7081402	960	Soil	moist	brw/tan	clay/silt	40	B	Tr	6			
AUX0100933	Aurex	08/30/11	GS	NAD 83, Zone 8	470936	7081375	957	Soil	moist	brw/tan	clay/silt	36	B	Tr	4			
AUX0100934	Aurex	08/30/11	GS	NAD 83, Zone 8	470937	7081350	955	Soil	moist	blk/gry	clay/silt	45	B	Tr	Tr			
AUX0100935	Aurex	08/30/11	GS	NAD 83, Zone 8	470943	7081328	953	Soil	moist	gry/tan/brw	clay/silt	56	B	Tr	4			
AUX0100936	Aurex	08/29/11	TC	NAD 83, Zone 8				Soil	Moist	Tan to brown	Clay / Silt	37	B	tr	2			
AUX0100937	Aurex	08/29/11	TC	NAD 83, Zone 8	470637	7081652	965	Soil	Moist	Brown to black	Clay / Silt	40	B	tr	tr			
AUX0100938	Aurex	08/29/11	TC	NAD 83, Zone 8	470638	7081624	963	Soil	Moist	Grey to tan	Clay / Silt	45	B	tr	3			
AUX0100939	Aurex	08/29/11	TC	NAD 83, Zone 8	470638	7081602	961	Soil	Saturated	Grey to tan	Clay / Silt	44	B	2	tr			
AUX0100940	Aurex	08/29/11	TC	NAD 83, Zone 8	470638	7081577	961	Soil	Semi-Saturated	Grey	Clay / Silt	52	B	3	5			
AUX0100941	Aurex	08/29/11	TC	NAD 83, Zone 8	470638	7081549	960	Soil	Moist	Grey to tan	Clay / Silt	40	B	tr	4			
AUX0100942	Aurex	08/29/11	TC	NAD 83, Zone 8	470639	7081527	958	Soil	Saturated	Grey to brown	Clay / Silt	56	B	2	2			hit water table
AUX0100943	Aurex	08/29/11	TC	NAD 83, Zone 8	470636	7081499	954	Soil	Moist	Tan to brown	Clay / Silt	39	B	3	5			hit water table
AUX0100944	Aurex	08/29/11	TC	NAD 83, Zone 8	470634	7081474	952	Soil	Moist	Brown	Clay / Silt	42	B	10	3			micatious
AUX0100945	Aurex	08/29/11	TC	NAD 83, Zone 8	470640	7081452	948	Soil	Moist	Dark brown to brown	Clay / Silt	55	B	3	tr			angular and rounded rocks in sample. Mostly schist/phillite
AUX0100946	Aurex	08/29/11	TC	NAD 83, Zone 8	470639	7081425	938	Soil	Moist	Dark brown to brown	Clay / Silt	38	B	2	5			micatious
AUX0100947	Aurex	08/29/11	TC	NAD 83, Zone 8	470636	7081401	927	Soil	Semi-Saturated	Tan to brown	Clay / Silt	46	B	2	5			micatious, some qtz frags
AUX0100948	Aurex	08/29/11	TC	NAD 83, Zone 8	470640	7081374	914	Soil	Moist	Tan to light brown	Clay / Silt	42	B	tr	10			
AUX0100949	Aurex	08/29/11	TC	NAD 83, Zone 8	470638	7081350	908	Soil	Moist	Tan to light brown	Clay / Silt	44	B	tr	10			micatious. Near old road
AUX0100950	Aurex	08/29/11	TC	NAD 83, Zone 8	470637	7081327	906	Soil	Moist	Tan to light brown	Clay / Silt	44	B	tr	10			near old road
AUX0100951	Aurex	08/30/11	TC	NAD 83, Zone 8	471038	7081649	972	Soil	Saturated	Black to brown	clay/silt	25	B	10	tr			Low lying marshy area. Sample includes minor amounts of A horizon.
AUX0100952	Aurex	08/30/11	TC	NAD 83, Zone 8	471033	7081621	971	Soil	Saturated	Tan to grey	clay/silt	31	B	5	tr			Low lying marshy area. Sample includes minor amounts of A horizon.
AUX0100953	Aurex	08/30/11	TC	NAD 83, Zone 8	471034	7081606	969	Soil	Semi-saturated	Tan	clay/silt	26	B	3	tr			
AUX0100954	Aurex	08/30/11	TC	NAD 83, Zone 8	471037	7081575	970	Soil	Moist	Brown to grey	clay/silt	32	B	4	2			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100955	Aurex	08/30/11	TC	NAD 83, Zone 8	471037	7081550	969	Soil	Moist	Tan to grey	clay/silt	22	B	3	5			Quartz vein and schist fragments.
AUX0100956	Aurex	08/30/11	TC	NAD 83, Zone 8	471036	7081524	970	Soil	Moist	Tan	clay/silt	24	B	2	5			Quartz vein and schist fragments.
AUX0100957	Aurex	08/30/11	TC	NAD 83, Zone 8	471038	7081500	968	Soil	Moist	Tan to grey	clay/silt	25	B	2	3			
AUX0100958	Aurex	08/30/11	TC	NAD 83, Zone 8	471040	7081476	964	Soil	Moist	Grey to tan	clay/silt	28	B	tr	5			Quartz vein and schist fragments.
AUX0100959	Aurex	08/30/11	TC	NAD 83, Zone 8	471037	7081454	963	Soil	Moist	Grey to tan	clay/silt	21	B	2	8			Micaceous and quartz fragments.
AUX0100960	Aurex	08/30/11	TC	NAD 83, Zone 8	471035	7081423	963	Soil	Semi-saturated	Tan	clay/silt	23	B	5	5			Schist and micaceous fragments.
AUX0100961	Aurex	08/30/11	TC	NAD 83, Zone 8	471041	7081402	960	Soil	Moist	Tan to grey	clay/silt	23	B	2	25			Fine grained phylllitic fragments.
AUX0100962	Aurex	08/30/11	TC	NAD 83, Zone 8	471039	7081375	956	Soil	Moist	Grey to tan	clay/silt	25	B	tr	15			Quartz , schist and micaceous fragments
AUX0100963	Aurex	08/30/11	TC	NAD 83, Zone 8	471037	7081351	957	Soil	Moist	Tan to grey	clay/silt	16	B	tr	15			Micaceous and quartz fragments (3cm)
AUX0100964	Aurex	08/30/11	TC	NAD 83, Zone 8	471037	7081326	945	Soil	Dry to moist	Tan	clay/silt	26	B	5	2			
AUX0100965	Aurex	08/30/11	TC	NAD 83, Zone 8	471036	7081301	940	Soil	Moist	Brown to grey	clay/silt	28	B	2	2			
AUX0100966	Aurex	08/30/11	TC	NAD 83, Zone 8	471036	7081274	923	Soil	Dry to moist	Dark brown	clay/silt	68	B	4	tr			Fine grained micaceous fragments at bottom.
AUX0100967	Aurex	08/30/11	TC	NAD 83, Zone 8	471039	7081248	917	Soil	Dry to moist	Dark brown to black	clay/silt	48	B	5	tr			Trace marble (limestone) fragments
AUX0100968	Aurex	08/30/11	GS	NAD 83, Zone 8	470939	7081302	943	Soil	moist	gry/tan/brw	clay/silt	52	B	2	4			
AUX0100969	Aurex	08/30/11	GS	NAD 83, Zone 8	470938	7081277	926	Soil	moist	blk/gry	clay/silt	35	B	Tr	Tr			
AUX0100970	Aurex	08/30/11	GS	NAD 83, Zone 8	470941	7081253	913	Soil	moist	gry/blk/tan	clay/silt	33	B	Tr	10			
AUX0100971	Aurex	08/31/11	LB	NAD 83, Zone 8	471139	7081651	971	Soil	Moist	Tan-brown	clay/silt	44	B	5	2			
AUX0100972	Aurex	08/31/11	LB	NAD 83, Zone 8	471137	7081624	966	Soil	Moist	Tan-brown	clay/silt	43	B	10	tr			
AUX0100973	Aurex	08/31/11	LB	NAD 83, Zone 8	471136	7081599	966	Soil	Moist	Tan-brown	clay/silt	41	B	tr	tr			
AUX0100974	Aurex	08/31/11	LB	NAD 83, Zone 8	471140	7081575	967	Soil	Moist	Tan-brown	clay/silt	48	B	tr	5			
AUX0100975	Aurex	08/31/11	LB	NAD 83, Zone 8	471140	7081575	967	Soil	Moist	Tan-brown	clay/silt	48	B	tr	5			
AUX0100976	Aurex	08/31/11	LB	NAD 83, Zone 8	471135	7081548	964	Soil	Saturated	Tan-brown	clay/silt	55	B	tr	tr			
AUX0100977	Aurex	08/31/11	LB	NAD 83, Zone 8	471137	7081527	962	Soil	Saturated	Brown	clay/silt	56	B	5	tr			
AUX0100978	Aurex	08/31/11	LB	NAD 83, Zone 8	471137	7081500	961	Soil	Semi-saturated	Tan-brown	clay/silt	48	B	tr	tr			
AUX0100979	Aurex	08/31/11	LB	NAD 83, Zone 8	471140	7081477	962	Soil	Moist	Tan-brown	clay/silt	35	B	tr	tr			
AUX0100980	Aurex	08/31/11	LB	NAD 83, Zone 8	471137	7081448	960	Soil	Moist	Tan-brown	clay/silt	35	B	5	2			
AUX0100981	Aurex	08/31/11	LB	NAD 83, Zone 8	471139	7081428	959	Soil	Moist	Tan-brown	clay/silt	50	B	tr	tr			
AUX0100982	Aurex	08/31/11	LB	NAD 83, Zone 8	471136	7081402	955	Soil	Moist	Brown	clay/silt	54	B	5	tr			
AUX0100983	Aurex	08/31/11	LB	NAD 83, Zone 8	471137	7081370	944	Soil	Moist	Brown	clay/silt	34	B	5	tr			
AUX0100984	Aurex	08/31/11	LB	NAD 83, Zone 8	471136	7081354	937	Soil	Moist	Dark brown	clay/silt	78	B	tr	tr			
AUX0100985	Aurex	08/31/11	LB	NAD 83, Zone 8	471137	7081329	933	Soil	Moist	Brown	clay/silt	48	B	tr	5			
AUX0100986	Aurex	08/31/11	LB	NAD 83, Zone 8	471135	7081299	927	Soil	Moist	Dark brown	clay/silt	28	B	tr	tr			By creek
AUX0100987	Aurex	08/31/11	LB	NAD 83, Zone 8	471241	7081650	968	Soil	Saturated	Tan-brown	clay/silt	38	B	5	2			
AUX0100988	Aurex	08/31/11	LB	NAD 83, Zone 8	471237	7081626	965	Soil	Saturated	Dark brown	clay/silt	57	B	20	tr			Permafrost, small sample
AUX0100989	Aurex	08/31/11	LB	NAD 83, Zone 8	471238	7081603	962	Soil	Moist	Tan-brown	clay/silt	31	B	8	tr			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0100990	Aurex	08/31/11	LB	NAD 83, Zone 8	471238	7081573	962	Soil	Saturated	Dark brown	clay/silt	48	B	15	tr			
AUX0100991	Aurex	08/31/11	LB	NAD 83, Zone 8	471236	7081551	962	Soil	Moist	Tan	clay/silt	29	B	2	tr			Near old road
AUX0100992	Aurex	08/31/11	LB	NAD 83, Zone 8	471239	7081524	959	Soil	Saturated	Tan-brown	clay/silt	34	B	tr	1			
AUX0100993	Aurex	08/31/11	LB	NAD 83, Zone 8	471239	7081501	961	Soil	Saturated	Tan-brown	clay/silt	31	B	tr	tr			
AUX0100994	Aurex	08/31/11	LB	NAD 83, Zone 8	471238	7081474	958	Soil	Moist	Tan-brown	clay/silt	54	B	tr	2			
AUX0100995	Aurex	08/31/11	LB	NAD 83, Zone 8	471239	7081453	954	Soil	Moist	Brown	clay/silt	36	B	tr	tr			
AUX0100996	Aurex	08/31/11	LB	NAD 83, Zone 8	471238	7081426	947	Soil	Moist	Orange-brown	clay/silt	27	B	tr	2			
AUX0100997	Aurex	08/31/11	LB	NAD 83, Zone 8	471239	7081402	938	Soil	Moist	Brown	clay/silt	45	B	tr	1			
AUX0100998	Aurex	08/31/11	LB	NAD 83, Zone 8	471231	7081376	936	Soil	Moist	Brown	clay/silt	32	B	2	20			Beside road, disturbed ground, high mica content
AUX0100999	Aurex	08/31/11	LB	NAD 83, Zone 8	471244	7081352	945	Soil	Moist	Tan-brown	clay/silt	26	B	5	15			
AUX0101000	Aurex	08/31/11	LB	NAD 83, Zone 8	471244	7081352	945	Soil	Moist	Tan-brown	clay/silt	26	B	5	15			
AUX0102162	Aurex	08/31/11	LB	NAD 83, Zone 8	471235	7081323	946	Soil	Moist	Tan-brown	clay/silt	30	B	tr	5			
AUX0102163	Aurex	08/31/11	LB	NAD 83, Zone 8	471235	7081300	951	Soil	Moist	Tan	clay/silt	41	B	1	5			
AUX0102164	Aurex	1/9/2011	LB	NAD 83, Zone 8	471339	7081851	971	Soil	Saturated	Dark grey	clay/silt	34	B	3	tr			
AUX0102165	Aurex	1/9/2011	LB	NAD 83, Zone 8	471335	7081827	969	Soil	Moist	Dark brown	clay/silt	44	B	3	1			
AUX0102166	Aurex	1/9/2011	LB	NAD 83, Zone 8	471337	7081802	969	Soil	Moist	Dark brown	clay/silt	37	B	4	tr			
AUX0102167	Aurex	1/9/2011	LB	NAD 83, Zone 8	471342	7081777	968	Soil	Moist	Tan brown	clay/silt	43	B	tr	3			
AUX0102168	Aurex	1/9/2011	LB	NAD 83, Zone 8	471339	7081749	967	Soil	Moist	Tan brown	clay/silt	50	B	tr	tr			
AUX0102169	Aurex	1/9/2011	LB	NAD 83, Zone 8	471338	7081723	966	Soil	Moist	Tan brown	clay/silt	48	B	2	2			
AUX0102170	Aurex	1/9/2011	LB	NAD 83, Zone 8	471336	7081701	964	Soil	Moist	Tan brown	clay/silt	34	B	tr	2			
AUX0102171	Aurex	1/9/2011	LB	NAD 83, Zone 8	471337	7081675	966	Soil	Moist	Dark brown	clay/silt	40	B	8	tr			
AUX0102172	Aurex	1/9/2011	LB	NAD 83, Zone 8	471339	7081651	964	Soil	Moist	Tan grey	clay/silt	39	B	1	3			
AUX0102173	Aurex	1/9/2011	LB	NAD 83, Zone 8	471337	7081625	962	Soil	Moist	Tan brown	clay/silt	41	B	tr	tr			
AUX0102174	Aurex	1/9/2011	LB	NAD 83, Zone 8	471335	7081600	962	Soil	Moist	Tan brown	clay/silt	44	B	tr	tr			
AUX0102175	Aurex	1/9/2011	LB	NAD 83, Zone 8	471335	7081600	962	Soil	Moist	Tan brown	clay/silt	44	B	tr	tr			
AUX0102176	Aurex	1/9/2011	LB	NAD 83, Zone 8	471337	7081574	957	Soil	Moist	Tan brown	clay/silt	31	B	1	2			
AUX0102177	Aurex	1/9/2011	LB	NAD 83, Zone 8	471343	7081551	955	Soil	Moist	Tan brown	clay/silt	36	B	tr	tr			
AUX0102178	Aurex	1/9/2011	LB	NAD 83, Zone 8	471338	7081525	954	Soil	Moist	Dark tan brown	clay/silt	35	B	tr	tr			Beside old road
AUX0102179	Aurex	1/9/2011	LB	NAD 83, Zone 8	471338	7081501	953	Soil	Moist	Tan brown	clay/silt	28	B	tr	tr			
AUX0102229	Aurex	1/9/2011	LB	NAD 83, Zone 8	471339	7081475	944	Soil	Moist	tan grey	clay/silt	46	B	tr	10			Micaceous
AUX0102230	Aurex	1/9/2011	LB	NAD 83, Zone 8	471339	7081452	939	Soil	Moist	Tan brown	clay/silt	47	B	tr	4			
AUX0102231	Aurex	1/9/2011	LB	NAD 83, Zone 8	471340	7081426	938	Soil	Moist	Brown	clay/silt	43	B	tr	4			Next to outcrop- not much soil
AUX0102232	Aurex	1/9/2011	LB	NAD 83, Zone 8	471337	7081401	954	Soil	Moist	Tan brown	clay/silt	38	B	1	6			
AUX0102233	Aurex	1/9/2011	LB	NAD 83, Zone 8	471336	7081374	958	Soil	Saturated	Tan brown	clay/silt	41	B	tr	2			
AUX0102234	Aurex	1/9/2011	LB	NAD 83, Zone 8	471337	7081349	955	Soil	Moist	Tan brown	clay/silt	37	B	2	tr			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102235	Aurex	1/9/2011	LB	NAD 83, Zone 8	471337	7081325	955	Soil	Moist	Tan brown	clay/silt	40	B	1	1			
AUX0102236	Aurex	1/9/2011	LB	NAD 83, Zone 8	471337	7081301	956	Soil	Moist	Tan brown	clay/silt	47	B	1	3			Permafrost
AUX0102237	Aurex	1/9/2011	LB	NAD 83, Zone 8	471440	7081853	969	Soil	Moist	Tan brown	clay/silt	34	B	tr	tr			
AUX0102238	Aurex	1/9/2011	LB	NAD 83, Zone 8	471437	7081827	969	Soil	Moist	Tan brown	clay/silt	43	B	tr	tr			
AUX0102239	Aurex	1/9/2011	LB	NAD 83, Zone 8	471439	7081802	969	Soil	Moist	Grey brown	clay/silt	33	B	tr	1			
AUX0102240	Aurex	1/9/2011	LB	NAD 83, Zone 8	471439	7081776	967	Soil	Moist	Tan grey	clay/silt	28	B	tr	tr			
AUX0102241	Aurex	1/9/2011	LB	NAD 83, Zone 8	471441	7081751	969	Soil	Moist	Grey brown	clay/silt	49	B	1	1			
AUX0102242	Aurex	1/9/2011	LB	NAD 83, Zone 8	471439	7081725	969	Soil	Moist	Grey brown	clay/silt	36	B	1	1			
AUX0102243	Aurex	1/9/2011	LB	NAD 83, Zone 8	471439	7081701	967	Soil	Moist	Tan	clay/silt	30	B	tr	tr			
AUX0102244	Aurex	1/9/2011	LB	NAD 83, Zone 8	471438	7081677	965	Soil	Moist	Tan	clay/silt	33	B	tr	tr			
AUX0102245	Aurex	1/9/2011	LB	NAD 83, Zone 8	471440	7081651	963	Soil	Moist	Tan brown	clay/silt	32	B	5	5			Micaceous, on subcrop, not much soil
AUX0102246	Aurex	1/9/2011	LB	NAD 83, Zone 8	471437	7081626	954	Soil	Saturated	Tan brown	clay/silt	58	B	tr	40			Below water table
AUX0102247	Aurex	1/9/2011	LB	NAD 83, Zone 8	471441	7081601	953	Soil	Moist	Brown	clay/silt	85	B	7	tr			By river
AUX0102248	Aurex	1/9/2011	LB	NAD 83, Zone 8	471437	7081573	953	Soil	Moist	Tan-orange	clay/silt	40	B	5	tr			
AUX0102249	Aurex	1/9/2011	LB	NAD 83, Zone 8	471437	7081552	955	Soil	Moist	Tan-grey	clay/silt	34	B	2	1			
AUX0102250	Aurex	1/9/2011	LB	NAD 83, Zone 8	471437	7081552	955	Soil	Moist	Tan-grey	clay/silt	34	B	2	1			
AUX0102251	Aurex	1/9/2011	LB	NAD 83, Zone 8	471438	7081525	949	Soil	Moist	Grey	clay/silt	40	B	tr	20			Very micaceous
AUX0102252	Aurex	1/9/2011	LB	NAD 83, Zone 8	471439	7081503	949	Soil	Moist	Brown	clay/silt	56	B	9	6			Micaceous
AUX0102253	Aurex	1/9/2011	LB	NAD 83, Zone 8	471438	7081474	951	Soil	Moist	Tan-grey	clay/silt	37	B	8	2			
AUX0102254	Aurex	1/9/2011	LB	NAD 83, Zone 8	471439	7081451	955	Soil	Moist	Tan-grey	clay/silt	33	B	2	1			
AUX0102255	Aurex	1/9/2011	LB	NAD 83, Zone 8	471439	7081424	956	Soil	Moist-saturated	Brown	clay/silt	31	B	40	tr			
AUX0102256	Aurex	1/9/2011	LB	NAD 83, Zone 8	471438	7081405	956	Soil	Moist-saturated	Tan brown	clay/silt	29	B	8	2			Some A in sample, permafrost
AUX0102257	Aurex	9/2/2011	GS	NAD 83, Zone 8	471541	7081900	963	Soil	moist	brw/blk/gry	clay/silt	30	B	3	3			micatious
AUX0102258	Aurex	9/2/2011	GS	NAD 83, Zone 8	471541	7081900	962	Soil	moist	brw/blk/gry	clay/silt	30	B	3	3			micatious
AUX0102259	Aurex	9/2/2011	GS	NAD 83, Zone 8	471534	7081877	960	Soil	moist	blk/brw	clay/silt	65	B	Tr	Tr			next to swamp, moved 4m
AUX0102260	Aurex	9/2/2011	GS	NAD 83, Zone 8	471537	7081852	963	Soil	semi-saturated	brw/blk/gry	clay/silt	61	B	3	4			next to swamp
AUX0102261	Aurex	9/2/2011	GS	NAD 83, Zone 8	471538	7081825	963	Soil	moist	brw/tam/gry	clay/silt	25	B	Tr	3			qtz frags
AUX0102262	Aurex	9/2/2011	GS	NAD 83, Zone 8	471540	7081801	967	Soil	moist	brw/tan	clay/silt	26	B	Tr	5			
AUX0102263	Aurex	9/2/2011	GS	NAD 83, Zone 8	471540	7081776	966	Soil	moist	brw/tan	clay/silt	25	B	Tr	3			
AUX0102264	Aurex	9/2/2011	GS	NAD 83, Zone 8	471543	7081751	962	Soil	dry	brw/tan	clay/silt	25	B	Tr	2			
AUX0102265	Aurex	9/2/2011	GS	NAD 83, Zone 8	471540	7081726	966	Soil	moist	brw/tan	clay/silt	20	B	2	2			next t outcrop
AUX0102266	Aurex	9/2/2011	GS	NAD 83, Zone 8	471538	7081700	955	Soil	dry	brw/tan	clay/silt	20	B	Tr	7			next to stream and outcrop. Micqtious
AUX0102267	Aurex	9/2/2011	GS	NAD 83, Zone 8	471538	7081673	954	Soil	moist	brw/tan	clay/silt	40	B	Tr	10			micatious
AUX0102268	Aurex	9/2/2011	GS	NAD 83, Zone 8	471541	7081650	953	Soil	semi-saturated	brw/tam/gry	clay/silt	25	B	2	3			qtz frags
AUX0102269	Aurex	9/2/2011	GS	NAD 83, Zone 8	471537	7081626	951	Soil	moist	brw/tan	clay/silt	30	B	Tr	5			micatious

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102270	Aurex	9/2/2011	GS	NAD 83, Zone 8	471540	7081598	950	Soil	saturrated	brw/gry/org	clay/silt	40	B	Tr	5			qtz frags
AUX0102271	Aurex	9/2/2011	GS	NAD 83, Zone 8	471538	7081576	954	Soil	moist	blk/gry	clay/silt	45	B	Tr	2			next to swamp, some A in sample
AUX0102272	Aurex	9/2/2011	GS	NAD 83, Zone 8	471539	7081553	954	Soil	moist	brw/tam/gry	clay/silt	34	B	Tr	3			permafrost
AUX0102304	Aurex	9/2/2011	GS	NAD 83, Zone 8	471536	7081526	952	Soil	moist	brw/tan/blk	clay/silt	30	B	4	Tr			
AUX0102305	Aurex	9/2/2011	GS	NAD 83, Zone 8	471537	7081498	954	Soil	moist	brw/tan/gry	clay/silt	40	B	Tr	10			qtz frags, next to swamp
AUX0102306	Aurex	9/2/2011	GS	NAD 83, Zone 8	471538	7081476	954	Soil	semi-saturated	tan/brw	clay/silt	45	B	Tr	3			
AUX0102307	Aurex	9/2/2011	GS	NAD 83, Zone 8	471540	7081452	958	Soil	moist	blk/tan/brw	clay/silt	32	B	Tr	Tr			
AUX0102308	Aurex	9/2/2011	GS	NAD 83, Zone 8	471542	7081427	961	Soil	moist	tan/brw	clay/silt	27	B	2	4			qtz frags, micatious
AUX0102309	Aurex	9/2/2011	GS	NAD 83, Zone 8	471537	7081399	962	Soil	moist	tan/brw/gry	clay/silt	30	B	Tr	7			qtz frags
AUX0102310	Aurex	9/2/2011	GS	NAD 83, Zone 8	471538	7081376	962	Soil	moist	tan/brw	clay/silt	38	B	3	4			
AUX0102311	Aurex	9/2/2011	GS	NAD 83, Zone 8	471539	7081348	961	Soil	moist	tan/brw/blk	clay/silt	35	B	3	Tr			
AUX0102312	Aurex	9/2/2011	GS	NAD 83, Zone 8	471536	7081328	964	Soil	moist	tan/brw	clay/silt	28	B	Tr	2			micatious
AUX0102313	Aurex	9/2/2011	GS	NAD 83, Zone 8	471537	7081303	966	Soil	moist	tan/gry	clay/silt	30	B	Tr	3			micatious
AUX0102314	Aurex	9/2/2011	GS	NAD 83, Zone 8	471542	7081279	967	Soil	moist	brw/tan	clay/silt	33	B	Tr	4			
AUX0102315	Aurex	9/2/2011	RP	NAD 83, Zone 8	471635	7081902	969	Soil	Moist	Brown/Tan	clay/silt	37	B	3	7			
AUX0102316	Aurex	9/2/2011	RP	NAD 83, Zone 8	471639	7081875	968	Soil	Moist	Tan/Brown	clay/silt	34	B	2	4			
AUX0102317	Aurex	9/2/2011	RP	NAD 83, Zone 8	471639	7081853	966	Soil	Moist	Tan/Grey	clay/silt	36	B	2	3			
AUX0102318	Aurex	9/2/2011	RP	NAD 83, Zone 8	471639	7081825	966	Soil	Moist	Tan/Brown	clay/silt	45	B	2	5			
AUX0102319	Aurex	9/2/2011	RP	NAD 83, Zone 8	471640	7081802	965	Soil	Moist	Tan	clay/silt	28	B	2	3			
AUX0102320	Aurex	9/2/2011	RP	NAD 83, Zone 8	471637	7081775	963	Soil	Moist	Tan/Grey	clay/silt	36	B	2	4			
AUX0102321	Aurex	9/2/2011	RP	NAD 83, Zone 8	471638	7081746	960	Soil	Moist	Grey	clay/silt	40	B	2	3			
AUX0102322	Aurex	9/2/2011	RP	NAD 83, Zone 8	471639	7081725	961	Soil	Moist/Semisaturated	Grey	clay/silt	61	B	4	3			swamp
AUX0102323	Aurex	9/2/2011	RP	NAD 83, Zone 8	471638	7081704	961	Soil	Semisaturated	Brown/Grey	clay/silt	72	B	6	2			adjacent to swamp
AUX0102324	Aurex	9/2/2011	RP	NAD 83, Zone 8	471639	7081672	960	Soil	Semisaturated	Brown/Grey	clay/silt	52	B	4	6			
AUX0102325	Aurex	9/2/2011	RP	NAD 83, Zone 8	471638	7081649	960	Soil	Moist	Grey/Brown	clay/silt	32	B	3	5			
AUX0102326	Aurex	9/2/2011	RP	NAD 83, Zone 8	471637	7081625	960	Soil	Moist	Tan	clay/silt	34	B	Tr	7			
AUX0102327	Aurex	9/2/2011	RP	NAD 83, Zone 8	471635	7081600	956	Soil	Moist	Grey/Tan	clay/silt	33	B	Tr	5			
AUX0102328	Aurex	9/2/2011	RP	NAD 83, Zone 8	471639	7081572	960	Soil	Moist	Grey/Tan	clay/silt	33	B	Tr	3			
AUX0102329	Aurex	9/2/2011	RP	NAD 83, Zone 8	471639	7081572	960	Soil	Moist	Grey/Tan	clay/silt	33	B	Tr	3			
AUX0102330	Aurex	9/2/2011	RP	NAD 83, Zone 8	471638	7081551	956	Soil	Moist	Grey	clay/silt	34	B	3	4			
AUX0102331	Aurex	9/2/2011	RP	NAD 83, Zone 8	471637	7081522	955	Soil	Moist	Grey	clay/silt	31	B	3	5			mica/quartz
AUX0102332	Aurex	9/2/2011	RP	NAD 83, Zone 8	471642	7081499	956	Soil	Moist/Semisaturated	Grey	clay/silt	48	B	2	4			swampy
AUX0102333	Aurex	9/2/2011	RP	NAD 83, Zone 8	471633	7081467	959	Soil	Semisaturated	Brown/Grey	clay/silt	60	B	3	3			permafrost
AUX0102334	Aurex	9/2/2011	RP	NAD 83, Zone 8	471639	7081449	955	Soil	Moist	Grey/Tan	clay/silt	32	B	3	2			
AUX0102335	Aurex	9/2/2011	RP	NAD 83, Zone 8	471637	7081424	957	Soil	Semisaturated	Grey	clay/silt	38	B	2	6			permafrost

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102336	Aurex	9/2/2011	RP	NAD 83, Zone 8	471640	7081399	956	Soil	Moist	Grey/Brown	clay/silt	36	B	2	4			
AUX0102337	Aurex	9/2/2011	RP	NAD 83, Zone 8	471638	7081374	960	Soil	Semisaturated	Grey/Brown	clay/silt	37	B	2	2			
AUX0102338	Aurex	9/2/2011	RP	NAD 83, Zone 8	471636	7081348	959	Soil	Moist	Grey/Black	clay/silt	58	B	Tr	2			
AUX0102339	Aurex	9/2/2011	RP	NAD 83, Zone 8	471637	7081324	961	Soil	Moist	Grey	clay/silt	36	B	Tr	2			
AUX0102340	Aurex	9/2/2011	RP	NAD 83, Zone 8	471634	7081299	961	Soil	Moist	Grey/Brown	clay/silt	49	B	Tr	Tr			
AUX0102341	Aurex	9/2/2011	RP	NAD 83, Zone 8	471638	7081273	961	Soil	Moist	Tan/Grey	clay/silt	42	B	Tr	Tr			
AUX0102342	Aurex	9/2/2011	RP	NAD 83, Zone 8	471639	7081251	973	Soil	Moist	Grey/Brown	clay/silt	31	B	Tr	Tr			
AUX0102343	Aurex	9/2/2011	RP	NAD 83, Zone 8	471641	7081225	967	Soil	Moist	Grey/Orange	clay/silt	44	B	Tr	4			
AUX0102344	Aurex	9/2/2011	RP	NAD 83, Zone 8	471643	7081201	966	Soil	Moist	Grey/Tan	clay/silt	29	B	Tr	5			mica
AUX0102345	Aurex	9/2/2011	RP	NAD 83, Zone 8	471636	7081176	965	Soil	Moist	Grey/Tan	clay/silt	52	B	Tr	4			
AUX0102346	Aurex	9/2/2011	RP	NAD 83, Zone 8	471643	7081150	967	Soil	Moist	Grey/Tan	clay/silt	50	B	Tr	5			
AUX0102347	AUREX	9/3/2011	RP	NAD 83, Zone 8	468981	7081915	972	SOIL	Moist	Tan	clay/silt	42	B	Tr	12			Quartz fragments
AUX0102348	AUREX	9/3/2011	RP	NAD 83, Zone 8	468983	7081889	967	SOIL	Moist	Tan	clay/silt	30	B	Tr	5			
AUX0102349	AUREX	9/3/2011	RP	NAD 83, Zone 8	468983	7081865	969	SOIL	Moist	Tan	clay/silt	30	B	Tr	Tr			
AUX0102350	AUREX	9/3/2011	RP	NAD 83, Zone 8	468983	7081864	970	SOIL	Moist	Tan	clay/silt	32	B	Tr	Tr			10m from old road
AUX0102351	AUREX	9/3/2011	RP	NAD 83, Zone 8	468982	7081839	971	SOIL	Moist	Brown/tan	clay/silt	32	B	Tr	13			mica
AUX0102352	AUREX	9/3/2011	RP	NAD 83, Zone 8	468985	7081815	967	SOIL	Moist	Tan	clay/silt	36	B	Tr	5			Quartz fragments
AUX0102353	AUREX	9/3/2011	RP	NAD 83, Zone 8	468980	7081790	963	SOIL	Moist	Tan	clay/silt	33	B	Tr	Tr			adjacent to old road
AUX0102354	AUREX	9/3/2011	RP	NAD 83, Zone 8	468985	7081765	963	SOIL	Moist	Tan	clay/silt	36	B	Tr	Tr			
AUX0102355	AUREX	9/3/2011	RP	NAD 83, Zone 8	468981	7081743	962	SOIL	Moist	Tan	clay/silt	32	B	Tr	Tr			moved due to old road
AUX0102356	AUREX	9/3/2011	RP	NAD 83, Zone 8	468985	7081716	955	SOIL	Moist	Tan	clay/silt	37	B	Tr	5			
AUX0102357	AUREX	9/3/2011	RP	NAD 83, Zone 8	468986	7081690	953	SOIL	Moist	Tan	clay/silt	39	B	Tr	5			mica
AUX0102358	AUREX	9/3/2011	RP	NAD 83, Zone 8	468981	7081663	952	SOIL	Moist	Tan	clay/silt	56	B	Tr	5			mica
AUX0102359	AUREX	9/3/2011	RP	NAD 83, Zone 8	468985	7081641	950	SOIL	Moist	Brown	clay/silt	53	B	Tr	5			mica
AUX0102360	AUREX	9/3/2011	RP	NAD 83, Zone 8	468980	7081616	947	SOIL	Moist	Grey	clay/silt	50	B	Tr	5			
AUX0102361	AUREX	9/3/2011	RP	NAD 83, Zone 8	468983	7081592	945	SOIL	Moist	Grey	clay/silt	40	B	Tr	5			rock fragments
AUX0102362	AUREX	9/3/2011	RP	NAD 83, Zone 8	468981	7081565	940	SOIL	Moist	Grey	clay/silt	42	B	Tr	8			
AUX0102363	AUREX	9/3/2011	RP	NAD 83, Zone 8	468982	7081535	940	SOIL	Moist	Grey/brown	clay/silt	47	B	Tr	5			permafrost
AUX0102364	AUREX	9/3/2011	RP	NAD 83, Zone 8	468981	7081515	935	SOIL	Moist	Grey/brown	clay/silt	64	B	Tr	7			
AUX0102365	AUREX	9/3/2011	RP	NAD 83, Zone 8	468987	7081488	929	SOIL	Moist	Grey	clay/silt	44	B	Tr	5			
AUX0102366	AUREX	9/3/2011	RP	NAD 83, Zone 8	468984	7081465	924	SOIL	Moist	Tan/black	clay/silt	44	B	Tr	5			
AUX0102367	AUREX	9/3/2011	RP	NAD 83, Zone 8	468982	7081439	925	SOIL	Moist	Tan	clay/silt	40	B	Tr	5			permafrost
AUX0102368	AUREX	9/3/2011	RP	NAD 83, Zone 8	468985	7081414	922	SOIL	Moist	Brown	clay/silt	31	B	Tr	5			mica
AUX0102369	AUREX	9/3/2011	RP	NAD 83, Zone 8	468982	7081386	908	SOIL	Dry	Brown	clay/silt	39	B	Tr	5			rock outcrop
AUX0102370	AUREX	9/3/2011	RP	NAD 83, Zone 8	468986	7081362	894	SOIL	Dry	Orange	clay/silt	38	B	Tr	Tr			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102371	AUREX	9/3/2011	RP	NAD 83, Zone 8	468983	7081338	884	SOIL	Dry	Brown	clay/silt	52	B	Tr	5			
AUX0102372	AUREX	9/3/2011	RP	NAD 83, Zone 8	468980	7081314	880	SOIL	Moist	Grey/black	clay/silt	35	B	Tr	5			Quartz
AUX0102373	AUREX	9/3/2011	RP	NAD 83, Zone 8	468985	7081289	876	SOIL	Moist	Grey/tan	clay/silt	48	B	Tr	5			
AUX0102374	AUREX	9/3/2011	RP	NAD 83, Zone 8	468981	7081265	877	SOIL	Moist	Grey/tan	clay/silt	50	B	Tr	Tr			
AUX0102375	AUREX	9/3/2011	RP	NAD 83, Zone 8	468982	7081265	877	SOIL	Moist	Grey/tan	clay/silt	50	B	Tr	Tr			
AUX0102376	AUREX	9/3/2011	RP	NAD 83, Zone 8	468983	7081238	875	SOIL	Moist	Grey/tan	clay/silt	47	B	Tr	Tr			
AUX0102377	AUREX	9/3/2011	RP	NAD 83, Zone 8	468984	7081215	872	SOIL	Moist	Grey	clay/silt	31	B	4	Tr			permafrost
AUX0102378	AUREX	9/3/2011	RP	NAD 83, Zone 8	468883	7081915	972	SOIL	Moist	Tan	clay/silt	33	B	Tr	Tr			mica
AUX0102379	AUREX	9/3/2011	RP	NAD 83, Zone 8	468880	7081884	970	SOIL	Moist	Tan	clay/silt	38	B	Tr	Tr			
AUX0102380	AUREX	9/3/2011	RP	NAD 83, Zone 8	468884	7081862	965	SOIL	Moist	Tan	clay/silt	42	B	Tr	Tr			
AUX0102381	AUREX	9/3/2011	RP	NAD 83, Zone 8	468883	7081836	964	SOIL	Moist	Tan	clay/silt	43	B	Tr	Tr			adjacent to old road
AUX0102382	AUREX	9/3/2011	RP	NAD 83, Zone 8	468889	7081813	962	SOIL	Moist	Tan	clay/silt	35	B	Tr	3			moved due to road
AUX0102383	AUREX	9/3/2011	RP	NAD 83, Zone 8	468887	7081786	960	SOIL	Moist	Tan	clay/silt	36	B	Tr	5			moved due to road
AUX0102384	AUREX	9/3/2011	RP	NAD 83, Zone 8	468889	7081763	959	SOIL	Moist	Tan	clay/silt	32	B	Tr	10			
AUX0102385	AUREX	9/3/2011	RP	NAD 83, Zone 8	468890	7081739	956	SOIL	Moist	Tan	clay/silt	39	B	Tr	Tr			
AUX0102386	AUREX	9/3/2011	RP	NAD 83, Zone 8	468881	7081708	955	SOIL	Moist	Tan/brwn	clay/silt	37	B	Tr	10			
AUX0102387	AUREX	9/3/2011	RP	NAD 83, Zone 8	468882	7081687	950	SOIL	Moist	Tan	clay/silt	34	B	Tr	Tr			
AUX0102388	AUREX	9/3/2011	RP	NAD 83, Zone 8	468885	7081662	950	SOIL	Moist	Grey	clay/silt	48	B	Tr	6			
AUX0102389	AUREX	9/3/2011	RP	NAD 83, Zone 8	468883	7081636	949	SOIL	Moist	Grey	clay/silt	47	B	Tr	Tr			
AUX0102390	AUREX	9/3/2011	RP	NAD 83, Zone 8	468881	7081613	946	SOIL	Moist	Brown	clay/silt	52	B	Tr	5			
AUX0102391	AUREX	9/3/2011	RP	NAD 83, Zone 8	468881	7081589	945	SOIL	Moist	Grey/brwn	clay/silt	40	B	Tr	Tr			
AUX0102392	AUREX	9/3/2011	RP	NAD 83, Zone 8	468884	7081563	941	SOIL	Moist	Grey/brwn	clay/silt	63	B	Tr	3			
AUX0102393	AUREX	9/3/2011	RP	NAD 83, Zone 8	468882	7081535	939	SOIL	Moist	Grey	clay/silt	59	B	Tr	3			
AUX0102394	AUREX	9/3/2011	RP	NAD 83, Zone 8	468882	7081515	933	SOIL	Moist	Grey	clay/silt	48	B	Tr	3			
AUX0102395	AUREX	9/3/2011	RP	NAD 83, Zone 8	468883	7081487	933	SOIL	Moist	Grey	clay/silt	58	B	Tr	6			adjacent to old road
AUX0102396	AUREX	9/3/2011	RP	NAD 83, Zone 8	468883	7081462	929	SOIL	Moist	Grey	clay/silt	42	B	Tr	5			
AUX0102397	AUREX	9/3/2011	RP	NAD 83, Zone 8	468884	7081438	926	SOIL	Moist	Grey	clay/silt	57	B	Tr	5			
AUX0102398	AUREX	9/3/2011	RP	NAD 83, Zone 8	468881	7081413	918	SOIL	Moist	Tan	clay/silt	53	B	Tr	5			
AUX0102399	AUREX	9/3/2011	RP	NAD 83, Zone 8	468885	7081387	913	SOIL	Moist	Tan	clay/silt	38	B	Tr	5			adjacent to outcrop
AUX0102400	AUREX	9/3/2011	RP	NAD 83, Zone 8	468887	7081387	914	SOIL	Moist	Tan	clay/silt	38	B	Tr	5			adjacent to outcrop
AUX0102401	AUREX	9/3/2011	RP	NAD 83, Zone 8	468881	7081362	906	SOIL	Dry	Brown	clay/silt	34	B	Tr	Tr			
AUX0102402	AUREX	9/3/2011	RP	NAD 83, Zone 8	468882	7081337	904	SOIL	Dry	Brown	clay/silt	38	B	Tr	10			
AUX0102403	AUREX	9/3/2011	RP	NAD 83, Zone 8	468884	7081314	895	SOIL	Dry	Brown	clay/silt	46	B	Tr	12			
AUX0102404	AUREX	9/3/2011	RP	NAD 83, Zone 8	468884	7081289	882	SOIL	Dry	Brown	clay/silt	40	B	5	8			
AUX0102405	AUREX	9/3/2011	RP	NAD 83, Zone 8	468884	7081265	870	SOIL	Moist	Grey	clay/silt	46	B	Tr	10			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102406	AUREX	9/3/2011	RP	NAD 83, Zone 8	468883	7081238	870	SOIL	Moist	Grey/black	clay/silt	54	B	Tr	10			
AUX0102407	AUREX	9/3/2011	RP	NAD 83, Zone 8	468880	7081211	869	SOIL	Moist	Grey	clay/silt	36	B	Tr	8			
AUX0102408	AUREX	9/3/2011	RP	NAD 83, Zone 8	468883	7081188	868	SOIL	Moist	Grey	clay/silt	50	B	Tr	Tr			
AUX0102409	Aurex	9/4/2011	LB	NAD 83, Zone 8	468783	7081914	964	Soil	Moist	Tan-brown	clay/silt	20	B	tr	tr			
AUX0102410	Aurex	9/4/2011	LB	NAD 83, Zone 8	468784	7081887	964	Soil	Moist	Tan-brown	clay/silt	20	B	tr	1			
AUX0102411	Aurex	9/4/2011	LB	NAD 83, Zone 8	468780	7081863	962	Soil	Moist	Tan-brown	clay/silt	25	B	tr	tr			
AUX0102412	Aurex	9/4/2011	LB	NAD 83, Zone 8	468780	7081840	961	Soil	Moist	Tan	clay/silt	40	B	tr	tr			
AUX0102413	Aurex	9/4/2011	LB	NAD 83, Zone 8	468778	7081822	960	Soil	Dry	Grey-brown	clay/silt	29	B	tr	40			proposed location on road
AUX0102414	Aurex	9/4/2011	LB	NAD 83, Zone 8	468780	7081788	956	Soil	Moist	Tan-brown	clay/silt	23	B	tr	1			
AUX0102415	Aurex	9/4/2011	LB	NAD 83, Zone 8	468782	7081763	955	Soil	Moist	Tan	clay/silt	28	B	tr	5			mica rich
AUX0102416	Aurex	9/4/2011	LB	NAD 83, Zone 8	468782	7081738	953	Soil	Moist	Tan	clay/silt	46	B	tr	3			
AUX0102417	Aurex	9/4/2011	LB	NAD 83, Zone 8	468782	7081712	952	Soil	Moist	Tan	clay/silt	35	B	tr	4			
AUX0102418	Aurex	9/4/2011	LB	NAD 83, Zone 8	468785	7081688	948	Soil	Moist	Tan	clay/silt	35	B	tr	2			
AUX0102419	Aurex	9/4/2011	LB	NAD 83, Zone 8	468783	7081663	951	Soil	Moist	Brown	clay/silt	33	B	tr	1			
AUX0102420	Aurex	9/4/2011	LB	NAD 83, Zone 8	468781	7081638	948	Soil	Semi-saturated	Tan-brown	clay/silt	28	B	tr	2			
AUX0102421	Aurex	9/4/2011	LB	NAD 83, Zone 8	468784	7081614	949	Soil	Saturated	Tan-brown	clay/silt	55	B	tr	4			
AUX0102422	Aurex	9/4/2011	LB	NAD 83, Zone 8	468784	7081584	943	Soil	Moist	Tan	clay/silt	35	B	tr	1			
AUX0102423	Aurex	9/4/2011	LB	NAD 83, Zone 8	468783	7081566	939	Soil	Moist	Grey-brown	clay/silt	30	B	tr	4			
AUX0102424	Aurex	9/4/2011	LB	NAD 83, Zone 8	468781	7081537	940	Soil	Moist	Tan	clay/silt	28	B	tr	1			
AUX0102425	Aurex	9/4/2011	LB	NAD 83, Zone 8	468783	7081537	940	Soil	Moist	Tan	clay/silt	28	B	tr	1			
AUX0102426	Aurex	9/4/2011	LB	NAD 83, Zone 8	468780	7081514	937	Soil	Moist	Tan-grey	clay/silt	33	B	tr	8			Mica-rich
AUX0102427	Aurex	9/4/2011	LB	NAD 83, Zone 8	468782	7081486	933	Soil	Moist	Tan-brown	clay/silt	27	B	tr	7			
AUX0102428	Aurex	9/4/2011	LB	NAD 83, Zone 8	468783	7081464	931	Soil	Moist	Tan	clay/silt	25	B	tr	3			
AUX0102429	Aurex	9/4/2011	LB	NAD 83, Zone 8	468785	7081437	931	Soil	Moist	Tan-brown	clay/silt	33	B	tr	5			
AUX0102430	Aurex	9/4/2011	LB	NAD 83, Zone 8	468784	7081414	926	Soil	Moist	Tan	clay/silt	22	B	tr	10			
AUX0102431	Aurex	9/4/2011	LB	NAD 83, Zone 8	468782	7081389	923	Soil	Moist	Tan	clay/silt	30	B	tr	2			
AUX0102432	Aurex	9/4/2011	LB	NAD 83, Zone 8	468783	7081363	921	Soil	Moist	Tan	clay/silt	28	B	tr	8			
AUX0102433	Aurex	9/4/2011	LB	NAD 83, Zone 8	468783	7081338	917	Soil	Moist/dry	Grey-brown	clay/silt	28	B	tr	20			
AUX0102434	Aurex	9/4/2011	LB	NAD 83, Zone 8	468784	7081312	914	Soil	Moist/dry	Tan-brown	clay/silt	35	B	tr	10			Mica-rich
AUX0102435	Aurex	9/4/2011	LB	NAD 83, Zone 8	468783	7081286	903	Soil	Dry	Tan-brown	clay/silt	32	B	2	8			
AUX0102436	Aurex	9/4/2011	LB	NAD 83, Zone 8	468781	7081260	895	Soil	Moist/dry	Tan-brown	clay/silt	40	B	2	2			
AUX0102437	Aurex	9/4/2011	LB	NAD 83, Zone 8	468783	7081238	881	Soil	Dry	Brown	clay/silt	30	B	8	10			Mica-rich
AUX0102438	Aurex	9/4/2011	LB	NAD 83, Zone 8	468783	7081215	878	Soil	Moist/dry	Grey	clay/silt	45	B	2	5			On road- mica-rich
AUX0102439	Aurex	9/4/2011	LB	NAD 83, Zone 8	468783	7081186	871	Soil	Moist	Grey	clay/silt	60	B	tr	3			Mica-rich
AUX0102440	Aurex	9/4/2011	LB	NAD 83, Zone 8	468781	7081165	873	Soil	Saturated	Dark grey	clay/silt	55	B	1	tr			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102441	Aurex	9/4/2011	LB	NAD 83, Zone 8	468781	7081141	874	Soil	Moist	Brown	clay/silt	30	B	tr	tr			Permafrost
AUX0102442	Aurex	9/4/2011	LB	NAD 83, Zone 8	468684	7081912	955	Soil	Moist	Grey-brown	clay/silt	30	B	tr	tr			
AUX0102443	Aurex	9/4/2011	LB	NAD 83, Zone 8	468683	7081888	952	Soil	Moist	Grey-brown	clay/silt	25	B	tr	tr			
AUX0102444	Aurex	9/4/2011	LB	NAD 83, Zone 8	468683	7081863	952	Soil	Moist	Tan	clay/silt	30	B	tr	1			
AUX0102445	Aurex	9/4/2011	LB	NAD 83, Zone 8	468683	7081837	953	Soil	Moist	Tan-brown	clay/silt	20	B	tr	2			
AUX0102446	Aurex	9/4/2011	LB	NAD 83, Zone 8	468684	7081812	951	Soil	Moist	Tan-brown	clay/silt	20	B	tr	1			
AUX0102447	Aurex	9/4/2011	LB	NAD 83, Zone 8	468684	7081788	950	Soil	Moist	Tan-grey	clay/silt	30	B	tr	tr			
AUX0102448	Aurex	9/4/2011	LB	NAD 83, Zone 8	468684	7081764	948	Soil	Moist	Tan-brown	clay/silt	30	B	tr	tr			
AUX0102449	Aurex	9/4/2011	LB	NAD 83, Zone 8	468684	7081737	948	Soil	Semi-saturated	Tan-grey	clay/silt	20	B	tr	15			
AUX0102450	Aurex	9/4/2011	LB	NAD 83, Zone 8	468684	7081737	948	Soil	Semi-saturated	Tan-grey	clay/silt	20	B	tr	15			
AUX0102451	Aurex	9/4/2011	LB	NAD 83, Zone 8	468688	7081711	948	Soil	Moist	Tan-brown	clay/silt	22	B	tr	5			
AUX0102452	Aurex	9/4/2011	LB	NAD 83, Zone 8	468685	7081686	947	Soil	Moist	Tan-grey	clay/silt	28	B	tr	3			
AUX0102453	Aurex	9/4/2011	LB	NAD 83, Zone 8	468683	7081660	941	Soil	Moist	Grey-brown	clay/silt	31	B	tr	tr			
AUX0102454	Aurex	9/4/2011	LB	NAD 83, Zone 8	468682	7081638	944	Soil	Moist	Grey-tan	clay/silt	48	B	tr	2			
AUX0102455	Aurex	9/4/2011	LB	NAD 83, Zone 8	468679	7081610	940	Soil	Moist	Tan	clay/silt	30	B	tr	tr			
AUX0102456	Aurex	9/4/2011	LB	NAD 83, Zone 8	468683	7081585	937	Soil	Moist	Grey-tan	clay/silt	26	B	tr	tr			
AUX0102457	Aurex	9/4/2011	LB	NAD 83, Zone 8	468685	7081560	933	Soil	Moist	Tan	clay/silt	26	B	tr	1			
AUX0102458	Aurex	9/4/2011	LB	NAD 83, Zone 8	468681	7081537	931	Soil	Moist/dry	Brown	clay/silt	25	B	2	2			
AUX0102459	Aurex	9/4/2011	LB	NAD 83, Zone 8	468686	7081513	931	Soil	Moist	Tan-brown	clay/silt	25	B	tr	6			
AUX0102460	Aurex	9/4/2011	LB	NAD 83, Zone 8	468683	7081487	929	Soil	Moist	Tan	clay/silt	30	B	tr	2			
AUX0102461	Aurex	9/4/2011	LB	NAD 83, Zone 8	468684	7081463	925	Soil	Moist	Tan	clay/silt	26	B	tr	1			
AUX0102462	Aurex	9/4/2011	LB	NAD 83, Zone 8	468682	7081436	921	Soil	Moist	Tan	clay/silt	22	B	tr	1			
AUX0102463	Aurex	9/4/2011	LB	NAD 83, Zone 8	468683	7081412	918	Soil	Moist	Tan-brown	clay/silt	30	B	tr	2			
AUX0102464	Aurex	9/4/2011	LB	NAD 83, Zone 8	468685	7081388	915	Soil	Moist	Tan-brown	clay/silt	26	B	tr	tr			
AUX0102465	Aurex	9/4/2011	LB	NAD 83, Zone 8	468683	7081362	915	Soil	Moist	Tan-brown	clay/silt	22	B	tr	1			
AUX0102466	Aurex	9/4/2011	LB	NAD 83, Zone 8	468683	7081338	913	Soil	Moist	Tan-brown	clay/silt	28	B	tr	tr			
AUX0102467	Aurex	9/4/2011	LB	NAD 83, Zone 8	468683	7081312	912	Soil	Moist	Tan-brown	clay/silt	29	B	tr	tr			
AUX0102468	Aurex	9/4/2011	LB	NAD 83, Zone 8	468682	7081287	908	Soil	Moist	Tan-brown	clay/silt	33	B	tr	tr			
AUX0102469	Aurex	9/4/2011	LB	NAD 83, Zone 8	468682	7081261	901	Soil	Moist	Tan-brown	clay/silt	42	B	tr	1			
AUX0102470	Aurex	9/4/2011	LB	NAD 83, Zone 8	468681	7081238	893	Soil	Moist	Tan-brown	clay/silt	35	B	2	5			
AUX0102471	Aurex	9/4/2011	LB	NAD 83, Zone 8	468682	7081214	883	Soil	Moist	Grey-tan	clay/silt	30	B	tr	2			
AUX0102472	Aurex	9/4/2011	LB	NAD 83, Zone 8	468682	7081187	873	Soil	Dry	Grey-brown	clay/silt	29	B	25	25			Contains some A horizon
AUX0102473	Aurex	9/4/2011	LB	NAD 83, Zone 8	468682	7081164	869	Soil	Moist	Tan-brown	clay/silt	35	B	tr	3			
AUX0102474	Aurex	9/4/2011	LB	NAD 83, Zone 8	468685	7081137	869	Soil	Saturated	Brown	clay/silt	30	B	10	2			Permafrost
AUX0102475	Aurex	9/4/2011	LB	NAD 83, Zone 8	468684	7081138	870	Soil	Saturated	Brown	clay/silt	30	B	10	2			Permafrost

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102476	Aurex	9/4/2011	LB	NAD 83, Zone 8	468693	7081112	871	Soil	Moist	Tan-brown	clay/silt	50	B	tr	tr			Taken 10m east because of riverbed
AUX0102477	Aurex	9/5/2011	RP	NAD 83, Zone 8	468584	7081915	942	Soil	Moist	Grey	clay/silt	41	B	Tr	6			
AUX0102478	Aurex	9/5/2011	RP	NAD 83, Zone 8	468586	7081889	942	Soil	Moist	Grey	clay/silt	62	B	Tr	2			
AUX0102479	Aurex	9/5/2011	RP	NAD 83, Zone 8	468584	7081864	941	Soil	Moist	Tan	clay/silt	46	B	Tr	10			
AUX0102480	Aurex	9/5/2011	RP	NAD 83, Zone 8	468585	7081840	943	Soil	Moist	Tan	clay/silt	64	B	Tr	3			permafrost
AUX0102481	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081810	946	Soil	Moist	Grey	clay/silt	43	B	Tr	Tr			
AUX0102482	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081788	945	Soil	Moist	Grey/tan	clay/silt	64	B	Tr	8			mica
AUX0102483	Aurex	9/5/2011	RP	NAD 83, Zone 8	468583	7081763	947	Soil	Moist	Grey	clay/silt	58	B	5	7			
AUX0102484	Aurex	9/5/2011	RP	NAD 83, Zone 8	468583	7081740	944	Soil	Moist	Grey/tan	clay/silt	35	B	6	9			
AUX0102485	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081716	944	Soil	Moist	Grey	clay/silt	37	B	5	6			
AUX0102486	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081688	942	Soil	Moist	Grey	clay/silt	56	B	5	8			
AUX0102487	Aurex	9/5/2011	RP	NAD 83, Zone 8	468585	7081690	942	Soil	Moist	Grey	clay/silt	56	B	5	7			
AUX0102488	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081664	941	Soil	Moist	Grey	clay/silt	47	B	Tr	5			
AUX0102489	Aurex	9/5/2011	RP	NAD 83, Zone 8	468584	7081648	947	Soil	Moist	Grey	clay/silt	47	B	Tr	9			mica
AUX0102490	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081615	939	Soil	Moist	Grey	clay/silt	53	B	3	3			adjacent to road
AUX0102491	Aurex	9/5/2011	RP	NAD 83, Zone 8	468583	7081587	933	Soil	Moist	Grey	clay/silt	54	B	6	3			
AUX0102492	Aurex	9/5/2011	RP	NAD 83, Zone 8	468583	7081564	932	Soil	Moist	Grey	clay/silt	59	B	Tr	6			
AUX0102493	Aurex	9/5/2011	RP	NAD 83, Zone 8	468583	7081537	932	Soil	Moist	Dark Brown	clay/silt	50	B	3	5			
AUX0102494	Aurex	9/5/2011	RP	NAD 83, Zone 8	468583	7081515	929	Soil	Moist	Grey/tan	clay/silt	54	B	Tr	4			
AUX0102495	Aurex	9/5/2011	RP	NAD 83, Zone 8	468584	7081490	925	Soil	Moist	Grey	clay/silt	51	B	4	3			
AUX0102496	Aurex	9/5/2011	RP	NAD 83, Zone 8	468583	7081464	928	Soil	Moist	Tan	clay/silt	33	B	Tr	4			
AUX0102497	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081439	922	Soil	Moist	Brown	clay/silt	35	B	Tr	9			
AUX0102498	Aurex	9/5/2011	RP	NAD 83, Zone 8	468583	7081414	921	Soil	Moist	Tan	clay/silt	46	B	Tr	Tr			
AUX0102499	Aurex	9/5/2011	RP	NAD 83, Zone 8	468584	7081387	916	Soil	Moist	Tan	clay/silt	42	B	Tr	5			
AUX0102500	Aurex	9/5/2011	RP	NAD 83, Zone 8	468585	7081364	914	Soil	Moist	Grey	clay/silt	37	B	Tr	5			
AUX0102501	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081339	915	Soil	Moist	Grey/tan	clay/silt	40	B	Tr	4			
AUX0102502	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081313	914	Soil	Moist	Brown	clay/silt	46	B	Tr	6			
AUX0102503	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081288	906	Soil	Moist	Tan	clay/silt	39	B	Tr	Tr			
AUX0102504	Aurex	9/5/2011	RP	NAD 83, Zone 8	468583	7081264	905	Soil	Moist	Tan	clay/silt	41	B	Tr	Tr			
AUX0102505	Aurex	9/5/2011	RP	NAD 83, Zone 8	468581	7081239	905	Soil	Moist	Tan	clay/silt	32	B	Tr	Tr			
AUX0102506	Aurex	9/5/2011	RP	NAD 83, Zone 8	468584	7081213	899	Soil	Moist	Tan/brown	clay/silt	34	B	Tr	Tr			
AUX0102507	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081188	887	Soil	Dry	Tan	clay/silt	33	B	Tr	4			
AUX0102508	Aurex	9/5/2011	RP	NAD 83, Zone 8	468583	7081165	876	Soil	Dry	Tan	clay/silt	32	B	Tr	4			
AUX0102509	Aurex	9/5/2011	RP	NAD 83, Zone 8	468585	7081136	862	Soil	Moist/Dry	Brown	clay/silt	34	B	Tr	Tr			
AUX0102510	Aurex	9/5/2011	RP	NAD 83, Zone 8	468614	7081112	867	Soil	Moist	Grey	clay/silt	57	B	Tr	Tr			permafrost/moved due to swamp

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102511	Aurex	9/5/2011	RP	NAD 83, Zone 8	468586	7081085	867	Soil	Moist	Brown	clay/silt	60	B	Tr	Tr			
AUX0102512	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081063	874	Soil	Moist	Brown	clay/silt	54	B	Tr	Tr			permafrost
AUX0102513	Aurex	9/5/2011	RP	NAD 83, Zone 8	468582	7081064	874	Soil	Moist	Brown	clay/silt	54	B	Tr	Tr			permafrost
AUX0102514	Aurex	9/5/2011	RP	NAD 83, Zone 8	468483	7081913	930	Soil	Moist	Grey/tan	clay/silt	59	B	Tr	5			
AUX0102515	Aurex	9/5/2011	RP	NAD 83, Zone 8	468484	7081887	931	Soil	Moist	Dark Grey	clay/silt	50	B	Tr	8			
AUX0102516	Aurex	9/5/2011	RP	NAD 83, Zone 8	468483	7081863	934	Soil	Moist	Grey	clay/silt	62	B	Tr	5			
AUX0102517	Aurex	9/5/2011	RP	NAD 83, Zone 8	468484	7081838	934	Soil	Moist	Grey	clay/silt	50	B	Tr	8			
AUX0102518	Aurex	9/5/2011	RP	NAD 83, Zone 8	468483	7081813	934	Soil	Moist	Grey/brown	clay/silt	60	B	Tr	5			
AUX0102519	Aurex	9/5/2011	RP	NAD 83, Zone 8	468485	7081787	933	Soil	Moist	Brown	clay/silt	47	B	Tr	10			
AUX0102520	Aurex	9/5/2011	RP	NAD 83, Zone 8	468484	7081764	931	Soil	Moist	Brown	clay/silt	49	B	Tr	Tr			
AUX0102521	Aurex	9/5/2011	RP	NAD 83, Zone 8	468483	7081736	929	Soil	Moist	Brown	clay/silt	43	B	Tr	Tr			
AUX0102522	Aurex	9/5/2011	RP	NAD 83, Zone 8	468483	7081714	929	Soil	Moist	Brown/tan	clay/silt	52	B	Tr	5			
AUX0102523	Aurex	9/5/2011	RP	NAD 83, Zone 8	468484	7081687	929	Soil	Moist	Grey	clay/silt	47	B	Tr	5			
AUX0102524	Aurex	9/5/2011	RP	NAD 83, Zone 8	468482	7081663	931	Soil	Moist	Grey	clay/silt	58	B	Tr	Tr			
AUX0102525	Aurex	9/5/2011	RP	NAD 83, Zone 8	468482	7081638	927	Soil	Moist	Grey	clay/silt	56	B	Tr	5			
AUX0102526	Aurex	9/5/2011	RP	NAD 83, Zone 8	468483	7081614	928	Soil	Moist	Grey	clay/silt	46	B	Tr	5			
AUX0102527	Aurex	9/5/2011	RP	NAD 83, Zone 8	468485	7081585	928	Soil	Moist	Grey/tan	clay/silt	51	B	Tr	8			
AUX0102528	Aurex	9/5/2011	RP	NAD 83, Zone 8	468481	7081564	926	Soil	Moist	Grey	clay/silt	40	B	Tr	6			
AUX0102529	Aurex	9/5/2011	RP	NAD 83, Zone 8	468484	7081543	925	Soil	Moist	Tan	clay/silt	38	B	Tr	3			
AUX0102530	Aurex	9/5/2011	RP	NAD 83, Zone 8	468482	7081513	923	Soil	Moist	Tan	clay/silt	44	B	Tr	3			
AUX0102531	Aurex	9/5/2011	RP	NAD 83, Zone 8	468482	7081486	919	Soil	Moist	Tan	clay/silt	48	B	Tr	6			
AUX0102532	Aurex	9/5/2011	RP	NAD 83, Zone 8	468483	7081463	920	Soil	Moist	Tan	clay/silt	34	B	Tr	4			
AUX0102533	Aurex	9/5/2011	RP	NAD 83, Zone 8	468485	7081437	919	Soil	Moist	Grey	clay/silt	40	B	Tr	Tr			
AUX0102534	Aurex	9/5/2011	RP	NAD 83, Zone 8	468483	7081416	916	Soil	Moist	Grey/tan	clay/silt	32	B	Tr	5			
AUX0102535	Aurex	9/5/2011	RP	NAD 83, Zone 8	468485	7081388	913	Soil	Moist	Brown	clay/silt	36	B	Tr	Tr			
AUX0102536	Aurex	9/5/2011	RP	NAD 83, Zone 8	468485	7081362	912	Soil	Moist	Tan	clay/silt	50	B	Tr	Tr			
AUX0102537	Aurex	9/5/2011	RP	NAD 83, Zone 8	468482	7081340	912	Soil	Moist	Tan	clay/silt	64	B	5	Tr			
AUX0102538	Aurex	9/5/2011	RP	NAD 83, Zone 8	468483	7081311	909	Soil	Moist	Tan	clay/silt	48	B	Tr	3			
AUX0102539	Aurex	9/5/2011	RP	NAD 83, Zone 8	468485	7081288	910	Soil	Moist	Tan	clay/silt	43	B	Tr	5			
AUX0102540	Aurex	9/5/2011	RP	NAD 83, Zone 8	468485	7081263	909	Soil	Moist	Tan	clay/silt	50	B	Tr	Tr			
AUX0102541	Aurex	9/5/2011	RP	NAD 83, Zone 8	468482	7081238	906	Soil	Moist	Light Brown	clay/silt	34	B	Tr	Tr			
AUX0102542	Aurex	9/5/2011	RP	NAD 83, Zone 8	468485	7081212	902	Soil	Moist	Tan	clay/silt	32	B	Tr	8			
AUX0102543	Aurex	9/5/2011	RP	NAD 83, Zone 8	468483	7081188	900	Soil	Moist	Light Brown	clay/silt	44	B	Tr	10			
AUX0102544	Aurex	9/5/2011	RP	NAD 83, Zone 8	468484	7081163	894	Soil	Dry	Tan	clay/silt	50	B	3	5			
AUX0102545	Aurex	9/5/2011	RP	NAD 83, Zone 8	468481	7081139	886	Soil	Dry	Brown	clay/silt	39	B	4	7			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102546	Aurex	9/5/2011	RP	NAD 83, Zone 8	468482	7081113	875	Soil	Moist	Tan	clay/silt	32	B	5	5			
AUX0102547	Aurex	9/5/2011	RP	NAD 83, Zone 8	468486	7081087	870	Soil	Moist	Grey/tan	clay/silt	37	B	6	10			
AUX0102548	Aurex	9/5/2011	RP	NAD 83, Zone 8	468484	7081062	868	Soil	Moist	Grey	clay/silt	44	B	Tr	Tr			
AUX0102549	Aurex	9/5/2011	RP	NAD 83, Zone 8	468482	7081038	868	Soil	Moist	Brown	clay/silt	52	B	Tr	Tr			
AUX0102550	Aurex	9/5/2011	RP	NAD 83, Zone 8	468482	7081014	869	Soil	Moist	Brown	clay/silt	42	B	Tr	Tr			permafrost
AUX0102551	Aurex	9/5/2011	RP	NAD 83, Zone 8	468484	7080985	870	Soil	Moist	Brown	clay/silt	47	B	Tr	Tr			
AUX0102552	Aurex	9/5/2011	RP	NAD 83, Zone 8	468485	7080984	869	Soil	Moist	Brown	clay/silt	47	B	Tr	Tr			
AUX0102553	Aurex	9/5/2011	RP	NAD 83, Zone 8	468483	7080963	869	Soil	Moist	Grey	clay/silt	40	B	Tr	Tr			
AUX0102554	Aurex	9/5/2011	RP	NAD 83, Zone 8	468480	7080938	868	Soil	Moist	Brown	clay/silt	36	B	Tr	Tr			
AUX0102555	Aurex	9/6/2011	RP	NAD 83, Zone 8	468380	7081912	909	Soil	Moist	Grey	clay/silt	57	B	4	10			
AUX0102556	Aurex	9/6/2011	RP	NAD 83, Zone 8	468385	7081888	911	Soil	Moist	Tan	clay/silt	48	B	2	16			
AUX0102557	Aurex	9/6/2011	RP	NAD 83, Zone 8	468387	7081864	911	Soil	Moist	Grey	clay/silt	40	B	3	8			
AUX0102558	Aurex	9/6/2011	RP	NAD 83, Zone 8	468384	7081838	917	Soil	Moist	Grey	clay/silt	45	B	5	10			
AUX0102559	Aurex	9/6/2011	RP	NAD 83, Zone 8	468385	7081815	917	Soil	Moist	Tan	clay/silt	41	B	6	15			
AUX0102560	Aurex	9/6/2011	RP	NAD 83, Zone 8	468382	7081787	920	Soil	Moist	Grey	clay/silt	48	B	4	10			
AUX0102561	Aurex	9/6/2011	RP	NAD 83, Zone 8	468382	7081763	915	Soil	Moist	Tan	clay/silt	48	B	3	7			
AUX0102562	Aurex	9/6/2011	RP	NAD 83, Zone 8	468382	7081737	914	Soil	Moist	Tan	clay/silt	48	B	5	10			
AUX0102563	Aurex	9/6/2011	RP	NAD 83, Zone 8	468385	7081713	914	Soil	Moist	Grey	clay/silt	48	B	4	6			
AUX0102564	Aurex	9/6/2011	RP	NAD 83, Zone 8	468385	7081686	917	Soil	Moist	Grey	clay/silt	43	B	4	12			
AUX0102565	Aurex	9/6/2011	RP	NAD 83, Zone 8	468386	7081665	915	Soil	Moist	Grey	clay/silt	35	B	3	3			
AUX0102566	Aurex	9/6/2011	RP	NAD 83, Zone 8	468383	7081637	917	Soil	Moist	Grey	clay/silt	40	B	5	5			
AUX0102567	Aurex	9/6/2011	RP	NAD 83, Zone 8	468384	7081614	917	Soil	Moist	Grey	clay/silt	37	B	3	9			
AUX0102568	Aurex	9/6/2011	RP	NAD 83, Zone 8	468380	7081590	913	Soil	Moist	Grey	clay/silt	32	B	5	8			
AUX0102569	Aurex	9/6/2011	RP	NAD 83, Zone 8	468386	7081560	912	Soil	Moist	Grey	clay/silt	36	B	4	10			
AUX0102570	Aurex	9/6/2011	RP	NAD 83, Zone 8	468380	7081541	913	Soil	Moist	Grey	clay/silt	40	B	3	12			
AUX0102571	Aurex	9/6/2011	RP	NAD 83, Zone 8	468384	7081515	912	Soil	Moist	Tan	clay/silt	33	B	3	3			
AUX0102572	Aurex	9/6/2011	RP	NAD 83, Zone 8	468384	7081489	912	Soil	Moist	Tan	clay/silt	40	B	3	7			
AUX0102573	Aurex	9/6/2011	RP	NAD 83, Zone 8	468382	7081467	911	Soil	Moist	Grey	clay/silt	31	B	3	3			
AUX0102574	Aurex	9/6/2011	RP	NAD 83, Zone 8	468382	7081442	910	Soil	Moist	Grey/tan	clay/silt	34	B	3	6			
AUX0102575	Aurex	9/6/2011	RP	NAD 83, Zone 8	468382	7081438	908	Soil	Moist	Grey/tan	clay/silt	35	B	3	6			
AUX0102576	Aurex	9/6/2011	RP	NAD 83, Zone 8	468382	7081413	910	Soil	Moist	Tan	clay/silt	44	B	4	12			
AUX0102577	Aurex	9/6/2011	RP	NAD 83, Zone 8	468382	7081383	907	Soil	Moist	Tan	clay/silt	44	B	3	4			
AUX0102578	Aurex	9/6/2011	RP	NAD 83, Zone 8	468385	7081366	910	Soil	Moist	Tan	clay/silt	39	B	4	7			
AUX0102579	Aurex	9/6/2011	RP	NAD 83, Zone 8	468383	7081338	908	Soil	Moist	Tan	clay/silt	30	B	4	4			
AUX0102580	Aurex	9/6/2011	RP	NAD 83, Zone 8	468383	7081316	906	Soil	Moist	Tan	clay/silt	33	B	5	4			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102581	Aurex	9/6/2011	RP	NAD 83, Zone 8	468383	7081288	905	Soil	Moist	Tan	clay/silt	35	B	3	4			
AUX0102582	Aurex	9/6/2011	RP	NAD 83, Zone 8	468386	7081263	903	Soil	Moist	Tan	clay/silt	54	B	4	3			
AUX0102583	Aurex	9/6/2011	RP	NAD 83, Zone 8	468382	7081239	906	Soil	Moist	Tan	clay/silt	45	B	6	6			
AUX0102584	Aurex	9/6/2011	RP	NAD 83, Zone 8	468384	7081214	902	Soil	Moist	Tan	clay/silt	50	B	2	3			
AUX0102585	Aurex	9/6/2011	RP	NAD 83, Zone 8	468384	7081189	899	Soil	Moist	Lt. Brown	clay/silt	37	B	3	5			
AUX0102586	Aurex	9/6/2011	RP	NAD 83, Zone 8	468384	7081163	896	Soil	Moist	Tan	clay/silt	44	B	2	7			
AUX0102587	Aurex	9/6/2011	RP	NAD 83, Zone 8	468382	7081138	891	Soil	Moist	Tan	clay/silt	49	B	2	4			
AUX0102588	Aurex	9/6/2011	RP	NAD 83, Zone 8	468382	7081114	887	Soil	Moist	Tan	clay/silt	40	B	3	10			
AUX0102589	Aurex	9/6/2011	RP	NAD 83, Zone 8	468383	7081088	882	Soil	Moist/Dry	Tan	clay/silt	43	B	3	8			
AUX0102590	Aurex	9/6/2011	RP	NAD 83, Zone 8	468385	7081065	869	Soil	Moist/Dry	Tan	clay/silt	50	B	4	12			
AUX0102591	Aurex	9/6/2011	RP	NAD 83, Zone 8	468384	7081038	869	Soil	Moist	Grey	clay/silt	55	B	Tr	Tr			
AUX0102592	Aurex	9/6/2011	RP	NAD 83, Zone 8	468387	7081014	871	Soil	Moist	Grey	clay/silt	54	B	Tr	Tr			
AUX0102593	Aurex	9/6/2011	RP	NAD 83, Zone 8	468401	7080988	870	Soil	Moist	Grey	clay/silt	40	B	5	Tr			edge of swamp
AUX0102594	Aurex	9/6/2011	RP	NAD 83, Zone 8	468410	7080963	869	Soil	Moist	Grey	clay/silt	49	B	5	Tr			permafrost
AUX0102595	Aurex	9/6/2011	RP	NAD 83, Zone 8	468412	7080941	865	Soil	Moist	Grey	clay/silt	39	B	5	Tr			edge of swamp
AUX0102596	Aurex	9/6/2011	RP	NAD 83, Zone 8	468400	7080912	860	Soil	Moist	Grey	clay/silt	44	B	5	Tr			permafrost
AUX0102597	Aurex	9/7/2011	GS	NAD 83, Zone 8	468285	7081913	901	Soil	Moist	Gry/blk	clay/silt	52	B	Tr	4			qtz frags
AUX0102598	Aurex	9/7/2011	GS	NAD 83, Zone 8	468279	7081889	901	Soil	Moist	Gry/blk	clay/silt	40	B	Tr	2			
AUX0102599	Aurex	9/7/2011	GS	NAD 83, Zone 8	468281	7081864	903	Soil	Moist	tan/brw	clay/silt	45	B	3	10			micatious and qtz frags
AUX0102600	Aurex	9/7/2011	GS	NAD 83, Zone 8	468284	7081863	903	Soil	Moist	tan/brw	clay/silt	45	B	3	10			micatious and qtz frags
AUX0102601	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081838	903	Soil	Moist	Gry/blk	clay/silt	35	B	2	15			qtz frags
AUX0102602	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081812	904	Soil	Semi-Saturated	Gry/blk	clay/silt	40	B	Tr	13			micatious
AUX0102603	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081789	905	Soil	Moist	gry/brw	clay/silt	35	B	Tr	10			micatious and qtz frags
AUX0102604	Aurex	9/7/2011	GS	NAD 83, Zone 8	468281	7081765	905	Soil	Moist	gry/blk	clay/silt	40	B	1	2			
AUX0102605	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081738	905	Soil	Moist	brw/gry/blk/	clay/silt	30	B	Tr	5			micatious
AUX0102606	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7081711	907	Soil	Moist	brw/gry/org	clay/silt	35	B	Tr	8			micatious and oxidized rock frags
AUX0102607	Aurex	9/7/2011	GS	NAD 83, Zone 8	468284	7081688	908	Soil	Semi-Saturated	gry/blk	clay/silt	40	B	2	4			permafrost
AUX0102608	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081662	908	Soil	Moist	gry/blk/brw	clay/silt	45	B	Tr	10			heavily ox rocks
AUX0102609	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081638	906	Soil	Moist	gry/tan/brw	clay/silt	35	B	2	5			micatious
AUX0102610	Aurex	9/7/2011	GS	NAD 83, Zone 8	468284	7081613	906	Soil	Moist	gry/blk	clay/silt	30	B	3	Tr			
AUX0102611	Aurex	9/7/2011	GS	NAD 83, Zone 8	468281	7081587	909	Soil	Moist	gry/blk/brw	clay/silt	30	B	3	4			
AUX0102612	Aurex	9/7/2011	GS	NAD 83, Zone 8	468284	7081563	910	Soil	Moist	brw/tan/gry	clay/silt	22	B	Tr	4			
AUX0102613	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7081537	910	Soil	Moist	tan/gry	clay/silt	38	B	Tr	5			
AUX0102614	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7081513	907	Soil	Moist	brw/tan/blk	clay/silt	40	B	2	5			
AUX0102615	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7081488	907	Soil	Moist	brw/blk/gry	clay/silt	48	B	1	5			micatious

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102616	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7081463	905	Soil	Moist	tan/gry/blk	clay/silt	52	B	3	10			micatious
AUX0102617	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081437	905	Soil	Moist	tan/blk/brw	clay/silt	54	B	2	4			micatious and permafrost
AUX0102618	Aurex	9/7/2011	GS	NAD 83, Zone 8	468285	7081412	905	Soil	Moist	blk/brw/gry	clay/silt	24	B	2	4			
AUX0102619	Aurex	9/7/2011	GS	NAD 83, Zone 8	468284	7081387	907	Soil	Moist	brw/gry	clay/silt	30	B	Tr	2			
AUX0102620	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7081362	904	Soil	Moist	tan/brw	clay/silt	28	B	Tr	5			
AUX0102621	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081338	903	Soil	Moist	brw/blk	clay/silt	25	B	4	5			
AUX0102622	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081312	903	Soil	Moist	brw/tan	clay/silt	24	B	Tr	10			
AUX0102623	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7081289	902	Soil	Moist	brw/tan	clay/silt	2	B	Tr	3			next to road
AUX0102624	Aurex	9/7/2011	GS	NAD 83, Zone 8	468284	7081262	898	Soil	Moist	tan/brw	clay/silt	32	B	2	Tr			
AUX0102625	Aurex	9/7/2011	GS	NAD 83, Zone 8	468285	7081263	898	Soil	Moist	tan/brw	clay/silt	32	B	2	Tr			
AUX0102626	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081238	893	Soil	Moist	brw/tan	clay/silt	30	B	Tr	Tr			
AUX0102627	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7081212	897	Soil	Moist	brw	clay/silt	26	B	Tr	Tr			
AUX0102628	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7081188	896	Soil	Moist	tan/brw	clay/silt	30	B	Tr	4			
AUX0102629	Aurex	9/7/2011	GS	NAD 83, Zone 8	468284	7081162	896	Soil	Dry	tan/brw	clay/silt	30	B	Tr	8			micatious
AUX0102630	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7081138	894	Soil	Dry	brw/tan/blk	clay/silt	28	B	6	8			
AUX0102631	Aurex	9/7/2011	GS	NAD 83, Zone 8	468284	7081111	894	Soil	Dry	brw/tan	clay/silt	30	B	Tr	3			
AUX0102632	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081091	894	Soil	Dry	brw/tan	clay/silt	24	B	3	4			micatious
AUX0102633	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081062	891	Soil	Dry	tan	clay/silt	28	B	Tr	Tr			next to road and next to trench
AUX0102634	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7081039	884	Soil	Dry	tan	clay/silt	25	B	2	5			qtz frags and inbetween roads
AUX0102635	Aurex	9/7/2011	GS	NAD 83, Zone 8	468284	7081009	875	Soil	Moist	brw/tan	clay/silt	28	B	3	3			next to road
AUX0102636	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7080988	873	Soil	Moist	brw/tan	clay/silt	30	B	3	Tr			
AUX0102637	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7080978	871	Soil	Moist	gry/blk/brw	clay/silt	48	B	3	7			qtz frags, micatious, and next to swamp
AUX0102638	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7080931	872	Soil	Moist	gry/blk	clay/silt	55	B	Tr	Tr			edge of swamp
AUX0102639	Aurex	9/7/2011	GS	NAD 83, Zone 8	468282	7080912	874	Soil	Moist	brw/blk/gry	clay/silt	40	B	5	Tr			in swampy area, permafrost
AUX0102640	Aurex	9/7/2011	GS	NAD 83, Zone 8	468284	7080888	873	Soil	Moist	brw/blk/gry	clay/silt	50	B	Tr	Tr			in swampy area, permafrost
AUX0102641	Aurex	9/7/2011	GS	NAD 83, Zone 8	468283	7080866	872	Soil	Moist	brw/gry	clay/silt	55	B	Tr	Tr			in swampy area, permafrost
AUX0102642	Aurex	9/7/2011	GS	NAD 83, Zone 8	468183	7081914	883	Soil	Moist	brw/gry	clay/silt	35	B	1	4			qtz frags
AUX0102643	Aurex	9/7/2011	GS	NAD 83, Zone 8	468184	7081887	884	Soil	Moist	brw/gry	clay/silt	40	B	2	Tr			
AUX0102644	Aurex	9/7/2011	GS	NAD 83, Zone 8	468184	7081863	885	Soil	Moist	brw/gry	clay/silt	42	B	4	Tr			
AUX0102645	Aurex	9/7/2011	GS	NAD 83, Zone 8	468182	7081832	884	Soil	Moist	gry/blk	clay/silt	44	B	Tr	Tr			permafrost
AUX0102646	Aurex	9/7/2011	GS	NAD 83, Zone 8	468182	7081812	884	Soil	Moist	gry/blk	clay/silt	55	B	3	Tr			
AUX0102647	Aurex	9/7/2011	GS	NAD 83, Zone 8	468183	7081787	883	Soil	Moist	gry/blk	clay/silt	40	B	Tr	3			
AUX0102648	Aurex	9/7/2011	GS	NAD 83, Zone 8	468183	7081764	886	Soil	Moist	brw/gry	clay/silt	43	B	Tr	Tr			
AUX0102649	Aurex	9/7/2011	GS	NAD 83, Zone 8	468184	7081739	887	Soil	Moist	tan/blk/gry	clay/silt	38	B	Tr	Tr			
AUX0102650	Aurex	9/7/2011	GS	NAD 83, Zone 8	468183	7081740	887	Soil	Moist	tan/blk/gry	clay/silt	38	B	Tr	Tr			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102651	Aurex	9/7/2011	GS	NAD 83, Zone 8	468181	7081713	887	Soil	Moist	gry/blk	clay/silt	44	B	Tr	5			qtz frags
AUX0102652	Aurex	9/7/2011	GS	NAD 83, Zone 8	468183	7081688	889	Soil	Moist	tan/blk/gry	clay/silt	39	B	2	10			qtz frags and oxidized rocks
AUX0102653	Aurex	9/7/2011	GS	NAD 83, Zone 8	468182	7081663	889	Soil	Moist	blk/brw/gry	clay/silt	42	B	6	10			micatious
AUX0102654	Aurex	9/7/2011	GS	NAD 83, Zone 8	468183	7081639	890	Soil	Moist	gry/brw	clay/silt	35	B	4	10			micatious
AUX0102655	Aurex	9/7/2011	GS	NAD 83, Zone 8	468180	7081613	892	Soil	Moist	tan/brw/gry	clay/silt	34	B	3	12			micatious. Larger (1cm<) phillitic frags
AUX0102656	Aurex	9/7/2011	GS	NAD 83, Zone 8	468181	7081588	893	Soil	Moist	tan/brw/gry	clay/silt	30	B	2	8			micatious
AUX0102657	Aurex	9/7/2011	GS	NAD 83, Zone 8	468184	7081561	892	Soil	Moist	tan/brw/gry	clay/silt	30	B	7	2			
AUX0102658	Aurex	9/7/2011	GS	NAD 83, Zone 8	468182	7081538	894	Soil	Moist	tan/blk/gry	clay/silt	33	B	5	8			
AUX0102659	Aurex	9/7/2011	GS	NAD 83, Zone 8	468183	7081514	896	Soil	Moist	brw/blk/gry	clay/silt	30	B	5	Tr			
AUX0102660	Aurex	9/7/2011	GS	NAD 83, Zone 8	468184	7081486	899	Soil	Moist	brw/gry	clay/silt	35	B	6	2			
AUX0102661	Aurex	9/7/2011	GS	NAD 83, Zone 8	468181	7081463	896	Soil	Moist	tan/brwblk	clay/silt	36	B	2	8			micatious and qtz frags
AUX0102662	Aurex	9/7/2011	GS	NAD 83, Zone 8	468181	7081436	898	Soil	Moist	tan/brw/gry	clay/silt	40	B	4	6			
AUX0102663	Aurex	9/7/2011	GS	NAD 83, Zone 8	468184	7081413	896	Soil	Moist	brw/tan/gry	clay/silt	40	B	6	Tr			
AUX0102664	Aurex	9/7/2011	GS	NAD 83, Zone 8	468183	7081389	896	Soil	Moist	tan/brw	clay/silt	35	B	Tr	Tr			
AUX0102665	Aurex	9/7/2011	GS	NAD 83, Zone 8	468185	7081362	897	Soil	Moist	brw/blk	clay/silt	32	B	3	6			qtz frags
AUX0102666	Aurex	9/7/2011	GS	NAD 83, Zone 8	468184	7081338	897	Soil	Moist	brw/tan	clay/silt	30	B	Tr	3			qtz frags
AUX0102667	Aurex	9/7/2011	GS	NAD 83, Zone 8	468182	7081313	893	Soil	Dry	tan/brw/org	clay/silt	28	B	Tr	3			
AUX0102668	Aurex	9/7/2011	GS	NAD 83, Zone 8	468183	7081288	896	Soil	Dry	tan/blk/brw	clay/silt	22	B	3	6			qtz frags with phillitic pieces
AUX0102669	Aurex	9/7/2011	GS	NAD 83, Zone 8	468181	7081264	894	Soil	Dry	tan/brw/org	clay/silt	30	B	Tr	Tr			
AUX0102670	Aurex	9/7/2011	GS	NAD 83, Zone 8	468185	7081238	894	Soil	Dry	brw/blk	clay/silt	35	B	4	10			lots of qtz frags
AUX0102671	Aurex	9/7/2011	RP	NAD 83, Zone 8	468185	7081214	892	Soil	Moist	Tan	clay/silt	38	B	3	2			
AUX0102672	Aurex	9/7/2011	RP	NAD 83, Zone 8	468181	7081187	888	Soil	Moist	Tan	clay/silt	32	B	4	5			
AUX0102673	Aurex	9/7/2011	RP	NAD 83, Zone 8	468183	7081163	892	Soil	Moist	Tan	clay/silt	31	B	2	2			previous surface disturbance
AUX0102674	Aurex	9/7/2011	RP	NAD 83, Zone 8	468182	7081138	891	Soil	Moist	Tan/grey	clay/silt	44	B	4	3			
AUX0102675	Aurex	9/7/2011	RP	NAD 83, Zone 8	468182	7081138	892	Soil	Moist	Tan/grey	clay/silt	44	B	4	3			
AUX0102676	Aurex	9/7/2011	RP	NAD 83, Zone 8	468185	7081111	890	Soil	Moist	Tan	clay/silt	35	B	5	4			
AUX0102677	Aurex	9/7/2011	RP	NAD 83, Zone 8	468182	7081087	889	Soil	Moist	Tan	clay/silt	39	B	3	3			
AUX0102678	Aurex	9/7/2011	RP	NAD 83, Zone 8	468186	7081062	890	Soil	Moist	Tan/grey	clay/silt	36	B	2	3			
AUX0102679	Aurex	9/7/2011	RP	NAD 83, Zone 8	468182	7081038	890	Soil	Moist	Tan	clay/silt	33	B	2	5			
AUX0102680	Aurex	9/7/2011	RP	NAD 83, Zone 8	468182	7081012	887	Soil	Moist	Tan	clay/silt	36	B	5	3			
AUX0102681	Aurex	9/7/2011	RP	NAD 83, Zone 8	468183	7080987	884	Soil	Moist	Brown	clay/silt	32	B	3	15			
AUX0102682	Aurex	9/7/2011	RP	NAD 83, Zone 8	468184	7080964	889	Soil	Moist	Grey/brown	clay/silt	53	B	3	12			
AUX0102683	Aurex	9/7/2011	RP	NAD 83, Zone 8	468185	7080938	891	Soil	Moist	Grey	clay/silt	48	B	4	4			
AUX0102684	Aurex	9/7/2011	RP	NAD 83, Zone 8	468182	7080907	882	Soil	Moist	Tan	clay/silt	47	B	4	4			
AUX0102685	Aurex	9/7/2011	RP	NAD 83, Zone 8	468184	7080883	869	Soil	Moist	Tan	clay/silt	56	B	3	12			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102686	Aurex	9/7/2011	RP	NAD 83, Zone 8	468183	7080862	869	Soil	Moist	Grey	clay/silt	52	B	5	10			rock outcrop
AUX0102687	Aurex	9/7/2011	RP	NAD 83, Zone 8	468184	7080840	868	Soil	Moist	Grey	clay/silt	58	B	6	5			permafrost
AUX0102688	Aurex	9/7/2011	RP	NAD 83, Zone 8	468181	7080803	867	Soil	Moist	Grey	clay/silt	60	B	2	2			swampy
AUX0102689	Aurex	9/8/2011	RP	NAD 83, Zone 8	468085	7081913	884	Soil	Moist	Tan	clay/silt	27	B	2	2			
AUX0102690	Aurex	9/8/2011	RP	NAD 83, Zone 8	468085	7081888	885	Soil	Moist	Tan	clay/silt	30	B	2	4			
AUX0102691	Aurex	9/8/2011	RP	NAD 83, Zone 8	468085	7081863	887	Soil	Moist	Tan	clay/silt	30	B	2	6			
AUX0102692	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7081837	889	Soil	Moist	Tan	clay/silt	33	B	2	5			
AUX0102693	Aurex	9/8/2011	RP	NAD 83, Zone 8	468086	7081813	885	Soil	Moist	Tan	clay/silt	24	B	2	2			
AUX0102694	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7081789	884	Soil	Moist	Grey	clay/silt	40	B	5	4			
AUX0102695	Aurex	9/8/2011	RP	NAD 83, Zone 8	468088	7081761	885	Soil	Moist	Grey	clay/silt	48	B	2	2			adjacent to swamp
AUX0102696	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081739	886	Soil	Moist	Brown	clay/silt	32	B	3	3			
AUX0102697	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7081713	886	Soil	Moist	Grey	clay/silt	50	B	3	3			
AUX0102698	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7081688	884	Soil	Moist	Grey	clay/silt	40	B	3	3			
AUX0102699	Aurex	9/8/2011	RP	NAD 83, Zone 8	468081	7081664	886	Soil	Moist	Grey	clay/silt	32	B	5	4			
AUX0102700	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081663	886	Soil	Moist	Grey	clay/silt	32	B	5	4			
AUX0102701	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7081639	887	Soil	Moist	Grey	clay/silt	39	B	6	3			
AUX0102702	Aurex	9/8/2011	RP	NAD 83, Zone 8	468084	7081612	884	Soil	Moist	Grey	clay/silt	40	B	8	3			
AUX0102703	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081587	886	Soil	Moist	Grey	clay/silt	44	B	5	3			
AUX0102704	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081563	883	Soil	Moist	Grey	clay/silt	29	B	5	5			quartz fragments
AUX0102705	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081539	888	Soil	Moist	Tan	clay/silt	25	B	3	3			
AUX0102706	Aurex	9/8/2011	RP	NAD 83, Zone 8	468084	7081513	888	Soil	Moist	Grey	clay/silt	40	B	3	5			
AUX0102707	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081489	876	Soil	Moist	Grey	clay/silt	38	B	3	6			
AUX0102708	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081463	880	Soil	Moist	Grey	clay/silt	37	B	5	5			
AUX0102709	Aurex	9/8/2011	RP	NAD 83, Zone 8	468084	7081439	886	Soil	Moist	Grey	clay/silt	40	B	4	4			
AUX0102710	Aurex	9/8/2011	RP	NAD 83, Zone 8	468079	7081412	886	Soil	Moist	Grey	clay/silt	33	B	6	5			
AUX0102711	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7081390	891	Soil	Moist	Grey	clay/silt	38	B	4	7			
AUX0102712	Aurex	9/8/2011	RP	NAD 83, Zone 8	468081	7081364	890	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0102713	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7081338	894	Soil	Moist	Tan	clay/silt	25	B	3	6			
AUX0102714	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081314	892	Soil	Moist	Tan	clay/silt	30	B	3	5			
AUX0102715	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7081287	890	Soil	Moist	Brown	clay/silt	25	B	2	8			
AUX0102716	Aurex	9/8/2011	RP	NAD 83, Zone 8	468081	7081264	888	Soil	Moist	Tan/grey	clay/silt	36	B	3	4			
AUX0102717	Aurex	9/8/2011	RP	NAD 83, Zone 8	468081	7081238	889	Soil	Moist	Tan	clay/silt	35	B	2	4			
AUX0102718	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081214	891	Soil	Moist	Tan	clay/silt	33	B	1	4			
AUX0102719	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7081188	885	Soil	Moist	Tan	clay/silt	40	B	3	5			permafrost
AUX0102720	Aurex	9/8/2011	RP	NAD 83, Zone 8	468085	7081165	889	Soil	Moist	Tan	clay/silt	35	B	4	4			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102721	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7081138	885	Soil	Moist	Tan	clay/silt	35	B	3	3			
AUX0102722	Aurex	9/8/2011	RP	NAD 83, Zone 8	468081	7081114	889	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0102723	Aurex	9/8/2011	RP	NAD 83, Zone 8	468084	7081087	893	Soil	Moist	Tan	clay/silt	35	B	2	9			
AUX0102724	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081062	898	Soil	Moist	Tan	clay/silt	30	B	4	4			
AUX0102725	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081064	898	Soil	Moist	Brown	clay/silt	30	B	4	4			
AUX0102726	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081040	898	Soil	Moist	Tan	clay/silt	32	B	4	4			
AUX0102727	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7081012	886	Soil	Moist	Tan	clay/silt	35	B	34	5			
AUX0102728	Aurex	9/8/2011	RP	NAD 83, Zone 8	468084	7080989	886	Soil	Moist	Tan	clay/silt	29	B	4	9			
AUX0102729	Aurex	9/8/2011	RP	NAD 83, Zone 8	468080	7080966	881	Soil	Moist	Brown	clay/silt	30	B	4	8			
AUX0102730	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7080940	884	Soil	Moist	Tan	clay/silt	31	B	5	4			
AUX0102731	Aurex	9/8/2011	RP	NAD 83, Zone 8	468081	7080914	888	Soil	Moist	Chocolate brown	clay/silt	40	B	4	9			
AUX0102732	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7080888	879	Soil	Moist	Brown	clay/silt	36	B	4	9			
AUX0102733	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7080864	879	Soil	Moist	Grey/tan	clay/silt	31	B	4	6			
AUX0102734	Aurex	9/8/2011	RP	NAD 83, Zone 8	468084	7080836	868	Soil	Moist	Tan	clay/silt	38	B	4	8			
AUX0102735	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7080813	863	Soil	Moist	Tan	clay/silt	41	B	4	16			
AUX0102736	Aurex	9/8/2011	RP	NAD 83, Zone 8	468084	7080788	864	Soil	Moist	Grey	clay/silt	38	B	8	12			
AUX0102737	Aurex	9/8/2011	RP	NAD 83, Zone 8	468082	7080764	865	Soil	Moist	Grey	clay/silt	38	B	6	4			
AUX0102738	Aurex	9/8/2011	RP	NAD 83, Zone 8	468083	7080740	866	Soil	Moist	Grey	clay/silt	38	B	12	4			
AUX0102739	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7081912	876	Soil	Moist	Gr/Tn/Br	clay/silt	42	B	Tr	10			
AUX0102740	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7081885	875	Soil	Moist	Grey	clay/silt	38	B	Tr	Tr			
AUX0102741	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081869	872	Soil	Moist	Gr/Br	clay/silt	58	B	2	7			
AUX0102742	Aurex	9/9/2011	ER	NAD 83, Zone 8	467981	7081838	872	Soil	Moist	Gr/Br	clay/silt	35	B	5	Tr			
AUX0102743	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081813	873	Soil	Mod Moist	Tn/Br	clay/silt	34	B	10	25			
AUX0102744	Aurex	9/9/2011	ER	NAD 83, Zone 8	467984	7081787	875	Soil	Moist	Tn/Br	clay/silt	30	B	7	Tr			
AUX0102745	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081763	873	Soil	Moist	Gr/Tn/Br	clay/silt	32	B	Tr	15			
AUX0102746	Aurex	9/9/2011	ER	NAD 83, Zone 8	467981	7081734	876	Soil	Moist	Gr/Tn/Br	clay/silt	47	B	10	30			
AUX0102747	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081713	877	Soil	Moist	Tn/Br	clay/silt	48	B	Tr	Tr			
AUX0102748	Aurex	9/9/2011	ER	NAD 83, Zone 8	467984	7081687	877	Soil	Moist	Tn/Br	clay/silt	40	B	Tr	6			
AUX0102749	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081664	877	Soil	Moist	Or/Tn/Br	clay/silt	31	B	Tr	7			
AUX0102750	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7081664	876	Soil	Moist	Or/Tn/Br	clay/silt	31	B	Tr	7			
AUX0102751	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081637	879	Soil	Moist	Tn/Br	clay/silt	30	B	Tr	5			
AUX0102752	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081611	880	Soil	Moist	Tn/Br	clay/silt	32	B	Tr	3			
AUX0102753	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081588	880	Soil	Moist	Or/Tn/Br	clay/silt	36	B	Tr	25			
AUX0102754	Aurex	9/9/2011	ER	NAD 83, Zone 8	467980	7081564	878	Soil	Moist	Tn/Gr/Br	clay/silt	39	B	5	15			
AUX0102755	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7081536	882	Soil	Moist	Gr/Br	clay/silt	60	B	10	Tr			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102756	Aurex	9/9/2011	ER	NAD 83, Zone 8	467981	7081509	884	Soil	Moist	Gr/Br	clay/silt	56	B	10	Tr			
AUX0102757	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081487	879	Soil	Moist	Gr	clay/silt	51	B	1	Tr			
AUX0102758	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7081462	880	Soil	Saturated	Gr/Br	clay/silt	58	B	2	Tr			
AUX0102759	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081440	880	Soil	Semi-Sat	Gr/Br	clay/silt	38	B	2	Tr			
AUX0102760	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081411	878	Soil	Semi-Sat	tan/brw	clay/silt	50	B	Tr	20			
AUX0102761	Aurex	9/9/2011	ER	NAD 83, Zone 8	467979	7081387	878	Soil	Moist	gry/brw	clay/silt	44	B	Tr	55			
AUX0102762	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7081363	882	Soil	Moist	tan/brw	clay/silt	40	B	Tr	60			
AUX0102763	Aurex	9/9/2011	ER	NAD 83, Zone 8	467981	7081338	881	Soil	Moist	tan/brw	clay/silt	38	B	Tr	43			
AUX0102764	Aurex	9/9/2011	ER	NAD 83, Zone 8	467984	7081313	883	Soil	Semi-Sat	gry/tan/brw	clay/silt	53	B	5	45			
AUX0102765	Aurex	9/9/2011	ER	NAD 83, Zone 8	467980	7081287	886	Soil	Saturated	tan/gry/brw	clay/silt	34	B	2	5			
AUX0102766	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081265	886	Soil	Saturated	tan/brw	clay/silt	39	B	Tr	2			
AUX0102767	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081235	886	Soil	Semi-Sat	tan/brw	clay/silt	34	B	2	3			
AUX0102768	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7081212	883	Soil	Saturated	tan/gry/brw	clay/silt	38	B	Tr	Tr			
AUX0102769	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7081186	888	Soil	Moist	gry/brw	clay/silt	37	B	2	Tr			
AUX0102770	Aurex	9/9/2011	ER	NAD 83, Zone 8	467979	7081162	887	Soil	Moist	gry/brw	clay/silt	40	B	1	Tr			
AUX0102771	Aurex	9/9/2011	ER	NAD 83, Zone 8	467984	7081138	892	Soil	Semi-Sat	gry/brw	clay/silt	46	B	Tr	Tr			
AUX0102772	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7081113	891	Soil	Semi-Sat	tan/brw	clay/silt	43	B	Tr	Tr			
AUX0102773	Aurex	9/9/2011	ER	NAD 83, Zone 8	467981	7081091	885	Soil	Saturated	gry/brw	clay/silt	38	B	Tr	Tr			
AUX0102774	Aurex	9/9/2011	ER	NAD 83, Zone 8	467981	7081064	887	Soil	Saturated	brw/gry	clay/silt	52	B	Tr	Tr			
AUX0102775	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7081064	888	Soil	Saturated	tan	clay/silt	52	B	Tr	Tr			
AUX0102776	Aurex	9/9/2011	ER	NAD 83, Zone 8	467980	7081038	891	Soil	Moist	tan/brw	clay/silt	36	B	Tr	1			
AUX0102777	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7081015	894	Soil	Moist	org/brw	clay/silt	31	B	Tr	5			
AUX0102778	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7080988	896	Soil	Moist/dry	org/brw	clay/silt	34	B	Tr	30			
AUX0102779	Aurex	9/9/2011	ER	NAD 83, Zone 8	467984	7080963	893	Soil	Moist	red/org/brw	clay/silt	32	B	Tr	40			phillite/qtz frags
AUX0102780	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7080935	891	Soil	Moist/dry	red/brw	clay/silt	30	B	2	2			
AUX0102781	Aurex	9/9/2011	ER	NAD 83, Zone 8	467981	7080915	884	Soil	dry	brw/tan	clay/silt	40	B	Tr	40			phllite and qtz
AUX0102782	Aurex	9/9/2011	ER	NAD 83, Zone 8	467982	7080888	878	Soil	dry	org/brw	clay/silt	32	B	Tr	10			
AUX0102783	Aurex	9/9/2011	ER	NAD 83, Zone 8	467990	7080866	874	Soil	dry	brw/tan/blk	clay/silt	28	B	4	8			next to road
AUX0102784	Aurex	9/9/2011	ER	NAD 83, Zone 8	467980	7080838	869	Soil	moist	brw/blk	clay/silt	31	B	Tr	2			
AUX0102785	Aurex	9/9/2011	ER	NAD 83, Zone 8	467984	7080811	869	Soil	moist	brw/tan	clay/silt	35	B	Tr	2			
AUX0102786	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7080788	869	Soil	moist	gry/blk	clay/silt	40	B	Tr	Tr			in swamp
AUX0102787	Aurex	9/9/2011	ER	NAD 83, Zone 8	467984	7080763	870	Soil	moist	gry/blk	clay/silt	38	B	Tr	Tr			in swamp
AUX0102788	Aurex	9/9/2011	ER	NAD 83, Zone 8	467983	7080738	870	Soil	Semi-Sat	gry/blk	clay/silt	47	B	Tr	Tr			in swamp
AUX0102789	Aurex	9/9/2011	ER	NAD 83, Zone 8	467984	7080715	871	Soil	moist	gry/blk	clay/silt	51	B	Tr	Tr			in swamp
AUX0102790	Aurex	9/9/2011	DS	NAD 83, Zone 8	467883	7081915	864	Soil	Moist	Grey	clay/silt	30	B	3	3			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102791	Aurex	9/9/2011	DS	NAD 83, Zone 8	467883	7081887	868	Soil	Moist	Grey/tan	clay/silt	26	B	2	4			
AUX0102792	Aurex	9/9/2011	DS	NAD 83, Zone 8	467881	7081862	868	Soil	Moist	Grey	clay/silt	35	B	3	3			
AUX0102793	Aurex	9/9/2011	DS	NAD 83, Zone 8	467880	7081838	871	Soil	Moist	Grey	clay/silt	30	B	3	4			
AUX0102794	Aurex	9/9/2011	DS	NAD 83, Zone 8	467882	7081812	871	Soil	Moist	Grey	clay/silt	32	B	3	5			
AUX0102795	Aurex	9/9/2011	DS	NAD 83, Zone 8	467882	7081788	873	Soil	Moist	Grey/tan	clay/silt	26	B	1	1			
AUX0102796	Aurex	9/9/2011	DS	NAD 83, Zone 8	467882	7081763	874	Soil	Moist	Grey/tan	clay/silt	24	B	3	3			
AUX0102797	Aurex	9/9/2011	DS	NAD 83, Zone 8	467882	7081738	873	Soil	Moist	Tan	clay/silt	30	B	2	3			
AUX0102798	Aurex	9/9/2011	DS	NAD 83, Zone 8	467882	7081715	871	Soil	Moist	Tan	clay/silt	30	B	2	2			
AUX0102799	Aurex	9/9/2011	DS	NAD 83, Zone 8	467884	7081689	876	Soil	Moist	Grey	clay/silt	42	B	3	3			
AUX0102800	Aurex	9/9/2011	DS	NAD 83, Zone 8	467885	7081688	877	Soil	Moist	Grey	clay/silt	42	B	3	3			
AUX0102801	Aurex	9/9/2011	DS	NAD 83, Zone 8	467884	7081662	878	Soil	Moist	Grey	clay/silt	22	B	4	12			
AUX0102802	Aurex	9/9/2011	DS	NAD 83, Zone 8	467884	7081637	880	Soil	Moist	Tan	clay/silt	30	B	6	2			
AUX0102803	Aurex	9/9/2011	DS	NAD 83, Zone 8	467884	7081615	881	Soil	Moist	Grey	clay/silt	20	B	3	3			
AUX0102804	Aurex	9/9/2011	DS	NAD 83, Zone 8	467883	7081587	881	Soil	Moist	Grey	clay/silt	30	B	3	3			
AUX0102805	Aurex	9/9/2011	DS	NAD 83, Zone 8	467884	7081564	882	Soil	Moist	Grey	clay/silt	26	B	3	3			
AUX0102806	Aurex	9/9/2011	DS	NAD 83, Zone 8	467884	7081538	880	Soil	Moist	Tan	clay/silt	32	B	2	2			
AUX0102807	Aurex	9/9/2011	DS	NAD 83, Zone 8	467884	7081515	877	Soil	Moist	Tan	clay/silt	26	B	2	2			
AUX0102808	Aurex	9/9/2011	DS	NAD 83, Zone 8	467883	7081490	874	Soil	Moist	Tan	clay/silt	24	B	3	3			
AUX0102809	Aurex	9/9/2011	DS	NAD 83, Zone 8	467883	7081463	873	Soil	Moist	Tan	clay/silt	40	B	2	2			
AUX0102810	Aurex	9/9/2011	DS	NAD 83, Zone 8	467884	7081438	873	Soil	Moist	Tan	clay/silt	28	B	2	2			
AUX0102811	Aurex	9/9/2011	DS	NAD 83, Zone 8	467882	7081414	875	Soil	Moist	Tan	clay/silt	24	B	2	3			knoll
AUX0102812	Aurex	9/9/2011	DS	NAD 83, Zone 8	467882	7081389	874	Soil	Moist	Tan	clay/silt	30	B	2	4			quartz
AUX0102813	Aurex	9/9/2011	DS	NAD 83, Zone 8	467883	7081363	872	Soil	Moist	Brown	clay/silt	20	B	8	10			
AUX0102814	Aurex	9/9/2011	DS	NAD 83, Zone 8	467882	7081337	871	Soil	Moist	Grey	clay/silt	32	B	3	3			
AUX0102815	Aurex	9/9/2011	DS	NAD 83, Zone 8	467882	7081315	868	Soil	Moist	Grey	clay/silt	35	B	5	2			swampy
AUX0102816	Aurex	9/9/2011	DS	NAD 83, Zone 8	467885	7081289	867	Soil	Moist	Dark grey	clay/silt	30	B	8	1			swampy
AUX0102817	Aurex	9/9/2011	DS	NAD 83, Zone 8	467882	7081263	870	Soil	Moist	Dark grey	clay/silt	32	B	6	1			
AUX0102818	Aurex	9/9/2011	DS	NAD 83, Zone 8	467884	7081237	870	Soil	Moist	Grey	clay/silt	30	B	5	2			
AUX0102819	Aurex	9/9/2011	DS	NAD 83, Zone 8	467884	7081216	869	Soil	Moist	Brown	clay/silt	28	B	4	2			
AUX0102820	Aurex	9/9/2011	DS	NAD 83, Zone 8	467883	7081187	867	Soil	Moist	Brown	clay/silt	24	B	3	2			
AUX0102821	Aurex	10/9/2011	DS	NAD 83, Zone 8	467883	7081164	876	Soil	Moist	Brown	clay/silt	30	B	4	2			
AUX0102822	Aurex	10/9/2011	DS	NAD 83, Zone 8	467884	7081137	873	Soil	Moist	Brown	clay/silt	35	B	5	2			
AUX0102823	Aurex	10/9/2011	DS	NAD 83, Zone 8	467883	7081113	874	Soil	Moist	Grey/Tan	clay/silt	28	B	3	3			
AUX0102824	Aurex	10/9/2011	DS	NAD 83, Zone 8	467881	7081086	876	Soil	Moist	Tan	clay/silt	24	B	3	4			
AUX0102825	Aurex	10/9/2011	DS	NAD 83, Zone 8	467881	7081086	876	Soil	Moist	Tan	clay/silt	24	B	3	4			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102826	Aurex	10/9/2011	DS	NAD 83, Zone 8	467883	7081063	877	Soil	Moist	Grey/Tan	clay/silt	32	B	4	4			
AUX0102827	Aurex	10/9/2011	DS	NAD 83, Zone 8	467882	7081038	874	Soil	Moist	Tan	clay/silt	34	B	3	2			
AUX0102828	Aurex	10/9/2011	DS	NAD 83, Zone 8	467883	7081013	876	Soil	Moist	Tan	clay/silt	36	B	2	2			
AUX0102829	Aurex	10/9/2011	DS	NAD 83, Zone 8	467882	7080988	876	Soil	Moist	Grey/Tan	clay/silt	32	B	2	2			
AUX0102830	Aurex	10/9/2011	DS	NAD 83, Zone 8	467884	7080962	876	Soil	Moist	Grey/Tan	clay/silt	38	B	2	1			
AUX0102831	Aurex	10/9/2011	DS	NAD 83, Zone 8	467885	7080939	875	Soil	Moist	Grey	clay/silt	30	B	3	4			quartz
AUX0102832	Aurex	10/9/2011	DS	NAD 83, Zone 8	467882	7080912	873	Soil	Moist	Grey	clay/silt	20	B	5	3			adj. Rd
AUX0102833	Aurex	10/9/2011	DS	NAD 83, Zone 8	467881	7080889	870	Soil	Moist	Tan	clay/silt	30	B	4	1			
AUX0102834	Aurex	10/9/2011	DS	NAD 83, Zone 8	467885	7080864	868	Soil	Moist	Tan	clay/silt	31	B	3	2			
AUX0102835	Aurex	10/9/2011	DS	NAD 83, Zone 8	467882	7080839	867	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0102836	Aurex	10/9/2011	DS	NAD 83, Zone 8	467885	7080812	864	Soil	Moist	Tan	clay/silt	35	B	2	5			Mica
AUX0102837	Aurex	10/9/2011	DS	NAD 83, Zone 8	467882	7080787	864	Soil	Moist	Grey/Tan	clay/silt	55	B	3	3			
AUX0102838	Aurex	10/9/2011	DS	NAD 83, Zone 8	467883	7080763	864	Soil	Moist	Grey	clay/silt	40	B	2	2			
AUX0102839	Aurex	10/9/2011	DS	NAD 83, Zone 8	467884	7080739	864	Soil	Moist	Grey	clay/silt	35	B	4	2			
AUX0102840	Aurex	10/9/2011	DS	NAD 83, Zone 8	467882	7080715	863	Soil	Moist	Grey	clay/silt	40	B	3	1			
AUX0102841	Aurex	10/9/2011	DS	NAD 83, Zone 8	467884	7080689	863	Soil	Moist	Grey	clay/silt	40	B	3	3			
AUX0102842	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081914	861	Soil	Moist	Tan/brw	clay/silt	33	B	Tr	3			
AUX0102843	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081887	860	Soil	Moist	Gry/tan	clay/silt	50	B	Tr	30			
AUX0102844	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7081863	862	Soil	Moist	Tan/brw	clay/silt	47	B	Tr	10			
AUX0102845	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7081836	864	Soil	Moist	Gry/tan	clay/silt	50	B	Tr	30			
AUX0102846	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467784	7081814	869	Soil	Moist	Gry/tan	clay/silt	30	B	Tr	15			
AUX0102847	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081788	869	Soil	Moist	brw/tan/gry	clay/silt	32	B	15	Tr			
AUX0102848	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467781	7081764	873	Soil	Moist	grey	clay/silt	40	B	Tr	8			
AUX0102849	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081741	872	Soil	Moist	dark gry	clay/silt	64	B	30	3			
AUX0102850	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467784	7081740	871	Soil	Moist	dark gry	clay/silt	64	B	30	3			
AUX0102851	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467781	7081710	871	Soil	Moist	Gry/tan	clay/silt	32	B	Tr	5			
AUX0102852	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081689	873	Soil	Moist	org/tan/brw	clay/silt	32	B	Tr	Tr			
AUX0102853	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081664	876	Soil	Moist	org/tan	clay/silt	36	B	Tr	Tr			Volcanic ash?
AUX0102854	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7081638	872	Soil	Moist	org/tan	clay/silt	311	B	Tr	Tr			
AUX0102855	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467781	7081611	876	Soil	Moist	dark brw	clay/silt	34	B	5	5			
AUX0102856	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467784	7081588	875	Soil	Moist	Tan/brw	clay/silt	35	B	Tr	Tr			
AUX0102857	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467781	7081569	876	Soil	Moist	Tan/brw	clay/silt	38	B	Tr	Tr			
AUX0102858	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467781	7081536	876	Soil	Moist	tan/gry	clay/silt	32	B	Tr	30			
AUX0102859	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467787	7081514	870	Soil	Moist	tan/brw	clay/silt	30	B	2	15			qtz frags
AUX0102860	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467781	7081490	870	Soil	Moist	org/tan	clay/silt	36.5	B	Tr	Tr			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102861	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467781	7081465	870	Soil	Moist	grey	clay/silt	33	B	Tr	Tr			
AUX0102862	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081434	873	Soil	Moist	org/tan	clay/silt	30	B	5	Tr			
AUX0102863	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467785	7081413	882	Soil	Moist	org/ta	clay/silt	30	B	Tr	Tr			
AUX0102864	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7081388	880	Soil	Moist	Gry/tan	clay/silt	40	B	Tr	40			
AUX0102865	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467784	7081364	879	Soil	Moist	brw/tan	clay/silt	40	B	Tr	3			
AUX0102866	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7081337	878	Soil	Moist	tan	clay/silt	38	B	Tr	15			
AUX0102867	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081313	880	Soil	Moist	Gry/tan	clay/silt	50	B	Tr	Tr			
AUX0102868	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467781	7081289	879	Soil	Moist	org/tan	clay/silt	32	B	2	Tr			
AUX0102869	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7081263	878	Soil	Moist	red/tan/brw	clay/silt	37	B	Tr	Tr			
AUX0102870	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081235	876	Soil	Moist	red/tan/brw	clay/silt	30	B	Tr	40			
AUX0102871	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081213	877	Soil	Moist	tan	clay/silt	33	B	Tr	2			
AUX0102872	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467775	7081181	875	Soil	Moist	tan/brw	clay/silt	38	B	2	5			
AUX0102873	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081165	874	Soil	Moist	tan	clay/silt	36	B	Tr	5			
AUX0102874	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081137	872	Soil	Moist	org/tan	clay/silt	50	B	Tr	Tr			
AUX0102875	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467784	7081136	873	Soil	Moist	org/tan	clay/silt	50	B	Tr	Tr			
AUX0102876	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7081113	871	Soil	Moist	Gry/tan	clay/silt	49	B	2	Tr			
AUX0102877	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467780	7081090	870	Soil	Mod Moist	Gry/tan	clay/silt	30	B	10	Tr			
AUX0102878	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7081064	872	Soil	Mod Moist	Gry/tan	clay/silt	57	B	Tr	Tr			
AUX0102879	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7081038	873	Soil	Moist	Gry/tan	clay/silt	35	B	Tr	5			
AUX0102880	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7081013	870	Soil	Moist	dark gry/brw	clay/silt	30	B	30	Tr			
AUX0102881	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467778	7080988	866	Soil	Moist	gry/brw	clay/silt	40	B	Tr	Tr			
AUX0102882	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7080959	865	Soil	Moist	gry/tan	clay/silt	33	B	Tr	Tr			sample close to road
AUX0102883	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7080937	864	Soil	Moist	org/tan	clay/silt	34	B	Tr	Tr			
AUX0102884	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7080911	863	Soil	Moist	gry/tan	clay/silt	46	B	5	Tr			
AUX0102885	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467784	7080886	866	Soil	Moist	org/tan	clay/silt	50	B	Tr	Tr			
AUX0102886	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7080859	868	Soil	Moist	tan	clay/silt	40	B	Tr	Tr			
AUX0102887	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7080839	869	Soil	Moist	brw/tan	clay/silt	32	B	Tr	Tr			
AUX0102888	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467782	7080813	869	Soil	Moist	dark brw	clay/silt	53	B	8	Tr			
AUX0102889	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467781	7080787	869	Soil	Semi-sat	gry/brw	clay/silt	57	B	6	Tr			
AUX0102890	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7080760	869	Soil	Semi-sat	gry/brw	clay/silt	58	B	5	Tr			
AUX0102891	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7080738	869	Soil	Moist	grey	clay/silt	56	B	Tr	Tr			
AUX0102892	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467786	7080714	869	Soil	Moist	gry/tan	clay/silt	52	B	2	Tr			
AUX0102893	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467783	7080688	869	Soil	Moist	gry/tan	clay/silt	62	B	5	Tr			
AUX0102894	Aurex	9/10/2011	RP	NAD 83, Zone 8	467679	7081915	865	Soil	Moist	Tan	clay/silt	32	B	3	3			
AUX0102895	Aurex	9/10/2011	RP	NAD 83, Zone 8	467683	7081888	867	Soil	Moist	Tan	clay/silt	30	B	3	3			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102896	Aurex	9/10/2011	RP	NAD 83, Zone 8	467684	7081864	868	Soil	Moist	Tan	clay/silt	32	B	5	5			
AUX0102897	Aurex	9/10/2011	RP	NAD 83, Zone 8	467683	7081838	866	Soil	Moist	Tan	clay/silt	26	B	3	3			
AUX0102898	Aurex	9/10/2011	RP	NAD 83, Zone 8	467682	7081813	869	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0102899	Aurex	9/10/2011	RP	NAD 83, Zone 8	467685	7081790	866	Soil	Moist	Tan	clay/silt	30	B	5	8			
AUX0102900	Aurex	9/10/2011	RP	NAD 83, Zone 8	467685	7081789	865	Soil	Moist	Tan	clay/silt	30	B	5	8			
AUX0102901	Aurex	9/10/2011	RP	NAD 83, Zone 8	467683	7081763	863	Soil	Moist	Grey	clay/silt	30	B	4	3			
AUX0102902	Aurex	9/10/2011	RP	NAD 83, Zone 8	467685	7081742	865	Soil	Moist	Grey	clay/silt	28	B	4	14			
AUX0102903	Aurex	9/10/2011	RP	NAD 83, Zone 8	467680	7081713	870	Soil	Moist	Tan	clay/silt	22	B	5	5			
AUX0102904	Aurex	9/10/2011	RP	NAD 83, Zone 8	467684	7081687	865	Soil	Moist	Tan	clay/silt	26	B	4	6			
AUX0102905	Aurex	9/10/2011	RP	NAD 83, Zone 8	467685	7081665	867	Soil	Moist	Tan	clay/silt	26	B	4	4			
AUX0102906	Aurex	9/10/2011	RP	NAD 83, Zone 8	467682	7081639	867	Soil	Moist	Tan	clay/silt	24	B	3	3			
AUX0102907	Aurex	9/10/2011	RP	NAD 83, Zone 8	467681	7081613	864	Soil	Moist	Grey	clay/silt	33	B	4	4			
AUX0102908	Aurex	9/10/2011	RP	NAD 83, Zone 8	467684	7081587	866	Soil	Moist	Grey	clay/silt	30	B	4	4			
AUX0102909	Aurex	9/10/2011	RP	NAD 83, Zone 8	467682	7081563	868	Soil	Moist	Grey	clay/silt	30	B	12	4			
AUX0102910	Aurex	9/10/2011	RP	NAD 83, Zone 8	467681	7081540	872	Soil	Moist	Grey/Tan	clay/silt	26	B	4	6			
AUX0102911	Aurex	9/10/2011	RP	NAD 83, Zone 8	467683	7081512	873	Soil	Moist	Tan	clay/silt	30	B	3	8			stony
AUX0102912	Aurex	9/10/2011	RP	NAD 83, Zone 8	467684	7081492	873	Soil	Moist	Grey	clay/silt	30	B	5	3			
AUX0102913	Aurex	9/10/2011	RP	NAD 83, Zone 8	467683	7081462	872	Soil	Moist	Tan	clay/silt	28	B	5	8			
AUX0102914	Aurex	9/10/2011	RP	NAD 83, Zone 8	467682	7081439	873	Soil	Moist	Grey	clay/silt	25	B	6	4			
AUX0102915	Aurex	9/10/2011	RP	NAD 83, Zone 8	467684	7081414	873	Soil	Moist	Tan	clay/silt	24	B	5	8			
AUX0102916	Aurex	9/10/2011	RP	NAD 83, Zone 8	467682	7081388	875	Soil	Moist	Tan	clay/silt	28	B	3	3			
AUX0102917	Aurex	9/10/2011	RP	NAD 83, Zone 8	467687	7081363	875	Soil	Moist	Tan	clay/silt	33	B	3	3			
AUX0102918	Aurex	9/10/2011	RP	NAD 83, Zone 8	467678	7081342	873	Soil	Moist	Tan	clay/silt	30	B	5	2			Adj. Rd
AUX0102919	Aurex	9/10/2011	RP	NAD 83, Zone 8	467682	7081313	875	Soil	Moist	Tan	clay/silt	25	B	5	3			Adj. Rd
AUX0102920	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467684	7081290	879	Soil	Moist	Tan	clay/silt	30	B	6	2			
AUX0102921	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467685	7081264	877	Soil	Moist	Tan	clay/silt	28	B	4	8			
AUX0102922	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467683	7081237	876	Soil	Moist	Tan	clay/silt	28	B	4	4			
AUX0102923	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467682	7081215	875	Soil	Moist	Tan	clay/silt	26	B	3	2			
AUX0102924	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467680	7081184	876	Soil	Moist	Grey	clay/silt	30	B	3	3			
AUX0102925	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467682	7081187	875	Soil	Moist	Grey	clay/silt	30	B	3	3			
AUX0102926	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467683	7081164	876	Soil	Moist	Tan	clay/silt	26	B	6	2			
AUX0102927	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467683	7081139	875	Soil	Moist	Tan	clay/silt	25	B	3	3			
AUX0102928	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467683	7081114	875	Soil	Moist	Tan	clay/silt	32	B	3	2			
AUX0102929	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467684	7081088	874	Soil	Moist	Tan	clay/silt	26	B	3	3			
AUX0102930	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467683	7081063	874	Soil	Moist	Tan	clay/silt	30	B	7	2			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102931	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467682	7081038	874	Soil	Moist	Tan/Brown	clay/silt	26	B	4	2			
AUX0102932	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467684	7081012	871	Soil	Moist	Tan/Brown	clay/silt	30	B	3	3			
AUX0102933	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467684	7080988	871	Soil	Moist	Tan/Brown	clay/silt	22	B	3	3			
AUX0102934	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467683	7080963	869	Soil	Moist	Tan/Brown	clay/silt	24	B	6	2			
AUX0102935	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467683	7080939	871	Soil	Moist	Tan	clay/silt	22	B	2	2			
AUX0102936	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467685	7080912	873	Soil	Moist	Tan/Brown	clay/silt	30	B	5	3			Knoll
AUX0102937	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467683	7080888	869	Soil	Moist	Light Brown	clay/silt	26	B	3	2			Knoll
AUX0102938	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467682	7080862	866	Soil	Moist	Tan	clay/silt	25	B	2	2			
AUX0102939	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467682	7080838	864	Soil	Moist	Tan	clay/silt	24	B	6	2			
AUX0102940	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467684	7080813	859	Soil	Moist	Grey	clay/silt	30	B	4	2			
AUX0102941	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467683	7080788	862	Soil	Moist	Grey	clay/silt	28	B	3	3			
AUX0102942	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467683	7080764	863	Soil	Moist	Grey	clay/silt	40	B	3	3			
AUX0102943	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467683	7080737	863	Soil	Moist	Grey/Tan	clay/silt	40	B	2	2			
AUX0102944	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467681	7080713	864	Soil	Moist	Grey	clay/silt	33	B	2	2			
AUX0102945	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467682	7080688	864	Soil	Moist	Grey	clay/silt	40	B	4	2			
AUX0102946	Aurex	9/10/2011	Ds	NAD 83, Zone 8	467682	7080664	864	Soil	Moist	Grey/Tan	clay/silt	40	B	3	3			
AUX0102947	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467583	7081911	849	Soil	Semi-sat	brw/tan	clay/silt	34	B	Tr	Tr			
AUX0102948	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467582	7081888	852	Soil	Semi-sat	gry/blk	clay/silt	33	B	4	42			Permafros, moved sample over 2m.
AUX0102949	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467583	7081861	853	Soil	moist	gry/blk	clay/silt	40	B	Tr	10			
AUX0102950	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467582	7081859	853	Soil	moist	gry/blk	clay/silt	40	B	Tr	10			
AUX0102951	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467584	7081839	854	Soil	moist	blk/org/tan	clay/silt	72	B	3	8			
AUX0102952	Aurex	9/10/2011	GS/ER	NAD 83, Zone 8	467581	7081814	850	Soil	moist	brw/blk/gry	clay/silt	74	B	2	4			
AUX0102953	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467582	7081788	864	Soil	moist	blk/gry	clay/silt	50	B	70	5			
AUX0102954	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7081761	865	Soil	Semi-sat	tan/gry	clay/silt	38	B	Tr	5			
AUX0102955	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467585	7081738	868	Soil	moist	tan/gry	clay/silt	42	B	Tr	3			
AUX0102956	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7081717	871	Soil	moist	gry/tan	clay/silt	43	B	Tr	5			
AUX0102957	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7081687	865	Soil	moist	gry/tan	clay/silt	40	B	50	20			
AUX0102958	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467582	7081665	867	Soil	moist	tan/gry	clay/silt	34	B	5	18			
AUX0102959	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7081638	868	Soil	moist	tan/gry	clay/silt	40	B	2	15			
AUX0102960	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467582	7081612	870	Soil	moist	gry/tan	clay/silt	31	B	1	10			
AUX0102961	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467582	7081589	869	Soil	moist	gry/tan	clay/silt	38	B	2	30			
AUX0102962	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7081561	869	Soil	moist	gry/tan	clay/silt	44	B	2	15			
AUX0102963	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467582	7081540	869	Soil	moist	blk/gry	clay/silt	53	B	20	Tr			
AUX0102964	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467582	7081512	871	Soil	moist	brn/gry	clay/silt	34	B	3	10			
AUX0102965	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7081486	875	Soil	moist	gry/tan	clay/silt	44	B	Tr	3			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0102966	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467582	7081463	873	Soil	moist	gry/tan	clay/silt	40	B	Tr	10			
AUX0102967	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467586	7081438	871	Soil	moist	gry/tan	clay/silt	30	B	2	5			
AUX0102968	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7081412	878	Soil	moist	gry/tan	clay/silt	31	B	2	7			
AUX0102969	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7081386	877	Soil	moist	gry/tan	clay/silt	30	B	2	30			
AUX0102970	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7081366	873	Soil	moist	gry/tan	clay/silt	47	B	Tr	10			
AUX0102971	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467582	7081338	868	Soil	Mod Moist	org/tan	clay/silt	32	B	Tr	Tr			
AUX0102972	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7081314	869	Soil	moist	tan/brn	clay/silt	50	B	2	Tr			
AUX0102973	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467582	7081290	869	Soil	moist	tan	clay/silt	52	B	Tr	Tr			
AUX0102974	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467581	7081266	870	Soil	Moist	org/tan	clay/silt	33	B	2	Tr			
AUX0102975	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7081238	871	Soil	moist	tan	clay/silt	35	B	Tr	15			
AUX0102976	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7081239	869	Soil	moist	tan	clay/silt	35	B	Tr	15			
AUX0102977	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467582	7081213	869	Soil	moist	org/tan	clay/silt	34	B	2	33			
AUX0102978	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7081186	869	Soil	moist	org/tan	clay/silt	35	B	5	Tr			
AUX0102979	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7081161	866	Soil	moist	ylw/org/tan	clay/silt	32	B	2	Tr			
AUX0102980	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467582	7081139	867	Soil	moist	org/tan	clay/silt	35	B	Tr	Tr			
AUX0102981	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467585	7081114	867	Soil	moist	org/tan	clay/silt	41	B	2	7			
AUX0102982	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7081087	867	Soil	moist	tan	clay/silt	43	B	2	Tr			
AUX0102983	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467581	7081065	867	Soil	moist	org/tan	clay/silt	42	B	Tr	40			
AUX0102984	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467585	7081038	867	Soil	moist	gry/tan	clay/silt	30	B	2	40			
AUX0102985	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467586	7081013	866	Soil	moist	org/tan	clay/silt	36	B	Tr	Tr			
AUX0102986	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467585	7080988	868	Soil	moist	org/tan	clay/silt	33	B	Tr	Tr			
AUX0102987	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7080965	866	Soil	moist	org/tan	clay/silt	30	B	Tr	Tr			
AUX0102988	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467580	7080940	868	Soil	moist	org/tan	clay/silt	29	B	Tr	Tr			
AUX0102989	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467585	7080913	867	Soil	moist	tan/brn	clay/silt	33	B	10	Tr			
AUX0102990	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7080888	864	Soil	moist	tan	clay/silt	33	B	10	7			
AUX0102991	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7080862	864	Soil	moist	gry/tan	clay/silt	40	B	Tr	Tr			
AUX0102992	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7080837	865	Soil	moist	gry/tan	clay/silt	40	B	3	Tr			
AUX0102993	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7080813	862	Soil	moist	gry/tan	clay/silt	46	B	3	15			
AUX0102994	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7080789	869	Soil	moist	org/tan	clay/silt	28	B	3	40			
AUX0102995	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7080763	869	Soil	moist	org/tan	clay/silt	31	B	4	Tr			
AUX0102996	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7080737	871	Soil	moist	org/tan	clay/silt	35	B	5	Tr			
AUX0102997	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467580	7080712	872	Soil	moist	org/tan	clay/silt	40	B	Tr	Tr			
AUX0102998	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467585	7080689	875	Soil	moist	red/tan	clay/silt	43	B	1	Tr			
AUX0102999	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467585	7080663	874	Soil	moist	blk/gry	clay/silt	54	B	15	15			
AUX0103000	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467584	7080656	874	Soil	moist	blk/gry	clay/silt	54	B	15	15			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103001	Aurex	9/11/2011	GS/ER	NAD 83, Zone 8	467583	7080637	866	Soil	moist	blk/gry	clay/silt	60	B	5	5			
AUX0103002	Aurex	9/11/2011	RP	NAD 83, Zone 8	467481	7081914	849	Soil	Moist	Grey	clay/silt	32	B	3	9			
AUX0103003	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7081888	853	Soil	Moist	Tan	clay/silt	27	B	3	4			
AUX0103004	Aurex	9/11/2011	RP	NAD 83, Zone 8	467487	7081860	854	Soil	Moist	Grey	clay/silt	35	B	5	5			
AUX0103005	Aurex	9/11/2011	RP	NAD 83, Zone 8	467482	7081838	855	Soil	Moist	Grey	clay/silt	30	B	4	4			
AUX0103006	Aurex	9/11/2011	RP	NAD 83, Zone 8	467482	7081813	857	Soil	Moist	Grey	clay/silt	36	B	13	3			
AUX0103007	Aurex	9/11/2011	RP	NAD 83, Zone 8	467483	7081787	858	Soil	Moist	Grey	clay/silt	38	B	6	5			Perma
AUX0103008	Aurex	9/11/2011	RP	NAD 83, Zone 8	467483	7081763	856	Soil	Moist	Grey	clay/silt	44	B	3	3			
AUX0103009	Aurex	9/11/2011	RP	NAD 83, Zone 8	467482	7081738	857	Soil	Moist	Tan/Brown	clay/silt	48	B	3	3			
AUX0103010	Aurex	9/11/2011	RP	NAD 83, Zone 8	467479	7081713	860	Soil	Moist	Grey	clay/silt	44	B	3	3			
AUX0103011	Aurex	9/11/2011	RP	NAD 83, Zone 8	467482	7081689	858	Soil	Moist	Grey	clay/silt	38	B	4	4			
AUX0103012	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7081662	860	Soil	Moist	Grey	clay/silt	26	B	3	3			
AUX0103013	Aurex	9/11/2011	RP	NAD 83, Zone 8	467481	7081639	861	Soil	Moist	Grey	clay/silt	33	B	3	8			
AUX0103014	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7081613	864	Soil	Moist	Grey	clay/silt	35	B	5	9			
AUX0103015	Aurex	9/11/2011	RP	NAD 83, Zone 8	467485	7081588	866	Soil	Moist	Tan	clay/silt	25	B	5	9			Quartz Frag.
AUX0103016	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7081560	867	Soil	Moist	Grey/Tan	clay/silt	24	B	3	8			Knoll
AUX0103017	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7081535	867	Soil	Moist	Tan	clay/silt	22	B	3	9			
AUX0103018	Aurex	9/11/2011	RP	NAD 83, Zone 8	467483	7081513	868	Soil	Moist	Grey	clay/silt	26	B	3	5			
AUX0103019	Aurex	9/11/2011	RP	NAD 83, Zone 8	467486	7081480	866	Soil	Moist	Tan/Grey	clay/silt	30	B	3	4			Adj. Rd.
AUX0103020	Aurex	9/11/2011	RP	NAD 83, Zone 8	467483	7081463	871	Soil	Moist	Tan	clay/silt	28	B	4	4			
AUX0103021	Aurex	9/11/2011	RP	NAD 83, Zone 8	467480	7081437	873	Soil	Moist	Tan	clay/silt	26	B	4	8			
AUX0103022	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7081410	871	Soil	Moist	Grey	clay/silt	24	B	4	4			
AUX0103023	Aurex	9/11/2011	RP	NAD 83, Zone 8	467483	7081388	874	Soil	Moist	Grey	clay/silt	70	B	16	3			
AUX0103024	Aurex	9/11/2011	RP	NAD 83, Zone 8	467483	7081364	873	Soil	Moist	Grey	clay/silt	40	B	15	3			
AUX0103025	Aurex	9/11/2011	RP	NAD 83, Zone 8	467483	7081363	873	Soil	Moist	Grey	clay/silt	40	B	15	3			
AUX0103026	Aurex	9/11/2011	RP	NAD 83, Zone 8	467483	7081339	872	Soil	Moist	Grey	clay/silt	36	B	6	6			Quartz Frag.
AUX0103027	Aurex	9/11/2011	RP	NAD 83, Zone 8	467479	7081312	869	Soil	Moist	Tan	clay/silt	24	B	4	9			
AUX0103028	Aurex	9/11/2011	RP	NAD 83, Zone 8	467482	7081286	869	Soil	Moist	Tan	clay/silt	28	B	3	3			
AUX0103029	Aurex	9/11/2011	RP	NAD 83, Zone 8	467483	7081264	868	Soil	Moist	Tan	clay/silt	28	B	6	4			
AUX0103030	Aurex	9/11/2011	RP	NAD 83, Zone 8	467481	7081238	867	Soil	Moist	Tan	clay/silt	30	B	2	2			
AUX0103031	Aurex	9/11/2011	RP	NAD 83, Zone 8	467483	7081214	867	Soil	Moist	Tan	clay/silt	29	B	3	3			
AUX0103032	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7081187	867	Soil	Moist	Tan	clay/silt	26	B	5	5			
AUX0103033	Aurex	9/11/2011	RP	NAD 83, Zone 8	467482	7081165	865	Soil	Moist	Tan	clay/silt	30	B	2	2			
AUX0103034	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7081137	864	Soil	Moist	Tan	clay/silt	24	B	3	3			
AUX0103035	Aurex	9/11/2011	RP	NAD 83, Zone 8	467481	7081114	863	Soil	Moist	Tan	clay/silt	28	B	4	4			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103036	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7081087	866	Soil	Moist	Tan	clay/silt	30	B	3	3			Poss. Heli-Pad
AUX0103037	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7081064	867	Soil	Moist	Tan/Brown	clay/silt	24	B	7	12			Mica
AUX0103038	Aurex	9/11/2011	RP	NAD 83, Zone 8	467482	7081038	867	Soil	Moist	Tan	clay/silt	26	B	5	5			
AUX0103039	Aurex	9/11/2011	RP	NAD 83, Zone 8	467482	7081012	864	Soil	Moist	Tan	clay/silt	26	B	5	5			
AUX0103040	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7080985	868	Soil	Moist	Tan/Grey	clay/silt	28	B	4	4			
AUX0103041	Aurex	9/11/2011	RP	NAD 83, Zone 8	467484	7080962	867	Soil	Moist	Tan	clay/silt	28	B	3	6			
AUX0103042	Aurex	9/11/2011	RP	NAD 83, Zone 8	467481	7080937	867	Soil	Moist	Tan	clay/silt	22	B	3	7			
AUX0103043	Aurex	9/11/2011	RP	NAD 83, Zone 8	467485	7080913	865	Soil	Moist	Tan	clay/silt	32	B	3	3			
AUX0103044	Aurex	9/11/2011	RP	NAD 83, Zone 8	467483	7080887	863	Soil	Moist	Tan	clay/silt	30	B	4	4			
AUX0103045	Aurex	9/11/2011	DS	NAD 83, Zone 8	467484	7080862	861	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0103046	Aurex	9/11/2011	DS	NAD 83, Zone 8	467484	7080839	860	Soil	Moist	Tan/Grey	clay/silt	24	B	3	3			
AUX0103047	Aurex	9/11/2011	DS	NAD 83, Zone 8	467484	7080813	860	Soil	Moist	Tan	clay/silt	32	B	2	8			
AUX0103048	Aurex	9/11/2011	DS	NAD 83, Zone 8	467483	7080786	859	Soil	Moist	Tan/Brown	clay/silt	28	B	3	8			
AUX0103049	Aurex	9/11/2011	DS	NAD 83, Zone 8	467482	7080763	859	Soil	Moist	Tan/Brown	clay/silt	32	B	4	8			
AUX0103050	Aurex	9/11/2011	DS	NAD 83, Zone 8	467482	7080763	859	Soil	Moist	Tan/Brown	clay/silt	32	B	4	8			
AUX0103051	Aurex	9/11/2011	DS	NAD 83, Zone 8	467484	7080738	858	Soil	Moist	Tan/Grey	clay/silt	28	B	3	3			
AUX0103052	Aurex	9/11/2011	DS	NAD 83, Zone 8	467482	7080714	860	Soil	Moist	Grey	clay/silt	30	B	7	2			
AUX0103053	Aurex	9/11/2011	DS	NAD 83, Zone 8	467483	7080687	860	Soil	Moist	Grey	clay/silt	32	B	3	3			
AUX0103054	Aurex	9/11/2011	DS	NAD 83, Zone 8	467482	7080663	859	Soil	Moist	Grey	clay/silt	33	B	2	2			
AUX0103055	Aurex	9/11/2011	DS	NAD 83, Zone 8	467484	7080638	858	Soil	Moist	Grey	clay/silt	30	B	3	3			
AUX0103056	Aurex	9/11/2011	DS	NAD 83, Zone 8	467483	7080612	860	Soil	Moist	Grey	clay/silt	35	B	2	2			Perma
AUX0103057	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467380	7081913	837	Soil	Moist	blk/brw	clay/silt	42	B	50	Tr			
AUX0103058	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467384	7081887	837	Soil	Moist	black	clay/silt	38	B	80	3			
AUX0103059	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7081863	840	Soil	Moist	gry	clay/silt	37	B	3	15			
AUX0103060	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081838	843	Soil	Moist	gry/blk	clay/silt	34	B	45	7			
AUX0103061	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467381	7081812	845	Soil	Moist	gry/blk	clay/silt	60	B	50	5			Permafrost
AUX0103062	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7081788	845	Soil	Semi-Sat	gry	clay/silt	67	B	15	7			Permafrost
AUX0103063	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081764	848	Soil	Moist	gry	clay/silt	45	B	10	10			Permafrost
AUX0103064	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7081738	849	Soil	Moist	gry/blk	clay/silt	43	B	15	Tr			Permafrost
AUX0103065	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7081711	850	Soil	saturated	gry	clay/silt	57	B	3	20			Permafrost
AUX0103066	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7081688	853	Soil	Moist	blk/brw	clay/silt	57	B	15	8			Permafrost
AUX0103067	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7081664	855	Soil	Moist	gry	clay/silt	60	B	2	10			Permafrost
AUX0103068	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467380	7081640	857	Soil	Moist	gry	clay/silt	33	B	5	15			Permafrost
AUX0103069	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7081613	859	Soil	Moist	gry	clay/silt	47	B	15	2			Permafrost
AUX0103070	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081587	866	Soil	Moist	gry	clay/silt	35	B	5	20			Permafrost

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103071	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081564	863	Soil	Moist	gry	clay/silt	30	B	2	Tr			Permafrost
AUX0103072	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467384	7081537	863	Soil	Moist	tan/blk	clay/silt	30	B	30	15			Permafrost
AUX0103073	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467384	7081537	863	Soil	Moist	tan/blk	clay/silt	30	B	30	15			Permafrost
AUX0103074	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467387	7081512	862	Soil	Moist	tan/blk	clay/silt	30	B	3	40			Permafrost
AUX0103075	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081491	864	Soil	Moist	gry	clay/silt	50	B	3	15			Permafrost
AUX0103076	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467381	7081462	862	Soil	Moist	gry/blk	clay/silt	5	B	20	15			
AUX0103077	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081442	863	Soil	Moist	blk/brw	clay/silt	35	B	30	8			moved over due to road
AUX0103078	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081413	864	Soil	Moist	brw/tan	clay/silt	34	B	5	15			
AUX0103079	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081390	866	Soil	Moist	tan/gry	clay/silt	36	B	2	40			
AUX0103080	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7081365	869	Soil	Moist	org/tan	clay/silt	35	B	2	25			
AUX0103081	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081340	871	Soil	Moist	gry/brw	clay/silt	34	B	2	25			Permafrost
AUX0103082	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081311	872	Soil	Moist	blk/gry	clay/silt	50	B	30	Tr			Permafrost
AUX0103083	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467384	7081287	872	Soil	Moist	gry	clay/silt	37	B	3	40			
AUX0103084	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467384	7081263	873	Soil	Moist	gry/tan	clay/silt	33	B	3	25			
AUX0103085	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467381	7081235	871	Soil	Moist	tan	clay/silt	37	B	3	7			
AUX0103086	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081211	868	Soil	Moist	tan	clay/silt	32	B	4	Tr			
AUX0103087	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467381	7081186	868	Soil	Moist	gry	clay/silt	37	B	2	3			
AUX0103088	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7081162	866	Soil	Moist	tan	clay/silt	34	B	2	12			
AUX0103089	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081138	866	Soil	Moist	tan/brw	clay/silt	38	B	2	9			
AUX0103090	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7081115	866	Soil	Moist	brw/tan	clay/silt	37	B	3	35			
AUX0103091	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7081088	863	Soil	Moist	gry/brw	clay/silt	33	B	2	30			
AUX0103092	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467381	7081064	865	Soil	Moist	tan/gry	clay/silt	37	B	2	Tr			
AUX0103093	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467380	7081038	864	Soil	Moist	gry	clay/silt	34	B	2	2			
AUX0103094	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7081015	867	Soil	Moist	tan/brw	clay/silt	33	B	3	35			
AUX0103095	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7080989	867	Soil	Moist	tan	clay/silt	32	B	Tr	20			
AUX0103096	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7080962	864	Soil	Moist	tan	clay/silt	38	B	3	3			
AUX0103097	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467381	7080938	864	Soil	Moist	org/tan	clay/silt	31	B	11	5			
AUX0103098	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7080916	863	Soil	Moist	org/tan	clay/silt	29	B	5	15			
AUX0103099	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467382	7080889	861	Soil	Moist	gry	clay/silt	32	B	2	30			
AUX0103100	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467384	7080888	861	Soil	Moist	gry	clay/silt	32	B	2	30			
AUX0103101	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467381	7080863	861	Soil	Moist	gry/tan	clay/silt	35	B	3	15			
AUX0103102	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467381	7080837	858	Soil	Moist	gry	clay/silt	35	B	Tr	8			
AUX0103103	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467384	7080813	860	Soil	Moist	gry/tan	clay/silt	35	B	Tr	40			
AUX0103104	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467381	7080787	861	Soil	Moist	gry	clay/silt	32	B	4	Tr			
AUX0103105	Aurex	9/12/2011	ER/GS	NAD 83, Zone 8	467383	7080763	863	Soil	Moist	gry	clay/silt	45	B	2	15			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103106	Aurex	9/11/2011	ER/GS	NAD 83, Zone 8	467382	7080735	858	Soil	Moist	Gry	clay/silt	46	B	5	25			
AUX0103107	Aurex	9/11/2011	ER/GS	NAD 83, Zone 8	467383	7080711	858	Soil	Moist	Gry	clay/silt	59	B	10	30			
AUX0103108	Aurex	9/11/2011	ER/GS	NAD 83, Zone 8	467383	7080688	858	Soil	Moist	Blk/Gry	clay/silt	48	B	12	20			
AUX0103109	Aurex	9/11/2011	ER/GS	NAD 83, Zone 8	467381	7080662	856	Soil	Moist	Gry	clay/silt	55	B	8	15			
AUX0103110	Aurex	9/11/2011	ER/GS	NAD 83, Zone 8	467382	7080639	857	Soil	Semi-Sat	Gry	clay/silt	45	B	8	Tr			
AUX0103111	Aurex	9/11/2011	ER/GS	NAD 83, Zone 8	467380	7080614	857	Soil	Semi-Sat	Gry	clay/silt	40	B	2	Tr			
AUX0103112	Aurex	9/12/2011	RP	NAD 83, Zone 8	467284	7081890	840	Soil	Moist	Grey	clay/silt	28	B	5	5			
AUX0103113	Aurex	9/12/2011	RP	NAD 83, Zone 8	467283	7081862	843	Soil	Moist	Grey	clay/silt	26	B	7	4			
AUX0103114	Aurex	9/12/2011	RP	NAD 83, Zone 8	467283	7081838	844	Soil	Moist	Grey	clay/silt	28	B	3	3			
AUX0103115	Aurex	9/12/2011	RP	NAD 83, Zone 8	467282	7081813	839	Soil	Moist	Grey	clay/silt	30	B	4	4			
AUX0103116	Aurex	9/12/2011	RP	NAD 83, Zone 8	467282	7081788	843	Soil	Moist	Grey	clay/silt	30	B	8	4	Perma		
AUX0103117	Aurex	9/12/2011	RP	NAD 83, Zone 8	467283	7081763	847	Soil	Moist	Grey	clay/silt	32	B	4	4			
AUX0103118	Aurex	9/12/2011	RP	NAD 83, Zone 8	467283	7081739	851	Soil	Moist	Tan/Grey	clay/silt	26	B	5	3			
AUX0103119	Aurex	9/12/2011	RP	NAD 83, Zone 8	467282	7081716	846	Soil	Moist	Grey	clay/silt	33	B	3	3			
AUX0103120	Aurex	9/12/2011	RP	NAD 83, Zone 8	467283	7081691	847	Soil	Moist	Grey	clay/silt	36	B	3	3	Perma		
AUX0103121	Aurex	9/12/2011	RP	NAD 83, Zone 8	467285	7081666	846	Soil	Moist	Grey	clay/silt	30	B	3	3			
AUX0103122	Aurex	9/12/2011	RP	NAD 83, Zone 8	467285	7081638	850	Soil	Moist	Grey	clay/silt	29	B	4	4			
AUX0103123	Aurex	9/12/2011	RP	NAD 83, Zone 8	467281	7081612	852	Soil	Moist	Grey	clay/silt	32	B	5	5			
AUX0103124	Aurex	9/12/2011	RP	NAD 83, Zone 8	467281	7081589	849	Soil	Moist	Grey	clay/silt	32	B	13	4			
AUX0103125	Aurex	9/12/2011	RP	NAD 83, Zone 8	467282	7081588	849	Soil	Moist	Grey	clay/silt	32	B	13	4			
AUX0103126	Aurex	9/12/2011	RP	NAD 83, Zone 8	467280	7081561	857	Soil	Moist	Grey	clay/silt	28	B	7	5			
AUX0103127	Aurex	9/12/2011	RP	NAD 83, Zone 8	467282	7081539	859	Soil	Moist	Grey	clay/silt	32	B	5	6			
AUX0103128	Aurex	9/12/2011	RP	NAD 83, Zone 8	467283	7081513	861	Soil	Moist	Grey	clay/silt	28	B	5	5			
AUX0103129	Aurex	9/12/2011	RP	NAD 83, Zone 8	467280	7081490	861	Soil	Moist	Tan	clay/silt	28	B	4	8	Mica		
AUX0103130	Aurex	9/12/2011	RP	NAD 83, Zone 8	467281	7081463	863	Soil	Moist	Grey/Tan	clay/silt	30	B	3	3			
AUX0103131	Aurex	9/12/2011	RP	NAD 83, Zone 8	467284	7081438	863	Soil	Moist	Grey	clay/silt	32	B	4	4			
AUX0103132	Aurex	9/12/2011	RP	NAD 83, Zone 8	467285	7081412	860	Soil	Moist	Grey	clay/silt	40	B	14	4			
AUX0103133	Aurex	9/12/2011	RP	NAD 83, Zone 8	467283	7081390	862	Soil	Moist	Grey	clay/silt	36	B	4	6			
AUX0103134	Aurex	9/12/2011	RP	NAD 83, Zone 8	467283	7081362	862	Soil	Moist	Tan	clay/silt	28	B	4	4			
AUX0103135	Aurex	9/12/2011	RP	NAD 83, Zone 8	467282	7081338	865	Soil	Moist	Tan	clay/silt	24	B	4	4			
AUX0103136	Aurex	9/12/2011	RP	NAD 83, Zone 8	467287	7081319	870	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0103137	Aurex	9/12/2011	RP	NAD 83, Zone 8	467284	7081287	867	Soil	Moist	Grey/Brown	clay/silt	32	B	13	3			
AUX0103138	Aurex	9/12/2011	RP	NAD 83, Zone 8	467283	7081268	869	Soil	Moist	Grey	clay/silt	45	B	4	4			Perma
AUX0103139	Aurex	9/12/2011	RP	NAD 83, Zone 8	467283	7081238	869	Soil	Moist	Grey	clay/silt	32	B	5	5			Perma
AUX0103140	Aurex	9/12/2011	RP	NAD 83, Zone 8	467283	7081213	871	Soil	Moist	Grey/Black	clay/silt	33	B	4	4			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103141	Aurex	9/12/2011	RP	NAD 83, Zone 8	467284	7081188	870	Soil	Moist	Tan	clay/silt	22	B	5	5			Knoll
AUX0103142	Aurex	9/12/2011	RP	NAD 83, Zone 8	467282	7081167	868	Soil	Moist	Tan	clay/silt	26	B	4	4			
AUX0103143	Aurex	9/12/2011	RP	NAD 83, Zone 8	467285	7081137	866	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0103144	Aurex	9/11/2011	DS	NAD 83, Zone 8	467284	7081112	858	Soil	Moist	Tan	clay/silt	34	B	6	2			
AUX0103145	Aurex	9/11/2011	DS	NAD 83, Zone 8	467283	7081088	858	Soil	Moist	Tan	clay/silt	28	B	3	3			
AUX0103146	Aurex	9/11/2011	DS	NAD 83, Zone 8	467283	7081063	858	Soil	Moist	Tan	clay/silt	26	B	4	4			
AUX0103147	Aurex	9/11/2011	DS	NAD 83, Zone 8	467283	7081038	859	Soil	Moist	Tan	clay/silt	32	B	5	2			
AUX0103148	Aurex	9/11/2011	DS	NAD 83, Zone 8	467282	7081012	857	Soil	Moist	Tan	clay/silt	26	B	6	2			
AUX0103149	Aurex	9/11/2011	DS	NAD 83, Zone 8	467285	7080988	860	Soil	Moist	Tan	clay/silt	20	B	3	3			
AUX0103150	Aurex	9/11/2011	DS	NAD 83, Zone 8	467284	7080989	861	Soil	Moist	Tan	clay/silt	20	B	3	3			
AUX0103151	Aurex	9/11/2011	DS	NAD 83, Zone 8	467284	7080963	865	Soil	Moist	Tan	clay/silt	38	B	3	3			
AUX0103152	Aurex	9/11/2011	DS	NAD 83, Zone 8	467283	7080939	863	Soil	Moist	Tan	clay/silt	30	B	5	2			
AUX0103153	Aurex	9/11/2011	DS	NAD 83, Zone 8	467282	7080914	862	Soil	Moist	Tan/Brown	clay/silt	22	B	2	2			
AUX0103154	Aurex	9/11/2011	DS	NAD 83, Zone 8	467283	7080887	864	Soil	Moist	Tan	clay/silt	30	B	1	3			
AUX0103155	Aurex	9/11/2011	DS	NAD 83, Zone 8	467283	7080862	869	Soil	Moist	Tan	clay/silt	32	B	6	2			
AUX0103156	Aurex	9/11/2011	DS	NAD 83, Zone 8	467282	7080838	869	Soil	Moist	Brown	clay/silt	24	B	3	6			
AUX0103157	Aurex	9/11/2011	DS	NAD 83, Zone 8	467284	7080813	871	Soil	Moist	Grey/Brown	clay/silt	26	B	7	3			
AUX0103158	Aurex	9/11/2011	DS	NAD 83, Zone 8	467282	7080786	865	Soil	Moist	Grey	clay/silt	26	B	3	3			
AUX0103159	Aurex	9/11/2011	DS	NAD 83, Zone 8	467283	7080762	860	Soil	Moist	Grey	clay/silt	32	B	6	3			Perma
AUX0103160	Aurex	9/11/2011	DS	NAD 83, Zone 8	467283	7080737	860	Soil	Moist	Brown	clay/silt	30	B	6	2			
AUX0103161	Aurex	9/11/2011	DS	NAD 83, Zone 8	467284	7080712	860	Soil	Moist	Brown	clay/silt	32	B	8	3			Perma
AUX0103162	Aurex	9/11/2011	DS	NAD 83, Zone 8	467284	7080689	862	Soil	Moist	Grey	clay/silt	25	B	8	2			
AUX0103163	Aurex	9/11/2011	DS	NAD 83, Zone 8	467284	7080663	859	Soil	Moist	Grey	clay/silt	30	B	7	3			
AUX0103164	Aurex	9/11/2011	DS	NAD 83, Zone 8	467284	7080637	857	Soil	Moist	Grey	clay/silt	32	B	3	3			
AUX0103165	Aurex	9/11/2011	DS	NAD 83, Zone 8	467284	7080613	859	Soil	Moist	Grey	clay/silt	30	B	3	3			
AUX0101009	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080901	964	Soil	Moist	Tan-brown	clay-silt	32	B	tr	tr			
AUX0101010	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080875	961	Soil	Moist	Tan-brown	clay-silt	31	B	tr	2			
AUX0101011	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7080851	960	Soil	Moist	Tan-brown	clay-silt	33	B	1	2			
AUX0101012	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080825	959	Soil	Moist	Tan-brown	clay-silt	32	B	1	2			
AUX0101013	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7080802	958	Soil	Moist	Tan-brown	clay-silt	34	B	tr	3			
AUX0101014	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471536	7080775	958	Soil	Moist	Tan-brown	clay-silt	31	B	tr	1			
AUX0101015	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7080752	955	Soil	Moist	Tan-brown	clay-silt	35	B	tr	tr			
AUX0101016	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471540	7080729	952	Soil	Moist	Tan-brown	clay-silt	32	B	1	8			
AUX0101017	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7080702	950	Soil	Moist	Tan-brown	clay-silt	40	B	tr	tr			
AUX0101018	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471540	7080676	942	Soil	Moist	Tan-brown	clay-silt	32	B	1	1			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0101019	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471537	7080652	940	Soil	Moist	Tan-brown	clay-silt	35	B	tr	15			
AUX0101020	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080626	938	Soil	Moist	Tan-grey	clay-silt	60	B	tr	2			
AUX0103369	Aurex	9/14/2011	RP	NAD 83, Zone 8	470340	7079725	1018	Soil	Moist	Grey	clay/silt	30	B	5	3			Fire History
AUX0103370	Aurex	9/14/2011	RP	NAD 83, Zone 8	470338	7079701	1019	Soil	Moist	Grey	clay/silt	26	B	5	3			
AUX0103371	Aurex	9/14/2011	RP	NAD 83, Zone 8	470338	7079676	1021	Soil	Moist	Grey	clay/silt	30	B	6	3			
AUX0103372	Aurex	9/14/2011	RP	NAD 83, Zone 8	470338	7079651	1022	Soil	Moist	Tan/Grey	clay/silt	28	B	3	3			
AUX0103373	Aurex	9/14/2011	RP	NAD 83, Zone 8	470337	7079622	1025	Soil	Moist	Grey	clay/silt	27	B	8	3			
AUX0103374	Aurex	9/14/2011	RP	NAD 83, Zone 8	470341	7079601	1030	Soil	Moist	Grey	clay/silt	29	B	6	3			Quartz Frag.
AUX0103375	Aurex	9/14/2011	RP	NAD 83, Zone 8	470340	7079602	1029	Soil	Moist	Grey	clay/silt	29	B	6	3			Quartz Frag.
AUX0103376	Aurex	9/14/2011	RP	NAD 83, Zone 8	470338	7079573	1030	Soil	Moist	Tan/Grey	clay/silt	26	B	4	4			Mica
AUX0103377	Aurex	9/14/2011	RP	NAD 83, Zone 8	470339	7079550	1032	Soil	Moist	Grey	clay/silt	28	B	3	3			
AUX0103378	Aurex	9/14/2011	RP	NAD 83, Zone 8	470338	7079526	1035	Soil	Moist	Grey	clay/silt	24	B	3	3			
AUX0103379	Aurex	9/14/2011	RP	NAD 83, Zone 8	470340	7079500	1036	Soil	Moist	Grey/Tan	clay/silt	26	B	4	4			Quartz Frag.
AUX0103380	Aurex	9/14/2011	RP	NAD 83, Zone 8	470337	7079475	1039	Soil	Moist	Grey	clay/silt	27	B	4	6			
AUX0103381	Aurex	9/14/2011	RP	NAD 83, Zone 8	470343	7079451	1041	Soil	Moist	Tan	clay/silt	26	B	6	3			
AUX0103382	Aurex	9/14/2011	RP	NAD 83, Zone 8	470336	7079425	1042	Soil	Moist	Tan/Grey	clay/silt	30	B	3	6			Quartz frag. & Mica
AUX0103383	Aurex	9/14/2011	RP	NAD 83, Zone 8	470338	7079401	1042	Soil	Moist	Tan/Grey	clay/silt	32	B	3	4			Mica
AUX0103384	Aurex	9/14/2011	RP	NAD 83, Zone 8	470440	7079801	1013	Soil	Moist	Grey/Tan	clay/silt	28	B	5	3			
AUX0103385	Aurex	9/14/2011	RP	NAD 83, Zone 8	470437	7079776	1013	Soil	Moist	Tan/Grey	clay/silt	26	B	3	2			
AUX0103386	Aurex	9/14/2011	RP	NAD 83, Zone 8	470439	7079751	1014	Soil	Moist	Tan/Grey	clay/silt	28	B	4	4			
AUX0103387	Aurex	9/14/2011	RP	NAD 83, Zone 8	470437	7079725	1016	Soil	Moist	Tan/Grey	clay/silt	30	B	3	3			Mica
AUX0103388	Aurex	9/14/2011	RP	NAD 83, Zone 8	470440	7079701	1017	Soil	Moist	Grey	clay/silt	28	B	4	4			Mica
AUX0103389	Aurex	9/14/2011	RP	NAD 83, Zone 8	470437	7079675	1020	Soil	Moist	Tan/Grey	clay/silt	30	B	4	4			
AUX0103390	Aurex	9/14/2011	RP	NAD 83, Zone 8	470438	7079651	1021	Soil	Moist	Tan/Grey	clay/silt	30	B	4	2			
AUX0103391	Aurex	9/14/2011	RP	NAD 83, Zone 8	470439	7079626	1024	Soil	Moist	Grey	clay/silt	28	B	3	6			Mica
AUX0103392	Aurex	9/14/2011	RP	NAD 83, Zone 8	470440	7079601	1026	Soil	Moist	Grey	clay/silt	36	B	3	3			
AUX0103393	Aurex	9/14/2011	RP	NAD 83, Zone 8	470440	7079575	1030	Soil	Moist	Tan/Brown	clay/silt	32	B	4	4			Mica
AUX0103394	Aurex	9/14/2011	RP	NAD 83, Zone 8	470441	7079552	1032	Soil	Moist	Grey	clay/silt	26	B	6	4			Mica
AUX0103395	Aurex	9/14/2011	RP	NAD 83, Zone 8	470439	7079526	1036	Soil	Moist	Tan/Grey	clay/silt	28	B	3	3			
AUX0103396	Aurex	9/14/2011	RP	NAD 83, Zone 8	470441	7079502	1039	Soil	Moist	Grey/Tan	clay/silt	30	B	3	3			Mica
AUX0103397	Aurex	9/14/2011	RP	NAD 83, Zone 8	470439	7079480	1039	Soil	Moist	Grey	clay/silt	29	B	3	7			Qurtz. Frag
AUX0103398	Aurex	9/14/2011	RP	NAD 83, Zone 8	470438	7079452	1041	Soil	Moist	Grey	clay/silt	28	B	3	3			Mica
AUX0103399	Aurex	9/14/2011	RP	NAD 83, Zone 8	470437	7079428	1042	Soil	Moist	Grey	clay/silt	26	B	5	3			
AUX0103400	Aurex	9/14/2011	RP	NAD 83, Zone 8	470438	7079428	1041	Soil	Moist	Grey	clay/silt	30	B	4	4			
AUX0103401	Aurex	9/14/2011	RP	NAD 83, Zone 8	470440	7079406	1042	Soil	Moist	Tan/Grey	clay/silt	32	B	3	3			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103402	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470538	7079802	1012	Soil	Moist	Tan/Grey	clay/silt	22	B	5	6			Quartz. Frag.
AUX0103403	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470537	7079776	1015	Soil	Moist	Grey/Black	clay/silt	34	B	5	6			
AUX0103404	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470538	7079752	1016	Soil	Moist	Grey/Green	clay/silt	24	B	3	6			
AUX0103405	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470539	7079725	1017	Soil	Moist	Tan/Grey	clay/silt	28	B	3	3			
AUX0103406	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470538	7079702	1021	Soil	Moist	Tan/Brown	clay/silt	30	B	6	3			
AUX0103407	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470539	7079676	1024	Soil	Moist	Tan/Grey	clay/silt	40	B	3	3			
AUX0103408	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470539	7079651	1026	Soil	Moist	Grey	clay/silt	40	B	4	4			
AUX0103409	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470537	7079627	1027	Soil	Moist	Grey/Tan	clay/silt	30	B	5	5			
AUX0103410	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470538	7079603	1030	Soil	Moist	Grey	clay/silt	32	B	5	4			
AUX0103411	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470538	7079575	1033	Soil	Moist	Grey	clay/silt	30	B	3	6			Quartz. Frag.
AUX0103412	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470537	7079551	1036	Soil	Moist	Grey/Green	clay/silt	33	B	6	2			
AUX0103413	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470539	7079525	1030	Soil	Moist	Grey/Green	clay/silt	42	B	3	3			
AUX0103414	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470539	7079500	1033	Soil	Moist	Grey/Tan	clay/silt	39	B	3	3			
AUX0103415	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470539	7079475	1035	Soil	Moist	Grey/Green	clay/silt	30	B	3	3			
AUX0103416	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470538	7079451	1038	Soil	Moist	Grey/Green	clay/silt	36	B	3	8			Stony
AUX0103417	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470537	7079427	1040	Soil	Moist	Grey/Tan	clay/silt	35	B	3	3			
AUX0103418	Aurex	9/14/2011	Ds	NAD 83, Zone 8	470536	7079403	1041	Soil	Moist	Grey/Tan	clay/silt	32	B	3	7			
AUX0103419	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7079799	1010	Soil	Moist	Org/Tan	clay/silt	32	B	3	30			
AUX0103420	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7079772	1007	Soil	Moist	Org/Tan	clay/silt	30	B	TR	30			
AUX0103421	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470636	7079752	1005	Soil	Moist	Rd/Tan	clay/silt	34	B	TR	30			
AUX0103422	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7079723	1011	Soil	Moist	Tan/Gry	clay/silt	33	B	3	10			
AUX0103423	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7079700	1015	Soil	Moist	Tan/Gry	clay/silt	30	B	2	28			
AUX0103424	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7079674	1014	Soil	Moist	Tan/Gry	clay/silt	31	B	2	10			
AUX0103425	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7079674	1016	Soil	Moist	Tan/Gry	clay/silt	31	B	2	10			
AUX0103426	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7079650	1018	Soil	Moist	Tan/Gry	clay/silt	34	B	TR	15			
AUX0103427	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7079625	1021	Soil	Moist	Tan/Gry	clay/silt	30	B	10	20			
AUX0103428	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7079599	1023	Soil	Moist	Tan/Gry	clay/silt	32	B	TR	20			
AUX0103429	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7079576	1026	Soil	Semi-Sat	Tan/Gry	clay/silt	42	B	5	20			
AUX0103430	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7079547	1025	Soil	Moist	Tan/Gry	clay/silt	40	B	8	25			
AUX0103431	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7079522	1027	Soil	Semi-Sat	Tan/Gry	clay/silt	42	B	10	TR			
AUX0103432	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7079499	1029	Soil	Moist	Tan	clay/silt	54	B	15	20			
AUX0103433	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7079476	1030	Soil	Moist	Brn	clay/silt	47	B	20	20			
AUX0103434	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7079448	1033	Soil	Saturated	Gry	clay/silt	40	B	5	TR			
AUX0103435	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7079426	1034	Soil	Moist	Gry	clay/silt	41	B	10	TR			
AUX0103436	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7079403	1038	Soil	Moist	Gry/Rd/Brn	clay/silt	42	B	10	25			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103437	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7079776	1011	Soil	Moist	gry	clay/silt	50	B	10	30			
AUX0103438	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079751	1012	Soil	Moist	tan/gry	clay/silt	30	B	10	45			
AUX0103439	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079725	1016	Soil	Moist	brw/gry	clay/silt	35	B	15	38			
AUX0103440	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079699	1016	Soil	Moist	tan	clay/silt	33	B	3	50			
AUX0103441	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079674	1016	Soil	Moist	tan/gry	clay/silt	45	B	7	23			
AUX0103442	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470739	7079648	1016	Soil	Semi-Sat	gry/tan	clay/silt	42	B	5	20			
AUX0103443	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079626	1018	Soil	Moist	gry	clay/silt	70	B	10	Tr			
AUX0103444	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079600	1019	Soil	Moist	gry	clay/silt	60	B	15	Tr			
AUX0103445	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079571	1022	Soil	Semi-Sat	blk/gry	clay/silt	70	B	20	15			
AUX0103446	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470739	7079552	1022	Soil	saturated	gry	clay/silt	57	B	3	7			
AUX0103447	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7079525	1023	Soil	Semi-Sat	gry	clay/silt	38	B	2	15			
AUX0103448	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7079499	1025	Soil	saturated	gry	clay/silt	47	B	3	20			
AUX0103449	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079473	1027	Soil	Moist	gry	clay/silt	50	B	2	15			
AUX0103450	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7079476	1029	Soil	Moist	gry	clay/silt	50	B	2	15			
AUX0103451	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079449	1031	Soil	dry	tan/gry	clay/silt	35	B	3	20			
AUX0103452	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470739	7079423	1035	Soil	dry	tan/gry	clay/silt	31	B	4	25			
AUX0103453	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470739	7079403	1036	Soil	dry	gry	clay/silt	30	B	2	15			
AUX0103454	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470641	7080900	898	Soil	Moist	Red/brw	clay/silt	40	B	2	10			
AUX0103455	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080876	899	Soil	Moist	red/gry	clay/silt	47	B	10	TR			
AUX0103456	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080850	898	Soil	Moist	gry/brw	clay/silt	40	B	4	TR			
AUX0103457	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080825	899	Soil	Moist	brw/gry	clay/silt	32	B	6	TR			
AUX0103458	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080801	901	Soil	Moist	brw/gry	clay/silt	58	B	2	TR			
AUX0103459	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080775	906	Soil	Moist	tan/org	clay/silt	33	B	TR	TR			forest fire area charcoal char
AUX0103460	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080752	910	Soil	Moist	Org/Tan	clay/silt	34	B	TR	15			
AUX0103461	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080726	915	Soil	Damp	brn/gry	clay/silt	28	B	2	6			
AUX0103462	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7080699	918	Soil	Damp	brn/tan	clay/silt	33	B	8	15			micas, qtz
AUX0103463	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080677	926	Soil	Moist	brn/tan	clay/silt	35	B	2	10			phyllitic
AUX0103464	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470636	7080650	932	Soil	Moist	gry/blk	clay/silt	60	B	2	TR			
AUX0103465	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080626	936	Soil	Moist	tan/brn	clay/silt	33	B	TR	5			phyllitic
AUX0103466	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470640	7080601	940	Soil	Damp	gry/tan	clay/silt	45	B	TR	2			
AUX0103467	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7080578	948	Soil	Damp	brn/tan	clay/silt	40	B	TR	TR			
AUX0103468	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080552	951	Soil	Damp	brn/grhy	clay/silt	25	B	TR	5			micaceaous
AUX0103469	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080525	954	Soil	Damp	brn/gry	clay/silt	30	B	TR	4			
AUX0103470	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470640	7080501	955	Soil	Damp	brn/gry/org	clay/silt	30	B	2	TR			
AUX0103471	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080476	963	Soil	Damp	brn/tan	clay/silt	32	B	TR	10			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103472	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7080450	962	Soil	Damp	brn/blk	clay/silt	30	B	5	25			qtz mica, phyllite
AUX0103473	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470636	7080448	961	Soil	Damp	brn/blk	clay/silt	30	B	5	25			qtz mica, phyllite
AUX0103474	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470635	7080428	959	Soil	Damp	brn/tan	clay/silt	34	B	15	5			
AUX0103475	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080401	962	Soil	Damp	tan/brn	clay/silt	35	B	6	8			
AUX0103476	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080376	968	Soil	Damp	tan/gry	clay/silt	33	B	2	15			
AUX0103477	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080350	971	Soil	Damp	tan/org	clay/silt	29	B	TR	25			
AUX0103478	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080326	975	Soil	Damp	tan/brn/org	clay/silt	33	B	TR	8			
AUX0103479	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080300	978	Soil	Damp	brn/tan/gry	clay/silt	30	B	2	15			qtz frags, gry micaceous? Gry ash?
AUX0103480	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080275	979	Soil	Damp	tan/gry	clay/silt	34	B	10	10			
AUX0103481	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080250	979	Soil	Damp	tan/gry	clay/silt	30	B	2	10			qtz frags
AUX0103482	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470636	7080226	977	Soil	Damp	tan/brn	clay/silt	36	B	2	10			
AUX0103483	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7080199	977	Soil	Moist	tan/brn	clay/silt	38	B	2	8			qtz frags
AUX0103484	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080174	980	Soil	Moist	tan/brn	clay/silt	45	B	4	3			
AUX0103485	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470636	7080151	983	Soil	Moist	tan/brn	clay/silt	32	B	8	3			
AUX0103486	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080125	984	Soil	Moist	tan	clay/silt	30	B	3	15			
AUX0103487	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470640	7080100	982	Soil	Moist	tan	clay/silt	33	B	3	30			
AUX0103488	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080074	980	Soil	Moist	tan/gry	clay/silt	30	B	3	TR			
AUX0103489	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7080049	979	Soil	Moist	Org/Tan	clay/silt	34	B	TR	7			
AUX0103490	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7080024	979	Soil	Moist	gry/tan	clay/silt	35	B	7	18			
AUX0103491	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7079999	976	Soil	Moist	gry/tan	clay/silt	46	B	10	15			
AUX0103492	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7079975	975	Soil	Moist	brn/gry	clay/silt	48	B	7	15			
AUX0103493	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7079942	976	Soil	Moist	brn/gry	clay/silt	50	B	5	28			
AUX0103494	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470634	7079924	979	Soil	Moist	gry	clay/silt	50	B	7	20			
AUX0103495	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470637	7079899	983	Soil	Moist	tan/org	clay/silt	30	B	2	2			
AUX0103496	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470639	7079876	988	Soil	Moist	gry/tan	clay/silt	40	B	10	15			
AUX0103497	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7080902	941	Soil	Moist	Tan	clay/silt	32	B	4	3			
AUX0103498	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7080876	944	Soil	Moist	Tan/Brown	clay/silt	28	B	3	5			
AUX0103499	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7080851	949	Soil	Dry	Tan	clay/silt	30	B	3	6			Quartz Frag.
AUX0103500	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7080851	948	Soil	Dry	Tan	clay/silt	30	B	3	6			Quartz Frag.
AUX0103501	Aurex	9/15/2011	RP	NAD 83, Zone 8	470340	7080826	951	Soil	Moist	Tan	clay/silt	26	B	3	8			Mica
AUX0103502	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7080802	954	Soil	Moist	Tan	clay/silt	30	B	3	5			
AUX0103503	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7080775	956	Soil	Moist	Tan/Brown	clay/silt	26	B	3	4			
AUX0103504	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7080751	957	Soil	Moist	Tan	clay/silt	32	B	3	5			
AUX0103505	Aurex	9/15/2011	RP	NAD 83, Zone 8	470341	7080726	956	Soil	Moist	Tan/Grey	clay/silt	26	B	4	4			
AUX0103506	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7080701	956	Soil	Moist	Tan	clay/silt	26	B	3	4			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103507	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7080676	959	Soil	Moist	Tan	clay/silt	24	B	4	4			
AUX0103508	Aurex	9/15/2011	RP	NAD 83, Zone 8	470336	7080652	962	Soil	Moist	Tan	clay/silt	29	B	3	3			
AUX0103509	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7080625	964	Soil	Moist	Tan	clay/silt	28	B	3	3			
AUX0103510	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7080602	968	Soil	Moist	Tan	clay/silt	30	B	3	6			
AUX0103511	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7080576	967	Soil	Moist	Tan	clay/silt	32	B	3	3			
AUX0103512	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7080551	970	Soil	Moist	Tan/Grey	clay/silt	33	B	3	3			
AUX0103513	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7080525	971	Soil	Moist	Tan/Brown	clay/silt	30	B	3	3			
AUX0103514	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7080501	972	Soil	Moist	Tan	clay/silt	36	B	3	2			
AUX0103515	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7080476	972	Soil	Moist	Tan	clay/silt	32	B	3	5			
AUX0103516	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7080451	972	Soil	Moist	Tan/Brown	clay/silt	30	B	3	3			
AUX0103517	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7080425	972	Soil	Moist	Tan	clay/silt	36	B	4	5			
AUX0103518	Aurex	9/15/2011	RP	NAD 83, Zone 8	470340	7080401	972	Soil	Moist	Tan	clay/silt	32	B	5	4			
AUX0103519	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7080375	975	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0103520	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7080351	976	Soil	Moist	Tan	clay/silt	34	B	3	7			Stony & Mica
AUX0103521	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7080326	979	Soil	Moist	Tan/Brown	clay/silt	26	B	3	3			
AUX0103522	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7080301	980	Soil	Moist	Tan	clay/silt	35	B	3	3			Mica
AUX0103523	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7080276	977	Soil	Moist	Tan	clay/silt	30	B	3	4			
AUX0103524	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7080250	978	Soil	Moist	Tan/Grey	clay/silt	28	B	4	4			
AUX0103525	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7080250	978	Soil	Moist	Tan/Grey	clay/silt	28	B	4	4			
AUX0103526	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7080225	979	Soil	Moist	Grey/Tan	clay/silt	30	B	4	3			
AUX0103527	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7080201	982	Soil	Moist	Tan	clay/silt	33	B	3	6			Mica
AUX0103528	Aurex	9/15/2011	RP	NAD 83, Zone 8	470336	7080175	982	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0103529	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7080151	986	Soil	Moist	Tan/Brown	clay/silt	35	B	3	6			Quartz Frag & Mica
AUX0103530	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7080126	991	Soil	Moist	Tan/Grey	clay/silt	32	B	4	7			Mica
AUX0103531	Aurex	9/15/2011	RP	NAD 83, Zone 8	470336	7080102	993	Soil	Moist	Tan/Grey	clay/silt	30	B	6	4			
AUX0103532	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7080076	993	Soil	Moist	Tan/Grey	clay/silt	26	B	3	3			Mica
AUX0103533	Aurex	9/15/2011	RP	NAD 83, Zone 8	470340	7080050	996	Soil	Moist	Grey/Tan	clay/silt	30	B	3	6			Quartz Frag & Mica
AUX0103534	Aurex	9/15/2011	RP	NAD 83, Zone 8	470340	7080027	999	Soil	Moist	Tan/Brown	clay/silt	36	B	3	7			Stony
AUX0103535	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7080000	1004	Soil	Moist	Tan/Brown	clay/silt	26	B	3	4			
AUX0103536	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7079976	1004	Soil	Moist	Tan/Grey	clay/silt	30	B	2	3			
AUX0103537	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7079950	1003	Soil	Moist	Tan/Brown	clay/silt	28	B	4	3			
AUX0103538	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7079925	1004	Soil	Moist	Tan	clay/silt	33	B	3	5			
AUX0103539	Aurex	9/15/2011	RP	NAD 83, Zone 8	470335	7079900	1007	Soil	Moist	Tan/Grey	clay/silt	32	B	3	3			
AUX0103540	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7079875	1007	Soil	Moist	Tan/Brown	clay/silt	24	B	3	5			
AUX0103541	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7079851	1011	Soil	Moist	Grey	clay/silt	28	B	3	5			Mica & Quartz Frag.

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103542	Aurex	9/15/2011	RP	NAD 83, Zone 8	470339	7079826	1015	Soil	Moist	Tan/Grey	clay/silt	26	B	3	6			Quartz Frag.
AUX0103543	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7079801	1018	Soil	Moist	Grey	clay/silt	35	B	4	3			
AUX0103544	Aurex	9/15/2011	RP	NAD 83, Zone 8	470338	7079775	1016	Soil	Moist	Grey	clay/silt	32	B	5	3			
AUX0103545	Aurex	9/15/2011	RP	NAD 83, Zone 8	470337	7079749	1015	Soil	Moist	Grey/Blk	clay/silt	30	B	5	5			Mica
AUX0103546	Aurex	9/16/2011	RP	NAD 83, Zone 8	470438	7080901	932	Soil	Moist	Tan/Grey	clay/silt	28	B	4	4			
AUX0103547	Aurex	9/16/2011	RP	NAD 83, Zone 8	470438	7080876	936	Soil	Moist	Tan	clay/silt	32	B	4	6			Mica
AUX0103548	Aurex	9/16/2011	RP	NAD 83, Zone 8	470437	7080850	940	Soil	Moist	Tan	clay/silt	30	B	4	9			Quartz Frag.
AUX0103549	Aurex	9/16/2011	RP	NAD 83, Zone 8	470437	7080825	945	Soil	Dry	Tan/Brown	clay/silt	30	B	3	6			Mica
AUX0103550	Aurex	9/16/2011	RP	NAD 83, Zone 8	470438	7080824	946	Soil	Dry	Tan/Brown	clay/silt	30	B	3	6			Mica
AUX0103551	Aurex	9/16/2011	RP	NAD 83, Zone 8	470439	7080801	950	Soil	Dry	Tan/Brown	clay/silt	28	B	3	6			Quartz Frag.
AUX0103552	Aurex	9/16/2011	RP	NAD 83, Zone 8	470437	7080776	953	Soil	Moist/Dry	Tan/Brown	clay/silt	33	B	3	4			
AUX0103553	Aurex	9/16/2011	RP	NAD 83, Zone 8	470437	7080750	950	Soil	Moist	Tan/Grey	clay/silt	32	B	3	8			Mica
AUX0103554	Aurex	9/16/2011	RP	NAD 83, Zone 8	470439	7080728	949	Soil	Moist	Tan	clay/silt	30	B	3	5			
AUX0103555	Aurex	9/16/2011	RP	NAD 83, Zone 8	470437	7080701	951	Soil	Moist	Tan/Grey	clay/silt	32	B	2	4			
AUX0103556	Aurex	9/16/2011	RP	NAD 83, Zone 8	470433	7080674	945	Soil	Moist	Tan/Grey	clay/silt	28	B	3	4			Small Rock Outcrop
AUX0103557	Aurex	9/16/2011	RP	NAD 83, Zone 8	470437	7080651	941	Soil	Moist	Tan	clay/silt	26	B	5	4			
AUX0103558	Aurex	9/16/2011	RP	NAD 83, Zone 8	470435	7080625	938	Soil	Moist	Tan/Grey	clay/silt	30	B	4	4			Mica
AUX0103559	Aurex	9/16/2011	RP	NAD 83, Zone 8	470442	7080601	935	Soil	Moist	Grey	clay/silt	36	B	3	5			
AUX0103560	Aurex	9/16/2011	RP	NAD 83, Zone 8	470434	7080577	938	Soil	Moist	Tan/Grey	clay/silt	35	B	4	4			
AUX0103561	Aurex	9/16/2011	RP	NAD 83, Zone 8	470433	7080551	943	Soil	Moist	Grey	clay/silt	30	B	3	3			
AUX0103562	Aurex	9/16/2011	RP	NAD 83, Zone 8	470436	7080525	940	Soil	Moist	Grey/Tan	clay/silt	28	B	3	3			
AUX0103563	Aurex	9/16/2011	RP	NAD 83, Zone 8	470441	7080501	941	Soil	Moist	Tan	clay/silt	32	B	3	4			
AUX0103564	Aurex	9/16/2011	RP	NAD 83, Zone 8	470435	7080476	945	Soil	Moist	Tan/Grey	clay/silt	30	B	3	3			Mica
AUX0103565	Aurex	9/16/2011	RP	NAD 83, Zone 8	470435	7080450	947	Soil	Moist	Tan/Grey	clay/silt	28	B	3	4			
AUX0103566	Aurex	9/16/2011	RP	NAD 83, Zone 8	470440	7080425	947	Soil	Moist	Tan/Brown	clay/silt	24	B	3	5			
AUX0103567	Aurex	9/16/2011	RP	NAD 83, Zone 8	470439	7080401	951	Soil	Moist	Tan	clay/silt	30	B	4	4			Quartz Frag. & Mica
AUX0103568	Aurex	9/16/2011	RP	NAD 83, Zone 8	470439	7080376	954	Soil	Moist	Tan	clay/silt	32	B	3	6			
AUX0103569	Aurex	9/16/2011	RP	NAD 83, Zone 8	470438	7080352	959	Soil	Dry	Tan	clay/silt	30	B	3	7			
AUX0103570	Aurex	9/16/2011	RP	NAD 83, Zone 8	470436	7080328	964	Soil	Moist	Tan	clay/silt	26	B	3	15			
AUX0103571	Aurex	9/16/2011	RP	NAD 83, Zone 8	470437	7080302	972	Soil	Moist	Tan	clay/silt	30	B	3	7			
AUX0103572	Aurex	9/16/2011	RP	NAD 83, Zone 8	470437	7080274	979	Soil	Moist	Tan	clay/silt	33	B	2	6			
AUX0103573	Aurex	9/16/2011	RP	NAD 83, Zone 8	470437	7080250	982	Soil	Moist	Tan	clay/silt	26	B	2	8			Stony
AUX0103574	Aurex	9/15/2011	DS	NAD 83, Zone 8	470439	7080225	976	Soil	Moist	Tan	clay/silt	30	B	3	5			
AUX0103575	Aurex	9/15/2011	DS	NAD 83, Zone 8	470439	7080225	977	Soil	Moist	Tan	clay/silt	30	B	3	5			
AUX0103576	Aurex	9/15/2011	DS	NAD 83, Zone 8	470438	7080201	979	Soil	Moist	Tan/Brown	clay/silt	30	B	3	3			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103577	Aurex	9/15/2011	DS	NAD 83, Zone 8	470436	7080177	981	Soil	Moist	Tan/Brown	clay/silt	30	B	3	6			
AUX0103578	Aurex	9/15/2011	DS	NAD 83, Zone 8	470439	7080152	984	Soil	Moist	Brown	clay/silt	34	B	3	3			
AUX0103579	Aurex	9/15/2011	DS	NAD 83, Zone 8	470438	7080126	986	Soil	Moist	Brown	clay/silt	32	B	3	3			
AUX0103580	Aurex	9/15/2011	DS	NAD 83, Zone 8	470438	7080100	985	Soil	Moist/Dry	Tan	clay/silt	28	B	3	5			
AUX0103581	Aurex	9/15/2011	DS	NAD 83, Zone 8	470439	7080075	991	Soil	Moist/Dry	Tan/Brown	clay/silt	26	B	3	8			Quartz Frag.
AUX0103582	Aurex	9/15/2011	DS	NAD 83, Zone 8	470438	7080051	993	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0103583	Aurex	9/15/2011	DS	NAD 83, Zone 8	470438	7080027	993	Soil	Moist	Tan/Brown	clay/silt	30	B	3	3			
AUX0103584	Aurex	9/15/2011	DS	NAD 83, Zone 8	470439	7080001	998	Soil	Moist	Tan/Brown	clay/silt	26	B	3	6			
AUX0103585	Aurex	9/15/2011	DS	NAD 83, Zone 8	470437	7079976	1004	Soil	Moist	Tan/Brown	clay/silt	28	B	3	3			
AUX0103586	Aurex	9/15/2011	DS	NAD 83, Zone 8	470439	7079952	1010	Soil	Moist	Grey/Green	clay/silt	38	B	3	3			
AUX0103587	Aurex	9/15/2011	DS	NAD 83, Zone 8	470439	7079926	1009	Soil	Moist	Tan/Grey	clay/silt	32	B	3	3			
AUX0103588	Aurex	9/15/2011	DS	NAD 83, Zone 8	470437	7079901	1006	Soil	Moist	Tan/Brown	clay/silt	30	B	3	8			Quartz Frag.
AUX0103589	Aurex	9/15/2011	DS	NAD 83, Zone 8	470439	7079876	1010	Soil	Moist	Tan/Brown	clay/silt	28	B	3	6			
AUX0103590	Aurex	9/15/2011	DS	NAD 83, Zone 8	470439	7079851	1011	Soil	Moist	Tan/Grey	clay/silt	36	B	3	5			Mica
AUX0103591	Aurex	9/15/2011	DS	NAD 83, Zone 8	470437	7079826	1012	Soil	Moist/Dry	Tan	clay/silt	30	B	3	5			
AUX0103592	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080876	898	Soil	Moist	Grey	clay/silt	35	B	3	7			
AUX0103593	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080851	903	Soil	Moist	Grey/Black	clay/silt	32	B	3	7			
AUX0103594	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080826	907	Soil	Moist	Grey/Black	clay/silt	50	B	6	3			
AUX0103595	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080802	907	Soil	Moist	Grey	clay/silt	45	B	6	6			
AUX0103596	Aurex	9/16/2011	DS	NAD 83, Zone 8	470538	7080776	911	Soil	Moist	Grey	clay/silt	32	B	6	5			Mica
AUX0103597	Aurex	9/16/2011	DS	NAD 83, Zone 8	470537	7080751	911	Soil	Moist	Grey	clay/silt	30	B	3	8			
AUX0103598	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080725	912	Soil	Moist	Grey	clay/silt	34	B	6	7			Mica
AUX0103599	Aurex	9/16/2011	DS	NAD 83, Zone 8	470540	7080700	911	Soil	Moist	Grey/Black	clay/silt	33	B	5	3			
AUX0103600	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080701	911	Soil	Moist	Grey/Black	clay/silt	33	B	5	3			
AUX0103601	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7079849	997	Soil	Moist	brn/gry	clay/silt	48	B	3	3			
AUX0103602	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7079823	1007	Soil	Moist	Org/Tan/gry	clay/silt	33	B	3	3			
AUX0103603	Aurex	9/15/2011	ER/GS	NAD 83, Zone 8	470638	7079798	1010	Soil	Moist	org/tan	clay/silt	32	B	3	3			
AUX0103604	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080899	909	Soil	Semi-Sat	Brw/tan	clay/silt	55	B	7	20			
AUX0103605	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470739	7080872	906	Soil	Moist	gry/brw	clay/silt	63	B	50	15			
AUX0103606	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080850	905	Soil	Moist	gry	clay/silt	40	B	13	20			
AUX0103607	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080826	901	Soil	Moist	gry	clay/silt	50	B	12	30			
AUX0103608	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080800	900	Soil	Moist	gry	clay/silt	60	B	10	Tr			
AUX0103609	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080775	902	Soil	Moist	gry	clay/silt	40	B	5	50			micatious mud from phyillte
AUX0103610	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080752	906	Soil	Moist	gry	clay/silt	45	B	5	50			micatious mud from phyillte
AUX0103611	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470739	7080724	910	Soil	Moist	Brw/tan	clay/silt	38	B	5	50			micatious mud from phyillte

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103612	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080701	916	Soil	Moist	Brw/tan	clay/silt	34	B	15	20			
AUX0103613	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470739	7080676	926	Soil	Moist	tan	clay/silt	35	B	10	Tr			
AUX0103614	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470741	7080650	931	Soil	Moist	tan	clay/silt	40	B	15	20			
AUX0103615	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080624	937	Soil	Moist	gry/tan	clay/silt	33	B	10	3			
AUX0103616	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080599	946	Soil	dry	gry/tan	clay/silt	36	B	10	20			
AUX0103617	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080575	951	Soil	Moist	gry/tan	clay/silt	40	B	109	5			
AUX0103618	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080549	954	Soil	dry	gry	clay/silt	30	B	10	20			
AUX0103619	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080525	959	Soil	dry	red/tan	clay/silt	32	B	8	25			
AUX0103620	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080500	964	Soil	dry	tan	clay/silt	33	B	12	35			
AUX0103621	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080474	969	Soil	dry	tan/gry	clay/silt	31	B	7	20			
AUX0103622	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080449	972	Soil	dry	gry/tan	clay/silt	32	B	4	4			
AUX0103623	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080425	972	Soil	dry	gry/tan	clay/silt	33	B	3	47			
AUX0103624	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080395	976	Soil	Moist	gry	clay/silt	32	B	3	20			
AUX0103625	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080399	977	Soil	Moist	gry	clay/silt	32	B	5	20			
AUX0103626	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080374	979	Soil	Moist	gry	clay/silt	33	B	5	10			
AUX0103627	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470740	7080350	980	Soil	dry	gry/tan	clay/silt	31	B	3	15			
AUX0103628	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080326	981	Soil	dry	org/tan	clay/silt	31	B	5	70			
AUX0103629	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080300	981	Soil	dry	gry/tan	clay/silt	30	B	3	3			
AUX0103630	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080275	986	Soil	Moist	org/tan	clay/silt	34	B	10	5			
AUX0103631	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080254	986	Soil	Moist	gry/org	clay/silt	31	B	5	Tr			
AUX0103632	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080226	988	Soil	dry	org/tan	clay/silt	34	B	5	8			
AUX0103633	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080198	992	Soil	dry	org/tan	clay/silt	30	B	8	3			
AUX0103634	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470739	7080175	994	Soil	dry	org/tan	clay/silt	33	B	7	5			
AUX0103635	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080152	993	Soil	Moist	gry/tan	clay/silt	33	B	3	17			
AUX0103636	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080125	994	Soil	Moist	gry/tan	clay/silt	32	B	10	15			
AUX0103637	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470735	7080099	997	Soil	Moist	org/tan	clay/silt	30	B	3	45			
AUX0103638	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7080076	997	Soil	Moist	org/tan	clay/silt	30	B	3	5			
AUX0103639	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470739	7080050	991	Soil	dry	org/tan	clay/silt	28	B	2	75			
AUX0103640	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7080025	991	Soil	dry	org/tan	clay/silt	29	B	3	Tr			
AUX0103641	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079999	988	Soil	dry	tan	clay/silt	30	B	10	20			
AUX0103642	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079974	991	Soil	Moist	brw/gry	clay/silt	35	B	20	3			
AUX0103643	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470739	7079950	989	Soil	Moist	brw/tan	clay/silt	33	B	10	12			
AUX0103644	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079926	992	Soil	Moist	tan	clay/silt	34	B	20	Tr			
AUX0103645	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7079899	992	Soil	Moist	brw/tan	clay/silt	33	B	7	5			
AUX0103646	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079870	994	Soil	Moist	tan	clay/silt	32	B	3	20			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103647	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079850	997	Soil	Moist	brw/gry	clay/silt	50	B	15	28			
AUX0103648	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470738	7079827	997	Soil	Moist	gry/tan	clay/silt	45	B	10	23			
AUX0103649	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470736	7079802	1006	Soil	Moist	brw/tan	clay/silt	45	B	5	20			
AUX0103650	Aurex	9/16/2011	GSER	NAD 83, Zone 8	470737	7079802	1009	Soil	Moist	brw/tan	clay/silt	45	B	5	20			
AUX0103651	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080676	911	Soil	Moist	Tan/Brown	clay/silt	30	B	3	6			Perma
AUX0103652	Aurex	9/16/2011	DS	NAD 83, Zone 8	470537	7080651	910	Soil	Moist	Grey/Black	clay/silt	28	B	3	6			
AUX0103653	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080626	913	Soil	Moist	Grey	clay/silt	30	B	3	6			
AUX0103654	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080600	918	Soil	Moist	Grey/Tan	clay/silt	35	B	5	4			Mica
AUX0103655	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080576	921	Soil	Moist	Tan/Brown	clay/silt	26	B	4	4			
AUX0103656	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080551	924	Soil	Moist	Brown/Tan	clay/silt	35	B	4	4			
AUX0103657	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080526	928	Soil	Moist/Dry	Tan/Brown	clay/silt	32	B	3	3			
AUX0103658	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080501	930	Soil	Moist	Grey	clay/silt	36	B	3	7			Mica
AUX0103659	Aurex	9/16/2011	DS	NAD 83, Zone 8	470537	7080476	931	Soil	Moist	Grey	clay/silt	32	B	3	6			Mica
AUX0103660	Aurex	9/16/2011	DS	NAD 83, Zone 8	470538	7080451	934	Soil	Moist	Grey	clay/silt	32	B	3	7			Mica
AUX0103661	Aurex	9/16/2011	DS	NAD 83, Zone 8	470537	7080427	935	Soil	Moist	Tan/Grey	clay/silt	35	B	3	7			
AUX0103662	Aurex	9/16/2011	DS	NAD 83, Zone 8	470538	7080401	937	Soil	Moist	Tan/Grey	clay/silt	36	B	4	4			
AUX0103663	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080375	940	Soil	Moist	Grey	clay/silt	40	B	3	8			
AUX0103664	Aurex	9/16/2011	DS	NAD 83, Zone 8	470539	7080352	939	Soil	Moist	Grey	clay/silt	35	B	3	3			
AUX0103665	Aurex	9/16/2011	DS	NAD 83, Zone 8	470534	7080325	942	Soil	Moist	Grey	clay/silt	38	B	5	5			Adj. To stream
AUX0103666	Aurex	9/16/2011	DS	NAD 83, Zone 8	470536	7080300	947	Soil	Moist	Grey	clay/silt	35	B	6	3			
AUX0103667	Aurex	9/16/2011	DS	NAD 83, Zone 8	470538	7080275	948	Soil	Moist	Tan	clay/silt	30	B	6	3			
AUX0103668	Aurex	9/16/2011	RP	NAD 83, Zone 8	470538	7080251	942	Soil	Moist	Grey/Brown	clay/silt	29	B	3	3			
AUX0103669	Aurex	9/16/2011	RP	NAD 83, Zone 8	470538	7080226	947	Soil	Saturated	Tan/Grey	clay/silt	30	B	3	4			
AUX0103670	Aurex	9/16/2011	RP	NAD 83, Zone 8	470535	7080201	949	Soil	Moist	Tan/Brown	clay/silt	32	B	3	9			
AUX0103671	Aurex	9/16/2011	RP	NAD 83, Zone 8	470539	7080175	954	Soil	Moist	Tan/Brown	clay/silt	38	B	4	3			
AUX0103672	Aurex	9/16/2011	RP	NAD 83, Zone 8	470534	7080151	958	Soil	Moist	Tan	clay/silt	30	B	3	9			
AUX0103673	Aurex	9/16/2011	RP	NAD 83, Zone 8	470540	7080127	961	Soil	Moist	Tan	clay/silt	32	B	4	6			
AUX0103674	Aurex	9/16/2011	RP	NAD 83, Zone 8	470539	7080101	963	Soil	Moist	Tan/Grey	clay/silt	28	B	4	4			
AUX0103675	Aurex	9/16/2011	RP	NAD 83, Zone 8	470539	7080101	963	Soil	Moist	Tan/Grey	clay/silt	28	B	4	4			
AUX0103676	Aurex	9/16/2011	RP	NAD 83, Zone 8	470538	7080075	966	Soil	Moist	Grey	clay/silt	30	B	3	10			
AUX0103677	Aurex	9/16/2011	RP	NAD 83, Zone 8	470539	7080052	969	Soil	Moist	Tan/Brown	clay/silt	32	B	3	8			Quartz Frag.
AUX0103678	Aurex	9/16/2011	RP	NAD 83, Zone 8	470541	7080027	972	Soil	Moist	Tan	clay/silt	30	B	3	8			Mica
AUX0103679	Aurex	9/16/2011	RP	NAD 83, Zone 8	470539	7080002	977	Soil	Moist	Tan/Brown	clay/silt	30	B	3	7			Mica & Quartz Frag.
AUX0103680	Aurex	9/16/2011	RP	NAD 83, Zone 8	470539	7079975	984	Soil	Moist	Tan	clay/silt	30	B	3	4			
AUX0103681	Aurex	9/16/2011	RP	NAD 83, Zone 8	470539	7079950	991	Soil	Moist	Tan/Brown	clay/silt	32	B	3	3			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103682	Aurex	9/16/2011	RP	NAD 83, Zone 8	470539	7079925	998	Soil	Moist	Tan	clay/silt	30	B	3	4			
AUX0103683	Aurex	9/16/2011	RP	NAD 83, Zone 8	470539	7079902	1000	Soil	Moist	Tan	clay/silt	33	B	3	3			
AUX0103684	Aurex	9/16/2011	RP	NAD 83, Zone 8	470536	7079878	1003	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0103685	Aurex	9/16/2011	RP	NAD 83, Zone 8	470537	7079853	1006	Soil	Moist	Tan	clay/silt	34	B	5	3			
AUX0103686	Aurex	9/16/2011	RP	NAD 83, Zone 8	470537	7079827	1012	Soil	Moist	Tan/Brown	clay/silt	32	B	3	6			
AUX0103687	Aurex	9/17/2011	LB	NAD 83, Zone 8	470840	7080901	931	Soil	Moist	Tan-brown	clay/silt	37	B	tr	4			
AUX0103688	Aurex	9/17/2011	LB	NAD 83, Zone 8	470835	7080878	927	Soil	Moist	Tan-brown	clay/silt	40	B	tr	2			
AUX0103689	Aurex	9/17/2011	LB	NAD 83, Zone 8	470839	7080850	926	Soil	Moist	Tan-grey	clay/silt	30	B	2	12			
AUX0103690	Aurex	9/17/2011	LB	NAD 83, Zone 8	470841	7080826	924	Soil	Moist	Tan-grey	clay/silt	28	B	2	12			
AUX0103691	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080801	921	Soil	Moist	Grey-brown	clay/silt	28	B	4	4			
AUX0103692	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080774	916	Soil	Moist	Tan-grey	clay/silt	35	B	1	13			
AUX0103693	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7080751	911	Soil	Moist	Tan-grey	clay/silt	35	B	1	8			
AUX0103694	Aurex	9/17/2011	LB	NAD 83, Zone 8	470839	7080728	913	Soil	Moist	Dark grey	clay/silt	45	B	2	tr			
AUX0103695	Aurex	9/17/2011	LB	NAD 83, Zone 8	470839	7080697	915	Soil	Saturated	Grey	clay/silt	45	B	tr	20			
AUX0103696	Aurex	9/17/2011	LB	NAD 83, Zone 8	470840	7080677	913	Soil	Moist	Grey	clay/silt	57	B	tr	tr			
AUX0103697	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080649	914	Soil	Moist	Tan-brown	clay/silt	55	B	tr	2			
AUX0103698	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080624	921	Soil	Moist	Grey-brown	clay/silt	50	B	tr	3			
AUX0103699	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080601	925	Soil	Moist	Tan-grey	clay/silt	32	B	2	15			
AUX0103700	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7080601	926	Soil	Moist	Tan-grey	clay/silt	32	B	2	15			
AUX0103701	Aurex	9/17/2011	LB	NAD 83, Zone 8	470841	7080575	932	Soil	Moist	Brown	clay/silt	32	B	3	1			
AUX0103702	Aurex	9/17/2011	LB	NAD 83, Zone 8	470840	7080551	939	Soil	Moist	Tan-brown	clay/silt	33	B	tr	2			
AUX0103703	Aurex	9/17/2011	LB	NAD 83, Zone 8	470839	7080526	945	Soil	Moist	Tan	clay/silt	34	B	tr	1			
AUX0103704	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080502	947	Soil	Moist	Tan-brown	clay/silt	33	B	tr	tr			
AUX0103705	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7080477	951	Soil	Moist	Brown	clay/silt	35	B	2	2			
AUX0103706	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7080450	956	Soil	Moist	Tan-brown	clay/silt	32	B	tr	tr			
AUX0103707	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080426	960	Soil	Dry	Tan-brown	clay/silt	28	B	3	4			
AUX0103708	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7080404	970	Soil	Moist	Tan-brown	clay/silt	38	B	1	tr			
AUX0103709	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7080376	971	Soil	Moist	Tan-brown	clay/silt	33	B	tr	5			
AUX0103710	Aurex	9/17/2011	LB	NAD 83, Zone 8	470839	7080353	973	Soil	Moist	Tan-brown	clay/silt	34	B	tr	1			
AUX0103711	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7080326	974	Soil	Moist	Tan-brown	clay/silt	35	B	tr	tr			
AUX0103712	Aurex	9/17/2011	LB	NAD 83, Zone 8	470839	7080300	979	Soil	Moist	Tan-brown	clay/silt	48	B	tr	tr			
AUX0103713	Aurex	9/17/2011	LB	NAD 83, Zone 8	470839	7080274	980	Soil	Moist	Tan-brown	clay/silt	33	B	tr	1			
AUX0103714	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080250	981	Soil	Moist	Tan	clay/silt	32	B	1	3			
AUX0103715	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080227	984	Soil	Moist	Tan-brown	clay/silt	30	B	tr	2			
AUX0103716	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080200	985	Soil	Moist	Tan-brown	clay/silt	30	B	tr	1			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103717	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080176	991	Soil	Moist	Tan	clay/silt	35	B	tr	1			
AUX0103718	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080149	994	Soil	Dry-moist	Tan-brown	clay/silt	30	B	1	3			
AUX0103719	Aurex	9/17/2011	LB	NAD 83, Zone 8	470836	7080124	997	Soil	Dry	Tan	clay/silt	29	B	1	5			
AUX0103720	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7080102	999	Soil	Moist	Tan	clay/silt	31	B	tr	1			
AUX0103721	Aurex	9/17/2011	LB	NAD 83, Zone 8	470836	7080074	1002	Soil	Dry	Tan	clay/silt	32	B	1	2			
AUX0103722	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080051	1003	Soil	Dry-moist	Tan-orange	clay/silt	32	B	tr	7			
AUX0103723	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080026	1004	Soil	Moist	Tan-brown	clay/silt	30	B	tr	2			
AUX0103724	Aurex	9/17/2011	LB	NAD 83, Zone 8	470836	7080001	1006	Soil	Moist	Tan-brown	clay/silt	32	B	1	tr			
AUX0103725	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7080002	1006	Soil	Moist	Tan-brown	clay/silt	32	B	1	tr			
AUX0103726	Aurex	9/17/2011	LB	NAD 83, Zone 8	470836	7079976	1007	Soil	Moist	Tan-brown	clay/silt	33	B	tr	1			
AUX0103727	Aurex	9/17/2011	LB	NAD 83, Zone 8	470839	7079951	1009	Soil	Moist	Tan-brown	clay/silt	30	B	1	1			
AUX0103728	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7079928	1011	Soil	Dry-moist	Tan-brown	clay/silt	33	B	2	3			
AUX0103729	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7079900	1012	Soil	Moist	Tan-grey	clay/silt	48	B	2	2			
AUX0103730	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7079876	1017	Soil	Moist	Grey-brown	clay/silt	40	B	tr	2			
AUX0103731	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7079852	1020	Soil	Dry-moist	Tan-brown	clay/silt	33	B	3	3			
AUX0103732	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7079826	1021	Soil	Dry-moist	Tan	clay/silt	33	B	1	5			
AUX0103733	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7079801	1022	Soil	Dry-moist	Tan-brown	clay/silt	30	B	5	5			
AUX0103734	Aurex	9/17/2011	LB	NAD 83, Zone 8	470841	7079775	1024	Soil	Dry-moist	Tan-brown	clay/silt	30	B	3	3			
AUX0103735	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7079751	1022	Soil	Dry-moist	Tan-brown	clay/silt	30	B	1	5			
AUX0103736	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7079723	1021	Soil	Moist	Tan-brown	clay/silt	33	B	2	1			
AUX0103737	Aurex	9/17/2011	LB	NAD 83, Zone 8	470839	7079700	1022	Soil	Moist	Grey	clay/silt	30	B	3	1			
AUX0103738	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7079673	1019	Soil	Moist	Tan-brown	clay/silt	50	B	tr	2			
AUX0103739	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7079653	1018	Soil	Moist	Tan-brown	clay/silt	33	B	5	2			
AUX0103740	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7079625	1018	Soil	Moist	Grey	clay/silt	40	B	1	2			
AUX0103741	Aurex	9/17/2011	LB	NAD 83, Zone 8	470836	7079603	1016	Soil	Moist	Grey	clay/silt	45	B	8	3			
AUX0103742	Aurex	9/17/2011	LB	NAD 83, Zone 8	470839	7079575	1017	Soil	Saturated	Tan-grey	clay/silt	53	B	9	2			
AUX0103743	Aurex	9/17/2011	LB	NAD 83, Zone 8	470836	7079548	1019	Soil	Saturated	Tan	clay/silt	60	B	2	5			
AUX0103744	Aurex	9/17/2011	LB	NAD 83, Zone 8	470841	7079527	1018	Soil	Saturated	Tan-grey	clay/silt	48	B	4	tr			
AUX0103745	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7079501	1018	Soil	Moist	Brown	clay/silt	55	B	6	tr			
AUX0103746	Aurex	9/17/2011	LB	NAD 83, Zone 8	470839	7079478	1019	Soil	Moist	Grey-brown	clay/silt	55	B	8	tr			
AUX0103747	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7079447	1022	Soil	Saturated	Brown	clay/silt	62	B	tr	6			
AUX0103748	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7079426	1023	Soil	Moist	Tan-brown	clay/silt	45	B	3	3			
AUX0103749	Aurex	9/17/2011	LB	NAD 83, Zone 8	470837	7079405	1025	Soil	Moist	Tan-brown	clay/silt	29	B	3	2			
AUX0103750	Aurex	9/17/2011	LB	NAD 83, Zone 8	470838	7079403	1025	Soil	Moist	Tan-brown	clay/silt	29	B	3	2			
AUX0103751	Aurex	9/17/2011	DS	NAD 83, Zone 8	470938	7080677	924	Soil	Moist	Grey/Tan	clay/silt	30	B	3	5			Mica

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103752	Aurex	9/17/2011	DS	NAD 83, Zone 8	470937	7080652	920	Soil	Moist	Grey/Brown	clay/silt	35	B	3	3			
AUX0103753	Aurex	9/17/2011	DS	NAD 83, Zone 8	470937	7080624	916	Soil	Moist	Grey/Brown	clay/silt	30	B	5	3			
AUX0103754	Aurex	9/17/2011	DS	NAD 83, Zone 8	470939	7080601	914	Soil	Saturated	Grey	clay/silt	35	B	3	3			
AUX0103755	Aurex	9/17/2011	DS	NAD 83, Zone 8	470937	7080576	917	Soil	Moist	Tan/Grey	clay/silt	35	B	3	8			Quartz Frag.
AUX0103756	Aurex	9/17/2011	DS	NAD 83, Zone 8	470938	7080553	921	Soil	Moist	Grey/Green	clay/silt	30	B	3	10			
AUX0103757	Aurex	9/17/2011	DS	NAD 83, Zone 8	470937	7080526	928	Soil	Moist	Grey/Green	clay/silt	34	B	3	7			Quartz Frag.
AUX0103758	Aurex	9/17/2011	DS	NAD 83, Zone 8	470939	7080500	933	Soil	Moist	Grey/Tan	clay/silt	30	B	4	5			
AUX0103759	Aurex	9/17/2011	DS	NAD 83, Zone 8	470937	7080476	936	Soil	Moist	Grey/Tan	clay/silt	24	B	5	5			
AUX0103760	Aurex	9/17/2011	DS	NAD 83, Zone 8	470939	7080451	942	Soil	Moist	Tan/Grey	clay/silt	30	B	6	4			
AUX0103761	Aurex	9/17/2011	DS	NAD 83, Zone 8	470940	7080426	947	Soil	Moist	Grey/Brown	clay/silt	28	B	3	8			Quartz Frag. & Mica
AUX0103762	Aurex	9/17/2011	DS	NAD 83, Zone 8	470937	7080401	955	Soil	Moist	Tan/Grey	clay/silt	30	B	3	8			Quartz Frag.
AUX0103763	Aurex	9/17/2011	DS	NAD 83, Zone 8	470938	7080376	957	Soil	Moist	Tan/Brown	clay/silt	30	B	3	4			
AUX0103764	Aurex	9/17/2011	DS	NAD 83, Zone 8	470937	7080351	960	Soil	Dry	Tan/Brown	clay/silt	30	B	3	3			
AUX0103765	Aurex	9/17/2011	DS	NAD 83, Zone 8	470940	7080325	963	Soil	Moist/Dry	Tan/Brown	clay/silt	30	B	3	3			
AUX0103766	Aurex	9/17/2011	DS	NAD 83, Zone 8	470939	7080301	965	Soil	Dry	Tan	clay/silt	35	B	4	9			
AUX0103767	Aurex	9/17/2011	DS	NAD 83, Zone 8	470940	7080276	967	Soil	Dry	Tan	clay/silt	26	B	3	7			
AUX0103768	Aurex	9/17/2011	DS	NAD 83, Zone 8	470937	7080251	970	Soil	Moist	Tan/Brown	clay/silt	28	B	5	3			
AUX0103769	Aurex	9/17/2011	DS	NAD 83, Zone 8	470939	7080227	974	Soil	Moist	Grey	clay/silt	30	B	3	4			
AUX0103770	Aurex	9/17/2011	DS	NAD 83, Zone 8	470939	7080201	977	Soil	Moist	Grey/Brown	clay/silt	38	B	3	3			
AUX0103771	Aurex	9/17/2011	DS	NAD 83, Zone 8	470938	7080177	981	Soil	Moist	Grey	clay/silt	24	B	3	8			
AUX0103772	Aurex	9/17/2011	RP	NAD 83, Zone 8	470936	7080151	991	Soil	Moist	Tan	clay/silt	32	B	4	5			Quartz Frag.
AUX0103773	Aurex	9/17/2011	RP	NAD 83, Zone 8	470938	7080126	993	Soil	Moist	Tan/Grey	clay/silt	30	B	3	7			
AUX0103774	Aurex	9/17/2011	RP	NAD 83, Zone 8	470936	7080101	996	Soil	Moist	Tan/Grey	clay/silt	32	B	3	4			
AUX0103775	Aurex	9/17/2011	RP	NAD 83, Zone 8	470937	7080101	996	Soil	Moist	Tan/Grey	clay/silt	32	B	3	4			
AUX0103776	Aurex	9/17/2011	RP	NAD 83, Zone 8	470940	7080077	998	Soil	Moist	Tan/Grey	clay/silt	29	B	4	4			
AUX0103777	Aurex	9/17/2011	RP	NAD 83, Zone 8	470940	7080050	1001	Soil	Moist	Tan/Brown	clay/silt	32	B	5	4			
AUX0103778	Aurex	9/17/2011	RP	NAD 83, Zone 8	470937	7080026	1004	Soil	Moist	Brown/Grey	clay/silt	28	B	4	4			
AUX0103779	Aurex	9/17/2011	RP	NAD 83, Zone 8	470938	7080000	1008	Soil	Moist	Tan	clay/silt	30	B	6	4			
AUX0103780	Aurex	9/17/2011	RP	NAD 83, Zone 8	470935	7079975	1011	Soil	Moist	Tan/Brown	clay/silt	33	B	4	4			
AUX0103781	Aurex	9/17/2011	RP	NAD 83, Zone 8	470938	7079950	1015	Soil	Moist	Tan/Brown	clay/silt	36	B	5	3			
AUX0103782	Aurex	9/17/2011	RP	NAD 83, Zone 8	470936	7079926	1017	Soil	Moist	Tan	clay/silt	32	B	3	5			
AUX0103783	Aurex	9/17/2011	RP	NAD 83, Zone 8	470938	7079901	1019	Soil	Moist	Tan	clay/silt	28	B	3	3			
AUX0103784	Aurex	9/17/2011	RP	NAD 83, Zone 8	470935	7079876	1022	Soil	Moist	Tan/Brown	clay/silt	26	B	3	4			
AUX0103785	Aurex	9/17/2011	RP	NAD 83, Zone 8	470940	7079850	1024	Soil	Moist	Tan	clay/silt	30	B	4	4			
AUX0103786	Aurex	9/17/2011	RP	NAD 83, Zone 8	470939	7079826	1026	Soil	Moist	Grey	clay/silt	28	B	3	8			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103787	Aurex	9/17/2011	RP	NAD 83, Zone 8	470937	7079800	1028	Soil	Moist	Grey	clay/silt	26	B	3	4			
AUX0103788	Aurex	9/17/2011	RP	NAD 83, Zone 8	470938	7079776	1029	Soil	Moist	Grey/Tan	clay/silt	28	B	3	7			
AUX0103789	Aurex	9/17/2011	RP	NAD 83, Zone 8	470936	7079750	1026	Soil	Moist	Tan/Green	clay/silt	30	B	3	3			
AUX0103790	Aurex	9/17/2011	RP	NAD 83, Zone 8	470939	7079726	1029	Soil	Moist	Tan/Brown	clay/silt	32	B	3	5			Mica
AUX0103791	Aurex	9/17/2011	RP	NAD 83, Zone 8	470939	7079701	1027	Soil	Moist	Tan	clay/silt	26	B	3	3			
AUX0103792	Aurex	9/17/2011	RP	NAD 83, Zone 8	470938	7079677	1025	Soil	Moist	Tan	clay/silt	32	B	3	5			Mica
AUX0103793	Aurex	9/17/2011	RP	NAD 83, Zone 8	470939	7079651	1029	Soil	Moist	Grey/Tan	clay/silt	30	B	3	4			
AUX0103794	Aurex	9/17/2011	RP	NAD 83, Zone 8	470940	7079627	1027	Soil	Moist	Tan	clay/silt	26	B	3	8			Stony
AUX0103795	Aurex	9/17/2011	RP	NAD 83, Zone 8	470940	7079603	1024	Soil	Moist	Grey	clay/silt	26	B	3	6			
AUX0103796	Aurex	9/17/2011	RP	NAD 83, Zone 8	470940	7079576	1024	Soil	Moist	Tan/Grey	clay/silt	30	B	3	8			Mica
AUX0103797	Aurex	9/17/2011	RP	NAD 83, Zone 8	470941	7079552	1023	Soil	Moist	Grey	clay/silt	27	B	3	7			Mica
AUX0103798	Aurex	9/17/2011	RP	NAD 83, Zone 8	470937	7079529	1020	Soil	Moist	Grey/Tan	clay/silt	28	B	3	10			
AUX0103799	Aurex	9/17/2011	RP	NAD 83, Zone 8	470937	7079503	1022	Soil	Moist	Grey/Tan	clay/silt	30	B	3	7			
AUX0103800	Aurex	9/17/2011	RP	NAD 83, Zone 8	470939	7079501	1022	Soil	Moist	Grey/Tan	clay/silt	30	B	3	7			
AUX0103801	Aurex	9/17/2011	RP	NAD 83, Zone 8	470940	7079476	1021	Soil	Moist	Grey/Tan	clay/silt	28	B	3	4			
AUX0103802	Aurex	9/17/2011	RP	NAD 83, Zone 8	470938	7079451	1019	Soil	Moist	Grey	clay/silt	30	B	3	3			
AUX0103803	Aurex	9/17/2011	RP	NAD 83, Zone 8	470938	7079427	1021	Soil	Moist	Grey	clay/silt	35	B	3	4			
AUX0103804	Aurex	9/17/2011	RP	NAD 83, Zone 8	470941	7079399	1025	Soil	Moist	Tan/Grey	clay/silt	30	B	3	3			
AUX0103805	Aurex	9/18/2011	DS	NAD 83, Zone 8	471039	7080901	954	Soil	Dry	Tan	clay/silt	31	B	3	7			
AUX0103806	Aurex	9/18/2011	DS	NAD 83, Zone 8	471039	7080876	954	Soil	Dry	Tan/Brown	clay/silt	26	B	3	5			
AUX0103807	Aurex	9/18/2011	DS	NAD 83, Zone 8	471039	7080852	952	Soil	Moist	Tan	clay/silt	32	B	3	6			
AUX0103808	Aurex	9/18/2011	DS	NAD 83, Zone 8	471036	7080824	951	Soil	Dry	Tan/Brown	clay/silt	32	B	3	6			
AUX0103809	Aurex	9/18/2011	DS	NAD 83, Zone 8	471040	7080800	951	Soil	Moist	Tan/Brown	clay/silt	30	B	3	3			
AUX0103810	Aurex	9/18/2011	DS	NAD 83, Zone 8	471039	7080776	948	Soil	Dry	Tan	clay/silt	26	B	2	5			
AUX0103811	Aurex	9/18/2011	DS	NAD 83, Zone 8	471039	7080751	951	Soil	Dry	Tan/Brown	clay/silt	28	B	3	5			
AUX0103812	Aurex	9/18/2011	DS	NAD 83, Zone 8	471037	7080726	949	Soil	Moist	Brown/Tan	clay/silt	30	B	3	4			Quartz Frag.
AUX0103813	Aurex	9/18/2011	DS	NAD 83, Zone 8	471039	7080701	945	Soil	Moist	Brown	clay/silt	26	B	3	5			Quartz Frag.
AUX0103814	Aurex	9/18/2011	DS	NAD 83, Zone 8	471039	7080676	941	Soil	Dry	Tan/Brown	clay/silt	26	B	3	3			
AUX0103815	Aurex	9/18/2011	DS	NAD 83, Zone 8	471039	7080652	935	Soil	Dry	Tan	clay/silt	30	B	3	6			
AUX0103816	Aurex	9/18/2011	DS	NAD 83, Zone 8	471038	7080626	927	Soil	Moist	Tan	clay/silt	30	B	3	8			Mica
AUX0103817	Aurex	9/18/2011	DS	NAD 83, Zone 8	471038	7080600	927	Soil	Moist	Tan	clay/silt	32	B	4	9			MIca
AUX0103818	Aurex	9/18/2011	DS	NAD 83, Zone 8	471038	7080575	922	Soil	Moist	Grey	clay/silt	28	B	5	7			
AUX0103819	Aurex	9/18/2011	DS	NAD 83, Zone 8	471039	7080552	923	Soil	Moist	Tan/Grey	clay/silt	38	B	3	3			
AUX0103820	Aurex	9/18/2011	DS	NAD 83, Zone 8	471038	7080526	923	Soil	Moist	Grey/Brown	clay/silt	40	B	3	3			
AUX0103821	Aurex	9/18/2011	DS	NAD 83, Zone 8	471037	7080501	924	Soil	Moist	Grey/Brown	clay/silt	35	B	3	3			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103822	Aurex	9/18/2011	DS	NAD 83, Zone 8	471039	7080477	927	Soil	Moist	Grey/Brown	clay/silt	32	B	8	4			Perma
AUX0103823	Aurex	9/18/2011	DS	NAD 83, Zone 8	471039	7080452	929	Soil	Moist	Grey	clay/silt	35	B	5	7			
AUX0103824	Aurex	9/18/2011	RP	NAD 83, Zone 8	471037	7080430	928	Soil	Moist	Grey/Tan	clay/silt	28	B	4	8			
AUX0103825	Aurex	9/18/2011	RP	NAD 83, Zone 8	471036	7080430	928	Soil	Moist	Grey/Tan	clay/silt	28	B	4	8			Mica & Perma
AUX0103826	Aurex	9/18/2011	RP	NAD 83, Zone 8	471043	7080404	933	Soil	Moist	Brown	clay/silt	30	B	4	4			
AUX0103827	Aurex	9/18/2011	RP	NAD 83, Zone 8	471044	7080379	940	Soil	Moist	Brown	clay/silt	33	B	8	4			Brushy & Perma
AUX0103828	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7080351	953	Soil	Moist	Brown	clay/silt	34	B	8	4			
AUX0103829	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7080327	958	Soil	Moist	Grey/Tan	clay/silt	32	B	4	6			
AUX0103830	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7080299	964	Soil	Moist	Grey	clay/silt	27	B	4	4			
AUX0103831	Aurex	9/18/2011	RP	NAD 83, Zone 8	471041	7080275	965	Soil	Moist	Tan	clay/silt	30	B	4	8			
AUX0103832	Aurex	9/18/2011	RP	NAD 83, Zone 8	471035	7080251	969	Soil	Moist	Grey/Black	clay/silt	33	B	3	3			Perma
AUX0103833	Aurex	9/18/2011	RP	NAD 83, Zone 8	471036	7080226	976	Soil	Moist	Grey	clay/silt	30	B	4	7			
AUX0103834	Aurex	9/18/2011	RP	NAD 83, Zone 8	471036	7080202	978	Soil	Moist	Brown	clay/silt	34	B	4	4			
AUX0103835	Aurex	9/18/2011	RP	NAD 83, Zone 8	471040	7080179	984	Soil	Moist	Grey/Black	clay/silt	30	B	3	6			
AUX0103836	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7080151	990	Soil	Moist	Grey/Tan	clay/silt	36	B	3	3			
AUX0103837	Aurex	9/18/2011	RP	NAD 83, Zone 8	471040	7080126	991	Soil	Moist	Grey	clay/silt	30	B	4	5			Mica
AUX0103838	Aurex	9/18/2011	RP	NAD 83, Zone 8	471039	7080103	995	Soil	Moist	Grey	clay/silt	38	B	3	7			
AUX0103839	Aurex	9/18/2011	RP	NAD 83, Zone 8	471040	7080077	1000	Soil	Moist	Grey	clay/silt	45	B	8	4			
AUX0103840	Aurex	9/18/2011	RP	NAD 83, Zone 8	471039	7080051	1003	Soil	Saturated	Tan/Grey	clay/silt	35	B	5	8			
AUX0103841	Aurex	9/18/2011	RP	NAD 83, Zone 8	471036	7080026	1004	Soil	Moist	Grey/Tan	clay/silt	32	B	4	3			
AUX0103842	Aurex	9/18/2011	RP	NAD 83, Zone 8	471036	7080001	1008	Soil	Moist	Grey	clay/silt	30	B	3	7			
AUX0103843	Aurex	9/18/2011	RP	NAD 83, Zone 8	471042	7079978	1011	Soil	Moist	Tan/Grey	clay/silt	35	B	3	5			
AUX0103844	Aurex	9/18/2011	RP	NAD 83, Zone 8	471034	7079952	1014	Soil	Moist	Grey	clay/silt	28	B	3	7			
AUX0103845	Aurex	9/18/2011	RP	NAD 83, Zone 8	471039	7079925	1016	Soil	Moist	Grey	clay/silt	32	B	8	4			
AUX0103846	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7079901	1020	Soil	Moist	Tan/Grey	clay/silt	30	B	4	6			
AUX0103847	Aurex	9/18/2011	RP	NAD 83, Zone 8	471037	7079875	1021	Soil	Moist/Dry	Tan	clay/silt	26	B	3	6			
AUX0103848	Aurex	9/18/2011	RP	NAD 83, Zone 8	471039	7079850	1024	Soil	Moist	Tan	clay/silt	28	B	2	4			
AUX0103849	Aurex	9/18/2011	RP	NAD 83, Zone 8	471039	7079826	1026	Soil	Moist	Tan	clay/silt	35	B	2	6			
AUX0103850	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7079826	1027	Soil	Moist	Tan	clay/silt	35	B	2	6			
AUX0103851	Aurex	9/18/2011	RP	NAD 83, Zone 8	471039	7079801	1027	Soil	Moist/Dry	Tan	clay/silt	28	B	2	7			
AUX0103852	Aurex	9/18/2011	RP	NAD 83, Zone 8	471040	7079776	1029	Soil	Moist	Tan	clay/silt	25	B	2	3			
AUX0103853	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7079751	1029	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0103854	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7079726	1030	Soil	Moist	Tan	clay/silt	32	B	3	5			
AUX0103855	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7079701	1028	Soil	Moist/Dry	Tan	clay/silt	26	B	4	4			
AUX0103856	Aurex	9/18/2011	RP	NAD 83, Zone 8	471039	7079675	1028	Soil	Moist	Tan	clay/silt	27	B	3	6			Mica

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103857	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7079653	1028	Soil	Moist	Tan/Grey	clay/silt	30	B	4	7			
AUX0103858	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7079625	1029	Soil	Moist	Tan/Grey	clay/silt	36	B	3	6			
AUX0103859	Aurex	9/18/2011	RP	NAD 83, Zone 8	471041	7079600	1029	Soil	Moist	Tan/Brown	clay/silt	32	B	4	4			
AUX0103860	Aurex	9/18/2011	RP	NAD 83, Zone 8	471036	7079576	1028	Soil	Moist	Tan/Brown	clay/silt	32	B	4	4			
AUX0103861	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7079550	1030	Soil	Moist	Tan/Brown	clay/silt	28	B	3	5			
AUX0103862	Aurex	9/18/2011	RP	NAD 83, Zone 8	471037	7079526	1029	Soil	Moist	Tan	clay/silt	26	B	3	7			
AUX0103863	Aurex	9/18/2011	RP	NAD 83, Zone 8	471037	7079501	1029	Soil	Moist	Tan	clay/silt	28	B	4	5			
AUX0103864	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7079476	1028	Soil	Moist	Tan/Grey	clay/silt	26	B	4	4			Mica
AUX0103865	Aurex	9/18/2011	RP	NAD 83, Zone 8	471038	7079451	1031	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0103866	Aurex	9/18/2011	RP	NAD 83, Zone 8	471039	7079426	1031	Soil	Moist	Grey/Tan	clay/silt	30	B	3	3			
AUX0103867	Aurex	9/18/2011	RP	NAD 83, Zone 8	471040	7079402	1031	Soil	Moist	Grey/Tan	clay/silt	28	B	3	3			
AUX0103868	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7080902	956	Soil	Moist	Tan-brown	clay-silt	35	B	tr	tr			
AUX0103869	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7080877	958	Soil	Moist	Tan-brown	clay-silt	36	B	tr	tr			
AUX0103870	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7080850	961	Soil	Moist	Tan-brown	clay-silt	35	B	tr	tr			
AUX0103871	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7080826	973	Soil	Moist	Tan-brown	clay-silt	33	B	tr	tr			
AUX0103872	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7080802	971	Soil	Moist	Tan-brown	clay-silt	33	B	tr	tr			
AUX0103873	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7080774	971	Soil	Moist	Tan-brown	clay-silt	32	B	tr	tr			
AUX0103874	Aurex	9/18/2011	LB	NAD 83, Zone 8	471135	7080751	960	Soil	Moist	Tan-brown	clay-silt	33	B	1	2			
AUX0103875	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7080750	963	Soil	Moist	Tan-brown	clay-silt	33	B	1	2			
AUX0103876	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7080726	963	Soil	Moist	Tan-brown	clay-silt	31	B	tr	2			
AUX0103877	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7080699	955	Soil	Moist	Tan-brown	clay-silt	31	B	tr	tr			
AUX0103878	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7080676	954	Soil	Dry	Tan-brown	clay-silt	32	B	tr	2			
AUX0103879	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7080651	949	Soil	Dry	Tan-brown	clay-silt	30	B	1	6			
AUX0103880	Aurex	9/18/2011	LB	NAD 83, Zone 8	471140	7080626	940	Soil	Dry	Tan-grey	clay-silt	35	B	3	3			
AUX0103881	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7080601	933	Soil	Moist	Tan-brown	clay-silt	32	B	tr	1			
AUX0103882	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7080578	924	Soil	Moist	Tan-brown	clay-silt	32	B	tr	2			
AUX0103883	Aurex	9/18/2011	LB	NAD 83, Zone 8	471140	7080552	922	Soil	Moist	Grey-tan	clay-silt	43	B	tr	9			permafrost
AUX0103884	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7080524	917	Soil	Moist	Grey-brown	clay-silt	68	B	tr	tr			
AUX0103885	Aurex	9/18/2011	LB	NAD 83, Zone 8	471140	7080502	919	Soil	Moist	Grey-brown	clay-silt	58	B	1	tr			
AUX0103886	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7080477	923	Soil	Moist	Grey	clay-silt	47	B	tr	tr			permafrost
AUX0103887	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7080451	928	Soil	Moist	Grey-brown	clay-silt	50	B	2	tr			permafrost
AUX0103888	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7080426	930	Soil	Saturated	Dark grey	clay-silt	62	B	1	6			smells like sulfur
AUX0103889	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7080398	934	Soil	Moist-saturated	Grey	clay-silt	43	B	tr	tr			smells like sulfur
AUX0103890	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7080376	936	Soil	Saturated	Brown	clay-silt	43	B	4	tr			
AUX0103891	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7080348	941	Soil	Saturated	Grey-brown	clay-silt	58	B	tr	tr			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103892	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7080326	948	Soil	Moist	Grey-brown	clay-silt	45	B	tr	tr			
AUX0103893	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7080298	958	Soil	Moist	Brown	clay-silt	45	B	tr	tr			
AUX0103894	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7080279	962	Soil	Moist	Brown	clay-silt	67	B	tr	tr			
AUX0103895	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7080251	968	Soil	Moist	Brown	clay-silt	55	B	tr	tr			permafrost
AUX0103896	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7080227	974	Soil	Moist	Brown	clay-silt	40	B	tr	tr			
AUX0103897	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7080199	980	Soil	Moist	Brown	clay-silt	50	B	tr	tr			
AUX0103898	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7080176	984	Soil	Moist	Grey	clay-silt	40	B	tr	tr			
AUX0103899	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7080150	985	Soil	Moist	Brown	clay-silt	35	B	tr	tr			
AUX0103900	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7080150	985	Soil	Moist	Brown	clay-silt	35	B	tr	tr			
AUX0103901	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7080126	988	Soil	Moist	Tan-grey	clay-silt	35	B	tr	1			small pieces of orange rock
AUX0103902	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7080100	990	Soil	Moist-saturated	Dark grey	clay-silt	60	B	tr	2			
AUX0103903	Aurex	9/18/2011	LB	NAD 83, Zone 8	471141	7080076	994	Soil	Moist-saturated	Brown-grey	clay-silt	60	B	tr	tr			
AUX0103904	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7080050	998	Soil	Saturated	Grey-brown	clay-silt	53	B	tr	2			
AUX0103905	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7080025	1003	Soil	Saturated	Tan	clay-silt	50	B	tr	1			
AUX0103906	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7079999	1005	Soil	Saturated	Tan-grey	clay-silt	40	B	tr	2			
AUX0103907	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7079975	1008	Soil	Saturated	Tan-brown	clay-silt	60	B	tr	2			permafrost
AUX0103908	Aurex	9/18/2011	LB	NAD 83, Zone 8	471140	7079951	1011	Soil	Moist	Tan-brown	clay-silt	48	B	tr	3			permafrost
AUX0103909	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7079927	1015	Soil	Moist	Tan-brown	clay-silt	33	B	tr	8			
AUX0103910	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7079899	1017	Soil	Moist	Tan-brown	clay-silt	27	B	tr	2			
AUX0103911	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7079877	1021	Soil	Moist	Tan-brown	clay-silt	28	B	tr	1			
AUX0103912	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7079851	1025	Soil	Moist	Tan-brown	clay-silt	29	B	1	1			
AUX0103913	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7079825	1026	Soil	Moist	Tan-brown	clay-silt	29	B	tr	2			
AUX0103914	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7079800	1029	Soil	Moist	Tan-brown	clay-silt	26	B	1	2			
AUX0103915	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7079777	1030	Soil	Moist	Tan-brown	clay-silt	28	B	1	3			
AUX0103916	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7079750	1030	Soil	Moist	Tan-brown	clay-silt	31	B	tr	2			
AUX0103917	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7079726	1030	Soil	Moist	Tan-brown	clay-silt	33	B	tr	tr			
AUX0103918	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7079699	1028	Soil	Moist	Tan-brown	clay-silt	34	B	tr	tr			
AUX0103919	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7079676	1031	Soil	Moist	Tan-brown	clay-silt	32	B	1	2			
AUX0103920	Aurex	9/18/2011	LB	NAD 83, Zone 8	471135	7079652	1028	Soil	Moist	Tan-brown	clay-silt	30	B	2	1			
AUX0103921	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7079627	1031	Soil	Moist	Tan-brown	clay-silt	34	B	tr	2			
AUX0103922	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7079600	1029	Soil	Moist	Tan-brown	clay-silt	32	B	tr	tr			
AUX0103923	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7079577	1033	Soil	Moist	Tan-brown	clay-silt	31	B	tr	tr			
AUX0103924	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7079550	1031	Soil	Dry	Tan-brown	clay-silt	30	B	1	2			
AUX0103925	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7079550	1031	Soil	Dry	Tan-brown	clay-silt	30	B	1	2			
AUX0103926	Aurex	9/18/2011	LB	NAD 83, Zone 8	471135	7079525	1033	Soil	Moist	Tan-brown	clay-silt	33	B	3	2			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103927	Aurex	9/18/2011	LB	NAD 83, Zone 8	471137	7079501	1035	Soil	Moist	Tan-brown	clay-silt	27	B	1	1			
AUX0103928	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7079476	1036	Soil	Moist	Tan-brown	clay-silt	32	B	2	4			
AUX0103929	Aurex	9/18/2011	LB	NAD 83, Zone 8	471138	7079450	1037	Soil	Moist	Tan-brown	clay-silt	35	B	1	tr			
AUX0103930	Aurex	9/18/2011	LB	NAD 83, Zone 8	471136	7079426	1037	Soil	Moist	Tan-brown	clay-silt	35	B	2	tr			
AUX0103931	Aurex	9/18/2011	LB	NAD 83, Zone 8	471139	7079403	1037	Soil	Moist	Brown	clay-silt	35	B	4	tr			
AUX0103932	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080903	964	Soil	Moist	Tan-brown	clay-silt	34	B	tr	tr			
AUX0103933	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7080878	963	Soil	Moist	Tan-brown	clay-silt	34	B	tr	tr			
AUX0103934	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7080850	961	Soil	Dry	Tan-brown	clay-silt	37	B	2	2			
AUX0103935	Aurex	9/19/2011	LB	NAD 83, Zone 8	471240	7080828	957	Soil	Moist	Tan-brown	clay-silt	30	B	tr	tr			
AUX0103936	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7080799	965	Soil	Moist	Tan-brown	clay-silt	30	B	tr	2			
AUX0103937	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080776	960	Soil	Moist	Tan-brown	clay-silt	31	B	tr	3			
AUX0103938	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080752	958	Soil	Dry	Tan-brown	clay-silt	35	B	tr	2			
AUX0103939	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7080727	961	Soil	Dry	Tan-brown	clay-silt	30	B	tr	tr			
AUX0103940	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7080701	958	Soil	Dry	Tan-brown	clay-silt	39	B	tr	tr			
AUX0103941	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7080676	960	Soil	Moist	Tan-brown	clay-silt	36	B	tr	tr			
AUX0103942	Aurex	9/19/2011	LB	NAD 83, Zone 8	471236	7080650	957	Soil	Dry	Tan-brown	clay-silt	32	B	2	7			
AUX0103943	Aurex	9/19/2011	LB	NAD 83, Zone 8	471235	7080626	945	Soil	Moist	Tan-brown	clay-silt	38	B	5	2			
AUX0103944	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7080601	940	Soil	Moist	Tan-brown	clay-silt	48	B	5	2			
AUX0103945	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080576	930	Soil	Moist	Tan-brown	clay-silt	45	B	tr	5			
AUX0103946	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7080549	926	Soil	Moist	Tan-brown	clay-silt	42	B	tr	12			
AUX0103947	Aurex	9/19/2011	LB	NAD 83, Zone 8	471235	7080525	924	Soil	Moist	Grey	clay-silt	40	B	tr	tr			
AUX0103948	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080503	927	Soil	Moist	Dark grey	clay-silt	38	B	tr	tr			
AUX0103949	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7080478	926	Soil	Saturated	Tan-grey	clay-silt	60	B	tr	tr			
AUX0103950	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7080478	926	Soil	Saturated	Tan-grey	clay-silt	60	B	tr	tr			
AUX0103951	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080449	926	Soil	Saturated	Dark grey	clay-silt	60	B	5	tr			
AUX0103952	Aurex	9/19/2011	LB	NAD 83, Zone 8	471241	7080426	929	Soil	Moist	Dark grey	clay-silt	38	B	2	tr			
AUX0103953	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080401	932	Soil	Moist	Dark grey	clay-silt	40	B	tr	1			
AUX0103954	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7080376	939	Soil	Saturated	Grey-brown	clay-silt	48	B	tr	tr			
AUX0103955	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080351	943	Soil	Saturated	Dark grey	clay-silt	64	B	4	1			permafrost
AUX0103956	Aurex	9/19/2011	LB	NAD 83, Zone 8	471236	7080327	957	Soil	Saturated	Dark grey	clay-silt	47	B	4	1			permafrost
AUX0103957	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7080299	952	Soil	Moist	Dark grey	clay-silt	57	B	tr	tr			permafrost
AUX0103958	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080278	957	Soil	Saturated	Grey-brown	clay-silt	51	B	3	tr			permafrost
AUX0103959	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7080250	965	Soil	Moist	Dark grey	clay-silt	44	B	tr	tr			
AUX0103960	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080227	970	Soil	Moist	Tan-brown	clay-silt	32	B	tr	2			
AUX0103961	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080202	974	Soil	Moist	Brown	clay-silt	38	B	1	1			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103962	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7080177	978	Soil	Moist	Grey-brown	clay-silt	36	B	tr	1			
AUX0103963	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080152	984	Soil	Moist	Grey-brown	clay-silt	37	B	tr	2			
AUX0103964	Aurex	9/19/2011	LB	NAD 83, Zone 8	471240	7080127	987	Soil	Moist	Grey-brown	clay-silt	38	B	tr	tr			
AUX0103965	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7080102	990	Soil	Moist	Grey-brown	clay-silt	52	B	tr	tr			
AUX0103966	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7080078	994	Soil	Moist	Tan-brown	clay-silt	32	B	tr	tr			
AUX0103967	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7080053	997	Soil	Moist	Tan-brown	clay-silt	35	B	tr	1			
AUX0103968	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7080027	1000	Soil	Moist	Tan-brown	clay-silt	33	B	tr	tr			
AUX0103969	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7080001	1005	Soil	Moist	Tan-brown	clay-silt	38	B	tr	1			
AUX0103970	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7079976	1009	Soil	Moist	Tan-brown	clay-silt	32	B	tr	2			
AUX0103971	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7079953	1013	Soil	Moist	Tan-brown	clay-silt	42	B	tr	4			
AUX0103972	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7079928	1016	Soil	Moist	Tan-brown	clay-silt	34	B	tr	5			
AUX0103973	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7079901	1018	Soil	Moist	Tan-brown	clay-silt	39	B	tr	1			
AUX0103974	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7079875	1023	Soil	Moist	Tan-brown	clay-silt	40	B	2	8			
AUX0103975	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7079876	1023	Soil	Moist	Tan-brown	clay-silt	40	B	2	8			
AUX0103976	Aurex	9/19/2011	LB	NAD 83, Zone 8	471236	7079852	1024	Soil	Moist	Tan-brown	clay-silt	34	B	tr	3			
AUX0103977	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7079825	1026	Soil	Moist	Tan-brown	clay-silt	30	B	1	2			
AUX0103978	Aurex	9/19/2011	LB	NAD 83, Zone 8	471236	7079801	1028	Soil	Moist	Tan-brown	clay-silt	32	B	4	2			
AUX0103979	Aurex	9/19/2011	LB	NAD 83, Zone 8	471240	7079778	1028	Soil	Moist	Tan-brown	clay-silt	31	B	tr	tr			
AUX0103980	Aurex	9/19/2011	LB	NAD 83, Zone 8	471240	7079751	1028	Soil	Moist	Tan-brown	clay-silt	30	B	tr	1			
AUX0103981	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7079727	1029	Soil	Moist	Tan-brown	clay-silt	33	B	tr	tr			
AUX0103982	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7079703	1029	Soil	Moist	Tan-brown	clay-silt	31	B	1	1			
AUX0103983	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7079677	1029	Soil	Moist	Tan-brown	clay-silt	32	B	1	3			
AUX0103984	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7079651	1031	Soil	Moist	Tan-brown	clay-silt	33	B	3	1			
AUX0103985	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7079627	1032	Soil	Moist	Tan-brown	clay-silt	30	B	tr	1			
AUX0103986	Aurex	9/19/2011	LB	NAD 83, Zone 8	471236	7079603	1032	Soil	Moist	Tan-brown	clay-silt	30	B	tr	tr			
AUX0103987	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7079574	1034	Soil	Moist	Tan-brown	clay-silt	30	B	tr	tr			
AUX0103988	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7079551	1035	Soil	Moist	Tan-brown	clay-silt	31	B	tr	tr			
AUX0103989	Aurex	9/19/2011	LB	NAD 83, Zone 8	471239	7079526	1034	Soil	Moist	Tan-brown	clay-silt	30	B	tr	tr			
AUX0103990	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7079500	1036	Soil	Moist	Tan-brown	clay-silt	33	B	tr	tr			
AUX0103991	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7079476	1037	Soil	Moist	Tan-brown	clay-silt	32	B	tr	tr			
AUX0103992	Aurex	9/19/2011	LB	NAD 83, Zone 8	471237	7079450	1036	Soil	Moist	Tan-brown	clay-silt	36	B	tr	1			
AUX0103993	Aurex	9/19/2011	LB	NAD 83, Zone 8	471238	7079426	1039	Soil	Moist	Tan-brown	clay-silt	34	B	tr	tr			
AUX0103994	Aurex	9/19/2011	LB	NAD 83, Zone 8	471242	7079402	1043	Soil	Moist	Tan-brown	clay-silt	35	B	tr	1			
AUX0103995	Aurex	9/19/2011	DS	NAD 83, Zone 8	471338	7080902	964	Soil	Moist/Dry	Tan	clay-silt	35	B	4	3			
AUX0103996	Aurex	9/19/2011	DS	NAD 83, Zone 8	471337	7080876	959	Soil	Moist	Tan	clay-silt	32	B	2	4			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0103997	Aurex	9/19/2011	DS	NAD 83, Zone 8	471337	7080852	964	Soil	Moist	Tan/Brown	clay-silt	28	B	3	3			
AUX0103998	Aurex	9/19/2011	DS	NAD 83, Zone 8	471338	7080826	962	Soil	Moist	Tan/Grey	clay-silt	31	B	2	4			
AUX0103999	Aurex	9/19/2011	DS	NAD 83, Zone 8	471339	7080803	964	Soil	Dry	Brown	clay-silt	30	B	2	9			
AUX0104000	Aurex	9/19/2011	DS	NAD 83, Zone 8	471338	7080801	963	Soil	Dry	Brown	clay-silt	30	B	2	9			
AUX0104001	Aurex	9/19/2011	DS	NAD 83, Zone 8	471337	7080776	964	Soil	Dry	Brown	clay-silt	30	B	2	4			
AUX0104002	Aurex	9/19/2011	DS	NAD 83, Zone 8	471338	7080751	962	Soil	Dry	Tan/Brown	clay-silt	24	B	3	5			
AUX0104003	Aurex	9/19/2011	DS	NAD 83, Zone 8	471336	7080726	967	Soil	Dry	Tan/Brown	clay-silt	34	B	3	4			
AUX0104004	Aurex	9/19/2011	DS	NAD 83, Zone 8	471338	7080701	965	Soil	Dry	Tan/Brown	clay-silt	28	B	4	8			
AUX0104005	Aurex	9/19/2011	DS	NAD 83, Zone 8	471338	7080676	958	Soil	Moist/Dry	Tan/Brown	clay-silt	27	B	3	7			
AUX0104006	Aurex	9/19/2011	DS	NAD 83, Zone 8	471336	7080650	947	Soil	Moist	Tan/Brown	clay-silt	30	B	3	4			
AUX0104007	Aurex	9/19/2011	DS	NAD 83, Zone 8	471337	7080626	935	Soil	Moist/Dry	Tan	clay-silt	26	B	3	6			
AUX0104008	Aurex	9/19/2011	DS	NAD 83, Zone 8	471338	7080601	934	Soil	Moist	Tan	clay-silt	32	B	3	7			
AUX0104009	Aurex	9/19/2011	DS	NAD 83, Zone 8	471337	7080576	935	Soil	Moist	Tan/Grey	clay-silt	28	B	5	3			Perma
AUX0104010	Aurex	9/19/2011	DS	NAD 83, Zone 8	471337	7080551	935	Soil	Moist	Grey	clay-silt	40	B	3	3			
AUX0104011	Aurex	9/19/2011	DS	NAD 83, Zone 8	471338	7080526	935	Soil	Semi-Sat	Grey	clay-silt	32	B	5	8			
AUX0104012	Aurex	9/19/2011	DS	NAD 83, Zone 8	471336	7080500	936	Soil	Moist	Tan/Brown	clay-silt	28	B	3	5			
AUX0104013	Aurex	9/19/2011	DS	NAD 83, Zone 8	471338	7080476	938	Soil	Moist	Grey	clay-silt	30	B	4	8			Perma
AUX0104014	Aurex	9/19/2011	DS	NAD 83, Zone 8	471337	7080451	939	Soil	Moist	Tan/Grey	clay-silt	30	B	5	8			
AUX0104015	Aurex	9/19/2011	DS	NAD 83, Zone 8	471338	7080426	935	Soil	Moist	Tan/Grey	clay-silt	35	B	3	8			Quartz Frag.
AUX0104016	Aurex	9/19/2011	RP	NAD 83, Zone 8	471335	7080401	933	Soil	Moist	Tan/Grey	clay-silt	33	B	4	9			
AUX0104017	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7080377	938	Soil	Moist	Tan/Grey	clay-silt	30	B	3	10			
AUX0104018	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7080351	946	Soil	Moist	Grey	clay-silt	32	B	4	10			Mica
AUX0104019	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7080326	952	Soil	Moist	Tan/Grey	clay-silt	29	B	3	9			Mica
AUX0104020	Aurex	9/19/2011	RP	NAD 83, Zone 8	471337	7080301	959	Soil	Moist	Tan/Grey	clay-silt	30	B	3	3			
AUX0104021	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7080276	960	Soil	Moist	Tan/Grey	clay-silt	28	B	3	4			Mica
AUX0104022	Aurex	9/19/2011	RP	NAD 83, Zone 8	471337	7080251	962	Soil	Moist	Tan/Grey	clay-silt	34	B	5	3			
AUX0104023	Aurex	9/19/2011	RP	NAD 83, Zone 8	471337	7080230	966	Soil	Moist	Tan	clay-silt	28	B	3	5			Mica
AUX0104024	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7080202	971	Soil	Moist	Tan	clay-silt	30	B	4	4			
AUX0104025	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7080203	972	Soil	Moist	Tan	clay-silt	30	B	4	4			
AUX0104026	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7080180	975	Soil	Moist	Tan	clay-silt	28	B	3	7			
AUX0104027	Aurex	9/19/2011	RP	NAD 83, Zone 8	471336	7080152	980	Soil	Moist	Grey	clay-silt	31	B	3	4			
AUX0104028	Aurex	9/19/2011	RP	NAD 83, Zone 8	471340	7080127	983	Soil	Moist	Tan/Grey	clay-silt	30	B	2	5			Mica
AUX0104029	Aurex	9/19/2011	RP	NAD 83, Zone 8	471341	7080101	985	Soil	Moist	Tan/Grey	clay-silt	26	B	3	7			
AUX0104030	Aurex	9/19/2011	RP	NAD 83, Zone 8	471337	7080076	990	Soil	Moist	Tan/Grey	clay-silt	28	B	4	6			
AUX0104031	Aurex	9/19/2011	RP	NAD 83, Zone 8	471337	7080050	992	Soil	Moist	Tan/Grey	clay-silt	33	B	3	3			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104032	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7080027	995	Soil	Moist	Tan/Grey	clay-silt	29	B	3	3			
AUX0104033	Aurex	9/19/2011	RP	NAD 83, Zone 8	471340	7080001	999	Soil	Moist	Grey	clay-silt	32	B	4	3			
AUX0104034	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079976	1004	Soil	Moist	Grey	clay-silt	30	B	3	3			
AUX0104035	Aurex	9/19/2011	RP	NAD 83, Zone 8	471339	7079950	1005	Soil	Moist	Grey	clay-silt	32	B	6	4			
AUX0104036	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079925	1008	Soil	Moist	Grey	clay-silt	35	B	4	4			
AUX0104037	Aurex	9/19/2011	RP	NAD 83, Zone 8	471339	7079901	1009	Soil	Moist	Grey	clay-silt	30	B	5	8			Quartz Frag.
AUX0104038	Aurex	9/19/2011	RP	NAD 83, Zone 8	471340	7079875	1010	Soil	Moist	Tan/Grey	clay-silt	28	B	3	9			
AUX0104039	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079851	1015	Soil	Moist	Grey	clay-silt	30	B	2	4			Mica
AUX0104040	Aurex	9/19/2011	RP	NAD 83, Zone 8	471337	7079825	1019	Soil	Moist	Tan/Brown	clay-silt	32	B	3	2			
AUX0104041	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079801	1022	Soil	Moist	Tan	clay-silt	26	B	3	3			
AUX0104042	Aurex	9/19/2011	RP	NAD 83, Zone 8	471340	7079775	1025	Soil	Moist	Tan/Brown	clay-silt	28	B	2	4			Quartz Frag.
AUX0104043	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079750	1028	Soil	Moist	Tan/Brown	clay-silt	30	B	2	5			
AUX0104044	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079725	1030	Soil	Moist	Tan/Grey	clay-silt	28	B	3	5			Quartz Frag.
AUX0104045	Aurex	9/19/2011	RP	NAD 83, Zone 8	471337	7079701	1029	Soil	Moist	Tan/Brown	clay-silt	29	B	3	3			
AUX0104046	Aurex	9/19/2011	RP	NAD 83, Zone 8	471339	7079677	1032	Soil	Moist	Tan/Grey	clay-silt	32	B	3	3			
AUX0104047	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079650	1031	Soil	Moist	Tan/Grey	clay-silt	28	B	3	4			
AUX0104048	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079626	1033	Soil	Moist	Tan/Grey	clay-silt	30	B	3	5			Mica
AUX0104049	Aurex	9/19/2011	RP	NAD 83, Zone 8	471339	7079600	1037	Soil	Moist	Tan/Grey	clay-silt	26	B	3	4			
AUX0104050	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079600	1036	Soil	Moist	Tan/Grey	clay-silt	26	B	3	4			
AUX0104051	Aurex	9/19/2011	RP	NAD 83, Zone 8	471341	7079579	1037	Soil	Moist	Tan	clay-silt	30	B	4	8			Mica
AUX0104052	Aurex	9/19/2011	RP	NAD 83, Zone 8	471339	7079551	1035	Soil	Moist	Tan/Grey	clay-silt	30	B	3	4			Quartz Frag.
AUX0104053	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079527	1032	Soil	Moist	Tan/Brown	clay-silt	28	B	3	8			
AUX0104054	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079501	1035	Soil	Moist	Tan/Brown	clay-silt	29	B	3	5			
AUX0104055	Aurex	9/19/2011	RP	NAD 83, Zone 8	471339	7079480	1037	Soil	Moist	Tan	clay-silt	27	B	3	4			
AUX0104056	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079450	1040	Soil	Moist	Tan/Grey	clay-silt	28	B	3	5			
AUX0104057	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079426	1041	Soil	Moist	Tan/Grey	clay-silt	30	B	3	4			
AUX0104058	Aurex	9/19/2011	RP	NAD 83, Zone 8	471338	7079402	1043	Soil	Moist	Tan/Grey	clay-silt	28	B	3	5			
AUX0104059	Aurex	9/17/2011	RP	NAD 83, Zone 8	470937	7080901	949	Soil	Moist	Tan	clay/silt	30	B	3	3			
AUX0104060	Aurex	9/17/2011	RP	NAD 83, Zone 8	470939	7080876	945	Soil	Moist	Tan	clay/silt	26	B	3	3			Mica
AUX0104061	Aurex	9/17/2011	RP	NAD 83, Zone 8	470940	7080851	942	Soil	Moist	Tan/Brown	clay/silt	28	B	3	5			MIca
AUX0104062	Aurex	9/17/2011	RP	NAD 83, Zone 8	470938	7080825	938	Soil	Moist	Tan	clay/silt	30	B	3	8			
AUX0104063	Aurex	9/17/2011	RP	NAD 83, Zone 8	470939	7080802	936	Soil	Moist	Tan	clay/silt	30	B	2	5			
AUX0104064	Aurex	9/17/2011	RP	NAD 83, Zone 8	470936	7080776	933	Soil	Moist	Tan/Brown	clay/silt	30	B	3	7			
AUX0104065	Aurex	9/17/2011	RP	NAD 83, Zone 8	470938	7080752	926	Soil	Moist	Tan/Grey	clay/silt	28	B	3	3			Mica
AUX0104066	Aurex	9/17/2011	RP	NAD 83, Zone 8	470938	7080726	920	Soil	Moist	Grey/Black	clay/silt	32	B	4	7			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104067	Aurex	9/17/2011	RP	NAD 83, Zone 8	470939	7080701	914	Soil	Moist	Tan	clay/silt	30	B	3	8			
AUX0104068	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080902	963	Soil	moist/Dry	Tan/Brown	clay-silt	30	B	4	3			
AUX0104069	Aurex	9/20/2011	DS	NAD 83, Zone 8	471439	7080875	959	Soil	Dry	Tan	clay-silt	28	B	3	3			
AUX0104070	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080851	958	Soil	moist	Tan/Brown	clay-silt	30	B	3	4			
AUX0104071	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080826	959	Soil	moist	Tan/Brown	clay-silt	30	B	3	3			
AUX0104072	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080800	958	Soil	moist	Tan/Brown	clay-silt	32	B	4	5			Quartz Frag.
AUX0104073	Aurex	9/20/2011	DS	NAD 83, Zone 8	471437	7080776	957	Soil	moist	Grey/Brown	clay-silt	28	B	3	3			
AUX0104074	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080749	959	Soil	Dry	Brown	clay-silt	24	B	4	4			
AUX0104075	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080749	959	Soil	Dry	Brown	clay-silt	24	B	4	4			
AUX0104076	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080726	962	Soil	Dry	Tan/Brown	clay-silt	31	B	3	7			
AUX0104077	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080701	956	Soil	moist	Grey/Tan	clay-silt	32	B	4	9			
AUX0104078	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080675	951	Soil	moist	Brown	clay-silt	35	B	3	3			
AUX0104079	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080651	943	Soil	moist	Tan/Brown	clay-silt	30	B	3	5			
AUX0104080	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080626	941	Soil	moist	Tan/Brown	clay-silt	28	B	3	9			
AUX0104081	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080600	941	Soil	moist	Grey/Tan	clay-silt	34	B	5	8			
AUX0104082	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080575	938	Soil	moist	Grey/Brown	clay-silt	33	B	6	3			Adj. Stream
AUX0104083	Aurex	9/20/2011	DS	NAD 83, Zone 8	471437	7080551	941	Soil	moist	Grey/Brown	clay-silt	34	B	3	3			Perma
AUX0104084	Aurex	9/20/2011	DS	NAD 83, Zone 8	471437	7080525	940	Soil	moist	Grey	clay-silt	28	B	3	3			
AUX0104085	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080500	941	Soil	Semi-Sat	Grey	clay-silt	28	B	3	8			
AUX0104086	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080477	948	Soil	moist	Grey/Tan	clay-silt	30	B	5	3			
AUX0104087	Aurex	9/20/2011	DS	NAD 83, Zone 8	471438	7080451	947	Soil	moist	Grey/Brown	clay-silt	32	B	3	3			
AUX0104088	Aurex	9/20/2011	DS	NAD 83, Zone 8	471439	7080426	947	Soil	moist	Grey/Tan	clay-silt	32	B	3	3			
AUX0104089	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7080401	943	Soil	moist	Grey/Tan	clay-silt	28	B	4	6			Mica
AUX0104090	Aurex	9/20/2011	RP	NAD 83, Zone 8	471437	7080377	945	Soil	moist	Grey/Tan	clay-silt	26	B	5	6			
AUX0104091	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7080350	946	Soil	moist	Grey	clay-silt	33	B	3	3			
AUX0104092	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7080324	949	Soil	moist	Grey/Tan	clay-silt	29	B	3	7			Mica
AUX0104093	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7080301	952	Soil	moist	Grey	clay-silt	30	B	3	3			
AUX0104094	Aurex	9/20/2011	RP	NAD 83, Zone 8	471437	7080276	956	Soil	moist	Grey	clay-silt	32	B	3	5			Mica
AUX0104095	Aurex	9/20/2011	RP	NAD 83, Zone 8	471440	7080248	959	Soil	moist	Grey/White	clay-silt	30	B	3	4			
AUX0104096	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7080226	963	Soil	moist	Grey/Brown	clay-silt	32	B	4	8			
AUX0104097	Aurex	9/20/2011	RP	NAD 83, Zone 8	471437	7080200	968	Soil	moist	Grey	clay-silt	36	B	4	7			Mica
AUX0104098	Aurex	9/20/2011	RP	NAD 83, Zone 8	471438	7080176	972	Soil	moist	Grey	clay-silt	34	B	3	5			MIca
AUX0104099	Aurex	9/20/2011	RP	NAD 83, Zone 8	471438	7080151	970	Soil	Semi-Sat	Grey	clay-silt	35	B	4	8			
AUX0104100	Aurex	9/20/2011	RP	NAD 83, Zone 8	471438	7080153	972	Soil	Semi-Sat	Grey	clay-silt	35	B	4	8			
AUX0104101	Aurex	9/20/2011	RP	NAD 83, Zone 8	471440	7080126	973	Soil	moist	Grey	clay-silt	40	B	8	5			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104102	Aurex	9/20/2011	RP	NAD 83, Zone 8	471438	7080104	977	Soil	moist	Grey/Brown	clay-silt	36	B	5	5			Mica
AUX0104103	Aurex	9/20/2011	RP	NAD 83, Zone 8	471435	7080077	979	Soil	moist	Grey/Brown	clay-silt	40	B	3	8			
AUX0104104	Aurex	9/20/2011	RP	NAD 83, Zone 8	471436	7080051	983	Soil	Saturated	Grey	clay-silt	42	B	12	3			
AUX0104105	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7080025	988	Soil	Saturated	Grey	clay-silt	36	B	4	3			
AUX0104106	Aurex	9/20/2011	RP	NAD 83, Zone 8	471436	7080000	994	Soil	moist	Tan/Grey	clay-silt	30	B	8	5			
AUX0104107	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7079977	996	Soil	moist	Grey/Tan	clay-silt	34	B	3	6			Mica
AUX0104108	Aurex	9/20/2011	RP	NAD 83, Zone 8	471437	7079951	1000	Soil	moist	Grey	clay-silt	32	B	3	6			
AUX0104109	Aurex	9/20/2011	RP	NAD 83, Zone 8	471438	7079925	1005	Soil	moist	Tan/Brown	clay-silt	30	B	3	4			
AUX0104110	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7079901	1005	Soil	moist	Grey/Tan	clay-silt	28	B	3	4			
AUX0104111	Aurex	9/20/2011	RP	NAD 83, Zone 8	471440	7079879	1009	Soil	moist	Grey/Brown	clay-silt	30	B	4	3			
AUX0104112	Aurex	9/20/2011	RP	NAD 83, Zone 8	471440	7079851	1014	Soil	moist	Grey/Tan	clay-silt	26	B	3	3			
AUX0104113	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7079825	1016	Soil	moist	Grey/Green	clay-silt	28	B	2	7			Mica
AUX0104114	Aurex	9/20/2011	RP	NAD 83, Zone 8	471441	7079805	1018	Soil	moist	Tan	clay-silt	26	B	2	4			
AUX0104115	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7079777	1021	Soil	moist	Tan	clay-silt	24	B	3	8			Mica
AUX0104116	Aurex	9/20/2011	RP	NAD 83, Zone 8	471437	7079750	1027	Soil	moist	Tan	clay-silt	30	B	2	6			
AUX0104117	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7079726	1031	Soil	moist	Tan/Brown	clay-silt	26	B	3	5			Quartz Frag.
AUX0104118	Aurex	9/20/2011	RP	NAD 83, Zone 8	471438	7079701	1032	Soil	moist	Tan/Brown	clay-silt	27	B	2	5			
AUX0104119	Aurex	9/20/2011	RP	NAD 83, Zone 8	471437	7079678	1032	Soil	moist	Grey	clay-silt	26	B	3	4			Mica
AUX0104120	Aurex	9/20/2011	RP	NAD 83, Zone 8	471438	7079651	1034	Soil	moist	Grey	clay-silt	28	B	3	8			MIca
AUX0104121	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7079627	1034	Soil	moist	Grey/Brown	clay-silt	33	B	2	6			
AUX0104122	Aurex	9/20/2011	RP	NAD 83, Zone 8	471441	7079602	1035	Soil	moist	Grey/Tan	clay-silt	30	B	3	4			
AUX0104123	Aurex	9/20/2011	RP	NAD 83, Zone 8	471440	7079577	1034	Soil	moist	Grey	clay-silt	28	B	4	7			
AUX0104124	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7079552	1034	Soil	moist	Grey	clay-silt	30	B	4	6			
AUX0104125	Aurex	9/20/2011	RP	NAD 83, Zone 8	471439	7079552	1034	Soil	moist	Grey	clay-silt	30	B	4	6			
AUX0104126	Aurex	9/20/2011	RP	NAD 83, Zone 8	471440	7079527	1037	Soil	moist	Grey	clay-silt	31	B	3	4			
AUX0104127	Aurex	9/20/2011	RP	NAD 83, Zone 8	471437	7079501	1038	Soil	moist	Tan/Grey	clay-silt	30	B	3	3			
AUX0104128	Aurex	9/20/2011	RP	NAD 83, Zone 8	471436	7079477	1038	Soil	moist	Grey	clay-silt	33	B	3	3			
AUX0104129	Aurex	9/20/2011	RP	NAD 83, Zone 8	471435	7079451	1037	Soil	moist	Grey	clay-silt	32	B	2	2			
AUX0104130	Aurex	9/20/2011	RP	NAD 83, Zone 8	471441	7079427	1039	Soil	moist	Grey/Green	clay-silt	34	B	3	3			
AUX0104131	Aurex	9/20/2011	RP	NAD 83, Zone 8	471441	7079401	1040	Soil	moist	Grey/Green	clay-silt	30	B	4	3			
AUX0104132	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080400	956	Soil	sat	br	clay-silt	50	B	tr	tr			
AUX0104133	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471540	7080377	957	Soil	moist	tan/gry	clay-silt	55	B	tr	1			
AUX0104134	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471536	7080348	959	Soil	moist	org/brn	clay-silt	45	B	3	2			
AUX0104135	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7080326	966	Soil	moist	tan/brn	clay-silt	45	B	tr	2			
AUX0104136	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7080301	969	Soil	moist	tan/brn	clay-silt	50	B	tr	5			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104137	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7080274	971	Soil	moist	tan/gry	clay-silt	30	B	tr	tr			
AUX0104138	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471537	7080250	973	Soil	moist	gry	clay-silt	60	B	tr	tr			
AUX0104139	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080224	977	Soil	moist	dk gry	clay-silt	60	B	tr	tr			
AUX0104140	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471534	7080202	980	Soil	moist	tan/brn	clay-silt	40	B	tr	2			
AUX0104141	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080175	986	Soil	moist	tan/brn	clay-silt	35	B	tr	1			
AUX0104142	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080152	986	Soil	moist	tan/brn	clay-silt	57	B	tr	tr			
AUX0104143	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080126	990	Soil	moist	tan/brn	clay-silt	58	B	tr	tr			
AUX0104144	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471540	7080102	991	Soil	moist	tan/brn	clay-silt	48	B	6	6			
AUX0104145	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471537	7080075	994	Soil	moist	tan/brn	clay-silt	50	B	tr	2			
AUX0104146	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080050	997	Soil	moist	tan/gry	clay-silt	30	B	3	9			
AUX0104147	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080026	998	Soil	sat	tan/gry	clay-silt	50	B	tr	2			
AUX0104148	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080002	1002	Soil	moist	tan/brn	clay-silt	57	B	tr	1			
AUX0104149	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471536	7079976	1001	Soil	moist	tan/gry	clay-silt	57	B	1	tr			
AUX0104150	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7079951	1006	Soil	moist	dk gry	clay-silt	50	B	tr	tr			
AUX0104151	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471536	7079926	1008	Soil	moist	tan/gry	clay-silt	53	B	tr	tr			
AUX0104152	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7079901	1008	Soil	sat	tan/brn	clay-silt	54	B	tr	tr			
AUX0104153	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471537	7079877	1012	Soil	moist	tan/brn	clay-silt	40	B	tr	2			
AUX0104154	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471537	7079877	1011	Soil	moist	gry	clay-silt	40	B	tr	2			
AUX0104155	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7079849	1013	Soil	sat	tan/brn	clay-silt	60	B	tr	6			
AUX0104156	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7079826	1017	Soil	sat	gry	clay-silt	50	B	2	tr			
AUX0104157	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471537	7079802	1018	Soil	sat	tan/gry	clay-silt	59	B	tr	10			
AUX0104158	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471537	7079777	1023	Soil	moist	dk gry	clay-silt	57	B	5	tr			
AUX0104159	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471537	7079752	1024	Soil	sat	tan/gry	clay-silt	60	B	tr	4			
AUX0104160	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7079727	1025	Soil	sat	tan/gry	clay-silt	50	B	tr	3			
AUX0104161	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7079701	1028	Soil	moist	tan/gry	clay-silt	33	B	1	4			
AUX0104162	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471534	7079679	1028	Soil	moist	tan/gry	clay-silt	45	B	tr	tr			
AUX0104163	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7079649	1028	Soil	moist	tan/gry	clay-silt	34	B	3	5			
AUX0104164	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7079625	1032	Soil	moist	tan/gry	clay-silt	40	B	1	tr			
AUX0104165	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471537	7079598	1034	Soil	moist	tan/gry	clay-silt	50	B	tr	tr			
AUX0104166	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7079574	1033	Soil	sat	tan/brn	clay-silt	53	B	1	tr			
AUX0104167	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471534	7079552	1034	Soil	sat	tan/gry	clay-silt	45	B	2	tr			
AUX0104168	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471535	7079523	1034	Soil	sat	tan/gry	clay-silt	54	B	1	tr			
AUX0104169	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7079502	1039	Soil	sat	tan/gry	clay-silt	53	B	tr	tr			
AUX0104170	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7079477	1039	Soil	moist	gry	clay-silt	57	B	tr	tr			
AUX0104171	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471537	7079450	1039	Soil	sat	tan	clay-silt	45	B	tr	5			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104172	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7079426	1036	Soil	sat	tan/gry	clay-silt	60	B	tr	1			
AUX0104173	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471537	7079400	1034	Soil	moist	tan/gry	clay-silt	54	B	tr	2			
AUX0104174	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7080899	965	Soil	Moist	Tan-brown	clay/silt	33	B	1	1			
AUX0104175	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7080902	961	Soil	Moist	Tan-brown	clay/silt	33	B	1	1			
AUX0104176	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7080877	962	Soil	Moist	Tan-brown	clay/silt	33	B	tr	2			
AUX0104177	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7080852	959	Soil	Moist	Tan-brown	clay/silt	31	B	tr	1			
AUX0104178	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080826	959	Soil	Moist	Tan-brown	clay/silt	35	B	tr	1			
AUX0104179	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080802	958	Soil	Dry	Tan-brown	clay/silt	35	B	tr	5			
AUX0104180	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7080778	957	Soil	Moist	Tan-brown	clay/silt	40	B	tr	tr			
AUX0104181	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080752	957	Soil	Moist	Tan-brown	clay/silt	33	B	1	2			
AUX0104182	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7080726	951	Soil	Moist	Orange-brown	clay/silt	30	B	tr	tr			
AUX0104183	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080702	953	Soil	Moist	Orange-brown	clay/silt	33	B	tr	tr			
AUX0104184	Aurex	9/21/2011	LB	NAD 83, Zone 8	471636	7080676	943	Soil	Moist	Tan-brown	clay/silt	45	B	2	4			
AUX0104185	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7080651	943	Soil	Moist	Tan-brown	clay/silt	45	B	3	20			
AUX0104186	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7080627	942	Soil	Moist	Tan-brown	clay/silt	59	B	tr	2			
AUX0104187	Aurex	9/21/2011	LB	NAD 83, Zone 8	471640	7080604	942	Soil	Saturated	Dark grey	clay/silt	53	B	tr	tr			
AUX0104188	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080577	946	Soil	Moist	Dark grey	clay/silt	43	B	tr	tr			
AUX0104189	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7080552	953	Soil	Moist	Dark grey	clay/silt	45	B	tr	tr			
AUX0104190	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7080527	945	Soil	Moist	Dark grey	clay/silt	56	B	tr	tr			
AUX0104191	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7080502	957	Soil	Saturated	Dark grey	clay/silt	60	B	tr	tr			
AUX0104192	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7080477	961	Soil	Saturated	Tan-brown	clay/silt	40	B	tr	3			
AUX0104193	Aurex	9/21/2011	LB	NAD 83, Zone 8	471640	7080450	968	Soil	Moist	Tan	clay/silt	32	B	tr	2			
AUX0104194	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7080425	962	Soil	Moist	Tan-brown	clay/silt	47	B	2	8			
AUX0104195	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7080425	961	Soil	Moist	Tan-brown	clay/silt	47	B	2	8			
AUX0104196	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080402	961	Soil	Moist	Tan-grey	clay/silt	57	B	1	3			
AUX0104197	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080376	969	Soil	Moist	Tan-grey	clay/silt	60	B	tr	3			
AUX0104198	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7080351	971	Soil	Moist	Tan-brown	clay/silt	32	B	1	2			
AUX0104199	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080324	971	Soil	Moist	Tan-grey	clay/silt	33	B	2	tr			
AUX0104200	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7080326	971	Soil	Moist	Tan-grey	clay/silt	33	B	2	tr			
AUX0104201	Aurex	9/21/2011	LB	NAD 83, Zone 8	471640	7080300	972	Soil	Moist	Tan-brown	clay/silt	36	B	tr	1			
AUX0104202	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7080277	973	Soil	Moist	Tan-brown	clay/silt	31	B	1	1			
AUX0104203	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7080252	978	Soil	Moist	Tan-brown	clay/silt	35	B	2	2			
AUX0104204	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7080225	979	Soil	Moist	Tan-brown	clay/silt	31	B	tr	tr			
AUX0104205	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080202	981	Soil	Moist	Tan-brown	clay/silt	30	B	tr	5			
AUX0104206	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080175	984	Soil	Moist	Tan-brown	clay/silt	30	B	tr	4			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104207	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7080151	985	Soil	Moist	tan-grey	clay/silt	50	B	2	2			
AUX0104208	Aurex	9/21/2011	LB	NAD 83, Zone 8	471636	7080126	988	Soil	Moist	Tan-grey	clay/silt	45	B	2	2			
AUX0104209	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080101	992	Soil	Moist	Tan-grey	clay/silt	40	B	tr	2			
AUX0104210	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080076	994	Soil	Moist	Tan-grey	clay/silt	50	B	1	3			
AUX0104211	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7080052	992	Soil	Moist	Tan-grey	clay/silt	44	B	1	3			
AUX0104212	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080026	998	Soil	Moist	Tan-brown	clay/silt	34	B	tr	tr			
AUX0104213	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7080001	1002	Soil	Moist	Tan-brown	clay/silt	33	B	tr	tr			
AUX0104214	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7079976	1006	Soil	Moist	Tan-brown	clay/silt	30	B	2	4			
AUX0104215	Aurex	9/21/2011	LB	NAD 83, Zone 8	471636	7079949	1007	Soil	Dry	Tan-brown	clay/silt	30	B	2	6			
AUX0104216	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7079925	1011	Soil	Dry	Tan-brown	clay/silt	35	B	tr	4			
AUX0104217	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7079902	1013	Soil	Moist	Tan-grey	clay/silt	35	B	tr	tr			
AUX0104218	Aurex	9/21/2011	LB	NAD 83, Zone 8	471636	7079877	1012	Soil	Moist	Tan-grey	clay/silt	60	B	2	tr			
AUX0104219	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7079851	1014	Soil	Moist	Tan-grey	clay/silt	38	B	2	tr			
AUX0104220	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7079826	1017	Soil	Moist	Tan-brown	clay/silt	55	B	tr	tr			
AUX0104221	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7079800	1019	Soil	Moist	Tan-grey	clay/silt	59	B	tr	tr			
AUX0104222	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7079777	1024	Soil	Moist	Tan-grey	clay/silt	35	B	tr	2			
AUX0104223	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7079751	1026	Soil	Moist	Tan-grey	clay/silt	48	B	tr	tr			
AUX0104224	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7079724	1028	Soil	Moist	Tan-grey	clay/silt	50	B	2	10			
AUX0104225	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7079725	1028	Soil	Moist	Tan-grey	clay/silt	50	B	2	10			
AUX0104226	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7079702	1032	Soil	Moist	Tan-brown	clay/silt	27	B	1	2			
AUX0104227	Aurex	9/21/2011	LB	NAD 83, Zone 8	471636	7079676	1034	Soil	Moist	Tan-brown	clay/silt	29	B	tr	4			
AUX0104228	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7079649	1034	Soil	Moist	Tan-brown	clay/silt	27	B	2	4			
AUX0104229	Aurex	9/21/2011	LB	NAD 83, Zone 8	471636	7079625	1038	Soil	Moist	Tan-brown	clay/silt	30	B	tr	4			
AUX0104230	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7079600	1036	Soil	Moist	Tan-brown	clay/silt	37	B	tr	2			
AUX0104231	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7079577	1039	Soil	Moist	Tan-grey	clay/silt	35	B	1	2			
AUX0104232	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7079552	1041	Soil	Moist	Tan-brown	clay/silt	33	B	1	1			
AUX0104233	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7079528	1041	Soil	Moist	Tan-brown	clay/silt	33	B	tr	2			
AUX0104234	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7079501	1040	Soil	Moist	Tan-brown	clay/silt	31	B	2	2			
AUX0104235	Aurex	9/21/2011	LB	NAD 83, Zone 8	471638	7079477	1041	Soil	Moist	Brown	clay/silt	28	B	5	tr			
AUX0104236	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7079450	1040	Soil	Moist	Tan-grey	clay/silt	29	B	2	2			
AUX0104237	Aurex	9/21/2011	LB	NAD 83, Zone 8	471639	7079426	1044	Soil	Moist	Tan-brown	clay/silt	36	B	tr	1			
AUX0104238	Aurex	9/21/2011	LB	NAD 83, Zone 8	471637	7079403	1043	Soil	Moist	Tan-grey	clay/silt	40	B	1	2			
AUX0104239	Aurex	9/21/2011	RP	NAD 83, Zone 8	470340	7081226	885	Soil	Saturated	Grey/Black	clay-silt	34	B	12	2			
AUX0104240	Aurex	9/21/2011	RP	NAD 83, Zone 8	470335	7081204	884	Soil	Saturated	Grey	clay-silt	35	B	6	2			
AUX0104241	Aurex	9/21/2011	RP	NAD 83, Zone 8	470340	7081176	884	Soil	moist	Grey	clay-silt	33	B	6	2			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104242	Aurex	9/21/2011	RP	NAD 83, Zone 8	470340	7081151	884	Soil	moist	Grey/Brown	clay-silt	38	B	10	2			
AUX0104243	Aurex	9/21/2011	RP	NAD 83, Zone 8	470340	7081126	886	Soil	moist	Grey	clay-silt	36	B	8	2			
AUX0104244	Aurex	9/21/2011	RP	NAD 83, Zone 8	470339	7081103	888	Soil	moist	Grey	clay-silt	35	B	12	3			Mica
AUX0104245	Aurex	9/21/2011	RP	NAD 83, Zone 8	470337	7081075	893	Soil	moist	Grey	clay-silt	34	B	9	3			MIca
AUX0104246	Aurex	9/21/2011	RP	NAD 83, Zone 8	470337	7081050	895	Soil	moist	Grey	clay-silt	30	B	5	3			MIca
AUX0104247	Aurex	9/21/2011	RP	NAD 83, Zone 8	470338	7081025	900	Soil	moist	Brown/Grey	clay-silt	32	B	10	4			Mica & Perma
AUX0104248	Aurex	9/21/2011	RP	NAD 83, Zone 8	470338	7081001	905	Soil	moist	Grey	clay-silt	30	B	9	3			Mica
AUX0104249	Aurex	9/21/2011	RP	NAD 83, Zone 8	470341	7080975	910	Soil	moist	Brown/Grey	clay-silt	28	B	6	3			Mica
AUX0104250	Aurex	9/21/2011	RP	NAD 83, Zone 8	470341	7080976	911	Soil	moist	Brown/Grey	clay-silt	28	B	6	3			Mica
AUX0104251	Aurex	9/21/2011	RP	NAD 83, Zone 8	470337	7080952	923	Soil	moist	Grey	clay-silt	30	B	5	3			Mica & Perma
AUX0104252	Aurex	9/21/2011	RP	NAD 83, Zone 8	470339	7080927	933	Soil	moist	Brown	clay-silt	28	B	3	5			
AUX0104253	Aurex	9/21/2011	RP	NAD 83, Zone 8	470339	7080900	938	Soil	moist	Grey/Tan	clay-silt	26	B	3	3			
AUX0104254	Aurex	9/21/2011	RP	NAD 83, Zone 8	470438	7081302	894	Soil	moist	Grey	clay-silt	30	B	4	4			
AUX0104255	Aurex	9/21/2011	RP	NAD 83, Zone 8	470441	7081277	890	Soil	moist	Grey/Tan	clay-silt	33	B	6	10			
AUX0104256	Aurex	9/21/2011	RP	NAD 83, Zone 8	470438	7081254	895	Soil	Saturated	Grey/Brown	clay-silt	36	B	12	2			
AUX0104257	Aurex	9/21/2011	RP	NAD 83, Zone 8	470436	7081228	894	Soil	moist	Tan/Brown	clay-silt	26	B	4	4			Mica
AUX0104258	Aurex	9/21/2011	RP	NAD 83, Zone 8	470438	7081201	895	Soil	moist	Tan/Brown	clay-silt	29	B	5	3			Perma
AUX0104259	Aurex	9/21/2011	RP	NAD 83, Zone 8	470439	7081178	895	Soil	moist	Tan/Brown	clay-silt	31	B	8	3			
AUX0104260	Aurex	9/21/2011	RP	NAD 83, Zone 8	470437	7081151	893	Soil	moist	Tan/Brown	clay-silt	30	B	4	4			
AUX0104261	Aurex	9/21/2011	RP	NAD 83, Zone 8	470439	7081127	896	Soil	moist	Grey	clay-silt	34	B	6	3			
AUX0104262	Aurex	9/21/2011	RP	NAD 83, Zone 8	470441	7081102	895	Soil	moist	Grey/Brown	clay-silt	30	B	5	3			
AUX0104263	Aurex	9/21/2011	RP	NAD 83, Zone 8	470437	7081076	896	Soil	moist	Grey	clay-silt	32	B	3	4			Small Rock Outcrop.
AUX0104264	Aurex	9/21/2011	RP	NAD 83, Zone 8	470439	7081052	904	Soil	moist	Tan/Brown	clay-silt	30	B	3	7			MIca
AUX0104265	Aurex	9/21/2011	RP	NAD 83, Zone 8	470437	7081026	907	Soil	moist	Tan/Brown	clay-silt	28	B	3	6			Mica
AUX0104266	Aurex	9/21/2011	RP	NAD 83, Zone 8	470441	7081003	913	Soil	moist	Tan/Grey	clay-silt	26	B	3	5			
AUX0104267	Aurex	9/21/2011	RP	NAD 83, Zone 8	470439	7080977	921	Soil	moist	Tan	clay-silt	28	B	3	7			Quartz Frag.
AUX0104268	Aurex	9/21/2011	RP	NAD 83, Zone 8	470441	7080950	928	Soil	moist	Tan/Grey	clay-silt	26	B	3	9			Rock Outcrop.
AUX0104269	Aurex	9/21/2011	RP	NAD 83, Zone 8	470439	7080926	931	Soil	moist	Tan	clay-silt	29	B	3	4			Mica
AUX0104270	Aurex	9/21/2011	RP	NAD 83, Zone 8	470438	7080900	929	Soil	moist	Tan/Brown	clay-silt	28	B	3	6			
AUX0104271	Aurex	9/21/2011	RP	NAD 83, Zone 8	470540	7081294	897	Soil	moist	Tan/Grey	clay-silt	30	B	5	3			Mica
AUX0104272	Aurex	9/21/2011	RP	NAD 83, Zone 8	470542	7081272	896	Soil	moist	Grey	clay-silt	34	B	22	2			
AUX0104273	Aurex	9/21/2011	RP	NAD 83, Zone 8	470538	7081247	901	Soil	moist	Grey/White	clay-silt	30	B	4	5			
AUX0104274	Aurex	9/21/2011	RP	NAD 83, Zone 8	470536	7081225	904	Soil	moist	Grey/White	clay-silt	26	B	6	7			MIca
AUX0104275	Aurex	9/21/2011	RP	NAD 83, Zone 8	470539	7081226	904	Soil	moist	Grey/White	clay-silt	26	B	6	7			MIca
AUX0104276	Aurex	9/21/2011	RP	NAD 83, Zone 8	470540	7081202	915	Soil	moist	Grey/White	clay-silt	28	B	6	7			Mica

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104277	Aurex	9/21/2011	RP	NAD 83, Zone 8	470543	7081172	911	Soil	Dry	Tan	clay-silt	26	B	3	6			
AUX0104278	Aurex	9/21/2011	RP	NAD 83, Zone 8	470543	7081151	906	Soil	Dry	Grey/White	clay-silt	28	B	8	14			Mica
AUX0104279	Aurex	9/21/2011	RP	NAD 83, Zone 8	470538	7081125	901	Soil	Dry	Tan/Grey	clay-silt	32	B	6	10			
AUX0104280	Aurex	9/21/2011	RP	NAD 83, Zone 8	470538	7081100	903	Soil	moist	Tan/Brown	clay-silt	30	B	4	9			
AUX0104281	Aurex	9/21/2011	RP	NAD 83, Zone 8	470533	7081075	898	Soil	moist	Grey/Brown	clay-silt	29	B	5	7			
AUX0104282	Aurex	9/21/2011	RP	NAD 83, Zone 8	470538	7081050	897	Soil	moist	Grey/Brown	clay-silt	33	B	3	4			
AUX0104283	Aurex	9/21/2011	RP	NAD 83, Zone 8	470540	7081027	894	Soil	moist	Grey/Brown	clay-silt	37	B	10	3			
AUX0104284	Aurex	9/21/2011	RP	NAD 83, Zone 8	470537	7081001	895	Soil	moist	Grey/Brown	clay-silt	34	B	6	3			Perma
AUX0104285	Aurex	9/21/2011	RP	NAD 83, Zone 8	470536	7080976	897	Soil	moist	Grey/Brown	clay-silt	32	B	4	3			
AUX0104286	Aurex	9/21/2011	RP	NAD 83, Zone 8	470535	7080951	900	Soil	moist	Grey/Tan	clay-silt	32	B	5	3			Quartz Frag.
AUX0104287	Aurex	9/21/2011	RP	NAD 83, Zone 8	470538	7080926	900	Soil	moist	Grey	clay-silt	33	B	3	3			
AUX0104288	Aurex	9/21/2011	RP	NAD 83, Zone 8	470536	7080901	905	Soil	moist	Grey/Tan	clay-silt	32	B	5	6			
AUX0104289	Aurex	9/21/2011	DS	NAD 83, Zone 8	470637	7081301	897	Soil	moist	Brown	clay-silt	46	B	3	3			
AUX0104290	Aurex	9/21/2011	DS	NAD 83, Zone 8	470637	7081276	895	Soil	moist	Grey/Brown	clay-silt	44	B	8	3			
AUX0104291	Aurex	9/21/2011	DS	NAD 83, Zone 8	470638	7081251	900	Soil	moist	Light Tan	clay-silt	32	B	3	8			Mica
AUX0104292	Aurex	9/21/2011	DS	NAD 83, Zone 8	470637	7081226	911	Soil	moist	Light Tan	clay-silt	22	B	5	9			MIca
AUX0104293	Aurex	9/21/2011	DS	NAD 83, Zone 8	470638	7081201	918	Soil	moist	Tan	clay-silt	28	B	8	4			Mica & Bed Rock
AUX0104294	Aurex	9/21/2011	DS	NAD 83, Zone 8	470639	7081177	925	Soil	moist	Brown	clay-silt	28	B	5	9			
AUX0104295	Aurex	9/21/2011	DS	NAD 83, Zone 8	470639	7081152	930	Soil	moist	Tan	clay-silt	26	B	2	4			
AUX0104296	Aurex	9/21/2011	DS	NAD 83, Zone 8	470640	7081128	932	Soil	moist	Grey	clay-silt	28	B	3	5			Quartz Frag.
AUX0104297	Aurex	9/21/2011	DS	NAD 83, Zone 8	470638	7081101	930	Soil	moist	Grey/Tan	clay-silt	29	B	4	6			
AUX0104298	Aurex	9/21/2011	DS	NAD 83, Zone 8	470638	7081083	929	Soil	moist/Dry	Grey	clay-silt	30	B	4	8			MIca
AUX0104299	Aurex	9/21/2011	DS	NAD 83, Zone 8	470636	7081051	918	Soil	Dry	Grey/Tan	clay-silt	30	B	5	7			MIca
AUX0104300	Aurex	9/21/2011	DS	NAD 83, Zone 8	470637	7081051	918	Soil	Dry	Grey/Tan	clay-silt	30	B	5	7			Mica
AUX0104301	Aurex	9/21/2011	DS	NAD 83, Zone 8	470638	7081026	911	Soil	moist	Tan	clay-silt	28	B	6	6			Mica
AUX0104302	Aurex	9/21/2011	DS	NAD 83, Zone 8	470639	7081001	908	Soil	moist	Grey/Tan	clay-silt	28	B	6	6			
AUX0104303	Aurex	9/21/2011	DS	NAD 83, Zone 8	470639	7080976	901	Soil	moist	Tan	clay-silt	30	B	3	9			Mica
AUX0104304	Aurex	9/21/2011	DS	NAD 83, Zone 8	470637	7080951	906	Soil	moist	Tan/Grey	clay-silt	31	B	3	8			MIca
AUX0104305	Aurex	9/21/2011	DS	NAD 83, Zone 8	470638	7080927	904	Soil	moist	Grey	clay-silt	30	B	5	5			Mica
AUX0104306	Aurex	9/21/2011	DS	NAD 83, Zone 8	470637	7080901	900	Soil	moist	Grey/Brown	clay-silt	32	B	3	3			
AUX0104307	Aurex	9/22/2011	RP	NAD 83, Zone 8	470738	7081275	904	Soil	Moist	tan/brown	clay/silt	30	B	5	4			mica
AUX0104308	Aurex	9/22/2011	RP	NAD 83, Zone 8	470736	7081251	903	Soil	Moist	tan/brown	clay/silt	30	B	5	7			mica
AUX0104309	Aurex	9/22/2011	RP	NAD 83, Zone 8	470737	7081226	902	Soil	Moist	brown	clay/silt	32	B	9	8			mica
AUX0104310	Aurex	9/22/2011	RP	NAD 83, Zone 8	470736	7081202	909	Soil	Moist	tan	clay/silt	26	B	5	9			mica
AUX0104311	Aurex	9/22/2011	RP	NAD 83, Zone 8	470737	7081178	920	Soil	Moist	grey	clay/silt	28	B	6	8			mica

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104312	Aurex	9/22/2011	RP	NAD 83, Zone 8	470736	7081147	931	Soil	Moist	grey	clay/silt	29	B	4	8			mica
AUX0104313	Aurex	9/22/2011	RP	NAD 83, Zone 8	470742	7081123	933	Soil	Moist	grey/tan	clay/silt	28	B	3	6			mica
AUX0104314	Aurex	9/22/2011	RP	NAD 83, Zone 8	470741	7081101	939	Soil	Moist	grey/tan	clay/silt	26	B	3	7			mica
AUX0104315	Aurex	9/22/2011	RP	NAD 83, Zone 8	470738	7081076	938	Soil	Moist	tan/grey	clay/silt	32	B	4	7			mica
AUX0104316	Aurex	9/22/2011	RP	NAD 83, Zone 8	470739	7081049	938	Soil	Moist	tan/grey	clay/silt	28	B	3	6			mica
AUX0104317	Aurex	9/22/2011	RP	NAD 83, Zone 8	470739	7081026	938	Soil	Moist	tan	clay/silt	26	B	2	6			mica
AUX0104318	Aurex	9/22/2011	RP	NAD 83, Zone 8	470737	7081001	938	Soil	Moist	grey/tan	clay/silt	28	B	3	6			mica
AUX0104319	Aurex	9/22/2011	RP	NAD 83, Zone 8	470742	7080975	930	Soil	Moist	tan	clay/silt	28	B	3	6			mica
AUX0104320	Aurex	9/22/2011	RP	NAD 83, Zone 8	470737	7080951	928	Soil	Moist	tan	clay/silt	26	B	3	5			
AUX0104321	Aurex	9/22/2011	RP	NAD 83, Zone 8	470739	7080926	920	Soil	Moist	tan	clay/silt	28	B	3	6			mica
AUX0104322	Aurex	9/22/2011	RP	NAD 83, Zone 8	470742	7080899	915	Soil	Moist	tan	clay/silt	29	B	3	5			
AUX0104323	Aurex	9/22/2011	RP	NAD 83, Zone 8	470839	7081225	906	Soil	Moist	grey	clay/silt	30	B	4	6			
AUX0104324	Aurex	9/22/2011	RP	NAD 83, Zone 8	470839	7081199	913	Soil	Moist	grey	clay/silt	33	B	5	7			
AUX0104325	Aurex	9/22/2011	RP	NAD 83, Zone 8	470838	7081201	914	Soil	Moist	grey	clay/silt	33	B	5	7			
AUX0104326	Aurex	9/22/2011	RP	NAD 83, Zone 8	470840	7081177	920	Soil	Moist	grey/black	clay/silt	30	B	4	6			
AUX0104327	Aurex	9/22/2011	RP	NAD 83, Zone 8	470838	7081150	926	Soil	Moist	grey	clay/silt	33	B	3	6			
AUX0104328	Aurex	9/22/2011	RP	NAD 83, Zone 8	470841	7081126	937	Soil	Moist	grey	clay/silt	49	B	4	7			mica
AUX0104329	Aurex	9/22/2011	RP	NAD 83, Zone 8	470836	7081101	937	Soil	Moist	grey	clay/silt	30	B	4	4			
AUX0104330	Aurex	9/22/2011	RP	NAD 83, Zone 8	470839	7081076	943	Soil	Moist	tan	clay/silt	26	B	2	2			
AUX0104331	Aurex	9/22/2011	RP	NAD 83, Zone 8	470839	7081051	940	Soil	Moist	grey	clay/silt	28	B	3	7			mica
AUX0104332	Aurex	9/22/2011	RP	NAD 83, Zone 8	470837	7081026	941	Soil	Moist	grey/tan	clay/silt	30	B	3	7			mica
AUX0104333	Aurex	9/22/2011	RP	NAD 83, Zone 8	470838	7081004	938	Soil	Moist	tan/brown	clay/silt	27	B	3	7			mica
AUX0104334	Aurex	9/22/2011	RP	NAD 83, Zone 8	470839	7080977	936	Soil	Moist	grey	clay/silt	29	B	6	9			
AUX0104335	Aurex	9/22/2011	RP	NAD 83, Zone 8	470836	7080954	930	Soil	Moist	tan	clay/silt	32	B	4	3			
AUX0104336	Aurex	9/22/2011	RP	NAD 83, Zone 8	470835	7080926	931	Soil	Moist	grey/tan	clay/silt	28	B	4	4			
AUX0104337	Aurex	9/22/2011	RP	NAD 83, Zone 8	470837	7080901	931	Soil	Moist	grey	clay/silt	30	B	4	6			
AUX0104338	Aurex	9/22/2011	RP	NAD 83, Zone 8	470940	7081224	913	Soil	Moist	grey	clay/silt	30	B	4	6			mica
AUX0104339	Aurex	9/22/2011	RP	NAD 83, Zone 8	470942	7081202	917	Soil	Moist	grey	clay/silt	32	B	4	6			mica
AUX0104340	Aurex	9/22/2011	RP	NAD 83, Zone 8	470941	7081175	928	Soil	Moist	grey	clay/silt	34	B	4	4			permafrost
AUX0104341	Aurex	9/22/2011	RP	NAD 83, Zone 8	470942	7081150	935	Soil	Moist	grey/tan	clay/silt	32	B	4	6			mica
AUX0104342	Aurex	9/22/2011	RP	NAD 83, Zone 8	470941	7081125	938	Soil	Moist	tan/grey	clay/silt	30	B	3	3			
AUX0104343	Aurex	9/22/2011	RP	NAD 83, Zone 8	470938	7081099	943	Soil	Moist	tan/brown	clay/silt	28	B	3	4			
AUX0104344	Aurex	9/22/2011	RP	NAD 83, Zone 8	470939	7081076	942	Soil	Moist	tan	clay/silt	26	B	4	4			
AUX0104345	Aurex	9/22/2011	RP	NAD 83, Zone 8	470939	7081049	941	Soil	Moist	tan	clay/silt	30	B	4	4			
AUX0104346	Aurex	9/22/2011	RP	NAD 83, Zone 8	470939	7081025	948	Soil	Moist	tan/brown	clay/silt	28	B	2	2			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104347	Aurex	9/22/2011	RP	NAD 83, Zone 8	470939	7080997	945	Soil	Moist	tan/brown	clay/silt	32	B	3	6			
AUX0104348	Aurex	9/22/2011	RP	NAD 83, Zone 8	470937	7080976	949	Soil	Moist	tan	clay/silt	30	B	3	6			
AUX0104349	Aurex	9/22/2011	RP	NAD 83, Zone 8	470940	7080950	947	Soil	Moist	tan	clay/silt	28	B	2	5			mica
AUX0104350	Aurex	9/22/2011	RP	NAD 83, Zone 8	470939	7080949	947	Soil	Moist	tan	clay/silt	28	B	2	5			mica
AUX0104351	Aurex	9/22/2011	RP	NAD 83, Zone 8	470940	7080925	949	Soil	Moist	tan/grey	clay/silt	29	B	3	5			
AUX0104352	Aurex	9/22/2011	RP	NAD 83, Zone 8	470938	7080900	950	Soil	Moist	tan	clay/silt	26	B	3	3			
AUX0104353	Aurex	9/22/2011	RP	NAD 83, Zone 8	471037	7081226	914	Soil	Moist	grey	clay/silt	30	B	3	3			
AUX0104354	Aurex	9/22/2011	RP	NAD 83, Zone 8	471036	7081202	921	Soil	Moist	grey	clay/silt	30	B	2	2			
AUX0104355	Aurex	9/22/2011	RP	NAD 83, Zone 8	471041	7081175	933	Soil	Moist	tan/grey	clay/silt	28	B	4	3			
AUX0104356	Aurex	9/22/2011	RP	NAD 83, Zone 8	471035	7081153	939	Soil	Moist	tan	clay/silt	29	B	4	6			
AUX0104357	Aurex	9/22/2011	RP	NAD 83, Zone 8	471036	7081126	942	Soil	Moist	tan	clay/silt	26	B	3	3			
AUX0104358	Aurex	9/22/2011	RP	NAD 83, Zone 8	471038	7081101	943	Soil	Moist	tan	clay/silt	28	B	3	4			
AUX0104359	Aurex	9/22/2011	RP	NAD 83, Zone 8	471038	7081076	947	Soil	Moist	tan	clay/silt	30	B	3	6			
AUX0104360	Aurex	9/22/2011	RP	NAD 83, Zone 8	471039	7081051	949	Soil	Moist	tan	clay/silt	32	B	3	7			
AUX0104361	Aurex	9/22/2011	RP	NAD 83, Zone 8	471039	7081030	949	Soil	Moist	tan	clay/silt	26	B	3	5			
AUX0104362	Aurex	9/22/2011	RP	NAD 83, Zone 8	471037	7081002	949	Soil	Moist	tan/brown	clay/silt	28	B	3	3			
AUX0104363	Aurex	9/22/2011	RP	NAD 83, Zone 8	471035	7080980	948	Soil	Moist	tan/grey	clay/silt	30	B	3	5			
AUX0104364	Aurex	9/22/2011	RP	NAD 83, Zone 8	471039	7080955	955	Soil	Moist	tan/brown	clay/silt	26	B	3	5			mica
AUX0104365	Aurex	9/22/2011	RP	NAD 83, Zone 8	471036	7080926	957	Soil	Moist	tan	clay/silt	28	B	3	4			
AUX0104366	Aurex	9/22/2011	RP	NAD 83, Zone 8	471038	7080903	951	Soil	Moist	tan/brown	clay/silt	30	B	4	6			mica
AUX0104367	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471136	7081122	950	Soil	Moist	Tan-grey	clay/silt	55	B	5	tr			
AUX0104368	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471137	7081099	951	Soil	Moist	Tan-grey	clay/silt	45	B	tr	8			
AUX0104369	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471140	7081076	955	Soil	Moist	Tan-grey	clay/silt	48	B	tr	8			
AUX0104370	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471134	7081047	954	Soil	Moist	Tan-brown	clay/silt	34	B	tr	4			
AUX0104371	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471139	7081022	950	Soil	Moist	Tan-brown	clay/silt	34	B	tr	3			
AUX0104372	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471135	7080998	956	Soil	Moist	Tan-brown	clay/silt	40	B	3	6			
AUX0104373	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471139	7080972	957	Soil	Moist	Tan-brown	clay/silt	34	B	2	8			
AUX0104374	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471137	7080950	957	Soil	Moist	Tan-brown	clay/silt	32	B	2	tr			
AUX0104375	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471138	7080948	957	Soil	Moist	Tan-brown	clay/silt	32	B	2	tr			
AUX0104376	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471138	7080923	957	Soil	Moist	Tan-brown	clay/silt	35	B	tr	tr			
AUX0104377	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471239	7081121	957	Soil	Moist	Tan-grey	clay/silt	33	B	tr	6			
AUX0104378	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471238	7081096	957	Soil	Moist	Tan-brown	clay/silt	33	B	tr	tr			
AUX0104379	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471237	7081072	960	Soil	Moist	Tan-brown	clay/silt	40	B	2	20			
AUX0104380	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471239	7081046	959	Soil	Moist	Tan-brown	clay/silt	35	B	1	5			
AUX0104381	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471238	7081021	957	Soil	Moist	Tan-brown	clay/silt	34	B	1	3			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104382	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471239	7080997	957	Soil	Moist	Tan-brown	clay/silt	30	B	1	3			
AUX0104383	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471238	7080971	961	Soil	Moist	Tan-brown	clay/silt	34	B	tr	tr			
AUX0104384	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471240	7080947	963	Soil	Moist	Tan-brown	clay/silt	45	B	tr	tr			
AUX0104385	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471238	7080922	960	Soil	Moist	Tan-brown	clay/silt	40	B	3	3			
AUX0104386	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471338	7081122	958	Soil	Moist	Tan-brown	clay/silt	43	B	tr	tr			
AUX0104387	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471339	7081097	959	Soil	Moist	Tan-grey	clay/silt	31	B	2	8			
AUX0104388	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471339	7081072	961	Soil	Moist	Tan-brown	clay/silt	35	B	tr	3			
AUX0104389	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471340	7081045	962	Soil	Moist	Tan-brown	clay/silt	28	B	tr	tr			
AUX0104390	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471337	7081022	964	Soil	Moist	Tan-brown	clay/silt	32	B	tr	3			
AUX0104391	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471336	7080998	963	Soil	Moist	Tan-brown	clay/silt	40	B	tr	tr			
AUX0104392	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471337	7080969	962	Soil	Moist	Tan-brown	clay/silt	43	B	tr	tr			
AUX0104393	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471337	7080948	966	Soil	Moist	Tan-brown	clay/silt	31	B	tr	tr			
AUX0104394	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471338	7080923	968	Soil	Moist	Tan-brown	clay/silt	33	B	tr	tr			
AUX0104395	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471439	7081125	955	Soil	Saturated	Tan-grey	clay/silt	48	B	1	8			
AUX0104396	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471439	7081098	957	Soil	Saturated	Tan-grey	clay/silt	40	B	1	tr			
AUX0104397	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471439	7081071	961	Soil	Moist	Tan-brown	clay/silt	32	B	3	2			
AUX0104398	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471440	7081046	964	Soil	Saturated	Tan-brown	clay/silt	40	B	tr	tr			
AUX0104399	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471440	7081020	962	Soil	Moist	Tan-brown	clay/silt	43	B	tr	tr			
AUX0104400	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471439	7081022	964	Soil	Moist	Tan-brown	clay/silt	43	B	tr	tr			
AUX0104401	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471438	7080996	965	Soil	Moist	Tan-brown	clay/silt	32	B	tr	tr			
AUX0104402	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471439	7080969	965	Soil	Moist	Tan-brown	clay/silt	35	B	2	20			
AUX0104403	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471437	7080946	964	Soil	Moist	Tan-brown	clay/silt	31	B	tr	10			
AUX0104404	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471438	7080920	964	Soil	Moist	Tan-brown	clay/silt	32	B	tr	2			
AUX0104405	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471537	7081121	964	Soil	Moist	Tan-grey	clay/silt	44	B	2	6			
AUX0104406	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471535	7081097	964	Soil	Moist	Tan-brown	clay/silt	37	B	tr	4			
AUX0104407	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471540	7081072	963	Soil	Moist	Tan-brown	clay/silt	32	B	1	3			
AUX0104408	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471538	7081048	963	Soil	Moist	Tan-brown	clay/silt	33	B	1	3			
AUX0104409	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471539	7081023	964	Soil	Moist	Tan-brown	clay/silt	36	B	tr	tr			
AUX0104410	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471537	7080997	967	Soil	Moist	Tan-brown	clay/silt	38	B	tr	tr			
AUX0104411	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471539	7080973	968	Soil	Moist	Tan-brown	clay/silt	33	B	tr	tr			
AUX0104412	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471538	7080948	964	Soil	Moist	Tan-brown	clay/silt	35	B	2	4			
AUX0104413	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471541	7080922	966	Soil	Moist	Tan-brown	clay/silt	34	B	2	2			
AUX0104414	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471637	7081125	961	Soil	Moist	Tan-brown	clay/silt	30	B	2	1			
AUX0104415	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471638	7081097	962	Soil	Moist	Tan-brown	clay/silt	40	B	2	1			
AUX0104416	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471639	7081072	960	Soil	Moist	Tan-brown	clay/silt	35	B	tr	3			

Sample No.	Project	Date	Sampler	UTM	UTMx	UTMy	Elev (m)	Type	Moisture	Colour	Sample Composition	Depth	Horizon	Organics (%)	Rocks (%)	Slope	Direction	Comments
AUX0104417	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471638	7081047	960	Soil	Moist	Tan-brown	clay/silt	33	B	1	1			
AUX0104418	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471638	7081022	963	Soil	Moist	Tan-brown	clay/silt	31	B	tr	tr			
AUX0104419	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471636	7080998	966	Soil	Moist	Tan-grey	clay/silt	31	B	tr	1			
AUX0104420	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471640	7080971	966	Soil	Moist	Tan-brown	clay/silt	32	B	tr	1			
AUX0104421	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471639	7080945	966	Soil	Moist	Tan-brown	clay/silt	33	B	tr	tr			
AUX0104422	Aurex	9/22/2011	ER/LB	NAD 83, Zone 8	471638	7080922	965	Soil	Moist	Tan-brown	clay/silt	32	B	tr	2			
AUX0104442	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080601	937	Soil	Moist	Tan-grey	clay-silt	58	B	tr	2			
AUX0104443	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471541	7080577	937	Soil	Moist	Brown	clay-silt	58	B	10	tr			
AUX0104444	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7080551	938	Soil	Moist	Dark grey	clay-silt	60	B	5	tr			Smells like sulfur
AUX0104445	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080528	938	Soil	Moist	Dark grey	clay-silt	43	B	3	tr			
AUX0104446	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080503	940	Soil	Moist	Tan-grey	clay-silt	58	B	2	1			
AUX0104447	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471538	7080476	945	Soil	Moist	Tan-grey	clay-silt	60	B	tr	tr			
AUX0104448	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7080451	949	Soil	Moist	Tan-grey	clay-silt	56	B	1	2			
AUX0104449	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7080425	952	Soil	Moist	Tan-grey	clay-silt	57	B	5	1			
AUX0104450	Aurex	9/20/2011	ER/LB	NAD 83, Zone 8	471539	7080426	953	Soil	Moist	Tan-grey	clay-silt	57	B	5	1			

APPENDIX 5

Rock Assay Certificates

AC11217090 - Finalized
CLIENT : "STRGOL - StrataGold Corporation"
# of SAMPLES : 19
DATE RECEIVED : 2011-09-18 DATE FINALIZED : 2011-11-13
PROJECT : "Aurex"
CERTIFICATE COMMENTS : ""
PO NUMBER : "AUX09182011_A"

SAMPLE DESCRIPTION	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %	ME-ICP61 Tl ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
AUX0100577	<0.005	<0.5	3.1	252	530	0.7	<2	0.03	<0.5	4	29	8	1.84	10	1.15	20	0.21	84	3	0.36	7	110	22	0.01	7	3	14	<20	0.08	<10	<10	17	<10	23
AUX0100578	<0.005	<0.5	11.55	78	1600	3.5	<2	0.13	<0.5	14	108	33	5.17	30	4.09	40	1.11	878	2	0.78	30	730	19	0.01	<5	19	154	20	0.51	<10	<10	132	<10	103
AUX0100579	3.01	0.6	3.21	218	390	1.2	140	8.86	<0.5	6	28	265	7.57	10	0.36	20	1.76	2470	4	0.29	8	430	10	2.65	6	5	181	<20	0.13	<10	<10	30	4050	90
AUX0100580	0.024	<0.5	4.24	1770	590	<0.5	<2	8.29	<0.5	59	407	9	7.61	10	1.91	<10	9.2	2120	3	0.16	444	80	<2	0.09	13	13	93	<20	0.43	<10	<10	75	10	227
AUX0100581	0.018	<0.5	2.52	713	1330	0.7	2	0.55	<0.5	5	57	53	2.47	10	0.57	10	0.68	277	4	0.23	13	80	6	0.05	<5	5	81	<20	0.1	<10	<10	22	10	32
AUX0100582	0.09	<0.5	3.76	325	460	1.3	3	21.2	<0.5	7	26	101	4.42	10	0.25	20	2.28	2270	2	0.49	11	690	6	0.79	<5	6	678	20	0.18	<10	30	47	60	104
AUX0100583	0.058	<0.5	1.97	149	120	0.6	<2	2.72	<0.5	4	40	8	1.64	<10	0.26	20	1.74	1180	3	0.16	9	1400	3	0.02	<5	3	139	<20	0.16	<10	<10	37	<10	59
AUX0100584	0.211	<0.5	2.78	1240	320	0.6	2	0.42	<0.5	2	57	4	1.68	10	0.91	20	0.16	113	4	0.57	3	100	2	0.3	10	3	33	<20	0.12	<10	<10	21	10	8
AUX0100585	<0.005	<0.5	4.57	8	620	0.8	<2	9.05	<0.5	7	41	11	1.5	10	1.22	30	0.31	1015	3	1.43	12	430	41	<0.01	<5	5	359	20	0.15	<10	<10	28	<10	30
AUX0100586	<0.005	<0.5	1.29	<5	140	<0.5	<2	16.3	<0.5	1	25	3	0.87	<10	0.38	10	0.16	738	3	0.39	2	240	21	<0.01	<5	3	662	<20	0.04	10	10	10	<10	7
AUX0100587	<0.005	<0.5	4.69	<5	2200	1.1	<2	0.14	<0.5	9	45	16	2.01	10	1.91	20	0.41	202	2	0.52	23	180	8	0.01	6	6	31	<20	0.18	<10	<10	37	<10	84
AUX0100588	<0.005	<0.5	0.05	<5	20	<0.5	<2	39.2	3	<1	1	<1	0.07	<10	0.02	<10	0.12	886	2	<0.01	<1	70	<2	0.01	<5	<1	588	20	<0.01	<10	90	<1	<10	53
AUX0100589	0.057	<0.5	1.94	440	200	<0.5	<2	24	<0.5	2	11	3	0.56	<10	0.97	10	0.2	946	2	0.03	2	190	10	0.02	7	2	378	20	0.07	<10	40	11	<10	8
AUX0100590	<0.005	<0.5	0.16	10	20	<0.5	<2	35.2	<0.5	<1	3	1	0.43	<10	0.07	10	0.31	1610	2	<0.01	<1	240	6	0.02	<5	<1	729	20	0.01	<10	80	1	<10	3
AUX0100591	0.01	<0.5	0.48	120	80	<0.5	<2	35.7	<0.5	1	5	2	0.84	<10	0.18	10	0.16	1950	2	0.02	1	320	49	0.02	<5	2	1155	20	0.02	10	80	4	<10	5
AUX0100592	0.05	<0.5	3.99	126	170	0.6	<2	0.48	<0.5	10	63	15	4.32	10	0.45	10	0.87	861	4	0.88	24	320	5	0.03	<5	4	84	<20	0.13	<10	<10	32	<10	84
AUX0100593	0.006	<0.5	2.67	82	450	0.5	<2	0.16	<0.5	4	29	4	1.73	10	0.7	10	0.29	244	3	0.26	7	190	7	<0.01	5	3	27	<20	0.09	<10	<10	20	<10	28
AUX0100594	0.562	<0.5	6.02	5420	240	2.5	20	1.47	<0.5	13	47	185	9.18	20	1.27	40	1.69	854	2	0.4	19	580	5	2.82	7	9	206	<20	0.23	<10	<10	41	80	104
AUX0100595	<0.005	<0.5	5.98	89	940	1.6	<2	1.91	4.1	15	116	80	4.33	20	1.7	30	1.7	851	9	0.53	17	1370	16	0.29	<5	16	254	<20	0.62	<10	<10	213	<10	96

AC11217127 - Finalized
CLIENT : "STRGOL - StrataGold Corporation"
# of SAMPLES : 8
DATE RECEIVED : 2011-09-18 DATE FINALIZED : 2011-11-15
PROJECT : "Aurex"
CERTIFICATE COMMENTS : "ME-XRF06: Sample with low total was rechecked and confirmed. "
PO NUMBER : "AUX-09182011_B"

SAMPLE DESCRIPTION	ME-XRF06 SiO2 %	ME-XRF06 Al2O3 %	ME-XRF06 Fe2O3 %	ME-XRF06 CaO %	ME-XRF06 MgO %	ME-XRF06 Na2O %	ME-XRF06 K2O %	ME-XRF06 Cr2O3 %	ME-XRF06 TiO2 %	ME-XRF06 MnO %	ME-XRF06 P2O5 %	ME-XRF06 SrO %	ME-XRF06 BaO %	ME-XRF06 LOI %	ME-XRF06 Total %
AUX0101001	50.07	15.26	10.59	6.62	7.15	4	1.07	0.03	1.68	0.12	0.205	0.08	0.2	2.35	99.43
AUX0101002	59.23	9.4	5.25	12.82	4.75	0.87	0.49	<0.01	0.34	0.24	0.167	0.04	0.04	4.68	98.31
AUX0101003	66.67	10.07	7.31	7.28	2.11	0.89	0.5	<0.01	0.49	0.1	0.09	0.03	0.02	3.07	98.63
AUX0101004	57.71	7.35	8.28	12.08	3.2	0.63	0.43	<0.01	0.31	0.31	0.05	0.02	0.09	4.98	95.44
AUX0101005	45.78	15.98	11.97	8.4	5.4	2.6	1.19	0.02	2.19	0.33	0.498	0.04	0.05	4.13	98.58
AUX0101006	47.61	14.67	11.3	7.05	7.05	3.45	0.66	0.02	1.95	0.28	0.389	0.05	0.03	4.32	98.83
AUX0101007	51.9	14.37	11.87	5.35	5.84	3.58	0.32	0.01	2.44	0.16	0.256	0.05	0.04	3.42	99.61
AUX0101008	48.56	16.82	9.67	7.1	6.43	3.38	1.62	0.03	1.74	0.12	0.196	0.07	0.77	2.77	99.27

WH11123812 - Finalized
CLIENT : "STRGOL - StrataGold Corporation"
# of SAMPLES : 30
DATE RECEIVED : 2011-07-04 DATE FINALIZED : 2011-08-04
PROJECT : "Aurex"
CERTIFICATE COMMENTS : ""
PO NUMBER : "AUX06292011"

SAMPLE DESCRIPTION	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %	ME-ICP61 Tl ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
AUX0100382	<0.005	<0.5	2.03	73	520	0.5	<2	0.06	<0.5	3	27	11	1.29	<10	0.64	10	0.21	148	2	0.38	7	80	3	0.02	<5	2	24	<20	0.09	<10	<10	15	<10	24
AUX0100383	0.014	<0.5	1.83	85	1030	<0.5	2	0.14	<0.5	2	29	4	0.93	<10	0.78	10	0.21	275	2	0.16	8	60	7	<0.01	<5	2	20	<20	0.08	<10	<10	13	<10	25
AUX0100384	0.018	0.6	8	218	650	0.6	<2	5.54	<0.5	28	167	48	7.43	20	0.44	10	3.66	1360	3	2.56	57	1220	11	0.42	<5	20	450	<20	1	<10	<10	184	<10	134
AUX0100385	0.198	<0.5	0.96	1145	140	<0.5	<2	0.26	<0.5	3	17	5	0.99	<10	0.24	10	0.06	645	2	0.38	5	80	10	0.12	<5	1	21	<20	0.02	<10	<10	5	<10	78
AUX0100386	0.02	<0.5	0.84	164	430	<0.5	2	0.08	<0.5	1	35	2	0.71	<10	0.19	10	0.05	265	2	0.17	4	50	5	0.01	<5	1	9	<20	0.03	<10	<10	4	<10	19
AUX0100387	0.019	<0.5	2.21	150	1420	<0.5	<2	0.05	<0.5	4	31	11	1.18	<10	0.76	20	0.13	195	2	0.26	7	130	10	0.01	<5	2	10	<20	0.1	<10	<10	15	<10	14
AUX0100388	4.48	0.7	1.25	>10000	90	<0.5	11	0.42	<0.5	2	19	1	5.99	<10	0.19	10	0.07	147	2	0.05	2	410	3	2.75	58	1	21	<20	0.04	<10	<10	9	10	4
AUX0100389	0.026	<0.5	4.58	136	810	1.4	<2	0.7	<0.5	10	49	15	3.67	10	1.42	50	0.83	935	<1	0.29	26	320	12	0.03	5	10	79	<20	0.23	<10	<10	50	<10	61
AUX0100390	1.965	1	1.15	>10000	30	<0.5	6	0.26	<0.5	2	12	13	15.3	10	0.13	10	0.07	123	4	0.49	1	250	7	8.03	166	1	69	<20	0.03	<10	<10	7	10	10
AUX0100391	0.37	<0.5	1.65	>10000	100	0.5	3	0.22	<0.5	4	25	2	2.45	<10	0.3	10	0.41	127	3	0.46	5	540	3	0.81	20	2	73	<20	0.06	<10	<10	11	10	15
AUX0100392	0.027	<0.5	2.05	1175	80	<0.5	<2	0.18	<0.5	2	30	7	1.59	<10	0.19	10	0.22	252	1	0.95	8	650	<2	0.07	<5	2	57	<20	0.07	<10	<10	11	<10	18
AUX0100393	9.8	3	1.05	>10000	50	<0.5	24	0.71	<0.5	4	21	2	15.3	<10	0.15	10	0.15	153	5	0.02	1	240	9	8.12	157	2	41	<20	0.03	<10	<10	9	90	12
AUX0100394	0.008	<0.5	1.89	194	220	<0.5	<2	0.38	<0.5	6	21	48	3	<10	0.54	20	0.28	343	<1	0.22	11	100	6	0.31	<5	3	40	<20	0.05	<10	<10	11	<10	30
AUX0100395	0.055	0.6	4.11	853	500	1.1	<2	2.04	<0.5	10	45	45	2.75	10	1.56	20	0.69	587	5	0.03	23	410	8	0.95	24	7	99	<20	0.21	<10	<10	77	<10	56
AUX0100396	0.095	0.6	7.71	434	130	0.8	<2	4.18	<0.5	34	132	47	8.3	20	0.47	10	4.52	1985	3	2.41	41	1810	11	1.06	<5	24	470	<20	1.31	<10	<10	222	<10	203
AUX0100397	0.012	<0.5	8.31	54	1000	0.7	<2	4.74	<0.5	36	168	45	7.43	20	0.36	10	4.01	1465	3	2.71	90	1210	7	0.17	7	19	534	<20	1.01	<10	<10	184	<10	102
AUX0100398	0.027	0.5	8.04	124	230	0.8	<2	3.67	<0.5	32	131	28	7.65	20	0.22	10	4.25	1735	3	3.19	54	1560	9	0.37	<5	21	312	<20	1.11	<10	<10	194	<10	140
AUX0100399	1.525	1.3	8.03	3640	180	1.1	24	6.27	<0.5	36	158	97	7.89	20	0.28	10	3.15	2720	2	1.96	79	1720	11	2.57	6	20	674	<20	1.05	<10	<10	180	240	170
AUX0100400	0.06	0.8	8.2	1995	120	0.7	<2	5.98	<0.5	34	160	69	7.19	20	0.21	10	3	2360	3	2.21	75	1760	11	1.62	<5	21	548	<20	1.09	<10	<10	186	<10	156
AUX0100401	0.022	0.5	7.99	539	60	0.8	<2	4.33	<0.5	34	133	35	7.28	20	0.93	10	4.17	1940	3	2.67	57	1370	14	0.64	<5	19	504	<20	1	<10	<10	180	<10	150
AUX0100402	0.012	<0.5	3.99	52	8790	1.8	<2	0.09	0.7	1	53	24	1.11	10	1.63	20	0.71	124	17	0.07	12	120	7	0.02	20	7	12	<20	0.22	<10	<10	777	<10	76
AUX0100403	0.005	1	2.33	39	4370	1.1	<2	0.17	8.9	13	47	42	4.54	10	0.93	10	0.31	189	17	0.03	139	990	10	0.04	65	5	18	<20	0.12	<10	<10	632	<10	1235
AUX0100404	0.113	0.8	8.06	648	160	1.2	<2	4.47	<0.5	36	133	70	7.92	20	0.95	10	3.8	1985	3	2.94	60	1840	13	1.13	<5	22	530	<20	1.24	<10	<10	205	<10	164
AUX0100405	<0.005	0.5	7.71	674	440	0.9	<2	4.4	<0.5	34	188	29	7.32	20	1.04	10	4.56	1580	3	2.09	87	1250	12	0.22	6	17	354	<20	0.93	<10	<10	178	<10	157
AUX0100406	1.23	0.8	7.96	85	80	0.8	17	4.78	<0.5	20	63	59	5.03	10	0.56	<10	2.31	1000	3	2.92	46	660	11	0.98	6	6	710	<20	0.3	<10	10	77	<10	105
AUX0100407	0.043	0.6	7.38	1335	130	0.6	<2	5.08	<0.5	31	124	71	6.29	20	0.94	10	2.92	1395	3	2.17	49	1300	9	1.09	18	16	597	<20	0.87	<10	<10	155	<10	167
AUX0100408	0.26	0.6	7.65	7080	80	0.5	8	6.14	<0.5	28	126	80	6.52	20	0.67	10	3.4	1830	2	2.07	50	1270	12	1.39	11	16	634	<20	0.8	<10	<10	147	<10	183
AUX0100409	<0.005	<0.5	5.97	35	410	0.7	<2	0.23	<0.5	4	35	19	2.37	10	0.88	10	0.49	259	<1	4.07	12	430	42	0.02	<5	4	45	<20	0.18	<10	10	29	<10	39
AUX0100410	0.042	<0.5	8.49	568	250	0.6	4	4	<0.5	39	152	45	8.32	20	1.97	20	4.39	1815	1	2.43	63	1890	12	1.05	<5	22	411	<20	1.11	<10	<10	196	<10	204
AUX0100411	0.839	<0.5	8.34	5000	510	0.8	3	4.15	<0.5	39	170	63	7.67	20	2.28	10	3.95	1555	1	1.57	92	1440	14	2.07	31	19	588	<20	1.01	<10	<10	189	<10	230

WH11130644 - Finalized
CLIENT : "STRGOL - StrataGold Corporation"
# of SAMPLES : 34
DATE RECEIVED : 2011-07-11 DATE FINALIZED : 2011-08-11
PROJECT : "Aurex"
CERTIFICATE COMMENTS : ""
PO NUMBER : "AUX07082011"

SAMPLE	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
DESCRIPTION	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
AUX0100412	<0.005	<0.5	8.15	19	1280	0.6	<2	5.51	<0.5	29	257	30	6.49	20	0.51	10	3.51	970	<1	3.35	58	740	21	0.03	<5	24	1065	<20	0.93	<10	<10	171	<10	140
AUX0100413	0.016	<0.5	0.16	61	30	<0.5	<2	37.7	<0.5	1	2	<1	0.2	<10	0.06	10	0.11	738	<1	0.01	<1	140	4	0.01	<5	<1	567	<20	0.01	<10	30	2	<10	9
AUX0100414	0.005	<0.5	0.05	165	20	<0.5	<2	39.2	<0.5	1	<1	<1	0.15	<10	0.01	10	0.07	1160	<1	0.01	<1	90	4	0.02	<5	<1	284	<20	<0.01	<10	30	1	<10	12
AUX0100415	<0.005	<0.5	4.78	155	20	<0.5	<2	12.7	<0.5	2	6	9	0.67	<10	0.04	20	0.18	1755	<1	3.81	<1	470	44	<0.01	<5	3	577	<20	0.04	<10	10	1	<10	9
AUX0100416	<0.005	<0.5	0.11	22	30	<0.5	<2	36.9	<0.5	3	1	<1	0.15	<10	0.04	10	0.13	1410	<1	0.01	<1	150	3	0.02	<5	<1	429	<20	0.01	<10	30	1	<10	36
AUX0100417	<0.005	<0.5	4.29	5	430	0.9	<2	0.4	<0.5	10	87	22	3.43	10	1.17	30	0.7	514	<1	0.21	24	440	22	0.01	<5	7	56	<20	0.2	<10	<10	45	<10	78
AUX0100418	<0.005	<0.5	3.62	<5	1490	0.5	<2	0.55	<0.5	7	40	5	2.17	10	0.77	30	0.52	304	<1	0.93	14	180	15	<0.01	<5	5	68	<20	0.15	<10	<10	32	<10	38
AUX0100419	<0.005	<0.5	7.15	370	1000	2.2	<2	0.5	<0.5	27	62	21	3.2	20	2.5	50	0.9	775	<1	0.83	49	290	19	0.01	<5	15	110	<20	0.29	<10	<10	83	<10	82
AUX0100420	<0.005	<0.5	0.48	195	40	<0.5	<2	35.2	<0.5	2	2	<1	0.69	<10	0.14	10	0.23	2090	<1	0.01	1	250	18	0.01	<5	1	687	<20	0.01	<10	20	3	<10	12
AUX0100421	<0.005	<0.5	0.17	13	150	<0.5	<2	37.1	<0.5	1	1	<1	0.39	<10	0.05	10	0.21	1570	<1	0.01	<1	160	8	0.02	<5	<1	654	<20	0.01	<10	30	1	<10	11
AUX0100422	<0.005	<0.5	0.17	14	10	<0.5	<2	37.2	<0.5	2	1	<1	0.13	<10	0.01	10	0.1	2260	<1	0.1	1	130	29	0.04	<5	<1	647	<20	0.01	<10	30	1	<10	12
AUX0100423	<0.005	<0.5	0.03	30	20	<0.5	<2	34.9	<0.5	<1	<1	<1	0.09	<10	0.01	<10	0.09	1225	<1	<0.01	1	110	5	0.01	<5	<1	497	<20	<0.01	<10	30	<1	<10	3
AUX0100424	<0.005	<0.5	1.18	7	190	<0.5	<2	2.38	<0.5	7	13	13	1.65	<10	0.28	20	0.31	1855	<1	0.3	6	400	7	0.01	<5	5	88	<20	0.05	<10	<10	10	<10	26
AUX0100425	<0.005	<0.5	8.85	15	1770	2.3	<2	0.15	<0.5	15	94	543	5.33	30	3.85	50	1.11	217	<1	0.22	37	300	9	0.02	6	17	61	20	0.38	<10	<10	89	<10	88
AUX0100426	<0.005	<0.5	4.37	<5	920	1.2	<2	0.26	<0.5	8	34	11	1.84	10	1.58	40	0.43	189	<1	0.45	14	370	10	<0.01	<5	6	65	20	0.15	<10	<10	47	<10	35
AUX0100427	<0.005	<0.5	7.74	5	4520	0.7	<2	4.85	<0.5	23	175	26	5.72	20	0.99	10	2.66	832	<1	2.69	51	870	4	<0.01	<5	15	504	<20	0.9	<10	<10	128	<10	80
AUX0100428	<0.005	<0.5	6.92	22	1130	1.6	<2	0.24	<0.5	18	66	7	4.28	20	2.63	50	1.07	558	<1	0.34	38	300	12	0.02	<5	13	87	<20	0.25	<10	<10	77	<10	102
AUX0100429	<0.005	<0.5	4.78	<5	350	0.8	<2	0.13	<0.5	6	41	13	2.02	10	1.13	20	0.4	247	<1	1.75	15	130	57	0.01	<5	5	45	<20	0.18	<10	<10	29	<10	43
AUX0100430	<0.005	<0.5	0.46	<5	50	<0.5	<2	1.79	<0.5	4	23	2	0.64	<10	0.05	10	0.1	586	<1	0.01	8	80	28	<0.01	<5	2	80	<20	0.01	<10	<10	4	<10	15
AUX0100431	<0.005	<0.5	2.43	5	3560	0.6	<2	0.27	<0.5	7	23	9	1.48	10	0.99	40	0.15	398	<1	0.24	14	90	4	<0.01	<5	3	16	<20	0.12	<10	<10	19	<10	20
AUX0100432	<0.005	<0.5	7.36	<5	1380	1.8	<2	0.18	<0.5	18	51	19	3.62	20	2.69	50	0.87	861	<1	1.08	37	400	47	<0.01	<5	11	59	20	0.34	<10	<10	64	<10	86
AUX0100433	<0.005	<0.5	5.54	<5	1020	1.4	<2	0.21	<0.5	13	50	8	3.52	20	2.03	50	0.86	163	<1	0.29	29	260	9	<0.01	<5	10	43	<20	0.15	<10	<10	61	<10	62
AUX0100434	<0.005	<0.5	0.06	<5	20	<0.5	<2	37.6	<0.5	<1	2	1	0.12	<10	0.02	20	0.09	1605	1	0.01	2	660	<2	0.01	<5	<1	240	<20	<0.01	<10	10	1	<10	<2
AUX0100435	<0.005	<0.5	0.77	<5	20	<0.5	2	23.2	<0.5	3	3	2	0.45	<10	0.02	20	0.13	1765	<1	0.47	<1	130	27	0.15	<5	1	370	<20	0.01	<10	10	2	<10	6
AUX0100436	<0.005	<0.5	7.18	5	1070	1.9	<2	0.83	<0.5	19	56	11	4.29	20	2.35	50	0.82	718	<1	1	44	310	16	0.01	<5	13	90	<20	0.27	<10	<10	70	<10	95
AUX0100437	<0.005	<0.5	3.78	62	160	<0.5	<2	1.32	<0.5	24	27	24	4.77	10	0.35	20	0.9	1125	1	1.12	44	320	21	0.01	<5	4	47	<20	0.05	<10	<10	19	<10	105
AUX0100438	<0.005	<0.5	5.12	53	1030	1.4	<2	4.13	<0.5	9	47	24	3.88	20	1.86	40	1.05	2020	<1	0.31	22	270	20	0.01	<5	11	216	<20	0.2	<10	<10	86	<10	61
AUX0100439	<0.005	<0.5	1.41	<5	100	<0.5	<2	0.05	<0.5	2	20	4	0.98	<10	0.57	20	0.06	236	1	0.04	5	50	2	0.01	<5	2	11	<20	0.07	<10	<10	12	<10	7
AUX0100440	<0.005	<0.5	1.98	<5	140	<0.5	2	5.29	<0.5	3	38	3	1.15	10	0.41	30	0.2	1035	1	0.76	5	90	15	0.01	<5	3	398	<20	0.05	10	<10	12	<10	16
AUX0100441	<0.005	<0.5	3.9	103	450	0.9	<2	0.07	<0.5	8	36	14	2.3	10	1.11	30	0.37	1190	1	0.48	17	200	29	0.01	<5	6	43	<20	0.15	<10	<10	34	<10	42
AUX0100442	<0.005	<0.5	8.32	21	1040	2.3	<2	0.08	<0.5	10	64	21	3.64	20	2.96	40	0.75	366	<1	0.34	25	210	14	<0.01	<5	12	108	20	0.24	<10	<10	68	<10	70
AUX0100443	<0.005	<0.5	3.63	85	1010	0.8	<2	0.22	<0.5	10	49	17	2.45	10	1.21	30	0.36	287	<1	0.09	21	240	23	0.01	7	6	25	<20	0.12	<10	<10	33	<10	46
AUX0100444	0.586	<0.5	0.6	9510	160	<0.5	2	0.1	<0.5	4	17	3	1.5	<10	0.21	10	0.06	143	<1	0.01	3	20	4	0.36	9	1	11	<20	0.02	<10	<10	6	<10	6
AUX0100445	0.013	<0.5	0.88	30	610	<0.5	<2	0.03	<0.5	3	40	5	1.44	<10	0.12	30	0.03	40	1	0.01	13	30	9	0.79	<5	2	44	<20	0.05	<10	<10	13	<10	10

WH11136150 - Finalized
CLIENT : "STRGOL - StrataGold Corporation"
# of SAMPLES : 39
DATE RECEIVED : 2011-07-19 DATE FINALIZED : 2011-08-18
PROJECT : "Aurex"
CERTIFICATE COMMENTS : ""
PO NUMBER : "AUX07182011"

SAMPLE	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
DESCRIPTION	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
AUX0100446	<0.005	<0.5	8.22	5	900	2.2	5	0.32	<0.5	19	66	45	5.01	20	3.32	50	1.15	654	<1	0.31	47	340	11	0.01	<5	17	76	<20	0.28	<10	<10	109	<10	100
AUX0100447	<0.005	<0.5	0.36	<5	30	<0.5	<2	35.4	<0.5	1	2	<1	0.25	<10	0.16	20	0.11	615	<1	0.01	1	120	4	0.02	<5	1	443	<20	0.02	<10	<10	3	<10	5
AUX0100448	<0.005	<0.5	7.49	<5	450	0.7	3	4.32	<0.5	30	140	34	6.73	20	0.36	20	3.56	1655	<1	2.61	53	1140	6	0.08	<5	17	547	<20	1.37	<10	<10	158	<10	113
AUX0100449	<0.005	<0.5	7.2	<5	600	0.8	<2	3.91	<0.5	29	144	36	6.46	20	0.5	20	3.57	1480	<1	2.56	58	1070	9	0.09	<5	17	480	<20	1.33	<10	<10	154	<10	108
AUX0100450	<0.005	<0.5	7.4	<5	160	<0.5	2	6.07	<0.5	30	141	28	7.21	20	0.1	20	2.95	1180	<1	1.91	51	900	3	0.02	5	19	587	<20	1.23	<10	<10	169	<10	104
AUX0100451	<0.005	<0.5	1.19	5	120	<0.5	<2	31.4	<0.5	2	11	3	0.59	<10	0.52	20	0.39	150	<1	0.05	6	150	9	0.13	<5	2	2290	20	0.07	<10	<10	14	<10	14
AUX0100452	<0.005	<0.5	0.83	<5	70	<0.5	<2	32.1	<0.5	1	8	1	0.48	<10	0.31	20	0.3	218	<1	0.02	3	170	6	0.06	<5	2	2530	20	0.05	<10	<10	8	<10	8
AUX0100453	<0.005	<0.5	1.12	6	60	<0.5	2	5.62	<0.5	5	18	13	1.33	<10	0.27	20	0.21	2280	<1	0.23	11	310	37	0.03	<5	3	515	<20	0.06	<10	<10	10	<10	17
AUX0100454	<0.005	<0.5	11.05	5	870	2.7	6	0.15	<0.5	22	82	48	6.81	30	3.17	40	1.22	586	<1	2.47	36	300	4	0.08	6	18	211	<20	0.49	<10	<10	105	<10	131
AUX0100455	<0.005	<0.5	3.79	9	250	0.9	<2	6.09	<0.5	7	31	10	2.25	10	1.06	30	0.43	2450	<1	0.75	13	730	15	0.02	7	7	565	<20	0.2	<10	<10	32	<10	35
AUX0100456	<0.005	<0.5	2.81	5	210	0.7	<2	0.19	<0.5	8	31	87	2.87	10	0.84	20	0.44	425	<1	0.16	16	310	33	0.07	<5	5	41	<20	0.16	<10	<10	25	<10	50
AUX0100457	<0.005	<0.5	4.95	13	350	1.5	2	0.25	<0.5	8	41	3	2.49	10	1.69	30	0.45	1370	<1	0.27	17	180	8	<0.01	<5	7	100	<20	0.28	<10	<10	49	<10	50
AUX0100458	<0.005	<0.5	3.86	5	200	0.6	<2	1.33	<0.5	4	26	14	2.03	10	0.81	30	0.42	453	<1	1.16	10	120	<2	0.01	<5	4	79	<20	0.13	<10	<10	27	<10	34
AUX0100459	<0.005	<0.5	7.68	<5	70	0.5	3	4.75	<0.5	29	92	91	7.8	20	0.05	20	3.6	1040	<1	3.51	31	770	2	0.1	<5	21	476	<20	1.09	<10	<10	200	<10	89
AUX0100460	<0.005	<0.5	6.12	<5	510	1.4	3	0.23	<0.5	6	47	24	3.24	10	1.93	40	0.64	280	<1	1.58	19	250	21	0.06	<5	8	94	<20	0.24	<10	<10	45	<10	67
AUX0100461	0.313	<0.5	1.08	2180	110	<0.5	3	0.05	<0.5	1	27	13	1.34	<10	0.23	10	0.19	173	<1	0.29	5	130	7	0.08	5	1	29	<20	0.03	<10	<10	7	<10	18
AUX0100462	0.019	<0.5	2.85	515	320	0.6	<2	0.08	<0.5	5	34	14	1.63	10	0.9	30	0.31	648	<1	0.38	10	90	8	0.01	<5	4	49	<20	0.14	<10	<10	22	<10	46
AUX0100463	0.041	<0.5	4.72	1410	130	<0.5	9	9.19	<0.5	16	66	4	5.15	10	0.63	20	3.21	2570	<1	2.38	27	880	38	0.2	33	10	845	<20	0.43	<10	<10	99	10	36
AUX0100464	<0.005	<0.5	9.92	59	420	1.1	4	0.56	<0.5	15	86	13	4.04	20	0.51	70	1.79	569	<1	5.8	59	600	14	0.01	6	14	124	<20	0.43	<10	<10	84	<10	53
AUX0100465	0.015	<0.5	7.32	278	220	0.9	<2	4.55	<0.5	31	130	48	6.72	20	0.93	20	3.44	1570	<1	2.76	75	1450	8	0.26	35	16	517	<20	0.79	<10	<10	154	10	133
AUX0100466	0.027	<0.5	8.01	142	860	1.3	3	0.45	<0.5	14	66	2	4.83	20	1.98	50	1.12	449	<1	2.23	32	210	3	0.67	13	12	63	<20	0.39	<10	<10	79	<10	64
AUX0100467	0.042	<0.5	1.76	132	80	<0.5	3	16	<0.5	8	26	<1	7.45	<10	0.4	20	6.17	2300	<1	0.03	12	320	6	0.4	12	11	1870	<20	0.21	<10	<10	55	10	9
AUX0100468	0.011	<0.5	4.57	54	20	<0.5	5	0.71	<0.5	4	35	3	1.15	10	0.04	30	0.29	235	<1	3.32	8	100	20	0.13	13	4	61	<20	0.18	<10	<10	20	<10	24
AUX0100469	<0.005	<0.5	5.48	34	520	0.8	2	0.35	<0.5	8	35	5	2.89	10	1.01	30	0.76	344	<1	2.16	21	430	6	0.24	13	5	43	<20	0.16	<10	<10	36	<10	37
AUX0100470	<0.005	<0.5	1.54	180	60	<0.5	<2	17.1	<0.5	5	25	1	7.85	<10	0.28	20	6.64	2560	<1	0.03	10	260	2	0.01	9	10	1855	<20	0.17	<10	<10	44	10	12
AUX0100471	<0.005	<0.5	8.1	41	2560	1.1	2	5.14	<0.5	34	124	28	8.38	20	0.59	20	4.49	1385	<1	2.39	58	1730	7	0.01	<5	19	621	<20	1.23	<10	<10	206	<10	131
AUX0100472	0.007	<0.5	0.23	7	20	<0.5	<2	33.9	<0.5	<1	2	1	0.44	<10	0.04	10	0.26	494	<1	0.01	2	290	8	0.01	<5	1	1455	20	0.01	<10	<10	3	<10	11
AUX0100473	1.11	<0.5	7.99	3020	100	1.4	26	6.66	<0.5	32	154	108	7.98	20	0.19	20	2.7	3160	<1	1.42	79	1770	11	2.97	12	20	636	<20	1.04	<10	<10	176	170	188
AUX0100474	0.045	<0.5	8.23	1575	270	0.9	5	4.37	<0.5	36	125	49	7.18	20	1.29	30	3.41	1670	<1	2.7	44	1380	17	0.95	7	20	552	<20	1.04	<10	<10	183	<10	143
AUX0100475	0.051	<0.5	8.18	777	170	0.8	6	5.55	<0.5	37	141	51	7.69	20	1	20	3.98	1830	1	2.42	52	1720	14	1.11	12	22	781	<20	1.16	<10	<10	208	<10	180
AUX0100476	0.023	<0.5	8.03	1535	510	1	4	5	<0.5	33	140	63	7.58	20	1.21	20	3.41	1760	1	2.15	60	1840	20	1.12	<5	22	536	<20	1.3	<10	<10	207	<10	178
AUX0100477	0.016	<0.5	8.09	195	810	0.8	5	2.58	<0.5	23	116	35	7.47	30	1.37	20	3.34	1115	1	3.08	48	1160	10	0.57	<5	16	351	<20	0.9	<10	<10	129	<10	158
AUX0100478	<0.005	<0.5	8.4	183	80	0.7	4	4.38	<0.5	38	204	72	7.37	20	0.34	20	4.05	1225	<1	2.91	101	1610	6	0.12	<5	20	701	<20	1.01	<10	<10	178	<10	106
AUX0100479	0.024	<0.5	7.45	289	80	0.7	4	4.54	<0.5	46	304	77	7.45	20	0.27	10	4.8	1280	<1	2.24	213	1280	11	0.27	9	16	644	<20	0.85	<10	<10	160	<10	132
AUX0100480	0.116	0.7	7.13	29	80	<0.5	3	1.38	<0.5	11	18	3530	3.48	20	1.26	<10	1.98	268	71	2.14	10	570	3	0.88	5	18	113	<20	0.29	<10	<10	278	<10	80
AUX0100481	<0.005	<0.5	2.38	38	130	0.7	3	0.18	<0.5	10	31	58	2.37	10	0.64	10	0.38	439	<1	0.22	18	130	9	0.41	<5	4	39	<20	0.08	<10	<10	23	<10	37
AUX0100482	0.282	1.4	1.96	355	270	0.7	4	0.33	10.9	3	17	4	8.15	<10	0.83	10	0.13	30500	1	0.02	9	50	178	0.19	12	3	103	<20	0.05	<10	<10	17	<10	612
AUX0100483	2.82	1.7	3.55	14	120	<0.5	86	0.99	<0.5	8	33	120	8	10	0.15	20	3.64	613	<1	0.09	17	710	11	0.19	5	7	55	<20	0.13	<10	<10	57	10	108
AUX0100484	0.008	<0.5	0.06	6	10	<0.5	<2	19.1	<0.5	2	2	2	0.49	<10	0.02	10	12.25	280	<1	0.01	5	160	<2	0.01	<5	<1	47	<20	<0.01	<10	<10	2	<10	14

WH11182730 - Finalized
CLIENT : "STRGOL - StrataGold Corporation"
# of SAMPLES : 62
DATE RECEIVED : 2011-09-10 DATE FINALIZED : 2011-11-14
PROJECT : "Aurex"
CERTIFICATE COMMENTS : ""
PO NUMBER : "AUX09092011"

SAMPLE DESCRIPTION	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %	ME-ICP61 Tl ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm	Sb-AA08 Sb %
AUX0100485	1.93		1.4	7.04	5850	420	1	48	5.42	164.5	18	40	130	6.78	10	0.49	10	2	1445	6	2.75	25	990	22	2.04	10	10	673	<20	0.67	<10	<10	123	<10	3460	
AUX0100486	<0.005		<0.5	3.78	47	460	0.7	<2	0.06	<0.5	4	24	4	1.33	10	1.41	20	0.33	167	<1	1.27	6	190	14	0.01	<5	3	28	<20	0.16	<10	<10	23	<10	30	
AUX0100487	<0.005		<0.5	1.93	96	110	<0.5	<2	0.72	<0.5	3	21	5	0.67	<10	0.33	10	0.07	387	1	1.05	5	70	25	<0.01	<5	1	82	<20	0.06	<10	<10	6	<10	17	
AUX0100488	9.16		1.5	1.6	>10000	140	0.5	35	2.8	<0.5	6	21	4	2.44	<10	0.38	10	0.35	445	1	0.14	5	410	20	0.76	20	1	79	<20	0.05	<10	<10	15	20	28	
AUX0100489	>10.0	30.3	4.6	0.55	>10000	20	<0.5	83	0.09	<0.5	1	7	2	17.45	<10	0.07	<10	0.01	49	4	0.01	<1	130	28	3.73	163	1	25	<20	0.01	10	<10	3	<10	3	
AUX0100490	0.031		<0.5	2.68	214	290	0.7	<2	0.89	<0.5	8	39	30	1.86	10	0.6	30	0.57	903	<1	0.51	16	140	8	0.01	5	5	62	<20	0.13	<10	<10	21	<10	52	
AUX0100491	0.031		<0.5	2.42	342	280	0.5	<2	0.28	<0.5	10	41	10	1.83	10	0.64	10	0.36	381	<1	0.46	14	90	5	0.01	<5	4	27	<20	0.1	<10	<10	22	<10	39	
AUX0100492	<0.005		<0.5	0.96	26	160	<0.5	<2	19.5	<0.5	3	8	3	0.44	<10	0.42	10	0.27	1845	<1	0.03	1	100	10	0.01	<5	1	474	<20	0.02	<10	<10	5	<10	11	
AUX0100493	1.805		<0.5	1.33	>10000	40	<0.5	9	0.32	<0.5	5	23	3	6.33	<10	0.1	10	0.79	196	1	0.29	3	360	6	2.7	52	2	45	<20	0.03	<10	<10	14	10	30	
AUX0100494	0.005		<0.5	0.03	76	10	<0.5	<2	36.3	0.8	1	2	<1	0.14	<10	0.01	<10	0.12	1350	<1	<0.01	1	40	2	0.01	<5	<1	398	<20	<0.01	<10	<10	1	<10	43	
AUX0100495	<0.005		<0.5	2.26	28	170	<0.5	<2	0.16	<0.5	5	20	4	1.46	<10	0.46	10	0.28	269	<1	0.76	7	120	5	<0.01	<5	2	18	<20	0.1	<10	<10	16	<10	16	
AUX0100496	0.008		<0.5	7.39	93	500	0.8	<2	3.6	<0.5	29	186	32	6.4	20	0.51	10	3.73	1005	<1	3.46	74	1250	3	0.01	<5	16	271	<20	1.06	<10	<10	141	<10	99	
AUX0100497	0.006		<0.5	7.62	92	1760	0.6	<2	4.39	<0.5	37	180	28	6.89	20	0.77	<10	4.02	991	<1	2.91	102	690	3	<0.01	<5	14	667	<20	0.87	<10	<10	141	<10	106	
AUX0100498	0.005		<0.5	7.85	90	1760	0.7	<2	4.14	<0.5	35	208	32	6.96	20	1.41	10	3.95	979	<1	2.98	96	940	7	<0.01	<5	17	781	<20	1	10	<10	157	<10	100	
AUX0100499	0.018		<0.5	7.21	379	1070	1	<2	3.4	<0.5	36	193	42	6.87	20	2.21	10	4.43	1050	<1	2.4	103	880	6	<0.01	<5	15	423	<20	0.88	<10	<10	138	<10	128	
AUX0100500	<0.005		<0.5	7.77	10	3320	0.7	<2	4.38	<0.5	40	192	39	7.28	20	0.92	<10	4.16	1000	<1	2.53	126	720	5	0.01	<5	13	656	<20	0.88	<10	<10	141	<10	92	
AUX0100513	<0.005		<0.5	7.77	21	1930	0.6	<2	4.03	<0.5	37	172	41	7.07	20	0.72	<10	3.84	1020	<1	3.16	95	740	5	0.02	<5	14	559	<20	0.91	<10	<10	147	<10	96	
AUX0100532	<0.005		<0.5	7.7	35	2110	0.8	<2	3.65	<0.5	33	178	28	6.93	20	0.85	10	3.68	954	<1	3.12	68	900	6	<0.01	<5	16	901	<20	0.97	<10	<10	152	<10	100	
AUX0100533	0.026		<0.5	2.83	130	270	0.5	<2	0.05	<0.5	6	26	8	1.87	10	0.79	10	0.43	288	<1	0.46	11	110	7	<0.01	5	3	23	<20	0.12	<10	<10	22	<10	31	
AUX0100534	0.405		<0.5	1.32	>10000	70	<0.5	3	0.74	<0.5	3	20	2	1.43	<10	0.17	10	0.17	167	<1	0.6	2	110	5	0.53	8	1	41	<20	0.03	<10	<10	6	<10	7	
AUX0100535	>10.0	15.55	15.3	0.54	>10000	130	<0.5	409	0.29	335	6	14	32	15.85	<10	0.22	<10	0.04	59	<1	0.01	1	20	362	7.79	120	1	42	<20	0.02	<10	<10	5	10	3800	
AUX0100536	>10.0	10.3	7.8	0.32	>10000	70	<0.5	236	0.13	155.5	37	17	4	16.75	<10	0.14	<10	0.03	56	<1	0.02	40	10	93	8.91	115	1	37	<20	0.01	<10	<10	4	<10	2390	
AUX0100537	0.026		<0.5	1.43	465	60	<0.5	<2	0.12	0.9	5	24	9	1.69	<10	0.27	10	0.35	312	<1	0.25	8	70	11	0.05	<5	2	39	<20	0.04	<10	<10	5	<10	50	
AUX0100538	0.017		<0.5	0.5	662	20	<0.5	2	0.28	0.8	6	26	6	0.85	<10	0.12	<10	0.14	322	<1	0.05	11	100	2	0.07	<5	1	23	<20	0.02	<10	<10	4	<10	34	
AUX0100539	0.007		<0.5	1.74	72	140	<0.5	<2	0.71	<0.5	4	34	9	1.91	<10	0.65	10	0.39	724	<1	0.02	6	270	8	0.03	<5	2	21	<20	0.08	<10	<10	13	<10	34	
AUX0100540	0.008		<0.5	1.14	37	80	<0.5	<2	0.08	<0.5	4	28	10	1.13	<10	0.44	10	0.16	315	1	0.01	5	70	5	0.03	<5	2	9	<20	0.05	<10	<10	10	<10	15	
AUX0100541	<0.005		<0.5	1.55	23	130	<0.5	<2	0.03	<0.5	4	23	4	1.09	<10	0.67	10	0.09	322	<1	0.03	5	70	24	<0.01	<5	2	9	<20	0.08	<10	<10	12	<10	14	
AUX0100542	0.007		<0.5	1.12	40	130	<0.5	<2	0.13	<0.5	4	24	5	1.2	<10	0.37	10	0.24	325	<1	0.06	5	60	3	0.02	<5	1	25	<20	0.06	<10	<10	9	<10	20	
AUX0100543	0.025		<0.5	5.75	30	670	1.9	<2	5.06	<0.5	10	45	8	2.97	10	2.36	30	2.91	1365	1	0.46	28	570	10	<0.01	<5	9	241	<20	0.27	<10	<10	120	<10	129	
AUX0100544	<0.005		<0.5	0.62	23	50	<0.5	<2	0.04	<0.5	4	22	4	0.77	<10	0.25	<10	0.09	196	<1	0.01	5	60	24	<0.01	<5	1	6	<20	0.03	<10	<10	4	<10	13	
AUX0100545	0.046		<0.5	1.85	85	140	<0.5	<2	0.06	<0.5	4	31	5	1.27	<10	0.71	10	0.3	415	<1	0.04	6	90	3	0.01	<5	2	12	<20	0.08	<10	<10	15	<10	21	
AUX0100546	<0.005		<0.5	1.28	10	90	<0.5	<2	0.01	<0.5	3	23	3	1.21	<10	0.48	10	0.11	378	<1	0.01	3	60	4	<0.01	<5	1	8	<20	0.09	<10	<10	11	<10	9	
AUX0100547	<0.005		<0.5	2.52	6	200	0.5	<2	0.06	<0.5	4	22	6	0.97	10	1.14	20	0.13	171	<1	0.02	5	50	8	0.08	5	2	9	<20	0.08	<10	<10	15	<10	13	
AUX0100548	<0.005		<0.5	2.07	36	230	<0.5	<2	1.58	<0.5	4	30	11	1.55	<10	0.71	10	0.28	509	<1	0.17	11	70	5	0.06	<5	2	47	<20	0.09	<10	<10	16	<10	30	
AUX0100549	0.01		0.6	2.48	7	8030	1.3	<2	0.08	1.3	4	64	15	1.87	10	1.05	10	0.31	64	18	<0.01	40	680	14	0.01	35	5	36	<20	0.13	<10	<10	613	<10	253	
AUX0100550	<0.005		<0.5	2.94	6	410	0.6	<2	9.98	<0.5	6	25	3	2.28	10	0.78	10	4.75	1665	1	1.01	10	410	45	<0.01	<5	5	460	<20	0.1	<10	<10	78	<10	43	
AUX0100551	<0.005		<0.5	3.32	113	260	0.7	<2	0.06	0.5	15	32	26	3.65	10	0.92	20	0.62	502	1	0.3	23	210	4	0.02	<5	5	40	<20	0.11	<10	<10	35	<10	146	
AUX0100552	<0.005		<0.5	8.97	27	610	2.4	<2	0.05	<0.5	12	77	25	3.48	20	3.97	30	0.61	165	<1	0.3	25	280	19	<0.01	<5	13	70	<20	0.25	<10	<10	86	<10	74	
AUX0100553	<0.005		<0.5	5.29	23	400	1.4	<2	4.61	<0.5	8	43	20	1.61	20	2.78	20	0.24	353	<1	0.49	17	190	9	0.02	14	8	175	<20	0.22	<10	<10	49	<10	48	
AUX0100554	<0.005		<0.5	1.05	18	100	<0.5	<2	0.51	<0.5	3	26	3	0.76	<10	0.39	10	0.03	293	<1	0.05	3	70	2	0.01	<5	1	18	<20	0.05	<10	<10	8	<10	10	
AUX0100555	0.005		<0.5	0.88	10	60	<0.5	<2	0.27	<0.5	3	18	4	1.32	<10	0.37	10	0.04	431	1	0.03	6	70	7	0.06	<5	1	13	<20	0.03	<10	<10	5	<10	13	
AUX0100556	<0.005		<0.5	0.5	11	40	<0.5	<2	2.45	<0.5	2	32	2	0.59	<10	0.21	<10	0.04	265	<1	0.01	1	30	4	0.02	<5	1	91	<20	0.01	<10	<10	4	<10	6	
AUX0100557	0.009		<0.5	1.16	94	90	<0.5	<2	4.73	<0.5	4	19	6	0.94	<10	0.48	10	0.1	796	<1	0.03	1	110	16	0.07	<5	2	145	<20	0.03	<10	<10	8	<10	12	
AUX0100558	<0.005		<0.5	0.82	96	360	<0.5	<2	0.03	<0.5	2	18	4	1.08	<10	0.35	10	0.03	707	<1	0.02	2	30	4	<0.01	<5	1	9	<20	0.03	<10	<10	6	<10	20	
AUX0100559	<0.005		<0.5	1.23	24	250	<0.5	<2	0.01	<0.5	3	19	3	0.9	<10	0.52	10	0.04	212	<1	0.04	3	80	2	<0.01	<5	1	11	<20	0.05	<10	<10	9	<10	9	
AUX0100560	0.005		<0.5	1.87	71	230	<0.5	<2	0.58	<0.5	3	23	4	1.41	<10	0.8	10	0.08	493	<1	0.05	5	80	5	0.01	13	2	17	<20	0.06	<10	<10	14	<10	21	
AUX0100561	<0.005		<0.5	2.3	<5	280	0.5	<2	0.19	<0.5	6	31	7	1.59	10	0.64	10	0.27	500	1	0.39	11	130	31	<0.01	<5	3	24	<20	0.11	<10	<10	20	<10	29	
AUX0100562	<0.005		<0.5	4.78	<5	570	1.1	<2	0.05	<0.5	10	41	15	2.85	10	1.53	20	0.57	257	<1	0.44	12	160	12	<0.01	<5	6	49	<20	0.17	<10	<10	42	<10	54	
AUX0100563	0.155		5.7	0.68	1580	130	<0.5	2	0.14	8	3	17	131	0.44	<10	0.3	<10	0.02	33	<1	0.01	10	60	340	8.68	>10000	1	17	<20	0.02	<10	<10	5	<10	949	23.8
AUX0100564	0.047		<0.5	1.65	1125	150	0.5	<2	0.04	<0.5	11	25	27	1.89	<10	0.66	10	0.06	591	<1	0.04	26	100	5	0.03	390	2	21	<20	0.04	<10	<10	11	<10	41	
AUX0100565	<0.005		<0.5	1.45	6	60	<0.5	<2	0.64	<0.5	4	27	7	1.25	<10	0.18	10	0.06	523	<1	0.82	4	100	36	0.03	357	1	17	<20	0.03	<10	<10	5	<10	12	
AUX0100566	<0.005		<0.5	2.55	<5	190	0.6	<2	0.61	<0.5	9	30	11	1.86	10	0.84	10	0.15	479	<1	0.45	11	100	6	<0.01	15	3	24	<20	0.11	<10	<10	21	<10	30	

SAMPLE DESCRIPTION	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %	ME-ICP61 Tl ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm	Sb-AA08 Sb %
AUX0100567	<0.005		<0.5	1.57	5	100	<0.5	2	0.02	<0.5	4	23	4	0.84	<10	0.69	10	0.05	196	<1	0.04	4	70	4	<0.01	55	1	12	<20	0.06	<10	<10	10	<10	10	
AUX0100568	0.005		<0.5	2.05	361	160	<0.5	<2	0.03	<0.5	5	26	20	1.13	<10	0.93	10	0.09	222	<1	0.05	7	60	5	0.02	21	2	18	<20	0.08	<10	<10	15	<10	11	
AUX0100569	<0.005		<0.5	1.93	54	490	<0.5	<2	0.01	<0.5	6	26	4	1.38	<10	0.81	10	0.07	414	<1	0.04	8	70	4	<0.01	29	2	16	<20	0.08	<10	<10	15	<10	32	
AUX0100570	0.009		<0.5	1.78	141	170	<0.5	<2	0.06	<0.5	4	22	13	0.92	<10	0.79	10	0.07	106	<1	0.04	5	50	5	0.01	9	2	14	<20	0.06	<10	<10	14	<10	17	
AUX0100571	<0.005		<0.5	1.16	22	100	<0.5	<2	0.38	<0.5	3	24	3	0.99	<10	0.53	10	0.08	265	<1	0.03	3	110	9	<0.01	24	1	13	<20	0.04	<10	<10	11	<10	12	
AUX0100572	<0.005		<0.5	0.54	7	70	<0.5	<2	25.4	0.9	4	5	2	0.81	<10	0.19	10	0.44	2220	<1	0.02	3	290	43	0.04	<5	1	710	<20	0.01	<10	<10	2	<10	266	
AUX0100573	<0.005		<0.5	2.51	<5	740	0.6	<2	0.05	<0.5	3	28	9	1.41	10	0.95	20	0.17	87	1	0.06	4	90	7	0.01	18	3	19	<20	0.08	<10	<10	18	<10	21	
AUX0100574	0.013		<0.5	7.79	181	1920	2.4	<2	0.07	<0.5	10	74	8	4.02	20	3.3	50	0.82	387	<1	0.17	25	310	8	0.01	5	15	66	<20	0.3	<10	<10	73	<10	59	
AUX0100575	<0.005		<0.5	9.09	7	1310	2.2	<2	0.08	<0.5	6	80	11	3.05	20	4.02	30	0.77	146	<1	0.24	11	170	8	0.01	<5	14	82	20	0.34	<10	<10	87	<10	61	
AUX0100576	<0.005		<0.5	3.05	<5	640	0.6	<2	2.96	<0.5	11	59	12	3.33	10	1.08	10	0.88	852	<1	0.06	33	290	6	0.01	25	7	106	<20	0.22	<10	<10	40	<10	53	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 10- JUL- 2011
Account: STRGOL

CERTIFICATE WH11112842

Project: Aurex

P.O. No.: Batch# AUX06172011

This report is for 31 Rock samples submitted to our lab in Whitehorse, YT, Canada on 18- JUN- 2011.

The following have access to data associated with this certificate:

MARK AYRANTO	ALLAN JACOBS	ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- 31	Fine crushing - 70% < 2mm
LOG- 21	Sample logging - ClientBarCode
PUL- 31	Pulverize split to 85% < 75 um
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA24	Au 50g FA AA finish	AAS
ME- ICP61	33 element four acid ICP- AES	ICP- AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 10- JUL- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11112842

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA24 Au ppm 0.005	ME- ICP61 Ag ppm 0.5	ME- ICP61 Al % 0.01	ME- ICP61 As ppm 5	ME- ICP61 Ba ppm 10	ME- ICP61 Be ppm 0.5	ME- ICP61 Bi ppm 2	ME- ICP61 Ca % 0.01	ME- ICP61 Cd ppm 0.5	ME- ICP61 Co ppm 1	ME- ICP61 Cr ppm 1	ME- ICP61 Cu ppm 1	ME- ICP61 Fe % 0.01	ME- ICP61 Ga ppm 10
AUX0100351		1.53	0.066	<0.5	3.73	1640	330	0.7	<2	9.28	<0.5	49	335	4	6.84	10
AUX0100352		1.24	0.031	<0.5	5.76	758	2040	1.3	<2	2.72	<0.5	9	49	37	3.24	10
AUX0100353		0.82	<0.005	<0.5	4.69	52	1230	1.0	<2	0.12	<0.5	8	42	21	3.29	10
AUX0100354		2.06	1.600	0.6	5.14	287	640	1.3	63	4.90	<0.5	11	50	215	4.11	10
AUX0100355		0.68	4.48	1.6	4.79	82	640	1.2	183	4.67	<0.5	13	43	378	5.59	10
AUX0100356		1.78	0.029	<0.5	6.28	688	470	<0.5	<2	0.72	<0.5	34	256	13	7.43	20
AUX0100357		1.83	0.041	<0.5	2.23	986	120	<0.5	<2	0.50	<0.5	5	23	22	1.29	<10
AUX0100358		1.22	<0.005	<0.5	9.16	68	1320	2.2	<2	0.07	<0.5	14	70	10	5.28	20
AUX0100359		1.17	0.026	<0.5	8.88	125	1310	2.1	<2	0.10	<0.5	9	66	16	5.36	20
AUX0100360		1.32	<0.005	<0.5	7.03	10	60	<0.5	<2	7.89	<0.5	40	211	39	7.56	20
AUX0100361		1.85	0.158	<0.5	4.70	912	430	1.1	5	4.67	<0.5	10	49	110	3.35	10
AUX0100362		0.76	0.516	0.9	7.59	3790	460	0.7	10	4.44	<0.5	34	143	150	7.51	20
AUX0100363		1.10	0.096	<0.5	7.97	949	230	0.5	<2	5.18	<0.5	31	151	83	7.40	20
AUX0100364		0.72	<0.005	<0.5	1.56	21	160	0.6	<2	0.06	<0.5	3	14	9	1.07	<10
AUX0100365		0.80	0.023	<0.5	7.53	2350	180	0.7	<2	5.71	<0.5	34	128	45	6.89	20
AUX0100366		1.05	0.091	<0.5	1.49	168	100	<0.5	2	0.03	<0.5	2	15	5	1.05	<10
AUX0100367		1.13	0.047	<0.5	5.84	195	550	1.6	<2	0.14	<0.5	12	46	19	3.20	10
AUX0100368		1.87	0.026	<0.5	5.09	89	330	1.5	<2	5.24	<0.5	8	49	13	2.71	10
AUX0100369		1.09	0.115	<0.5	5.53	862	1120	1.3	2	4.42	<0.5	12	52	25	2.44	10
AUX0100370		1.16	0.012	<0.5	2.99	92	520	0.7	<2	3.52	<0.5	5	23	3	1.91	10
AUX0100371		1.23	1.015	<0.5	4.79	130	980	1.5	48	7.50	<0.5	5	29	150	5.10	10
AUX0100372		1.33	0.005	<0.5	2.20	14	1070	0.5	<2	3.78	<0.5	2	18	1	1.94	<10
AUX0100373		0.79	0.199	<0.5	3.90	295	400	1.0	7	0.35	<0.5	6	30	38	2.50	10
AUX0100374		1.39	<0.005	<0.5	10.10	29	1870	2.7	<2	0.10	<0.5	15	77	61	4.52	30
AUX0100375		0.80	0.021	<0.5	9.30	642	1840	2.3	2	0.08	<0.5	8	76	25	5.39	20
AUX0100376		0.65	0.030	<0.5	2.99	142	780	0.9	<2	18.5	<0.5	5	17	67	3.23	10
AUX0100377		0.64	0.010	<0.5	1.46	48	70	0.5	<2	26.6	<0.5	5	6	45	2.38	<10
AUX0100378		1.01	1.385	0.9	5.98	3200	500	1.7	25	7.13	<0.5	19	46	254	6.09	10
AUX0100379		1.53	0.615	<0.5	6.68	9330	550	1.6	20	2.22	<0.5	15	58	79	5.74	20
AUX0100380		2.35	0.005	<0.5	1.61	56	170	<0.5	<2	0.89	<0.5	3	25	15	1.18	<10
AUX0100381		1.08	1.005	0.6	7.11	1750	1110	0.6	31	7.13	<0.5	34	209	92	6.61	20

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 10- JUL- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11112842

Sample Description	Method	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
AUX0100351		0.99	20	6.06	2520	3	0.43	378	400	6	0.06	11	9	151	<20	0.35
AUX0100352		1.66	40	1.33	468	1	0.57	28	290	11	0.21	7	10	216	<20	0.32
AUX0100353		1.82	40	0.57	261	1	0.07	21	320	6	<0.01	<5	9	33	<20	0.26
AUX0100354		0.31	40	1.06	765	3	0.65	29	340	9	1.35	7	8	248	<20	0.26
AUX0100355		0.24	40	1.11	704	3	0.66	20	300	9	2.20	5	8	246	<20	0.25
AUX0100356		3.68	20	5.71	885	1	0.12	179	1230	4	0.02	<5	11	61	<20	0.85
AUX0100357		0.55	20	0.43	180	<1	0.51	19	70	5	0.05	<5	2	95	<20	0.09
AUX0100358		3.58	40	0.89	432	1	0.15	38	380	5	<0.01	<5	16	129	<20	0.44
AUX0100359		3.26	60	1.01	654	1	0.14	22	430	5	0.01	<5	15	103	20	0.39
AUX0100360		0.09	20	3.80	1230	<1	1.58	107	470	<2	<0.01	<5	24	204	<20	0.78
AUX0100361		0.18	40	1.16	866	1	0.61	32	250	4	0.41	<5	8	277	<20	0.26
AUX0100362		1.27	20	2.93	2250	2	1.70	50	2090	20	2.12	6	18	354	<20	1.11
AUX0100363		1.07	20	3.16	2450	2	2.02	54	2190	12	1.57	<5	18	426	<20	1.20
AUX0100364		0.19	20	0.30	92	<1	0.04	7	100	15	0.02	<5	2	6	<20	0.08
AUX0100365		1.05	20	4.34	2340	2	1.96	45	1780	17	1.02	7	21	553	<20	1.10
AUX0100366		0.50	20	0.08	206	<1	0.14	5	70	14	0.04	10	2	9	<20	0.07
AUX0100367		1.91	40	0.55	387	<1	0.93	23	210	5	0.01	<5	10	122	<20	0.24
AUX0100368		1.73	40	1.88	676	2	0.37	30	400	9	0.02	7	8	200	<20	0.20
AUX0100369		0.86	40	1.31	774	3	0.50	38	280	5	0.06	<5	9	219	<20	0.29
AUX0100370		0.84	30	0.59	659	1	0.27	10	130	5	<0.01	6	4	65	<20	0.11
AUX0100371		0.44	40	1.71	1915	1	0.58	12	350	7	1.16	5	8	252	<20	0.20
AUX0100372		0.64	30	1.31	801	1	0.28	8	90	6	<0.01	<5	3	100	<20	0.08
AUX0100373		1.16	30	0.44	265	1	0.46	20	190	7	0.01	<5	6	82	<20	0.17
AUX0100374		4.06	50	0.81	554	1	0.26	36	350	10	<0.01	<5	16	115	20	0.46
AUX0100375		4.02	50	0.73	224	1	0.18	27	350	8	0.02	<5	17	79	20	0.39
AUX0100376		0.23	30	2.06	1580	<1	0.36	12	560	5	0.54	5	5	665	<20	0.14
AUX0100377		0.16	20	1.83	1440	<1	0.16	9	440	7	0.43	<5	3	970	<20	0.07
AUX0100378		0.67	40	1.63	1295	1	0.78	22	280	13	2.22	9	9	492	<20	0.26
AUX0100379		1.91	40	1.89	857	8	0.49	32	430	8	1.24	11	12	235	<20	0.28
AUX0100380		0.49	20	0.25	301	<1	0.29	9	50	5	0.16	<5	2	78	<20	0.05
AUX0100381		0.44	20	1.84	2070	1	1.16	141	600	8	2.52	8	15	471	<20	0.78

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 10- JUL- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11112842

Sample Description	Method / Analyte / Units / LOR	ME- ICP61 Tl ppm 10	ME- ICP61 U ppm 10	ME- ICP61 V ppm 1	ME- ICP61 W ppm 10	ME- ICP61 Zn ppm 2
AUX0100351		<10	<10	105	10	196
AUX0100352		<10	<10	63	10	68
AUX0100353		<10	<10	50	<10	55
AUX0100354		<10	<10	60	<10	52
AUX0100355		<10	<10	51	<10	49
AUX0100356		<10	<10	108	<10	196
AUX0100357		<10	<10	16	10	25
AUX0100358		<10	<10	83	<10	118
AUX0100359		<10	<10	73	<10	93
AUX0100360		<10	<10	286	<10	77
AUX0100361		<10	<10	62	<10	53
AUX0100362		<10	<10	158	10	127
AUX0100363		<10	<10	172	<10	119
AUX0100364		<10	<10	13	<10	13
AUX0100365		<10	<10	189	<10	170
AUX0100366		<10	<10	11	<10	13
AUX0100367		<10	<10	56	<10	65
AUX0100368		<10	<10	176	<10	121
AUX0100369		<10	<10	83	10	61
AUX0100370		<10	<10	20	<10	56
AUX0100371		<10	<10	31	50	81
AUX0100372		<10	<10	12	<10	57
AUX0100373		<10	<10	33	<10	40
AUX0100374		<10	<10	100	10	87
AUX0100375		<10	<10	99	10	73
AUX0100376		<10	<10	32	<10	79
AUX0100377		<10	<10	18	<10	63
AUX0100378		<10	<10	50	200	71
AUX0100379		<10	<10	109	70	129
AUX0100380		<10	<10	10	<10	16
AUX0100381		<10	<10	112	<10	100

APPENDIX 6

Soil Assay Certificates

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

CERTIFICATE WH11176271

Project: Aurex

P.O. No.: AUX08262011- 2

This report is for 151 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29- AUG- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102091		0.10	0.0033	0.297	1.94	24.8	<10	255	0.72	0.25	0.87	0.55	38.6	23.1	23.6	1.11
AUX0102092		0.10	0.0016	0.176	1.40	12.00	<10	253	0.38	0.25	0.29	0.26	32.2	6.5	18.7	0.97
AUX0102093		0.14	0.0029	0.305	1.44	14.15	<10	225	0.40	0.25	0.38	0.15	31.5	8.9	20.0	0.83
AUX0102094		0.38	0.0022	0.833	1.26	13.90	<10	173.0	0.39	0.28	0.33	0.55	53.9	13.9	18.8	0.59
AUX0102095		0.26	0.0063	0.173	1.42	16.25	<10	173.5	0.43	0.23	0.37	0.11	50.7	10.2	20.5	0.60
AUX0102096		0.32	0.0018	0.121	1.37	16.20	<10	152.5	0.39	0.23	0.33	0.12	54.0	12.7	18.8	0.57
AUX0102097		0.24	0.0015	0.152	1.45	15.85	<10	172.5	0.43	0.24	0.61	0.12	47.4	10.3	19.1	0.52
AUX0102098		0.36	0.0024	0.151	1.43	18.10	<10	169.0	0.38	0.25	0.29	0.13	58.0	13.9	20.8	0.56
AUX0102099		0.28	0.0017	0.165	1.34	17.80	<10	177.0	0.38	0.25	0.46	0.13	46.7	10.9	18.1	0.56
AUX0102100		0.28	0.0026	0.162	1.44	18.95	<10	181.5	0.44	0.26	0.44	0.14	57.0	11.1	20.2	0.58
AUX0102101		0.36	0.0021	0.148	1.41	17.85	<10	182.5	0.40	0.26	0.33	0.20	57.8	13.3	17.5	0.60
AUX0102102		0.38	0.0016	0.191	1.31	14.80	<10	163.5	0.36	0.24	0.41	0.09	47.9	9.3	17.1	0.60
AUX0102103		0.28	0.0028	0.137	1.24	18.05	<10	166.0	0.38	0.21	0.43	0.07	48.3	8.5	16.5	0.64
AUX0102104		0.28	0.0029	0.215	1.40	33.6	<10	204	0.45	0.25	0.61	0.13	42.5	9.7	20.9	0.79
AUX0102105		0.24	0.0036	0.172	1.20	26.8	<10	168.5	0.42	0.21	0.53	0.11	43.0	7.6	17.4	0.66
AUX0102106		0.18	0.0038	0.261	1.12	33.7	<10	168.0	0.35	0.20	0.96	0.18	30.6	8.2	15.7	0.59
AUX0102107		0.22	0.0064	0.346	1.32	50.0	<10	187.5	0.50	0.23	0.50	0.17	43.1	12.4	20.6	0.77
AUX0102108		0.32	0.0034	0.223	1.33	30.5	<10	131.0	0.42	0.23	0.34	0.16	58.8	13.0	23.7	0.73
AUX0102109		0.24	0.0082	0.275	1.47	74.7	<10	165.5	0.48	0.23	0.97	0.18	42.2	17.0	34.2	0.78
AUX0102110		0.28	0.0023	0.238	1.39	52.2	<10	153.5	0.49	0.31	0.36	0.17	80.8	24.3	32.9	1.26
AUX0102111		0.22	0.0089	0.241	1.22	85.2	<10	104.0	0.39	0.20	0.68	0.26	44.2	17.9	39.3	0.61
AUX0102112		0.34	0.0032	0.249	1.21	19.60	<10	161.5	0.52	0.22	2.51	0.33	38.4	14.0	18.8	0.50
AUX0102113		0.18	0.0023	0.189	1.30	16.05	<10	191.5	0.53	0.24	2.72	0.30	33.7	15.2	18.4	0.71
AUX0102114		0.28	0.0038	0.338	1.03	36.5	<10	131.5	0.47	0.29	0.72	0.30	36.2	15.0	15.4	0.52
AUX0102115		0.30	0.0029	0.214	1.07	27.2	<10	127.0	0.44	0.26	0.59	0.15	32.5	11.7	16.1	0.62
AUX0102116		0.32	0.0034	0.437	1.41	22.7	<10	169.5	0.56	0.26	0.77	0.28	31.4	12.2	21.2	0.76
AUX0102117		0.34	0.0041	0.446	1.09	27.2	<10	144.0	0.42	0.27	0.63	0.41	36.1	11.5	19.8	0.61
AUX0102118		0.32	0.0047	0.804	1.12	37.7	<10	139.5	0.53	0.42	0.95	0.59	49.1	19.6	17.2	0.63
AUX0102119		0.44	0.0044	3.44	1.21	32.6	<10	140.5	0.56	0.28	0.48	1.33	48.3	14.1	19.2	0.78
AUX0102120		0.38	0.0028	0.240	1.15	19.00	<10	191.0	0.53	0.24	2.22	0.36	31.6	13.1	21.1	0.44
AUX0102121		0.28	0.0027	0.199	1.10	19.45	<10	128.5	0.48	0.22	1.44	0.23	37.4	11.9	18.2	0.57
AUX0102122		0.30	0.0016	0.185	1.33	19.70	<10	204	0.55	0.26	1.40	0.25	30.4	12.2	19.4	0.81
AUX0102123		0.30	0.0029	0.133	1.06	22.7	<10	172.0	0.42	0.23	2.27	0.22	33.7	12.0	19.0	0.56
AUX0102124		0.32	0.0021	0.178	1.20	14.45	<10	210	0.48	0.24	0.67	0.27	35.1	11.8	18.9	0.64
AUX0102125		0.36	0.0013	0.251	1.37	24.3	<10	211	0.52	0.50	0.47	0.19	47.5	27.1	18.9	0.70
AUX0102126		0.38	0.0027	0.206	1.31	14.20	<10	325	0.46	0.21	1.12	0.15	29.3	8.4	18.6	0.93
AUX0102127		0.58	0.0026	0.105	1.49	15.45	<10	256	0.49	0.23	0.26	0.07	35.7	9.2	21.9	1.08
AUX0102128		0.56	0.0042	0.096	1.27	37.4	<10	121.5	0.26	0.20	0.15	0.11	36.6	6.4	20.4	1.01
AUX0102129		0.54	0.0021	0.056	1.34	10.75	<10	86.7	0.30	0.17	0.10	0.11	34.4	4.9	20.0	0.96
AUX0102130		0.54	0.0035	0.350	1.78	25.3	<10	310	0.84	0.23	1.04	0.40	42.3	15.8	23.7	0.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102091		31.7	3.39	4.87	0.13	0.05	0.055	0.031	0.05	21.4	40.3	0.41	1820	2.08	0.02	0.38
AUX0102092		22.0	2.50	4.53	0.11	0.02	0.055	0.018	0.05	18.2	18.8	0.38	380	1.25	0.02	0.29
AUX0102093		25.7	2.64	4.35	0.12	0.02	0.056	0.021	0.04	18.0	20.8	0.44	530	1.14	0.02	0.36
AUX0102094		50.1	2.81	3.86	0.14	0.07	0.039	0.021	0.04	27.9	24.4	0.55	759	0.94	0.01	0.39
AUX0102095		34.3	2.74	4.29	0.13	0.08	0.032	0.019	0.05	26.5	21.5	0.49	317	0.80	0.01	0.36
AUX0102096		30.3	2.76	4.03	0.14	0.09	0.032	0.016	0.05	27.6	20.3	0.48	475	0.66	0.01	0.31
AUX0102097		29.6	2.80	4.08	0.13	0.09	0.044	0.020	0.06	24.5	22.4	0.51	398	0.70	0.02	0.31
AUX0102098		33.7	2.83	4.23	0.14	0.08	0.032	0.016	0.06	29.2	20.0	0.53	730	0.86	0.01	0.34
AUX0102099		32.9	2.64	3.98	0.13	0.09	0.042	0.017	0.06	24.3	19.1	0.49	501	0.71	0.01	0.34
AUX0102100		34.1	2.80	4.28	0.15	0.09	0.029	0.017	0.07	28.6	20.9	0.53	555	0.86	0.02	0.36
AUX0102101		35.5	2.83	4.08	0.14	0.09	0.036	0.017	0.06	27.2	19.3	0.49	326	0.75	0.01	0.27
AUX0102102		25.8	2.43	3.95	0.13	0.08	0.044	0.018	0.06	23.6	19.5	0.46	262	0.74	0.02	0.30
AUX0102103		28.4	2.37	3.76	0.13	0.06	0.036	0.016	0.06	25.4	17.6	0.44	284	0.72	0.02	0.34
AUX0102104		31.7	2.70	4.04	0.12	0.06	0.052	0.021	0.06	22.2	19.1	0.41	549	1.22	0.02	0.38
AUX0102105		27.2	2.51	3.52	0.14	0.06	0.044	0.019	0.05	22.5	16.1	0.40	321	0.89	0.01	0.35
AUX0102106		24.4	2.30	3.15	0.10	0.07	0.052	0.019	0.06	16.1	14.4	0.35	455	0.98	0.01	0.34
AUX0102107		48.5	2.87	3.66	0.13	0.07	0.050	0.023	0.05	22.8	16.5	0.42	535	1.47	0.01	0.33
AUX0102108		35.5	2.74	3.84	0.14	0.07	0.031	0.018	0.06	29.3	18.8	0.52	321	1.28	0.01	0.31
AUX0102109		64.1	3.24	4.09	0.12	0.10	0.054	0.025	0.04	22.3	23.6	0.61	409	1.87	0.02	0.29
AUX0102110		84.7	4.15	3.91	0.18	0.11	0.046	0.024	0.05	43.0	21.2	0.58	620	2.04	0.01	0.13
AUX0102111		44.2	3.17	3.85	0.13	0.07	0.045	0.029	0.03	22.2	20.4	0.61	737	1.35	0.02	0.30
AUX0102112		31.7	3.31	3.45	0.12	0.07	0.093	0.033	0.05	19.2	11.6	0.30	624	0.90	0.02	0.48
AUX0102113		37.4	3.15	3.88	0.13	0.06	0.061	0.031	0.04	16.5	12.8	0.34	715	0.79	0.02	0.42
AUX0102114		40.4	3.66	2.97	0.13	0.08	0.055	0.030	0.04	19.4	13.9	0.30	1000	0.82	0.01	0.30
AUX0102115		33.4	3.40	3.09	0.12	0.07	0.069	0.027	0.03	18.1	13.1	0.28	735	0.89	0.01	0.33
AUX0102116		36.0	3.03	3.97	0.11	0.07	0.092	0.030	0.04	17.4	17.9	0.38	614	0.72	0.02	0.44
AUX0102117		33.0	3.26	3.13	0.13	0.08	0.064	0.024	0.04	17.9	14.6	0.34	848	1.06	0.02	0.35
AUX0102118		66.2	4.28	3.03	0.14	0.11	0.065	0.029	0.04	24.8	20.7	0.42	1100	1.20	0.02	0.24
AUX0102119		50.7	3.64	3.41	0.14	0.09	0.094	0.032	0.04	25.5	17.2	0.37	779	1.04	0.02	0.36
AUX0102120		37.3	3.18	3.13	0.14	0.08	0.075	0.027	0.05	16.1	13.1	0.35	691	1.18	0.02	0.38
AUX0102121		29.8	3.18	3.11	0.12	0.08	0.068	0.030	0.03	19.5	12.8	0.29	555	0.89	0.02	0.35
AUX0102122		37.1	3.14	3.72	0.11	0.08	0.070	0.033	0.04	16.6	16.2	0.34	683	0.84	0.02	0.40
AUX0102123		39.1	3.02	3.00	0.12	0.08	0.053	0.027	0.04	18.3	14.6	0.36	764	1.00	0.02	0.41
AUX0102124		29.1	2.97	3.22	<0.05	0.11	0.062	0.020	0.03	17.3	17.6	0.38	945	1.33	0.02	0.29
AUX0102125		74.5	4.11	3.81	0.06	0.15	0.048	0.026	0.03	25.0	32.1	0.65	2300	1.32	0.01	0.14
AUX0102126		19.70	2.38	3.50	<0.05	0.09	0.049	0.018	0.04	15.4	16.7	0.34	638	1.12	0.02	0.39
AUX0102127		18.75	2.66	3.95	<0.05	0.07	0.026	0.020	0.04	16.4	17.1	0.38	395	1.10	0.01	0.41
AUX0102128		12.25	2.40	4.28	0.05	0.02	0.020	0.018	0.04	16.7	15.8	0.36	243	1.12	0.01	0.45
AUX0102129		13.45	2.22	4.30	<0.05	0.03	0.192	0.016	0.03	16.9	18.9	0.35	159	0.98	0.01	0.60
AUX0102130		32.5	3.28	3.79	0.06	0.11	0.075	0.029	0.03	23.2	27.4	0.37	2070	2.22	0.02	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102091		31.7	0.127	24.4	13.2	0.002	0.08	1.930	2.2	2.7	0.3	60.9	<0.01	0.05	1.7	0.015
AUX0102092		18.2	0.098	14.90	17.5	<0.001	0.06	1.040	0.9	0.8	0.3	21.7	<0.01	0.06	0.6	0.012
AUX0102093		22.4	0.083	22.2	14.1	<0.001	0.04	1.350	1.6	0.9	0.3	27.3	<0.01	0.05	1.3	0.015
AUX0102094		37.9	0.073	42.1	6.5	<0.001	0.01	1.675	3.2	0.9	0.2	17.0	<0.01	0.06	7.9	0.019
AUX0102095		27.9	0.046	16.85	7.7	<0.001	0.01	4.11	2.9	0.9	0.2	25.1	<0.01	0.04	8.3	0.012
AUX0102096		26.7	0.044	22.6	7.4	<0.001	0.02	4.11	2.6	0.9	0.2	21.6	<0.01	0.03	9.3	0.011
AUX0102097		25.7	0.048	24.5	8.4	<0.001	0.03	3.70	2.4	0.7	0.2	40.5	<0.01	0.03	7.3	0.010
AUX0102098		30.5	0.041	21.2	8.5	<0.001	0.01	3.87	3.0	0.9	0.2	21.2	<0.01	0.03	10.3	0.013
AUX0102099		28.0	0.046	21.8	8.8	<0.001	0.02	4.20	2.5	1.0	0.2	30.9	<0.01	0.03	8.5	0.010
AUX0102100		29.0	0.046	20.9	9.2	<0.001	0.02	4.11	2.8	1.0	0.2	31.3	<0.01	0.04	9.7	0.011
AUX0102101		28.2	0.042	26.1	7.9	<0.001	0.02	5.20	2.5	1.1	0.2	22.6	<0.01	0.04	10.3	0.008
AUX0102102		23.6	0.038	20.6	9.0	<0.001	0.02	3.79	2.2	0.8	0.2	27.1	<0.01	0.04	7.7	0.009
AUX0102103		23.3	0.039	18.00	9.1	<0.001	0.02	3.89	2.4	0.9	0.2	30.4	<0.01	0.03	8.5	0.010
AUX0102104		26.1	0.055	22.4	11.8	<0.001	0.03	5.18	2.9	1.3	0.3	42.1	<0.01	0.03	5.5	0.010
AUX0102105		23.0	0.045	17.10	8.5	<0.001	0.02	6.31	2.6	1.0	0.2	33.7	<0.01	0.04	6.3	0.011
AUX0102106		20.6	0.054	17.95	8.6	<0.001	0.04	5.94	2.2	0.7	0.2	61.5	<0.01	0.04	3.9	0.010
AUX0102107		31.2	0.056	22.4	8.9	<0.001	0.02	7.69	3.1	1.5	0.2	36.1	<0.01	0.06	5.4	0.010
AUX0102108		30.9	0.043	22.7	8.1	<0.001	0.02	6.99	2.8	1.0	0.2	22.2	<0.01	0.05	9.3	0.008
AUX0102109		50.6	0.062	16.80	6.3	<0.001	0.04	6.44	3.5	1.4	0.2	69.0	<0.01	0.07	4.8	0.008
AUX0102110		72.9	0.041	24.7	6.6	<0.001	0.03	12.20	4.2	1.3	0.2	30.9	<0.01	0.07	14.2	0.005
AUX0102111		50.9	0.053	25.3	4.1	<0.001	0.03	12.90	5.0	1.3	0.2	51.7	<0.01	0.06	5.3	0.013
AUX0102112		30.2	0.101	16.10	6.8	<0.001	0.05	5.14	3.8	1.4	0.3	172.0	<0.01	0.06	1.6	0.019
AUX0102113		29.1	0.076	17.80	6.9	<0.001	0.04	5.45	3.7	1.2	0.3	176.0	<0.01	0.07	1.6	0.014
AUX0102114		32.8	0.060	25.8	5.6	<0.001	0.04	13.95	3.6	1.5	0.3	55.6	<0.01	0.08	3.0	0.012
AUX0102115		27.9	0.057	25.0	5.6	<0.001	0.03	7.99	2.9	1.6	0.3	42.2	<0.01	0.07	2.3	0.013
AUX0102116		28.8	0.071	29.3	7.8	<0.001	0.04	4.00	3.2	1.2	0.3	55.2	<0.01	0.05	1.9	0.016
AUX0102117		28.4	0.065	32.0	6.0	<0.001	0.04	6.23	3.1	1.3	0.3	43.5	<0.01	0.06	2.5	0.016
AUX0102118		46.0	0.078	44.8	4.2	<0.001	0.04	10.05	3.1	1.3	0.2	60.2	<0.01	0.12	6.4	0.010
AUX0102119		33.3	0.044	236	6.8	<0.001	0.03	22.0	4.6	1.4	0.3	39.4	<0.01	0.08	4.1	0.014
AUX0102120		31.2	0.082	16.85	5.4	<0.001	0.05	3.74	3.4	1.3	0.3	143.0	<0.01	0.06	1.6	0.017
AUX0102121		27.2	0.069	15.70	5.9	<0.001	0.04	3.78	4.0	1.6	0.3	105.5	<0.01	0.06	1.7	0.015
AUX0102122		27.8	0.084	16.30	7.6	<0.001	0.05	2.25	3.7	1.3	0.3	107.0	<0.01	0.08	1.8	0.014
AUX0102123		31.1	0.058	16.10	5.6	<0.001	0.03	2.79	4.1	1.0	0.3	155.0	<0.01	0.05	3.1	0.021
AUX0102124		29.2	0.086	19.20	7.2	<0.001	0.05	2.31	2.3	1.1	0.2	49.0	<0.01	0.06	2.2	0.014
AUX0102125		60.3	0.073	45.3	5.2	<0.001	0.03	3.63	3.4	1.3	<0.2	32.0	<0.01	0.17	7.3	0.007
AUX0102126		22.1	0.116	13.55	8.9	0.001	0.09	2.51	2.1	0.8	0.3	76.2	<0.01	0.05	1.7	0.013
AUX0102127		22.0	0.071	14.20	10.8	0.001	0.03	3.81	2.2	0.8	0.3	19.8	<0.01	0.05	3.0	0.014
AUX0102128		17.2	0.055	16.75	10.2	0.001	0.02	3.12	1.3	0.4	0.3	11.2	<0.01	0.03	2.1	0.018
AUX0102129		15.6	0.051	12.80	8.9	<0.001	0.02	2.98	1.4	0.5	0.3	9.0	<0.01	0.06	1.9	0.021
AUX0102130		32.8	0.150	28.0	8.7	<0.001	0.09	3.81	1.9	2.3	0.3	49.7	<0.01	0.07	1.4	0.011

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102091		0.11	4.64	33	0.167	13.15	124.5	1.3
AUX0102092		0.10	1.09	29	0.197	5.82	80.3	<0.5
AUX0102093		0.09	1.01	29	0.163	6.60	79.1	0.7
AUX0102094		0.05	0.59	24	0.120	13.15	81.3	2.7
AUX0102095		0.06	0.73	23	0.0916	9.62	66.4	2.8
AUX0102096		0.06	0.67	20	0.118	9.13	64.2	3.4
AUX0102097		0.07	0.69	20	0.0731	9.50	67.5	3.0
AUX0102098		0.07	0.65	22	0.118	10.55	67.5	3.0
AUX0102099		0.07	0.86	19	0.0801	10.20	65.9	3.4
AUX0102100		0.07	0.87	20	0.0810	10.85	69.2	3.0
AUX0102101		0.06	1.24	18	0.0576	10.45	68.2	3.2
AUX0102102		0.06	0.87	18	0.0676	8.41	60.9	2.3
AUX0102103		0.06	0.83	18	0.0718	10.95	56.1	2.4
AUX0102104		0.09	1.00	24	0.117	11.15	61.4	1.8
AUX0102105		0.07	0.57	20	0.101	10.50	56.2	2.1
AUX0102106		0.06	0.84	19	0.110	8.86	61.2	2.3
AUX0102107		0.08	1.06	23	0.149	13.95	67.4	2.2
AUX0102108		0.07	1.20	20	0.0937	9.56	65.3	2.6
AUX0102109		0.06	1.38	27	0.0828	11.05	70.3	3.6
AUX0102110		0.06	1.24	19	0.0469	11.55	96.8	4.9
AUX0102111		0.05	0.53	30	0.0855	11.50	70.1	3.1
AUX0102112		0.06	0.79	29	0.132	22.0	68.7	2.2
AUX0102113		0.06	0.80	30	0.135	18.05	65.4	1.7
AUX0102114		0.06	0.71	21	0.113	19.55	79.1	2.5
AUX0102115		0.06	1.24	23	0.104	16.50	65.9	2.0
AUX0102116		0.07	0.92	32	0.140	16.20	87.3	2.1
AUX0102117		0.06	0.87	25	0.151	14.00	118.0	2.0
AUX0102118		0.04	1.00	18	0.0861	16.00	161.0	3.9
AUX0102119		0.07	0.62	25	0.137	19.90	254	3.1
AUX0102120		0.05	0.81	27	0.153	17.35	78.9	2.2
AUX0102121		0.06	0.69	27	0.272	22.9	65.2	2.0
AUX0102122		0.07	0.94	28	0.174	17.40	60.9	2.1
AUX0102123		0.06	0.76	26	0.137	16.30	66.9	2.2
AUX0102124		0.06	1.66	22	0.107	12.50	68.5	2.3
AUX0102125		0.05	0.99	15	0.149	22.2	90.7	3.9
AUX0102126		0.09	1.50	25	0.110	9.40	57.1	2.1
AUX0102127		0.10	1.37	30	0.163	4.88	61.7	1.4
AUX0102128		0.11	0.52	30	0.149	2.70	52.1	<0.5
AUX0102129		0.09	0.54	29	0.205	2.92	45.2	0.7
AUX0102130		0.10	5.72	26	0.0876	23.2	95.3	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0102131		0.62	0.0038	0.062	1.27	9.25	<10	179.5	0.37	0.15	0.17	0.16	40.4	8.2	21.2	0.66
AUX0102132		0.68	0.0022	0.055	1.32	10.60	<10	136.5	0.34	0.19	0.11	0.15	38.3	7.4	21.1	0.92
AUX0102133		0.50	0.0025	0.058	1.21	12.35	<10	122.5	0.27	0.22	0.13	0.18	29.6	6.4	21.0	0.86
AUX0102134		0.66	0.0019	0.043	1.61	11.80	<10	153.5	0.47	0.20	0.10	0.12	29.0	7.3	25.7	0.98
AUX0102135		0.66	0.0018	0.078	1.18	9.50	<10	178.0	0.27	0.18	0.16	0.07	29.6	4.9	19.8	0.99
AUX0102136		0.58	0.0014	0.050	1.39	12.30	<10	176.0	0.39	0.18	0.14	0.12	36.4	7.0	22.1	1.00
AUX0102137		0.62	0.0016	0.062	1.38	12.20	<10	107.0	0.35	0.17	0.09	0.12	28.6	5.7	22.5	1.00
AUX0102138		0.62	0.0016	0.088	1.45	8.71	<10	105.0	0.38	0.21	0.06	0.14	29.3	5.8	22.8	1.21
AUX0102139		0.60	0.0016	0.087	1.46	10.40	<10	92.5	0.36	0.19	0.06	0.18	38.8	5.9	20.2	0.98
AUX0102140		0.64	0.0023	0.086	1.41	11.50	<10	91.6	0.38	0.19	0.06	0.21	35.8	6.0	20.9	1.01
AUX0102141		0.46	0.0056	0.135	1.77	15.80	<10	107.5	0.51	0.22	0.10	0.35	30.5	10.3	24.4	1.10
AUX0102142		0.48	0.0025	0.063	1.39	9.40	<10	87.9	0.31	0.17	0.08	0.15	32.2	5.4	20.6	0.88
AUX0102143		0.50	0.0014	0.085	1.39	7.95	<10	88.0	0.27	0.17	0.05	0.12	30.1	5.7	20.8	0.95
AUX0102144		0.70	0.0012	0.063	1.34	7.83	<10	89.5	0.32	0.15	0.09	0.14	30.6	4.6	20.8	0.80
AUX0102145		0.52	0.0010	0.110	1.38	9.21	<10	90.9	0.30	0.17	0.09	0.11	30.4	4.6	21.3	1.06
AUX0102146		0.74	0.0021	0.119	1.32	8.40	<10	96.0	0.30	0.17	0.09	0.09	38.8	4.6	21.3	0.87
AUX0102147		0.68	0.0020	0.084	1.30	10.55	<10	150.5	0.43	0.15	0.10	0.12	41.9	7.8	19.9	0.74
AUX0102148		0.58	0.0018	0.071	1.46	8.24	<10	110.5	0.36	0.16	0.11	0.09	45.1	6.5	21.7	0.87
AUX0102149		0.66	0.0008	0.061	1.36	9.56	<10	128.5	0.46	0.17	0.13	0.10	37.8	7.9	21.7	0.81
AUX0102150		0.58	0.0021	0.081	1.46	11.05	<10	172.0	0.51	0.19	0.13	0.13	40.8	9.2	22.8	0.87
AUX0102151		0.62	0.0021	0.042	1.58	11.15	<10	121.5	0.35	0.19	0.09	0.08	31.5	5.4	25.0	1.03
AUX0102152		0.34	0.0031	0.102	1.25	18.10	<10	95.0	0.23	0.19	0.07	0.10	27.9	4.6	19.7	1.17
AUX0102153		0.62	0.0019	0.055	1.47	10.35	<10	122.0	0.35	0.14	0.12	0.11	26.3	5.9	22.1	0.94
AUX0102154		0.46	0.0020	0.163	1.66	13.85	<10	228	0.59	0.20	0.12	0.13	38.1	12.0	27.7	1.08
AUX0102155		0.60	0.0040	0.128	1.52	9.59	<10	117.0	0.35	0.17	0.12	0.11	30.0	5.8	24.2	1.05
AUX0102156		0.46	0.0016	0.066	1.23	8.42	<10	74.0	0.21	0.16	0.08	0.07	23.4	3.5	21.5	1.03
AUX0102157		0.36	0.0105	0.098	1.25	8.15	<10	81.3	0.23	0.16	0.10	0.08	28.6	4.0	20.9	0.96
AUX0102158		0.42	0.0016	0.139	1.41	10.90	<10	91.5	0.27	0.19	0.09	0.10	27.9	4.4	24.0	1.13
AUX0102159		0.38	0.0028	0.197	1.27	9.30	<10	105.0	0.28	0.16	0.12	0.11	30.8	5.0	21.4	0.86
AUX0102160		0.36	0.0027	0.127	1.12	8.39	<10	82.8	0.19	0.18	0.06	0.07	21.5	3.3	18.9	0.89
AUX0102161		0.40	0.0042	0.116	1.30	10.00	<10	88.2	0.27	0.18	0.09	0.10	28.4	4.8	22.0	0.92
AUX0102180		0.76	0.0027	0.209	1.27	22.5	<10	273	0.52	0.25	0.30	0.46	42.5	10.9	17.7	0.84
AUX0102181		0.88	0.0053	0.204	1.41	39.2	<10	282	0.48	0.24	0.24	0.57	40.4	10.2	18.7	0.97
AUX0102182		0.46	0.0033	0.435	1.25	29.2	<10	283	0.37	0.26	0.83	0.63	25.3	9.8	16.2	0.95
AUX0102183		0.64	0.0037	0.248	1.32	50.1	<10	145.0	0.43	0.35	0.25	1.36	57.1	15.1	17.0	0.74
AUX0102184		0.56	0.0047	0.676	1.30	36.1	<10	313	0.38	0.23	0.62	1.02	24.9	6.4	18.0	1.27
AUX0102185		0.76	0.0035	0.408	1.37	33.2	<10	173.0	0.39	0.23	0.19	0.71	34.5	7.9	21.2	1.02
AUX0102186		0.70	0.0028	0.306	1.24	20.0	<10	212	0.33	0.18	0.15	0.22	28.9	5.7	19.2	0.71
AUX0102187		0.56	0.0015	0.132	0.88	14.45	<10	175.0	0.22	0.17	0.14	0.27	24.6	4.7	16.4	0.80
AUX0102188		0.62	0.0017	0.122	1.32	12.90	<10	180.5	0.30	0.20	0.16	0.14	26.8	6.6	21.0	0.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102131		28.1	2.39	3.78	0.05	0.03	0.254	0.017	0.03	20.0	15.5	0.45	312	1.34	0.01	0.54
AUX0102132		23.3	2.36	4.47	<0.05	0.02	0.037	0.022	0.03	18.0	14.3	0.37	264	1.63	0.01	0.45
AUX0102133		17.10	2.31	4.24	<0.05	<0.02	0.010	0.018	0.04	14.7	10.8	0.29	279	1.25	0.01	0.23
AUX0102134		13.15	2.73	4.73	<0.05	0.03	0.027	0.018	0.04	13.7	13.6	0.38	433	1.77	0.01	0.58
AUX0102135		11.80	2.07	4.22	<0.05	<0.02	0.018	0.014	0.03	14.3	13.1	0.33	237	1.23	0.01	0.32
AUX0102136		19.60	2.47	4.59	<0.05	<0.02	0.026	0.019	0.04	16.7	15.1	0.37	279	1.47	0.01	0.41
AUX0102137		20.2	2.50	4.52	<0.05	<0.02	0.030	0.016	0.04	14.0	14.0	0.34	283	1.43	0.01	0.49
AUX0102138		13.75	2.38	5.48	<0.05	<0.02	0.039	0.016	0.04	14.3	14.4	0.33	338	1.48	0.01	0.28
AUX0102139		17.85	2.44	4.62	<0.05	0.02	0.037	0.018	0.04	18.1	17.3	0.37	251	0.95	0.01	0.47
AUX0102140		18.95	2.43	4.58	<0.05	0.02	0.029	0.018	0.04	17.9	14.9	0.35	272	1.06	0.01	0.51
AUX0102141		23.3	2.79	4.80	<0.05	0.07	0.046	0.023	0.05	14.6	19.5	0.41	404	1.30	0.01	0.72
AUX0102142		21.5	2.39	4.45	<0.05	<0.02	0.035	0.017	0.03	16.1	14.7	0.37	206	1.00	0.01	0.42
AUX0102143		16.35	2.36	4.55	<0.05	<0.02	0.030	0.018	0.04	13.8	13.9	0.35	256	0.99	0.01	0.32
AUX0102144		19.05	2.20	4.24	<0.05	0.02	0.032	0.015	0.03	15.9	13.4	0.37	186	1.02	0.01	0.42
AUX0102145		16.15	2.14	4.62	<0.05	<0.02	0.023	0.016	0.04	14.7	13.7	0.37	175	0.93	0.01	0.20
AUX0102146		19.35	2.18	4.32	<0.05	0.02	0.021	0.014	0.03	18.2	15.3	0.38	147	0.88	0.01	0.52
AUX0102147		22.3	2.31	4.09	0.06	0.02	0.034	0.018	0.04	21.0	16.3	0.40	306	0.79	0.01	0.55
AUX0102148		19.80	2.34	4.68	0.05	0.02	0.021	0.018	0.04	21.8	18.1	0.43	198	0.93	0.01	0.61
AUX0102149		21.3	2.32	4.05	0.05	0.03	0.039	0.018	0.04	18.3	14.7	0.38	291	0.85	0.01	0.55
AUX0102150		24.5	2.53	4.40	0.06	0.04	0.078	0.019	0.04	20.6	15.6	0.41	378	0.98	0.01	0.62
AUX0102151		13.65	2.37	5.07	<0.05	0.04	0.030	0.021	0.04	14.2	13.7	0.34	198	1.15	0.01	0.72
AUX0102152		13.15	2.03	4.22	<0.05	<0.02	0.036	0.020	0.03	13.3	11.4	0.25	140	1.31	0.01	0.27
AUX0102153		16.35	2.15	4.35	<0.05	0.03	0.028	0.017	0.03	12.6	13.9	0.33	172	1.02	0.01	0.66
AUX0102154		28.6	2.93	5.10	0.05	0.05	0.040	0.026	0.04	16.3	16.8	0.43	418	1.40	0.02	0.95
AUX0102155		17.90	2.37	4.81	<0.05	0.02	0.043	0.019	0.03	14.1	15.0	0.36	169	1.29	0.01	0.54
AUX0102156		10.25	2.04	4.71	<0.05	<0.02	0.042	0.016	0.03	11.0	12.4	0.28	110	1.12	0.01	0.26
AUX0102157		16.05	1.94	4.46	<0.05	<0.02	0.043	0.016	0.03	13.3	12.3	0.30	103	1.04	0.01	0.40
AUX0102158		14.60	2.31	5.13	<0.05	<0.02	0.067	0.023	0.03	12.9	13.0	0.34	134	1.61	0.01	0.37
AUX0102159		18.85	2.06	4.05	<0.05	0.02	0.048	0.019	0.03	14.9	12.1	0.34	160	1.50	0.01	0.49
AUX0102160		15.75	1.84	4.46	0.09	<0.02	0.045	0.018	0.03	11.2	9.9	0.24	93	1.84	0.01	0.20
AUX0102161		17.10	2.23	4.62	0.10	<0.02	0.035	0.018	0.03	13.9	13.0	0.33	140	1.28	0.01	0.34
AUX0102180		37.5	2.97	3.66	0.11	0.04	0.051	0.022	0.03	19.8	16.7	0.32	508	4.93	0.02	0.40
AUX0102181		33.2	3.31	3.83	0.10	0.03	0.040	0.025	0.04	20.2	16.9	0.31	471	5.88	0.02	0.40
AUX0102182		30.8	2.87	3.66	0.09	0.03	0.063	0.022	0.04	12.6	14.8	0.28	522	4.93	0.02	0.34
AUX0102183		59.2	3.79	3.77	0.14	0.03	0.050	0.022	0.03	28.3	23.0	0.46	605	5.72	0.01	0.29
AUX0102184		29.3	2.65	4.71	0.10	<0.02	0.074	0.024	0.03	13.0	14.2	0.26	209	5.45	0.02	0.39
AUX0102185		39.2	2.92	4.25	0.09	<0.02	0.057	0.034	0.04	16.5	14.7	0.32	260	4.85	0.01	0.41
AUX0102186		20.6	2.30	3.30	0.10	0.06	0.185	0.026	0.04	15.3	12.5	0.30	178	5.36	0.01	0.53
AUX0102187		15.40	1.87	3.74	0.10	<0.02	0.057	0.021	0.03	12.5	9.6	0.23	178	3.03	0.01	0.26
AUX0102188		14.45	2.30	4.38	0.09	0.02	0.051	0.019	0.04	12.8	13.7	0.34	220	1.80	0.01	0.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102131		27.0	0.049	11.45	7.5	<0.001	0.01	1.580	2.2	0.4	0.3	13.2	<0.01	0.04	3.2	0.028
AUX0102132		22.2	0.057	12.75	10.2	<0.001	0.01	1.680	1.7	0.8	0.3	10.6	0.01	0.05	1.0	0.025
AUX0102133		17.5	0.060	12.85	7.6	0.001	0.02	1.480	0.6	0.5	0.4	12.1	<0.01	0.03	0.2	0.023
AUX0102134		15.7	0.062	12.90	12.1	<0.001	0.02	1.265	1.5	0.8	0.4	9.4	<0.01	0.03	0.9	0.031
AUX0102135		13.5	0.056	10.35	12.4	<0.001	0.02	1.665	0.9	0.4	0.3	13.2	<0.01	0.02	0.5	0.020
AUX0102136		20.5	0.064	12.45	11.5	<0.001	0.03	2.83	1.3	0.7	0.3	12.2	<0.01	0.05	0.8	0.023
AUX0102137		18.5	0.057	11.30	8.7	<0.001	0.03	2.11	1.2	0.5	0.4	9.1	<0.01	0.03	0.7	0.027
AUX0102138		15.8	0.074	12.40	15.0	<0.001	0.04	1.090	0.6	0.3	0.4	8.2	<0.01	0.04	0.3	0.019
AUX0102139		18.3	0.052	14.70	11.6	<0.001	0.03	1.060	1.2	0.5	0.3	6.9	<0.01	0.03	1.4	0.022
AUX0102140		18.3	0.049	12.75	11.3	<0.001	0.03	1.570	1.3	0.3	0.4	7.0	<0.01	0.01	1.1	0.025
AUX0102141		22.2	0.071	16.20	10.0	<0.001	0.03	1.895	2.4	0.9	0.4	10.0	<0.01	0.05	2.6	0.029
AUX0102142		17.9	0.060	11.55	7.4	<0.001	0.03	1.060	1.2	0.5	0.3	8.0	<0.01	0.02	0.8	0.025
AUX0102143		16.3	0.056	11.95	10.9	<0.001	0.04	0.812	0.8	0.2	0.3	6.6	<0.01	0.01	0.4	0.023
AUX0102144		15.7	0.054	10.30	8.2	<0.001	0.02	0.870	1.3	0.5	0.3	8.6	<0.01	0.04	0.7	0.027
AUX0102145		15.4	0.079	12.60	15.1	<0.001	0.03	0.730	0.6	0.3	0.3	8.3	<0.01	0.03	0.3	0.020
AUX0102146		16.6	0.046	12.35	8.1	<0.001	0.02	0.753	1.7	0.6	0.3	9.3	<0.01	0.01	1.1	0.029
AUX0102147		21.3	0.042	15.20	8.0	<0.001	0.01	0.849	2.5	0.5	0.3	9.4	0.01	0.02	2.9	0.032
AUX0102148		20.4	0.048	13.75	9.1	<0.001	0.02	1.030	2.1	0.7	0.4	10.1	<0.01	0.02	2.0	0.031
AUX0102149		23.7	0.054	12.85	7.9	<0.001	0.01	1.890	2.5	0.3	0.3	10.2	<0.01	0.01	1.8	0.031
AUX0102150		27.8	0.054	13.75	8.3	0.001	0.02	1.960	3.1	0.3	0.3	10.8	<0.01	0.05	2.5	0.035
AUX0102151		14.2	0.052	13.95	9.0	<0.001	0.02	1.210	2.1	0.7	0.4	8.8	<0.01	0.02	1.3	0.035
AUX0102152		16.5	0.054	10.75	8.9	0.001	0.02	3.10	0.7	0.6	0.4	10.0	<0.01	0.03	0.4	0.019
AUX0102153		16.6	0.052	11.15	6.5	<0.001	0.02	1.115	1.7	0.8	0.4	10.8	<0.01	0.02	1.4	0.034
AUX0102154		24.4	0.058	14.40	9.2	0.001	0.02	1.570	4.0	0.7	0.5	12.1	<0.01	0.06	2.9	0.045
AUX0102155		16.7	0.070	12.85	8.4	0.001	0.02	1.125	1.8	0.4	0.4	10.6	<0.01	0.02	0.9	0.033
AUX0102156		11.5	0.057	11.40	7.1	<0.001	0.02	0.847	0.6	0.5	0.4	8.2	<0.01	0.03	0.3	0.021
AUX0102157		13.9	0.055	11.30	6.7	<0.001	0.02	1.020	1.2	0.8	0.4	10.3	<0.01	0.02	0.4	0.029
AUX0102158		14.8	0.061	13.55	7.2	<0.001	0.03	1.060	1.0	0.4	0.4	10.6	<0.01	0.03	0.3	0.027
AUX0102159		16.2	0.064	11.95	6.9	<0.001	0.02	1.160	1.7	0.3	0.3	11.1	<0.01	0.06	0.9	0.033
AUX0102160		11.6	0.059	13.00	6.1	<0.001	0.02	1.045	0.5	0.4	0.4	9.8	<0.01	0.03	0.2	0.017
AUX0102161		13.8	0.057	10.55	7.6	<0.001	0.02	1.105	1.3	0.6	0.4	9.6	<0.01	0.01	0.5	0.028
AUX0102180		36.4	0.061	15.90	7.8	<0.001	0.02	11.90	3.3	1.1	0.3	21.8	<0.01	0.05	4.0	0.015
AUX0102181		39.1	0.060	16.85	9.2	<0.001	0.01	14.90	2.7	1.0	0.3	18.7	<0.01	0.03	3.7	0.014
AUX0102182		30.0	0.097	19.10	9.1	0.002	0.05	9.45	1.6	1.4	0.3	48.4	<0.01	0.05	1.1	0.013
AUX0102183		52.9	0.062	27.3	5.8	<0.001	0.01	14.00	2.8	1.4	0.2	19.7	<0.01	0.08	7.5	0.017
AUX0102184		23.8	0.090	20.4	9.4	<0.001	0.05	9.04	1.0	1.7	0.4	44.4	<0.01	0.05	0.5	0.014
AUX0102185		28.6	0.070	22.7	9.6	0.001	0.02	9.85	1.7	1.0	0.3	21.1	<0.01	0.04	1.3	0.023
AUX0102186		16.8	0.062	14.75	7.5	<0.001	0.03	4.85	1.9	1.9	0.3	41.4	<0.01	0.04	2.7	0.027
AUX0102187		13.1	0.048	14.45	6.9	<0.001	0.03	3.19	0.8	1.3	0.3	28.7	<0.01	0.03	0.5	0.023
AUX0102188		14.7	0.059	13.80	6.7	<0.001	0.02	2.21	1.5	0.7	0.4	22.1	<0.01	0.03	1.0	0.027

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0102131		0.07	0.87	30	0.169	5.76	64.0	0.9
AUX0102132		0.09	1.10	33	0.197	5.93	57.0	0.5
AUX0102133		0.11	0.79	40	0.211	3.31	52.6	<0.5
AUX0102134		0.11	0.97	43	0.227	3.59	60.4	0.5
AUX0102135		0.10	0.55	33	0.168	2.80	46.2	<0.5
AUX0102136		0.10	0.80	35	0.174	3.98	62.1	<0.5
AUX0102137		0.10	1.04	35	0.220	3.55	58.8	<0.5
AUX0102138		0.11	0.73	37	0.171	2.92	55.5	<0.5
AUX0102139		0.08	0.65	30	0.154	4.19	63.4	<0.5
AUX0102140		0.09	0.71	32	0.177	4.65	67.2	<0.5
AUX0102141		0.10	1.10	38	0.198	4.93	86.8	1.5
AUX0102142		0.08	0.72	34	0.162	4.50	57.5	<0.5
AUX0102143		0.08	0.65	33	0.147	2.90	56.4	<0.5
AUX0102144		0.07	0.68	34	0.143	4.44	52.0	<0.5
AUX0102145		0.10	0.64	34	0.171	3.42	51.1	<0.5
AUX0102146		0.09	0.73	33	0.149	4.92	49.7	<0.5
AUX0102147		0.08	0.73	31	0.161	8.19	58.4	0.6
AUX0102148		0.09	0.71	34	0.152	5.93	55.7	<0.5
AUX0102149		0.09	0.71	35	0.161	7.57	58.7	0.7
AUX0102150		0.09	0.75	37	0.188	9.41	63.3	0.9
AUX0102151		0.13	0.78	44	0.206	4.75	51.0	0.6
AUX0102152		0.14	0.54	34	0.239	3.49	46.3	<0.5
AUX0102153		0.10	0.56	39	0.208	3.85	47.5	0.7
AUX0102154		0.10	1.14	47	0.223	8.03	65.3	1.2
AUX0102155		0.11	0.90	42	0.201	4.20	53.7	0.5
AUX0102156		0.09	0.61	39	0.171	2.49	38.4	<0.5
AUX0102157		0.09	0.69	36	0.216	3.79	41.1	<0.5
AUX0102158		0.11	0.90	44	0.199	3.46	47.7	<0.5
AUX0102159		0.08	1.00	37	0.219	4.43	50.2	0.5
AUX0102160		0.10	0.71	36	0.151	2.44	41.9	<0.5
AUX0102161		0.08	0.76	38	0.220	3.46	51.0	<0.5
AUX0102180		0.08	1.32	31	0.168	11.65	154.5	1.2
AUX0102181		0.10	1.45	36	0.227	8.45	194.5	0.9
AUX0102182		0.12	2.07	33	0.133	6.90	162.5	0.7
AUX0102183		0.07	1.54	28	0.103	8.66	225	0.9
AUX0102184		0.15	1.70	46	0.212	5.01	138.5	<0.5
AUX0102185		0.12	2.54	54	0.194	4.37	166.5	<0.5
AUX0102186		0.15	1.35	42	0.222	3.47	67.7	1.1
AUX0102187		0.10	0.83	38	0.176	2.63	51.8	<0.5
AUX0102188		0.12	0.84	40	0.195	2.99	53.5	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102189		0.60	0.0021	0.087	1.53	12.25	<10	155.5	0.39	0.19	0.10	0.14	27.3	8.0	23.5	0.75
AUX0102190		0.60	0.0014	0.089	1.50	11.65	<10	114.0	0.30	0.22	0.11	0.10	24.9	4.6	21.6	1.02
AUX0102191		0.64	0.0009	0.102	1.16	17.70	<10	117.0	0.20	0.28	0.12	0.19	27.7	7.8	19.0	1.19
AUX0102192		0.70	0.0021	0.144	1.68	21.1	<10	190.5	0.46	0.24	0.30	0.18	29.7	9.9	23.0	1.00
AUX0102193		0.56	0.0032	0.222	1.29	21.1	<10	255	0.38	0.23	0.78	0.12	25.0	5.4	18.5	1.09
AUX0102194		0.64	0.0031	0.106	1.29	18.90	<10	110.5	0.30	0.23	0.25	0.14	34.4	5.2	19.7	0.89
AUX0102195		0.70	0.0016	0.107	1.27	20.8	<10	112.5	0.23	0.20	0.12	0.12	27.2	3.9	20.0	0.95
AUX0102196		0.64	0.0050	0.104	1.26	12.25	<10	101.5	0.33	0.17	0.13	0.17	31.2	6.1	19.9	0.76
AUX0102197		0.54	0.0015	0.098	1.36	9.59	<10	135.5	0.29	0.22	0.11	0.10	27.7	4.5	21.6	1.03
AUX0102198		0.76	0.0218	0.062	1.45	11.80	<10	156.0	0.40	0.22	0.16	0.09	38.3	6.5	22.1	1.04
AUX0102199		0.48	0.0011	0.054	1.36	13.25	<10	131.0	0.28	0.26	0.08	0.09	31.2	5.0	19.2	1.03
AUX0102200		0.44	0.0037	0.059	1.47	13.50	<10	143.0	0.31	0.24	0.09	0.09	31.1	5.4	21.6	1.05
AUX0102201		0.54	0.0022	0.041	1.54	15.25	<10	136.0	0.40	0.19	0.11	0.13	46.6	8.5	22.6	0.79
AUX0102202		0.74	0.0012	0.111	1.64	16.30	<10	123.0	0.36	0.23	0.07	0.10	44.5	6.8	23.6	1.01
AUX0102203		0.60	0.0010	0.071	1.34	10.50	<10	91.2	0.22	0.16	0.07	0.08	33.6	4.4	19.5	0.92
AUX0102204		0.56	0.0021	0.040	1.47	21.5	<10	92.0	0.27	0.23	0.07	0.10	27.5	4.9	25.1	1.04
AUX0102205		0.56	0.0012	0.061	1.29	9.91	<10	78.4	0.21	0.18	0.08	0.10	30.7	4.6	20.3	0.91
AUX0102206		0.66	0.0009	0.083	1.37	10.10	<10	91.7	0.26	0.16	0.09	0.10	31.9	4.7	21.1	0.93
AUX0102207		0.50	0.0005	0.096	1.08	8.39	<10	78.1	0.14	0.16	0.06	0.08	32.3	3.7	17.1	0.91
AUX0102208		0.60	0.0019	0.117	1.59	15.80	<10	106.0	0.28	0.22	0.09	0.15	28.8	5.7	27.8	0.99
AUX0102209		0.62	0.0016	0.093	1.62	24.0	<10	102.0	0.32	0.19	0.08	0.14	40.9	14.3	40.6	0.74
AUX0102210		0.60	0.0018	0.101	1.54	9.59	<10	105.0	0.29	0.17	0.11	0.10	30.5	5.3	25.0	0.85
AUX0102211		0.66	0.0017	0.023	1.36	8.26	<10	100.0	0.23	0.14	0.10	0.09	28.8	4.6	23.2	0.78
AUX0102212		0.50	0.0013	0.063	1.27	7.47	<10	83.8	0.20	0.16	0.09	0.08	33.7	3.9	20.2	0.78
AUX0102213		0.58	0.0013	0.064	1.43	7.96	<10	92.5	0.25	0.17	0.11	0.08	31.8	4.3	21.7	0.82
AUX0102214		0.72	0.0228	0.077	1.77	12.30	<10	109.5	0.32	0.19	0.09	0.12	27.4	7.3	26.1	1.03
AUX0102215		0.64	0.0012	0.163	1.80	11.55	<10	130.0	0.46	0.18	0.11	0.17	36.0	11.6	25.0	0.92
AUX0102216		0.54	0.0003	0.061	1.37	10.80	<10	81.5	0.24	0.18	0.11	0.09	29.1	5.7	25.7	0.68
AUX0102217		0.54	<0.0002	0.108	1.33	7.85	<10	98.8	0.20	0.18	0.08	0.07	25.4	4.8	21.8	0.88
AUX0102218		0.56	0.0010	0.089	1.48	10.90	<10	117.5	0.37	0.16	0.10	0.10	30.3	7.5	22.6	0.84
AUX0102219		0.62	0.0068	0.092	1.60	11.90	<10	150.0	0.38	0.19	0.11	0.10	29.4	7.3	24.3	0.86
AUX0102220		0.56	0.0020	0.104	1.34	11.80	<10	199.5	0.47	0.18	0.15	0.10	40.0	11.3	21.4	0.75
AUX0102221		0.42	0.0009	0.051	1.39	9.42	<10	89.1	0.24	0.23	0.06	0.06	21.3	4.0	22.7	0.99
AUX0102222		0.66	0.0018	0.056	1.65	12.05	<10	154.0	0.38	0.21	0.11	0.10	29.6	9.6	25.1	0.92
AUX0102223		0.58	0.0014	0.059	1.50	12.25	<10	121.0	0.41	0.20	0.11	0.15	31.4	6.8	24.6	0.96
AUX0102224		0.56	0.0025	0.103	1.42	10.30	<10	92.1	0.26	0.22	0.08	0.10	25.4	4.5	23.8	1.14
AUX0102225		0.54	0.0006	0.072	1.40	9.45	<10	86.0	0.21	0.21	0.08	0.10	23.2	4.6	22.3	0.97
AUX0102226		0.62	0.0021	0.054	1.30	9.80	<10	90.7	0.27	0.16	0.08	0.10	25.5	5.2	21.3	0.80
AUX0102227		0.56	0.0010	0.179	1.28	10.70	<10	92.2	0.26	0.19	0.09	0.12	26.6	5.0	21.2	0.94
AUX0102228		0.54	0.0110	0.180	1.24	9.66	<10	90.5	0.23	0.19	0.09	0.11	22.9	4.4	20.9	0.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102189		22.2	2.56	4.14	0.08	0.03	0.045	0.020	0.04	13.1	14.0	0.38	276	1.27	0.01	0.75
AUX0102190		11.35	2.53	5.04	0.09	<0.02	0.036	0.016	0.03	12.5	14.1	0.29	169	1.51	0.01	0.69
AUX0102191		10.80	2.62	5.50	0.10	<0.02	0.055	0.017	0.03	13.6	11.9	0.19	470	2.95	0.01	0.34
AUX0102192		16.35	3.29	4.69	0.10	<0.02	0.048	0.023	0.03	14.2	19.1	0.33	394	2.58	0.02	0.69
AUX0102193		20.7	2.23	4.60	0.09	<0.02	0.074	0.021	0.03	11.8	11.9	0.26	215	2.55	0.02	0.26
AUX0102194		14.50	2.36	4.39	0.11	0.02	0.056	0.020	0.03	16.8	12.5	0.27	159	3.20	0.01	0.31
AUX0102195		11.10	2.48	5.24	0.10	<0.02	0.042	0.023	0.03	13.9	11.3	0.25	114	3.18	0.01	0.42
AUX0102196		18.85	2.35	3.91	0.10	0.03	0.047	0.016	0.03	14.4	14.0	0.30	193	1.56	0.01	0.59
AUX0102197		10.75	2.17	5.35	0.11	<0.02	0.044	0.015	0.04	14.0	13.4	0.30	131	0.97	0.01	0.22
AUX0102198		21.1	2.58	4.59	0.12	<0.02	0.045	0.020	0.04	18.7	14.4	0.34	280	1.03	0.02	0.42
AUX0102199		10.95	2.26	6.19	0.10	<0.02	0.033	0.021	0.04	14.3	10.6	0.23	187	1.24	0.01	0.28
AUX0102200		12.45	2.49	6.46	0.09	<0.02	0.035	0.022	0.04	15.2	12.0	0.26	204	1.34	0.01	0.26
AUX0102201		24.0	2.52	4.25	0.11	0.02	0.032	0.019	0.05	20.9	16.9	0.42	251	0.76	0.01	0.53
AUX0102202		18.70	2.69	4.99	0.11	0.03	0.033	0.018	0.05	22.0	16.6	0.39	236	1.04	0.01	0.75
AUX0102203		11.30	2.19	4.55	0.11	<0.02	0.027	0.015	0.04	16.0	14.1	0.32	164	0.87	0.01	0.60
AUX0102204		12.75	2.57	5.71	0.10	<0.02	0.036	0.019	0.04	14.0	13.7	0.35	162	1.26	0.01	0.40
AUX0102205		14.15	2.19	4.89	0.11	<0.02	0.041	0.017	0.04	16.0	12.7	0.34	138	1.00	0.01	0.34
AUX0102206		15.40	2.19	4.72	0.10	<0.02	0.028	0.015	0.04	15.2	14.0	0.35	146	1.03	0.01	0.51
AUX0102207		10.60	1.61	4.53	0.10	<0.02	0.027	0.013	0.03	15.9	9.6	0.28	101	0.91	0.01	0.23
AUX0102208		26.8	3.08	5.53	0.09	<0.02	0.034	0.019	0.04	14.0	14.8	0.41	223	1.76	0.01	0.37
AUX0102209		28.2	2.88	5.31	0.11	0.02	0.031	0.018	0.03	20.3	28.9	0.63	572	1.26	0.01	0.28
AUX0102210		18.00	2.35	5.01	0.10	<0.02	0.033	0.020	0.04	14.4	14.6	0.38	168	1.16	0.01	0.36
AUX0102211		15.00	2.17	4.64	0.10	<0.02	0.029	0.015	0.03	14.2	13.7	0.37	134	0.91	0.01	0.43
AUX0102212		11.55	1.98	4.57	0.10	<0.02	0.031	0.014	0.04	16.5	13.0	0.32	110	0.77	0.01	0.26
AUX0102213		13.50	2.16	4.63	0.09	<0.02	0.032	0.015	0.04	15.8	13.9	0.35	129	0.79	0.01	0.48
AUX0102214		22.9	2.59	4.93	<0.05	0.02	0.040	0.019	0.04	13.4	14.5	0.37	199	1.33	0.01	0.50
AUX0102215		26.7	2.62	4.66	0.06	0.05	0.026	0.017	0.04	16.1	16.0	0.43	332	1.18	0.01	0.65
AUX0102216		24.8	2.19	3.64	0.06	0.03	0.033	0.015	0.03	14.7	14.0	0.41	161	0.78	0.01	0.48
AUX0102217		15.15	2.00	4.43	<0.05	<0.02	0.044	0.014	0.03	12.6	11.6	0.31	119	1.02	0.01	0.26
AUX0102218		21.3	2.18	4.35	<0.05	0.03	0.032	0.015	0.03	14.2	14.0	0.37	190	0.89	0.01	0.57
AUX0102219		20.9	2.44	4.54	0.06	0.03	0.024	0.017	0.03	15.0	15.2	0.40	185	0.99	0.01	0.60
AUX0102220		26.8	2.35	3.89	0.07	0.04	0.038	0.017	0.03	19.5	14.9	0.39	469	0.70	0.01	0.57
AUX0102221		11.30	2.31	6.03	<0.05	<0.02	0.027	0.022	0.03	10.4	8.3	0.22	200	1.47	0.01	0.20
AUX0102222		21.0	2.61	4.32	0.05	0.04	0.017	0.017	0.04	13.6	14.6	0.39	420	0.89	0.01	0.53
AUX0102223		20.8	2.45	4.57	<0.05	0.02	0.010	0.021	0.03	15.5	16.4	0.33	275	1.15	0.01	0.38
AUX0102224		18.20	2.11	4.82	<0.05	<0.02	0.021	0.022	0.03	13.3	15.6	0.31	150	1.25	0.01	0.31
AUX0102225		15.55	2.04	4.58	0.05	<0.02	0.034	0.015	0.03	11.2	12.3	0.30	148	1.15	0.01	0.32
AUX0102226		19.30	2.05	4.00	<0.05	<0.02	0.032	0.013	0.03	11.8	12.2	0.30	144	1.03	0.01	0.43
AUX0102227		20.7	2.04	4.21	<0.05	<0.02	0.057	0.018	0.03	13.0	14.0	0.32	131	1.30	0.01	0.29
AUX0102228		19.10	2.01	3.88	<0.05	<0.02	0.049	0.018	0.03	11.2	12.7	0.31	129	1.11	0.01	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102189		18.4	0.043	13.45	6.6	<0.001	0.02	2.81	2.7	0.4	0.4	12.8	<0.01	0.02	3.4	0.036
AUX0102190		11.7	0.046	14.20	7.5	<0.001	0.02	1.270	1.7	0.8	0.4	10.0	<0.01	0.03	1.3	0.026
AUX0102191		11.5	0.052	18.45	9.4	<0.001	0.02	2.34	0.8	1.2	0.5	15.0	<0.01	0.03	0.4	0.022
AUX0102192		20.8	0.053	17.15	8.0	<0.001	0.02	4.29	2.0	1.0	0.4	26.1	<0.01	0.04	2.1	0.028
AUX0102193		19.6	0.094	14.30	7.9	<0.001	0.05	3.50	0.6	1.1	0.4	63.8	<0.01	0.06	0.3	0.014
AUX0102194		14.5	0.061	15.35	7.2	<0.001	0.01	4.37	1.0	1.0	0.4	22.7	<0.01	0.04	0.7	0.022
AUX0102195		13.3	0.050	13.85	6.3	<0.001	0.02	2.19	1.0	0.9	0.5	12.8	<0.01	0.04	0.4	0.025
AUX0102196		18.0	0.050	12.05	6.1	<0.001	0.01	1.600	1.9	0.8	0.3	10.2	<0.01	0.03	1.9	0.029
AUX0102197		11.6	0.056	13.95	8.1	<0.001	0.02	1.565	0.7	0.5	0.5	10.4	<0.01	0.04	0.3	0.019
AUX0102198		17.8	0.051	13.40	8.6	<0.001	0.02	1.500	1.9	1.0	0.4	12.4	<0.01	0.06	1.1	0.028
AUX0102199		11.2	0.059	17.25	8.4	<0.001	0.02	2.02	0.7	0.4	0.5	8.8	<0.01	0.03	0.2	0.019
AUX0102200		12.7	0.070	17.40	8.5	<0.001	0.03	2.07	0.7	0.4	0.6	9.2	<0.01	0.05	0.2	0.017
AUX0102201		20.5	0.050	16.95	9.2	<0.001	0.01	2.03	2.1	0.5	0.3	9.0	<0.01	0.03	2.8	0.029
AUX0102202		16.6	0.032	17.70	12.4	<0.001	0.01	2.15	2.6	0.5	0.4	7.3	<0.01	0.02	4.8	0.028
AUX0102203		12.1	0.037	13.35	8.6	<0.001	0.02	1.415	1.5	0.5	0.3	6.8	<0.01	0.02	1.8	0.025
AUX0102204		12.9	0.049	14.40	9.1	<0.001	0.02	1.670	1.0	0.6	0.5	7.5	<0.01	0.04	0.6	0.025
AUX0102205		12.9	0.050	12.00	7.9	<0.001	0.02	1.705	1.0	0.4	0.3	7.6	<0.01	0.01	0.7	0.024
AUX0102206		13.7	0.049	11.80	9.3	<0.001	0.02	1.045	1.4	0.4	0.4	8.5	<0.01	0.01	0.9	0.029
AUX0102207		11.3	0.039	9.32	7.7	<0.001	0.02	1.035	0.5	0.4	0.3	6.3	<0.01	0.01	0.2	0.017
AUX0102208		18.5	0.070	12.85	9.1	<0.001	0.03	1.420	1.1	0.6	0.4	9.3	<0.01	0.07	0.5	0.028
AUX0102209		37.9	0.061	17.70	6.0	<0.001	0.02	1.060	1.7	0.6	0.3	7.2	<0.01	0.02	1.1	0.020
AUX0102210		15.3	0.066	12.30	8.0	<0.001	0.02	1.050	1.2	0.7	0.4	9.0	<0.01	0.02	0.5	0.028
AUX0102211		13.8	0.044	10.00	6.4	<0.001	0.01	0.958	1.5	0.5	0.4	8.8	<0.01	0.02	0.7	0.031
AUX0102212		11.4	0.048	17.60	7.5	<0.001	0.02	0.670	0.7	0.5	0.4	7.8	<0.01	0.01	0.5	0.020
AUX0102213		12.5	0.054	12.55	9.1	<0.001	0.02	0.672	1.4	0.6	0.4	8.7	<0.01	0.02	1.1	0.028
AUX0102214		19.2	0.059	14.75	8.6	0.001	0.03	0.989	1.3	0.5	0.4	9.6	<0.01	0.06	0.7	0.025
AUX0102215		22.4	0.076	12.80	9.3	<0.001	0.03	1.030	2.6	0.7	0.4	10.7	<0.01	0.03	1.7	0.031
AUX0102216		22.8	0.054	10.55	6.1	0.001	0.03	1.535	1.5	0.5	0.3	8.2	<0.01	0.02	1.4	0.026
AUX0102217		13.5	0.058	10.90	6.7	<0.001	0.04	0.758	0.5	0.5	0.4	8.2	<0.01	0.03	0.2	0.018
AUX0102218		18.8	0.054	11.95	7.2	0.001	0.02	0.886	1.8	0.5	0.4	9.2	<0.01	0.03	1.2	0.029
AUX0102219		19.0	0.063	12.65	7.5	<0.001	0.02	0.861	1.9	0.6	0.4	9.9	<0.01	0.04	1.1	0.031
AUX0102220		26.2	0.057	13.95	6.8	<0.001	0.01	1.955	3.1	0.5	0.3	11.5	<0.01	0.05	2.8	0.031
AUX0102221		9.9	0.076	13.65	7.0	<0.001	0.03	0.614	0.3	0.6	0.5	7.7	<0.01	0.05	0.1	0.014
AUX0102222		20.8	0.066	12.70	8.1	0.001	<0.01	0.968	1.8	0.5	0.4	9.4	<0.01	0.03	1.1	0.030
AUX0102223		18.3	0.063	12.15	7.8	<0.001	0.01	1.260	1.3	0.9	0.4	10.6	<0.01	0.03	0.5	0.026
AUX0102224		15.1	0.062	12.95	9.2	<0.001	0.02	1.240	0.8	0.7	0.4	9.9	<0.01	0.05	0.2	0.021
AUX0102225		14.0	0.059	11.60	7.9	0.001	0.02	0.973	0.7	0.7	0.4	8.5	<0.01	0.04	0.2	0.023
AUX0102226		15.7	0.051	10.60	6.7	0.001	0.03	1.030	1.1	0.2	0.4	9.1	<0.01	0.03	0.4	0.026
AUX0102227		15.7	0.064	11.30	7.4	0.001	0.03	1.420	0.8	0.4	0.4	14.8	<0.01	0.04	0.2	0.023
AUX0102228		14.4	0.064	11.00	6.5	<0.001	0.03	1.090	0.7	0.4	0.4	12.9	<0.01	0.04	0.3	0.024

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102189		0.10	1.04	40	0.242	3.63	62.0	0.9
AUX0102190		0.13	0.85	42	0.204	2.22	50.4	<0.5
AUX0102191		0.18	0.69	42	0.175	1.98	57.3	<0.5
AUX0102192		0.15	0.89	42	0.192	3.44	77.8	<0.5
AUX0102193		0.15	1.37	35	0.182	5.03	59.7	<0.5
AUX0102194		0.15	0.97	36	0.188	3.50	58.4	<0.5
AUX0102195		0.16	0.65	43	0.186	3.15	57.3	<0.5
AUX0102196		0.10	0.59	33	0.170	4.22	59.3	0.8
AUX0102197		0.12	0.67	40	0.178	2.84	48.2	<0.5
AUX0102198		0.12	0.84	36	0.172	5.76	58.6	<0.5
AUX0102199		0.18	0.60	44	0.187	2.53	40.8	<0.5
AUX0102200		0.17	0.63	46	0.174	2.67	45.1	<0.5
AUX0102201		0.11	0.90	34	0.190	4.70	61.6	0.9
AUX0102202		0.13	0.87	38	0.180	4.76	59.4	0.8
AUX0102203		0.10	0.48	33	0.226	2.68	44.3	<0.5
AUX0102204		0.13	0.58	45	0.207	2.60	49.3	<0.5
AUX0102205		0.12	0.52	35	0.168	2.75	47.2	<0.5
AUX0102206		0.11	0.57	37	0.186	3.10	47.0	<0.5
AUX0102207		0.12	0.44	29	0.121	2.04	36.3	<0.5
AUX0102208		0.12	0.82	46	0.202	3.48	63.8	<0.5
AUX0102209		0.08	0.65	36	0.130	4.86	59.1	0.6
AUX0102210		0.11	0.68	40	0.201	3.68	89.5	<0.5
AUX0102211		0.10	0.55	39	0.185	3.50	44.4	<0.5
AUX0102212		0.10	0.51	33	0.140	2.79	38.8	<0.5
AUX0102213		0.11	0.63	36	0.228	3.58	45.5	<0.5
AUX0102214		0.12	0.91	43	0.177	4.37	56.1	<0.5
AUX0102215		0.11	1.01	39	0.191	5.49	67.5	1.2
AUX0102216		0.08	0.59	31	0.207	3.94	49.7	0.5
AUX0102217		0.10	0.62	36	0.148	3.20	40.2	<0.5
AUX0102218		0.10	0.76	36	0.166	4.73	50.2	0.6
AUX0102219		0.11	0.82	41	0.188	5.87	52.1	0.5
AUX0102220		0.10	0.78	34	0.154	10.30	61.6	0.9
AUX0102221		0.19	0.78	48	0.189	3.02	46.3	<0.5
AUX0102222		0.12	0.75	42	0.199	4.99	61.2	0.7
AUX0102223		0.12	0.72	42	0.192	4.66	57.2	<0.5
AUX0102224		0.12	0.93	41	0.185	3.12	49.6	<0.5
AUX0102225		0.11	0.78	40	0.175	2.98	46.9	<0.5
AUX0102226		0.10	0.81	36	0.195	3.49	48.9	<0.5
AUX0102227		0.08	0.78	37	0.199	4.13	48.3	<0.5
AUX0102228		0.07	0.75	36	0.241	3.57	48.7	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102273		0.30	0.0047	0.137	1.23	15.05	<10	146.5	0.31	0.16	0.18	0.26	25.8	9.3	20.9	0.65
AUX0102274		0.28	<0.0002	0.060	1.22	12.25	<10	154.5	0.23	0.21	0.11	0.06	22.8	4.1	20.4	1.11
AUX0102275		0.30	<0.0002	0.049	1.34	12.15	<10	150.5	0.29	0.22	0.11	0.06	20.5	4.4	21.1	0.99
AUX0102276		0.26	0.0010	0.066	1.28	12.90	<10	144.5	0.29	0.17	0.12	0.09	23.4	5.8	20.1	0.81
AUX0102277		0.38	0.0020	0.025	1.59	14.95	<10	242	0.51	0.25	0.17	0.08	32.4	9.1	23.7	0.90
AUX0102278		0.26	<0.0002	0.084	1.21	8.08	<10	263	0.26	0.19	0.19	0.18	20.1	5.4	18.4	0.90
AUX0102279		0.24	0.0019	0.409	1.36	11.60	<10	234	0.31	0.21	0.28	0.07	21.7	7.1	19.5	1.04
AUX0102280		0.28	0.0268	0.146	1.68	15.25	<10	283	0.59	0.27	1.54	0.23	33.3	14.4	22.8	0.72
AUX0102281		0.38	0.0023	0.039	1.87	18.30	<10	241	0.58	0.21	0.16	0.11	37.4	11.0	24.0	1.07
AUX0102282		0.32	0.0011	0.144	1.61	10.90	<10	162.5	0.41	0.19	0.11	0.16	23.9	6.0	23.1	1.06
AUX0102283		0.38	0.0017	0.091	1.71	14.50	<10	205	0.48	0.24	0.19	0.16	34.5	10.0	24.4	0.83
AUX0102284		0.32	0.0044	0.083	1.72	14.60	<10	195.0	0.44	0.24	0.12	0.11	31.3	9.2	24.4	1.22
AUX0102285		0.22	0.0017	0.046	1.46	24.3	<10	86.6	0.20	0.25	0.05	0.08	27.0	5.6	21.7	1.25
AUX0102286		0.26	0.0006	0.049	1.59	11.15	<10	104.5	0.34	0.20	0.09	0.15	26.8	7.2	25.4	0.85
AUX0102287		0.38	0.0027	0.049	1.65	21.9	<10	159.0	0.37	0.17	0.08	0.10	41.8	13.4	30.6	0.87
AUX0102288		0.24	0.0010	0.096	1.59	8.16	<10	91.3	0.19	0.18	0.06	0.06	22.0	5.2	26.0	0.94
AUX0102289		0.42	0.0018	0.049	1.48	9.50	<10	132.5	0.33	0.15	0.09	0.07	39.7	6.4	22.6	0.78
AUX0102290		0.34	0.0037	0.071	1.33	24.7	<10	128.0	0.30	0.18	0.10	0.07	42.1	6.4	20.5	0.78
AUX0102291		0.34	0.0008	0.028	1.48	10.55	<10	109.5	0.30	0.19	0.10	0.11	26.7	6.0	23.1	0.95
AUX0102292		0.24	0.0058	0.044	1.40	8.87	<10	134.5	0.22	0.16	0.10	0.07	23.8	4.9	25.7	0.79
AUX0102293		0.40	0.0018	0.040	1.75	11.30	<10	189.5	0.44	0.18	0.13	0.16	38.0	9.6	28.6	0.91
AUX0102294		0.34	0.0018	0.034	1.62	9.33	<10	118.0	0.36	0.17	0.10	0.09	31.8	5.7	26.0	0.90
AUX0102295		0.30	0.0017	0.057	1.53	8.45	<10	108.0	0.25	0.17	0.09	0.08	28.6	4.8	23.8	0.91
AUX0102296		0.34	0.0015	0.105	1.69	9.61	<10	149.0	0.39	0.19	0.09	0.09	42.4	6.4	23.8	1.00
AUX0102297		0.30	0.0084	0.043	1.48	10.90	<10	99.6	0.31	0.20	0.08	0.10	26.0	4.9	23.7	1.14
AUX0102298		0.30	0.0036	0.071	1.56	9.60	<10	102.0	0.30	0.19	0.07	0.10	39.0	6.3	21.4	1.05
AUX0102299		0.32	0.0024	0.095	1.54	13.15	<10	126.5	0.40	0.17	0.10	0.13	31.7	9.0	24.3	0.91
AUX0102300		0.30	0.0064	0.054	1.39	11.15	<10	80.5	0.26	0.17	0.08	0.11	26.6	5.0	22.3	0.89
AUX0102301		0.20	0.0014	0.073	1.41	11.50	<10	95.5	0.30	0.22	0.08	0.10	39.9	6.9	20.2	0.78
AUX0102302		0.28	0.0016	0.056	1.41	10.30	<10	78.0	0.25	0.23	0.08	0.09	32.2	4.6	22.0	0.92
AUX0102303		0.34	0.0016	0.084	1.49	11.05	<10	89.5	0.29	0.21	0.08	0.10	26.0	5.4	25.0	1.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102273		31.6	2.29	3.06	<0.05	0.05	0.045	0.020	0.04	11.8	11.2	0.35	324	2.02	0.01	0.59
AUX0102274		10.60	2.01	4.86	<0.05	<0.02	0.013	0.018	0.03	11.5	11.4	0.25	158	1.98	0.01	0.29
AUX0102275		11.00	2.23	4.48	<0.05	<0.02	0.020	0.017	0.03	10.5	11.3	0.28	181	1.87	0.01	0.30
AUX0102276		17.60	2.38	3.96	0.05	0.02	0.007	0.021	0.03	11.1	12.5	0.30	199	1.69	0.01	0.46
AUX0102277		24.1	2.82	4.42	0.11	0.04	0.029	0.025	0.04	15.9	13.5	0.37	422	1.15	<0.01	0.47
AUX0102278		8.41	1.87	3.94	<0.05	<0.02	0.025	0.013	0.04	9.9	9.4	0.24	404	1.19	0.02	0.25
AUX0102279		20.9	2.48	4.24	<0.05	<0.02	0.025	0.018	0.04	10.6	11.9	0.28	308	0.98	0.02	0.34
AUX0102280		41.5	3.54	3.60	0.06	0.07	0.041	0.030	0.04	16.3	16.4	0.41	485	1.08	0.02	0.34
AUX0102281		25.4	3.00	4.40	0.05	0.03	0.019	0.023	0.04	16.2	15.0	0.36	459	1.10	0.02	0.41
AUX0102282		16.95	2.44	4.71	0.05	<0.02	0.042	0.023	0.03	11.5	13.6	0.32	343	1.04	0.01	0.31
AUX0102283		36.9	3.19	4.16	0.05	0.04	0.029	0.023	0.03	17.8	16.6	0.43	353	0.85	0.02	0.45
AUX0102284		27.2	2.85	5.16	0.06	<0.02	0.028	0.021	0.03	15.9	14.1	0.37	389	1.11	0.01	0.26
AUX0102285		17.15	2.56	4.82	0.05	<0.02	0.036	0.017	0.03	13.4	9.7	0.30	223	1.47	0.01	0.27
AUX0102286		18.30	2.50	5.34	0.11	<0.02	0.041	0.021	0.03	13.4	14.4	0.37	246	1.95	<0.01	0.43
AUX0102287		29.0	2.84	4.86	0.06	0.02	0.039	0.019	0.03	21.8	20.3	0.59	440	0.80	0.01	0.51
AUX0102288		14.55	2.29	5.30	<0.05	<0.02	0.022	0.015	0.03	11.5	13.6	0.41	153	0.88	0.01	0.41
AUX0102289		22.6	2.31	4.32	0.05	<0.02	0.011	0.015	0.04	19.4	15.2	0.42	181	0.77	0.01	0.60
AUX0102290		18.70	2.01	3.79	0.05	0.02	0.018	0.013	0.04	20.6	12.2	0.34	164	0.70	0.01	0.45
AUX0102291		13.45	2.27	4.51	<0.05	<0.02	0.013	0.021	0.03	12.8	15.0	0.33	166	0.98	0.01	0.41
AUX0102292		15.40	2.21	4.09	0.05	<0.02	0.021	0.014	0.03	11.8	13.0	0.38	128	0.79	0.01	0.33
AUX0102293		29.2	2.66	4.74	0.05	0.03	0.024	0.021	0.04	19.3	18.3	0.45	231	0.93	0.01	0.50
AUX0102294		18.90	2.37	5.00	0.09	<0.02	0.045	0.019	0.03	15.6	15.8	0.37	171	1.00	0.01	0.28
AUX0102295		20.7	2.21	4.41	0.05	0.02	0.042	0.020	0.03	15.4	17.8	0.40	119	0.89	<0.01	0.52
AUX0102296		23.3	2.39	4.56	0.06	0.02	0.051	0.020	0.04	20.8	16.7	0.42	215	0.79	<0.01	0.51
AUX0102297		12.85	2.36	4.94	0.05	<0.02	0.040	0.021	0.03	13.5	13.1	0.31	196	1.12	<0.01	0.28
AUX0102298		33.7	2.63	4.22	0.08	0.02	0.044	0.020	0.04	20.7	16.6	0.39	268	1.84	<0.01	0.43
AUX0102299		25.4	2.56	4.08	0.06	0.03	0.048	0.021	0.04	17.7	13.9	0.40	357	1.23	<0.01	0.46
AUX0102300		18.15	2.33	4.40	0.05	<0.02	0.055	0.021	0.03	14.1	13.6	0.35	164	1.08	<0.01	0.37
AUX0102301		27.6	2.76	3.94	0.08	<0.02	0.044	0.018	0.03	21.2	20.4	0.52	318	1.00	<0.01	0.36
AUX0102302		22.0	2.38	4.16	0.06	<0.02	0.036	0.020	0.03	17.2	16.5	0.40	168	1.03	<0.01	0.30
AUX0102303		20.7	2.52	4.66	0.05	<0.02	0.041	0.024	0.04	13.8	15.1	0.39	169	1.17	<0.01	0.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102273		28.1	0.072	10.50	5.9	<0.001	0.02	3.12	2.5	0.5	0.3	21.8	<0.01	0.03	3.0	0.035
AUX0102274		11.8	0.047	11.45	7.3	<0.001	0.02	1.360	0.5	0.5	0.5	21.1	<0.01	0.04	0.1	0.020
AUX0102275		12.3	0.050	11.25	6.9	<0.001	0.02	1.305	0.5	0.3	0.4	18.4	<0.01	0.03	0.2	0.021
AUX0102276		17.4	0.048	11.10	5.8	0.001	<0.01	1.560	1.3	0.6	0.4	16.6	<0.01	0.05	0.7	0.026
AUX0102277		24.5	0.071	14.10	8.9	<0.001	0.01	1.810	2.2	1.1	0.4	14.2	<0.01	0.05	1.2	0.020
AUX0102278		11.0	0.076	11.80	9.5	0.001	0.06	0.892	0.4	0.5	0.4	15.9	<0.01	0.04	0.1	0.017
AUX0102279		19.4	0.087	11.25	8.3	0.001	0.04	2.05	1.0	0.5	0.4	22.0	<0.01	0.05	0.4	0.015
AUX0102280		37.7	0.095	16.35	7.4	<0.001	0.07	3.63	3.3	0.9	0.3	101.0	<0.01	0.06	1.6	0.014
AUX0102281		31.3	0.073	13.80	10.2	0.001	0.05	1.580	1.8	0.7	0.4	14.1	<0.01	0.05	0.7	0.022
AUX0102282		18.4	0.088	10.00	11.5	<0.001	0.05	0.904	0.6	0.5	0.4	10.4	<0.01	0.04	0.2	0.018
AUX0102283		32.4	0.046	13.70	8.3	0.001	0.02	1.495	3.3	0.5	0.3	17.1	<0.01	0.05	2.1	0.022
AUX0102284		24.8	0.067	12.75	9.2	<0.001	0.03	3.03	1.2	0.8	0.4	12.1	<0.01	0.05	0.4	0.022
AUX0102285		13.9	0.067	12.20	7.8	<0.001	0.02	1.900	0.5	0.6	0.4	6.1	<0.01	0.02	0.2	0.017
AUX0102286		17.0	0.063	12.40	6.9	<0.001	0.01	0.729	0.9	1.3	0.5	9.4	<0.01	0.04	0.3	0.021
AUX0102287		27.1	0.041	13.15	7.5	<0.001	0.06	2.94	3.6	0.2	0.3	8.0	<0.01	0.05	2.3	0.031
AUX0102288		14.8	0.041	13.45	6.4	0.001	0.04	0.599	0.8	0.3	0.4	6.6	<0.01	0.03	0.2	0.029
AUX0102289		19.3	0.036	12.85	8.4	<0.001	0.03	0.948	2.3	0.3	0.3	8.9	<0.01	0.02	2.7	0.031
AUX0102290		16.5	0.044	13.50	8.1	<0.001	0.02	1.065	1.6	0.2	0.3	8.9	<0.01	0.03	1.7	0.028
AUX0102291		14.6	0.062	13.05	7.6	<0.001	0.02	0.671	1.0	1.0	0.4	9.2	<0.01	0.03	0.5	0.026
AUX0102292		15.5	0.053	11.30	5.3	0.001	0.02	0.780	0.8	<0.1	0.4	8.6	<0.01	0.03	0.3	0.027
AUX0102293		25.1	0.066	13.35	7.7	0.001	0.01	0.944	2.1	0.6	0.4	10.7	<0.01	0.03	1.2	0.030
AUX0102294		16.3	0.055	13.40	8.0	0.001	0.02	0.877	0.9	0.7	0.4	9.0	<0.01	0.04	0.4	0.019
AUX0102295		15.2	0.044	13.30	8.0	<0.001	0.01	0.865	1.6	0.4	0.4	10.0	<0.01	0.02	0.9	0.026
AUX0102296		16.8	0.050	14.25	8.9	<0.001	0.01	1.495	2.3	0.5	0.4	10.2	<0.01	0.02	1.7	0.028
AUX0102297		10.7	0.063	12.20	8.8	<0.001	0.02	1.010	0.8	0.7	0.4	9.7	<0.01	0.05	0.2	0.021
AUX0102298		17.7	0.052	12.10	9.6	<0.001	0.01	1.970	2.1	0.5	0.3	10.8	<0.01	0.06	1.3	0.022
AUX0102299		17.6	0.064	11.70	7.8	<0.001	0.01	1.150	2.2	0.7	0.4	10.6	<0.01	0.03	0.9	0.031
AUX0102300		13.3	0.054	12.05	7.2	<0.001	0.02	1.045	1.2	0.5	0.4	9.5	<0.01	0.03	0.5	0.025
AUX0102301		19.4	0.058	11.70	7.8	<0.001	0.01	1.370	1.7	0.4	0.3	7.5	<0.01	0.03	1.9	0.022
AUX0102302		13.3	0.058	10.50	10.2	<0.001	0.01	1.000	1.2	0.3	0.4	7.8	<0.01	0.03	0.6	0.023
AUX0102303		14.3	0.053	12.35	8.4	<0.001	0.02	1.010	1.3	0.6	0.4	9.0	<0.01	0.04	0.4	0.027

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102273		0.09	0.81	38	0.226	5.17	63.4	1.4
AUX0102274		0.15	0.49	48	0.193	2.24	44.6	<0.5
AUX0102275		0.14	0.54	46	0.182	2.39	49.9	<0.5
AUX0102276		0.12	0.50	40	0.163	3.39	47.8	<0.5
AUX0102277		0.10	0.67	40	0.215	7.02	64.2	0.8
AUX0102278		0.15	0.46	39	0.150	2.76	40.3	<0.5
AUX0102279		0.11	0.48	37	0.237	3.29	49.4	<0.5
AUX0102280		0.08	0.70	30	0.102	19.10	79.7	1.8
AUX0102281		0.11	0.82	41	0.164	9.14	66.6	0.6
AUX0102282		0.12	0.61	40	0.211	4.36	59.9	<0.5
AUX0102283		0.08	0.57	36	0.203	12.65	71.7	1.1
AUX0102284		0.13	0.80	42	0.203	8.05	60.9	<0.5
AUX0102285		0.15	0.63	41	0.155	2.54	47.5	<0.5
AUX0102286		0.10	0.73	45	0.202	3.67	59.1	<0.5
AUX0102287		0.08	0.72	39	0.148	7.80	64.0	0.7
AUX0102288		0.13	0.54	42	0.150	2.75	41.3	<0.5
AUX0102289		0.09	0.62	34	0.153	5.80	51.8	<0.5
AUX0102290		0.08	0.70	31	0.140	5.20	48.7	<0.5
AUX0102291		0.13	0.71	38	0.174	3.72	45.3	<0.5
AUX0102292		0.11	0.62	39	0.163	3.01	44.8	<0.5
AUX0102293		0.13	0.74	41	0.225	8.53	60.1	0.9
AUX0102294		0.11	0.68	40	0.171	4.14	50.0	<0.5
AUX0102295		0.10	0.70	36	0.193	3.81	48.9	<0.5
AUX0102296		0.11	0.74	35	0.176	6.25	55.2	0.6
AUX0102297		0.12	0.70	42	0.231	4.10	44.5	<0.5
AUX0102298		0.11	1.27	33	0.168	6.54	60.6	0.5
AUX0102299		0.11	1.00	39	0.232	7.08	66.2	0.9
AUX0102300		0.10	0.76	36	0.219	3.80	51.7	<0.5
AUX0102301		0.07	0.58	29	0.167	5.25	60.6	<0.5
AUX0102302		0.09	0.59	35	0.212	4.28	51.3	<0.5
AUX0102303		0.10	0.83	41	0.226	3.93	56.3	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176271

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

CERTIFICATE WH11176272

Project: Aurex

P.O. No.: AUX- 08262011- 1

This report is for 149 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29- AUG- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both
DRY- 22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0100691	0.40	0.0012	0.211	1.24	9.82	<10	175.0	0.43	0.21	0.48	0.24	34.5	8.1	20.0	0.61
AUX0100692	0.12	0.0015	0.144	1.19	7.78	<10	204	0.42	0.20	0.76	0.29	30.8	7.7	17.5	0.58
AUX0100693	0.40	0.0013	0.119	1.31	8.91	<10	198.5	0.44	0.22	0.51	0.14	36.7	8.4	19.6	0.72
AUX0100694	0.34	0.0020	0.221	1.50	14.50	<10	164.5	0.43	0.27	0.41	0.17	49.2	10.5	19.3	0.58
AUX0100695	0.24	0.0022	0.225	1.52	12.55	<10	188.0	0.46	0.26	0.45	0.15	44.3	9.1	19.1	0.58
AUX0100696	0.12	0.0024	0.220	1.34	13.65	<10	185.5	0.43	0.23	0.91	0.26	36.2	10.5	16.3	0.55
AUX0100697	0.30	0.0017	0.254	1.51	16.55	<10	188.5	0.53	0.28	0.67	0.13	38.9	10.7	17.4	0.71
AUX0100698	0.18	0.0010	0.331	1.34	13.75	<10	171.0	0.51	0.22	0.93	0.22	34.1	12.2	15.1	0.62
AUX0100699	0.24	0.0008	0.209	1.66	12.85	<10	193.0	0.47	0.25	0.79	0.13	40.3	10.2	17.1	0.74
AUX0100700	0.22	0.0011	0.217	1.51	11.90	<10	165.0	0.47	0.25	0.89	0.14	30.8	7.4	17.9	0.65
AUX0100701	0.34	0.0028	0.396	1.58	18.15	<10	217	0.57	0.27	0.90	0.24	36.4	10.3	18.9	0.78
AUX0100702	0.36	0.0013	0.139	1.38	11.50	<10	136.0	0.45	0.24	0.64	0.06	38.7	9.0	17.7	0.68
AUX0100703	0.24	0.0020	0.233	1.39	12.85	<10	178.0	0.62	0.26	1.27	0.14	27.9	7.6	18.5	0.74
AUX0100704	0.28	0.0009	0.143	1.40	14.70	<10	154.5	0.51	0.25	0.68	0.14	38.9	11.1	18.7	0.62
AUX0100705	0.22	0.0041	0.358	1.60	14.45	<10	179.5	0.53	0.27	0.58	0.12	32.8	9.7	20.8	0.82
AUX0100706	0.32	0.0020	0.133	1.46	15.20	<10	175.5	0.53	0.26	0.60	0.22	41.7	12.5	22.0	0.69
AUX0100707	0.32	0.0022	0.224	1.35	14.40	<10	144.0	0.36	0.27	0.48	0.15	42.1	11.4	18.1	0.56
AUX0100708	0.24	0.0037	0.323	1.53	22.8	<10	207	0.73	0.27	0.69	0.28	36.6	14.3	25.2	0.70
AUX0100709	0.14	0.0017	0.176	1.06	17.10	<10	146.0	0.53	0.26	1.40	0.26	30.0	12.5	15.3	0.43
AUX0100710	0.14	0.0012	0.164	1.10	16.85	<10	127.5	0.42	0.30	1.19	0.23	31.7	11.6	15.5	0.53
AUX0100711	0.18	0.0013	0.148	1.16	13.05	<10	142.5	0.47	0.28	1.19	0.16	31.3	10.2	15.6	0.60
AUX0100712	0.26	0.0010	0.117	1.23	13.65	<10	159.0	0.56	0.30	1.08	0.19	36.1	15.3	16.3	0.61
AUX0100713	0.36	0.0021	0.161	1.19	14.90	<10	109.5	0.53	0.53	0.67	0.13	61.1	22.2	14.2	0.49
AUX0100714	0.58	0.0021	0.192	1.47	17.15	<10	113.0	0.52	0.53	0.60	0.14	51.9	18.4	17.6	0.51
AUX0100715	0.30	0.0048	0.179	1.13	27.7	<10	153.0	0.45	0.28	1.43	0.24	23.5	11.2	14.6	0.44
AUX0100716	0.28	0.0035	0.168	1.34	24.4	<10	167.0	0.65	0.33	0.73	0.16	32.7	12.8	17.7	0.63
AUX0100717	0.44	0.0027	0.237	1.34	19.10	<10	164.0	0.54	0.32	0.57	0.19	34.5	12.3	18.4	0.66
AUX0100718	0.40	0.0053	0.221	1.12	50.1	<10	149.0	0.58	0.33	0.47	0.16	43.9	11.9	15.5	0.74
AUX0100719	0.34	0.0024	0.154	1.18	21.0	<10	156.5	0.47	0.32	1.06	0.41	34.2	14.3	16.5	0.47
AUX0100720	0.36	0.0027	0.154	1.09	26.7	<10	113.0	0.49	0.48	0.57	0.13	39.6	15.8	15.4	0.57
AUX0100721	0.28	0.0017	0.159	1.55	15.55	<10	176.5	0.47	0.31	0.78	0.09	31.2	11.5	28.0	0.81
AUX0100722	0.20	0.0015	0.192	1.13	9.39	<10	173.5	0.36	0.25	1.36	0.36	28.7	9.5	16.0	0.52
AUX0100723	0.46	0.0040	0.431	1.39	37.9	<10	229	0.48	0.23	0.44	0.25	41.6	13.1	23.8	0.99
AUX0100724	0.34	0.0032	0.329	1.57	11.30	<10	203	0.46	0.25	0.53	0.15	34.8	10.2	23.1	1.02
AUX0100725	0.32	0.0024	0.216	1.56	10.65	<10	182.5	0.41	0.24	0.42	0.18	38.1	10.6	23.5	0.95
AUX0100726	0.16	0.0025	1.025	1.39	27.1	<10	145.0	0.33	0.25	0.54	0.30	51.3	9.4	22.9	0.64
AUX0100727	0.14	0.0026	0.648	1.22	18.60	<10	159.5	0.37	0.23	1.07	0.29	42.0	9.3	13.7	0.61
AUX0100728	0.14	0.0038	0.649	1.26	18.40	<10	181.0	0.36	0.27	0.90	0.24	42.2	7.3	13.8	0.69
AUX0100729	0.34	0.0030	0.406	1.54	14.65	<10	171.0	0.37	0.28	0.37	0.09	62.6	8.6	16.9	0.78
AUX0100730	0.32	0.0018	0.250	1.49	27.3	<10	145.5	0.42	0.28	0.47	0.11	69.6	9.3	16.0	0.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0100691		21.9	2.37	3.45	<0.05	0.07	0.037	0.019	0.05	17.9	16.4	0.44	339	0.62	0.02	0.47
AUX0100692		23.3	2.08	3.29	<0.05	0.09	0.051	0.018	0.05	17.1	15.3	0.40	417	0.61	0.02	0.46
AUX0100693		26.4	2.28	3.62	<0.05	0.08	0.040	0.018	0.05	18.5	16.6	0.43	382	0.60	0.02	0.47
AUX0100694		42.0	3.27	3.98	0.05	0.11	0.028	0.017	0.05	24.0	20.2	0.52	530	1.62	0.02	0.36
AUX0100695		39.1	2.96	3.94	0.05	0.11	0.039	0.017	0.05	21.7	19.4	0.50	330	1.27	0.02	0.35
AUX0100696		30.4	2.81	3.51	<0.05	0.11	0.035	0.015	0.05	16.5	18.4	0.43	774	1.29	0.02	0.33
AUX0100697		37.9	2.96	3.76	<0.05	0.10	0.038	0.020	0.05	18.8	19.5	0.45	370	1.73	0.02	0.33
AUX0100698		33.1	2.96	3.17	<0.05	0.10	0.036	0.016	0.05	16.9	16.1	0.42	617	1.32	0.02	0.28
AUX0100699		39.7	3.07	4.23	<0.05	0.10	0.040	0.017	0.06	18.9	20.0	0.50	605	0.97	0.02	0.30
AUX0100700		35.0	2.79	3.72	<0.05	0.11	0.045	0.016	0.05	14.9	16.7	0.46	484	0.89	0.02	0.34
AUX0100701		47.4	3.03	3.60	<0.05	0.10	0.054	0.018	0.05	18.0	16.3	0.47	695	1.39	0.02	0.34
AUX0100702		34.7	2.59	3.74	<0.05	0.08	0.036	0.016	0.05	19.7	17.4	0.47	545	0.72	0.02	0.37
AUX0100703		36.1	2.63	3.93	<0.05	0.08	0.058	0.023	0.05	14.7	16.9	0.40	442	0.84	0.02	0.47
AUX0100704		32.9	2.89	3.78	<0.05	0.09	0.037	0.020	0.05	19.1	18.9	0.47	473	0.85	0.02	0.42
AUX0100705		40.6	3.29	4.12	<0.05	0.07	0.070	0.024	0.06	18.3	20.8	0.49	1050	0.97	0.02	0.43
AUX0100706		38.7	3.05	3.87	<0.05	0.09	0.041	0.021	0.05	21.5	20.8	0.53	616	0.99	0.02	0.41
AUX0100707		39.5	3.00	3.74	0.13	0.09	0.033	0.018	0.05	21.9	19.5	0.52	518	1.15	0.02	0.26
AUX0100708		57.3	3.60	4.32	0.13	0.10	0.068	0.024	0.04	19.9	21.1	0.55	761	2.03	0.02	0.34
AUX0100709		34.0	2.85	3.12	0.14	0.08	0.060	0.021	0.03	16.2	15.1	0.34	1110	0.85	0.02	0.30
AUX0100710		32.3	2.97	3.22	0.14	0.10	0.059	0.022	0.03	17.4	15.1	0.36	673	0.79	0.02	0.30
AUX0100711		24.8	2.81	3.32	0.13	0.07	0.053	0.021	0.03	17.1	14.9	0.34	570	0.65	0.02	0.32
AUX0100712		28.8	3.11	3.58	0.13	0.07	0.041	0.022	0.04	17.8	16.7	0.37	890	0.77	0.02	0.37
AUX0100713		58.3	4.38	3.61	0.14	0.14	0.040	0.020	0.03	31.5	25.9	0.53	1760	1.09	0.02	0.16
AUX0100714		64.8	4.34	4.13	0.16	0.15	0.046	0.024	0.03	27.6	34.5	0.61	1040	0.81	0.02	0.17
AUX0100715		34.3	2.84	3.05	0.13	0.08	0.051	0.021	0.03	13.0	18.2	0.37	1030	0.64	0.02	0.27
AUX0100716		42.6	3.42	3.91	0.13	0.11	0.047	0.025	0.04	18.4	21.1	0.43	556	0.79	0.02	0.32
AUX0100717		39.6	3.16	3.93	0.12	0.10	0.057	0.022	0.04	19.6	22.6	0.47	606	0.81	0.02	0.37
AUX0100718		42.7	3.47	3.16	0.15	0.09	0.048	0.024	0.04	23.3	15.8	0.34	767	0.97	0.02	0.30
AUX0100719		38.8	3.49	3.28	0.13	0.10	0.037	0.026	0.04	18.6	20.2	0.45	1360	0.76	0.02	0.32
AUX0100720		54.4	4.15	2.90	0.13	0.11	0.046	0.024	0.03	22.2	19.2	0.41	919	0.93	0.02	0.23
AUX0100721		34.8	3.34	3.80	0.12	0.11	0.060	0.024	0.04	16.4	24.5	0.58	578	0.65	0.01	0.33
AUX0100722		30.3	2.51	2.99	0.12	0.11	0.067	0.018	0.04	15.8	17.3	0.40	568	0.67	0.01	0.34
AUX0100723		26.7	3.35	3.46	0.11	0.05	0.055	0.023	0.04	21.4	21.7	0.38	841	1.16	0.01	0.34
AUX0100724		34.7	3.09	4.46	0.10	0.04	0.050	0.026	0.05	19.1	23.6	0.47	680	1.82	0.01	0.41
AUX0100725		35.9	3.30	4.42	0.11	0.03	0.041	0.025	0.05	18.6	25.0	0.51	788	1.80	0.01	0.40
AUX0100726		34.7	3.10	3.89	0.14	0.11	0.037	0.022	0.05	24.8	21.5	0.57	352	1.30	0.01	0.34
AUX0100727		24.9	2.52	3.44	0.13	0.10	0.051	0.015	0.06	22.0	17.5	0.40	494	0.65	0.02	0.27
AUX0100728		22.6	2.40	3.32	0.12	0.09	0.057	0.015	0.06	21.7	15.4	0.38	327	0.61	0.02	0.27
AUX0100729		29.0	2.72	4.07	0.14	0.08	0.036	0.015	0.06	32.1	20.3	0.50	274	0.39	0.01	0.28
AUX0100730		31.4	3.35	3.89	0.14	0.09	0.027	0.013	0.06	34.1	20.6	0.50	235	0.49	0.01	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0100691		21.9	0.068	16.75	8.3	<0.001	0.02	1.025	2.5	0.4	0.2	23.1	<0.01	0.03	3.8	0.021
AUX0100692		22.1	0.073	13.20	9.2	<0.001	0.04	0.948	2.3	0.6	0.2	34.1	<0.01	0.04	3.2	0.017
AUX0100693		24.1	0.060	13.80	9.6	<0.001	0.02	0.839	2.6	0.5	0.3	24.7	<0.01	0.04	3.8	0.018
AUX0100694		27.4	0.056	20.9	7.8	<0.001	0.01	6.38	2.9	0.5	0.2	28.5	<0.01	0.05	9.0	0.011
AUX0100695		25.7	0.056	20.2	7.6	<0.001	0.02	6.25	2.7	0.5	0.2	31.4	<0.01	0.05	7.2	0.009
AUX0100696		23.4	0.063	17.60	7.7	<0.001	0.05	7.82	2.2	0.5	0.2	51.2	<0.01	0.05	4.9	0.009
AUX0100697		25.6	0.059	23.0	8.3	<0.001	0.03	10.40	2.4	0.8	0.2	39.2	<0.01	0.04	5.6	0.007
AUX0100698		23.5	0.058	18.05	7.1	<0.001	0.04	14.30	2.0	0.6	0.2	54.7	<0.01	0.05	5.0	0.007
AUX0100699		25.4	0.059	15.75	9.1	<0.001	0.04	10.65	2.2	0.7	0.2	53.4	<0.01	0.06	5.0	0.007
AUX0100700		22.7	0.063	16.95	8.0	<0.001	0.05	9.93	2.1	0.7	0.2	52.3	<0.01	0.05	3.7	0.009
AUX0100701		29.0	0.072	27.5	7.8	<0.001	0.04	17.05	2.5	0.8	0.2	54.0	<0.01	0.05	3.8	0.009
AUX0100702		20.7	0.041	19.20	8.2	<0.001	0.03	5.89	2.2	0.6	0.2	41.4	<0.01	0.05	4.4	0.012
AUX0100703		23.6	0.077	16.50	9.5	<0.001	0.06	5.36	2.4	1.1	0.2	86.1	<0.01	0.04	2.4	0.012
AUX0100704		26.4	0.054	16.60	7.9	<0.001	0.02	9.83	2.6	0.6	0.2	48.6	<0.01	0.05	4.3	0.010
AUX0100705		24.9	0.048	18.35	10.1	<0.001	0.02	13.30	2.7	0.7	0.2	41.6	<0.01	0.06	4.2	0.011
AUX0100706		32.4	0.058	19.45	7.4	<0.001	0.02	5.81	3.4	0.8	0.2	39.8	<0.01	0.04	5.2	0.013
AUX0100707		29.7	0.057	26.3	6.1	<0.001	0.03	5.54	2.5	1.1	0.2	29.6	<0.01	0.04	6.4	0.009
AUX0100708		39.6	0.074	19.40	6.6	<0.001	0.04	6.62	3.7	1.2	0.3	48.2	<0.01	0.06	3.7	0.013
AUX0100709		26.0	0.080	18.20	4.7	<0.001	0.07	2.94	2.4	1.2	0.2	82.8	<0.01	0.07	1.6	0.012
AUX0100710		24.6	0.073	19.30	5.6	<0.001	0.06	2.90	2.4	1.2	0.2	73.1	<0.01	0.07	2.0	0.011
AUX0100711		21.2	0.067	16.35	5.9	<0.001	0.06	2.67	2.1	0.9	0.2	72.0	<0.01	0.04	1.6	0.010
AUX0100712		26.7	0.056	17.90	6.1	<0.001	0.04	3.13	3.0	1.0	0.2	70.1	<0.01	0.06	3.1	0.010
AUX0100713		45.9	0.079	35.5	3.6	<0.001	0.05	1.900	2.5	1.3	<0.2	46.1	<0.01	0.12	7.7	0.007
AUX0100714		44.4	0.057	33.8	3.9	<0.001	0.04	3.83	3.0	1.4	0.2	47.0	<0.01	0.13	7.5	0.007
AUX0100715		26.1	0.077	17.50	4.6	<0.001	0.08	2.87	2.0	1.5	0.2	89.0	<0.01	0.05	1.8	0.011
AUX0100716		30.4	0.062	18.40	7.1	<0.001	0.04	3.85	3.4	1.0	0.2	48.9	<0.01	0.07	3.1	0.010
AUX0100717		30.1	0.056	19.55	6.4	<0.001	0.03	3.06	3.4	0.9	0.2	38.0	<0.01	0.06	4.2	0.014
AUX0100718		30.7	0.065	17.90	6.4	<0.001	0.03	6.44	3.7	0.9	0.2	30.6	<0.01	0.10	4.3	0.011
AUX0100719		32.5	0.072	23.0	5.9	<0.001	0.04	3.22	3.7	0.8	0.2	63.8	<0.01	0.09	4.4	0.014
AUX0100720		36.4	0.062	24.1	4.9	<0.001	0.05	3.60	3.5	1.5	0.2	36.6	<0.01	0.12	4.7	0.010
AUX0100721		33.4	0.079	19.10	8.7	<0.001	0.07	1.870	2.8	1.2	0.2	49.3	<0.01	0.06	3.1	0.013
AUX0100722		24.6	0.095	15.40	8.2	0.001	0.10	1.930	1.9	0.8	0.2	78.5	<0.01	0.09	2.2	0.013
AUX0100723		31.6	0.067	19.10	9.9	0.001	0.03	7.90	3.9	0.7	0.3	27.2	<0.01	0.07	4.5	0.014
AUX0100724		27.6	0.099	15.85	10.4	<0.001	0.04	2.26	2.2	0.8	0.3	37.6	<0.01	0.07	2.2	0.018
AUX0100725		29.5	0.090	15.75	9.9	<0.001	0.03	2.47	2.3	0.5	0.3	32.5	<0.01	0.07	2.8	0.019
AUX0100726		27.3	0.068	50.2	6.6	<0.001	0.03	5.53	2.3	0.8	0.2	35.0	<0.01	0.05	7.5	0.012
AUX0100727		23.8	0.060	22.8	9.3	<0.001	0.07	5.47	1.6	0.8	0.2	66.0	<0.01	0.02	4.7	0.007
AUX0100728		21.0	0.067	24.5	9.6	<0.001	0.08	5.70	1.5	0.5	0.2	59.1	<0.01	0.04	4.9	0.007
AUX0100729		26.0	0.041	25.4	9.2	<0.001	0.03	5.83	2.2	0.6	0.2	23.1	<0.01	0.04	9.8	0.008
AUX0100730		25.7	0.043	24.9	7.8	<0.001	0.03	7.70	1.9	0.7	0.2	30.5	<0.01	0.04	10.3	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0100691		0.07	0.81	28	0.397	7.35	74.0	1.9
AUX0100692		0.07	0.97	24	0.175	8.80	71.2	2.1
AUX0100693		0.07	0.85	27	0.195	8.97	64.9	1.9
AUX0100694		0.06	1.25	24	0.0818	9.84	76.6	3.8
AUX0100695		0.06	1.26	24	0.0973	9.32	74.3	3.4
AUX0100696		0.06	1.28	21	0.0676	6.67	76.5	2.8
AUX0100697		0.07	1.60	23	0.0966	7.72	79.1	2.9
AUX0100698		0.05	0.96	19	0.0732	5.99	66.7	3.0
AUX0100699		0.06	1.47	20	0.0827	6.99	70.6	2.9
AUX0100700		0.06	1.71	22	0.0903	8.28	62.9	2.9
AUX0100701		0.07	1.24	25	0.102	9.75	82.9	2.9
AUX0100702		0.06	1.10	22	0.0966	10.00	59.5	2.2
AUX0100703		0.07	1.97	25	0.0967	11.55	55.5	2.2
AUX0100704		0.05	0.96	24	0.102	10.25	63.8	2.3
AUX0100705		0.07	0.98	27	0.109	10.85	69.1	1.9
AUX0100706		0.05	1.20	26	0.402	14.30	71.2	2.8
AUX0100707		0.05	1.02	19	0.0617	10.40	78.3	3.2
AUX0100708		0.06	1.41	30	0.0847	16.85	88.9	3.2
AUX0100709		0.04	1.29	21	0.156	14.90	58.8	2.6
AUX0100710		0.05	1.23	22	0.0826	14.90	77.7	2.9
AUX0100711		0.05	1.11	23	0.0837	11.05	56.9	2.1
AUX0100712		0.05	0.82	24	0.131	11.65	63.3	2.5
AUX0100713		0.03	1.34	14	0.0425	15.45	96.6	4.8
AUX0100714		0.03	1.37	17	0.0516	15.75	95.7	4.8
AUX0100715		0.04	1.33	20	0.0725	11.45	69.7	2.3
AUX0100716		0.05	0.84	24	0.317	15.40	82.9	3.1
AUX0100717		0.05	0.88	25	0.0908	14.30	77.0	3.1
AUX0100718		0.05	0.86	21	0.0878	15.75	78.4	3.0
AUX0100719		0.04	0.76	23	0.0874	15.05	110.0	3.3
AUX0100720		0.04	1.27	18	0.127	17.70	85.3	3.5
AUX0100721		0.08	1.34	26	0.182	13.20	84.5	2.5
AUX0100722		0.05	1.16	19	0.0934	9.45	80.6	2.7
AUX0100723		0.08	1.67	31	0.123	11.15	92.7	1.3
AUX0100724		0.09	2.25	34	0.145	8.34	81.0	0.9
AUX0100725		0.07	1.65	33	0.144	7.63	81.6	0.8
AUX0100726		0.05	0.86	21	0.0673	8.59	114.5	3.6
AUX0100727		0.07	0.81	16	0.0497	7.85	86.1	2.7
AUX0100728		0.07	0.88	16	0.0610	7.83	81.8	2.7
AUX0100729		0.07	0.93	19	0.0608	8.83	73.1	2.5
AUX0100730		0.05	0.80	17	0.0459	7.96	78.9	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0100731	0.20	0.0021	0.329	1.24	15.90	<10	176.0	0.34	0.22	0.83	0.15	46.5	5.9	14.1	0.64
AUX0100732	0.28	0.0026	1.405	1.41	20.2	<10	154.5	0.39	0.24	0.30	0.05	61.2	7.2	15.9	0.84
AUX0100733	0.30	0.0026	0.909	1.55	14.05	<10	159.0	0.39	0.22	0.48	0.07	60.7	8.2	17.6	0.70
AUX0100734	0.30	0.0017	0.201	1.24	26.5	<10	165.5	0.38	0.19	0.72	0.14	45.6	7.3	15.3	0.75
AUX0100735	0.22	0.0023	0.226	1.39	16.90	<10	195.0	0.52	0.23	0.76	0.16	42.0	9.9	18.1	0.68
AUX0100736	0.26	0.0028	0.272	1.32	13.45	<10	156.0	0.41	0.22	0.93	0.14	36.0	7.9	19.2	0.53
AUX0100737	0.32	0.0032	3.17	1.36	15.50	<10	137.5	0.37	0.22	0.40	0.22	55.5	8.6	19.0	0.73
AUX0100738	0.18	0.0023	1.005	1.35	20.5	<10	195.5	0.42	0.22	1.37	0.25	26.6	9.7	21.7	0.67
AUX0100739	0.20	0.0033	0.396	1.30	22.1	<10	182.5	0.37	0.21	1.23	0.26	29.3	10.5	24.0	0.55
AUX0100740	0.28	0.0037	0.573	1.38	26.0	<10	146.0	0.41	0.26	0.68	0.29	39.0	9.5	20.8	0.62
AUX0100741	0.26	0.0027	0.630	1.21	23.8	<10	146.0	0.48	0.29	1.20	0.50	35.2	12.9	16.9	0.49
AUX0100742	0.22	0.0012	0.321	1.09	17.45	<10	126.0	0.37	0.24	1.02	0.37	33.4	10.7	15.1	0.58
AUX0100743	0.16	0.0038	0.461	1.18	24.9	<10	105.0	0.42	0.31	0.76	1.08	42.0	13.7	13.7	0.55
AUX0100744	0.24	0.0043	0.374	1.22	22.8	<10	115.5	0.37	0.30	0.62	0.45	41.3	11.5	15.2	0.53
AUX0100745	0.22	0.0043	0.231	1.30	19.15	<10	133.5	0.38	0.31	0.50	0.26	41.0	10.5	15.8	0.56
AUX0100746	0.26	0.0030	0.445	1.34	23.4	<10	132.5	0.39	0.32	0.69	0.80	47.3	13.3	15.6	0.57
AUX0100747	0.32	0.0026	0.275	1.34	20.4	<10	143.0	0.45	0.32	0.78	0.44	45.1	13.5	16.2	0.58
AUX0100748	0.34	0.0045	0.260	1.56	17.10	<10	163.5	0.48	0.32	0.73	0.31	50.4	11.5	18.4	0.58
AUX0100749	0.26	0.0023	0.160	1.18	21.3	<10	112.5	0.31	0.30	0.51	0.49	45.0	13.6	14.3	0.40
AUX0100750	0.30	0.0033	0.184	1.29	23.5	<10	119.5	0.44	0.33	0.59	0.55	52.0	14.6	16.0	0.45
AUX0100751	0.48	0.0026	0.197	1.30	27.3	<10	135.0	0.40	0.35	0.57	0.31	49.1	16.2	18.7	0.46
AUX0100752	0.50	0.0034	0.254	1.37	23.3	<10	129.5	0.43	0.32	0.58	0.99	54.2	16.7	17.9	0.56
AUX0100753	0.34	<0.0002	0.166	1.28	18.25	<10	138.0	0.40	0.29	0.60	0.34	43.6	12.1	14.7	0.39
AUX0100754	0.32	0.0016	0.219	1.34	15.00	<10	163.5	0.38	0.30	0.82	0.30	42.4	8.9	14.5	0.51
AUX0100755	0.44	0.0019	0.232	1.43	22.2	<10	141.5	0.41	0.29	0.51	0.27	53.8	12.4	16.8	0.63
AUX0100756	0.46	0.0013	0.154	1.48	24.0	<10	186.0	0.37	0.24	0.33	0.07	47.1	8.2	18.9	0.90
AUX0100757	0.30	0.0022	0.260	1.44	15.30	<10	221	0.50	0.34	1.30	0.53	48.9	14.0	17.9	0.55
AUX0100758	0.38	0.0014	0.209	1.48	11.35	<10	261	0.41	0.26	0.55	0.06	30.1	6.9	19.5	0.97
AUX0100759	0.36	0.0019	0.162	1.45	10.80	<10	219	0.43	0.26	0.31	0.14	41.1	11.5	21.4	0.74
AUX0100760	0.36	0.0022	0.073	1.83	19.10	<10	237	0.47	0.25	0.23	0.05	30.0	6.8	24.1	1.29
AUX0100761	0.36	0.0022	0.226	1.73	20.7	<10	279	0.49	0.25	0.27	0.11	40.8	8.4	26.8	1.07
AUX0100762	0.28	0.0023	0.094	1.56	15.95	<10	329	0.32	0.14	0.20	0.09	39.4	9.6	39.4	0.80
AUX0100763	0.40	0.0003	0.120	2.02	11.60	<10	486	0.44	0.23	0.27	0.07	59.6	10.1	25.2	0.88
AUX0100764	0.32	0.0004	0.143	2.07	10.85	<10	381	0.38	0.18	0.33	0.08	38.8	10.3	39.9	0.73
AUX0100765	0.44	0.0009	0.164	1.94	14.10	<10	292	0.36	0.25	0.31	0.12	41.5	12.4	32.8	0.74
AUX0100766	0.24	0.0002	0.119	1.49	9.90	<10	165.0	0.41	0.21	0.24	0.10	32.1	5.9	24.0	1.00
AUX0100767	0.28	0.0015	0.076	1.50	14.60	<10	136.0	0.37	0.22	0.11	0.23	39.8	8.5	24.0	0.74
AUX0100768	0.22	0.0010	0.126	1.52	12.20	<10	105.0	0.38	0.21	0.06	0.22	31.2	17.2	27.2	1.00
AUX0100769	0.36	0.0014	0.088	1.62	10.70	<10	118.5	0.36	0.19	0.10	0.28	42.2	7.2	24.7	0.85
AUX0100770	0.34	0.0021	0.100	1.62	10.75	<10	164.0	0.35	0.19	0.13	0.22	37.5	6.8	26.4	0.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0100731		23.9	2.37	3.33	0.12	0.09	0.033	0.013	0.06	24.7	16.1	0.40	187	0.48	0.01	0.29
AUX0100732		25.2	2.59	3.79	0.14	0.05	0.065	0.015	0.05	30.2	17.6	0.42	238	0.52	0.01	0.34
AUX0100733		23.6	2.88	4.08	0.15	0.08	0.028	0.013	0.05	26.9	20.6	0.53	269	0.44	0.01	0.25
AUX0100734		18.85	2.68	3.36	0.12	0.06	0.030	0.015	0.06	22.7	15.4	0.38	338	0.65	0.01	0.33
AUX0100735		24.3	2.73	3.81	0.13	0.07	0.036	0.017	0.05	20.6	15.3	0.43	618	0.67	0.01	0.35
AUX0100736		21.9	2.65	3.28	0.10	0.08	0.050	0.014	0.06	18.5	15.0	0.45	369	0.74	0.01	0.31
AUX0100737		29.3	2.64	4.01	0.13	0.07	0.048	0.014	0.06	29.5	18.1	0.51	264	0.59	0.01	0.36
AUX0100738		26.1	2.72	3.61	0.12	0.07	0.061	0.019	0.05	13.3	16.0	0.45	454	0.76	0.01	0.37
AUX0100739		27.8	2.84	3.43	0.10	0.08	0.042	0.021	0.04	14.5	17.0	0.50	495	0.63	0.01	0.32
AUX0100740		32.9	3.33	3.60	0.11	0.08	0.056	0.021	0.04	20.5	19.1	0.51	380	0.74	0.01	0.31
AUX0100741		41.4	3.49	3.09	0.10	0.09	0.067	0.031	0.04	15.9	16.3	0.41	879	0.92	0.01	0.30
AUX0100742		27.8	2.91	3.05	0.11	0.07	0.061	0.021	0.04	16.8	18.2	0.36	546	0.87	0.01	0.32
AUX0100743		43.7	3.52	2.96	0.11	0.14	0.068	0.021	0.03	20.5	23.6	0.49	916	1.70	0.01	0.19
AUX0100744		30.5	3.48	3.13	0.11	0.11	0.039	0.021	0.03	19.9	22.7	0.48	658	1.42	0.01	0.19
AUX0100745		29.9	3.31	3.28	0.11	0.11	0.053	0.022	0.03	19.9	23.3	0.50	612	1.05	0.01	0.23
AUX0100746		41.7	3.58	3.39	0.12	0.12	0.034	0.020	0.04	24.1	28.4	0.55	648	1.40	0.01	0.18
AUX0100747		41.3	3.57	3.56	0.11	0.13	0.039	0.023	0.03	22.8	27.2	0.54	796	1.32	0.01	0.22
AUX0100748		38.7	3.56	3.66	0.12	0.12	0.044	0.021	0.04	24.1	28.6	0.62	663	1.29	0.01	0.22
AUX0100749		37.0	3.37	2.87	0.11	0.11	0.043	0.018	0.03	21.5	23.9	0.52	1040	1.13	0.01	0.11
AUX0100750		41.0	3.57	3.20	0.12	0.12	0.039	0.019	0.03	24.5	27.2	0.57	1060	1.37	0.01	0.14
AUX0100751		44.7	3.88	3.25	0.12	0.14	0.029	0.018	0.03	22.8	26.9	0.60	1200	1.97	0.01	0.13
AUX0100752		50.6	3.86	3.66	0.13	0.09	0.042	0.023	0.03	26.1	28.7	0.57	1110	1.76	0.01	0.19
AUX0100753		36.0	3.32	2.96	0.12	0.11	0.028	0.015	0.03	21.5	26.5	0.57	839	1.36	0.01	0.15
AUX0100754		34.2	2.80	3.16	0.11	0.12	0.029	0.018	0.03	21.0	26.8	0.56	425	1.15	0.01	0.17
AUX0100755		39.1	3.30	3.74	0.14	0.10	0.037	0.018	0.04	25.3	27.9	0.60	631	1.56	0.01	0.24
AUX0100756		27.9	2.79	3.75	0.11	0.08	0.032	0.019	0.04	22.7	21.0	0.49	369	1.47	0.01	0.32
AUX0100757		39.3	3.58	3.22	0.12	0.12	0.060	0.031	0.04	24.2	21.2	0.43	1480	1.16	0.01	0.26
AUX0100758		28.0	2.79	4.05	0.11	0.11	0.087	0.022	0.03	14.3	18.0	0.40	392	1.56	0.01	0.36
AUX0100759		38.1	3.12	3.82	0.12	0.13	0.077	0.024	0.04	20.0	18.0	0.51	656	1.05	0.01	0.52
AUX0100760		13.15	2.90	5.08	0.09	0.03	0.023	0.025	0.04	13.4	17.5	0.39	270	1.34	0.01	0.57
AUX0100761		29.6	3.00	4.02	0.11	0.07	0.038	0.023	0.04	21.9	22.5	0.48	445	1.42	0.01	0.37
AUX0100762		24.1	2.61	4.02	0.11	0.03	0.032	0.016	0.03	21.2	24.5	0.67	449	0.77	0.01	0.41
AUX0100763		21.0	3.03	5.03	0.11	0.08	0.021	0.017	0.04	28.5	33.4	0.62	282	0.84	0.01	0.24
AUX0100764		22.4	2.92	5.43	0.10	0.07	0.024	0.022	0.03	20.9	39.3	0.81	394	0.77	0.01	0.36
AUX0100765		25.7	3.14	4.40	0.11	0.05	0.055	0.019	0.04	20.9	35.8	0.70	445	1.07	0.01	0.54
AUX0100766		16.60	2.43	4.73	0.10	<0.02	0.029	0.023	0.04	14.5	15.8	0.40	326	1.52	0.01	0.24
AUX0100767		27.8	2.90	3.90	0.11	0.02	0.046	0.022	0.04	18.7	16.3	0.46	503	1.23	0.01	0.46
AUX0100768		20.7	3.07	4.57	0.10	<0.02	0.056	0.021	0.04	13.8	12.6	0.33	1740	2.30	0.01	0.28
AUX0100769		26.9	2.64	4.25	0.11	0.02	0.037	0.021	0.04	19.2	15.4	0.45	319	0.98	0.01	0.51
AUX0100770		17.05	2.69	4.29	0.11	<0.02	0.019	0.018	0.04	16.7	17.1	0.45	334	1.37	0.01	0.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0100731		21.4	0.061	16.10	8.8	<0.001	0.05	5.43	1.6	0.5	0.2	54.6	<0.01	0.03	5.2	0.008
AUX0100732		23.1	0.032	21.2	9.8	<0.001	0.02	7.05	1.9	0.9	0.2	22.6	<0.01	0.03	7.2	0.010
AUX0100733		25.0	0.050	28.9	8.2	<0.001	0.03	4.77	1.8	0.4	0.2	31.4	<0.01	0.03	6.8	0.008
AUX0100734		20.2	0.049	21.1	9.1	<0.001	0.04	5.44	1.6	0.5	0.2	42.7	<0.01	0.02	5.9	0.009
AUX0100735		23.9	0.057	21.1	9.9	<0.001	0.04	4.81	2.2	0.7	0.2	50.2	<0.01	0.06	3.5	0.012
AUX0100736		23.2	0.058	22.1	8.6	<0.001	0.06	5.11	1.7	0.7	0.2	56.8	<0.01	0.04	4.2	0.010
AUX0100737		26.2	0.041	47.2	9.2	<0.001	0.02	8.98	2.4	0.7	0.2	29.5	<0.01	0.03	6.6	0.013
AUX0100738		25.5	0.083	22.2	9.6	<0.001	0.09	6.30	2.2	0.9	0.2	87.8	<0.01	0.04	2.0	0.012
AUX0100739		28.9	0.067	21.9	7.3	<0.001	0.07	5.64	2.4	1.1	0.2	77.3	<0.01	0.06	2.1	0.012
AUX0100740		29.6	0.057	27.0	7.3	<0.001	0.04	7.48	2.9	0.7	0.2	41.8	<0.01	0.08	3.8	0.014
AUX0100741		29.4	0.081	36.1	5.5	<0.001	0.05	9.66	3.3	1.2	0.3	75.2	<0.01	0.06	2.5	0.013
AUX0100742		23.6	0.078	17.90	6.6	<0.001	0.07	5.32	2.5	2.0	0.2	63.4	<0.01	0.06	2.2	0.012
AUX0100743		37.0	0.067	28.3	5.9	<0.001	0.07	9.82	2.1	1.9	0.2	40.7	<0.01	0.09	4.5	0.007
AUX0100744		27.0	0.066	25.3	5.9	<0.001	0.06	7.19	2.1	1.9	0.2	36.8	<0.01	0.08	3.9	0.008
AUX0100745		24.5	0.067	20.4	6.2	0.001	0.05	5.31	2.1	1.2	0.2	28.3	<0.01	0.09	3.5	0.009
AUX0100746		33.9	0.077	26.1	6.5	0.003	0.06	7.82	2.2	1.9	0.2	43.5	<0.01	0.09	4.4	0.007
AUX0100747		32.4	0.072	23.5	6.6	0.001	0.06	6.34	2.6	1.8	0.2	49.1	<0.01	0.10	4.2	0.008
AUX0100748		28.1	0.085	21.4	6.5	<0.001	0.05	6.03	2.2	1.4	0.2	42.3	<0.01	0.07	4.0	0.008
AUX0100749		30.6	0.060	22.0	4.4	0.001	0.04	6.72	2.1	1.1	<0.2	30.3	<0.01	0.04	5.0	0.006
AUX0100750		34.2	0.067	24.3	5.0	0.001	0.05	7.47	2.4	1.7	<0.2	35.1	<0.01	0.08	5.6	0.006
AUX0100751		36.6	0.076	25.3	4.5	0.001	0.06	14.05	2.3	1.1	<0.2	33.7	<0.01	0.07	5.7	0.005
AUX0100752		40.4	0.077	25.0	6.0	<0.001	0.03	6.35	2.6	1.1	0.2	36.2	<0.01	0.07	5.7	0.009
AUX0100753		26.3	0.080	19.15	5.3	<0.001	0.05	4.07	1.7	0.9	<0.2	33.0	<0.01	0.06	3.8	0.007
AUX0100754		23.2	0.081	21.0	6.0	0.001	0.08	3.56	1.8	1.4	<0.2	45.8	<0.01	0.06	4.5	0.006
AUX0100755		30.1	0.071	20.1	6.0	<0.001	0.03	5.00	2.3	0.9	0.2	32.6	<0.01	0.05	6.1	0.009
AUX0100756		23.0	0.043	13.95	7.6	<0.001	0.02	4.32	2.5	0.9	0.3	22.6	<0.01	0.05	5.5	0.011
AUX0100757		32.7	0.121	29.3	7.5	<0.001	0.08	3.76	3.0	2.0	0.2	78.7	<0.01	0.11	2.6	0.010
AUX0100758		21.6	0.143	14.35	7.5	<0.001	0.07	2.15	2.1	1.5	0.3	36.8	<0.01	0.05	2.2	0.013
AUX0100759		30.8	0.049	16.80	6.4	<0.001	0.02	2.25	4.6	1.0	0.3	21.5	<0.01	0.06	4.8	0.023
AUX0100760		17.2	0.066	12.95	11.0	<0.001	0.03	2.54	2.0	<0.1	0.5	18.3	<0.01	0.04	1.6	0.019
AUX0100761		27.7	0.062	12.00	10.9	<0.001	0.03	4.96	3.7	1.1	0.3	19.3	<0.01	0.05	3.9	0.014
AUX0100762		29.0	0.034	7.31	8.1	<0.001	0.01	2.85	3.9	0.6	0.2	13.2	<0.01	0.03	5.4	0.023
AUX0100763		27.1	0.048	14.15	10.3	<0.001	0.03	2.63	2.5	0.7	0.2	18.1	<0.01	0.03	7.2	0.007
AUX0100764		30.3	0.061	13.35	9.3	<0.001	0.03	1.625	3.3	0.7	0.2	20.6	<0.01	0.01	4.2	0.013
AUX0100765		32.3	0.064	17.10	8.5	<0.001	0.03	2.16	2.5	0.4	0.3	18.1	<0.01	0.01	4.5	0.022
AUX0100766		16.0	0.102	10.90	10.3	<0.001	0.06	2.51	0.6	0.8	0.4	16.0	<0.01	0.05	0.3	0.014
AUX0100767		23.8	0.067	12.75	9.4	<0.001	0.02	4.31	2.3	0.7	0.3	8.7	<0.01	0.05	1.7	0.027
AUX0100768		16.2	0.099	12.65	12.9	0.001	0.06	3.32	0.9	0.5	0.4	6.4	<0.01	0.07	0.4	0.021
AUX0100769		20.5	0.055	12.70	8.7	<0.001	0.02	2.69	2.2	0.8	0.3	8.2	<0.01	0.01	1.4	0.028
AUX0100770		20.1	0.065	11.50	10.6	<0.001	0.03	2.13	1.0	0.2	0.3	10.1	<0.01	0.03	0.9	0.019

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0100731		0.06	0.73	16	0.0533	7.63	65.7	2.7
AUX0100732		0.08	0.60	20	0.0987	5.31	59.3	1.4
AUX0100733		0.06	0.81	18	0.0521	7.05	64.8	2.0
AUX0100734		0.08	0.77	19	0.0911	4.89	64.4	1.4
AUX0100735		0.08	1.32	23	0.0771	10.15	72.8	1.8
AUX0100736		0.07	1.32	19	0.0714	8.17	78.6	2.1
AUX0100737		0.08	0.79	21	0.0906	9.44	114.5	2.0
AUX0100738		0.08	1.56	26	0.0696	8.75	92.4	1.9
AUX0100739		0.07	1.29	24	0.0665	9.21	86.5	2.0
AUX0100740		0.07	0.85	24	0.0984	12.10	123.5	2.2
AUX0100741		0.06	0.73	23	0.107	18.15	106.0	2.9
AUX0100742		0.05	0.87	20	0.0845	12.75	90.1	2.7
AUX0100743		0.04	1.46	16	0.0463	11.30	154.5	3.9
AUX0100744		0.05	1.38	17	0.106	9.37	118.5	3.3
AUX0100745		0.05	1.51	20	0.0682	10.10	95.5	3.1
AUX0100746		0.04	1.43	17	0.0549	12.65	134.5	3.8
AUX0100747		0.04	1.20	18	0.0572	13.85	102.5	3.8
AUX0100748		0.05	1.28	20	0.0625	12.55	95.8	3.4
AUX0100749		0.03	0.78	14	0.0406	11.15	101.0	3.3
AUX0100750		0.05	0.89	15	0.0394	13.30	106.0	4.1
AUX0100751		0.04	1.49	14	0.0452	11.85	94.3	3.8
AUX0100752		0.05	1.13	19	0.0642	12.70	142.0	3.2
AUX0100753		0.04	1.48	16	0.0428	9.87	92.0	3.3
AUX0100754		0.05	2.52	15	0.0412	10.15	100.5	3.7
AUX0100755		0.04	1.43	19	0.0560	10.50	86.6	3.5
AUX0100756		0.06	1.53	24	0.207	6.54	67.4	2.2
AUX0100757		0.07	1.56	22	0.0922	21.0	99.8	3.2
AUX0100758		0.10	1.50	29	0.287	6.17	57.3	2.9
AUX0100759		0.08	0.86	33	0.156	17.30	64.5	2.8
AUX0100760		0.17	0.88	43	0.232	3.46	58.2	0.7
AUX0100761		0.12	2.99	31	0.143	11.60	79.1	2.3
AUX0100762		0.09	1.79	32	0.102	7.29	63.1	1.0
AUX0100763		0.09	1.21	22	0.0599	6.47	85.6	2.6
AUX0100764		0.09	1.66	34	0.0841	6.51	76.6	1.9
AUX0100765		0.08	3.18	25	0.0701	7.95	84.4	1.2
AUX0100766		0.13	0.78	35	0.187	3.87	54.3	<0.5
AUX0100767		0.10	1.09	34	0.188	6.53	74.9	1.1
AUX0100768		0.13	1.23	39	0.188	4.27	60.8	<0.5
AUX0100769		0.09	1.46	36	0.185	7.06	75.3	0.5
AUX0100770		0.10	0.82	34	0.167	3.44	72.7	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0100771		0.42	0.0005	0.166	1.54	9.32	<10	183.0	0.33	0.17	0.13	0.20	34.8	5.5	28.9	0.90
AUX0100772		0.26	0.0020	0.126	1.52	9.90	<10	117.0	0.32	0.16	0.11	0.23	24.9	6.6	32.5	0.80
AUX0100773		0.32	0.0010	0.123	1.61	11.45	<10	133.0	0.43	0.20	0.11	0.23	34.1	5.9	25.9	0.94
AUX0100774		0.32	0.0010	0.081	1.59	9.98	<10	113.5	0.36	0.19	0.11	0.19	35.7	6.7	25.0	0.88
AUX0100775		0.30	0.0015	0.096	1.64	10.80	<10	124.5	0.36	0.19	0.11	0.26	39.3	7.8	24.8	0.93
AUX0100776		0.24	0.0012	0.077	1.66	11.50	<10	134.0	0.31	0.19	0.12	0.18	31.6	8.7	27.0	0.94
AUX0100777		0.20	0.0008	0.101	1.59	9.96	<10	107.5	0.33	0.20	0.09	0.17	24.9	5.6	27.6	0.93
AUX0100778		0.36	0.0005	0.057	1.63	9.62	<10	116.0	0.34	0.16	0.10	0.14	34.2	5.8	25.3	0.77
AUX0100779		0.36	0.0013	0.059	1.65	10.10	<10	118.0	0.30	0.20	0.09	0.09	30.4	5.5	26.2	1.06
AUX0100780		0.30	0.0017	0.039	1.55	10.85	<10	101.0	0.33	0.17	0.11	0.12	36.2	6.0	25.0	0.86
AUX0100781		0.34	0.0013	0.045	1.38	11.10	<10	92.9	0.29	0.14	0.12	0.11	32.7	5.0	22.2	0.77
AUX0100782		0.32	0.0046	0.050	1.36	12.00	<10	111.5	0.32	0.16	0.12	0.11	33.9	6.2	22.9	0.73
AUX0100783		0.38	0.0008	0.039	1.57	13.40	<10	121.5	0.37	0.19	0.13	0.11	36.6	6.8	23.7	0.92
AUX0100784		0.32	0.0012	0.107	1.54	14.50	<10	198.0	0.48	0.20	0.12	0.13	40.3	8.7	24.3	0.79
AUX0100785		0.32	0.0053	0.118	1.49	11.55	<10	142.0	0.42	0.20	0.14	0.16	36.0	8.5	25.7	0.91
AUX0100786		0.28	0.0017	0.069	1.55	12.40	<10	129.5	0.32	0.22	0.11	0.10	29.8	5.8	27.1	1.21
AUX0100787		0.22	0.0027	0.149	1.21	8.53	<10	108.5	0.25	0.20	0.08	0.09	31.2	4.0	22.0	0.80
AUX0100788		0.28	0.0020	0.097	1.67	13.00	<10	144.0	0.43	0.21	0.17	0.15	36.9	8.7	25.4	0.90
AUX0100789		0.28	0.0017	0.184	1.45	12.70	<10	137.0	0.32	0.21	0.10	0.14	29.4	6.1	24.9	1.08
AUX0100790		0.30	0.0018	0.103	1.57	12.10	<10	137.0	0.35	0.21	0.12	0.12	34.2	6.1	27.6	1.24
AUX0100791		0.32	0.0017	0.110	1.55	9.83	<10	108.0	0.25	0.31	0.11	0.11	27.3	4.4	26.6	1.11
AUX0100811		0.10	0.0083	1.235	1.27	35.0	<10	309	0.38	0.26	1.17	0.40	29.7	10.3	16.2	0.81
AUX0100812		0.26	0.0096	1.140	1.49	40.6	<10	316	0.44	0.30	0.59	0.23	40.8	11.6	18.4	0.88
AUX0100813		0.30	0.0130	1.200	1.28	36.6	<10	242	0.39	0.26	0.37	0.16	48.3	8.6	18.1	0.75
AUX0100814		0.28	0.0112	1.230	1.39	44.1	<10	274	0.46	0.28	0.84	0.18	41.0	9.6	18.4	0.81
AUX0100815		0.20	0.0117	1.525	1.53	44.7	<10	326	0.39	0.29	0.87	0.17	38.2	11.7	19.4	0.90
AUX0100816		0.28	0.0068	0.485	1.54	33.7	<10	210	0.31	0.37	0.53	0.23	56.3	16.6	18.3	0.56
AUX0100817		0.28	0.0488	5.56	1.50	137.5	<10	461	0.52	0.38	0.56	0.35	55.2	14.5	19.0	0.74
AUX0100818		0.32	0.0034	0.173	1.76	20.8	<10	370	0.47	0.25	0.34	0.20	46.0	10.5	26.1	1.01
AUX0100819		0.30	0.0064	0.123	1.41	16.65	<10	310	0.29	0.22	0.12	0.15	35.5	5.3	21.8	0.99
AUX0100820		0.36	0.0020	0.122	1.52	27.3	<10	419	0.48	0.22	0.21	0.64	40.1	9.4	22.2	0.78
AUX0100821		0.20	0.0018	0.399	1.33	27.9	<10	425	0.33	0.23	0.28	0.31	31.5	5.3	22.8	1.03
AUX0100822		0.32	0.0020	0.192	1.35	17.75	<10	459	0.27	0.19	0.19	0.09	27.7	4.7	21.4	0.89
AUX0100823		0.20	0.0019	0.233	1.12	20.9	<10	237	0.28	0.17	0.21	0.11	23.4	4.4	19.4	0.72
AUX0100824		0.24	0.0009	0.178	1.43	23.0	<10	189.5	0.37	0.17	0.19	0.08	28.3	5.4	22.6	0.99
AUX0100825		0.24	0.0057	0.167	1.51	22.4	<10	192.5	0.37	0.20	0.19	0.08	27.4	5.8	24.1	0.98
AUX0100826		0.24	0.0021	0.163	1.27	26.0	<10	170.5	0.39	0.18	0.17	0.19	31.1	7.6	21.7	0.73
AUX0100827		0.28	0.0018	0.067	1.47	34.0	<10	208	0.39	0.20	0.21	0.07	26.4	4.9	23.6	1.00
AUX0100828		0.30	0.0023	0.100	1.52	33.9	<10	260	0.29	0.21	0.22	0.06	26.5	4.5	24.4	1.28
AUX0100829		0.30	0.0007	0.100	1.39	66.2	<10	269	0.35	0.18	0.26	0.08	29.6	6.2	18.9	1.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0100771		18.50	2.35	4.09	0.11	0.02	0.020	0.018	0.04	16.5	19.4	0.48	245	1.25	0.01	0.25
AUX0100772		18.60	2.54	4.65	0.09	<0.02	0.036	0.020	0.04	11.1	14.9	0.51	365	1.22	0.01	0.34
AUX0100773		24.4	2.77	4.87	0.10	<0.02	0.059	0.019	0.05	16.1	15.5	0.41	305	1.58	0.01	0.43
AUX0100774		16.95	2.54	4.58	0.10	<0.02	0.105	0.018	0.04	16.3	14.5	0.41	316	1.20	0.01	0.39
AUX0100775		18.65	2.61	4.70	0.11	0.02	0.042	0.020	0.05	18.4	14.9	0.42	332	1.20	0.01	0.39
AUX0100776		16.20	2.66	4.60	0.10	0.02	0.047	0.022	0.04	14.4	14.0	0.42	478	1.25	0.01	0.53
AUX0100777		15.05	2.64	5.12	0.09	<0.02	0.047	0.019	0.04	12.2	12.1	0.37	282	1.53	0.01	0.32
AUX0100778		20.5	2.56	4.59	0.11	0.02	0.041	0.018	0.04	17.9	17.2	0.43	217	0.97	0.01	0.61
AUX0100779		16.40	2.52	5.11	0.11	<0.02	0.048	0.018	0.04	15.6	14.0	0.40	203	1.19	0.01	0.57
AUX0100780		24.6	2.62	4.89	0.11	<0.02	0.033	0.018	0.04	19.0	17.4	0.43	195	1.45	0.01	0.48
AUX0100781		16.85	2.31	4.35	0.09	<0.02	0.031	0.017	0.04	15.5	15.3	0.36	164	1.04	0.01	0.39
AUX0100782		19.65	2.31	4.20	0.12	<0.02	0.039	0.017	0.04	18.3	15.2	0.37	213	0.92	0.01	0.46
AUX0100783		18.00	2.50	4.74	0.12	0.02	0.038	0.018	0.04	17.6	16.7	0.38	197	1.06	0.01	0.64
AUX0100784		27.0	2.87	4.30	0.12	0.02	0.047	0.019	0.04	22.2	16.7	0.42	444	1.25	0.01	0.65
AUX0100785		25.7	2.53	4.82	<0.05	<0.02	0.030	0.020	0.04	19.2	17.4	0.38	283	1.28	0.02	0.50
AUX0100786		11.60	2.49	5.41	<0.05	<0.02	0.033	0.024	0.04	14.3	13.7	0.33	227	1.35	0.01	0.29
AUX0100787		17.85	1.93	4.31	<0.05	<0.02	0.040	0.021	0.03	16.5	12.7	0.28	113	1.96	0.01	0.40
AUX0100788		36.1	2.66	4.44	0.11	0.03	0.061	0.025	0.04	18.3	16.2	0.43	260	1.09	0.01	0.63
AUX0100789		20.7	2.50	4.71	0.10	<0.02	0.075	0.021	0.04	14.6	14.2	0.37	240	1.82	0.01	0.30
AUX0100790		22.3	2.62	5.37	0.11	<0.02	0.060	0.022	0.04	17.9	16.4	0.42	202	1.67	0.01	0.52
AUX0100791		14.55	2.44	4.92	0.10	<0.02	0.059	0.019	0.04	13.9	13.3	0.39	164	1.52	0.01	0.40
AUX0100811		29.6	2.64	3.32	0.10	0.07	0.090	0.022	0.04	15.4	20.1	0.33	497	1.96	0.01	0.40
AUX0100812		30.7	3.27	3.86	0.12	0.06	0.063	0.021	0.04	20.4	23.4	0.42	500	1.61	0.01	0.35
AUX0100813		32.1	2.99	3.52	0.13	0.03	0.054	0.020	0.04	25.9	18.6	0.39	342	1.37	0.01	0.27
AUX0100814		35.3	3.06	3.77	0.11	0.05	0.059	0.019	0.04	21.8	19.3	0.39	464	1.70	0.01	0.33
AUX0100815		34.8	3.22	4.25	0.11	0.05	0.070	0.023	0.04	20.0	21.3	0.41	912	1.84	0.01	0.34
AUX0100816		53.6	3.84	4.07	0.13	0.04	0.028	0.017	0.04	29.4	27.5	0.65	886	1.40	0.01	0.20
AUX0100817		56.4	4.24	3.93	0.12	0.02	0.075	0.027	0.04	29.0	19.1	0.39	1160	2.53	0.01	0.20
AUX0100818		37.9	3.28	4.96	0.13	<0.02	0.068	0.023	0.05	23.9	21.0	0.46	466	2.41	0.01	0.47
AUX0100819		17.40	2.48	5.30	0.11	<0.02	0.038	0.022	0.04	18.2	16.3	0.31	164	2.75	0.01	0.56
AUX0100820		38.3	3.12	3.92	0.12	0.04	0.170	0.030	0.04	20.4	15.0	0.40	367	5.10	0.01	0.51
AUX0100821		26.4	2.89	4.62	0.10	<0.02	0.109	0.043	0.04	17.6	17.0	0.30	177	6.53	0.01	0.55
AUX0100822		14.00	2.21	4.38	0.11	0.04	0.144	0.022	0.04	14.7	12.0	0.30	162	4.02	0.01	0.51
AUX0100823		12.15	2.12	3.34	0.09	0.02	0.253	0.021	0.04	11.9	12.6	0.24	135	4.96	0.01	0.58
AUX0100824		12.35	2.43	4.58	0.12	0.02	0.074	0.025	0.04	14.1	14.1	0.31	202	2.86	0.01	0.52
AUX0100825		13.05	2.52	4.62	0.10	0.02	0.085	0.022	0.04	13.8	13.9	0.33	222	2.70	0.01	0.55
AUX0100826		21.8	2.42	3.46	0.11	0.03	0.154	0.027	0.05	16.0	12.7	0.33	314	3.35	0.01	0.78
AUX0100827		13.35	2.68	4.42	0.10	<0.02	0.043	0.024	0.04	12.1	13.8	0.34	193	2.54	0.01	0.65
AUX0100828		12.55	2.34	5.49	0.10	<0.02	0.044	0.020	0.04	12.9	11.5	0.31	166	1.80	0.01	0.30
AUX0100829		15.10	2.84	4.14	0.10	<0.02	0.036	0.016	0.04	14.8	16.3	0.32	186	1.01	0.01	0.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0100771		19.3	0.079	9.57	12.3	<0.001	0.03	1.960	1.1	0.3	0.3	10.5	<0.01	0.02	0.7	0.019
AUX0100772		18.9	0.067	9.79	9.9	<0.001	0.04	1.095	1.1	0.3	0.4	9.0	<0.01	0.01	0.3	0.027
AUX0100773		18.2	0.077	11.80	11.8	<0.001	0.03	1.295	1.6	0.5	0.4	10.5	<0.01	0.02	0.6	0.027
AUX0100774		15.5	0.075	14.05	10.0	<0.001	0.03	1.230	1.4	0.5	0.4	8.9	<0.01	0.03	0.7	0.026
AUX0100775		17.1	0.075	14.70	10.3	<0.001	0.02	1.450	1.6	0.4	0.4	9.2	<0.01	0.03	0.8	0.026
AUX0100776		16.2	0.074	14.00	9.6	<0.001	0.03	0.922	1.7	0.8	0.4	9.2	<0.01	0.03	0.9	0.031
AUX0100777		15.5	0.091	12.95	10.0	<0.001	0.05	0.791	0.5	0.5	0.4	7.8	<0.01	0.03	0.2	0.019
AUX0100778		19.8	0.053	12.45	8.9	0.001	0.02	0.878	1.9	0.4	0.4	8.6	<0.01	0.02	1.1	0.033
AUX0100779		15.8	0.049	12.60	9.2	0.001	0.02	0.831	1.6	0.8	0.4	8.1	<0.01	0.04	0.6	0.032
AUX0100780		21.0	0.057	13.75	7.8	<0.001	0.02	1.245	1.4	0.9	0.4	9.6	<0.01	0.03	0.7	0.026
AUX0100781		15.8	0.059	13.05	7.0	<0.001	0.02	0.821	0.9	0.8	0.4	9.0	<0.01	0.03	0.4	0.023
AUX0100782		18.4	0.049	12.80	7.9	<0.001	0.02	13.00	1.4	0.7	0.3	9.5	<0.01	0.02	0.9	0.029
AUX0100783		18.7	0.061	13.95	9.5	<0.001	0.02	1.730	1.8	1.2	0.4	10.2	<0.01	0.05	1.0	0.031
AUX0100784		25.9	0.050	15.95	8.1	<0.001	0.01	2.28	3.1	0.7	0.4	9.4	0.01	0.04	2.5	0.033
AUX0100785		22.6	0.062	13.85	8.1	<0.001	0.02	1.700	1.4	0.6	0.4	12.4	<0.01	0.06	0.4	0.027
AUX0100786		14.2	0.067	14.05	9.0	<0.001	0.02	0.892	0.6	0.3	0.5	11.6	<0.01	0.03	0.1	0.017
AUX0100787		16.2	0.043	12.75	7.3	0.001	0.02	1.400	0.9	0.5	0.3	10.5	<0.01	0.05	0.3	0.020
AUX0100788		23.3	0.079	14.90	8.6	0.001	0.02	1.520	2.6	1.1	0.4	12.6	<0.01	0.06	1.6	0.035
AUX0100789		17.4	0.074	13.65	8.8	<0.001	0.03	1.230	1.0	1.3	0.4	11.2	<0.01	0.06	0.2	0.024
AUX0100790		19.9	0.061	13.05	9.6	<0.001	0.02	2.11	1.8	0.9	0.5	11.5	<0.01	0.05	0.6	0.033
AUX0100791		14.4	0.061	12.50	9.5	<0.001	0.03	1.065	1.0	0.6	0.4	9.4	<0.01	0.02	0.3	0.029
AUX0100811		26.3	0.098	27.2	10.2	0.002	0.08	125.5	1.8	2.0	0.3	62.3	<0.01	0.06	2.0	0.008
AUX0100812		26.9	0.080	28.3	11.0	0.001	0.04	125.0	2.2	1.4	0.3	31.8	<0.01	0.06	2.7	0.009
AUX0100813		26.0	0.069	25.2	8.2	<0.001	0.02	105.0	1.9	0.8	0.3	23.2	<0.01	0.06	2.4	0.011
AUX0100814		26.7	0.083	26.4	9.3	<0.001	0.04	143.5	1.7	1.0	0.3	42.8	<0.01	0.08	2.1	0.009
AUX0100815		25.3	0.108	27.1	12.0	0.001	0.05	114.5	1.5	1.2	0.3	45.1	<0.01	0.07	1.7	0.008
AUX0100816		35.2	0.061	41.9	6.7	0.001	0.02	73.7	1.7	0.7	0.2	27.4	<0.01	0.09	6.4	0.008
AUX0100817		36.3	0.083	49.2	7.1	0.001	0.03	350	2.3	1.3	0.3	29.1	<0.01	0.09	2.3	0.009
AUX0100818		31.7	0.074	18.60	9.6	0.001	0.02	12.00	2.9	1.4	0.4	22.6	<0.01	0.05	1.9	0.024
AUX0100819		19.3	0.048	15.30	8.2	<0.001	0.02	5.88	1.5	1.0	0.5	16.4	<0.01	0.03	0.8	0.026
AUX0100820		37.2	0.084	18.40	8.0	<0.001	0.02	11.40	3.0	1.4	0.4	35.3	<0.01	0.07	3.1	0.026
AUX0100821		23.2	0.081	19.15	9.0	<0.001	0.05	11.55	1.3	2.1	0.4	67.8	<0.01	0.06	1.1	0.024
AUX0100822		14.2	0.055	14.45	7.8	<0.001	0.02	3.81	1.4	1.7	0.5	27.8	<0.01	0.05	0.9	0.027
AUX0100823		13.4	0.046	14.35	5.8	<0.001	0.03	4.16	1.1	2.2	0.4	36.6	<0.01	0.07	1.1	0.025
AUX0100824		15.2	0.055	12.20	7.7	0.001	0.03	3.09	1.2	1.6	0.4	28.9	<0.01	0.05	0.8	0.025
AUX0100825		16.4	0.056	14.10	8.0	0.001	0.03	3.08	1.3	1.4	0.5	27.9	<0.01	0.07	0.8	0.026
AUX0100826		23.3	0.040	15.05	7.6	<0.001	0.04	2.99	1.9	1.9	0.3	24.2	<0.01	0.05	2.5	0.031
AUX0100827		16.4	0.044	15.50	9.3	0.001	0.03	1.755	1.5	0.8	0.4	26.7	<0.01	0.04	1.2	0.027
AUX0100828		15.6	0.056	12.75	12.0	<0.001	0.02	1.360	0.8	0.7	0.5	22.1	<0.01	0.03	0.3	0.017
AUX0100829		17.3	0.038	14.85	9.3	<0.001	0.02	1.910	1.2	0.6	0.3	20.6	<0.01	0.04	1.9	0.014

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0100771		0.09	0.95	34	0.132	4.05	71.7	<0.5
AUX0100772		0.09	0.68	42	0.160	3.16	62.6	<0.5
AUX0100773		0.11	0.87	42	0.200	5.92	70.2	<0.5
AUX0100774		0.10	0.79	39	0.199	4.05	68.9	<0.5
AUX0100775		0.10	0.86	39	0.218	4.98	73.6	<0.5
AUX0100776		0.11	0.78	43	0.220	4.47	63.4	<0.5
AUX0100777		0.10	0.75	45	0.180	2.85	59.6	<0.5
AUX0100778		0.10	0.68	39	0.168	4.57	65.3	0.7
AUX0100779		0.12	0.74	45	0.207	4.01	56.3	<0.5
AUX0100780		0.11	0.71	40	0.174	4.74	59.0	<0.5
AUX0100781		0.10	0.60	37	0.152	3.86	47.5	<0.5
AUX0100782		0.10	0.65	36	0.193	4.67	51.3	<0.5
AUX0100783		0.12	0.69	40	0.207	5.08	53.3	0.6
AUX0100784		0.10	0.76	39	0.166	9.77	69.8	0.7
AUX0100785		0.10	0.75	40	0.168	4.71	63.7	<0.5
AUX0100786		0.15	0.70	46	0.172	3.45	48.9	<0.5
AUX0100787		0.10	0.61	36	0.146	3.25	44.5	<0.5
AUX0100788		0.10	1.26	42	0.244	5.65	70.3	0.7
AUX0100789		0.11	0.93	44	0.204	4.25	56.2	<0.5
AUX0100790		0.11	0.94	47	0.298	4.69	68.0	<0.5
AUX0100791		0.13	0.88	46	0.260	3.46	61.0	<0.5
AUX0100811		0.11	1.77	23	0.0919	7.57	114.5	2.0
AUX0100812		0.10	1.22	24	0.109	8.58	106.5	1.8
AUX0100813		0.07	0.95	24	0.114	8.56	94.3	0.8
AUX0100814		0.09	1.23	24	0.110	9.08	101.5	1.4
AUX0100815		0.11	1.34	27	0.102	7.30	100.0	1.3
AUX0100816		0.07	0.68	20	0.0769	6.49	103.5	1.3
AUX0100817		0.11	1.49	28	0.116	16.70	129.5	0.7
AUX0100818		0.12	3.50	43	0.200	9.53	110.5	0.6
AUX0100819		0.14	1.35	46	0.219	4.46	74.9	<0.5
AUX0100820		0.12	3.82	47	0.241	8.43	170.0	1.3
AUX0100821		0.21	1.42	56	0.278	3.60	99.4	<0.5
AUX0100822		0.15	1.01	45	0.273	3.05	51.7	0.5
AUX0100823		0.22	0.61	42	0.317	2.23	40.5	0.5
AUX0100824		0.16	0.76	45	0.163	2.60	65.6	<0.5
AUX0100825		0.16	0.95	45	0.193	2.70	57.7	0.5
AUX0100826		0.17	0.65	39	0.232	3.19	58.1	1.0
AUX0100827		0.16	0.65	47	0.195	2.65	58.3	<0.5
AUX0100828		0.19	0.71	46	0.181	2.55	50.4	<0.5
AUX0100829		0.16	0.49	33	0.131	2.17	58.1	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0100830	0.28	0.0012	0.052	1.31	12.70	<10	216	0.37	0.22	0.25	0.09	26.9	10.0	20.9	0.83
AUX0100831	0.28	0.0004	0.071	1.42	11.25	<10	245	0.42	0.19	0.39	0.06	23.2	7.2	22.0	0.94
AUX0100832	0.30	0.0021	0.052	1.50	10.40	<10	241	0.40	0.21	0.29	0.04	24.1	5.7	20.1	0.90
AUX0100833	0.24	0.0048	0.240	1.61	17.35	<10	223	0.67	0.29	0.65	0.22	32.1	9.7	20.0	0.61
AUX0100834	0.26	0.0047	0.103	1.73	21.3	<10	227	0.52	0.39	0.44	0.37	42.5	16.5	21.1	0.59
AUX0100835	0.24	0.0039	0.098	1.64	15.75	<10	189.0	0.49	0.32	0.09	0.09	28.3	7.2	22.7	0.84
AUX0100836	0.24	0.0040	0.041	1.73	12.75	<10	134.0	0.39	0.24	0.09	0.11	27.8	6.1	24.9	0.88
AUX0100837	0.28	0.0041	0.059	1.76	15.30	<10	139.5	0.45	0.19	0.11	0.14	38.0	8.2	25.2	0.88
AUX0100838	0.26	0.0067	0.028	1.48	27.7	<10	106.0	0.32	0.20	0.09	0.09	30.7	5.0	22.6	1.00
AUX0100839	0.30	0.0029	0.076	1.81	12.05	<10	143.5	0.41	0.22	0.09	0.08	35.3	6.5	27.0	0.94
AUX0100840	0.36	0.0037	0.056	1.67	10.05	<10	138.5	0.42	0.17	0.10	0.08	33.9	6.2	24.7	0.80
AUX0100841	0.32	0.0026	0.056	1.40	9.40	<10	95.9	0.21	0.16	0.09	0.08	28.1	3.9	20.1	0.80
AUX0100842	0.28	0.0039	0.045	1.60	11.00	<10	111.5	0.32	0.20	0.10	0.12	26.5	4.9	23.9	0.95
AUX0100843	0.24	0.0028	0.065	1.54	9.81	<10	117.0	0.27	0.18	0.09	0.09	29.0	5.7	26.2	0.76
AUX0100844	0.28	0.0045	0.117	1.58	11.05	<10	105.5	0.28	0.19	0.10	0.13	30.4	4.8	26.0	0.96
AUX0100845	0.30	0.0039	0.064	2.01	12.30	<10	187.0	0.61	0.24	0.13	0.21	34.8	11.0	29.5	0.99
AUX0100846	0.24	0.0010	0.063	1.66	10.05	<10	111.0	0.37	0.20	0.11	0.11	31.9	5.6	25.7	0.88
AUX0100847	0.26	0.0020	0.043	1.41	7.15	<10	91.3	0.24	0.14	0.11	0.12	32.8	4.8	20.9	0.64
AUX0100848	0.28	0.0025	0.055	1.58	9.15	<10	129.0	0.40	0.16	0.13	0.12	36.7	6.2	23.5	0.69
AUX0100849	0.22	0.0034	0.037	1.67	9.63	<10	123.5	0.40	0.17	0.12	0.09	29.9	6.6	24.4	0.74
AUX0100850	0.18	0.0035	0.041	1.69	10.80	<10	134.0	0.44	0.17	0.12	0.11	31.6	8.0	24.3	0.80
AUX0100851	0.24	0.0028	0.071	1.48	9.27	<10	85.6	0.27	0.18	0.08	0.08	32.3	4.3	23.6	0.81
AUX0100852	0.24	0.0016	0.104	1.17	8.23	<10	78.9	0.18	0.15	0.07	0.09	21.3	3.9	20.5	0.91
AUX0100853	0.24	0.0016	0.060	1.23	9.13	<10	80.6	0.28	0.14	0.10	0.10	26.0	4.3	19.1	0.90
AUX0100854	0.22	0.0012	0.080	1.44	10.45	<10	74.8	0.16	0.20	0.07	0.06	28.8	4.8	21.1	0.94
AUX0100855	0.22	0.0016	0.062	1.59	11.70	<10	130.0	0.42	0.18	0.10	0.17	34.4	8.2	23.2	0.94
AUX0100856	0.26	0.0013	0.088	1.43	12.50	<10	97.6	0.24	0.18	0.10	0.12	29.7	6.1	23.2	0.92
AUX0100857	0.26	0.0017	0.076	1.48	16.55	<10	92.8	0.26	0.19	0.08	0.10	32.2	5.6	22.1	1.13
AUX0100858	0.26	0.0023	0.084	1.18	10.75	<10	78.9	0.22	0.16	0.07	0.08	26.1	3.9	19.1	0.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0100830		22.3	2.97	4.10	0.09	0.02	0.019	0.019	0.04	12.5	14.7	0.37	390	1.16	0.01	0.45
AUX0100831		15.25	2.62	4.59	0.09	0.03	0.023	0.020	0.04	10.8	15.2	0.38	333	1.04	0.01	0.51
AUX0100832		14.70	2.42	3.71	0.10	0.04	0.022	0.017	0.03	12.9	15.4	0.36	179	0.96	0.01	0.42
AUX0100833		38.0	2.98	3.81	0.11	0.10	0.074	0.030	0.03	21.2	17.2	0.40	785	0.92	0.01	0.31
AUX0100834		54.1	3.26	4.21	0.14	0.07	0.042	0.025	0.03	24.3	25.4	0.72	1420	0.79	0.01	0.25
AUX0100835		39.5	2.89	4.71	0.11	<0.02	0.038	0.026	0.04	15.3	18.8	0.49	783	1.36	0.01	0.25
AUX0100836		16.80	2.63	5.20	0.10	0.02	0.042	0.024	0.03	15.0	16.5	0.40	211	1.14	0.01	0.47
AUX0100837		23.6	2.64	4.79	0.13	0.05	0.038	0.022	0.04	20.2	18.5	0.45	276	1.00	0.01	0.66
AUX0100838		14.90	2.20	5.01	0.11	<0.02	0.033	0.024	0.03	15.6	14.4	0.32	155	1.14	0.01	0.53
AUX0100839		21.8	2.75	5.36	0.12	0.02	0.041	0.026	0.03	19.2	18.3	0.42	298	1.22	0.01	0.55
AUX0100840		19.70	2.43	4.43	0.12	0.02	0.029	0.023	0.04	17.5	15.8	0.42	248	1.03	0.01	0.58
AUX0100841		12.65	2.02	4.47	0.10	<0.02	0.023	0.016	0.03	15.3	13.4	0.31	125	0.96	0.01	0.40
AUX0100842		11.30	2.41	5.40	0.10	0.02	0.036	0.023	0.04	14.1	13.7	0.33	187	1.30	0.01	0.36
AUX0100843		20.5	2.43	4.67	0.11	0.03	0.041	0.019	0.03	15.4	15.9	0.43	172	1.04	0.01	0.42
AUX0100844		21.9	2.41	4.98	0.12	0.02	0.036	0.020	0.04	16.1	14.9	0.39	157	1.80	0.01	0.36
AUX0100845		27.7	2.95	5.14	0.12	0.06	0.048	0.027	0.04	17.9	16.8	0.48	476	1.81	0.01	0.75
AUX0100846		20.1	2.44	5.19	0.11	<0.02	0.032	0.020	0.04	16.5	16.7	0.43	161	1.05	0.01	0.50
AUX0100847		18.40	2.10	3.81	0.11	<0.02	0.019	0.016	0.04	17.2	14.5	0.39	135	0.73	0.01	0.51
AUX0100848		21.8	2.29	4.14	0.11	0.03	0.031	0.018	0.04	18.9	15.8	0.42	154	0.77	0.01	0.66
AUX0100849		22.0	2.36	4.42	0.10	0.02	0.030	0.019	0.04	16.1	16.7	0.39	180	0.84	0.01	0.55
AUX0100850		23.8	2.40	4.57	0.13	0.02	0.029	0.020	0.04	16.2	16.9	0.40	216	0.88	0.01	0.60
AUX0100851		24.6	2.17	4.26	0.11	0.02	0.037	0.019	0.03	18.8	16.3	0.40	147	1.04	0.01	0.31
AUX0100852		15.80	1.90	4.13	<0.05	<0.02	0.032	0.013	0.03	11.1	10.0	0.29	122	1.09	0.01	0.20
AUX0100853		15.20	1.88	3.85	<0.05	0.02	0.040	0.016	0.03	12.8	12.6	0.29	120	0.78	0.01	0.40
AUX0100854		18.80	2.28	4.48	<0.05	<0.02	0.038	0.017	0.03	14.6	15.0	0.36	129	0.89	0.01	0.31
AUX0100855		18.05	2.42	4.71	<0.05	0.04	0.041	0.020	0.03	15.7	16.5	0.36	283	1.17	0.01	0.61
AUX0100856		17.30	2.39	4.49	<0.05	<0.02	0.035	0.019	0.03	14.5	14.4	0.36	188	0.97	0.01	0.39
AUX0100857		17.45	2.37	5.15	<0.05	<0.02	0.036	0.022	0.03	16.2	14.9	0.34	177	1.19	0.01	0.44
AUX0100858		19.50	1.89	3.93	<0.05	<0.02	0.031	0.017	0.03	13.0	12.2	0.27	107	0.93	0.01	0.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0100830		24.3	0.046	16.10	7.8	<0.001	0.02	1.690	1.5	0.5	0.3	18.7	<0.01	0.05	1.3	0.020
AUX0100831		19.8	0.071	13.35	8.0	0.001	0.04	1.245	1.4	0.5	0.4	27.2	<0.01	0.06	0.9	0.021
AUX0100832		18.3	0.053	12.10	8.3	<0.001	0.03	1.845	1.4	0.3	0.3	19.7	<0.01	0.02	2.2	0.016
AUX0100833		33.7	0.094	19.25	8.2	<0.001	0.04	1.950	2.9	1.9	0.3	42.1	<0.01	0.05	2.2	0.015
AUX0100834		36.2	0.087	22.0	6.7	<0.001	0.02	1.655	2.6	0.9	0.3	24.0	<0.01	0.06	5.5	0.014
AUX0100835		21.8	0.089	16.30	12.8	<0.001	0.05	1.445	0.9	0.6	0.4	8.4	<0.01	0.05	0.6	0.017
AUX0100836		17.1	0.054	15.85	8.4	<0.001	0.07	0.784	1.4	0.7	0.4	8.3	<0.01	0.05	0.8	0.026
AUX0100837		22.5	0.054	14.95	9.2	<0.001	0.05	1.365	2.6	0.6	0.4	10.0	<0.01	0.04	2.9	0.033
AUX0100838		15.2	0.048	11.75	9.0	<0.001	0.04	1.240	1.3	0.8	0.5	9.1	<0.01	0.04	0.8	0.029
AUX0100839		19.8	0.052	15.80	8.6	<0.001	0.05	1.080	1.6	0.8	0.4	9.0	<0.01	0.05	1.1	0.032
AUX0100840		18.3	0.050	11.45	10.1	<0.001	0.04	1.190	1.9	1.0	0.4	8.9	<0.01	0.03	1.8	0.029
AUX0100841		12.8	0.047	11.55	7.9	<0.001	0.02	1.080	0.9	0.6	0.4	8.1	<0.01	0.03	0.6	0.022
AUX0100842		12.4	0.078	13.65	9.2	<0.001	0.02	0.749	0.9	0.6	0.5	9.6	<0.01	0.04	0.5	0.023
AUX0100843		18.9	0.050	12.80	6.6	<0.001	0.01	0.946	1.3	0.8	0.4	8.8	<0.01	0.03	0.6	0.029
AUX0100844		16.4	0.068	10.85	8.5	<0.001	0.02	1.265	1.0	0.8	0.4	9.5	0.01	0.04	0.7	0.027
AUX0100845		22.2	0.089	13.05	8.7	<0.001	0.06	1.540	3.4	1.1	0.5	12.0	0.01	0.05	2.3	0.037
AUX0100846		18.3	0.061	13.10	8.2	<0.001	0.05	0.821	1.5	0.9	0.4	10.5	<0.01	0.04	0.8	0.030
AUX0100847		16.5	0.048	11.05	7.3	<0.001	0.04	0.778	1.5	0.7	0.3	8.9	<0.01	0.01	2.0	0.028
AUX0100848		19.4	0.049	12.10	8.0	<0.001	0.04	0.852	2.2	0.5	0.3	10.1	<0.01	0.02	2.8	0.033
AUX0100849		20.3	0.058	12.80	7.0	<0.001	0.03	0.884	1.7	0.7	0.3	9.5	<0.01	0.03	1.3	0.027
AUX0100850		22.2	0.061	13.15	7.7	<0.001	0.03	0.988	2.0	0.9	0.4	10.3	<0.01	0.04	1.6	0.029
AUX0100851		18.8	0.052	12.60	8.2	<0.001	0.02	0.828	0.9	0.9	0.3	8.7	<0.01	0.03	0.7	0.020
AUX0100852		12.2	0.053	10.50	7.4	<0.001	0.03	1.060	0.4	0.2	0.3	8.7	<0.01	0.02	0.1	0.017
AUX0100853		12.5	0.054	11.60	8.2	<0.001	0.01	1.445	1.0	0.3	0.3	8.2	<0.01	0.01	0.6	0.024
AUX0100854		15.7	0.055	18.20	5.8	<0.001	0.02	2.72	0.9	0.3	0.4	6.6	<0.01	0.02	0.4	0.017
AUX0100855		16.1	0.059	13.50	8.6	<0.001	0.01	1.690	1.9	0.6	0.4	9.1	<0.01	0.01	1.2	0.028
AUX0100856		15.9	0.059	12.90	8.0	<0.001	0.01	1.410	1.5	0.6	0.4	8.7	<0.01	0.01	0.4	0.027
AUX0100857		15.3	0.053	12.55	10.0	<0.001	0.01	2.00	1.4	0.4	0.4	8.6	<0.01	0.03	0.5	0.025
AUX0100858		14.1	0.046	10.85	7.8	<0.001	0.01	1.875	1.2	0.4	0.3	8.3	<0.01	0.02	0.4	0.023

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0100830		0.09	0.64	34	0.142	3.25	69.0	0.7
AUX0100831		0.12	0.55	40	0.152	2.92	58.9	0.7
AUX0100832		0.11	0.52	29	0.175	3.02	50.1	1.1
AUX0100833		0.07	1.02	28	0.132	21.4	76.6	2.6
AUX0100834		0.08	0.65	28	0.117	15.65	81.9	1.6
AUX0100835		0.12	0.70	37	0.192	5.78	61.8	<0.5
AUX0100836		0.14	0.79	42	0.178	4.29	57.9	<0.5
AUX0100837		0.10	0.72	38	0.191	4.71	59.8	1.2
AUX0100838		0.15	0.63	38	0.190	3.39	42.8	<0.5
AUX0100839		0.14	0.87	42	0.196	4.91	53.7	<0.5
AUX0100840		0.10	0.71	36	0.184	4.71	53.8	0.6
AUX0100841		0.10	0.49	32	0.166	2.86	39.7	<0.5
AUX0100842		0.14	0.67	41	0.211	3.21	42.4	<0.5
AUX0100843		0.10	0.78	38	0.163	4.34	49.1	<0.5
AUX0100844		0.10	0.81	40	0.196	3.89	53.9	0.5
AUX0100845		0.12	1.27	47	0.231	9.00	76.0	1.8
AUX0100846		0.12	0.74	40	0.178	4.33	50.7	0.5
AUX0100847		0.10	0.56	29	0.153	4.09	50.0	<0.5
AUX0100848		0.12	0.77	34	0.231	5.97	52.4	0.7
AUX0100849		0.11	0.68	36	0.168	4.95	50.3	0.5
AUX0100850		0.11	0.71	36	0.171	5.65	51.1	0.8
AUX0100851		0.10	0.67	29	0.140	3.10	45.9	<0.5
AUX0100852		0.10	0.58	33	0.152	2.35	40.8	<0.5
AUX0100853		0.10	0.63	30	0.194	3.51	42.5	<0.5
AUX0100854		0.11	0.75	31	0.159	2.99	46.9	0.5
AUX0100855		0.10	0.95	38	0.238	4.55	62.2	0.8
AUX0100856		0.09	0.83	38	0.214	4.73	55.0	<0.5
AUX0100857		0.11	0.87	38	0.290	4.19	50.8	<0.5
AUX0100858		0.09	0.63	31	0.222	4.04	45.9	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176272

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

CERTIFICATE WH11176273

Project: Aurex

P.O. No.: AUX09072011

This report is for 152 Soil samples submitted to our lab in Whitehorse, YT, Canada on 7- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102257		0.20	0.0276	0.214	1.25	608	<10	300	0.32	0.55	0.45	0.49	32.7	8.6	35.6	3.51
AUX0102258		0.24	0.0290	0.200	1.31	407	<10	335	0.31	0.47	0.47	0.47	32.6	8.3	29.7	3.30
AUX0102259		0.20	0.0098	0.201	1.23	205	<10	405	0.37	0.26	0.58	0.58	23.9	6.9	22.2	1.39
AUX0102260		0.24	0.0363	0.313	1.49	937	<10	374	0.50	0.72	0.90	0.69	28.1	10.7	37.3	3.19
AUX0102261		0.40	0.0078	0.280	1.23	141.5	<10	169.5	0.36	0.27	0.19	0.22	31.2	8.1	23.7	1.05
AUX0102262		0.26	0.0267	0.107	1.30	634	<10	154.0	0.39	0.38	0.14	0.23	36.7	11.6	26.9	1.78
AUX0102263		0.28	0.0135	0.119	1.34	199.5	<10	191.0	0.32	0.25	0.16	0.18	30.2	10.7	37.4	1.55
AUX0102264		0.28	0.0386	0.214	2.25	433	<10	158.0	0.45	0.37	0.22	0.12	19.85	19.7	110.0	5.98
AUX0102265		0.18	0.0134	0.042	2.11	125.5	<10	180.0	0.48	0.22	0.11	0.11	23.3	12.0	50.6	5.86
AUX0102266		0.16	0.809	0.113	3.65	850	<10	464	0.63	7.31	0.77	0.07	12.05	32.3	246	55.3
AUX0102267		0.32	0.0106	0.132	1.48	551	<10	254	0.40	0.38	0.41	0.49	63.2	21.3	50.5	4.85
AUX0102268		0.28	0.0259	0.452	1.36	1900	<10	287	0.45	0.49	0.55	2.40	44.6	22.1	35.3	2.77
AUX0102269		0.36	0.0075	0.224	1.94	204	<10	291	0.45	0.31	0.49	0.32	28.9	17.5	70.3	2.44
AUX0102270		0.34	0.0077	0.197	1.20	158.5	<10	246	0.40	0.27	0.38	0.32	30.2	11.1	26.8	1.09
AUX0102271		0.24	0.0313	0.418	1.93	684	<10	357	0.47	0.48	1.26	1.43	34.4	22.1	67.3	2.87
AUX0102272		0.20	0.0075	0.193	1.30	159.0	<10	317	0.39	0.21	0.42	0.45	28.1	10.7	29.5	1.06
AUX0102304		0.24	0.0105	0.236	1.64	351	<10	420	0.52	0.28	0.54	0.28	26.9	19.7	32.1	1.28
AUX0102305		0.32	0.0085	0.285	1.50	400	<10	398	0.50	0.28	0.38	0.75	29.5	17.2	31.1	1.27
AUX0102306		0.32	0.0114	0.222	1.36	252	<10	349	0.45	0.30	0.47	0.45	30.1	11.2	29.4	0.86
AUX0102307		0.24	0.0222	0.301	1.68	348	<10	344	0.45	0.43	0.63	0.21	31.6	11.4	34.8	1.36
AUX0102308		0.24	0.0579	0.307	1.94	1360	<10	172.5	0.36	0.77	0.53	0.29	44.7	17.3	65.3	3.20
AUX0102309		0.18	0.0155	0.218	1.49	223	<10	283	0.39	0.34	0.40	0.12	28.8	8.8	39.2	1.30
AUX0102310		0.20	0.0050	0.207	1.41	97.6	<10	306	0.44	0.25	0.44	0.16	31.4	8.7	25.7	0.97
AUX0102311		0.32	0.0176	0.495	1.40	523	<10	289	0.40	0.49	0.47	0.67	35.7	14.6	36.2	2.52
AUX0102312		0.30	0.0143	0.311	1.61	266	<10	264	0.56	0.50	0.52	0.47	52.6	15.6	28.5	1.32
AUX0102313		0.22	0.0229	0.443	1.30	480	<10	202	0.38	0.53	0.86	0.61	40.1	14.0	32.3	1.78
AUX0102314		0.42	0.0283	0.363	1.16	266	<10	237	0.39	0.44	1.99	0.52	48.8	11.5	22.3	0.69
AUX0102315		0.28	0.0050	0.291	1.19	83.0	<10	254	0.40	0.23	0.21	0.19	39.2	8.5	23.2	0.94
AUX0102316		0.38	0.0386	0.148	2.49	680	<10	327	0.43	0.41	0.42	0.11	30.1	20.0	115.5	27.6
AUX0102317		0.34	0.0433	0.099	1.88	473	<10	296	0.53	0.50	0.17	0.14	41.9	15.3	47.4	5.32
AUX0102318		0.36	0.0309	0.170	1.03	1240	<10	248	0.42	0.72	0.24	0.14	40.5	11.0	25.9	3.10
AUX0102319		0.28	0.0107	0.139	1.38	166.0	<10	179.5	0.39	0.27	0.21	0.12	40.8	7.6	29.8	2.49
AUX0102320		0.34	0.0163	0.290	1.37	219	<10	317	0.43	0.40	0.39	0.32	33.1	9.7	32.6	1.63
AUX0102321		0.30	0.0112	0.439	1.33	346	<10	330	0.46	0.40	0.52	0.77	32.7	12.0	27.7	1.71
AUX0102322		0.34	0.0541	0.343	1.41	186.5	<10	370	0.47	0.35	0.61	0.77	31.8	12.0	28.3	2.44
AUX0102323		0.18	0.0179	0.200	1.46	359	<10	289	0.45	0.34	0.45	0.76	26.2	12.9	50.1	3.47
AUX0102324		0.34	0.0097	0.344	1.48	241	<10	393	0.46	0.33	0.50	0.52	32.7	13.0	41.1	1.63
AUX0102325		0.34	0.0064	0.279	1.49	221	<10	370	0.52	0.35	0.55	0.28	32.2	10.9	32.1	1.41
AUX0102326		0.32	0.0092	0.221	1.51	188.0	<10	370	0.46	0.27	0.43	0.20	32.2	9.5	40.3	1.63
AUX0102327		0.34	0.0059	0.199	1.24	107.0	<10	267	0.37	0.23	0.33	0.12	33.0	6.9	25.3	1.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102257		24.5	1.65	3.43	0.06	0.03	0.112	0.022	0.07	16.3	15.9	0.44	124	1.89	0.01	0.55
AUX0102258		23.8	1.67	3.68	0.07	0.03	0.098	0.024	0.07	16.6	16.5	0.43	121	1.18	0.01	0.61
AUX0102259		26.4	1.69	3.19	0.06	0.05	0.071	0.018	0.04	12.7	12.7	0.30	117	1.05	0.01	0.63
AUX0102260		39.2	2.94	3.89	0.06	0.06	0.116	0.029	0.07	14.0	17.3	0.50	254	2.16	0.01	0.60
AUX0102261		30.5	2.33	3.27	0.07	<0.02	0.033	0.019	0.05	16.2	13.5	0.39	334	1.33	0.01	0.45
AUX0102262		30.3	2.76	3.71	0.07	0.02	0.040	0.023	0.05	19.4	15.0	0.41	336	1.16	<0.01	0.57
AUX0102263		27.2	2.55	4.13	0.06	0.02	0.025	0.021	0.04	16.1	16.4	0.53	281	1.01	0.01	0.55
AUX0102264		37.0	4.06	7.00	0.07	0.02	0.027	0.026	0.06	10.2	27.1	1.41	505	0.90	<0.01	0.69
AUX0102265		23.1	3.59	5.80	0.06	0.09	0.027	0.039	0.06	11.7	25.3	0.72	273	1.00	<0.01	1.07
AUX0102266		53.3	5.90	14.30	0.30	0.02	0.024	0.047	0.58	5.5	54.2	3.08	627	0.43	0.02	1.68
AUX0102267		29.1	4.53	3.77	0.10	0.05	0.033	0.018	0.08	27.6	19.5	0.61	350	1.99	0.01	0.39
AUX0102268		47.0	5.82	3.76	0.09	0.06	0.065	0.029	0.06	22.6	16.8	0.55	953	4.17	0.01	0.36
AUX0102269		29.0	3.25	5.81	0.06	0.03	0.048	0.030	0.05	14.6	26.0	1.10	432	1.33	0.01	0.49
AUX0102270		27.9	2.42	3.33	0.06	0.04	0.036	0.021	0.04	14.9	14.7	0.43	435	1.27	0.01	0.58
AUX0102271		45.4	3.38	5.08	0.09	0.11	0.067	0.030	0.07	18.2	30.8	1.08	1560	1.16	0.01	0.43
AUX0102272		22.9	2.94	3.42	0.06	0.04	0.061	0.022	0.03	14.2	16.8	0.45	460	1.03	0.01	0.54
AUX0102304		20.4	5.11	4.09	0.06	0.05	0.074	0.024	0.04	12.7	19.3	0.48	1820	1.56	0.01	0.51
AUX0102305		27.4	4.34	3.76	0.07	0.05	0.064	0.023	0.04	14.6	18.3	0.44	492	1.47	0.01	0.61
AUX0102306		32.2	2.72	3.55	0.06	0.10	0.048	0.022	0.05	15.8	14.1	0.47	333	1.11	0.01	0.62
AUX0102307		36.7	2.83	4.48	0.07	0.06	0.052	0.023	0.06	16.7	17.8	0.55	374	1.20	0.01	0.62
AUX0102308		55.7	3.90	5.66	0.10	0.11	0.030	0.028	0.08	24.5	28.4	1.18	529	0.71	0.01	0.43
AUX0102309		32.0	2.71	4.07	0.06	0.06	0.037	0.022	0.05	15.6	16.7	0.62	305	0.92	0.01	0.57
AUX0102310		29.9	2.47	3.82	0.05	0.06	0.053	0.023	0.04	15.8	14.6	0.41	302	1.00	0.01	0.64
AUX0102311		52.7	3.16	3.98	0.07	0.10	0.047	0.026	0.09	18.2	17.8	0.59	730	1.58	0.01	0.42
AUX0102312		51.8	3.17	4.32	0.09	0.11	0.052	0.025	0.06	26.0	19.8	0.56	854	1.08	0.01	0.54
AUX0102313		51.7	3.07	3.53	0.08	0.11	0.049	0.024	0.08	20.0	17.0	0.58	621	1.03	0.01	0.36
AUX0102314		42.8	3.05	3.26	0.06	0.09	0.057	0.023	0.06	24.4	14.3	0.43	929	1.01	0.02	0.43
AUX0102315		32.9	2.39	3.57	0.06	0.03	0.047	0.021	0.05	20.3	13.4	0.41	404	1.09	0.01	0.50
AUX0102316		33.7	3.96	7.84	0.10	0.05	0.029	0.033	0.45	16.6	40.3	2.00	455	0.87	0.02	0.38
AUX0102317		36.4	3.24	5.41	0.07	0.03	0.052	0.029	0.07	19.9	22.6	0.75	436	1.00	0.01	0.63
AUX0102318		38.5	3.12	3.22	0.07	0.03	0.045	0.023	0.07	22.3	12.3	0.42	371	1.06	0.01	0.33
AUX0102319		28.0	2.52	4.32	0.06	0.02	0.037	0.023	0.05	20.8	17.1	0.51	230	0.85	0.01	0.79
AUX0102320		38.0	2.69	4.18	0.05	0.03	0.045	0.026	0.08	17.0	16.2	0.48	384	1.75	0.02	0.56
AUX0102321		46.3	2.92	3.74	0.07	0.08	0.073	0.028	0.11	17.6	16.7	0.50	569	1.70	0.02	0.59
AUX0102322		40.2	2.63	3.91	0.06	0.11	0.065	0.026	0.10	16.2	19.6	0.54	194	1.08	0.02	0.87
AUX0102323		37.1	3.03	4.18	<0.05	0.03	0.048	0.022	0.06	12.3	19.2	0.68	397	1.50	0.02	0.55
AUX0102324		37.9	3.15	4.54	0.06	0.07	0.053	0.022	0.06	16.5	18.1	0.60	739	1.23	0.02	0.74
AUX0102325		34.1	2.98	4.53	0.05	0.04	0.067	0.027	0.06	16.4	16.1	0.48	381	1.24	0.02	0.65
AUX0102326		31.3	2.92	4.45	0.06	0.06	0.051	0.023	0.06	17.2	16.6	0.58	379	1.10	0.02	0.69
AUX0102327		26.4	2.26	3.93	0.05	0.03	0.034	0.021	0.04	17.4	15.4	0.42	240	0.92	0.02	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102257		24.2	0.079	14.00	11.1	0.002	0.13	11.25	2.8	1.7	0.6	36.7	<0.01	0.04	2.9	0.023
AUX0102258		21.5	0.077	13.25	11.8	0.002	0.13	8.92	3.0	1.7	0.6	38.8	<0.01	0.03	3.3	0.024
AUX0102259		19.1	0.081	12.15	7.9	0.004	0.27	6.34	2.6	1.8	0.4	53.6	<0.01	0.02	1.8	0.021
AUX0102260		31.4	0.090	18.00	11.0	0.001	0.14	19.05	3.8	3.0	0.7	72.1	<0.01	0.06	2.6	0.022
AUX0102261		19.1	0.069	18.05	7.0	<0.001	0.01	3.11	2.4	0.8	0.3	13.7	<0.01	0.04	2.3	0.029
AUX0102262		25.9	0.051	11.15	8.2	<0.001	0.01	9.79	3.6	0.8	0.4	12.8	<0.01	0.04	3.5	0.030
AUX0102263		24.5	0.055	10.00	8.6	<0.001	<0.01	3.30	3.1	0.5	0.4	14.0	<0.01	0.03	2.2	0.039
AUX0102264		55.3	0.059	8.70	12.2	<0.001	0.01	3.88	4.5	0.7	0.5	15.0	<0.01	0.04	2.5	0.087
AUX0102265		28.2	0.048	11.80	14.2	<0.001	0.01	0.927	5.3	0.2	0.5	12.6	<0.01	0.04	3.3	0.044
AUX0102266		92.0	0.063	3.55	105.0	<0.001	0.02	1.570	16.4	1.2	1.6	67.6	<0.01	0.09	0.9	0.164
AUX0102267		40.9	0.077	22.3	10.8	0.001	0.07	7.88	2.7	1.2	0.3	33.9	<0.01	0.04	8.4	0.017
AUX0102268		55.7	0.085	20.7	10.8	0.002	0.05	7.61	4.8	2.7	0.4	39.5	<0.01	0.05	5.0	0.015
AUX0102269		32.7	0.077	12.85	10.5	0.001	0.03	2.27	6.2	1.3	0.4	40.2	<0.01	0.04	2.9	0.028
AUX0102270		23.3	0.066	15.65	6.5	0.001	0.02	2.96	3.4	1.8	0.3	31.0	<0.01	0.04	4.3	0.031
AUX0102271		57.1	0.107	15.35	10.2	0.004	0.12	4.25	4.6	5.7	0.3	90.6	<0.01	0.05	3.1	0.023
AUX0102272		19.4	0.097	11.95	5.5	0.001	0.08	2.54	3.0	1.3	0.3	34.3	<0.01	0.02	2.8	0.021
AUX0102304		23.3	0.111	12.95	7.1	0.001	0.06	2.69	3.6	1.4	0.3	42.2	<0.01	0.04	2.7	0.017
AUX0102305		23.0	0.095	13.70	7.3	0.001	0.06	2.50	3.9	1.5	0.3	26.1	<0.01	0.03	3.6	0.020
AUX0102306		25.2	0.077	13.85	6.2	<0.001	0.01	2.72	3.8	1.0	0.3	31.1	<0.01	0.03	4.7	0.038
AUX0102307		27.3	0.078	14.45	9.8	<0.001	0.02	3.18	4.0	1.1	0.4	35.6	<0.01	0.04	3.4	0.029
AUX0102308		45.1	0.083	19.95	12.0	<0.001	0.01	6.65	5.8	0.7	0.3	27.8	<0.01	0.06	8.9	0.039
AUX0102309		26.3	0.075	12.60	8.2	<0.001	0.01	2.51	4.1	0.6	0.3	24.0	<0.01	0.04	4.3	0.034
AUX0102310		20.9	0.078	14.70	7.6	<0.001	0.01	2.01	3.6	1.0	0.4	25.5	<0.01	0.03	3.8	0.029
AUX0102311		37.5	0.079	24.3	10.8	<0.001	0.01	6.55	4.1	0.9	0.4	25.8	<0.01	0.05	6.0	0.035
AUX0102312		31.7	0.071	20.2	8.2	<0.001	0.01	5.42	3.9	0.9	0.4	25.1	<0.01	0.05	8.3	0.034
AUX0102313		33.1	0.077	24.0	7.8	<0.001	0.02	9.44	3.1	0.7	0.3	29.4	<0.01	0.05	6.7	0.027
AUX0102314		32.5	0.078	21.4	5.9	0.001	0.02	7.63	3.1	1.1	0.3	43.3	<0.01	0.04	6.7	0.029
AUX0102315		24.6	0.063	17.25	6.3	<0.001	0.01	2.41	3.5	0.9	0.4	14.3	<0.01	0.04	4.3	0.041
AUX0102316		69.4	0.065	9.85	55.8	<0.001	0.01	2.75	7.0	0.7	1.6	27.9	<0.01	0.15	4.6	0.117
AUX0102317		38.9	0.039	14.65	14.3	<0.001	0.01	3.07	5.8	0.7	0.8	15.1	<0.01	0.08	4.8	0.058
AUX0102318		34.9	0.035	12.70	10.4	<0.001	0.03	14.80	3.4	0.9	0.5	32.8	<0.01	0.08	6.0	0.027
AUX0102319		25.7	0.058	11.65	9.9	<0.001	0.01	2.56	3.4	0.9	0.5	15.8	<0.01	0.04	3.9	0.046
AUX0102320		34.4	0.062	15.40	9.1	0.001	0.01	3.88	3.9	0.7	0.5	34.0	<0.01	0.06	4.1	0.036
AUX0102321		38.2	0.077	21.0	9.8	0.001	0.04	5.27	3.9	1.4	0.4	42.5	<0.01	0.05	4.8	0.031
AUX0102322		40.0	0.068	17.05	12.7	0.002	0.15	4.81	4.4	3.3	0.4	50.5	<0.01	0.04	4.9	0.042
AUX0102323		32.1	0.105	10.60	9.8	0.002	0.12	4.71	3.1	1.5	0.3	34.6	<0.01	0.02	2.1	0.029
AUX0102324		37.6	0.086	16.60	9.6	0.001	0.04	3.81	4.5	2.7	0.4	38.2	<0.01	0.05	3.9	0.036
AUX0102325		30.3	0.078	15.85	9.7	0.001	0.03	3.47	4.1	1.6	0.4	42.7	<0.01	0.05	3.3	0.030
AUX0102326		33.3	0.068	12.70	8.7	<0.001	0.02	2.39	4.4	0.8	0.4	29.3	<0.01	0.04	4.4	0.055
AUX0102327		23.1	0.064	10.65	8.0	<0.001	0.01	2.07	3.1	0.7	0.4	23.0	<0.01	0.04	3.3	0.034

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0102257		0.16	2.69	36	0.191	6.89	87.6	1.1
AUX0102258		0.16	2.62	34	0.177	7.05	88.3	1.2
AUX0102259		0.12	4.27	34	0.292	7.77	69.5	1.4
AUX0102260		0.17	7.17	43	0.249	9.07	93.0	1.8
AUX0102261		0.13	0.57	33	0.161	5.69	69.9	<0.5
AUX0102262		0.13	0.68	37	0.360	7.83	66.0	0.6
AUX0102263		0.10	0.59	38	0.239	5.70	56.7	<0.5
AUX0102264		0.19	0.43	54	0.250	4.95	68.6	0.7
AUX0102265		0.15	0.46	59	0.231	3.63	67.3	2.4
AUX0102266		0.80	0.26	111	0.144	7.44	85.3	0.6
AUX0102267		0.14	2.25	32	0.183	8.88	122.0	1.8
AUX0102268		0.13	1.86	36	0.369	12.15	188.0	1.9
AUX0102269		0.13	1.25	57	0.420	8.20	74.9	0.7
AUX0102270		0.09	2.30	36	0.404	7.58	68.0	1.4
AUX0102271		0.15	16.15	43	0.133	11.60	134.0	3.1
AUX0102272		0.10	3.79	35	0.197	7.50	82.7	1.1
AUX0102304		0.12	3.84	40	0.246	7.76	91.2	1.5
AUX0102305		0.11	4.02	41	0.320	9.97	94.2	1.7
AUX0102306		0.09	1.31	39	0.247	9.04	81.6	3.3
AUX0102307		0.11	1.42	40	0.505	9.21	71.8	1.6
AUX0102308		0.15	0.51	46	0.163	10.10	88.7	4.5
AUX0102309		0.09	0.74	39	0.242	7.85	70.4	1.9
AUX0102310		0.09	1.16	38	0.308	8.60	67.9	1.9
AUX0102311		0.18	0.49	36	0.290	9.17	101.5	3.7
AUX0102312		0.10	0.82	35	0.291	10.45	92.8	3.6
AUX0102313		0.14	0.50	29	0.176	8.59	99.6	3.5
AUX0102314		0.08	0.64	29	0.172	10.70	91.6	2.4
AUX0102315		0.11	0.66	36	0.174	8.27	71.7	1.4
AUX0102316		0.64	0.79	67	2.65	8.18	83.1	2.2
AUX0102317		0.23	0.76	52	0.440	8.24	78.0	1.1
AUX0102318		0.15	1.06	29	0.341	6.35	65.2	1.1
AUX0102319		0.13	0.72	40	0.259	7.07	61.4	0.7
AUX0102320		0.15	0.62	40	0.252	7.46	79.4	1.1
AUX0102321		0.19	1.17	38	0.228	8.35	106.5	2.8
AUX0102322		0.12	2.65	40	0.203	9.82	98.8	3.8
AUX0102323		0.16	4.05	43	0.263	7.46	73.3	0.9
AUX0102324		0.11	2.61	43	0.342	8.83	88.0	2.1
AUX0102325		0.12	1.13	44	0.227	7.90	72.3	1.2
AUX0102326		0.12	0.84	45	0.279	7.89	76.2	2.2
AUX0102327		0.09	0.74	36	0.214	6.64	60.6	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102328		0.36	0.0102	0.244	1.72	240	<10	271	0.30	0.35	0.33	0.14	28.7	8.8	55.9	2.05
AUX0102329		0.28	0.0086	0.152	1.57	222	<10	205	0.35	0.26	0.34	0.16	28.0	11.8	64.7	2.15
AUX0102330		0.30	0.0180	0.383	1.55	453	<10	262	0.33	0.44	0.39	0.48	31.2	14.5	65.0	2.53
AUX0102331		0.28	0.140	0.277	2.01	1770	<10	175.0	0.24	1.04	0.47	0.40	63.4	24.7	76.9	2.96
AUX0102332		0.30	0.0123	0.327	1.50	344	<10	337	0.42	0.41	0.52	0.50	33.0	13.3	51.0	1.63
AUX0102333		0.12	0.0034	0.220	1.23	88.8	<10	379	0.37	0.17	0.51	0.92	27.9	7.0	24.4	0.82
AUX0102334		0.40	0.0091	0.349	1.35	326	<10	347	0.37	0.32	0.38	0.58	30.6	11.2	38.3	1.46
AUX0102335		0.40	0.0067	0.727	1.36	382	<10	200	0.35	0.57	0.75	0.84	36.4	17.1	49.5	2.94
AUX0102336		0.32	0.0052	0.276	1.31	80.4	<10	398	0.45	0.25	0.53	0.37	29.4	10.9	26.0	0.86
AUX0102337		0.30	0.0023	0.200	1.36	29.8	<10	454	0.48	0.19	0.58	0.37	31.8	10.0	24.7	0.71
AUX0102338		0.24	0.0035	0.232	1.38	59.2	<10	418	0.46	0.22	0.75	0.33	29.4	9.1	24.7	0.78
AUX0102339		0.30	0.0051	0.260	1.46	114.0	<10	401	0.48	0.25	0.59	0.32	31.1	10.5	29.1	0.79
AUX0102340		0.36	0.0051	0.273	1.54	129.5	<10	403	0.55	0.29	0.51	0.32	36.8	10.4	30.8	0.92
AUX0102341		0.36	0.0121	0.401	1.39	262	<10	331	0.46	0.36	0.54	0.42	34.1	12.4	34.4	1.21
AUX0102342		0.30	0.0117	0.438	1.44	209	<10	279	0.49	0.42	0.62	0.53	58.9	15.1	26.7	0.77
AUX0102343		0.36	0.0051	0.184	1.58	106.5	<10	136.0	0.30	0.43	0.39	0.22	88.6	16.8	23.0	0.54
AUX0102344		0.38	0.0094	0.288	1.63	195.5	<10	197.5	0.47	0.43	0.57	0.34	81.6	17.3	27.1	0.83
AUX0102345		0.44	0.0076	0.297	1.35	206	<10	339	0.41	0.41	0.37	0.30	56.8	9.9	27.0	1.06
AUX0102346		0.32	0.0025	0.186	1.38	36.7	<10	380	0.47	0.20	0.40	0.22	34.2	8.4	26.3	0.64
AUX0102347		0.28	0.0602	0.304	1.46	524	<10	145.5	0.35	0.54	0.08	0.08	42.9	6.9	20.3	2.60
AUX0102348		0.24	0.0345	0.122	1.19	551	<10	298	0.49	0.50	0.15	0.08	47.2	9.7	20.3	2.10
AUX0102349		0.28	0.0051	0.143	1.82	285	<10	188.5	0.60	0.24	0.06	0.13	33.2	9.6	30.5	1.35
AUX0102350		0.24	0.0072	0.293	2.00	281	<10	192.5	0.61	0.26	0.06	0.13	28.3	10.1	31.9	1.44
AUX0102351		0.28	0.0635	0.158	1.73	1140	<10	172.5	0.64	0.90	0.06	0.14	45.5	12.7	24.1	2.57
AUX0102352		0.24	0.0591	0.152	1.73	1020	<10	318	0.83	1.53	0.09	0.11	58.1	13.5	27.1	2.31
AUX0102353		0.24	0.0198	0.221	1.48	441	<10	282	0.59	0.57	0.11	0.08	52.9	9.4	22.8	1.54
AUX0102354		0.28	0.0106	0.176	1.38	148.0	<10	205	0.41	0.37	0.09	0.08	34.2	8.6	22.4	1.10
AUX0102355		0.24	0.0096	0.257	1.43	94.9	<10	274	0.47	0.32	0.10	0.06	37.6	9.3	23.2	1.03
AUX0102356		0.30	0.0143	0.157	1.20	181.5	<10	238	0.39	0.49	0.10	0.12	35.6	7.4	20.6	1.12
AUX0102357		0.18	0.101	3.02	1.50	1780	<10	294	0.55	11.20	0.40	0.56	49.4	20.1	23.3	1.47
AUX0102358		0.30	0.0281	0.884	1.36	929	<10	210	0.46	5.12	0.48	0.24	42.1	14.4	28.5	1.55
AUX0102359		0.24	0.0846	0.641	1.75	1410	<10	192.0	0.46	2.31	1.22	0.36	26.9	15.1	58.9	2.78
AUX0102360		0.28	0.0329	0.675	1.50	1400	<10	169.5	0.51	1.50	0.78	0.33	41.3	18.7	53.0	3.36
AUX0102361		0.32	0.0247	0.507	1.31	1440	<10	208	0.56	1.02	0.59	0.35	40.5	14.8	36.5	2.46
AUX0102362		0.30	0.0278	0.412	1.14	1290	<10	180.0	0.43	0.81	0.60	0.33	38.3	14.5	29.9	2.17
AUX0102363		0.30	0.0217	0.478	1.30	1130	<10	263	0.53	1.04	0.69	0.23	37.9	12.4	28.8	1.89
AUX0102364		0.16	0.0187	0.416	1.10	509	<10	240	0.43	0.71	1.15	0.32	24.6	11.1	19.5	1.21
AUX0102365		0.32	0.0202	0.532	1.28	493	<10	293	0.49	1.07	0.45	0.12	30.6	10.0	21.0	1.09
AUX0102366		0.24	0.0281	0.638	1.11	696	<10	215	0.40	1.00	0.35	0.28	40.9	11.5	17.4	1.95
AUX0102367		0.28	0.0137	0.363	1.25	432	<10	240	0.41	0.69	0.50	0.14	33.9	10.8	20.6	1.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102328		27.6	3.02	5.52	0.05	0.02	0.033	0.022	0.05	14.7	18.7	0.79	310	1.50	0.02	0.73
AUX0102329		32.1	3.03	5.02	0.05	0.04	0.027	0.019	0.05	14.7	19.3	0.90	416	1.13	0.01	0.70
AUX0102330		45.4	3.26	4.96	0.06	0.05	0.047	0.025	0.08	16.1	19.3	0.92	542	1.80	0.02	0.50
AUX0102331		62.4	4.64	6.61	0.12	0.12	0.038	0.028	0.08	33.6	31.5	1.43	676	1.09	0.01	0.27
AUX0102332		37.4	3.13	4.56	0.05	0.06	0.064	0.022	0.05	17.1	17.2	0.69	559	2.04	0.01	0.57
AUX0102333		35.5	1.98	3.32	<0.05	0.04	0.099	0.020	0.03	13.7	14.0	0.34	133	1.07	0.02	0.67
AUX0102334		37.5	3.26	4.07	0.05	0.07	0.048	0.024	0.05	15.1	16.7	0.59	395	1.45	0.02	0.64
AUX0102335		69.3	3.41	4.23	0.08	0.18	0.039	0.028	0.13	19.2	18.1	0.77	560	2.18	0.02	0.22
AUX0102336		33.4	2.69	3.88	0.06	0.05	0.046	0.022	0.05	15.0	13.3	0.39	577	1.10	0.02	0.70
AUX0102337		31.2	2.68	4.12	0.05	0.06	0.056	0.023	0.04	16.4	13.9	0.39	300	0.93	0.02	0.82
AUX0102338		29.6	2.48	3.85	0.05	0.05	0.071	0.022	0.04	14.3	12.5	0.38	577	0.92	0.02	0.72
AUX0102339		32.9	2.84	4.27	0.05	0.07	0.045	0.026	0.05	16.1	15.0	0.46	509	1.18	0.02	0.72
AUX0102340		37.0	2.91	4.61	0.06	0.08	0.044	0.028	0.05	18.6	16.6	0.50	288	1.03	0.02	0.77
AUX0102341		44.8	3.02	4.13	0.06	0.09	0.054	0.025	0.06	16.8	16.7	0.55	565	1.19	0.02	0.59
AUX0102342		50.1	3.43	4.20	0.08	0.10	0.056	0.028	0.05	30.4	18.2	0.53	1150	0.81	0.01	0.44
AUX0102343		44.1	3.94	4.26	0.10	0.19	0.020	0.016	0.06	43.4	24.7	0.65	902	0.61	0.01	0.15
AUX0102344		52.0	3.79	4.87	0.10	0.15	0.030	0.021	0.06	39.2	25.5	0.62	598	0.89	0.01	0.26
AUX0102345		36.5	2.87	4.01	0.08	0.03	0.033	0.021	0.07	31.0	16.4	0.48	384	0.76	0.02	0.49
AUX0102346		31.5	2.63	4.25	0.05	0.04	0.044	0.025	0.05	17.5	14.5	0.42	280	0.98	0.02	0.67
AUX0102347		19.65	2.96	4.17	0.06	<0.02	0.020	0.024	0.05	20.9	19.7	0.39	267	0.69	0.01	0.50
AUX0102348		30.8	2.87	3.42	0.06	<0.02	0.028	0.018	0.05	26.2	15.3	0.38	305	0.83	0.01	0.47
AUX0102349		26.4	3.05	4.40	0.05	0.09	0.032	0.032	0.05	17.0	16.7	0.47	237	1.08	0.01	0.82
AUX0102350		26.2	2.99	4.77	0.09	0.09	0.018	0.027	0.04	14.2	17.4	0.45	260	1.21	0.01	0.88
AUX0102351		44.1	3.70	4.29	0.07	0.04	0.033	0.025	0.04	23.7	20.9	0.41	337	0.97	<0.01	0.62
AUX0102352		52.4	3.69	4.91	0.09	0.11	0.044	0.026	0.05	29.2	20.6	0.48	426	1.21	0.01	0.44
AUX0102353		33.0	2.77	4.29	0.08	0.02	0.026	0.020	0.04	28.2	21.6	0.47	339	0.81	<0.01	0.42
AUX0102354		26.5	2.41	4.00	0.06	0.06	0.025	0.021	0.04	17.5	16.9	0.39	256	0.90	<0.01	0.53
AUX0102355		28.2	2.43	4.22	0.07	0.04	0.033	0.024	0.03	18.9	16.2	0.40	273	0.95	<0.01	0.52
AUX0102356		30.3	2.31	3.49	0.07	0.03	0.032	0.019	0.04	18.8	14.3	0.35	249	0.97	<0.01	0.48
AUX0102357		53.6	3.78	4.15	0.09	0.05	0.050	0.029	0.04	27.0	27.9	0.52	748	0.89	0.01	0.30
AUX0102358		43.3	3.02	4.14	0.09	0.07	0.032	0.024	0.04	23.4	28.2	0.53	458	0.82	<0.01	0.40
AUX0102359		45.3	3.50	4.51	0.06	0.07	0.052	0.029	0.06	14.6	40.4	0.84	329	0.65	0.01	0.36
AUX0102360		55.2	3.73	4.85	0.08	0.10	0.045	0.030	0.07	21.5	35.3	0.79	643	1.40	<0.01	0.32
AUX0102361		55.9	3.78	4.08	0.08	0.11	0.040	0.028	0.07	21.3	24.3	0.58	484	2.01	0.01	0.36
AUX0102362		54.0	3.57	3.46	0.08	0.11	0.036	0.024	0.07	19.8	19.7	0.49	512	1.99	0.01	0.36
AUX0102363		41.0	3.28	3.76	0.07	0.08	0.090	0.024	0.06	20.0	21.7	0.46	493	1.26	0.01	0.37
AUX0102364		37.2	2.61	3.13	0.05	0.08	0.039	0.019	0.05	12.9	16.0	0.37	477	1.04	0.01	0.42
AUX0102365		38.2	2.80	3.51	0.06	0.07	0.037	0.021	0.05	16.7	18.0	0.39	438	1.00	0.01	0.46
AUX0102366		51.7	3.27	3.12	0.08	0.07	0.036	0.021	0.06	22.2	16.9	0.39	453	1.08	0.01	0.40
AUX0102367		35.5	2.82	3.73	0.06	0.06	0.029	0.018	0.05	17.5	19.2	0.40	446	1.05	0.01	0.53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102328		33.4	0.057	12.05	10.5	<0.001	0.01	2.83	3.8	0.8	0.4	22.5	<0.01	0.02	3.6	0.042
AUX0102329		42.2	0.070	11.05	8.4	0.001	0.01	3.46	3.6	0.6	0.4	22.5	<0.01	0.05	3.9	0.056
AUX0102330		53.9	0.074	17.15	10.5	<0.001	0.01	6.31	4.1	0.8	0.3	27.9	<0.01	0.05	4.8	0.044
AUX0102331		67.1	0.079	17.70	11.0	<0.001	0.01	8.63	6.1	1.1	0.3	29.8	<0.01	0.07	11.9	0.035
AUX0102332		45.4	0.084	19.60	9.4	0.001	0.03	5.24	4.0	1.7	0.3	39.6	<0.01	0.06	3.9	0.026
AUX0102333		20.7	0.083	9.98	4.7	0.002	0.23	1.685	2.5	1.5	0.3	33.3	<0.01	0.03	2.0	0.021
AUX0102334		36.6	0.083	16.00	8.3	<0.001	0.01	3.44	4.0	1.2	0.3	23.6	<0.01	0.03	4.8	0.044
AUX0102335		57.3	0.098	35.0	12.2	<0.001	0.02	7.71	3.6	1.4	0.3	29.3	<0.01	0.06	6.6	0.043
AUX0102336		28.8	0.082	14.15	7.6	0.001	0.03	2.00	3.8	0.8	0.3	30.6	<0.01	0.04	3.4	0.032
AUX0102337		29.3	0.087	11.95	7.4	<0.001	0.03	1.260	4.1	1.1	0.4	33.3	<0.01	0.04	3.4	0.035
AUX0102338		25.4	0.082	13.40	7.0	<0.001	0.03	1.675	3.5	1.2	0.3	37.7	<0.01	0.03	2.6	0.031
AUX0102339		30.2	0.076	14.60	7.7	0.001	0.02	2.35	4.1	1.2	0.4	30.4	<0.01	0.04	3.6	0.033
AUX0102340		31.4	0.071	16.70	8.7	<0.001	0.02	2.78	4.6	1.2	0.4	28.3	<0.01	0.06	4.8	0.038
AUX0102341		37.8	0.071	20.7	7.7	0.001	0.02	5.23	4.1	1.0	0.3	26.5	<0.01	0.05	4.8	0.035
AUX0102342		39.8	0.080	27.6	6.9	<0.001	0.02	4.52	3.5	1.1	0.3	25.4	<0.01	0.05	6.8	0.023
AUX0102343		38.9	0.062	25.2	4.3	<0.001	0.01	3.00	2.4	0.6	0.2	14.9	<0.01	0.03	16.3	0.018
AUX0102344		40.9	0.060	21.5	5.9	0.001	0.01	4.79	3.4	0.8	0.2	22.9	<0.01	0.05	13.4	0.029
AUX0102345		31.0	0.073	16.60	9.8	<0.001	0.01	3.74	3.4	0.7	0.3	23.3	<0.01	0.05	6.9	0.026
AUX0102346		27.9	0.072	12.20	6.7	<0.001	0.01	1.245	4.2	0.7	0.5	26.8	<0.01	0.03	4.0	0.047
AUX0102347		20.9	0.024	10.15	12.0	<0.001	0.01	7.39	2.1	0.7	0.4	8.4	<0.01	0.02	6.0	0.015
AUX0102348		28.9	0.038	9.89	8.2	<0.001	0.01	7.20	3.2	0.9	0.4	12.5	<0.01	0.06	6.1	0.022
AUX0102349		27.9	0.018	14.05	9.3	<0.001	0.01	1.540	3.3	0.8	0.4	8.6	<0.01	0.05	5.7	0.041
AUX0102350		25.2	0.020	14.05	10.1	<0.001	0.01	2.13	3.0	0.5	0.5	8.5	<0.01	0.06	5.5	0.042
AUX0102351		33.3	0.027	18.10	9.5	<0.001	0.01	4.76	3.4	0.9	0.5	8.6	<0.01	0.08	9.2	0.020
AUX0102352		34.4	0.017	19.70	11.7	<0.001	0.01	3.93	6.1	1.3	0.6	18.0	<0.01	0.11	11.6	0.032
AUX0102353		24.9	0.026	13.35	8.9	<0.001	<0.01	1.900	3.9	0.8	0.4	13.1	<0.01	0.05	7.1	0.021
AUX0102354		19.6	0.030	12.15	8.1	<0.001	<0.01	1.710	3.6	0.7	0.4	10.6	<0.01	0.04	5.7	0.030
AUX0102355		19.8	0.027	13.20	6.9	<0.001	<0.01	1.590	4.2	1.0	0.5	12.0	<0.01	0.02	5.5	0.030
AUX0102356		21.0	0.028	14.00	6.1	<0.001	<0.01	2.83	3.2	1.0	0.4	11.3	<0.01	0.06	4.4	0.025
AUX0102357		43.6	0.053	83.5	6.0	<0.001	0.01	30.8	3.5	1.7	0.3	31.2	<0.01	0.32	7.0	0.011
AUX0102358		42.2	0.046	44.2	7.0	<0.001	0.02	13.70	4.0	1.9	0.3	33.6	<0.01	0.11	8.2	0.014
AUX0102359		63.6	0.066	20.1	11.7	<0.001	0.07	8.86	4.4	4.4	0.4	70.6	<0.01	0.05	4.2	0.015
AUX0102360		72.1	0.089	19.40	10.8	<0.001	0.04	14.75	4.9	3.5	0.4	56.3	<0.01	0.09	5.5	0.013
AUX0102361		53.0	0.092	18.80	9.0	<0.001	0.02	14.50	4.6	1.5	0.4	49.7	<0.01	0.07	6.7	0.014
AUX0102362		46.2	0.087	17.60	8.8	<0.001	0.02	13.25	4.0	1.3	0.3	47.0	<0.01	0.07	6.5	0.014
AUX0102363		40.0	0.067	18.35	9.6	<0.001	0.03	11.10	3.7	2.3	0.4	51.8	<0.01	0.08	4.8	0.012
AUX0102364		29.5	0.060	17.25	7.6	<0.001	0.05	7.85	2.7	2.1	0.3	75.7	<0.01	0.07	3.0	0.014
AUX0102365		27.7	0.047	22.5	7.5	<0.001	0.02	5.50	3.2	1.3	0.4	37.9	<0.01	0.05	4.6	0.016
AUX0102366		33.3	0.052	27.9	8.2	<0.001	0.01	16.65	3.6	1.2	0.3	28.6	<0.01	0.07	8.5	0.017
AUX0102367		26.3	0.052	19.40	8.0	<0.001	0.02	6.68	3.3	1.5	0.4	40.8	<0.01	0.05	4.5	0.018

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102328		0.13	0.96	49	0.469	5.00	69.4	0.8
AUX0102329		0.11	0.78	44	0.184	6.18	73.4	1.4
AUX0102330		0.15	0.66	42	0.215	6.93	97.8	1.8
AUX0102331		0.16	0.60	49	0.177	11.10	102.0	5.4
AUX0102332		0.12	2.47	41	0.230	8.34	84.5	1.4
AUX0102333		0.10	3.55	32	0.463	7.56	79.7	1.2
AUX0102334		0.12	1.47	41	0.224	8.08	98.7	2.8
AUX0102335		0.29	0.55	34	0.175	7.44	131.5	7.8
AUX0102336		0.10	1.58	41	0.221	8.32	77.1	1.5
AUX0102337		0.08	1.47	44	0.688	8.78	71.4	1.8
AUX0102338		0.08	1.79	41	0.194	8.04	61.0	1.4
AUX0102339		0.08	1.41	43	0.295	8.37	75.4	1.8
AUX0102340		0.09	1.97	46	0.239	9.33	81.7	2.5
AUX0102341		0.09	0.82	39	0.241	8.98	90.4	2.6
AUX0102342		0.08	0.66	29	0.145	12.95	92.5	2.4
AUX0102343		0.05	0.46	19	0.0729	8.50	98.2	7.6
AUX0102344		0.08	0.58	28	0.125	11.00	102.0	6.1
AUX0102345		0.09	0.79	29	0.176	9.65	84.5	1.0
AUX0102346		0.07	0.96	43	0.245	8.57	76.0	1.6
AUX0102347		0.09	0.66	29	0.779	3.25	58.8	0.5
AUX0102348		0.08	0.89	29	0.516	6.80	61.2	0.9
AUX0102349		0.11	0.84	48	0.323	3.80	69.6	3.1
AUX0102350		0.13	0.74	52	0.273	3.64	69.9	3.1
AUX0102351		0.13	1.07	35	6.35	5.71	74.4	1.6
AUX0102352		0.12	1.49	41	1.930	16.20	78.8	5.5
AUX0102353		0.10	1.48	33	0.787	11.25	56.8	0.9
AUX0102354		0.09	0.87	36	0.398	7.59	51.0	2.5
AUX0102355		0.10	1.11	38	0.341	9.36	54.7	2.2
AUX0102356		0.09	0.70	32	0.487	7.81	57.1	1.1
AUX0102357		0.08	1.51	23	3.25	15.10	97.6	1.5
AUX0102358		0.08	1.38	25	1.250	12.40	65.5	2.8
AUX0102359		0.12	2.99	31	0.366	11.80	74.1	2.4
AUX0102360		0.13	2.80	28	0.382	13.70	85.4	3.3
AUX0102361		0.11	2.13	28	0.337	13.20	95.8	3.7
AUX0102362		0.10	1.88	24	0.450	12.20	87.8	3.9
AUX0102363		0.09	2.37	25	0.370	10.70	67.5	2.4
AUX0102364		0.08	1.89	23	0.352	8.07	60.5	2.7
AUX0102365		0.08	2.04	28	0.357	8.27	60.1	2.1
AUX0102366		0.13	1.12	23	0.302	10.30	82.4	3.5
AUX0102367		0.09	1.49	29	0.323	7.79	62.7	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102368		0.18	0.0149	0.412	1.09	476	<10	223	0.33	0.68	1.05	0.25	23.4	8.4	17.0	1.31
AUX0102369		0.22	0.0115	0.221	1.09	400	<10	197.5	0.38	0.54	0.49	0.24	24.9	11.5	18.0	1.01
AUX0102370		0.22	0.0030	0.320	1.78	176.5	<10	176.5	0.44	0.46	0.15	0.30	23.8	7.6	27.9	0.90
AUX0102371		0.16	0.0119	0.289	1.31	289	<10	233	0.47	0.95	0.25	0.20	27.7	9.6	22.7	0.77
AUX0102372		0.30	0.112	0.388	1.26	425	<10	240	0.43	0.61	0.49	0.20	26.0	11.9	20.7	1.15
AUX0102373		0.36	0.0479	0.627	1.17	586	<10	217	0.45	0.74	0.42	0.31	32.1	17.0	17.3	1.52
AUX0102374		0.36	0.0262	0.278	1.10	182.5	<10	372	0.36	0.32	0.43	1.30	35.9	21.2	23.1	0.89
AUX0102375		0.32	0.0082	0.256	1.09	115.5	<10	333	0.32	0.27	0.41	1.39	35.6	19.1	23.6	0.89
AUX0102376		0.28	0.0143	0.385	1.56	171.0	<10	475	0.45	0.33	0.43	0.63	41.3	14.6	34.3	1.16
AUX0102377		0.14	0.0095	0.284	1.07	140.5	<10	316	0.32	0.27	0.52	0.58	33.2	10.2	21.0	0.82
AUX0102378		0.24	0.0636	0.084	2.01	159.0	<10	205	0.57	0.35	0.06	0.10	32.6	11.4	29.5	1.56
AUX0102379		0.24	0.0078	0.169	1.36	133.5	<10	156.0	0.34	0.37	0.08	0.10	38.2	8.5	22.9	1.40
AUX0102380		0.26	0.0039	0.204	1.14	90.2	<10	152.5	0.22	0.31	0.13	0.12	27.7	4.0	19.3	1.12
AUX0102381		0.30	0.0077	0.195	1.56	85.8	<10	196.0	0.39	0.28	0.11	0.09	27.2	8.0	25.1	1.06
AUX0102382		0.24	0.0058	0.127	1.47	92.1	<10	186.5	0.39	0.24	0.10	0.11	26.6	8.7	24.4	0.89
AUX0102383		0.30	0.377	0.299	1.32	412	<10	269	0.37	0.80	0.12	0.25	46.4	10.8	21.0	2.11
AUX0102384		0.30	0.0490	0.180	0.93	1540	<10	168.5	0.28	0.96	0.14	0.46	45.3	9.0	13.7	1.20
AUX0102385		0.22	0.0491	0.185	1.25	1070	<10	229	0.36	1.06	0.14	0.11	35.3	8.8	20.5	1.36
AUX0102386		0.24	0.0587	0.334	1.24	1055	<10	369	0.51	1.92	0.33	0.18	40.8	11.3	21.8	1.30
AUX0102387		0.22	0.0363	0.399	1.15	753	<10	299	0.46	0.99	0.37	0.15	36.7	9.0	19.4	1.06
AUX0102388		0.36	0.0238	0.358	1.48	510	<10	365	0.63	0.70	0.45	0.17	35.5	11.5	23.9	1.30
AUX0102389		0.32	0.0158	0.429	1.44	370	<10	372	0.61	0.56	0.49	0.20	33.3	9.7	23.4	1.25
AUX0102390		0.30	0.0137	0.335	1.22	333	<10	286	0.44	0.47	0.49	0.19	30.4	9.3	20.0	1.15
AUX0102391		0.34	0.0127	0.457	1.16	282	<10	247	0.42	0.58	0.37	0.27	34.9	8.5	21.1	1.22
AUX0102392		0.32	0.0859	0.474	1.19	448	<10	272	0.47	0.66	0.51	0.28	30.2	9.9	19.6	1.45
AUX0102393		0.32	0.0107	0.339	1.07	268	<10	213	0.37	0.53	0.37	0.13	30.9	8.5	18.2	1.14
AUX0102394		0.24	0.0112	0.416	1.38	367	<10	318	0.54	0.65	0.58	0.15	31.6	10.1	21.6	1.48
AUX0102395		0.30	0.0458	0.325	1.03	302	<10	174.5	0.38	0.51	0.29	0.09	39.1	7.8	17.4	1.18
AUX0102396		0.32	0.0167	0.272	1.06	283	<10	205	0.34	0.47	0.32	0.13	34.2	11.9	15.9	1.12
AUX0102397		0.30	0.0114	0.284	1.06	282	<10	187.0	0.36	0.49	0.39	0.13	30.8	9.1	16.7	1.36
AUX0102398		0.24	0.0103	0.272	1.09	178.0	<10	208	0.34	0.36	0.21	0.08	33.2	6.8	16.6	1.15
AUX0102399		0.22	0.0104	0.617	1.11	365	<10	124.5	0.24	0.69	0.19	0.13	27.9	5.6	16.1	1.04
AUX0102400		0.24	0.0081	0.348	0.91	353	<10	94.8	0.19	0.65	0.17	0.13	24.9	5.1	13.2	1.14
AUX0102401		0.12	0.0029	0.294	0.92	220	<10	194.0	0.24	0.41	0.19	0.47	24.0	7.1	13.7	0.75
AUX0102402		0.14	0.0102	0.651	0.44	1180	<10	90.1	0.30	0.58	0.04	0.63	57.8	9.4	5.5	1.63
AUX0102403		0.26	0.0071	0.277	1.00	761	<10	153.0	0.42	0.47	0.09	0.50	32.2	9.9	12.2	1.34
AUX0102404		0.14	0.138	0.515	0.32	821	<10	87.1	0.48	0.38	0.17	0.18	55.9	17.4	3.9	1.57
AUX0102405		0.22	0.0112	0.263	0.49	256	<10	43.7	0.45	0.37	1.12	0.09	34.5	14.0	5.6	1.07
AUX0102406		0.26	0.0615	0.809	0.46	596	<10	88.6	0.50	0.24	1.62	0.26	26.6	10.9	6.1	1.37
AUX0102407		0.28	0.0174	0.380	1.07	307	<10	225	0.40	0.45	0.55	0.71	27.6	9.4	17.7	1.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102368		30.4	2.32	3.14	0.05	0.07	0.047	0.017	0.05	12.7	15.2	0.35	399	0.86	0.01	0.43
AUX0102369		23.2	2.43	3.28	0.05	0.05	0.033	0.018	0.05	12.6	15.6	0.30	521	1.01	0.01	0.51
AUX0102370		16.60	2.72	5.45	<0.05	0.05	0.015	0.027	0.05	12.9	17.5	0.37	200	1.42	<0.01	1.02
AUX0102371		20.5	2.67	3.97	<0.05	0.06	0.019	0.022	0.07	13.1	14.4	0.35	319	1.01	0.01	0.71
AUX0102372		28.0	2.83	3.74	0.05	0.05	0.021	0.021	0.06	13.6	17.0	0.37	550	1.07	0.01	0.53
AUX0102373		37.5	3.32	3.39	0.07	0.07	0.033	0.020	0.06	16.4	17.4	0.34	490	0.98	0.01	0.43
AUX0102374		35.8	3.87	3.37	0.07	0.07	0.044	0.018	0.04	18.4	15.0	0.41	709	1.25	0.01	0.59
AUX0102375		37.0	3.74	3.44	0.08	0.11	0.039	0.018	0.05	18.0	14.3	0.45	706	1.11	0.01	0.73
AUX0102376		32.8	3.24	4.55	0.07	0.06	0.059	0.022	0.05	20.5	21.6	0.55	439	0.83	0.01	0.64
AUX0102377		25.0	2.11	3.20	0.07	0.05	0.054	0.017	0.04	16.4	15.3	0.36	1020	0.53	0.01	0.49
AUX0102378		31.3	3.09	5.28	0.06	0.11	0.021	0.025	0.05	17.0	22.7	0.46	276	1.04	0.01	0.78
AUX0102379		24.6	2.40	4.13	0.07	0.02	0.024	0.019	0.04	18.5	16.7	0.37	259	0.99	<0.01	0.67
AUX0102380		13.00	1.80	4.39	<0.05	<0.02	0.038	0.014	0.04	13.9	11.5	0.30	114	0.90	<0.01	0.70
AUX0102381		21.3	2.64	3.98	0.05	0.06	0.043	0.020	0.04	14.0	16.0	0.41	242	1.06	<0.01	0.63
AUX0102382		22.7	2.60	3.59	0.05	0.04	0.022	0.020	0.04	13.6	15.2	0.40	244	0.92	0.01	0.62
AUX0102383		36.0	2.81	3.63	0.08	0.03	0.030	0.019	0.07	24.9	14.6	0.41	432	1.07	0.01	0.34
AUX0102384		32.5	3.02	2.58	0.07	0.02	0.022	0.014	0.04	24.2	11.2	0.28	292	0.61	<0.01	0.22
AUX0102385		22.4	2.74	3.24	0.06	0.02	0.010	0.014	0.05	18.1	15.6	0.32	381	1.09	<0.01	0.33
AUX0102386		33.3	3.11	3.61	0.06	0.03	0.027	0.017	0.05	22.8	14.8	0.40	482	1.21	0.01	0.33
AUX0102387		30.7	2.70	3.57	0.06	0.05	0.051	0.016	0.04	19.5	14.8	0.38	333	0.83	0.01	0.41
AUX0102388		38.9	3.02	4.26	0.06	0.07	0.049	0.024	0.06	19.2	16.2	0.43	516	0.97	0.02	0.60
AUX0102389		33.9	2.66	4.43	0.05	0.06	0.052	0.023	0.05	17.3	15.8	0.40	385	0.93	0.01	0.63
AUX0102390		28.0	2.46	3.61	0.05	0.06	0.046	0.020	0.05	16.2	14.1	0.37	385	0.81	0.01	0.55
AUX0102391		34.5	2.60	3.60	0.06	0.08	0.038	0.020	0.06	18.2	14.1	0.43	369	0.97	0.02	0.55
AUX0102392		35.8	2.78	3.66	0.05	0.06	0.034	0.020	0.06	15.0	13.4	0.37	432	1.09	0.01	0.51
AUX0102393		29.1	2.32	3.35	0.05	0.04	0.027	0.016	0.04	16.6	14.0	0.36	291	0.90	0.01	0.43
AUX0102394		36.9	3.00	3.97	0.05	0.04	0.045	0.023	0.06	16.5	16.4	0.39	436	1.23	0.01	0.38
AUX0102395		32.7	2.68	3.00	0.06	0.03	0.022	0.015	0.04	20.9	15.9	0.39	276	0.92	0.01	0.30
AUX0102396		29.6	2.51	3.15	<0.05	0.02	0.015	0.017	0.05	18.5	14.2	0.33	479	0.86	0.01	0.36
AUX0102397		26.9	2.58	3.22	0.06	0.03	0.015	0.017	0.05	15.8	15.1	0.34	351	0.87	0.01	0.45
AUX0102398		23.4	2.40	3.13	0.05	0.05	0.016	0.016	0.04	17.7	14.2	0.34	250	0.73	0.01	0.45
AUX0102399		15.55	2.38	3.73	<0.05	0.04	0.014	0.017	0.05	14.8	13.4	0.32	211	0.80	0.01	0.57
AUX0102400		14.95	2.14	3.42	<0.05	0.03	0.019	0.012	0.05	13.1	11.1	0.27	191	0.82	0.01	0.50
AUX0102401		11.70	2.15	3.74	<0.05	0.05	0.018	0.010	0.09	11.9	8.5	0.24	1160	0.81	0.01	0.62
AUX0102402		32.4	3.53	1.51	0.07	0.03	0.010	0.018	0.06	29.9	2.8	0.04	307	0.88	0.01	0.14
AUX0102403		27.3	3.41	3.16	0.05	0.02	0.027	0.020	0.08	17.7	9.8	0.18	557	0.87	0.01	0.44
AUX0102404		46.9	4.02	0.97	0.07	0.20	0.046	0.020	0.06	29.7	1.9	0.07	624	0.97	0.01	<0.05
AUX0102405		26.5	3.03	1.25	0.05	0.06	0.042	0.016	0.05	17.5	6.4	0.16	530	1.15	0.01	0.10
AUX0102406		31.8	2.85	1.02	<0.05	0.08	0.072	0.016	0.05	13.7	2.7	0.19	629	0.62	0.01	0.09
AUX0102407		33.1	2.28	3.09	0.05	0.05	0.057	0.018	0.04	14.0	12.7	0.36	144	0.69	0.01	0.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102368		23.4	0.067	17.35	8.7	<0.001	0.05	7.57	2.4	1.5	0.3	70.5	<0.01	0.05	2.5	0.014
AUX0102369		19.9	0.043	19.65	9.3	<0.001	0.02	9.23	2.2	0.9	0.3	39.3	<0.01	0.04	3.5	0.015
AUX0102370		21.9	0.023	20.2	8.4	<0.001	0.01	3.41	2.8	0.3	0.6	14.7	<0.01	0.03	4.0	0.025
AUX0102371		20.8	0.023	30.0	10.1	<0.001	0.01	7.79	3.0	0.6	0.4	25.1	<0.01	0.04	4.8	0.023
AUX0102372		23.2	0.044	22.5	9.5	<0.001	0.02	11.35	2.8	0.9	0.4	37.3	<0.01	0.04	3.7	0.015
AUX0102373		31.2	0.047	28.6	9.3	<0.001	0.06	14.75	2.9	1.5	0.3	34.3	<0.01	0.04	4.5	0.011
AUX0102374		79.1	0.077	15.15	5.9	<0.001	0.02	7.66	3.5	1.3	0.3	34.0	<0.01	0.04	6.6	0.025
AUX0102375		79.2	0.079	13.90	6.4	<0.001	0.02	5.73	3.8	1.2	0.3	35.2	<0.01	0.04	6.6	0.038
AUX0102376		33.7	0.070	25.5	11.2	<0.001	0.07	7.52	4.0	1.1	0.4	39.1	<0.01	0.04	7.2	0.019
AUX0102377		24.7	0.068	17.45	7.5	<0.001	0.08	4.80	2.6	0.9	0.3	38.0	<0.01	0.02	4.2	0.017
AUX0102378		27.2	0.019	13.55	11.8	<0.001	<0.01	1.305	3.8	0.6	0.5	11.0	<0.01	0.05	7.5	0.037
AUX0102379		19.4	0.038	13.80	9.2	<0.001	<0.01	2.09	3.2	0.7	0.5	9.8	<0.01	0.04	3.9	0.030
AUX0102380		12.1	0.049	12.65	11.0	<0.001	<0.01	0.811	2.1	0.6	0.5	12.8	<0.01	0.04	2.3	0.029
AUX0102381		19.1	0.033	13.20	7.6	<0.001	<0.01	1.415	2.8	0.9	0.4	10.6	<0.01	0.06	5.4	0.030
AUX0102382		20.0	0.024	12.05	6.2	<0.001	<0.01	1.490	2.5	0.6	0.4	10.4	<0.01	0.02	5.0	0.031
AUX0102383		24.2	0.042	19.45	7.8	<0.001	<0.01	4.73	3.0	0.9	0.4	10.9	<0.01	0.07	7.8	0.023
AUX0102384		24.3	0.054	12.65	5.3	<0.001	0.01	6.49	1.9	0.7	0.3	14.5	<0.01	0.05	7.0	0.009
AUX0102385		20.3	0.045	12.70	8.9	<0.001	0.01	4.02	1.9	0.7	0.3	14.0	<0.01	0.04	4.5	0.010
AUX0102386		31.1	0.051	16.65	7.1	<0.001	0.01	6.32	2.7	1.1	0.3	24.8	<0.01	0.05	6.1	0.013
AUX0102387		25.9	0.051	15.20	5.8	<0.001	0.01	15.55	2.8	0.7	0.3	24.9	<0.01	0.07	5.7	0.015
AUX0102388		31.7	0.046	16.80	7.9	<0.001	0.01	8.75	4.1	1.0	0.4	28.2	<0.01	0.07	5.6	0.026
AUX0102389		29.5	0.046	15.80	8.3	<0.001	0.02	4.76	3.8	0.9	0.4	30.6	<0.01	0.06	4.3	0.021
AUX0102390		25.0	0.050	14.75	6.6	<0.001	0.02	5.69	2.9	1.7	0.3	29.7	<0.01	0.04	4.4	0.023
AUX0102391		26.6	0.051	16.85	6.6	<0.001	0.01	5.89	3.2	0.6	0.3	22.4	<0.01	0.06	5.6	0.028
AUX0102392		27.5	0.058	21.3	7.4	<0.001	0.03	8.92	2.9	1.5	0.3	32.5	<0.01	0.07	4.0	0.019
AUX0102393		23.0	0.050	16.05	6.2	<0.001	0.02	5.29	2.4	0.7	0.3	24.5	<0.01	0.05	4.4	0.016
AUX0102394		26.9	0.054	21.8	9.3	<0.001	0.04	5.24	2.7	1.2	0.3	35.5	<0.01	0.07	4.0	0.012
AUX0102395		23.4	0.040	18.70	5.8	<0.001	0.02	5.30	2.2	0.7	0.3	19.6	<0.01	0.06	6.1	0.012
AUX0102396		21.2	0.034	19.90	6.6	<0.001	0.01	4.98	2.2	0.9	0.3	22.0	<0.01	0.06	5.3	0.013
AUX0102397		20.8	0.044	18.40	7.0	<0.001	0.02	5.79	2.3	0.9	0.3	23.9	<0.01	0.05	4.7	0.016
AUX0102398		17.7	0.038	15.50	7.0	<0.001	0.01	5.58	2.2	0.7	0.3	13.6	<0.01	0.05	5.6	0.017
AUX0102399		14.1	0.029	36.1	9.5	<0.001	0.02	8.26	1.7	0.5	0.4	13.3	<0.01	0.05	4.3	0.018
AUX0102400		13.5	0.024	25.8	11.6	<0.001	0.02	8.50	1.5	<0.1	0.3	11.9	<0.01	0.04	4.1	0.016
AUX0102401		11.3	0.024	18.95	11.5	<0.001	0.01	5.51	1.5	<0.1	0.4	13.3	<0.01	0.03	3.2	0.021
AUX0102402		20.7	0.027	38.0	9.8	<0.001	0.01	36.4	1.1	0.1	0.2	4.9	<0.01	0.04	10.8	0.003
AUX0102403		20.7	0.042	32.8	10.1	<0.001	0.02	21.0	1.5	0.3	0.3	7.3	<0.01	0.04	5.3	0.011
AUX0102404		34.2	0.029	32.7	4.2	<0.001	0.05	46.0	2.3	0.7	<0.2	13.0	<0.01	0.09	10.8	0.001
AUX0102405		23.1	0.036	50.4	5.7	<0.001	0.07	25.4	1.1	0.7	0.2	58.8	<0.01	0.07	3.6	0.002
AUX0102406		27.6	0.052	26.0	4.1	0.001	0.15	23.7	2.0	3.3	0.2	93.0	<0.01	0.06	3.1	0.002
AUX0102407		47.0	0.052	21.3	6.2	0.001	0.18	11.10	2.6	1.2	0.3	33.8	<0.01	0.07	4.7	0.016

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102368		0.09	1.61	23	0.220	5.99	63.3	2.0
AUX0102369		0.08	1.22	27	0.309	4.95	62.4	1.4
AUX0102370		0.12	0.52	51	0.285	2.38	136.0	1.9
AUX0102371		0.09	0.88	35	0.238	3.13	76.4	2.2
AUX0102372		0.10	1.37	29	0.295	5.60	71.5	1.8
AUX0102373		0.09	2.11	22	0.223	7.92	77.4	2.5
AUX0102374		0.08	2.24	29	0.534	11.05	280	2.9
AUX0102375		0.09	1.48	32	0.272	11.65	281	4.9
AUX0102376		0.14	3.80	34	0.214	10.40	117.0	2.0
AUX0102377		0.09	2.93	25	0.171	8.39	109.0	1.6
AUX0102378		0.12	0.92	45	0.293	4.31	63.4	4.6
AUX0102379		0.12	0.82	37	0.490	5.76	57.0	0.6
AUX0102380		0.11	0.79	35	0.336	3.74	40.0	<0.5
AUX0102381		0.11	0.78	40	0.279	3.50	60.0	2.5
AUX0102382		0.10	0.63	39	0.257	3.33	59.6	1.7
AUX0102383		0.16	0.66	30	0.648	8.61	78.5	1.8
AUX0102384		0.06	1.29	17	0.361	5.16	72.8	0.7
AUX0102385		0.08	0.98	24	0.386	4.05	57.0	0.7
AUX0102386		0.08	1.33	25	0.302	6.16	72.6	1.0
AUX0102387		0.06	1.30	27	0.379	6.51	62.8	1.5
AUX0102388		0.08	1.78	36	0.415	8.49	86.7	2.5
AUX0102389		0.08	2.20	36	0.357	7.70	56.8	1.8
AUX0102390		0.07	1.61	29	0.598	6.33	56.0	1.9
AUX0102391		0.11	0.80	29	0.287	6.72	72.0	3.2
AUX0102392		0.10	1.28	29	1.275	5.92	67.0	1.8
AUX0102393		0.08	1.04	25	0.385	5.40	51.7	1.1
AUX0102394		0.08	2.07	27	0.305	6.01	61.9	1.0
AUX0102395		0.07	1.36	19	0.265	5.15	60.4	1.4
AUX0102396		0.07	1.14	23	0.272	4.65	56.1	1.0
AUX0102397		0.07	1.16	26	0.272	4.41	57.5	1.0
AUX0102398		0.07	0.82	23	0.236	4.41	55.8	1.8
AUX0102399		0.08	0.55	29	0.255	2.32	57.4	1.3
AUX0102400		0.07	0.51	25	0.249	1.98	51.7	1.2
AUX0102401		0.06	0.37	31	0.226	1.85	77.1	1.2
AUX0102402		0.05	0.78	8	0.119	2.20	78.0	1.3
AUX0102403		0.07	0.69	23	0.140	1.96	82.5	1.1
AUX0102404		0.04	1.02	3	0.0827	5.05	84.8	7.4
AUX0102405		0.03	1.45	6	0.0657	3.08	56.7	1.7
AUX0102406		0.03	2.76	6	0.0691	10.05	43.0	2.5
AUX0102407		0.09	3.77	25	0.239	6.20	180.5	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102408		0.26	0.0106	0.210	1.00	137.0	<10	244	0.29	0.28	0.44	0.47	30.6	7.6	22.1	0.91
AUX0102409		0.22	0.0155	0.238	1.60	168.5	<10	159.0	0.55	0.26	0.08	0.12	26.1	6.5	24.7	1.05
AUX0102410		0.26	0.0022	0.090	1.31	245	<10	158.0	0.30	0.33	0.16	0.17	26.4	7.6	23.8	1.18
AUX0102411		0.16	0.0034	0.155	1.44	223	<10	227	0.41	0.19	0.13	0.08	28.0	7.1	24.9	1.11
AUX0102412		0.18	0.0226	0.499	1.28	957	<10	302	0.48	0.58	0.47	0.16	29.7	8.0	20.5	1.37
AUX0102413		0.26	0.0066	0.158	0.96	985	<10	188.5	0.56	0.42	0.32	0.34	44.8	12.8	13.4	1.73
AUX0102414		0.22	0.0030	0.246	1.63	73.2	<10	186.0	0.51	0.22	0.11	0.09	23.4	6.4	25.1	1.05
AUX0102415		0.22	0.0314	0.423	1.37	697	<10	140.5	0.39	0.61	0.07	0.20	33.3	8.1	20.4	1.46
AUX0102416		0.32	0.0155	0.331	1.15	406	<10	283	0.38	0.55	0.23	0.19	35.7	9.3	19.4	1.39
AUX0102417		0.20	0.0109	0.578	1.30	193.0	<10	433	0.47	0.43	0.30	0.34	32.3	9.6	20.7	1.34
AUX0102418		0.28	0.0149	0.358	1.24	602	<10	313	0.58	0.54	0.35	0.20	44.0	11.3	19.4	1.16
AUX0102419		0.22	0.0179	0.396	1.33	399	<10	377	0.51	0.62	0.41	0.27	32.7	9.7	19.2	1.50
AUX0102420		0.28	0.0140	0.314	1.29	386	<10	286	0.44	0.52	0.30	0.24	32.3	9.5	29.3	1.21
AUX0102421		0.26	0.0055	0.323	1.23	170.5	<10	241	0.44	0.34	0.35	0.14	68.4	14.2	20.8	1.56
AUX0102422		0.28	0.0080	0.401	1.42	206	<10	311	0.44	0.54	0.35	0.11	44.3	10.5	32.1	1.43
AUX0102423		0.28	0.0066	0.284	1.37	157.5	<10	298	0.40	0.33	0.39	0.08	45.2	10.5	29.2	1.22
AUX0102424		0.30	0.0057	0.274	1.26	120.0	<10	295	0.34	0.33	0.36	0.10	49.4	9.4	27.0	1.21
AUX0102425		0.28	0.0065	0.227	1.25	111.0	<10	261	0.33	0.32	0.31	0.08	51.5	10.2	28.8	1.18
AUX0102426		0.40	0.0087	0.218	1.13	147.0	<10	213	0.31	0.33	0.28	0.07	43.4	7.9	25.3	1.11
AUX0102427		0.28	0.0129	0.241	0.94	225	<10	175.5	0.27	0.44	0.22	0.10	37.3	7.9	18.3	1.14
AUX0102428		0.22	0.0117	0.185	1.08	207	<10	220	0.32	0.42	0.18	0.09	36.4	7.5	20.3	1.05
AUX0102429		0.28	0.0055	0.073	1.06	131.5	<10	118.0	0.25	0.29	0.15	0.06	25.6	5.3	18.4	0.87
AUX0102430		0.22	0.0099	0.162	1.05	169.5	<10	162.5	0.27	0.36	0.13	0.09	34.1	6.1	18.2	1.07
AUX0102431		0.22	0.0045	0.243	1.19	61.4	<10	141.5	0.24	0.22	0.17	0.07	22.9	4.9	19.3	0.86
AUX0102432		0.24	0.0051	0.129	0.92	134.0	<10	93.5	0.20	0.29	0.07	0.08	37.4	4.5	14.5	1.04
AUX0102433		0.24	0.0133	0.273	1.21	323	<10	118.0	0.35	0.46	0.08	0.11	31.2	6.9	19.6	1.22
AUX0102434		0.30	0.0351	0.484	1.05	661	<10	186.5	0.46	0.83	0.16	0.36	36.9	14.3	14.0	2.37
AUX0102435		0.34	0.0894	0.425	0.49	501	<10	70.4	0.34	0.44	0.12	0.20	47.0	14.9	6.9	1.67
AUX0102436		0.24	0.0239	0.276	0.71	446	<10	132.5	0.38	0.42	0.20	0.26	31.1	17.2	10.8	2.14
AUX0102437		0.22	0.0271	0.478	0.68	1260	<10	223	0.52	0.30	0.24	0.80	38.9	26.8	13.3	2.75
AUX0102438		0.24	0.0725	0.702	0.68	785	<10	265	0.66	0.48	0.62	0.29	44.0	16.1	7.5	2.17
AUX0102439		0.30	0.0429	0.821	0.83	396	<10	209	0.60	0.34	1.12	0.56	27.4	9.2	9.7	2.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102408		27.0	1.99	3.25	0.05	0.08	0.034	0.017	0.04	15.8	12.1	0.40	143	0.74	0.01	0.71
AUX0102409		18.70	2.54	4.26	0.05	0.04	0.034	0.019	0.04	13.2	14.9	0.37	189	0.87	0.01	0.89
AUX0102410		20.7	2.98	4.37	<0.05	0.07	0.009	0.021	0.05	14.1	16.7	0.40	268	1.32	0.01	0.72
AUX0102411		16.70	2.47	4.21	<0.05	0.03	0.032	0.017	0.03	14.9	13.9	0.38	221	0.88	0.01	0.72
AUX0102412		24.8	2.36	3.81	0.05	0.03	0.029	0.017	0.04	16.3	18.2	0.37	289	0.72	0.01	0.54
AUX0102413		30.3	2.87	2.88	0.06	0.04	0.025	0.017	0.05	22.7	14.0	0.32	614	0.95	0.01	0.17
AUX0102414		15.60	2.60	4.41	<0.05	0.04	0.019	0.020	0.03	12.8	15.2	0.39	188	0.92	0.01	0.92
AUX0102415		28.1	3.20	4.49	0.06	0.02	0.017	0.016	0.05	17.6	17.3	0.38	351	0.99	0.01	0.60
AUX0102416		30.3	2.58	3.49	0.06	<0.02	0.018	0.017	0.04	19.6	13.6	0.40	383	0.85	0.01	0.41
AUX0102417		29.1	2.39	3.87	0.05	<0.02	0.042	0.019	0.04	17.6	13.6	0.34	317	0.76	0.01	0.47
AUX0102418		34.6	3.24	3.65	0.07	0.03	0.022	0.017	0.04	22.7	13.7	0.39	460	0.82	0.01	0.44
AUX0102419		32.3	2.65	3.95	0.06	0.03	0.041	0.021	0.05	17.3	13.2	0.34	349	0.98	0.01	0.48
AUX0102420		32.0	2.81	3.90	0.06	0.05	0.034	0.020	0.05	16.0	16.0	0.51	390	0.86	0.01	0.53
AUX0102421		46.6	3.72	4.00	0.09	0.05	0.021	0.021	0.06	34.8	14.0	0.42	490	1.45	0.01	0.26
AUX0102422		40.3	3.13	3.96	0.15	0.04	0.043	0.020	0.05	21.7	17.6	0.53	398	1.06	0.02	0.43
AUX0102423		30.9	2.89	3.84	0.15	0.03	0.029	0.022	0.05	23.6	17.7	0.50	378	1.02	0.02	0.45
AUX0102424		30.8	2.65	3.79	0.13	<0.02	0.026	0.016	0.05	24.5	18.1	0.47	313	0.89	0.02	0.38
AUX0102425		30.8	2.71	3.75	0.14	0.02	0.019	0.017	0.05	24.7	18.9	0.50	382	0.79	0.02	0.33
AUX0102426		23.9	2.50	3.24	0.13	0.03	0.030	0.019	0.05	22.5	18.0	0.45	266	0.75	0.02	0.33
AUX0102427		26.0	2.27	2.75	0.13	0.03	0.032	0.015	0.04	18.9	13.4	0.34	275	0.77	0.02	0.48
AUX0102428		29.4	2.42	3.13	0.13	0.03	0.040	0.016	0.04	18.9	14.2	0.39	277	0.85	0.02	0.50
AUX0102429		16.25	2.21	3.24	0.12	0.05	0.013	0.013	0.03	12.8	14.5	0.34	169	0.88	0.02	0.71
AUX0102430		23.8	2.20	3.15	0.11	0.03	0.036	0.017	0.04	17.1	12.1	0.31	205	0.89	0.02	0.61
AUX0102431		16.25	2.16	3.52	0.10	0.02	0.036	0.019	0.04	11.2	13.9	0.34	133	0.74	0.02	0.80
AUX0102432		13.75	1.86	2.95	0.12	<0.02	0.017	0.015	0.04	19.9	10.8	0.23	126	0.74	0.02	0.49
AUX0102433		20.3	2.68	3.31	0.11	0.07	0.026	0.019	0.04	15.4	17.0	0.32	245	0.87	0.02	0.62
AUX0102434		52.7	4.55	3.06	0.12	<0.02	0.027	0.028	0.07	22.1	13.8	0.29	451	1.27	0.02	0.27
AUX0102435		44.5	3.72	1.65	0.13	0.07	0.025	0.020	0.05	25.5	4.8	0.14	495	0.76	0.02	0.21
AUX0102436		32.8	3.28	2.10	0.12	0.02	0.034	0.019	0.07	16.5	7.4	0.20	898	0.94	0.02	0.25
AUX0102437		28.6	3.79	1.85	0.11	0.02	0.043	0.025	0.07	17.0	5.8	0.09	3520	1.39	0.02	0.16
AUX0102438		54.6	4.01	1.24	0.15	0.06	0.046	0.022	0.05	24.2	5.4	0.15	899	0.98	0.02	0.07
AUX0102439		45.6	2.43	1.75	0.11	0.09	0.089	0.019	0.05	15.0	7.7	0.19	629	0.70	0.02	0.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102408		42.7	0.064	14.90	5.0	0.005	0.09	10.30	3.0	1.7	0.3	33.3	<0.01	0.04	5.6	0.031
AUX0102409		16.9	0.022	12.05	7.5	<0.001	0.01	1.420	2.7	0.5	0.4	7.1	<0.01	0.07	4.0	0.034
AUX0102410		20.7	0.038	13.65	8.3	<0.001	0.01	2.68	2.5	0.8	0.4	12.7	<0.01	0.06	4.4	0.030
AUX0102411		16.6	0.018	12.50	8.5	<0.001	0.02	1.085	3.0	0.5	0.4	9.8	<0.01	0.05	4.1	0.031
AUX0102412		21.6	0.047	13.25	6.9	<0.001	0.02	3.58	2.9	0.9	0.4	23.6	<0.01	0.08	3.5	0.019
AUX0102413		30.1	0.042	14.55	6.4	<0.001	0.04	9.47	1.8	2.0	0.2	23.7	<0.01	0.04	7.9	0.007
AUX0102414		17.8	0.020	13.10	8.0	<0.001	<0.01	0.928	2.5	0.4	0.4	9.3	<0.01	0.05	3.9	0.033
AUX0102415		20.3	0.037	18.25	8.8	<0.001	0.01	2.79	2.1	0.5	0.4	8.5	<0.01	0.07	5.5	0.020
AUX0102416		23.1	0.056	15.40	6.9	<0.001	<0.01	4.36	2.2	1.0	0.3	16.6	<0.01	0.05	2.8	0.020
AUX0102417		27.0	0.074	16.80	8.1	<0.001	0.01	2.34	2.2	1.1	0.3	22.1	<0.01	0.05	1.3	0.019
AUX0102418		29.7	0.057	19.05	6.4	<0.001	0.01	5.63	3.3	0.8	0.3	22.7	<0.01	0.05	6.5	0.022
AUX0102419		24.8	0.069	16.65	8.3	<0.001	0.03	4.79	2.7	1.4	0.4	30.4	<0.01	0.05	3.1	0.018
AUX0102420		32.1	0.051	16.95	7.0	<0.001	0.02	6.23	3.3	0.6	0.3	20.5	<0.01	0.07	4.8	0.027
AUX0102421		43.4	0.058	13.45	6.9	<0.001	0.03	12.60	3.5	1.1	0.2	23.3	<0.01	0.06	11.0	0.011
AUX0102422		40.9	0.056	16.10	7.5	<0.001	0.04	7.97	3.7	0.8	0.3	24.7	<0.01	0.02	7.4	0.016
AUX0102423		30.3	0.048	14.85	8.1	<0.001	0.03	5.30	3.2	1.2	0.3	29.0	<0.01	0.02	7.0	0.012
AUX0102424		28.8	0.042	18.25	8.6	<0.001	0.01	3.97	2.7	0.6	0.3	29.5	<0.01	0.03	7.6	0.010
AUX0102425		29.0	0.042	16.95	8.0	0.001	0.01	4.14	2.8	0.6	0.3	24.8	<0.01	0.03	8.3	0.010
AUX0102426		23.6	0.041	17.70	7.4	<0.001	0.01	5.12	2.2	0.4	0.2	21.3	<0.01	0.03	7.3	0.009
AUX0102427		19.9	0.039	13.55	6.1	<0.001	<0.01	11.95	2.0	0.7	0.3	15.3	<0.01	0.04	6.0	0.018
AUX0102428		22.0	0.031	14.00	5.8	<0.001	<0.01	7.04	2.6	0.8	0.3	12.5	<0.01	0.04	5.6	0.020
AUX0102429		16.0	0.029	11.55	6.3	<0.001	<0.01	4.02	1.8	0.6	0.4	11.1	<0.01	0.03	4.4	0.026
AUX0102430		18.2	0.025	13.10	7.3	<0.001	0.02	4.51	2.3	0.5	0.3	10.3	<0.01	0.04	4.9	0.024
AUX0102431		15.6	0.046	9.61	7.1	0.001	0.02	1.680	2.1	0.4	0.3	13.1	<0.01	0.02	3.6	0.028
AUX0102432		12.8	0.022	10.70	7.5	<0.001	0.02	3.86	1.4	0.6	0.3	6.7	<0.01	0.03	5.4	0.016
AUX0102433		17.5	0.019	16.10	8.8	<0.001	0.02	4.85	1.8	0.6	0.3	8.0	<0.01	0.04	5.9	0.019
AUX0102434		34.5	0.054	26.6	10.7	<0.001	0.03	13.05	1.8	0.8	0.3	12.9	<0.01	0.09	3.3	0.010
AUX0102435		28.4	0.044	21.3	5.4	0.001	0.03	15.45	2.0	0.7	0.2	11.4	<0.01	0.06	7.7	0.007
AUX0102436		24.6	0.056	21.8	7.8	<0.001	0.04	11.25	1.7	0.8	0.2	15.0	<0.01	0.08	3.1	0.007
AUX0102437		25.3	0.067	54.9	8.2	<0.001	0.04	28.1	1.8	0.7	0.2	21.2	<0.01	0.04	3.8	0.005
AUX0102438		39.8	0.066	24.1	4.5	0.001	0.04	28.0	2.3	0.9	0.2	32.5	<0.01	0.10	4.2	0.002
AUX0102439		30.3	0.068	31.8	6.9	0.001	0.08	18.70	2.2	1.7	0.2	44.9	<0.01	0.06	2.4	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0102408		0.07	5.09	30	0.175	5.99	167.5	2.4
AUX0102409		0.10	0.72	44	0.288	3.24	54.9	1.3
AUX0102410		0.10	0.44	44	1.310	2.94	61.3	2.5
AUX0102411		0.09	0.80	44	0.392	4.15	59.0	1.1
AUX0102412		0.07	1.53	32	0.412	5.93	54.3	0.8
AUX0102413		0.05	2.45	14	0.381	5.06	66.7	1.4
AUX0102414		0.09	0.61	45	0.179	2.42	52.3	1.7
AUX0102415		0.09	0.71	36	0.356	2.50	65.5	1.0
AUX0102416		0.09	0.85	27	0.512	5.85	64.3	<0.5
AUX0102417		0.10	1.36	33	0.570	6.15	54.6	<0.5
AUX0102418		0.06	1.32	29	0.325	8.28	74.4	1.1
AUX0102419		0.08	1.35	30	0.415	6.65	60.7	0.7
AUX0102420		0.07	0.72	32	0.373	6.43	73.1	1.4
AUX0102421		0.06	1.20	21	0.227	7.41	88.5	2.2
AUX0102422		0.09	1.32	30	2.47	7.80	67.9	1.3
AUX0102423		0.08	1.40	29	0.240	6.59	58.7	1.1
AUX0102424		0.07	1.04	25	0.238	6.23	54.9	0.7
AUX0102425		0.07	0.99	24	0.223	6.33	56.3	0.8
AUX0102426		0.07	0.86	21	0.334	5.02	57.4	0.9
AUX0102427		0.07	0.62	23	0.344	5.06	55.1	1.3
AUX0102428		0.07	0.68	26	0.624	6.03	60.8	1.3
AUX0102429		0.07	0.36	31	0.357	2.79	47.5	2.0
AUX0102430		0.09	0.59	28	0.369	5.46	51.7	1.2
AUX0102431		0.07	0.45	34	0.443	3.20	47.3	0.9
AUX0102432		0.08	0.35	23	0.242	2.23	40.2	0.7
AUX0102433		0.12	0.45	31	0.374	2.61	53.3	2.7
AUX0102434		0.09	1.17	20	0.389	6.63	101.0	0.6
AUX0102435		0.05	0.95	11	0.165	3.52	84.2	3.8
AUX0102436		0.07	0.88	15	0.225	3.71	74.3	0.7
AUX0102437		0.07	0.94	13	0.176	6.58	104.5	0.5
AUX0102438		0.04	1.81	6	0.0909	11.20	100.5	2.4
AUX0102439		0.04	2.39	12	0.0974	10.40	77.2	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176273

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

CERTIFICATE WH11176274

Project: Aurex

P.O. No.: AUX09072011

This report is for 100 Soil samples submitted to our lab in Whitehorse, YT, Canada on 7- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0102440	0.20	0.0274	0.452	1.39	255	<10	434	0.51	0.35	0.49	0.72	34.3	13.4	25.5	1.61
AUX0102441	0.22	0.0111	0.206	0.95	202	<10	284	0.29	0.23	0.33	0.25	32.1	7.2	19.7	0.71
AUX0102442	0.20	0.0170	0.499	1.40	702	<10	395	0.48	0.53	0.91	0.28	27.3	9.8	22.3	1.30
AUX0102443	0.22	0.0204	0.432	1.61	679	<10	342	0.50	0.59	0.54	0.17	31.8	10.5	23.0	2.22
AUX0102444	0.18	0.0151	0.195	1.36	229	<10	312	0.42	0.31	0.31	0.05	32.2	8.1	22.3	1.21
AUX0102445	0.26	0.0095	0.198	1.21	353	<10	256	0.39	0.33	0.37	0.09	30.1	7.2	20.7	1.09
AUX0102446	0.22	0.0049	0.151	1.46	411	<10	267	0.36	0.29	0.21	0.12	28.5	7.8	21.7	0.90
AUX0102447	0.26	0.0111	0.276	1.25	218	<10	298	0.35	0.39	0.36	0.09	29.7	7.3	21.3	1.23
AUX0102448	0.16	0.0034	0.145	1.34	295	<10	115.0	0.19	0.32	0.12	0.16	24.0	5.2	22.0	0.98
AUX0102449	0.34	0.0142	0.314	1.89	847	<10	199.0	0.77	0.79	0.45	0.21	71.9	17.1	23.2	1.40
AUX0102450	0.18	0.0127	0.530	2.05	993	<10	277	0.79	0.85	0.73	0.31	48.4	13.6	25.9	1.69
AUX0102451	0.24	0.0526	0.937	1.65	1770	<10	255	0.62	0.94	0.40	0.32	53.5	15.5	26.1	1.97
AUX0102452	0.24	0.0347	0.551	1.66	960	<10	290	0.57	0.99	0.49	0.29	49.0	14.5	29.6	1.18
AUX0102453	0.18	0.0139	0.346	1.61	432	<10	382	0.53	0.52	0.60	0.17	32.5	11.5	25.6	1.01
AUX0102454	0.18	0.0089	0.354	1.31	252	<10	375	0.44	0.37	0.57	0.13	28.1	9.4	21.4	1.01
AUX0102455	0.18	0.0088	0.199	1.15	118.0	<10	293	0.35	0.33	0.24	0.10	33.3	6.0	21.2	0.77
AUX0102456	0.28	0.0112	0.321	1.53	276	<10	263	0.37	0.62	0.13	0.28	30.2	6.6	24.0	1.82
AUX0102457	0.20	0.0132	0.618	1.42	215	<10	242	0.35	0.71	0.14	0.39	27.7	3.9	22.3	1.93
AUX0102458	0.12	0.0077	0.799	1.10	291	<10	436	0.79	0.54	0.18	1.12	28.7	8.9	15.7	1.42
AUX0102459	0.26	0.103	0.253	0.97	471	<10	136.0	0.26	0.69	0.16	0.31	39.1	9.0	15.1	1.74
AUX0102460	0.20	0.0179	0.145	0.99	312	<10	120.5	0.24	0.47	0.13	0.15	36.0	6.4	15.8	1.23
AUX0102461	0.18	0.0138	0.173	1.24	301	<10	167.0	0.39	0.41	0.20	0.11	41.4	9.1	19.1	1.17
AUX0102462	0.18	0.0294	0.178	1.18	403	<10	163.0	0.46	0.53	0.11	0.14	45.7	10.8	18.4	1.42
AUX0102463	0.22	0.0165	0.402	1.35	322	<10	183.5	0.50	0.46	0.08	0.11	46.8	10.0	20.8	1.43
AUX0102464	0.20	0.0049	0.190	1.59	72.0	<10	218	0.46	0.23	0.12	0.08	36.2	8.2	26.0	0.91
AUX0102465	0.20	0.0064	0.215	1.50	128.0	<10	190.5	0.44	0.28	0.10	0.10	34.6	7.9	23.7	0.98
AUX0102466	0.24	0.0050	0.142	1.36	69.0	<10	216	0.37	0.21	0.13	0.06	35.5	7.5	23.2	0.84
AUX0102467	0.22	0.0149	0.124	1.38	104.5	<10	198.5	0.40	0.27	0.10	0.10	32.2	7.1	22.6	0.89
AUX0102468	0.20	0.0046	0.181	1.13	139.0	<10	139.5	0.30	0.29	0.08	0.12	26.6	5.6	18.1	0.87
AUX0102469	0.22	0.0048	0.196	1.23	178.0	<10	167.0	0.33	0.32	0.09	0.17	26.3	6.1	20.9	0.85
AUX0102470	0.16	0.0038	0.183	1.86	240	<10	290	0.54	0.38	0.21	0.13	23.4	11.5	29.1	1.24
AUX0102471	0.18	0.0095	0.548	1.17	405	<10	268	0.45	0.60	0.19	0.37	32.0	12.5	16.7	1.64
AUX0102472	0.20	0.0031	0.189	0.75	194.5	<10	159.5	0.40	0.44	0.35	0.35	36.4	16.2	10.4	1.25
AUX0102473	0.24	0.0340	4.79	0.77	906	<10	259	0.54	0.44	0.51	0.65	74.2	19.2	7.2	1.42
AUX0102474	0.14	0.0112	0.275	1.08	239	<10	317	0.20	0.24	0.30	0.26	30.9	6.5	22.9	0.91
AUX0102475	0.16	0.0147	0.226	1.15	131.0	<10	318	0.28	0.24	0.32	0.85	30.6	11.5	23.5	0.88
AUX0102476	0.16	0.0122	0.199	0.95	301	<10	312	0.42	0.27	0.41	0.52	33.8	14.8	20.0	0.65
AUX0102477	0.36	0.0083	0.371	1.22	185.0	<10	295	0.33	0.34	0.53	0.13	24.5	6.3	20.5	1.21
AUX0102478	0.28	0.0129	0.330	1.13	183.0	<10	284	0.33	0.38	0.53	0.12	26.2	5.9	18.3	1.27
AUX0102479	0.34	0.0456	0.285	1.20	313	<10	244	0.31	0.38	0.57	0.12	21.8	6.6	18.7	1.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102440		32.3	2.10	3.41	0.12	0.04	0.079	0.023	0.05	18.0	17.1	0.46	180	0.68	0.02	0.58
AUX0102441		20.3	2.38	2.68	0.11	0.02	0.058	0.020	0.03	15.8	12.2	0.33	139	0.70	0.02	0.51
AUX0102442		35.1	2.57	3.71	0.12	0.07	0.065	0.026	0.06	13.0	17.0	0.36	614	1.19	0.02	0.65
AUX0102443		34.6	2.70	4.29	0.12	0.06	0.049	0.023	0.06	16.2	19.9	0.41	324	1.14	0.02	0.89
AUX0102444		24.3	2.36	3.76	0.11	0.03	0.039	0.019	0.04	16.9	17.1	0.42	258	0.88	0.02	0.75
AUX0102445		24.8	2.20	3.38	0.12	0.03	0.039	0.020	0.04	15.3	15.8	0.36	355	0.83	0.02	0.63
AUX0102446		18.30	2.38	3.81	0.10	0.07	0.020	0.022	0.04	13.4	17.2	0.38	258	0.94	0.02	0.85
AUX0102447		30.2	2.35	3.47	0.13	0.04	0.042	0.020	0.05	15.8	15.4	0.40	273	0.86	0.02	0.69
AUX0102448		13.45	2.60	4.44	0.10	0.02	0.018	0.017	0.03	12.0	14.8	0.38	169	1.24	0.02	0.94
AUX0102449		57.3	3.93	5.19	0.16	0.10	0.032	0.022	0.05	37.9	37.9	0.73	597	1.09	0.02	0.32
AUX0102450		56.1	3.69	5.37	0.14	0.12	0.053	0.025	0.06	25.9	39.2	0.67	511	1.41	0.02	0.51
AUX0102451		52.2	3.91	4.60	0.16	0.14	0.043	0.023	0.07	29.2	26.1	0.61	726	1.00	0.02	0.34
AUX0102452		48.3	3.64	4.59	0.15	0.11	0.050	0.026	0.06	25.2	24.0	0.61	591	1.07	0.02	0.49
AUX0102453		33.8	2.97	4.17	0.12	0.06	0.061	0.028	0.06	16.2	17.6	0.47	567	1.04	0.02	0.57
AUX0102454		30.7	2.37	3.87	0.13	0.04	0.046	0.026	0.04	14.5	14.8	0.38	486	0.89	0.02	0.60
AUX0102455		26.6	2.30	3.34	0.12	0.04	0.036	0.018	0.04	16.8	14.2	0.40	216	0.84	0.02	0.60
AUX0102456		39.2	2.72	5.17	0.13	<0.02	0.036	0.020	0.07	16.0	13.3	0.36	193	1.47	0.02	0.75
AUX0102457		34.9	2.10	5.10	0.11	<0.02	0.048	0.021	0.07	14.0	10.5	0.26	133	0.86	0.02	0.61
AUX0102458		54.7	2.72	3.38	0.10	0.02	0.090	0.027	0.07	13.8	7.5	0.17	221	1.52	0.01	0.36
AUX0102459		28.9	2.54	3.04	0.10	0.02	0.013	0.013	0.06	19.9	11.3	0.30	321	1.06	0.01	0.35
AUX0102460		20.4	2.18	3.14	0.12	0.02	<0.005	0.012	0.05	18.6	12.7	0.30	212	1.00	0.01	0.50
AUX0102461		30.6	2.76	3.67	0.12	0.03	0.006	0.018	0.05	20.6	16.4	0.37	336	1.17	0.01	0.45
AUX0102462		40.5	2.75	3.34	0.11	0.04	0.025	0.019	0.05	24.0	15.6	0.35	364	1.14	0.01	0.44
AUX0102463		36.1	2.65	3.76	0.12	0.03	0.023	0.020	0.05	23.8	15.9	0.35	278	1.09	0.01	0.48
AUX0102464		24.3	2.53	4.35	0.11	0.04	0.031	0.022	0.04	17.5	16.2	0.38	207	1.00	0.01	0.73
AUX0102465		23.4	2.55	4.29	0.10	<0.02	0.020	0.020	0.04	17.2	16.9	0.38	232	1.00	0.01	0.66
AUX0102466		20.5	2.27	4.15	0.11	0.03	0.024	0.018	0.04	18.5	15.0	0.37	230	0.86	0.01	0.68
AUX0102467		21.6	2.31	4.20	0.10	0.02	0.009	0.020	0.04	16.6	15.0	0.35	218	0.95	0.01	0.71
AUX0102468		17.90	2.13	3.82	0.09	0.02	0.007	0.015	0.03	13.0	12.8	0.28	161	0.90	0.01	0.63
AUX0102469		16.90	2.42	4.25	0.10	0.05	0.006	0.018	0.04	13.2	12.4	0.30	199	1.09	0.01	0.80
AUX0102470		19.30	3.42	5.45	0.10	0.05	<0.005	0.029	0.06	11.8	22.7	0.40	510	1.40	0.01	0.89
AUX0102471		38.3	2.87	3.49	0.10	0.02	0.019	0.024	0.06	16.8	13.4	0.29	581	1.07	0.01	0.45
AUX0102472		30.5	3.51	2.02	0.11	0.09	0.017	0.018	0.06	18.5	10.7	0.18	809	1.07	0.01	0.18
AUX0102473		44.4	4.31	1.74	0.14	0.07	0.049	0.035	0.04	37.0	5.3	0.14	1180	0.67	0.01	0.11
AUX0102474		24.5	2.04	3.33	0.11	0.06	0.034	0.017	0.04	15.2	13.2	0.38	144	0.48	0.02	0.62
AUX0102475		30.7	1.65	3.31	0.10	0.06	0.049	0.014	0.05	15.8	14.2	0.39	149	0.48	0.02	0.57
AUX0102476		32.4	3.02	2.82	0.12	0.06	0.045	0.018	0.03	17.3	10.4	0.32	455	0.91	0.02	0.58
AUX0102477		26.6	2.02	3.45	0.08	0.03	0.042	0.020	0.04	12.2	14.4	0.32	197	0.85	0.01	0.51
AUX0102478		25.3	1.86	3.26	0.10	0.03	0.045	0.022	0.04	13.1	13.7	0.31	181	0.80	0.01	0.53
AUX0102479		20.1	2.03	3.37	0.08	0.02	0.023	0.020	0.04	11.4	14.6	0.32	169	0.84	0.01	0.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102440		30.9	0.066	20.5	9.0	0.002	0.17	7.97	3.3	1.1	0.3	32.6	<0.01	0.04	4.4	0.015
AUX0102441		21.1	0.064	14.20	5.5	0.001	0.05	5.64	2.2	1.2	0.2	24.9	<0.01	0.03	3.8	0.019
AUX0102442		27.8	0.062	15.95	7.8	<0.001	0.06	4.66	3.2	2.1	0.4	41.9	<0.01	0.06	3.2	0.023
AUX0102443		25.0	0.037	18.70	9.7	0.001	0.03	3.82	3.8	1.7	0.6	27.8	<0.01	0.05	5.0	0.032
AUX0102444		19.9	0.036	10.50	6.6	0.001	0.02	2.10	3.0	0.6	0.4	19.8	<0.01	0.02	5.0	0.030
AUX0102445		19.0	0.045	11.40	6.6	0.001	0.02	2.30	2.9	0.8	0.4	21.1	<0.01	0.04	4.2	0.025
AUX0102446		18.0	0.025	11.65	6.3	<0.001	0.02	2.05	2.5	0.4	0.4	16.2	<0.01	0.03	4.7	0.041
AUX0102447		21.7	0.050	12.40	6.7	0.001	0.02	2.59	3.0	1.0	0.4	22.8	<0.01	0.04	4.5	0.030
AUX0102448		14.8	0.032	11.50	7.2	<0.001	0.02	1.710	2.2	0.2	0.4	10.4	<0.01	0.05	3.5	0.028
AUX0102449		43.6	0.047	18.05	6.2	<0.001	0.03	6.03	3.5	1.4	0.3	27.8	<0.01	0.07	15.0	0.010
AUX0102450		39.6	0.047	20.8	8.7	<0.001	0.05	6.95	4.1	2.1	0.4	48.3	<0.01	0.05	9.6	0.013
AUX0102451		45.4	0.056	23.6	7.0	<0.001	0.02	10.70	4.2	1.0	0.3	30.5	<0.01	0.10	12.0	0.021
AUX0102452		43.8	0.054	19.05	6.4	0.001	0.02	6.54	4.2	1.5	0.3	30.4	<0.01	0.07	10.3	0.022
AUX0102453		28.9	0.064	16.10	8.1	<0.001	0.03	3.74	3.5	1.3	0.4	38.7	<0.01	0.05	4.4	0.020
AUX0102454		24.7	0.056	12.35	7.3	0.001	0.02	2.52	3.3	1.2	0.4	39.1	<0.01	0.04	3.1	0.021
AUX0102455		20.9	0.052	10.30	5.1	0.001	0.01	2.21	3.2	0.7	0.3	16.8	<0.01	0.03	5.5	0.031
AUX0102456		22.7	0.047	17.10	12.9	<0.001	0.02	3.61	2.8	0.8	0.5	14.2	<0.01	0.07	2.9	0.023
AUX0102457		15.1	0.053	18.80	13.3	<0.001	0.02	2.20	1.7	0.8	0.5	13.6	<0.01	0.04	1.0	0.013
AUX0102458		22.8	0.139	28.6	10.9	<0.001	0.06	5.08	1.0	1.1	0.4	22.7	<0.01	0.07	0.4	0.008
AUX0102459		18.5	0.068	19.10	9.7	<0.001	0.01	7.31	1.6	0.9	0.3	13.5	<0.01	0.04	4.9	0.014
AUX0102460		16.3	0.047	13.70	9.1	<0.001	0.01	6.82	1.6	0.8	0.3	11.7	<0.01	0.03	4.8	0.019
AUX0102461		20.5	0.081	14.95	9.8	<0.001	0.01	6.53	2.5	0.9	0.3	18.7	<0.01	0.04	5.8	0.020
AUX0102462		25.3	0.047	17.25	8.9	<0.001	0.01	11.35	3.1	1.1	0.3	11.7	<0.01	0.05	6.3	0.020
AUX0102463		22.7	0.031	16.15	10.4	<0.001	0.01	7.90	3.1	0.7	0.4	9.7	<0.01	0.04	6.2	0.022
AUX0102464		19.9	0.040	12.75	9.4	<0.001	0.01	2.07	3.8	0.6	0.4	10.9	<0.01	0.03	4.9	0.035
AUX0102465		19.2	0.031	13.05	9.7	<0.001	0.01	3.45	2.8	0.6	0.4	9.8	<0.01	0.04	4.4	0.033
AUX0102466		16.9	0.031	11.45	8.1	<0.001	0.01	2.26	3.2	0.5	0.4	11.6	<0.01	0.03	4.6	0.037
AUX0102467		17.3	0.032	13.05	9.2	<0.001	0.01	3.06	2.7	0.6	0.4	9.7	<0.01	0.04	4.1	0.032
AUX0102468		15.4	0.031	12.75	9.4	<0.001	0.01	3.45	1.6	0.3	0.4	8.7	<0.01	0.04	2.0	0.026
AUX0102469		15.7	0.050	14.25	9.2	<0.001	0.01	3.86	2.1	0.4	0.4	9.8	<0.01	0.05	4.1	0.033
AUX0102470		21.0	0.055	17.75	11.9	<0.001	0.01	4.29	2.6	0.6	0.5	12.8	<0.01	0.04	4.3	0.027
AUX0102471		26.6	0.052	24.9	10.3	<0.001	0.01	9.33	2.2	0.6	0.4	13.4	<0.01	0.06	3.9	0.014
AUX0102472		31.7	0.040	21.4	8.4	<0.001	0.02	15.25	2.0	0.5	0.2	16.6	<0.01	0.08	5.6	0.005
AUX0102473		40.9	0.070	72.2	4.2	0.001	0.04	80.0	3.9	1.8	0.3	24.8	<0.01	0.07	11.3	0.004
AUX0102474		22.0	0.070	13.80	5.7	0.001	0.14	5.58	2.4	0.7	0.3	23.4	<0.01	0.02	4.4	0.023
AUX0102475		35.3	0.066	14.25	6.4	0.001	0.20	6.62	2.6	1.1	0.2	24.8	<0.01	0.03	4.4	0.021
AUX0102476		55.6	0.073	16.15	6.0	0.002	0.04	8.89	2.8	1.5	0.2	29.6	<0.01	0.04	5.0	0.023
AUX0102477		19.3	0.062	12.60	7.7	<0.001	0.03	2.23	2.6	1.1	0.4	28.3	<0.01	0.02	2.5	0.022
AUX0102478		19.1	0.059	10.30	6.6	<0.001	0.03	3.14	2.6	1.0	0.3	28.4	<0.01	0.03	2.9	0.022
AUX0102479		17.2	0.053	13.15	6.7	<0.001	0.02	2.70	2.3	0.7	0.4	28.7	<0.01	0.04	2.8	0.024

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0102440		0.11	2.96	30	0.177	9.61	112.5	1.5
AUX0102441		0.06	2.00	25	0.136	6.54	74.9	0.9
AUX0102442		0.10	2.02	36	0.524	7.80	69.2	2.0
AUX0102443		0.14	2.43	39	0.609	7.92	62.4	2.2
AUX0102444		0.08	0.98	36	0.323	6.75	54.6	1.2
AUX0102445		0.09	1.13	33	0.401	6.52	50.9	1.1
AUX0102446		0.08	0.76	41	0.352	3.89	53.7	3.0
AUX0102447		0.10	1.04	34	0.413	6.81	59.0	1.6
AUX0102448		0.11	0.36	46	0.659	2.64	52.6	1.0
AUX0102449		0.06	2.76	24	0.318	8.47	91.5	4.1
AUX0102450		0.09	5.85	32	0.435	9.58	80.1	4.2
AUX0102451		0.09	1.10	31	0.452	9.52	97.0	5.5
AUX0102452		0.08	1.87	32	0.358	10.55	87.8	4.0
AUX0102453		0.07	1.73	37	0.345	8.12	67.2	1.6
AUX0102454		0.07	1.72	34	0.291	7.65	51.2	1.0
AUX0102455		0.06	0.86	33	0.392	7.55	60.3	1.8
AUX0102456		0.12	0.79	40	0.614	4.18	64.5	<0.5
AUX0102457		0.13	0.93	33	0.532	3.76	40.6	<0.5
AUX0102458		0.09	2.06	24	0.349	7.53	49.1	<0.5
AUX0102459		0.13	0.63	21	0.453	4.50	66.6	0.5
AUX0102460		0.09	0.53	25	0.321	3.67	52.8	0.8
AUX0102461		0.10	0.92	29	0.344	7.03	63.7	1.3
AUX0102462		0.11	1.12	27	0.421	9.16	71.6	1.6
AUX0102463		0.11	1.18	31	0.423	7.25	67.1	1.3
AUX0102464		0.10	1.29	43	0.320	7.73	59.1	1.6
AUX0102465		0.10	0.76	41	0.364	4.98	58.6	0.7
AUX0102466		0.10	0.86	39	0.239	5.99	51.7	1.3
AUX0102467		0.08	0.72	40	0.360	5.22	53.3	0.9
AUX0102468		0.09	0.45	34	0.292	2.31	46.7	<0.5
AUX0102469		0.08	0.49	41	0.337	2.34	51.5	1.8
AUX0102470		0.15	0.51	53	0.357	2.91	80.5	1.9
AUX0102471		0.11	0.81	26	0.700	5.73	70.8	0.5
AUX0102472		0.05	1.05	12	0.178	4.58	85.5	3.9
AUX0102473		0.05	0.94	9	0.137	18.85	116.5	3.6
AUX0102474		0.08	1.46	27	0.191	6.23	73.6	1.8
AUX0102475		0.09	1.73	26	0.113	7.26	142.5	1.9
AUX0102476		0.07	3.17	29	0.321	8.72	186.5	2.1
AUX0102477		0.09	0.96	32	0.255	5.12	50.1	0.9
AUX0102478		0.09	0.82	28	0.315	5.59	47.0	1.1
AUX0102479		0.09	0.93	33	0.272	4.30	46.8	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102480		0.46	0.0239	0.414	1.30	580	<10	355	0.49	0.59	0.53	0.21	35.9	10.8	20.1	1.47
AUX0102481		0.34	0.0186	0.328	1.47	396	<10	462	0.51	0.43	0.79	0.20	34.2	11.3	24.0	2.17
AUX0102482		0.44	0.0212	0.365	1.84	797	<10	388	0.57	0.72	0.67	0.40	32.9	18.9	84.4	2.13
AUX0102483		0.40	0.0437	0.558	1.50	557	<10	375	0.62	0.58	0.53	0.21	31.2	11.8	20.8	1.45
AUX0102484		0.42	0.0367	0.345	1.32	382	<10	326	0.47	0.85	0.36	0.14	32.6	8.7	21.6	1.09
AUX0102485		0.38	0.0232	0.419	1.30	543	<10	306	0.45	0.75	0.51	0.24	31.7	10.0	19.0	1.27
AUX0102486		0.44	0.0135	0.257	1.38	302	<10	218	0.51	0.54	0.54	0.27	44.8	14.7	18.3	1.09
AUX0102487		0.40	0.0100	0.291	1.57	292	<10	183.5	0.60	0.66	0.65	0.37	57.9	15.7	19.1	1.81
AUX0102488		0.50	0.0198	0.275	1.41	393	<10	234	0.55	0.54	0.48	0.24	49.0	14.2	18.6	1.31
AUX0102489		0.44	0.0203	0.315	1.40	548	<10	223	0.52	0.63	0.46	0.25	43.6	15.8	17.4	1.48
AUX0102490		0.50	0.0200	0.313	1.06	384	<10	128.0	0.36	0.46	0.33	0.20	54.6	15.0	16.4	1.49
AUX0102491		0.34	0.0273	1.005	1.16	737	<10	224	0.42	0.84	0.62	0.21	45.5	12.7	15.8	1.46
AUX0102492		0.36	0.0128	0.250	1.22	224	<10	276	0.37	0.42	0.34	0.06	37.9	7.6	20.7	1.05
AUX0102493		0.36	0.0199	0.342	1.21	345	<10	262	0.48	0.68	0.35	0.20	36.6	11.3	20.0	1.29
AUX0102494		0.46	0.0141	0.325	1.30	203	<10	310	0.50	0.47	0.44	0.12	35.7	10.9	19.9	1.23
AUX0102495		0.34	0.0143	0.226	1.23	207	<10	239	0.40	0.44	0.33	0.09	43.8	9.0	19.8	1.05
AUX0102496		0.32	0.0075	0.147	1.36	144.5	<10	205	0.37	0.38	0.22	0.05	36.4	7.1	20.2	1.10
AUX0102497		0.30	0.0139	0.247	1.17	263	<10	232	0.36	0.47	0.27	0.13	45.9	9.7	19.6	1.20
AUX0102498		0.46	0.0135	0.198	1.15	177.5	<10	229	0.33	0.35	0.26	0.07	43.6	7.3	19.2	0.96
AUX0102499		0.38	0.0051	0.148	1.11	142.0	<10	152.0	0.27	0.24	0.18	0.10	26.7	6.0	18.0	0.92
AUX0102500		0.38	0.0032	0.171	1.13	98.6	<10	195.0	0.24	0.21	0.19	0.11	28.7	6.0	19.4	0.75
AUX0102501		0.40	0.0031	0.112	1.07	96.2	<10	145.5	0.26	0.20	0.12	0.10	27.9	5.6	18.8	0.72
AUX0102502		0.30	0.0073	0.109	1.20	195.0	<10	116.5	0.31	0.35	0.10	0.09	31.0	6.0	18.4	0.90
AUX0102503		0.38	0.0021	0.190	1.25	30.6	<10	117.0	0.37	0.16	0.08	0.15	23.2	6.8	21.1	0.58
AUX0102504		0.30	0.0115	0.545	1.65	139.0	<10	185.0	0.46	0.25	0.08	0.14	26.0	8.9	25.2	1.11
AUX0102505		0.40	0.0037	0.470	1.20	150.5	<10	163.0	0.24	0.32	0.09	0.14	23.8	4.6	19.2	0.96
AUX0102506		0.28	0.0105	1.055	1.45	360	<10	211	0.47	0.61	0.07	0.33	33.4	10.1	21.1	1.42
AUX0102507		0.36	0.0122	0.202	1.39	357	<10	218	0.40	0.52	0.13	0.18	30.5	7.8	24.4	1.04
AUX0102508		0.26	0.0082	0.199	1.11	339	<10	344	0.35	0.67	0.24	0.45	38.1	8.8	15.6	0.91
AUX0102509		0.28	0.0108	0.651	1.29	471	<10	312	0.54	0.68	0.36	0.57	39.2	33.4	20.5	1.41
AUX0102510		0.34	0.0107	0.298	1.05	137.0	<10	295	0.32	0.27	0.49	0.91	31.3	13.2	23.0	0.83
AUX0102511		0.28	0.0101	0.249	0.87	167.0	<10	265	0.31	0.24	0.58	0.71	27.9	10.8	19.3	0.65
AUX0102512		0.22	0.0088	0.212	0.88	226	<10	272	0.26	0.23	0.58	0.56	27.5	10.4	19.3	0.63
AUX0102513		0.28	0.0110	0.242	0.89	197.5	<10	277	0.28	0.24	0.62	0.68	28.9	10.4	19.9	0.67
AUX0102514		0.28	0.0199	0.266	1.19	335	<10	255	0.33	0.62	0.56	0.14	29.1	6.7	19.2	1.44
AUX0102515		0.40	0.0104	0.349	1.30	350	<10	304	0.39	0.40	0.65	0.10	29.1	8.3	21.6	1.35
AUX0102516		0.44	0.0131	0.347	1.21	377	<10	278	0.38	0.45	0.72	0.14	30.0	9.4	21.3	1.13
AUX0102517		0.20	0.0115	0.268	1.14	211	<10	284	0.34	0.40	0.81	0.11	24.9	6.5	18.5	1.01
AUX0102518		0.42	0.0064	0.286	1.35	286	<10	337	0.40	0.41	0.67	0.12	26.8	9.7	22.1	1.22
AUX0102519		0.50	0.0073	0.251	1.31	226	<10	310	0.41	0.38	0.44	0.10	30.4	9.2	22.7	1.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102480		37.3	2.67	3.76	0.10	0.06	0.037	0.023	0.05	17.8	15.7	0.36	453	1.07	0.01	0.60
AUX0102481		33.7	2.55	4.06	0.11	0.06	0.052	0.026	0.05	17.6	18.9	0.43	524	1.01	0.01	0.58
AUX0102482		45.7	3.06	5.11	0.10	0.07	0.043	0.030	0.05	16.7	25.3	0.89	517	1.17	0.01	0.65
AUX0102483		40.6	2.82	3.99	0.12	0.07	0.040	0.024	0.04	16.5	19.3	0.38	421	0.98	0.01	0.51
AUX0102484		34.7	2.46	3.78	0.12	0.05	0.046	0.024	0.04	16.9	17.5	0.40	295	0.87	0.01	0.53
AUX0102485		38.9	2.66	3.52	0.10	0.06	0.047	0.021	0.05	17.3	16.0	0.35	608	1.40	0.01	0.37
AUX0102486		50.6	2.91	3.96	0.14	0.09	0.060	0.022	0.05	24.0	21.0	0.52	462	1.19	0.01	0.38
AUX0102487		63.5	3.54	4.45	0.13	0.13	0.039	0.025	0.06	31.0	30.3	0.74	976	2.06	0.01	0.26
AUX0102488		45.4	3.11	3.78	0.13	0.09	0.033	0.021	0.05	24.1	23.1	0.51	736	1.12	0.01	0.34
AUX0102489		43.5	3.29	3.58	0.13	0.08	0.044	0.020	0.06	21.4	22.9	0.48	1250	0.91	0.01	0.25
AUX0102490		46.5	3.44	3.05	0.14	0.08	0.012	0.017	0.07	28.6	15.6	0.40	612	1.16	0.01	0.16
AUX0102491		41.4	3.12	3.23	0.12	0.05	0.031	0.020	0.06	22.0	14.3	0.33	734	1.70	0.02	0.25
AUX0102492		31.0	2.46	3.51	0.11	0.03	0.043	0.019	0.05	20.1	15.0	0.36	302	1.14	0.01	0.48
AUX0102493		43.8	2.96	3.34	0.12	0.05	0.036	0.019	0.06	18.5	13.1	0.34	495	1.33	0.01	0.48
AUX0102494		41.1	2.74	3.62	0.11	0.04	0.053	0.023	0.05	19.2	14.8	0.34	472	1.30	0.01	0.40
AUX0102495		37.1	2.69	3.66	0.13	0.03	0.022	0.022	0.05	23.4	15.3	0.38	314	1.21	0.01	0.59
AUX0102496		23.4	2.47	4.22	0.11	0.03	0.016	0.018	0.04	19.1	15.0	0.35	204	1.10	0.01	0.56
AUX0102497		36.0	2.73	3.58	0.13	0.04	0.019	0.022	0.05	23.6	14.8	0.36	445	1.35	0.01	0.42
AUX0102498		28.1	2.48	3.42	0.13	0.02	0.027	0.017	0.05	22.5	13.9	0.36	268	1.11	0.01	0.53
AUX0102499		20.2	2.15	3.50	0.11	<0.02	0.021	0.016	0.04	13.9	13.4	0.33	189	0.85	0.01	0.66
AUX0102500		21.3	2.10	3.69	0.11	<0.02	0.026	0.017	0.04	14.7	12.3	0.34	198	0.79	0.01	0.67
AUX0102501		17.45	1.97	3.51	0.11	<0.02	0.013	0.016	0.03	13.9	12.0	0.30	193	0.92	0.01	0.68
AUX0102502		23.2	2.41	3.53	0.10	0.03	0.017	0.016	0.03	16.6	16.6	0.36	189	0.74	0.01	0.61
AUX0102503		18.25	2.51	3.44	0.10	0.03	0.024	0.020	0.03	11.6	12.2	0.31	173	0.82	0.01	0.79
AUX0102504		29.9	2.65	4.13	0.10	0.07	0.046	0.020	0.04	13.8	16.4	0.40	239	0.95	0.01	0.88
AUX0102505		12.75	2.22	4.18	0.09	0.02	0.018	0.016	0.03	12.4	13.3	0.30	168	0.93	0.01	0.78
AUX0102506		37.3	2.90	4.35	0.11	<0.02	0.049	0.025	0.05	17.6	14.2	0.32	426	1.29	0.01	0.34
AUX0102507		29.7	2.85	3.76	0.12	0.02	0.020	0.022	0.04	15.7	15.1	0.38	237	1.19	0.01	0.62
AUX0102508		26.2	3.00	3.22	0.11	0.04	0.017	0.020	0.07	20.0	12.1	0.25	438	1.44	0.01	0.40
AUX0102509		39.0	3.37	3.92	0.11	<0.02	0.035	0.027	0.05	19.0	13.6	0.30	2500	1.51	0.01	0.44
AUX0102510		26.2	1.67	3.17	0.11	0.06	0.074	0.019	0.04	16.1	12.9	0.40	145	0.45	0.01	0.62
AUX0102511		25.1	2.32	2.62	0.11	0.04	0.043	0.021	0.03	14.1	10.5	0.35	330	0.45	0.01	0.50
AUX0102512		24.8	2.33	2.52	0.11	0.04	0.060	0.017	0.03	14.4	10.5	0.34	498	0.60	0.01	0.49
AUX0102513		25.1	2.41	2.64	0.11	0.04	0.061	0.018	0.03	15.2	10.8	0.35	547	0.52	0.01	0.51
AUX0102514		24.9	2.22	3.62	0.09	0.03	0.020	0.018	0.04	14.9	13.7	0.33	184	0.90	0.01	0.71
AUX0102515		23.3	2.32	3.90	0.10	0.02	0.030	0.020	0.04	14.9	15.2	0.36	290	1.10	0.01	0.68
AUX0102516		25.5	2.41	3.63	0.11	0.05	0.033	0.021	0.05	14.9	14.2	0.40	280	1.14	0.01	0.64
AUX0102517		21.2	2.06	3.32	0.10	0.04	0.033	0.019	0.04	12.5	12.8	0.34	227	0.76	0.01	0.61
AUX0102518		24.4	2.45	4.03	0.10	0.03	0.062	0.023	0.04	13.6	14.7	0.36	382	1.17	0.01	0.65
AUX0102519		27.4	2.48	3.80	0.11	0.05	0.035	0.021	0.04	15.4	14.2	0.39	367	1.04	0.01	0.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102480		28.2	0.056	14.40	7.5	<0.001	0.03	8.87	3.2	1.7	0.4	31.7	<0.01	0.06	4.3	0.028
AUX0102481		30.9	0.073	12.95	8.2	<0.001	0.04	9.62	3.6	1.7	0.4	46.9	<0.01	0.03	3.7	0.027
AUX0102482		87.4	0.066	15.20	8.9	<0.001	0.04	10.45	4.6	3.0	0.5	44.1	<0.01	0.04	4.5	0.032
AUX0102483		33.4	0.057	14.45	8.0	<0.001	0.03	53.5	3.3	2.0	0.3	39.1	<0.01	0.02	4.0	0.022
AUX0102484		28.0	0.053	12.75	6.6	<0.001	0.01	10.75	3.4	1.2	0.3	27.0	<0.01	0.03	4.6	0.025
AUX0102485		28.5	0.059	15.15	8.1	<0.001	0.02	9.15	3.0	1.5	0.3	33.8	<0.01	0.06	4.7	0.016
AUX0102486		35.7	0.058	17.05	6.7	<0.001	0.02	7.07	3.5	1.6	0.3	35.8	<0.01	0.07	6.6	0.016
AUX0102487		44.2	0.082	20.1	7.2	<0.001	0.02	12.65	3.7	1.6	0.3	42.7	<0.01	0.12	9.6	0.013
AUX0102488		34.4	0.061	16.70	7.6	<0.001	0.02	7.83	3.3	1.4	0.3	35.6	<0.01	0.06	7.5	0.014
AUX0102489		34.9	0.055	17.15	7.2	<0.001	0.02	10.40	2.9	1.3	0.2	34.9	<0.01	0.06	7.8	0.010
AUX0102490		36.2	0.065	27.3	6.1	0.001	0.01	8.07	2.4	0.7	0.2	29.9	<0.01	0.04	10.5	0.008
AUX0102491		33.2	0.090	24.9	8.8	<0.001	0.03	9.05	2.5	1.1	0.3	47.7	<0.01	0.06	5.7	0.008
AUX0102492		24.6	0.059	13.40	8.2	<0.001	0.01	4.90	3.3	0.9	0.3	28.3	<0.01	0.01	5.6	0.022
AUX0102493		30.4	0.059	19.90	7.4	<0.001	0.01	7.43	3.5	1.1	0.3	27.5	<0.01	0.04	5.9	0.026
AUX0102494		30.6	0.089	16.25	8.7	<0.001	0.01	5.01	3.2	0.7	0.3	36.4	<0.01	0.05	4.0	0.016
AUX0102495		25.6	0.086	15.10	7.5	<0.001	0.01	4.82	3.1	1.1	0.3	25.8	<0.01	0.04	5.8	0.022
AUX0102496		17.9	0.049	15.10	10.2	<0.001	<0.01	2.66	2.4	0.7	0.4	18.5	<0.01	0.04	4.6	0.022
AUX0102497		27.2	0.076	15.50	8.1	<0.001	<0.01	5.30	3.0	0.8	0.3	23.7	<0.01	0.04	6.1	0.022
AUX0102498		20.8	0.060	12.90	7.1	<0.001	0.01	3.11	2.7	0.5	0.3	19.1	<0.01	0.03	5.6	0.023
AUX0102499		15.3	0.039	12.10	6.6	<0.001	0.01	2.05	2.1	0.5	0.3	12.3	<0.01	0.04	2.5	0.029
AUX0102500		15.6	0.046	11.25	7.3	<0.001	0.01	1.285	2.3	0.7	0.3	13.9	<0.01	0.03	2.2	0.031
AUX0102501		14.1	0.031	11.35	6.7	<0.001	0.01	1.445	2.0	0.8	0.3	9.4	<0.01	0.02	3.4	0.030
AUX0102502		15.5	0.032	14.40	7.0	<0.001	0.01	2.93	1.9	0.6	0.3	8.2	<0.01	0.04	4.1	0.024
AUX0102503		17.8	0.039	11.30	5.5	<0.001	0.01	1.470	2.1	0.5	0.3	7.4	<0.01	0.02	3.7	0.031
AUX0102504		26.0	0.020	14.65	9.3	<0.001	0.01	3.16	2.6	0.8	0.4	8.1	<0.01	0.03	4.8	0.033
AUX0102505		13.2	0.018	13.20	8.1	<0.001	0.01	3.90	2.0	0.5	0.4	8.0	<0.01	0.04	3.3	0.028
AUX0102506		25.1	0.043	21.3	10.3	<0.001	0.01	7.53	1.3	1.0	0.4	8.4	<0.01	0.05	0.6	0.018
AUX0102507		23.4	0.026	17.55	7.6	<0.001	0.01	6.49	2.6	0.6	0.4	9.4	<0.01	0.04	5.2	0.025
AUX0102508		21.0	0.053	20.3	8.2	<0.001	0.01	10.05	1.8	0.9	0.3	14.3	<0.01	0.06	7.0	0.009
AUX0102509		28.5	0.059	26.1	11.9	<0.001	0.03	10.20	2.2	1.0	0.4	20.9	<0.01	0.06	2.8	0.013
AUX0102510		31.7	0.062	14.20	5.6	0.002	0.20	5.76	3.1	1.3	0.2	31.5	<0.01	0.03	5.3	0.024
AUX0102511		29.0	0.067	12.50	5.2	0.001	0.08	5.65	2.4	1.6	0.2	34.1	<0.01	0.01	3.9	0.021
AUX0102512		30.2	0.068	12.65	4.7	0.002	0.08	5.51	2.5	1.2	0.2	32.6	<0.01	0.03	4.1	0.022
AUX0102513		30.3	0.069	12.70	5.1	0.001	0.09	5.77	2.4	1.3	0.2	33.5	<0.01	0.02	3.9	0.021
AUX0102514		18.5	0.041	12.35	7.0	<0.001	0.02	3.76	2.5	0.8	0.4	27.3	<0.01	0.05	3.7	0.025
AUX0102515		19.3	0.043	13.35	6.9	<0.001	0.02	4.35	2.8	1.2	0.4	36.5	<0.01	0.03	3.2	0.025
AUX0102516		20.5	0.050	12.45	6.3	<0.001	0.03	7.01	2.9	1.3	0.3	36.9	<0.01	0.05	4.1	0.026
AUX0102517		17.8	0.060	9.98	6.3	<0.001	0.05	4.56	2.4	1.6	0.3	41.3	<0.01	0.05	2.7	0.022
AUX0102518		20.8	0.061	13.70	7.8	<0.001	0.03	5.21	2.9	1.7	0.4	33.8	<0.01	0.04	2.6	0.022
AUX0102519		23.0	0.056	12.35	6.6	<0.001	0.02	3.78	3.2	1.1	0.4	22.9	<0.01	0.04	4.1	0.030

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0102480		0.08	1.74	32	0.629	7.76	60.2	1.9
AUX0102481		0.09	1.94	34	0.577	9.13	55.3	1.6
AUX0102482		0.10	2.98	42	0.284	9.69	69.2	2.7
AUX0102483		0.08	3.62	30	0.292	8.29	62.0	2.0
AUX0102484		0.06	1.88	32	2.38	7.92	57.9	1.5
AUX0102485		0.09	2.33	28	0.293	7.48	63.1	1.2
AUX0102486		0.05	1.40	24	0.537	11.90	63.2	2.8
AUX0102487		0.08	1.17	23	0.379	16.60	86.8	5.1
AUX0102488		0.07	1.45	24	0.380	10.30	69.4	2.9
AUX0102489		0.06	1.70	21	0.274	8.61	75.6	2.6
AUX0102490		0.05	1.03	15	0.823	6.64	88.0	3.9
AUX0102491		0.08	0.94	18	0.205	7.74	65.6	1.5
AUX0102492		0.07	0.78	29	0.259	7.18	55.7	1.4
AUX0102493		0.09	0.91	30	0.478	7.73	72.6	1.7
AUX0102494		0.08	1.21	26	0.316	7.93	55.7	1.2
AUX0102495		0.06	0.93	27	0.414	7.78	63.2	1.2
AUX0102496		0.09	0.67	34	0.302	4.74	47.1	0.7
AUX0102497		0.08	0.84	26	1.155	7.61	62.4	1.3
AUX0102498		0.07	0.89	27	0.308	6.82	55.2	0.9
AUX0102499		0.08	0.56	29	0.270	4.22	50.9	<0.5
AUX0102500		0.07	0.71	31	0.220	5.35	48.0	<0.5
AUX0102501		0.06	0.49	29	0.204	3.72	43.1	0.7
AUX0102502		0.07	0.59	28	0.330	3.51	50.1	1.0
AUX0102503		0.07	0.53	37	0.209	2.85	52.3	0.8
AUX0102504		0.10	0.47	40	0.283	3.35	64.0	2.2
AUX0102505		0.11	0.36	40	0.263	2.65	46.8	0.7
AUX0102506		0.11	0.58	35	0.423	4.65	74.4	<0.5
AUX0102507		0.09	0.53	35	0.542	4.39	69.7	1.0
AUX0102508		0.10	0.44	24	0.660	3.50	71.7	1.4
AUX0102509		0.12	0.79	29	0.595	6.40	82.3	<0.5
AUX0102510		0.09	2.39	26	0.148	8.05	151.5	2.2
AUX0102511		0.07	2.26	25	0.115	7.47	111.5	1.4
AUX0102512		0.06	2.60	25	0.536	7.17	107.5	1.5
AUX0102513		0.06	2.42	24	0.100	7.20	113.0	1.4
AUX0102514		0.10	0.92	31	0.259	5.73	52.2	0.9
AUX0102515		0.08	0.87	33	0.421	5.79	50.9	0.8
AUX0102516		0.08	1.02	31	1.210	5.74	59.1	1.5
AUX0102517		0.07	1.23	29	0.527	5.41	49.7	1.2
AUX0102518		0.09	1.20	36	0.403	6.08	49.2	0.9
AUX0102519		0.09	0.98	34	0.307	6.64	60.9	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0102520		0.34	0.0103	0.421	1.37	451	<10	367	0.43	0.60	1.02	0.24	24.5	8.8	27.0	1.05
AUX0102521		0.34	0.0070	0.241	1.24	138.5	<10	279	0.26	0.28	0.49	0.08	22.0	6.3	21.3	0.96
AUX0102522		0.36	0.0107	0.376	1.51	262	<10	328	0.43	0.46	0.46	0.13	29.2	9.6	25.1	1.46
AUX0102523		0.46	0.0097	0.301	1.34	299	<10	271	0.47	0.47	0.42	0.17	38.2	11.1	23.8	1.11
AUX0102524		0.36	0.0143	0.378	1.26	365	<10	250	0.47	0.57	0.72	0.24	35.7	11.8	20.6	1.56
AUX0102525		0.44	0.0128	0.329	1.17	386	<10	215	0.38	0.63	0.37	0.20	38.4	10.9	19.9	1.23
AUX0102526		0.26	0.0129	0.370	0.99	380	<10	267	0.48	0.46	1.08	0.29	26.3	12.4	15.7	1.11
AUX0102527		0.40	0.0092	0.250	1.02	196.5	<10	222	0.37	0.32	0.40	0.18	36.6	9.2	19.0	0.78
AUX0102528		0.28	0.0114	0.275	1.11	332	<10	238	0.44	0.45	0.57	0.12	32.3	10.4	18.4	1.07
AUX0102529		0.24	0.0031	0.134	1.08	90.0	<10	184.0	0.30	0.22	0.27	0.05	27.1	5.3	19.0	0.63
AUX0102530		0.32	0.0090	0.198	1.15	96.8	<10	147.5	0.25	0.28	0.22	0.04	28.9	4.6	19.3	0.83
AUX0102531		0.34	0.0024	0.191	1.48	83.9	<10	154.5	0.35	0.29	0.14	0.08	28.0	6.7	24.2	1.07
AUX0102532		0.30	0.0178	0.151	1.36	107.5	<10	168.5	0.41	0.26	0.13	0.08	29.9	10.9	21.9	1.15
AUX0102533		0.32	0.0044	0.225	1.24	97.0	<10	161.0	0.26	0.29	0.21	0.08	26.9	4.5	18.7	0.96
AUX0102534		0.36	0.0082	0.271	1.07	232	<10	219	0.37	0.44	0.24	0.12	34.3	7.9	17.6	0.79
AUX0102535		0.30	0.0055	0.213	1.18	150.0	<10	262	0.40	0.28	0.27	0.09	32.7	6.7	20.3	0.83
AUX0102536		0.44	0.0077	0.224	1.22	116.5	<10	282	0.36	0.29	0.29	0.09	29.1	6.6	21.8	0.85
AUX0102537		0.42	0.0173	0.192	0.87	160.0	<10	195.5	0.35	0.25	0.23	0.12	30.4	7.0	16.3	0.68
AUX0102538		0.46	0.0067	0.194	1.09	146.0	<10	238	0.38	0.28	0.25	0.08	33.0	7.8	21.3	0.75
AUX0102539		0.30	0.0079	0.182	1.21	103.5	<10	289	0.43	0.31	0.22	0.09	30.7	7.4	21.3	0.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102520		28.6	2.59	3.82	0.11	0.06	0.056	0.022	0.05	13.6	15.5	0.41	537	0.80	0.01	0.56
AUX0102521		18.35	2.14	3.73	0.10	0.03	0.038	0.018	0.04	11.0	13.2	0.38	198	0.92	0.01	0.66
AUX0102522		30.0	2.67	4.53	0.12	0.02	0.049	0.024	0.05	15.0	17.5	0.39	371	1.18	0.01	0.67
AUX0102523		35.3	2.74	3.96	0.12	0.08	0.044	0.019	0.05	19.5	16.9	0.43	495	1.10	0.01	0.56
AUX0102524		41.4	2.86	3.69	0.11	0.08	0.040	0.020	0.06	18.4	16.5	0.44	494	1.27	0.01	0.44
AUX0102525		41.6	2.94	3.36	0.13	0.10	0.037	0.018	0.05	19.1	16.1	0.41	342	1.20	0.01	0.43
AUX0102526		46.6	2.77	2.75	0.10	0.06	0.046	0.019	0.06	13.3	11.0	0.28	768	1.96	0.01	0.34
AUX0102527		31.8	2.65	3.15	0.11	0.07	0.032	0.020	0.05	19.4	13.0	0.37	393	1.11	0.01	0.52
AUX0102528		32.8	2.79	3.21	0.11	0.06	0.032	0.022	0.05	17.3	13.0	0.31	431	1.11	0.01	0.44
AUX0102529		18.65	2.06	3.28	0.10	0.03	0.013	0.014	0.03	13.9	11.8	0.34	145	0.78	0.01	0.66
AUX0102530		12.95	1.97	4.33	<0.05	0.04	0.016	0.015	0.04	14.9	12.9	0.32	115	0.86	0.02	0.89
AUX0102531		15.40	2.54	4.72	<0.05	0.04	<0.005	0.020	0.04	15.7	15.8	0.39	180	1.14	0.02	1.04
AUX0102532		23.3	3.11	3.93	<0.05	0.05	0.014	0.021	0.04	15.0	16.7	0.37	361	1.12	0.02	0.69
AUX0102533		14.95	1.88	4.20	<0.05	0.02	0.009	0.015	0.04	13.6	13.5	0.31	101	0.76	0.02	0.78
AUX0102534		25.4	2.24	3.37	<0.05	0.03	0.023	0.016	0.04	18.3	11.3	0.31	262	0.88	0.02	0.69
AUX0102535		24.8	2.35	3.70	<0.05	0.05	0.028	0.018	0.04	17.5	13.2	0.35	216	0.95	0.03	0.78
AUX0102536		25.1	2.35	3.81	0.05	0.02	0.029	0.019	0.04	15.5	12.3	0.35	214	1.05	0.02	0.69
AUX0102537		22.9	2.14	2.75	<0.05	0.03	0.021	0.015	0.03	16.6	10.3	0.28	276	0.93	0.02	0.58
AUX0102538		25.0	2.33	3.53	0.05	0.03	0.031	0.019	0.04	17.6	13.4	0.34	250	1.27	0.02	0.65
AUX0102539		25.5	2.38	3.86	0.05	0.02	0.022	0.018	0.04	17.0	14.0	0.37	247	0.98	0.02	0.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102520		28.2	0.066	15.45	6.5	<0.001	0.05	5.37	3.2	1.7	0.3	43.7	<0.01	0.02	3.3	0.022
AUX0102521		17.9	0.056	9.39	6.2	<0.001	0.02	2.32	2.7	0.8	0.3	27.7	<0.01	0.05	2.8	0.026
AUX0102522		24.1	0.048	14.20	8.5	<0.001	0.02	3.23	3.5	1.0	0.5	29.0	<0.01	0.04	3.9	0.026
AUX0102523		28.2	0.052	14.95	6.9	<0.001	0.02	4.18	3.5	1.0	0.3	26.2	<0.01	0.04	6.3	0.024
AUX0102524		30.2	0.061	15.95	8.1	<0.001	0.03	9.46	3.4	1.3	0.3	48.7	<0.01	0.05	5.5	0.015
AUX0102525		28.3	0.052	16.60	5.8	<0.001	0.01	6.25	3.3	0.8	0.3	23.3	<0.01	0.04	7.5	0.019
AUX0102526		30.5	0.093	15.70	7.4	<0.001	0.05	18.70	2.7	1.5	0.3	65.9	<0.01	0.05	2.7	0.009
AUX0102527		24.4	0.070	14.70	5.7	<0.001	0.01	9.04	3.3	1.0	0.2	27.1	<0.01	0.05	6.4	0.023
AUX0102528		24.7	0.059	18.55	8.1	<0.001	0.03	9.53	3.0	1.4	0.3	38.0	<0.01	0.05	4.5	0.014
AUX0102529		15.4	0.043	11.20	5.7	<0.001	0.01	5.30	2.2	0.6	0.3	16.6	<0.01	0.03	3.8	0.028
AUX0102530		13.1	0.032	13.50	10.6	0.001	<0.01	2.99	1.9	0.8	0.4	14.3	<0.01	<0.01	4.0	0.030
AUX0102531		16.5	0.025	13.65	8.7	0.001	<0.01	2.22	2.2	0.6	0.5	10.8	<0.01	0.02	4.0	0.033
AUX0102532		21.6	0.019	16.00	9.7	0.001	<0.01	2.58	2.0	0.6	0.3	10.3	<0.01	<0.01	5.4	0.023
AUX0102533		12.9	0.040	12.10	9.0	<0.001	0.01	1.990	1.8	0.5	0.4	14.1	<0.01	0.02	2.6	0.026
AUX0102534		18.4	0.041	19.25	7.0	0.001	<0.01	4.25	2.5	0.9	0.3	16.0	<0.01	0.01	4.4	0.032
AUX0102535		19.8	0.043	13.05	7.9	0.001	<0.01	2.85	2.7	0.9	0.3	17.4	<0.01	0.04	4.4	0.037
AUX0102536		19.9	0.052	12.55	8.6	<0.001	<0.01	1.915	2.7	1.0	0.4	19.1	<0.01	0.03	3.1	0.030
AUX0102537		19.2	0.049	11.55	5.3	<0.001	<0.01	2.57	2.1	0.6	0.2	14.9	<0.01	0.01	3.5	0.027
AUX0102538		21.6	0.046	12.90	6.7	0.001	<0.01	2.44	2.7	0.6	0.3	17.1	<0.01	0.03	3.9	0.028
AUX0102539		19.7	0.039	11.90	7.6	<0.001	<0.01	1.945	2.9	1.0	0.4	16.8	<0.01	0.03	3.5	0.030

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0102520		0.08	2.88	32	0.339	7.76	53.0	1.5
AUX0102521		0.10	0.75	32	0.354	4.72	54.6	0.8
AUX0102522		0.11	1.03	38	0.314	6.81	57.2	0.9
AUX0102523		0.08	0.84	30	0.376	8.16	66.9	2.7
AUX0102524		0.09	1.27	26	1.715	8.71	69.4	2.3
AUX0102525		0.08	0.76	24	0.394	7.86	76.3	4.0
AUX0102526		0.07	1.21	21	0.395	9.94	68.6	2.1
AUX0102527		0.07	0.74	26	0.212	7.84	78.3	2.6
AUX0102528		0.08	1.17	24	0.284	7.42	55.0	1.6
AUX0102529		0.06	0.70	31	0.317	4.73	46.1	0.8
AUX0102530		0.08	0.52	36	0.220	3.13	39.9	1.3
AUX0102531		0.11	0.48	44	0.238	2.75	53.3	1.1
AUX0102532		0.10	0.62	35	0.193	2.50	63.9	2.1
AUX0102533		0.08	0.55	32	0.275	3.13	43.5	0.5
AUX0102534		0.06	0.86	29	0.353	6.03	55.5	1.5
AUX0102535		0.08	0.85	34	0.250	5.89	55.2	1.6
AUX0102536		0.08	1.00	35	0.237	5.80	55.4	0.5
AUX0102537		0.05	0.77	26	0.240	5.24	52.7	0.8
AUX0102538		0.07	0.93	30	0.406	5.79	56.1	0.9
AUX0102539		0.07	1.02	35	0.255	6.53	56.9	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 3- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176274

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

CERTIFICATE WH11176275

Project: Aurex

P.O. No.: AUX08262011- 3

This report is for 180 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29- AUG- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both
DRY- 22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102001		0.34	0.0013	0.153	0.98	16.00	<10	99.8	0.38	0.30	0.46	0.43	40.9	13.1	14.5	0.63
AUX0102002		0.24	0.0021	0.384	1.06	18.10	<10	150.5	0.37	0.17	0.75	0.44	27.7	9.5	18.3	0.53
AUX0102003		0.18	0.0028	0.409	0.97	23.9	<10	105.5	0.40	0.17	0.49	0.47	28.6	8.0	17.7	0.51
AUX0102004		0.26	0.0019	0.434	1.14	13.60	<10	155.5	0.38	0.18	0.77	0.39	28.4	8.5	19.0	0.61
AUX0102005		0.16	0.0021	0.394	1.12	17.40	<10	101.5	0.36	0.18	1.18	0.34	24.5	9.7	19.9	0.61
AUX0102006		0.16	0.0017	0.376	1.19	11.50	<10	119.0	0.34	0.17	1.02	0.36	22.6	7.6	22.1	0.55
AUX0102007		0.34	0.0029	0.311	0.96	14.30	<10	117.5	0.29	0.15	0.43	0.37	29.9	7.8	19.8	0.47
AUX0102008		0.30	0.0034	0.278	1.29	17.75	<10	179.5	0.44	0.22	0.42	0.32	38.6	9.0	23.4	0.72
AUX0102009		0.36	0.0066	0.461	1.39	16.95	<10	261	0.39	0.22	0.32	0.41	35.3	9.5	25.4	0.82
AUX0102010		0.30	0.0037	0.572	1.22	17.00	<10	258	0.35	0.20	0.50	0.32	31.3	8.8	21.7	0.82
AUX0102011		0.36	0.0020	0.517	1.11	15.30	<10	228	0.26	0.17	0.43	0.43	27.4	7.6	20.1	0.68
AUX0102012		0.36	0.0015	0.455	0.77	20.7	<10	146.5	0.21	0.14	0.31	0.30	26.1	5.2	14.9	0.49
AUX0102013		0.32	0.0016	0.181	1.30	17.00	<10	142.0	0.33	0.16	0.40	0.33	31.2	9.3	23.5	0.70
AUX0102014		0.44	0.0010	0.169	1.24	15.00	<10	252	0.25	0.14	0.24	0.32	32.9	6.7	22.1	0.64
AUX0102015		0.20	0.0013	0.275	1.07	9.81	<10	176.5	0.20	0.14	0.43	0.32	26.9	5.1	18.2	0.64
AUX0102016		0.36	0.0018	0.298	1.07	10.40	<10	171.5	0.23	0.14	0.31	0.26	33.3	6.1	22.1	0.65
AUX0102017		0.40	0.0011	0.314	1.16	10.70	<10	225	0.25	0.15	0.31	0.38	34.7	8.5	21.4	0.69
AUX0102018		0.32	0.0094	0.217	1.19	11.70	<10	185.5	0.20	0.16	0.35	0.18	30.3	6.9	22.1	0.67
AUX0102019		0.12	0.0026	0.299	1.21	9.70	<10	226	0.34	0.17	0.71	0.39	26.6	7.4	18.4	0.78
AUX0102020		0.18	0.0008	0.218	1.20	10.75	<10	186.5	0.27	0.18	0.96	1.10	26.0	8.7	17.6	0.54
AUX0102021		0.26	0.0015	0.340	1.15	13.10	<10	253	0.25	0.20	0.47	0.78	30.6	10.1	19.4	0.61
AUX0102022		0.28	0.0023	0.374	1.09	10.65	<10	249	0.28	0.19	0.72	0.70	27.9	8.1	18.1	0.58
AUX0102023		0.28	0.0034	0.633	1.07	12.15	<10	282	0.29	0.19	0.68	1.16	26.4	9.0	18.2	0.61
AUX0102024		0.24	0.0020	0.252	1.19	11.85	<10	279	0.27	0.20	0.38	0.74	32.9	10.6	20.7	0.67
AUX0102025		0.22	0.0026	0.320	1.14	10.90	<10	301	0.30	0.19	0.59	0.48	26.0	9.5	18.9	0.65
AUX0102026		0.32	0.0091	0.199	1.14	9.08	<10	252	0.27	0.19	0.55	0.38	29.1	8.6	20.9	0.60
AUX0102027		0.28	0.0013	0.149	1.23	10.95	<10	233	0.29	0.20	0.42	0.33	29.3	8.8	20.6	0.72
AUX0102028		0.30	0.0014	0.190	1.14	8.16	<10	290	0.27	0.18	0.53	0.44	26.8	9.2	20.6	0.61
AUX0102029		0.38	0.0027	0.193	1.26	7.37	<10	287	0.26	0.18	0.27	0.34	32.8	7.2	24.1	0.72
AUX0102030		0.22	0.0014	0.467	1.22	9.39	<10	162.5	0.19	0.19	0.13	0.30	22.7	5.1	26.1	0.87
AUX0102031		0.46	0.0034	0.243	1.37	17.70	<10	187.0	0.29	0.23	0.13	0.78	34.4	9.8	24.9	1.16
AUX0102032		0.14	0.0013	0.188	1.12	16.30	<10	145.0	0.32	0.23	1.72	0.31	28.7	10.3	14.2	0.42
AUX0102033		0.16	0.0020	0.181	1.11	15.95	<10	142.5	0.35	0.23	1.48	0.31	29.8	10.4	14.4	0.42
AUX0102034		0.30	0.0015	0.235	1.36	16.30	<10	123.5	0.34	0.28	0.86	0.34	50.1	13.5	17.5	0.62
AUX0102035		0.14	0.0023	0.192	1.17	19.80	<10	151.5	0.37	0.24	1.13	0.38	36.4	12.3	15.5	0.47
AUX0102036		0.22	0.0016	0.297	1.17	17.90	<10	149.0	0.35	0.23	0.83	0.40	39.8	10.9	14.9	0.48
AUX0102037		0.26	0.0019	0.293	1.11	20.1	<10	163.5	0.26	0.21	0.65	0.50	36.1	10.4	15.9	0.50
AUX0102038		0.14	0.0016	0.346	1.15	20.7	<10	161.5	0.34	0.22	1.09	0.51	34.6	10.6	16.2	0.53
AUX0102039		0.20	0.0011	0.281	1.16	20.3	<10	219	0.31	0.20	1.17	0.48	30.1	11.6	16.4	0.48
AUX0102040		0.16	0.0019	0.219	1.28	19.95	<10	175.5	0.36	0.23	1.14	0.31	33.7	10.2	18.7	0.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102001		37.4	2.58	2.59	<0.05	0.11	0.011	0.017	0.03	21.2	17.8	0.43	632	1.61	0.01	0.11
AUX0102002		24.4	2.23	3.15	<0.05	0.07	0.026	0.021	0.03	13.3	18.4	0.35	218	0.90	0.01	0.44
AUX0102003		23.8	2.37	2.72	<0.05	0.08	0.020	0.030	0.03	14.2	15.2	0.34	209	1.31	0.01	0.40
AUX0102004		27.8	2.04	3.39	<0.05	0.09	0.036	0.022	0.04	14.7	21.0	0.39	210	0.81	0.01	0.49
AUX0102005		25.1	2.24	3.29	<0.05	0.08	0.041	0.024	0.04	12.3	20.8	0.40	429	1.05	0.01	0.46
AUX0102006		25.8	2.09	3.10	<0.05	0.07	0.028	0.022	0.04	11.2	20.4	0.40	197	0.87	0.02	0.45
AUX0102007		24.7	2.05	2.83	<0.05	0.08	0.029	0.020	0.03	14.6	14.4	0.32	210	1.06	0.01	0.54
AUX0102008		30.2	2.31	3.94	0.06	0.08	0.030	0.030	0.04	19.7	19.7	0.40	285	1.29	<0.01	0.54
AUX0102009		31.7	2.36	4.10	0.05	0.09	0.045	0.028	0.04	17.8	18.1	0.40	621	1.30	<0.01	0.55
AUX0102010		28.7	2.09	3.94	0.15	0.06	0.071	0.028	0.04	15.8	15.2	0.37	654	1.12	0.01	0.58
AUX0102011		26.6	1.99	3.23	0.14	0.04	0.056	0.022	0.03	13.5	12.1	0.35	393	0.86	0.01	0.50
AUX0102012		19.90	1.80	2.38	0.14	0.02	0.042	0.020	0.03	13.8	9.8	0.29	254	0.94	0.01	0.49
AUX0102013		25.5	2.51	3.60	0.15	0.04	0.028	0.023	0.04	15.6	14.0	0.40	396	1.00	0.01	0.75
AUX0102014		20.6	2.33	3.40	0.15	0.02	0.041	0.019	0.04	15.8	12.4	0.37	316	0.89	0.01	0.69
AUX0102015		17.80	1.75	3.22	0.14	<0.02	0.062	0.017	0.03	14.0	10.7	0.33	168	0.85	0.01	0.41
AUX0102016		19.10	1.88	3.24	0.14	0.05	0.041	0.019	0.03	17.2	13.4	0.36	277	1.08	0.01	0.58
AUX0102017		23.2	2.14	3.33	0.13	0.06	0.050	0.021	0.03	17.9	13.8	0.38	309	0.78	0.01	0.66
AUX0102018		13.15	2.03	3.40	0.14	0.05	0.056	0.021	0.03	14.9	13.2	0.40	298	0.66	0.01	0.73
AUX0102019		17.75	1.97	3.01	0.13	0.06	0.070	0.018	0.04	14.5	17.8	0.36	478	0.77	0.07	0.37
AUX0102020		17.30	2.47	3.05	0.14	0.06	0.067	0.015	0.04	13.1	23.5	0.42	298	0.65	0.01	0.36
AUX0102021		20.8	2.78	3.22	0.14	0.07	0.108	0.020	0.04	15.7	15.5	0.36	439	1.53	0.01	0.43
AUX0102022		23.9	2.40	3.07	0.14	0.07	0.112	0.018	0.04	13.7	14.7	0.33	382	1.32	0.01	0.43
AUX0102023		29.4	2.34	3.15	0.14	0.07	0.145	0.021	0.04	13.4	15.7	0.32	636	1.84	0.01	0.42
AUX0102024		29.1	2.62	3.43	0.14	0.05	0.082	0.021	0.04	15.8	16.2	0.34	399	1.46	0.01	0.47
AUX0102025		27.1	2.42	3.23	0.14	0.05	0.121	0.021	0.04	13.4	14.6	0.31	628	1.43	0.01	0.46
AUX0102026		18.80	2.37	3.28	0.13	0.05	0.065	0.017	0.04	14.8	14.9	0.33	479	1.27	0.01	0.46
AUX0102027		16.70	2.58	3.63	0.13	0.05	0.058	0.021	0.04	14.7	15.7	0.33	458	1.29	0.01	0.51
AUX0102028		19.35	2.20	3.18	0.13	0.05	0.067	0.017	0.04	14.1	14.4	0.34	557	1.18	0.01	0.45
AUX0102029		22.0	2.20	3.64	0.14	0.04	0.069	0.019	0.04	16.7	15.4	0.39	291	1.31	0.01	0.56
AUX0102030		15.25	2.09	4.32	0.13	<0.02	0.079	0.019	0.04	11.8	12.0	0.27	284	2.27	0.01	0.37
AUX0102031		25.1	2.87	4.73	0.15	<0.02	0.092	0.025	0.05	17.9	15.9	0.32	558	2.33	0.01	0.32
AUX0102032		31.1	2.58	2.76	0.14	0.06	0.055	0.015	0.05	14.6	15.5	0.40	973	0.72	0.01	0.31
AUX0102033		30.7	2.61	2.75	0.13	0.07	0.051	0.017	0.05	14.5	15.0	0.40	1020	0.74	0.01	0.30
AUX0102034		41.8	3.21	3.66	0.16	0.09	0.039	0.019	0.07	24.6	17.8	0.57	588	0.95	0.01	0.35
AUX0102035		33.3	3.01	3.09	0.14	0.07	0.050	0.020	0.05	17.9	16.9	0.43	1110	0.85	0.01	0.32
AUX0102036		33.5	2.84	2.97	0.14	0.06	0.046	0.019	0.04	19.5	16.0	0.45	529	0.87	0.01	0.30
AUX0102037		31.7	2.80	2.82	0.15	0.06	0.040	0.015	0.04	18.3	14.3	0.44	1040	0.96	0.01	0.33
AUX0102038		31.0	2.62	3.18	0.14	0.08	0.056	0.019	0.04	17.3	17.2	0.45	498	0.99	0.01	0.38
AUX0102039		31.8	2.70	2.83	0.13	0.07	0.051	0.019	0.04	15.2	15.1	0.44	1650	1.07	0.01	0.29
AUX0102040		34.0	2.78	3.29	0.14	0.08	0.051	0.019	0.04	17.3	17.9	0.49	897	1.06	0.01	0.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102001		32.8	0.055	20.7	3.2	<0.001	0.01	12.00	2.3	0.6	<0.2	15.4	<0.01	0.08	10.2	0.007
AUX0102002		22.3	0.059	24.1	5.6	0.002	0.04	3.19	2.7	1.1	0.2	40.9	<0.01	0.03	3.2	0.018
AUX0102003		20.1	0.063	31.3	4.5	<0.001	0.01	4.01	2.5	0.5	0.2	27.1	<0.01	0.03	4.7	0.019
AUX0102004		22.4	0.064	24.4	6.0	0.001	0.04	3.14	2.9	1.0	0.2	50.6	<0.01	0.03	3.8	0.020
AUX0102005		22.9	0.063	26.1	6.8	0.003	0.06	3.11	2.6	1.9	0.2	70.4	<0.01	0.02	2.6	0.018
AUX0102006		21.4	0.065	23.6	6.0	0.002	0.06	2.22	2.5	1.2	0.2	55.1	<0.01	0.04	2.5	0.020
AUX0102007		21.2	0.068	21.8	4.4	<0.001	0.01	2.24	3.1	0.4	0.2	28.3	<0.01	0.02	4.4	0.028
AUX0102008		24.5	0.068	31.4	6.6	<0.001	0.01	2.57	3.4	0.7	0.3	30.4	<0.01	0.07	5.0	0.021
AUX0102009		28.5	0.078	26.9	7.7	0.001	0.01	2.08	3.9	0.7	0.3	24.8	<0.01	0.04	4.7	0.024
AUX0102010		23.2	0.087	31.5	8.4	<0.001	0.03	1.630	3.2	1.1	0.3	30.3	<0.01	0.03	2.9	0.022
AUX0102011		19.4	0.080	30.8	6.1	<0.001	0.02	1.465	2.8	0.4	0.3	22.5	<0.01	0.03	2.8	0.024
AUX0102012		15.5	0.075	27.3	4.0	<0.001	<0.01	1.670	2.0	0.5	0.2	16.9	<0.01	0.03	3.4	0.031
AUX0102013		22.1	0.075	21.3	6.8	<0.001	0.01	1.350	3.0	0.4	0.3	24.6	<0.01	0.03	4.3	0.041
AUX0102014		19.4	0.063	17.45	6.1	<0.001	0.01	1.050	2.8	0.5	0.3	13.9	<0.01	0.02	3.5	0.042
AUX0102015		14.6	0.067	17.95	6.6	<0.001	0.02	0.846	1.6	0.4	0.3	24.7	<0.01	0.03	0.8	0.024
AUX0102016		18.2	0.067	23.6	5.8	<0.001	0.01	1.370	2.6	0.5	0.3	18.8	<0.01	0.03	4.2	0.031
AUX0102017		20.0	0.072	21.5	5.7	<0.001	0.01	1.395	2.9	0.8	0.3	19.2	<0.01	0.03	4.4	0.030
AUX0102018		17.9	0.066	19.55	6.3	<0.001	0.01	1.120	2.4	0.5	0.3	21.3	<0.01	0.03	4.3	0.033
AUX0102019		19.6	0.077	20.2	8.8	0.001	0.11	1.760	1.7	0.8	0.3	38.6	<0.01	0.03	1.4	0.016
AUX0102020		23.6	0.081	18.95	8.1	0.004	0.07	1.095	1.9	2.3	0.2	36.9	<0.01	0.02	2.4	0.013
AUX0102021		24.5	0.085	15.15	7.0	<0.001	0.02	1.680	2.4	1.2	0.2	23.5	<0.01	0.04	3.3	0.017
AUX0102022		24.9	0.099	13.95	7.6	<0.001	0.04	1.825	2.4	1.0	0.3	33.0	<0.01	0.03	2.6	0.017
AUX0102023		28.6	0.097	13.45	6.9	<0.001	0.04	2.33	2.5	1.7	0.2	42.3	<0.01	0.07	2.5	0.017
AUX0102024		29.6	0.088	14.15	7.2	<0.001	0.02	1.710	2.8	1.2	0.3	23.7	<0.01	0.04	3.1	0.019
AUX0102025		26.8	0.092	12.85	7.2	<0.001	0.04	1.610	2.5	1.3	0.3	30.6	<0.01	0.04	2.3	0.018
AUX0102026		24.3	0.079	11.30	6.9	<0.001	0.02	1.175	2.6	0.7	0.3	23.8	<0.01	0.04	2.9	0.020
AUX0102027		23.5	0.089	13.25	7.2	<0.001	0.02	1.365	2.4	0.6	0.3	22.1	<0.01	0.05	2.8	0.019
AUX0102028		23.9	0.089	11.45	7.2	<0.001	0.03	1.080	2.4	0.9	0.3	22.5	<0.01	0.03	2.3	0.020
AUX0102029		25.1	0.077	10.45	7.4	<0.001	0.01	1.260	3.0	0.5	0.3	17.2	<0.01	0.03	3.3	0.025
AUX0102030		16.7	0.084	11.75	8.2	<0.001	0.02	0.928	1.1	0.9	0.4	19.1	<0.01	0.04	0.5	0.019
AUX0102031		27.4	0.079	16.80	10.8	<0.001	0.02	1.580	1.6	1.4	0.4	19.1	<0.01	0.04	0.5	0.024
AUX0102032		24.7	0.070	19.20	5.8	<0.001	0.07	4.37	1.7	0.9	0.2	61.5	<0.01	0.05	2.2	0.012
AUX0102033		25.0	0.066	19.40	5.5	<0.001	0.07	4.34	1.8	0.7	0.2	54.5	<0.01	0.05	2.4	0.011
AUX0102034		34.3	0.069	22.4	6.9	<0.001	0.02	4.08	2.8	0.5	0.2	33.2	<0.01	0.06	8.2	0.017
AUX0102035		28.5	0.062	21.4	6.3	<0.001	0.05	5.11	2.2	0.8	0.2	45.3	<0.01	0.06	3.4	0.013
AUX0102036		27.2	0.062	21.2	5.8	<0.001	0.03	6.01	2.2	0.6	0.2	34.8	<0.01	0.05	3.9	0.012
AUX0102037		26.3	0.065	20.7	5.5	<0.001	0.03	6.41	2.3	0.6	0.2	30.0	<0.01	0.03	4.6	0.014
AUX0102038		25.2	0.071	20.9	6.1	<0.001	0.06	5.87	2.3	0.8	0.2	53.5	<0.01	0.04	4.0	0.012
AUX0102039		26.3	0.066	17.65	5.8	<0.001	0.06	5.15	2.0	0.5	0.2	56.6	<0.01	0.04	2.6	0.012
AUX0102040		27.4	0.076	18.50	6.2	<0.001	0.06	4.71	2.2	0.9	0.2	52.9	<0.01	0.06	2.9	0.011

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102001		0.03	0.40	12	0.0509	9.71	71.3	4.4
AUX0102002		0.05	1.45	25	0.0989	8.10	77.5	2.2
AUX0102003		0.04	0.62	22	0.111	7.47	82.9	2.8
AUX0102004		0.05	1.49	26	0.125	8.20	88.9	2.6
AUX0102005		0.05	1.64	24	0.108	7.81	83.2	2.4
AUX0102006		0.04	1.85	27	0.102	7.06	81.4	1.9
AUX0102007		0.04	0.59	27	0.152	8.68	66.1	2.7
AUX0102008		0.06	0.98	32	0.142	9.02	82.9	2.3
AUX0102009		0.08	1.16	33	0.157	9.26	87.8	2.4
AUX0102010		0.09	0.85	31	0.234	8.64	75.6	1.7
AUX0102011		0.07	0.60	29	0.167	6.12	78.4	1.1
AUX0102012		0.06	0.34	22	0.148	4.98	75.0	0.8
AUX0102013		0.07	0.59	37	0.208	5.28	83.2	1.7
AUX0102014		0.06	0.59	37	0.235	6.06	65.1	0.7
AUX0102015		0.07	0.71	28	0.157	4.33	57.9	<0.5
AUX0102016		0.06	0.54	28	0.145	5.55	69.1	1.5
AUX0102017		0.07	0.99	31	0.254	7.17	75.1	1.9
AUX0102018		0.08	0.62	35	0.264	4.24	72.8	1.6
AUX0102019		0.08	1.62	26	0.198	7.84	87.1	1.3
AUX0102020		0.06	0.79	23	0.104	6.73	128.5	1.5
AUX0102021		0.07	0.78	31	0.287	6.88	137.5	1.5
AUX0102022		0.08	0.84	29	0.145	7.72	144.5	1.6
AUX0102023		0.07	1.07	30	0.148	8.35	129.5	1.7
AUX0102024		0.07	0.90	32	0.176	7.89	117.5	1.4
AUX0102025		0.07	0.88	30	0.250	8.27	98.3	1.3
AUX0102026		0.07	0.72	30	0.231	6.24	95.9	1.3
AUX0102027		0.08	0.67	32	0.172	5.13	110.5	1.2
AUX0102028		0.07	0.77	29	0.177	6.72	95.5	1.2
AUX0102029		0.08	0.92	33	0.200	6.90	83.8	0.9
AUX0102030		0.10	0.74	40	0.201	2.61	63.9	<0.5
AUX0102031		0.12	1.01	41	0.321	5.31	125.5	<0.5
AUX0102032		0.05	1.36	19	0.114	8.49	72.9	1.9
AUX0102033		0.05	1.19	19	0.0796	8.74	71.5	1.8
AUX0102034		0.05	0.40	21	0.0885	9.16	89.3	3.0
AUX0102035		0.05	0.91	21	0.0742	10.30	78.5	2.0
AUX0102036		0.05	0.88	20	0.0996	9.93	87.4	2.0
AUX0102037		0.05	0.66	22	0.143	9.03	89.4	2.1
AUX0102038		0.06	1.09	22	0.0847	8.72	90.7	2.7
AUX0102039		0.06	1.24	22	0.104	8.72	79.3	2.0
AUX0102040		0.05	1.78	23	0.0727	10.20	77.9	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102041		0.16	0.0013	0.176	1.22	20.7	<10	171.5	0.36	0.21	1.38	0.51	32.0	10.6	17.5	0.43
AUX0102042		0.22	0.0028	0.144	1.45	33.4	<10	183.5	0.35	0.25	0.76	0.35	39.9	11.1	21.9	0.59
AUX0102043		0.22	0.0014	0.220	1.52	29.8	<10	177.5	0.37	0.21	0.46	0.27	43.5	14.7	35.5	0.73
AUX0102044		0.20	0.0019	0.241	1.51	20.8	<10	146.0	0.34	0.21	0.65	0.19	36.1	11.4	28.4	0.78
AUX0102045		0.24	0.0008	0.199	1.42	18.60	<10	107.5	0.34	0.22	0.49	0.22	46.4	13.5	28.4	0.57
AUX0102046		0.26	0.0021	0.318	1.35	17.85	<10	233	0.45	0.20	0.38	0.35	39.4	11.3	23.8	0.68
AUX0102047		0.14	0.0017	0.319	1.02	21.1	<10	190.0	0.43	0.18	0.63	0.44	32.7	16.6	19.4	0.56
AUX0102048		0.24	0.0005	0.216	1.04	12.10	<10	143.5	0.36	0.15	0.57	0.23	28.4	8.8	22.2	0.44
AUX0102049		0.38	0.0014	0.344	0.92	17.60	<10	168.5	0.32	0.14	0.35	0.45	31.1	8.1	18.3	0.44
AUX0102050		0.40	0.0014	0.461	0.85	18.10	<10	158.5	0.24	0.14	0.41	0.55	30.5	7.3	17.3	0.43
AUX0102051		0.28	0.0027	0.443	0.92	17.95	<10	184.0	0.28	0.14	0.62	0.39	28.2	7.8	17.9	0.49
AUX0102052		0.32	0.0293	0.481	1.03	15.20	<10	183.0	0.34	0.14	0.36	0.30	31.4	7.8	20.4	0.55
AUX0102053		0.24	0.0011	0.295	1.25	14.25	<10	277	0.42	0.17	0.81	0.51	30.7	10.8	24.0	0.58
AUX0102054		0.16	0.0003	0.250	1.12	13.10	<10	177.5	0.36	0.16	1.06	0.39	23.0	7.9	19.8	0.56
AUX0102055		0.26	0.0006	0.473	1.38	12.30	<10	191.5	0.42	0.17	0.29	0.35	35.3	13.4	21.4	0.69
AUX0102056		0.22	0.0024	0.576	1.14	8.98	<10	222	0.43	0.18	0.67	0.51	28.1	8.9	18.7	0.59
AUX0102057		0.16	0.0005	0.415	0.96	9.33	<10	188.0	0.34	0.16	1.93	0.40	20.2	7.8	14.7	0.48
AUX0102058		0.10	0.0006	0.366	1.02	8.23	<10	213	0.36	0.17	1.92	0.46	22.5	8.5	15.7	0.48
AUX0102059		0.16	0.0012	0.268	1.07	10.00	<10	185.5	0.41	0.18	1.33	0.29	24.2	8.3	16.2	0.45
AUX0102060		0.32	0.0020	0.577	1.01	17.90	<10	137.0	0.38	0.19	0.71	0.32	29.2	9.4	16.6	0.48
AUX0102061		0.14	0.0013	0.262	1.34	11.20	<10	202	0.55	0.21	0.99	0.31	27.7	8.4	18.7	0.68
AUX0102062		0.38	0.0016	0.305	1.35	14.05	<10	167.5	0.54	0.24	0.51	0.26	38.8	13.6	19.8	0.63
AUX0102063		0.32	0.0014	0.663	0.99	12.45	<10	112.5	0.31	0.18	0.53	0.29	27.9	8.3	16.4	0.49
AUX0102064		0.30	0.0007	0.178	1.45	8.14	<10	170.0	0.57	0.25	0.33	0.28	48.3	11.5	18.1	0.68
AUX0102065		0.14	0.0010	0.134	1.29	9.35	<10	157.5	0.40	0.20	1.11	0.35	23.1	11.4	18.2	0.48
AUX0102066		0.42	0.0013	0.181	1.65	13.40	<10	182.5	0.47	0.25	0.35	0.18	44.6	17.8	22.0	0.63
AUX0102067		0.30	0.0008	0.175	1.42	12.60	<10	173.0	0.39	0.23	1.05	0.13	28.1	9.4	19.8	0.61
AUX0102068		0.34	0.0006	0.154	1.46	16.55	<10	154.0	0.47	0.28	0.36	0.14	49.3	13.4	20.9	0.60
AUX0102069		0.16	0.0204	0.167	1.32	11.65	<10	136.5	0.39	0.21	0.63	0.18	37.8	10.5	17.2	0.53
AUX0102070		0.42	0.0011	0.157	1.59	12.50	<10	166.5	0.47	0.24	0.35	0.16	46.5	12.8	21.4	0.58
AUX0102071		0.28	0.0301	0.269	1.58	16.25	<10	149.0	0.41	0.24	0.47	0.17	50.1	10.6	22.6	0.61
AUX0102072		0.26	0.0010	0.202	1.31	12.50	<10	141.5	0.35	0.21	0.68	0.25	34.9	10.6	19.7	0.50
AUX0102073		0.30	0.0012	0.205	1.34	13.30	<10	149.5	0.48	0.21	0.66	0.19	33.1	11.3	18.9	0.55
AUX0102074		0.22	0.0004	0.199	1.28	12.80	<10	113.5	0.40	0.21	0.89	0.20	30.4	8.7	20.1	0.54
AUX0102075		0.32	0.0014	0.229	1.32	12.60	<10	135.5	0.54	0.23	0.75	0.24	35.9	9.8	19.5	0.56
AUX0102076		0.32	0.0017	0.181	1.47	13.90	<10	148.0	0.42	0.24	0.52	0.21	38.1	10.6	21.6	0.57
AUX0102077		0.26	0.0018	0.212	1.34	14.55	<10	150.5	0.44	0.22	0.58	0.37	40.4	12.6	24.8	0.55
AUX0102078		0.24	0.0212	0.246	1.37	24.3	<10	147.0	0.40	0.21	0.76	0.28	32.6	13.8	37.6	0.58
AUX0102079		0.24	0.0005	0.150	1.23	12.15	<10	147.5	0.46	0.23	1.05	0.32	35.6	13.8	21.3	0.60
AUX0102080		0.26	0.0004	0.141	1.10	10.25	<10	123.0	0.39	0.23	1.11	0.16	30.6	10.7	17.6	0.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102041		35.1	2.70	3.04	0.14	0.08	0.051	0.021	0.04	16.2	16.8	0.49	589	1.00	0.01	0.30
AUX0102042		36.2	3.44	3.76	0.14	0.09	0.044	0.020	0.04	20.0	21.4	0.61	484	1.54	0.01	0.32
AUX0102043		30.5	3.31	3.93	0.14	0.10	0.038	0.018	0.05	21.3	22.0	0.66	704	1.18	0.01	0.32
AUX0102044		25.6	2.94	3.68	0.13	0.11	0.051	0.017	0.05	18.1	22.1	0.59	901	0.96	0.01	0.26
AUX0102045		33.3	3.36	3.71	0.14	0.10	0.033	0.018	0.03	22.5	23.9	0.68	591	1.52	0.01	0.30
AUX0102046		37.3	2.67	3.89	0.14	0.08	0.049	0.020	0.04	19.7	18.0	0.47	285	0.88	0.01	0.60
AUX0102047		24.7	2.73	3.39	0.14	0.06	0.050	0.023	0.03	15.2	14.3	0.35	549	1.33	0.01	0.49
AUX0102048		17.35	2.29	3.12	0.13	0.06	0.046	0.018	0.03	14.0	14.3	0.41	477	0.81	0.01	0.51
AUX0102049		25.8	2.23	2.72	0.14	0.07	0.040	0.020	0.03	15.6	12.1	0.34	515	0.87	0.01	0.47
AUX0102050		26.7	2.03	2.63	0.15	0.08	0.042	0.019	0.03	15.0	11.3	0.31	362	0.85	0.01	0.47
AUX0102051		23.1	1.98	2.88	0.14	0.06	0.049	0.018	0.03	14.6	11.6	0.31	524	0.87	0.01	0.51
AUX0102052		20.8	2.10	3.23	0.14	0.06	0.051	0.019	0.03	16.3	13.4	0.36	303	0.81	0.01	0.54
AUX0102053		28.8	2.45	3.64	0.13	0.07	0.067	0.021	0.04	15.5	15.5	0.41	533	0.76	0.01	0.57
AUX0102054		19.80	2.22	3.02	0.14	0.07	0.055	0.019	0.04	12.3	14.6	0.36	428	0.94	0.02	0.43
AUX0102055		19.60	2.38	3.35	0.14	0.04	0.045	0.019	0.04	16.1	20.3	0.37	723	1.37	0.01	0.32
AUX0102056		22.8	2.12	3.18	0.14	0.07	0.058	0.014	0.04	14.4	16.0	0.37	787	0.81	0.01	0.34
AUX0102057		22.4	1.88	2.50	0.14	0.05	0.065	0.014	0.04	11.2	11.3	0.27	764	0.68	0.02	0.33
AUX0102058		25.8	1.94	2.73	0.14	0.06	0.079	0.015	0.05	11.8	12.3	0.31	594	0.56	0.01	0.40
AUX0102059		21.6	2.07	2.94	0.13	0.07	0.062	0.015	0.05	12.6	13.4	0.33	497	0.73	0.01	0.38
AUX0102060		28.3	2.28	2.74	0.13	0.07	0.058	0.016	0.04	16.7	13.0	0.34	499	0.87	0.01	0.34
AUX0102061		30.7	2.47	3.34	0.13	0.07	0.064	0.022	0.05	17.1	16.7	0.38	538	1.04	0.01	0.32
AUX0102062		35.9	3.10	3.49	0.13	0.07	0.061	0.018	0.05	20.5	18.1	0.46	464	0.91	0.01	0.35
AUX0102063		26.5	2.14	2.60	0.15	0.06	0.053	0.016	0.04	14.4	13.0	0.35	429	0.81	0.01	0.29
AUX0102064		47.8	2.42	4.63	0.14	0.09	0.051	0.019	0.06	24.0	25.6	0.52	213	1.49	0.01	0.32
AUX0102065		36.2	2.83	3.57	0.13	0.10	0.055	0.015	0.05	11.5	19.6	0.48	1500	1.73	0.01	0.22
AUX0102066		57.0	3.92	4.63	0.15	0.11	0.044	0.017	0.07	22.9	24.5	0.62	973	1.33	0.01	0.33
AUX0102067		24.8	2.75	3.73	0.14	0.08	0.049	0.017	0.06	14.6	19.7	0.46	480	1.15	0.01	0.31
AUX0102068		36.2	3.14	4.14	0.15	0.10	0.038	0.016	0.05	24.6	21.5	0.51	774	1.62	<0.01	0.28
AUX0102069		25.2	2.76	3.60	0.14	0.09	0.043	0.013	0.05	18.9	18.2	0.47	651	1.19	0.01	0.28
AUX0102070		39.0	3.09	4.41	0.14	0.09	0.056	0.016	0.04	23.3	24.7	0.57	421	1.46	0.01	0.31
AUX0102071		48.2	3.08	4.47	0.15	0.09	0.054	0.018	0.05	25.7	25.2	0.62	534	2.04	0.01	0.34
AUX0102072		32.2	2.84	3.62	0.14	0.08	0.042	0.016	0.04	17.7	19.2	0.48	736	2.03	0.01	0.30
AUX0102073		36.6	2.86	3.43	0.14	0.08	0.043	0.018	0.04	16.9	19.2	0.46	674	1.47	0.02	0.31
AUX0102074		28.9	2.77	3.53	0.14	0.08	0.059	0.018	0.04	15.4	20.0	0.46	366	1.69	0.01	0.33
AUX0102075		39.7	2.75	3.72	0.15	0.09	0.055	0.021	0.04	18.0	20.3	0.46	451	1.43	0.01	0.37
AUX0102076		35.7	3.11	3.87	0.14	0.09	0.049	0.018	0.04	19.5	21.4	0.54	366	1.48	0.01	0.34
AUX0102077		37.5	2.80	3.75	0.15	0.09	0.054	0.022	0.04	20.0	19.9	0.51	680	1.69	0.01	0.34
AUX0102078		44.4	2.80	3.91	0.14	0.08	0.072	0.024	0.04	16.9	22.2	0.62	302	1.08	0.01	0.48
AUX0102079		34.1	2.82	3.52	0.13	0.09	0.068	0.022	0.03	17.9	21.1	0.43	1200	0.95	0.01	0.39
AUX0102080		32.7	2.85	2.95	0.14	0.08	0.060	0.021	0.03	16.2	19.4	0.41	823	0.87	0.01	0.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102041		28.2	0.081	17.40	5.7	<0.001	0.07	4.29	2.1	0.9	0.2	63.9	<0.01	0.03	3.3	0.011
AUX0102042		28.7	0.080	21.5	6.4	<0.001	0.04	4.76	2.6	1.0	0.2	42.4	<0.01	0.04	5.2	0.009
AUX0102043		40.2	0.058	23.2	7.5	<0.001	0.03	3.99	3.0	0.8	0.2	22.7	<0.01	0.03	7.0	0.011
AUX0102044		29.8	0.064	21.0	7.5	<0.001	0.05	2.83	2.2	0.9	<0.2	33.7	<0.01	0.02	4.9	0.009
AUX0102045		32.4	0.070	19.35	4.9	<0.001	0.02	2.78	2.6	0.7	<0.2	27.4	<0.01	0.06	6.9	0.014
AUX0102046		28.5	0.057	25.1	6.3	<0.001	0.01	2.25	3.6	1.0	0.3	22.4	<0.01	0.05	6.6	0.024
AUX0102047		22.3	0.057	25.6	5.1	<0.001	0.03	1.945	2.5	1.0	0.3	33.8	<0.01	0.04	3.0	0.020
AUX0102048		19.8	0.064	19.15	4.4	<0.001	0.02	1.320	2.5	0.8	0.2	31.6	<0.01	0.03	3.4	0.027
AUX0102049		20.8	0.062	25.4	3.9	<0.001	<0.01	2.04	2.9	0.4	0.2	18.1	<0.01	0.02	4.9	0.028
AUX0102050		20.4	0.072	28.6	3.5	<0.001	<0.01	2.24	2.6	0.6	0.2	20.2	<0.01	0.03	4.6	0.029
AUX0102051		19.0	0.077	27.4	4.3	<0.001	0.02	1.835	2.4	0.7	0.2	32.5	<0.01	0.03	2.8	0.024
AUX0102052		19.4	0.067	24.8	5.0	<0.001	0.01	1.535	2.7	0.7	0.3	23.1	<0.01	0.03	3.8	0.025
AUX0102053		24.6	0.076	20.1	6.2	<0.001	0.04	1.710	2.9	1.0	0.3	46.5	<0.01	0.04	2.7	0.022
AUX0102054		19.6	0.074	16.60	7.6	<0.001	0.08	1.640	2.0	1.3	0.2	60.2	<0.01	0.05	1.5	0.020
AUX0102055		23.7	0.065	41.0	9.6	<0.001	0.03	1.405	1.9	0.9	0.2	19.2	<0.01	0.03	2.4	0.014
AUX0102056		21.7	0.074	32.5	7.9	<0.001	0.04	1.510	1.9	0.6	0.2	28.7	<0.01	0.04	2.8	0.014
AUX0102057		18.9	0.083	20.9	7.3	<0.001	0.09	2.40	1.4	1.1	0.2	43.7	<0.01	0.02	1.0	0.014
AUX0102058		21.9	0.074	19.00	6.6	<0.001	0.06	2.48	1.9	0.8	0.2	41.2	<0.01	0.03	1.8	0.016
AUX0102059		19.9	0.073	19.75	7.3	<0.001	0.05	1.690	1.7	0.7	0.2	35.3	<0.01	0.03	1.8	0.015
AUX0102060		24.9	0.065	39.3	5.8	<0.001	0.02	2.22	2.1	0.5	0.2	21.0	<0.01	0.04	3.2	0.016
AUX0102061		26.5	0.098	27.0	9.8	<0.001	0.06	1.300	1.8	0.8	0.2	29.0	<0.01	0.03	1.6	0.014
AUX0102062		30.0	0.069	25.3	8.2	<0.001	0.02	1.015	2.7	0.8	0.2	17.4	<0.01	0.06	4.1	0.015
AUX0102063		22.3	0.057	36.0	4.8	<0.001	0.03	1.355	2.0	0.7	0.2	16.5	<0.01	0.04	2.6	0.018
AUX0102064		28.8	0.043	23.4	10.1	<0.001	0.02	4.56	2.7	0.8	0.2	24.6	<0.01	0.07	8.7	0.008
AUX0102065		23.5	0.078	17.75	7.2	<0.001	0.06	3.36	1.6	0.6	<0.2	70.4	<0.01	0.06	2.7	0.007
AUX0102066		34.6	0.053	23.6	9.5	<0.001	0.01	3.43	2.8	0.9	<0.2	27.1	<0.01	0.08	8.7	0.011
AUX0102067		21.4	0.061	21.3	8.5	<0.001	0.06	2.45	1.8	1.2	0.2	61.8	<0.01	0.05	3.5	0.009
AUX0102068		26.2	0.045	33.4	7.6	<0.001	0.01	3.64	2.4	0.9	0.2	25.3	<0.01	0.05	8.8	0.009
AUX0102069		22.3	0.054	21.0	7.2	<0.001	0.03	3.05	1.9	0.8	0.2	38.8	<0.01	0.04	5.5	0.009
AUX0102070		29.3	0.057	23.0	6.6	<0.001	0.02	2.89	2.5	1.0	0.2	26.5	<0.01	0.03	7.5	0.011
AUX0102071		30.1	0.079	19.65	7.0	<0.001	0.02	3.49	2.6	1.0	0.2	36.9	<0.01	0.04	6.3	0.014
AUX0102072		25.6	0.064	19.45	6.1	<0.001	0.03	3.30	1.9	0.7	0.2	45.8	<0.01	0.03	3.7	0.012
AUX0102073		26.3	0.060	18.10	6.5	<0.001	0.06	3.46	2.2	1.3	0.2	43.7	<0.01	0.04	3.7	0.012
AUX0102074		24.0	0.064	16.25	6.7	<0.001	0.04	3.09	2.0	1.0	0.2	59.2	<0.01	0.04	3.2	0.012
AUX0102075		26.0	0.068	16.95	6.9	0.001	0.03	3.09	2.5	1.1	0.2	50.1	<0.01	0.04	3.5	0.015
AUX0102076		27.1	0.060	18.85	6.2	<0.001	0.02	3.03	2.6	1.1	0.2	36.0	<0.01	0.05	4.9	0.015
AUX0102077		32.2	0.063	19.50	5.3	<0.001	0.02	4.20	2.9	0.8	0.2	40.3	<0.01	0.04	4.7	0.015
AUX0102078		39.1	0.064	37.4	5.2	<0.001	0.03	4.22	4.0	1.0	0.3	47.1	<0.01	0.06	3.1	0.020
AUX0102079		32.5	0.073	16.50	5.9	<0.001	0.05	1.885	2.5	1.1	0.2	66.3	<0.01	0.07	2.7	0.015
AUX0102080		26.4	0.075	17.85	5.0	<0.001	0.06	1.450	2.0	1.1	0.2	62.5	<0.01	0.06	2.2	0.014

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102041		0.05	1.92	21	0.209	8.76	87.0	2.5
AUX0102042		0.05	1.67	24	0.0881	8.72	87.1	3.0
AUX0102043		0.06	1.15	25	0.122	8.56	75.5	3.4
AUX0102044		0.07	2.15	22	0.0656	7.23	78.1	3.5
AUX0102045		0.04	1.17	25	0.0817	8.35	80.3	3.3
AUX0102046		0.07	1.22	33	0.147	10.10	84.2	3.1
AUX0102047		0.06	1.83	28	0.261	7.20	64.0	1.8
AUX0102048		0.05	0.94	30	0.205	6.29	69.3	1.8
AUX0102049		0.05	0.50	26	0.240	7.91	78.9	2.8
AUX0102050		0.04	0.46	25	0.249	7.15	80.8	2.8
AUX0102051		0.05	0.56	25	0.129	6.64	73.0	1.7
AUX0102052		0.05	0.75	29	0.133	6.96	73.3	1.7
AUX0102053		0.07	1.89	33	0.176	8.78	77.4	1.9
AUX0102054		0.06	1.42	26	0.190	6.67	92.8	1.7
AUX0102055		0.09	1.20	25	0.123	5.52	109.5	1.2
AUX0102056		0.07	0.77	23	0.118	7.02	79.7	1.9
AUX0102057		0.07	1.46	19	0.0814	7.63	65.5	1.4
AUX0102058		0.06	1.29	21	0.184	8.19	73.0	1.9
AUX0102059		0.06	0.95	22	0.114	7.31	64.2	1.7
AUX0102060		0.05	0.62	20	0.0990	8.57	85.3	1.9
AUX0102061		0.07	1.05	23	0.116	11.15	102.0	1.7
AUX0102062		0.07	0.99	24	0.125	12.30	81.2	1.9
AUX0102063		0.05	0.48	19	0.118	7.89	72.5	1.6
AUX0102064		0.07	0.76	21	0.0657	9.92	74.0	3.5
AUX0102065		0.07	0.72	18	0.0599	6.27	74.3	2.9
AUX0102066		0.07	0.95	22	0.0658	9.92	75.3	3.6
AUX0102067		0.07	1.14	21	0.0716	7.08	71.1	2.6
AUX0102068		0.07	1.06	20	0.0810	9.31	65.2	3.1
AUX0102069		0.05	0.91	18	0.0541	7.03	67.7	2.8
AUX0102070		0.07	1.89	23	0.0668	8.99	74.6	2.7
AUX0102071		0.06	2.25	25	0.0933	12.00	80.5	3.0
AUX0102072		0.05	1.53	22	0.110	7.50	75.2	2.3
AUX0102073		0.06	2.15	22	0.0766	9.54	71.0	2.6
AUX0102074		0.06	1.80	22	0.0842	6.93	72.1	2.5
AUX0102075		0.05	2.82	24	0.0868	12.05	71.8	2.7
AUX0102076		0.06	1.32	26	0.108	9.63	76.4	2.5
AUX0102077		0.05	1.16	26	0.127	12.40	78.4	2.8
AUX0102078		0.05	1.36	33	0.173	13.15	86.0	2.4
AUX0102079		0.06	1.72	24	0.101	12.20	77.9	2.7
AUX0102080		0.05	1.64	20	0.0801	12.35	73.6	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102081		0.18	0.0006	0.135	1.10	13.80	<10	113.0	0.49	0.21	0.91	0.23	35.4	11.0	18.0	0.54
AUX0102082		0.40	0.0019	0.123	1.28	11.75	<10	118.0	0.43	0.27	0.37	0.14	60.2	11.6	20.2	0.96
AUX0102083		0.18	0.0029	0.162	1.46	13.40	<10	160.0	0.38	0.18	1.45	0.22	32.8	12.8	49.0	0.64
AUX0102084		0.24	0.0017	0.137	1.72	11.15	<10	119.0	0.39	0.29	0.66	0.12	58.5	12.8	40.8	0.72
AUX0102085		0.40	0.0015	0.153	1.95	15.75	<10	165.5	0.41	0.20	0.39	0.12	39.5	19.9	77.3	0.63
AUX0102086		0.28	0.0067	0.127	1.29	85.5	<10	121.0	0.50	0.27	0.49	0.14	45.1	23.5	43.3	0.67
AUX0102087		0.22	0.0032	0.166	1.24	18.70	<10	130.5	0.51	0.29	1.16	0.23	41.0	13.2	21.0	0.64
AUX0102088		0.18	0.0070	0.255	1.28	22.5	<10	191.0	0.45	0.25	1.00	0.24	28.4	12.3	20.1	0.64
AUX0102089		0.20	0.0021	0.158	1.17	11.85	<10	167.0	0.39	0.19	0.68	0.26	28.0	9.7	22.2	0.57
AUX0102090		0.18	0.0020	0.291	1.60	17.65	<10	211	0.59	0.21	0.66	0.25	29.6	11.3	22.5	0.94
AUX0100601		0.20	0.0029	0.517	1.00	12.95	<10	254	0.35	0.16	0.51	0.58	28.0	7.4	19.3	0.58
AUX0100602		0.26	0.0038	0.500	1.12	16.20	<10	256	0.35	0.17	0.45	0.37	29.5	9.4	20.3	0.56
AUX0100603		0.28	0.0039	0.518	1.17	15.95	<10	299	0.36	0.18	0.36	0.47	34.2	9.2	22.2	0.61
AUX0100604		0.28	0.0024	0.362	1.43	13.30	<10	310	0.25	0.17	0.32	0.41	33.9	9.9	23.1	0.61
AUX0100605		0.32	0.0017	0.309	1.15	9.81	<10	230	0.30	0.15	0.30	0.26	27.8	6.9	21.8	0.59
AUX0100606		0.34	0.0032	0.358	1.27	12.45	<10	404	0.35	0.17	0.38	0.41	30.0	8.9	24.1	0.66
AUX0100607		0.36	0.0087	0.345	1.14	14.40	<10	290	0.36	0.15	0.33	0.34	32.4	7.0	23.1	0.63
AUX0100608		0.32	0.0029	0.551	1.14	14.75	<10	290	0.29	0.18	0.39	0.43	29.8	7.0	22.8	0.64
AUX0100609		0.32	0.0026	0.559	1.05	21.3	<10	238	0.32	0.19	0.31	0.69	30.5	7.8	21.4	0.69
AUX0100610		0.36	0.0031	0.696	1.17	29.3	<10	278	0.32	0.18	0.38	0.47	31.8	8.5	22.7	0.78
AUX0100611		0.38	0.0022	0.671	1.06	17.75	<10	222	0.38	0.18	0.36	0.66	34.3	8.5	20.9	0.65
AUX0100612		0.26	0.0026	0.955	1.28	20.4	<10	353	0.43	0.21	0.57	1.21	30.8	9.9	23.7	0.71
AUX0100613		0.36	0.0023	0.573	0.88	22.5	<10	151.5	0.22	0.13	0.29	0.63	34.1	6.8	17.8	0.53
AUX0100614		0.30	0.0025	0.662	1.15	14.10	<10	254	0.32	0.15	0.34	1.64	33.2	8.0	21.0	0.60
AUX0100615		0.26	0.0019	0.490	1.08	12.70	<10	280	0.34	0.15	0.30	0.41	35.7	7.5	19.3	0.58
AUX0100616		0.16	0.0021	0.359	1.31	6.91	<10	283	0.26	0.17	0.58	0.63	28.0	6.3	23.7	0.75
AUX0100617		0.18	0.0016	0.278	1.16	11.10	<10	226	0.32	0.16	0.60	0.37	23.3	8.0	20.4	0.56
AUX0100618		0.22	0.0025	0.389	1.28	8.09	<10	257	0.37	0.17	0.48	1.17	29.0	7.5	19.3	0.68
AUX0100619		0.16	0.0042	0.810	1.33	14.90	<10	304	0.31	0.24	0.32	0.56	24.5	8.9	19.4	0.84
AUX0100620		0.20	0.0034	0.595	1.58	17.50	<10	328	0.45	0.26	0.25	1.18	41.3	37.6	21.9	0.72
AUX0100621		0.26	0.0039	0.577	1.65	15.65	<10	385	0.52	0.26	0.42	2.04	44.0	24.7	20.9	0.75
AUX0100622		0.30	0.0021	0.396	1.30	14.00	<10	183.5	0.28	0.25	0.19	0.57	44.2	13.5	18.2	0.64
AUX0100623		0.24	0.0024	0.783	1.66	23.7	<10	270	0.40	0.26	0.15	0.40	30.5	18.6	20.6	0.93
AUX0100624		0.22	0.0032	0.703	1.65	20.0	<10	269	0.37	0.27	0.19	0.78	35.3	21.5	20.7	0.79
AUX0100625		0.24	0.0032	0.735	1.58	20.3	<10	269	0.51	0.27	0.19	0.79	37.8	22.1	20.3	0.80
AUX0100626		0.24	0.0030	0.739	1.48	21.5	<10	225	0.36	0.25	0.14	0.42	30.2	11.3	19.5	0.92
AUX0100627		0.28	0.0036	0.726	1.46	16.70	<10	247	0.41	0.23	0.17	0.89	34.8	14.2	20.6	0.88
AUX0100628		0.24	0.0238	0.467	1.24	26.3	<10	204	0.39	0.22	0.14	0.50	28.6	16.6	18.0	0.87
AUX0100629		0.24	0.0034	0.581	1.23	21.1	<10	185.5	0.40	0.20	0.13	0.41	29.0	11.4	19.2	0.78
AUX0100630		0.34	0.0034	0.515	1.15	23.2	<10	173.5	0.34	0.19	0.13	0.47	28.4	13.9	18.8	0.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102081		26.5	2.96	2.98	0.14	0.08	0.063	0.026	0.04	18.4	16.2	0.38	637	0.83	0.01	0.37
AUX0102082		33.3	3.14	3.27	0.09	0.10	0.041	0.018	0.05	29.5	19.8	0.51	687	0.92	0.01	0.29
AUX0102083		37.1	2.71	3.70	0.09	0.06	0.046	0.019	0.04	17.6	20.6	0.66	522	0.74	0.01	0.38
AUX0102084		41.8	3.38	4.47	0.08	0.12	0.039	0.018	0.04	29.1	30.3	0.81	319	0.83	0.01	0.34
AUX0102085		44.1	3.37	5.04	0.09	0.09	0.043	0.022	0.03	22.8	31.0	1.15	667	0.78	0.01	0.38
AUX0102086		48.1	3.55	3.33	0.09	0.10	0.040	0.031	0.04	23.3	20.2	0.63	1020	0.95	0.01	0.34
AUX0102087		41.4	3.44	3.10	0.09	0.12	0.049	0.027	0.04	21.3	20.0	0.48	611	1.36	0.01	0.31
AUX0102088		34.2	3.06	3.18	0.07	0.09	0.065	0.021	0.04	15.3	16.0	0.39	1120	1.00	0.01	0.37
AUX0102089		21.0	2.54	3.29	0.07	0.06	0.047	0.019	0.04	14.9	17.1	0.41	613	1.19	0.01	0.38
AUX0102090		22.7	2.82	3.57	0.08	0.06	0.048	0.023	0.04	16.9	26.4	0.39	803	1.64	0.02	0.38
AUX0100601		26.5	1.90	2.88	0.09	0.06	0.081	0.020	0.04	14.6	13.8	0.31	181	1.12	0.02	0.58
AUX0100602		22.6	2.30	3.19	0.07	0.05	0.077	0.019	0.04	14.7	15.4	0.36	682	1.46	0.01	0.53
AUX0100603		27.2	2.36	3.38	0.07	0.05	0.076	0.021	0.04	17.6	14.1	0.38	520	1.48	0.01	0.63
AUX0100604		25.4	2.69	4.49	0.09	0.04	0.050	0.026	0.04	17.2	18.5	0.53	522	1.12	0.01	0.55
AUX0100605		16.60	1.97	3.22	0.08	0.04	0.040	0.019	0.04	15.0	13.2	0.38	221	0.84	0.01	0.67
AUX0100606		25.1	2.28	3.56	0.07	0.04	0.045	0.026	0.04	15.1	13.0	0.40	552	1.09	0.01	0.64
AUX0100607		25.3	2.06	3.28	0.08	0.06	0.042	0.022	0.04	16.4	13.4	0.39	217	0.87	0.01	0.67
AUX0100608		28.0	2.17	3.08	0.09	0.06	0.034	0.026	0.04	15.4	13.1	0.39	299	0.96	0.01	0.68
AUX0100609		31.5	2.26	2.97	0.08	0.08	0.033	0.026	0.04	15.4	12.1	0.37	443	1.11	0.01	0.42
AUX0100610		29.0	2.38	3.41	0.08	0.04	0.035	0.026	0.04	15.9	14.4	0.38	684	1.16	0.01	0.66
AUX0100611		29.0	2.21	3.02	0.08	0.05	0.036	0.030	0.04	16.7	15.5	0.38	409	1.02	0.01	0.54
AUX0100612		32.6	2.39	3.34	0.07	0.07	0.063	0.033	0.05	15.9	17.2	0.40	969	1.13	0.01	0.62
AUX0100613		24.3	2.07	2.57	0.09	0.13	0.027	0.019	0.04	16.8	11.0	0.31	272	0.82	0.01	0.36
AUX0100614		25.5	2.23	3.11	0.08	0.05	0.041	0.018	0.04	16.9	15.9	0.37	359	0.89	0.01	0.58
AUX0100615		24.2	2.07	3.06	0.08	0.04	0.036	0.021	0.03	17.8	13.7	0.37	349	0.90	0.01	0.56
AUX0100616		16.70	1.69	3.83	0.07	0.05	0.058	0.019	0.04	13.4	19.1	0.39	651	0.48	0.01	0.54
AUX0100617		14.00	2.20	3.03	0.07	0.06	0.045	0.019	0.04	12.0	17.7	0.37	614	0.69	0.01	0.43
AUX0100618		20.3	2.02	3.25	0.08	0.05	0.065	0.019	0.04	14.7	23.7	0.39	305	0.64	0.01	0.39
AUX0100619		23.2	2.45	3.57	0.08	0.04	0.135	0.027	0.04	12.7	23.8	0.30	656	1.74	0.01	0.34
AUX0100620		31.6	3.30	3.67	0.07	0.07	0.092	0.032	0.04	17.5	30.8	0.44	3640	1.59	0.01	0.24
AUX0100621		37.4	3.37	3.72	0.09	0.06	0.077	0.029	0.04	19.1	40.8	0.49	2290	1.68	0.01	0.26
AUX0100622		32.4	2.87	3.58	0.08	0.04	0.055	0.018	0.03	21.9	30.5	0.48	756	1.34	0.01	0.32
AUX0100623		33.7	3.86	4.07	0.08	0.05	0.097	0.029	0.04	15.8	36.0	0.36	820	2.15	0.01	0.30
AUX0100624		39.1	3.75	3.69	0.08	0.05	0.103	0.026	0.05	17.0	33.5	0.41	1580	1.92	0.01	0.25
AUX0100625		38.4	3.64	3.69	0.08	0.06	0.087	0.027	0.04	19.0	33.7	0.40	1580	1.96	0.01	0.25
AUX0100626		27.2	3.36	3.75	0.08	0.04	0.106	0.029	0.04	14.6	30.1	0.34	303	1.75	0.01	0.31
AUX0100627		35.8	2.99	3.82	0.08	0.02	0.096	0.027	0.04	18.4	31.9	0.36	257	1.66	<0.01	0.34
AUX0100628		25.9	3.35	3.89	0.10	0.04	0.066	0.024	0.03	14.4	21.5	0.31	695	1.93	0.01	0.27
AUX0100629		30.2	2.91	3.69	0.09	0.02	0.094	0.021	0.03	14.9	17.8	0.32	384	2.07	0.01	0.30
AUX0100630		26.7	3.21	3.65	0.10	<0.02	0.055	0.025	0.03	14.2	20.5	0.31	667	2.08	<0.01	0.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102081		26.7	0.065	19.20	5.6	<0.001	0.03	1.815	2.9	1.0	0.2	49.3	<0.01	0.05	2.9	0.016
AUX0102082		31.7	0.041	21.1	6.4	<0.001	0.03	3.56	2.7	0.4	0.2	23.6	<0.01	0.07	9.6	0.011
AUX0102083		45.7	0.081	15.30	7.1	0.001	0.11	2.79	2.5	1.4	0.2	89.0	<0.01	0.03	2.0	0.015
AUX0102084		46.3	0.054	19.95	6.1	<0.001	0.04	1.720	2.6	0.6	0.2	40.3	<0.01	0.07	8.2	0.014
AUX0102085		71.5	0.059	18.30	7.2	<0.001	0.03	0.992	4.5	0.5	0.2	26.1	<0.01	0.06	5.2	0.017
AUX0102086		67.4	0.048	22.6	6.0	<0.001	0.04	4.42	5.6	0.9	0.2	33.8	<0.01	0.10	5.8	0.015
AUX0102087		34.1	0.087	19.85	6.3	<0.001	0.06	2.32	3.1	1.2	0.2	74.5	<0.01	0.11	2.8	0.013
AUX0102088		28.7	0.103	20.2	7.8	<0.001	0.09	3.24	2.4	0.7	0.2	60.4	<0.01	0.06	1.8	0.015
AUX0102089		23.3	0.079	12.70	8.4	<0.001	0.06	1.775	2.0	1.0	0.2	41.8	<0.01	0.05	1.8	0.017
AUX0102090		24.3	0.113	15.90	12.4	<0.001	0.08	1.770	1.8	1.2	0.2	40.2	<0.01	0.04	1.4	0.016
AUX0100601		21.8	0.072	22.8	6.5	0.001	0.06	2.80	2.7	1.1	0.3	35.4	<0.01	0.06	3.7	0.022
AUX0100602		21.6	0.075	22.0	6.4	0.001	0.04	2.30	2.6	0.6	0.3	33.0	<0.01	0.05	3.5	0.020
AUX0100603		24.2	0.078	23.8	7.0	0.001	0.02	1.960	3.3	0.8	0.3	25.8	<0.01	0.05	4.5	0.027
AUX0100604		24.9	0.077	20.9	6.6	<0.001	0.02	1.540	3.6	0.7	0.3	19.9	<0.01	0.03	4.7	0.027
AUX0100605		18.1	0.065	21.1	6.4	<0.001	0.02	0.993	2.6	0.3	0.3	17.9	<0.01	0.02	3.6	0.032
AUX0100606		23.8	0.067	21.8	6.9	<0.001	0.02	1.185	3.7	0.6	0.3	19.4	<0.01	0.03	3.8	0.032
AUX0100607		20.7	0.071	22.0	6.1	<0.001	0.01	1.095	3.5	0.6	0.3	18.1	<0.01	0.04	4.5	0.039
AUX0100608		22.3	0.076	28.1	6.3	<0.001	0.01	1.320	3.4	0.7	0.3	19.6	<0.01	0.02	4.3	0.037
AUX0100609		21.9	0.076	35.7	5.4	<0.001	0.01	1.630	3.3	0.4	0.3	16.1	<0.01	0.04	4.7	0.040
AUX0100610		23.3	0.070	39.4	6.5	<0.001	0.03	1.625	3.4	0.6	0.3	19.8	<0.01	0.03	3.8	0.035
AUX0100611		22.2	0.078	39.3	5.4	<0.001	0.03	1.700	3.3	0.4	0.3	17.9	<0.01	0.04	5.0	0.038
AUX0100612		25.4	0.087	51.6	6.4	0.002	0.04	1.895	3.6	0.8	0.3	25.9	<0.01	0.05	3.6	0.033
AUX0100613		17.9	0.078	36.3	4.1	<0.001	0.02	1.890	2.7	0.5	0.2	15.0	<0.01	0.03	4.7	0.039
AUX0100614		22.7	0.076	26.8	5.8	0.001	0.02	1.485	3.1	0.5	0.3	18.8	<0.01	0.03	3.7	0.033
AUX0100615		17.7	0.070	25.5	5.5	<0.001	0.02	1.485	3.2	0.6	0.3	17.6	<0.01	0.03	4.6	0.035
AUX0100616		19.9	0.095	21.0	9.0	0.001	0.07	1.080	2.7	0.7	0.3	35.2	<0.01	0.02	1.8	0.021
AUX0100617		18.2	0.078	18.45	7.1	0.001	0.05	1.135	2.2	0.7	0.2	32.3	<0.01	0.01	1.7	0.021
AUX0100618		23.5	0.080	22.0	8.5	0.002	0.05	1.290	2.2	1.6	0.3	23.5	<0.01	0.04	2.0	0.016
AUX0100619		28.2	0.092	26.6	7.5	0.001	0.05	1.895	2.1	1.1	0.3	31.3	<0.01	0.07	1.6	0.012
AUX0100620		43.5	0.093	39.0	9.2	0.001	0.05	1.755	3.1	1.5	0.2	19.6	<0.01	0.06	3.4	0.010
AUX0100621		63.1	0.087	26.0	9.2	0.001	0.05	1.635	3.2	1.2	0.2	30.9	<0.01	0.10	3.6	0.010
AUX0100622		36.3	0.071	21.1	5.9	<0.001	0.03	1.695	2.6	0.8	0.2	17.6	<0.01	0.06	5.3	0.015
AUX0100623		51.0	0.107	33.7	8.2	0.001	0.06	2.35	2.4	1.4	0.3	18.1	<0.01	0.07	2.4	0.011
AUX0100624		53.5	0.108	33.7	8.4	0.001	0.04	2.37	2.9	1.4	0.2	18.8	<0.01	0.07	3.4	0.011
AUX0100625		52.4	0.103	32.8	8.3	0.001	0.04	2.42	2.9	1.5	0.2	19.3	<0.01	0.07	3.5	0.012
AUX0100626		48.2	0.097	24.9	8.9	0.001	0.04	3.06	2.0	1.0	0.3	16.2	<0.01	0.07	2.1	0.011
AUX0100627		56.7	0.090	23.8	8.5	0.001	0.02	3.45	2.5	1.1	0.3	18.6	<0.01	0.06	2.4	0.014
AUX0100628		43.8	0.097	23.2	7.3	0.001	0.02	5.52	1.8	1.3	0.3	18.7	<0.01	0.07	2.1	0.011
AUX0100629		31.7	0.087	17.55	6.6	<0.001	0.01	3.35	1.9	1.2	0.3	19.1	<0.01	0.06	1.2	0.018
AUX0100630		37.1	0.082	19.70	6.3	<0.001	0.01	3.01	1.7	0.9	0.3	16.9	<0.01	0.05	1.5	0.020

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102081		0.05	0.79	24	0.106	12.80	67.9	1.9
AUX0102082		0.05	0.74	19	0.0703	10.90	77.6	3.3
AUX0102083		0.06	2.05	28	0.0798	10.20	64.6	2.0
AUX0102084		0.05	1.50	24	0.172	8.42	87.1	3.8
AUX0102085		0.06	1.05	38	0.0823	11.35	68.4	2.4
AUX0102086		0.05	0.76	26	0.0914	17.65	70.0	3.3
AUX0102087		0.05	1.19	22	0.114	18.50	80.9	3.5
AUX0102088		0.06	2.42	26	0.130	15.75	78.1	2.4
AUX0102089		0.06	1.54	27	0.259	7.17	77.7	1.6
AUX0102090		0.10	4.19	29	0.165	10.15	96.3	1.4
AUX0100601		0.08	1.18	29	0.438	7.11	86.7	2.1
AUX0100602		0.08	0.96	32	0.247	6.52	82.4	1.6
AUX0100603		0.08	1.01	34	0.192	8.13	85.6	1.6
AUX0100604		0.07	0.76	34	0.124	7.95	90.2	1.6
AUX0100605		0.07	0.63	32	0.156	4.84	70.8	1.1
AUX0100606		0.08	0.98	36	0.187	8.04	79.0	1.1
AUX0100607		0.07	0.71	33	0.167	7.41	81.0	2.2
AUX0100608		0.08	0.76	33	0.159	7.75	93.0	2.1
AUX0100609		0.07	0.54	31	0.155	7.46	104.0	3.1
AUX0100610		0.08	0.90	34	0.171	7.96	100.0	1.5
AUX0100611		0.06	0.82	31	0.140	8.13	105.5	2.3
AUX0100612		0.07	1.43	35	0.172	9.72	114.0	1.9
AUX0100613		0.04	0.52	26	0.0984	6.45	93.0	5.2
AUX0100614		0.07	1.11	31	0.138	8.09	110.0	1.5
AUX0100615		0.05	0.86	30	0.121	7.44	79.0	1.6
AUX0100616		0.08	1.21	33	0.805	6.78	89.9	1.4
AUX0100617		0.06	1.16	32	0.336	6.25	84.2	1.2
AUX0100618		0.07	1.22	27	0.122	8.47	116.5	1.3
AUX0100619		0.09	1.33	32	0.122	6.05	117.5	0.9
AUX0100620		0.09	1.82	28	0.126	10.65	176.0	1.8
AUX0100621		0.08	2.40	28	0.0930	19.10	260	1.6
AUX0100622		0.06	1.17	25	0.0884	7.79	128.0	1.2
AUX0100623		0.10	2.05	33	0.101	7.88	207	1.2
AUX0100624		0.10	2.37	31	0.0956	10.00	219	1.4
AUX0100625		0.09	2.20	30	0.0977	10.10	212	1.5
AUX0100626		0.11	1.72	32	0.146	6.58	182.5	0.8
AUX0100627		0.11	2.00	33	0.122	8.59	213	0.6
AUX0100628		0.10	1.23	28	0.103	5.68	158.5	1.0
AUX0100629		0.10	1.69	34	0.151	6.89	125.0	<0.5
AUX0100630		0.08	1.25	33	0.136	4.78	143.0	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0100631	0.24	0.0034	0.628	1.34	16.40	<10	185.0	0.35	0.20	0.16	0.28	26.2	7.7	20.7	0.84
AUX0100632	0.10	0.0021	0.309	0.95	18.50	<10	179.5	0.45	0.18	2.09	0.30	20.5	9.0	14.6	0.47
AUX0100633	0.16	0.0033	0.348	1.22	24.0	<10	178.0	0.44	0.22	1.41	0.29	25.8	11.2	20.9	0.54
AUX0100634	0.22	0.0022	0.240	1.05	17.25	<10	146.5	0.30	0.17	0.84	0.31	26.3	9.0	18.6	0.42
AUX0100635	0.18	0.0053	0.228	1.15	20.2	<10	170.0	0.27	0.18	0.73	0.22	30.5	13.3	20.4	0.50
AUX0100636	0.28	0.0019	0.199	1.08	16.50	<10	176.0	0.37	0.16	0.76	0.39	28.0	9.8	20.6	0.46
AUX0100637	0.24	0.0022	0.148	1.07	15.30	<10	160.0	0.31	0.15	0.92	0.27	23.8	8.7	19.8	0.47
AUX0100638	0.18	0.0019	0.197	1.12	20.7	<10	163.0	0.34	0.18	0.77	0.18	28.5	9.5	19.0	0.51
AUX0100639	0.28	0.0017	0.186	1.17	18.20	<10	163.5	0.46	0.18	0.76	0.24	31.5	11.4	18.2	0.49
AUX0100640	0.16	0.0015	0.275	1.18	18.60	<10	174.0	0.44	0.19	1.05	0.29	29.1	10.4	18.5	0.53
AUX0100641	0.26	0.0022	0.456	1.30	20.9	<10	149.5	0.41	0.24	0.59	0.33	36.1	11.6	20.7	0.61
AUX0100642	0.14	0.0031	0.401	1.12	17.05	<10	72.4	0.34	0.22	1.17	0.28	25.1	9.0	17.6	0.49
AUX0100643	0.20	0.0034	0.370	1.06	19.40	<10	143.0	0.40	0.17	1.00	0.37	24.5	9.8	18.4	0.52
AUX0100644	0.26	0.0026	0.309	1.10	14.75	<10	153.0	0.38	0.19	0.69	0.45	32.4	9.0	20.2	0.54
AUX0100645	0.20	0.0023	0.489	1.03	13.10	<10	209	0.32	0.15	0.59	0.27	23.2	6.6	17.5	0.59
AUX0100646	0.30	0.0020	0.526	1.06	16.15	<10	231	0.36	0.17	0.38	0.37	27.5	7.9	18.7	0.62
AUX0100647	0.22	0.0023	0.324	1.06	15.25	<10	151.0	0.28	0.14	0.42	0.18	25.1	5.7	19.4	0.56
AUX0100648	0.26	0.0024	0.345	1.08	12.10	<10	190.0	0.29	0.15	0.50	0.36	26.6	6.4	20.5	0.60
AUX0100649	0.18	0.0022	0.413	1.09	13.65	<10	187.0	0.40	0.15	0.41	0.42	30.7	7.3	22.2	0.66
AUX0100650	0.20	0.0024	0.406	1.08	12.90	<10	182.0	0.36	0.15	0.44	0.37	29.6	6.9	22.0	0.67
AUX0100651	0.22	0.0016	0.525	0.99	16.10	<10	213	0.30	0.14	0.73	0.36	20.9	10.7	18.3	0.55
AUX0100652	0.32	0.0060	0.260	1.14	14.55	<10	266	0.37	0.16	0.60	0.39	27.9	8.7	22.7	0.55
AUX0100653	0.16	0.0014	0.368	1.25	11.60	<10	179.5	0.42	0.17	0.47	0.23	26.8	8.2	17.2	0.69
AUX0100654	0.14	0.0012	0.315	1.03	9.41	<10	148.5	0.31	0.18	0.96	0.54	22.7	9.0	14.2	0.48
AUX0100655	0.18	0.0018	0.257	1.01	7.25	<10	152.5	0.36	0.16	1.16	0.29	19.85	7.1	14.7	0.44
AUX0100656	0.18	0.0016	0.230	1.15	8.83	<10	153.5	0.40	0.19	0.63	0.19	23.5	8.2	17.0	0.55
AUX0100657	0.20	0.0019	0.372	1.12	9.57	<10	153.0	0.36	0.19	0.67	0.44	26.5	10.1	17.1	0.46
AUX0100658	0.16	0.0012	0.125	1.09	8.26	<10	132.5	0.34	0.18	0.56	0.28	22.8	8.2	16.4	0.43
AUX0100659	0.20	0.0014	0.286	1.19	8.92	<10	153.5	0.43	0.19	0.42	0.28	37.4	8.9	18.6	0.50
AUX0100660	0.18	0.0012	0.178	1.07	9.05	<10	174.5	0.37	0.19	1.04	0.28	24.1	8.6	16.6	0.50
AUX0100661	0.16	0.0019	0.186	1.01	7.58	<10	169.0	0.37	0.16	1.13	0.36	21.9	8.1	16.6	0.54
AUX0100662	0.14	0.0020	0.127	1.03	6.68	<10	252	0.38	0.16	1.63	0.27	20.5	6.5	16.4	0.48
AUX0100663	0.32	0.0126	0.183	1.27	13.85	<10	195.0	0.45	0.23	0.61	0.38	38.4	12.6	19.5	0.47
AUX0100664	0.12	0.0034	0.163	1.21	11.60	<10	173.5	0.39	0.22	0.85	0.36	35.4	11.5	16.6	0.49
AUX0100665	0.12	0.0094	0.143	1.14	10.35	<10	166.0	0.37	0.22	1.19	0.25	29.1	10.0	15.0	0.48
AUX0100666	0.24	0.0162	0.158	1.41	20.3	<10	160.5	0.46	0.31	0.38	0.24	52.1	13.2	20.3	0.55
AUX0100667	0.26	0.0072	0.109	1.38	14.00	<10	152.0	0.47	0.31	0.57	0.29	45.4	13.9	18.9	0.53
AUX0100668	0.24	0.0052	0.130	1.35	21.8	<10	173.0	0.43	0.26	0.50	0.29	40.9	15.2	21.8	0.57
AUX0100669	0.32	0.0064	0.183	1.39	18.50	<10	164.5	0.43	0.26	0.87	0.26	38.7	12.0	21.3	0.59
AUX0100670	0.10	0.0054	0.191	1.15	18.90	<10	134.0	0.38	0.23	0.96	0.28	30.7	12.5	17.9	0.47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0100631		25.9	2.87	4.02	0.09	<0.02	0.090	0.022	0.04	13.5	22.3	0.35	235	1.62	0.01	0.36
AUX0100632		30.2	2.06	2.78	0.09	0.07	0.045	0.019	0.04	10.3	12.5	0.32	843	0.73	0.01	0.32
AUX0100633		28.7	2.67	3.45	0.09	0.09	0.042	0.023	0.05	13.4	17.7	0.44	654	0.83	0.01	0.36
AUX0100634		21.9	2.21	3.26	0.09	0.08	0.031	0.017	0.04	13.0	15.7	0.40	506	0.75	0.01	0.35
AUX0100635		22.1	2.51	3.45	0.10	0.08	0.027	0.016	0.03	14.5	17.8	0.44	786	0.85	0.01	0.35
AUX0100636		21.7	2.29	3.14	0.09	0.08	0.022	0.015	0.03	13.7	17.5	0.44	1340	0.75	0.01	0.31
AUX0100637		19.10	2.24	3.14	0.08	0.07	0.032	0.014	0.03	11.6	15.0	0.41	545	0.68	0.01	0.34
AUX0100638		18.90	2.69	3.29	0.09	0.07	0.028	0.018	0.03	13.3	17.5	0.40	448	0.76	0.01	0.38
AUX0100639		21.3	2.55	3.40	0.08	0.08	0.026	0.017	0.04	14.9	17.8	0.43	629	0.71	0.01	0.34
AUX0100640		28.5	2.57	3.43	0.08	0.08	0.037	0.016	0.04	14.7	18.2	0.43	878	1.02	0.01	0.33
AUX0100641		32.8	2.89	3.82	0.09	0.10	0.025	0.018	0.04	18.0	21.5	0.51	461	0.99	0.01	0.33
AUX0100642		28.3	2.45	3.17	0.10	0.10	0.027	0.018	0.04	12.4	18.7	0.52	352	0.64	0.01	0.30
AUX0100643		23.8	2.35	3.24	0.09	0.07	0.073	0.019	0.03	12.1	16.4	0.41	600	1.12	0.01	0.38
AUX0100644		31.6	2.20	3.45	0.10	0.09	0.039	0.023	0.03	16.0	17.9	0.46	345	0.82	0.01	0.44
AUX0100645		23.5	1.95	3.22	0.09	0.05	0.049	0.019	0.03	11.9	11.5	0.30	346	0.76	0.01	0.43
AUX0100646		27.9	2.08	3.45	0.10	0.06	0.041	0.021	0.03	13.3	12.8	0.33	404	0.73	0.01	0.51
AUX0100647		17.95	2.00	3.27	0.08	0.06	0.029	0.018	0.03	12.6	11.8	0.35	272	0.69	0.01	0.51
AUX0100648		21.4	2.00	3.25	0.10	0.07	0.034	0.018	0.03	12.9	11.1	0.36	235	0.55	0.01	0.57
AUX0100649		28.1	2.13	3.45	0.11	0.11	0.028	0.020	0.04	15.6	11.6	0.38	317	0.61	0.01	0.65
AUX0100650		25.1	2.03	3.53	0.09	0.09	0.029	0.018	0.04	14.6	11.8	0.38	304	0.66	0.01	0.66
AUX0100651		18.15	2.01	3.14	0.09	0.06	0.038	0.018	0.03	10.4	10.3	0.32	826	0.96	0.01	0.45
AUX0100652		19.85	2.46	3.47	0.09	0.08	0.043	0.017	0.03	14.3	14.1	0.40	716	0.77	0.01	0.48
AUX0100653		16.00	2.22	3.40	0.09	0.05	0.039	0.018	0.04	14.4	17.5	0.34	414	0.88	0.01	0.38
AUX0100654		19.05	2.06	2.84	0.09	0.07	0.036	0.015	0.04	12.0	13.4	0.35	985	0.61	0.01	0.26
AUX0100655		21.7	2.04	2.89	0.08	0.07	0.051	0.014	0.04	10.5	13.3	0.34	331	0.70	0.01	0.30
AUX0100656		19.70	2.32	3.44	0.09	0.08	0.031	0.017	0.04	12.4	15.5	0.38	422	0.80	0.01	0.36
AUX0100657		21.6	2.38	3.21	0.08	0.08	0.041	0.016	0.05	13.0	15.6	0.39	768	0.80	0.01	0.34
AUX0100658		17.65	2.29	3.25	0.08	0.07	0.028	0.016	0.05	11.8	15.5	0.38	385	0.73	0.01	0.32
AUX0100659		26.1	2.41	3.71	0.09	0.07	0.033	0.015	0.05	19.3	18.2	0.44	458	0.70	0.01	0.48
AUX0100660		21.2	2.23	3.31	0.09	0.06	0.044	0.017	0.04	11.7	15.4	0.36	378	0.77	0.01	0.39
AUX0100661		19.05	2.01	3.11	0.09	0.05	0.045	0.014	0.04	11.0	13.9	0.34	461	0.76	0.01	0.40
AUX0100662		22.7	1.84	3.05	0.08	0.07	0.073	0.017	0.04	11.8	11.8	0.30	320	0.79	0.02	0.46
AUX0100663		40.5	3.11	3.71	0.09	0.10	0.033	0.021	0.05	19.5	17.1	0.50	865	1.45	0.01	0.40
AUX0100664		34.8	2.58	3.21	0.06	0.08	0.031	0.014	0.04	17.5	16.4	0.41	932	1.45	0.01	0.30
AUX0100665		33.2	2.28	2.87	0.05	0.08	0.037	0.013	0.05	14.3	15.8	0.37	1050	1.16	0.01	0.29
AUX0100666		42.8	3.46	3.80	0.07	0.11	0.017	0.019	0.05	25.6	20.8	0.50	416	1.71	<0.01	0.33
AUX0100667		45.2	2.78	3.77	0.07	0.10	0.018	0.019	0.06	21.9	22.0	0.50	334	1.18	<0.01	0.33
AUX0100668		41.7	2.90	3.97	0.06	0.10	0.021	0.019	0.05	21.1	21.6	0.52	1550	1.14	<0.01	0.30
AUX0100669		40.2	2.65	3.75	0.05	0.09	0.027	0.022	0.06	19.0	20.2	0.51	735	0.90	0.01	0.32
AUX0100670		33.1	2.73	3.29	0.05	0.08	0.030	0.019	0.05	15.3	18.6	0.49	466	0.78	0.02	0.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0100631		32.1	0.086	19.45	7.1	0.001	0.01	2.19	2.1	1.1	0.3	18.7	<0.01	0.05	1.3	0.021
AUX0100632		23.6	0.071	17.25	5.7	<0.001	0.10	4.18	1.7	0.8	0.2	77.2	<0.01	0.03	1.6	0.012
AUX0100633		28.0	0.060	21.6	6.5	0.001	0.07	4.44	2.6	0.9	0.2	55.0	<0.01	0.06	3.1	0.013
AUX0100634		22.1	0.057	16.30	6.4	<0.001	0.04	2.67	2.2	0.5	0.2	42.3	<0.01	0.02	3.0	0.014
AUX0100635		24.9	0.054	18.75	5.8	<0.001	0.04	2.95	2.4	0.8	0.2	37.9	<0.01	0.05	3.5	0.014
AUX0100636		26.1	0.061	16.35	5.0	0.001	0.05	2.41	2.2	0.9	0.2	38.9	<0.01	0.03	3.5	0.014
AUX0100637		21.2	0.065	14.55	6.2	0.001	0.05	2.17	2.1	0.7	0.2	48.0	<0.01	0.04	2.6	0.014
AUX0100638		19.6	0.067	16.25	5.2	<0.001	0.05	2.36	2.2	0.8	0.2	43.0	<0.01	0.04	3.3	0.014
AUX0100639		24.0	0.066	17.20	6.1	0.001	0.03	2.58	2.2	0.7	0.2	40.7	<0.01	0.05	4.1	0.014
AUX0100640		25.1	0.068	18.60	5.8	0.001	0.06	3.24	2.1	1.2	0.2	50.0	<0.01	0.04	3.1	0.012
AUX0100641		28.2	0.051	27.9	6.1	<0.001	0.03	3.89	2.5	0.8	0.2	33.9	<0.01	0.04	5.7	0.012
AUX0100642		23.5	0.064	24.3	5.2	0.003	0.08	2.69	2.0	1.7	<0.2	65.1	<0.01	0.05	4.4	0.013
AUX0100643		21.3	0.080	22.5	4.8	0.001	0.05	1.900	2.1	0.9	0.2	56.0	<0.01	0.04	2.5	0.016
AUX0100644		25.2	0.080	22.8	5.0	<0.001	0.02	1.890	2.8	1.1	0.2	39.9	<0.01	0.04	4.5	0.021
AUX0100645		18.3	0.068	21.9	5.3	<0.001	0.02	1.240	2.6	0.5	0.2	32.7	<0.01	0.02	2.4	0.020
AUX0100646		19.9	0.062	25.6	5.4	<0.001	0.01	1.460	3.2	0.6	0.2	22.9	<0.01	0.04	4.1	0.023
AUX0100647		16.0	0.069	23.1	4.7	<0.001	0.01	1.310	2.2	0.6	0.2	24.7	<0.01	0.04	3.5	0.024
AUX0100648		17.9	0.075	24.3	4.9	<0.001	0.01	1.280	2.9	0.4	0.2	29.0	<0.01	0.03	3.3	0.031
AUX0100649		18.6	0.077	26.5	5.2	<0.001	<0.01	1.520	3.6	0.5	0.3	25.3	<0.01	0.04	4.7	0.040
AUX0100650		18.2	0.076	25.3	5.2	<0.001	0.01	1.425	3.3	0.6	0.3	27.5	<0.01	0.02	4.0	0.038
AUX0100651		17.7	0.089	25.8	5.1	<0.001	0.03	1.455	2.4	0.5	0.2	40.7	<0.01	0.03	2.0	0.023
AUX0100652		20.4	0.083	16.40	5.7	<0.001	0.04	1.345	2.8	0.8	0.2	34.7	<0.01	0.04	2.8	0.021
AUX0100653		18.6	0.065	24.8	9.4	<0.001	0.04	1.215	1.9	1.0	0.2	30.3	<0.01	0.04	2.1	0.015
AUX0100654		21.3	0.075	19.85	7.6	<0.001	0.06	1.325	1.6	1.0	<0.2	27.0	<0.01	0.05	1.8	0.012
AUX0100655		21.4	0.072	13.80	6.5	<0.001	0.06	1.285	1.6	0.8	0.2	30.9	<0.01	0.04	1.6	0.014
AUX0100656		20.3	0.064	16.45	7.2	<0.001	0.04	0.982	2.1	0.7	0.2	21.9	<0.01	0.04	2.3	0.017
AUX0100657		23.0	0.063	19.60	6.7	<0.001	0.03	1.100	2.2	0.5	0.2	22.4	<0.01	0.03	2.8	0.017
AUX0100658		20.8	0.055	17.55	8.3	<0.001	0.02	1.080	2.0	0.6	0.2	18.4	<0.01	0.04	2.6	0.017
AUX0100659		25.8	0.059	20.9	6.2	<0.001	0.01	1.255	3.0	0.5	0.2	17.7	<0.01	0.04	5.2	0.024
AUX0100660		21.5	0.070	13.40	6.7	<0.001	0.05	1.070	2.0	0.9	0.2	32.0	<0.01	0.04	1.8	0.017
AUX0100661		21.3	0.073	12.45	7.9	<0.001	0.06	1.255	1.8	0.6	0.2	33.7	<0.01	0.03	1.5	0.019
AUX0100662		20.3	0.082	9.98	5.6	<0.001	0.08	0.973	2.0	0.9	0.2	47.6	<0.01	0.03	1.5	0.017
AUX0100663		28.9	0.069	19.20	5.7	<0.001	0.02	2.67	3.1	0.7	0.2	35.0	<0.01	0.05	5.5	0.019
AUX0100664		26.9	0.070	18.20	6.1	<0.001	0.03	2.97	2.2	1.3	0.2	47.1	<0.01	0.03	4.0	0.012
AUX0100665		22.9	0.071	17.45	6.9	<0.001	0.05	2.83	1.6	0.6	0.2	65.1	<0.01	0.03	2.6	0.010
AUX0100666		31.7	0.054	25.7	8.0	<0.001	0.01	3.53	2.9	0.5	0.2	26.1	<0.01	0.06	8.8	0.011
AUX0100667		32.0	0.061	27.3	7.8	0.001	0.02	4.16	2.4	0.7	0.2	36.8	<0.01	0.04	7.0	0.010
AUX0100668		35.1	0.059	22.0	7.0	<0.001	0.01	4.77	3.0	1.1	0.2	32.5	<0.01	0.08	5.9	0.012
AUX0100669		31.0	0.069	20.0	7.4	<0.001	0.03	4.32	2.7	0.7	0.2	49.1	<0.01	0.05	3.9	0.012
AUX0100670		28.7	0.063	17.75	5.3	<0.001	0.05	3.91	2.0	0.8	0.2	39.8	<0.01	0.05	3.8	0.012

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0100631		0.10	1.59	36	0.167	5.61	112.0	<0.5
AUX0100632		0.05	1.58	19	0.111	7.76	69.3	2.3
AUX0100633		0.05	0.97	25	0.102	8.72	84.7	2.7
AUX0100634		0.04	0.95	24	0.235	6.25	74.5	2.2
AUX0100635		0.05	1.15	24	0.141	6.32	68.2	2.1
AUX0100636		0.05	1.25	22	0.0717	6.66	65.6	2.1
AUX0100637		0.05	1.05	23	0.120	5.40	69.1	1.9
AUX0100638		0.05	0.94	25	0.0918	6.37	64.8	2.1
AUX0100639		0.05	0.85	23	0.297	6.77	71.4	2.3
AUX0100640		0.05	1.71	22	0.0786	7.54	79.3	2.4
AUX0100641		0.05	0.79	22	0.297	8.11	104.0	3.2
AUX0100642		0.04	1.03	19	0.0800	7.00	88.9	3.1
AUX0100643		0.05	1.24	25	0.106	6.43	71.6	2.1
AUX0100644		0.05	1.38	26	0.133	8.19	82.8	3.0
AUX0100645		0.06	0.71	26	0.312	6.37	63.8	1.3
AUX0100646		0.06	0.57	28	0.146	7.05	74.3	1.9
AUX0100647		0.06	0.42	29	0.187	4.38	63.9	1.6
AUX0100648		0.06	0.48	32	0.140	6.48	74.7	2.1
AUX0100649		0.07	0.53	34	0.148	7.63	82.1	3.6
AUX0100650		0.07	0.49	33	0.147	6.58	77.8	2.9
AUX0100651		0.06	0.47	30	0.120	5.11	71.3	1.7
AUX0100652		0.06	1.12	33	0.275	7.37	76.7	1.8
AUX0100653		0.08	1.20	25	0.118	6.00	82.6	1.3
AUX0100654		0.06	0.63	19	0.0689	6.37	96.1	1.7
AUX0100655		0.05	0.44	20	0.0690	6.44	84.3	1.9
AUX0100656		0.06	0.43	25	0.113	6.22	73.0	1.8
AUX0100657		0.06	0.54	24	0.109	6.65	86.5	1.9
AUX0100658		0.05	0.41	24	0.123	4.26	86.8	1.5
AUX0100659		0.05	0.46	25	0.108	8.49	86.4	2.2
AUX0100660		0.05	0.63	24	0.132	6.88	72.3	1.8
AUX0100661		0.06	0.85	23	0.0969	6.69	82.4	1.5
AUX0100662		0.06	0.57	24	0.166	10.35	63.2	2.0
AUX0100663		0.05	0.73	28	0.100	10.95	80.3	2.9
AUX0100664		0.05	1.22	21	0.193	10.20	71.9	2.4
AUX0100665		0.06	3.09	18	0.0691	8.31	67.1	2.1
AUX0100666		0.06	0.79	22	0.114	10.75	76.5	3.2
AUX0100667		0.06	2.03	21	0.0663	10.00	80.6	3.1
AUX0100668		0.05	1.10	22	0.150	11.35	74.8	2.6
AUX0100669		0.04	1.51	23	0.192	11.30	77.0	2.3
AUX0100670		0.05	0.86	21	0.159	7.88	69.8	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0100671		0.08	0.0055	0.338	1.38	25.2	<10	152.0	0.40	0.27	0.54	0.36	38.7	15.3	24.0	0.56
AUX0100672		0.38	0.0051	0.200	0.99	14.25	<10	127.5	0.34	0.18	1.34	0.32	22.3	10.7	15.2	0.45
AUX0100673		0.28	0.0027	0.171	1.34	22.6	<10	141.0	0.45	0.24	0.82	0.33	36.0	15.1	24.2	0.55
AUX0100674		0.40	0.0056	0.297	1.41	20.5	<10	169.0	0.41	0.28	0.84	0.55	40.2	15.1	20.4	0.57
AUX0100675		0.36	0.0050	0.277	1.43	23.9	<10	153.5	0.43	0.27	0.67	0.49	42.7	15.9	21.0	0.58
AUX0100676		0.28	0.0046	0.465	1.39	21.5	<10	155.0	0.47	0.27	0.77	0.44	45.1	13.8	20.3	0.65
AUX0100677		0.38	0.0039	0.210	1.42	21.8	<10	178.5	0.48	0.29	0.41	0.41	47.0	13.3	23.1	0.68
AUX0100678		0.38	0.0035	0.177	1.38	20.0	<10	163.0	0.35	0.27	0.34	0.27	51.1	13.6	25.7	0.75
AUX0100679		0.34	0.0038	0.373	1.63	21.0	<10	200	0.40	0.21	0.67	0.26	41.8	18.3	54.6	0.84
AUX0100680		0.24	0.0088	0.536	1.68	76.5	<10	165.0	0.44	0.32	0.37	0.26	54.3	21.5	45.1	1.74
AUX0100681		0.22	0.0058	0.254	1.30	26.9	<10	165.5	0.47	0.30	0.91	0.20	40.7	14.3	21.0	0.82
AUX0100682		0.30	0.0233	0.225	1.32	22.5	<10	182.0	0.40	0.25	0.45	0.29	37.8	13.1	26.9	0.65
AUX0100683		0.32	0.0048	0.335	1.27	18.85	<10	201	0.42	0.22	0.70	0.51	32.2	12.4	22.5	0.63
AUX0100684		0.12	0.0044	0.270	1.15	15.75	<10	185.5	0.36	0.19	0.75	0.44	29.8	10.8	21.4	0.61
AUX0100685		0.26	0.162	0.358	1.38	15.05	<10	190.0	0.40	0.23	0.44	0.27	30.7	10.1	22.5	0.80
AUX0100686		0.20	0.0046	0.537	0.97	19.70	<10	138.5	0.32	0.19	0.64	0.51	33.0	10.2	21.3	0.55
AUX0100687		0.18	0.0046	0.399	1.65	18.75	<10	220	0.52	0.23	0.52	0.66	38.5	16.0	19.9	0.76
AUX0100688		0.22	0.0032	0.823	1.18	13.20	<10	204	0.36	0.19	0.55	0.25	25.8	8.7	17.4	0.66
AUX0100689		0.30	0.0050	0.896	1.26	12.55	<10	245	0.40	0.21	0.49	0.50	33.3	10.5	19.6	0.76
AUX0100690		0.34	0.0034	0.518	1.11	10.25	<10	194.0	0.33	0.18	0.42	0.27	29.4	7.6	19.3	0.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0100671		43.8	3.28	3.88	0.05	0.11	0.036	0.022	0.04	19.4	21.2	0.57	673	1.36	0.01	0.35
AUX0100672		30.5	2.24	2.80	<0.05	0.08	0.047	0.016	0.04	10.8	14.2	0.37	565	0.72	0.02	0.32
AUX0100673		38.2	3.07	3.89	<0.05	0.10	0.044	0.021	0.04	18.0	20.3	0.55	1290	1.14	0.01	0.35
AUX0100674		50.3	3.21	3.78	<0.05	0.12	0.035	0.025	0.04	20.7	21.6	0.56	397	1.34	0.01	0.38
AUX0100675		50.1	3.50	3.99	0.05	0.12	0.037	0.025	0.04	22.6	22.2	0.59	417	1.56	0.01	0.35
AUX0100676		44.4	3.35	3.81	<0.05	0.11	0.035	0.023	0.05	22.8	23.7	0.52	515	1.46	0.01	0.37
AUX0100677		48.0	3.16	4.15	0.06	0.10	0.040	0.024	0.04	25.2	22.6	0.59	362	1.22	0.01	0.44
AUX0100678		34.1	2.97	3.84	0.06	0.11	0.043	0.022	0.04	24.5	19.8	0.55	518	0.98	0.01	0.36
AUX0100679		37.1	2.99	4.91	0.05	0.08	0.033	0.026	0.04	20.6	22.2	0.81	580	0.73	0.01	0.44
AUX0100680		46.7	4.03	5.02	0.06	0.11	0.038	0.035	0.04	27.6	31.2	0.93	850	1.24	0.01	0.25
AUX0100681		45.6	3.34	3.62	0.06	0.15	0.033	0.031	0.04	22.6	20.1	0.48	624	1.18	0.01	0.32
AUX0100682		35.9	2.78	4.06	<0.05	0.10	0.033	0.029	0.04	18.9	19.1	0.48	347	0.91	0.01	0.62
AUX0100683		34.5	2.71	3.75	<0.05	0.10	0.049	0.029	0.04	16.5	17.0	0.44	545	1.02	0.02	0.58
AUX0100684		26.9	2.41	3.59	0.05	0.09	0.050	0.024	0.04	14.9	16.6	0.40	544	0.96	0.02	0.53
AUX0100685		21.0	2.54	3.75	<0.05	0.05	0.040	0.023	0.04	15.6	21.9	0.42	485	1.31	0.01	0.38
AUX0100686		27.9	2.35	3.17	0.05	0.10	0.029	0.023	0.03	16.3	14.4	0.39	463	0.98	0.02	0.56
AUX0100687		25.2	2.94	3.92	0.05	0.05	0.040	0.024	0.04	16.6	27.6	0.39	1460	1.36	0.01	0.34
AUX0100688		20.3	2.16	3.39	<0.05	0.05	0.044	0.019	0.04	12.5	15.3	0.34	553	0.84	0.01	0.36
AUX0100689		27.5	2.30	3.86	0.05	0.07	0.055	0.022	0.05	16.2	15.8	0.36	527	0.71	0.01	0.46
AUX0100690		23.2	2.07	3.26	<0.05	0.06	0.043	0.015	0.04	14.9	14.1	0.36	389	0.68	0.01	0.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0100671		35.3	0.064	22.0	5.9	<0.001	0.02	6.90	3.1	0.8	0.2	27.8	<0.01	0.02	5.8	0.013
AUX0100672		23.6	0.064	15.05	5.7	0.001	0.08	3.63	1.5	0.7	<0.2	60.3	<0.01	0.02	2.1	0.011
AUX0100673		34.3	0.069	17.80	5.4	<0.001	0.04	5.74	2.9	1.1	0.2	41.1	<0.01	0.06	4.1	0.013
AUX0100674		37.0	0.079	21.6	4.9	<0.001	0.04	6.97	3.0	0.9	0.2	39.2	<0.01	0.06	5.9	0.013
AUX0100675		36.3	0.085	21.8	4.7	0.001	0.03	7.30	3.1	1.3	0.2	32.7	<0.01	0.04	6.9	0.014
AUX0100676		34.9	0.078	21.5	6.8	0.001	0.04	4.60	3.3	0.9	0.2	48.5	<0.01	0.06	5.8	0.014
AUX0100677		35.7	0.074	19.90	5.9	<0.001	0.02	3.29	3.4	0.5	0.2	26.1	<0.01	0.05	7.0	0.018
AUX0100678		34.3	0.059	21.0	6.1	<0.001	0.02	3.43	2.8	0.7	0.2	21.7	<0.01	0.04	8.8	0.016
AUX0100679		66.5	0.057	22.8	7.3	<0.001	0.03	5.25	3.8	0.9	0.2	40.4	<0.01	0.05	4.8	0.015
AUX0100680		55.6	0.050	29.8	6.2	<0.001	0.02	6.90	5.3	1.3	0.2	23.9	<0.01	0.03	9.4	0.011
AUX0100681		39.0	0.066	20.6	4.9	<0.001	0.04	5.90	3.5	0.9	0.2	56.2	<0.01	0.05	5.0	0.012
AUX0100682		33.6	0.065	23.5	6.0	<0.001	0.02	2.21	3.6	0.8	0.3	26.7	<0.01	0.05	4.5	0.027
AUX0100683		28.7	0.080	26.3	5.6	0.001	0.04	1.890	2.9	1.3	0.3	46.3	<0.01	0.04	3.1	0.027
AUX0100684		26.0	0.073	17.35	6.3	<0.001	0.05	2.08	2.5	1.6	0.3	46.9	<0.01	0.04	2.2	0.024
AUX0100685		25.5	0.078	19.85	10.4	<0.001	0.04	1.600	2.1	1.0	0.3	28.7	<0.01	0.04	2.4	0.017
AUX0100686		26.6	0.074	24.9	4.4	<0.001	0.03	2.19	2.8	0.3	0.3	37.1	<0.01	0.04	3.8	0.030
AUX0100687		27.7	0.086	36.8	11.7	<0.001	0.05	1.540	1.7	0.6	0.3	32.3	<0.01	0.03	2.2	0.015
AUX0100688		20.2	0.081	39.4	8.9	<0.001	0.05	1.595	1.7	0.6	0.2	27.9	<0.01	0.04	1.8	0.015
AUX0100689		26.1	0.076	42.7	8.4	<0.001	0.03	1.750	2.5	0.3	0.3	22.3	<0.01	0.04	3.0	0.017
AUX0100690		22.2	0.057	22.9	6.9	<0.001	0.02	1.160	2.3	0.8	0.3	19.8	<0.01	0.03	2.9	0.022

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0100671		0.05	0.95	25	0.125	11.75	88.7	3.5
AUX0100672		0.05	2.58	18	0.118	7.38	70.1	2.3
AUX0100673		0.05	1.10	26	0.116	10.90	81.5	3.1
AUX0100674		0.05	0.71	25	0.0856	12.55	102.0	4.2
AUX0100675		0.05	0.62	25	0.0845	12.40	99.9	4.1
AUX0100676		0.07	1.77	25	0.0884	14.25	105.0	4.0
AUX0100677		0.05	0.98	28	0.149	14.10	89.2	3.2
AUX0100678		0.05	1.17	25	0.0905	10.50	79.3	3.4
AUX0100679		0.08	1.11	34	0.126	9.49	75.1	2.5
AUX0100680		0.08	0.79	31	0.0525	10.50	97.1	4.5
AUX0100681		0.05	1.69	21	0.0865	14.40	81.8	5.0
AUX0100682		0.07	1.22	33	0.170	11.25	80.8	3.0
AUX0100683		0.06	2.46	33	0.204	10.55	95.8	2.8
AUX0100684		0.05	1.74	30	0.187	8.90	87.9	2.3
AUX0100685		0.07	1.73	28	0.153	6.21	99.6	1.6
AUX0100686		0.04	0.82	28	0.319	8.74	80.1	2.8
AUX0100687		0.08	1.75	26	0.141	7.70	146.5	1.2
AUX0100688		0.07	0.74	25	0.149	5.78	81.9	1.3
AUX0100689		0.08	0.85	29	0.138	8.56	79.5	1.8
AUX0100690		0.07	0.77	27	0.182	7.25	71.4	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 26- OCT- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11176275

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

CERTIFICATE WH11177866

Project: Aurex

P.O. No.: AUX09022011

This report is for 207 Soil samples submitted to our lab in Whitehorse, YT, Canada on 3- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
DRY- 23	Air Drying of Samples
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX100792		0.32	0.0057	0.381	1.56	146.0	<10	445	0.59	0.43	1.02	0.36	26.0	12.9	27.4	1.37
AUX100793		0.44	0.0081	0.329	1.29	189.0	<10	344	0.37	0.44	0.49	0.34	28.4	11.9	25.9	1.20
AUX100794		0.46	0.0068	0.381	1.29	212	<10	343	0.43	0.48	0.57	0.54	29.1	17.4	24.5	1.20
AUX100795		0.46	0.0096	0.450	1.38	362	<10	306	0.41	0.53	0.43	0.39	37.2	11.5	26.8	1.42
AUX100796		0.52	0.0143	0.459	1.34	445	<10	320	0.39	0.59	0.41	0.54	41.3	13.6	35.0	1.21
AUX100797		0.44	0.0103	0.465	1.32	403	<10	325	0.43	0.52	0.41	0.61	39.3	14.2	46.7	1.12
AUX100798		0.44	0.0075	0.344	1.26	239	<10	346	0.41	0.44	0.38	0.42	34.8	10.8	36.6	0.93
AUX100799		0.30	0.0112	0.720	1.39	395	<10	352	0.45	0.72	0.66	0.35	32.0	12.1	28.8	1.26
AUX100800		0.46	0.0118	0.490	1.33	316	<10	256	0.37	0.64	0.39	0.34	38.7	12.4	24.5	1.07
AUX100801		0.32	0.0199	0.462	1.44	204	<10	367	0.44	0.54	0.48	0.30	31.2	9.5	26.8	1.09
AUX100802		0.38	0.0160	0.336	1.26	214	<10	253	0.40	0.47	0.49	0.27	31.8	10.2	22.7	0.86
AUX100803		0.36	0.0301	0.238	1.14	192.5	<10	192.5	0.27	0.40	0.42	0.18	33.9	10.2	19.1	0.67
AUX100804		0.32	0.0107	0.195	1.23	145.0	<10	239	0.35	0.33	0.33	0.10	49.0	9.5	20.1	0.70
AUX100805		0.22	0.0006	0.932	1.13	211	<10	350	0.17	0.31	0.18	0.56	33.4	9.3	12.8	0.41
AUX100806		0.22	0.0371	0.464	1.93	1115	<10	153.5	0.63	0.39	0.12	0.35	29.2	11.3	21.8	2.81
AUX100807		0.32	0.0076	0.219	1.22	328	<10	136.0	0.25	0.46	0.26	0.31	34.6	11.9	19.7	0.74
AUX100808		0.36	0.0142	0.374	1.08	272	<10	204	0.32	0.50	0.44	0.36	29.8	9.3	22.3	0.93
AUX100809		0.36	0.0105	0.372	1.05	183.0	<10	245	0.29	0.43	0.42	0.41	33.6	9.5	21.6	1.02
AUX100810		0.36	0.0164	0.363	1.24	207	<10	350	0.42	0.41	0.39	0.47	31.1	11.3	25.0	0.92
AUX100859		0.36	0.0084	0.390	1.37	210	<10	403	0.51	0.41	0.42	0.48	35.7	12.5	26.7	1.04
AUX100860		0.28	0.0045	0.241	1.34	86.6	<10	348	0.41	0.31	0.36	0.31	31.0	9.8	24.0	0.98
AUX100861		0.28	0.0030	0.272	1.36	67.7	<10	377	0.36	0.35	0.46	0.42	24.3	11.4	24.2	0.94
AUX100862		0.38	0.0050	0.206	1.16	95.7	<10	284	0.34	0.33	0.35	0.32	29.5	10.5	20.4	1.00
AUX100863		0.34	0.0077	0.190	1.01	123.5	<10	170.0	0.31	0.38	0.21	0.22	33.2	6.0	19.6	0.94
AUX100864		0.26	0.0051	0.099	1.18	113.5	<10	197.5	0.34	0.35	0.24	0.08	33.7	5.8	21.0	0.92
AUX100865		0.28	0.0083	0.112	1.21	144.5	<10	148.5	0.30	0.44	0.19	0.10	32.2	6.7	21.4	1.32
AUX100866		0.26	0.0041	0.352	1.17	97.9	<10	148.0	0.29	0.38	0.15	0.15	27.4	4.4	17.5	1.15
AUX100867		0.22	0.0084	0.203	1.26	194.0	<10	167.0	0.42	0.38	0.08	0.16	41.0	10.0	20.3	1.01
AUX100868		0.26	0.0378	0.081	1.01	494	<10	145.5	0.34	0.56	0.07	0.22	53.3	8.3	16.1	1.59
AUX100869		0.24	0.0598	0.491	0.83	974	<10	141.0	0.42	0.72	0.11	0.19	58.9	12.0	13.0	3.36
AUX100870		0.22	0.0039	0.223	0.91	446	<10	72.7	0.19	0.46	0.03	0.11	71.7	6.0	8.1	1.59
AUX100871		0.24	0.0314	0.333	1.51	1170	<10	120.0	0.47	0.95	0.05	0.16	79.8	13.2	15.6	2.26
AUX100872		0.36	0.0046	0.265	1.24	135.5	<10	323	0.39	0.43	0.48	0.23	28.0	9.6	25.3	0.81
AUX100873		0.32	0.0121	0.461	1.36	538	<10	268	0.38	0.96	0.36	0.52	46.5	16.0	31.7	1.29
AUX100874		0.36	0.0085	0.334	1.10	331	<10	254	0.33	0.69	0.29	0.37	45.3	12.6	21.0	1.33
AUX100875		0.34	0.0113	0.301	0.99	389	<10	239	0.39	0.66	0.25	0.39	56.2	13.2	18.2	1.55
AUX100876		0.30	0.0016	0.420	1.01	148.0	<10	125.0	0.26	1.07	0.20	0.19	27.7	9.5	16.4	0.66
AUX100877		0.42	0.0039	0.518	1.07	322	<10	137.5	0.42	1.15	0.17	0.13	43.7	8.0	15.5	0.54
AUX100878		0.44	0.0064	0.600	1.51	231	<10	240	0.43	1.14	0.28	0.29	48.7	11.0	26.8	0.88
AUX100879		0.20	0.0069	0.728	1.38	284	<10	217	0.33	1.41	0.55	0.35	31.9	12.2	24.7	0.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX100792		42.1	2.79	4.43	0.11	0.07	0.070	0.025	0.06	13.9	15.8	0.45	701	1.24	0.02	0.62
AUX100793		37.0	2.66	3.92	0.11	0.05	0.051	0.021	0.06	14.2	14.6	0.44	501	1.09	0.01	0.51
AUX100794		33.1	2.85	3.77	0.11	0.05	0.046	0.024	0.06	13.6	14.8	0.44	1180	1.16	0.01	0.52
AUX100795		34.5	3.06	3.98	0.12	0.07	0.054	0.027	0.06	19.3	16.4	0.47	428	1.24	0.01	0.51
AUX100796		39.6	3.20	4.01	0.11	0.06	0.069	0.025	0.06	21.8	16.6	0.50	427	1.45	0.01	0.47
AUX100797		42.0	3.21	4.10	0.13	0.06	0.046	0.025	0.06	22.2	16.0	0.54	473	1.47	0.01	0.51
AUX100798		33.9	2.73	3.74	0.11	0.05	0.052	0.024	0.05	18.6	15.1	0.50	420	1.10	0.01	0.51
AUX100799		37.3	2.97	3.85	0.11	0.05	0.057	0.023	0.06	16.8	15.6	0.47	761	1.24	0.01	0.40
AUX100800		35.4	3.15	3.83	0.12	0.06	0.034	0.019	0.05	19.7	17.4	0.49	631	1.09	0.01	0.37
AUX100801		31.1	2.59	4.27	0.11	0.06	0.058	0.025	0.05	16.3	17.2	0.43	664	0.91	0.01	0.53
AUX100802		28.8	2.63	3.63	0.11	0.05	0.042	0.016	0.04	16.7	16.7	0.44	424	0.93	0.01	0.44
AUX100803		22.6	2.74	3.49	0.12	0.05	0.013	0.016	0.04	17.5	17.7	0.45	450	0.85	0.01	0.32
AUX100804		27.9	2.81	3.94	0.13	0.05	0.039	0.014	0.04	26.1	20.4	0.47	322	0.76	0.01	0.45
AUX100805		19.90	2.36	4.96	0.10	<0.02	0.021	0.012	0.05	16.7	10.5	0.19	974	0.83	0.01	0.42
AUX100806		31.7	3.90	4.83	0.10	0.05	0.057	0.029	0.07	16.0	25.5	0.30	371	1.42	<0.01	0.66
AUX100807		20.9	3.08	3.63	0.11	0.05	0.020	0.019	0.05	17.5	22.7	0.51	653	0.74	0.01	0.30
AUX100808		29.9	2.57	3.08	0.11	0.05	0.032	0.020	0.05	15.0	14.3	0.41	315	0.92	0.01	0.36
AUX100809		32.1	2.37	3.23	0.11	0.03	0.044	0.022	0.05	16.6	14.3	0.39	408	0.86	0.01	0.46
AUX100810		39.2	2.86	3.48	0.12	0.07	0.044	0.022	0.07	15.7	13.3	0.44	591	1.26	0.01	0.49
AUX100859		42.0	3.06	4.18	0.11	0.06	0.050	0.025	0.07	17.3	15.3	0.47	502	1.32	0.01	0.58
AUX100860		27.6	2.55	4.24	0.05	0.06	0.055	0.027	0.04	14.8	15.3	0.40	275	1.14	0.01	0.73
AUX100861		20.1	2.36	4.61	<0.05	0.04	0.070	0.024	0.04	11.5	14.8	0.37	568	0.94	0.01	0.62
AUX100862		19.60	2.26	3.63	<0.05	0.03	0.046	0.020	0.03	14.2	12.2	0.31	401	1.01	0.01	0.62
AUX100863		28.4	1.97	3.38	0.05	<0.02	0.021	0.019	0.03	16.6	11.8	0.33	203	0.89	0.01	0.60
AUX100864		26.3	2.15	3.62	0.05	0.03	0.029	0.018	0.03	16.7	13.0	0.37	177	0.84	0.01	0.71
AUX100865		26.4	2.12	3.83	<0.05	0.03	0.019	0.021	0.04	15.8	14.5	0.37	192	0.92	0.01	0.70
AUX100866		13.40	1.98	4.73	<0.05	0.04	0.017	0.019	0.04	13.4	10.8	0.27	147	1.06	0.01	0.95
AUX100867		37.5	2.45	3.61	0.05	0.07	0.028	0.026	0.04	18.9	12.9	0.34	321	1.16	0.01	0.59
AUX100868		35.7	2.64	3.02	0.07	0.09	0.013	0.018	0.06	25.5	12.6	0.29	261	1.24	0.01	0.36
AUX100869		39.4	4.17	2.91	0.07	0.05	0.025	0.020	0.06	27.7	5.8	0.14	451	1.18	0.01	0.18
AUX100870		17.50	2.81	4.63	0.08	0.03	0.009	0.013	0.03	32.8	4.4	0.09	326	0.83	0.01	0.42
AUX100871		41.8	4.86	5.26	0.09	0.09	0.009	0.023	0.04	37.0	16.8	0.30	526	1.20	0.01	0.35
AUX100872		25.6	2.50	3.80	0.05	0.04	0.038	0.023	0.04	13.2	13.7	0.44	333	1.17	0.01	0.63
AUX100873		42.0	3.17	4.03	0.07	0.05	0.047	0.026	0.06	22.8	18.8	0.57	533	1.12	0.01	0.44
AUX100874		34.9	2.82	3.28	0.06	0.05	0.030	0.021	0.05	21.9	14.9	0.41	373	1.03	0.01	0.38
AUX100875		38.2	2.98	3.04	0.08	0.06	0.035	0.021	0.05	27.2	13.2	0.36	353	1.12	0.01	0.30
AUX100876		18.30	2.44	3.11	<0.05	0.03	0.007	0.015	0.03	13.1	18.6	0.37	344	0.74	0.01	0.42
AUX100877		58.7	4.36	3.58	0.06	0.10	0.022	0.019	0.05	21.8	20.3	0.45	335	1.53	0.01	0.17
AUX100878		37.6	3.30	4.39	0.07	0.07	0.043	0.021	0.04	23.9	24.2	0.55	423	0.84	0.01	0.37
AUX100879		24.0	3.13	3.95	0.05	0.06	0.045	0.022	0.05	15.7	20.2	0.51	582	0.89	0.01	0.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX100792		29.9	0.090	14.65	10.9	0.002	0.06	6.05	3.6	1.7	0.4	67.1	<0.01	0.04	2.2	0.023
AUX100793		29.4	0.073	14.45	8.6	0.001	0.02	5.82	3.6	1.3	0.3	30.3	<0.01	0.02	3.4	0.024
AUX100794		29.4	0.073	17.60	9.4	0.002	0.03	5.77	3.5	1.5	0.4	44.0	<0.01	0.06	3.5	0.024
AUX100795		31.5	0.070	18.40	9.7	<0.001	0.03	6.05	3.7	1.5	0.3	29.3	<0.01	0.03	5.0	0.021
AUX100796		38.6	0.070	23.2	8.2	0.001	0.01	5.91	3.9	1.1	0.4	25.2	<0.01	0.02	6.5	0.023
AUX100797		44.8	0.068	18.50	7.6	<0.001	0.01	5.81	4.2	1.4	0.3	27.1	<0.01	0.05	5.6	0.024
AUX100798		33.6	0.070	14.00	7.5	0.001	0.01	4.42	3.7	1.7	0.3	25.6	<0.01	0.05	4.8	0.025
AUX100799		32.9	0.081	33.7	8.8	0.002	0.05	8.07	3.2	1.5	0.3	43.4	<0.01	0.04	2.8	0.016
AUX100800		30.1	0.062	27.5	6.8	0.001	0.02	8.85	3.0	1.2	0.3	25.6	<0.01	0.03	5.2	0.016
AUX100801		25.4	0.079	16.55	10.2	0.001	0.04	33.0	3.6	1.2	0.4	36.7	<0.01	0.03	3.0	0.020
AUX100802		23.5	0.068	14.95	7.5	<0.001	0.03	16.45	3.0	1.2	0.3	32.2	<0.01	0.02	3.6	0.019
AUX100803		20.1	0.060	14.80	5.6	<0.001	0.02	12.70	1.9	0.7	0.2	27.3	<0.01	0.01	4.4	0.015
AUX100804		21.0	0.052	13.65	6.2	0.001	0.01	8.62	2.5	0.4	0.3	23.8	<0.01	0.04	7.0	0.018
AUX100805		11.9	0.050	20.9	4.0	<0.001	0.01	2.02	1.2	0.6	0.4	13.4	<0.01	0.04	2.6	0.011
AUX100806		27.5	0.038	32.7	13.5	<0.001	0.02	7.78	2.3	0.8	0.5	11.2	<0.01	0.05	5.2	0.010
AUX100807		20.9	0.046	26.9	6.6	<0.001	0.01	8.05	1.7	0.7	0.2	16.9	<0.01	0.02	5.5	0.015
AUX100808		22.4	0.070	17.85	6.2	0.001	0.02	9.45	2.6	0.9	0.3	25.9	<0.01	0.02	3.5	0.018
AUX100809		21.6	0.077	17.75	6.2	<0.001	0.02	8.65	2.8	1.0	0.3	24.8	<0.01	0.03	4.0	0.023
AUX100810		27.3	0.075	16.45	6.9	<0.001	0.01	10.50	3.8	1.2	0.3	25.7	<0.01	0.02	5.2	0.029
AUX100859		30.8	0.078	17.05	8.3	<0.001	0.01	10.15	4.3	1.3	0.4	30.2	<0.01	0.05	5.3	0.029
AUX100860		24.7	0.078	12.80	9.4	<0.001	0.02	4.46	3.8	1.0	0.4	31.0	<0.01	0.03	3.7	0.021
AUX100861		20.7	0.097	14.10	10.4	0.001	0.04	3.63	3.0	1.3	0.4	37.0	<0.01	0.03	1.8	0.016
AUX100862		18.6	0.079	12.75	7.1	0.001	0.02	4.48	2.8	1.0	0.3	24.9	<0.01	0.02	2.6	0.022
AUX100863		20.4	0.061	10.45	6.1	<0.001	0.01	8.68	2.3	0.8	0.4	15.4	<0.01	0.03	2.2	0.029
AUX100864		20.2	0.054	11.90	6.1	<0.001	0.01	5.31	2.8	0.9	0.4	15.1	<0.01	0.04	4.0	0.035
AUX100865		19.1	0.049	14.65	7.4	<0.001	0.01	8.42	2.3	0.7	0.4	11.2	<0.01	0.03	4.0	0.027
AUX100866		12.7	0.030	13.20	11.4	<0.001	0.01	4.24	2.0	0.7	0.5	11.0	<0.01	0.03	3.7	0.029
AUX100867		24.6	0.032	17.90	6.8	<0.001	0.01	11.80	3.0	0.8	0.4	6.8	<0.01	0.04	6.0	0.028
AUX100868		25.0	0.032	21.7	8.3	<0.001	0.01	26.8	2.0	0.7	0.3	6.4	<0.01	0.04	10.0	0.014
AUX100869		33.0	0.037	22.1	7.7	<0.001	0.02	51.8	1.9	0.5	0.2	11.0	<0.01	0.03	9.1	0.003
AUX100870		16.0	0.029	12.65	6.1	<0.001	0.01	9.53	1.2	0.5	0.4	4.4	<0.01	0.03	10.3	0.008
AUX100871		29.8	0.035	21.4	7.2	<0.001	0.01	10.05	2.0	0.7	0.3	6.8	<0.01	0.04	18.8	0.005
AUX100872		25.8	0.070	14.95	7.5	<0.001	0.03	2.26	3.3	1.0	0.4	39.9	<0.01	0.03	3.3	0.023
AUX100873		45.6	0.068	18.90	8.4	0.001	0.02	6.77	4.0	1.2	0.3	26.6	<0.01	0.04	7.5	0.018
AUX100874		34.1	0.055	14.45	6.9	<0.001	0.02	10.95	3.0	0.8	0.3	20.8	<0.01	0.03	7.9	0.013
AUX100875		37.4	0.051	14.90	6.5	<0.001	0.02	16.10	3.0	1.2	0.3	19.1	<0.01	0.03	10.2	0.011
AUX100876		19.9	0.032	25.4	6.4	<0.001	0.02	3.64	1.5	0.5	0.2	15.2	<0.01	0.02	4.8	0.015
AUX100877		21.0	0.040	34.2	4.4	<0.001	0.05	12.45	2.0	0.7	0.2	20.6	<0.01	0.05	8.8	0.006
AUX100878		34.6	0.065	18.25	7.2	<0.001	0.02	4.27	3.3	1.1	0.3	22.5	<0.01	0.04	7.5	0.014
AUX100879		23.8	0.070	22.4	7.8	<0.001	0.05	4.27	2.7	1.0	0.2	38.1	<0.01	0.04	4.0	0.011

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX100792		0.10	2.51	38	0.234	9.30	75.7	2.0
AUX100793		0.10	1.45	34	0.200	7.58	70.8	1.8
AUX100794		0.09	2.24	35	0.212	7.15	79.2	1.8
AUX100795		0.11	3.40	34	0.200	8.77	89.9	2.3
AUX100796		0.09	1.97	34	0.222	8.65	92.8	2.2
AUX100797		0.08	1.40	34	1.515	9.14	98.1	2.4
AUX100798		0.07	2.01	33	0.238	8.59	87.3	2.0
AUX100799		0.09	2.28	30	0.234	9.26	85.9	1.5
AUX100800		0.07	1.95	26	0.203	7.20	88.4	2.1
AUX100801		0.09	2.72	33	0.174	8.54	74.7	1.7
AUX100802		0.07	1.85	28	0.278	6.51	76.5	1.9
AUX100803		0.04	1.04	23	0.160	4.20	72.9	1.6
AUX100804		0.05	1.11	24	0.175	5.28	61.3	1.9
AUX100805		0.09	0.32	35	0.104	1.58	64.2	<0.5
AUX100806		0.08	0.74	36	0.166	2.28	100.5	2.4
AUX100807		0.03	0.78	20	0.110	3.23	90.8	2.2
AUX100808		0.08	1.18	25	0.210	6.02	81.4	1.4
AUX100809		0.08	0.72	28	0.212	6.70	79.3	1.4
AUX100810		0.14	1.23	38	3.34	7.79	91.7	2.9
AUX100859		0.14	1.91	41	0.253	8.56	93.0	2.7
AUX100860		0.10	2.67	38	0.195	8.25	73.9	1.7
AUX100861		0.09	2.78	42	0.214	6.28	70.7	0.9
AUX100862		0.10	1.55	35	0.324	6.66	57.1	0.7
AUX100863		0.09	0.63	29	0.290	6.50	54.2	<0.5
AUX100864		0.09	0.70	34	0.247	7.47	51.6	1.0
AUX100865		0.11	0.46	30	0.338	4.13	50.9	1.3
AUX100866		0.11	0.43	39	0.244	2.92	38.6	1.5
AUX100867		0.12	0.63	32	0.202	6.13	64.2	3.5
AUX100868		0.16	0.40	22	0.168	3.35	69.7	4.9
AUX100869		0.06	0.78	14	0.122	2.93	94.2	3.0
AUX100870		0.10	0.38	26	0.108	2.25	46.4	1.2
AUX100871		0.09	0.70	24	0.128	3.15	78.8	4.4
AUX100872		0.09	1.76	36	0.297	6.50	67.6	1.1
AUX100873		0.09	1.96	30	0.235	10.25	87.1	2.0
AUX100874		0.08	1.32	24	0.277	6.82	85.0	1.8
AUX100875		0.09	1.23	21	0.404	6.72	88.7	2.5
AUX100876		0.04	0.78	21	0.106	2.81	64.5	1.2
AUX100877		0.04	2.26	15	0.116	3.84	68.8	5.3
AUX100878		0.05	3.59	26	1.150	9.49	86.0	2.3
AUX100879		0.06	2.56	25	0.196	5.73	81.4	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX100880		0.38	0.0068	0.300	1.22	263	<10	187.0	0.34	0.72	0.25	0.26	39.2	10.7	18.0	0.66
AUX100881		0.38	0.0129	0.329	1.16	218	<10	163.5	0.36	0.62	0.24	0.17	43.9	10.3	19.9	0.69
AUX100882		0.28	0.0086	0.363	1.34	243	<10	254	0.47	0.73	0.33	0.18	40.9	9.7	20.0	0.88
AUX100883		0.22	0.0069	0.393	1.24	168.5	<10	223	0.29	0.74	0.56	0.49	38.1	8.5	18.7	0.82
AUX100884		0.30	0.0069	0.203	1.21	373	<10	133.5	0.32	1.05	0.25	0.39	43.0	15.2	19.5	0.82
AUX100885		0.28	0.0728	0.608	1.18	450	<10	178.0	0.37	1.25	0.35	0.28	37.8	11.1	19.7	1.18
AUX100886		0.22	0.0446	0.426	1.24	420	<10	185.0	0.38	1.08	0.37	0.49	31.9	10.1	20.1	1.19
AUX100887		0.36	0.0224	0.235	1.35	94.7	<10	302	0.44	0.35	0.40	0.31	28.7	7.7	23.5	1.01
AUX100888		0.28	0.0054	0.213	1.24	106.5	<10	249	0.36	0.41	0.31	0.22	28.1	5.5	23.1	1.38
AUX100889		0.42	0.0111	0.364	1.21	304	<10	262	0.45	0.53	0.27	0.35	44.0	8.2	22.3	1.33
AUX100890		0.38	0.0202	0.230	1.31	241	<10	320	0.45	0.56	0.23	0.17	37.9	8.6	24.6	1.48
AUX100891		0.28	0.0326	0.297	1.02	610	<10	264	0.35	0.67	9.46	0.52	40.8	13.7	15.2	1.36
AUX100892		0.36	0.0444	0.331	0.93	663	<10	219	0.43	0.47	0.27	0.10	72.5	9.3	13.4	0.62
AUX100893		0.34	0.0597	0.382	0.84	1330	<10	186.5	0.42	0.89	0.10	0.10	66.4	12.6	13.5	1.24
AUX100894		0.42	0.0982	0.285	1.12	1270	<10	214	0.41	0.81	0.14	0.07	65.4	10.3	16.2	1.26
AUX100895		0.40	0.0357	0.122	1.35	472	<10	221	0.49	0.60	0.13	0.07	46.2	8.7	21.7	1.18
AUX100896		0.26	0.0499	0.240	1.24	456	<10	289	0.50	0.53	0.15	0.12	43.5	10.4	21.7	1.08
AUX100897		0.36	0.0407	0.316	1.25	885	<10	232	0.48	0.97	0.21	0.35	45.1	15.6	23.0	1.81
AUX100898		0.34	0.0386	0.255	1.35	805	<10	146.5	0.32	0.82	0.07	0.23	42.1	9.6	21.5	1.42
AUX100899		0.30	0.0401	0.229	1.82	847	<10	152.0	0.32	0.79	0.07	0.11	45.5	12.7	22.3	1.21
AUX100900		0.20	0.0389	0.166	1.77	889	<10	159.5	0.31	0.94	0.08	0.12	43.3	13.5	21.0	1.07
AUX100901		0.32	0.0783	0.364	1.45	1070	<10	112.0	0.55	1.25	0.08	0.18	86.6	17.7	21.6	1.81
AUX100902		0.18	0.0684	0.202	1.71	1090	<10	286	0.41	2.11	0.67	0.22	82.8	23.3	15.6	1.20
AUX100903		0.22	0.211	0.506	0.86	1360	<10	82.9	0.30	3.49	6.79	0.50	92.0	19.0	6.6	0.89
AUX100904		0.24	0.126	0.350	0.59	1780	<10	60.6	0.22	2.44	7.51	0.39	71.2	19.3	4.7	0.88
AUX100905		0.30	0.0105	0.301	1.28	297	<10	305	0.43	0.63	0.44	0.42	32.5	11.5	23.3	0.76
AUX100906		0.32	0.0170	0.450	1.15	337	<10	271	0.36	1.01	0.34	0.42	35.5	8.8	21.9	0.82
AUX100907		0.30	0.0151	0.570	1.25	371	<10	286	0.44	0.77	0.37	0.29	41.6	10.7	22.0	1.29
AUX100908		0.36	0.0187	0.379	1.41	347	<10	337	0.46	0.63	0.33	0.32	43.1	14.5	25.8	1.05
AUX100909		0.32	0.0156	0.511	1.44	448	<10	238	0.32	1.10	0.32	0.33	39.6	12.3	27.2	0.66
AUX100910		0.26	0.0130	0.388	1.41	308	<10	194.0	0.34	0.79	0.49	0.29	37.2	10.1	26.8	0.86
AUX100911		0.34	0.0124	0.452	1.68	428	<10	346	0.48	0.63	0.51	0.32	34.4	13.1	30.4	0.99
AUX100912		0.22	0.0114	0.243	1.44	422	<10	255	0.44	0.57	0.55	1.11	38.6	19.0	24.5	0.70
AUX100913		0.24	0.0079	0.188	1.44	371	<10	284	0.31	0.66	0.48	0.21	38.8	10.7	24.0	0.84
AUX100914		0.22	0.0605	0.169	1.51	446	<10	291	0.48	0.70	0.32	0.51	42.7	12.4	25.9	0.92
AUX100915		0.22	0.132	0.324	1.28	408	<10	285	0.38	0.63	0.90	0.49	31.1	9.5	20.9	0.98
AUX100916		0.24	0.0688	0.407	1.47	503	<10	262	0.47	0.75	0.58	0.27	35.3	12.5	25.0	1.09
AUX100917		0.26	0.123	0.573	1.45	550	<10	207	0.56	0.86	0.63	0.55	34.6	13.1	22.9	1.38
AUX100918		0.20	0.148	0.592	1.56	961	<10	297	0.59	0.92	0.68	0.85	38.0	18.6	23.7	1.54
AUX100919		0.26	0.0786	0.279	2.25	1970	<10	82.5	0.78	1.26	0.06	0.08	41.4	22.1	25.0	1.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX100880		33.4	3.14	3.66	0.06	0.06	0.022	0.016	0.04	19.2	19.0	0.45	466	0.93	0.01	0.34
AUX100881		29.5	2.78	3.64	0.07	0.06	0.022	0.014	0.03	21.9	20.0	0.45	425	0.79	0.01	0.41
AUX100882		34.2	2.89	4.13	0.06	0.05	0.055	0.023	0.04	20.5	19.4	0.43	374	0.92	0.01	0.44
AUX100883		30.7	2.63	3.79	0.05	0.06	0.042	0.018	0.05	19.0	20.2	0.47	359	0.70	0.01	0.32
AUX100884		25.1	3.10	3.80	0.06	0.08	0.017	0.020	0.04	19.5	22.3	0.49	588	0.87	0.01	0.29
AUX100885		37.3	2.96	3.78	0.06	0.04	0.025	0.022	0.05	18.1	19.0	0.45	483	1.01	0.01	0.31
AUX100886		36.5	3.02	3.78	0.05	0.05	0.034	0.024	0.05	15.7	19.1	0.46	472	0.97	0.01	0.30
AUX100887		30.3	2.40	4.29	<0.05	0.02	0.050	0.024	0.04	14.6	13.6	0.37	249	1.00	0.01	0.76
AUX100888		28.8	2.14	3.92	<0.05	0.02	0.040	0.019	0.04	14.3	12.8	0.37	150	0.87	0.01	0.66
AUX100889		50.3	2.79	3.75	0.06	0.06	0.034	0.026	0.08	21.6	13.0	0.41	339	1.41	0.01	0.29
AUX100890		43.8	2.71	3.89	0.05	0.04	0.041	0.023	0.06	18.8	13.6	0.42	351	1.24	0.01	0.54
AUX100891		46.5	2.98	2.88	0.06	0.11	0.046	0.020	0.06	20.2	10.9	0.34	958	1.21	0.02	0.24
AUX100892		38.2	3.10	3.05	0.09	0.05	0.028	0.018	0.05	37.2	10.0	0.24	288	0.97	0.01	0.40
AUX100893		37.2	3.12	2.79	0.08	0.02	0.032	0.019	0.06	31.9	9.4	0.21	416	0.90	0.01	0.35
AUX100894		37.5	3.50	3.41	0.08	0.04	0.026	0.019	0.05	31.4	12.6	0.35	471	0.83	0.01	0.27
AUX100895		31.6	2.76	4.02	0.05	0.04	0.030	0.021	0.04	21.9	14.8	0.37	310	0.98	0.01	0.59
AUX100896		43.1	2.70	3.88	0.07	0.06	0.040	0.021	0.04	23.4	14.9	0.38	363	1.28	0.01	0.55
AUX100897		58.3	3.26	3.74	0.07	0.05	0.064	0.023	0.06	23.6	14.1	0.40	577	1.34	0.01	0.40
AUX100898		38.2	3.03	4.30	0.06	0.02	0.039	0.022	0.06	21.1	14.5	0.40	299	1.14	0.01	0.58
AUX100899		36.4	3.62	5.70	0.05	0.04	0.018	0.019	0.06	22.6	25.1	0.59	360	0.89	0.01	0.48
AUX100900		33.6	3.56	5.60	0.06	0.03	0.027	0.015	0.06	22.5	25.8	0.61	382	0.81	0.01	0.38
AUX100901		56.6	3.73	4.23	0.11	0.10	0.025	0.016	0.05	46.3	29.6	0.62	388	0.72	0.01	0.22
AUX100902		47.1	4.37	4.77	0.11	0.17	0.045	0.019	0.06	38.7	20.6	0.69	610	0.75	0.01	0.07
AUX100903		55.7	3.17	2.49	0.11	0.09	0.043	0.020	0.06	44.1	9.7	0.35	703	0.75	0.01	0.10
AUX100904		52.5	2.94	1.73	0.09	0.13	0.089	0.017	0.06	37.4	6.1	0.27	867	1.17	0.01	<0.05
AUX100905		31.9	2.72	3.83	0.06	0.05	0.051	0.023	0.05	17.6	14.5	0.41	508	1.04	0.01	0.66
AUX100906		33.0	2.63	3.52	0.06	0.05	0.044	0.022	0.05	18.9	14.3	0.39	357	1.00	0.01	0.70
AUX100907		39.9	2.85	3.66	0.06	0.04	0.043	0.022	0.05	21.6	15.3	0.40	422	1.02	0.01	0.43
AUX100908		37.2	3.02	4.06	0.07	0.04	0.047	0.024	0.05	21.2	19.2	0.49	757	0.98	0.01	0.49
AUX100909		34.9	3.46	4.07	0.07	0.06	0.036	0.020	0.05	20.5	24.1	0.61	598	0.90	0.01	0.34
AUX100910		21.2	2.96	4.09	0.06	0.05	0.042	0.020	0.05	19.5	21.3	0.54	511	0.85	0.01	0.41
AUX100911		31.5	3.49	4.44	0.07	0.10	0.061	0.025	0.05	18.0	22.4	0.57	897	1.12	0.01	0.44
AUX100912		35.7	3.32	4.09	0.06	0.07	0.033	0.023	0.06	19.0	21.5	0.54	1120	1.16	0.01	0.35
AUX100913		22.1	3.01	4.08	0.05	0.05	0.034	0.020	0.05	19.2	18.8	0.50	416	0.95	0.01	0.49
AUX100914		30.7	3.11	4.56	0.06	0.08	0.025	0.023	0.08	22.4	21.4	0.49	621	0.97	0.01	0.62
AUX100915		28.5	2.42	3.55	0.05	0.05	0.054	0.021	0.05	16.3	16.3	0.45	481	0.81	0.02	0.47
AUX100916		34.7	2.90	4.31	0.05	0.06	0.048	0.023	0.06	19.2	19.7	0.51	527	0.99	0.01	0.49
AUX100917		50.0	2.78	4.06	0.05	0.07	0.071	0.025	0.06	18.5	19.9	0.49	478	0.83	0.01	0.44
AUX100918		51.8	3.51	4.37	0.06	0.07	0.074	0.025	0.06	21.5	20.5	0.51	1300	1.11	0.01	0.45
AUX100919		68.4	5.78	6.23	0.06	0.09	0.021	0.020	0.05	22.0	33.1	0.79	1160	0.85	0.01	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX100880		27.9	0.049	18.05	5.2	0.001	0.02	6.82	2.4	1.0	0.2	19.9	<0.01	0.03	7.0	0.014
AUX100881		25.2	0.054	14.55	4.8	<0.001	0.01	6.32	2.4	0.9	0.3	17.7	<0.01	0.03	6.4	0.018
AUX100882		27.0	0.062	17.55	7.7	<0.001	0.03	5.62	2.7	1.0	0.3	27.1	<0.01	0.03	4.6	0.014
AUX100883		26.7	0.070	15.70	6.6	<0.001	0.04	4.57	2.2	1.0	0.2	39.7	<0.01	0.02	4.3	0.010
AUX100884		25.0	0.053	36.8	5.9	<0.001	0.01	6.92	1.9	0.8	0.2	19.1	<0.01	0.04	7.8	0.011
AUX100885		24.4	0.055	30.8	6.6	<0.001	0.02	10.40	2.0	0.9	0.3	24.6	<0.01	0.04	4.4	0.011
AUX100886		25.5	0.067	24.1	7.7	<0.001	0.03	9.26	2.0	1.0	0.3	27.2	<0.01	0.05	3.5	0.011
AUX100887		23.0	0.075	13.15	8.5	0.001	0.02	4.67	3.3	1.1	0.4	29.8	<0.01	0.03	2.5	0.027
AUX100888		21.1	0.068	10.30	8.5	<0.001	0.01	6.17	2.9	0.9	0.4	21.0	<0.01	0.03	2.4	0.026
AUX100889		33.5	0.074	20.6	7.6	<0.001	<0.01	13.90	3.5	0.9	0.3	18.1	<0.01	0.04	7.2	0.023
AUX100890		31.9	0.052	16.95	7.4	<0.001	<0.01	15.30	3.8	0.9	0.4	17.3	<0.01	0.05	5.6	0.036
AUX100891		33.8	0.056	24.2	6.3	<0.001	0.01	26.1	3.2	0.8	0.3	146.5	<0.01	0.05	8.4	0.015
AUX100892		25.6	0.032	20.1	6.3	<0.001	0.01	17.80	2.5	0.9	0.3	21.5	<0.01	0.05	10.2	0.014
AUX100893		26.6	0.038	16.65	6.4	<0.001	0.02	136.0	2.5	0.7	0.3	16.4	<0.01	0.03	8.6	0.010
AUX100894		28.6	0.032	12.70	5.3	<0.001	0.01	51.5	2.7	0.8	0.3	17.8	<0.01	0.03	10.4	0.013
AUX100895		24.5	0.026	13.90	7.3	<0.001	<0.01	15.40	3.3	0.7	0.4	11.4	<0.01	0.03	6.9	0.024
AUX100896		28.7	0.030	16.50	6.0	<0.001	0.01	27.8	4.0	0.9	0.4	13.7	<0.01	0.03	6.0	0.031
AUX100897		36.2	0.054	22.8	7.1	<0.001	0.01	43.0	4.0	1.1	0.4	13.5	<0.01	0.06	7.3	0.021
AUX100898		26.4	0.040	18.65	8.0	<0.001	0.02	17.70	2.4	0.6	0.4	7.5	<0.01	0.04	4.9	0.021
AUX100899		28.9	0.032	16.55	8.3	<0.001	0.03	7.01	2.2	0.6	0.3	9.3	<0.01	0.02	7.0	0.012
AUX100900		29.9	0.036	15.30	7.2	<0.001	0.04	6.08	1.9	0.6	0.3	10.9	<0.01	0.03	6.4	0.011
AUX100901		36.6	0.036	31.4	6.2	<0.001	0.04	19.45	2.4	0.7	0.2	8.7	<0.01	0.04	19.5	0.020
AUX100902		35.3	0.042	25.0	6.0	<0.001	0.06	39.9	2.1	0.7	<0.2	29.5	<0.01	0.07	15.2	0.003
AUX100903		28.2	0.045	24.5	5.2	<0.001	0.08	31.8	1.7	0.8	<0.2	133.5	<0.01	0.05	10.0	0.003
AUX100904		27.2	0.046	41.7	3.9	<0.001	0.06	79.3	1.9	0.9	<0.2	147.5	<0.01	0.03	14.3	0.001
AUX100905		25.2	0.064	15.30	7.9	<0.001	0.04	4.35	3.6	0.8	0.4	32.7	<0.01	0.04	4.1	0.027
AUX100906		25.4	0.060	14.00	6.9	<0.001	0.03	4.67	3.4	0.8	0.4	24.9	<0.01	0.03	4.7	0.027
AUX100907		27.3	0.070	15.50	8.3	<0.001	0.04	5.78	3.1	1.0	0.3	27.4	<0.01	0.03	3.8	0.015
AUX100908		31.1	0.067	14.80	7.9	<0.001	0.04	5.81	3.5	1.1	0.3	28.2	<0.01	0.04	5.1	0.017
AUX100909		27.6	0.062	19.40	5.9	<0.001	0.06	7.01	3.0	0.7	0.2	27.5	<0.01	0.04	5.7	0.013
AUX100910		23.7	0.076	15.00	8.5	<0.001	0.08	5.07	2.7	0.9	0.3	32.8	<0.01	0.04	3.6	0.014
AUX100911		29.5	0.084	18.00	9.3	<0.001	0.08	8.06	3.1	1.4	0.3	40.3	<0.01	0.03	3.8	0.013
AUX100912		32.0	0.085	23.7	9.3	<0.001	0.06	8.52	2.4	1.1	0.2	47.8	<0.01	0.04	3.7	0.012
AUX100913		23.8	0.054	18.45	8.2	<0.001	0.05	6.11	2.6	0.7	0.3	42.5	<0.01	0.03	4.9	0.014
AUX100914		28.5	0.074	19.35	10.0	<0.001	0.04	6.26	3.2	0.7	0.3	33.3	<0.01	0.02	6.9	0.016
AUX100915		24.0	0.071	17.60	8.1	<0.001	0.08	76.5	2.4	0.9	0.3	73.5	<0.01	0.03	2.4	0.013
AUX100916		27.3	0.063	21.2	10.1	<0.001	0.07	41.8	2.9	0.9	0.3	50.8	<0.01	0.03	3.0	0.015
AUX100917		29.4	0.065	25.1	9.5	0.001	0.08	177.5	2.6	1.0	0.3	50.0	<0.01	0.03	2.8	0.013
AUX100918		35.1	0.067	25.0	9.6	0.002	0.09	60.4	2.8	1.5	0.3	56.5	<0.01	0.04	3.2	0.012
AUX100919		44.3	0.032	28.0	6.0	<0.001	0.08	13.35	2.4	0.7	0.2	16.1	<0.01	0.04	9.5	0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX100880		0.04	1.75	21	0.172	5.73	79.2	2.6
AUX100881		0.05	1.44	23	0.326	6.05	70.0	2.1
AUX100882		0.06	2.56	24	0.273	7.62	68.2	1.5
AUX100883		0.04	2.23	18	0.290	6.58	70.4	1.7
AUX100884		0.04	1.04	19	0.397	3.83	84.5	2.9
AUX100885		0.06	1.40	22	0.653	4.91	74.6	1.0
AUX100886		0.06	1.48	22	0.279	5.41	83.0	1.4
AUX100887		0.10	1.61	38	0.263	7.85	63.6	0.8
AUX100888		0.11	1.01	33	0.180	6.62	55.9	0.7
AUX100889		0.18	0.62	30	0.236	7.91	90.2	3.6
AUX100890		0.15	0.72	37	0.233	9.20	77.9	2.3
AUX100891		0.11	0.54	20	0.161	8.49	98.0	5.3
AUX100892		0.04	1.23	20	0.186	7.34	60.3	2.6
AUX100893		0.07	0.96	19	0.147	6.21	63.4	1.1
AUX100894		0.05	1.10	21	0.124	6.24	68.9	2.5
AUX100895		0.09	0.78	34	0.205	7.44	57.5	2.1
AUX100896		0.09	0.64	34	0.243	9.71	67.5	3.1
AUX100897		0.16	0.62	30	0.308	9.10	88.0	2.6
AUX100898		0.12	0.51	31	0.338	3.64	71.3	0.9
AUX100899		0.09	0.61	28	0.145	3.32	74.2	1.7
AUX100900		0.08	0.55	25	0.129	3.10	77.0	1.3
AUX100901		0.08	0.52	20	0.131	5.32	89.4	4.9
AUX100902		0.05	0.74	13	0.0664	6.98	90.6	7.1
AUX100903		0.07	0.99	5	2.94	11.00	78.8	3.3
AUX100904		0.09	1.28	3	0.0651	11.45	70.4	5.8
AUX100905		0.07	1.58	34	0.212	8.25	79.9	1.8
AUX100906		0.08	1.70	31	0.274	7.78	75.0	2.0
AUX100907		0.09	2.43	27	0.218	7.88	74.9	1.3
AUX100908		0.09	3.48	30	0.206	8.14	84.7	1.7
AUX100909		0.05	2.40	26	0.593	5.55	85.6	2.2
AUX100910		0.07	2.66	28	0.193	5.22	88.2	1.6
AUX100911		0.09	4.54	33	0.178	7.87	104.0	2.4
AUX100912		0.06	3.01	26	0.346	6.29	121.0	2.0
AUX100913		0.08	3.01	29	0.266	5.13	86.0	1.8
AUX100914		0.08	2.99	31	0.272	6.03	92.6	3.0
AUX100915		0.08	3.85	24	0.238	7.22	78.9	1.6
AUX100916		0.09	4.19	30	0.166	7.05	84.1	1.7
AUX100917		0.09	4.19	27	0.145	8.31	90.9	2.1
AUX100918		0.10	4.05	28	0.166	9.44	98.3	2.0
AUX100919		0.04	2.23	17	0.0630	3.00	100.5	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX100920		0.28	0.139	0.977	1.47	1960	<10	154.0	0.41	1.36	0.33	0.17	53.0	12.3	16.8	1.77
AUX100921		0.38	0.0137	0.205	1.39	140.5	<10	343	0.38	0.36	0.36	0.32	32.7	7.5	23.4	0.96
AUX100922		0.38	0.0297	0.323	1.27	354	<10	276	0.45	0.50	0.24	0.19	55.9	9.7	20.7	1.07
AUX100923		0.32	0.0066	0.168	1.13	92.0	<10	223	0.33	0.29	0.22	0.15	36.4	7.9	20.5	0.86
AUX100924		0.32	0.0177	0.121	1.16	135.5	<10	183.0	0.35	0.29	0.22	0.10	53.9	7.5	19.0	1.07
AUX100925		0.42	0.0176	0.105	1.16	148.0	<10	174.5	0.30	0.32	0.21	0.11	56.3	7.5	18.9	1.08
AUX100926		0.44	0.0084	0.227	1.26	118.0	<10	307	0.44	0.30	0.34	0.18	37.8	8.5	22.0	0.89
AUX100927		0.38	0.0057	0.165	1.18	89.7	<10	257	0.35	0.27	0.24	0.26	30.6	5.9	19.6	0.84
AUX100928		0.22	0.0073	0.285	1.26	74.7	<10	218	0.34	0.29	0.20	0.27	28.5	6.0	20.7	0.85
AUX100929		0.38	0.0117	0.206	1.20	140.5	<10	233	0.33	0.28	0.24	0.17	38.5	6.3	20.6	0.84
AUX100930		0.32	0.0110	0.295	1.26	112.5	<10	195.0	0.29	0.29	0.19	0.19	31.6	6.4	21.8	0.99
AUX100931		0.36	0.0076	0.268	1.25	90.9	<10	220	0.32	0.28	0.20	0.27	31.1	6.0	20.8	0.99
AUX100932		0.38	0.0406	0.353	1.18	1040	<10	248	0.34	1.03	0.23	0.35	49.6	9.7	22.8	1.51
AUX100933		0.36	0.0464	0.346	1.22	998	<10	173.5	0.43	1.05	0.19	0.29	68.1	11.8	21.8	2.52
AUX100934		0.20	0.0328	0.557	1.42	436	<10	244	0.37	0.91	0.31	0.33	44.6	8.3	24.9	1.71
AUX100935		0.34	0.0377	0.459	1.31	851	<10	248	0.43	1.01	0.57	0.44	54.3	13.8	22.7	1.37
AUX100936		0.38	0.0097	0.401	1.67	319	<10	518	0.64	0.54	0.74	0.86	32.0	16.6	33.0	0.97
AUX100937		0.42	0.0083	0.337	1.45	244	<10	410	0.54	0.47	0.56	0.51	33.0	11.3	27.7	0.91
AUX100938		0.42	0.0257	0.347	1.37	283	<10	353	0.51	0.62	0.62	0.46	32.5	11.2	26.5	1.08
AUX100939		0.48	0.0178	0.348	1.34	109.0	<10	319	0.45	0.31	0.49	0.25	33.2	11.2	25.6	0.88
AUX100940		0.42	0.0042	0.235	1.12	192.5	<10	203	0.36	0.33	0.36	0.19	33.3	8.2	20.5	0.67
AUX100941		0.30	0.0067	0.298	1.17	516	<10	194.0	0.36	0.42	0.20	0.18	53.4	9.2	20.3	0.61
AUX100942		0.36	0.0056	0.333	1.40	310	<10	368	0.37	0.47	0.50	0.46	32.3	14.4	24.5	1.22
AUX100943		0.32	0.0043	0.215	1.41	191.5	<10	331	0.35	0.48	0.36	0.43	41.6	22.7	25.2	1.13
AUX100944		0.22	0.0110	0.306	1.22	440	<10	306	0.48	1.54	0.84	1.21	36.7	24.1	20.7	0.95
AUX100945		0.28	0.0414	0.402	1.31	497	<10	268	0.54	0.51	1.21	0.51	29.0	10.1	20.8	1.07
AUX100946		0.14	0.0953	0.486	1.02	2140	<10	194.5	0.57	0.99	3.58	0.64	29.7	18.3	13.2	1.06
AUX100947		0.22	0.149	0.581	1.10	900	<10	254	0.50	0.73	1.35	0.35	35.1	13.3	16.9	1.34
AUX100948		0.24	0.214	0.251	0.99	1190	<10	216	0.55	1.07	0.47	0.24	59.4	18.8	16.6	2.11
AUX100949		0.26	0.158	0.507	0.55	1355	<10	123.0	0.52	1.48	1.28	0.26	42.4	13.9	7.7	1.34
AUX100950		0.36	0.188	0.558	0.51	1910	<10	112.5	0.56	2.38	0.84	0.25	44.6	16.6	7.9	1.37
AUX100951		0.06	0.0131	0.237	1.26	163.0	<10	366	0.49	0.30	0.67	0.52	25.9	9.0	22.2	0.73
AUX100952		0.28	0.0154	0.249	1.20	272	<10	343	0.39	0.38	0.59	0.43	27.1	9.1	20.4	0.82
AUX100953		0.32	0.0102	0.175	1.34	165.5	<10	290	0.38	0.33	0.42	0.26	30.6	8.6	23.5	0.80
AUX100954		0.28	0.0088	0.238	1.60	104.5	<10	402	0.47	0.34	0.46	0.26	31.2	9.5	26.7	0.96
AUX100955		0.38	0.0208	0.313	1.55	285	<10	414	0.53	0.41	0.44	0.36	34.2	10.9	25.9	1.06
AUX100956		0.38	0.0088	0.203	1.36	158.5	<10	313	0.43	0.30	0.37	0.20	32.0	9.2	24.9	0.86
AUX100957		0.38	0.0096	0.265	1.46	146.5	<10	394	0.55	0.34	0.42	0.35	34.3	9.6	26.6	0.94
AUX100958		0.36	0.0112	0.246	1.32	150.0	<10	371	0.44	0.32	0.34	0.19	36.5	7.3	25.8	0.97
AUX100959		0.40	0.0284	0.334	1.27	338	<10	306	0.46	0.52	0.32	0.31	36.6	9.1	27.3	1.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX100920		40.4	3.73	4.11	0.07	0.03	0.039	0.019	0.05	26.7	17.1	0.45	703	0.87	0.01	0.26
AUX100921		26.7	2.40	4.33	0.05	0.02	0.061	0.023	0.05	16.7	14.4	0.37	219	0.90	0.02	0.70
AUX100922		36.6	2.86	4.02	0.07	0.05	0.042	0.021	0.05	27.6	15.6	0.44	327	0.94	0.01	0.49
AUX100923		24.1	2.08	3.50	0.05	0.03	0.026	0.016	0.04	18.5	13.1	0.37	203	0.82	0.01	0.75
AUX100924		25.2	2.23	3.53	0.07	0.02	0.025	0.014	0.04	27.7	14.5	0.39	208	0.68	0.01	0.63
AUX100925		24.9	2.29	3.50	0.08	0.02	0.026	0.013	0.04	28.4	14.0	0.38	207	0.69	0.01	0.61
AUX100926		30.4	2.32	3.86	0.05	0.03	0.042	0.020	0.04	20.4	14.0	0.39	280	0.99	0.01	0.73
AUX100927		27.4	2.00	3.85	<0.05	<0.02	0.042	0.019	0.04	15.8	11.5	0.30	164	0.93	0.01	0.68
AUX100928		24.7	2.13	4.00	<0.05	<0.02	0.048	0.020	0.04	15.1	11.6	0.30	148	0.90	0.01	0.71
AUX100929		28.0	2.16	3.64	0.05	0.02	0.032	0.019	0.04	20.3	12.2	0.35	208	0.95	0.01	0.73
AUX100930		24.2	2.21	3.84	<0.05	<0.02	0.058	0.017	0.05	15.9	12.5	0.35	203	1.03	0.01	0.69
AUX100931		27.0	2.04	4.04	0.05	<0.02	0.035	0.021	0.05	15.3	11.6	0.31	151	0.96	0.01	0.59
AUX100932		38.7	2.76	3.57	0.11	<0.02	0.032	0.019	0.07	25.0	12.9	0.41	365	1.01	0.01	0.39
AUX100933		38.9	3.08	3.83	0.13	0.06	0.021	0.018	0.06	34.2	18.8	0.52	374	0.79	0.01	0.39
AUX100934		27.9	2.80	4.48	0.11	0.02	0.053	0.024	0.07	22.5	14.7	0.43	270	1.19	0.01	0.50
AUX100935		37.6	3.00	3.90	0.12	0.03	0.028	0.022	0.06	27.3	15.0	0.44	746	1.03	0.02	0.43
AUX100936		34.1	3.09	4.72	0.11	0.08	0.059	0.031	0.06	16.4	17.3	0.52	1480	1.50	0.02	0.65
AUX100937		37.7	2.80	4.35	0.11	0.08	0.050	0.026	0.05	16.5	15.1	0.45	555	1.32	0.02	0.71
AUX100938		38.0	2.74	4.05	0.11	0.08	0.041	0.027	0.06	16.1	14.3	0.44	484	1.36	0.02	0.63
AUX100939		30.9	2.48	4.16	0.11	0.06	0.043	0.023	0.06	16.5	14.4	0.45	438	1.22	0.01	0.62
AUX100940		24.9	2.33	3.36	0.10	0.05	0.013	0.017	0.04	16.8	15.0	0.41	348	0.98	0.01	0.43
AUX100941		25.0	2.61	3.72	0.12	0.04	0.010	0.017	0.03	25.3	18.3	0.43	396	0.87	0.01	0.41
AUX100942		23.1	2.64	4.51	0.10	0.03	0.054	0.023	0.05	15.7	16.1	0.41	1640	1.34	0.01	0.46
AUX100943		20.3	2.83	4.72	0.10	<0.02	0.025	0.022	0.06	17.9	14.7	0.41	3730	1.32	0.01	0.47
AUX100944		29.5	2.60	3.70	0.10	0.02	0.035	0.024	0.06	15.7	12.6	0.29	2250	1.34	0.01	0.49
AUX100945		40.1	2.59	3.57	0.10	0.04	0.048	0.025	0.06	15.6	12.5	0.33	696	1.09	0.02	0.54
AUX100946		61.9	3.87	2.18	0.11	0.09	0.060	0.023	0.06	15.8	7.8	0.26	1400	1.22	0.02	0.19
AUX100947		40.9	3.01	3.05	0.12	0.09	0.048	0.025	0.08	18.3	11.4	0.32	602	0.96	0.02	0.33
AUX100948		39.8	3.66	3.00	0.14	0.06	0.043	0.020	0.07	29.0	11.1	0.28	543	1.06	0.01	0.28
AUX100949		41.6	3.65	1.57	0.11	0.05	0.054	0.019	0.05	20.9	4.3	0.16	807	0.74	0.02	0.07
AUX100950		51.8	4.41	1.72	0.11	0.04	0.036	0.023	0.05	22.8	4.4	0.16	825	0.85	0.01	0.06
AUX100951		25.4	2.34	3.84	0.10	0.03	0.060	0.023	0.05	12.5	11.6	0.34	607	1.04	0.02	0.66
AUX100952		25.0	2.21	3.64	0.09	0.04	0.053	0.018	0.05	13.4	10.6	0.32	1140	1.10	0.02	0.49
AUX100953		20.4	2.34	4.26	0.10	0.03	0.030	0.022	0.05	14.8	13.4	0.37	477	1.00	0.02	0.69
AUX100954		23.8	2.62	4.74	0.10	0.03	0.041	0.025	0.06	16.0	14.7	0.41	350	1.06	0.02	0.73
AUX100955		37.4	2.90	4.57	0.11	0.06	0.047	0.027	0.06	17.9	13.4	0.41	498	1.36	0.02	0.78
AUX100956		25.4	2.45	4.25	0.09	0.04	0.033	0.022	0.05	15.9	13.3	0.39	314	1.03	0.02	0.75
AUX100957		34.9	2.62	4.44	0.10	0.04	0.062	0.023	0.06	17.4	14.0	0.42	325	1.13	0.02	0.73
AUX100958		31.9	2.43	4.01	0.11	0.03	0.038	0.023	0.05	18.6	13.4	0.40	237	1.00	0.02	0.66
AUX100959		39.4	2.73	4.04	0.11	0.03	0.031	0.025	0.06	18.2	13.4	0.43	331	1.32	0.01	0.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX100920		28.1	0.039	27.9	8.3	<0.001	0.04	35.7	2.0	0.9	0.3	21.6	<0.01	0.03	7.7	0.006
AUX100921		21.3	0.069	13.40	9.3	<0.001	0.04	12.30	3.3	0.7	0.4	28.6	<0.01	0.02	2.9	0.024
AUX100922		26.6	0.054	14.65	6.1	<0.001	0.02	7.59	3.2	0.7	0.3	19.4	<0.01	0.03	8.5	0.027
AUX100923		18.5	0.057	9.57	6.1	<0.001	0.02	6.72	2.8	0.6	0.4	18.3	<0.01	0.02	4.3	0.031
AUX100924		18.7	0.049	9.18	5.9	<0.001	0.02	4.98	2.5	0.4	0.5	16.8	<0.01	0.03	6.3	0.032
AUX100925		18.7	0.048	9.63	6.1	<0.001	0.02	5.55	2.3	0.4	0.3	16.2	<0.01	0.02	6.5	0.031
AUX100926		22.9	0.055	11.90	6.8	<0.001	0.02	5.74	3.4	0.8	0.4	23.2	<0.01	0.03	4.6	0.034
AUX100927		18.4	0.059	11.00	6.9	<0.001	0.03	4.80	2.3	0.7	0.4	20.0	<0.01	0.03	1.4	0.027
AUX100928		16.7	0.068	13.70	7.5	<0.001	0.04	3.96	1.9	0.5	0.4	16.6	<0.01	0.04	0.8	0.028
AUX100929		19.5	0.055	11.15	6.4	<0.001	0.02	6.52	2.8	0.5	0.4	18.2	<0.01	0.03	3.3	0.034
AUX100930		18.2	0.057	11.85	7.4	<0.001	0.03	6.20	2.4	0.5	0.4	14.4	<0.01	0.03	2.4	0.028
AUX100931		17.5	0.061	12.55	8.0	<0.001	0.03	5.50	2.0	0.6	0.4	16.1	<0.01	0.02	1.0	0.022
AUX100932		26.8	0.064	16.75	7.1	<0.001	<0.01	36.4	2.7	0.6	0.3	17.6	<0.01	0.04	4.8	0.022
AUX100933		29.1	0.058	16.85	7.4	<0.001	<0.01	77.3	2.3	0.8	0.3	14.7	<0.01	0.02	11.0	0.031
AUX100934		24.6	0.084	18.50	9.4	<0.001	0.02	38.8	2.8	0.4	0.4	22.5	<0.01	0.04	3.3	0.019
AUX100935		30.5	0.069	18.20	7.4	<0.001	0.01	50.9	2.8	0.9	0.3	27.2	<0.01	0.05	5.4	0.021
AUX100936		36.1	0.087	16.35	8.9	0.001	0.06	7.75	4.1	1.9	0.4	66.2	<0.01	0.04	2.6	0.026
AUX100937		32.0	0.077	15.35	7.9	<0.001	0.02	9.14	4.2	1.2	0.4	53.3	<0.01	0.06	3.6	0.030
AUX100938		30.6	0.079	17.75	8.2	0.001	0.02	11.35	3.8	1.4	0.4	54.0	<0.01	0.04	3.5	0.026
AUX100939		25.9	0.079	13.55	7.8	<0.001	0.01	5.16	3.7	1.0	0.4	39.3	<0.01	0.02	3.6	0.025
AUX100940		21.1	0.060	13.30	5.7	<0.001	0.01	5.46	2.2	0.7	0.3	28.2	<0.01	0.02	4.0	0.019
AUX100941		22.8	0.039	28.7	5.6	<0.001	<0.01	4.03	2.2	0.6	0.3	16.9	<0.01	0.01	7.7	0.018
AUX100942		23.6	0.097	17.35	10.4	<0.001	0.04	6.53	2.5	0.8	0.4	39.4	<0.01	0.02	2.2	0.016
AUX100943		22.1	0.066	14.25	12.8	<0.001	0.01	7.32	2.3	0.7	0.4	27.1	<0.01	0.03	1.6	0.030
AUX100944		27.8	0.072	20.7	10.2	<0.001	0.03	12.80	2.4	1.1	0.3	30.9	<0.01	0.05	1.9	0.021
AUX100945		29.7	0.073	17.60	7.4	<0.001	0.03	46.4	2.9	1.0	0.3	33.5	<0.01	0.03	2.0	0.019
AUX100946		39.0	0.080	25.0	5.9	<0.001	0.09	68.6	2.4	2.3	0.2	65.6	<0.01	0.05	3.0	0.006
AUX100947		32.9	0.064	19.85	7.4	<0.001	0.05	32.0	2.9	0.8	0.3	41.5	<0.01	0.05	5.2	0.010
AUX100948		39.0	0.036	18.45	7.2	<0.001	0.02	42.7	3.1	1.0	0.3	24.1	<0.01	0.04	10.3	0.009
AUX100949		31.7	0.060	21.2	4.6	<0.001	0.05	30.7	1.7	0.9	0.2	36.1	<0.01	0.04	3.0	0.002
AUX100950		36.0	0.046	24.1	4.0	<0.001	0.04	25.7	2.2	0.8	0.2	25.8	<0.01	0.04	4.7	0.002
AUX100951		21.7	0.094	11.50	9.0	<0.001	0.06	8.08	2.9	1.1	0.4	51.9	<0.01	0.03	1.6	0.023
AUX100952		20.7	0.099	11.50	8.1	0.001	0.05	7.72	2.6	0.8	0.3	43.7	<0.01	0.03	1.7	0.022
AUX100953		20.3	0.073	11.20	9.3	<0.001	0.01	6.46	3.1	0.5	0.4	32.3	<0.01	0.01	2.9	0.030
AUX100954		22.4	0.080	13.85	10.6	<0.001	0.02	6.37	3.7	1.0	0.5	35.2	<0.01	0.02	2.7	0.026
AUX100955		27.3	0.075	17.50	8.7	<0.001	0.01	34.9	4.2	0.7	0.4	32.2	<0.01	0.03	3.5	0.042
AUX100956		22.5	0.069	12.80	7.9	<0.001	0.01	20.9	3.6	0.8	0.4	27.7	<0.01	0.03	3.3	0.033
AUX100957		28.1	0.075	15.10	8.5	<0.001	<0.01	20.0	4.2	1.0	0.4	28.1	<0.01	0.03	3.7	0.031
AUX100958		25.6	0.073	11.45	7.7	<0.001	<0.01	19.05	3.8	1.0	0.4	23.5	<0.01	0.02	3.9	0.031
AUX100959		29.8	0.071	16.60	8.5	<0.001	<0.01	28.9	3.8	0.8	0.4	23.3	<0.01	0.04	4.2	0.027

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX100920		0.08	1.16	18	0.155	4.87	73.1	0.9
AUX100921		0.10	1.63	37	0.269	6.97	64.2	0.6
AUX100922		0.08	0.84	29	0.298	7.28	73.7	2.5
AUX100923		0.08	0.85	31	0.198	6.33	55.0	1.1
AUX100924		0.07	0.74	27	0.169	6.19	56.4	1.1
AUX100925		0.07	0.71	26	0.166	5.71	56.3	0.9
AUX100926		0.09	1.02	35	0.180	7.48	62.8	1.3
AUX100927		0.07	0.91	32	0.189	5.85	53.6	<0.5
AUX100928		0.09	0.91	34	0.199	4.68	50.9	<0.5
AUX100929		0.09	0.74	32	0.230	6.73	58.8	0.7
AUX100930		0.13	0.65	33	0.193	4.92	61.6	<0.5
AUX100931		0.11	0.73	32	0.240	5.31	53.1	<0.5
AUX100932		0.15	0.83	28	0.215	6.77	80.2	0.6
AUX100933		0.12	0.74	25	0.136	6.02	78.4	3.3
AUX100934		0.14	0.69	33	0.205	5.06	75.1	0.6
AUX100935		0.10	0.81	29	0.191	7.08	90.2	1.1
AUX100936		0.09	6.87	44	0.293	10.95	92.9	2.6
AUX100937		0.09	4.06	41	0.325	9.72	74.9	2.7
AUX100938		0.10	3.57	39	0.265	8.62	75.5	2.5
AUX100939		0.11	1.82	38	0.214	7.60	69.9	1.8
AUX100940		0.07	1.17	28	0.157	4.95	61.9	1.8
AUX100941		0.05	1.02	24	0.234	5.35	67.5	1.8
AUX100942		0.10	1.67	35	1.565	5.25	86.8	1.0
AUX100943		0.11	0.96	42	0.322	3.56	77.7	<0.5
AUX100944		0.11	1.03	34	0.272	7.47	117.5	0.7
AUX100945		0.12	1.08	30	0.255	10.15	95.0	1.6
AUX100946		0.09	2.00	15	0.171	10.90	123.5	3.0
AUX100947		0.10	1.44	22	0.234	7.99	94.1	3.5
AUX100948		0.09	0.84	19	0.191	5.26	107.0	2.5
AUX100949		0.04	1.01	9	0.101	6.90	89.8	1.6
AUX100950		0.04	0.97	9	0.101	6.21	106.0	1.5
AUX100951		0.07	2.14	37	0.206	7.85	74.1	1.2
AUX100952		0.08	1.80	32	0.168	6.70	67.0	1.2
AUX100953		0.08	1.10	38	0.281	5.28	69.3	1.1
AUX100954		0.11	1.58	44	0.229	7.44	71.6	0.9
AUX100955		0.12	1.20	44	0.254	8.74	82.7	2.4
AUX100956		0.09	1.02	40	0.218	6.88	68.4	1.4
AUX100957		0.10	1.13	43	0.205	8.92	76.6	1.5
AUX100958		0.09	1.01	37	0.189	8.60	71.0	1.1
AUX100959		0.12	0.83	37	0.217	7.36	78.4	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX100960		0.40	0.0099	0.192	1.27	248	<10	300	0.41	0.45	0.24	0.32	37.2	9.2	25.1	1.20
AUX100961		0.32	0.0618	0.232	1.38	1105	<10	136.5	0.81	0.75	0.16	0.13	120.5	18.5	23.3	2.64
AUX100962		0.40	0.0331	0.293	1.28	400	<10	232	0.41	0.63	0.24	0.13	45.2	7.9	23.7	1.68
AUX100963		0.36	0.0298	0.224	1.23	508	<10	188.0	0.40	0.58	0.21	0.18	51.2	8.6	23.3	1.53
AUX100964		0.24	0.0230	0.109	1.21	380	<10	186.0	0.28	0.55	0.21	0.28	45.4	8.8	20.9	1.26
AUX100965		0.18	0.0290	0.335	1.47	602	<10	247	0.52	0.67	1.35	0.34	43.3	10.7	24.7	1.17
AUX100966		0.16	0.0676	0.283	1.19	836	<10	237	0.51	0.91	2.93	0.67	30.1	10.0	18.3	0.88
AUX100967		0.16	0.149	0.316	0.94	1175	<10	210	0.45	1.93	5.58	0.65	36.0	10.4	12.8	0.81
AUX100968		0.24	0.0541	0.830	1.55	946	<10	362	0.78	0.99	1.42	0.78	41.8	22.5	23.2	1.52
AUX100969		0.20	0.0499	0.440	1.17	650	<10	218	0.45	0.75	1.53	0.59	31.2	9.4	18.7	1.12
AUX100970		0.24	0.0605	0.335	1.14	935	<10	157.5	0.43	0.93	0.43	0.28	57.6	13.0	19.0	1.45
AUX100971		0.38	0.0146	0.287	1.35	206	<10	436	0.58	0.34	0.45	0.47	30.7	11.6	24.4	0.98
AUX100972		0.32	0.0078	0.266	1.38	105.5	<10	483	0.55	0.27	0.59	0.60	28.4	10.6	25.2	0.81
AUX100973		0.38	0.0450	0.352	1.41	840	<10	373	0.52	0.61	0.78	0.51	40.1	16.7	36.7	1.44
AUX100974		0.28	0.0214	0.348	1.39	314	<10	466	0.56	0.44	0.81	0.73	29.2	13.4	26.1	1.08
AUX100975		0.22	0.0221	0.326	1.36	268	<10	446	0.52	0.41	0.71	0.63	29.7	11.9	26.1	0.96
AUX100976		0.40	0.0390	0.431	1.36	779	<10	325	0.46	0.61	0.39	0.51	37.4	14.3	34.2	1.68
AUX100977		0.30	0.0387	0.313	1.47	448	<10	343	0.53	0.53	0.58	0.31	31.9	10.8	29.3	1.34
AUX100978		0.40	0.0396	0.357	1.39	537	<10	340	0.50	0.55	0.41	0.40	34.0	12.3	29.9	1.22
AUX100979		0.44	0.0444	0.318	1.30	631	<10	307	0.51	0.59	0.43	0.42	34.4	12.2	26.9	1.15
AUX100980		0.34	0.124	0.403	1.33	2090	<10	239	0.44	1.44	0.34	0.30	57.7	16.6	28.5	1.76
AUX100981		0.38	0.0597	0.298	1.36	829	<10	286	0.40	0.80	0.38	0.25	34.7	9.8	29.0	1.50
AUX100982		0.34	0.0392	0.282	1.34	427	<10	302	0.41	0.55	0.41	0.18	30.2	8.2	26.6	1.38
AUX100983		0.30	0.0905	0.387	1.42	1270	<10	224	0.49	1.08	0.45	0.47	53.0	13.8	27.1	1.53
AUX100984		0.16	0.0522	0.277	1.16	686	<10	259	0.49	0.79	3.00	1.20	32.9	10.0	17.4	0.75
AUX100985		0.24	0.0482	0.218	1.06	779	<10	157.0	0.37	0.88	4.33	0.44	57.3	12.8	13.1	0.75
AUX100986		0.22	0.0628	0.187	1.01	988	<10	258	0.38	0.85	2.01	0.52	33.4	12.8	18.8	1.35
AUX100987		0.34	0.0139	0.264	1.38	194.5	<10	407	0.52	0.35	0.52	0.46	31.3	11.8	26.9	1.01
AUX100988		0.10	0.0086	0.231	1.10	122.0	<10	403	0.46	0.26	1.20	0.51	19.65	10.0	20.8	0.72
AUX100989		0.24	0.0278	0.231	1.34	111.0	<10	408	0.48	0.26	0.66	0.43	28.1	9.6	26.0	0.83
AUX100990		0.16	0.0085	0.210	1.25	166.5	<10	365	0.43	0.28	0.74	0.48	25.2	10.3	22.8	0.74
AUX100991		0.22	0.0215	0.262	1.38	503	<10	342	0.52	0.51	0.72	0.39	35.2	11.4	29.4	1.02
AUX100992		0.42	0.0509	0.259	1.37	1240	<10	254	0.41	0.84	0.64	0.41	55.7	14.5	29.5	1.55
AUX100993		0.40	0.0567	0.260	1.42	908	<10	284	0.52	0.86	0.55	0.36	44.1	12.6	31.8	1.10
AUX100994		0.32	0.0415	0.254	1.46	654	<10	307	0.47	0.69	0.61	0.42	40.0	13.0	33.0	1.22
AUX100995		0.30	0.0540	0.246	1.31	621	<10	219	0.41	0.75	0.77	0.23	39.3	10.1	26.9	1.24
AUX100996		0.14	0.0262	0.223	0.42	710	<10	90.5	0.30	1.37	10.90	0.86	49.2	16.0	5.8	0.33
AUX100997		0.24	0.0546	0.230	1.26	779	<10	191.0	0.34	0.81	0.95	0.69	38.0	10.3	25.5	1.17
AUX100998		0.26	0.0326	0.141	0.68	773	<10	41.6	0.15	0.77	0.57	0.08	72.8	15.6	6.6	0.81
AUX100999		0.16	0.0246	0.313	2.96	857	<10	122.5	1.02	0.91	2.93	0.19	32.2	11.5	21.9	21.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX100960		29.1	2.39	4.43	0.10	<0.02	0.013	0.020	0.06	18.8	12.0	0.37	368	1.22	0.01	0.61
AUX100961		53.4	4.25	4.60	0.21	0.22	0.007	0.014	0.07	61.1	25.4	0.67	511	0.67	0.01	0.06
AUX100962		28.5	2.37	4.26	0.12	<0.02	0.023	0.019	0.05	22.7	15.3	0.41	210	0.91	0.01	0.54
AUX100963		28.7	2.60	4.01	0.13	0.02	0.009	0.017	0.05	25.8	16.4	0.46	272	0.91	0.01	0.54
AUX100964		18.40	2.31	4.29	0.12	0.03	0.029	0.016	0.06	23.1	13.4	0.36	419	0.99	0.01	0.64
AUX100965		33.6	2.85	4.24	0.12	0.05	0.029	0.021	0.07	20.8	15.7	0.42	529	0.96	0.02	0.50
AUX100966		45.0	2.54	3.04	0.10	0.07	0.054	0.021	0.06	18.0	12.0	0.30	635	1.01	0.02	0.43
AUX100967		45.8	2.48	2.16	0.12	0.04	0.060	0.017	0.07	20.7	8.0	0.22	832	0.74	0.02	0.24
AUX100968		52.3	3.27	3.85	0.06	0.07	0.065	0.029	0.07	23.3	16.3	0.40	1840	1.01	0.02	0.40
AUX100969		36.1	2.47	3.09	0.06	0.07	0.074	0.019	0.06	17.7	13.5	0.33	589	0.90	0.02	0.42
AUX100970		37.1	2.87	3.78	0.09	0.03	0.024	0.016	0.06	29.3	18.1	0.43	499	0.85	0.01	0.34
AUX100971		35.0	2.77	4.15	0.05	0.09	0.038	0.023	0.05	16.6	13.8	0.42	403	1.21	0.02	0.73
AUX100972		31.4	2.67	4.08	0.05	0.08	0.046	0.024	0.05	15.8	14.2	0.43	250	1.09	0.02	0.83
AUX100973		40.0	3.42	4.18	0.07	0.11	0.049	0.026	0.06	22.7	16.4	0.63	704	0.88	0.02	0.43
AUX100974		29.6	2.67	4.16	0.05	0.09	0.072	0.025	0.05	15.8	14.8	0.44	819	1.00	0.02	0.61
AUX100975		29.2	2.68	3.83	0.05	0.08	0.074	0.022	0.06	15.7	13.3	0.43	593	0.97	0.02	0.61
AUX100976		49.9	3.44	4.13	0.06	0.09	0.039	0.028	0.08	20.7	14.5	0.58	652	1.35	0.02	0.31
AUX100977		28.8	2.79	4.47	0.06	0.06	0.053	0.024	0.06	18.1	15.6	0.51	597	1.07	0.02	0.53
AUX100978		38.9	2.89	4.25	0.07	0.06	0.044	0.025	0.06	19.1	14.8	0.48	496	1.15	0.01	0.55
AUX100979		36.9	2.88	3.88	0.06	0.07	0.055	0.021	0.06	18.6	14.2	0.46	603	1.17	0.01	0.54
AUX100980		51.5	3.59	4.19	0.08	0.05	0.040	0.024	0.06	30.2	18.6	0.57	586	1.00	0.01	0.31
AUX100981		36.8	2.76	4.09	0.06	0.03	0.050	0.021	0.06	19.7	16.0	0.48	351	0.96	0.01	0.47
AUX100982		28.3	2.47	4.13	0.05	0.03	0.043	0.019	0.05	17.3	14.8	0.45	333	0.90	0.02	0.49
AUX100983		43.5	3.39	4.43	0.07	0.05	0.020	0.021	0.06	27.6	19.0	0.55	634	0.94	0.01	0.36
AUX100984		35.2	2.47	2.84	0.06	0.06	0.044	0.016	0.06	18.2	12.3	0.38	995	0.67	0.02	0.29
AUX100985		32.2	2.72	2.77	0.07	0.10	0.042	0.014	0.06	29.7	12.2	0.42	782	0.72	0.02	0.18
AUX100986		35.3	2.72	2.69	0.06	0.04	0.058	0.017	0.05	19.9	11.4	0.37	1380	0.70	0.02	0.22
AUX100987		34.3	2.76	4.22	0.05	0.07	0.053	0.027	0.05	16.6	14.2	0.43	543	1.17	0.02	0.71
AUX100988		29.3	2.19	3.38	<0.05	0.05	0.066	0.020	0.04	10.2	9.2	0.31	649	1.06	0.02	0.60
AUX100989		25.8	2.36	3.90	0.05	0.07	0.034	0.023	0.04	14.2	15.1	0.39	349	0.70	0.02	0.71
AUX100990		25.3	2.21	3.60	<0.05	0.07	0.050	0.024	0.04	12.9	13.5	0.33	490	0.78	0.01	0.60
AUX100991		37.5	2.68	4.04	0.05	0.11	0.075	0.026	0.05	19.8	17.5	0.47	467	0.84	0.01	0.58
AUX100992		47.5	3.21	3.94	0.07	0.18	0.043	0.022	0.07	27.9	20.1	0.59	457	0.84	0.01	0.46
AUX100993		38.3	2.99	4.04	0.06	0.16	0.020	0.023	0.06	23.5	19.8	0.58	424	0.75	0.01	0.48
AUX100994		38.0	2.94	4.19	0.06	0.14	0.026	0.027	0.06	22.7	20.4	0.59	493	0.81	0.01	0.52
AUX100995		29.4	2.58	3.62	0.06	0.10	0.015	0.019	0.05	21.3	18.5	0.57	477	0.70	0.01	0.34
AUX100996		35.7	3.38	1.41	0.05	0.12	0.054	0.013	0.05	28.0	3.0	0.13	1560	5.12	0.02	0.10
AUX100997		30.4	2.70	3.42	0.05	0.12	0.018	0.021	0.06	19.1	19.3	0.54	570	0.79	0.01	0.32
AUX100998		25.8	2.55	2.10	0.08	0.09	<0.005	0.012	0.08	35.2	9.7	0.30	759	0.21	0.01	0.14
AUX100999		34.7	3.45	7.86	0.30	0.17	0.015	0.037	0.31	18.7	68.9	4.14	1460	0.99	0.02	0.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX100960		21.1	0.059	15.55	9.3	<0.001	<0.01	18.05	2.7	0.8	0.4	17.2	<0.01	0.04	3.1	0.026
AUX100961		42.7	0.045	11.05	6.6	<0.001	<0.01	86.6	2.3	0.5	0.2	15.1	<0.01	0.04	22.7	0.038
AUX100962		22.9	0.056	12.50	8.9	<0.001	<0.01	22.5	2.6	0.5	0.4	18.6	<0.01	0.03	4.9	0.024
AUX100963		24.0	0.059	12.55	7.8	<0.001	<0.01	55.3	2.4	0.5	0.3	17.1	<0.01	0.04	6.7	0.026
AUX100964		18.6	0.036	11.10	9.2	<0.001	<0.01	30.7	2.2	0.4	0.4	15.2	<0.01	0.02	5.6	0.021
AUX100965		30.2	0.048	16.60	9.2	<0.001	0.03	51.6	2.8	0.9	0.4	42.2	<0.01	0.04	3.2	0.017
AUX100966		29.4	0.074	14.45	8.1	<0.001	0.10	48.9	2.0	1.4	0.3	76.7	<0.01	0.04	1.6	0.013
AUX100967		28.8	0.098	17.90	7.2	<0.001	0.13	39.7	1.2	1.5	0.2	122.5	<0.01	0.04	0.9	0.008
AUX100968		42.5	0.080	19.60	8.4	<0.001	0.07	52.6	3.6	1.3	0.3	45.9	<0.01	0.03	3.9	0.017
AUX100969		28.6	0.064	13.45	7.0	<0.001	0.08	41.6	2.6	1.0	0.2	45.4	<0.01	0.03	3.3	0.017
AUX100970		30.7	0.056	14.55	5.7	<0.001	0.03	39.7	2.5	1.0	0.2	21.7	<0.01	0.03	8.1	0.021
AUX100971		30.3	0.069	14.40	6.8	<0.001	0.03	15.35	4.4	1.0	0.4	37.0	<0.01	0.04	5.2	0.037
AUX100972		26.3	0.080	14.25	7.1	0.001	0.07	12.60	4.3	2.1	0.4	52.5	<0.01	0.04	4.2	0.034
AUX100973		44.8	0.072	15.85	6.2	0.001	0.04	43.2	5.4	1.1	0.3	34.5	<0.01	0.04	7.6	0.025
AUX100974		28.8	0.090	14.30	9.2	<0.001	0.09	27.7	4.0	2.0	0.4	70.6	<0.01	0.03	3.2	0.020
AUX100975		26.6	0.085	14.70	8.2	<0.001	0.08	24.4	3.9	1.7	0.3	56.1	<0.01	0.03	3.6	0.025
AUX100976		42.7	0.069	18.55	7.3	<0.001	0.03	44.7	5.3	0.9	0.4	29.5	<0.01	0.03	6.9	0.032
AUX100977		28.4	0.089	13.10	9.3	<0.001	0.07	26.1	3.8	1.0	0.4	43.8	<0.01	0.02	3.4	0.020
AUX100978		34.0	0.070	16.15	7.5	<0.001	0.04	23.4	4.5	1.2	0.4	29.6	<0.01	0.03	5.1	0.029
AUX100979		30.0	0.066	17.30	7.0	<0.001	0.03	30.0	3.9	0.9	0.3	27.3	<0.01	0.03	5.7	0.030
AUX100980		38.9	0.066	18.60	7.2	<0.001	0.02	85.4	3.6	1.0	0.3	19.9	<0.01	0.03	10.5	0.020
AUX100981		29.5	0.066	13.75	8.7	<0.001	0.03	46.7	3.4	0.8	0.4	25.0	<0.01	0.01	4.6	0.021
AUX100982		23.4	0.073	11.80	7.9	<0.001	0.04	21.6	3.0	0.7	0.3	25.4	<0.01	0.02	3.4	0.021
AUX100983		35.9	0.062	17.00	7.8	<0.001	0.03	79.1	3.4	0.9	0.3	20.8	<0.01	0.04	8.7	0.018
AUX100984		28.6	0.079	11.55	6.4	<0.001	0.10	26.0	1.6	0.9	0.2	67.3	<0.01	0.03	1.8	0.012
AUX100985		28.7	0.066	16.30	5.4	<0.001	0.05	44.6	1.9	1.0	0.2	93.8	<0.01	0.02	6.6	0.008
AUX100986		27.9	0.080	13.85	6.7	0.001	0.13	21.5	1.4	1.0	0.2	51.6	<0.01	0.03	1.4	0.011
AUX100987		29.8	0.076	14.35	7.2	<0.001	0.04	14.50	4.3	1.2	0.4	33.6	<0.01	0.04	4.6	0.034
AUX100988		22.9	0.093	11.60	6.2	<0.001	0.12	11.50	2.8	0.9	0.3	75.9	<0.01	0.03	1.7	0.023
AUX100989		25.2	0.082	13.10	8.6	0.001	0.05	7.73	3.8	1.3	0.4	54.5	<0.01	0.01	3.6	0.024
AUX100990		22.1	0.090	13.30	7.9	0.001	0.06	8.48	3.1	1.2	0.3	49.3	<0.01	0.02	2.7	0.020
AUX100991		32.1	0.076	13.55	8.6	0.001	0.04	19.00	3.8	1.1	0.4	43.0	<0.01	0.03	4.4	0.026
AUX100992		40.0	0.064	16.95	7.6	0.001	0.01	45.2	3.5	0.9	0.3	31.7	<0.01	0.03	9.5	0.026
AUX100993		35.4	0.065	15.20	7.5	<0.001	0.02	41.8	3.8	1.0	0.3	29.6	<0.01	0.04	7.1	0.026
AUX100994		37.3	0.071	13.25	9.1	0.001	0.03	28.2	3.8	1.2	0.3	39.0	<0.01	0.03	5.0	0.025
AUX100995		27.4	0.075	12.20	7.4	0.001	0.04	23.4	2.5	1.2	0.3	49.6	<0.01	0.02	4.1	0.015
AUX100996		26.4	0.066	98.7	3.4	<0.001	0.12	17.90	1.0	1.1	0.2	197.5	<0.01	0.08	3.0	0.005
AUX100997		30.3	0.088	13.90	10.7	<0.001	0.06	32.4	2.4	1.3	0.3	55.7	<0.01	0.02	3.9	0.015
AUX100998		29.3	0.035	29.7	6.4	<0.001	0.02	6.84	1.7	0.7	<0.2	21.7	<0.01	0.01	11.6	0.003
AUX100999		26.9	0.085	9.75	39.5	<0.001	0.09	2.47	4.6	1.0	1.4	60.4	<0.01	0.12	7.4	0.042

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX100960		0.10	0.73	37	0.218	5.53	66.3	0.5
AUX100961		0.09	0.71	23	0.0945	6.31	93.4	10.4
AUX100962		0.11	0.82	31	0.364	5.54	63.8	0.6
AUX100963		0.11	0.66	29	0.283	5.74	69.6	1.0
AUX100964		0.11	0.42	32	0.584	3.35	64.1	1.4
AUX100965		0.11	0.78	31	0.175	7.52	83.1	1.6
AUX100966		0.11	1.77	22	0.123	11.15	118.0	2.4
AUX100967		0.08	1.77	13	0.121	14.05	84.6	1.4
AUX100968		0.13	1.35	28	0.229	11.90	108.5	2.0
AUX100969		0.09	0.98	23	0.147	8.73	99.6	2.6
AUX100970		0.09	0.66	24	0.178	6.03	76.2	1.2
AUX100971		0.10	2.12	42	0.301	9.03	80.1	3.6
AUX100972		0.08	4.77	44	0.232	9.31	80.2	2.6
AUX100973		0.08	1.24	39	0.209	9.67	100.5	4.6
AUX100974		0.09	5.94	38	0.216	9.23	83.1	2.7
AUX100975		0.09	4.86	39	0.299	8.71	84.9	2.4
AUX100976		0.14	0.73	42	0.204	9.50	102.0	4.5
AUX100977		0.11	1.54	36	0.198	8.01	72.7	1.8
AUX100978		0.10	1.27	39	0.226	9.39	82.1	2.4
AUX100979		0.08	0.91	37	0.205	7.87	88.4	2.6
AUX100980		0.11	0.89	29	0.155	8.66	89.2	3.0
AUX100981		0.10	0.87	33	0.298	6.70	71.8	0.9
AUX100982		0.09	0.91	34	0.356	6.20	66.0	0.8
AUX100983		0.10	0.77	29	0.176	8.13	103.5	1.9
AUX100984		0.06	1.17	18	0.153	7.70	188.0	1.6
AUX100985		0.07	0.92	12	0.0910	10.60	109.5	2.7
AUX100986		0.11	2.32	19	0.102	10.10	123.0	1.3
AUX100987		0.09	2.08	42	0.237	9.05	84.6	2.6
AUX100988		0.07	1.99	32	0.177	6.75	66.0	1.7
AUX100989		0.09	4.32	40	0.145	7.68	74.7	1.7
AUX100990		0.09	4.37	37	0.150	7.19	70.9	1.7
AUX100991		0.10	3.09	37	0.227	9.30	83.4	3.2
AUX100992		0.11	1.29	32	0.136	8.92	91.6	5.7
AUX100993		0.08	1.24	35	0.213	8.94	88.8	4.0
AUX100994		0.08	2.10	36	0.174	9.47	90.1	3.4
AUX100995		0.10	1.73	27	0.102	6.69	67.9	2.0
AUX100996		0.06	1.76	7	0.103	7.76	126.5	2.0
AUX100997		0.08	1.69	25	0.102	5.97	114.5	2.5
AUX100998		0.05	0.91	4	0.0712	16.85	50.9	1.8
AUX100999		0.67	1.52	30	0.0833	15.65	107.0	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX101000		0.20	0.0219	0.133	3.63	531	<10	168.5	1.23	0.64	4.81	0.25	31.3	16.9	26.8	32.0
AUX102162		0.34	0.0275	0.481	1.19	565	<10	260	0.44	0.67	0.70	0.42	39.8	14.1	22.7	1.27
AUX102163		0.36	0.0436	0.744	1.10	374	<10	204	0.44	0.75	0.49	0.60	36.8	13.7	24.6	1.68
AUX102164		0.28	0.0028	0.206	1.23	21.5	<10	413	0.44	0.22	0.56	0.67	26.9	7.8	21.9	0.67
AUX102165		0.32	0.0068	0.192	1.47	48.8	<10	414	0.44	0.25	0.49	0.45	31.7	7.7	26.5	0.84
AUX102166		0.26	0.0033	0.234	1.40	79.3	<10	456	0.40	0.27	0.57	0.47	28.4	8.9	27.3	1.15
AUX102167		0.36	0.0276	0.326	2.30	815	<10	320	0.55	0.88	0.65	0.36	35.2	17.5	100.0	14.55
AUX102168		0.36	0.0577	0.683	1.21	949	<10	285	0.56	1.99	0.97	0.50	46.9	9.9	30.4	3.08
AUX102169		0.32	0.0194	0.344	1.54	543	<10	298	0.54	0.53	0.49	0.39	38.7	12.6	35.7	2.34
AUX102170		0.40	0.0525	0.858	1.16	1605	<10	292	0.44	0.98	0.46	0.95	61.0	12.4	24.3	1.48
AUX102171		0.42	0.0334	0.503	1.48	801	<10	386	0.62	0.72	0.58	0.76	44.3	13.6	26.8	1.12
AUX102172		0.44	0.0188	0.462	1.31	589	<10	311	0.50	0.58	1.08	0.67	45.3	12.9	26.1	1.57
AUX102173		0.36	0.0175	0.336	1.48	286	<10	373	0.51	0.41	0.74	0.45	33.9	9.0	25.7	0.79
AUX102174		0.34	0.0050	0.211	1.43	138.5	<10	412	0.49	0.28	0.57	0.18	31.3	9.2	25.4	0.62
AUX102175		0.26	0.0038	0.220	1.43	135.5	<10	462	0.54	0.27	0.73	0.23	31.3	9.8	24.9	0.65
AUX102176		0.40	0.0298	0.259	1.50	622	<10	337	0.50	0.57	0.46	0.22	42.7	9.4	29.6	1.14
AUX102177		0.40	0.0187	0.230	1.53	628	<10	335	0.49	0.48	0.46	0.22	43.8	9.3	28.8	1.00
AUX102178		0.34	0.0129	0.093	1.58	517	<10	356	0.56	0.41	0.46	0.23	42.9	12.1	26.9	0.92
AUX102179		0.30	0.0225	0.230	1.42	592	<10	287	0.48	0.53	0.36	0.31	51.7	10.7	26.3	1.12
AUX102229		0.22	0.0229	0.063	1.72	535	<10	120.0	0.70	0.68	0.17	0.07	116.0	18.0	24.4	2.31
AUX102230		0.26	0.0228	0.238	1.48	569	<10	266	0.61	0.63	0.76	0.28	68.1	11.8	24.6	2.08
AUX102231		0.28	0.107	0.217	0.90	326	<10	123.5	0.40	0.66	2.74	0.31	50.6	9.9	14.4	0.75
AUX102232		0.36	0.0239	0.348	1.02	435	<10	209	0.38	0.51	0.61	0.45	44.1	13.5	21.0	1.13
AUX102233		0.42	0.0276	0.240	1.29	179.5	<10	187.0	0.37	0.46	0.42	0.21	33.3	10.2	35.0	1.89
AUX102234		0.38	0.0749	0.176	1.13	55.2	<10	372	0.43	0.22	0.38	0.22	32.6	9.3	21.4	0.67
AUX102235		0.32	0.0134	0.301	1.20	439	<10	284	0.37	0.39	0.42	0.55	36.1	11.9	27.7	1.44
AUX102236		0.38	0.0173	0.348	1.37	578	<10	331	0.44	0.45	0.48	0.47	43.1	11.6	29.8	1.21
AUX102237		0.38	0.0037	0.318	1.49	67.2	<10	445	0.53	0.28	0.42	0.31	33.6	8.2	26.0	0.72
AUX102238		0.28	0.0034	0.271	1.49	65.7	<10	394	0.50	0.28	0.52	0.33	31.9	8.3	26.8	0.70
AUX102239		0.30	0.0065	0.543	1.16	202	<10	310	0.36	0.45	0.39	0.72	34.7	9.4	21.3	1.11
AUX102240		0.26	0.0075	0.401	1.22	194.5	<10	276	0.37	0.36	0.33	0.23	33.6	7.4	22.3	1.01
AUX102241		0.28	0.0135	0.386	1.11	373	<10	186.0	0.30	0.50	0.32	0.26	31.5	5.8	23.2	1.71
AUX102242		0.24	0.0041	0.211	1.03	141.5	<10	190.5	0.29	0.28	0.31	0.15	30.3	6.3	22.1	0.96
AUX102243		0.30	0.0181	0.146	1.61	819	<10	205	0.42	0.37	0.17	0.17	54.7	14.1	51.7	3.66
AUX102244		0.30	0.0152	0.108	3.79	2060	<10	412	0.65	0.67	0.15	0.54	32.2	41.7	223	6.36
AUX102245		0.28	0.0310	0.145	3.81	1110	<10	192.5	0.53	0.41	1.08	0.25	35.7	43.5	197.0	14.55
AUX102246		0.30	0.0741	0.208	3.06	2310	<10	253	0.38	0.95	2.31	0.25	52.8	45.3	104.0	15.15
AUX102247		0.30	0.0105	0.163	1.31	559	<10	199.5	0.35	0.25	0.60	0.78	28.0	17.0	43.2	2.46
AUX102248		0.34	0.0098	0.058	1.63	289	<10	140.5	0.32	0.31	0.22	0.23	28.1	22.6	67.8	1.34
AUX102249		0.28	0.0007	0.026	1.30	72.6	<10	110.5	0.26	0.26	0.12	0.14	35.7	6.5	24.0	0.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX101000		17.75	2.78	9.27	0.42	0.14	0.010	0.041	0.55	17.5	82.6	5.20	2310	0.43	0.02	0.47
AUX102162		47.9	2.76	3.60	0.06	0.05	0.041	0.025	0.05	21.2	17.2	0.46	518	0.90	0.01	0.53
AUX102163		59.2	2.84	3.43	0.06	0.09	0.042	0.027	0.05	19.4	16.7	0.44	536	1.16	0.01	0.52
AUX102164		27.1	1.79	3.74	<0.05	0.06	0.044	0.024	0.04	13.5	15.5	0.34	203	0.50	0.01	0.72
AUX102165		26.3	2.58	4.39	0.06	0.04	0.084	0.022	0.04	15.6	16.1	0.42	249	0.96	0.02	0.82
AUX102166		24.2	2.61	4.52	<0.05	0.02	0.061	0.024	0.05	14.3	15.2	0.42	509	1.05	0.02	0.68
AUX102167		66.5	4.38	7.78	0.05	0.11	0.053	0.033	0.26	18.7	35.0	1.53	485	1.39	0.02	0.77
AUX102168		42.3	3.41	3.80	0.07	0.06	0.066	0.023	0.08	25.2	12.1	0.51	536	1.14	0.02	0.41
AUX102169		43.7	3.24	4.85	0.05	0.08	0.050	0.027	0.08	19.9	18.4	0.61	484	1.32	0.02	0.69
AUX102170		44.7	3.82	3.45	0.08	0.12	0.089	0.027	0.07	30.0	12.9	0.42	508	2.48	0.01	0.30
AUX102171		44.0	3.37	4.52	0.06	0.12	0.079	0.032	0.07	21.4	17.3	0.49	406	1.61	0.02	0.60
AUX102172		49.8	3.24	3.93	0.06	0.16	0.074	0.023	0.11	22.6	15.3	0.51	524	1.59	0.01	0.28
AUX102173		37.4	2.93	4.27	0.05	0.14	0.059	0.029	0.07	17.5	14.8	0.43	406	1.13	0.02	0.79
AUX102174		30.2	2.81	4.21	0.05	0.07	0.059	0.022	0.05	16.7	14.5	0.43	340	1.03	0.02	0.79
AUX102175		32.4	2.81	4.26	0.05	0.08	0.058	0.027	0.05	16.4	14.4	0.42	415	1.09	0.02	0.83
AUX102176		40.5	3.10	4.45	0.05	0.09	0.047	0.024	0.07	22.7	16.7	0.55	397	1.08	0.02	0.61
AUX102177		38.6	3.13	4.60	0.06	0.12	0.056	0.027	0.07	22.9	16.8	0.54	370	0.98	0.02	0.66
AUX102178		36.7	3.21	4.90	0.05	0.08	0.042	0.028	0.06	20.6	17.7	0.48	536	1.25	0.02	0.82
AUX102179		41.4	3.01	4.49	0.06	0.11	0.054	0.023	0.08	26.7	17.2	0.49	515	1.03	0.02	0.57
AUX102229		47.2	4.55	5.44	0.12	0.19	0.020	0.012	0.06	51.9	43.3	0.85	485	0.34	0.01	0.18
AUX102230		50.9	3.08	4.54	0.10	0.08	0.049	0.022	0.07	43.4	20.4	0.57	499	0.92	0.02	0.46
AUX102231		27.9	2.42	2.64	0.06	0.10	0.013	0.020	0.05	29.1	11.3	0.30	563	0.57	0.01	0.35
AUX102232		39.4	2.59	3.19	0.07	0.10	0.018	0.023	0.04	22.9	14.6	0.36	1280	0.75	0.01	0.43
AUX102233		32.0	2.33	4.13	0.06	0.08	0.015	0.022	0.04	17.8	18.2	0.59	433	0.89	0.01	0.53
AUX102234		24.9	2.26	3.38	0.05	0.07	0.033	0.025	0.04	16.5	14.0	0.33	248	0.75	0.01	0.61
AUX102235		40.6	2.76	3.48	0.05	0.11	0.036	0.023	0.06	18.4	15.8	0.45	519	0.97	0.01	0.43
AUX102236		43.5	3.16	4.29	0.06	0.08	0.055	0.024	0.06	21.2	18.4	0.52	449	1.08	0.02	0.53
AUX102237		41.0	2.84	4.50	0.06	0.08	0.070	0.027	0.06	17.7	15.8	0.45	324	1.17	0.02	0.66
AUX102238		33.2	2.77	4.61	0.05	0.03	0.048	0.029	0.06	16.3	14.9	0.46	283	1.21	0.02	0.77
AUX102239		52.2	2.83	3.48	0.05	0.07	0.069	0.027	0.10	17.0	12.2	0.39	450	1.67	0.01	0.42
AUX102240		33.4	2.50	3.96	0.05	0.02	0.043	0.021	0.06	17.4	13.9	0.41	259	1.25	0.01	0.58
AUX102241		29.7	2.52	3.37	0.05	0.02	0.050	0.021	0.08	16.1	12.1	0.41	252	1.44	0.01	0.49
AUX102242		22.5	2.09	3.56	0.05	0.02	0.029	0.022	0.05	15.1	11.8	0.38	245	1.15	0.01	0.59
AUX102243		38.8	3.53	5.57	0.06	0.10	0.044	0.022	0.08	27.6	21.9	0.88	471	0.98	0.01	0.43
AUX102244		72.7	6.89	13.40	0.07	0.04	0.028	0.056	0.04	16.8	56.6	3.46	708	5.79	0.01	0.41
AUX102245		72.5	6.32	12.70	0.10	0.07	0.035	0.053	0.25	23.2	64.2	2.69	1480	0.72	0.01	0.38
AUX102246		85.7	6.70	10.45	0.10	0.08	0.026	0.034	0.29	29.7	51.9	1.85	2370	1.87	0.02	0.58
AUX102247		21.8	2.03	3.97	<0.05	0.04	0.032	0.019	0.05	13.6	19.4	0.69	200	1.24	0.01	0.52
AUX102248		29.8	3.39	5.48	<0.05	0.05	0.024	0.029	0.04	13.5	22.1	1.14	676	0.81	0.01	0.48
AUX102249		19.40	3.26	4.72	0.05	<0.02	0.011	0.023	0.04	17.2	17.0	0.39	246	0.91	0.01	0.91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX101000		32.4	0.091	6.29	65.3	0.001	0.07	1.890	5.3	1.0	1.7	94.9	<0.01	0.03	6.1	0.052
AUX102162		35.8	0.073	21.2	6.8	<0.001	0.01	5.62	3.5	0.9	0.3	29.3	<0.01	0.03	6.3	0.028
AUX102163		38.6	0.078	31.3	8.0	<0.001	0.01	10.25	3.7	1.1	0.3	24.6	<0.01	0.07	6.4	0.028
AUX102164		21.7	0.081	13.20	5.8	0.001	0.07	3.66	3.5	1.6	0.4	53.2	<0.01	0.02	3.2	0.023
AUX102165		20.9	0.085	13.60	6.3	0.001	0.05	2.77	3.8	2.1	0.4	41.7	<0.01	0.03	3.9	0.024
AUX102166		22.5	0.095	13.60	7.8	0.001	0.05	2.99	3.3	1.6	0.5	48.7	<0.01	0.03	2.2	0.022
AUX102167		61.1	0.093	12.65	42.6	0.001	0.04	58.1	7.0	1.1	1.8	43.2	<0.01	0.05	5.3	0.091
AUX102168		33.4	0.093	22.3	12.0	0.001	0.07	79.3	3.5	1.6	0.5	65.8	<0.01	0.07	3.8	0.017
AUX102169		37.6	0.074	15.95	12.0	<0.001	0.02	74.6	5.0	0.9	0.5	32.3	<0.01	0.05	5.1	0.037
AUX102170		46.2	0.064	27.4	7.2	<0.001	0.02	717	3.8	0.8	0.4	24.1	<0.01	0.06	9.9	0.022
AUX102171		40.1	0.062	21.9	8.3	<0.001	0.02	343	4.6	1.0	0.4	28.6	<0.01	0.04	6.5	0.033
AUX102172		39.1	0.073	21.3	9.6	<0.001	0.01	69.7	4.0	1.0	0.4	32.1	<0.01	0.06	7.5	0.030
AUX102173		28.7	0.062	16.40	8.1	<0.001	0.03	47.2	4.0	1.1	0.4	32.1	<0.01	0.04	4.4	0.035
AUX102174		25.5	0.070	13.85	7.5	<0.001	0.03	13.80	3.8	1.0	0.4	28.7	<0.01	0.05	4.0	0.031
AUX102175		27.6	0.074	13.60	7.8	<0.001	0.03	15.45	3.9	1.1	0.4	37.8	<0.01	0.03	3.7	0.028
AUX102176		33.2	0.066	14.35	8.5	<0.001	0.02	23.1	3.9	0.9	0.3	22.0	<0.01	0.04	6.0	0.028
AUX102177		31.6	0.059	15.00	8.4	<0.001	0.02	23.6	4.2	0.9	0.4	24.0	<0.01	0.06	6.4	0.036
AUX102178		30.5	0.046	15.85	9.2	<0.001	0.03	14.05	4.3	1.4	0.5	27.7	<0.01	0.05	4.8	0.034
AUX102179		34.0	0.059	15.10	8.3	0.001	0.02	12.40	3.9	0.8	0.4	22.8	<0.01	0.06	6.6	0.036
AUX102229		46.2	0.039	13.90	6.5	<0.001	0.03	4.99	2.1	0.7	0.2	13.3	<0.01	0.04	24.2	0.032
AUX102230		31.4	0.061	14.10	9.7	0.001	0.05	12.20	2.5	1.2	0.3	39.0	<0.01	0.06	6.2	0.022
AUX102231		25.4	0.068	18.35	6.8	<0.001	0.02	8.64	2.8	0.6	0.3	68.8	<0.01	0.01	7.2	0.016
AUX102232		33.9	0.078	22.6	6.6	<0.001	0.01	5.89	3.3	1.0	0.3	26.1	<0.01	0.04	6.8	0.022
AUX102233		26.8	0.085	17.10	7.4	<0.001	0.01	5.00	3.2	1.0	0.3	21.0	<0.01	0.04	5.0	0.033
AUX102234		22.2	0.082	12.10	6.7	0.001	0.01	1.430	3.4	1.1	0.3	21.0	<0.01	0.02	4.6	0.028
AUX102235		33.3	0.078	17.45	7.8	<0.001	<0.01	5.62	3.7	0.7	0.3	22.6	0.01	0.02	6.4	0.033
AUX102236		34.4	0.078	19.30	8.0	0.001	0.01	4.02	4.2	0.8	0.4	26.8	<0.01	0.06	6.2	0.031
AUX102237		30.1	0.074	14.10	7.8	<0.001	0.02	2.47	4.6	1.0	0.4	25.8	<0.01	0.03	4.4	0.042
AUX102238		25.1	0.077	14.10	8.7	0.001	0.03	2.42	4.0	1.4	0.4	39.1	<0.01	0.04	3.2	0.033
AUX102239		32.9	0.087	24.1	8.7	0.001	0.02	6.57	3.5	0.8	0.3	26.9	<0.01	0.06	5.4	0.025
AUX102240		22.6	0.070	15.55	8.2	<0.001	0.02	4.98	3.1	1.0	0.4	22.8	<0.01	0.04	3.7	0.027
AUX102241		21.1	0.071	17.45	9.3	<0.001	0.02	8.79	2.4	0.6	0.4	20.2	<0.01	0.06	3.9	0.025
AUX102242		17.6	0.064	13.35	7.4	<0.001	0.01	3.26	2.3	0.8	0.3	22.4	<0.01	0.04	2.8	0.028
AUX102243		44.3	0.051	11.60	11.7	<0.001	0.01	11.60	4.8	1.1	0.4	14.5	<0.01	0.03	8.3	0.038
AUX102244		154.5	0.050	10.40	9.5	0.001	0.02	13.15	11.4	1.3	0.5	10.6	<0.01	0.07	4.3	0.095
AUX102245		115.0	0.053	9.78	39.6	0.001	0.03	5.96	19.7	0.9	0.7	42.6	<0.01	0.07	4.8	0.071
AUX102246		120.0	0.094	13.70	34.6	0.001	0.04	14.60	10.7	1.3	0.5	101.0	<0.01	0.05	8.7	0.045
AUX102247		35.7	0.087	9.09	9.4	0.003	0.26	13.90	3.0	1.5	0.3	40.2	<0.01	0.03	2.9	0.024
AUX102248		41.2	0.068	8.30	6.6	0.001	0.01	2.72	6.7	0.5	0.3	16.9	<0.01	0.04	4.1	0.031
AUX102249		19.1	0.054	14.75	6.8	<0.001	0.01	1.595	2.2	0.4	0.3	9.6	<0.01	0.05	4.1	0.036

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX101000		1.04	0.94	40	0.0875	17.70	120.5	3.5
AUX102162		0.12	0.63	31	0.160	10.00	81.7	1.7
AUX102163		0.17	0.53	30	0.180	9.25	107.5	2.6
AUX102164		0.09	9.28	38	0.378	7.70	70.5	1.7
AUX102165		0.10	7.29	45	0.382	7.55	85.5	1.4
AUX102166		0.10	3.89	44	0.277	6.47	77.8	0.8
AUX102167		0.36	2.80	63	0.264	10.15	115.0	3.6
AUX102168		0.10	3.74	30	0.204	8.54	91.6	1.8
AUX102169		0.14	0.85	44	0.234	9.17	93.4	3.3
AUX102170		0.11	0.71	31	0.210	8.55	127.5	4.9
AUX102171		0.10	0.73	42	0.224	9.72	111.0	4.9
AUX102172		0.20	0.53	36	0.180	7.94	107.5	7.0
AUX102173		0.09	1.27	40	0.245	8.33	89.0	4.6
AUX102174		0.07	1.46	42	0.219	8.18	72.3	2.5
AUX102175		0.07	1.58	42	0.488	8.62	68.2	2.7
AUX102176		0.12	0.73	38	0.195	8.60	77.1	3.6
AUX102177		0.10	0.69	40	0.187	9.01	78.9	4.7
AUX102178		0.09	0.86	42	0.302	8.62	74.1	3.3
AUX102179		0.11	0.64	36	0.423	9.11	79.2	4.4
AUX102229		0.05	2.03	24	0.0576	5.03	95.1	7.9
AUX102230		0.11	0.93	28	0.306	7.19	76.2	2.6
AUX102231		0.07	0.67	20	0.108	13.65	69.2	2.2
AUX102232		0.10	0.42	27	0.403	10.00	80.3	2.3
AUX102233		0.13	0.86	34	0.162	5.58	74.2	1.8
AUX102234		0.09	1.08	36	0.202	8.22	70.1	1.7
AUX102235		0.13	0.52	35	0.242	8.60	84.9	3.5
AUX102236		0.09	0.67	37	0.266	8.93	89.7	3.4
AUX102237		0.10	1.05	43	0.221	9.56	82.9	4.0
AUX102238		0.08	2.14	45	0.257	7.84	76.7	1.1
AUX102239		0.24	0.57	32	0.217	7.27	108.0	3.2
AUX102240		0.13	0.73	34	0.247	6.48	73.0	0.9
AUX102241		0.18	0.51	32	0.269	4.59	71.9	0.9
AUX102242		0.09	0.68	32	0.182	4.69	53.3	0.6
AUX102243		0.15	0.79	41	0.187	8.55	76.2	4.4
AUX102244		0.41	0.73	96	0.165	6.50	130.0	2.3
AUX102245		0.40	0.43	116	0.134	20.6	101.5	2.5
AUX102246		0.40	1.00	77	0.156	16.85	111.0	3.2
AUX102247		0.11	4.36	35	0.453	6.59	99.4	1.5
AUX102248		0.08	0.50	57	0.248	6.39	70.6	1.8
AUX102249		0.08	0.46	43	0.263	3.54	59.0	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX102250		0.24	0.0008	0.034	0.70	17.10	<10	77.4	0.13	0.18	0.05	0.08	21.0	2.4	11.7	0.49
AUX102251		0.34	0.0010	0.059	0.97	45.3	<10	71.4	0.28	0.42	0.03	0.11	169.0	10.8	15.6	0.91
AUX102252		0.36	0.0111	0.268	1.35	300	<10	344	0.45	0.45	0.37	0.42	39.6	21.6	29.6	1.26
AUX102253		0.30	0.0096	0.276	1.08	188.5	<10	194.0	0.38	0.29	0.78	0.18	27.1	8.6	21.9	0.96
AUX102254		0.30	0.0036	0.114	1.21	65.2	<10	181.0	0.35	0.18	0.34	0.06	28.4	6.4	20.8	0.75
AUX102255		0.26	0.0061	0.217	1.63	82.0	<10	354	0.40	0.27	0.97	0.34	25.6	8.5	30.1	0.82
AUX102256		0.22	0.0031	0.119	0.96	64.1	<10	224	0.26	0.16	0.75	0.22	24.7	7.4	18.3	0.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX102250		9.98	1.50	4.16	0.08	<0.02	0.110	0.012	0.02	10.1	4.2	0.13	64	0.66	0.01	0.30
AUX102251		44.5	3.83	4.88	0.21	0.05	0.033	0.017	0.02	82.0	14.5	0.30	627	0.84	0.01	0.16
AUX102252		35.3	3.68	4.25	0.10	0.05	0.051	0.025	0.04	19.8	19.7	0.55	1490	1.59	0.01	0.42
AUX102253		29.8	2.09	3.58	0.09	0.05	0.104	0.017	0.03	13.2	14.8	0.38	154	0.79	0.01	0.64
AUX102254		16.65	1.96	4.14	0.09	0.04	0.041	0.019	0.03	13.8	15.1	0.37	113	0.76	0.01	0.77
AUX102255		25.1	2.85	4.85	0.09	0.09	0.071	0.022	0.05	13.2	16.7	0.52	201	0.97	0.02	0.87
AUX102256		15.85	1.96	3.14	0.09	0.06	0.044	0.017	0.03	12.0	11.7	0.32	298	0.72	0.01	0.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX102250		7.1	0.033	8.59	3.4	0.001	0.02	0.737	0.5	0.5	0.4	5.9	<0.01	0.04	0.2	0.022
AUX102251		30.3	0.036	15.80	4.7	<0.001	0.01	2.86	1.7	0.6	0.2	10.6	<0.01	0.03	20.1	0.006
AUX102252		28.0	0.084	18.25	7.6	0.001	0.03	3.97	3.3	1.2	0.3	24.0	<0.01	0.06	6.5	0.017
AUX102253		21.0	0.063	15.85	5.7	0.001	0.06	3.61	2.9	1.1	0.3	31.7	<0.01	0.06	3.4	0.024
AUX102254		17.6	0.070	9.09	6.5	<0.001	0.03	1.120	2.6	0.6	0.3	21.4	<0.01	0.03	3.7	0.026
AUX102255		24.4	0.073	13.05	8.3	0.001	0.07	5.14	4.0	1.0	0.4	48.1	<0.01	0.04	4.1	0.034
AUX102256		16.5	0.075	9.75	4.9	0.001	0.04	2.02	2.6	1.1	0.3	33.3	<0.01	0.02	3.8	0.030

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX102250		0.08	0.32	34	1.125	1.94	23.1	<0.5
AUX102251		0.04	1.34	19	0.116	4.44	87.5	2.3
AUX102252		0.10	5.37	32	0.221	6.82	116.0	1.3
AUX102253		0.09	3.03	32	0.372	6.25	61.5	1.7
AUX102254		0.08	1.26	32	0.232	4.81	53.7	1.2
AUX102255		0.10	2.88	41	0.207	6.55	91.4	3.0
AUX102256		0.06	1.22	31	0.797	5.51	57.1	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 2- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11177866

Method	CERTIFICATE COMMENTS
ME- MS41L	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

CERTIFICATE WH11185213

Project: Aurex

P.O. No.: AUX09142011

This report is for 195 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102735		0.32	0.0057	0.108	2.09	72.2	<10	173.0	0.50	0.31	0.11	0.07	83.6	15.5	27.8	0.73
AUX0102736		0.38	0.0040	0.076	1.75	45.5	<10	269	0.39	0.27	0.21	0.06	64.3	12.5	24.9	0.72
AUX0102737		0.24	0.0132	0.234	1.38	92.8	<10	449	0.33	0.29	0.36	0.31	33.2	8.8	27.2	1.18
AUX0102738		0.32	0.0119	0.251	1.33	91.4	<10	351	0.41	0.31	0.38	0.32	33.7	8.6	26.7	1.10
AUX0102739		0.32	0.0063	0.357	1.04	78.8	<10	177.5	0.37	0.33	0.38	0.18	24.8	8.6	21.1	1.15
AUX0102740		0.30	0.0016	0.397	0.91	23.5	<10	167.5	0.24	0.18	0.25	0.07	21.1	6.0	17.0	0.78
AUX0102741		0.42	0.0063	0.997	0.94	74.8	<10	186.5	0.33	0.29	0.66	0.25	23.7	8.7	19.3	1.11
AUX0102742		0.40	0.0014	0.217	1.29	14.90	<10	416	0.43	0.19	0.46	0.08	26.0	9.2	22.2	0.71
AUX0102743		0.34	0.0067	0.297	1.36	23.0	<10	305	0.35	0.24	0.39	0.10	25.4	7.7	23.6	1.10
AUX0102744		0.26	0.0026	0.383	1.68	16.45	<10	160.5	0.38	0.21	0.08	0.14	20.8	7.5	25.2	1.02
AUX0102745		0.32	0.0040	0.207	0.83	36.0	<10	143.0	0.25	0.18	0.32	0.07	21.9	5.7	17.0	0.63
AUX0102746		0.30	0.0037	0.575	1.18	56.3	<10	287	0.40	0.25	0.41	0.16	25.0	9.4	20.5	0.85
AUX0102747		0.32	0.0038	0.199	0.91	50.1	<10	161.0	0.31	0.18	0.44	0.12	24.6	6.8	19.4	0.62
AUX0102748		0.32	0.0011	0.139	0.97	72.3	<10	174.5	0.25	0.20	0.52	0.12	19.00	7.1	18.3	0.68
AUX0102749		0.24	0.0037	0.085	1.26	45.6	<10	203	0.62	0.53	0.19	0.14	30.5	10.3	22.1	0.75
AUX0102750		0.38	0.0034	0.054	1.08	26.2	<10	170.0	0.32	0.20	0.17	0.11	22.4	6.7	18.8	0.61
AUX0102751		0.22	0.0010	0.157	1.67	16.55	<10	274	0.49	0.18	0.15	0.07	23.8	8.8	26.7	0.93
AUX0102752		0.32	0.0042	0.063	0.88	30.3	<10	170.0	0.28	0.15	0.23	0.06	22.4	6.1	16.6	0.56
AUX0102753		0.22	0.0034	0.496	2.01	41.2	<10	236	0.46	0.29	0.08	0.21	21.7	9.9	29.3	1.47
AUX0102754		0.28	0.0060	0.309	1.71	323	<10	307	0.49	0.58	0.64	0.32	21.7	12.2	27.8	2.35
AUX0102755		0.36	0.0123	0.365	1.46	250	<10	381	0.42	0.44	0.67	0.30	27.3	8.4	22.8	1.59
AUX0102756		0.30	0.0119	0.272	1.26	45.0	<10	420	0.35	0.33	0.50	0.19	24.2	4.9	18.8	1.25
AUX0102757		0.36	0.0102	0.247	1.31	78.2	<10	314	0.40	0.36	0.39	0.17	26.1	6.9	20.0	1.07
AUX0102758		0.42	0.0051	0.226	1.15	89.8	<10	283	0.38	0.29	0.37	0.17	28.8	7.7	19.5	0.88
AUX0102759		0.44	0.0035	0.220	1.17	29.4	<10	343	0.33	0.22	0.33	0.14	26.2	7.9	20.2	0.76
AUX0102760		0.44	0.0061	0.110	0.81	93.6	<10	201	0.23	0.22	0.23	0.15	25.5	6.6	14.8	0.68
AUX0102761		0.30	0.0753	0.202	0.55	536	<10	134.0	0.29	0.35	0.28	0.22	20.1	13.4	8.5	1.34
AUX0102762		0.32	0.0322	0.263	0.75	846	<10	168.5	0.37	0.49	0.18	0.16	33.1	13.4	10.9	1.22
AUX0102763		0.48	0.0358	0.369	0.98	1200	<10	223	0.32	0.51	0.30	0.31	30.2	11.6	15.0	1.03
AUX0102764		0.50	0.0098	0.206	0.78	280	<10	136.5	0.27	0.38	0.30	0.12	30.0	9.0	12.7	0.66
AUX0102765		0.38	0.0197	0.348	1.31	285	<10	291	0.41	0.45	0.58	0.24	26.2	10.6	19.6	0.79
AUX0102766		0.54	0.0088	0.231	1.52	119.5	<10	412	0.47	0.33	0.35	0.13	28.5	9.3	24.4	0.81
AUX0102767		0.36	0.0103	0.266	1.04	271	<10	230	0.32	0.41	0.32	0.30	30.5	8.9	16.1	0.88
AUX0102768		0.46	0.0122	0.112	1.33	46.9	<10	391	0.37	0.21	0.29	0.10	30.6	7.3	21.6	0.59
AUX0102769		0.46	0.0013	0.188	1.39	40.0	<10	381	0.34	0.22	0.34	0.14	27.2	6.6	22.4	0.72
AUX0102770		0.46	0.0023	0.165	1.01	34.0	<10	297	0.32	0.17	0.33	0.13	29.6	7.3	19.2	0.51
AUX0102771		0.44	0.0015	0.147	1.21	16.45	<10	505	0.37	0.19	0.40	0.13	27.7	8.8	21.3	0.58
AUX0102772		0.40	0.0014	0.098	1.04	18.75	<10	259	0.30	0.16	0.25	0.07	28.7	6.1	20.4	0.43
AUX0102773		0.48	0.0032	0.154	1.08	45.6	<10	250	0.26	0.23	0.27	0.13	29.8	6.4	19.8	0.52
AUX0102774		0.34	0.0182	0.171	1.25	46.5	<10	406	0.38	0.23	0.33	0.17	29.6	8.7	21.6	0.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102735		45.5	3.96	5.35	0.17	0.06	0.024	0.016	0.04	43.2	34.8	0.75	365	0.72	0.02	0.23
AUX0102736		31.7	3.23	5.02	0.15	0.04	0.023	0.015	0.04	35.0	30.0	0.64	357	0.60	0.02	0.27
AUX0102737		21.5	2.06	4.06	0.10	0.03	0.053	0.020	0.04	17.3	17.8	0.49	214	0.35	0.03	0.62
AUX0102738		23.7	2.42	3.74	0.13	0.03	0.055	0.019	0.05	17.6	16.5	0.50	188	0.43	0.03	0.62
AUX0102739		31.9	2.24	2.96	0.10	0.06	0.035	0.019	0.03	12.6	11.3	0.45	354	0.76	0.02	0.58
AUX0102740		18.10	1.60	2.61	0.09	0.03	0.019	0.015	0.02	11.7	10.4	0.35	189	0.47	0.02	0.55
AUX0102741		43.1	2.14	2.73	0.11	0.06	0.052	0.024	0.04	12.8	11.6	0.53	302	0.66	0.02	0.52
AUX0102742		22.7	2.31	4.01	0.10	0.04	0.045	0.024	0.03	13.7	12.6	0.40	402	1.02	0.03	0.67
AUX0102743		19.65	2.35	4.44	0.10	0.02	0.035	0.024	0.04	13.6	13.6	0.44	250	0.88	0.02	0.82
AUX0102744		13.35	3.03	4.51	0.10	0.05	0.028	0.022	0.04	11.2	14.3	0.38	171	1.10	0.02	1.15
AUX0102745		21.2	1.71	2.52	0.10	0.03	0.026	0.018	0.02	11.6	9.9	0.33	155	0.59	0.02	0.59
AUX0102746		27.2	2.38	3.43	0.10	0.05	0.050	0.024	0.03	12.6	12.3	0.40	671	0.69	0.03	0.62
AUX0102747		20.0	2.02	2.71	0.10	0.05	0.018	0.015	0.03	13.4	10.8	0.38	235	0.57	0.03	0.68
AUX0102748		21.4	2.05	3.42	0.10	0.02	0.019	0.019	0.03	10.0	11.3	0.32	224	0.93	0.02	0.67
AUX0102749		32.9	2.86	2.96	0.10	0.06	0.030	0.030	0.04	13.3	11.7	0.38	507	1.12	0.02	0.57
AUX0102750		21.1	2.23	2.80	0.09	0.02	0.024	0.021	0.03	11.3	12.0	0.36	243	0.80	0.02	0.61
AUX0102751		25.3	2.82	3.81	0.10	0.05	0.061	0.026	0.03	12.0	14.0	0.46	241	0.94	0.02	1.12
AUX0102752		22.7	1.94	2.49	0.10	0.03	0.033	0.016	0.03	12.6	9.1	0.33	261	0.55	0.02	0.54
AUX0102753		16.35	3.17	5.06	0.10	0.03	0.022	0.031	0.05	11.8	15.8	0.46	215	1.27	0.02	1.26
AUX0102754		26.1	3.09	5.11	0.10	<0.02	0.029	0.031	0.06	10.9	26.1	0.47	1120	1.34	0.03	0.96
AUX0102755		26.5	2.88	3.92	0.11	0.05	0.065	0.024	0.06	14.5	16.6	0.45	207	0.65	0.03	0.72
AUX0102756		22.9	1.49	3.46	0.10	0.03	0.059	0.019	0.04	12.9	15.0	0.37	92	0.20	0.03	0.71
AUX0102757		23.9	1.96	3.71	0.10	0.05	0.047	0.023	0.04	13.8	15.3	0.38	105	0.56	0.02	0.79
AUX0102758		24.5	2.26	3.32	0.11	0.05	0.053	0.020	0.04	14.8	12.6	0.36	248	0.77	0.03	0.70
AUX0102759		20.6	1.99	3.36	0.11	0.03	0.056	0.021	0.03	13.6	11.9	0.35	310	0.68	0.02	0.58
AUX0102760		18.85	1.85	2.52	<0.05	<0.02	0.017	0.015	0.03	13.7	9.1	0.28	175	0.59	0.03	0.50
AUX0102761		24.9	2.95	1.65	<0.05	0.02	0.024	0.015	0.05	10.5	8.8	0.15	852	0.87	0.02	0.17
AUX0102762		36.0	3.13	2.31	0.05	0.06	0.018	0.016	0.04	17.8	8.3	0.23	508	0.84	0.02	0.35
AUX0102763		33.0	3.07	2.74	<0.05	0.02	0.022	0.017	0.05	16.2	10.9	0.32	576	0.95	0.03	0.40
AUX0102764		25.2	2.33	2.38	<0.05	0.03	0.028	0.013	0.03	16.1	9.5	0.26	299	0.73	0.03	0.40
AUX0102765		30.6	2.67	3.48	<0.05	0.06	0.034	0.020	0.05	13.7	14.6	0.38	555	0.90	0.03	0.65
AUX0102766		33.2	2.82	4.14	<0.05	0.10	0.049	0.020	0.05	15.3	14.1	0.45	372	1.09	0.03	0.61
AUX0102767		29.2	2.30	2.91	<0.05	0.07	0.025	0.017	0.04	15.5	10.6	0.31	343	0.87	0.03	0.51
AUX0102768		23.6	2.27	3.67	<0.05	0.06	0.032	0.018	0.03	16.2	10.8	0.37	328	0.82	0.03	0.75
AUX0102769		18.15	2.32	3.71	<0.05	0.02	0.035	0.018	0.04	13.2	11.4	0.37	190	0.88	0.03	0.61
AUX0102770		20.7	2.10	2.98	0.05	0.02	0.026	0.015	0.03	14.7	10.3	0.34	228	0.84	0.03	0.58
AUX0102771		22.0	2.36	3.56	0.05	0.04	0.044	0.019	0.03	14.5	10.9	0.36	327	0.82	0.03	0.61
AUX0102772		20.9	2.20	2.95	<0.05	0.03	0.034	0.017	0.03	14.7	10.7	0.35	167	0.77	0.03	0.64
AUX0102773		20.0	2.30	3.19	<0.05	<0.02	0.036	0.019	0.03	14.6	11.4	0.36	204	1.02	0.03	0.60
AUX0102774		24.7	2.55	3.84	<0.05	0.03	0.042	0.021	0.04	15.6	12.3	0.39	364	1.26	0.03	0.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102735		35.7	0.024	21.2	6.8	<0.001	<0.01	3.52	2.3	0.5	0.2	7.6	<0.01	0.04	13.8	0.012
AUX0102736		29.0	0.028	16.90	6.3	<0.001	<0.01	2.63	2.5	0.7	0.3	13.5	<0.01	0.02	11.2	0.016
AUX0102737		23.1	0.062	14.60	8.2	<0.001	0.07	4.23	2.8	0.8	0.3	30.2	<0.01	0.01	4.4	0.017
AUX0102738		25.7	0.072	15.50	8.7	<0.001	0.05	4.67	2.9	1.1	0.3	27.9	<0.01	0.03	4.7	0.020
AUX0102739		23.1	0.034	20.2	5.1	<0.001	0.01	1.370	2.9	0.5	0.3	15.0	<0.01	0.03	3.8	0.025
AUX0102740		14.2	0.045	15.30	4.3	<0.001	<0.01	0.563	1.8	0.2	0.3	12.6	<0.01	0.02	2.8	0.025
AUX0102741		27.8	0.064	25.1	4.8	<0.001	0.01	1.585	3.0	0.6	0.3	22.2	<0.01	0.04	3.2	0.024
AUX0102742		20.6	0.068	10.60	5.8	<0.001	0.01	0.535	3.3	0.7	0.4	22.6	<0.01	0.02	3.0	0.024
AUX0102743		16.6	0.056	16.75	8.4	<0.001	0.01	0.477	2.7	0.6	0.4	19.6	<0.01	0.04	2.7	0.029
AUX0102744		17.5	0.027	13.25	9.0	<0.001	<0.01	0.651	2.2	0.3	0.4	7.2	<0.01	0.04	3.5	0.036
AUX0102745		16.3	0.048	10.85	4.0	<0.001	0.01	0.889	2.0	0.4	0.2	16.7	<0.01	0.02	3.2	0.026
AUX0102746		23.7	0.039	20.2	5.3	<0.001	0.01	0.994	3.2	0.7	0.4	15.8	<0.01	0.02	3.1	0.021
AUX0102747		18.3	0.069	9.99	4.5	<0.001	0.01	1.470	2.5	0.4	0.3	25.5	<0.01	0.02	3.4	0.034
AUX0102748		14.6	0.033	10.80	4.6	<0.001	0.02	0.977	2.0	0.4	0.3	28.8	<0.01	0.02	2.2	0.026
AUX0102749		29.6	0.044	17.15	6.7	<0.001	<0.01	1.045	2.8	0.5	0.3	10.5	<0.01	0.04	4.1	0.021
AUX0102750		19.8	0.037	15.85	5.4	<0.001	<0.01	0.664	1.9	0.3	0.3	9.0	<0.01	0.03	2.9	0.022
AUX0102751		26.1	0.033	16.20	6.5	<0.001	<0.01	0.652	2.5	0.5	0.4	10.4	<0.01	0.03	3.5	0.034
AUX0102752		16.3	0.056	8.66	4.0	<0.001	<0.01	0.840	2.3	0.2	0.2	15.2	<0.01	0.03	3.4	0.027
AUX0102753		22.0	0.027	15.85	10.5	<0.001	<0.01	0.925	2.5	0.3	0.6	8.8	<0.01	0.04	3.1	0.041
AUX0102754		25.1	0.043	15.05	10.1	<0.001	0.02	2.73	2.5	0.5	0.6	38.2	<0.01	0.04	2.1	0.027
AUX0102755		21.7	0.071	12.55	8.9	0.001	0.08	4.01	3.1	0.8	0.4	50.2	<0.01	0.04	4.4	0.020
AUX0102756		15.7	0.046	11.65	6.1	0.001	0.14	2.85	3.1	0.7	0.4	44.5	<0.01	0.01	3.9	0.021
AUX0102757		18.4	0.052	13.15	7.4	<0.001	0.03	2.49	3.1	0.8	0.4	30.6	<0.01	0.04	3.7	0.023
AUX0102758		18.7	0.069	9.92	6.8	<0.001	0.01	1.860	3.1	0.6	0.3	25.6	<0.01	0.03	3.8	0.027
AUX0102759		18.1	0.073	8.29	6.2	<0.001	0.01	0.990	2.8	0.7	0.3	23.4	<0.01	0.03	2.6	0.022
AUX0102760		17.0	0.062	8.19	4.6	<0.001	0.02	1.735	1.9	0.5	0.2	14.3	<0.01	0.02	2.5	0.025
AUX0102761		22.7	0.025	22.4	5.9	<0.001	0.02	4.87	1.7	0.8	0.2	18.6	<0.01	0.04	2.8	0.008
AUX0102762		27.7	0.037	19.05	5.8	<0.001	0.02	10.45	2.4	0.8	0.3	13.7	<0.01	0.03	5.8	0.019
AUX0102763		27.0	0.049	28.9	5.6	<0.001	0.02	9.19	2.5	0.9	0.3	21.9	<0.01	0.06	3.7	0.020
AUX0102764		20.8	0.047	15.30	3.9	<0.001	0.02	3.96	1.9	0.4	0.2	17.6	<0.01	0.03	3.6	0.021
AUX0102765		26.2	0.048	16.45	6.2	<0.001	0.03	5.05	3.4	1.2	0.4	30.5	<0.01	0.04	3.2	0.033
AUX0102766		29.5	0.044	12.05	6.5	<0.001	0.02	2.21	4.4	0.7	0.4	22.3	<0.01	0.03	4.5	0.048
AUX0102767		22.6	0.058	15.40	5.2	<0.001	0.02	5.06	2.6	0.8	0.3	20.5	<0.01	0.05	4.3	0.038
AUX0102768		22.9	0.052	9.25	5.5	<0.001	0.02	1.475	3.5	0.7	0.4	20.0	<0.01	0.02	3.6	0.051
AUX0102769		18.5	0.069	11.55	7.4	<0.001	0.02	1.645	2.8	0.8	0.4	22.0	<0.01	0.03	2.1	0.029
AUX0102770		19.3	0.065	10.20	5.0	<0.001	0.02	2.14	2.8	0.8	0.3	20.6	<0.01	0.01	3.3	0.032
AUX0102771		22.8	0.075	10.75	5.7	<0.001	0.02	1.040	3.2	0.8	0.3	22.6	<0.01	0.01	3.0	0.027
AUX0102772		18.2	0.066	9.71	4.4	<0.001	0.01	1.260	2.6	0.7	0.3	15.8	<0.01	0.02	3.2	0.033
AUX0102773		18.9	0.068	13.20	5.5	<0.001	0.01	3.17	2.3	0.7	0.3	16.8	<0.01	0.05	2.6	0.031
AUX0102774		22.5	0.059	15.00	6.0	<0.001	0.01	2.60	3.2	0.8	0.4	21.4	<0.01	0.03	3.3	0.036

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102735		0.06	0.62	25	0.102	7.40	80.9	2.6
AUX0102736		0.07	0.75	26	0.124	6.84	67.6	2.2
AUX0102737		0.12	1.95	28	0.105	6.49	101.5	1.1
AUX0102738		0.12	2.33	30	0.174	6.55	117.5	1.2
AUX0102739		0.10	0.46	31	0.272	6.11	64.6	2.1
AUX0102740		0.08	0.39	27	0.127	3.73	42.7	1.1
AUX0102741		0.10	0.49	29	0.162	7.89	72.9	2.0
AUX0102742		0.09	1.12	38	0.178	6.88	50.5	1.0
AUX0102743		0.11	0.69	43	0.222	4.94	55.4	0.6
AUX0102744		0.11	0.39	51	0.218	2.33	61.5	1.8
AUX0102745		0.06	0.42	27	0.140	4.39	44.6	1.2
AUX0102746		0.10	0.47	36	0.292	7.06	57.3	1.7
AUX0102747		0.06	0.58	31	0.198	6.40	55.1	1.6
AUX0102748		0.06	0.49	37	0.163	2.91	39.1	0.6
AUX0102749		0.12	0.56	35	0.141	5.55	72.6	2.4
AUX0102750		0.07	0.34	32	0.120	3.38	55.0	1.1
AUX0102751		0.11	0.43	43	0.204	3.52	56.5	2.1
AUX0102752		0.06	0.43	28	0.167	4.88	44.4	1.2
AUX0102753		0.13	0.43	54	0.431	2.46	69.4	1.0
AUX0102754		0.13	0.97	49	0.952	3.96	71.3	0.7
AUX0102755		0.12	1.89	31	0.302	6.84	75.2	1.7
AUX0102756		0.10	2.25	25	0.191	6.25	54.7	1.4
AUX0102757		0.10	1.41	32	0.199	6.77	61.7	1.8
AUX0102758		0.08	1.06	31	0.174	7.10	62.5	1.8
AUX0102759		0.09	1.00	30	0.180	6.80	58.4	0.9
AUX0102760		0.05	0.54	22	0.391	4.94	49.6	<0.5
AUX0102761		0.05	0.90	11	0.263	5.00	66.5	0.6
AUX0102762		0.06	1.09	18	0.646	5.01	69.8	3.0
AUX0102763		0.07	0.94	23	0.310	5.49	78.0	0.9
AUX0102764		0.04	0.73	21	0.308	4.72	57.7	1.0
AUX0102765		0.06	0.85	31	0.302	7.60	69.2	2.4
AUX0102766		0.08	0.72	41	0.341	9.26	73.9	4.2
AUX0102767		0.07	0.53	27	0.331	6.47	68.5	2.7
AUX0102768		0.07	1.09	37	0.233	8.20	63.9	2.6
AUX0102769		0.08	1.08	38	0.200	6.17	64.2	0.5
AUX0102770		0.05	0.70	31	1.195	6.55	57.2	0.8
AUX0102771		0.07	1.28	36	0.224	7.60	57.7	0.9
AUX0102772		0.05	0.49	31	0.211	6.20	59.2	0.9
AUX0102773		0.06	0.54	31	0.180	5.71	67.3	<0.5
AUX0102774		0.07	0.74	37	0.261	6.95	69.8	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0102775		0.46	0.0041	0.165	1.13	55.0	<10	278	0.28	0.21	0.25	0.22	28.6	8.2	20.5	0.50
AUX0102776		0.46	0.0028	0.224	1.24	37.9	<10	344	0.39	0.21	0.20	0.13	33.9	9.5	22.7	0.61
AUX0102777		0.40	0.0013	0.332	1.81	18.25	<10	258	0.36	0.20	0.08	0.14	23.0	8.8	27.0	0.91
AUX0102778		0.28	0.0039	0.806	2.10	76.9	<10	202	0.49	0.28	0.06	0.23	23.6	10.8	27.7	0.86
AUX0102779		0.30	0.0020	0.086	1.26	182.5	<10	126.5	0.30	0.53	0.05	0.20	29.9	9.6	21.3	1.02
AUX0102780		0.28	0.0002	0.446	1.74	23.7	<10	357	0.33	0.20	0.14	0.33	22.0	8.6	25.0	0.85
AUX0102781		0.30	0.0063	0.409	1.00	194.5	<10	170.0	0.27	0.37	0.09	0.41	33.4	10.0	16.7	0.64
AUX0102782		0.28	0.0016	0.093	1.04	121.0	<10	159.0	0.20	0.27	0.13	0.31	27.2	9.0	15.6	0.78
AUX0102783		0.48	0.0065	0.278	1.23	203	<10	293	0.38	0.46	0.42	0.32	23.0	10.2	21.3	0.96
AUX0102784		0.40	0.0012	0.090	0.93	14.70	<10	256	0.22	0.15	0.30	0.05	20.6	6.3	15.2	0.52
AUX0102785		0.48	0.0023	0.074	1.14	18.80	<10	255	0.27	0.18	0.34	0.05	30.9	7.0	20.3	0.56
AUX0102786		0.34	0.0101	0.231	1.28	193.0	<10	359	0.34	0.34	0.42	0.46	29.5	15.8	25.5	1.01
AUX0102787		0.46	0.0145	0.257	1.20	157.0	<10	357	0.33	0.31	0.37	0.24	30.0	12.8	23.9	0.92
AUX0102788		0.42	0.0148	0.228	1.35	103.5	<10	390	0.37	0.31	0.36	0.26	30.8	9.8	26.0	1.10
AUX0102789		0.32	0.0171	0.218	1.20	75.6	<10	351	0.29	0.27	0.43	0.21	27.8	7.8	23.4	0.98
AUX0102790		0.32	0.0068	0.487	0.83	41.7	<10	144.5	0.25	0.25	0.35	0.27	23.9	7.9	17.3	0.66
AUX0102791		0.26	0.0064	0.393	1.59	93.3	<10	221	0.46	0.40	0.41	0.25	20.8	8.9	25.5	1.36
AUX0102792		0.34	0.0029	0.756	1.15	29.8	<10	434	0.34	0.28	0.73	0.79	21.1	12.1	21.5	1.03
AUX0102793		0.20	0.0010	1.195	1.26	37.0	<10	442	0.33	0.26	1.11	0.53	13.85	8.0	20.6	0.85
AUX0102794		0.24	0.0077	1.800	1.50	89.5	<10	415	0.52	0.39	0.69	0.36	21.9	10.0	24.8	1.37
AUX0102795		0.24	0.0051	0.291	0.66	48.6	<10	106.0	0.20	0.21	0.27	0.13	19.85	5.4	14.8	0.76
AUX0102796		0.24	0.0511	0.971	1.19	69.6	<10	334	0.30	0.33	0.50	0.28	17.55	8.7	22.1	1.32
AUX0102797		0.22	0.0088	0.197	1.33	36.7	<10	284	0.37	0.24	0.14	0.08	21.9	9.1	20.6	1.05
AUX0102798		0.24	0.0028	0.078	1.14	7.89	<10	243	0.37	0.16	0.13	0.06	24.7	6.2	20.6	0.57
AUX0102799		0.26	0.0061	0.508	0.93	238	<10	201	0.31	0.34	1.02	0.43	16.15	6.0	17.5	1.16
AUX0102800		0.24	0.0103	0.550	1.02	266	<10	217	0.31	0.41	1.00	0.39	17.65	7.0	18.4	1.32
AUX0102801		0.22	0.0149	0.828	1.12	170.5	<10	254	0.40	0.57	1.56	0.34	19.90	7.8	21.3	2.58
AUX0102802		0.26	0.0037	0.087	0.83	15.10	<10	138.5	0.25	0.15	0.16	0.09	19.70	5.7	15.3	0.50
AUX0102803		0.22	0.0124	0.195	0.93	17.80	<10	153.5	0.26	0.14	0.21	0.05	21.1	5.3	16.7	0.58
AUX0102804		0.28	0.0020	0.112	0.94	17.20	<10	176.5	0.25	0.16	0.16	0.06	17.25	4.8	15.9	0.59
AUX0102805		0.20	0.0022	0.144	1.16	13.10	<10	344	0.29	0.17	0.30	0.18	19.95	9.3	19.9	0.65
AUX0102806		0.28	0.0017	0.036	0.87	8.86	<10	143.5	0.22	0.12	0.23	0.05	22.3	5.8	15.9	0.47
AUX0102807		0.26	0.0025	0.122	0.89	86.3	<10	225	0.25	0.18	0.34	0.13	16.80	5.8	16.2	0.86
AUX0102808		0.40	0.0038	0.116	0.99	36.2	<10	263	0.30	0.20	0.28	0.06	27.9	7.3	18.7	0.76
AUX0102809		0.34	0.0015	0.043	0.88	15.85	<10	152.5	0.22	0.14	0.22	0.05	18.25	6.0	15.9	0.54
AUX0102810		0.20	0.0032	0.030	0.88	28.0	<10	117.0	0.27	0.15	0.16	0.07	23.6	7.8	15.8	0.53
AUX0102811		0.26	0.0028	0.510	2.20	25.1	<10	280	0.59	0.23	0.12	0.14	23.4	11.7	32.6	1.58
AUX0102812		0.30	0.0026	0.085	1.29	19.00	<10	216	0.44	0.16	0.15	0.06	26.2	8.3	23.4	0.78
AUX0102813		0.24	0.164	0.273	1.90	322	<10	430	0.57	0.89	0.54	0.41	19.30	16.0	41.2	2.94
AUX0102814		0.28	0.0100	0.204	1.34	105.0	<10	278	0.36	0.29	0.47	0.15	23.0	9.8	23.4	1.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102775		22.1	2.36	3.27	0.05	0.02	0.029	0.017	0.03	14.7	10.9	0.36	346	1.10	0.02	0.61
AUX0102776		25.8	2.62	3.60	0.05	0.04	0.062	0.021	0.04	17.5	12.4	0.38	350	1.15	0.02	0.54
AUX0102777		13.45	2.80	4.55	<0.05	0.07	0.020	0.024	0.03	11.7	13.5	0.40	223	1.14	0.02	1.06
AUX0102778		28.1	2.95	4.49	<0.05	0.04	0.036	0.023	0.03	12.5	13.8	0.34	249	1.27	0.02	1.04
AUX0102779		25.2	3.61	3.61	0.05	<0.02	0.011	0.023	0.03	15.0	12.7	0.29	338	1.82	0.02	0.59
AUX0102780		8.48	2.63	5.74	<0.05	0.06	0.007	0.020	0.03	11.4	12.1	0.34	372	1.27	0.03	1.07
AUX0102781		31.9	2.87	2.93	<0.05	0.03	0.028	0.023	0.05	15.6	9.8	0.27	386	1.37	0.03	0.48
AUX0102782		18.70	2.52	3.13	<0.05	0.02	0.011	0.018	0.03	13.2	12.4	0.27	299	1.29	0.02	0.52
AUX0102783		36.8	2.87	3.64	0.05	0.02	0.030	0.023	0.04	12.4	13.3	0.30	459	1.39	0.02	0.62
AUX0102784		16.35	1.79	2.90	<0.05	<0.02	0.019	0.015	0.02	10.3	10.0	0.27	198	0.69	0.02	0.53
AUX0102785		24.4	2.14	3.28	0.06	0.03	0.018	0.017	0.03	15.9	14.3	0.40	253	0.53	0.02	0.56
AUX0102786		21.8	2.65	3.62	0.06	0.03	0.040	0.019	0.05	15.3	15.6	0.43	532	0.53	0.02	0.59
AUX0102787		22.6	2.30	3.29	0.06	0.03	0.042	0.017	0.04	14.9	14.8	0.42	639	0.46	0.02	0.56
AUX0102788		21.5	2.16	3.87	0.05	0.02	0.023	0.017	0.04	15.4	16.9	0.45	255	0.45	0.02	0.57
AUX0102789		18.70	2.06	3.28	0.06	0.03	0.028	0.016	0.04	13.9	14.7	0.41	301	0.37	0.02	0.52
AUX0102790		26.6	1.82	2.67	0.05	0.05	0.059	0.017	0.03	11.7	11.3	0.36	179	0.79	0.02	0.56
AUX0102791		36.0	2.40	4.49	<0.05	0.04	0.037	0.028	0.03	10.4	14.4	0.45	218	1.08	0.02	0.69
AUX0102792		30.7	2.07	3.45	0.06	0.05	0.075	0.024	0.03	10.1	12.1	0.40	279	0.78	0.02	0.55
AUX0102793		27.4	2.18	4.02	<0.05	0.02	0.029	0.020	0.03	6.8	12.0	0.37	605	1.15	0.02	0.70
AUX0102794		51.3	2.83	3.87	0.06	0.04	0.078	0.035	0.04	11.9	13.8	0.42	506	1.15	0.02	0.61
AUX0102795		21.9	1.65	2.02	<0.05	0.04	0.008	0.016	0.03	10.1	9.7	0.30	228	0.58	0.02	0.45
AUX0102796		23.2	2.35	3.65	<0.05	0.03	0.033	0.026	0.03	8.7	12.3	0.39	570	1.10	0.02	0.59
AUX0102797		19.35	2.16	3.76	0.05	0.03	0.005	0.024	0.02	10.5	12.8	0.32	299	0.98	0.02	0.74
AUX0102798		17.35	1.97	3.12	0.05	0.02	0.011	0.020	0.02	12.1	10.2	0.31	143	0.52	0.02	0.55
AUX0102799		23.7	1.96	2.66	<0.05	0.04	0.034	0.021	0.05	8.1	10.1	0.29	468	0.80	0.02	0.40
AUX0102800		24.0	2.09	2.96	0.05	0.04	0.043	0.021	0.05	9.1	11.7	0.31	478	0.86	0.02	0.45
AUX0102801		36.6	2.30	3.02	0.05	0.04	0.048	0.022	0.05	11.1	17.1	0.97	353	1.03	0.03	0.62
AUX0102802		18.30	1.72	2.41	<0.05	<0.02	0.007	0.015	0.02	9.9	8.8	0.25	100	0.65	0.02	0.52
AUX0102803		21.3	1.68	2.53	0.05	0.03	0.013	0.016	0.02	10.5	9.7	0.30	100	0.42	0.02	0.60
AUX0102804		16.60	1.60	2.70	<0.05	<0.02	<0.005	0.017	0.02	8.5	9.1	0.26	166	0.54	0.02	0.61
AUX0102805		20.3	2.07	3.31	<0.05	<0.02	0.023	0.016	0.02	9.6	10.4	0.31	762	0.87	0.02	0.53
AUX0102806		15.50	1.68	2.54	0.05	<0.02	0.010	0.013	0.02	10.7	10.2	0.30	132	0.52	0.02	0.62
AUX0102807		14.30	1.78	2.69	<0.05	0.02	<0.005	0.015	0.03	8.0	10.3	0.30	188	0.58	0.02	0.55
AUX0102808		22.3	1.99	3.01	0.05	0.02	0.015	0.013	0.03	14.5	12.3	0.35	198	0.63	0.02	0.66
AUX0102809		15.45	1.88	2.67	<0.05	<0.02	0.005	0.017	0.03	9.1	9.4	0.27	153	0.62	0.02	0.54
AUX0102810		20.7	1.87	2.22	0.06	0.02	0.008	0.012	0.03	11.3	8.6	0.27	281	0.63	0.02	0.55
AUX0102811		19.10	3.23	5.49	0.05	0.10	<0.005	0.031	0.05	11.4	17.3	0.44	272	1.50	0.02	1.52
AUX0102812		25.5	2.40	3.61	0.05	0.03	<0.005	0.019	0.03	13.6	13.0	0.39	242	0.78	0.02	0.79
AUX0102813		36.4	3.58	5.91	<0.05	<0.02	0.021	0.035	0.06	9.0	20.2	0.55	603	2.27	0.02	1.13
AUX0102814		21.5	2.52	3.75	0.05	0.03	0.011	0.019	0.04	11.2	16.1	0.40	828	1.03	0.02	0.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102775		20.9	0.058	17.30	5.2	<0.001	0.01	3.33	2.5	0.8	0.3	15.8	<0.01	0.03	2.2	0.038
AUX0102776		25.8	0.040	12.80	5.8	<0.001	<0.01	2.07	3.9	0.6	0.4	13.6	<0.01	0.04	4.5	0.035
AUX0102777		20.2	0.017	14.05	8.3	<0.001	0.01	0.809	2.3	0.6	0.5	7.7	<0.01	0.02	3.8	0.041
AUX0102778		25.3	0.021	19.30	7.9	<0.001	0.01	5.53	2.6	0.6	0.9	5.8	<0.01	0.04	4.3	0.032
AUX0102779		24.6	0.057	22.5	10.2	<0.001	0.02	13.00	1.7	0.6	0.5	4.5	<0.01	0.03	3.5	0.022
AUX0102780		17.1	0.023	13.00	8.4	<0.001	0.01	1.125	2.4	0.3	0.6	10.8	<0.01	0.03	2.8	0.035
AUX0102781		24.6	0.028	27.5	7.6	<0.001	0.02	16.50	2.4	0.7	0.3	6.9	<0.01	0.03	5.5	0.019
AUX0102782		18.3	0.022	17.55	8.3	<0.001	0.02	8.51	1.6	0.4	0.3	8.2	<0.01	0.02	3.7	0.017
AUX0102783		26.8	0.045	27.8	11.0	<0.001	0.02	12.70	2.4	0.5	0.5	22.1	<0.01	0.03	2.7	0.017
AUX0102784		15.6	0.063	8.26	4.5	<0.001	0.01	0.843	2.0	0.3	0.4	17.3	<0.01	0.03	1.9	0.023
AUX0102785		21.1	0.073	9.70	5.5	<0.001	<0.01	1.465	2.6	0.5	0.5	21.6	<0.01	0.03	3.5	0.022
AUX0102786		27.6	0.073	15.95	9.7	<0.001	0.05	5.70	2.8	0.9	0.4	29.4	<0.01	0.02	3.7	0.018
AUX0102787		27.6	0.070	15.05	7.3	<0.001	0.04	5.22	2.7	0.8	0.4	27.4	0.01	0.03	4.0	0.018
AUX0102788		25.7	0.063	15.40	8.7	<0.001	0.06	5.39	2.8	0.7	0.4	27.5	<0.01	0.03	3.8	0.016
AUX0102789		22.5	0.067	13.30	8.3	0.001	0.05	4.33	2.5	0.7	0.5	31.3	<0.01	0.02	3.5	0.016
AUX0102790		20.4	0.074	21.2	4.5	<0.001	0.01	1.265	2.5	0.7	0.5	18.2	<0.01	0.03	3.2	0.026
AUX0102791		27.7	0.021	29.0	6.2	<0.001	0.01	1.635	3.7	0.2	0.7	16.3	<0.01	0.04	3.1	0.014
AUX0102792		25.7	0.101	23.1	7.2	<0.001	0.03	1.120	2.7	1.1	0.5	28.9	<0.01	0.02	1.7	0.019
AUX0102793		20.1	0.058	16.85	6.8	<0.001	0.04	1.020	1.9	0.5	0.5	35.7	<0.01	0.05	0.8	0.023
AUX0102794		32.7	0.069	46.6	8.6	<0.001	0.02	1.740	4.3	0.9	0.6	22.0	<0.01	0.03	2.3	0.017
AUX0102795		18.4	0.068	11.75	3.4	<0.001	<0.01	1.385	1.9	0.4	0.4	13.6	<0.01	0.01	3.0	0.026
AUX0102796		19.3	0.047	23.0	7.5	<0.001	0.02	1.010	2.7	0.6	0.5	17.5	<0.01	0.04	1.9	0.022
AUX0102797		17.1	0.025	14.90	6.6	0.001	<0.01	0.758	2.7	0.3	0.6	9.4	<0.01	0.02	3.3	0.021
AUX0102798		16.9	0.025	10.05	5.7	<0.001	<0.01	0.659	2.6	0.1	0.5	9.4	<0.01	0.02	3.3	0.028
AUX0102799		16.9	0.105	16.05	9.0	<0.001	0.07	2.63	1.8	0.9	0.4	42.0	<0.01	0.02	1.0	0.016
AUX0102800		17.7	0.109	17.65	9.9	<0.001	0.07	2.89	2.0	0.9	0.4	46.0	<0.01	0.03	1.2	0.016
AUX0102801		24.5	0.069	19.70	9.6	<0.001	0.03	1.730	3.1	0.4	0.5	29.6	<0.01	0.03	2.7	0.024
AUX0102802		17.0	0.056	8.35	4.4	<0.001	0.01	0.771	1.5	0.3	0.4	10.3	<0.01	0.03	1.7	0.024
AUX0102803		16.1	0.055	15.00	4.3	<0.001	<0.01	0.756	1.8	0.1	0.4	11.9	<0.01	0.02	2.8	0.025
AUX0102804		13.4	0.034	13.70	4.6	<0.001	<0.01	0.591	1.7	0.2	0.4	8.6	<0.01	0.02	2.0	0.024
AUX0102805		17.1	0.062	10.10	5.1	<0.001	0.01	0.757	2.2	0.4	0.4	16.0	<0.01	0.02	1.1	0.021
AUX0102806		16.1	0.070	7.16	4.2	<0.001	0.01	0.619	1.7	0.6	0.4	14.2	<0.01	0.03	2.4	0.026
AUX0102807		15.1	0.055	8.15	4.8	<0.001	0.01	1.025	1.9	0.2	0.4	16.0	<0.01	0.02	1.8	0.022
AUX0102808		21.3	0.075	9.14	5.0	<0.001	<0.01	1.280	2.8	0.6	0.5	17.6	<0.01	0.02	3.3	0.028
AUX0102809		15.8	0.057	7.96	4.7	<0.001	0.01	0.722	1.6	0.4	0.4	14.3	<0.01	0.01	1.4	0.023
AUX0102810		19.5	0.056	8.23	4.7	<0.001	<0.01	0.928	1.9	0.4	0.3	10.8	<0.01	0.03	3.1	0.027
AUX0102811		27.4	0.029	14.15	14.8	<0.001	0.01	0.896	3.1	0.3	0.7	11.2	<0.01	0.02	4.3	0.050
AUX0102812		21.7	0.029	10.90	8.4	<0.001	0.01	0.860	2.8	0.4	0.5	11.6	<0.01	0.03	3.4	0.032
AUX0102813		36.5	0.058	21.6	13.3	<0.001	0.04	2.69	2.9	0.5	0.9	24.8	<0.01	0.08	1.6	0.029
AUX0102814		21.1	0.082	9.59	9.4	0.001	0.03	1.815	2.8	0.6	0.5	30.4	<0.01	0.02	2.0	0.022

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102775		0.06	0.61	34	0.209	5.81	72.3	0.5
AUX0102776		0.08	0.52	37	0.217	9.03	70.6	1.6
AUX0102777		0.12	0.44	52	0.199	2.45	57.1	2.4
AUX0102778		0.11	0.51	46	0.194	3.04	56.6	1.8
AUX0102779		0.10	0.45	35	0.209	2.54	78.0	<0.5
AUX0102780		0.12	0.30	59	0.179	2.03	58.1	1.9
AUX0102781		0.07	0.48	25	0.142	4.31	73.1	1.9
AUX0102782		0.08	0.32	26	0.157	2.18	58.1	1.0
AUX0102783		0.09	0.69	32	0.237	5.51	64.6	0.8
AUX0102784		0.06	0.40	28	0.268	4.89	39.1	0.5
AUX0102785		0.05	0.59	29	0.141	7.31	49.7	0.8
AUX0102786		0.09	2.36	30	0.128	7.34	124.0	1.0
AUX0102787		0.09	2.30	26	0.215	7.24	97.6	1.2
AUX0102788		0.09	2.22	28	0.111	6.71	98.9	0.9
AUX0102789		0.09	1.79	26	0.159	5.88	85.5	0.8
AUX0102790		0.07	0.55	27	0.223	5.99	61.9	1.7
AUX0102791		0.15	0.59	42	0.211	5.05	67.4	1.6
AUX0102792		0.08	0.95	32	0.138	6.57	64.0	1.4
AUX0102793		0.08	1.09	41	0.200	3.47	55.6	0.6
AUX0102794		0.16	1.19	41	1.600	10.50	93.9	1.5
AUX0102795		0.05	0.33	22	0.138	5.19	54.4	1.6
AUX0102796		0.11	0.54	39	0.211	5.08	71.1	0.8
AUX0102797		0.10	0.44	37	0.369	3.71	47.4	1.3
AUX0102798		0.07	0.82	36	0.145	4.33	50.5	0.8
AUX0102799		0.06	1.04	27	0.235	5.35	66.5	1.2
AUX0102800		0.08	1.21	29	0.189	5.75	66.4	1.3
AUX0102801		0.13	0.67	33	0.163	8.57	77.4	1.4
AUX0102802		0.07	0.38	27	0.298	3.62	45.4	<0.5
AUX0102803		0.07	0.37	27	0.144	3.88	40.6	1.1
AUX0102804		0.07	0.38	29	0.133	2.85	34.9	<0.5
AUX0102805		0.07	0.62	37	0.174	5.30	45.3	<0.5
AUX0102806		0.05	0.42	25	0.193	4.30	41.0	0.6
AUX0102807		0.07	0.56	29	0.148	3.66	42.7	0.6
AUX0102808		0.06	0.93	29	0.202	7.93	59.0	0.8
AUX0102809		0.06	0.42	29	0.160	3.54	45.1	<0.5
AUX0102810		0.07	0.49	25	0.211	4.50	43.2	0.7
AUX0102811		0.12	0.51	60	0.274	2.91	64.7	3.7
AUX0102812		0.06	0.58	38	0.159	4.44	51.7	1.1
AUX0102813		0.15	0.49	66	0.406	3.72	98.9	0.5
AUX0102814		0.09	1.13	36	0.199	5.70	61.0	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102815		0.28	0.0061	0.278	1.37	160.5	<10	264	0.33	0.35	0.64	0.26	21.3	10.2	22.3	1.23
AUX0102816		0.20	0.0068	0.316	1.13	126.0	<10	312	0.37	0.32	1.24	0.46	17.95	9.4	21.5	1.04
AUX0102817		0.26	0.0049	0.267	1.27	92.2	<10	306	0.42	0.28	0.58	0.20	23.3	9.3	20.7	1.00
AUX0102818		0.30	0.0072	0.299	1.19	220	<10	375	0.44	0.42	0.39	0.35	27.1	14.0	19.8	0.98
AUX0102819		0.28	0.0105	0.384	1.31	70.0	<10	563	0.58	0.25	1.04	0.81	27.9	12.7	20.0	0.76
AUX0102820		0.28	0.0035	0.288	1.37	44.1	<10	439	0.46	0.24	0.41	0.34	31.1	11.2	23.9	0.82
AUX0102821		0.36	0.0029	0.288	1.30	32.0	<10	371	0.41	0.21	0.27	0.43	28.7	11.0	21.5	0.77
AUX0102822		0.32	0.0015	0.214	1.23	11.65	<10	385	0.38	0.17	0.31	0.21	22.3	6.5	21.0	0.70
AUX0102823		0.36	0.0009	0.158	1.49	18.95	<10	497	0.51	0.19	0.42	0.11	24.7	9.3	25.4	0.70
AUX0102824		0.34	0.148	0.185	1.25	57.4	<10	332	0.33	0.22	0.35	0.15	27.0	8.1	23.8	0.62
AUX0102825		0.38	0.0027	0.206	1.24	27.9	<10	395	0.30	0.19	0.34	0.14	26.1	7.6	21.8	0.58
AUX0102826		0.36	0.0014	0.210	1.22	29.1	<10	401	0.41	0.21	0.34	0.15	26.4	7.9	21.5	0.62
AUX0102827		0.38	0.0022	0.228	1.08	30.3	<10	337	0.27	0.25	0.31	0.15	26.1	7.1	19.6	0.71
AUX0102828		0.34	0.0014	0.161	1.21	27.4	<10	355	0.34	0.18	0.40	0.07	23.8	7.9	20.7	0.58
AUX0102829		0.36	0.0031	0.234	1.11	55.1	<10	434	0.32	0.23	0.52	0.18	26.0	9.7	19.8	0.50
AUX0102830		0.32	0.0039	0.231	0.97	63.3	<10	257	0.26	0.24	0.50	0.13	29.2	8.8	18.9	0.51
AUX0102831		0.30	0.0080	0.302	1.24	76.7	<10	371	0.44	0.30	0.63	0.37	28.6	10.2	21.4	0.69
AUX0102832		0.24	0.0023	0.131	1.10	42.7	<10	197.0	0.29	0.22	0.43	0.15	23.0	8.0	20.3	1.02
AUX0102833		0.28	0.0015	0.255	1.69	24.4	<10	197.5	0.31	0.21	0.10	0.11	23.6	7.4	26.3	1.15
AUX0102834		0.28	0.0010	0.148	1.36	31.2	<10	152.5	0.28	0.19	0.17	0.07	20.7	5.9	22.9	1.02
AUX0102835		0.30	0.0033	0.116	1.44	135.0	<10	147.5	0.40	0.34	0.16	0.13	26.0	12.0	25.3	1.71
AUX0102836		0.26	0.0198	0.106	1.12	134.5	<10	176.0	0.30	0.34	0.21	0.14	22.3	9.1	22.7	1.41
AUX0102837		0.28	0.0093	0.216	1.73	175.0	<10	414	0.41	0.28	0.39	0.16	30.0	11.4	31.3	1.17
AUX0102838		0.26	0.0148	0.375	1.56	284	<10	464	0.43	0.42	0.37	0.65	40.5	23.4	31.2	1.30
AUX0102839		0.24	0.0120	0.252	1.38	231	<10	467	0.28	0.31	0.46	0.36	29.7	14.8	27.5	0.84
AUX0102840		0.24	0.0166	0.380	1.71	201	<10	502	0.50	0.39	0.37	0.56	37.1	18.8	33.3	1.26
AUX0102841		0.26	0.0136	0.274	1.56	121.5	<10	481	0.36	0.35	0.40	0.22	35.8	11.5	30.7	1.23
AUX0102842		0.34	0.0010	0.076	1.19	14.60	<10	265	0.26	0.17	0.22	0.08	26.7	6.9	20.4	0.74
AUX0102843		0.26	0.0031	0.142	1.46	51.6	<10	156.0	0.39	0.31	0.14	0.38	23.0	11.5	26.0	0.96
AUX0102844		0.46	0.0073	0.336	1.30	138.5	<10	173.5	0.34	0.42	0.22	0.16	31.8	9.2	26.6	2.02
AUX0102845		0.28	0.0052	0.607	0.72	77.9	<10	196.0	0.21	0.26	0.57	0.27	18.05	7.3	15.7	0.92
AUX0102846		0.38	0.0097	0.628	1.23	22.7	<10	276	0.39	0.21	0.19	0.06	30.7	8.3	23.7	0.60
AUX0102847		0.40	0.0014	0.231	1.15	19.65	<10	198.0	0.33	0.23	0.19	0.11	27.1	8.6	20.4	0.74
AUX0102848		0.32	0.0008	0.398	1.06	27.6	<10	252	0.31	0.22	0.34	0.15	23.4	8.6	21.3	0.63
AUX0102849		0.32	0.0046	0.831	0.94	53.3	<10	303	0.26	0.27	0.90	0.63	18.50	9.1	18.0	0.66
AUX0102850		0.32	0.0028	0.690	0.88	59.1	<10	295	0.26	0.25	0.93	0.73	18.85	9.9	17.3	0.63
AUX0102851		0.24	0.0018	0.151	1.02	15.05	<10	208	0.20	0.18	0.24	0.13	23.8	5.5	18.4	0.64
AUX0102852		0.34	<0.0002	0.324	1.09	37.4	<10	202	0.17	0.23	0.08	0.31	15.95	5.3	19.0	0.87
AUX0102853		0.26	0.0008	0.097	0.97	17.45	<10	208	0.18	0.14	0.17	0.09	19.60	5.1	17.2	0.51
AUX0102854		0.24	<0.0002	0.042	1.18	15.65	<10	205	0.25	0.15	0.11	0.06	20.1	7.6	20.6	0.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102815		20.1	2.38	3.80	<0.05	0.04	0.038	0.022	0.05	9.7	17.8	0.38	457	0.85	0.02	0.59
AUX0102816		23.3	2.00	3.14	<0.05	0.04	0.065	0.021	0.04	8.5	13.5	0.32	494	0.83	0.03	0.53
AUX0102817		23.3	2.22	4.07	0.06	0.03	0.063	0.026	0.03	11.9	16.3	0.38	179	0.72	0.02	0.72
AUX0102818		31.5	2.70	3.49	0.05	0.04	0.055	0.023	0.04	13.5	12.8	0.35	342	0.94	0.02	0.63
AUX0102819		26.5	2.05	3.61	0.07	0.09	0.071	0.020	0.03	14.1	15.4	0.34	369	0.48	0.02	0.85
AUX0102820		23.0	2.29	4.28	0.05	0.04	0.055	0.021	0.04	15.9	14.5	0.38	369	1.00	0.02	0.74
AUX0102821		20.2	2.03	3.63	0.05	0.02	0.053	0.020	0.03	14.0	12.1	0.31	381	0.81	0.02	0.53
AUX0102822		16.95	1.94	3.80	<0.05	<0.02	0.040	0.017	0.03	11.5	10.7	0.29	216	0.85	0.02	0.56
AUX0102823		22.8	2.49	4.03	0.05	0.03	0.044	0.029	0.04	12.3	10.8	0.35	341	0.95	0.02	0.65
AUX0102824		25.8	2.44	3.21	0.05	0.03	0.031	0.020	0.04	14.0	10.9	0.37	290	0.83	0.02	0.62
AUX0102825		19.55	2.22	3.41	0.05	<0.02	0.026	0.023	0.04	14.0	11.0	0.36	283	0.91	0.02	0.50
AUX0102826		19.90	2.22	3.64	0.07	<0.02	0.040	0.023	0.03	13.2	11.2	0.35	282	0.89	0.02	0.52
AUX0102827		21.0	2.03	3.85	0.06	0.02	0.034	0.027	0.03	14.4	11.4	0.33	234	0.94	0.02	0.65
AUX0102828		17.20	2.44	3.19	<0.05	0.03	0.024	0.022	0.03	11.7	10.8	0.34	395	0.80	0.02	0.58
AUX0102829		26.2	2.35	2.98	0.05	0.05	0.040	0.022	0.03	12.8	11.1	0.33	460	0.75	0.02	0.51
AUX0102830		26.2	2.19	3.15	0.07	0.06	0.050	0.022	0.03	15.2	11.7	0.34	201	0.86	0.02	0.59
AUX0102831		35.5	2.42	3.42	0.07	0.05	0.076	0.025	0.04	15.5	12.1	0.39	356	0.71	0.02	0.65
AUX0102832		11.90	1.97	3.89	0.05	0.03	0.048	0.021	0.03	11.3	13.6	0.37	363	0.82	0.02	0.66
AUX0102833		12.60	2.78	4.42	0.05	0.08	0.034	0.026	0.04	12.2	13.4	0.40	189	0.93	0.02	0.88
AUX0102834		9.70	2.34	3.93	0.05	<0.02	0.030	0.020	0.03	10.2	11.4	0.37	252	0.92	0.02	0.72
AUX0102835		15.85	2.78	4.95	0.07	<0.02	0.031	0.028	0.04	13.4	17.0	0.44	469	1.39	0.02	0.91
AUX0102836		17.95	2.31	3.17	0.05	<0.02	0.028	0.022	0.04	10.1	11.0	0.35	538	1.13	0.02	0.55
AUX0102837		22.3	3.24	4.27	0.06	0.03	0.040	0.028	0.05	16.9	17.9	0.53	732	0.79	0.02	0.59
AUX0102838		24.7	3.32	4.66	0.07	0.05	0.069	0.028	0.06	20.3	19.3	0.53	1660	0.79	0.02	0.62
AUX0102839		20.2	2.85	3.34	0.07	0.04	0.050	0.023	0.05	15.0	13.7	0.47	1310	0.57	0.02	0.48
AUX0102840		29.6	3.21	4.56	0.06	0.05	0.072	0.027	0.06	19.6	19.9	0.55	657	0.77	0.02	0.59
AUX0102841		25.1	2.81	4.42	0.07	0.05	0.046	0.024	0.05	19.1	17.1	0.52	265	0.55	0.02	0.62
AUX0102842		14.30	2.28	3.61	0.05	<0.02	0.008	0.020	0.03	13.8	10.4	0.33	210	0.82	0.02	0.63
AUX0102843		24.1	2.91	3.41	0.06	0.06	0.029	0.030	0.04	11.3	15.0	0.39	307	1.11	0.02	0.84
AUX0102844		40.8	2.88	3.18	0.06	0.04	0.058	0.023	0.04	18.3	13.0	0.50	489	1.15	0.02	0.53
AUX0102845		20.8	1.78	2.32	0.06	0.04	0.038	0.024	0.03	9.1	10.0	0.34	345	1.07	0.02	0.47
AUX0102846		28.4	1.99	3.20	0.06	0.03	0.048	0.022	0.03	15.9	10.3	0.39	235	0.63	0.02	0.60
AUX0102847		24.3	2.24	3.75	0.07	<0.02	0.029	0.024	0.03	12.8	11.5	0.31	180	0.91	0.02	0.66
AUX0102848		23.8	2.12	2.98	0.08	0.04	0.028	0.022	0.03	11.6	10.5	0.37	215	0.74	0.02	0.58
AUX0102849		30.7	1.85	2.44	0.06	0.05	0.049	0.019	0.03	8.9	8.6	0.33	747	0.78	0.02	0.39
AUX0102850		32.3	1.83	2.29	0.06	0.05	0.045	0.020	0.03	9.4	7.9	0.31	760	0.86	0.02	0.40
AUX0102851		15.15	1.73	3.12	0.06	<0.02	0.038	0.018	0.03	11.2	9.7	0.31	134	0.67	0.02	0.57
AUX0102852		9.45	2.41	4.05	<0.05	0.02	0.020	0.025	0.03	7.9	11.0	0.25	238	1.39	0.02	0.85
AUX0102853		12.65	1.86	2.80	0.05	0.04	0.005	0.019	0.03	9.9	6.9	0.25	129	0.69	0.02	0.59
AUX0102854		21.8	2.21	2.76	<0.05	0.04	0.022	0.021	0.02	10.2	8.1	0.29	179	0.70	0.02	0.53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102815		20.3	0.096	10.80	11.8	<0.001	0.07	2.50	2.5	0.6	0.5	40.6	<0.01	0.04	1.5	0.017
AUX0102816		19.5	0.107	12.60	8.0	<0.001	0.20	3.03	1.8	1.0	0.4	70.1	<0.01	0.03	1.0	0.015
AUX0102817		21.0	0.074	12.55	7.6	0.001	0.03	1.430	3.1	1.4	0.5	36.4	<0.01	0.04	2.6	0.021
AUX0102818		27.9	0.074	16.20	7.5	0.001	0.02	3.19	3.6	1.6	0.5	27.0	<0.01	0.03	3.3	0.022
AUX0102819		27.4	0.075	11.40	6.5	0.004	0.12	2.48	3.4	11.6	0.4	74.0	<0.01	0.04	2.5	0.023
AUX0102820		23.3	0.089	10.95	7.9	0.001	0.03	1.675	3.6	2.2	0.4	31.5	<0.01	0.02	2.7	0.024
AUX0102821		19.6	0.088	9.76	6.9	<0.001	0.02	1.365	2.1	1.0	0.3	18.9	<0.01	0.04	1.1	0.019
AUX0102822		16.8	0.089	9.11	6.4	<0.001	0.03	0.745	1.7	0.9	0.4	22.1	<0.01	0.03	0.6	0.024
AUX0102823		23.1	0.078	10.05	8.1	0.001	0.02	1.500	3.5	0.6	0.4	26.3	<0.01	0.03	1.9	0.029
AUX0102824		22.7	0.064	12.70	6.1	<0.001	0.01	4.11	3.4	0.5	0.3	18.5	<0.01	0.04	3.8	0.033
AUX0102825		19.3	0.071	10.20	6.4	0.002	0.01	2.02	2.5	0.2	0.4	19.9	<0.01	0.02	1.5	0.029
AUX0102826		19.6	0.071	10.25	7.0	0.001	0.01	2.18	2.5	0.4	0.5	21.2	<0.01	0.02	1.4	0.027
AUX0102827		20.6	0.071	10.35	8.4	0.001	0.01	2.22	3.0	0.2	0.5	23.8	<0.01	0.03	2.4	0.027
AUX0102828		17.4	0.073	9.62	6.2	0.001	0.02	1.950	2.5	0.7	0.3	22.0	<0.01	0.01	2.2	0.026
AUX0102829		23.9	0.068	13.30	5.7	<0.001	0.02	5.22	3.0	0.5	0.3	23.4	<0.01	0.04	3.4	0.022
AUX0102830		21.2	0.076	14.15	5.3	0.001	0.02	6.12	2.9	0.8	0.3	26.1	<0.01	0.04	4.2	0.024
AUX0102831		25.6	0.082	17.25	7.8	<0.001	0.03	9.08	3.5	1.4	0.4	31.0	<0.01	0.03	3.5	0.020
AUX0102832		17.1	0.074	8.75	9.0	<0.001	0.02	1.230	2.3	0.2	0.4	25.6	<0.01	0.04	2.2	0.026
AUX0102833		18.8	0.025	13.50	9.7	<0.001	0.01	0.818	2.6	0.3	0.5	8.1	<0.01	0.04	4.3	0.040
AUX0102834		13.3	0.038	8.50	8.2	<0.001	0.01	0.688	2.0	0.4	0.4	10.3	<0.01	0.04	2.0	0.032
AUX0102835		23.5	0.038	13.00	9.8	0.001	0.01	1.595	3.0	0.5	0.6	12.1	<0.01	0.05	3.4	0.036
AUX0102836		18.7	0.039	9.53	7.6	<0.001	0.01	2.20	2.3	0.3	0.4	12.5	<0.01	0.04	2.0	0.028
AUX0102837		28.5	0.077	15.20	9.1	0.001	0.05	6.17	3.2	0.8	0.4	25.3	<0.01	0.04	3.7	0.018
AUX0102838		35.8	0.079	18.70	12.5	0.001	0.06	8.51	3.8	1.0	0.4	29.2	<0.01	0.04	5.1	0.019
AUX0102839		30.4	0.082	13.65	8.1	<0.001	0.06	6.16	2.8	0.8	0.3	28.0	<0.01	0.04	3.6	0.017
AUX0102840		36.6	0.086	18.75	11.9	0.001	0.07	9.32	3.7	1.0	0.4	28.5	<0.01	0.04	4.6	0.018
AUX0102841		29.4	0.072	17.20	10.9	0.001	0.06	7.27	3.4	1.2	0.4	31.7	<0.01	0.03	5.1	0.017
AUX0102842		16.4	0.053	11.10	7.3	<0.001	0.01	0.733	2.3	0.5	0.4	13.9	<0.01	0.03	2.7	0.028
AUX0102843		28.7	0.055	21.0	7.9	<0.001	0.01	1.510	2.2	0.7	0.4	9.6	<0.01	0.06	3.0	0.033
AUX0102844		28.2	0.034	18.90	7.5	<0.001	0.01	3.13	3.8	0.8	0.4	11.0	<0.01	0.03	5.0	0.025
AUX0102845		18.8	0.062	15.20	4.5	0.001	0.02	2.12	2.1	0.5	0.3	22.4	<0.01	0.05	2.3	0.022
AUX0102846		22.1	0.017	15.00	5.7	0.001	0.01	0.981	3.4	0.3	0.4	10.1	<0.01	0.03	3.9	0.028
AUX0102847		22.2	0.039	13.10	8.1	<0.001	0.01	0.969	2.3	0.2	0.4	12.1	<0.01	0.04	2.1	0.026
AUX0102848		20.1	0.054	18.15	5.4	<0.001	0.01	0.971	2.7	0.4	0.4	16.4	<0.01	0.03	3.1	0.025
AUX0102849		23.6	0.090	17.65	4.7	0.001	0.05	1.625	2.1	0.9	0.3	31.5	<0.01	0.03	1.5	0.020
AUX0102850		24.7	0.093	15.65	4.9	<0.001	0.05	1.735	2.2	0.5	0.3	31.4	<0.01	0.03	1.4	0.020
AUX0102851		18.7	0.058	12.45	6.2	<0.001	0.01	0.603	1.9	0.3	0.4	13.5	<0.01	0.04	2.5	0.027
AUX0102852		13.0	0.024	26.3	6.8	<0.001	0.01	0.866	1.8	0.2	0.5	5.6	<0.01	0.03	2.0	0.031
AUX0102853		13.2	0.056	7.68	6.0	0.001	<0.01	0.607	1.5	0.6	0.3	10.2	<0.01	0.02	2.7	0.031
AUX0102854		21.6	0.033	8.97	4.7	<0.001	<0.01	0.698	2.5	0.4	0.3	7.8	<0.01	0.02	3.9	0.029

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0102815		0.10	1.78	34	0.228	6.02	74.8	1.2
AUX0102816		0.07	2.67	30	0.188	6.36	51.8	1.3
AUX0102817		0.10	1.39	35	0.190	6.86	58.7	1.0
AUX0102818		0.09	1.48	32	0.299	9.19	73.6	1.4
AUX0102819		0.08	4.05	34	0.217	10.45	70.0	3.1
AUX0102820		0.09	1.74	38	0.185	8.88	70.8	1.2
AUX0102821		0.08	1.25	34	0.295	6.47	55.2	0.5
AUX0102822		0.08	0.85	36	0.263	5.56	45.9	<0.5
AUX0102823		0.09	1.10	42	0.282	7.82	55.5	0.8
AUX0102824		0.06	0.63	37	0.217	7.45	66.7	1.2
AUX0102825		0.08	0.69	35	0.217	6.12	63.3	<0.5
AUX0102826		0.07	0.70	35	0.218	6.36	60.3	<0.5
AUX0102827		0.08	0.58	31	0.261	6.47	55.0	0.5
AUX0102828		0.07	0.52	35	0.204	5.73	53.3	0.7
AUX0102829		0.06	0.91	31	0.313	7.65	53.7	1.3
AUX0102830		0.06	0.77	28	0.206	7.62	62.2	1.7
AUX0102831		0.08	2.27	33	0.187	11.35	82.5	1.6
AUX0102832		0.08	0.55	34	0.269	4.19	47.2	0.7
AUX0102833		0.11	0.50	48	0.243	3.12	53.8	2.8
AUX0102834		0.09	0.44	43	0.232	2.81	57.1	<0.5
AUX0102835		0.15	0.62	44	0.523	3.34	67.3	<0.5
AUX0102836		0.12	0.81	35	0.476	3.27	54.9	<0.5
AUX0102837		0.12	3.64	40	0.183	6.63	93.8	0.9
AUX0102838		0.12	2.79	35	0.158	8.52	152.0	1.5
AUX0102839		0.09	2.44	31	0.191	6.87	119.5	1.1
AUX0102840		0.13	3.63	38	0.252	9.08	136.5	1.5
AUX0102841		0.12	2.75	33	0.184	7.77	112.5	1.4
AUX0102842		0.08	0.62	39	0.201	4.39	50.2	<0.5
AUX0102843		0.11	0.46	38	0.239	3.10	74.5	0.8
AUX0102844		0.14	0.66	35	0.258	10.15	75.2	1.6
AUX0102845		0.08	0.98	24	0.144	4.70	53.6	1.2
AUX0102846		0.07	0.66	36	0.180	7.74	71.4	1.2
AUX0102847		0.10	0.56	37	0.309	4.11	54.2	<0.5
AUX0102848		0.07	0.55	33	0.168	5.50	59.6	1.1
AUX0102849		0.07	1.10	27	0.190	6.96	65.7	1.3
AUX0102850		0.08	1.20	26	0.295	7.47	69.8	1.4
AUX0102851		0.09	0.45	31	0.185	4.11	47.8	<0.5
AUX0102852		0.12	0.29	47	0.228	1.72	73.4	0.8
AUX0102853		0.07	0.54	32	0.390	2.81	43.2	0.6
AUX0102854		0.06	0.43	34	0.267	3.00	49.6	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0102855		0.30	0.0015	0.491	1.16	19.25	<10	372	0.43	0.23	0.50	0.31	21.1	9.0	19.8	0.75
AUX0102856		0.22	0.0009	0.053	0.79	9.34	<10	123.5	0.22	0.14	0.15	0.09	21.0	4.5	13.3	0.41
AUX0102857		0.24	0.0022	0.064	0.84	18.70	<10	137.0	0.25	0.16	0.15	0.12	22.7	7.7	15.4	0.37
AUX0102858		0.32	0.0024	0.058	1.43	29.6	<10	220	0.56	0.28	0.17	0.14	31.7	9.3	26.0	0.88
AUX0102859		0.24	0.0008	0.435	1.27	30.5	<10	242	0.38	0.28	0.16	0.31	17.35	6.3	19.7	0.69
AUX0102860		0.26	0.0016	0.183	1.35	20.7	<10	201	0.41	0.20	0.20	0.07	24.0	10.0	20.7	0.64
AUX0102861		0.24	<0.0002	0.079	0.98	19.10	<10	159.0	0.13	0.20	0.20	0.11	16.40	2.5	15.1	0.68
AUX0102862		0.28	0.0011	0.055	1.38	52.1	<10	212	0.45	0.26	0.09	0.15	25.6	11.7	24.6	1.03
AUX0102863		0.34	0.0020	0.260	1.83	25.0	<10	260	0.52	0.23	0.12	0.13	24.7	9.1	28.3	1.19
AUX0102864		0.32	0.0064	0.080	1.03	199.0	<10	198.0	0.27	0.69	0.08	0.19	24.7	4.1	15.6	2.06
AUX0102865		0.36	0.0011	0.136	1.71	35.2	<10	250	0.51	0.21	0.10	0.12	28.0	10.6	28.3	1.09
AUX0102866		0.30	0.0022	0.135	1.35	74.9	<10	168.5	0.32	0.23	0.08	0.09	24.4	4.8	22.5	1.06
AUX0102867		0.32	0.0034	0.068	1.03	34.0	<10	173.0	0.31	0.19	0.16	0.09	21.7	7.2	17.8	0.71
AUX0102868		0.30	0.0017	0.334	2.23	27.6	<10	326	0.64	0.28	0.11	0.14	26.7	11.1	32.1	1.46
AUX0102869		0.34	0.0006	0.223	1.62	23.2	<10	229	0.46	0.25	0.10	0.08	20.3	7.6	24.1	1.23
AUX0102870		0.32	0.0047	0.618	2.13	56.6	<10	228	0.40	0.35	0.09	0.22	21.2	8.7	29.5	2.29
AUX0102871		0.34	0.0056	0.130	1.10	103.0	<10	176.5	0.34	0.28	0.12	0.04	32.1	7.6	19.2	0.88
AUX0102872		0.34	0.0167	0.137	1.22	175.5	<10	178.0	0.42	0.57	0.16	0.07	23.9	5.7	17.0	1.80
AUX0102873		0.30	0.0050	0.088	1.34	120.5	<10	217	0.38	0.38	0.17	0.07	24.6	6.3	20.1	1.35
AUX0102874		0.24	0.0028	0.209	1.74	48.6	<10	291	0.46	0.30	0.17	0.10	29.1	8.9	26.5	1.39
AUX0102875		0.28	0.0017	0.182	1.62	42.1	<10	266	0.36	0.32	0.15	0.10	24.1	8.1	24.8	1.23
AUX0102876		0.34	0.0060	0.165	1.23	93.1	<10	203	0.30	0.31	0.30	0.14	26.2	7.1	20.5	1.24
AUX0102877		0.40	0.0026	0.184	1.28	81.1	<10	204	0.36	0.29	0.33	0.20	22.2	7.2	21.9	0.97
AUX0102878		0.32	0.0039	0.223	1.44	136.5	<10	245	0.45	0.35	0.33	0.20	22.1	7.4	21.6	1.32
AUX0102879		0.28	0.0024	0.172	1.48	185.5	<10	233	0.41	0.36	0.37	0.29	20.6	9.8	22.6	1.36
AUX0102880		0.28	0.0017	0.222	1.43	162.0	<10	222	0.38	0.37	0.36	0.49	20.1	7.6	21.3	1.41
AUX0102881		0.38	0.0084	0.155	1.16	75.7	<10	192.5	0.35	0.25	0.28	0.17	24.8	5.6	19.1	0.89
AUX0102882		0.34	0.0018	0.082	1.34	46.7	<10	193.5	0.33	0.21	0.17	0.14	24.7	5.1	20.3	0.97
AUX0102883		0.30	0.0017	0.144	1.55	38.6	<10	170.0	0.55	0.24	0.14	0.11	23.0	7.7	20.5	1.42
AUX0102884		0.34	0.0034	0.065	1.37	37.5	<10	159.5	0.50	0.20	0.11	0.13	25.2	8.8	20.3	1.08
AUX0102885		0.40	0.0005	0.226	1.82	34.2	<10	271	0.46	0.24	0.13	0.13	25.3	9.8	28.4	1.23
AUX0102886		0.32	0.0014	0.036	1.26	25.1	<10	194.0	0.36	0.21	0.13	0.08	26.2	6.1	20.9	0.82
AUX0102887		0.38	0.0026	0.098	1.40	21.7	<10	254	0.50	0.24	0.13	0.09	35.9	9.3	24.4	0.87
AUX0102888		0.32	0.0111	0.329	1.58	424	<10	468	0.56	0.41	0.55	0.73	28.6	20.4	26.6	1.13
AUX0102889		0.24	0.0203	0.464	1.75	356	<10	547	0.57	0.54	0.59	1.17	34.9	25.6	31.3	1.26
AUX0102890		0.26	0.0243	0.444	1.69	504	<10	478	0.62	0.50	0.48	0.69	37.4	21.5	31.1	1.30
AUX0102891		0.32	0.0133	0.274	1.43	104.0	<10	368	0.35	0.33	0.34	0.23	41.3	11.8	27.9	1.05
AUX0102892		0.36	0.0136	0.395	1.79	320	<10	450	0.59	0.51	0.54	0.40	39.9	15.1	32.2	1.43
AUX0102893		0.36	0.0147	0.406	1.78	288	<10	494	0.51	0.49	0.43	0.38	44.1	16.2	32.8	1.34
AUX0102894		0.32	0.0011	0.143	0.91	15.35	<10	143.0	0.23	0.16	0.26	0.07	29.3	6.0	17.7	0.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102855		26.9	1.94	3.62	0.09	0.03	0.049	0.024	0.03	9.6	10.4	0.33	437	0.81	0.01	0.39
AUX0102856		18.10	1.42	2.54	0.10	0.02	0.019	0.014	0.02	10.1	8.5	0.23	80	0.49	0.01	0.47
AUX0102857		21.5	1.86	2.42	0.09	0.03	0.022	0.016	0.03	10.2	9.3	0.25	213	0.67	0.01	0.45
AUX0102858		24.6	2.40	4.05	0.09	0.02	0.012	0.026	0.04	12.6	15.1	0.46	386	1.06	0.01	0.50
AUX0102859		14.40	2.42	4.37	0.09	0.02	0.013	0.021	0.03	8.5	12.2	0.27	192	1.37	0.01	0.75
AUX0102860		26.7	2.38	3.32	0.10	0.04	0.015	0.019	0.03	10.4	11.8	0.35	303	0.72	0.01	0.57
AUX0102861		6.74	1.30	4.61	0.08	<0.02	0.009	0.014	0.02	7.9	12.6	0.20	86	0.57	0.01	0.41
AUX0102862		25.6	2.71	3.57	0.09	0.02	0.017	0.022	0.04	12.4	13.9	0.38	338	1.10	0.02	0.75
AUX0102863		17.20	3.00	5.16	0.08	0.05	0.020	0.028	0.04	12.9	16.4	0.41	197	1.23	0.02	1.12
AUX0102864		9.66	2.12	4.40	0.09	<0.02	0.013	0.012	0.03	12.9	8.3	0.20	198	1.44	0.02	0.54
AUX0102865		23.7	2.90	4.46	0.10	0.04	0.022	0.023	0.04	13.2	15.5	0.44	232	0.97	0.02	1.05
AUX0102866		9.67	2.65	5.05	0.08	<0.02	0.019	0.022	0.03	12.3	14.7	0.31	126	0.95	0.02	0.93
AUX0102867		16.90	2.16	3.02	0.09	0.03	0.018	0.017	0.03	11.0	10.0	0.30	252	0.75	0.02	0.59
AUX0102868		20.9	3.10	5.83	0.09	0.07	0.012	0.031	0.04	12.5	19.8	0.49	260	1.22	0.01	1.24
AUX0102869		13.50	2.64	4.92	0.09	0.06	0.007	0.024	0.03	9.9	14.6	0.34	213	1.14	0.01	0.84
AUX0102870		12.25	3.09	6.22	0.10	0.05	0.020	0.026	0.04	9.9	19.0	0.46	289	1.34	0.01	1.29
AUX0102871		25.1	2.01	3.03	0.11	0.02	0.025	0.017	0.03	14.1	11.0	0.32	230	0.64	0.01	0.49
AUX0102872		14.80	2.05	3.40	0.10	0.03	0.019	0.017	0.03	11.3	12.8	0.30	128	0.65	0.01	0.57
AUX0102873		11.45	2.23	4.12	0.10	0.03	0.028	0.021	0.03	11.6	13.2	0.34	183	0.92	0.01	0.71
AUX0102874		17.65	2.75	5.60	0.10	0.02	0.024	0.023	0.03	13.2	16.0	0.37	303	1.26	0.01	0.91
AUX0102875		14.65	2.59	5.15	0.10	<0.02	0.025	0.023	0.03	10.7	14.8	0.35	283	1.07	0.01	0.83
AUX0102876		23.3	2.09	3.94	0.11	0.02	0.023	0.020	0.04	13.0	16.4	0.39	267	0.70	0.01	0.51
AUX0102877		20.2	2.18	4.13	0.10	0.02	0.031	0.019	0.04	10.2	16.9	0.37	392	0.91	0.01	0.48
AUX0102878		23.3	2.27	4.64	0.10	0.03	0.029	0.022	0.03	10.8	18.3	0.35	454	1.01	0.01	0.50
AUX0102879		23.7	2.39	4.93	0.10	0.02	0.033	0.022	0.04	9.3	18.6	0.36	906	1.17	0.01	0.51
AUX0102880		24.1	2.37	4.86	0.10	0.02	0.017	0.023	0.03	9.5	16.4	0.32	677	1.07	0.01	0.56
AUX0102881		22.3	1.91	3.59	0.10	0.02	0.022	0.022	0.03	12.0	14.5	0.34	229	0.69	0.01	0.47
AUX0102882		18.05	1.88	4.39	0.09	0.02	0.022	0.017	0.03	11.4	13.0	0.32	118	0.52	0.01	0.69
AUX0102883		17.25	2.36	3.96	0.10	0.03	0.029	0.020	0.03	10.7	16.9	0.34	137	0.68	0.01	0.74
AUX0102884		19.40	2.22	3.66	0.10	0.03	0.024	0.019	0.03	11.1	12.4	0.31	279	0.90	0.01	0.67
AUX0102885		16.50	2.87	5.22	0.12	0.03	0.016	0.024	0.04	12.1	15.4	0.45	285	1.26	0.01	1.02
AUX0102886		15.05	2.15	4.21	0.09	0.02	0.027	0.019	0.03	11.8	13.8	0.31	188	0.74	0.01	0.60
AUX0102887		25.9	2.64	4.68	0.12	0.03	0.041	0.027	0.04	16.4	15.6	0.38	375	1.00	0.01	0.72
AUX0102888		27.0	3.67	4.37	0.10	0.05	0.038	0.026	0.05	12.2	18.2	0.41	3690	1.31	0.01	0.39
AUX0102889		31.5	3.33	4.87	0.10	0.06	0.076	0.028	0.06	16.2	21.1	0.51	1920	1.15	0.01	0.48
AUX0102890		32.7	4.18	4.83	0.11	0.07	0.061	0.029	0.06	18.0	22.3	0.50	2450	1.16	0.01	0.49
AUX0102891		23.8	2.67	3.79	0.09	0.06	0.050	0.019	0.05	21.3	20.3	0.47	451	0.54	0.01	0.62
AUX0102892		30.6	3.79	4.74	0.09	0.08	0.061	0.025	0.06	21.2	23.7	0.53	1240	1.27	0.01	0.58
AUX0102893		29.7	3.57	4.69	0.10	0.07	0.077	0.023	0.06	21.5	23.7	0.54	731	1.06	0.01	0.62
AUX0102894		14.50	1.87	2.91	0.09	0.03	0.034	0.018	0.03	14.2	11.8	0.29	225	0.83	0.01	0.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102855		20.4	0.090	13.20	6.2	<0.001	0.02	0.585	2.6	1.0	0.3	25.6	<0.01	0.02	1.5	0.018
AUX0102856		14.6	0.047	7.58	4.0	0.001	0.01	0.662	1.8	<0.1	0.3	11.0	<0.01	0.03	2.5	0.023
AUX0102857		18.4	0.051	8.31	4.4	<0.001	0.01	0.713	2.1	0.1	0.2	10.7	<0.01	0.01	3.4	0.024
AUX0102858		26.5	0.018	14.15	7.0	<0.001	0.01	1.005	3.1	0.4	0.4	9.0	<0.01	0.02	3.3	0.020
AUX0102859		17.7	0.026	23.0	6.1	<0.001	0.01	0.603	2.0	<0.1	0.4	9.0	<0.01	0.03	2.5	0.031
AUX0102860		24.8	0.050	13.35	5.7	<0.001	0.01	0.755	2.1	0.3	0.3	13.0	<0.01	0.04	3.8	0.023
AUX0102861		7.8	0.040	10.45	7.0	<0.001	0.01	0.268	1.0	<0.1	0.4	12.9	<0.01	0.01	0.8	0.016
AUX0102862		29.7	0.034	13.75	7.8	<0.001	0.03	1.115	2.4	0.7	0.3	7.9	<0.01	0.03	4.1	0.031
AUX0102863		23.4	0.031	14.00	9.0	<0.001	0.04	0.707	2.8	0.7	0.5	11.0	<0.01	0.04	4.0	0.035
AUX0102864		10.0	0.042	10.35	8.9	<0.001	0.04	2.18	1.0	0.7	0.6	7.1	<0.01	0.04	0.7	0.025
AUX0102865		25.3	0.034	13.15	8.2	<0.001	0.02	0.744	2.9	0.8	0.4	9.3	<0.01	0.04	3.9	0.039
AUX0102866		14.2	0.035	12.20	6.5	<0.001	0.08	0.661	2.1	0.6	0.4	8.1	<0.01	0.05	2.1	0.033
AUX0102867		17.0	0.059	9.58	5.3	<0.001	0.08	0.724	1.8	0.8	0.3	11.0	<0.01	0.02	2.4	0.027
AUX0102868		27.7	0.027	14.35	10.6	0.001	0.02	0.892	3.3	0.1	0.6	10.9	<0.01	0.02	5.0	0.047
AUX0102869		17.3	0.025	12.15	10.4	0.001	0.01	0.810	2.5	<0.1	0.5	9.1	<0.01	0.03	3.6	0.030
AUX0102870		19.0	0.023	13.50	12.4	0.001	0.02	0.988	2.7	<0.1	0.8	9.2	<0.01	0.06	3.6	0.043
AUX0102871		20.3	0.038	9.20	5.1	0.001	0.01	1.730	3.0	0.4	0.3	10.1	<0.01	0.05	3.3	0.027
AUX0102872		15.4	0.048	9.91	8.1	<0.001	0.01	2.54	1.8	0.1	0.4	11.4	<0.01	0.03	3.1	0.018
AUX0102873		15.2	0.048	10.85	8.3	0.001	0.01	1.545	2.1	0.4	0.5	12.9	<0.01	0.04	3.3	0.024
AUX0102874		19.2	0.042	12.30	9.9	<0.001	0.02	0.873	2.9	0.4	0.6	14.3	<0.01	0.02	2.7	0.030
AUX0102875		17.1	0.039	13.25	8.4	0.001	0.02	0.801	2.4	0.5	0.5	13.2	<0.01	0.01	2.4	0.028
AUX0102876		20.5	0.059	8.55	8.6	0.001	0.02	1.780	2.8	0.5	0.4	21.2	<0.01	0.01	2.6	0.022
AUX0102877		20.3	0.068	8.99	9.7	<0.001	0.02	1.495	2.4	<0.1	0.4	23.9	<0.01	0.04	1.8	0.020
AUX0102878		19.2	0.066	10.45	8.2	<0.001	0.03	2.25	2.5	0.3	0.4	24.9	<0.01	0.04	1.8	0.016
AUX0102879		18.8	0.063	10.75	9.7	0.001	0.03	2.12	2.1	0.2	0.5	24.4	<0.01	0.03	1.4	0.016
AUX0102880		18.1	0.045	11.10	10.7	<0.001	0.03	2.25	2.1	0.2	0.4	26.4	<0.01	0.03	1.7	0.017
AUX0102881		19.2	0.068	8.37	6.8	<0.001	0.02	1.560	2.4	0.4	0.4	19.2	<0.01	0.02	2.4	0.020
AUX0102882		15.1	0.058	10.30	6.7	<0.001	0.01	1.165	2.0	0.4	0.4	12.5	<0.01	0.03	2.3	0.030
AUX0102883		23.3	0.056	10.65	5.7	<0.001	0.02	0.761	2.1	0.1	0.4	10.8	<0.01	0.05	2.9	0.027
AUX0102884		22.3	0.046	9.48	6.2	0.001	0.02	0.915	2.2	0.5	0.3	9.7	<0.01	0.05	3.1	0.029
AUX0102885		21.7	0.044	12.90	10.5	<0.001	0.02	0.896	2.9	0.9	0.5	11.6	<0.01	0.04	3.8	0.043
AUX0102886		15.8	0.047	10.20	7.2	0.001	0.02	0.621	2.3	0.6	0.4	11.3	<0.01	0.03	2.0	0.028
AUX0102887		22.0	0.047	12.75	7.9	<0.001	0.01	0.878	4.1	0.7	0.5	12.8	<0.01	0.02	3.1	0.036
AUX0102888		31.3	0.095	16.15	11.1	0.001	0.06	6.74	2.6	0.7	0.4	39.1	<0.01	0.05	2.1	0.014
AUX0102889		39.0	0.093	22.7	12.0	0.002	0.10	8.94	3.4	0.9	0.3	43.2	<0.01	0.05	3.8	0.013
AUX0102890		39.3	0.087	22.0	11.0	0.001	0.08	10.00	3.7	0.9	0.4	39.0	<0.01	0.03	4.4	0.014
AUX0102891		28.3	0.069	17.65	8.2	<0.001	0.05	4.86	3.2	0.7	0.3	24.6	<0.01	0.03	5.7	0.021
AUX0102892		36.9	0.085	21.1	12.4	<0.001	0.06	7.44	3.9	1.1	0.3	39.9	<0.01	0.07	4.7	0.016
AUX0102893		34.3	0.077	22.5	12.5	0.001	0.06	7.22	3.8	1.1	0.4	31.3	<0.01	0.05	5.3	0.017
AUX0102894		14.2	0.071	8.74	6.0	<0.001	0.02	0.581	1.8	<0.1	0.3	15.3	<0.01	0.05	2.5	0.028

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102855		0.08	1.59	31	0.197	6.77	53.7	0.7
AUX0102856		0.06	0.41	22	0.212	4.04	37.5	<0.5
AUX0102857		0.05	0.40	25	0.169	4.32	45.4	0.8
AUX0102858		0.08	0.54	36	0.144	4.19	67.6	0.8
AUX0102859		0.12	0.34	44	0.244	2.43	50.1	0.7
AUX0102860		0.09	0.47	32	0.188	3.79	54.1	1.2
AUX0102861		0.07	0.28	35	0.157	2.07	29.6	<0.5
AUX0102862		0.10	0.45	39	0.446	2.70	66.1	1.0
AUX0102863		0.12	0.46	53	0.262	2.73	63.3	1.6
AUX0102864		0.12	0.37	42	0.940	2.01	39.6	<0.5
AUX0102865		0.10	0.59	46	0.243	3.33	68.3	1.1
AUX0102866		0.12	0.42	49	0.249	2.37	43.3	<0.5
AUX0102867		0.09	0.44	33	0.238	3.50	44.5	0.7
AUX0102868		0.11	0.63	55	0.328	3.72	64.3	2.4
AUX0102869		0.10	0.45	47	0.248	2.85	52.9	1.7
AUX0102870		0.12	0.38	60	0.532	2.24	71.3	1.8
AUX0102871		0.07	0.61	29	0.293	7.38	44.0	0.7
AUX0102872		0.10	0.42	28	0.577	3.31	35.2	0.8
AUX0102873		0.10	0.56	36	0.611	3.83	45.2	0.9
AUX0102874		0.13	0.74	50	0.262	4.90	52.7	0.5
AUX0102875		0.13	0.64	48	0.259	3.21	49.8	<0.5
AUX0102876		0.09	0.83	30	0.375	6.17	53.0	0.6
AUX0102877		0.09	0.82	33	0.194	4.72	62.8	0.6
AUX0102878		0.09	0.99	35	0.292	4.82	51.9	0.7
AUX0102879		0.12	1.02	39	0.243	3.80	60.0	0.5
AUX0102880		0.09	0.76	39	0.345	3.41	58.9	<0.5
AUX0102881		0.08	0.89	29	0.295	5.67	51.8	0.7
AUX0102882		0.11	0.91	38	0.206	4.56	57.2	0.5
AUX0102883		0.10	0.42	34	0.283	4.03	53.9	0.8
AUX0102884		0.10	0.57	34	0.267	4.00	52.8	0.7
AUX0102885		0.13	0.67	51	0.236	3.73	74.5	0.8
AUX0102886		0.09	0.68	38	0.204	4.25	47.5	0.6
AUX0102887		0.09	0.87	42	0.242	8.44	60.1	0.6
AUX0102888		0.11	2.61	37	0.190	7.00	113.0	1.1
AUX0102889		0.12	4.21	39	0.180	8.79	191.5	1.7
AUX0102890		0.11	4.52	38	0.205	9.83	157.5	1.9
AUX0102891		0.12	2.62	30	0.122	7.47	103.5	1.4
AUX0102892		0.13	5.18	40	0.212	9.04	132.0	1.4
AUX0102893		0.14	4.96	40	0.172	8.82	137.0	1.3
AUX0102894		0.06	0.52	30	0.422	4.24	48.1	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0102895	0.24	0.0014	0.045	0.95	15.60	<10	123.5	0.28	0.17	0.17	0.08	25.2	6.1	16.5	0.54
AUX0102896	0.26	0.0021	0.061	1.19	14.25	<10	147.5	0.42	0.19	0.13	0.12	23.6	8.1	18.8	0.66
AUX0102897	0.40	0.0009	0.071	1.16	14.90	<10	214	0.24	0.20	0.25	0.08	22.8	4.3	17.9	0.73
AUX0102898	0.28	0.0011	0.088	0.94	15.35	<10	117.5	0.22	0.18	0.19	0.08	22.9	6.5	16.1	0.55
AUX0102899	0.26	0.0055	1.275	1.44	113.5	<10	226	0.45	0.47	0.21	0.44	24.9	10.4	25.0	1.84
AUX0102900	0.24	0.0093	1.845	1.55	133.5	<10	216	0.52	0.49	0.21	0.34	25.1	11.6	25.0	2.12
AUX0102901	0.36	0.0033	0.577	1.28	46.7	<10	466	0.59	0.30	0.67	0.53	29.7	10.6	23.0	0.86
AUX0102902	0.42	0.0075	0.405	1.02	73.9	<10	159.0	0.34	0.38	0.26	0.11	31.0	7.2	19.9	1.21
AUX0102903	0.32	0.0037	0.271	1.45	17.70	<10	247	0.31	0.23	0.18	0.09	29.5	6.4	22.9	1.28
AUX0102904	0.30	0.0134	0.785	1.20	72.1	<10	227	0.38	0.38	0.14	0.13	22.4	6.8	18.6	1.02
AUX0102905	0.32	0.0021	0.317	1.80	41.2	<10	381	0.45	0.27	0.17	0.09	28.3	8.2	27.4	1.07
AUX0102906	0.24	0.0096	0.361	1.06	42.7	<10	224	0.27	0.23	0.14	0.15	28.2	6.4	19.0	0.72
AUX0102907	0.22	0.0041	0.069	0.95	17.00	<10	139.5	0.19	0.17	0.24	0.11	22.9	5.1	15.9	0.53
AUX0102908	0.28	0.0035	1.375	1.15	2.90	<10	71.6	0.18	0.28	0.26	0.22	26.3	3.9	20.5	0.76
AUX0102909	0.20	0.0014	0.226	0.84	14.50	<10	386	0.24	0.14	1.50	0.17	15.45	5.6	16.3	0.51
AUX0102910	0.36	0.0017	0.143	0.90	22.2	<10	223	0.32	0.20	0.31	0.12	24.6	7.0	15.2	0.57
AUX0102911	0.26	0.0003	0.158	1.55	34.7	<10	208	0.42	0.25	0.17	0.29	28.3	8.2	23.2	0.93
AUX0102912	0.30	0.0026	0.130	1.33	30.9	<10	224	0.35	0.23	0.17	0.11	32.6	8.2	22.9	0.96
AUX0102913	0.30	0.0006	0.107	1.61	24.7	<10	270	0.36	0.26	0.16	0.21	31.2	8.2	23.2	1.05
AUX0102914	0.34	<0.0002	0.290	1.71	15.05	<10	478	0.47	0.26	0.34	0.33	31.8	7.3	24.1	1.11
AUX0102915	0.40	0.0014	0.051	1.29	15.15	<10	237	0.28	0.21	0.19	0.10	30.0	7.7	20.8	0.78
AUX0102916	0.28	0.0021	0.080	1.48	13.30	<10	278	0.28	0.22	0.11	0.07	36.3	7.0	24.4	0.97
AUX0102917	0.36	0.0022	0.252	1.77	16.15	<10	257	0.41	0.23	0.12	0.14	28.3	9.7	26.6	1.15
AUX0102918	0.24	0.0010	0.096	1.62	15.40	<10	248	0.37	0.22	0.13	0.10	34.2	8.7	26.1	0.96
AUX0102919	0.28	0.0009	0.303	1.70	21.0	<10	239	0.36	0.27	0.12	0.15	26.1	9.0	25.1	1.28
AUX0102920	0.20	0.0003	0.202	1.83	19.70	<10	282	0.40	0.25	0.09	0.13	28.4	7.6	27.2	1.23
AUX0102921	0.22	0.0008	0.164	1.68	45.8	<10	212	0.35	0.31	0.09	0.19	27.9	8.3	24.9	1.49
AUX0102922	0.24	0.0031	0.228	1.70	56.2	<10	208	0.26	0.43	0.11	0.28	29.0	6.2	22.7	2.23
AUX0102923	0.30	0.0169	0.095	0.99	21.8	<10	243	0.17	0.20	0.22	0.13	31.8	6.0	17.8	0.65
AUX0102924	0.22	0.0170	0.123	0.84	181.0	<10	165.5	0.19	0.17	0.25	0.13	30.2	6.4	15.5	0.71
AUX0102925	0.22	0.0036	0.099	0.85	182.0	<10	163.0	0.18	0.22	0.22	0.17	27.3	6.1	14.7	0.86
AUX0102926	0.26	0.0012	0.114	1.50	38.9	<10	125.0	0.26	0.26	0.09	0.20	23.7	7.2	23.3	1.51
AUX0102927	0.36	0.0007	0.137	1.53	22.6	<10	173.0	0.36	0.22	0.08	0.11	23.4	7.4	24.7	1.26
AUX0102928	0.26	0.0016	0.099	1.58	19.95	<10	196.0	0.44	0.23	0.07	0.14	23.9	9.2	26.2	1.12
AUX0102929	0.28	0.0019	0.119	1.50	14.85	<10	184.5	0.36	0.22	0.07	0.10	21.5	6.1	23.9	1.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102895		23.9	2.13	2.58	0.09	0.03	0.019	0.015	0.02	12.4	11.1	0.27	146	0.85	0.01	0.60
AUX0102896		19.80	2.35	2.95	0.09	0.03	0.020	0.022	0.02	12.0	13.1	0.30	147	0.72	0.01	0.69
AUX0102897		12.30	1.88	3.85	0.08	<0.02	0.025	0.021	0.02	11.3	12.0	0.27	86	0.76	0.01	0.41
AUX0102898		20.0	1.95	2.51	0.09	0.03	0.027	0.017	0.02	10.8	9.5	0.27	144	0.71	0.01	0.57
AUX0102899		36.9	2.95	3.66	0.09	0.03	0.033	0.022	0.04	11.5	14.1	0.41	607	1.70	0.01	0.67
AUX0102900		34.7	3.04	4.00	0.09	0.05	0.046	0.027	0.04	11.7	16.5	0.42	510	1.48	0.01	0.67
AUX0102901		37.0	2.48	3.57	0.09	0.06	0.063	0.024	0.04	14.6	13.0	0.42	553	1.06	0.01	0.65
AUX0102902		38.2	2.15	2.82	0.09	0.06	0.039	0.022	0.03	15.2	12.4	0.40	230	0.80	0.01	0.42
AUX0102903		13.85	1.99	4.70	0.08	0.03	0.022	0.020	0.03	14.8	14.3	0.36	175	1.36	0.01	0.81
AUX0102904		37.9	2.12	3.10	0.09	0.07	0.020	0.024	0.03	10.7	13.6	0.30	133	1.25	0.01	0.57
AUX0102905		31.3	2.65	4.79	0.08	0.09	0.026	0.024	0.03	14.5	14.8	0.43	210	1.11	0.01	0.85
AUX0102906		32.0	2.19	3.19	0.09	<0.02	0.030	0.019	0.03	14.0	10.2	0.29	143	1.48	0.01	0.60
AUX0102907		15.55	1.58	2.65	0.09	0.02	0.033	0.016	0.02	11.1	8.7	0.27	144	0.57	0.01	0.47
AUX0102908		7.54	1.13	3.27	0.10	0.07	0.062	0.018	0.04	12.6	13.3	0.36	97	0.30	0.01	0.74
AUX0102909		19.30	1.52	2.31	0.08	0.06	0.046	0.014	0.02	7.9	6.8	0.29	577	0.84	0.01	0.41
AUX0102910		22.3	1.77	2.76	0.08	0.03	0.021	0.019	0.03	11.8	9.0	0.26	231	0.71	0.01	0.49
AUX0102911		24.6	2.51	4.30	0.07	0.04	0.020	0.027	0.03	12.1	12.6	0.33	260	1.50	0.01	0.72
AUX0102912		23.3	2.42	3.46	0.09	0.04	0.035	0.023	0.03	14.7	13.9	0.42	317	1.03	0.01	0.58
AUX0102913		23.7	2.59	4.45	0.08	0.04	0.034	0.027	0.03	15.4	12.8	0.36	280	1.25	0.01	0.79
AUX0102914		24.2	2.29	5.45	0.09	<0.02	0.033	0.023	0.03	15.8	12.5	0.34	407	1.42	0.01	0.72
AUX0102915		20.7	2.15	3.50	0.08	<0.02	0.052	0.020	0.03	14.6	10.8	0.34	189	0.86	0.01	0.74
AUX0102916		16.85	2.52	4.23	0.08	0.02	0.028	0.022	0.03	16.6	11.9	0.36	203	1.01	0.01	0.81
AUX0102917		17.75	2.90	4.63	0.08	0.05	0.038	0.022	0.04	13.5	13.6	0.39	258	1.26	0.01	0.99
AUX0102918		20.2	2.68	4.31	0.08	0.03	0.029	0.017	0.03	15.2	12.6	0.40	264	1.03	0.01	0.79
AUX0102919		15.80	2.89	4.81	0.08	0.04	0.034	0.024	0.04	12.5	14.0	0.36	205	1.15	0.01	1.04
AUX0102920		13.30	2.90	5.25	0.08	0.03	0.030	0.024	0.04	13.7	14.3	0.37	203	1.45	0.01	1.09
AUX0102921		15.85	2.86	4.61	0.07	0.02	0.040	0.023	0.04	13.3	13.8	0.38	222	1.34	0.01	1.06
AUX0102922		14.80	2.15	5.49	0.09	0.02	0.019	0.023	0.03	14.2	15.4	0.34	153	0.93	0.01	0.89
AUX0102923		19.00	1.85	2.85	0.08	0.02	0.046	0.016	0.03	16.8	10.7	0.33	278	0.66	0.01	0.45
AUX0102924		20.6	1.69	2.49	0.10	0.02	0.047	0.012	0.03	14.6	8.6	0.30	232	0.55	0.01	0.45
AUX0102925		19.75	1.59	2.37	0.09	0.03	0.035	0.012	0.03	13.0	7.9	0.26	228	0.50	0.01	0.40
AUX0102926		12.35	3.14	4.47	0.08	0.02	0.035	0.022	0.04	12.2	14.4	0.33	231	1.23	0.01	1.01
AUX0102927		14.20	2.77	5.08	0.09	0.03	0.006	0.026	0.03	11.5	15.1	0.33	196	1.19	0.01	0.96
AUX0102928		21.4	2.91	4.24	0.09	0.03	0.019	0.027	0.04	11.5	15.6	0.39	222	1.02	0.01	0.77
AUX0102929		10.40	2.75	5.11	0.09	<0.02	0.013	0.022	0.03	10.3	13.8	0.32	174	1.19	0.01	0.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102895		19.5	0.061	9.52	4.8	<0.001	0.01	0.729	1.8	0.3	0.2	11.4	<0.01	0.02	3.0	0.027
AUX0102896		20.7	0.058	11.25	5.7	<0.001	0.01	0.732	1.7	0.2	0.3	8.8	<0.01	0.04	3.5	0.029
AUX0102897		12.8	0.058	11.15	5.2	<0.001	0.02	0.490	0.8	0.4	0.3	14.6	<0.01	0.03	0.3	0.017
AUX0102898		19.4	0.055	9.14	4.1	<0.001	0.01	0.621	1.6	<0.1	0.2	11.7	<0.01	0.03	3.0	0.025
AUX0102899		29.9	0.037	22.5	7.6	<0.001	0.02	1.560	2.5	0.3	0.4	12.3	<0.01	0.04	3.4	0.021
AUX0102900		28.1	0.039	26.0	8.4	<0.001	0.02	1.795	2.4	0.5	0.4	12.2	<0.01	0.06	3.7	0.021
AUX0102901		28.8	0.085	15.60	6.6	0.001	0.03	1.260	3.3	0.9	0.4	30.2	<0.01	0.06	2.3	0.026
AUX0102902		24.4	0.053	20.0	5.5	0.001	0.02	1.680	2.8	0.4	0.3	12.3	<0.01	0.04	3.9	0.025
AUX0102903		16.0	0.039	13.35	11.8	<0.001	0.02	0.434	2.4	0.4	0.5	11.8	<0.01	0.03	2.9	0.029
AUX0102904		26.1	0.027	28.1	6.0	<0.001	0.02	1.285	2.0	0.3	0.3	8.1	<0.01	0.05	2.6	0.025
AUX0102905		24.2	0.031	17.25	7.4	<0.001	0.02	0.706	2.8	0.1	0.5	11.9	<0.01	0.02	4.0	0.031
AUX0102906		19.3	0.034	14.25	5.3	0.001	0.02	1.075	2.5	0.2	0.3	9.0	<0.01	0.04	2.3	0.028
AUX0102907		15.7	0.068	10.20	3.6	<0.001	0.02	0.529	1.4	0.2	0.2	13.5	<0.01	0.03	1.6	0.023
AUX0102908		16.8	0.090	18.55	4.2	0.001	0.03	0.429	2.0	<0.1	0.3	14.1	<0.01	0.04	3.0	0.035
AUX0102909		18.7	0.082	7.80	3.2	0.001	0.06	0.736	1.6	0.4	0.2	44.2	<0.01	0.02	1.0	0.016
AUX0102910		16.7	0.055	10.30	5.1	<0.001	0.02	0.718	2.0	0.3	0.2	15.0	<0.01	0.04	2.1	0.019
AUX0102911		23.8	0.022	17.05	6.1	<0.001	0.02	0.809	2.6	0.9	0.5	9.6	<0.01	0.04	3.1	0.021
AUX0102912		25.2	0.017	19.75	8.2	<0.001	0.02	0.751	2.6	0.4	0.4	8.8	<0.01	0.03	3.5	0.023
AUX0102913		23.1	0.025	14.75	8.3	<0.001	0.02	0.707	3.1	0.5	0.5	10.1	<0.01	0.02	3.2	0.023
AUX0102914		15.6	0.052	13.25	7.9	<0.001	0.02	0.368	2.3	0.9	0.5	18.7	<0.01	0.04	0.7	0.023
AUX0102915		20.8	0.046	10.25	6.5	<0.001	0.02	0.683	2.4	0.3	0.3	13.0	<0.01	0.04	2.9	0.030
AUX0102916		18.4	0.026	12.05	8.4	0.001	0.02	0.587	3.0	0.6	0.4	9.9	<0.01	0.03	3.1	0.035
AUX0102917		23.7	0.038	14.00	9.0	<0.001	0.02	0.739	2.6	0.8	0.4	10.9	<0.01	0.04	4.1	0.035
AUX0102918		22.4	0.040	13.20	8.4	<0.001	0.01	0.650	2.7	0.3	0.4	10.6	<0.01	0.03	3.7	0.034
AUX0102919		22.5	0.037	13.95	11.9	<0.001	0.02	0.752	2.3	0.5	0.5	10.2	<0.01	0.04	3.6	0.033
AUX0102920		16.8	0.028	13.55	11.8	0.001	0.01	0.667	2.5	0.7	0.6	9.7	<0.01	0.04	3.5	0.036
AUX0102921		21.8	0.025	14.40	11.4	<0.001	0.02	0.901	2.1	0.2	0.5	8.6	<0.01	0.05	2.9	0.035
AUX0102922		14.3	0.043	13.40	11.3	<0.001	0.02	0.952	2.0	0.2	0.6	9.0	<0.01	0.03	1.3	0.024
AUX0102923		16.8	0.063	6.71	5.8	0.001	0.01	0.736	2.1	0.5	0.3	15.6	<0.01	0.02	1.9	0.029
AUX0102924		17.0	0.070	6.78	4.5	0.001	0.02	1.260	2.0	0.5	0.3	18.7	<0.01	0.02	2.4	0.027
AUX0102925		15.3	0.070	6.71	4.3	<0.001	0.02	1.210	1.7	0.6	0.2	14.8	<0.01	0.02	1.6	0.022
AUX0102926		16.2	0.041	12.90	11.3	<0.001	0.02	0.824	1.8	0.7	0.4	8.0	<0.01	0.04	2.3	0.033
AUX0102927		16.6	0.032	13.15	10.2	<0.001	0.01	0.747	2.6	0.4	0.5	8.4	<0.01	0.04	3.3	0.036
AUX0102928		20.9	0.034	13.55	9.7	0.001	0.01	0.845	2.7	0.6	0.4	7.8	<0.01	0.03	4.1	0.035
AUX0102929		13.1	0.033	12.75	9.5	<0.001	0.01	0.606	2.2	0.8	0.5	8.0	<0.01	0.03	2.2	0.032

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0102895		0.07	0.51	27	0.166	4.31	50.3	0.8
AUX0102896		0.06	0.38	31	0.343	3.40	51.4	0.8
AUX0102897		0.10	0.58	33	0.228	3.17	43.4	<0.5
AUX0102898		0.09	0.38	27	0.199	3.42	44.4	0.6
AUX0102899		0.13	0.47	38	0.236	3.70	64.3	0.8
AUX0102900		0.16	0.46	39	0.213	3.39	68.2	1.5
AUX0102901		0.08	2.06	37	0.214	9.04	79.4	1.3
AUX0102902		0.09	0.32	28	0.176	7.89	63.5	1.5
AUX0102903		0.12	0.55	43	0.172	3.83	47.8	0.7
AUX0102904		0.15	0.25	31	0.196	2.54	56.7	1.8
AUX0102905		0.13	0.47	48	0.286	3.85	51.4	2.3
AUX0102906		0.10	0.35	34	0.294	5.59	48.3	<0.5
AUX0102907		0.07	0.42	26	0.167	3.93	39.2	<0.5
AUX0102908		0.08	0.39	20	0.132	4.78	69.5	1.4
AUX0102909		0.05	1.03	23	0.248	4.92	33.9	1.2
AUX0102910		0.06	0.43	28	0.130	5.53	43.9	0.6
AUX0102911		0.11	0.37	44	0.236	2.80	58.3	1.3
AUX0102912		0.10	0.47	35	0.120	3.91	66.7	1.3
AUX0102913		0.11	0.53	45	0.211	6.14	61.9	1.3
AUX0102914		0.09	0.84	51	0.259	7.30	45.8	<0.5
AUX0102915		0.09	0.58	36	0.244	4.87	48.4	0.5
AUX0102916		0.12	0.88	44	0.231	5.64	55.1	0.5
AUX0102917		0.11	0.60	46	0.217	3.35	59.4	1.7
AUX0102918		0.11	0.80	45	0.219	3.95	64.7	0.9
AUX0102919		0.10	0.47	48	0.292	2.56	58.8	1.2
AUX0102920		0.14	0.60	55	0.249	2.88	60.2	0.9
AUX0102921		0.13	0.41	49	0.411	2.25	59.5	0.7
AUX0102922		0.16	0.50	43	0.745	3.14	66.6	<0.5
AUX0102923		0.07	0.62	27	0.175	6.00	52.8	<0.5
AUX0102924		0.06	0.83	25	0.278	6.73	41.8	0.7
AUX0102925		0.06	1.11	24	0.307	6.23	36.3	0.7
AUX0102926		0.10	0.41	47	0.267	2.30	56.5	0.7
AUX0102927		0.12	0.58	50	0.261	2.24	55.6	0.9
AUX0102928		0.10	0.53	46	0.253	2.99	61.2	1.1
AUX0102929		0.12	0.42	52	0.230	2.22	48.1	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185213

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 16- NOV- 2011
Account: STRGOL

CERTIFICATE WH11185214

Project: Aurex

P.O. No.: AUX09142011

This report is for 195 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0102930	0.24	0.0018	0.043	1.24	37.7	<10	147.0	0.26	0.25	0.10	0.13	24.7	6.3	23.2	1.18
AUX0102931	0.32	0.0011	0.195	1.62	21.8	<10	243	0.41	0.21	0.09	0.11	25.5	7.7	25.8	1.25
AUX0102932	0.28	0.0377	0.198	1.65	20.5	<10	235	0.44	0.25	0.08	0.11	24.0	8.7	27.6	1.13
AUX0102933	0.20	0.0017	0.181	1.68	23.8	<10	194.0	0.38	0.24	0.09	0.12	21.8	7.8	28.0	1.15
AUX0102934	0.32	0.0009	0.279	1.83	17.90	<10	301	0.48	0.21	0.09	0.10	21.2	8.2	26.5	1.54
AUX0102935	0.22	0.0026	0.194	1.59	17.75	<10	213	0.37	0.21	0.08	0.11	22.3	6.9	25.9	1.28
AUX0102936	0.24	0.0110	0.133	1.92	46.3	<10	239	0.55	0.29	0.08	0.17	26.2	10.2	30.0	1.89
AUX0102937	0.22	0.0026	0.163	1.15	67.1	<10	103.0	0.15	0.46	0.07	0.13	27.2	5.0	18.1	1.92
AUX0102938	0.22	0.0012	0.082	1.69	28.3	<10	369	0.45	0.22	0.11	0.07	34.2	8.8	27.0	1.12
AUX0102939	0.22	0.0004	0.116	1.78	16.75	<10	235	0.42	0.22	0.10	0.12	24.8	7.2	27.2	1.54
AUX0102940	0.22	0.0034	0.204	1.15	124.5	<10	235	0.35	0.24	0.37	0.35	20.5	7.7	19.6	1.03
AUX0102941	0.18	0.0110	0.352	1.72	135.5	<10	492	0.47	0.42	0.47	0.80	36.4	17.2	32.5	1.34
AUX0102942	0.26	0.0153	0.413	1.93	235	<10	536	0.53	0.50	0.38	0.48	38.5	21.0	38.1	1.42
AUX0102943	0.20	0.0105	0.279	1.90	219	<10	419	0.53	0.50	0.34	0.52	34.3	16.1	36.1	1.58
AUX0102944	0.20	0.0188	0.357	1.93	211	<10	547	0.53	0.46	0.36	0.29	41.7	15.3	36.9	1.59
AUX0102945	0.18	0.0127	0.323	1.47	1240	<10	515	0.59	0.41	0.49	0.43	41.7	34.0	28.7	1.14
AUX0102946	0.22	0.0086	0.126	1.03	109.0	<10	270	0.24	0.21	0.36	0.16	30.7	7.4	20.6	0.81
AUX0102947	0.38	0.0020	0.103	1.04	13.75	<10	362	0.36	0.17	0.32	0.06	28.9	7.8	20.0	0.44
AUX0102948	0.32	0.0058	0.763	1.15	87.6	<10	398	0.40	0.39	0.75	0.35	25.3	10.5	21.9	1.05
AUX0102949	0.44	0.0049	1.020	1.30	96.4	<10	474	0.47	0.45	1.05	0.82	22.5	10.4	23.6	1.32
AUX0102950	0.42	0.0077	1.135	1.14	102.0	<10	491	0.36	0.45	1.49	1.10	19.95	9.5	22.8	1.24
AUX0102951	0.30	0.0066	0.708	1.14	115.5	<10	383	0.39	0.47	0.94	0.39	23.3	10.0	21.8	1.06
AUX0102952	0.36	0.0023	0.404	1.07	29.4	<10	397	0.39	0.26	0.83	0.58	24.8	9.3	20.9	0.64
AUX0102953	0.22	0.0019	0.297	0.62	15.10	<10	281	0.19	0.15	1.21	0.52	12.80	3.5	12.9	0.52
AUX0102954	0.42	0.0037	0.524	0.74	96.7	<10	120.5	0.23	0.30	0.46	0.32	25.7	8.5	16.5	1.01
AUX0102955	0.28	0.0088	0.383	0.65	155.5	<10	106.0	0.21	0.26	0.34	0.17	18.10	5.8	15.1	1.07
AUX0102956	0.40	0.0024	0.312	1.06	26.5	<10	183.0	0.28	0.21	0.30	0.10	26.4	6.5	19.9	0.78
AUX0102957	0.38	0.0030	0.525	0.78	57.7	<10	178.5	0.23	0.22	0.35	0.24	19.95	6.7	15.9	0.78
AUX0102958	0.28	0.0029	0.508	0.86	83.4	<10	152.5	0.28	0.27	0.47	0.33	22.7	8.5	17.3	1.07
AUX0102959	0.28	0.0030	0.521	1.37	87.3	<10	217	0.33	0.35	0.20	0.16	20.3	7.2	22.9	1.43
AUX0102960	0.28	0.0016	0.378	1.20	33.4	<10	194.5	0.24	0.19	0.13	0.10	20.0	6.0	19.3	0.79
AUX0102961	0.30	0.0028	0.282	1.02	63.1	<10	213	0.31	0.25	0.27	0.19	17.60	6.6	20.0	1.01
AUX0102962	0.34	0.0032	0.666	1.14	48.9	<10	319	0.39	0.23	0.56	0.25	22.1	9.1	20.6	0.70
AUX0102963	0.40	0.0014	0.190	1.03	8.44	<10	307	0.33	0.18	0.61	0.49	22.3	6.4	19.6	0.58
AUX0102964	0.44	0.0027	0.356	0.95	54.4	<10	201	0.32	0.24	0.29	0.15	22.7	6.4	18.9	0.84
AUX0102965	0.30	0.0016	0.092	1.03	21.9	<10	238	0.33	0.14	0.20	0.11	23.2	7.9	19.0	0.60
AUX0102966	0.42	0.0034	0.278	0.89	61.5	<10	119.0	0.29	0.22	0.12	0.18	18.00	8.8	17.4	0.68
AUX0102967	0.36	0.0021	0.128	1.05	30.4	<10	186.5	0.29	0.16	0.15	0.09	16.00	6.3	17.7	0.69
AUX0102968	0.30	0.0026	0.097	1.61	30.3	<10	240	0.49	0.23	0.19	0.52	24.1	9.3	25.3	0.85
AUX0102969	0.36	0.0014	0.137	1.27	29.4	<10	245	0.37	0.22	0.18	0.10	19.50	7.2	22.1	0.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102930		18.20	2.72	4.63	<0.05	<0.02	0.013	0.021	0.04	12.0	13.6	0.34	151	1.05	0.01	0.80
AUX0102931		16.10	2.66	5.01	<0.05	0.02	0.019	0.022	0.04	12.9	14.2	0.35	199	1.12	0.01	1.08
AUX0102932		16.90	2.68	4.64	0.05	0.04	0.020	0.021	0.04	12.7	13.9	0.37	232	1.12	0.01	1.06
AUX0102933		10.95	3.07	4.88	<0.05	0.02	0.015	0.024	0.04	10.7	16.2	0.38	205	1.16	0.01	0.95
AUX0102934		10.45	2.68	5.20	<0.05	0.05	0.013	0.021	0.03	10.7	14.5	0.31	267	1.02	0.01	1.23
AUX0102935		14.20	2.60	5.14	<0.05	0.03	0.061	0.024	0.03	11.1	13.9	0.32	179	1.14	0.01	1.22
AUX0102936		17.85	3.23	5.65	0.05	0.05	0.011	0.028	0.04	13.2	19.1	0.41	250	1.29	0.01	1.25
AUX0102937		5.74	2.02	5.74	<0.05	<0.02	<0.005	0.011	0.03	13.8	9.7	0.20	390	0.90	0.01	1.16
AUX0102938		16.05	2.49	5.26	<0.05	<0.02	0.025	0.026	0.03	16.5	14.9	0.37	275	1.09	0.01	0.92
AUX0102939		11.25	2.83	5.71	<0.05	0.03	0.012	0.022	0.04	12.6	15.3	0.34	195	1.53	0.01	1.31
AUX0102940		22.6	2.07	3.62	<0.05	0.02	0.021	0.018	0.04	11.2	12.6	0.30	964	0.94	0.01	0.48
AUX0102941		29.8	2.89	4.82	0.05	0.04	0.054	0.023	0.06	17.4	21.4	0.52	1220	0.87	0.02	0.62
AUX0102942		33.3	3.37	5.12	0.06	0.06	0.052	0.027	0.07	18.6	23.2	0.59	784	1.17	0.02	0.61
AUX0102943		32.6	3.44	5.48	0.05	0.05	0.027	0.029	0.07	15.9	24.6	0.52	300	1.26	0.01	0.75
AUX0102944		31.9	3.06	5.36	0.07	0.05	0.064	0.028	0.07	20.5	23.2	0.58	361	0.82	0.02	0.73
AUX0102945		31.2	7.02	3.96	0.07	0.05	0.066	0.021	0.05	18.7	16.5	0.43	2670	1.90	0.02	0.52
AUX0102946		18.40	1.92	3.04	<0.05	0.03	0.029	0.014	0.04	14.9	12.1	0.36	205	0.33	0.02	0.57
AUX0102947		22.2	2.16	3.13	0.06	0.04	0.031	0.019	0.03	13.7	11.7	0.35	387	0.64	0.02	0.57
AUX0102948		31.9	2.33	3.25	<0.05	0.03	0.049	0.021	0.04	12.1	14.1	0.40	620	0.85	0.02	0.58
AUX0102949		41.0	2.37	3.77	<0.05	0.04	0.041	0.026	0.04	10.8	17.5	0.41	313	0.78	0.02	0.62
AUX0102950		40.6	2.15	3.25	<0.05	0.03	0.048	0.021	0.04	9.8	15.1	0.42	468	0.65	0.02	0.49
AUX0102951		43.0	2.33	3.25	0.05	0.06	0.042	0.024	0.05	11.7	17.7	0.46	424	1.14	0.02	0.53
AUX0102952		33.3	2.22	3.21	<0.05	0.05	0.050	0.019	0.04	11.9	12.5	0.40	428	0.83	0.02	0.68
AUX0102953		17.55	0.93	1.87	<0.05	0.02	0.048	0.012	0.02	6.2	6.1	0.24	498	0.47	0.02	0.33
AUX0102954		30.0	2.06	2.33	0.05	0.06	0.024	0.018	0.04	12.5	9.6	0.43	473	0.78	0.01	0.41
AUX0102955		17.80	2.00	2.00	<0.05	0.04	0.011	0.015	0.03	9.3	8.7	0.31	353	0.85	0.01	0.44
AUX0102956		22.5	1.95	3.15	0.05	0.03	0.026	0.018	0.04	13.2	11.8	0.36	150	0.84	0.01	0.64
AUX0102957		25.2	1.82	2.34	<0.05	0.03	0.031	0.016	0.03	10.3	9.0	0.30	652	0.76	0.01	0.43
AUX0102958		30.6	2.14	2.61	<0.05	0.02	0.027	0.018	0.04	11.3	11.0	0.42	343	0.90	0.01	0.46
AUX0102959		31.9	2.52	3.99	<0.05	0.03	0.022	0.020	0.04	10.7	14.4	0.36	193	1.22	0.01	0.81
AUX0102960		11.00	2.15	3.72	<0.05	0.02	0.019	0.014	0.03	10.0	12.6	0.29	194	1.08	0.01	0.72
AUX0102961		22.2	1.81	3.40	<0.05	0.02	0.022	0.023	0.03	9.2	11.0	0.31	204	0.90	0.01	0.59
AUX0102962		32.5	2.32	3.57	0.05	0.04	0.045	0.022	0.03	12.7	12.6	0.39	848	0.76	0.01	0.51
AUX0102963		23.5	1.39	3.27	<0.05	0.05	0.048	0.019	0.03	11.5	12.6	0.36	257	0.19	0.01	0.67
AUX0102964		26.3	2.01	2.64	0.05	0.03	0.025	0.018	0.03	11.5	9.9	0.34	230	0.73	0.01	0.53
AUX0102965		20.3	1.90	3.10	<0.05	0.03	0.017	0.017	0.03	10.4	9.5	0.30	333	0.76	0.01	0.65
AUX0102966		27.4	1.99	2.36	<0.05	0.03	0.016	0.021	0.03	8.9	9.0	0.27	379	0.79	0.01	0.57
AUX0102967		16.15	1.89	2.79	<0.05	0.04	0.008	0.019	0.02	8.3	9.3	0.28	174	0.84	0.01	0.61
AUX0102968		26.3	2.59	4.35	<0.05	0.03	0.014	0.025	0.03	11.3	13.5	0.39	399	1.16	0.01	0.75
AUX0102969		19.35	2.16	3.34	<0.05	0.02	0.019	0.023	0.03	9.2	11.4	0.34	335	1.13	0.01	0.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102930		19.1	0.043	13.15	9.6	<0.001	<0.01	0.883	1.7	0.5	0.4	9.4	<0.01	0.03	1.2	0.033
AUX0102931		19.8	0.025	13.20	10.1	<0.001	<0.01	0.611	2.6	0.7	0.5	9.4	<0.01	0.02	3.4	0.036
AUX0102932		21.5	0.026	12.90	10.0	0.001	<0.01	0.659	2.7	0.6	0.5	8.3	<0.01	0.04	4.0	0.041
AUX0102933		17.6	0.057	13.60	8.6	<0.001	<0.01	0.641	2.1	0.6	0.5	8.1	<0.01	0.03	2.0	0.037
AUX0102934		17.6	0.025	12.40	9.8	<0.001	<0.01	0.525	2.4	0.5	0.6	9.3	<0.01	0.03	3.2	0.036
AUX0102935		17.5	0.022	12.30	9.1	<0.001	<0.01	0.650	2.3	0.5	0.5	8.9	<0.01	0.03	3.2	0.037
AUX0102936		25.2	0.031	14.35	14.2	<0.001	<0.01	0.900	2.7	0.6	0.6	10.4	<0.01	0.04	4.5	0.044
AUX0102937		8.5	0.037	9.16	11.0	<0.001	<0.01	1.330	1.6	0.4	0.7	7.5	<0.01	0.03	3.4	0.041
AUX0102938		18.5	0.030	12.25	10.5	<0.001	<0.01	0.517	3.5	0.8	0.5	11.1	<0.01	0.03	3.0	0.036
AUX0102939		16.9	0.029	13.45	11.5	<0.001	<0.01	0.577	2.6	0.5	0.6	10.2	<0.01	0.02	3.3	0.041
AUX0102940		19.0	0.081	9.44	8.5	<0.001	0.02	2.47	1.7	0.7	0.3	23.1	<0.01	0.02	1.3	0.018
AUX0102941		36.1	0.088	19.05	13.4	0.001	0.05	6.78	3.4	1.2	0.4	33.7	<0.01	0.04	3.6	0.017
AUX0102942		40.1	0.083	22.9	12.9	0.001	0.04	8.14	3.9	1.4	0.4	30.3	<0.01	0.04	4.8	0.018
AUX0102943		38.2	0.065	21.0	17.7	0.001	0.01	6.94	3.9	1.2	0.5	25.2	<0.01	0.05	5.3	0.018
AUX0102944		34.5	0.073	24.7	12.6	0.002	0.06	8.33	4.1	1.3	0.4	28.1	<0.01	0.05	6.1	0.017
AUX0102945		34.8	0.084	19.80	10.2	0.001	0.06	8.35	3.1	1.8	0.3	34.3	<0.01	0.05	4.9	0.015
AUX0102946		21.9	0.067	11.75	6.2	0.001	0.03	3.50	2.2	0.9	0.3	26.8	<0.01	0.02	4.4	0.022
AUX0102947		22.0	0.049	10.40	4.2	<0.001	<0.01	0.613	3.1	0.8	0.3	17.1	<0.01	0.03	4.2	0.030
AUX0102948		25.8	0.065	21.6	5.9	<0.001	0.01	1.700	2.7	1.3	0.3	25.5	<0.01	0.03	2.1	0.025
AUX0102949		26.2	0.041	24.9	8.9	0.001	0.02	1.880	2.7	1.7	0.4	31.6	<0.01	0.05	2.0	0.020
AUX0102950		26.6	0.057	22.0	7.9	0.001	0.03	2.12	2.3	1.7	0.3	38.3	<0.01	0.02	1.4	0.020
AUX0102951		29.0	0.041	24.7	6.0	<0.001	0.01	1.800	3.0	1.3	0.4	31.4	<0.01	0.04	2.5	0.022
AUX0102952		24.9	0.074	17.15	5.5	0.001	0.02	1.085	3.0	1.5	0.3	33.8	<0.01	0.02	2.8	0.026
AUX0102953		11.6	0.071	10.40	3.2	0.001	0.08	0.713	1.0	0.8	0.2	36.5	<0.01	0.02	0.4	0.016
AUX0102954		23.2	0.073	18.55	4.1	<0.001	<0.01	2.11	2.3	0.6	0.3	16.5	<0.01	0.04	4.1	0.031
AUX0102955		17.2	0.070	11.65	3.9	<0.001	<0.01	1.615	1.7	0.4	0.2	15.7	<0.01	0.04	2.7	0.027
AUX0102956		17.4	0.081	14.60	6.9	<0.001	<0.01	0.778	2.3	0.9	0.3	17.3	<0.01	0.02	3.1	0.029
AUX0102957		19.4	0.057	18.70	4.4	<0.001	<0.01	1.290	2.1	0.6	0.3	16.5	<0.01	0.02	2.3	0.024
AUX0102958		22.3	0.053	20.1	5.1	<0.001	<0.01	1.725	2.1	0.6	0.3	16.3	<0.01	0.03	2.5	0.025
AUX0102959		21.6	0.024	20.4	7.4	<0.001	<0.01	1.165	2.3	0.6	0.4	10.0	<0.01	0.04	3.2	0.028
AUX0102960		14.7	0.032	13.15	6.1	<0.001	<0.01	0.573	1.8	0.2	0.3	8.6	<0.01	0.01	3.0	0.031
AUX0102961		20.5	0.029	18.40	5.8	<0.001	0.02	1.055	2.1	0.5	0.4	13.7	<0.01	0.01	2.3	0.022
AUX0102962		27.1	0.059	20.4	4.5	<0.001	0.03	1.155	3.0	0.9	0.3	22.4	<0.01	0.03	2.3	0.021
AUX0102963		18.2	0.073	11.55	5.6	<0.001	0.04	0.667	3.0	1.5	0.3	25.7	<0.01	0.01	3.0	0.025
AUX0102964		24.2	0.062	20.5	4.6	<0.001	0.01	1.100	2.5	0.6	0.2	14.6	<0.01	0.03	3.6	0.029
AUX0102965		20.0	0.041	8.68	5.1	<0.001	0.02	0.672	2.4	0.9	0.3	12.0	<0.01	0.02	3.7	0.026
AUX0102966		20.2	0.030	19.35	4.9	<0.001	0.02	1.165	1.8	0.6	0.3	8.1	<0.01	0.02	3.0	0.026
AUX0102967		17.9	0.024	12.65	5.5	<0.001	0.02	0.664	1.7	0.4	0.3	7.8	<0.01	0.02	2.6	0.027
AUX0102968		25.0	0.024	30.7	6.7	<0.001	0.02	6.68	2.8	0.6	0.5	8.5	<0.01	0.04	2.9	0.023
AUX0102969		21.6	0.023	12.90	6.8	<0.001	0.02	0.710	2.1	0.7	0.3	8.6	<0.01	0.03	2.5	0.023

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0102930		0.10	0.38	49	0.246	2.90	50.7	<0.5
AUX0102931		0.13	0.46	53	0.220	3.26	57.2	0.9
AUX0102932		0.11	0.52	50	0.235	3.03	60.1	1.7
AUX0102933		0.12	0.38	55	0.250	2.44	61.5	0.8
AUX0102934		0.12	0.31	58	0.225	2.40	51.8	1.7
AUX0102935		0.10	0.38	53	0.228	2.55	50.8	1.3
AUX0102936		0.12	0.39	59	0.296	2.84	76.5	2.5
AUX0102937		0.15	0.26	53	0.541	1.92	47.6	0.6
AUX0102938		0.12	0.72	53	0.203	6.70	57.4	<0.5
AUX0102939		0.13	0.41	61	0.251	2.93	53.7	1.1
AUX0102940		0.07	1.04	33	0.189	5.15	51.3	0.7
AUX0102941		0.13	3.23	40	0.154	8.91	147.0	1.7
AUX0102942		0.15	3.98	45	0.153	10.05	148.5	1.9
AUX0102943		0.15	3.27	47	0.202	7.39	158.5	2.0
AUX0102944		0.16	3.25	44	0.156	9.74	141.5	1.8
AUX0102945		0.11	2.59	40	0.170	11.45	126.5	1.7
AUX0102946		0.08	1.42	25	0.122	6.39	85.6	1.2
AUX0102947		0.06	0.44	33	0.375	7.37	49.5	2.0
AUX0102948		0.09	1.24	34	0.241	7.62	60.8	1.2
AUX0102949		0.10	0.80	38	0.676	6.37	67.3	1.2
AUX0102950		0.07	0.93	31	0.208	6.15	64.5	1.1
AUX0102951		0.09	0.85	33	0.174	7.94	73.6	1.8
AUX0102952		0.07	1.39	35	0.173	8.33	80.1	2.1
AUX0102953		0.05	0.72	17	0.117	3.71	44.7	0.6
AUX0102954		0.09	0.30	26	0.192	6.36	70.4	3.3
AUX0102955		0.07	0.29	24	0.179	4.12	62.4	1.6
AUX0102956		0.08	0.58	32	0.327	5.84	74.8	1.1
AUX0102957		0.07	0.37	26	0.160	5.60	68.2	0.8
AUX0102958		0.10	0.36	29	0.156	5.01	74.0	0.6
AUX0102959		0.13	0.33	44	0.192	2.90	58.5	1.5
AUX0102960		0.09	0.33	41	0.358	2.32	46.8	0.9
AUX0102961		0.10	0.34	31	0.171	2.44	58.9	0.9
AUX0102962		0.07	0.72	34	0.213	7.58	57.2	1.4
AUX0102963		0.08	0.79	31	0.258	6.69	88.5	1.6
AUX0102964		0.10	0.61	30	0.157	5.63	64.7	1.2
AUX0102965		0.07	0.62	32	0.173	4.21	49.1	1.2
AUX0102966		0.10	0.34	28	0.181	2.93	63.8	1.3
AUX0102967		0.08	0.26	32	0.142	1.99	48.7	1.6
AUX0102968		0.11	0.37	46	0.176	2.98	73.3	0.8
AUX0102969		0.09	0.44	37	0.182	2.43	60.4	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0102970		0.26	0.0013	0.095	0.88	41.8	<10	133.5	0.24	0.21	0.20	0.18	18.50	5.8	16.5	0.76
AUX0102971		0.26	0.0074	0.061	1.07	29.9	<10	152.5	0.32	0.16	0.13	0.08	26.0	6.2	18.0	0.68
AUX0102972		0.28	0.0008	0.115	1.16	14.95	<10	141.0	0.26	0.16	0.20	0.25	16.90	4.7	20.4	0.92
AUX0102973		0.38	0.0012	0.040	1.18	16.90	<10	179.0	0.31	0.15	0.16	0.10	27.0	7.3	21.8	0.66
AUX0102974		0.26	0.0020	0.140	1.43	12.85	<10	243	0.36	0.16	0.13	0.07	28.3	6.7	25.9	0.76
AUX0102975		0.36	0.0027	0.133	1.61	35.0	<10	231	0.41	0.22	0.08	0.13	24.9	9.2	26.5	1.16
AUX0102976		0.26	0.0028	0.128	1.49	62.3	<10	213	0.40	0.27	0.08	0.15	23.5	9.9	24.5	1.25
AUX0102977		0.32	0.0026	0.165	1.53	27.3	<10	234	0.48	0.20	0.10	0.10	29.8	10.4	26.1	0.88
AUX0102978		0.32	0.0011	0.176	1.63	18.60	<10	188.0	0.40	0.21	0.09	0.12	24.3	8.6	28.0	1.01
AUX0102979		0.32	0.0042	0.073	1.39	99.2	<10	245	0.43	0.24	0.11	0.06	27.7	7.1	24.0	1.10
AUX0102980		0.30	0.0046	0.079	1.65	22.3	<10	236	0.42	0.18	0.09	0.11	25.5	8.2	26.9	0.98
AUX0102981		0.30	0.0025	0.132	1.29	58.4	<10	183.0	0.27	0.23	0.13	0.13	23.4	8.3	23.0	1.20
AUX0102982		0.36	0.0026	0.053	1.19	51.3	<10	160.5	0.30	0.21	0.17	0.07	27.6	6.1	20.5	0.89
AUX0102983		0.30	0.0231	0.114	1.25	265	<10	216	0.42	0.72	0.11	0.09	31.0	6.9	19.6	2.25
AUX0102984		0.32	0.0125	0.303	1.81	64.5	<10	254	0.58	0.36	0.08	0.11	30.8	11.5	30.7	1.20
AUX0102985		0.32	0.0019	0.169	1.70	28.5	<10	293	0.49	0.20	0.07	0.07	27.9	8.0	28.6	1.14
AUX0102986		0.32	0.0030	0.351	1.83	48.7	<10	259	0.67	0.24	0.07	0.10	35.3	11.6	31.5	1.23
AUX0102987		0.28	0.0012	0.186	1.88	17.75	<10	221	0.41	0.21	0.07	0.09	22.4	8.2	28.7	1.41
AUX0102988		0.30	0.0015	0.074	1.73	28.6	<10	192.0	0.46	0.22	0.07	0.10	23.7	7.4	27.7	1.27
AUX0102989		0.28	0.0019	0.335	1.63	39.0	<10	166.0	0.29	0.26	0.08	0.14	20.1	6.6	22.9	1.39
AUX0102990		0.32	0.0058	0.507	1.94	106.0	<10	278	0.51	0.48	0.08	0.20	22.3	9.6	26.1	2.14
AUX0102991		0.44	0.0035	0.086	1.11	45.3	<10	219	0.35	0.17	0.13	0.12	30.0	8.2	21.0	0.77
AUX0102992		0.36	0.0021	0.103	1.49	63.4	<10	289	0.39	0.17	0.09	0.09	25.0	8.7	24.3	0.98
AUX0102993		0.30	0.0034	0.119	1.43	49.7	<10	196.0	0.42	0.21	0.10	0.14	26.7	12.1	23.9	1.18
AUX0102994		0.28	0.0019	0.192	1.60	43.6	<10	168.5	0.37	0.66	0.12	0.25	20.5	6.5	24.6	1.51
AUX0102995		0.30	0.0043	0.086	1.50	72.3	<10	223	0.57	0.24	0.07	0.11	34.1	11.3	26.5	1.48
AUX0102996		0.38	0.0016	0.076	1.34	26.3	<10	174.5	0.36	0.21	0.11	0.11	28.7	6.9	23.6	1.06
AUX0102997		0.36	0.0030	0.143	1.59	18.30	<10	168.0	0.38	0.19	0.13	0.09	22.5	6.3	24.1	1.31
AUX0102998		0.36	0.0036	0.234	1.63	60.5	<10	228	0.49	0.29	0.18	0.21	24.2	8.6	25.4	1.94
AUX0102999		0.32	0.0119	0.367	1.82	381	<10	412	0.64	0.50	0.57	0.40	35.0	14.4	34.5	1.37
AUX0103000		0.32	0.0157	0.363	1.93	374	<10	426	0.69	0.52	0.56	0.38	38.6	14.9	36.5	1.51
AUX0103001		0.32	0.0148	0.379	1.63	587	<10	483	0.55	0.47	0.55	0.46	44.0	27.1	29.9	1.40
AUX0103002		0.26	0.0553	0.480	1.12	93.7	<10	233	0.37	0.37	0.81	0.36	23.7	7.2	19.1	1.40
AUX0103003		0.24	0.0028	0.186	1.49	29.8	<10	266	0.32	0.23	0.37	0.16	20.8	5.6	22.1	1.25
AUX0103004		0.26	0.0024	0.089	0.51	11.70	<10	120.5	0.13	0.09	0.45	0.17	19.15	2.9	10.0	0.33
AUX0103005		0.28	0.0758	0.154	0.72	27.8	<10	185.0	0.19	0.13	0.57	0.23	20.4	4.3	13.2	0.45
AUX0103006		0.32	0.0006	0.068	0.63	17.60	<10	155.0	0.18	0.11	0.58	0.18	15.30	3.6	11.8	0.42
AUX0103007		0.30	0.0060	0.290	1.16	33.5	<10	332	0.44	0.28	0.92	0.64	25.2	7.8	19.9	0.92
AUX0103008		0.26	0.0025	0.105	0.73	2.71	<10	200	0.20	0.10	0.63	0.28	20.2	3.2	13.0	0.45
AUX0103009		0.22	0.0039	0.323	0.82	27.0	<10	346	0.29	0.20	1.63	0.44	15.25	4.9	15.5	0.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0102970		12.15	1.75	2.72	<0.05	0.02	0.007	0.018	0.03	9.2	10.5	0.30	287	0.81	0.01	0.52
AUX0102971		22.2	1.79	3.06	<0.05	0.02	0.023	0.015	0.03	13.8	9.4	0.28	201	0.69	0.01	0.52
AUX0102972		9.70	1.89	4.09	<0.05	<0.02	0.024	0.017	0.04	9.0	12.4	0.29	323	0.78	0.01	0.26
AUX0102973		19.20	2.28	3.66	0.06	0.02	0.020	0.018	0.04	13.3	11.8	0.35	250	0.84	0.01	0.68
AUX0102974		14.45	2.37	4.04	<0.05	0.02	0.024	0.021	0.03	14.4	12.9	0.39	173	0.88	0.01	0.71
AUX0102975		17.10	2.78	4.83	<0.05	0.02	0.016	0.023	0.04	12.7	14.2	0.37	217	1.08	0.01	0.94
AUX0102976		21.0	2.66	4.25	<0.05	0.02	0.026	0.025	0.04	11.7	13.8	0.35	244	1.05	0.01	0.84
AUX0102977		25.6	2.61	4.21	0.05	0.04	0.029	0.025	0.04	15.1	13.1	0.38	226	0.96	0.01	0.79
AUX0102978		14.75	2.72	4.73	<0.05	0.04	0.012	0.027	0.04	12.8	16.1	0.42	232	1.23	0.01	1.05
AUX0102979		21.4	2.21	4.11	0.05	0.02	0.019	0.023	0.03	14.1	13.2	0.36	190	0.72	0.01	0.72
AUX0102980		18.15	2.68	4.37	<0.05	0.03	0.018	0.023	0.04	13.3	13.5	0.38	232	1.05	0.01	0.92
AUX0102981		12.15	2.25	4.23	<0.05	<0.02	0.018	0.017	0.03	12.1	13.6	0.36	653	1.05	0.01	0.75
AUX0102982		13.45	2.12	3.68	<0.05	0.02	0.024	0.017	0.03	14.7	12.7	0.35	155	0.79	0.01	0.73
AUX0102983		25.7	2.26	3.73	0.06	0.02	0.025	0.020	0.04	16.7	13.5	0.33	248	0.78	0.01	0.56
AUX0102984		37.6	2.86	4.53	<0.05	0.11	0.049	0.028	0.05	14.8	14.5	0.43	234	1.03	0.01	0.91
AUX0102985		20.6	2.68	4.87	<0.05	0.03	0.019	0.024	0.03	15.1	13.4	0.37	226	1.08	0.01	1.03
AUX0102986		32.9	2.96	4.89	0.05	0.09	0.036	0.030	0.05	16.7	14.9	0.43	277	1.08	0.01	0.76
AUX0102987		9.58	2.82	6.08	<0.05	0.03	0.011	0.029	0.03	11.5	15.5	0.34	273	1.32	0.01	1.30
AUX0102988		14.00	2.72	5.15	<0.05	0.03	0.025	0.023	0.04	11.7	13.8	0.36	217	1.08	0.01	1.21
AUX0102989		8.77	2.32	6.07	<0.05	0.02	0.017	0.020	0.03	10.4	13.0	0.22	343	1.05	0.01	1.08
AUX0102990		12.10	2.66	6.34	<0.05	0.03	0.028	0.025	0.03	11.7	17.3	0.31	373	1.66	0.01	1.23
AUX0102991		27.6	2.22	3.55	0.06	<0.02	0.276	0.021	0.03	16.2	11.6	0.33	480	0.85	0.01	0.61
AUX0102992		17.40	2.33	4.65	<0.05	0.02	0.037	0.021	0.03	12.9	13.1	0.36	577	1.02	0.01	0.74
AUX0102993		19.80	2.33	3.86	<0.05	0.02	0.036	0.022	0.04	13.9	13.8	0.37	554	0.99	0.01	0.73
AUX0102994		12.45	2.86	5.94	<0.05	0.02	0.021	0.025	0.04	10.9	15.3	0.29	225	1.26	0.01	1.03
AUX0102995		32.4	2.86	3.76	<0.05	0.06	0.040	0.026	0.05	15.0	13.2	0.39	474	0.96	0.01	0.69
AUX0102996		25.6	2.47	3.95	<0.05	0.03	0.038	0.021	0.04	15.0	13.1	0.37	171	0.94	0.01	0.75
AUX0102997		12.10	2.54	4.65	0.05	0.02	0.020	0.023	0.03	12.1	13.9	0.35	178	1.05	0.01	1.02
AUX0102998		17.20	2.83	5.17	<0.05	0.03	0.005	0.028	0.04	12.3	15.9	0.37	265	1.24	0.01	1.12
AUX0102999		29.3	4.11	5.29	0.06	0.05	0.045	0.030	0.07	18.4	23.3	0.57	1600	1.44	0.02	0.56
AUX0103000		32.8	4.24	5.60	0.07	0.06	0.058	0.034	0.08	21.0	25.7	0.61	1580	1.54	0.02	0.58
AUX0103001		28.0	4.87	4.77	0.07	0.05	0.066	0.029	0.06	21.8	20.8	0.52	1860	1.71	0.02	0.62
AUX0103002		32.6	2.10	3.65	0.07	0.02	0.037	0.021	0.04	12.7	11.6	0.35	455	0.95	0.02	0.63
AUX0103003		12.85	2.61	5.56	<0.05	<0.02	0.021	0.022	0.03	10.7	15.1	0.38	193	1.56	0.01	0.87
AUX0103004		8.10	1.00	1.70	0.05	0.03	0.023	0.010	0.02	9.1	6.6	0.20	124	0.34	0.01	0.40
AUX0103005		9.74	1.77	2.28	<0.05	0.03	0.041	0.015	0.02	10.7	8.9	0.27	183	0.77	0.01	0.51
AUX0103006		8.85	1.65	2.15	0.09	0.03	0.016	0.010	0.02	7.4	8.2	0.22	106	0.45	0.01	0.38
AUX0103007		20.2	2.08	3.52	<0.05	0.06	0.049	0.020	0.04	12.2	12.9	0.41	248	0.70	0.02	0.75
AUX0103008		10.30	0.86	2.29	<0.05	0.03	0.033	0.013	0.03	10.0	9.6	0.28	87	0.09	0.01	0.53
AUX0103009		21.1	1.41	2.29	<0.05	0.03	0.050	0.018	0.03	7.2	9.1	0.37	984	0.75	0.02	0.44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0102970		14.6	0.047	18.55	5.3	<0.001	0.03	0.706	1.7	0.5	0.3	10.8	<0.01	0.02	2.1	0.024
AUX0102971		17.0	0.050	8.49	3.9	<0.001	0.04	0.732	2.2	0.6	0.3	9.1	<0.01	0.03	1.4	0.025
AUX0102972		12.1	0.115	9.58	10.2	<0.001	0.06	0.278	0.4	0.7	0.3	14.2	<0.01	0.01	0.1	0.018
AUX0102973		18.6	0.063	10.05	6.8	<0.001	0.04	0.665	2.6	0.9	0.3	12.2	<0.01	0.02	2.6	0.034
AUX0102974		18.1	0.041	10.75	7.1	<0.001	0.03	0.520	3.0	0.7	0.4	10.2	<0.01	0.03	3.7	0.041
AUX0102975		23.2	0.034	12.55	9.3	<0.001	0.02	0.806	2.7	0.7	0.4	8.1	<0.01	0.03	4.0	0.040
AUX0102976		26.3	0.037	12.30	9.0	<0.001	0.01	1.480	2.4	0.6	0.4	8.0	<0.01	0.03	3.0	0.035
AUX0102977		28.3	0.040	12.35	8.1	<0.001	0.02	0.863	3.3	0.9	0.4	9.6	<0.01	0.01	5.2	0.039
AUX0102978		20.7	0.027	12.15	10.3	<0.001	0.02	0.691	2.7	0.8	0.4	8.8	<0.01	0.02	4.2	0.044
AUX0102979		20.5	0.032	9.83	8.3	<0.001	0.01	1.310	3.2	0.4	0.4	9.8	<0.01	0.02	3.5	0.030
AUX0102980		21.2	0.034	11.45	9.0	<0.001	0.01	0.658	2.5	0.7	0.4	8.2	<0.01	0.03	3.6	0.038
AUX0102981		14.9	0.044	9.20	9.7	<0.001	0.01	0.775	2.0	0.7	0.4	9.7	<0.01	0.01	2.3	0.033
AUX0102982		16.0	0.056	10.35	6.4	<0.001	0.01	0.900	2.3	0.8	0.4	12.3	<0.01	0.02	3.6	0.034
AUX0102983		19.2	0.032	11.40	9.6	<0.001	0.01	3.45	2.8	0.6	0.4	9.9	<0.01	0.03	3.9	0.023
AUX0102984		32.5	0.026	14.45	8.3	<0.001	0.01	1.240	3.6	1.0	0.4	8.7	<0.01	0.03	6.4	0.043
AUX0102985		21.6	0.026	11.55	8.9	<0.001	0.01	0.743	3.8	0.8	0.5	8.3	<0.01	0.02	4.1	0.044
AUX0102986		30.9	0.025	13.70	10.4	<0.001	0.02	1.055	5.8	0.8	0.5	8.5	<0.01	0.03	6.6	0.049
AUX0102987		16.0	0.035	12.95	10.3	<0.001	0.02	0.494	2.6	0.7	0.6	7.6	<0.01	0.02	3.2	0.040
AUX0102988		19.0	0.031	11.75	9.1	<0.001	<0.01	0.644	2.7	0.6	0.5	7.5	<0.01	0.02	3.3	0.043
AUX0102989		9.8	0.053	11.05	8.6	<0.001	0.01	0.518	2.1	0.4	0.7	7.1	<0.01	0.01	2.1	0.034
AUX0102990		15.7	0.038	13.00	13.1	<0.001	0.01	1.140	2.6	0.6	0.8	8.3	<0.01	0.03	3.1	0.034
AUX0102991		22.2	0.053	8.08	6.2	<0.001	0.01	1.025	3.2	0.9	0.3	11.1	<0.01	0.04	2.7	0.033
AUX0102992		17.8	0.043	9.12	7.9	<0.001	0.01	0.763	3.1	0.9	0.4	8.9	<0.01	0.02	2.8	0.033
AUX0102993		21.2	0.045	9.71	8.2	<0.001	0.02	1.110	2.5	0.9	0.4	8.4	<0.01	0.02	2.5	0.034
AUX0102994		17.5	0.054	12.10	9.6	<0.001	0.03	0.758	2.0	0.3	0.6	10.2	<0.01	0.06	1.4	0.032
AUX0102995		31.0	0.025	13.35	8.1	<0.001	0.01	1.550	3.9	0.8	0.4	7.6	<0.01	0.03	6.0	0.040
AUX0102996		22.3	0.038	11.85	8.5	<0.001	0.02	0.773	3.1	0.9	0.3	9.8	<0.01	0.03	4.6	0.039
AUX0102997		17.9	0.032	11.25	8.9	0.001	0.01	0.668	2.4	0.8	0.5	11.1	<0.01	0.04	2.9	0.038
AUX0102998		23.3	0.023	12.95	11.9	<0.001	0.01	1.395	2.6	0.7	0.6	16.0	<0.01	0.03	3.5	0.039
AUX0102999		38.4	0.085	19.85	14.8	<0.001	0.04	8.94	4.2	1.5	0.4	39.6	<0.01	0.04	4.0	0.018
AUX0103000		43.0	0.086	22.4	15.2	0.001	0.04	9.26	4.9	1.5	0.5	39.7	<0.01	0.04	4.5	0.018
AUX0103001		39.5	0.087	22.5	13.0	0.001	0.05	9.82	4.2	1.7	0.4	43.1	<0.01	0.05	5.8	0.019
AUX0103002		22.0	0.057	16.85	8.1	0.001	0.04	1.520	2.6	1.0	0.4	33.5	<0.01	0.03	1.7	0.027
AUX0103003		14.7	0.026	10.05	7.2	<0.001	0.01	0.716	2.3	0.5	0.6	16.8	<0.01	0.04	2.2	0.031
AUX0103004		9.1	0.065	4.46	2.8	<0.001	0.02	0.472	1.4	0.4	0.2	22.9	<0.01	0.01	2.2	0.022
AUX0103005		12.6	0.081	7.31	3.2	<0.001	0.04	0.772	1.6	0.5	0.2	26.7	<0.01	0.03	2.3	0.027
AUX0103006		9.7	0.062	6.86	2.7	<0.001	0.03	0.345	1.3	0.4	0.2	23.3	<0.01	0.01	1.7	0.019
AUX0103007		20.3	0.067	13.60	7.2	<0.001	0.05	0.913	2.9	1.2	0.4	38.8	<0.01	0.02	3.1	0.025
AUX0103008		11.4	0.056	6.63	4.4	0.001	0.05	0.318	1.9	0.5	0.2	28.8	<0.01	0.01	2.4	0.024
AUX0103009		15.7	0.064	13.95	4.6	<0.001	0.10	1.020	1.8	1.0	0.2	47.3	<0.01	0.02	1.0	0.019

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0102970		0.11	0.30	27	0.150	2.63	54.6	0.6
AUX0102971		0.08	0.59	30	0.223	5.10	40.0	0.7
AUX0102972		0.10	0.44	37	0.127	3.09	57.6	<0.5
AUX0102973		0.09	0.67	37	0.325	5.08	59.3	0.6
AUX0102974		0.09	0.79	44	0.202	5.15	65.6	0.5
AUX0102975		0.11	0.48	49	0.369	2.91	64.8	0.9
AUX0102976		0.10	0.50	44	0.537	2.74	61.3	0.7
AUX0102977		0.09	0.80	42	0.207	4.31	65.2	1.9
AUX0102978		0.09	0.50	49	0.622	2.65	67.7	1.7
AUX0102979		0.09	0.79	40	0.243	4.79	50.7	0.8
AUX0102980		0.10	0.54	48	0.600	3.15	71.6	0.9
AUX0102981		0.09	0.44	42	0.250	2.76	57.1	<0.5
AUX0102982		0.09	0.57	36	0.245	4.48	50.5	0.9
AUX0102983		0.12	0.57	33	1.085	6.19	51.2	0.6
AUX0102984		0.10	0.80	48	0.348	4.22	70.0	4.7
AUX0102985		0.11	0.77	52	0.266	5.92	63.0	1.3
AUX0102986		0.12	1.22	51	0.279	5.61	69.2	5.3
AUX0102987		0.14	0.49	62	0.276	2.34	50.5	1.0
AUX0102988		0.11	0.51	54	0.302	2.89	57.2	1.1
AUX0102989		0.13	0.38	60	0.328	1.75	52.5	0.6
AUX0102990		0.16	0.48	60	0.702	2.45	79.0	0.9
AUX0102991		0.07	0.70	35	0.239	7.18	56.7	0.5
AUX0102992		0.12	1.02	45	0.287	4.29	59.8	0.5
AUX0102993		0.11	0.65	39	0.241	3.82	55.0	0.5
AUX0102994		0.13	0.35	60	0.270	1.81	62.4	0.5
AUX0102995		0.11	0.88	42	0.283	4.65	63.1	3.2
AUX0102996		0.09	0.63	40	0.241	4.93	60.5	1.4
AUX0102997		0.11	0.48	48	0.244	2.69	49.0	1.1
AUX0102998		0.12	0.47	55	0.294	2.63	72.5	1.2
AUX0102999		0.11	5.10	45	0.211	8.72	148.0	1.5
AUX0103000		0.13	5.48	47	0.251	9.77	150.5	1.7
AUX0103001		0.14	4.09	41	0.600	8.91	144.5	1.7
AUX0103002		0.10	0.90	34	0.215	6.70	64.2	0.8
AUX0103003		0.12	0.35	62	0.291	2.03	60.0	<0.5
AUX0103004		0.04	0.43	17	0.0949	3.82	37.8	0.9
AUX0103005		0.05	0.44	25	0.233	4.06	48.6	1.1
AUX0103006		0.05	0.49	22	0.713	2.89	24.7	0.8
AUX0103007		0.09	1.16	37	0.202	5.83	71.4	2.1
AUX0103008		0.05	0.78	18	0.178	4.12	45.1	0.9
AUX0103009		0.07	0.86	24	0.177	4.39	62.2	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0103010	0.24	0.0101	0.572	1.06	65.4	<10	281	0.38	0.29	0.83	0.54	24.2	9.1	19.1	0.90
AUX0103011	0.28	0.0032	0.185	1.11	17.00	<10	279	0.34	0.17	0.73	0.25	24.7	6.9	18.5	0.73
AUX0103012	0.34	0.0019	0.128	1.04	13.70	<10	232	0.32	0.16	0.61	0.16	23.6	5.8	17.9	0.69
AUX0103013	0.28	0.0016	0.602	0.83	74.4	<10	230	0.18	0.30	0.97	0.28	15.60	7.4	17.1	0.86
AUX0103014	0.32	0.0045	0.417	0.92	35.4	<10	210	0.28	0.22	0.59	0.25	22.0	6.7	17.0	0.70
AUX0103015	0.34	0.0053	0.652	0.76	116.5	<10	128.5	0.31	0.29	0.34	0.29	22.8	8.2	18.8	1.49
AUX0103016	0.22	0.253	0.807	1.25	43.1	<10	145.5	0.34	0.23	0.13	0.24	20.9	7.5	21.2	1.04
AUX0103017	0.22	0.0065	0.379	1.62	14.95	<10	229	0.48	0.20	0.19	0.11	24.8	8.9	25.0	0.99
AUX0103018	0.42	0.0054	0.347	1.10	12.75	<10	215	0.30	0.16	0.39	0.13	30.9	8.4	20.3	0.62
AUX0103019	0.30	0.0086	0.451	1.16	73.0	<10	238	0.46	0.32	0.38	0.24	23.2	7.2	20.3	0.96
AUX0103020	0.18	0.0049	0.628	1.36	45.8	<10	356	0.51	0.29	0.60	0.28	25.8	7.3	20.1	1.05
AUX0103021	0.26	0.0101	0.411	1.35	83.7	<10	171.0	0.45	0.31	0.16	0.25	21.3	9.1	22.3	0.85
AUX0103022	0.36	0.0071	0.688	1.14	39.5	<10	312	0.42	0.28	2.50	0.23	26.8	8.4	22.3	0.77
AUX0103023	0.16	0.0033	0.207	0.28	1.06	<10	99.1	0.11	0.05	0.22	0.50	10.00	0.9	8.7	0.38
AUX0103024	0.22	0.0057	0.073	0.16	0.46	<10	33.2	<0.05	0.06	0.06	0.09	16.25	0.3	5.7	0.44
AUX0103025	0.22	0.0139	0.321	0.46	22.2	<10	310	0.18	0.17	1.69	0.67	10.50	3.5	9.9	0.50
AUX0103026	0.30	0.0087	0.214	1.27	6.53	<10	204	0.36	0.25	0.29	0.34	32.1	5.8	22.9	0.77
AUX0103027	0.24	0.0065	0.101	1.75	12.65	<10	358	0.45	0.19	0.17	0.07	26.8	8.9	28.7	1.12
AUX0103028	0.28	0.0050	0.084	1.36	14.30	<10	415	0.52	0.19	0.23	0.05	38.4	9.0	24.5	0.75
AUX0103029	0.28	0.0073	0.097	1.65	29.0	<10	372	0.55	0.28	0.17	0.24	27.9	9.9	25.0	0.83
AUX0103030	0.30	0.0036	0.107	1.56	18.05	<10	293	0.45	0.20	0.17	0.09	27.9	8.9	23.4	1.13
AUX0103031	0.36	0.0024	0.114	1.80	16.95	<10	238	0.48	0.23	0.12	0.21	25.5	9.5	28.2	1.25
AUX0103032	0.32	0.0056	0.153	1.45	14.35	<10	201	0.35	0.21	0.13	0.11	23.8	5.4	22.7	1.04
AUX0103033	0.24	0.0008	0.087	1.39	16.15	<10	230	0.36	0.20	0.13	0.13	22.8	6.8	22.5	0.87
AUX0103034	0.26	<0.0002	0.126	1.16	34.4	<10	210	0.27	0.20	0.12	0.15	17.30	5.7	17.4	0.83
AUX0103035	0.32	0.0023	0.069	1.28	57.5	<10	179.0	0.38	0.24	0.11	0.10	25.6	6.3	20.6	1.16
AUX0103036	0.30	0.0007	0.089	1.42	21.9	<10	222	0.34	0.19	0.10	0.11	24.9	6.0	22.3	0.98
AUX0103037	0.24	0.0189	0.144	1.33	129.5	<10	165.5	0.36	0.75	0.08	0.29	23.3	10.0	21.6	2.62
AUX0103038	0.24	0.0010	0.120	1.71	72.6	<10	189.5	0.48	0.27	0.15	0.16	26.1	9.1	25.8	1.53
AUX0103039	0.46	0.0012	0.045	1.03	23.5	<10	179.5	0.32	0.18	0.15	0.07	25.0	6.5	17.9	0.68
AUX0103040	0.30	0.0064	0.087	1.41	67.5	<10	138.0	0.34	0.32	0.08	0.14	24.3	7.0	25.9	1.63
AUX0103041	0.26	0.0012	0.088	1.73	27.4	<10	219	0.53	0.31	0.08	0.15	23.5	9.7	28.0	1.37
AUX0103042	0.36	0.0031	0.510	1.84	47.6	<10	280	0.63	0.29	0.10	0.18	26.0	10.4	30.3	1.58
AUX0103043	0.32	0.0123	0.338	1.46	161.0	<10	253	0.51	0.44	0.08	0.10	28.0	7.8	23.3	1.55
AUX0103044	0.28	0.0314	0.182	0.81	293	<10	124.5	0.34	0.90	0.13	0.09	22.3	4.6	12.9	2.29
AUX0103045	0.28	0.0020	0.187	1.43	106.5	<10	329	0.44	0.25	0.19	0.17	28.6	9.0	22.8	1.14
AUX0103046	0.28	0.0231	0.155	1.07	112.0	<10	169.0	0.33	0.50	0.18	0.12	27.5	5.7	18.6	1.56
AUX0103047	0.26	0.0054	0.144	0.99	103.5	<10	118.5	0.29	0.31	0.17	0.19	25.6	5.6	16.4	1.50
AUX0103048	0.24	0.0052	0.296	1.21	362	<10	220	0.43	0.85	0.06	0.42	25.6	30.5	18.9	3.38
AUX0103049	0.38	0.0058	0.238	1.63	186.5	<10	406	0.56	0.49	0.28	0.50	24.1	10.7	25.5	2.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103010		34.6	2.30	3.10	0.05	0.04	0.045	0.022	0.04	12.4	13.4	0.41	260	0.64	0.02	0.61
AUX0103011		13.95	1.93	3.38	0.05	0.04	0.032	0.023	0.03	12.0	13.6	0.38	141	0.58	0.01	0.64
AUX0103012		14.85	1.73	3.19	<0.05	0.04	0.033	0.019	0.03	11.6	12.5	0.36	133	0.57	0.01	0.62
AUX0103013		15.45	2.01	2.66	<0.05	0.03	0.034	0.017	0.03	6.7	10.0	0.38	592	0.99	0.01	0.36
AUX0103014		25.1	1.94	2.71	<0.05	0.04	0.038	0.018	0.03	11.7	11.2	0.35	166	0.53	0.01	0.48
AUX0103015		28.4	2.13	2.47	0.06	0.04	0.027	0.020	0.03	12.1	9.3	0.39	521	0.76	0.01	0.54
AUX0103016		41.8	2.36	2.88	0.05	0.03	0.071	0.024	0.03	11.2	12.4	0.31	216	1.10	0.01	0.70
AUX0103017		35.7	2.25	4.05	0.05	0.05	0.034	0.026	0.03	13.3	13.2	0.39	144	0.65	0.01	0.71
AUX0103018		24.6	2.00	3.21	0.06	0.04	0.026	0.019	0.03	14.9	12.5	0.39	253	0.52	0.01	0.63
AUX0103019		33.6	2.51	3.22	0.05	0.04	0.052	0.029	0.04	12.2	13.5	0.40	293	0.93	0.01	0.48
AUX0103020		37.4	2.37	4.36	0.06	0.02	0.046	0.026	0.03	14.2	11.6	0.31	505	1.20	0.01	0.52
AUX0103021		43.3	2.78	3.22	0.05	0.03	0.025	0.029	0.04	10.9	12.4	0.37	280	1.26	0.01	0.61
AUX0103022		40.8	2.50	3.29	0.06	0.05	0.036	0.022	0.05	14.0	12.4	0.77	375	0.83	0.02	0.65
AUX0103023		11.95	0.31	1.36	<0.05	<0.02	0.051	0.007	0.01	4.9	1.3	0.06	25	0.24	0.01	0.16
AUX0103024		1.62	0.15	1.73	<0.05	<0.02	0.022	<0.005	0.02	7.6	1.2	0.04	13	0.08	0.01	0.22
AUX0103025		16.35	0.82	1.60	<0.05	0.02	0.056	0.010	0.02	5.0	4.0	0.21	441	0.54	0.02	0.27
AUX0103026		24.8	1.73	3.80	0.06	0.03	0.052	0.022	0.04	16.0	14.8	0.39	100	0.15	0.01	0.82
AUX0103027		15.05	2.65	5.16	0.05	0.05	0.019	0.024	0.03	14.1	14.9	0.45	263	1.15	0.01	0.96
AUX0103028		26.2	2.56	4.14	0.06	0.03	0.042	0.023	0.03	19.3	13.8	0.42	317	0.73	0.01	0.62
AUX0103029		26.2	2.90	4.50	<0.05	0.03	<0.005	0.030	0.05	13.5	15.5	0.41	402	1.43	0.01	0.73
AUX0103030		18.20	2.67	4.56	<0.05	0.02	0.035	0.026	0.04	14.2	14.4	0.40	252	1.08	0.01	0.91
AUX0103031		11.95	3.21	6.06	<0.05	0.04	<0.005	0.029	0.04	12.7	18.9	0.40	289	1.62	0.01	1.23
AUX0103032		11.00	2.64	5.02	<0.05	<0.02	0.012	0.021	0.03	12.5	12.7	0.33	206	1.17	0.01	0.81
AUX0103033		19.15	2.60	4.87	0.10	<0.02	0.019	0.024	0.03	11.6	13.6	0.34	245	1.05	<0.01	1.03
AUX0103034		15.65	1.98	4.50	0.09	<0.02	0.015	0.019	0.02	9.3	11.2	0.24	502	0.89	<0.01	0.63
AUX0103035		21.5	2.07	4.19	0.12	0.03	0.019	0.022	0.03	13.9	13.7	0.31	144	0.88	<0.01	0.96
AUX0103036		13.15	2.18	4.51	0.11	<0.02	0.015	0.021	0.03	12.6	14.1	0.34	184	0.90	<0.01	0.73
AUX0103037		12.90	2.27	4.26	0.10	<0.02	0.018	0.021	0.04	12.0	15.5	0.34	601	1.02	<0.01	0.65
AUX0103038		13.65	2.78	5.47	0.11	0.02	0.022	0.030	0.04	13.3	20.4	0.40	176	1.12	<0.01	1.32
AUX0103039		19.10	2.11	3.12	0.11	0.02	0.027	0.019	0.02	12.9	12.1	0.29	162	0.68	<0.01	0.76
AUX0103040		13.70	3.45	5.10	0.12	<0.02	0.009	0.027	0.04	12.8	17.7	0.35	225	1.42	<0.01	1.29
AUX0103041		14.60	3.02	5.18	0.11	0.04	0.013	0.028	0.04	12.4	16.4	0.38	212	1.25	0.01	1.31
AUX0103042		24.3	2.96	4.95	0.10	0.11	0.010	0.031	0.05	13.6	19.1	0.46	226	1.20	0.01	1.06
AUX0103043		20.6	2.44	3.90	0.11	0.04	0.012	0.021	0.04	14.7	14.8	0.36	176	0.85	0.01	0.71
AUX0103044		21.1	1.79	2.41	0.10	0.02	0.025	0.014	0.03	12.2	10.6	0.25	174	0.74	<0.01	0.53
AUX0103045		19.05	2.41	4.62	0.11	<0.02	0.049	0.022	0.03	14.9	14.2	0.36	461	1.22	0.01	0.67
AUX0103046		22.8	1.80	3.49	0.11	<0.02	0.033	0.019	0.03	13.9	12.6	0.33	193	0.69	<0.01	0.63
AUX0103047		18.95	1.69	3.05	0.11	<0.02	0.019	0.016	0.03	13.6	12.2	0.31	158	0.60	<0.01	0.41
AUX0103048		20.4	3.22	4.84	0.10	<0.02	0.026	0.023	0.06	10.4	15.1	0.31	5660	2.06	<0.01	0.41
AUX0103049		29.7	2.87	5.32	0.11	<0.02	0.027	0.026	0.04	13.1	18.4	0.40	1220	1.22	0.01	0.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103010		26.0	0.062	20.8	6.5	0.001	0.07	1.540	2.9	1.5	0.3	29.8	<0.01	0.04	2.6	0.023
AUX0103011		17.0	0.072	11.70	5.5	<0.001	0.05	0.611	2.5	1.2	0.3	29.8	<0.01	0.02	2.4	0.022
AUX0103012		16.0	0.061	10.75	5.5	<0.001	0.04	0.549	2.4	0.6	0.3	24.9	<0.01	0.02	2.9	0.023
AUX0103013		11.8	0.068	29.0	4.6	0.001	0.04	0.762	1.8	0.8	0.3	32.2	<0.01	0.03	1.7	0.019
AUX0103014		17.7	0.071	18.40	5.3	<0.001	0.01	1.000	2.3	0.6	0.3	24.1	<0.01	0.03	2.4	0.022
AUX0103015		24.2	0.068	19.15	4.5	<0.001	0.03	1.845	2.7	0.6	0.3	18.8	<0.01	0.03	3.4	0.038
AUX0103016		28.4	0.040	21.4	6.1	<0.001	0.03	1.685	2.3	0.7	0.3	9.2	<0.01	0.03	2.8	0.032
AUX0103017		29.0	0.033	12.45	6.9	<0.001	0.03	0.772	2.7	0.5	0.4	11.5	<0.01	0.03	3.5	0.033
AUX0103018		19.8	0.086	13.45	5.5	<0.001	0.03	1.010	2.9	0.6	0.3	21.7	<0.01	0.02	3.7	0.034
AUX0103019		24.7	0.037	21.0	6.4	<0.001	0.02	1.360	3.2	0.8	0.4	14.5	<0.01	0.03	2.8	0.020
AUX0103020		20.2	0.043	21.1	6.4	<0.001	0.01	1.035	3.2	0.9	0.5	24.4	<0.01	0.04	2.0	0.023
AUX0103021		27.6	0.028	61.3	6.6	<0.001	0.01	1.420	2.5	0.5	0.4	8.5	<0.01	0.05	3.2	0.033
AUX0103022		26.8	0.081	20.6	5.6	<0.001	0.01	1.535	3.6	0.8	0.4	80.6	<0.01	0.02	3.7	0.043
AUX0103023		4.9	0.056	3.26	1.3	<0.001	0.06	0.141	0.4	0.6	0.2	12.5	<0.01	0.01	0.1	0.012
AUX0103024		1.5	0.012	2.76	1.5	<0.001	0.01	0.097	0.5	0.1	0.2	5.5	<0.01	0.01	0.6	0.015
AUX0103025		10.9	0.076	7.68	2.6	<0.001	0.13	0.767	0.9	1.0	0.2	49.6	<0.01	0.02	0.2	0.013
AUX0103026		20.8	0.084	15.45	5.7	0.001	0.03	0.841	3.0	1.0	0.4	20.6	<0.01	0.03	3.6	0.033
AUX0103027		22.1	0.019	11.60	10.8	0.001	0.03	0.572	3.2	0.5	0.6	13.6	<0.01	0.03	4.1	0.047
AUX0103028		25.1	0.049	10.95	6.5	0.001	0.03	0.736	4.3	0.9	0.4	18.0	<0.01	0.02	4.6	0.040
AUX0103029		25.7	0.026	24.7	8.9	<0.001	0.03	0.880	3.3	0.7	0.5	9.1	<0.01	0.04	3.4	0.028
AUX0103030		23.7	0.038	12.25	8.6	<0.001	0.02	0.620	2.7	0.5	0.5	13.4	<0.01	0.02	3.2	0.038
AUX0103031		20.4	0.032	14.05	10.5	<0.001	0.02	0.598	2.9	0.5	0.6	10.9	<0.01	0.04	3.3	0.045
AUX0103032		13.8	0.045	11.00	10.0	<0.001	0.02	0.497	2.3	0.5	0.5	10.5	<0.01	0.03	1.8	0.037
AUX0103033		15.5	0.039	11.45	8.7	<0.001	0.01	0.419	2.7	0.4	0.4	10.7	<0.01	0.03	2.3	0.032
AUX0103034		12.1	0.036	9.44	5.7	<0.001	0.02	0.543	0.9	0.2	0.4	9.8	<0.01	0.04	0.2	0.022
AUX0103035		18.3	0.031	10.10	6.1	<0.001	0.01	0.844	2.5	0.3	0.4	9.7	<0.01	0.03	3.0	0.029
AUX0103036		14.6	0.038	9.87	7.9	<0.001	0.02	0.485	1.6	0.4	0.4	9.2	<0.01	0.03	0.5	0.028
AUX0103037		16.2	0.039	9.41	12.7	<0.001	0.02	1.370	1.3	0.2	0.5	7.9	<0.01	0.05	0.5	0.028
AUX0103038		20.9	0.057	13.20	10.0	<0.001	0.02	0.821	2.4	0.5	0.5	12.6	<0.01	0.04	2.2	0.036
AUX0103039		18.1	0.053	9.79	5.8	<0.001	0.01	0.704	2.0	0.4	0.3	11.5	<0.01	0.04	2.1	0.026
AUX0103040		17.6	0.052	12.00	10.1	<0.001	0.02	1.035	2.1	0.3	0.5	9.1	<0.01	0.06	2.7	0.035
AUX0103041		21.3	0.029	14.90	9.6	<0.001	0.02	0.623	2.7	0.3	0.5	10.0	<0.01	0.05	4.5	0.040
AUX0103042		27.7	0.021	14.35	10.8	<0.001	0.02	0.891	2.9	0.1	0.5	11.3	<0.01	0.04	5.5	0.048
AUX0103043		21.5	0.017	11.35	9.2	<0.001	0.02	1.565	2.4	0.2	0.4	10.1	<0.01	0.04	4.8	0.030
AUX0103044		13.7	0.039	9.77	6.8	<0.001	0.02	4.18	1.4	0.5	0.3	10.6	<0.01	0.06	2.3	0.017
AUX0103045		18.0	0.076	10.45	10.0	<0.001	0.02	0.874	1.8	1.0	0.4	16.0	<0.01	0.04	0.5	0.022
AUX0103046		18.0	0.064	8.27	7.9	<0.001	0.02	1.590	2.2	0.5	0.3	13.7	<0.01	0.03	1.6	0.024
AUX0103047		16.6	0.066	7.80	6.9	<0.001	0.02	1.655	0.9	0.3	0.3	12.5	<0.01	0.02	0.3	0.020
AUX0103048		18.4	0.063	15.75	14.0	<0.001	0.04	4.78	0.9	0.3	0.6	7.6	<0.01	0.06	0.4	0.021
AUX0103049		28.6	0.053	12.40	10.8	<0.001	0.03	2.37	2.1	0.5	0.5	23.2	<0.01	0.04	1.2	0.021

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0103010		0.10	1.52	34	0.159	7.02	76.4	1.7
AUX0103011		0.08	0.96	34	0.352	5.22	47.0	1.2
AUX0103012		0.07	0.54	32	0.467	4.43	43.0	1.2
AUX0103013		0.07	0.39	30	0.191	2.63	40.2	0.9
AUX0103014		0.07	0.70	29	0.168	5.39	57.1	1.1
AUX0103015		0.08	0.55	28	0.300	6.13	61.7	1.9
AUX0103016		0.10	0.39	31	0.313	3.31	62.7	0.8
AUX0103017		0.11	0.42	42	0.208	3.50	59.4	2.0
AUX0103018		0.08	0.54	33	0.193	6.90	60.6	1.7
AUX0103019		0.10	0.46	34	0.173	5.97	78.2	1.3
AUX0103020		0.10	0.80	41	0.260	7.94	61.5	0.6
AUX0103021		0.15	0.36	40	0.254	2.86	70.1	1.1
AUX0103022		0.08	0.46	37	0.203	7.64	79.9	1.7
AUX0103023		0.02	0.41	5	0.211	1.52	11.2	<0.5
AUX0103024		0.02	0.20	5	0.0441	0.96	5.5	<0.5
AUX0103025		0.06	1.30	11	0.0698	2.93	35.9	0.6
AUX0103026		0.08	0.77	37	0.451	6.75	85.1	1.0
AUX0103027		0.13	0.53	55	0.331	3.09	59.8	2.1
AUX0103028		0.08	0.94	42	0.233	9.26	53.3	1.4
AUX0103029		0.10	0.44	49	0.266	4.01	79.7	1.4
AUX0103030		0.11	0.52	46	0.249	3.51	55.2	0.7
AUX0103031		0.14	0.43	61	0.283	2.47	65.5	1.1
AUX0103032		0.13	0.47	53	0.258	2.84	51.8	<0.5
AUX0103033		0.10	0.55	50	0.216	3.49	55.5	<0.5
AUX0103034		0.10	0.43	41	0.306	2.25	38.4	<0.5
AUX0103035		0.11	0.55	38	0.261	3.97	47.4	0.8
AUX0103036		0.10	0.85	43	0.223	3.74	56.6	<0.5
AUX0103037		0.13	0.51	36	2.30	2.68	77.3	<0.5
AUX0103038		0.14	0.54	48	0.798	4.03	69.3	0.6
AUX0103039		0.07	0.50	31	0.213	4.52	47.7	0.6
AUX0103040		0.12	0.36	53	0.622	2.05	57.9	<0.5
AUX0103041		0.14	0.56	54	0.290	2.71	63.1	1.8
AUX0103042		0.13	0.57	51	0.316	2.71	64.0	4.2
AUX0103043		0.11	0.50	39	0.972	3.60	53.7	1.8
AUX0103044		0.11	0.46	21	1.910	3.22	38.1	<0.5
AUX0103045		0.10	1.35	40	0.203	6.41	62.7	<0.5
AUX0103046		0.10	0.84	29	0.261	6.12	46.4	<0.5
AUX0103047		0.09	0.62	24	0.314	4.24	45.6	<0.5
AUX0103048		0.19	0.63	37	0.632	2.55	66.2	<0.5
AUX0103049		0.13	1.44	44	0.246	4.77	75.0	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103050		0.26	0.0039	0.196	1.53	211	<10	346	0.53	0.72	0.25	0.33	24.0	9.4	24.2	2.40
AUX0103051		0.22	0.0159	0.405	1.81	378	<10	563	0.55	0.47	0.68	0.83	34.3	20.2	37.1	1.36
AUX0103052		0.26	0.0154	0.328	1.55	143.0	<10	488	0.43	0.37	0.37	0.77	35.7	13.3	29.6	1.34
AUX0103053		0.18	0.0097	0.381	1.50	389	<10	637	0.43	0.44	0.67	2.44	33.5	37.7	28.1	1.37
AUX0103054		0.22	0.0121	0.308	1.63	319	<10	501	0.51	0.44	0.48	0.70	37.1	20.5	31.2	1.25
AUX0103055		0.20	0.0140	0.325	1.57	171.0	<10	517	0.53	0.47	0.44	0.66	34.7	16.3	29.8	1.45
AUX0103056		0.24	0.0115	0.306	1.57	288	<10	499	0.44	0.41	0.43	0.48	35.9	17.0	29.6	1.29
AUX0103057		0.26	0.0025	0.220	0.72	32.8	<10	246	0.25	0.16	0.75	0.44	18.50	4.8	14.8	0.62
AUX0103058		0.10	0.0006	0.142	0.19	11.50	<10	323	0.11	0.03	3.95	0.52	1.50	2.4	2.5	0.06
AUX0103059		0.38	0.0023	0.533	0.95	66.7	<10	157.0	0.27	0.45	0.57	0.60	28.1	9.3	21.2	1.49
AUX0103060		0.18	0.0006	0.138	0.94	42.8	<10	226	0.22	0.21	1.03	0.17	15.35	5.9	17.3	0.71
AUX0103061		0.20	0.0012	0.131	0.68	59.5	<10	243	0.25	0.15	0.81	0.32	18.05	5.9	13.1	0.46
AUX0103062		0.32	0.0063	0.232	0.83	38.9	<10	165.5	0.23	0.28	0.77	0.29	19.45	7.6	18.5	1.76
AUX0103063		0.28	0.0008	0.157	1.15	41.4	<10	370	0.38	0.19	0.81	0.29	26.3	8.0	20.5	0.70
AUX0103064		0.32	0.0010	0.108	0.96	10.20	<10	453	0.33	0.16	1.01	0.15	19.00	6.1	16.2	0.51
AUX0103065		0.48	0.0027	0.475	0.86	37.4	<10	288	0.28	0.31	0.81	0.50	22.3	7.8	17.3	0.67
AUX0103066		0.20	0.0012	0.539	0.92	94.3	<10	399	0.30	0.22	1.16	0.83	17.50	8.5	16.4	0.85
AUX0103067		0.56	0.0037	0.613	0.91	89.2	<10	187.5	0.29	0.37	0.43	0.37	23.5	8.5	18.2	1.10
AUX0103068		0.30	0.0037	1.040	1.01	68.2	<10	357	0.35	0.37	0.69	0.51	21.5	9.0	19.8	0.84
AUX0103069		0.24	0.0056	0.515	0.77	56.6	<10	437	0.32	0.20	2.84	0.82	16.35	7.1	15.2	0.60
AUX0103070		0.34	0.0031	0.499	0.95	57.7	<10	247	0.36	0.27	0.50	0.28	24.3	7.8	18.8	0.72
AUX0103071		0.24	0.0028	0.103	0.91	12.10	<10	166.0	0.17	0.14	0.35	0.12	21.1	5.7	14.8	0.66
AUX0103072		0.30	0.0077	0.778	1.06	59.9	<10	212	0.34	0.31	0.38	0.17	24.7	6.6	21.5	1.19
AUX0103073		0.36	0.0021	0.415	1.01	31.9	<10	203	0.23	0.22	0.27	0.13	21.7	5.7	17.0	1.00
AUX0103074		0.30	0.0016	0.221	0.98	19.65	<10	149.5	0.25	0.17	0.32	0.08	20.3	5.7	16.5	0.66
AUX0103075		0.36	0.0030	0.540	1.27	26.7	<10	253	0.40	0.23	0.30	0.14	25.8	7.5	22.4	0.89
AUX0103076		0.20	0.0020	0.443	1.00	2.79	<10	166.5	0.24	0.16	0.86	0.57	19.65	3.4	17.9	0.82
AUX0103077		0.18	0.0027	1.260	0.91	36.8	<10	396	0.33	0.21	2.38	0.52	13.50	7.1	17.6	0.68
AUX0103078		0.26	0.0022	0.444	0.84	43.1	<10	121.5	0.22	0.21	0.25	0.09	18.10	4.8	15.7	0.57
AUX0103079		0.30	0.0022	0.671	1.13	68.4	<10	325	0.36	0.33	0.30	0.38	20.5	8.2	17.8	0.94
AUX0103080		0.22	0.0006	0.335	1.23	27.5	<10	372	0.26	0.20	0.11	0.43	19.25	5.0	18.7	0.47
AUX0103081		0.30	0.0037	2.04	0.85	82.5	<10	182.0	0.26	0.26	0.30	0.23	19.35	8.3	16.3	0.62
AUX0103082		0.18	0.0020	0.308	1.08	29.2	<10	323	0.33	0.19	0.75	0.47	23.3	9.3	19.8	0.64
AUX0103083		0.40	0.0028	0.482	1.49	31.5	<10	300	0.67	0.29	0.48	0.25	27.1	11.2	25.4	0.87
AUX0103084		0.34	0.0014	0.119	1.59	27.2	<10	326	0.59	0.24	0.21	0.15	37.3	11.9	25.5	1.06
AUX0103085		0.34	0.0013	0.138	1.60	11.65	<10	333	0.40	0.17	0.21	0.05	25.3	7.4	24.9	0.82
AUX0103086		0.28	0.0026	0.078	1.39	12.70	<10	296	0.47	0.16	0.24	0.05	31.8	8.3	22.9	0.78
AUX0103087		0.34	0.0027	0.110	1.28	11.50	<10	344	0.37	0.18	0.35	0.07	28.5	7.8	23.2	0.76
AUX0103088		0.30	0.0370	0.066	1.35	19.00	<10	211	0.46	0.18	0.16	0.10	33.5	9.6	23.0	0.79
AUX0103089		0.28	0.0023	0.049	1.62	17.35	<10	332	0.57	0.18	0.14	0.09	31.5	9.2	26.7	0.96

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103050		24.3	2.75	4.67	0.11	<0.02	0.016	0.024	0.04	12.2	18.2	0.40	911	1.04	0.01	0.74
AUX0103051		33.2	3.98	5.15	0.13	0.05	0.066	0.027	0.16	17.9	20.4	0.56	2510	1.22	0.03	0.62
AUX0103052		29.7	2.51	4.77	0.13	0.03	0.057	0.024	0.06	18.3	19.4	0.50	583	0.57	0.01	0.70
AUX0103053		23.5	3.76	4.65	0.12	0.03	0.078	0.028	0.09	15.3	17.1	0.45	8310	1.16	0.02	0.52
AUX0103054		27.5	3.82	4.94	0.12	0.04	0.055	0.024	0.07	18.8	19.8	0.52	1240	0.89	0.02	0.69
AUX0103055		26.6	2.97	5.01	0.13	0.03	0.083	0.027	0.05	17.6	19.3	0.48	591	0.71	0.01	0.65
AUX0103056		25.8	3.36	4.83	0.13	0.03	0.070	0.026	0.06	18.3	18.7	0.49	1580	0.98	0.01	0.65
AUX0103057		21.5	1.27	2.50	0.11	0.05	0.045	0.013	0.03	10.0	7.6	0.26	127	0.26	0.01	0.54
AUX0103058		16.20	0.29	0.35	0.09	0.02	0.052	<0.005	0.02	1.1	0.4	0.33	1060	0.73	0.03	0.08
AUX0103059		39.6	2.22	3.04	0.13	0.13	0.029	0.022	0.07	14.7	11.9	0.53	704	0.78	0.01	0.62
AUX0103060		17.95	1.73	3.15	0.10	0.03	0.098	0.019	0.03	8.1	12.0	0.37	149	0.62	0.01	0.60
AUX0103061		19.60	2.44	2.24	0.11	0.05	0.027	0.014	0.02	9.3	7.9	0.26	153	0.90	0.01	0.55
AUX0103062		17.05	1.78	2.68	0.11	0.04	0.023	0.016	0.04	9.0	11.0	0.40	254	0.60	0.01	0.56
AUX0103063		18.60	2.33	3.62	0.11	0.04	0.049	0.021	0.05	13.6	13.0	0.38	202	0.62	0.01	0.80
AUX0103064		14.25	1.69	3.14	0.11	0.03	0.035	0.017	0.02	9.8	9.3	0.31	641	0.69	0.01	0.53
AUX0103065		37.0	1.93	2.69	0.12	0.06	0.043	0.020	0.05	11.7	13.2	0.38	454	0.80	0.01	0.55
AUX0103066		23.2	2.61	2.78	0.11	0.05	0.052	0.019	0.02	8.7	8.6	0.30	1500	0.84	0.01	0.45
AUX0103067		33.5	2.21	2.74	0.11	0.05	0.041	0.019	0.04	12.0	11.8	0.39	688	0.81	0.01	0.59
AUX0103068		31.3	2.25	3.32	0.11	0.04	0.037	0.023	0.04	10.8	13.2	0.36	715	0.66	0.01	0.56
AUX0103069		43.1	1.69	2.06	<0.05	0.05	0.063	0.013	0.03	8.0	8.4	0.65	746	0.81	0.02	0.43
AUX0103070		33.1	2.16	2.75	<0.05	0.04	0.027	0.018	0.03	12.1	13.6	0.34	285	0.78	0.01	0.55
AUX0103071		7.51	2.10	3.22	<0.05	<0.02	0.030	0.011	0.02	9.9	11.2	0.30	353	0.69	0.01	0.62
AUX0103072		38.1	2.31	3.03	<0.05	0.08	0.064	0.019	0.04	13.8	12.0	0.42	384	0.73	0.01	0.63
AUX0103073		19.10	1.73	3.40	<0.05	0.03	0.033	0.015	0.03	10.9	13.0	0.31	221	0.79	0.01	0.60
AUX0103074		10.30	1.80	2.97	<0.05	0.02	0.048	0.014	0.03	9.7	11.3	0.36	153	0.75	0.01	0.60
AUX0103075		28.8	2.30	3.66	<0.05	0.03	0.039	0.020	0.04	13.0	14.3	0.43	231	0.91	0.01	0.69
AUX0103076		16.55	0.88	3.13	<0.05	0.04	0.045	0.017	0.03	9.8	10.7	0.33	69	0.12	0.01	0.53
AUX0103077		28.6	1.70	2.50	<0.05	0.04	0.062	0.016	0.03	7.0	7.5	0.36	528	1.21	0.02	0.47
AUX0103078		22.5	2.02	2.46	<0.05	<0.02	0.039	0.018	0.02	9.1	9.4	0.28	163	0.91	0.01	0.50
AUX0103079		25.2	2.08	3.51	<0.05	0.02	0.030	0.020	0.03	9.9	10.1	0.28	460	1.16	0.01	0.58
AUX0103080		12.05	2.10	4.77	<0.05	<0.02	0.008	0.015	0.02	9.9	11.9	0.26	228	1.32	0.01	0.81
AUX0103081		33.4	2.15	2.51	<0.05	0.02	0.032	0.017	0.03	8.8	9.5	0.30	459	1.08	0.01	0.44
AUX0103082		19.90	2.25	3.28	<0.05	0.02	0.059	0.019	0.04	11.6	10.7	0.35	430	1.59	0.02	0.64
AUX0103083		52.0	3.18	3.94	0.05	0.05	0.069	0.031	0.05	14.9	15.0	0.48	574	1.39	0.01	0.62
AUX0103084		31.0	2.94	4.39	<0.05	0.03	0.013	0.022	0.05	16.1	17.0	0.50	516	1.38	0.01	1.47
AUX0103085		13.10	2.40	4.77	<0.05	0.02	0.007	0.019	0.03	12.3	13.5	0.38	223	0.98	0.01	1.03
AUX0103086		19.75	2.35	4.06	0.05	0.02	0.029	0.017	0.03	15.2	13.4	0.40	268	0.77	0.01	0.87
AUX0103087		18.50	2.28	3.79	<0.05	0.02	0.032	0.019	0.04	14.3	13.0	0.42	287	0.80	0.01	0.72
AUX0103088		27.4	2.51	3.52	<0.05	0.02	0.016	0.023	0.03	15.1	12.5	0.38	276	0.93	0.01	0.76
AUX0103089		18.55	2.64	4.45	<0.05	0.02	0.014	0.021	0.03	14.8	14.1	0.42	253	0.93	0.01	0.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103050		25.2	0.045	11.20	11.2	<0.001	0.03	2.53	2.1	0.3	0.5	19.4	<0.01	0.05	1.4	0.021
AUX0103051		40.8	0.092	20.0	14.1	0.001	0.09	6.51	3.6	1.4	0.4	50.9	<0.01	0.05	3.8	0.040
AUX0103052		30.2	0.070	17.95	11.7	0.001	0.11	4.64	3.3	0.9	0.3	30.8	<0.01	0.03	4.0	0.020
AUX0103053		33.2	0.123	17.40	17.2	0.001	0.10	5.36	2.6	1.2	0.3	50.1	<0.01	0.04	2.3	0.021
AUX0103054		35.1	0.082	18.75	14.4	0.001	0.08	5.49	3.5	1.1	0.4	37.3	<0.01	0.05	4.4	0.017
AUX0103055		32.3	0.095	20.4	12.5	0.001	0.11	5.54	2.7	1.1	0.4	36.4	<0.01	0.04	2.5	0.013
AUX0103056		31.5	0.079	18.00	10.6	<0.001	0.06	4.61	3.5	1.0	0.3	35.9	<0.01	0.04	4.2	0.016
AUX0103057		15.5	0.065	7.79	5.2	<0.001	0.11	1.185	2.2	0.5	0.2	35.6	<0.01	0.03	1.8	0.020
AUX0103058		8.6	0.084	0.74	0.6	0.001	0.24	0.795	0.2	0.4	<0.2	110.5	<0.01	0.03	0.1	0.004
AUX0103059		27.6	0.079	21.5	7.6	<0.001	0.03	2.01	3.3	0.4	0.3	21.3	<0.01	0.04	5.2	0.040
AUX0103060		15.7	0.049	10.05	6.5	<0.001	0.07	0.723	1.8	0.4	0.3	36.9	<0.01	0.03	1.3	0.022
AUX0103061		13.4	0.064	8.46	3.8	0.001	0.05	1.125	1.9	0.5	0.2	30.2	<0.01	0.03	2.3	0.021
AUX0103062		18.6	0.079	12.80	6.1	<0.001	0.04	0.941	2.0	0.4	0.3	28.4	<0.01	0.04	2.3	0.028
AUX0103063		18.1	0.078	11.35	6.0	<0.001	0.05	0.632	2.9	1.2	0.3	34.1	<0.01	0.03	2.8	0.028
AUX0103064		13.0	0.070	8.56	4.1	0.001	0.06	0.491	1.9	1.0	0.3	35.5	<0.01	0.02	1.1	0.019
AUX0103065		23.3	0.068	20.4	4.7	0.001	0.06	1.545	2.6	1.2	0.2	28.4	<0.01	0.04	2.8	0.024
AUX0103066		19.8	0.080	13.60	3.6	<0.001	0.10	1.100	2.2	1.1	0.3	38.6	<0.01	0.04	1.8	0.018
AUX0103067		23.0	0.056	19.70	5.2	<0.001	0.04	1.660	2.6	0.5	0.3	17.0	<0.01	0.04	3.7	0.024
AUX0103068		22.2	0.047	25.1	6.8	<0.001	0.04	1.480	2.7	0.7	0.3	24.0	<0.01	0.03	2.5	0.020
AUX0103069		18.6	0.071	12.90	4.6	<0.001	0.06	1.500	1.8	1.4	0.2	57.3	<0.01	0.04	1.0	0.017
AUX0103070		19.0	0.059	15.35	5.8	<0.001	<0.01	1.110	2.7	0.8	0.3	19.2	<0.01	0.04	3.0	0.024
AUX0103071		11.4	0.062	8.36	5.6	<0.001	<0.01	0.307	1.6	0.4	0.3	16.3	<0.01	0.02	2.4	0.022
AUX0103072		25.3	0.073	16.90	6.3	<0.001	<0.01	1.430	3.7	0.7	0.4	18.7	<0.01	0.05	4.3	0.029
AUX0103073		15.7	0.043	15.30	6.0	<0.001	<0.01	0.663	2.2	0.6	0.4	13.5	<0.01	0.04	2.7	0.024
AUX0103074		15.3	0.059	19.05	5.8	<0.001	<0.01	0.638	1.7	0.8	0.3	15.2	<0.01	0.04	2.4	0.025
AUX0103075		23.3	0.050	26.7	7.5	<0.001	<0.01	0.870	3.1	0.5	0.4	15.6	<0.01	0.04	3.3	0.026
AUX0103076		11.2	0.091	15.55	5.9	<0.001	0.05	0.489	1.9	0.7	0.3	28.6	<0.01	0.04	1.3	0.021
AUX0103077		20.0	0.082	24.6	4.7	<0.001	0.07	1.285	1.6	1.1	0.3	58.8	<0.01	0.03	0.6	0.018
AUX0103078		16.9	0.041	32.9	4.1	<0.001	<0.01	1.230	1.5	0.5	0.3	11.5	<0.01	0.04	1.3	0.023
AUX0103079		18.2	0.028	37.0	6.5	<0.001	<0.01	0.950	2.3	0.5	0.5	15.9	<0.01	0.05	2.2	0.026
AUX0103080		12.3	0.032	20.2	4.3	<0.001	<0.01	0.577	1.8	0.4	0.6	9.0	<0.01	0.05	1.3	0.026
AUX0103081		18.8	0.040	47.3	5.0	<0.001	<0.01	1.745	2.0	0.6	0.3	12.6	<0.01	0.05	2.1	0.023
AUX0103082		18.4	0.118	11.10	10.6	<0.001	0.04	0.826	2.4	1.8	0.4	36.5	<0.01	0.03	1.3	0.025
AUX0103083		32.6	0.042	17.55	8.3	<0.001	0.01	1.095	4.5	1.0	0.4	16.7	<0.01	0.06	3.1	0.020
AUX0103084		29.4	0.032	32.5	10.3	<0.001	<0.01	0.788	3.0	0.8	0.5	11.1	<0.01	0.05	4.6	0.034
AUX0103085		16.8	0.027	10.95	9.1	<0.001	<0.01	0.403	2.7	0.6	0.6	13.3	<0.01	0.04	3.0	0.035
AUX0103086		19.9	0.056	9.71	7.6	<0.001	<0.01	0.502	3.1	0.7	0.4	15.8	<0.01	0.03	2.9	0.033
AUX0103087		19.4	0.072	9.51	9.2	<0.001	<0.01	0.472	3.1	0.7	0.4	21.2	<0.01	0.04	2.7	0.033
AUX0103088		24.3	0.054	11.40	7.3	<0.001	<0.01	0.859	2.8	0.8	0.3	12.8	<0.01	0.04	3.5	0.037
AUX0103089		20.7	0.035	11.55	8.9	<0.001	<0.01	0.568	3.2	0.6	0.5	11.6	<0.01	0.05	3.2	0.037

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0103050		0.12	1.14	40	0.372	3.70	69.5	<0.5
AUX0103051		0.14	4.61	46	0.173	10.05	173.5	1.6
AUX0103052		0.14	3.05	34	0.154	8.18	146.5	1.1
AUX0103053		0.13	3.24	38	0.198	8.37	181.5	0.9
AUX0103054		0.13	3.29	38	0.174	8.73	156.0	1.3
AUX0103055		0.16	3.75	36	0.213	8.60	127.5	1.0
AUX0103056		0.12	3.69	35	0.193	8.08	131.0	1.0
AUX0103057		0.07	0.90	22	0.443	5.80	51.6	1.7
AUX0103058		0.02	2.80	4	0.0390	1.36	70.4	1.1
AUX0103059		0.16	0.36	33	0.285	7.36	87.9	5.3
AUX0103060		0.06	0.52	29	0.805	2.68	62.3	1.1
AUX0103061		0.05	1.08	24	0.223	5.05	51.0	1.4
AUX0103062		0.11	0.46	27	0.147	4.16	69.4	1.4
AUX0103063		0.08	1.48	36	0.127	7.69	54.5	1.4
AUX0103064		0.06	1.89	29	0.105	5.34	39.8	0.8
AUX0103065		0.10	1.14	27	0.246	7.00	77.4	1.9
AUX0103066		0.06	1.88	30	0.117	4.76	42.3	1.5
AUX0103067		0.10	0.47	30	0.319	6.87	72.1	1.6
AUX0103068		0.08	0.83	32	0.251	5.61	78.7	1.3
AUX0103069		0.07	1.48	23	0.204	7.04	47.0	1.5
AUX0103070		0.06	0.55	31	0.183	7.09	53.6	1.1
AUX0103071		0.07	0.32	31	0.170	2.99	37.3	0.5
AUX0103072		0.12	0.50	32	0.183	9.24	76.0	2.7
AUX0103073		0.10	0.34	33	0.161	3.99	44.9	1.0
AUX0103074		0.07	0.37	31	0.130	3.18	41.6	0.7
AUX0103075		0.10	0.44	37	0.170	5.98	59.7	1.0
AUX0103076		0.05	0.56	22	0.0901	4.29	54.2	1.0
AUX0103077		0.06	1.80	28	0.125	4.83	54.2	1.0
AUX0103078		0.10	0.32	31	0.170	2.42	47.5	<0.5
AUX0103079		0.10	0.40	37	0.317	2.94	55.4	0.6
AUX0103080		0.09	0.27	49	0.222	1.84	56.5	<0.5
AUX0103081		0.09	0.50	28	0.150	3.32	55.8	0.8
AUX0103082		0.08	1.76	35	0.195	6.56	77.9	0.7
AUX0103083		0.11	0.66	42	0.162	11.70	96.6	1.6
AUX0103084		0.10	0.45	42	0.136	3.38	76.4	1.4
AUX0103085		0.10	0.46	51	0.209	3.22	49.5	0.9
AUX0103086		0.08	0.87	40	0.173	6.46	52.1	0.6
AUX0103087		0.08	0.93	39	0.202	6.72	61.0	0.5
AUX0103088		0.08	0.82	37	0.283	4.67	60.7	0.5
AUX0103089		0.10	0.96	48	0.185	4.73	63.4	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0103090	0.38	0.0283	0.134	1.24	494	<10	141.0	0.56	1.15	0.13	0.31	27.9	9.0	18.5	4.17
AUX0103091	0.34	0.0280	0.078	1.16	260	<10	143.5	0.45	5.77	0.14	0.18	27.7	7.0	16.3	3.38
AUX0103092	0.36	0.0022	0.089	1.51	25.3	<10	286	0.40	0.24	0.16	0.21	24.5	7.8	24.7	1.01
AUX0103093	0.38	0.0201	0.077	1.04	141.5	<10	156.5	0.33	0.40	0.13	0.07	27.8	6.1	17.2	1.29
AUX0103094	0.28	0.0134	0.174	1.48	641	<10	234	0.57	1.12	0.18	0.47	27.8	9.0	20.9	3.64
AUX0103095	0.32	0.0209	0.210	1.39	468	<10	255	0.50	0.96	0.14	0.24	28.8	8.5	21.5	2.94
AUX0103096	0.32	0.0026	0.096	1.52	35.0	<10	256	0.44	0.18	0.15	0.08	36.5	9.1	26.8	0.91
AUX0103097	0.22	0.0025	0.194	1.72	46.6	<10	265	0.51	0.26	0.12	0.22	25.7	10.4	26.9	1.47
AUX0103098	0.26	0.0055	0.285	1.72	63.4	<10	307	0.37	0.31	0.17	0.22	24.8	6.8	23.2	2.43
AUX0103099	0.28	0.0122	0.165	1.22	201	<10	140.0	0.39	0.37	0.15	0.10	23.8	6.4	18.7	1.70
AUX0103100	0.32	0.0091	0.152	1.11	191.5	<10	126.0	0.33	0.35	0.15	0.11	21.9	6.1	17.3	1.54
AUX0103101	0.34	0.0093	0.111	1.01	116.5	<10	199.5	0.31	0.40	0.18	0.08	27.8	5.4	16.7	1.45
AUX0103102	0.38	0.0016	0.067	1.13	41.6	<10	164.0	0.32	0.18	0.25	0.07	28.9	6.1	19.1	0.82
AUX0103103	0.36	0.0112	0.132	1.31	212	<10	354	0.34	0.48	0.15	0.14	25.2	5.4	18.5	2.70
AUX0103104	0.18	0.0074	0.508	2.03	456	<10	681	0.85	0.45	0.66	0.70	31.5	15.9	31.9	1.75
AUX0103105	0.38	0.0642	0.413	1.29	332	<10	313	0.48	0.64	0.47	0.38	35.1	12.8	24.1	2.41
AUX0103106	0.36	0.0305	0.291	1.32	274	<10	323	0.40	0.49	0.32	0.51	34.7	15.6	24.2	1.74
AUX0103107	0.40	0.0307	0.460	1.34	305	<10	320	0.48	0.78	0.59	0.48	31.9	11.6	23.0	2.52
AUX0103108	0.34	0.0304	0.342	1.68	589	<10	549	0.77	0.78	0.60	0.93	37.1	37.9	28.5	2.00
AUX0103109	0.38	0.0153	0.294	1.67	251	<10	450	0.67	0.50	0.45	0.41	34.9	17.5	29.3	1.67
AUX0103110	0.36	0.0135	0.369	1.67	258	<10	533	0.58	0.49	0.50	0.77	34.9	17.3	30.5	1.45
AUX0103111	0.24	0.0155	0.325	1.62	235	<10	491	0.59	0.37	0.40	0.31	37.9	13.9	31.0	1.47
AUX0103112	0.28	0.0048	0.198	0.82	68.9	<10	180.0	0.24	0.19	0.39	0.07	22.0	6.9	16.7	0.61
AUX0103113	0.30	0.0018	0.096	0.92	25.1	<10	161.5	0.28	0.14	0.31	0.09	21.2	6.1	16.7	0.64
AUX0103114	0.30	0.0023	0.237	0.93	44.0	<10	149.0	0.23	0.26	0.46	0.16	18.55	5.4	18.4	0.79
AUX0103115	0.36	0.0070	0.272	1.26	34.0	<10	198.5	0.42	0.46	0.47	0.21	31.2	7.3	22.7	1.36
AUX0103116	0.24	0.0034	0.138	0.91	20.9	<10	379	0.26	0.15	0.86	0.26	23.5	5.2	17.8	0.54
AUX0103117	0.28	0.0694	0.303	0.92	43.9	<10	359	0.28	0.17	1.20	0.35	18.40	7.3	15.6	0.66
AUX0103118	0.38	0.0123	0.068	0.97	17.95	<10	190.5	0.29	0.14	0.29	0.06	25.1	5.6	16.4	0.62
AUX0103119	0.24	0.0164	2.50	1.45	137.0	<10	530	0.90	0.28	2.62	1.05	31.3	7.9	17.8	1.57
AUX0103120	0.30	0.0024	0.129	0.84	4.08	<10	269	0.26	0.13	0.73	0.14	22.8	4.1	15.1	0.46
AUX0103121	0.36	0.0027	0.183	0.84	20.5	<10	188.0	0.24	0.16	0.42	0.14	23.1	6.1	16.8	0.48
AUX0103122	0.34	0.0022	0.127	0.83	21.0	<10	175.5	0.26	0.18	0.37	0.19	26.6	6.1	15.6	0.52
AUX0103123	0.30	0.0099	0.075	0.89	5.54	<10	197.5	0.22	0.11	0.60	0.13	20.5	3.3	15.1	0.52
AUX0103124	0.26	0.0021	0.212	0.72	3.23	<10	370	0.23	0.09	1.95	1.44	12.00	2.0	13.0	0.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103090		29.4	2.73	3.19	<0.05	<0.02	0.018	0.019	0.06	13.2	14.9	0.42	457	1.07	0.01	0.46
AUX0103091		18.35	2.20	3.19	<0.05	0.02	0.010	0.016	0.04	13.7	13.8	0.33	155	0.74	0.01	0.64
AUX0103092		19.80	2.68	4.62	<0.05	<0.02	0.032	0.023	0.04	11.5	12.7	0.36	255	1.18	0.01	0.45
AUX0103093		18.65	1.97	2.95	<0.05	<0.02	0.016	0.014	0.03	13.4	11.0	0.30	197	0.73	0.01	0.62
AUX0103094		27.4	3.39	4.58	<0.05	<0.02	0.021	0.027	0.06	13.0	16.9	0.35	289	1.44	0.01	1.02
AUX0103095		29.8	2.93	3.91	<0.05	<0.02	0.018	0.018	0.05	13.8	16.3	0.38	291	1.28	0.01	0.74
AUX0103096		22.1	2.68	4.45	0.05	<0.02	0.022	0.022	0.04	17.3	15.1	0.44	275	1.20	0.01	0.91
AUX0103097		19.65	2.89	4.65	<0.05	0.03	0.016	0.021	0.04	12.8	14.7	0.38	265	1.13	0.01	1.10
AUX0103098		9.22	2.57	6.24	<0.05	0.03	0.017	0.020	0.04	11.9	19.7	0.36	189	1.00	0.01	1.24
AUX0103099		26.6	2.01	3.07	<0.05	0.03	0.027	0.016	0.03	12.3	12.2	0.37	194	0.65	0.01	0.69
AUX0103100		24.8	1.91	2.93	<0.05	0.04	0.020	0.016	0.03	10.9	10.8	0.33	165	0.69	0.01	0.65
AUX0103101		23.9	1.83	2.77	<0.05	<0.02	0.026	0.013	0.03	14.6	10.4	0.30	222	0.66	0.01	0.53
AUX0103102		17.25	1.91	3.29	<0.05	0.02	0.017	0.014	0.03	14.3	11.9	0.35	149	0.70	0.01	0.69
AUX0103103		15.15	2.13	3.81	<0.05	<0.02	0.010	0.014	0.04	13.3	15.2	0.34	297	0.76	0.01	0.70
AUX0103104		53.5	4.38	5.78	0.05	0.05	0.046	0.026	0.06	16.7	22.7	0.44	1900	1.22	0.02	0.59
AUX0103105		40.8	2.98	3.73	0.05	0.05	0.054	0.026	0.07	17.2	17.8	0.51	621	1.11	0.02	0.81
AUX0103106		30.7	3.07	3.67	0.06	0.04	0.029	0.025	0.05	17.6	16.1	0.45	388	0.83	0.01	0.70
AUX0103107		39.4	2.93	3.73	0.06	0.04	0.030	0.028	0.06	16.5	17.3	0.47	995	1.06	0.02	0.67
AUX0103108		34.6	4.53	4.67	0.07	0.06	0.050	0.035	0.06	17.6	18.9	0.47	5620	2.06	0.02	0.66
AUX0103109		38.0	3.55	4.57	0.07	0.05	0.048	0.034	0.06	17.6	18.6	0.48	1520	1.29	0.02	0.78
AUX0103110		41.1	3.73	4.44	0.07	0.05	0.075	0.036	0.06	18.4	18.5	0.49	527	1.31	0.02	0.83
AUX0103111		28.9	3.43	4.72	0.07	0.04	0.065	0.033	0.05	19.3	21.8	0.51	408	0.77	0.02	0.73
AUX0103112		22.9	2.14	2.56	0.05	0.03	0.025	0.024	0.03	10.5	10.2	0.34	338	0.60	0.01	0.54
AUX0103113		17.40	1.84	2.60	<0.05	0.03	0.033	0.025	0.02	10.2	11.2	0.32	150	0.72	0.01	0.60
AUX0103114		17.65	1.88	2.84	0.09	0.03	0.110	0.015	0.04	9.3	10.9	0.38	283	0.73	0.01	0.45
AUX0103115		37.4	1.75	3.67	0.06	0.06	0.016	0.023	0.03	14.7	15.6	0.46	125	0.47	0.01	0.89
AUX0103116		18.40	1.19	2.69	<0.05	0.04	0.020	0.022	0.04	11.4	14.1	0.37	813	0.30	0.02	0.73
AUX0103117		27.9	1.88	2.65	<0.05	0.02	0.044	0.019	0.03	9.0	11.4	0.32	502	0.78	0.02	0.49
AUX0103118		18.40	2.01	3.06	0.05	<0.02	0.009	0.020	0.03	11.0	10.8	0.29	116	0.70	0.01	0.65
AUX0103119		203	1.85	3.04	0.15	0.07	0.170	0.022	0.02	53.7	11.0	0.37	938	0.83	0.02	0.57
AUX0103120		15.70	1.11	2.48	0.05	0.03	0.021	0.022	0.03	10.9	10.7	0.32	143	0.14	0.01	0.61
AUX0103121		18.60	1.81	2.47	0.05	0.05	0.018	0.023	0.03	11.2	12.1	0.31	166	0.72	0.01	0.65
AUX0103122		21.8	1.82	2.54	0.06	0.04	0.029	0.023	0.03	12.7	11.0	0.33	156	0.61	0.01	0.70
AUX0103123		6.27	1.19	2.81	<0.05	0.04	0.019	0.019	0.02	9.6	11.8	0.31	72	0.20	0.01	0.66
AUX0103124		16.95	0.94	2.17	0.05	0.04	0.051	0.019	0.02	6.1	6.4	0.26	52	0.20	0.02	0.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103090		27.6	0.062	14.55	9.8	<0.001	0.01	6.84	1.3	1.1	0.4	9.3	<0.01	0.09	0.8	0.028
AUX0103091		20.2	0.056	11.45	8.3	<0.001	<0.01	3.66	1.7	0.9	0.5	11.5	<0.01	0.08	2.2	0.021
AUX0103092		19.0	0.074	11.05	10.9	<0.001	<0.01	0.626	1.6	0.6	0.5	13.2	<0.01	0.04	0.4	0.025
AUX0103093		16.5	0.041	10.55	7.1	<0.001	<0.01	1.840	2.1	0.7	0.3	10.1	<0.01	0.05	2.6	0.025
AUX0103094		28.7	0.051	16.95	16.2	<0.001	0.01	4.27	2.0	0.8	0.7	18.5	<0.01	0.09	2.0	0.026
AUX0103095		25.5	0.043	14.40	13.5	<0.001	<0.01	3.35	2.1	0.7	0.5	12.5	<0.01	0.09	2.5	0.020
AUX0103096		21.5	0.044	11.50	10.1	<0.001	<0.01	0.918	3.7	0.7	0.4	13.6	<0.01	0.04	3.7	0.044
AUX0103097		24.1	0.032	12.70	10.6	<0.001	<0.01	0.995	2.5	0.7	0.5	11.2	<0.01	0.06	3.7	0.037
AUX0103098		14.0	0.034	13.30	12.6	<0.001	<0.01	0.586	2.6	0.4	0.7	12.5	<0.01	0.03	2.9	0.036
AUX0103099		19.9	0.045	9.38	7.4	<0.001	<0.01	1.580	1.8	0.6	0.4	9.4	<0.01	0.06	2.7	0.028
AUX0103100		19.3	0.050	9.80	6.7	<0.001	<0.01	1.620	1.7	0.4	0.3	9.6	<0.01	0.04	2.3	0.026
AUX0103101		17.1	0.048	9.06	7.7	<0.001	<0.01	1.885	2.6	0.6	0.3	11.5	<0.01	0.05	3.0	0.024
AUX0103102		17.3	0.070	8.08	6.7	<0.001	<0.01	0.843	2.4	0.5	0.3	16.5	<0.01	0.03	3.4	0.032
AUX0103103		15.3	0.040	8.30	9.9	<0.001	<0.01	2.27	2.0	0.4	0.5	13.1	<0.01	0.03	2.3	0.020
AUX0103104		42.6	0.099	21.4	15.3	0.001	0.05	6.16	3.0	1.6	0.5	51.5	<0.01	0.06	2.1	0.013
AUX0103105		31.3	0.084	17.40	10.4	0.001	0.03	6.18	3.9	1.0	0.5	28.7	<0.01	0.04	5.1	0.032
AUX0103106		27.6	0.087	16.40	8.9	<0.001	0.04	4.48	3.2	1.1	0.4	22.4	<0.01	0.03	4.8	0.024
AUX0103107		30.6	0.095	16.45	10.9	<0.001	0.04	5.29	3.5	0.8	0.5	33.8	<0.01	0.06	3.9	0.024
AUX0103108		40.8	0.090	19.15	12.1	0.001	0.06	8.19	3.8	1.8	0.5	40.2	<0.01	0.09	3.2	0.017
AUX0103109		33.5	0.075	17.20	11.8	<0.001	0.03	4.52	4.4	1.3	0.5	28.8	<0.01	0.05	4.3	0.022
AUX0103110		36.2	0.101	19.35	12.7	<0.001	0.04	5.61	4.5	1.6	0.5	31.0	<0.01	0.05	5.2	0.021
AUX0103111		32.6	0.075	20.5	11.4	0.002	0.06	6.11	3.9	1.7	0.5	30.6	<0.01	0.04	4.5	0.017
AUX0103112		16.8	0.041	9.43	4.7	<0.001	0.01	0.781	2.5	0.4	0.3	16.3	<0.01	<0.01	2.4	0.024
AUX0103113		14.2	0.054	9.12	4.5	0.001	0.02	0.588	1.9	0.7	0.3	13.6	<0.01	0.02	2.6	0.024
AUX0103114		15.1	0.063	16.60	5.1	<0.001	0.02	1.130	2.0	0.3	0.3	19.7	<0.01	0.02	1.9	0.022
AUX0103115		21.4	0.058	25.9	6.7	0.001	0.02	1.485	3.0	0.7	0.5	20.2	<0.01	0.01	4.3	0.029
AUX0103116		14.1	0.067	9.06	6.8	<0.001	0.07	0.601	2.6	0.9	0.3	31.3	<0.01	<0.01	3.1	0.030
AUX0103117		16.2	0.072	10.40	5.6	<0.001	0.05	0.972	1.5	0.8	0.3	33.2	<0.01	0.03	0.8	0.020
AUX0103118		14.5	0.054	9.32	4.3	<0.001	0.01	0.591	1.9	0.2	0.3	13.3	<0.01	0.03	2.6	0.027
AUX0103119		55.0	0.092	15.75	8.3	<0.001	0.10	1.560	6.2	3.0	0.7	67.3	0.01	0.03	0.9	0.016
AUX0103120		11.2	0.064	9.04	4.4	0.001	0.04	0.356	2.2	0.7	0.3	29.0	<0.01	0.01	2.9	0.025
AUX0103121		14.9	0.059	11.25	3.7	<0.001	0.01	0.688	2.2	0.6	0.3	18.2	<0.01	0.01	3.4	0.027
AUX0103122		16.5	0.071	12.55	4.0	0.001	<0.01	0.760	2.2	0.3	0.3	18.4	<0.01	0.03	3.7	0.029
AUX0103123		10.7	0.064	8.68	3.9	<0.001	0.04	0.305	1.8	0.4	0.4	24.4	<0.01	0.01	2.4	0.025
AUX0103124		10.2	0.068	6.73	5.0	0.001	0.17	0.488	1.7	2.0	0.3	59.1	<0.01	<0.01	1.1	0.018

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103090		0.13	0.61	31	0.545	3.95	64.7	<0.5
AUX0103091		0.14	0.49	27	0.912	3.75	59.3	0.6
AUX0103092		0.10	0.82	46	0.276	5.17	66.3	<0.5
AUX0103093		0.08	0.49	29	0.432	4.58	43.6	<0.5
AUX0103094		0.14	0.60	40	1.670	3.28	59.0	<0.5
AUX0103095		0.13	0.51	37	0.825	3.65	56.4	0.5
AUX0103096		0.09	1.57	47	0.232	6.01	71.8	0.5
AUX0103097		0.11	0.48	50	0.363	2.68	68.5	1.1
AUX0103098		0.16	0.39	58	0.287	2.57	68.5	1.0
AUX0103099		0.10	0.51	32	0.390	3.42	46.9	0.6
AUX0103100		0.11	0.42	29	0.297	3.25	44.6	0.7
AUX0103101		0.09	0.79	27	0.411	6.32	44.4	<0.5
AUX0103102		0.07	0.56	31	0.528	5.32	47.8	0.6
AUX0103103		0.14	0.58	33	0.345	3.33	44.2	<0.5
AUX0103104		0.13	5.90	47	0.183	10.20	105.0	1.2
AUX0103105		0.15	1.09	36	2.74	8.60	107.5	2.1
AUX0103106		0.13	1.56	33	0.245	7.28	122.5	1.5
AUX0103107		0.16	1.83	34	0.431	8.44	98.0	1.6
AUX0103108		0.16	3.54	42	0.302	10.05	148.5	1.7
AUX0103109		0.15	2.75	45	1.090	9.15	102.0	1.6
AUX0103110		0.13	4.83	45	0.404	10.25	139.0	1.7
AUX0103111		0.14	3.58	39	0.214	8.65	127.5	1.5
AUX0103112		0.05	0.48	28	0.117	5.36	45.5	1.1
AUX0103113		0.07	0.37	27	0.139	4.00	46.8	1.1
AUX0103114		0.07	0.33	29	0.198	3.23	62.9	0.7
AUX0103115		0.13	0.48	38	0.440	5.86	63.5	2.2
AUX0103116		0.08	1.22	25	0.147	5.89	72.5	1.6
AUX0103117		0.09	1.49	27	0.153	4.66	58.6	0.5
AUX0103118		0.09	0.42	32	0.379	3.56	40.1	0.5
AUX0103119		0.16	3.83	27	0.214	76.5	56.1	2.2
AUX0103120		0.08	0.64	25	0.274	5.56	50.9	1.3
AUX0103121		0.07	0.48	28	0.147	4.88	47.0	1.7
AUX0103122		0.08	0.60	29	0.193	5.43	55.9	1.9
AUX0103123		0.06	0.47	25	0.144	3.65	40.4	1.0
AUX0103124		0.07	1.24	15	0.0760	3.56	42.8	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 16- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185214

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

CERTIFICATE WH11185215

Project: Aurex

P.O. No.: AUX09142011

This report is for 195 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103125		0.20	0.0017	0.177	0.96	4.17	<10	326	0.31	0.12	1.24	1.89	18.60	2.5	18.5	0.69
AUX0103126		0.52	0.0049	0.388	0.99	42.1	<10	268	0.37	0.23	0.36	0.34	28.3	8.4	20.5	0.59
AUX0103127		0.44	0.0064	0.487	0.88	53.8	<10	199.5	0.31	0.31	0.50	0.34	27.0	7.9	18.7	0.56
AUX0103128		0.36	0.0030	0.301	1.04	24.4	<10	203	0.21	0.19	0.30	0.13	20.6	4.8	18.4	0.75
AUX0103129		0.28	0.0027	0.439	1.38	79.0	<10	259	0.48	0.33	0.26	0.31	22.4	10.2	23.0	1.74
AUX0103130		0.24	<0.0002	0.040	1.01	12.25	<10	146.0	0.17	0.19	0.07	0.15	24.4	3.9	16.2	0.62
AUX0103131		0.34	<0.0002	0.178	0.90	4.63	<10	148.5	0.19	0.15	0.19	0.06	28.1	3.6	15.7	0.63
AUX0103132		0.16	0.0028	0.346	0.64	25.4	<10	106.0	0.17	0.29	0.67	0.49	17.45	5.8	13.1	0.55
AUX0103133		0.28	0.0056	10.50	0.83	55.0	<10	222	0.20	0.30	0.38	0.38	19.25	4.3	15.1	0.89
AUX0103134		0.26	0.0003	1.035	1.10	38.5	<10	315	0.24	0.28	0.72	0.53	18.10	4.7	16.8	1.07
AUX0103135		0.26	0.0020	0.293	0.89	40.0	<10	148.0	0.30	0.19	0.21	0.12	24.8	7.7	18.2	0.65
AUX0103136		0.22	0.0011	0.170	1.36	76.5	<10	199.0	0.39	0.19	0.18	0.26	20.7	7.5	22.0	0.82
AUX0103137		0.14	0.0011	0.125	0.29	4.30	<10	241	0.17	0.05	1.16	0.89	4.10	0.9	7.3	0.13
AUX0103138		0.32	0.0003	0.064	0.66	1.24	<10	70.0	0.15	0.09	0.19	0.14	21.8	1.8	13.3	0.52
AUX0103139		0.20	<0.0002	0.245	0.41	7.37	<10	276	0.26	0.10	1.20	1.05	8.71	3.2	6.8	0.19
AUX0103140		0.26	0.0006	0.402	1.07	2.27	<10	365	0.34	0.20	0.97	0.30	20.1	2.9	18.7	1.05
AUX0103141		0.30	0.0002	0.129	1.57	18.15	<10	348	0.32	0.19	0.29	0.10	23.4	7.2	23.4	0.89
AUX0103142		0.22	0.0011	0.284	1.83	12.35	<10	676	0.45	0.23	0.51	0.15	22.4	10.4	25.5	0.58
AUX0103143		0.24	0.0031	0.135	1.68	30.5	<10	367	0.50	0.26	0.13	0.15	31.0	9.8	29.8	1.02
AUX0103144		0.22	0.0007	0.118	1.43	18.30	<10	246	0.36	0.21	0.13	0.21	28.7	7.7	23.3	0.95
AUX0103145		0.24	0.0012	0.049	1.34	23.2	<10	175.5	0.41	0.21	0.16	0.16	28.0	12.9	23.1	0.91
AUX0103146		0.24	0.0005	0.127	1.74	15.75	<10	425	0.50	0.22	0.16	0.12	30.4	9.9	28.3	1.08
AUX0103147		0.20	0.0003	0.148	1.64	15.65	<10	176.0	0.33	0.22	0.09	0.14	24.9	6.9	26.0	1.08
AUX0103148		0.22	<0.0002	0.048	1.32	16.25	<10	139.0	0.24	0.21	0.11	0.13	25.3	5.8	24.6	0.96
AUX0103149		0.48	0.0009	0.143	1.74	16.45	<10	297	0.51	0.22	0.09	0.12	27.7	9.6	26.8	1.10
AUX0103150		0.34	0.0007	0.132	1.73	16.15	<10	253	0.47	0.23	0.10	0.12	30.1	8.5	27.8	1.13
AUX0103151		0.24	0.0007	0.124	1.54	15.10	<10	204	0.41	0.19	0.12	0.10	29.5	7.8	25.8	0.96
AUX0103152		0.22	<0.0002	0.115	1.33	18.55	<10	160.5	0.30	0.23	0.09	0.17	21.9	6.8	23.8	1.12
AUX0103153		0.20	0.0007	0.104	1.53	18.25	<10	156.5	0.44	0.21	0.10	0.18	24.1	7.1	24.7	1.18
AUX0103154		0.24	0.0463	0.280	1.56	67.3	<10	274	0.58	0.37	0.13	0.22	35.0	10.9	27.6	1.45
AUX0103155		0.18	0.0012	0.064	1.07	42.3	<10	136.5	0.36	0.20	0.11	0.13	21.4	6.0	19.2	0.90
AUX0103156		0.18	0.0018	0.333	1.47	60.7	<10	423	0.64	0.29	0.15	0.93	24.2	12.5	21.3	1.33
AUX0103157		0.22	0.0051	0.243	1.28	158.5	<10	364	0.51	0.27	0.39	0.63	25.0	10.6	22.4	1.10
AUX0103158		0.20	0.0095	0.214	1.10	83.2	<10	320	0.51	0.34	0.34	0.70	28.6	8.3	11.5	1.57
AUX0103159		0.22	0.0101	0.358	1.28	361	<10	360	0.55	0.44	0.51	0.52	32.6	13.5	24.7	1.35
AUX0103160		0.22	0.0102	0.381	1.32	264	<10	362	0.55	0.41	0.66	0.79	29.4	11.7	24.8	1.39
AUX0103161		0.22	0.0144	0.498	1.48	332	<10	489	0.66	0.53	0.68	1.48	35.5	18.2	26.9	1.49
AUX0103162		0.22	0.0194	0.372	1.67	133.0	<10	612	0.52	0.39	0.71	1.10	34.4	13.4	31.1	1.45
AUX0103163		0.18	0.0148	0.405	1.67	260	<10	491	0.47	0.48	0.51	0.82	33.4	15.1	31.2	1.40
AUX0103164		0.32	0.0098	0.332	1.07	137.0	<10	335	0.39	0.49	0.59	0.49	33.5	11.6	23.0	1.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103125		19.25	1.01	3.20	<0.05	0.04	0.069	0.017	0.03	8.6	8.7	0.29	58	0.16	<0.01	0.62
AUX0103126		33.7	2.44	3.08	0.05	0.06	0.040	0.017	0.04	14.1	13.2	0.37	290	0.84	<0.01	0.55
AUX0103127		36.6	2.28	2.75	0.06	0.08	0.043	0.018	0.04	13.7	10.5	0.43	167	1.07	<0.01	0.55
AUX0103128		15.60	2.05	3.80	<0.05	0.02	0.034	0.015	0.03	9.9	12.0	0.33	173	1.14	<0.01	0.65
AUX0103129		32.8	2.66	3.29	0.10	0.02	0.022	0.022	0.04	10.8	14.9	0.38	317	0.96	0.01	0.77
AUX0103130		11.00	1.84	3.84	0.09	0.02	0.017	0.017	0.02	12.5	8.9	0.19	96	0.81	<0.01	0.81
AUX0103131		9.84	1.33	2.89	0.11	0.02	0.028	0.014	0.03	14.3	10.2	0.26	80	0.29	<0.01	0.64
AUX0103132		16.70	1.27	1.73	0.10	0.04	0.025	0.014	0.03	8.4	7.9	0.29	246	0.49	0.01	0.41
AUX0103133		15.40	1.79	3.01	0.09	<0.02	0.023	0.017	0.02	10.1	8.8	0.24	140	0.96	<0.01	0.56
AUX0103134		25.4	1.86	4.24	0.09	<0.02	0.032	0.017	0.03	9.5	10.2	0.29	268	1.16	0.01	0.65
AUX0103135		33.0	2.03	2.54	0.10	0.02	0.048	0.014	0.03	12.7	9.2	0.33	288	0.86	<0.01	0.54
AUX0103136		27.3	2.35	3.37	0.09	0.03	0.026	0.021	0.03	10.9	11.0	0.28	240	1.30	<0.01	0.77
AUX0103137		17.95	0.32	0.70	0.07	0.03	0.073	0.006	0.01	2.2	0.5	0.10	25	0.72	0.03	0.16
AUX0103138		7.35	0.69	2.86	0.10	0.02	0.040	0.010	0.02	11.1	7.9	0.18	49	0.10	<0.01	0.55
AUX0103139		32.7	1.10	0.90	0.08	0.02	0.081	0.011	0.01	4.2	0.4	0.10	41	0.69	0.01	0.24
AUX0103140		20.7	0.94	3.65	0.09	0.02	0.065	0.019	0.03	10.5	9.2	0.26	60	0.22	0.01	0.58
AUX0103141		12.15	2.32	4.49	0.10	0.04	0.015	0.021	0.03	11.6	14.4	0.38	169	0.88	<0.01	0.85
AUX0103142		18.80	2.24	5.40	0.09	0.03	0.039	0.025	0.02	11.3	11.8	0.34	1290	0.92	0.01	0.87
AUX0103143		26.5	2.66	4.41	0.10	<0.02	0.047	0.025	0.04	15.6	14.0	0.42	343	0.79	0.01	0.79
AUX0103144		22.7	2.49	4.26	0.11	<0.02	0.049	0.022	0.03	14.7	12.3	0.32	278	0.94	<0.01	0.35
AUX0103145		27.6	2.59	3.54	0.10	0.02	0.034	0.024	0.04	13.8	12.5	0.37	420	0.88	<0.01	0.76
AUX0103146		18.00	2.80	4.95	0.11	0.02	0.034	0.025	0.03	15.9	14.3	0.38	561	1.11	<0.01	0.97
AUX0103147		11.35	2.74	5.18	0.09	<0.02	0.034	0.024	0.03	12.9	14.5	0.33	179	1.20	<0.01	0.83
AUX0103148		13.05	2.81	4.10	0.09	<0.02	0.024	0.026	0.04	13.0	17.7	0.37	121	0.64	<0.01	0.74
AUX0103149		15.70	2.76	5.09	0.10	0.02	0.025	0.027	0.04	14.6	16.0	0.37	377	1.11	<0.01	1.00
AUX0103150		18.10	2.82	4.65	0.10	0.02	0.018	0.024	0.04	15.0	15.6	0.39	243	1.02	<0.01	0.98
AUX0103151		18.35	2.61	4.17	0.11	<0.02	0.026	0.021	0.04	14.6	15.6	0.39	193	1.18	<0.01	0.86
AUX0103152		8.45	2.47	4.40	0.09	<0.02	0.026	0.021	0.04	11.1	14.0	0.32	240	1.23	<0.01	0.62
AUX0103153		13.00	2.68	4.55	0.10	<0.02	0.025	0.024	0.03	12.5	18.7	0.38	174	1.11	<0.01	0.99
AUX0103154		41.5	2.84	4.39	0.12	<0.02	0.061	0.028	0.04	18.3	19.2	0.44	421	1.08	<0.01	0.53
AUX0103155		18.60	1.92	3.01	0.10	<0.02	0.022	0.018	0.03	11.0	10.7	0.27	114	0.65	<0.01	0.59
AUX0103156		27.0	2.51	4.88	0.10	<0.02	0.047	0.024	0.03	13.1	13.6	0.27	1900	1.39	0.01	0.41
AUX0103157		25.8	2.54	3.59	0.11	0.03	0.059	0.021	0.03	13.7	14.3	0.33	1720	1.19	0.01	0.46
AUX0103158		24.8	2.18	4.54	0.10	0.04	0.079	0.026	0.02	15.1	17.7	0.28	1510	0.79	<0.01	0.54
AUX0103159		31.8	3.28	3.48	0.11	0.06	0.059	0.024	0.05	16.7	16.7	0.39	1130	1.29	0.01	0.50
AUX0103160		34.4	3.09	3.84	0.11	0.05	0.067	0.025	0.05	14.7	15.8	0.37	738	1.46	0.01	0.62
AUX0103161		44.3	3.79	3.88	0.13	0.09	0.082	0.027	0.05	18.0	18.0	0.39	620	1.54	0.01	0.61
AUX0103162		53.8	2.67	4.54	0.12	0.07	0.099	0.026	0.06	17.9	21.5	0.46	1040	0.88	0.01	0.59
AUX0103163		32.9	3.36	4.38	0.11	0.06	0.093	0.027	0.06	17.1	20.3	0.49	376	1.11	0.01	0.62
AUX0103164		38.8	2.54	3.38	0.13	0.07	0.059	0.023	0.06	17.1	18.1	0.53	303	1.15	0.01	0.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103125		10.7	0.066	8.87	6.6	0.001	0.12	0.476	2.3	2.0	0.3	42.3	<0.01	0.02	1.6	0.022
AUX0103126		23.1	0.071	17.80	4.8	0.001	<0.01	1.185	3.2	0.8	0.3	18.5	<0.01	0.02	4.0	0.033
AUX0103127		20.9	0.067	20.2	4.3	0.001	<0.01	1.490	3.1	0.9	0.3	19.1	<0.01	0.02	4.2	0.035
AUX0103128		12.8	0.039	13.65	6.5	0.001	0.01	0.566	1.8	0.5	0.4	12.2	<0.01	0.02	2.6	0.026
AUX0103129		33.1	0.048	28.7	8.1	<0.001	0.01	1.220	2.5	0.4	0.4	13.1	<0.01	0.04	2.6	0.030
AUX0103130		11.4	0.021	9.86	7.0	<0.001	0.01	0.482	1.8	0.5	0.4	7.6	<0.01	0.02	3.1	0.029
AUX0103131		10.0	0.050	9.94	6.3	<0.001	0.01	0.366	1.9	0.5	0.3	12.8	<0.01	0.02	2.7	0.030
AUX0103132		13.7	0.067	24.0	3.6	<0.001	0.02	0.757	1.3	0.3	0.2	20.1	<0.01	0.02	1.9	0.023
AUX0103133		13.0	0.028	19.30	6.2	<0.001	0.01	2.88	1.7	0.3	0.4	15.1	<0.01	0.03	1.8	0.030
AUX0103134		16.3	0.039	13.05	6.8	<0.001	0.02	0.732	1.8	0.2	0.4	23.3	<0.01	0.03	0.7	0.024
AUX0103135		21.3	0.031	15.90	4.7	0.001	0.01	1.190	2.8	0.4	0.3	13.2	<0.01	0.02	3.1	0.028
AUX0103136		21.1	0.025	12.30	7.5	<0.001	0.01	0.852	2.4	0.2	0.3	10.2	<0.01	0.03	3.5	0.027
AUX0103137		11.9	0.058	2.51	0.6	0.001	0.24	0.311	0.4	1.3	<0.2	48.5	<0.01	<0.01	0.1	0.010
AUX0103138		7.2	0.052	6.32	3.0	<0.001	0.03	0.146	1.4	0.5	0.5	13.4	<0.01	0.01	1.6	0.027
AUX0103139		17.5	0.067	4.92	1.0	<0.001	0.14	0.520	1.3	1.6	0.2	50.8	0.01	0.02	0.2	0.016
AUX0103140		13.2	0.079	11.95	7.4	<0.001	0.06	0.348	2.0	0.8	0.4	37.7	<0.01	0.01	0.6	0.023
AUX0103141		19.0	0.022	12.75	7.7	<0.001	0.01	0.403	2.7	0.3	0.5	13.5	<0.01	0.02	2.8	0.028
AUX0103142		19.7	0.022	15.65	3.9	<0.001	0.02	0.440	3.5	0.4	0.7	18.6	<0.01	0.02	2.2	0.026
AUX0103143		25.4	0.031	11.75	7.8	<0.001	0.01	0.833	4.0	0.5	0.5	11.8	<0.01	0.02	2.5	0.032
AUX0103144		18.5	0.077	10.75	6.7	<0.001	0.02	0.569	1.2	0.9	0.4	10.8	<0.01	0.04	0.3	0.022
AUX0103145		29.8	0.064	12.65	9.2	<0.001	0.01	0.848	2.4	0.5	0.3	13.2	<0.01	0.02	3.4	0.034
AUX0103146		22.2	0.036	12.70	9.1	<0.001	0.01	0.560	3.6	0.5	0.5	15.6	<0.01	0.02	3.0	0.036
AUX0103147		15.5	0.046	12.15	8.8	<0.001	0.01	0.495	1.8	0.5	0.5	9.1	<0.01	0.03	0.8	0.034
AUX0103148		18.8	0.042	13.05	5.8	<0.001	0.02	0.590	1.5	0.4	0.4	9.5	<0.01	0.02	0.8	0.031
AUX0103149		18.7	0.035	12.45	10.8	<0.001	0.01	0.585	3.3	0.4	0.5	9.8	<0.01	0.03	2.9	0.040
AUX0103150		20.7	0.035	12.95	10.9	<0.001	0.01	0.620	2.9	0.4	0.5	9.6	<0.01	0.03	3.4	0.039
AUX0103151		21.0	0.047	11.75	9.8	<0.001	0.01	0.679	2.6	0.5	0.4	10.9	<0.01	0.02	2.7	0.040
AUX0103152		12.7	0.040	11.50	6.8	<0.001	0.02	0.521	1.2	0.3	0.5	8.3	<0.01	0.03	0.4	0.033
AUX0103153		17.2	0.041	13.20	7.7	<0.001	0.01	0.608	2.2	0.4	0.4	8.9	<0.01	0.03	2.2	0.037
AUX0103154		29.2	0.050	17.30	7.7	<0.001	0.02	1.705	3.2	0.6	0.4	11.1	<0.01	0.03	1.2	0.027
AUX0103155		18.7	0.044	8.91	5.0	<0.001	0.01	0.946	1.8	0.4	0.3	9.7	<0.01	0.02	1.7	0.027
AUX0103156		20.4	0.064	14.05	8.9	<0.001	0.03	1.360	1.1	0.7	0.5	15.6	<0.01	0.03	0.3	0.023
AUX0103157		24.1	0.090	12.30	9.6	<0.001	0.04	3.13	2.4	0.9	0.4	27.2	<0.01	0.03	1.4	0.018
AUX0103158		25.5	0.075	16.25	7.8	<0.001	0.03	3.95	2.2	1.1	0.4	28.6	<0.01	0.02	1.4	0.010
AUX0103159		30.5	0.092	22.1	9.7	0.001	0.06	6.08	3.3	1.1	0.3	33.1	<0.01	0.03	3.3	0.017
AUX0103160		27.8	0.099	17.30	9.9	0.001	0.06	4.25	3.6	1.8	0.4	38.2	<0.01	0.03	3.3	0.017
AUX0103161		37.5	0.112	22.9	11.0	0.002	0.12	9.72	3.6	1.8	0.3	46.4	<0.01	0.05	3.5	0.014
AUX0103162		36.3	0.096	19.65	12.6	0.001	0.25	7.80	3.4	1.7	1.1	53.0	<0.01	0.02	2.7	0.012
AUX0103163		31.4	0.098	21.4	11.5	0.001	0.11	7.51	3.4	1.2	0.4	33.5	<0.01	0.03	4.1	0.014
AUX0103164		28.9	0.079	16.15	7.2	<0.001	0.02	3.89	3.8	0.9	0.6	27.2	<0.01	0.04	5.6	0.039

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103125		0.07	1.27	21	0.206	4.76	67.3	1.2
AUX0103126		0.08	0.46	34	0.259	7.53	71.5	2.2
AUX0103127		0.09	0.42	32	0.227	7.79	66.8	3.5
AUX0103128		0.09	0.32	38	0.407	2.71	51.0	0.7
AUX0103129		0.15	0.35	36	0.291	3.68	77.1	0.8
AUX0103130		0.07	0.35	38	0.208	2.33	33.6	0.9
AUX0103131		0.08	0.50	28	0.123	4.45	49.7	<0.5
AUX0103132		0.08	0.30	21	0.111	3.38	53.1	1.0
AUX0103133		0.09	0.32	34	0.172	2.36	46.5	<0.5
AUX0103134		0.09	0.43	41	0.220	2.59	48.7	<0.5
AUX0103135		0.08	0.41	31	0.216	5.53	51.4	0.7
AUX0103136		0.09	0.38	40	0.270	2.38	58.5	1.0
AUX0103137		<0.02	0.35	5	0.0387	1.69	20.2	0.8
AUX0103138		0.06	0.38	13	0.0962	3.30	23.5	0.5
AUX0103139		<0.02	1.48	9	0.0468	5.53	35.3	0.7
AUX0103140		0.08	1.22	20	0.166	4.94	30.0	<0.5
AUX0103141		0.11	0.27	48	0.180	2.32	57.7	1.4
AUX0103142		0.10	0.53	54	0.240	3.37	59.8	1.1
AUX0103143		0.11	0.63	51	0.240	7.81	61.6	<0.5
AUX0103144		0.13	0.87	43	0.214	6.12	54.6	<0.5
AUX0103145		0.10	0.53	38	0.489	4.13	64.1	0.6
AUX0103146		0.13	0.68	54	0.267	5.44	66.0	0.5
AUX0103147		0.13	0.44	55	0.307	2.59	52.3	<0.5
AUX0103148		0.11	0.34	45	0.241	2.66	52.2	<0.5
AUX0103149		0.12	0.61	53	0.242	4.00	66.6	0.5
AUX0103150		0.12	0.66	52	0.239	3.91	67.2	0.5
AUX0103151		0.11	0.74	46	0.242	3.84	62.8	<0.5
AUX0103152		0.14	0.38	48	0.282	2.11	53.9	<0.5
AUX0103153		0.12	0.42	47	0.235	3.03	64.9	<0.5
AUX0103154		0.14	0.70	44	0.294	7.72	74.7	<0.5
AUX0103155		0.07	0.44	32	0.428	3.07	34.3	<0.5
AUX0103156		0.11	1.15	45	0.236	4.75	49.4	<0.5
AUX0103157		0.09	2.31	36	0.252	7.39	81.8	0.8
AUX0103158		0.16	4.22	20	0.172	7.65	41.9	1.0
AUX0103159		0.11	3.33	36	1.215	8.43	118.5	1.4
AUX0103160		0.12	4.08	36	0.220	8.84	103.0	1.5
AUX0103161		0.11	5.52	39	0.239	12.55	153.0	2.7
AUX0103162		0.14	5.13	34	0.154	11.05	119.0	2.3
AUX0103163		0.15	4.24	40	0.198	8.02	147.5	1.7
AUX0103164		0.11	0.60	36	0.312	8.62	95.3	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103165		0.28	0.0142	0.406	1.57	232	<10	483	0.57	0.50	0.37	0.84	41.0	16.0	30.7	1.42
AUX0103166		0.22	0.0299	0.485	1.28	325	<10	185.0	0.34	1.07	1.23	0.80	38.4	11.7	23.7	0.86
AUX0103167		0.26	0.0141	0.204	1.28	243	<10	348	0.48	0.44	0.67	0.53	38.1	14.1	21.4	0.93
AUX0103168		0.24	0.0041	0.191	1.19	97.7	<10	281	0.39	0.29	0.76	0.33	34.2	10.9	19.9	0.59
AUX0103169		0.32	0.0119	0.214	1.20	177.5	<10	280	0.42	0.48	0.64	0.29	35.8	10.2	20.9	0.72
AUX0103170		0.30	0.0023	0.169	1.09	82.0	<10	367	0.38	0.22	0.57	0.20	34.0	9.2	20.0	0.55
AUX0103171		0.24	0.0029	0.176	1.35	38.5	<10	431	0.46	0.23	0.46	0.17	35.2	9.1	23.9	0.64
AUX0103172		0.34	0.0110	0.218	1.13	242	<10	244	0.42	0.40	0.45	0.23	36.9	10.6	20.9	0.74
AUX0103173		0.22	0.0033	0.209	1.23	78.6	<10	289	0.42	0.24	0.56	0.17	29.8	8.3	21.9	0.57
AUX0103174		0.32	0.0023	0.230	1.32	66.3	<10	332	0.42	0.28	0.33	0.17	34.6	9.0	22.9	0.71
AUX0103175		0.30	0.0037	0.170	1.29	66.3	<10	304	0.49	0.25	0.31	0.20	38.7	9.4	24.2	0.65
AUX0103176		0.28	0.0036	0.245	1.24	64.4	<10	395	0.41	0.27	0.41	0.37	35.5	10.8	25.3	0.62
AUX0103177		0.30	0.0041	0.183	1.17	72.1	<10	286	0.40	0.26	0.51	0.19	32.0	9.4	23.8	0.58
AUX0103178		0.28	0.0260	0.507	1.27	590	<10	261	0.39	0.64	0.58	0.46	39.8	14.5	29.9	1.70
AUX0103179		0.28	0.0087	0.284	1.23	188.0	<10	349	0.48	0.36	0.52	0.34	43.9	13.1	23.4	0.71
AUX0103180		0.28	0.0041	0.220	1.24	164.0	<10	322	0.48	0.32	0.45	0.41	34.7	11.2	26.0	0.79
AUX0103181		0.30	0.0057	0.219	1.22	164.5	<10	320	0.48	0.32	0.39	0.21	41.8	11.1	22.2	0.74
AUX0103182		0.24	0.0071	0.291	1.33	215	<10	378	0.52	0.43	0.53	0.35	40.5	12.8	22.8	0.73
AUX0103183		0.24	0.0030	0.164	1.26	111.5	<10	307	0.40	0.30	0.29	0.13	35.3	7.1	22.3	0.65
AUX0103184		0.26	0.0051	0.164	1.20	95.9	<10	324	0.48	0.28	0.50	0.41	33.2	11.6	25.4	0.70
AUX0103185		0.28	0.0091	0.244	1.17	199.5	<10	354	0.42	0.33	0.48	0.51	34.0	11.3	25.5	0.82
AUX0103186		0.22	0.0060	0.263	1.36	191.5	<10	343	0.52	0.31	0.69	0.22	28.0	11.3	25.7	0.89
AUX0103187		0.28	0.0137	0.254	1.25	149.5	<10	362	0.46	0.31	0.57	0.40	31.9	11.0	24.9	0.70
AUX0103188		0.40	0.0364	0.290	1.36	408	<10	294	0.47	0.51	0.59	0.44	47.1	15.4	27.7	1.16
AUX0103189		0.24	0.0077	0.224	1.33	162.0	<10	343	0.48	0.32	0.94	0.34	29.3	11.0	24.6	0.90
AUX0103190		0.24	0.0072	0.210	1.30	166.5	<10	292	0.48	0.33	0.62	0.23	29.7	10.2	24.8	0.85
AUX0103191		0.26	0.0056	0.215	1.29	87.7	<10	337	0.47	0.28	0.58	0.20	29.2	9.1	23.9	0.86
AUX0103192		0.30	0.0366	0.309	1.20	263	<10	290	0.43	0.43	1.27	0.41	36.4	12.2	22.8	0.74
AUX0103193		0.36	0.0075	0.258	1.18	189.0	<10	278	0.36	0.38	0.60	0.22	37.2	9.2	22.7	0.75
AUX0103194		0.30	0.0094	0.370	1.13	237	<10	214	0.44	0.45	0.78	0.32	45.2	13.1	22.7	0.72
AUX0103195		0.24	0.0145	0.507	1.06	382	<10	153.0	0.34	0.51	1.64	0.48	55.6	17.3	25.8	1.07
AUX0103196		0.24	0.0198	0.327	1.08	286	<10	151.5	0.36	0.55	0.60	0.45	69.3	16.7	19.1	0.80
AUX0103197		0.26	0.0119	0.394	1.19	312	<10	164.0	0.30	0.56	0.89	0.36	59.5	17.0	25.4	0.97
AUX0103198		0.22	0.0121	0.508	1.09	370	<10	203	0.34	0.57	0.81	0.39	49.9	16.7	21.7	0.80
AUX0103199		0.22	0.0262	0.240	2.50	687	<10	356	0.60	2.12	0.22	0.15	33.2	19.7	86.8	18.60
AUX0103200		0.20	0.0495	0.208	2.80	1060	<10	595	0.72	4.24	0.38	0.27	34.5	28.6	91.1	22.5
AUX0103201		0.34	0.0247	0.161	1.96	371	<10	292	0.51	1.34	0.20	0.13	33.4	15.9	67.9	11.85
AUX0103202		0.38	0.0155	0.117	2.00	267	<10	307	0.49	1.70	0.26	0.09	30.9	11.2	65.2	12.60
AUX0103203		0.32	0.0081	0.113	1.57	173.0	<10	351	0.45	0.81	0.34	0.13	32.7	9.4	48.6	5.37
AUX0103204		0.26	0.0093	0.089	1.60	144.5	<10	269	0.42	0.95	0.25	0.09	27.5	8.1	50.9	4.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103165		38.6	3.00	4.62	0.13	0.04	0.087	0.030	0.06	21.0	20.0	0.47	275	1.15	0.01	0.80
AUX0103166		39.8	2.65	3.63	0.13	0.11	0.060	0.024	0.05	20.9	24.5	0.58	669	1.26	0.01	0.41
AUX0103167		26.8	2.62	3.78	0.12	0.05	0.043	0.023	0.06	19.4	19.0	0.49	2190	0.99	0.01	0.58
AUX0103168		22.6	2.30	3.75	0.11	0.04	0.060	0.020	0.06	17.3	15.2	0.38	743	0.94	0.01	0.78
AUX0103169		24.1	2.37	3.62	0.11	0.05	0.041	0.020	0.07	18.4	14.7	0.40	379	0.92	0.01	0.75
AUX0103170		24.4	2.44	3.50	0.12	0.04	0.063	0.020	0.05	17.3	13.7	0.31	414	0.99	0.01	0.75
AUX0103171		25.9	2.46	3.95	0.11	0.05	0.049	0.021	0.05	17.8	16.0	0.39	270	1.02	0.01	0.85
AUX0103172		30.2	2.61	3.52	0.13	0.05	0.041	0.021	0.04	18.2	15.0	0.38	325	0.88	0.01	0.60
AUX0103173		22.4	2.32	3.57	0.11	0.05	0.050	0.021	0.05	15.1	14.4	0.36	398	0.88	0.01	0.77
AUX0103174		21.6	2.37	4.06	0.12	0.02	0.055	0.024	0.05	17.5	15.3	0.36	269	1.06	0.01	0.81
AUX0103175		25.7	2.43	3.94	0.12	0.03	0.047	0.024	0.04	20.1	15.0	0.37	276	1.09	0.01	0.89
AUX0103176		30.6	2.41	3.66	0.12	0.05	0.057	0.022	0.04	17.5	14.9	0.40	269	1.14	0.01	0.78
AUX0103177		30.9	2.31	3.54	0.10	0.09	0.044	0.020	0.05	16.3	15.8	0.40	338	1.05	0.01	0.88
AUX0103178		45.4	3.04	3.99	0.13	0.08	0.056	0.024	0.06	21.0	17.8	0.49	558	1.27	0.01	0.55
AUX0103179		32.6	2.60	3.65	0.13	0.06	0.046	0.024	0.05	21.9	14.3	0.37	475	1.05	0.01	0.64
AUX0103180		35.8	2.78	3.76	0.13	0.10	0.052	0.024	0.06	17.9	15.2	0.44	446	1.24	0.01	0.63
AUX0103181		32.2	2.43	3.72	0.13	0.06	0.053	0.022	0.05	21.3	15.2	0.37	436	1.07	0.01	0.65
AUX0103182		34.8	2.68	3.64	0.13	0.06	0.056	0.023	0.07	20.9	14.5	0.38	900	1.08	0.01	0.60
AUX0103183		24.5	2.22	4.06	0.11	0.02	0.039	0.020	0.05	17.7	15.1	0.33	223	1.01	0.01	0.76
AUX0103184		31.5	2.49	3.61	0.13	0.09	0.057	0.023	0.04	16.1	16.8	0.39	218	1.05	0.01	0.74
AUX0103185		35.6	2.65	3.55	0.13	0.11	0.053	0.025	0.05	16.8	15.6	0.39	388	1.24	0.01	0.70
AUX0103186		29.7	2.69	3.92	0.11	0.08	0.061	0.025	0.04	14.5	15.0	0.37	566	1.11	0.01	0.75
AUX0103187		35.6	2.74	3.63	0.12	0.09	0.071	0.023	0.05	16.8	15.9	0.40	432	1.17	0.01	0.69
AUX0103188		44.4	3.21	4.05	0.13	0.16	0.055	0.022	0.06	23.9	17.7	0.52	655	1.25	0.01	0.34
AUX0103189		34.5	2.49	3.80	0.11	0.08	0.062	0.022	0.04	14.7	12.5	0.36	506	0.92	0.01	0.68
AUX0103190		31.3	2.44	3.76	0.11	0.07	0.069	0.022	0.04	14.6	13.0	0.37	308	0.93	0.01	0.69
AUX0103191		29.6	2.37	3.85	0.11	0.05	0.060	0.023	0.04	14.9	12.8	0.36	299	0.95	0.01	0.67
AUX0103192		39.4	2.79	3.31	0.12	0.08	0.046	0.019	0.06	18.0	12.9	0.43	556	1.01	0.01	0.53
AUX0103193		37.1	2.59	3.35	0.11	0.05	0.046	0.019	0.05	19.0	13.0	0.38	325	0.96	0.01	0.53
AUX0103194		48.5	2.94	3.38	0.12	0.10	0.043	0.020	0.06	23.0	13.6	0.46	508	1.08	0.01	0.47
AUX0103195		59.1	2.99	3.22	0.12	0.19	0.038	0.019	0.06	26.9	13.7	0.48	603	1.35	0.01	0.33
AUX0103196		48.9	3.10	3.16	0.15	0.14	0.034	0.019	0.06	33.6	15.3	0.44	769	0.87	<0.01	0.29
AUX0103197		53.6	3.30	3.49	0.13	0.14	0.036	0.019	0.06	29.4	17.1	0.51	699	0.99	<0.01	0.33
AUX0103198		57.9	3.19	3.02	0.13	0.06	0.052	0.020	0.06	25.9	13.5	0.43	810	0.85	0.01	0.31
AUX0103199		55.0	3.78	7.20	0.12	0.04	0.041	0.033	0.13	16.4	32.9	0.99	504	1.97	0.01	0.83
AUX0103200		110.5	4.15	8.36	0.13	0.02	0.051	0.037	0.25	14.6	38.1	1.14	806	1.83	0.02	0.75
AUX0103201		36.8	3.23	6.18	0.05	0.02	0.040	0.028	0.10	15.7	26.6	0.93	667	1.48	0.01	0.80
AUX0103202		31.1	3.22	6.18	0.05	<0.02	0.028	0.023	0.09	14.9	28.2	0.98	432	1.29	0.01	0.84
AUX0103203		35.6	2.93	4.78	0.06	0.04	0.044	0.023	0.05	16.3	19.5	0.73	316	1.12	0.01	0.75
AUX0103204		23.7	2.65	4.62	<0.05	0.02	0.031	0.018	0.04	12.8	18.6	0.67	282	1.02	<0.01	0.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103165		35.0	0.086	23.6	12.8	0.001	0.06	7.12	4.6	1.6	0.4	32.4	<0.01	0.04	6.2	0.019
AUX0103166		31.6	0.072	24.8	7.5	0.001	0.13	2.78	2.4	1.7	0.5	65.3	<0.01	0.04	5.1	0.016
AUX0103167		27.5	0.075	19.75	8.2	<0.001	0.04	3.09	3.2	0.9	0.3	43.5	<0.01	0.03	4.2	0.024
AUX0103168		23.5	0.064	14.20	8.1	0.001	0.06	1.715	3.2	0.8	0.4	51.3	<0.01	0.02	4.0	0.028
AUX0103169		22.0	0.068	16.45	8.0	<0.001	0.04	2.76	3.0	0.8	0.3	34.6	<0.01	0.02	4.6	0.029
AUX0103170		20.8	0.076	10.35	7.1	0.001	0.04	1.670	3.1	1.0	0.5	35.9	<0.01	0.02	3.4	0.030
AUX0103171		23.1	0.064	11.85	8.1	<0.001	0.03	1.305	4.0	1.0	0.4	30.9	<0.01	0.03	4.2	0.035
AUX0103172		23.9	0.066	14.85	5.3	<0.001	0.01	3.15	3.2	0.9	0.3	21.4	<0.01	0.03	5.2	0.028
AUX0103173		21.6	0.066	12.35	6.9	0.001	0.03	1.820	3.5	0.7	0.3	37.1	<0.01	0.02	3.9	0.034
AUX0103174		21.4	0.067	13.90	8.5	<0.001	0.02	2.07	3.4	0.7	0.4	23.7	<0.01	0.04	3.5	0.032
AUX0103175		21.7	0.068	13.40	7.2	<0.001	0.02	2.05	3.9	0.8	0.4	21.2	<0.01	0.02	4.5	0.038
AUX0103176		26.2	0.077	15.60	6.1	<0.001	0.02	1.900	4.0	0.9	0.5	27.5	<0.01	0.03	4.7	0.036
AUX0103177		22.9	0.072	13.55	6.5	<0.001	0.02	1.790	3.6	0.6	0.7	30.9	<0.01	0.02	4.4	0.037
AUX0103178		36.4	0.076	36.7	8.2	<0.001	0.02	6.03	4.1	0.9	0.4	28.3	<0.01	0.04	6.1	0.029
AUX0103179		27.6	0.071	18.90	7.0	<0.001	0.02	3.30	3.5	0.9	0.3	27.2	<0.01	0.03	5.3	0.030
AUX0103180		29.0	0.073	14.80	7.0	<0.001	0.01	2.36	4.2	0.7	0.6	26.6	<0.01	0.03	5.4	0.042
AUX0103181		25.8	0.060	15.00	8.1	<0.001	0.01	2.80	3.7	0.6	0.3	21.5	<0.01	0.03	6.0	0.032
AUX0103182		27.0	0.064	19.35	9.1	<0.001	0.02	3.73	3.2	0.8	0.4	24.1	<0.01	0.04	4.8	0.027
AUX0103183		19.6	0.050	13.80	7.9	<0.001	0.01	2.10	3.0	0.5	0.5	17.8	<0.01	0.03	3.3	0.031
AUX0103184		26.6	0.073	14.45	6.0	<0.001	0.02	2.94	4.0	1.1	0.3	28.2	<0.01	0.03	4.7	0.039
AUX0103185		30.6	0.075	15.50	6.4	<0.001	0.02	3.17	4.0	0.7	0.4	25.8	<0.01	0.04	4.9	0.037
AUX0103186		23.4	0.068	15.10	6.9	<0.001	0.04	2.84	3.8	1.4	0.4	31.3	<0.01	0.03	3.1	0.031
AUX0103187		27.4	0.077	14.40	5.9	<0.001	0.02	3.11	3.9	0.8	0.5	28.4	<0.01	0.04	4.3	0.036
AUX0103188		34.1	0.069	18.95	6.4	<0.001	0.01	10.65	4.0	0.7	0.3	23.3	<0.01	0.05	9.4	0.037
AUX0103189		27.8	0.075	16.60	6.6	<0.001	0.05	4.00	3.5	1.0	0.5	35.9	<0.01	0.04	3.1	0.033
AUX0103190		24.7	0.069	16.00	6.9	<0.001	0.02	2.71	3.8	0.8	0.3	27.3	<0.01	0.05	3.6	0.033
AUX0103191		23.9	0.079	13.85	7.2	<0.001	0.03	1.980	3.5	0.8	0.5	28.4	<0.01	0.04	2.8	0.029
AUX0103192		30.3	0.075	18.55	6.4	<0.001	0.02	7.30	3.5	0.6	0.3	36.5	<0.01	0.05	5.4	0.032
AUX0103193		25.3	0.072	18.95	6.1	<0.001	0.02	3.59	3.4	0.6	0.7	23.7	<0.01	0.04	5.3	0.030
AUX0103194		33.7	0.068	26.0	6.0	<0.001	0.01	4.95	3.5	0.6	0.3	28.6	<0.01	0.05	8.4	0.029
AUX0103195		39.9	0.065	39.2	6.3	<0.001	0.01	11.50	2.8	0.8	0.6	43.2	<0.01	0.04	11.2	0.028
AUX0103196		36.3	0.063	29.4	5.1	<0.001	0.01	4.90	2.5	0.8	0.2	21.9	<0.01	0.04	12.5	0.019
AUX0103197		38.0	0.062	30.9	5.6	<0.001	0.02	5.12	2.7	0.7	0.5	27.5	<0.01	0.04	10.0	0.022
AUX0103198		34.9	0.074	34.6	5.9	<0.001	0.02	6.18	2.7	0.8	0.2	30.3	<0.01	0.04	6.7	0.020
AUX0103199		68.4	0.048	12.35	32.3	<0.001	0.01	7.32	5.9	0.8	3.8	20.3	<0.01	0.08	4.6	0.077
AUX0103200		82.8	0.058	13.10	50.9	<0.001	0.02	11.45	6.0	1.2	5.2	32.2	<0.01	0.14	4.8	0.071
AUX0103201		45.1	0.044	8.78	25.7	0.001	0.01	6.55	4.8	1.4	2.6	17.7	<0.01	0.09	3.7	0.065
AUX0103202		37.9	0.053	8.68	25.5	<0.001	0.01	5.05	4.9	1.0	2.5	19.5	<0.01	0.09	3.1	0.077
AUX0103203		34.8	0.066	8.91	12.1	<0.001	0.01	10.45	4.2	0.8	1.6	22.5	<0.01	0.06	3.8	0.065
AUX0103204		29.6	0.054	8.07	12.6	<0.001	0.01	3.38	3.2	0.9	1.4	16.4	<0.01	0.05	2.8	0.053

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103165		0.14	4.32	41	0.273	10.45	148.0	1.8
AUX0103166		0.07	1.97	20	0.170	7.37	91.3	2.9
AUX0103167		0.09	1.39	32	0.311	8.53	86.6	1.4
AUX0103168		0.07	1.80	30	0.261	7.28	68.8	1.5
AUX0103169		0.08	1.10	32	0.197	7.55	74.2	1.5
AUX0103170		0.07	1.25	33	0.227	7.78	57.4	1.3
AUX0103171		0.09	0.99	38	0.230	8.33	68.3	1.6
AUX0103172		0.07	0.56	31	0.244	7.55	67.4	1.8
AUX0103173		0.08	1.57	35	0.626	7.45	61.5	1.5
AUX0103174		0.09	0.91	37	0.361	7.18	65.9	0.7
AUX0103175		0.09	0.98	38	0.205	8.57	67.8	1.1
AUX0103176		0.07	1.11	38	0.186	9.36	77.6	1.9
AUX0103177		0.08	0.64	34	0.262	7.86	70.5	2.0
AUX0103178		0.13	0.54	32	0.407	9.23	85.8	3.0
AUX0103179		0.08	0.91	33	0.223	9.35	71.3	2.3
AUX0103180		0.08	0.63	39	0.198	9.02	84.4	3.5
AUX0103181		0.08	0.65	32	0.189	8.68	63.7	2.7
AUX0103182		0.10	0.71	31	0.384	9.47	69.5	1.7
AUX0103183		0.07	0.70	34	0.304	5.93	50.8	0.8
AUX0103184		0.08	1.21	37	0.255	8.60	75.8	3.7
AUX0103185		0.09	0.81	35	0.213	8.72	80.0	3.5
AUX0103186		0.09	1.03	39	0.250	8.11	63.8	2.7
AUX0103187		0.08	0.75	37	0.956	9.08	82.2	3.2
AUX0103188		0.10	0.46	33	0.192	8.89	89.4	6.7
AUX0103189		0.09	1.29	36	0.186	8.18	66.0	2.7
AUX0103190		0.08	1.23	37	0.411	8.06	62.4	2.0
AUX0103191		0.08	1.65	36	0.212	8.01	62.2	1.5
AUX0103192		0.08	0.70	31	0.159	8.73	86.8	2.6
AUX0103193		0.08	0.59	32	0.170	8.35	73.2	1.5
AUX0103194		0.09	0.56	28	0.179	9.70	82.8	3.8
AUX0103195		0.10	0.45	22	0.115	9.04	86.2	8.5
AUX0103196		0.07	0.43	19	0.250	10.20	83.6	5.3
AUX0103197		0.09	0.72	22	0.132	8.56	88.0	4.7
AUX0103198		0.09	0.65	21	0.115	10.80	81.1	2.0
AUX0103199		0.32	1.01	62	3.01	5.96	88.1	1.6
AUX0103200		0.46	1.20	60	3.40	6.84	97.6	0.7
AUX0103201		0.23	0.94	52	1.510	5.83	77.9	1.2
AUX0103202		0.25	1.07	55	1.715	6.50	75.7	0.9
AUX0103203		0.14	0.72	46	1.065	8.15	84.6	2.0
AUX0103204		0.14	1.09	44	2.82	5.52	66.4	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0103205	0.30	0.0092	0.138	1.37	106.5	<10	288	0.42	1.03	0.29	0.10	28.5	6.9	34.2	2.77
AUX0103206	0.34	0.0073	0.145	1.32	143.5	<10	336	0.42	0.69	0.34	0.11	29.9	7.4	29.3	1.81
AUX0103207	0.30	0.0246	0.257	1.39	399	<10	428	0.52	0.72	0.42	0.24	33.0	11.0	26.2	1.78
AUX0103208	0.40	0.0184	0.282	1.34	341	<10	405	0.45	0.95	0.46	0.32	31.7	10.8	29.5	2.07
AUX0103209	0.24	0.0082	0.315	1.40	233	<10	581	0.48	0.57	0.69	0.38	29.4	11.8	23.4	1.68
AUX0103210	0.24	0.0076	0.278	1.40	149.5	<10	516	0.40	0.44	0.49	0.28	24.9	8.9	23.0	1.55
AUX0103211	0.32	0.0075	0.314	1.43	126.5	<10	461	0.50	0.45	0.50	0.42	32.6	12.5	25.3	1.41
AUX0103212	0.20	0.273	0.337	1.38	143.5	<10	402	0.44	0.40	0.39	0.34	26.6	10.7	24.2	1.25
AUX0103213	0.34	0.0042	0.212	1.40	86.9	<10	403	0.41	0.34	0.45	0.30	27.7	9.2	25.1	1.14
AUX0103214	0.36	0.0683	0.233	1.44	85.8	<10	407	0.44	0.34	0.46	0.35	29.2	9.4	24.6	1.22
AUX0103215	0.24	0.0024	0.206	1.34	41.7	<10	390	0.44	0.24	0.43	0.39	25.3	7.7	23.8	0.93
AUX0103216	0.18	0.0036	0.194	1.42	115.5	<10	442	0.43	0.31	0.59	0.62	25.4	10.1	23.5	0.96
AUX0103217	0.38	0.0060	0.223	1.38	83.3	<10	378	0.42	0.38	0.39	0.39	30.2	8.8	29.4	1.23
AUX0103218	0.28	0.0054	0.242	1.60	69.9	<10	454	0.44	0.33	0.47	0.43	29.1	10.5	27.7	1.34
AUX0103219	0.36	0.0142	0.259	1.50	190.0	<10	401	0.43	0.53	0.43	0.49	29.3	12.3	31.0	1.90
AUX0103220	0.36	0.0048	0.321	1.62	138.5	<10	465	0.44	0.43	0.52	0.46	26.9	16.7	31.3	1.76
AUX0103221	0.34	0.0043	0.233	1.58	98.7	<10	409	0.45	0.39	0.40	0.32	27.2	11.3	30.0	1.52
AUX0103222	0.26	0.0247	0.290	1.40	98.6	<10	396	0.49	0.37	0.42	0.50	30.7	13.9	29.0	1.23
AUX0103223	0.32	0.0052	0.308	1.28	128.0	<10	396	0.45	0.39	0.52	0.42	29.3	12.3	26.2	1.35
AUX0103224	0.32	0.0067	0.282	1.42	137.5	<10	419	0.43	0.42	0.49	0.53	30.9	11.9	28.5	1.22
AUX0103225	0.26	0.0079	0.325	1.35	188.0	<10	382	0.47	0.42	0.47	0.51	31.5	11.1	29.0	1.10
AUX0103226	0.36	0.0066	0.282	1.35	135.0	<10	429	0.48	0.35	0.46	0.50	30.9	10.8	26.7	0.92
AUX0103227	0.36	0.0073	0.264	1.45	134.5	<10	406	0.46	0.40	0.38	0.37	29.8	13.5	27.6	1.03
AUX0103228	0.36	0.0046	0.207	1.51	94.7	<10	445	0.45	0.34	0.41	0.28	28.7	10.1	28.7	0.92
AUX0103229	0.38	0.0088	0.228	1.34	115.5	<10	329	0.40	0.33	0.38	0.26	29.0	8.2	26.2	1.00
AUX0103230	0.32	0.0313	0.462	1.40	644	<10	294	0.49	0.99	0.34	0.24	43.6	8.1	21.6	1.11
AUX0103231	0.38	0.0708	0.196	1.59	571	<10	272	0.45	0.95	0.17	0.07	36.5	11.0	43.8	3.45
AUX0103232	0.50	0.0455	0.146	1.64	663	<10	245	0.48	1.50	0.31	0.10	31.5	9.7	66.4	7.30
AUX0103233	0.46	0.0330	0.159	1.86	734	<10	282	0.36	1.61	0.32	0.11	26.1	10.5	61.3	7.11
AUX0103234	0.44	0.0115	0.118	1.41	291	<10	284	0.33	0.69	0.36	0.10	30.7	7.9	47.2	3.84
AUX0103235	0.48	0.0095	0.107	1.44	166.0	<10	365	0.42	0.64	0.37	0.10	30.5	7.6	42.3	3.10
AUX0103236	0.48	0.0063	0.172	1.31	83.9	<10	397	0.43	0.35	0.40	0.14	30.5	7.9	28.2	1.26
AUX0103237	0.70	0.0057	0.196	1.45	75.5	<10	435	0.47	0.38	0.46	0.23	28.4	9.3	27.5	0.97
AUX0103238	0.62	0.0085	0.269	1.36	247	<10	369	0.37	0.39	0.46	0.23	27.8	9.2	24.6	0.95
AUX0103239	0.62	0.0127	0.318	1.49	195.0	<10	455	0.51	0.41	0.51	0.33	29.2	10.2	26.4	0.89
AUX0103240	0.74	0.0072	0.287	1.42	118.0	<10	441	0.47	0.33	0.54	0.44	27.3	9.4	26.0	0.70
AUX0103241	0.60	0.0031	0.262	1.51	76.6	<10	484	0.46	0.25	0.62	0.46	26.0	10.0	26.5	0.68
AUX0103242	0.64	0.0047	0.255	1.50	100.5	<10	459	0.42	0.29	0.55	0.46	27.4	10.1	25.4	0.74
AUX0103243	0.54	0.0025	0.141	1.28	39.4	<10	286	0.32	0.19	0.44	0.23	25.4	6.7	22.7	0.66
AUX0103244	0.42	0.0022	0.160	1.24	83.0	<10	261	0.34	0.29	0.36	0.17	27.1	6.8	27.6	1.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103205		23.0	2.37	4.32	0.05	<0.02	0.022	0.021	0.04	13.3	16.0	0.53	206	1.01	0.01	0.75
AUX0103206		24.6	2.46	3.72	<0.05	0.02	0.032	0.018	0.04	13.5	14.5	0.48	239	0.97	0.01	0.67
AUX0103207		28.0	2.67	3.95	0.05	0.03	0.042	0.023	0.04	14.9	14.8	0.45	388	1.10	0.01	0.65
AUX0103208		26.2	2.63	3.81	0.05	0.03	0.043	0.019	0.04	14.4	14.9	0.46	338	1.05	0.01	0.58
AUX0103209		20.5	2.51	3.86	<0.05	0.02	0.048	0.021	0.04	13.0	12.3	0.33	661	1.08	0.01	0.52
AUX0103210		15.95	2.26	4.05	<0.05	<0.02	0.071	0.020	0.04	11.7	13.2	0.36	350	0.87	0.01	0.60
AUX0103211		23.3	2.53	4.34	<0.05	0.03	0.054	0.023	0.04	15.2	15.7	0.42	427	1.04	0.01	0.70
AUX0103212		16.80	2.68	3.89	<0.05	0.02	0.054	0.022	0.04	11.7	13.5	0.37	462	1.12	0.01	0.60
AUX0103213		18.50	2.50	4.04	<0.05	0.02	0.051	0.019	0.04	12.7	14.6	0.42	325	0.95	0.01	0.64
AUX0103214		20.0	2.58	4.18	<0.05	0.03	0.053	0.024	0.04	13.5	15.3	0.42	274	0.93	0.01	0.75
AUX0103215		18.85	2.13	3.92	<0.05	0.03	0.058	0.021	0.04	12.3	14.2	0.38	164	0.62	0.01	0.73
AUX0103216		16.00	3.09	3.68	<0.05	0.02	0.077	0.022	0.04	11.8	13.0	0.36	419	1.00	0.01	0.66
AUX0103217		26.5	2.79	3.91	<0.05	0.02	0.055	0.020	0.04	14.0	15.0	0.47	214	0.90	0.01	0.70
AUX0103218		20.9	2.60	4.79	<0.05	0.02	0.075	0.024	0.04	13.5	18.0	0.44	348	0.86	0.01	0.75
AUX0103219		23.0	3.03	4.15	0.05	0.03	0.066	0.020	0.05	13.5	15.6	0.46	332	0.98	0.01	0.59
AUX0103220		21.4	3.24	4.45	<0.05	0.03	0.073	0.023	0.05	12.4	16.1	0.47	800	1.22	0.01	0.60
AUX0103221		24.5	2.70	4.49	<0.05	0.03	0.057	0.023	0.05	12.7	15.6	0.44	276	0.91	0.01	0.60
AUX0103222		28.5	2.53	3.97	0.05	0.03	0.048	0.023	0.05	14.0	14.5	0.44	354	1.13	0.01	0.55
AUX0103223		24.0	2.50	3.64	<0.05	0.02	0.057	0.024	0.04	11.8	12.9	0.38	709	1.26	0.01	0.50
AUX0103224		25.2	2.68	3.70	0.05	0.04	0.054	0.023	0.06	13.7	13.4	0.43	833	1.03	0.01	0.50
AUX0103225		29.5	2.85	3.78	<0.05	0.04	0.043	0.024	0.06	14.2	14.0	0.45	892	1.18	0.01	0.52
AUX0103226		28.8	2.69	3.82	<0.05	0.04	0.063	0.025	0.05	13.9	13.3	0.42	671	1.14	0.01	0.58
AUX0103227		26.4	2.71	3.98	<0.05	0.03	0.055	0.022	0.05	13.2	13.5	0.40	703	1.08	0.01	0.57
AUX0103228		26.6	2.77	3.99	0.05	0.03	0.040	0.019	0.05	13.8	14.0	0.47	622	1.03	0.01	0.64
AUX0103229		25.8	2.52	3.75	<0.05	0.03	0.042	0.020	0.05	12.8	13.2	0.41	338	1.00	0.01	0.58
AUX0103230		33.6	3.09	4.11	0.06	0.10	0.030	0.022	0.05	21.2	14.1	0.42	387	0.86	0.01	0.57
AUX0103231		27.2	2.91	4.30	0.05	0.02	0.049	0.021	0.04	16.4	19.6	0.60	369	1.18	0.01	0.57
AUX0103232		36.0	3.08	5.06	0.05	0.03	0.026	0.021	0.05	14.8	25.3	0.85	339	1.04	0.01	0.60
AUX0103233		27.5	3.00	5.72	0.05	0.02	0.023	0.023	0.06	12.5	22.9	0.81	379	1.32	0.01	0.80
AUX0103234		24.9	2.54	4.33	0.05	0.03	0.019	0.016	0.04	14.3	19.8	0.71	264	0.86	0.01	0.77
AUX0103235		26.2	2.65	4.46	0.05	0.03	0.029	0.020	0.05	15.5	18.3	0.66	258	1.01	0.01	0.78
AUX0103236		24.1	2.49	3.95	<0.05	0.02	0.030	0.019	0.04	14.3	14.4	0.46	263	1.02	0.01	0.65
AUX0103237		30.6	2.64	4.49	0.05	0.04	0.040	0.022	0.04	15.9	14.7	0.47	293	1.13	0.01	0.66
AUX0103238		26.7	2.58	3.94	0.05	0.04	0.034	0.021	0.04	15.3	13.5	0.42	288	1.11	0.01	0.66
AUX0103239		34.4	2.74	4.42	0.06	0.07	0.059	0.024	0.05	15.4	14.6	0.44	358	1.21	0.01	0.77
AUX0103240		30.9	2.77	3.93	<0.05	0.05	0.058	0.022	0.05	14.5	14.0	0.47	311	1.01	0.01	0.65
AUX0103241		23.9	2.78	3.94	0.05	0.04	0.054	0.023	0.04	14.2	12.8	0.44	386	1.09	0.01	0.67
AUX0103242		26.2	2.71	4.22	<0.05	0.04	0.050	0.024	0.04	14.3	13.2	0.42	273	1.05	0.01	0.75
AUX0103243		19.75	2.22	3.52	<0.05	0.02	0.034	0.019	0.04	14.2	11.8	0.40	182	0.75	0.01	0.58
AUX0103244		20.4	2.25	3.78	<0.05	0.02	0.021	0.017	0.04	14.2	13.9	0.46	194	0.89	0.01	0.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103205		24.2	0.054	9.01	10.2	0.001	0.01	2.43	2.9	0.6	1.0	17.8	<0.01	0.04	2.5	0.043
AUX0103206		22.8	0.061	9.48	8.8	<0.001	0.01	3.89	3.1	1.4	0.7	19.1	<0.01	0.04	3.1	0.036
AUX0103207		27.4	0.065	10.50	9.2	<0.001	0.02	19.80	3.8	1.4	0.5	29.0	<0.01	0.05	3.1	0.028
AUX0103208		28.9	0.078	9.62	9.9	<0.001	0.02	10.15	3.4	1.5	0.5	32.3	<0.01	0.05	3.0	0.025
AUX0103209		22.8	0.102	10.30	9.3	0.001	0.07	4.58	2.2	2.4	0.4	49.9	<0.01	0.04	0.9	0.017
AUX0103210		19.1	0.073	7.96	9.6	<0.001	0.06	3.29	2.5	1.5	0.5	36.6	<0.01	0.02	1.2	0.019
AUX0103211		26.0	0.080	10.75	11.2	0.001	0.04	3.47	3.8	2.0	0.5	39.1	<0.01	0.06	2.2	0.023
AUX0103212		19.7	0.085	9.61	9.4	<0.001	0.04	3.13	2.8	2.2	0.4	30.6	<0.01	0.05	1.3	0.021
AUX0103213		20.9	0.077	9.76	10.3	0.001	0.03	2.67	3.1	1.4	0.4	31.7	<0.01	0.02	2.0	0.024
AUX0103214		21.3	0.077	10.40	10.1	0.001	0.03	2.50	3.7	1.6	0.4	32.8	<0.01	0.03	2.7	0.024
AUX0103215		20.3	0.074	10.10	8.2	0.001	0.06	1.740	3.3	1.4	0.4	32.6	<0.01	0.02	2.4	0.025
AUX0103216		20.0	0.109	11.45	8.0	<0.001	0.09	2.42	2.6	1.7	0.3	42.0	<0.01	0.03	1.3	0.021
AUX0103217		25.0	0.083	11.35	8.2	<0.001	0.02	8.41	3.9	1.7	0.4	25.5	<0.01	0.03	3.6	0.027
AUX0103218		23.2	0.087	12.30	9.9	0.001	0.06	3.99	3.5	1.6	0.5	32.1	<0.01	0.05	1.9	0.023
AUX0103219		23.6	0.094	13.95	9.9	0.001	0.04	10.05	3.5	1.8	0.5	28.7	<0.01	0.04	2.3	0.023
AUX0103220		24.1	0.103	11.70	10.8	<0.001	0.05	5.99	3.6	1.9	0.5	36.1	<0.01	0.04	2.0	0.021
AUX0103221		21.1	0.090	14.15	10.6	<0.001	0.04	6.12	3.3	1.6	0.5	28.2	<0.01	0.04	2.1	0.021
AUX0103222		24.7	0.085	11.65	9.5	<0.001	0.02	9.95	3.8	1.5	0.4	27.1	<0.01	0.04	2.9	0.023
AUX0103223		22.6	0.095	10.95	9.0	0.001	0.05	8.23	3.1	1.4	0.4	36.6	<0.01	0.03	1.6	0.020
AUX0103224		25.7	0.092	12.05	9.5	0.001	0.03	9.31	3.6	1.6	0.4	32.3	<0.01	0.05	2.5	0.024
AUX0103225		28.8	0.086	13.05	8.8	<0.001	0.03	10.95	3.9	1.0	0.4	31.6	<0.01	0.03	3.1	0.025
AUX0103226		26.5	0.085	12.20	8.4	0.001	0.03	8.08	3.7	1.6	0.4	34.0	<0.01	0.04	2.5	0.026
AUX0103227		23.8	0.083	13.20	9.2	0.001	0.04	7.92	3.5	1.5	0.4	27.4	<0.01	0.03	2.2	0.023
AUX0103228		25.2	0.072	10.90	8.6	<0.001	0.02	5.62	4.0	1.0	0.4	26.0	<0.01	0.03	3.4	0.031
AUX0103229		21.8	0.074	11.15	9.0	<0.001	0.03	11.90	3.3	1.1	0.4	24.8	<0.01	0.03	2.9	0.026
AUX0103230		26.5	0.058	14.30	7.4	<0.001	0.02	44.3	3.5	0.5	0.4	25.8	<0.01	0.05	6.3	0.041
AUX0103231		32.3	0.038	10.35	12.8	<0.001	0.02	7.26	3.9	1.2	0.7	14.5	<0.01	0.07	4.4	0.034
AUX0103232		43.2	0.056	7.98	13.2	<0.001	0.01	9.81	4.6	1.5	1.6	23.0	<0.01	0.10	3.7	0.058
AUX0103233		36.1	0.058	8.99	21.5	<0.001	0.02	5.83	4.0	1.0	1.8	22.1	<0.01	0.10	3.2	0.059
AUX0103234		31.0	0.057	8.98	10.7	<0.001	0.01	2.71	3.5	0.7	1.1	24.3	<0.01	0.05	3.7	0.067
AUX0103235		30.1	0.056	8.56	9.9	<0.001	0.01	3.29	3.9	0.7	1.0	25.2	<0.01	0.04	3.8	0.062
AUX0103236		25.0	0.068	9.63	7.9	<0.001	0.02	2.38	3.5	1.0	0.5	32.0	<0.01	0.04	3.1	0.038
AUX0103237		27.2	0.070	12.55	8.1	<0.001	0.01	1.960	4.2	1.4	0.5	34.8	<0.01	0.04	3.4	0.035
AUX0103238		24.7	0.066	11.45	7.8	0.001	0.02	13.05	3.8	1.5	0.4	34.6	<0.01	0.04	3.3	0.032
AUX0103239		30.1	0.071	12.20	7.9	<0.001	0.02	16.45	4.4	1.7	0.4	37.3	<0.01	0.06	3.6	0.042
AUX0103240		26.5	0.078	12.15	7.2	<0.001	0.02	10.15	4.0	1.2	0.4	37.5	<0.01	0.03	3.4	0.036
AUX0103241		23.4	0.089	11.70	7.9	<0.001	0.03	8.42	4.0	2.5	0.4	40.3	<0.01	0.04	3.0	0.032
AUX0103242		24.9	0.083	12.10	8.4	0.001	0.03	11.50	4.2	2.6	0.4	42.1	<0.01	0.04	2.9	0.033
AUX0103243		18.3	0.087	9.92	6.9	<0.001	0.02	5.14	2.8	0.9	0.3	29.6	<0.01	0.04	2.4	0.029
AUX0103244		21.5	0.073	9.72	7.7	<0.001	0.01	3.98	3.0	0.9	0.4	24.3	<0.01	0.03	3.1	0.034

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0103205		0.10	0.97	39	1.810	5.83	59.6	0.5
AUX0103206		0.09	0.98	37	1.305	6.55	63.5	0.9
AUX0103207		0.09	1.52	38	0.341	8.11	68.5	1.2
AUX0103208		0.11	2.34	35	0.422	7.81	71.4	1.1
AUX0103209		0.10	3.02	36	0.257	8.36	57.6	0.5
AUX0103210		0.11	2.84	34	0.283	5.91	63.7	<0.5
AUX0103211		0.09	3.02	38	0.314	8.60	74.4	0.9
AUX0103212		0.09	2.61	38	0.249	6.89	70.3	0.5
AUX0103213		0.09	2.25	39	0.331	6.70	76.5	0.6
AUX0103214		0.11	3.39	40	0.419	7.34	74.2	0.9
AUX0103215		0.10	3.23	36	0.169	7.25	74.6	0.8
AUX0103216		0.11	3.99	47	0.205	7.86	80.3	0.7
AUX0103217		0.11	3.18	39	0.193	7.16	94.1	1.0
AUX0103218		0.12	3.90	44	0.177	7.46	92.3	0.6
AUX0103219		0.13	3.17	44	0.366	7.29	94.5	0.7
AUX0103220		0.14	4.13	46	0.286	7.54	96.3	0.8
AUX0103221		0.14	3.46	46	0.224	6.70	84.9	0.7
AUX0103222		0.12	3.42	40	0.217	7.57	91.8	0.9
AUX0103223		0.10	3.84	39	0.234	7.62	75.4	0.8
AUX0103224		0.11	3.16	39	0.217	8.47	87.6	1.2
AUX0103225		0.09	1.69	39	0.231	8.27	92.6	1.4
AUX0103226		0.08	2.73	39	0.245	8.72	85.5	1.4
AUX0103227		0.10	2.78	42	0.271	7.48	79.2	1.0
AUX0103228		0.10	2.23	44	0.308	7.44	81.9	1.2
AUX0103229		0.10	1.64	38	0.289	6.43	74.2	0.9
AUX0103230		0.07	1.46	32	0.171	7.05	82.3	6.0
AUX0103231		0.12	1.22	42	2.04	6.91	64.5	1.2
AUX0103232		0.18	0.96	44	4.53	7.07	69.6	1.5
AUX0103233		0.22	0.84	47	1.955	4.90	69.9	1.2
AUX0103234		0.13	0.71	40	0.381	6.58	67.2	1.5
AUX0103235		0.11	0.79	43	0.405	7.13	69.9	1.3
AUX0103236		0.08	0.88	39	0.364	7.12	67.6	0.8
AUX0103237		0.09	1.43	42	0.294	7.98	73.1	1.2
AUX0103238		0.09	1.36	40	0.253	7.26	65.3	1.5
AUX0103239		0.10	1.28	44	0.423	9.09	76.3	2.6
AUX0103240		0.09	1.04	43	0.218	7.87	80.2	1.8
AUX0103241		0.08	3.14	45	0.209	8.08	81.9	1.3
AUX0103242		0.09	3.06	44	0.243	8.68	76.0	1.3
AUX0103243		0.07	1.33	36	0.165	6.08	64.1	0.6
AUX0103244		0.12	1.07	37	0.251	5.49	61.9	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0103245	0.44	0.0031	0.176	1.07	49.5	<10	235	0.27	0.23	0.32	0.19	29.4	6.3	21.3	0.69
AUX0103246	0.50	0.0034	0.163	0.85	46.5	<10	187.5	0.22	0.20	0.25	0.18	27.9	5.3	17.0	0.63
AUX0103247	0.48	0.0033	0.192	1.24	61.9	<10	313	0.31	0.26	0.44	0.19	25.9	7.3	23.2	0.73
AUX0103248	0.64	0.0081	0.231	1.33	113.0	<10	380	0.42	0.37	0.44	0.34	29.5	10.7	25.6	0.98
AUX0103249	0.66	0.0074	0.290	1.43	173.5	<10	408	0.44	0.42	0.40	0.28	28.0	9.5	31.6	1.02
AUX0103250	0.68	0.0100	0.294	1.48	208	<10	406	0.48	0.46	0.43	0.30	30.5	10.7	35.6	1.19
AUX0103251	0.52	0.0078	0.179	1.32	130.0	<10	289	0.33	0.41	0.37	0.19	28.6	9.5	30.8	1.36
AUX0103252	0.44	0.0060	0.280	1.49	96.7	<10	447	0.51	0.33	0.49	0.30	28.4	9.1	30.1	0.89
AUX0103253	0.44	0.0086	0.298	1.48	177.5	<10	433	0.44	0.44	0.58	0.39	28.3	11.2	28.2	0.92
AUX0103254	0.56	0.0299	0.591	1.51	739	<10	443	0.50	1.21	0.65	0.81	35.1	17.3	33.1	1.23
AUX0103255	0.58	0.0433	0.341	1.42	428	<10	419	0.49	0.50	0.48	0.49	33.6	12.8	32.4	0.95
AUX0103256	0.66	0.218	0.516	1.27	684	<10	318	0.46	0.80	0.76	0.66	36.9	17.3	28.1	1.38
AUX0103257	0.58	0.0109	0.297	1.42	219	<10	498	0.55	0.38	0.61	0.78	30.9	11.9	27.0	0.69
AUX0103258	0.46	0.0096	0.333	1.52	168.5	<10	522	0.56	0.37	0.85	1.04	31.5	11.4	26.1	1.03
AUX0103259	0.48	0.0047	0.259	1.47	99.5	<10	504	0.50	0.26	0.81	0.80	26.2	12.1	25.0	0.74
AUX0103260	0.52	0.0085	0.265	1.43	150.5	<10	470	0.50	0.31	0.51	0.56	31.5	11.2	27.1	0.88
AUX0103261	0.36	0.0351	0.277	1.30	780	<10	513	0.48	1.79	0.46	0.46	32.6	10.9	23.9	2.20
AUX0103262	0.38	0.0355	0.408	1.63	619	<10	502	0.54	0.93	0.83	0.38	29.3	11.3	27.7	1.72
AUX0103263	0.32	0.0155	0.255	1.49	495	<10	429	0.44	0.50	0.59	0.30	28.7	14.0	40.8	3.14
AUX0103264	0.30	0.0160	0.228	1.42	268	<10	490	0.45	0.46	0.43	0.27	28.4	10.0	27.7	0.91
AUX0103265	0.26	0.0099	0.218	1.17	232	<10	391	0.42	0.40	1.13	0.51	22.9	9.8	24.2	2.86
AUX0103266	0.32	0.0169	0.241	1.34	439	<10	324	0.46	0.85	0.68	0.33	27.3	10.9	27.9	4.33
AUX0103267	0.32	0.0067	0.243	1.42	176.0	<10	417	0.45	0.31	0.50	0.23	27.4	9.1	25.4	0.82
AUX0103268	0.34	0.0047	0.231	1.37	149.5	<10	341	0.43	0.28	0.67	0.23	25.6	8.9	24.0	0.98
AUX0103269	0.24	0.0078	0.245	1.18	173.0	<10	348	0.38	0.35	0.53	0.23	26.8	9.0	21.1	0.98
AUX0103270	0.30	0.0111	0.380	1.49	390	<10	468	0.57	0.40	0.54	0.51	34.6	13.4	25.9	1.28
AUX0103271	0.30	0.0206	0.296	1.44	275	<10	419	0.49	0.48	0.65	0.57	28.3	11.3	25.8	0.90
AUX0103272	0.32	0.0053	0.218	1.47	240	<10	528	0.49	0.33	0.59	0.48	27.4	10.9	26.4	0.66
AUX0103273	0.28	0.0036	0.208	1.35	117.0	<10	369	0.47	0.25	0.59	0.41	26.5	10.7	23.5	0.75
AUX0103274	0.30	0.0067	0.256	1.06	109.0	<10	289	0.35	0.31	0.33	0.30	27.5	8.0	19.8	0.76
AUX0103275	0.34	0.0037	0.220	0.99	54.4	<10	228	0.31	0.23	0.32	0.22	27.3	7.1	20.5	0.61
AUX0103276	0.28	0.0040	0.177	1.18	100.0	<10	228	0.31	0.37	0.36	0.19	26.4	5.7	21.8	1.03
AUX0103277	0.28	0.0227	0.361	1.33	368	<10	355	0.53	0.77	0.52	0.30	32.5	12.9	27.4	1.56
AUX0103278	0.32	0.0131	0.304	1.44	224	<10	431	0.63	0.47	1.04	0.43	26.2	14.6	26.4	1.01
AUX0103279	0.34	0.0044	0.248	1.37	89.2	<10	429	0.52	0.28	0.60	0.35	26.0	11.2	28.7	0.72
AUX0103280	0.30	0.0049	0.251	1.28	71.7	<10	448	0.50	0.26	0.97	0.53	21.6	10.4	23.4	0.61
AUX0103281	0.30	0.0155	0.278	1.47	83.7	<10	465	0.58	0.31	0.69	0.46	26.1	11.4	27.1	0.81
AUX0103282	0.28	0.0070	0.233	1.37	112.5	<10	437	0.53	0.35	0.59	0.36	27.4	11.7	27.7	0.83
AUX0103283	0.26	0.0098	0.285	1.53	163.5	<10	435	0.64	0.45	0.50	0.49	31.0	12.9	28.2	0.88
AUX0103284	0.32	0.0054	0.244	1.45	123.5	<10	450	0.54	0.39	0.64	0.57	28.9	11.7	27.1	0.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103245		21.9	2.08	3.17	<0.05	0.02	0.023	0.017	0.03	14.7	11.5	0.36	172	0.76	0.01	0.57
AUX0103246		24.1	1.80	2.68	0.11	0.02	0.024	0.013	0.03	14.6	10.5	0.30	199	0.91	0.01	0.49
AUX0103247		23.0	2.31	3.63	<0.05	0.02	0.027	0.017	0.04	14.0	11.8	0.38	270	0.92	0.01	0.54
AUX0103248		28.7	2.68	4.14	<0.05	0.03	0.040	0.022	0.05	16.2	14.0	0.43	487	1.21	0.01	0.59
AUX0103249		33.8	3.00	4.18	0.05	0.06	0.034	0.022	0.06	16.1	14.2	0.49	397	1.14	0.01	0.54
AUX0103250		36.9	3.14	4.36	<0.05	0.05	0.040	0.027	0.06	16.6	14.7	0.52	426	1.30	0.01	0.56
AUX0103251		24.5	2.49	3.99	<0.05	0.02	0.019	0.020	0.05	14.8	13.7	0.49	337	0.93	0.01	0.56
AUX0103252		33.9	2.95	4.33	<0.05	0.04	0.059	0.026	0.06	15.4	14.5	0.51	336	1.14	0.01	0.60
AUX0103253		25.9	2.90	4.15	<0.05	0.04	0.051	0.024	0.05	15.0	12.1	0.46	479	0.99	0.01	0.56
AUX0103254		40.2	3.79	4.11	0.05	0.07	0.054	0.029	0.07	18.1	14.9	0.55	639	1.42	0.01	0.54
AUX0103255		37.8	3.28	3.87	0.06	0.10	0.038	0.025	0.06	17.8	15.0	0.57	424	1.03	0.01	0.54
AUX0103256		45.2	3.55	3.47	0.06	0.10	0.057	0.024	0.09	20.4	13.9	0.54	637	1.11	0.01	0.43
AUX0103257		34.9	3.01	3.81	0.05	0.08	0.048	0.024	0.05	15.2	14.7	0.51	477	0.86	0.01	0.65
AUX0103258		30.9	2.67	4.08	0.05	0.07	0.082	0.024	0.05	16.7	13.6	0.42	737	0.58	0.01	0.60
AUX0103259		27.9	2.69	3.89	<0.05	0.07	0.088	0.024	0.04	14.0	11.9	0.43	1040	0.78	0.01	0.66
AUX0103260		29.8	2.80	4.14	0.05	0.05	0.050	0.024	0.05	17.7	14.0	0.44	666	0.98	0.01	0.66
AUX0103261		48.6	3.17	3.71	0.05	0.08	0.039	0.024	0.05	17.8	15.2	0.47	356	1.25	0.01	0.52
AUX0103262		36.8	3.01	4.36	0.06	0.04	0.043	0.026	0.06	15.9	14.5	0.47	520	1.08	0.01	0.60
AUX0103263		31.0	3.06	4.07	<0.05	0.05	0.034	0.022	0.05	14.9	17.3	0.59	567	1.09	0.01	0.60
AUX0103264		31.1	2.96	3.76	0.05	0.07	0.049	0.021	0.04	15.5	13.3	0.45	398	1.13	0.01	0.62
AUX0103265		29.5	2.29	3.12	0.05	0.07	0.064	0.018	0.04	12.0	12.6	0.41	506	1.95	0.01	0.66
AUX0103266		30.2	2.65	3.71	0.06	0.08	0.051	0.021	0.05	14.3	15.4	0.44	391	2.34	0.01	0.67
AUX0103267		30.5	2.76	3.67	<0.05	0.07	0.041	0.020	0.05	14.2	12.6	0.43	442	1.17	0.01	0.69
AUX0103268		23.6	2.49	3.81	<0.05	0.04	0.078	0.019	0.05	13.1	14.0	0.41	353	1.50	0.01	0.63
AUX0103269		27.3	2.36	3.33	<0.05	0.05	0.041	0.019	0.05	14.5	11.2	0.35	233	1.11	0.01	0.55
AUX0103270		40.7	3.20	4.25	0.05	0.07	0.052	0.026	0.06	18.2	15.0	0.43	300	1.25	0.01	0.66
AUX0103271		35.5	2.87	3.74	0.05	0.08	0.055	0.024	0.06	16.0	13.6	0.44	277	1.08	0.01	0.70
AUX0103272		30.6	2.96	3.76	<0.05	0.07	0.051	0.023	0.05	14.4	12.7	0.45	436	1.17	0.01	0.70
AUX0103273		24.8	2.50	4.14	0.05	0.05	0.061	0.023	0.04	14.6	13.8	0.41	231	1.17	0.03	0.75
AUX0103274		41.5	2.29	3.21	0.05	0.02	0.030	0.017	0.05	15.7	11.2	0.38	319	1.14	0.02	0.50
AUX0103275		28.0	1.96	3.13	0.05	0.02	0.034	0.016	0.04	14.8	11.4	0.37	245	1.04	0.02	0.53
AUX0103276		20.6	2.07	3.93	<0.05	<0.02	0.031	0.019	0.04	14.4	12.6	0.36	155	1.02	0.02	0.69
AUX0103277		41.8	3.14	3.85	0.06	0.06	0.047	0.023	0.06	19.0	13.3	0.45	522	1.61	0.03	0.60
AUX0103278		33.0	3.02	3.97	0.06	0.06	0.046	0.023	0.05	14.3	13.1	0.49	960	1.47	0.03	0.66
AUX0103279		35.1	2.76	3.96	0.05	0.06	0.047	0.020	0.05	14.3	13.1	0.48	728	1.51	0.03	0.76
AUX0103280		31.2	2.47	3.32	0.05	0.06	0.055	0.022	0.05	12.4	11.5	0.45	1000	1.11	0.03	0.64
AUX0103281		32.4	2.79	4.23	0.05	0.06	0.064	0.022	0.05	14.9	13.8	0.48	654	1.16	0.03	0.74
AUX0103282		33.0	2.80	3.90	0.05	0.05	0.055	0.023	0.05	15.3	12.7	0.45	641	1.29	0.03	0.69
AUX0103283		35.2	3.10	4.36	0.05	0.09	0.059	0.028	0.06	16.9	16.6	0.50	192	1.23	0.03	0.85
AUX0103284		32.1	2.93	4.05	0.05	0.08	0.057	0.024	0.05	15.1	15.9	0.49	374	1.15	0.03	0.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103245		17.8	0.070	9.56	5.9	<0.001	0.01	3.31	2.8	1.2	0.3	21.4	<0.01	0.03	3.5	0.030
AUX0103246		17.1	0.071	8.07	4.9	0.001	0.01	3.67	2.2	0.7	0.3	17.0	<0.01	0.02	3.2	0.027
AUX0103247		20.1	0.070	10.65	7.3	0.001	0.02	3.58	3.1	1.0	0.4	26.5	<0.01	0.03	2.8	0.029
AUX0103248		26.1	0.069	12.85	8.1	<0.001	0.02	7.51	3.8	1.0	0.4	31.7	<0.01	0.03	3.4	0.031
AUX0103249		31.0	0.066	12.00	7.2	<0.001	0.02	14.20	4.5	0.8	0.4	29.0	<0.01	0.04	4.3	0.036
AUX0103250		33.7	0.068	12.95	7.8	<0.001	0.01	15.70	4.8	1.0	0.4	31.9	<0.01	0.03	4.4	0.035
AUX0103251		23.6	0.065	9.32	8.7	<0.001	0.02	14.60	3.3	0.5	0.4	23.6	<0.01	0.03	3.3	0.032
AUX0103252		28.5	0.073	12.20	7.7	<0.001	0.02	7.17	4.4	0.9	0.4	34.0	<0.01	0.03	3.8	0.034
AUX0103253		25.2	0.067	14.05	8.1	0.001	0.03	13.20	4.0	1.6	0.4	49.7	<0.01	0.04	3.4	0.026
AUX0103254		41.5	0.080	25.4	7.5	<0.001	0.04	43.8	4.9	1.8	0.4	62.8	<0.01	0.08	4.2	0.027
AUX0103255		38.3	0.069	15.00	5.9	<0.001	0.03	28.2	4.7	1.2	0.4	48.0	<0.01	0.05	5.2	0.035
AUX0103256		44.8	0.072	18.90	6.7	0.001	0.03	40.9	4.3	1.1	0.3	50.7	<0.01	0.05	6.5	0.024
AUX0103257		31.9	0.072	14.35	6.2	0.001	0.04	15.85	4.3	2.2	0.4	60.8	<0.01	0.03	4.0	0.031
AUX0103258		29.5	0.079	14.25	7.8	0.001	0.08	17.90	4.1	3.6	0.4	68.5	<0.01	0.05	2.7	0.020
AUX0103259		26.8	0.095	11.45	7.5	0.001	0.08	10.05	3.7	2.5	0.3	74.5	<0.01	0.03	2.4	0.021
AUX0103260		27.9	0.078	12.50	8.6	0.001	0.03	9.30	4.4	1.6	0.4	42.4	<0.01	0.03	3.8	0.028
AUX0103261		28.8	0.084	13.90	5.4	<0.001	0.02	9.16	3.7	1.3	0.5	31.5	<0.01	0.09	6.5	0.034
AUX0103262		30.5	0.073	12.65	8.9	0.001	0.05	11.50	3.9	2.3	0.5	49.4	<0.01	0.07	2.7	0.028
AUX0103263		38.7	0.073	11.20	9.3	0.001	0.03	5.60	4.1	1.8	0.5	34.3	<0.01	0.04	3.4	0.039
AUX0103264		26.8	0.062	12.00	6.3	0.001	0.02	4.01	3.9	1.0	0.4	28.8	<0.01	0.05	4.4	0.038
AUX0103265		27.3	0.080	9.01	7.4	0.005	0.11	4.35	3.0	7.9	0.4	77.5	<0.01	0.04	2.4	0.031
AUX0103266		29.2	0.075	10.55	9.8	0.002	0.05	4.86	3.5	3.7	0.5	51.9	<0.01	0.03	3.3	0.032
AUX0103267		25.6	0.074	10.70	7.5	0.001	0.03	3.34	3.7	1.8	0.4	38.5	<0.01	0.04	3.3	0.038
AUX0103268		22.2	0.079	11.05	9.1	0.002	0.05	3.20	3.2	2.9	0.3	50.7	<0.01	0.05	2.4	0.024
AUX0103269		21.8	0.069	11.00	6.9	0.001	0.04	20.9	3.3	2.2	0.3	47.4	<0.01	0.03	3.5	0.024
AUX0103270		33.8	0.072	13.70	8.4	0.001	0.03	9.40	4.7	3.7	0.4	48.0	<0.01	0.05	4.5	0.033
AUX0103271		29.6	0.074	13.25	6.9	0.001	0.06	22.4	4.1	3.5	0.3	51.3	<0.01	0.04	3.9	0.033
AUX0103272		26.4	0.080	11.95	6.0	0.001	0.05	15.35	3.9	2.7	0.3	53.1	<0.01	0.04	3.6	0.037
AUX0103273		23.0	0.081	11.65	7.9	0.001	0.05	8.09	3.8	2.2	0.4	52.5	<0.01	0.02	2.6	0.028
AUX0103274		27.5	0.072	12.20	5.7	<0.001	0.02	9.33	3.3	0.5	0.3	23.0	<0.01	0.04	3.4	0.028
AUX0103275		20.9	0.073	10.20	5.1	<0.001	0.02	4.70	2.5	0.7	0.5	22.4	<0.01	0.02	2.4	0.026
AUX0103276		17.9	0.058	10.20	7.4	<0.001	0.03	12.55	2.6	0.6	0.4	27.4	<0.01	0.02	2.2	0.025
AUX0103277		34.5	0.066	14.95	7.4	<0.001	0.03	42.0	4.9	0.8	0.6	41.9	<0.01	0.04	4.6	0.027
AUX0103278		30.0	0.074	13.55	6.8	0.001	0.07	16.25	4.2	1.7	0.4	69.4	<0.01	0.04	2.5	0.027
AUX0103279		29.5	0.067	12.80	6.6	0.001	0.04	7.56	4.2	0.9	0.5	56.2	<0.01	0.03	3.7	0.035
AUX0103280		27.0	0.080	10.40	6.2	0.001	0.08	9.61	3.4	1.2	0.3	81.1	<0.01	0.03	2.1	0.028
AUX0103281		28.9	0.069	14.05	7.9	0.001	0.05	9.52	4.3	1.9	0.4	73.4	<0.01	0.04	3.0	0.029
AUX0103282		29.1	0.073	13.05	6.7	<0.001	0.04	11.75	4.3	1.6	0.5	59.1	<0.01	0.03	3.4	0.030
AUX0103283		31.3	0.067	16.00	8.0	<0.001	0.04	16.40	4.8	2.2	0.4	56.5	<0.01	0.05	4.7	0.038
AUX0103284		29.9	0.069	13.75	7.7	0.001	0.06	12.85	4.4	2.4	0.5	62.7	<0.01	0.03	3.7	0.031

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103245		0.08	1.23	33	0.187	6.31	59.9	0.8
AUX0103246		0.08	0.85	25	0.141	5.46	56.4	0.7
AUX0103247		0.08	1.70	37	0.198	6.10	62.9	0.5
AUX0103248		0.10	1.30	42	0.240	7.26	71.7	0.9
AUX0103249		0.10	1.18	44	0.284	8.06	81.8	2.0
AUX0103250		0.10	0.97	45	0.269	8.33	83.8	2.0
AUX0103251		0.09	0.83	39	0.212	5.60	65.1	0.6
AUX0103252		0.10	0.77	47	0.269	8.08	83.3	1.4
AUX0103253		0.09	2.02	43	0.301	7.75	69.8	1.1
AUX0103254		0.10	1.82	43	0.328	10.65	95.6	2.3
AUX0103255		0.07	0.68	43	0.336	9.19	93.5	3.5
AUX0103256		0.12	0.78	36	0.437	8.60	102.5	4.3
AUX0103257		0.08	1.96	42	0.656	9.67	90.7	2.8
AUX0103258		0.09	18.35	40	0.253	10.85	72.5	2.1
AUX0103259		0.07	16.55	41	0.186	9.01	83.1	1.9
AUX0103260		0.10	4.98	42	0.228	9.40	90.8	1.7
AUX0103261		0.08	0.86	39	0.858	9.99	93.8	3.4
AUX0103262		0.10	2.09	42	0.518	8.73	75.3	1.1
AUX0103263		0.12	1.17	41	0.377	8.19	76.6	1.7
AUX0103264		0.08	1.02	42	0.229	7.81	79.0	2.6
AUX0103265		0.07	5.39	35	0.484	7.31	64.5	2.2
AUX0103266		0.09	2.14	37	1.355	7.79	66.0	2.1
AUX0103267		0.07	1.26	42	0.233	7.85	75.4	2.5
AUX0103268		0.08	1.55	39	0.340	6.95	62.1	1.2
AUX0103269		0.08	1.80	34	0.177	6.86	56.0	1.5
AUX0103270		0.11	2.17	42	0.236	11.15	83.1	2.6
AUX0103271		0.08	2.22	41	0.230	9.72	83.7	3.0
AUX0103272		0.08	2.47	46	0.231	8.50	84.4	2.7
AUX0103273		0.08	3.50	40	0.242	8.66	69.2	1.6
AUX0103274		0.12	0.99	31	0.168	7.51	73.0	1.1
AUX0103275		0.08	1.27	29	0.214	6.14	57.0	0.5
AUX0103276		0.08	0.99	35	0.202	5.48	48.2	0.5
AUX0103277		0.09	0.92	38	0.318	11.20	73.8	2.5
AUX0103278		0.08	3.73	41	0.327	9.47	65.8	2.3
AUX0103279		0.08	1.86	44	0.263	8.40	73.1	2.3
AUX0103280		0.08	3.94	38	0.249	9.39	68.0	2.1
AUX0103281		0.08	3.64	44	0.216	9.82	66.2	1.8
AUX0103282		0.08	3.36	42	0.352	9.49	66.8	2.1
AUX0103283		0.09	1.65	46	0.356	10.85	77.7	3.7
AUX0103284		0.08	1.89	43	0.227	9.73	73.3	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0103285	0.24	0.0060	0.227	1.34	83.0	<10	444	0.50	0.28	0.72	0.70	25.6	12.1	25.1	0.54
AUX0103286	0.28	0.0042	0.258	1.46	63.4	<10	481	0.60	0.25	0.72	0.61	26.8	12.7	26.9	0.69
AUX0103287	0.30	0.0091	0.261	1.35	318	<10	394	0.50	0.38	0.61	0.47	30.0	12.8	29.0	0.83
AUX0103288	0.26	0.0038	0.194	1.42	133.0	<10	412	0.51	0.28	0.59	0.26	27.0	10.4	26.8	0.80
AUX0103289	0.28	0.0028	0.188	1.47	90.7	<10	388	0.56	0.26	0.56	0.26	29.2	11.7	28.2	0.63
AUX0103290	0.28	0.0069	0.242	1.39	167.5	<10	441	0.54	0.40	0.59	0.41	30.7	12.5	27.7	0.69
AUX0103291	0.28	0.0059	0.197	1.38	139.5	<10	430	0.51	0.29	0.51	0.39	27.7	9.9	27.4	0.70
AUX0103292	0.38	0.0038	0.230	1.52	96.0	<10	440	0.52	0.41	0.51	0.26	28.9	9.6	29.2	1.39
AUX0103293	0.40	0.0034	0.213	1.45	252	<10	408	0.52	0.46	0.68	0.30	28.7	10.7	27.2	1.05
AUX0103294	0.18	0.0074	0.197	1.27	668	<10	287	0.44	0.44	0.95	0.27	22.4	9.9	23.4	0.87
AUX0103295	0.42	0.0040	0.206	1.39	300	<10	438	0.53	0.33	0.70	0.43	25.9	9.6	26.2	0.87
AUX0103296	0.34	0.0026	0.225	1.34	164.0	<10	435	0.51	0.24	0.65	0.42	26.2	10.7	24.9	0.93
AUX0103297	0.40	0.0041	0.245	1.45	155.0	<10	435	0.53	0.23	0.61	0.30	27.4	10.0	26.1	1.00
AUX0103298	0.44	0.0041	0.240	1.32	183.5	<10	430	0.47	0.27	0.60	0.39	25.6	10.9	26.4	0.93
AUX0103299	0.28	0.0084	0.306	1.70	186.0	<10	461	0.51	0.41	1.25	0.48	20.5	12.0	31.8	1.35
AUX0103300	0.32	0.0075	0.268	1.57	218	<10	406	0.48	0.40	0.85	0.45	22.6	12.2	28.7	1.30
AUX0103301	0.42	0.0028	0.207	1.33	100.5	<10	449	0.53	0.23	0.81	0.58	24.8	10.3	24.0	0.70
AUX0103302	0.54	0.0023	0.207	1.42	116.5	<10	444	0.56	0.23	0.64	0.55	27.1	10.8	26.1	0.63
AUX0103303	0.58	0.0083	0.306	1.38	137.5	<10	462	0.54	0.37	0.52	0.78	30.6	11.9	26.7	0.81
AUX0103304	0.60	0.0068	0.302	1.38	178.0	<10	403	0.51	0.40	0.58	0.54	29.2	11.0	26.3	1.07
AUX0103305	0.44	0.0068	0.270	1.38	176.5	<10	486	0.56	0.34	0.83	1.00	26.9	12.0	25.3	0.82
AUX0103306	0.56	0.0039	0.235	1.10	138.0	<10	394	0.44	0.26	0.63	0.58	28.0	10.8	22.6	0.63
AUX0103307	0.50	0.0061	0.272	1.33	154.5	<10	410	0.46	0.32	0.64	0.60	24.5	10.1	24.2	0.80
AUX0103308	0.42	0.0042	0.257	1.38	100.5	<10	420	0.50	0.26	0.69	0.78	26.8	10.3	24.7	0.70
AUX0103309	0.68	0.0046	0.283	1.34	72.6	<10	438	0.54	0.29	0.52	0.73	29.5	10.9	27.1	0.57
AUX0103310	0.54	0.0052	0.242	1.21	67.7	<10	397	0.47	0.26	0.55	0.46	27.4	9.5	23.5	0.50
AUX0103311	0.44	0.0035	0.238	1.44	43.2	<10	431	0.56	0.26	0.58	0.46	29.1	10.4	26.5	0.64
AUX0103312	0.38	0.0036	0.180	1.24	42.8	<10	366	0.48	0.21	0.48	0.27	27.4	10.0	25.4	0.52
AUX0103313	0.62	0.0050	0.265	1.37	80.3	<10	494	0.54	0.30	0.55	0.60	29.2	10.7	26.5	0.69
AUX0103314	0.44	0.0041	0.228	1.47	48.3	<10	491	0.58	0.26	0.64	0.51	28.2	10.0	26.1	0.68
AUX0103315	0.42	0.0145	0.189	1.21	46.3	<10	365	0.44	0.20	0.72	0.40	23.9	8.9	22.3	0.52
AUX0103316	0.26	0.0035	0.211	1.25	73.5	<10	394	0.52	0.25	0.94	0.52	23.8	9.2	21.8	0.62
AUX0103317	0.36	0.0034	0.164	1.38	47.0	<10	467	0.53	0.23	0.63	0.47	27.3	9.7	25.6	0.67
AUX0103318	0.54	0.0082	0.327	1.44	144.5	<10	462	0.52	0.56	0.46	0.51	31.2	13.3	26.5	0.83
AUX0103319	0.52	0.0328	0.411	1.42	492	<10	368	0.56	0.65	0.54	0.49	38.8	16.1	33.9	1.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103285		30.9	2.69	3.87	0.05	0.09	0.048	0.021	0.05	14.9	14.8	0.50	594	1.00	0.03	0.84
AUX0103286		33.2	2.82	4.28	0.06	0.07	0.062	0.022	0.04	14.2	15.3	0.50	921	1.21	0.03	0.84
AUX0103287		30.7	3.13	3.83	0.05	0.10	0.046	0.022	0.05	16.5	14.6	0.52	318	1.17	0.03	0.78
AUX0103288		26.4	2.75	4.03	0.05	0.06	0.054	0.020	0.05	14.9	14.4	0.47	501	1.07	0.03	0.76
AUX0103289		30.2	2.91	4.18	0.05	0.09	0.048	0.020	0.05	15.8	13.3	0.46	549	1.41	0.03	0.83
AUX0103290		31.8	2.87	4.05	0.05	0.08	0.046	0.023	0.04	16.6	13.6	0.45	513	1.54	0.03	0.81
AUX0103291		29.9	2.85	3.98	0.05	0.09	0.046	0.022	0.05	15.6	12.9	0.46	504	1.33	0.03	0.84
AUX0103292		32.8	2.86	4.61	0.05	0.05	0.047	0.024	0.04	16.3	16.1	0.49	337	1.51	0.03	0.92
AUX0103293		31.4	2.84	4.30	0.05	0.07	0.050	0.021	0.04	15.9	15.0	0.46	338	1.47	0.03	0.90
AUX0103294		27.0	2.59	3.72	0.05	0.06	0.057	0.019	0.04	12.0	14.9	0.40	486	1.27	0.03	0.67
AUX0103295		30.7	2.57	4.17	0.05	0.06	0.056	0.021	0.04	15.8	15.0	0.45	400	1.44	0.03	0.86
AUX0103296		28.7	2.74	4.01	0.06	0.05	0.059	0.021	0.04	14.5	13.7	0.44	510	1.38	0.03	0.78
AUX0103297		30.5	2.64	4.27	0.05	0.04	0.052	0.021	0.05	15.8	14.7	0.44	418	1.40	0.03	0.75
AUX0103298		31.5	2.72	3.90	0.05	0.05	0.056	0.020	0.06	13.8	14.5	0.44	478	1.70	0.03	0.69
AUX0103299		34.1	2.79	4.66	0.05	0.07	0.079	0.025	0.05	11.4	17.9	0.53	997	2.16	0.03	0.85
AUX0103300		29.2	2.50	4.54	0.05	0.07	0.069	0.022	0.05	13.0	17.4	0.49	994	2.11	0.03	0.81
AUX0103301		31.8	2.48	3.73	0.05	0.07	0.059	0.021	0.04	14.3	13.7	0.43	406	1.40	0.03	0.82
AUX0103302		28.5	2.80	4.02	0.06	0.07	0.061	0.020	0.04	14.4	13.8	0.43	772	1.84	0.03	0.83
AUX0103303		44.0	2.90	4.05	0.06	0.09	0.052	0.024	0.06	16.7	15.1	0.46	582	1.57	0.03	0.79
AUX0103304		38.3	2.86	3.86	0.05	0.09	0.047	0.021	0.06	16.0	14.7	0.46	314	1.71	0.03	0.76
AUX0103305		37.4	2.48	4.00	0.06	0.05	0.070	0.023	0.05	14.6	13.8	0.42	748	1.28	0.03	0.76
AUX0103306		33.6	2.57	3.29	0.05	0.07	0.044	0.017	0.05	15.4	12.2	0.39	462	1.32	0.03	0.76
AUX0103307		35.4	2.56	3.64	<0.05	0.07	0.062	0.021	0.05	13.8	13.4	0.41	792	1.29	0.03	0.71
AUX0103308		30.0	2.53	3.91	0.05	0.06	0.057	0.024	0.05	14.7	16.5	0.45	365	1.04	0.03	0.80
AUX0103309		42.5	2.63	4.12	0.11	0.07	0.055	0.026	0.05	15.7	16.2	0.47	379	1.41	0.03	0.90
AUX0103310		30.6	2.61	3.47	0.12	0.08	0.049	0.023	0.05	14.4	13.5	0.47	450	1.12	0.03	0.79
AUX0103311		35.0	2.55	4.17	0.11	0.06	0.062	0.024	0.04	15.6	13.8	0.47	342	1.10	0.03	0.88
AUX0103312		28.3	2.58	3.64	0.11	0.06	0.039	0.020	0.04	14.4	13.5	0.46	436	1.04	0.03	0.82
AUX0103313		36.9	2.79	3.94	0.11	0.09	0.065	0.027	0.04	15.2	15.0	0.47	341	1.29	0.03	0.88
AUX0103314		30.9	2.80	4.13	0.12	0.08	0.060	0.025	0.04	14.6	13.6	0.47	430	0.97	0.03	0.87
AUX0103315		24.0	2.40	3.39	0.10	0.06	0.076	0.022	0.04	12.4	11.8	0.43	313	0.88	0.03	0.76
AUX0103316		26.7	2.36	3.65	0.11	0.07	0.073	0.024	0.04	12.4	12.3	0.41	720	0.82	0.03	0.75
AUX0103317		32.4	2.79	4.05	0.11	0.06	0.075	0.025	0.04	14.9	13.5	0.43	583	1.02	0.03	0.85
AUX0103318		37.2	3.01	4.10	0.11	0.11	0.061	0.026	0.05	16.8	13.7	0.47	840	1.25	0.03	0.75
AUX0103319		40.6	3.36	4.16	0.13	0.09	0.055	0.029	0.07	20.4	14.7	0.55	626	1.24	0.03	0.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103285		28.1	0.071	13.75	6.0	0.001	0.07	7.41	4.0	1.7	0.4	72.6	<0.01	0.03	3.6	0.036
AUX0103286		30.5	0.074	13.25	7.0	0.001	0.07	5.51	4.4	1.6	0.5	71.8	<0.01	0.03	3.1	0.032
AUX0103287		32.4	0.072	15.65	6.7	0.001	0.06	11.45	4.4	0.8	0.4	60.6	<0.01	0.04	4.5	0.032
AUX0103288		25.8	0.072	12.40	8.0	<0.001	0.05	7.19	4.0	1.1	0.5	53.9	<0.01	0.03	3.3	0.027
AUX0103289		30.5	0.071	13.35	6.8	<0.001	0.03	4.99	4.5	1.0	0.4	37.3	<0.01	0.02	4.0	0.039
AUX0103290		29.5	0.068	14.95	6.9	<0.001	0.04	8.01	4.1	0.9	0.4	42.2	<0.01	0.03	3.9	0.033
AUX0103291		28.3	0.070	13.00	6.7	<0.001	0.03	6.56	4.2	1.0	0.4	37.6	<0.01	0.04	4.3	0.041
AUX0103292		27.1	0.069	12.70	9.1	<0.001	0.03	2.82	4.4	1.3	0.6	31.0	<0.01	0.04	3.8	0.039
AUX0103293		26.0	0.082	13.20	7.9	0.001	0.04	11.60	4.1	2.5	0.5	46.1	<0.01	0.04	3.6	0.035
AUX0103294		22.7	0.083	10.15	7.4	0.003	0.08	23.1	3.1	3.8	0.7	62.3	<0.01	0.04	2.2	0.026
AUX0103295		26.9	0.079	11.15	7.4	0.001	0.05	12.75	3.9	3.0	0.5	48.9	<0.01	0.03	3.1	0.032
AUX0103296		26.6	0.084	11.80	7.6	<0.001	0.05	5.05	3.9	2.1	0.4	45.1	<0.01	0.04	3.1	0.031
AUX0103297		26.5	0.082	12.00	8.8	0.001	0.05	4.56	4.0	2.8	0.5	43.5	<0.01	0.03	2.8	0.026
AUX0103298		27.8	0.080	14.05	7.5	0.002	0.05	4.04	3.9	2.2	0.4	51.2	<0.01	0.02	3.1	0.028
AUX0103299		30.7	0.088	12.95	9.4	0.009	0.14	5.85	4.0	5.4	0.7	104.0	<0.01	0.04	2.1	0.025
AUX0103300		27.6	0.077	11.95	9.1	0.005	0.10	4.88	3.9	4.0	0.4	73.0	<0.01	0.03	2.6	0.026
AUX0103301		25.9	0.078	12.65	6.6	0.002	0.08	17.10	3.8	4.6	0.7	78.6	<0.01	0.02	3.0	0.026
AUX0103302		25.9	0.080	12.60	6.7	0.001	0.06	11.85	4.1	3.6	0.4	54.6	<0.01	0.04	3.3	0.032
AUX0103303		33.6	0.076	16.20	7.0	<0.001	0.04	9.12	4.5	1.4	0.7	44.4	<0.01	0.04	4.7	0.038
AUX0103304		29.6	0.070	16.90	8.1	<0.001	0.04	10.65	4.3	2.2	0.4	44.4	<0.01	0.04	4.7	0.033
AUX0103305		29.0	0.080	14.25	7.9	0.002	0.10	48.1	3.9	3.1	0.6	76.0	<0.01	0.03	2.7	0.024
AUX0103306		27.3	0.076	13.60	5.7	0.001	0.05	9.05	3.6	1.4	0.3	52.7	<0.01	0.05	4.0	0.031
AUX0103307		25.6	0.078	16.35	7.3	0.002	0.08	16.00	3.7	2.4	0.7	59.2	<0.01	0.05	3.5	0.028
AUX0103308		27.1	0.076	13.50	7.5	0.002	0.08	8.52	4.1	2.9	0.4	63.3	<0.01	0.02	3.5	0.028
AUX0103309		34.4	0.072	16.30	6.7	<0.001	0.03	6.29	4.2	1.7	0.7	52.8	<0.01	0.05	4.1	0.037
AUX0103310		27.9	0.071	12.45	5.8	<0.001	0.02	5.72	3.6	1.4	0.3	53.3	<0.01	0.04	3.9	0.038
AUX0103311		26.3	0.069	13.95	6.7	0.001	0.04	4.35	4.1	1.4	0.7	53.0	<0.01	0.03	3.4	0.033
AUX0103312		23.8	0.068	11.65	5.8	<0.001	0.02	2.88	3.7	0.9	0.4	40.4	<0.01	0.03	3.6	0.038
AUX0103313		29.3	0.074	13.95	6.4	<0.001	0.02	5.76	4.2	1.3	0.5	57.8	<0.01	0.05	4.1	0.036
AUX0103314		25.3	0.078	13.85	6.7	0.001	0.05	3.56	3.8	1.6	0.4	55.8	<0.01	0.03	3.4	0.031
AUX0103315		20.4	0.074	11.70	5.4	0.001	0.05	5.55	3.1	1.2	0.5	61.3	<0.01	0.03	2.9	0.030
AUX0103316		22.7	0.074	11.60	5.6	0.001	0.07	12.45	3.3	1.5	0.4	74.1	<0.01	0.02	2.7	0.025
AUX0103317		23.9	0.081	13.65	6.1	<0.001	0.03	7.30	3.8	2.0	0.8	57.4	<0.01	0.02	3.6	0.028
AUX0103318		34.0	0.068	16.00	7.2	<0.001	0.01	28.3	4.5	1.0	0.4	38.3	<0.01	0.04	5.0	0.042
AUX0103319		41.1	0.073	17.40	8.2	<0.001	0.01	50.3	4.7	1.3	0.5	33.6	<0.01	0.05	5.7	0.031

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0103285		0.08	2.10	42	0.234	9.30	78.0	3.2
AUX0103286		0.08	5.13	44	0.244	10.35	78.8	2.5
AUX0103287		0.07	2.19	40	0.266	9.38	83.5	4.0
AUX0103288		0.08	3.82	43	0.446	8.37	71.7	2.0
AUX0103289		0.08	1.43	46	0.316	9.53	73.7	3.3
AUX0103290		0.07	1.80	43	0.267	9.54	73.9	3.1
AUX0103291		0.07	2.71	44	0.356	9.36	79.5	3.6
AUX0103292		0.08	1.31	44	0.431	8.94	76.9	1.8
AUX0103293		0.08	2.13	44	0.365	9.20	72.0	2.5
AUX0103294		0.06	1.93	35	0.283	7.03	66.6	1.8
AUX0103295		0.08	2.12	40	0.243	9.13	76.9	2.2
AUX0103296		0.07	2.88	40	0.340	9.20	80.5	2.0
AUX0103297		0.09	2.65	43	0.284	9.34	73.9	1.6
AUX0103298		0.09	1.57	41	0.279	8.55	74.7	1.7
AUX0103299		0.11	5.27	42	0.355	7.68	84.3	2.5
AUX0103300		0.11	3.68	41	0.266	8.29	80.0	2.3
AUX0103301		0.08	5.91	39	0.171	8.93	74.6	2.4
AUX0103302		0.07	4.12	43	0.462	8.93	79.6	2.4
AUX0103303		0.10	2.12	41	0.225	9.40	90.5	4.3
AUX0103304		0.11	2.47	41	0.286	9.44	83.5	3.6
AUX0103305		0.10	10.20	40	0.327	10.30	75.9	1.8
AUX0103306		0.08	2.34	36	0.248	8.86	75.6	2.8
AUX0103307		0.10	4.27	38	0.210	8.55	82.9	2.5
AUX0103308		0.09	3.34	41	0.217	9.98	79.4	2.3
AUX0103309		0.09	1.91	41	0.263	11.00	88.7	2.8
AUX0103310		0.08	1.37	40	0.253	8.45	78.3	2.9
AUX0103311		0.09	5.79	44	0.224	9.66	71.7	2.2
AUX0103312		0.07	1.58	41	0.251	8.30	75.6	2.3
AUX0103313		0.08	2.51	42	0.211	9.85	86.5	3.4
AUX0103314		0.08	5.62	44	0.239	9.34	78.0	2.8
AUX0103315		0.07	3.65	38	0.215	7.17	66.7	2.0
AUX0103316		0.07	6.04	36	0.212	7.85	67.4	2.4
AUX0103317		0.09	7.37	43	0.229	8.98	72.3	2.1
AUX0103318		0.10	2.06	44	0.278	9.78	87.3	5.2
AUX0103319		0.12	1.56	41	0.235	10.05	102.0	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 19- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11185215

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

CERTIFICATE WH11194144

Project: Aurex Project- Victoria Gold

P.O. No.: AUX09232011

This report is for 184 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103320		0.38	0.0442	0.291	1.21	387	<10	333	0.55	0.80	1.31	0.82	30.9	11.7	20.5	0.71
AUX0103321		0.48	0.0138	0.273	1.45	268	<10	360	0.57	0.44	0.62	0.43	37.7	12.0	27.0	0.98
AUX0103322		0.44	0.0215	0.419	1.34	417	<10	352	0.54	0.55	0.47	0.51	34.7	14.3	37.1	2.19
AUX0103323		0.38	0.0051	0.218	1.20	62.8	<10	305	0.36	0.29	0.27	0.18	28.1	6.5	21.4	0.98
AUX0103324		0.24	0.0083	0.243	1.26	59.7	<10	317	0.41	0.25	0.38	0.23	26.4	6.8	22.1	0.97
AUX0103325		0.28	0.0014	0.260	1.15	58.3	<10	283	0.36	0.22	0.38	0.33	22.1	6.6	20.0	0.92
AUX0103326		0.42	0.0025	0.333	1.29	75.8	<10	407	0.49	0.26	0.42	0.35	28.7	12.4	25.1	0.74
AUX0103327		0.22	0.0059	0.221	1.14	306	<10	334	0.45	0.30	0.75	0.35	22.9	9.5	20.1	0.74
AUX0103328		0.36	0.0064	0.383	1.38	342	<10	444	0.58	0.34	1.00	0.61	27.2	12.0	24.4	1.00
AUX0103329		0.28	0.0045	0.282	1.40	187.0	<10	444	0.60	0.30	0.66	0.54	26.6	11.2	24.4	0.80
AUX0103330		0.28	0.0030	0.211	1.37	179.0	<10	396	0.56	0.25	0.58	0.40	26.1	11.7	24.5	0.67
AUX0103331		0.30	0.0028	0.204	1.31	235	<10	413	0.46	0.22	0.56	0.53	23.6	11.5	24.2	0.62
AUX0103332		0.32	0.0025	0.215	1.20	44.5	<10	343	0.36	0.18	0.53	0.54	21.2	6.9	23.1	0.64
AUX0103333		0.14	0.0037	0.264	1.09	68.1	<10	333	0.48	0.29	0.54	0.51	25.2	8.9	21.5	0.60
AUX0103334		0.34	0.0049	0.305	1.36	79.3	<10	419	0.62	0.29	0.42	0.55	31.1	13.2	25.7	0.67
AUX0103335		0.42	0.0054	0.233	1.39	101.5	<10	375	0.57	0.29	0.41	0.37	31.0	10.8	25.5	0.77
AUX0103336		0.50	0.0077	0.455	1.34	175.5	<10	379	0.58	0.43	0.40	0.64	37.5	13.9	25.7	0.98
AUX0103337		0.16	0.0105	0.316	1.14	135.0	<10	381	0.42	0.26	1.34	0.49	17.75	9.5	19.7	0.74
AUX0103338		0.32	0.0151	0.422	1.36	236	<10	412	0.51	0.43	0.75	0.82	27.5	13.1	24.4	1.20
AUX0103339		0.26	0.0138	0.286	1.47	97.8	<10	440	0.60	0.28	0.56	0.61	27.0	12.1	25.6	0.76
AUX0103340		0.22	0.0060	0.299	1.29	104.5	<10	420	0.58	0.29	0.64	0.52	26.3	9.9	23.8	0.75
AUX0103341		0.40	0.0042	0.261	1.45	81.7	<10	481	0.60	0.29	0.53	0.57	30.9	13.2	27.3	0.73
AUX0103342		0.36	0.0051	0.227	1.40	88.2	<10	442	0.58	0.28	0.47	0.42	28.3	11.6	30.6	1.47
AUX0103343		0.40	0.0046	0.254	1.31	86.1	<10	475	0.57	0.27	0.66	0.67	27.9	12.2	25.2	0.77
AUX0103344		0.34	0.0058	0.184	1.34	65.0	<10	505	0.56	0.25	0.44	0.47	28.1	11.1	26.3	0.54
AUX0103345		0.22	0.0037	0.189	1.29	51.1	<10	390	0.52	0.22	0.46	0.36	27.0	9.8	24.7	0.61
AUX0103346		0.30	0.0042	0.290	1.51	83.5	<10	424	0.52	0.31	0.56	0.35	30.4	13.4	25.3	0.84
AUX0103347		0.38	0.0037	0.265	1.40	55.7	<10	408	0.52	0.27	0.53	0.37	29.3	11.4	25.0	0.85
AUX0103348		0.42	0.0118	0.216	1.35	44.6	<10	378	0.44	0.22	0.37	0.29	26.7	9.8	24.9	0.71
AUX0103349		0.30	0.0018	0.215	1.36	60.0	<10	362	0.42	0.23	0.38	0.29	27.7	9.8	24.3	0.76
AUX0103350		0.34	0.0023	0.224	1.39	71.3	<10	395	0.46	0.22	0.44	0.31	29.0	10.5	25.7	0.80
AUX0103351		0.38	0.0028	0.241	1.40	90.3	<10	465	0.56	0.25	0.45	0.42	29.1	11.6	27.5	0.66
AUX0103352		0.26	0.0036	0.245	1.53	177.5	<10	436	0.56	0.26	0.52	0.38	29.3	9.9	26.0	0.80
AUX0103353		0.32	0.0029	0.224	1.25	133.0	<10	390	0.51	0.23	0.67	0.44	25.9	9.4	25.0	0.60
AUX0103354		0.40	0.0099	0.137	1.14	127.5	<10	350	0.47	0.27	0.40	0.49	31.7	9.3	22.0	0.68
AUX0103355		0.34	0.0110	0.253	1.27	144.5	<10	406	0.48	0.31	0.57	0.45	27.6	10.0	22.9	0.65
AUX0103356		0.48	0.0038	0.225	1.30	79.8	<10	356	0.53	0.29	0.49	0.37	31.0	10.7	23.0	0.73
AUX0103357		0.24	0.0042	0.175	1.39	118.5	<10	371	0.51	0.26	0.53	0.34	31.0	8.5	25.3	0.73
AUX0103358		0.38	0.0057	0.227	1.50	85.7	<10	394	0.66	0.29	0.48	0.30	34.6	8.4	26.2	0.82
AUX0103359		0.38	0.0045	0.253	1.40	72.5	<10	393	0.61	0.27	0.47	0.47	34.6	9.8	24.8	0.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103320		31.8	2.47	3.68	0.06	0.08	0.053	0.020	0.05	17.8	11.3	0.34	930	0.78	0.01	0.60
AUX0103321		32.8	2.82	4.25	0.07	0.09	0.037	0.022	0.05	21.3	13.8	0.42	695	1.08	0.01	0.57
AUX0103322		46.6	2.99	4.35	0.08	0.09	0.037	0.027	0.07	20.6	16.1	0.52	552	1.97	0.01	0.50
AUX0103323		27.2	2.00	3.95	0.07	<0.02	0.031	0.018	0.04	16.1	11.5	0.33	164	0.90	<0.01	0.49
AUX0103324		24.5	2.23	4.31	0.06	<0.02	0.041	0.020	0.04	15.1	12.0	0.33	140	1.02	<0.01	0.54
AUX0103325		21.4	1.93	3.99	0.06	<0.02	0.037	0.019	0.04	12.6	11.1	0.30	189	0.95	0.01	0.46
AUX0103326		34.6	2.59	4.21	0.07	0.04	0.040	0.023	0.05	16.9	14.0	0.39	384	1.28	0.01	0.56
AUX0103327		26.6	2.09	3.67	0.05	0.06	0.040	0.018	0.04	13.4	12.3	0.34	696	1.39	0.01	0.61
AUX0103328		47.5	2.40	4.01	0.07	0.06	0.057	0.022	0.06	15.4	13.6	0.40	713	1.26	0.02	0.54
AUX0103329		33.2	2.14	4.29	0.06	0.07	0.060	0.022	0.05	15.2	13.1	0.36	483	1.13	0.01	0.74
AUX0103330		28.4	2.52	4.23	0.06	0.06	0.051	0.022	0.04	14.5	13.0	0.38	758	1.31	0.01	0.65
AUX0103331		25.2	2.61	3.84	0.06	0.06	0.053	0.022	0.04	13.5	12.6	0.36	579	1.52	0.01	0.63
AUX0103332		20.2	1.82	3.84	0.05	0.05	0.047	0.019	0.04	11.9	12.6	0.34	402	1.20	0.01	0.56
AUX0103333		33.1	2.18	3.65	0.06	0.06	0.039	0.023	0.06	14.3	11.6	0.33	378	1.31	0.01	0.62
AUX0103334		38.4	2.50	4.40	0.07	0.08	0.041	0.025	0.05	17.3	14.0	0.39	267	1.44	0.01	0.73
AUX0103335		34.4	2.61	4.36	0.06	0.07	0.043	0.025	0.05	16.7	13.8	0.39	332	1.47	0.01	0.68
AUX0103336		48.3	2.67	4.23	0.07	0.10	0.050	0.025	0.08	20.6	14.8	0.40	478	1.71	0.01	0.45
AUX0103337		26.6	2.08	3.25	0.05	0.08	0.060	0.017	0.04	10.8	9.6	0.32	747	2.18	0.02	0.52
AUX0103338		39.3	2.27	4.17	0.06	0.07	0.079	0.023	0.07	15.8	12.9	0.38	1040	2.33	0.01	0.61
AUX0103339		30.2	2.44	4.39	0.06	0.07	0.048	0.023	0.05	15.4	13.1	0.39	469	1.42	0.01	0.74
AUX0103340		30.9	2.44	4.13	0.05	0.06	0.046	0.021	0.05	14.8	12.4	0.36	569	1.16	0.01	0.62
AUX0103341		34.0	2.73	4.56	0.06	0.07	0.044	0.024	0.05	17.6	14.6	0.43	492	1.32	0.01	0.78
AUX0103342		32.3	2.41	4.25	0.06	0.06	0.048	0.023	0.05	15.6	14.9	0.43	332	1.16	0.01	0.70
AUX0103343		34.3	2.62	4.00	0.07	0.07	0.054	0.023	0.04	15.6	13.4	0.42	353	1.16	0.01	0.72
AUX0103344		32.8	2.75	4.14	0.07	0.09	0.038	0.021	0.04	15.9	14.1	0.42	250	1.31	0.01	0.71
AUX0103345		26.9	2.52	4.14	0.07	0.05	0.052	0.021	0.04	15.4	13.8	0.37	320	1.00	0.01	0.69
AUX0103346		29.4	2.78	4.69	0.06	0.03	0.041	0.026	0.05	16.9	13.2	0.40	585	1.21	0.01	0.64
AUX0103347		27.0	2.51	4.64	0.06	0.02	0.044	0.022	0.05	17.3	13.3	0.38	407	1.21	0.01	0.63
AUX0103348		22.8	2.32	4.44	0.06	0.03	0.040	0.020	0.04	15.5	12.9	0.36	228	1.10	0.01	0.69
AUX0103349		19.70	2.39	4.28	0.05	0.03	0.046	0.020	0.04	15.0	12.3	0.36	287	1.14	0.01	0.65
AUX0103350		22.7	2.50	4.50	0.06	0.04	0.048	0.023	0.04	15.9	12.7	0.38	324	1.36	0.01	0.65
AUX0103351		31.8	2.62	4.42	0.06	0.06	0.050	0.022	0.04	16.7	13.8	0.42	320	1.52	0.01	0.72
AUX0103352		27.3	2.64	4.92	0.06	0.06	0.046	0.024	0.05	16.3	13.6	0.38	313	1.31	0.01	0.80
AUX0103353		27.2	2.40	3.94	0.06	0.06	0.042	0.022	0.04	14.3	11.7	0.36	247	1.32	0.01	0.73
AUX0103354		30.5	2.25	3.79	0.10	0.09	0.029	0.022	0.04	15.5	12.8	0.34	652	1.40	0.01	0.73
AUX0103355		32.4	2.37	3.90	0.09	0.06	0.060	0.021	0.04	13.5	12.8	0.36	733	1.35	0.01	0.61
AUX0103356		29.7	2.24	4.31	0.11	0.07	0.053	0.022	0.04	14.8	13.7	0.37	216	1.13	0.01	0.79
AUX0103357		25.5	2.74	3.82	0.05	0.05	0.045	0.021	0.05	14.6	14.3	0.40	390	1.15	0.01	0.74
AUX0103358		30.2	2.38	4.09	0.05	0.07	0.046	0.024	0.05	16.3	14.7	0.40	190	1.15	0.01	0.80
AUX0103359		32.2	2.21	4.04	0.06	0.06	0.045	0.025	0.05	16.6	15.1	0.37	315	1.40	0.01	0.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103320		28.2	0.082	12.80	5.8	<0.001	0.06	23.7	3.3	1.3	0.4	62.1	<0.01	0.03	3.3	0.025
AUX0103321		31.3	0.069	14.80	6.5	<0.001	0.03	17.35	3.8	1.1	0.4	36.2	<0.01	0.03	5.4	0.028
AUX0103322		42.0	0.075	17.60	8.0	<0.001	0.01	33.4	4.5	0.6	0.6	28.3	<0.01	0.03	6.0	0.033
AUX0103323		20.3	0.073	11.20	7.7	<0.001	0.01	35.2	2.6	1.1	0.3	20.5	<0.01	0.03	1.9	0.021
AUX0103324		19.6	0.072	13.80	8.4	<0.001	0.02	3.79	2.8	1.3	0.4	26.4	<0.01	0.03	1.8	0.019
AUX0103325		17.7	0.085	11.80	8.4	<0.001	0.03	3.13	1.9	1.1	0.4	26.2	<0.01	0.02	1.1	0.018
AUX0103326		26.7	0.077	13.45	6.7	<0.001	0.01	4.48	4.0	1.1	0.4	30.0	<0.01	0.03	4.1	0.028
AUX0103327		22.0	0.079	9.34	5.9	0.001	0.05	13.00	3.2	2.3	0.4	52.2	<0.01	0.03	2.5	0.026
AUX0103328		29.1	0.087	14.30	7.6	<0.001	0.07	14.05	3.6	3.6	0.3	89.2	<0.01	0.03	2.9	0.022
AUX0103329		27.0	0.076	14.75	7.1	0.001	0.06	12.90	3.9	3.8	0.4	50.4	<0.01	0.04	3.1	0.027
AUX0103330		23.1	0.082	12.20	5.8	<0.001	0.04	5.56	3.9	2.9	0.4	44.9	<0.01	0.03	3.0	0.029
AUX0103331		24.1	0.089	11.90	6.0	0.001	0.05	5.85	3.6	3.5	0.3	45.3	<0.01	0.03	3.1	0.029
AUX0103332		19.5	0.084	8.92	6.0	0.002	0.06	2.59	3.1	2.5	0.3	44.7	<0.01	0.02	2.3	0.023
AUX0103333		26.2	0.081	11.35	6.1	0.001	0.04	4.39	3.5	1.6	0.3	48.2	<0.01	0.02	3.2	0.028
AUX0103334		30.5	0.072	15.85	6.8	<0.001	0.04	7.44	4.4	1.7	0.4	40.4	<0.01	0.03	5.0	0.028
AUX0103335		27.0	0.076	16.00	7.3	0.001	0.02	6.64	4.0	2.0	0.4	35.9	<0.01	0.04	4.8	0.027
AUX0103336		35.8	0.075	18.30	7.7	<0.001	0.01	10.10	4.3	0.8	0.4	33.5	<0.01	0.05	6.7	0.031
AUX0103337		22.3	0.112	11.05	6.5	0.004	0.15	7.21	2.3	3.5	0.3	109.5	<0.01	0.03	1.4	0.018
AUX0103338		30.7	0.082	18.05	8.4	0.001	0.08	13.30	3.6	2.6	0.4	68.5	<0.01	0.04	3.2	0.027
AUX0103339		26.0	0.082	14.45	7.7	<0.001	0.07	8.31	4.1	1.4	0.4	50.0	<0.01	0.03	3.8	0.025
AUX0103340		27.3	0.087	13.15	6.8	<0.001	0.05	7.64	3.5	1.7	0.4	59.7	<0.01	0.03	3.0	0.024
AUX0103341		30.2	0.083	14.55	7.3	<0.001	0.03	7.48	4.6	1.6	0.4	47.5	<0.01	0.03	4.5	0.033
AUX0103342		30.3	0.076	13.85	7.9	0.001	0.05	7.93	4.0	2.3	0.5	42.2	<0.01	0.02	3.5	0.032
AUX0103343		28.6	0.083	14.20	6.2	<0.001	0.06	6.02	3.9	2.0	0.4	59.9	<0.01	0.04	3.6	0.030
AUX0103344		28.5	0.072	14.35	5.6	<0.001	0.03	4.31	4.3	1.5	0.4	42.0	<0.01	0.04	4.5	0.036
AUX0103345		23.2	0.082	12.90	6.2	0.001	0.04	5.08	3.7	2.0	0.4	43.5	<0.01	0.03	3.3	0.028
AUX0103346		24.9	0.077	15.30	8.3	<0.001	0.03	3.02	4.0	1.2	0.4	45.2	<0.01	0.04	3.0	0.029
AUX0103347		24.4	0.074	15.10	9.6	<0.001	0.03	3.75	3.8	1.0	0.4	51.3	<0.01	0.02	2.6	0.026
AUX0103348		22.5	0.071	13.40	8.3	0.001	0.04	8.05	3.7	1.1	0.4	35.6	<0.01	0.03	3.1	0.029
AUX0103349		19.7	0.076	12.95	7.9	<0.001	0.02	3.19	3.6	1.1	0.4	35.0	<0.01	0.03	3.4	0.026
AUX0103350		22.6	0.079	13.35	7.9	<0.001	0.02	3.53	4.0	1.6	0.4	47.4	<0.01	0.02	3.5	0.026
AUX0103351		28.9	0.079	13.75	7.0	<0.001	0.02	5.98	4.4	1.6	0.4	51.9	<0.01	0.05	4.2	0.036
AUX0103352		24.2	0.077	13.75	8.1	<0.001	0.04	7.65	4.4	1.3	0.4	50.7	<0.01	0.03	3.7	0.030
AUX0103353		23.9	0.078	12.95	5.9	0.001	0.09	5.74	3.7	1.6	0.4	58.4	<0.01	0.02	3.6	0.029
AUX0103354		24.0	0.066	13.55	6.5	<0.001	0.02	4.68	3.7	1.4	0.4	34.4	<0.01	0.07	4.5	0.027
AUX0103355		25.0	0.076	14.45	6.5	<0.001	0.03	4.83	3.4	2.1	0.4	47.9	<0.01	0.04	3.2	0.024
AUX0103356		25.0	0.064	15.30	8.0	<0.001	0.03	4.12	4.0	2.0	0.4	47.1	<0.01	0.04	3.9	0.025
AUX0103357		22.4	0.073	14.10	7.5	<0.001	0.04	4.10	3.6	1.7	0.4	46.4	<0.01	0.05	4.6	0.029
AUX0103358		23.7	0.064	15.15	8.1	<0.001	0.05	4.59	4.0	1.1	0.4	50.2	<0.01	0.02	4.9	0.029
AUX0103359		26.3	0.067	14.20	8.1	0.001	0.06	6.27	3.8	1.3	0.4	43.2	<0.01	0.04	4.1	0.029

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103320		0.07	2.10	32	0.218	9.28	86.2	2.9
AUX0103321		0.07	2.05	36	0.171	8.76	81.3	3.0
AUX0103322		0.15	0.59	39	0.276	8.88	93.4	3.6
AUX0103323		0.12	1.19	32	0.182	6.39	51.0	<0.5
AUX0103324		0.13	2.03	37	0.226	6.17	50.5	<0.5
AUX0103325		0.11	1.59	32	0.179	5.17	48.0	<0.5
AUX0103326		0.11	1.85	41	0.333	8.18	71.3	1.6
AUX0103327		0.08	2.19	34	0.287	7.55	61.0	1.7
AUX0103328		0.14	6.11	37	0.155	8.97	68.8	2.0
AUX0103329		0.12	3.79	41	0.273	8.73	66.7	2.3
AUX0103330		0.08	3.54	41	0.280	8.29	74.6	2.1
AUX0103331		0.09	2.67	39	0.240	7.88	80.4	1.9
AUX0103332		0.09	2.99	35	0.147	6.12	73.8	1.5
AUX0103333		0.12	2.23	35	0.176	7.59	73.5	2.2
AUX0103334		0.11	3.68	43	0.194	9.21	77.2	3.2
AUX0103335		0.11	5.38	42	0.189	8.41	73.3	2.4
AUX0103336		0.19	0.81	38	0.239	8.72	91.2	5.4
AUX0103337		0.10	10.95	30	0.155	6.98	60.2	2.5
AUX0103338		0.17	5.72	36	0.253	8.36	81.9	2.6
AUX0103339		0.11	11.90	44	0.320	8.56	75.9	2.3
AUX0103340		0.12	8.60	38	0.212	8.05	70.1	2.0
AUX0103341		0.09	10.95	45	0.202	10.05	83.5	2.6
AUX0103342		0.12	9.44	42	0.339	8.86	74.7	2.0
AUX0103343		0.09	9.59	42	0.211	9.15	76.6	2.6
AUX0103344		0.09	1.90	43	0.309	9.16	83.9	3.6
AUX0103345		0.08	3.83	41	0.183	8.14	72.7	1.7
AUX0103346		0.10	2.45	44	0.460	8.72	68.0	1.0
AUX0103347		0.10	3.25	41	0.193	8.03	71.8	0.6
AUX0103348		0.10	2.82	43	0.216	7.49	69.2	1.0
AUX0103349		0.09	2.78	43	0.231	6.86	70.7	0.9
AUX0103350		0.11	2.99	44	0.289	7.95	70.8	1.0
AUX0103351		0.09	1.90	45	0.652	9.35	79.3	2.5
AUX0103352		0.12	4.52	46	0.213	8.90	70.0	2.1
AUX0103353		0.10	2.83	40	0.230	8.07	67.5	2.4
AUX0103354		0.08	1.86	36	0.226	7.77	65.1	2.6
AUX0103355		0.08	3.08	37	0.230	8.05	69.1	2.1
AUX0103356		0.08	4.58	40	0.240	7.87	64.2	2.4
AUX0103357		0.11	2.58	43	0.277	6.83	74.6	2.1
AUX0103358		0.12	3.73	44	0.398	7.72	66.3	2.5
AUX0103359		0.10	4.21	41	0.216	8.00	69.4	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103360		0.38	0.0056	0.227	1.46	82.5	<10	437	0.55	0.30	0.48	0.51	32.4	9.7	26.5	0.82
AUX0103361		0.32	0.0137	0.233	1.18	116.0	<10	336	0.44	0.25	0.52	0.29	27.0	8.8	21.3	0.82
AUX0103362		0.46	0.0079	0.331	1.34	185.0	<10	359	0.55	0.39	0.47	0.42	37.9	11.4	24.4	0.92
AUX0103363		0.22	0.0045	0.172	1.20	146.5	<10	348	0.48	0.31	0.55	0.40	33.1	10.5	21.7	0.84
AUX0103364		0.46	0.0125	0.274	1.35	214	<10	314	0.49	0.50	0.38	0.49	36.2	10.4	30.7	2.35
AUX0103365		0.38	0.0074	0.225	1.36	95.2	<10	387	0.53	0.27	0.48	0.41	32.1	9.8	25.8	0.87
AUX0103366		0.34	0.0032	0.198	1.25	60.3	<10	285	0.40	0.27	0.39	0.33	28.9	8.1	23.2	0.76
AUX0103367		0.42	0.0046	0.613	1.36	212	<10	354	0.51	0.42	0.40	0.73	35.4	10.0	25.9	1.26
AUX0103368		0.44	0.0413	0.256	1.33	58.5	<10	340	0.50	0.26	0.37	0.26	32.3	8.8	26.1	0.61
AUX0103369		0.26	0.0026	0.129	1.44	16.70	<10	267	0.42	0.18	0.30	0.15	30.7	7.2	30.1	0.76
AUX0103370		0.22	0.0019	0.139	1.05	14.05	<10	288	0.31	0.14	0.43	0.15	25.5	9.5	22.3	0.57
AUX0103371		0.22	0.0025	0.225	1.59	23.6	<10	426	0.48	0.23	0.70	0.23	28.3	15.0	38.1	0.70
AUX0103372		0.30	0.0014	0.181	1.32	24.1	<10	299	0.40	0.19	0.46	0.14	31.2	10.5	32.0	0.68
AUX0103373		0.32	0.0013	0.113	1.10	17.75	<10	292	0.32	0.17	0.44	0.19	30.5	10.2	29.1	0.50
AUX0103374		0.28	0.0030	0.157	1.53	31.6	<10	253	0.47	0.20	0.68	0.11	31.8	11.7	46.6	0.62
AUX0103375		0.30	0.0026	0.173	1.50	34.4	<10	280	0.46	0.19	0.73	0.11	33.0	12.9	42.9	0.63
AUX0103376		0.40	0.0060	0.371	1.59	33.8	<10	336	0.45	0.20	0.46	0.33	41.7	13.5	51.0	0.71
AUX0103377		0.18	0.0059	0.332	2.42	42.3	<10	381	0.66	0.26	0.93	0.27	45.3	28.0	109.0	0.81
AUX0103378		0.22	0.0019	0.088	1.82	9.88	<10	178.5	0.35	0.15	0.36	0.07	38.8	16.3	86.6	0.61
AUX0103379		0.14	0.0060	0.211	1.82	11.00	<10	212	0.36	0.23	0.29	0.16	39.6	11.4	75.5	0.92
AUX0103380		0.30	0.0070	0.157	2.80	25.5	<10	86.2	0.31	0.12	0.55	0.16	19.90	44.2	207	1.04
AUX0103381		0.34	0.0054	0.224	1.37	24.8	<10	305	0.57	0.21	0.45	0.17	42.8	10.9	31.1	0.60
AUX0103382		0.30	0.0053	0.243	1.30	35.4	<10	218	0.42	0.31	0.39	0.18	67.8	16.3	30.3	0.86
AUX0103383		0.38	0.0085	0.341	1.53	38.4	<10	282	0.54	0.21	0.99	0.23	44.6	11.8	34.8	0.69
AUX0103384		0.36	0.0017	0.102	1.07	20.3	<10	197.5	0.27	0.16	0.23	0.09	32.7	7.2	21.2	0.63
AUX0103385		0.32	0.0030	0.226	1.46	23.4	<10	383	0.48	0.23	0.34	0.17	32.9	10.5	28.9	0.89
AUX0103386		0.40	0.0011	0.136	1.04	12.50	<10	254	0.29	0.18	0.37	0.13	27.1	6.7	19.6	0.69
AUX0103387		0.34	0.0047	0.103	1.29	12.00	<10	251	0.37	0.20	0.29	0.13	31.7	7.3	24.1	0.76
AUX0103388		0.34	0.0019	0.129	1.11	11.10	<10	270	0.28	0.16	0.43	0.12	25.7	7.4	21.7	0.68
AUX0103389		0.36	0.0011	0.110	1.10	15.50	<10	217	0.25	0.19	0.32	0.09	24.9	6.9	22.0	0.60
AUX0103390		0.40	0.0023	0.146	1.32	20.2	<10	303	0.44	0.19	0.34	0.17	33.6	11.3	29.1	0.70
AUX0103391		0.46	0.0026	0.164	1.35	23.6	<10	272	0.41	0.21	0.43	0.19	29.9	8.6	29.3	0.70
AUX0103392		0.34	0.0026	0.183	1.21	21.0	<10	276	0.38	0.20	0.52	0.31	32.8	9.2	25.8	0.62
AUX0103393		0.42	0.0022	0.147	1.21	22.1	<10	162.0	0.33	0.23	0.47	0.13	68.0	17.7	31.8	0.72
AUX0103394		0.42	0.0030	0.237	1.34	41.6	<10	193.5	0.37	0.26	0.38	0.21	63.3	21.4	42.8	0.72
AUX0103395		0.26	0.0031	0.206	1.25	59.0	<10	210	0.37	0.24	0.33	0.14	46.3	14.9	44.2	0.69
AUX0103396		0.24	0.0027	0.209	1.25	49.3	<10	191.0	0.32	0.20	0.38	0.10	29.0	7.1	28.7	0.77
AUX0103397		0.26	0.0049	0.357	1.42	76.8	<10	383	0.46	0.25	0.44	0.25	39.0	15.7	45.3	0.75
AUX0103398		0.30	0.0036	0.322	1.65	39.8	<10	207	0.39	0.19	0.79	0.28	34.3	21.4	79.1	0.63
AUX0103399		0.30	0.0017	0.132	2.02	16.95	<10	181.0	0.39	0.18	0.64	0.10	37.3	26.0	100.5	0.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103360		29.8	2.47	3.83	<0.05	0.07	0.050	0.025	0.05	16.4	14.8	0.38	499	1.40	0.01	0.76
AUX0103361		24.0	2.33	3.30	<0.05	0.04	0.073	0.021	0.05	13.3	12.8	0.35	545	2.06	0.01	0.56
AUX0103362		42.4	2.78	3.88	0.06	0.07	0.061	0.026	0.08	17.4	16.1	0.40	609	1.54	0.01	0.62
AUX0103363		29.8	2.42	3.99	0.12	0.07	0.061	0.026	0.05	16.4	13.8	0.35	366	1.68	0.01	0.76
AUX0103364		39.4	2.75	3.86	0.05	0.18	0.041	0.021	0.10	18.2	16.6	0.47	288	1.16	0.01	0.64
AUX0103365		30.0	2.73	3.82	0.05	0.06	0.045	0.022	0.05	16.3	14.6	0.41	649	1.18	0.01	0.71
AUX0103366		25.1	2.25	3.69	<0.05	0.03	0.048	0.022	0.04	14.5	14.0	0.35	378	1.03	0.01	0.63
AUX0103367		55.2	3.07	3.67	0.05	0.13	0.050	0.030	0.13	17.0	15.4	0.47	573	2.05	0.01	0.19
AUX0103368		30.7	2.49	3.95	<0.05	0.06	0.049	0.023	0.04	16.1	14.6	0.41	352	1.10	0.01	0.76
AUX0103369		20.1	2.51	4.45	<0.05	0.03	0.050	0.019	0.04	15.0	16.9	0.44	175	0.94	0.01	0.76
AUX0103370		18.05	2.01	3.66	0.10	0.03	0.041	0.018	0.03	12.6	11.9	0.33	388	0.83	<0.01	0.67
AUX0103371		30.7	3.08	5.13	0.10	0.05	0.064	0.024	0.04	14.9	17.4	0.56	524	1.42	0.01	0.77
AUX0103372		22.5	2.65	4.51	0.10	0.03	0.049	0.024	0.03	14.6	14.7	0.43	709	1.15	0.01	0.74
AUX0103373		23.4	2.32	3.79	0.10	0.05	0.041	0.019	0.03	15.3	12.6	0.41	515	0.98	0.01	0.77
AUX0103374		24.4	2.97	4.74	<0.05	0.04	0.040	0.023	0.04	16.4	19.7	0.65	285	1.09	0.01	0.76
AUX0103375		25.8	3.05	4.67	<0.05	0.03	0.032	0.025	0.04	15.7	20.2	0.60	406	0.96	0.01	0.76
AUX0103376		42.6	3.08	5.03	0.05	0.09	0.049	0.029	0.04	21.3	18.7	0.69	544	1.16	0.01	0.75
AUX0103377		65.8	4.97	8.01	0.06	0.08	0.080	0.040	0.06	23.5	34.0	1.41	3300	1.23	0.01	0.64
AUX0103378		32.7	3.57	5.97	<0.05	0.03	0.023	0.022	0.04	20.7	25.5	1.11	450	0.90	0.01	0.75
AUX0103379		35.2	3.38	7.03	0.05	<0.02	0.058	0.030	0.07	21.7	18.1	0.71	267	1.63	0.01	0.48
AUX0103380		89.7	5.53	9.91	0.09	0.15	0.029	0.026	0.04	9.7	39.5	2.47	686	1.59	0.01	0.39
AUX0103381		35.7	2.84	3.76	0.05	0.08	0.043	0.020	0.05	21.2	14.3	0.45	564	0.98	0.01	0.61
AUX0103382		43.5	3.29	3.98	0.07	0.10	0.033	0.021	0.07	34.8	15.8	0.50	677	1.03	0.01	0.43
AUX0103383		39.3	3.08	3.97	0.06	0.08	0.052	0.023	0.06	23.1	16.3	0.89	553	1.03	0.01	0.48
AUX0103384		20.3	2.00	3.36	0.10	0.03	0.017	0.018	0.03	16.8	11.9	0.34	205	0.84	<0.01	0.54
AUX0103385		32.1	2.71	4.90	0.12	0.03	0.038	0.026	0.04	16.1	15.7	0.42	341	1.38	0.01	0.73
AUX0103386		17.75	1.94	3.81	0.10	0.02	0.041	0.017	0.03	13.3	11.6	0.30	217	0.76	<0.01	0.67
AUX0103387		19.00	1.96	4.35	0.11	0.03	0.045	0.020	0.03	16.5	14.6	0.37	126	0.68	0.01	0.82
AUX0103388		15.20	1.92	3.68	0.10	0.02	0.036	0.016	0.03	11.2	12.4	0.33	256	0.50	<0.01	0.65
AUX0103389		14.15	1.94	3.62	0.09	0.03	0.042	0.015	0.03	11.6	12.4	0.32	156	0.57	<0.01	0.68
AUX0103390		31.9	2.56	3.98	0.08	0.06	0.034	0.022	0.03	18.1	16.1	0.45	295	1.06	0.01	0.89
AUX0103391		27.8	2.17	4.02	0.08	0.05	0.041	0.024	0.03	15.9	16.5	0.44	243	0.61	0.01	0.78
AUX0103392		28.7	2.17	3.72	0.08	0.06	0.047	0.021	0.03	17.3	15.7	0.43	244	0.63	0.01	0.81
AUX0103393		38.0	3.02	3.95	0.11	0.09	0.034	0.019	0.06	36.0	17.4	0.53	485	0.88	0.01	0.51
AUX0103394		48.6	3.30	4.49	0.12	0.07	0.033	0.022	0.06	33.6	19.6	0.63	774	1.00	0.01	0.51
AUX0103395		46.5	3.10	4.06	0.09	0.05	0.039	0.024	0.04	24.6	17.2	0.58	534	1.07	<0.01	0.39
AUX0103396		23.1	2.16	3.90	0.07	0.03	0.050	0.018	0.03	14.9	15.4	0.44	213	0.86	<0.01	0.57
AUX0103397		48.9	3.07	4.33	0.09	0.08	0.039	0.023	0.05	21.6	19.6	0.61	565	1.69	0.01	0.64
AUX0103398		56.3	3.48	5.40	0.10	0.08	0.039	0.027	0.04	18.6	23.1	0.98	769	1.25	0.01	0.64
AUX0103399		53.5	4.10	6.35	0.08	0.07	0.037	0.026	0.05	20.8	27.9	1.25	840	0.96	0.01	0.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103360		27.5	0.070	14.25	8.0	0.001	0.04	6.27	3.7	0.9	0.4	43.3	<0.01	0.03	4.5	0.029
AUX0103361		21.1	0.078	11.65	7.5	0.001	0.04	6.47	2.7	1.2	0.3	43.0	<0.01	0.04	2.9	0.027
AUX0103362		32.9	0.082	17.50	8.8	<0.001	0.02	7.80	3.8	1.2	0.4	40.1	<0.01	0.05	5.0	0.030
AUX0103363		26.7	0.075	14.05	8.2	<0.001	0.03	5.86	3.6	2.2	0.4	52.6	<0.01	0.04	4.0	0.026
AUX0103364		33.6	0.072	17.90	13.1	<0.001	0.01	8.62	4.0	1.0	0.5	30.7	<0.01	0.03	6.9	0.050
AUX0103365		25.4	0.080	15.10	7.7	0.001	0.03	4.50	3.7	0.6	0.4	37.0	<0.01	0.06	4.3	0.034
AUX0103366		20.4	0.078	12.30	7.7	<0.001	0.02	2.94	3.1	0.5	0.4	29.9	<0.01	0.05	3.4	0.026
AUX0103367		37.3	0.102	27.3	10.1	<0.001	0.01	5.78	3.8	0.6	0.3	20.7	<0.01	0.06	6.7	0.030
AUX0103368		25.6	0.065	12.25	6.9	<0.001	0.01	2.62	3.6	0.4	0.4	30.4	<0.01	0.04	4.1	0.035
AUX0103369		21.7	0.068	12.05	7.0	<0.001	0.02	1.150	3.2	0.5	0.4	23.1	<0.01	0.02	3.6	0.028
AUX0103370		20.9	0.065	9.36	6.4	<0.001	0.01	0.900	2.9	0.7	0.3	33.5	<0.01	0.03	2.8	0.023
AUX0103371		35.4	0.081	16.10	7.4	<0.001	0.03	1.345	4.0	1.2	0.4	45.4	<0.01	0.03	3.3	0.027
AUX0103372		26.0	0.064	13.65	6.3	<0.001	0.01	1.280	3.6	0.7	0.3	31.3	<0.01	0.06	3.2	0.026
AUX0103373		27.1	0.072	12.05	4.7	<0.001	<0.01	1.195	3.1	0.8	0.3	29.1	<0.01	0.04	4.0	0.036
AUX0103374		30.4	0.067	17.35	6.1	<0.001	0.03	1.965	3.7	0.5	0.3	43.5	<0.01	0.05	4.5	0.039
AUX0103375		29.4	0.067	15.15	6.7	<0.001	0.03	1.980	3.8	0.4	0.3	48.9	<0.01	0.03	3.9	0.033
AUX0103376		45.6	0.079	19.60	6.8	<0.001	0.02	2.57	4.6	0.9	0.3	30.9	<0.01	<0.01	6.0	0.041
AUX0103377		96.9	0.068	18.20	8.3	<0.001	0.06	3.22	7.3	1.3	0.4	61.7	<0.01	0.05	6.3	0.037
AUX0103378		60.7	0.061	13.65	6.2	<0.001	0.01	1.705	3.3	0.5	0.3	22.1	<0.01	0.02	6.7	0.081
AUX0103379		53.8	0.082	18.35	8.3	<0.001	0.05	2.16	1.9	0.4	0.4	22.0	<0.01	0.04	0.6	0.014
AUX0103380		202	0.086	8.61	3.3	<0.001	0.01	2.10	5.5	0.3	0.3	25.8	<0.01	<0.01	4.0	0.207
AUX0103381		33.1	0.067	17.35	6.4	<0.001	0.01	1.860	3.7	0.5	0.3	20.8	<0.01	0.02	6.3	0.035
AUX0103382		41.6	0.067	29.1	8.4	<0.001	0.01	2.90	3.1	0.5	0.3	18.3	<0.01	0.04	10.4	0.023
AUX0103383		36.9	0.075	22.5	7.1	<0.001	0.01	2.70	3.6	0.2	0.3	21.5	<0.01	0.03	7.1	0.036
AUX0103384		19.2	0.070	12.15	6.3	<0.001	<0.01	1.375	2.2	0.6	0.3	15.6	<0.01	0.03	3.5	0.022
AUX0103385		30.8	0.074	14.70	9.6	<0.001	<0.01	1.200	4.3	1.3	0.5	29.5	<0.01	0.06	3.5	0.025
AUX0103386		18.0	0.073	10.65	6.7	<0.001	0.01	0.651	2.5	0.7	0.3	28.9	<0.01	0.02	2.2	0.022
AUX0103387		20.1	0.064	12.50	7.4	<0.001	0.01	0.875	3.1	1.0	0.4	21.6	<0.01	0.04	3.8	0.028
AUX0103388		18.0	0.065	10.75	7.7	<0.001	0.03	0.670	2.5	0.5	0.3	31.6	<0.01	0.04	2.5	0.021
AUX0103389		17.3	0.054	11.30	5.8	<0.001	0.01	0.726	2.5	0.6	0.3	23.8	<0.01	0.04	3.1	0.021
AUX0103390		28.3	0.058	18.35	6.5	<0.001	0.01	1.285	3.8	0.8	0.3	24.3	<0.01	0.03	4.9	0.031
AUX0103391		23.5	0.054	16.35	6.2	0.001	0.03	1.535	3.6	1.1	0.3	30.1	<0.01	0.03	4.0	0.023
AUX0103392		25.9	0.067	16.75	5.8	<0.001	0.03	1.710	3.5	1.1	0.3	34.0	<0.01	0.03	4.6	0.028
AUX0103393		37.9	0.067	25.6	7.3	<0.001	0.01	1.755	3.0	1.1	0.2	31.0	<0.01	0.04	10.4	0.021
AUX0103394		48.7	0.066	25.6	6.9	<0.001	<0.01	2.32	3.6	1.2	0.3	25.7	<0.01	0.04	10.6	0.031
AUX0103395		45.9	0.060	21.3	5.6	<0.001	<0.01	2.92	3.6	0.8	0.3	21.5	<0.01	0.03	7.5	0.032
AUX0103396		20.0	0.048	18.20	7.0	<0.001	0.01	1.835	2.0	0.7	0.3	19.6	<0.01	0.02	2.9	0.017
AUX0103397		46.0	0.066	23.3	6.4	<0.001	<0.01	3.10	4.4	1.1	0.3	23.1	<0.01	0.04	5.8	0.029
AUX0103398		73.4	0.077	18.30	5.6	<0.001	0.01	2.93	4.3	1.0	0.3	31.7	<0.01	0.03	4.4	0.041
AUX0103399		81.9	0.071	16.40	6.4	<0.001	0.01	1.860	4.2	0.7	0.3	27.3	<0.01	0.02	6.3	0.068

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103360		0.11	4.34	41	0.357	7.52	74.6	2.6
AUX0103361		0.10	2.74	35	0.201	5.76	67.8	1.3
AUX0103362		0.17	1.75	38	0.228	7.86	91.0	2.9
AUX0103363		0.07	4.36	35	0.286	7.85	68.4	2.1
AUX0103364		0.16	1.03	40	0.250	7.81	92.9	7.5
AUX0103365		0.10	4.29	42	0.260	7.32	76.1	1.9
AUX0103366		0.10	2.62	38	0.201	5.65	65.4	1.0
AUX0103367		0.28	0.50	38	0.204	7.44	133.5	6.6
AUX0103368		0.08	1.30	40	0.216	6.93	69.5	1.9
AUX0103369		0.10	1.04	42	0.220	5.13	63.3	1.1
AUX0103370		0.03	0.98	32	0.396	5.94	51.3	1.0
AUX0103371		0.08	1.04	46	0.244	7.38	82.0	1.4
AUX0103372		0.05	1.17	41	0.210	7.03	55.3	1.0
AUX0103373		0.04	0.84	35	0.260	6.73	60.4	1.8
AUX0103374		0.08	0.79	45	0.200	5.76	74.9	1.6
AUX0103375		0.09	0.92	44	0.209	6.02	72.1	1.3
AUX0103376		0.09	1.15	45	0.224	9.17	86.2	3.4
AUX0103377		0.12	1.20	62	0.123	11.80	101.0	2.4
AUX0103378		0.07	0.61	44	0.109	5.58	70.8	1.1
AUX0103379		0.12	0.84	48	0.145	5.66	59.2	<0.5
AUX0103380		0.10	0.44	75	0.103	6.25	94.8	4.8
AUX0103381		0.08	0.80	36	0.184	8.78	75.8	3.0
AUX0103382		0.10	0.97	28	0.114	8.81	86.1	3.1
AUX0103383		0.10	0.51	36	0.227	8.62	89.0	2.6
AUX0103384		0.04	0.80	28	0.242	5.35	51.7	0.7
AUX0103385		0.09	1.47	42	0.215	7.88	72.5	0.9
AUX0103386		0.05	1.01	32	0.170	5.49	47.3	0.5
AUX0103387		0.08	1.08	41	0.215	5.98	59.3	1.0
AUX0103388		0.06	1.20	32	0.194	4.85	50.1	0.7
AUX0103389		0.05	1.05	34	0.250	4.30	48.7	0.9
AUX0103390		0.07	1.21	40	0.216	8.04	68.2	2.3
AUX0103391		0.08	1.82	39	0.205	7.86	62.7	1.7
AUX0103392		0.07	2.08	34	0.234	8.24	74.9	2.2
AUX0103393		0.07	1.14	26	0.100	11.20	67.9	3.3
AUX0103394		0.08	0.97	31	0.0935	11.60	75.1	2.7
AUX0103395		0.08	0.73	32	0.116	9.52	73.0	2.2
AUX0103396		0.09	0.47	31	0.143	3.64	49.6	0.7
AUX0103397		0.09	0.85	37	0.154	10.75	75.7	2.8
AUX0103398		0.07	1.06	39	0.103	9.91	81.6	2.7
AUX0103399		0.07	0.80	44	0.101	9.19	77.6	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103400		0.32	0.0021	0.114	1.86	14.15	<10	158.0	0.40	0.18	0.48	0.08	37.5	22.9	91.6	0.57
AUX0103401		0.36	0.0015	0.106	2.07	16.15	<10	139.5	0.37	0.22	0.53	0.07	64.8	26.4	83.7	0.70
AUX0103402		0.24	0.0042	0.131	0.97	26.7	<10	239	0.36	0.14	0.23	0.10	34.9	6.6	23.3	0.45
AUX0103403		0.22	0.0044	0.428	1.19	61.1	<10	407	0.45	0.26	1.00	0.30	40.1	14.9	31.1	0.74
AUX0103404		0.32	0.0035	0.141	1.12	26.0	<10	241	0.31	0.16	0.27	0.06	38.4	8.1	23.3	0.63
AUX0103405		0.26	0.0025	0.154	1.24	21.7	<10	245	0.39	0.17	0.27	0.09	32.3	10.4	25.2	0.69
AUX0103406		0.20	0.0036	0.162	1.36	18.10	<10	297	0.39	0.19	0.32	0.12	30.6	10.2	27.4	0.75
AUX0103407		0.30	0.0023	0.194	1.23	16.95	<10	370	0.41	0.18	0.37	0.25	29.9	11.1	24.9	0.69
AUX0103408		0.26	0.0029	0.207	1.33	32.4	<10	370	0.44	0.19	0.38	0.22	30.7	12.0	26.0	0.66
AUX0103409		0.36	0.0025	0.169	1.40	27.6	<10	364	0.42	0.19	0.36	0.16	31.0	12.6	29.0	0.69
AUX0103410		0.26	0.0032	0.169	1.20	29.5	<10	280	0.35	0.18	0.47	0.13	27.1	11.2	25.5	0.68
AUX0103411		0.30	0.0031	0.186	1.62	19.70	<10	353	0.44	0.19	0.37	0.08	34.1	14.3	39.1	0.86
AUX0103412		0.28	0.0029	0.181	1.38	17.75	<10	276	0.41	0.16	0.61	0.17	27.4	13.2	44.8	0.57
AUX0103413		0.24	0.0034	0.207	1.35	20.4	<10	341	0.39	0.18	0.69	0.32	30.3	13.9	35.5	0.67
AUX0103414		0.24	0.0035	0.229	1.55	21.2	<10	285	0.48	0.18	0.69	0.17	30.9	13.0	41.7	0.76
AUX0103415		0.24	0.0036	0.212	1.66	26.9	<10	288	0.46	0.17	0.77	0.30	29.7	18.7	65.3	0.59
AUX0103416		0.30	0.0044	0.276	1.53	29.3	<10	253	0.46	0.20	0.86	0.30	37.3	14.4	46.5	0.59
AUX0103417		0.32	0.0049	0.332	1.41	38.2	<10	289	0.47	0.23	0.60	0.42	45.2	15.9	33.1	0.71
AUX0103418		0.30	0.0048	0.216	1.45	64.8	<10	180.0	0.35	0.21	0.30	0.36	49.9	16.6	50.1	0.69
AUX0103419		0.20	0.0266	0.473	1.25	196.5	<10	218	0.36	0.19	0.35	0.05	79.2	16.0	41.4	0.89
AUX0103420		0.28	0.0295	0.838	1.10	353	<10	162.0	0.28	0.28	0.34	0.16	84.5	28.7	45.9	1.65
AUX0103421		0.26	0.0050	0.200	1.15	75.3	<10	87.9	0.25	0.20	0.06	0.13	44.9	11.9	28.3	1.09
AUX0103422		0.30	0.0034	0.254	1.01	19.95	<10	185.0	0.23	0.15	0.21	0.09	32.7	6.2	21.5	0.64
AUX0103423		0.30	0.0019	0.115	1.72	15.25	<10	206	0.27	0.11	0.32	0.06	28.7	13.2	61.0	0.53
AUX0103424		0.24	0.0023	0.107	1.21	13.45	<10	227	0.28	0.15	0.26	0.07	30.7	8.5	33.5	0.57
AUX0103425		0.32	0.0020	0.128	1.23	17.00	<10	249	0.30	0.16	0.28	0.09	30.9	9.9	34.1	0.64
AUX0103426		0.32	0.0039	0.104	1.07	16.15	<10	219	0.38	0.17	0.21	0.08	36.3	7.1	24.8	0.50
AUX0103427		0.32	0.0028	0.099	1.21	20.8	<10	181.0	0.28	0.17	0.27	0.07	35.5	10.5	42.8	0.60
AUX0103428		0.34	0.0041	0.155	2.03	34.3	<10	167.5	0.32	0.19	0.32	0.07	34.5	19.9	111.0	0.63
AUX0103429		0.26	0.0040	0.139	1.87	27.2	<10	213	0.31	0.18	0.39	0.10	23.1	17.8	96.8	0.66
AUX0103430		0.38	0.0033	0.111	1.37	29.6	<10	216	0.41	0.20	0.36	0.16	27.7	9.2	44.1	0.60
AUX0103431		0.24	0.0029	0.207	1.47	20.5	<10	242	0.39	0.18	1.04	0.24	25.2	13.0	51.9	0.57
AUX0103432		0.46	0.0024	0.142	1.48	35.7	<10	212	0.38	0.20	0.46	0.35	26.9	20.6	57.0	0.49
AUX0103433		0.20	0.0035	0.212	1.18	16.35	<10	321	0.35	0.15	1.55	0.51	22.7	11.4	31.9	0.51
AUX0103434		0.28	0.0038	0.184	1.41	36.9	<10	226	0.35	0.21	0.85	0.26	26.0	12.3	43.6	0.53
AUX0103435		0.26	0.0028	0.187	1.20	23.9	<10	190.5	0.35	0.17	0.67	0.24	31.1	12.2	35.7	0.47
AUX0103436		0.44	0.0033	0.253	1.45	28.4	<10	241	0.43	0.23	0.71	0.30	28.7	14.8	43.5	0.56
AUX0103437		0.40	0.0078	0.709	1.24	57.0	<10	261	0.43	0.27	0.57	0.47	40.4	13.6	28.9	0.60
AUX0103438		0.26	0.0502	0.484	1.19	37.9	<10	252	0.39	0.29	0.31	0.22	45.5	10.3	27.8	0.66
AUX0103439		0.26	0.0041	0.754	1.16	54.0	<10	263	0.48	0.26	0.39	0.64	44.9	12.9	22.3	0.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103400		48.5	3.72	5.92	0.09	0.06	0.025	0.020	0.04	20.2	26.0	1.15	597	0.80	<0.01	0.82
AUX0103401		62.9	4.40	6.60	0.11	0.09	0.028	0.024	0.05	35.1	29.9	1.23	760	1.05	0.01	0.41
AUX0103402		26.8	1.92	3.07	0.07	0.06	0.027	0.016	0.03	18.0	12.9	0.35	203	0.72	0.01	0.61
AUX0103403		37.8	2.54	3.66	0.08	0.03	0.065	0.024	0.05	20.7	11.3	0.33	971	1.38	0.01	0.45
AUX0103404		20.0	2.14	3.44	0.08	0.02	0.025	0.019	0.03	19.2	14.6	0.36	262	0.82	<0.01	0.58
AUX0103405		21.1	2.37	3.71	0.07	0.03	0.033	0.019	0.03	16.8	15.8	0.38	320	0.89	<0.01	0.70
AUX0103406		22.4	2.39	4.06	0.08	0.04	0.034	0.025	0.03	15.9	16.9	0.41	180	0.86	0.01	0.86
AUX0103407		22.7	2.36	3.75	0.07	0.03	0.034	0.022	0.03	15.2	14.1	0.38	324	1.15	0.01	0.71
AUX0103408		25.4	2.57	3.91	0.08	0.06	0.031	0.024	0.03	15.2	15.2	0.37	432	1.06	0.01	0.88
AUX0103409		26.3	2.56	4.14	0.08	0.04	0.034	0.025	0.04	16.1	14.5	0.43	342	1.13	0.01	0.83
AUX0103410		21.3	2.36	3.73	0.07	0.03	0.038	0.019	0.03	13.8	12.9	0.37	539	1.02	0.01	0.66
AUX0103411		32.1	2.80	4.86	0.09	0.03	0.040	0.026	0.04	18.1	17.9	0.58	522	1.07	0.01	0.80
AUX0103412		32.4	2.61	4.27	0.08	0.05	0.043	0.022	0.04	14.2	16.8	0.59	514	1.03	0.01	0.75
AUX0103413		34.7	2.61	3.99	0.07	0.07	0.038	0.024	0.04	16.8	16.1	0.50	513	0.86	0.01	0.77
AUX0103414		33.8	2.69	4.58	0.08	0.07	0.042	0.026	0.04	16.6	18.1	0.55	279	0.81	0.01	0.87
AUX0103415		41.1	2.98	5.15	0.07	0.05	0.041	0.023	0.04	16.2	19.9	0.82	578	0.89	0.01	0.72
AUX0103416		41.6	2.95	4.54	0.09	0.08	0.035	0.024	0.05	20.9	19.2	0.65	605	0.95	0.01	0.66
AUX0103417		41.8	2.87	4.19	0.09	0.10	0.043	0.026	0.06	24.2	18.2	0.51	537	1.02	0.01	0.72
AUX0103418		39.9	4.01	4.60	0.10	0.13	0.025	0.019	0.06	25.1	20.0	0.71	272	0.94	0.02	0.75
AUX0103419		48.7	3.98	3.58	0.13	0.04	0.062	0.022	0.04	44.6	17.1	0.52	482	0.69	0.01	0.47
AUX0103420		59.8	5.00	3.47	0.14	0.20	0.108	0.029	0.07	45.2	12.9	0.55	949	0.74	0.01	0.09
AUX0103421		31.0	3.19	3.41	0.08	0.03	0.021	0.021	0.05	22.5	13.7	0.35	416	0.96	<0.01	0.61
AUX0103422		19.95	1.83	3.20	0.07	<0.02	0.016	0.015	0.03	18.1	12.5	0.35	180	0.76	0.01	0.56
AUX0103423		28.0	3.00	5.29	0.07	0.03	0.016	0.016	0.03	15.2	25.8	1.01	421	0.54	<0.01	0.75
AUX0103424		23.8	2.13	3.67	0.07	0.02	0.028	0.017	0.03	15.8	14.4	0.47	237	0.78	0.01	0.71
AUX0103425		24.6	2.32	3.88	0.07	0.02	0.028	0.018	0.03	16.0	14.3	0.47	350	0.91	0.01	0.63
AUX0103426		23.9	2.05	3.28	0.12	0.03	0.027	0.015	0.03	18.1	11.9	0.36	241	0.79	0.01	0.57
AUX0103427		25.9	2.45	4.01	0.13	0.03	0.028	0.014	0.04	17.2	14.7	0.57	340	0.83	0.01	0.50
AUX0103428		44.8	3.68	7.31	0.12	0.04	0.036	0.019	0.03	17.0	27.5	1.41	621	0.79	<0.01	0.59
AUX0103429		36.8	3.35	6.25	0.11	0.04	0.029	0.017	0.03	10.8	21.8	1.13	556	0.77	0.01	0.70
AUX0103430		23.4	2.45	4.39	0.10	0.06	0.029	0.018	0.03	13.6	15.0	0.58	211	0.73	0.01	0.80
AUX0103431		25.5	2.63	4.55	0.10	0.06	0.039	0.017	0.04	12.1	16.6	0.67	805	0.64	0.02	0.44
AUX0103432		17.40	3.66	4.84	0.12	0.04	0.017	0.015	0.03	12.1	18.1	0.81	606	0.98	0.01	0.56
AUX0103433		22.4	2.11	3.36	0.10	0.05	0.048	0.014	0.04	12.2	13.4	0.45	1160	0.65	0.02	0.40
AUX0103434		25.2	2.91	4.16	0.11	0.05	0.034	0.017	0.04	13.1	17.8	0.61	408	0.77	0.02	0.52
AUX0103435		26.8	2.58	3.68	0.11	0.06	0.056	0.016	0.04	15.7	15.7	0.52	565	0.72	0.01	0.61
AUX0103436		26.1	3.15	4.45	0.11	0.05	0.061	0.020	0.04	13.6	18.0	0.62	403	1.01	0.02	0.61
AUX0103437		45.5	2.86	3.56	0.12	0.07	0.056	0.022	0.06	20.1	14.6	0.46	601	1.13	0.01	0.38
AUX0103438		34.7	2.63	3.50	0.13	0.05	0.045	0.017	0.07	21.6	14.7	0.44	492	1.05	0.01	0.44
AUX0103439		37.1	2.69	3.52	0.15	0.06	0.052	0.020	0.07	21.7	14.2	0.38	673	1.36	0.02	0.44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103400		70.5	0.068	15.45	5.4	<0.001	<0.01	1.530	3.7	0.8	0.3	21.4	<0.01	0.02	6.1	0.075
AUX0103401		75.0	0.067	18.50	6.2	<0.001	<0.01	1.160	4.4	0.9	0.3	21.6	<0.01	0.04	11.1	0.093
AUX0103402		23.6	0.056	10.90	4.1	<0.001	<0.01	2.93	2.9	0.7	0.3	17.7	<0.01	0.02	4.6	0.036
AUX0103403		33.4	0.083	25.1	8.8	<0.001	0.05	6.95	2.7	1.2	0.3	62.1	<0.01	0.04	1.8	0.015
AUX0103404		20.8	0.051	13.45	6.3	<0.001	<0.01	2.33	2.6	0.8	0.3	21.5	<0.01	0.02	4.3	0.022
AUX0103405		21.2	0.062	13.45	7.1	<0.001	<0.01	1.410	2.9	0.9	0.3	20.5	<0.01	0.03	3.4	0.022
AUX0103406		22.9	0.067	13.45	7.4	0.001	0.01	1.080	3.8	1.1	0.4	24.9	<0.01	0.03	3.8	0.026
AUX0103407		21.9	0.085	12.30	7.5	<0.001	0.01	0.994	3.4	1.3	0.4	27.0	<0.01	0.03	2.4	0.025
AUX0103408		24.1	0.079	15.80	6.7	<0.001	0.02	1.735	3.7	0.9	0.4	27.8	<0.01	0.02	3.4	0.026
AUX0103409		25.0	0.069	15.25	7.0	<0.001	0.01	1.250	3.9	1.0	0.4	24.1	<0.01	0.02	3.7	0.032
AUX0103410		21.0	0.072	14.60	6.8	<0.001	0.02	1.675	2.9	0.9	0.3	27.3	<0.01	0.01	2.4	0.021
AUX0103411		35.1	0.069	14.65	8.0	<0.001	<0.01	1.320	4.5	0.9	0.4	24.1	<0.01	0.04	3.8	0.032
AUX0103412		37.8	0.074	12.40	5.4	<0.001	0.02	1.395	3.8	1.0	0.3	31.6	<0.01	0.03	2.8	0.033
AUX0103413		37.7	0.071	15.35	6.4	<0.001	0.03	1.735	4.1	1.1	0.3	36.6	<0.01	0.03	4.0	0.028
AUX0103414		35.7	0.060	16.25	7.1	<0.001	0.03	1.595	4.0	1.0	0.4	36.0	<0.01	0.03	3.5	0.031
AUX0103415		53.9	0.067	15.50	6.9	<0.001	0.03	1.585	3.7	1.0	0.3	39.6	<0.01	0.03	3.1	0.035
AUX0103416		47.1	0.065	18.10	6.8	<0.001	0.03	1.855	3.5	1.1	0.3	40.8	<0.01	0.04	3.7	0.029
AUX0103417		40.1	0.068	21.9	7.5	<0.001	0.02	2.25	3.9	1.3	0.3	30.8	<0.01	0.04	6.2	0.032
AUX0103418		43.5	0.066	23.8	7.2	<0.001	0.01	2.23	3.8	1.2	0.3	15.7	<0.01	0.05	8.1	0.051
AUX0103419		51.6	0.034	18.35	5.9	<0.001	0.01	254	4.2	1.0	0.2	17.2	<0.01	0.03	10.2	0.021
AUX0103420		83.1	0.073	30.0	5.7	<0.001	<0.01	574	5.9	1.3	0.2	20.6	<0.01	0.02	16.2	0.013
AUX0103421		28.2	0.035	25.1	9.3	<0.001	0.01	14.20	1.9	0.6	0.3	6.5	<0.01	0.03	5.8	0.019
AUX0103422		18.1	0.061	12.20	6.2	<0.001	<0.01	1.680	2.1	0.6	0.3	15.3	<0.01	0.02	2.9	0.022
AUX0103423		35.0	0.070	8.77	5.5	<0.001	<0.01	2.15	3.2	0.6	0.3	18.2	<0.01	0.02	3.6	0.089
AUX0103424		24.1	0.059	10.50	5.5	<0.001	<0.01	1.560	2.9	0.6	0.3	17.7	<0.01	0.03	3.5	0.032
AUX0103425		25.3	0.059	11.00	6.2	<0.001	<0.01	1.820	2.9	0.6	0.3	19.1	<0.01	0.02	2.6	0.029
AUX0103426		20.1	0.052	12.10	4.7	0.001	<0.01	2.05	2.5	0.5	0.3	13.7	<0.01	<0.01	5.0	0.032
AUX0103427		31.2	0.052	12.90	5.4	<0.001	<0.01	3.45	2.8	0.6	0.3	14.5	<0.01	0.01	5.1	0.028
AUX0103428		68.0	0.065	14.00	4.9	<0.001	<0.01	5.92	4.3	0.4	0.3	16.1	<0.01	<0.01	5.2	0.070
AUX0103429		58.8	0.064	13.00	5.3	0.001	0.01	3.20	3.6	0.3	0.3	18.3	<0.01	<0.01	3.7	0.061
AUX0103430		27.4	0.058	15.90	5.1	<0.001	0.01	2.34	2.9	0.4	0.3	19.3	<0.01	<0.01	4.4	0.043
AUX0103431		35.6	0.083	13.90	7.7	0.001	0.09	1.220	2.2	0.6	0.3	47.2	<0.01	0.02	2.6	0.019
AUX0103432		35.1	0.076	17.85	5.2	<0.001	0.02	1.520	2.7	0.5	0.2	21.6	<0.01	<0.01	4.1	0.037
AUX0103433		28.5	0.084	12.50	6.5	<0.001	0.08	1.540	2.0	0.6	0.2	66.5	<0.01	0.01	1.9	0.015
AUX0103434		34.8	0.065	15.55	5.4	<0.001	0.07	1.510	2.8	0.6	0.3	44.4	<0.01	0.03	3.7	0.024
AUX0103435		32.3	0.073	14.75	4.7	0.001	0.04	1.325	2.7	0.8	0.3	39.2	<0.01	0.01	4.5	0.032
AUX0103436		35.3	0.073	19.80	5.6	<0.001	0.04	1.945	3.2	0.8	0.3	38.6	<0.01	0.02	4.1	0.029
AUX0103437		37.4	0.072	36.6	6.0	<0.001	0.02	5.22	3.0	0.9	0.2	37.3	<0.01	<0.01	6.5	0.019
AUX0103438		33.0	0.056	26.5	7.2	<0.001	0.01	10.55	3.0	0.8	0.3	19.9	<0.01	0.01	7.0	0.021
AUX0103439		31.9	0.063	35.2	6.9	0.001	0.01	6.63	3.1	0.6	0.3	24.9	<0.01	0.05	6.6	0.022

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103400		0.06	0.72	40	0.103	8.47	70.8	2.4
AUX0103401		0.08	0.72	44	0.0939	13.80	90.8	4.2
AUX0103402		0.05	0.64	27	0.135	8.68	53.7	2.6
AUX0103403		0.07	1.70	29	0.171	10.15	61.7	0.7
AUX0103404		0.06	1.00	29	0.120	6.40	49.0	0.6
AUX0103405		0.08	1.11	35	0.146	6.55	56.5	0.9
AUX0103406		0.09	1.56	41	0.258	7.36	64.8	1.5
AUX0103407		0.08	1.27	37	0.167	7.59	62.3	0.8
AUX0103408		0.08	1.36	39	0.213	7.93	67.4	2.0
AUX0103409		0.08	1.08	41	0.234	7.81	64.9	1.5
AUX0103410		0.07	0.87	35	0.203	6.14	49.3	1.1
AUX0103411		0.09	1.09	45	0.183	8.45	62.4	1.0
AUX0103412		0.06	0.89	40	0.179	7.50	62.5	1.7
AUX0103413		0.08	1.10	38	0.158	8.76	71.6	2.6
AUX0103414		0.08	1.12	41	0.181	8.67	69.4	2.4
AUX0103415		0.07	1.27	41	0.162	8.91	71.7	1.7
AUX0103416		0.07	2.13	37	0.118	11.05	73.7	2.5
AUX0103417		0.09	1.15	35	0.150	10.85	84.5	3.8
AUX0103418		0.08	0.77	37	0.169	11.65	82.3	5.8
AUX0103419		0.08	0.74	24	0.0526	10.50	78.8	1.8
AUX0103420		0.08	0.82	25	0.0405	13.55	115.0	9.6
AUX0103421		0.10	0.67	26	0.124	3.94	65.6	1.2
AUX0103422		0.06	0.60	26	0.250	5.00	50.2	<0.5
AUX0103423		0.06	0.59	38	0.107	6.77	65.6	0.9
AUX0103424		0.07	0.85	34	0.200	6.24	54.2	0.7
AUX0103425		0.06	0.83	34	0.173	6.39	53.8	0.5
AUX0103426		0.06	0.81	28	0.161	5.89	56.3	1.2
AUX0103427		0.06	0.75	30	0.156	5.29	55.8	1.3
AUX0103428		0.07	0.67	49	0.0960	8.34	74.0	1.6
AUX0103429		0.06	0.79	46	0.113	5.98	67.7	1.6
AUX0103430		0.08	1.07	39	0.160	5.52	66.0	2.0
AUX0103431		0.09	1.54	30	0.0806	5.81	77.7	1.8
AUX0103432		0.06	0.67	40	0.0997	5.10	83.3	1.6
AUX0103433		0.06	1.53	26	0.0803	7.72	78.1	1.9
AUX0103434		0.05	1.56	34	0.114	6.36	79.1	1.7
AUX0103435		0.05	1.11	31	0.127	6.81	69.4	2.0
AUX0103436		0.05	1.39	39	0.185	6.31	76.6	1.9
AUX0103437		0.08	1.34	27	0.156	8.63	100.0	2.6
AUX0103438		0.09	0.78	27	0.102	7.86	77.8	2.4
AUX0103439		0.07	0.93	26	0.112	7.99	98.6	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103440		0.32	0.0086	0.297	0.95	94.1	<10	137.5	0.21	0.27	0.49	0.35	60.0	26.0	32.4	0.88
AUX0103441		0.26	0.0031	0.415	1.13	30.4	<10	302	0.37	0.21	0.45	0.56	35.6	10.7	20.2	0.56
AUX0103442		0.28	0.0044	0.436	1.38	56.6	<10	364	0.53	0.25	0.51	0.53	39.1	12.2	21.8	0.59
AUX0103443		0.22	0.0035	0.143	1.20	12.25	<10	410	0.38	0.16	0.47	0.48	29.7	7.8	24.7	0.75
AUX0103444		0.22	0.0108	0.102	0.80	7.24	<10	230	0.26	0.09	0.49	0.35	22.9	6.7	21.1	0.47
AUX0103445		0.22	0.0016	0.134	0.91	12.50	<10	269	0.24	0.13	0.45	0.28	24.1	7.7	21.8	0.52
AUX0103446		0.32	0.0020	0.147	1.11	13.35	<10	306	0.38	0.18	0.31	0.25	32.8	9.4	23.5	0.50
AUX0103447		0.34	0.0017	0.164	1.10	18.10	<10	292	0.40	0.18	0.32	0.26	34.9	10.5	22.5	0.54
AUX0103448		0.38	0.0037	0.239	1.22	25.5	<10	279	0.42	0.21	0.31	0.22	36.6	8.6	24.6	0.71
AUX0103449		0.32	0.0049	0.172	1.47	34.6	<10	187.5	0.30	0.21	0.34	0.17	37.3	13.3	58.5	0.77
AUX0103450		0.38	0.0035	0.150	1.35	28.4	<10	186.5	0.28	0.20	0.33	0.14	35.1	11.0	52.4	0.71
AUX0103451		0.28	0.0043	0.080	2.05	20.8	<10	121.5	0.28	0.15	0.28	0.07	29.8	21.1	126.0	0.54
AUX0103452		0.30	0.0026	0.091	2.32	15.50	<10	131.5	0.28	0.13	0.31	0.05	23.1	23.1	148.5	0.64
AUX0103453		0.30	0.0028	0.071	2.07	14.25	<10	89.1	0.25	0.22	0.37	0.10	31.6	32.0	115.0	1.14
AUX0103454		0.32	0.0032	0.092	1.06	519	<10	169.5	0.51	0.17	0.40	0.41	40.0	13.5	41.4	0.40
AUX0103455		0.34	0.0146	0.161	0.88	44.8	<10	338	0.26	0.17	0.39	0.33	37.4	5.8	22.0	0.59
AUX0103456		0.18	0.0054	0.191	1.17	37.2	<10	344	0.30	0.17	0.55	0.33	33.1	11.3	32.5	0.64
AUX0103457		0.34	0.0046	0.218	1.32	39.5	<10	332	0.37	0.22	0.67	0.38	33.5	11.6	35.9	0.74
AUX0103458		0.18	0.0039	0.130	0.79	16.85	<10	162.5	0.22	0.13	0.38	0.21	24.4	6.3	18.8	0.41
AUX0103459		0.22	0.0014	0.221	0.71	15.70	<10	237	0.18	0.17	0.21	0.33	18.60	3.9	14.9	0.54
AUX0103460		0.34	0.0034	0.083	0.41	4.69	<10	887	0.07	0.39	0.17	1.37	68.9	24.5	2.2	0.69
AUX0103461		0.28	0.0087	0.324	0.83	160.5	<10	165.0	0.23	0.35	0.19	0.16	54.4	10.1	12.7	0.75
AUX0103462		0.20	0.0090	0.169	0.71	279	<10	34.8	0.15	0.53	0.09	0.20	32.4	7.0	11.4	0.55
AUX0103463		0.28	0.0058	0.134	0.69	177.5	<10	60.6	0.21	0.28	0.10	0.26	24.2	7.1	12.3	0.47
AUX0103464		0.34	0.0032	0.191	1.12	24.1	<10	311	0.42	0.20	0.43	0.21	26.8	8.4	23.7	0.57
AUX0103465		0.34	0.0028	0.152	1.12	24.6	<10	291	0.35	0.20	0.36	0.20	25.8	7.5	24.2	0.58
AUX0103466		0.28	0.0081	0.127	1.05	17.60	<10	271	0.38	0.18	0.40	0.32	27.4	8.2	27.6	0.68
AUX0103467		0.28	0.0016	0.042	0.77	18.15	<10	133.0	0.29	0.14	0.17	0.15	26.5	8.4	16.4	0.42
AUX0103468		0.20	0.0019	0.428	0.86	143.0	<10	55.5	0.17	0.32	0.04	0.22	24.0	6.5	16.2	0.63
AUX0103469		0.24	0.0052	0.519	0.76	69.1	<10	200	0.15	0.22	0.29	0.11	23.1	4.7	14.1	0.57
AUX0103470		0.24	0.0036	0.178	0.68	67.8	<10	97.5	0.21	0.19	0.17	0.20	25.6	6.9	13.5	0.49
AUX0103471		0.30	0.0046	0.129	1.02	112.0	<10	64.3	0.17	0.33	0.08	0.16	26.7	7.3	21.3	0.65
AUX0103472		0.26	0.0176	0.314	0.80	296	<10	117.0	0.27	0.82	0.09	0.69	37.4	16.0	22.2	0.57
AUX0103473		0.34	0.0196	0.607	0.78	311	<10	102.5	0.29	0.94	0.11	0.67	36.7	15.7	19.9	0.60
AUX0103474		0.28	0.0033	0.150	1.18	22.0	<10	170.5	0.27	0.19	0.14	0.14	24.6	5.4	20.7	0.53
AUX0103475		0.24	0.0034	0.248	1.15	180.5	<10	78.1	0.19	0.43	0.05	0.22	32.0	7.4	20.2	0.57
AUX0103476		0.28	0.0078	0.741	1.30	513	<10	146.5	0.36	0.92	0.26	0.61	39.9	17.2	23.8	0.84
AUX0103477		0.28	0.0034	0.611	1.67	202	<10	131.0	0.28	0.55	0.07	0.33	33.5	10.7	29.1	1.04
AUX0103478		0.18	0.0035	0.441	1.48	96.2	<10	91.5	0.28	0.33	0.05	0.25	30.7	9.3	26.2	0.78
AUX0103479		0.22	0.0017	0.363	0.77	105.0	<10	55.7	0.11	0.43	0.05	0.17	27.7	5.1	16.4	0.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103440		48.9	3.72	3.11	0.18	0.09	0.040	0.019	0.07	29.5	12.0	0.50	1060	0.86	0.01	0.19
AUX0103441		29.7	2.49	3.34	0.13	0.05	0.038	0.014	0.05	17.3	12.2	0.35	752	1.04	0.02	0.60
AUX0103442		30.4	3.51	3.97	0.13	0.08	0.035	0.023	0.06	18.9	14.7	0.39	461	1.24	0.02	0.71
AUX0103443		17.60	1.97	3.32	0.11	0.04	0.041	0.014	0.03	14.2	15.1	0.35	168	0.46	0.02	0.56
AUX0103444		13.20	1.37	2.31	0.11	0.03	0.010	0.007	0.03	10.1	10.8	0.30	113	0.93	0.01	0.46
AUX0103445		15.65	1.32	2.68	0.10	0.03	0.026	0.010	0.03	10.8	11.5	0.32	164	0.52	0.01	0.51
AUX0103446		23.4	2.24	3.43	0.10	0.04	0.030	0.016	0.03	15.4	11.9	0.35	293	0.91	0.01	0.70
AUX0103447		25.4	2.43	3.39	0.13	0.03	0.034	0.016	0.04	16.7	12.1	0.36	269	1.03	0.01	0.69
AUX0103448		31.8	2.43	3.69	0.12	0.03	0.033	0.018	0.05	18.0	13.6	0.39	286	1.12	0.01	0.60
AUX0103449		36.4	2.79	4.94	0.12	<0.02	0.021	0.017	0.04	18.1	18.7	0.74	289	1.09	0.01	0.58
AUX0103450		31.7	2.62	4.46	0.12	<0.02	0.021	0.018	0.04	17.2	16.7	0.65	274	0.94	0.01	0.53
AUX0103451		40.5	3.95	7.09	0.13	0.03	0.019	0.014	0.04	14.8	26.4	1.46	533	0.81	0.01	0.83
AUX0103452		36.8	4.07	8.47	0.11	<0.02	0.033	0.016	0.04	10.3	30.1	1.74	524	0.95	0.01	0.78
AUX0103453		54.2	4.09	7.35	0.14	0.04	0.019	0.013	0.11	15.7	26.5	1.49	606	0.87	0.01	0.87
AUX0103454		18.15	6.79	3.09	0.14	0.04	0.028	0.015	0.04	18.3	12.7	0.55	848	2.04	0.01	0.33
AUX0103455		16.15	1.84	2.63	0.11	0.04	0.030	0.010	0.04	18.1	11.1	0.35	174	0.54	0.01	0.39
AUX0103456		21.2	2.42	3.39	0.12	0.04	0.052	0.014	0.04	14.7	14.7	0.48	686	0.50	0.02	0.46
AUX0103457		26.7	2.85	3.84	0.12	0.04	0.061	0.015	0.05	16.6	16.7	0.54	397	0.57	0.02	0.57
AUX0103458		12.55	1.12	2.40	0.11	0.03	0.033	0.010	0.03	10.9	9.3	0.28	94	1.04	0.01	0.52
AUX0103459		19.40	1.87	2.80	0.10	<0.02	0.079	0.015	0.03	8.7	6.4	0.17	146	3.70	0.01	0.24
AUX0103460		33.3	4.11	1.08	0.19	0.15	0.032	0.007	0.04	46.8	1.8	0.06	1000	0.91	0.01	<0.05
AUX0103461		26.4	2.28	2.56	0.14	0.02	0.024	0.012	0.04	25.5	11.2	0.30	349	0.75	0.01	0.23
AUX0103462		33.2	2.54	2.18	0.11	0.03	0.008	0.016	0.04	16.4	9.5	0.22	165	0.84	<0.01	0.28
AUX0103463		22.3	2.32	2.39	0.10	0.03	<0.005	0.012	0.03	11.0	9.6	0.18	227	0.85	<0.01	0.54
AUX0103464		24.2	2.19	3.64	0.12	0.04	0.031	0.021	0.04	12.6	12.3	0.35	293	0.84	<0.01	0.71
AUX0103465		23.3	2.33	3.49	0.14	0.03	0.042	0.018	0.04	12.3	12.2	0.36	247	0.93	<0.01	0.68
AUX0103466		26.3	2.33	3.58	0.15	0.10	0.011	0.018	0.06	13.5	12.3	0.41	309	0.90	<0.01	0.80
AUX0103467		25.5	1.87	2.59	0.12	0.04	0.008	0.017	0.03	11.8	9.3	0.26	291	0.63	<0.01	0.42
AUX0103468		20.8	2.80	4.37	0.10	<0.02	0.021	0.018	0.02	11.4	7.6	0.18	203	1.04	<0.01	0.59
AUX0103469		17.20	1.81	2.50	0.12	0.02	0.029	0.015	0.03	10.9	9.4	0.23	146	0.67	<0.01	0.34
AUX0103470		21.0	1.89	2.20	0.10	0.03	0.016	0.014	0.03	11.5	9.9	0.25	253	0.64	<0.01	0.31
AUX0103471		29.5	2.81	3.25	0.10	0.04	0.045	0.024	0.04	12.5	11.9	0.32	286	0.90	<0.01	0.59
AUX0103472		54.9	3.40	2.61	0.12	0.02	0.025	0.024	0.05	18.1	9.2	0.28	1480	1.69	<0.01	0.26
AUX0103473		56.8	3.47	2.62	0.12	0.02	0.028	0.022	0.05	16.3	8.3	0.26	1440	1.75	<0.01	0.29
AUX0103474		16.00	2.01	3.71	0.11	0.02	0.026	0.014	0.03	11.2	11.2	0.29	182	0.80	<0.01	0.62
AUX0103475		33.0	3.10	3.50	0.10	0.06	0.005	0.022	0.03	15.9	13.1	0.28	217	1.03	<0.01	0.57
AUX0103476		55.3	4.80	2.94	0.13	0.05	0.052	0.030	0.04	19.1	17.1	0.31	883	1.35	<0.01	0.47
AUX0103477		33.6	3.81	4.63	0.12	0.07	0.029	0.028	0.03	16.1	16.9	0.35	457	1.25	<0.01	0.94
AUX0103478		26.0	3.15	4.01	0.11	0.04	0.028	0.024	0.04	14.8	15.8	0.35	311	1.20	<0.01	0.85
AUX0103479		21.8	2.37	4.05	0.11	0.02	0.029	0.012	0.03	12.1	7.3	0.17	177	1.09	<0.01	0.73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103440		66.1	0.071	30.4	5.4	<0.001	0.01	16.80	3.0	0.8	0.2	28.3	<0.01	0.02	12.6	0.019
AUX0103441		26.0	0.067	24.9	6.0	<0.001	0.02	3.02	2.9	1.1	0.3	32.7	<0.01	0.02	5.3	0.029
AUX0103442		28.4	0.065	28.5	7.0	<0.001	0.03	3.05	3.3	0.7	0.4	44.3	<0.01	0.03	5.9	0.032
AUX0103443		19.9	0.071	12.55	6.5	0.002	0.12	1.290	2.4	0.7	0.3	35.3	<0.01	<0.01	3.2	0.018
AUX0103444		15.4	0.062	7.17	5.0	0.001	0.12	1.210	1.6	0.4	0.2	30.5	<0.01	<0.01	2.7	0.022
AUX0103445		19.2	0.061	9.81	4.5	0.002	0.14	1.055	2.1	0.4	0.3	30.9	<0.01	<0.01	2.9	0.022
AUX0103446		21.0	0.067	12.75	5.2	<0.001	0.02	1.390	3.1	0.5	0.3	21.0	<0.01	<0.01	4.8	0.035
AUX0103447		20.3	0.070	15.15	5.4	0.001	0.02	1.615	3.0	0.7	0.3	24.0	<0.01	0.02	4.3	0.031
AUX0103448		24.7	0.063	18.60	6.7	<0.001	0.01	2.37	3.3	0.8	0.4	27.7	<0.01	<0.01	4.7	0.033
AUX0103449		41.2	0.064	18.70	6.9	<0.001	0.01	2.86	3.0	0.6	0.3	20.4	<0.01	0.03	5.0	0.038
AUX0103450		36.1	0.062	17.95	6.6	<0.001	0.01	2.61	2.6	0.5	0.3	19.5	<0.01	0.01	4.6	0.036
AUX0103451		70.1	0.065	12.55	4.9	0.001	0.01	2.07	2.9	0.3	0.3	12.1	<0.01	0.01	4.9	0.105
AUX0103452		89.1	0.071	10.10	5.7	0.001	0.01	1.700	2.8	0.4	0.3	13.2	<0.01	0.01	3.7	0.103
AUX0103453		126.5	0.067	16.05	12.1	<0.001	0.01	1.585	3.0	0.7	0.4	13.8	<0.01	0.02	5.9	0.135
AUX0103454		35.1	0.074	20.9	3.9	0.001	0.04	22.6	2.1	0.6	<0.2	22.7	<0.01	0.04	6.0	0.015
AUX0103455		17.5	0.069	15.50	5.2	0.002	0.07	18.15	1.9	0.7	0.2	24.7	<0.01	0.03	5.0	0.017
AUX0103456		27.5	0.074	16.45	6.5	0.001	0.08	6.43	2.4	0.6	0.2	35.5	<0.01	<0.01	4.1	0.021
AUX0103457		32.1	0.071	18.05	7.5	0.002	0.10	8.56	2.9	0.7	0.3	45.6	<0.01	0.02	4.6	0.022
AUX0103458		15.2	0.060	10.40	4.1	0.001	0.05	4.88	1.8	0.9	0.2	21.0	<0.01	<0.01	3.7	0.027
AUX0103459		15.7	0.059	10.35	3.7	<0.001	0.03	4.32	0.6	2.0	0.3	30.0	<0.01	0.03	0.3	0.021
AUX0103460		44.5	0.038	41.9	2.9	0.001	0.28	5.04	2.3	1.5	<0.2	33.5	<0.01	0.06	16.5	0.002
AUX0103461		20.6	0.049	35.1	5.1	0.001	0.01	9.89	1.4	0.3	0.2	9.9	<0.01	0.01	6.6	0.011
AUX0103462		17.9	0.026	25.5	5.1	0.001	0.03	10.95	1.1	0.4	0.2	4.9	<0.01	0.03	6.0	0.012
AUX0103463		14.9	0.032	22.0	4.3	0.002	0.02	14.60	1.2	0.6	0.3	5.5	<0.01	0.03	4.6	0.022
AUX0103464		21.7	0.073	11.75	5.6	0.001	0.03	2.98	3.3	1.0	0.4	28.2	<0.01	0.02	3.6	0.036
AUX0103465		19.7	0.074	11.55	5.0	0.002	0.03	3.35	3.5	0.6	0.3	24.6	<0.01	0.03	4.0	0.044
AUX0103466		22.4	0.090	9.40	6.2	<0.001	0.03	2.04	4.2	0.5	0.4	26.8	<0.01	0.03	4.9	0.066
AUX0103467		19.0	0.062	9.24	3.7	0.001	0.02	1.625	2.7	0.3	0.3	13.2	<0.01	0.02	4.3	0.032
AUX0103468		15.0	0.040	19.20	5.8	<0.001	0.03	17.95	1.2	0.6	0.4	4.8	<0.01	0.04	1.4	0.031
AUX0103469		14.4	0.050	14.75	4.4	<0.001	0.04	7.28	1.5	0.4	0.2	18.5	<0.01	0.02	2.5	0.016
AUX0103470		16.1	0.056	15.50	3.2	0.001	0.02	6.58	1.6	0.4	0.2	10.7	<0.01	0.02	4.1	0.019
AUX0103471		18.9	0.040	22.6	5.0	0.001	0.03	15.10	1.9	0.4	0.3	6.3	<0.01	0.01	5.5	0.029
AUX0103472		32.6	0.065	59.0	5.1	<0.001	0.03	55.2	2.2	0.7	0.2	6.7	<0.01	0.08	5.4	0.016
AUX0103473		31.1	0.072	66.3	5.7	<0.001	0.03	57.6	2.2	0.8	0.2	7.8	<0.01	0.06	4.6	0.016
AUX0103474		13.1	0.048	11.75	5.8	0.001	0.03	2.63	1.9	0.6	0.4	10.5	<0.01	0.02	2.6	0.028
AUX0103475		19.0	0.028	32.3	7.1	0.001	0.02	21.5	1.9	0.4	0.3	5.1	<0.01	0.04	6.3	0.021
AUX0103476		31.1	0.072	92.7	7.6	0.001	0.03	57.9	2.2	0.7	0.2	16.3	<0.01	0.07	9.3	0.014
AUX0103477		23.3	0.042	42.6	6.9	<0.001	0.03	20.3	2.5	0.6	0.4	6.5	<0.01	0.04	7.1	0.026
AUX0103478		19.7	0.036	26.4	7.1	<0.001	0.03	9.54	2.1	0.6	0.3	5.5	<0.01	0.02	6.3	0.024
AUX0103479		14.0	0.037	26.9	5.3	0.001	0.03	11.50	1.3	0.2	0.4	5.2	<0.01	0.05	3.8	0.024

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103440		0.08	0.69	18	0.0402	8.21	98.1	5.1
AUX0103441		0.08	1.09	28	0.152	7.62	81.9	2.2
AUX0103442		0.08	1.96	33	0.139	8.42	90.6	3.6
AUX0103443		0.07	3.05	30	0.141	6.92	77.7	1.2
AUX0103444		0.04	4.45	20	0.442	4.84	54.3	1.0
AUX0103445		0.04	1.92	24	0.126	5.59	55.3	1.0
AUX0103446		0.06	1.17	33	0.184	7.20	66.6	1.8
AUX0103447		0.07	0.84	33	0.165	7.27	69.4	1.2
AUX0103448		0.09	0.72	32	0.164	7.66	78.9	1.1
AUX0103449		0.08	0.64	35	0.112	7.00	67.0	0.6
AUX0103450		0.09	0.61	32	0.122	6.01	66.4	0.5
AUX0103451		0.06	0.66	46	0.116	6.35	64.2	1.2
AUX0103452		0.08	0.54	51	0.0926	4.59	71.2	0.5
AUX0103453		0.20	0.61	43	0.0841	6.73	81.0	1.5
AUX0103454		0.03	1.71	30	0.0992	6.58	88.8	1.7
AUX0103455		0.05	1.99	20	0.318	6.33	63.5	1.3
AUX0103456		0.08	2.40	26	0.0920	6.98	76.1	1.0
AUX0103457		0.06	2.01	31	0.105	7.15	83.6	1.6
AUX0103458		0.04	1.15	23	0.118	4.67	51.7	1.1
AUX0103459		0.07	0.64	31	0.221	2.36	68.6	<0.5
AUX0103460		0.05	1.30	2	0.0154	24.4	119.0	7.6
AUX0103461		0.08	0.44	13	0.0782	5.49	62.3	1.0
AUX0103462		0.06	0.33	13	0.0960	2.28	63.5	1.2
AUX0103463		0.07	0.41	21	0.124	2.68	62.8	1.1
AUX0103464		0.07	0.62	36	0.222	7.04	64.4	1.2
AUX0103465		0.06	0.61	37	0.249	6.46	71.2	1.7
AUX0103466		0.09	0.65	40	0.237	7.94	70.2	3.8
AUX0103467		0.05	0.46	25	0.236	4.58	51.4	1.8
AUX0103468		0.07	0.35	39	0.189	1.91	49.1	<0.5
AUX0103469		0.07	0.47	20	0.124	3.01	44.2	0.5
AUX0103470		0.08	0.35	18	0.103	3.84	61.7	0.9
AUX0103471		0.10	0.32	29	0.151	2.68	69.1	1.7
AUX0103472		0.10	0.56	20	0.0901	6.02	98.2	0.7
AUX0103473		0.09	0.57	22	0.0892	6.26	97.3	0.5
AUX0103474		0.07	0.52	35	0.246	3.19	48.9	0.5
AUX0103475		0.09	0.38	29	0.135	2.56	70.7	2.7
AUX0103476		0.11	1.06	22	0.0914	5.25	121.0	1.9
AUX0103477		0.09	0.51	44	0.199	3.20	80.4	2.3
AUX0103478		0.09	0.51	37	0.190	2.92	64.1	1.8
AUX0103479		0.08	0.33	34	0.199	2.05	46.8	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103480		0.28	0.0029	0.229	0.61	189.5	<10	43.4	0.19	0.34	0.11	0.27	32.2	13.0	12.3	0.48
AUX0103481		0.28	0.0121	0.393	0.77	318	<10	49.6	0.22	0.48	0.10	0.40	41.4	12.7	16.3	0.54
AUX0103482		0.26	0.0029	0.203	0.87	194.5	<10	86.6	0.21	0.40	0.09	0.28	31.8	11.2	18.4	0.50
AUX0103483		0.38	0.0049	0.124	1.23	13.30	<10	178.5	0.31	0.18	0.17	0.11	21.0	5.5	22.3	0.65
AUX0103484		0.36	0.0030	0.139	1.18	16.15	<10	198.0	0.21	0.18	0.19	0.06	22.4	4.8	23.4	0.62
AUX0103485		0.42	0.0053	0.155	1.00	37.1	<10	199.5	0.28	0.18	0.23	0.15	27.8	7.5	21.0	0.45
AUX0103486		0.30	0.0022	0.403	1.41	25.7	<10	147.5	0.33	0.20	0.10	0.13	23.9	6.7	23.9	0.73
AUX0103487		0.40	0.0033	0.192	1.19	41.2	<10	228	0.31	0.20	0.10	0.09	28.6	8.0	22.5	0.57
AUX0103488		0.26	0.0042	0.259	0.74	98.0	<10	124.5	0.17	0.24	0.25	0.19	24.4	6.9	15.1	0.48
AUX0103489		0.30	0.0051	0.225	0.86	57.5	<10	160.0	0.23	0.20	0.19	0.18	31.2	9.9	24.5	0.50
AUX0103490		0.32	0.0040	0.143	1.22	85.4	<10	112.5	0.16	0.23	0.16	0.12	23.7	9.7	41.5	0.76
AUX0103491		0.24	0.0044	0.184	0.91	46.5	<10	199.5	0.32	0.19	0.48	0.12	23.7	7.1	20.5	0.57
AUX0103492		0.26	0.0583	0.417	1.09	150.5	<10	173.0	0.21	0.22	0.39	0.47	38.4	17.0	45.2	0.53
AUX0103493		0.38	0.0008	0.147	0.90	13.30	<10	259	0.20	0.14	0.43	0.25	26.1	6.2	24.4	0.46
AUX0103494		0.34	0.139	0.167	0.69	22.4	<10	138.0	0.22	0.15	0.26	0.19	30.8	6.8	22.7	0.68
AUX0103495		0.34	0.0073	0.377	1.01	46.5	<10	182.5	0.24	0.22	0.34	0.20	27.2	10.6	25.7	1.21
AUX0103496		0.26	0.0019	0.101	0.51	41.1	<10	67.8	0.16	0.18	0.31	0.14	21.5	3.5	11.3	0.51
AUX0103497		0.32	0.0058	0.270	1.19	56.4	<10	397	0.40	0.28	0.36	0.21	29.3	10.0	24.0	0.58
AUX0103498		0.22	0.0046	0.319	1.03	113.0	<10	242	0.35	0.36	0.27	0.23	29.0	9.2	19.6	0.59
AUX0103499		0.20	0.0426	0.387	0.90	153.5	<10	158.0	0.31	0.33	0.24	0.31	25.4	8.2	15.2	0.69
AUX0103500		0.28	0.0089	0.492	0.98	154.0	<10	184.0	0.35	0.32	0.25	0.35	30.6	10.0	14.4	0.67
AUX0103501		0.28	0.0058	0.421	0.62	117.5	<10	104.0	0.23	0.20	0.10	0.25	33.6	8.7	10.5	0.40
AUX0103502		0.20	0.0026	0.693	1.74	62.9	<10	134.0	0.39	0.28	0.06	0.32	21.2	8.5	26.4	1.08
AUX0103503		0.22	0.0063	2.32	1.05	219	<10	63.2	0.18	0.56	0.04	0.32	25.5	6.4	19.1	1.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103480		23.8	2.46	1.98	0.12	0.02	0.016	0.017	0.03	15.5	9.7	0.23	531	0.88	<0.01	0.22
AUX0103481		47.7	3.10	2.20	0.12	0.05	0.030	0.022	0.04	20.7	10.7	0.28	413	0.83	<0.01	0.21
AUX0103482		31.2	2.79	2.62	0.11	0.02	0.009	0.018	0.04	15.1	10.4	0.28	438	0.96	<0.01	0.36
AUX0103483		13.20	2.03	4.10	0.11	0.05	0.010	0.016	0.03	9.8	11.6	0.28	154	1.00	<0.01	0.80
AUX0103484		13.75	1.93	3.93	0.10	<0.02	0.033	0.016	0.03	10.5	11.1	0.30	135	0.99	<0.01	0.51
AUX0103485		18.85	2.03	3.13	0.11	<0.02	0.021	0.015	0.03	12.9	11.3	0.30	317	0.86	<0.01	0.49
AUX0103486		18.00	2.50	4.28	0.10	0.04	0.022	0.017	0.03	10.8	14.7	0.31	191	0.83	<0.01	0.88
AUX0103487		20.3	2.18	3.35	0.11	0.04	0.037	0.016	0.03	13.8	12.1	0.31	293	0.73	<0.01	0.52
AUX0103488		19.25	2.18	2.11	0.11	0.02	0.015	0.013	0.03	10.8	8.7	0.24	240	0.66	<0.01	0.29
AUX0103489		31.8	2.21	2.61	0.11	0.02	0.049	0.014	0.03	17.7	9.7	0.31	471	0.94	<0.01	0.31
AUX0103490		26.2	2.98	4.93	0.10	0.02	0.017	0.015	0.03	10.9	10.9	0.49	305	1.47	<0.01	0.94
AUX0103491		23.7	1.96	2.75	0.10	0.03	0.037	0.012	0.03	11.5	8.8	0.25	257	0.80	<0.01	0.38
AUX0103492		41.4	3.18	3.53	0.13	0.08	0.053	0.016	0.04	18.9	11.9	0.65	352	1.24	<0.01	0.40
AUX0103493		12.00	1.52	2.79	0.12	0.04	0.071	0.011	0.04	12.3	12.7	0.39	167	0.24	<0.01	0.40
AUX0103494		19.05	1.65	2.14	0.11	0.05	0.047	0.012	0.06	15.7	9.5	0.28	222	0.68	<0.01	0.31
AUX0103495		25.1	2.41	3.09	0.10	0.02	0.048	0.019	0.05	14.6	14.5	0.32	465	0.66	<0.01	0.36
AUX0103496		19.40	1.38	2.29	0.10	<0.02	0.015	0.010	0.03	10.0	4.7	0.14	120	0.45	<0.01	0.22
AUX0103497		29.2	2.47	3.63	0.12	0.04	0.048	0.020	0.04	15.3	12.5	0.36	472	1.08	<0.01	0.60
AUX0103498		31.0	2.44	3.06	0.11	0.03	0.046	0.019	0.04	17.4	12.8	0.33	452	0.96	0.01	0.51
AUX0103499		28.0	2.41	2.33	0.11	0.02	0.043	0.018	0.03	14.6	13.5	0.24	636	0.84	0.01	0.26
AUX0103500		33.0	2.49	2.48	0.10	<0.02	0.045	0.019	0.04	17.6	13.5	0.26	806	0.87	0.01	0.25
AUX0103501		25.0	2.06	1.76	0.11	0.03	0.036	0.014	0.03	20.9	10.2	0.23	419	0.66	<0.01	0.16
AUX0103502		16.35	3.35	5.22	0.09	<0.02	0.035	0.032	0.04	11.7	22.2	0.30	505	1.52	0.01	1.05
AUX0103503		30.3	3.18	3.96	0.09	<0.02	0.052	0.022	0.03	14.4	11.1	0.24	245	1.40	0.01	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103480		19.6	0.076	26.6	4.2	0.001	0.02	20.8	1.0	0.6	<0.2	6.1	<0.01	0.04	5.7	0.012
AUX0103481		25.0	0.052	36.9	4.3	0.001	0.02	34.3	1.8	0.9	<0.2	7.6	<0.01	0.03	9.9	0.014
AUX0103482		22.0	0.064	30.1	5.0	0.001	0.03	20.5	1.5	0.4	0.2	6.4	<0.01	0.03	4.6	0.018
AUX0103483		13.6	0.041	10.05	6.1	<0.001	0.03	1.030	2.3	0.6	0.4	13.3	<0.01	0.02	3.2	0.032
AUX0103484		14.5	0.056	10.45	5.8	0.001	0.03	1.605	1.9	0.5	0.4	13.6	<0.01	0.02	1.2	0.026
AUX0103485		16.0	0.052	13.45	4.2	<0.001	0.03	6.19	2.0	0.5	0.3	14.6	<0.01	0.02	2.7	0.030
AUX0103486		17.5	0.038	15.05	6.8	<0.001	0.03	2.57	2.2	0.6	0.4	9.0	<0.01	0.04	3.7	0.032
AUX0103487		17.4	0.021	17.30	5.0	0.001	0.02	3.52	2.9	0.6	0.3	8.7	<0.01	0.03	4.9	0.024
AUX0103488		15.3	0.050	19.90	3.6	0.001	0.03	7.86	1.3	0.3	0.2	12.5	<0.01	0.02	3.1	0.018
AUX0103489		26.9	0.046	16.90	3.9	<0.001	0.02	6.97	3.0	0.8	0.2	11.8	<0.01	0.03	4.6	0.024
AUX0103490		31.2	0.022	18.15	5.8	<0.001	0.02	9.80	2.1	0.4	0.3	11.1	<0.01	0.03	4.0	0.058
AUX0103491		20.2	0.032	15.55	4.6	0.001	0.03	7.09	2.0	0.8	0.2	22.2	<0.01	0.02	3.3	0.015
AUX0103492		46.3	0.068	25.4	4.0	0.001	0.04	15.65	3.1	0.5	0.2	25.3	<0.01	0.02	7.6	0.033
AUX0103493		16.5	0.065	12.80	5.0	<0.001	0.08	3.86	2.0	0.7	0.2	35.1	<0.01	0.01	3.6	0.022
AUX0103494		20.6	0.045	14.60	4.8	<0.001	0.03	11.05	2.2	0.4	0.2	20.9	<0.01	0.02	5.3	0.015
AUX0103495		29.2	0.050	17.65	5.9	0.001	0.03	11.15	2.6	0.7	0.3	23.8	<0.01	0.03	3.8	0.018
AUX0103496		11.2	0.033	14.90	4.1	<0.001	0.03	6.96	0.8	0.3	0.2	18.5	<0.01	0.03	0.7	0.017
AUX0103497		22.9	0.058	16.15	5.2	0.002	0.03	5.08	3.8	1.2	0.4	22.9	<0.01	0.04	4.7	0.030
AUX0103498		24.2	0.061	20.3	4.9	0.001	0.01	10.20	3.2	0.7	0.2	16.7	<0.01	0.04	4.7	0.028
AUX0103499		22.5	0.045	25.7	5.1	<0.001	<0.01	12.80	2.0	0.8	0.2	14.3	<0.01	0.04	3.6	0.012
AUX0103500		23.7	0.048	26.5	5.4	<0.001	<0.01	13.40	2.5	0.7	0.2	16.2	<0.01	0.05	3.1	0.013
AUX0103501		18.6	0.041	18.10	3.8	0.001	<0.01	17.00	1.9	0.6	<0.2	6.4	<0.01	0.04	5.1	0.013
AUX0103502		19.7	0.057	19.10	11.5	<0.001	0.01	7.18	2.1	0.6	0.5	6.8	<0.01	0.05	1.9	0.028
AUX0103503		20.7	0.043	27.4	7.5	<0.001	0.01	27.9	1.7	0.6	0.3	4.4	<0.01	0.07	2.0	0.021

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103480		0.04	0.37	11	0.0492	3.04	74.0	0.8
AUX0103481		0.05	0.50	14	0.0588	4.63	90.2	2.9
AUX0103482		0.07	0.48	22	2.73	3.07	75.9	0.6
AUX0103483		0.08	0.52	41	0.229	3.03	46.5	0.9
AUX0103484		0.07	0.54	37	0.233	3.03	47.1	<0.5
AUX0103485		0.06	0.54	31	0.251	3.83	57.1	<0.5
AUX0103486		0.09	0.50	40	0.229	2.54	50.6	1.2
AUX0103487		0.07	0.61	33	0.149	4.80	52.4	1.6
AUX0103488		0.05	0.41	19	0.136	3.00	57.4	0.6
AUX0103489		0.07	0.56	24	0.151	8.65	59.3	0.6
AUX0103490		0.08	0.44	40	0.214	2.48	59.3	1.0
AUX0103491		0.06	0.57	22	0.101	4.45	42.3	0.7
AUX0103492		0.06	1.06	25	0.0808	6.92	91.4	2.9
AUX0103493		0.05	1.23	21	0.0752	5.24	61.7	1.2
AUX0103494		0.05	0.74	18	0.107	4.73	50.2	1.6
AUX0103495		0.07	0.98	25	0.118	5.83	68.7	0.8
AUX0103496		0.04	0.74	16	0.0865	2.35	32.1	<0.5
AUX0103497		0.06	0.78	35	0.231	7.90	66.0	1.6
AUX0103498		0.08	0.91	28	0.207	8.20	75.0	1.2
AUX0103499		0.08	0.46	16	0.101	5.24	71.2	0.6
AUX0103500		0.07	0.59	16	0.105	7.68	72.3	<0.5
AUX0103501		0.04	0.38	11	0.0553	6.27	60.6	1.2
AUX0103502		0.11	0.37	50	0.222	2.34	78.8	<0.5
AUX0103503		0.09	0.36	34	0.262	2.33	67.7	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194144

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

CERTIFICATE WH11194145

Project: Aurex Project- Victoria Gold

P.O. No.: AUX09232011

This report is for 184 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103504		0.24	0.0041	0.028	1.05	10.85	<10	131.5	0.27	0.15	0.16	0.17	26.6	5.3	20.1	0.60
AUX0103505		0.24	0.0023	0.029	1.10	9.66	<10	112.5	0.29	0.15	0.18	0.17	23.9	5.7	22.5	0.57
AUX0103506		0.22	0.0051	0.102	1.20	22.2	<10	316	0.37	0.19	0.23	0.13	38.8	8.1	22.3	0.68
AUX0103507		0.34	0.0020	0.113	0.91	11.90	<10	346	0.33	0.14	0.29	0.12	34.9	7.8	19.3	0.49
AUX0103508		0.26	0.0053	0.178	0.97	51.2	<10	263	0.29	0.21	0.33	0.17	38.1	9.1	20.0	0.49
AUX0103509		0.30	0.0037	0.117	1.38	51.2	<10	155.5	0.32	0.20	0.15	0.12	28.4	7.7	24.9	0.70
AUX0103510		0.26	0.0056	0.322	1.30	77.6	<10	167.5	0.27	0.28	0.06	0.16	44.3	9.3	24.4	0.81
AUX0103511		0.26	0.0064	0.133	1.17	58.0	<10	89.2	0.24	0.34	0.06	0.09	33.3	5.7	18.1	0.62
AUX0103512		0.32	0.0041	0.106	1.26	66.6	<10	97.0	0.24	0.26	0.08	0.12	38.6	8.0	24.4	0.71
AUX0103513		0.32	0.0078	0.094	1.45	36.6	<10	188.0	0.45	0.19	0.08	0.08	47.3	9.3	22.6	0.68
AUX0103514		0.40	0.0051	0.101	1.32	35.0	<10	142.5	0.29	0.20	0.08	0.09	35.4	7.3	22.4	0.75
AUX0103515		0.34	0.0032	0.121	1.28	37.8	<10	151.5	0.32	0.19	0.07	0.09	28.6	6.4	20.5	0.60
AUX0103516		0.28	0.0030	0.112	1.17	40.7	<10	175.0	0.36	0.20	0.07	0.08	31.4	7.1	19.6	0.51
AUX0103517		0.38	0.0020	0.069	1.15	18.80	<10	187.5	0.31	0.20	0.11	0.08	32.8	6.6	20.5	0.44
AUX0103518		0.34	0.0027	0.035	1.20	26.2	<10	126.0	0.35	0.18	0.08	0.06	36.0	6.6	21.0	0.53
AUX0103519		0.30	0.0014	0.049	1.03	8.88	<10	112.5	0.25	0.11	0.13	0.13	21.8	4.6	18.5	0.48
AUX0103520		0.24	0.0026	0.131	1.15	36.9	<10	298	0.30	0.16	0.26	0.18	25.9	6.9	21.6	0.63
AUX0103521		0.28	0.0013	0.375	1.76	13.55	<10	289	0.47	0.19	0.09	0.10	42.2	9.2	28.7	0.75
AUX0103522		0.24	0.0078	0.137	1.05	30.8	<10	186.0	0.24	0.19	0.14	0.09	40.3	6.8	18.9	0.49
AUX0103523		0.30	0.0021	0.115	1.07	24.5	<10	270	0.24	0.17	0.21	0.12	33.5	6.0	19.4	0.45
AUX0103524		0.36	0.0023	0.139	1.11	19.45	<10	359	0.32	0.17	0.37	0.30	29.5	7.9	22.1	0.43
AUX0103525		0.24	0.0020	0.199	1.12	22.2	<10	367	0.39	0.19	0.38	0.35	33.2	9.2	22.8	0.50
AUX0103526		0.28	0.0016	0.153	1.13	14.90	<10	248	0.25	0.15	0.26	0.14	31.1	6.4	20.6	0.60
AUX0103527		0.24	0.0047	0.178	1.05	95.7	<10	276	0.24	0.36	0.12	0.36	42.2	10.1	20.6	0.43
AUX0103528		0.26	0.0018	0.128	1.08	11.60	<10	358	0.25	0.15	0.28	0.10	29.5	5.9	21.0	0.49
AUX0103529		0.30	0.0018	0.176	1.08	21.3	<10	293	0.22	0.17	0.20	0.20	24.7	5.3	18.6	0.61
AUX0103530		0.26	0.0009	0.140	1.22	15.40	<10	305	0.30	0.14	0.28	0.09	34.2	6.7	21.8	0.55
AUX0103531		0.26	0.0019	0.183	1.24	14.45	<10	414	0.29	0.18	0.34	0.14	29.7	7.7	22.2	0.61
AUX0103532		0.34	0.0046	0.198	1.18	21.2	<10	409	0.35	0.18	0.28	0.18	35.3	8.5	21.8	0.52
AUX0103533		0.32	0.0084	0.540	1.32	49.3	<10	509	0.40	0.32	0.32	0.44	44.2	9.5	23.3	0.70
AUX0103534		0.18	0.0147	2.31	1.93	104.5	<10	361	0.60	0.56	0.37	0.60	42.9	19.3	31.1	0.89
AUX0103535		0.20	0.0022	0.359	1.62	20.6	<10	198.0	0.37	0.19	0.09	0.19	30.6	9.1	27.7	0.79
AUX0103536		0.30	0.0012	0.086	1.22	9.73	<10	244	0.27	0.16	0.18	0.11	26.1	4.9	20.6	0.68
AUX0103537		0.22	0.0013	0.046	1.01	10.65	<10	165.0	0.20	0.13	0.17	0.06	30.1	4.4	18.7	0.46
AUX0103538		0.22	0.0026	0.094	1.05	15.85	<10	313	0.25	0.16	0.26	0.11	35.8	5.7	22.4	0.46
AUX0103539		0.24	0.0033	0.103	1.02	20.9	<10	245	0.27	0.13	0.24	0.12	42.1	6.6	23.5	0.67
AUX0103540		0.26	0.0040	0.080	1.18	25.4	<10	147.5	0.24	0.13	0.17	0.08	47.9	9.3	34.1	0.92
AUX0103541		0.22	0.0012	0.086	0.89	23.5	<10	121.5	0.14	0.15	0.13	0.07	50.3	5.7	23.1	0.76
AUX0103542		0.32	0.0047	0.156	1.08	48.7	<10	285	0.17	0.16	0.23	0.08	46.9	8.0	32.9	0.61
AUX0103543		0.24	0.0015	0.124	1.22	7.17	<10	202	0.20	0.16	0.24	0.14	25.3	4.8	24.2	0.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103504		15.10	1.82	3.63	<0.05	0.02	0.024	0.016	0.03	12.5	11.2	0.27	149	0.82	0.01	0.58
AUX0103505		15.65	1.92	3.62	<0.05	0.02	0.015	0.016	0.04	11.5	11.8	0.30	159	0.84	0.01	0.72
AUX0103506		22.5	2.17	4.10	<0.05	0.02	0.027	0.021	0.03	17.5	14.2	0.34	303	1.01	0.01	0.74
AUX0103507		25.8	1.89	3.17	<0.05	0.06	0.016	0.017	0.03	17.2	13.1	0.31	217	0.76	0.01	0.67
AUX0103508		28.2	2.24	3.27	0.05	0.13	0.032	0.019	0.03	18.8	13.8	0.34	279	0.92	0.01	0.64
AUX0103509		25.0	2.62	3.68	<0.05	0.03	0.033	0.022	0.03	14.2	16.6	0.35	226	0.91	0.01	0.76
AUX0103510		23.9	2.60	4.15	0.05	0.04	0.038	0.017	0.04	22.6	15.5	0.34	378	0.85	0.01	0.70
AUX0103511		18.15	2.00	3.38	<0.05	0.06	0.022	0.017	0.03	16.5	13.5	0.26	155	0.77	0.01	0.68
AUX0103512		21.1	2.57	3.99	<0.05	<0.02	0.017	0.020	0.04	18.7	15.3	0.39	279	1.01	0.01	0.56
AUX0103513		27.9	2.35	4.39	<0.05	0.10	0.018	0.020	0.04	22.3	15.8	0.35	258	1.11	0.01	0.84
AUX0103514		21.3	2.23	4.20	<0.05	0.02	0.007	0.016	0.04	17.8	14.0	0.31	225	0.89	0.01	0.95
AUX0103515		25.3	2.15	4.23	0.10	0.04	0.018	0.016	0.03	13.7	11.0	0.27	182	0.95	0.01	0.86
AUX0103516		22.5	2.19	3.83	0.10	0.03	0.017	0.015	0.03	17.2	11.7	0.29	231	0.88	0.01	0.69
AUX0103517		21.8	2.14	3.89	0.10	0.02	0.010	0.019	0.03	16.6	11.8	0.31	218	0.70	0.01	0.73
AUX0103518		24.6	2.09	3.58	0.10	0.06	0.017	0.019	0.03	18.6	12.9	0.32	187	0.77	<0.01	0.68
AUX0103519		20.1	1.85	2.78	<0.05	0.03	0.006	0.015	0.03	11.5	9.5	0.29	158	0.62	0.01	0.57
AUX0103520		24.0	2.17	3.46	<0.05	<0.02	0.031	0.023	0.04	12.9	10.0	0.30	295	0.77	0.01	0.49
AUX0103521		28.3	2.61	4.26	0.05	0.05	0.023	0.025	0.04	20.1	14.9	0.42	277	0.73	0.01	0.72
AUX0103522		25.7	1.95	2.73	<0.05	0.02	0.024	0.017	0.03	21.0	11.3	0.32	304	0.50	<0.01	0.41
AUX0103523		22.1	2.01	2.95	<0.05	0.02	0.043	0.014	0.03	17.6	11.9	0.32	240	0.68	0.01	0.51
AUX0103524		28.6	2.43	2.69	<0.05	0.05	0.055	0.020	0.04	15.4	11.0	0.36	337	0.93	0.01	0.63
AUX0103525		33.8	2.39	3.22	0.05	0.05	0.042	0.018	0.04	17.5	13.0	0.36	331	1.15	0.01	0.72
AUX0103526		18.25	1.99	3.23	<0.05	0.02	0.035	0.020	0.03	15.3	10.8	0.30	202	0.80	0.01	0.51
AUX0103527		38.1	2.46	2.64	<0.05	0.02	0.028	0.020	0.03	19.4	11.1	0.35	792	0.76	0.01	0.38
AUX0103528		25.0	1.98	2.89	<0.05	0.02	0.025	0.018	0.03	16.2	10.0	0.31	207	0.61	0.01	0.53
AUX0103529		18.00	1.72	3.22	<0.05	<0.02	0.038	0.015	0.03	12.7	10.0	0.25	311	0.65	0.01	0.41
AUX0103530		21.3	2.12	3.22	<0.05	0.02	0.011	0.018	0.03	16.2	11.7	0.35	224	0.65	0.01	0.54
AUX0103531		23.6	2.20	3.27	<0.05	0.03	0.042	0.015	0.03	15.2	11.2	0.34	401	0.73	0.01	0.50
AUX0103532		31.8	2.37	3.08	0.05	0.06	0.060	0.019	0.03	18.6	12.0	0.34	214	0.79	0.01	0.64
AUX0103533		46.1	2.50	3.46	0.05	0.04	0.147	0.021	0.04	23.2	14.0	0.36	406	0.92	0.01	0.59
AUX0103534		57.8	4.71	4.16	0.06	0.02	0.178	0.050	0.06	24.4	11.4	0.24	2240	1.61	0.01	0.43
AUX0103535		23.0	2.70	4.16	<0.05	0.05	0.031	0.022	0.04	14.9	14.3	0.37	348	1.04	0.01	0.90
AUX0103536		15.80	2.02	3.43	<0.05	<0.02	0.040	0.017	0.03	13.9	10.5	0.30	142	0.68	0.01	0.43
AUX0103537		14.80	1.83	2.74	<0.05	<0.02	0.036	0.019	0.03	14.8	10.4	0.29	136	0.57	0.01	0.54
AUX0103538		24.7	2.20	2.97	<0.05	0.02	0.033	0.016	0.04	18.9	11.4	0.35	246	0.80	0.01	0.53
AUX0103539		26.7	2.23	2.84	<0.05	0.03	0.021	0.013	0.05	22.1	11.3	0.36	273	0.63	0.01	0.42
AUX0103540		25.3	2.63	3.03	<0.05	0.03	0.027	0.019	0.07	25.3	12.9	0.47	366	0.57	0.01	0.44
AUX0103541		17.25	2.11	2.77	<0.05	<0.02	0.023	0.012	0.09	25.1	7.5	0.28	224	0.71	<0.01	0.24
AUX0103542		35.4	2.60	2.81	0.05	0.02	0.020	0.016	0.05	25.6	11.3	0.52	361	0.57	0.01	0.30
AUX0103543		17.15	1.86	3.20	<0.05	<0.02	0.041	0.014	0.03	13.1	11.4	0.35	142	0.49	0.01	0.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103504		15.0	0.051	9.60	5.7	<0.001	0.01	1.435	1.9	0.3	0.3	12.5	<0.01	<0.01	1.1	0.038
AUX0103505		16.3	0.059	8.89	6.0	0.001	0.01	1.170	2.2	0.4	0.4	12.7	<0.01	0.01	1.8	0.042
AUX0103506		20.5	0.064	12.55	6.9	<0.001	0.01	3.08	3.4	0.6	0.4	19.9	<0.01	0.02	2.9	0.039
AUX0103507		23.8	0.069	8.79	5.0	<0.001	0.01	1.360	3.6	1.4	0.3	21.9	<0.01	0.02	4.9	0.034
AUX0103508		23.0	0.066	17.55	4.8	<0.001	0.01	11.35	3.0	0.8	0.3	20.2	<0.01	0.02	5.9	0.036
AUX0103509		22.2	0.034	17.70	7.3	<0.001	0.01	9.09	2.2	0.9	0.3	12.0	<0.01	0.04	3.3	0.031
AUX0103510		20.4	0.027	25.7	7.7	<0.001	0.01	14.90	2.5	0.3	0.4	6.7	<0.01	0.01	6.9	0.026
AUX0103511		16.2	0.027	17.35	7.1	<0.001	0.01	11.25	1.8	0.5	0.3	5.6	<0.01	0.02	5.0	0.026
AUX0103512		22.0	0.045	19.65	6.8	<0.001	0.01	11.60	2.0	0.8	0.3	7.6	<0.01	0.03	3.3	0.029
AUX0103513		23.2	0.024	15.40	7.3	<0.001	0.01	6.11	3.4	1.2	0.4	9.6	<0.01	0.02	5.5	0.050
AUX0103514		18.3	0.034	16.70	7.6	<0.001	0.01	6.30	2.5	0.9	0.4	7.6	<0.01	<0.01	3.8	0.036
AUX0103515		20.3	0.020	16.90	7.0	0.001	<0.01	4.55	2.0	0.8	0.4	7.2	<0.01	0.02	3.7	0.035
AUX0103516		18.2	0.026	14.10	5.8	<0.001	<0.01	6.77	2.4	0.9	0.4	7.8	<0.01	0.03	4.0	0.036
AUX0103517		17.7	0.046	12.10	5.3	<0.001	<0.01	2.15	2.4	0.9	0.4	9.9	<0.01	0.03	2.4	0.035
AUX0103518		17.9	0.029	13.25	6.7	<0.001	<0.01	4.10	2.7	1.1	0.4	7.2	<0.01	0.03	4.8	0.033
AUX0103519		14.2	0.046	8.95	5.7	<0.001	0.01	1.735	2.1	0.4	0.2	10.2	<0.01	0.01	2.7	0.029
AUX0103520		17.6	0.038	17.45	6.9	<0.001	0.01	7.67	2.3	0.2	0.3	18.5	<0.01	0.03	1.4	0.029
AUX0103521		20.6	0.019	15.75	8.3	<0.001	<0.01	0.946	5.4	0.3	0.4	11.1	<0.01	0.01	5.1	0.040
AUX0103522		15.5	0.043	17.10	5.1	<0.001	<0.01	4.76	2.9	0.2	0.2	10.0	<0.01	0.02	4.5	0.024
AUX0103523		15.9	0.060	12.20	6.0	<0.001	0.01	3.60	2.9	0.3	0.2	16.6	<0.01	0.01	3.7	0.027
AUX0103524		19.9	0.083	14.45	5.2	<0.001	0.01	2.54	3.5	0.3	0.3	24.4	<0.01	0.01	3.8	0.042
AUX0103525		23.2	0.087	13.90	6.0	<0.001	0.01	2.77	4.0	0.1	0.3	29.2	<0.01	0.01	3.7	0.041
AUX0103526		14.7	0.067	12.50	7.2	<0.001	0.01	1.945	2.6	0.8	0.3	21.1	<0.01	0.02	2.1	0.025
AUX0103527		23.1	0.036	47.0	5.6	<0.001	0.01	16.65	2.7	0.3	0.2	10.4	<0.01	0.02	5.3	0.022
AUX0103528		17.5	0.063	9.27	5.5	<0.001	0.01	1.580	3.3	0.2	0.3	22.0	<0.01	0.05	3.1	0.030
AUX0103529		12.5	0.048	14.35	8.2	<0.001	0.01	3.10	2.0	0.3	0.3	17.2	<0.01	0.01	1.4	0.019
AUX0103530		16.6	0.062	11.50	7.3	<0.001	0.01	2.29	3.1	0.4	0.3	20.2	<0.01	0.02	3.3	0.030
AUX0103531		18.2	0.072	12.35	8.2	<0.001	0.01	3.02	3.4	0.3	0.3	26.9	<0.01	0.02	2.7	0.026
AUX0103532		21.1	0.077	14.95	5.9	<0.001	0.01	3.75	3.8	0.3	0.3	21.1	<0.01	0.02	4.7	0.033
AUX0103533		27.5	0.082	27.2	7.4	<0.001	0.01	13.05	4.9	0.6	0.3	27.3	<0.01	0.04	4.2	0.031
AUX0103534		27.5	0.189	67.4	10.1	<0.001	0.10	10.85	2.7	1.7	0.3	27.7	<0.01	0.04	0.6	0.017
AUX0103535		20.2	0.030	16.25	9.0	<0.001	0.01	1.755	2.8	0.5	0.4	10.8	<0.01	0.01	4.3	0.037
AUX0103536		13.5	0.064	10.80	8.6	<0.001	0.01	0.519	2.0	0.5	0.3	14.8	<0.01	<0.01	1.4	0.026
AUX0103537		13.5	0.051	10.45	5.9	<0.001	0.01	1.015	1.9	<0.1	0.2	13.1	<0.01	<0.01	2.8	0.028
AUX0103538		18.7	0.062	12.05	5.6	<0.001	0.01	1.740	3.0	0.5	0.2	20.6	<0.01	0.02	4.6	0.039
AUX0103539		21.1	0.055	13.60	7.2	<0.001	0.01	2.59	2.9	0.2	0.2	18.9	<0.01	<0.01	5.4	0.035
AUX0103540		28.8	0.041	17.70	9.8	<0.001	0.01	3.77	2.3	0.5	0.2	12.9	<0.01	<0.01	6.7	0.031
AUX0103541		18.3	0.038	15.05	11.2	<0.001	0.01	3.66	1.2	0.1	<0.2	10.3	<0.01	0.02	3.5	0.013
AUX0103542		29.5	0.060	15.55	6.0	<0.001	<0.01	5.81	2.6	0.5	0.2	13.7	<0.01	0.01	6.2	0.034
AUX0103543		14.3	0.068	10.65	7.8	<0.001	0.02	0.603	2.4	0.4	0.3	18.0	<0.01	0.01	1.9	0.025

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103504		0.07	0.49	35	0.181	4.39	45.8	<0.5
AUX0103505		0.06	0.46	37	0.228	4.32	49.3	0.7
AUX0103506		0.09	0.76	37	0.201	8.08	57.3	0.9
AUX0103507		0.06	0.65	31	0.274	8.65	53.1	2.2
AUX0103508		0.05	0.61	28	0.127	8.32	70.4	4.2
AUX0103509		0.08	0.53	37	0.342	3.39	58.3	0.6
AUX0103510		0.10	0.71	35	0.131	4.99	57.2	1.6
AUX0103511		0.07	0.41	26	0.121	3.14	41.1	2.4
AUX0103512		0.09	0.63	33	0.133	3.59	59.7	<0.5
AUX0103513		0.08	0.84	37	0.156	8.23	53.3	4.2
AUX0103514		0.09	0.70	36	0.186	4.75	49.2	0.6
AUX0103515		0.07	0.54	39	0.190	3.01	47.3	2.0
AUX0103516		0.05	0.55	35	0.176	5.19	49.8	1.6
AUX0103517		0.06	0.52	36	0.182	5.48	51.5	0.6
AUX0103518		0.05	0.68	32	0.168	5.50	51.5	2.5
AUX0103519		0.07	0.40	31	0.170	3.41	45.5	0.8
AUX0103520		0.07	0.61	37	0.946	4.27	54.6	<0.5
AUX0103521		0.13	1.03	46	0.180	8.26	57.1	2.1
AUX0103522		0.07	0.52	26	0.115	6.87	52.2	0.7
AUX0103523		0.06	0.60	30	0.154	6.86	56.2	0.8
AUX0103524		0.07	0.72	37	0.171	8.69	80.3	1.7
AUX0103525		0.07	0.80	38	0.234	10.20	81.8	1.6
AUX0103526		0.08	0.77	35	0.200	5.83	50.9	<0.5
AUX0103527		0.08	0.53	25	0.123	6.28	67.1	1.0
AUX0103528		0.06	0.97	33	0.176	7.88	55.6	0.8
AUX0103529		0.08	0.65	30	0.222	4.30	45.6	<0.5
AUX0103530		0.08	0.78	35	0.169	6.78	56.2	0.5
AUX0103531		0.08	1.06	35	0.153	7.39	59.7	0.7
AUX0103532		0.07	1.05	35	0.171	9.71	73.1	1.8
AUX0103533		0.09	1.40	36	0.168	15.50	90.4	1.2
AUX0103534		0.14	2.47	42	0.179	13.20	82.1	0.6
AUX0103535		0.09	0.56	47	0.180	3.16	64.5	1.4
AUX0103536		0.11	0.74	35	0.152	4.58	52.1	<0.5
AUX0103537		0.06	0.42	29	0.137	4.04	47.4	0.5
AUX0103538		0.06	0.68	32	0.161	7.40	66.1	1.1
AUX0103539		0.07	0.63	29	0.115	7.67	60.2	1.3
AUX0103540		0.09	0.54	27	0.102	5.13	58.2	1.6
AUX0103541		0.10	0.39	22	0.128	3.33	44.5	<0.5
AUX0103542		0.06	0.64	25	0.114	6.38	61.3	0.8
AUX0103543		0.10	0.75	34	0.114	4.88	54.9	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103544		0.28	0.0015	0.092	1.11	7.33	<10	242	0.22	0.13	0.28	0.18	28.2	5.8	21.3	0.52
AUX0103545		0.36	0.0017	0.148	1.27	14.30	<10	330	0.27	0.15	0.35	0.20	30.3	9.7	25.7	0.69
AUX0103546		0.34	0.0040	0.167	1.06	43.6	<10	306	0.27	0.18	0.31	0.14	29.8	6.4	19.4	0.54
AUX0103547		0.24	0.0028	0.143	0.90	97.9	<10	204	0.21	0.22	0.24	0.29	33.1	5.6	18.0	0.49
AUX0103548		0.22	0.0116	0.548	0.97	375	<10	303	0.19	0.68	0.22	0.75	28.4	7.5	18.6	1.33
AUX0103549		0.34	0.0041	0.182	0.52	408	<10	35.2	0.08	0.49	0.11	0.42	26.3	7.5	13.0	0.89
AUX0103550		0.28	0.0140	0.313	0.54	341	<10	50.2	0.14	0.42	0.12	0.70	24.6	10.3	10.7	0.86
AUX0103551		0.24	0.0082	0.212	1.13	183.5	<10	71.2	0.25	0.37	0.08	0.38	32.2	9.5	23.5	0.71
AUX0103552		0.24	0.0176	0.285	0.71	403	<10	88.3	0.20	0.79	0.12	0.48	33.4	11.5	18.3	0.69
AUX0103553		0.24	0.0106	0.212	0.86	223	<10	182.0	0.27	0.35	0.24	0.48	39.5	11.9	17.8	0.62
AUX0103554		0.24	0.0027	0.091	0.90	59.3	<10	154.5	0.21	0.18	0.24	0.16	23.7	6.1	17.6	0.45
AUX0103555		0.40	0.0064	0.148	1.21	27.6	<10	278	0.40	0.20	0.29	0.19	33.1	7.2	25.7	0.51
AUX0103556		0.24	0.0029	0.064	0.52	140.0	<10	66.3	0.14	0.24	0.14	0.19	24.0	8.0	9.4	0.32
AUX0103557		0.28	0.0100	0.374	0.80	88.8	<10	274	0.21	0.26	0.65	0.42	33.6	9.9	17.1	0.44
AUX0103558		0.24	0.0030	0.302	0.67	66.7	<10	176.0	0.17	0.20	0.61	0.26	32.4	5.7	12.9	0.34
AUX0103559		0.22	0.0058	0.319	0.70	73.7	<10	295	0.17	0.20	0.75	0.74	32.5	10.6	15.0	0.40
AUX0103560		0.22	0.0086	0.392	0.83	124.5	<10	242	0.23	0.30	0.58	0.42	33.7	11.2	18.9	0.45
AUX0103561		0.30	0.0099	0.514	0.59	149.5	<10	126.5	0.18	0.25	0.41	0.38	33.0	9.1	11.7	0.32
AUX0103562		0.24	0.0028	0.216	1.91	106.5	<10	200	0.36	0.35	0.62	0.35	39.9	18.6	51.0	0.86
AUX0103563		0.34	0.0100	0.450	0.83	148.0	<10	123.5	0.17	0.33	0.31	0.41	44.8	11.7	20.3	0.57
AUX0103564		0.28	0.0092	0.293	0.61	128.0	<10	120.0	0.17	0.26	0.23	0.30	35.8	9.3	13.1	0.36
AUX0103565		0.30	0.0040	0.278	0.40	61.8	<10	86.2	0.13	0.18	0.83	0.41	25.4	6.3	8.8	0.27
AUX0103566		0.26	0.0119	0.424	1.36	223	<10	225	0.43	0.54	0.47	0.48	46.3	18.0	41.5	0.70
AUX0103567		0.26	0.0079	0.812	1.23	103.0	<10	369	0.41	0.35	0.91	0.93	39.6	14.1	23.2	0.64
AUX0103568		0.32	0.0097	0.232	1.12	131.0	<10	198.0	0.29	0.31	0.25	0.23	30.3	7.7	18.5	0.64
AUX0103569		0.22	0.0060	0.188	1.06	105.5	<10	204	0.30	0.30	0.24	0.24	40.7	7.2	17.2	0.65
AUX0103570		0.22	0.0043	0.415	1.00	212	<10	197.0	0.24	0.54	0.16	0.53	41.7	10.7	26.7	0.59
AUX0103571		0.20	0.0098	0.273	1.01	127.5	<10	366	0.30	0.27	0.22	0.46	39.3	9.7	22.3	0.52
AUX0103572		0.36	0.0085	0.312	1.40	91.8	<10	266	0.46	0.31	0.12	0.22	50.8	10.3	24.0	0.70
AUX0103573		0.26	0.0069	0.403	1.99	165.5	<10	225	0.66	0.46	0.06	0.32	51.0	13.3	33.4	1.05
AUX0103574		0.28	0.0038	0.187	1.35	34.7	<10	328	0.32	0.23	0.26	0.16	33.5	7.2	23.0	0.61
AUX0103575		0.24	0.0046	0.194	1.33	37.2	<10	330	0.36	0.21	0.27	0.15	35.1	7.6	22.7	0.62
AUX0103576		0.30	0.0047	0.253	1.19	29.1	<10	341	0.39	0.20	0.26	0.14	38.6	6.9	23.4	0.60
AUX0103577		0.22	0.0052	0.363	1.35	56.8	<10	369	0.38	0.25	0.25	0.25	36.9	9.4	23.4	0.69
AUX0103578		0.24	0.0016	0.161	1.09	13.45	<10	268	0.29	0.16	0.24	0.11	28.0	6.3	19.0	0.57
AUX0103579		0.20	0.0036	0.280	1.17	18.70	<10	243	0.24	0.21	0.21	0.20	25.3	5.1	20.1	0.66
AUX0103580		0.24	0.0031	0.200	1.23	24.5	<10	384	0.40	0.20	0.33	0.17	31.5	7.0	23.2	0.50
AUX0103581		0.30	0.0188	0.186	1.31	172.0	<10	179.0	0.25	0.50	0.14	0.19	48.7	8.8	23.9	0.62
AUX0103582		0.30	0.0042	0.161	1.59	27.6	<10	450	0.59	0.22	0.13	0.17	44.7	9.0	26.6	0.59
AUX0103583		0.24	0.0033	0.123	1.65	18.55	<10	216	0.44	0.20	0.13	0.11	34.5	8.7	26.5	0.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103544		15.35	1.98	2.82	<0.05	0.02	0.028	0.017	0.03	14.3	10.6	0.34	206	0.50	0.01	0.56
AUX0103545		21.3	2.49	3.53	<0.05	0.02	0.044	0.022	0.04	15.8	12.6	0.38	338	0.68	0.01	0.63
AUX0103546		23.1	2.01	2.64	<0.05	0.02	0.037	0.016	0.03	15.2	9.8	0.29	211	0.74	0.01	0.45
AUX0103547		23.0	2.07	2.32	<0.05	0.04	0.032	0.017	0.03	17.4	9.3	0.30	201	0.59	0.01	0.47
AUX0103548		37.0	2.65	2.38	<0.05	<0.02	0.029	0.022	0.04	15.4	10.8	0.29	488	0.94	0.01	0.33
AUX0103549		38.8	2.56	1.56	<0.05	0.02	0.011	0.019	0.03	13.3	5.4	0.18	301	1.05	<0.01	0.31
AUX0103550		42.4	2.10	1.23	<0.05	0.02	0.021	0.015	0.03	12.4	5.9	0.18	511	0.87	<0.01	0.22
AUX0103551		35.9	3.44	4.03	0.14	0.02	<0.005	0.020	0.05	14.8	11.4	0.31	426	1.52	<0.01	0.79
AUX0103552		47.7	3.11	1.99	0.12	0.02	<0.005	0.020	0.05	17.5	9.5	0.28	610	1.15	<0.01	0.30
AUX0103553		40.7	2.59	2.57	0.13	0.06	0.026	0.020	0.05	19.7	11.1	0.35	702	1.07	0.01	0.32
AUX0103554		18.15	2.10	2.58	0.10	0.03	<0.005	0.011	0.04	10.9	9.8	0.28	211	0.94	0.01	0.57
AUX0103555		27.3	2.47	3.76	0.13	0.04	0.018	0.017	0.06	17.1	12.6	0.37	275	1.24	0.01	0.75
AUX0103556		21.3	2.02	1.44	0.10	0.05	<0.005	0.014	0.03	11.2	8.2	0.18	247	0.74	<0.01	0.22
AUX0103557		33.1	2.30	2.44	0.11	0.06	<0.005	0.014	0.04	16.5	13.0	0.30	481	0.87	0.01	0.32
AUX0103558		24.8	1.91	2.10	0.11	0.03	0.029	0.014	0.03	15.8	9.3	0.25	234	0.75	0.01	0.30
AUX0103559		27.0	2.08	2.13	0.12	0.04	0.025	0.017	0.04	15.2	9.7	0.28	1160	1.07	0.01	0.34
AUX0103560		34.3	2.63	2.05	0.13	0.04	0.034	0.020	0.03	16.7	12.0	0.28	518	0.91	0.01	0.28
AUX0103561		31.2	2.11	1.77	0.12	0.05	0.022	0.013	0.03	16.7	8.5	0.26	400	0.69	0.01	0.23
AUX0103562		47.7	4.22	5.20	0.11	0.03	0.006	0.038	0.06	18.0	24.9	0.66	729	1.49	0.01	0.70
AUX0103563		34.0	2.73	2.53	0.13	0.07	0.030	0.017	0.05	20.9	12.5	0.38	433	0.82	0.01	0.29
AUX0103564		23.1	2.20	1.80	0.11	0.06	<0.005	0.011	0.03	17.5	9.3	0.26	431	0.65	<0.01	0.21
AUX0103565		19.75	1.55	1.17	0.11	0.05	<0.005	0.009	0.03	11.2	6.3	0.20	351	0.54	<0.01	0.20
AUX0103566		63.5	4.16	3.60	0.12	0.03	0.018	0.028	0.05	21.5	19.7	0.56	720	1.43	0.01	0.29
AUX0103567		36.1	2.61	3.43	0.11	0.02	0.038	0.020	0.05	17.7	15.1	0.36	1210	0.94	0.01	0.36
AUX0103568		27.2	2.69	3.08	0.12	0.02	<0.005	0.017	0.04	15.9	12.1	0.30	258	0.95	<0.01	0.48
AUX0103569		23.4	2.24	2.93	0.12	0.02	0.015	0.014	0.04	21.1	14.0	0.33	390	0.64	0.01	0.30
AUX0103570		58.5	2.90	3.42	0.12	<0.02	0.017	0.022	0.06	18.9	10.0	0.31	887	1.25	0.01	0.19
AUX0103571		36.2	2.69	2.98	0.12	0.02	0.026	0.017	0.05	19.1	11.2	0.36	938	1.01	0.01	0.43
AUX0103572		36.6	2.76	3.49	0.14	0.03	0.038	0.017	0.05	26.1	16.6	0.42	387	0.87	<0.01	0.39
AUX0103573		49.6	3.69	4.57	0.14	0.06	0.021	0.027	0.06	24.7	21.3	0.45	555	1.64	0.01	0.70
AUX0103574		23.0	2.35	4.01	0.12	<0.02	0.030	0.018	0.05	17.3	13.0	0.36	248	1.01	0.01	0.60
AUX0103575		24.7	2.35	4.03	0.12	<0.02	0.009	0.016	0.04	17.6	14.0	0.35	272	1.01	0.01	0.63
AUX0103576		31.8	2.24	3.66	0.13	0.02	0.025	0.020	0.04	20.3	13.9	0.36	280	0.87	0.01	0.68
AUX0103577		30.0	2.59	3.57	0.12	0.04	0.091	0.020	0.04	20.1	14.1	0.38	332	0.84	<0.01	0.54
AUX0103578		16.30	1.91	3.27	0.11	0.02	0.027	0.015	0.03	13.3	11.0	0.29	178	0.76	0.01	0.53
AUX0103579		18.00	2.00	4.04	0.10	<0.02	0.044	0.015	0.04	11.8	10.8	0.27	184	1.09	0.01	0.51
AUX0103580		24.9	2.44	3.60	0.15	<0.02	0.014	0.019	0.04	16.4	13.6	0.37	323	1.07	0.01	0.62
AUX0103581		28.5	3.10	3.59	0.13	0.02	0.022	0.018	0.05	22.3	16.0	0.45	452	1.17	<0.01	0.45
AUX0103582		30.7	2.82	4.18	0.14	0.03	0.009	0.019	0.04	21.5	15.1	0.41	250	1.11	0.01	0.76
AUX0103583		20.5	2.69	4.25	0.11	0.05	<0.005	0.020	0.04	15.7	14.6	0.42	239	1.15	0.01	0.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103544		13.1	0.079	9.23	6.7	<0.001	0.01	0.431	2.7	0.5	0.2	20.0	<0.01	<0.01	2.9	0.033
AUX0103545		19.4	0.074	10.80	8.0	<0.001	0.02	0.829	3.5	0.5	0.3	27.3	<0.01	0.03	3.1	0.029
AUX0103546		15.4	0.060	14.90	5.6	<0.001	0.01	2.76	2.6	0.6	0.2	19.0	<0.01	0.03	2.9	0.025
AUX0103547		14.8	0.070	13.70	4.1	<0.001	0.01	5.04	2.2	0.4	0.2	14.6	<0.01	0.02	4.1	0.035
AUX0103548		21.1	0.051	24.8	6.0	<0.001	0.01	15.75	2.0	0.6	0.3	13.1	<0.01	0.08	2.8	0.022
AUX0103549		20.8	0.056	30.7	4.6	<0.001	0.01	22.0	1.3	0.4	0.2	5.8	<0.01	0.06	3.8	0.029
AUX0103550		20.9	0.054	21.1	3.5	<0.001	0.01	17.65	1.6	0.5	0.2	6.1	<0.01	0.04	3.8	0.026
AUX0103551		24.8	0.053	30.1	6.0	0.001	0.01	17.80	2.3	0.7	0.3	6.9	<0.01	0.04	3.8	0.033
AUX0103552		25.5	0.071	51.4	5.5	0.001	0.01	40.0	1.8	0.6	<0.2	7.1	<0.01	0.04	7.3	0.021
AUX0103553		27.8	0.076	30.1	4.8	0.001	0.01	16.55	2.4	0.8	0.2	13.1	<0.01	<0.01	6.4	0.024
AUX0103554		16.4	0.039	13.30	5.6	0.001	0.01	5.49	1.7	0.3	0.2	13.3	<0.01	<0.01	3.8	0.031
AUX0103555		23.7	0.069	13.10	5.2	0.001	0.01	3.77	3.4	0.5	0.4	21.6	<0.01	0.03	3.9	0.058
AUX0103556		17.6	0.038	22.9	3.8	0.001	0.01	12.10	1.0	0.4	<0.2	6.7	<0.01	0.02	4.6	0.016
AUX0103557		25.7	0.050	24.7	4.9	<0.001	0.02	12.85	1.7	0.6	0.2	27.0	<0.01	0.02	4.6	0.013
AUX0103558		19.2	0.053	18.30	3.2	0.001	0.03	9.19	1.5	0.5	0.2	29.7	<0.01	0.02	3.9	0.015
AUX0103559		29.7	0.069	18.95	4.2	0.001	0.03	12.30	1.7	0.7	0.2	35.4	<0.01	0.02	4.1	0.019
AUX0103560		26.2	0.039	34.9	4.9	<0.001	0.03	19.40	1.8	0.5	<0.2	24.2	<0.01	0.02	5.0	0.012
AUX0103561		22.0	0.061	25.6	3.1	0.001	0.02	15.40	1.7	0.7	<0.2	27.7	<0.01	<0.01	5.3	0.014
AUX0103562		48.9	0.039	46.8	9.3	<0.001	0.02	22.5	3.3	0.4	0.3	30.2	<0.01	0.06	5.9	0.024
AUX0103563		30.1	0.065	33.5	4.5	<0.001	0.02	22.9	2.3	0.3	0.2	16.6	<0.01	0.03	7.3	0.021
AUX0103564		20.9	0.047	26.7	3.2	<0.001	0.02	15.65	1.5	0.3	<0.2	11.0	<0.01	0.03	6.1	0.013
AUX0103565		16.9	0.066	19.50	2.0	<0.001	0.03	12.30	1.1	0.3	<0.2	26.4	<0.01	0.02	4.9	0.017
AUX0103566		52.0	0.051	55.5	7.5	<0.001	0.03	55.7	2.9	0.5	0.2	25.6	<0.01	0.05	6.4	0.013
AUX0103567		30.3	0.060	34.2	8.4	0.001	0.04	21.0	2.1	0.8	0.2	42.0	<0.01	0.04	3.1	0.012
AUX0103568		21.4	0.033	21.3	6.5	<0.001	0.01	24.1	1.9	0.5	0.3	12.3	<0.01	0.03	4.5	0.020
AUX0103569		19.7	0.058	23.6	4.2	<0.001	0.01	13.85	1.9	0.4	0.2	12.1	<0.01	0.01	4.9	0.012
AUX0103570		31.2	0.063	43.3	6.2	0.002	0.02	31.2	1.5	0.8	0.3	9.0	<0.01	0.04	1.7	0.014
AUX0103571		29.5	0.061	25.5	5.1	<0.001	0.01	14.35	2.7	0.7	0.2	14.5	<0.01	0.02	4.8	0.033
AUX0103572		29.7	0.031	22.8	6.2	0.001	0.01	15.65	2.8	0.6	0.3	8.2	<0.01	0.02	7.0	0.022
AUX0103573		39.6	0.025	43.9	13.3	0.001	0.02	25.3	3.4	1.0	0.3	6.8	<0.01	0.04	8.1	0.026
AUX0103574		20.5	0.059	14.60	7.7	<0.001	0.02	5.88	2.5	0.3	0.4	19.9	<0.01	0.02	2.2	0.034
AUX0103575		21.4	0.057	15.10	7.5	0.001	0.02	6.16	2.7	0.6	0.4	21.5	<0.01	0.02	2.3	0.035
AUX0103576		23.4	0.065	12.30	6.3	0.001	0.01	5.38	3.6	0.5	0.4	18.9	<0.01	<0.01	4.3	0.037
AUX0103577		23.7	0.078	18.80	7.5	0.001	0.02	9.80	3.5	0.8	0.3	17.6	<0.01	0.03	4.1	0.022
AUX0103578		15.2	0.077	11.60	5.4	0.001	0.02	1.830	2.2	0.5	0.3	15.8	<0.01	0.02	2.4	0.027
AUX0103579		15.7	0.073	13.05	7.3	0.001	0.03	2.41	1.5	0.6	0.4	15.3	<0.01	0.02	0.6	0.029
AUX0103580		21.6	0.076	12.45	5.6	0.001	0.02	3.23	3.0	0.4	0.3	22.0	<0.01	0.03	3.1	0.036
AUX0103581		24.1	0.048	41.2	6.4	<0.001	0.01	25.5	2.0	0.5	0.2	9.1	<0.01	0.03	6.0	0.024
AUX0103582		25.9	0.033	14.50	7.0	0.001	0.01	3.27	4.4	0.9	0.4	14.1	<0.01	<0.01	4.8	0.042
AUX0103583		21.3	0.036	13.65	7.2	<0.001	0.01	1.560	2.8	0.8	0.4	10.3	<0.01	0.02	5.1	0.044

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103544		0.08	0.85	34	0.135	5.57	63.8	0.6
AUX0103545		0.09	0.91	39	0.168	6.63	59.8	0.8
AUX0103546		0.08	0.69	31	0.243	6.19	56.0	0.5
AUX0103547		0.08	0.51	28	0.202	5.80	70.0	1.4
AUX0103548		0.13	0.48	25	0.169	4.80	97.9	<0.5
AUX0103549		0.11	0.27	18	0.183	3.00	89.6	0.7
AUX0103550		0.14	0.34	14	0.158	4.27	79.9	1.1
AUX0103551		0.08	0.49	43	0.254	3.65	74.5	0.5
AUX0103552		0.06	0.53	16	0.0952	5.54	95.2	0.9
AUX0103553		0.09	0.50	21	0.114	6.69	83.6	3.3
AUX0103554		0.06	0.34	29	0.166	2.88	58.4	1.0
AUX0103555		0.06	0.60	44	0.336	7.56	71.9	1.0
AUX0103556		0.04	0.45	11	0.0756	3.10	59.3	2.7
AUX0103557		0.07	0.46	18	0.107	5.39	64.2	1.5
AUX0103558		0.07	0.40	17	0.0896	4.95	58.0	1.1
AUX0103559		0.06	0.83	18	0.116	6.04	80.7	1.8
AUX0103560		0.07	0.60	15	0.0877	7.22	66.2	1.3
AUX0103561		0.05	0.50	13	0.0795	7.00	66.9	1.7
AUX0103562		0.11	0.54	46	0.161	4.62	92.0	1.8
AUX0103563		0.07	0.43	18	0.102	7.38	83.0	3.0
AUX0103564		0.05	0.52	12	0.0546	4.71	65.1	2.5
AUX0103565		0.04	0.39	10	0.0747	4.67	54.2	2.5
AUX0103566		0.07	1.09	25	0.0628	8.67	96.0	1.5
AUX0103567		0.08	0.88	26	0.118	6.87	86.4	0.7
AUX0103568		0.08	0.51	27	0.137	4.48	63.3	0.8
AUX0103569		0.08	0.43	20	0.114	5.78	60.9	0.7
AUX0103570		0.06	0.49	23	0.0886	6.17	87.0	<0.5
AUX0103571		0.06	0.56	30	0.156	8.00	76.3	0.7
AUX0103572		0.08	0.60	28	0.134	6.91	75.2	1.5
AUX0103573		0.11	0.81	37	0.144	6.16	79.3	2.1
AUX0103574		0.07	0.85	38	0.192	5.87	67.2	<0.5
AUX0103575		0.08	0.95	37	0.226	6.46	65.2	<0.5
AUX0103576		0.07	1.06	35	0.182	9.31	64.2	1.0
AUX0103577		0.08	1.48	34	0.144	10.05	74.0	0.9
AUX0103578		0.08	0.73	34	0.192	5.26	50.0	0.5
AUX0103579		0.07	0.71	36	0.203	4.49	50.3	<0.5
AUX0103580		0.06	0.77	38	0.241	7.43	75.3	0.5
AUX0103581		0.09	0.56	28	0.130	4.57	83.8	0.7
AUX0103582		0.07	0.79	45	0.269	10.90	72.5	1.0
AUX0103583		0.10	0.79	46	0.216	4.16	61.0	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103584		0.26	0.0037	0.497	1.81	39.3	<10	294	0.56	0.30	0.10	0.31	36.5	10.2	28.0	0.74
AUX0103585		0.24	0.0021	0.205	1.62	15.75	<10	186.0	0.46	0.20	0.13	0.15	29.5	10.5	26.8	0.67
AUX0103586		0.26	0.0028	0.145	1.23	13.00	<10	360	0.40	0.17	0.29	0.09	33.4	7.1	24.6	0.54
AUX0103587		0.22	0.0013	0.153	1.15	14.85	<10	294	0.36	0.16	0.28	0.12	32.7	7.5	24.3	0.55
AUX0103588		0.30	0.0090	0.229	1.27	24.5	<10	437	0.49	0.23	0.34	0.29	37.7	12.7	29.6	0.58
AUX0103589		0.22	0.0116	0.200	1.16	65.5	<10	178.5	0.27	0.24	0.24	0.12	49.3	16.1	41.6	1.25
AUX0103590		0.32	0.0106	0.148	1.35	56.4	<10	200	0.31	0.20	0.32	0.16	48.8	19.3	48.5	1.15
AUX0103591		0.28	0.0031	0.068	1.02	47.4	<10	172.0	0.28	0.18	0.18	0.10	45.4	13.3	30.6	0.90
AUX0103592		0.36	0.0115	0.733	0.46	156.5	<10	2190	0.24	0.34	0.32	2.72	34.6	10.4	6.6	1.30
AUX0103593		0.30	0.0034	0.503	0.72	73.6	<10	2720	0.28	0.26	0.95	2.96	14.85	5.4	11.8	0.80
AUX0103594		0.18	0.0057	0.392	0.57	113.0	<10	530	0.20	0.27	1.75	3.03	14.05	8.7	11.0	0.52
AUX0103595		0.30	0.0041	0.232	0.39	102.5	<10	545	0.07	0.24	0.14	0.75	32.5	4.9	8.7	0.55
AUX0103596		0.22	0.0050	0.425	0.64	49.7	<10	474	0.20	0.29	1.98	1.17	48.3	9.2	10.0	0.51
AUX0103597		0.28	0.0086	0.306	0.68	102.0	<10	248	0.21	0.29	0.26	0.33	37.8	9.3	13.9	0.41
AUX0103598		0.26	0.0068	0.380	0.71	54.8	<10	1020	0.26	0.28	1.62	0.71	36.8	9.3	10.8	0.46
AUX0103599		0.26	0.0050	0.234	0.77	43.8	<10	396	0.23	0.25	0.72	0.31	36.0	7.5	13.7	0.53
AUX0103600		0.26	0.0065	0.255	0.79	46.6	<10	525	0.25	0.23	0.90	0.33	35.8	9.8	13.0	0.59
AUX0103601		0.24	0.0093	0.195	1.08	123.5	<10	93.9	0.29	0.32	0.16	0.43	41.6	22.6	36.6	1.04
AUX0103602		0.40	0.0100	0.263	1.14	75.5	<10	140.0	0.25	0.25	0.27	0.07	77.8	13.3	27.0	0.77
AUX0103603		0.36	0.0272	0.524	1.22	191.5	<10	219	0.41	0.22	0.30	0.05	74.5	15.7	40.9	0.85
AUX0103604		0.30	0.0203	2.56	1.18	1225	<10	148.0	0.49	1.74	9.22	6.62	40.0	10.4	15.0	0.63
AUX0103605		0.32	0.0041	0.153	1.08	50.8	<10	312	0.29	0.23	0.51	0.25	27.5	9.4	18.4	0.53
AUX0103606		0.32	0.0064	0.184	1.06	123.5	<10	232	0.28	0.27	0.37	0.33	53.3	9.6	20.6	0.58
AUX0103607		0.26	0.0098	0.200	1.10	72.0	<10	342	0.39	0.25	0.61	0.95	38.9	7.8	18.9	0.60
AUX0103608		0.26	0.0043	0.277	1.12	19.10	<10	456	0.35	0.17	0.56	0.70	33.9	9.4	20.7	0.63
AUX0103609		0.32	0.0028	0.126	1.02	21.2	<10	154.0	0.17	0.35	0.24	0.08	66.4	10.6	11.3	0.73
AUX0103610		0.36	0.0054	0.410	1.03	115.0	<10	161.5	0.21	0.35	0.39	0.15	52.9	9.9	15.1	0.71
AUX0103611		0.24	0.0076	0.220	1.42	156.0	<10	97.7	0.22	0.38	0.25	0.15	86.6	17.4	17.5	0.83
AUX0103612		0.34	0.0093	0.377	0.75	165.5	<10	167.0	0.23	0.34	0.32	0.27	27.2	7.6	13.6	0.63
AUX0103613		0.28	0.0029	0.143	0.95	28.8	<10	255	0.31	0.17	0.35	0.17	26.2	7.5	18.4	0.49
AUX0103614		0.34	0.0025	0.117	0.98	29.4	<10	268	0.36	0.18	0.34	0.17	27.9	7.2	21.3	0.47
AUX0103615		0.36	0.0030	0.140	1.13	40.4	<10	304	0.43	0.21	0.39	0.21	30.1	7.4	24.2	0.59
AUX0103616		0.22	0.0050	0.168	1.05	43.7	<10	301	0.43	0.22	0.38	0.20	30.3	7.5	22.9	0.54
AUX0103617		0.30	0.0040	0.118	1.09	35.8	<10	279	0.39	0.21	0.31	0.21	30.4	7.8	22.9	0.53
AUX0103618		0.34	0.0031	0.192	1.02	42.5	<10	301	0.38	0.22	0.39	0.37	33.3	10.4	21.3	0.54
AUX0103619		0.38	0.0058	0.223	0.66	125.5	<10	115.0	0.15	0.22	0.17	0.18	29.3	6.9	12.5	0.44
AUX0103620		0.26	0.0053	0.207	1.07	198.5	<10	84.3	0.21	0.55	0.07	0.20	32.1	10.3	23.4	0.88
AUX0103621		0.24	0.0010	0.096	1.27	14.80	<10	106.0	0.24	0.24	0.07	0.13	22.3	4.1	18.8	0.81
AUX0103622		0.30	0.0062	0.254	1.54	77.7	<10	220	0.47	0.31	0.13	0.09	37.7	10.4	27.0	0.83
AUX0103623		0.22	0.0113	0.937	1.52	203	<10	235	0.53	0.49	0.11	0.50	52.8	14.9	26.2	0.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103584		28.4	2.98	4.51	0.11	0.02	0.023	0.024	0.05	19.4	16.8	0.38	310	1.32	0.01	0.81
AUX0103585		17.90	2.89	3.67	0.10	0.03	0.005	0.024	0.05	12.9	14.5	0.44	327	0.79	0.01	0.74
AUX0103586		24.1	2.24	3.94	0.11	0.02	0.030	0.020	0.04	17.6	13.9	0.38	238	0.97	0.01	0.64
AUX0103587		25.0	2.20	3.81	0.11	0.02	0.042	0.016	0.04	16.3	13.5	0.36	231	0.90	<0.01	0.65
AUX0103588		37.0	2.74	4.22	0.10	0.09	0.056	0.021	0.05	19.3	16.4	0.44	462	1.18	0.01	0.47
AUX0103589		39.1	3.23	4.19	0.11	0.08	0.056	0.018	0.07	25.5	16.0	0.56	519	0.70	<0.01	0.29
AUX0103590		39.1	3.63	4.89	0.11	0.07	0.057	0.022	0.08	25.4	19.9	0.76	683	0.77	0.01	0.24
AUX0103591		25.3	2.64	3.71	0.10	0.02	0.022	0.014	0.08	21.9	13.4	0.39	499	0.78	<0.01	0.36
AUX0103592		44.8	2.93	1.35	0.12	0.20	0.487	0.032	0.04	17.2	3.8	0.09	280	17.95	0.01	0.21
AUX0103593		40.1	2.51	1.95	0.10	0.06	0.316	0.030	0.03	8.3	6.5	0.12	207	17.40	0.02	0.33
AUX0103594		25.6	1.49	1.72	0.09	0.05	0.065	0.014	0.03	7.1	6.8	0.18	1140	4.19	0.01	0.27
AUX0103595		16.95	1.78	1.79	0.10	0.03	0.026	0.013	0.03	17.0	5.1	0.12	140	8.76	<0.01	0.23
AUX0103596		30.9	2.02	1.86	0.13	0.13	0.070	0.011	0.06	25.3	7.1	0.22	650	2.07	0.01	0.22
AUX0103597		28.6	2.18	2.15	0.10	0.07	0.047	0.015	0.04	20.3	11.0	0.27	303	1.20	<0.01	0.24
AUX0103598		35.8	1.82	1.94	0.11	0.07	0.080	0.014	0.05	21.8	8.1	0.21	594	1.18	0.01	0.22
AUX0103599		20.9	1.71	2.51	0.10	0.04	0.120	0.014	0.04	17.7	9.7	0.25	366	0.96	0.01	0.32
AUX0103600		19.05	1.76	2.65	0.10	0.04	0.064	0.012	0.04	17.0	9.7	0.25	1460	1.19	0.01	0.32
AUX0103601		60.8	3.10	3.48	0.11	0.04	0.023	0.020	0.05	17.3	18.2	0.56	862	0.88	<0.01	0.45
AUX0103602		32.4	2.96	3.91	0.14	0.06	0.034	0.015	0.05	41.5	14.8	0.47	341	0.53	<0.01	0.29
AUX0103603		50.3	4.13	3.94	0.14	0.05	0.121	0.023	0.04	41.6	17.1	0.52	477	0.60	0.01	0.29
AUX0103604		40.5	3.08	2.80	0.11	0.08	0.102	0.101	0.04	26.1	16.5	0.32	1440	1.10	0.02	0.29
AUX0103605		16.25	2.02	3.38	0.10	0.04	0.038	0.017	0.04	15.1	12.3	0.32	404	0.94	0.01	0.61
AUX0103606		31.6	2.62	3.30	0.10	0.12	0.028	0.014	0.05	28.7	13.7	0.39	342	1.04	0.01	0.49
AUX0103607		26.3	1.84	3.31	0.10	0.05	0.033	0.015	0.04	20.1	13.4	0.32	132	0.93	0.01	0.54
AUX0103608		23.8	1.54	3.34	0.09	0.03	0.052	0.015	0.05	17.2	14.6	0.34	320	0.43	0.01	0.53
AUX0103609		31.0	2.78	3.10	0.14	0.12	0.017	0.009	0.05	37.0	14.7	0.39	296	0.48	<0.01	0.18
AUX0103610		31.6	2.47	3.35	0.11	0.03	0.026	0.014	0.04	28.1	17.1	0.37	318	0.66	0.01	0.22
AUX0103611		42.2	3.26	4.59	0.14	0.13	0.034	0.010	0.06	43.2	24.0	0.62	462	0.45	0.01	0.23
AUX0103612		27.6	2.09	2.65	0.09	0.02	0.030	0.016	0.03	14.7	10.6	0.23	352	0.86	0.01	0.31
AUX0103613		19.00	1.86	3.20	0.09	0.03	0.017	0.016	0.03	13.8	10.9	0.28	305	0.73	0.01	0.63
AUX0103614		22.4	1.97	3.28	0.09	0.04	0.026	0.017	0.04	14.4	11.4	0.31	220	0.77	0.01	0.64
AUX0103615		26.8	2.25	3.77	0.10	0.06	0.037	0.019	0.04	16.9	13.8	0.38	271	0.79	0.01	0.81
AUX0103616		28.4	2.21	3.55	0.09	0.08	0.031	0.019	0.04	16.1	13.3	0.35	300	0.94	0.01	0.71
AUX0103617		25.5	2.23	3.68	0.10	0.06	0.029	0.018	0.04	16.2	13.6	0.36	278	0.91	0.01	0.77
AUX0103618		30.6	2.42	3.44	0.10	0.07	0.039	0.020	0.05	17.2	14.1	0.37	418	1.04	0.01	0.62
AUX0103619		19.90	1.89	2.16	0.09	<0.02	0.023	0.015	0.03	15.2	9.3	0.23	255	0.69	<0.01	0.27
AUX0103620		39.6	3.65	4.60	0.10	<0.02	0.009	0.023	0.05	17.0	11.6	0.31	537	1.33	<0.01	0.73
AUX0103621		11.25	2.11	5.31	0.08	0.02	0.007	0.017	0.03	12.1	11.2	0.21	117	1.10	0.01	1.02
AUX0103622		31.4	2.82	4.27	0.11	0.02	0.053	0.022	0.03	21.0	16.4	0.41	332	1.03	0.01	0.78
AUX0103623		53.6	3.25	3.69	0.07	0.04	0.061	0.030	0.04	28.1	14.9	0.31	721	1.46	0.01	0.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103584		29.7	0.036	21.1	9.5	0.001	0.01	4.28	3.0	0.7	0.4	10.2	<0.01	0.03	4.7	0.032
AUX0103585		23.1	0.045	14.60	7.3	0.001	0.01	0.973	2.4	0.2	0.3	10.6	<0.01	0.02	5.1	0.037
AUX0103586		23.2	0.059	11.30	6.5	<0.001	0.01	1.345	3.1	0.5	0.3	22.1	<0.01	0.01	3.4	0.030
AUX0103587		23.6	0.059	12.60	7.0	<0.001	<0.01	1.515	2.7	0.8	0.3	21.2	<0.01	0.03	3.5	0.026
AUX0103588		33.9	0.067	16.50	6.4	<0.001	<0.01	2.72	4.4	0.6	0.3	26.3	<0.01	0.03	6.8	0.035
AUX0103589		48.1	0.059	21.3	8.3	<0.001	0.01	8.83	3.6	0.6	0.2	18.2	<0.01	0.03	9.3	0.018
AUX0103590		47.6	0.069	18.60	7.4	<0.001	0.01	8.33	4.6	0.3	0.2	25.0	<0.01	0.03	9.8	0.026
AUX0103591		30.7	0.051	15.35	8.7	<0.001	0.01	10.95	2.2	0.3	0.2	13.8	<0.01	0.05	5.6	0.016
AUX0103592		45.0	0.065	22.0	3.6	0.002	0.09	17.05	2.5	4.7	0.3	66.8	<0.01	0.09	8.6	0.007
AUX0103593		33.9	0.076	12.95	4.1	0.008	0.15	15.60	1.4	8.3	0.6	89.3	<0.01	0.10	1.8	0.014
AUX0103594		21.2	0.059	13.70	3.9	0.025	0.14	11.65	1.2	9.9	0.2	88.8	<0.01	0.04	1.4	0.011
AUX0103595		26.8	0.035	11.15	4.6	0.001	0.03	16.60	0.8	1.9	0.2	21.3	<0.01	0.05	4.3	0.011
AUX0103596		32.2	0.054	19.95	5.7	0.004	0.11	8.16	1.3	6.6	0.2	86.5	<0.01	0.04	7.7	0.008
AUX0103597		26.0	0.035	21.4	4.1	<0.001	0.01	12.15	1.9	1.0	0.2	16.0	<0.01	0.03	7.7	0.011
AUX0103598		29.0	0.069	21.0	5.4	0.001	0.07	9.78	1.4	1.3	0.2	70.5	<0.01	0.03	3.0	0.007
AUX0103599		17.4	0.060	18.25	6.3	0.001	0.04	5.88	1.6	1.0	0.2	37.2	<0.01	0.03	4.3	0.012
AUX0103600		16.9	0.061	15.40	6.3	0.001	0.05	5.39	1.7	1.0	0.2	44.3	<0.01	0.03	4.1	0.010
AUX0103601		46.8	0.063	35.9	5.1	<0.001	0.01	35.5	2.5	0.3	0.2	8.8	<0.01	0.04	5.9	0.033
AUX0103602		35.8	0.049	18.25	5.4	<0.001	0.01	35.2	2.7	0.5	0.2	14.9	<0.01	0.02	14.4	0.015
AUX0103603		56.9	0.032	20.7	5.4	<0.001	0.01	264	5.3	0.8	0.2	15.4	<0.01	0.03	12.1	0.017
AUX0103604		29.0	0.078	217	6.0	<0.001	0.08	8.71	2.5	1.3	0.3	181.0	<0.01	0.04	3.1	0.011
AUX0103605		17.3	0.067	13.25	7.3	<0.001	0.04	2.66	2.5	0.5	0.3	32.3	<0.01	0.03	3.3	0.025
AUX0103606		31.3	0.057	17.00	5.7	<0.001	0.02	3.20	2.7	0.7	0.2	23.6	<0.01	0.04	10.1	0.024
AUX0103607		22.7	0.058	16.35	7.2	0.001	0.07	3.62	2.5	0.9	0.2	38.3	<0.01	0.02	3.9	0.017
AUX0103608		21.7	0.065	14.20	7.7	0.001	0.08	2.59	2.7	0.8	0.3	38.2	<0.01	0.03	3.7	0.019
AUX0103609		26.7	0.036	26.5	5.5	<0.001	0.02	5.14	1.4	0.4	<0.2	19.2	<0.01	0.04	15.0	0.007
AUX0103610		23.0	0.052	20.1	5.5	<0.001	0.02	6.42	1.5	0.4	0.2	24.3	<0.01	0.03	6.5	0.010
AUX0103611		33.9	0.046	25.2	5.8	<0.001	0.01	5.35	2.0	0.6	0.2	25.4	<0.01	0.03	19.5	0.010
AUX0103612		18.0	0.060	21.9	4.9	<0.001	0.01	10.85	1.9	0.8	0.2	16.6	<0.01	0.04	3.3	0.015
AUX0103613		17.3	0.060	9.56	4.8	<0.001	0.01	3.37	2.8	0.5	0.3	20.8	<0.01	0.03	3.0	0.032
AUX0103614		19.3	0.063	10.80	4.3	<0.001	0.01	3.35	3.2	0.5	0.3	22.5	<0.01	0.02	3.8	0.041
AUX0103615		21.4	0.065	10.90	5.5	<0.001	0.01	4.33	3.9	0.3	0.4	23.7	<0.01	0.05	4.4	0.046
AUX0103616		22.5	0.067	12.15	4.9	<0.001	0.01	4.70	3.8	0.7	0.3	23.1	<0.01	0.03	4.6	0.041
AUX0103617		21.4	0.063	11.70	4.9	<0.001	0.01	4.38	3.4	0.2	0.4	21.6	<0.01	0.04	4.6	0.043
AUX0103618		25.8	0.074	13.80	4.8	<0.001	0.01	5.44	3.6	0.6	0.3	23.7	<0.01	0.04	5.3	0.038
AUX0103619		16.0	0.046	15.55	3.8	<0.001	0.01	15.25	1.3	0.3	0.2	9.7	<0.01	0.03	3.4	0.016
AUX0103620		24.9	0.051	36.0	7.7	<0.001	0.01	30.5	1.9	0.4	0.4	6.1	<0.01	0.06	2.8	0.032
AUX0103621		11.3	0.019	11.75	5.9	<0.001	0.01	1.230	2.1	0.3	0.5	7.5	<0.01	0.02	3.0	0.032
AUX0103622		23.5	0.028	21.8	7.7	<0.001	0.01	12.55	3.4	0.4	0.4	11.6	<0.01	0.04	5.8	0.029
AUX0103623		40.0	0.071	54.1	9.3	<0.001	0.02	26.8	3.2	0.9	0.3	8.9	<0.01	0.04	6.7	0.018

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103584		0.08	0.82	47	0.296	6.94	83.7	0.8
AUX0103585		0.08	0.66	41	0.216	3.42	68.4	1.8
AUX0103586		0.06	0.82	36	0.200	7.03	59.3	0.5
AUX0103587		0.04	0.74	33	0.407	6.59	57.9	0.8
AUX0103588		0.06	1.15	37	0.185	9.81	84.8	4.4
AUX0103589		0.07	0.69	24	0.0691	8.67	75.7	3.7
AUX0103590		0.07	0.67	34	0.101	9.52	82.0	3.1
AUX0103591		0.07	0.64	25	0.0876	4.74	56.3	0.6
AUX0103592		0.22	2.20	19	0.432	13.00	219	10.2
AUX0103593		0.32	5.02	53	0.726	5.88	265	2.6
AUX0103594		0.07	5.59	16	0.142	4.10	90.0	1.6
AUX0103595		0.11	0.84	16	0.191	2.51	149.5	1.8
AUX0103596		0.05	4.32	9	0.0679	10.55	88.1	4.8
AUX0103597		0.07	0.81	13	0.0827	6.52	78.5	3.2
AUX0103598		0.06	1.49	11	0.0773	11.90	64.2	2.4
AUX0103599		0.06	0.78	16	0.110	5.27	53.8	1.4
AUX0103600		0.08	0.82	16	0.102	5.73	51.4	1.4
AUX0103601		0.07	0.60	21	0.0844	6.94	82.8	1.4
AUX0103602		0.06	0.64	21	0.0578	7.41	72.7	3.3
AUX0103603		0.07	0.79	23	0.0405	13.75	82.9	2.0
AUX0103604		0.13	2.22	17	0.130	13.95	367	2.4
AUX0103605		0.07	1.49	31	0.264	5.65	64.4	1.0
AUX0103606		0.06	2.19	24	0.115	8.79	79.9	5.1
AUX0103607		0.07	2.09	27	0.179	8.14	76.7	1.8
AUX0103608		0.08	1.97	26	0.214	7.94	92.3	1.2
AUX0103609		0.04	1.32	9	0.0318	8.68	72.6	6.4
AUX0103610		0.07	1.45	14	0.0801	5.63	66.3	1.1
AUX0103611		0.05	0.71	13	0.0395	6.45	89.4	6.5
AUX0103612		0.07	0.50	20	0.303	5.51	63.9	0.7
AUX0103613		0.05	0.60	30	0.163	5.82	56.2	1.0
AUX0103614		0.05	0.69	33	0.225	6.99	59.1	1.6
AUX0103615		0.06	0.70	37	0.196	7.98	70.9	2.4
AUX0103616		0.07	0.65	36	0.223	8.47	67.2	3.1
AUX0103617		0.06	0.57	37	0.172	7.17	66.6	2.7
AUX0103618		0.06	0.53	32	0.150	8.67	77.8	3.1
AUX0103619		0.06	0.36	16	0.0989	3.57	54.2	<0.5
AUX0103620		0.09	0.37	42	0.186	2.84	78.4	<0.5
AUX0103621		0.09	0.43	49	0.221	2.16	36.9	1.0
AUX0103622		0.10	0.86	38	0.159	5.64	64.4	0.9
AUX0103623		0.11	0.69	32	0.194	11.35	94.3	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103624		0.34	0.0026	0.255	1.37	38.6	<10	467	0.48	0.24	0.38	0.15	34.3	9.4	23.6	0.62
AUX0103625		0.30	0.0038	0.290	1.45	38.4	<10	485	0.51	0.27	0.39	0.14	36.2	10.0	25.5	0.71
AUX0103626		0.34	0.0048	0.339	1.28	56.7	<10	455	0.46	0.28	0.43	0.32	35.9	10.3	23.7	0.53
AUX0103627		0.26	0.0067	0.277	1.05	89.3	<10	236	0.30	0.40	0.31	0.20	35.2	8.3	19.9	0.60
AUX0103628		0.32	0.0106	0.488	0.84	180.5	<10	140.5	0.24	0.33	0.17	0.66	45.3	14.1	15.9	0.52
AUX0103629		0.24	0.0020	0.143	1.12	14.55	<10	248	0.30	0.17	0.17	0.11	30.3	5.9	20.3	0.55
AUX0103630		0.30	0.0046	0.121	1.07	18.45	<10	307	0.34	0.17	0.22	0.15	32.6	6.4	20.5	0.48
AUX0103631		0.28	0.0018	0.237	1.88	23.8	<10	194.5	0.40	0.23	0.07	0.17	24.2	9.5	28.0	0.89
AUX0103632		0.22	0.0066	0.205	1.49	76.1	<10	329	0.48	0.34	0.11	0.15	40.9	10.2	24.3	0.72
AUX0103633		0.22	0.0016	0.184	1.94	26.0	<10	232	0.61	0.20	0.11	0.18	31.0	11.6	29.8	0.92
AUX0103634		0.32	0.0026	0.387	1.91	17.25	<10	250	0.54	0.20	0.09	0.12	29.5	9.5	30.7	0.91
AUX0103635		0.28	0.0060	0.416	2.00	100.0	<10	407	0.60	0.33	0.30	0.17	41.1	12.7	32.8	1.03
AUX0103636		0.28	0.0016	0.103	1.26	13.30	<10	237	0.35	0.18	0.22	0.10	27.0	6.0	21.7	0.73
AUX0103637		0.30	0.0033	0.332	1.75	13.95	<10	447	0.65	0.22	0.12	0.09	47.8	13.4	29.0	0.96
AUX0103638		0.22	0.0003	0.344	1.72	17.35	<10	180.5	0.33	0.22	0.16	0.35	24.1	8.0	26.8	0.95
AUX0103639		0.32	0.0032	0.158	1.10	41.3	<10	143.5	0.36	0.19	0.19	0.14	34.7	11.2	19.5	0.59
AUX0103640		0.24	0.0004	0.241	2.13	20.4	<10	275	0.54	0.25	0.10	0.22	27.3	10.0	33.0	1.27
AUX0103641		0.38	0.0118	0.203	0.85	156.5	<10	191.5	0.30	0.29	0.12	0.15	53.0	11.5	15.4	0.58
AUX0103642		0.18	0.0021	0.149	1.17	8.51	<10	277	0.31	0.16	0.21	0.19	28.0	6.1	22.8	0.79
AUX0103643		0.32	0.0010	0.142	1.31	13.05	<10	300	0.38	0.17	0.23	0.11	30.2	6.4	22.5	0.65
AUX0103644		0.26	0.0033	0.250	1.78	25.0	<10	364	0.40	0.22	0.25	0.14	31.3	11.7	48.2	0.99
AUX0103645		0.30	0.0029	0.235	1.29	23.1	<10	316	0.37	0.22	0.35	0.24	33.5	10.3	28.7	0.71
AUX0103646		0.28	0.0018	0.225	1.43	62.7	<10	156.0	0.17	0.19	0.56	0.12	34.6	12.7	53.5	0.56
AUX0103647		0.30	0.0078	0.623	1.36	76.6	<10	162.5	0.25	0.21	0.38	0.21	49.3	16.0	52.3	0.63
AUX0103648		0.30	0.0074	0.499	1.37	58.7	<10	171.0	0.27	0.24	0.52	0.28	50.5	16.6	45.6	0.71
AUX0103649		0.24	0.0045	0.467	1.57	59.6	<10	188.0	0.30	0.20	0.68	0.18	39.5	14.2	58.4	0.61
AUX0103650		0.22	0.0065	0.500	1.56	61.0	<10	197.5	0.32	0.21	0.74	0.18	40.8	13.6	57.6	0.64
AUX0103651		0.32	0.0035	0.226	1.27	36.3	<10	437	0.44	0.25	0.49	0.25	38.3	10.6	22.6	0.64
AUX0103652		0.30	0.0038	0.258	0.85	25.8	<10	188.5	0.21	0.25	0.29	0.27	54.8	25.4	25.2	0.50
AUX0103653		0.28	0.0095	0.261	0.83	90.6	<10	155.5	0.20	0.49	0.27	0.31	86.1	15.6	10.8	0.45
AUX0103654		0.24	0.0039	0.272	0.76	71.9	<10	99.7	0.18	0.26	0.57	0.26	44.8	9.5	11.5	0.47
AUX0103655		0.22	0.0208	0.286	0.73	58.5	<10	161.5	0.20	0.21	0.57	0.21	28.5	6.3	13.2	0.50
AUX0103656		0.24	0.0027	0.254	0.90	42.9	<10	267	0.22	0.18	0.39	0.32	29.4	10.4	15.4	0.54
AUX0103657		0.26	0.0151	0.262	0.83	56.2	<10	185.5	0.22	0.17	0.29	0.17	29.0	7.0	16.7	0.56
AUX0103658		0.32	0.0086	0.492	1.08	127.5	<10	228	0.24	0.49	0.83	0.35	60.8	14.7	14.2	0.77
AUX0103659		0.32	0.111	0.344	0.73	388	<10	150.0	0.20	0.40	0.69	0.30	89.4	16.0	11.4	1.33
AUX0103660		0.28	0.0371	0.313	0.84	173.0	<10	336	0.37	0.29	0.38	0.23	53.7	11.1	15.0	1.22
AUX0103661		0.40	0.0077	0.376	1.01	83.6	<10	377	0.39	0.29	0.44	0.45	37.3	10.5	20.0	0.52
AUX0103662		0.28	0.0026	0.287	1.01	71.2	<10	316	0.36	0.25	0.39	0.25	36.3	9.8	18.6	0.51
AUX0103663		0.30	0.0386	0.733	0.74	236	<10	262	0.27	0.40	0.32	0.88	57.0	11.6	13.8	0.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103624		28.4	2.50	3.93	0.05	0.05	0.047	0.024	0.04	17.4	14.1	0.40	441	1.03	<0.01	0.69
AUX0103625		30.0	2.55	4.26	0.06	0.04	0.047	0.027	0.04	18.8	15.2	0.41	441	1.05	0.01	0.75
AUX0103626		36.8	2.60	3.81	0.06	0.07	0.049	0.025	0.04	18.6	15.1	0.40	490	1.19	0.01	0.79
AUX0103627		31.8	2.24	3.06	0.05	0.02	0.034	0.023	0.04	17.8	12.8	0.34	339	0.93	0.01	0.59
AUX0103628		36.6	2.47	2.45	0.06	0.02	0.029	0.019	0.04	21.6	11.9	0.33	1060	0.92	<0.01	0.27
AUX0103629		19.45	2.08	3.46	0.05	<0.02	0.024	0.017	0.03	15.6	12.4	0.32	193	0.92	<0.01	0.67
AUX0103630		22.9	2.15	3.41	0.05	0.03	0.032	0.016	0.03	17.0	12.5	0.33	230	1.03	<0.01	0.76
AUX0103631		16.00	2.85	5.06	<0.05	0.06	0.019	0.027	0.04	12.9	16.6	0.35	218	1.34	<0.01	1.13
AUX0103632		29.8	2.67	4.66	0.07	0.02	0.104	0.022	0.04	21.0	14.3	0.35	560	1.13	<0.01	0.85
AUX0103633		26.2	2.75	4.54	0.05	0.05	0.022	0.028	0.04	15.8	17.5	0.42	238	1.19	<0.01	1.13
AUX0103634		19.75	2.71	4.85	0.05	0.03	0.025	0.025	0.04	15.0	16.2	0.42	252	1.11	<0.01	1.05
AUX0103635		41.5	3.27	5.55	0.06	<0.02	0.049	0.028	0.05	22.2	18.6	0.49	422	1.29	0.01	0.73
AUX0103636		17.25	2.06	4.01	0.05	<0.02	0.027	0.019	0.04	13.5	12.2	0.32	185	0.90	<0.01	0.37
AUX0103637		34.0	2.85	4.52	0.08	0.03	0.057	0.029	0.04	23.5	15.8	0.48	483	1.06	0.01	0.78
AUX0103638		10.25	3.07	4.80	<0.05	<0.02	0.017	0.029	0.04	12.6	18.4	0.38	329	1.35	<0.01	1.17
AUX0103639		29.2	2.25	3.11	0.06	0.04	0.028	0.016	0.04	16.4	11.6	0.33	401	0.74	<0.01	0.57
AUX0103640		16.05	2.99	5.77	<0.05	0.06	0.020	0.031	0.04	13.6	19.1	0.42	279	1.59	<0.01	1.55
AUX0103641		38.7	2.58	2.52	0.08	0.04	0.053	0.015	0.03	27.5	11.4	0.30	456	1.03	<0.01	0.27
AUX0103642		20.0	1.85	3.78	0.05	<0.02	0.079	0.019	0.04	14.1	11.2	0.30	165	0.84	0.01	0.62
AUX0103643		20.4	2.23	3.88	0.05	0.02	0.020	0.018	0.03	16.2	13.1	0.35	207	0.99	0.01	0.65
AUX0103644		34.3	2.94	5.58	0.05	<0.02	0.035	0.027	0.05	16.1	17.0	0.57	395	1.61	0.01	0.82
AUX0103645		29.2	2.35	4.07	0.05	0.03	0.035	0.022	0.05	17.6	13.2	0.38	243	0.88	0.01	0.79
AUX0103646		28.5	2.92	5.48	<0.05	<0.02	0.012	0.018	0.05	17.4	18.1	0.74	392	0.76	<0.01	0.48
AUX0103647		48.6	2.98	4.39	0.07	0.07	0.030	0.020	0.05	25.6	17.6	0.78	448	0.61	0.01	0.52
AUX0103648		45.6	3.04	4.47	0.07	0.07	0.044	0.024	0.05	25.4	20.1	0.71	420	0.76	0.01	0.52
AUX0103649		45.9	3.19	4.90	0.07	0.06	0.041	0.021	0.05	22.4	20.0	0.87	443	0.71	0.01	0.46
AUX0103650		46.3	3.22	4.70	0.06	0.05	0.045	0.023	0.05	22.5	19.5	0.85	444	0.70	0.01	0.45
AUX0103651		27.6	2.50	3.68	0.05	0.02	0.021	0.019	0.04	18.2	12.1	0.31	378	1.19	0.01	0.78
AUX0103652		31.3	1.70	2.71	0.06	0.05	0.017	0.016	0.05	27.4	11.2	0.42	128	1.36	<0.01	0.43
AUX0103653		55.6	2.43	2.57	0.10	0.06	0.021	0.013	0.04	44.2	10.9	0.38	518	0.60	<0.01	0.16
AUX0103654		29.8	2.08	2.26	0.06	0.04	0.019	0.015	0.03	23.2	11.0	0.37	512	0.57	<0.01	0.28
AUX0103655		23.4	1.71	2.15	0.05	0.04	0.030	0.015	0.03	14.5	9.6	0.24	323	0.69	<0.01	0.34
AUX0103656		16.05	1.92	2.58	<0.05	<0.02	0.029	0.014	0.04	15.1	10.2	0.27	1260	0.77	<0.01	0.41
AUX0103657		21.9	2.03	2.49	0.05	<0.02	0.026	0.014	0.03	14.6	9.9	0.26	209	0.83	0.01	0.47
AUX0103658		49.6	2.76	3.09	0.07	0.05	0.043	0.017	0.04	33.0	14.9	0.44	564	0.87	0.01	0.29
AUX0103659		64.1	2.83	2.68	0.16	0.09	0.050	0.019	0.05	47.8	9.5	0.52	939	0.75	<0.01	0.17
AUX0103660		30.4	2.34	2.81	0.12	0.04	0.047	0.015	0.05	25.6	9.6	0.22	656	0.88	0.01	0.48
AUX0103661		36.7	2.28	3.23	0.11	0.06	0.052	0.025	0.03	18.9	12.8	0.32	502	0.90	0.01	0.58
AUX0103662		28.5	2.23	3.28	0.12	0.03	0.048	0.017	0.03	18.3	12.8	0.32	422	0.91	0.01	0.55
AUX0103663		44.6	2.71	2.49	0.14	0.07	0.145	0.021	0.04	28.4	11.4	0.25	300	3.80	<0.01	0.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103624		24.5	0.062	17.55	7.6	<0.001	0.01	5.66	3.7	0.8	0.4	28.0	<0.01	0.01	4.6	0.027
AUX0103625		26.7	0.064	19.20	8.3	<0.001	0.01	6.16	4.1	1.0	0.4	29.0	<0.01	0.03	5.0	0.029
AUX0103626		29.3	0.064	24.2	6.5	<0.001	0.01	9.11	3.9	0.8	0.4	28.1	<0.01	0.03	5.9	0.031
AUX0103627		22.8	0.058	26.3	6.1	<0.001	0.01	12.60	2.7	0.4	0.3	20.0	<0.01	0.04	4.2	0.028
AUX0103628		26.5	0.067	62.5	4.5	<0.001	<0.01	28.5	2.0	0.5	0.2	11.6	<0.01	0.03	7.9	0.017
AUX0103629		17.8	0.064	11.95	6.1	<0.001	0.01	1.705	2.3	0.4	0.3	15.4	<0.01	0.02	1.8	0.031
AUX0103630		20.3	0.062	12.00	5.1	<0.001	<0.01	2.48	2.8	0.6	0.4	19.1	<0.01	0.02	3.7	0.041
AUX0103631		21.3	0.028	16.45	9.4	<0.001	<0.01	2.23	2.8	0.5	0.5	10.4	<0.01	0.03	4.4	0.039
AUX0103632		23.8	0.025	28.4	8.0	<0.001	0.01	9.94	3.8	0.6	0.5	13.8	<0.01	0.04	5.0	0.032
AUX0103633		27.9	0.030	15.45	9.5	<0.001	0.01	2.33	3.6	0.6	0.5	14.0	<0.01	0.03	4.8	0.045
AUX0103634		23.8	0.024	15.00	9.7	<0.001	<0.01	1.420	3.7	0.5	0.5	12.2	<0.01	0.03	5.0	0.045
AUX0103635		32.7	0.041	28.6	11.3	<0.001	0.01	12.55	4.0	0.7	0.5	23.5	<0.01	0.05	2.4	0.036
AUX0103636		16.9	0.060	12.75	8.1	<0.001	0.01	1.765	1.2	0.6	0.4	17.5	<0.01	0.02	0.3	0.019
AUX0103637		26.4	0.044	16.60	8.4	<0.001	0.01	1.375	5.9	1.1	0.5	14.1	<0.01	0.04	4.8	0.041
AUX0103638		20.0	0.086	17.40	10.6	<0.001	0.01	1.420	2.2	0.6	0.4	13.8	<0.01	0.05	3.0	0.036
AUX0103639		26.0	0.054	15.70	5.6	<0.001	<0.01	8.68	2.6	0.4	0.5	16.0	<0.01	0.03	5.5	0.033
AUX0103640		22.4	0.034	17.50	14.5	<0.001	0.01	2.12	3.2	0.2	0.7	11.6	<0.01	0.03	5.4	0.051
AUX0103641		25.3	0.026	28.6	5.2	<0.001	<0.01	28.0	2.4	0.6	0.2	8.6	<0.01	0.03	9.4	0.016
AUX0103642		18.0	0.063	11.70	6.9	<0.001	0.02	1.020	1.9	0.3	0.4	19.4	<0.01	0.02	0.7	0.024
AUX0103643		19.0	0.060	12.55	7.6	<0.001	0.01	0.934	2.6	0.6	0.4	18.7	<0.01	0.02	2.4	0.026
AUX0103644		42.1	0.067	18.45	8.5	<0.001	0.02	5.60	4.1	0.6	0.5	22.8	<0.01	0.03	2.8	0.030
AUX0103645		25.1	0.074	21.3	7.7	<0.001	0.02	3.36	3.6	0.6	0.8	26.3	<0.01	0.04	4.3	0.033
AUX0103646		40.3	0.043	19.95	8.6	<0.001	0.02	5.86	1.8	0.2	0.3	43.8	<0.01	0.02	1.7	0.033
AUX0103647		57.2	0.071	23.4	5.9	<0.001	0.02	21.0	3.5	0.9	0.2	28.1	<0.01	0.02	9.5	0.043
AUX0103648		50.3	0.068	27.1	6.6	<0.001	0.02	8.53	3.8	1.1	0.2	41.8	<0.01	0.02	8.6	0.027
AUX0103649		51.8	0.067	21.3	6.6	<0.001	0.03	8.14	3.5	0.9	0.2	50.2	<0.01	0.02	6.0	0.029
AUX0103650		52.2	0.072	21.9	6.9	<0.001	0.04	8.23	3.5	0.9	0.2	54.2	<0.01	0.02	5.9	0.026
AUX0103651		27.1	0.050	19.05	6.7	<0.001	0.03	4.57	3.3	0.6	0.4	34.9	<0.01	0.04	4.1	0.031
AUX0103652		26.9	0.069	26.3	5.7	<0.001	0.10	5.22	2.1	1.2	0.2	22.0	<0.01	0.02	11.4	0.012
AUX0103653		33.4	0.052	36.3	4.4	<0.001	0.02	6.30	1.7	0.9	<0.2	17.9	<0.01	0.07	12.8	0.005
AUX0103654		23.1	0.058	19.15	4.0	<0.001	0.02	6.08	1.5	0.6	<0.2	29.6	<0.01	0.06	6.9	0.011
AUX0103655		18.7	0.054	16.40	4.7	<0.001	0.03	5.55	1.6	0.5	0.2	32.0	<0.01	0.02	3.5	0.014
AUX0103656		18.6	0.056	15.75	6.0	<0.001	0.02	5.12	1.7	0.5	0.3	27.2	<0.01	0.01	3.0	0.018
AUX0103657		19.0	0.061	14.55	4.9	<0.001	0.02	6.65	2.0	0.5	0.2	19.6	<0.01	0.03	3.1	0.022
AUX0103658		35.7	0.056	38.8	4.8	0.001	0.04	12.70	1.6	0.9	0.2	47.7	<0.01	0.12	8.6	0.009
AUX0103659		37.5	0.064	24.0	4.4	<0.001	0.01	23.1	2.4	0.9	0.2	35.8	<0.01	0.08	15.6	0.009
AUX0103660		23.5	0.050	23.9	6.9	<0.001	0.01	39.3	2.6	1.4	0.2	31.2	<0.01	0.05	7.9	0.014
AUX0103661		27.6	0.071	22.8	5.2	<0.001	0.01	13.45	3.3	1.2	0.3	28.1	<0.01	0.03	4.7	0.023
AUX0103662		23.4	0.057	19.35	5.7	<0.001	<0.01	7.97	2.7	0.9	0.3	28.6	<0.01	0.04	4.8	0.021
AUX0103663		31.9	0.054	35.8	5.3	<0.001	0.01	24.8	2.3	2.1	0.2	30.9	<0.01	0.05	9.0	0.010

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103624		0.07	1.39	38	0.209	8.65	63.6	1.5
AUX0103625		0.08	1.59	41	0.332	9.14	67.4	1.6
AUX0103626		0.06	0.73	37	0.209	10.10	79.3	2.7
AUX0103627		0.07	0.56	29	0.153	8.22	68.6	0.8
AUX0103628		0.07	0.48	17	0.0777	6.83	92.3	1.6
AUX0103629		0.07	0.57	34	0.199	5.75	56.5	0.5
AUX0103630		0.06	0.58	35	0.214	7.47	65.0	1.1
AUX0103631		0.10	0.55	55	0.252	2.86	60.0	2.6
AUX0103632		0.10	0.65	45	0.210	10.75	63.3	0.7
AUX0103633		0.09	0.70	50	0.247	4.98	61.9	1.9
AUX0103634		0.11	0.91	54	0.221	4.89	60.2	1.3
AUX0103635		0.11	0.99	52	0.232	11.45	77.2	<0.5
AUX0103636		0.08	0.62	38	0.152	4.69	50.1	<0.5
AUX0103637		0.12	2.15	49	0.255	15.50	77.2	0.8
AUX0103638		0.08	0.46	50	0.255	2.52	77.0	0.5
AUX0103639		0.08	0.66	30	0.212	4.97	57.2	1.8
AUX0103640		0.14	0.62	62	0.263	2.76	60.6	2.6
AUX0103641		0.07	0.78	16	0.0844	7.10	66.4	2.0
AUX0103642		0.10	0.82	40	0.234	5.48	52.4	<0.5
AUX0103643		0.08	1.09	38	0.251	6.24	59.4	<0.5
AUX0103644		0.12	0.88	53	0.223	6.15	70.9	<0.5
AUX0103645		0.08	1.02	43	0.467	7.90	70.5	1.3
AUX0103646		0.06	0.74	38	0.0978	3.43	58.2	<0.5
AUX0103647		0.08	0.66	30	0.0798	9.48	75.1	3.7
AUX0103648		0.08	0.85	31	0.0840	10.45	80.0	3.1
AUX0103649		0.07	1.54	34	0.0763	9.11	74.1	1.9
AUX0103650		0.08	1.78	34	0.0850	9.77	74.4	1.8
AUX0103651		0.08	1.29	36	0.212	9.10	58.4	0.9
AUX0103652		0.06	1.32	17	0.0610	8.11	55.0	2.4
AUX0103653		0.04	1.26	10	0.0399	12.50	61.2	2.3
AUX0103654		0.05	0.85	13	0.0688	6.80	58.2	1.4
AUX0103655		0.07	1.29	17	0.120	6.04	54.6	1.2
AUX0103656		0.07	0.65	23	0.134	4.89	56.7	<0.5
AUX0103657		0.07	0.68	24	0.354	5.55	54.2	0.5
AUX0103658		0.06	1.90	15	0.0623	8.50	75.6	1.9
AUX0103659		0.03	0.63	13	0.0848	9.68	80.0	4.1
AUX0103660		0.06	0.99	22	0.162	8.88	57.0	1.6
AUX0103661		0.03	1.39	30	0.968	9.90	63.9	2.0
AUX0103662		0.04	1.18	27	0.154	7.23	60.9	1.4
AUX0103663		0.06	2.26	17	0.209	8.35	105.5	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103664		0.24	0.0050	0.258	1.23	19.30	<10	312	0.33	0.18	0.65	0.28	34.0	12.0	34.5	0.63
AUX0103665		0.24	0.0038	0.235	1.08	21.3	<10	291	0.33	0.16	0.58	0.30	30.3	11.2	31.3	0.64
AUX0103666		0.24	0.0058	0.158	1.06	34.6	<10	198.5	0.26	0.15	0.73	0.35	29.9	10.6	36.2	0.41
AUX0103667		0.34	0.0087	0.371	1.11	89.3	<10	243	0.35	0.29	0.25	0.39	39.6	10.7	27.1	0.70
AUX0103668		0.38	0.0046	0.248	1.24	47.5	<10	320	0.32	0.20	0.23	0.23	29.0	10.2	26.3	0.77
AUX0103669		0.38	0.0095	0.447	1.13	99.0	<10	275	0.33	0.26	0.51	0.61	40.0	13.4	45.2	0.75
AUX0103670		0.42	0.0050	0.345	1.12	62.6	<10	248	0.31	0.24	0.35	0.24	32.7	8.3	21.5	0.61
AUX0103671		0.30	0.0064	0.320	0.98	79.3	<10	312	0.36	0.26	0.45	0.34	33.3	10.0	17.8	0.54
AUX0103672		0.34	0.0091	0.382	0.87	120.5	<10	183.0	0.26	0.31	0.29	0.23	36.6	9.8	18.8	0.48
AUX0103673		0.26	0.0072	0.310	0.98	105.0	<10	179.5	0.32	0.26	0.24	0.15	44.6	10.2	18.4	0.55
AUX0103674		0.28	0.0068	0.360	0.73	82.9	<10	140.5	0.20	0.22	0.40	0.33	33.5	8.3	14.9	0.45
AUX0103675		0.30	0.0059	0.376	0.83	84.9	<10	147.0	0.23	0.23	0.33	0.29	38.8	9.0	16.9	0.50
AUX0103676		0.32	0.0095	0.329	1.23	215	<10	176.5	0.43	0.39	0.26	0.33	55.1	14.0	28.3	0.65
AUX0103677		0.26	0.0107	0.506	0.91	107.5	<10	166.0	0.25	0.31	0.41	0.31	36.4	9.7	21.6	0.56
AUX0103678		0.30	0.0010	0.064	5.35	68.6	<10	132.5	0.65	0.07	0.78	0.07	13.10	83.3	803	9.01
AUX0103679		0.20	0.0162	0.481	1.01	60.6	<10	197.0	0.28	0.22	0.34	0.22	30.6	8.4	34.3	0.77
AUX0103680		0.28	0.0029	0.162	1.14	44.9	<10	197.5	0.29	0.26	0.20	0.22	29.6	20.6	23.0	0.66
AUX0103681		0.34	0.0020	0.128	1.14	12.60	<10	202	0.27	0.18	0.22	0.07	24.3	4.4	19.8	0.67
AUX0103682		0.32	0.0011	0.132	1.18	12.20	<10	251	0.33	0.15	0.24	0.09	25.3	5.8	20.5	0.65
AUX0103683		0.38	0.0016	0.140	1.26	13.50	<10	367	0.36	0.19	0.29	0.12	31.4	7.5	23.7	0.53
AUX0103684		0.36	0.0016	0.175	1.14	12.90	<10	334	0.33	0.17	0.31	0.16	28.6	7.0	21.4	0.52
AUX0103685		0.32	0.0013	0.133	1.16	18.75	<10	323	0.39	0.19	0.27	0.19	30.5	8.0	22.4	0.61
AUX0103686		0.18	0.0018	0.169	1.31	31.0	<10	286	0.37	0.22	0.23	0.24	35.6	8.3	24.0	0.62
AUX0103687		0.36	0.0035	0.141	1.05	80.4	<10	191.0	0.33	0.24	0.26	0.12	38.1	8.8	21.2	0.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103664		19.70	2.12	3.72	0.10	0.04	0.047	0.021	0.04	16.2	16.5	0.50	514	0.44	0.01	0.41
AUX0103665		22.0	1.98	3.31	0.10	0.04	0.052	0.019	0.03	15.1	14.6	0.45	686	0.58	0.02	0.41
AUX0103666		18.85	2.62	2.98	0.09	0.04	0.047	0.014	0.04	15.8	13.3	0.56	388	0.49	0.01	0.31
AUX0103667		34.6	2.71	3.27	0.11	0.04	0.048	0.021	0.03	21.4	13.8	0.39	856	0.89	0.01	0.42
AUX0103668		19.05	2.41	3.74	0.09	0.02	0.039	0.017	0.03	14.0	12.5	0.38	719	0.90	0.01	0.49
AUX0103669		43.6	2.77	3.27	0.10	0.07	0.061	0.022	0.05	19.4	13.3	0.61	386	0.84	0.02	0.27
AUX0103670		25.5	2.25	3.43	0.10	0.02	0.048	0.021	0.03	17.3	12.4	0.34	741	0.93	0.01	0.47
AUX0103671		29.3	2.30	2.81	0.11	0.04	0.047	0.019	0.03	16.6	11.6	0.29	640	0.82	0.02	0.43
AUX0103672		31.6	2.60	2.58	0.10	0.04	0.034	0.019	0.04	18.7	10.9	0.33	485	0.88	0.01	0.39
AUX0103673		28.7	2.42	2.88	0.11	0.05	0.036	0.017	0.03	22.1	13.4	0.33	277	0.81	0.01	0.40
AUX0103674		26.9	2.11	2.21	0.10	0.06	0.038	0.017	0.04	16.5	10.4	0.29	268	0.72	0.01	0.31
AUX0103675		27.1	2.25	2.64	0.10	0.06	0.034	0.018	0.04	20.5	12.2	0.32	247	0.79	0.01	0.37
AUX0103676		44.5	3.28	3.39	0.11	0.02	0.042	0.024	0.05	27.2	13.9	0.40	565	1.15	0.01	0.42
AUX0103677		37.7	2.71	2.74	0.11	<0.02	0.052	0.020	0.04	19.3	10.6	0.32	652	0.89	0.01	0.33
AUX0103678		37.4	7.04	14.20	0.23	0.10	0.012	0.033	0.28	6.9	53.3	6.53	1230	0.24	0.02	0.05
AUX0103679		27.1	2.57	3.13	0.09	<0.02	0.038	0.020	0.04	15.3	12.4	0.37	401	1.03	0.01	0.51
AUX0103680		15.10	2.31	3.94	0.09	<0.02	0.028	0.020	0.03	14.6	11.7	0.31	1100	1.04	<0.01	0.50
AUX0103681		9.99	1.69	3.63	0.08	<0.02	0.029	0.016	0.03	12.7	11.4	0.29	103	0.67	0.01	0.58
AUX0103682		14.80	2.16	3.57	0.09	<0.02	0.032	0.013	0.03	13.6	11.5	0.31	177	0.87	0.01	0.59
AUX0103683		22.7	2.25	3.78	0.10	0.02	0.039	0.019	0.03	15.7	13.3	0.35	220	0.97	0.01	0.65
AUX0103684		20.9	2.13	3.40	0.09	0.03	0.036	0.019	0.03	14.7	12.2	0.32	260	0.87	0.02	0.67
AUX0103685		21.8	2.38	3.56	0.09	0.04	0.033	0.019	0.03	15.5	12.6	0.35	244	1.02	0.02	0.78
AUX0103686		21.9	2.45	3.90	0.10	0.02	0.027	0.024	0.03	16.9	14.1	0.37	379	0.98	<0.01	0.69
AUX0103687		23.0	2.31	3.11	0.10	0.04	0.019	0.014	0.05	18.9	13.0	0.37	380	0.92	0.02	0.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103664		29.9	0.074	17.80	6.8	0.002	0.07	4.24	2.6	0.5	0.2	46.0	<0.01	0.02	3.2	0.018
AUX0103665		29.5	0.070	14.95	6.2	<0.001	0.06	6.04	2.5	0.8	0.2	37.0	<0.01	<0.01	2.8	0.017
AUX0103666		31.5	0.086	13.85	3.8	0.001	0.05	8.52	2.0	0.4	<0.2	37.2	<0.01	0.01	3.1	0.018
AUX0103667		27.3	0.061	24.1	5.9	<0.001	0.02	17.45	3.0	0.6	0.2	15.4	<0.01	0.01	4.9	0.018
AUX0103668		20.2	0.066	14.35	7.0	<0.001	0.03	6.11	2.4	0.4	0.3	16.1	<0.01	0.02	1.7	0.018
AUX0103669		47.9	0.068	28.1	4.9	<0.001	0.05	20.6	3.5	0.8	<0.2	33.2	<0.01	0.02	4.9	0.012
AUX0103670		21.7	0.062	19.10	6.1	<0.001	0.01	10.15	2.5	0.6	0.3	22.4	<0.01	0.01	2.8	0.021
AUX0103671		25.2	0.061	21.2	5.3	<0.001	0.03	11.05	2.3	0.7	0.2	24.9	<0.01	0.04	3.6	0.016
AUX0103672		23.9	0.058	25.9	4.3	<0.001	0.01	19.30	2.3	0.7	0.2	16.3	<0.01	0.03	5.8	0.018
AUX0103673		22.5	0.052	23.4	5.0	<0.001	0.01	15.05	2.3	0.4	0.2	14.3	<0.01	0.03	6.3	0.015
AUX0103674		20.4	0.067	18.70	3.7	<0.001	0.02	12.70	1.9	0.7	<0.2	22.4	<0.01	0.03	5.1	0.016
AUX0103675		22.5	0.063	20.2	3.7	<0.001	0.01	12.90	2.1	0.4	0.2	19.0	<0.01	0.01	6.1	0.018
AUX0103676		31.2	0.051	30.9	5.7	0.001	0.01	31.5	2.9	0.5	0.2	26.9	<0.01	0.04	6.3	0.020
AUX0103677		27.6	0.058	30.1	5.3	<0.001	0.02	20.7	2.2	0.4	0.2	25.4	<0.01	0.03	3.7	0.018
AUX0103678		564	0.089	7.51	20.4	<0.001	0.01	3.55	7.5	0.4	0.2	43.8	<0.01	0.01	2.0	0.217
AUX0103679		26.7	0.066	20.3	5.6	<0.001	0.02	9.36	2.0	0.4	0.2	24.6	<0.01	0.03	1.6	0.025
AUX0103680		16.1	0.063	21.1	6.6	<0.001	0.01	5.33	1.7	0.5	0.3	14.7	<0.01	<0.01	1.2	0.020
AUX0103681		12.7	0.056	12.10	6.0	<0.001	0.02	1.135	1.6	0.4	0.3	15.6	<0.01	<0.01	1.3	0.023
AUX0103682		15.6	0.063	9.96	5.6	<0.001	0.02	0.777	1.9	0.6	0.3	18.0	<0.01	0.01	1.6	0.023
AUX0103683		20.4	0.069	10.35	5.2	<0.001	0.01	1.155	3.1	0.4	0.3	21.2	<0.01	0.03	3.0	0.027
AUX0103684		20.1	0.072	9.66	4.7	<0.001	0.02	1.260	2.9	0.6	0.3	22.4	<0.01	0.03	3.0	0.029
AUX0103685		19.5	0.064	11.90	5.2	<0.001	0.01	2.36	3.2	0.5	0.4	19.8	<0.01	0.02	3.7	0.038
AUX0103686		20.4	0.062	16.70	6.4	<0.001	<0.01	5.21	2.7	0.5	0.3	17.1	<0.01	0.02	3.0	0.032
AUX0103687		23.5	0.054	14.00	6.7	<0.001	0.01	3.68	2.1	0.4	0.2	18.7	<0.01	0.02	5.7	0.030

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103664		0.07	1.31	27	0.137	7.08	81.6	1.3
AUX0103665		0.07	1.87	25	0.0948	6.90	69.6	1.2
AUX0103666		0.05	1.31	24	0.122	7.37	67.5	1.3
AUX0103667		0.08	0.92	26	0.209	7.87	76.7	1.3
AUX0103668		0.09	0.79	35	0.323	5.46	64.5	<0.5
AUX0103669		0.08	1.54	25	0.0733	10.15	90.6	2.3
AUX0103670		0.08	0.85	29	0.179	6.71	69.5	0.5
AUX0103671		0.07	1.11	23	0.232	7.99	63.1	1.5
AUX0103672		0.06	0.86	20	0.0997	6.33	70.7	1.7
AUX0103673		0.07	0.81	21	0.109	6.72	58.7	2.0
AUX0103674		0.06	0.57	16	0.115	6.22	64.5	2.1
AUX0103675		0.06	0.60	19	0.113	6.82	66.9	2.5
AUX0103676		0.08	1.07	27	0.124	7.91	89.2	1.0
AUX0103677		0.07	0.70	21	0.127	8.18	73.2	0.6
AUX0103678		0.39	0.27	86	0.0162	7.95	111.5	3.0
AUX0103679		0.08	0.76	33	0.428	5.46	65.1	<0.5
AUX0103680		0.08	0.65	37	0.367	3.69	58.2	<0.5
AUX0103681		0.09	0.56	34	0.290	3.42	46.1	<0.5
AUX0103682		0.08	0.61	35	0.169	4.32	50.1	<0.5
AUX0103683		0.08	0.81	36	0.222	7.02	63.8	0.7
AUX0103684		0.06	1.08	33	0.198	6.63	64.9	1.0
AUX0103685		0.08	0.97	37	0.519	7.22	61.9	1.5
AUX0103686		0.07	0.82	37	0.233	5.82	69.6	0.6
AUX0103687		0.07	0.72	25	0.149	5.00	62.3	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194145

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

CERTIFICATE WH11194146

Project: Aurex Project- Victoria Gold

P.O. No.: AUX09232011

This report is for 185 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103688		0.38	0.0020	0.056	1.41	49.4	<10	136.0	0.26	0.25	0.12	0.12	26.8	6.4	23.0	0.80
AUX0103689		0.16	0.0012	0.122	0.98	122.0	<10	120.5	0.15	0.22	0.28	0.05	27.1	4.0	13.2	0.59
AUX0103690		0.30	0.143	0.130	0.93	398	<10	70.5	0.18	0.49	0.10	0.06	81.1	12.9	9.9	0.45
AUX0103691		0.14	0.0010	0.150	0.93	27.8	<10	273	0.29	0.25	0.62	0.26	49.4	5.1	11.8	0.53
AUX0103692		0.30	0.0106	0.425	1.07	136.0	<10	121.0	0.33	0.29	0.61	0.09	97.8	9.1	10.7	0.66
AUX0103693		0.56	0.0106	0.311	1.01	148.0	<10	377	0.37	0.28	0.36	0.49	77.1	13.1	13.0	0.52
AUX0103694		0.32	0.0055	0.287	1.15	15.95	<10	426	0.36	0.17	0.42	0.64	36.8	8.1	21.5	0.66
AUX0103695		0.62	0.0440	0.300	1.38	264	<10	153.5	0.21	0.35	0.20	0.24	104.5	22.4	17.1	0.99
AUX0103696		0.28	0.0042	0.305	1.30	63.6	<10	253	0.35	0.30	0.46	0.21	57.0	12.6	18.7	0.67
AUX0103697		0.50	0.0064	0.272	1.11	109.5	<10	245	0.36	0.28	0.29	0.19	44.7	10.7	19.8	0.63
AUX0103698		0.36	0.0080	0.367	1.19	65.9	<10	336	0.38	0.25	0.84	0.40	29.9	8.4	20.7	0.56
AUX0103699		0.26	0.122	0.468	1.11	168.0	<10	110.5	0.15	0.36	0.25	0.29	74.9	19.2	14.3	0.68
AUX0103700		0.26	0.0079	0.352	1.09	175.0	<10	128.5	0.16	0.36	0.37	0.32	78.4	17.6	14.3	0.77
AUX0103701		0.30	0.0045	0.262	0.84	87.5	<10	175.5	0.24	0.22	0.24	0.24	35.2	8.0	16.0	0.52
AUX0103702		0.38	0.0039	0.204	0.71	95.4	<10	110.5	0.21	0.25	0.21	0.17	33.5	7.2	13.2	0.50
AUX0103703		0.36	0.0059	0.246	1.08	35.3	<10	265	0.40	0.22	0.23	0.15	38.9	7.7	21.4	0.52
AUX0103704		0.34	0.0034	0.196	1.10	32.5	<10	221	0.32	0.18	0.27	0.14	29.1	6.7	21.8	0.57
AUX0103705		0.28	0.0040	0.410	1.02	59.8	<10	205	0.24	0.24	0.18	0.19	32.5	7.7	18.2	0.65
AUX0103706		0.42	0.0044	0.376	0.91	65.8	<10	121.5	0.26	0.22	0.17	0.17	30.7	7.1	17.4	0.48
AUX0103707		0.38	0.0071	0.276	1.54	27.2	<10	242	0.52	0.21	0.13	0.18	29.4	8.9	24.7	0.78
AUX0103708		0.36	0.0029	0.280	0.99	39.8	<10	152.0	0.25	0.20	0.12	0.18	26.1	5.7	17.5	0.63
AUX0103709		0.40	0.0032	0.104	0.79	50.3	<10	133.0	0.25	0.17	0.16	0.15	34.6	6.4	14.9	0.46
AUX0103710		0.42	0.0025	0.155	1.28	14.05	<10	268	0.35	0.18	0.20	0.10	28.3	6.5	21.1	0.66
AUX0103711		0.34	0.0023	0.165	1.24	13.95	<10	335	0.35	0.18	0.27	0.09	28.4	7.0	21.5	0.60
AUX0103712		0.42	0.0025	0.146	1.18	24.0	<10	415	0.41	0.20	0.30	0.12	33.1	9.3	25.7	0.52
AUX0103713		0.36	0.0018	0.143	1.11	25.4	<10	395	0.40	0.18	0.27	0.14	32.1	6.9	22.7	0.47
AUX0103714		0.36	0.0041	0.127	1.24	42.3	<10	258	0.35	0.21	0.20	0.10	33.8	7.5	23.1	0.56
AUX0103715		0.42	0.0030	0.207	1.20	34.1	<10	285	0.35	0.21	0.23	0.07	35.1	6.8	22.4	0.63
AUX0103716		0.38	0.0061	0.150	1.30	25.2	<10	235	0.30	0.22	0.17	0.15	33.7	6.1	22.1	0.70
AUX0103717		0.30	0.0021	0.078	1.40	13.60	<10	213	0.39	0.19	0.18	0.17	33.9	6.6	24.1	0.66
AUX0103718		0.38	0.0020	0.116	1.32	21.9	<10	235	0.39	0.18	0.16	0.10	36.7	7.0	24.4	0.55
AUX0103719		0.26	0.0062	0.270	1.09	55.2	<10	135.5	0.24	0.20	0.12	0.13	33.6	6.6	19.8	0.59
AUX0103720		0.30	0.0070	0.318	1.22	61.4	<10	189.0	0.47	0.20	0.09	0.20	40.6	9.8	21.9	0.61
AUX0103721		0.38	0.0074	0.185	1.01	58.2	<10	168.0	0.31	0.17	0.08	0.08	44.4	8.0	18.6	0.49
AUX0103722		0.30	0.0088	0.142	1.11	70.0	<10	135.0	0.42	0.18	0.07	0.15	31.2	12.4	22.1	0.57
AUX0103723		0.26	0.0053	0.118	0.89	46.7	<10	86.5	0.25	0.18	0.10	0.15	28.7	8.6	19.8	0.50
AUX0103724		0.30	0.0017	0.066	1.09	11.55	<10	228	0.34	0.16	0.19	0.13	27.3	6.1	18.9	0.59
AUX0103725		0.34	0.0015	0.092	1.14	11.45	<10	217	0.27	0.18	0.17	0.17	27.1	5.1	19.7	0.68
AUX0103726		0.26	0.0025	0.116	1.22	11.30	<10	320	0.37	0.17	0.23	0.13	34.2	6.2	23.5	0.52
AUX0103727		0.26	0.0020	0.192	1.11	12.15	<10	268	0.41	0.16	0.27	0.25	31.2	5.6	23.2	0.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103688		13.55	2.86	4.99	0.09	0.02	0.007	0.018	0.04	13.5	14.8	0.32	242	1.08	0.01	1.04
AUX0103689		9.46	1.78	4.08	0.09	<0.02	0.007	0.010	0.05	13.9	7.2	0.19	134	0.60	0.02	0.62
AUX0103690		28.1	3.03	2.87	0.12	0.04	0.015	0.012	0.07	38.4	12.4	0.36	389	0.36	0.01	0.38
AUX0103691		11.80	1.76	3.58	0.11	0.02	0.028	0.011	0.08	32.0	8.6	0.16	396	0.69	0.02	0.66
AUX0103692		28.7	2.49	3.20	0.17	0.04	0.024	0.012	0.11	59.8	18.7	0.31	199	0.49	0.02	0.42
AUX0103693		27.4	2.47	2.77	0.13	0.07	0.026	0.016	0.07	35.9	12.9	0.31	432	0.59	0.02	0.45
AUX0103694		21.8	1.58	3.19	0.11	0.03	0.041	0.019	0.04	18.2	13.1	0.35	180	0.48	0.02	0.56
AUX0103695		51.3	3.59	4.26	0.11	0.10	0.031	0.013	0.07	49.9	18.7	0.53	921	0.58	<0.01	0.19
AUX0103696		33.0	2.60	4.00	0.07	0.05	0.029	0.016	0.06	27.6	15.8	0.45	429	0.63	<0.01	0.47
AUX0103697		29.3	2.67	3.37	0.06	0.04	0.022	0.016	0.04	21.8	13.0	0.35	399	0.92	<0.01	0.53
AUX0103698		27.1	2.31	3.52	<0.05	0.04	0.046	0.019	0.05	13.6	13.6	0.36	499	0.95	<0.01	0.56
AUX0103699		44.7	3.31	3.46	0.08	0.16	0.016	0.015	0.05	33.4	15.5	0.55	581	0.66	<0.01	0.13
AUX0103700		51.3	3.32	3.43	0.09	0.18	0.016	0.014	0.06	37.4	14.1	0.57	750	0.70	<0.01	0.12
AUX0103701		26.2	2.16	2.62	0.05	0.02	0.030	0.016	0.03	18.1	10.7	0.30	342	0.80	<0.01	0.32
AUX0103702		22.5	2.04	2.25	0.05	0.04	0.013	0.014	0.03	15.7	10.8	0.27	270	0.78	<0.01	0.27
AUX0103703		27.1	2.12	3.16	0.05	0.07	0.038	0.019	0.03	19.5	12.2	0.35	342	0.79	<0.01	0.60
AUX0103704		21.0	2.08	3.57	<0.05	0.02	0.023	0.018	0.04	14.6	12.3	0.33	256	1.10	<0.01	0.65
AUX0103705		17.75	1.95	3.23	<0.05	<0.02	0.040	0.017	0.03	14.4	10.9	0.27	242	0.92	<0.01	0.38
AUX0103706		25.6	2.10	2.72	0.05	0.02	0.020	0.016	0.03	15.0	10.9	0.31	292	0.80	<0.01	0.45
AUX0103707		22.0	2.62	4.14	0.05	0.03	0.139	0.022	0.04	13.8	15.2	0.39	304	0.96	<0.01	0.86
AUX0103708		14.30	2.00	3.73	<0.05	<0.02	0.025	0.014	0.03	12.1	9.9	0.24	252	0.94	<0.01	0.45
AUX0103709		19.05	1.84	2.40	0.05	0.03	0.011	0.012	0.03	17.1	9.7	0.27	210	0.78	<0.01	0.44
AUX0103710		18.05	2.07	3.71	<0.05	0.02	0.030	0.018	0.03	13.9	12.2	0.33	179	0.73	<0.01	0.63
AUX0103711		18.60	2.19	3.56	0.05	0.03	0.063	0.015	0.03	13.7	11.7	0.35	255	0.82	<0.01	0.62
AUX0103712		26.5	2.33	3.76	0.05	0.03	0.073	0.018	0.03	16.4	13.9	0.35	453	1.38	<0.01	0.67
AUX0103713		24.9	2.27	3.37	<0.05	0.03	0.026	0.016	0.03	15.6	12.8	0.35	303	1.08	<0.01	0.62
AUX0103714		22.3	2.35	3.71	0.05	0.03	0.025	0.014	0.03	16.4	13.3	0.36	290	1.03	<0.01	0.72
AUX0103715		20.8	2.20	3.67	<0.05	<0.02	0.064	0.015	0.03	16.6	13.3	0.35	280	1.04	<0.01	0.70
AUX0103716		18.65	2.31	4.08	<0.05	<0.02	0.032	0.019	0.03	16.2	12.3	0.32	226	1.03	<0.01	0.35
AUX0103717		19.45	2.50	4.40	<0.05	<0.02	0.029	0.019	0.03	15.6	13.2	0.36	232	1.06	<0.01	0.60
AUX0103718		21.9	2.41	3.96	0.05	<0.02	0.036	0.017	0.03	18.2	13.3	0.39	257	1.03	<0.01	0.71
AUX0103719		21.8	2.33	3.36	<0.05	<0.02	0.061	0.015	0.03	16.7	11.1	0.29	241	0.95	<0.01	0.41
AUX0103720		33.0	2.62	3.35	0.05	0.04	0.027	0.022	0.03	19.2	13.1	0.34	397	1.00	<0.01	0.56
AUX0103721		30.3	2.32	2.88	0.06	0.05	0.030	0.014	0.03	22.0	11.6	0.35	316	0.75	<0.01	0.25
AUX0103722		30.1	2.43	2.86	<0.05	0.03	0.023	0.018	0.03	13.5	9.9	0.32	440	0.90	<0.01	0.53
AUX0103723		26.8	2.18	2.73	0.05	0.03	0.016	0.017	0.03	12.6	9.8	0.30	331	0.93	<0.01	0.49
AUX0103724		17.35	2.02	3.71	0.11	<0.02	0.029	0.019	0.03	13.9	11.3	0.30	165	0.86	<0.01	0.50
AUX0103725		18.25	1.90	4.17	0.10	<0.02	0.035	0.016	0.03	13.2	11.7	0.29	120	0.97	<0.01	0.53
AUX0103726		21.3	2.12	3.72	0.05	0.02	0.020	0.017	0.03	16.4	12.6	0.35	169	1.01	<0.01	0.72
AUX0103727		24.6	2.02	3.44	<0.05	<0.02	0.029	0.016	0.04	14.3	10.6	0.29	200	1.16	<0.01	0.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103688		17.4	0.030	13.95	10.4	<0.001	0.01	1.125	1.9	0.4	0.4	10.7	<0.01	0.02	3.6	0.036
AUX0103689		11.8	0.020	12.60	7.3	<0.001	0.02	0.796	1.0	0.1	0.4	20.7	<0.01	0.01	4.2	0.016
AUX0103690		28.0	0.036	35.7	6.4	<0.001	0.02	3.17	0.8	0.2	<0.2	9.6	0.01	0.01	14.8	0.006
AUX0103691		11.1	0.027	18.20	12.1	<0.001	0.03	0.560	0.9	0.1	0.3	44.2	<0.01	<0.01	4.7	0.013
AUX0103692		21.8	0.031	32.1	13.9	<0.001	0.05	2.14	1.2	0.5	0.2	50.3	<0.01	0.01	11.6	0.006
AUX0103693		25.8	0.048	26.8	7.5	<0.001	0.04	3.47	1.9	1.1	0.2	32.5	<0.01	0.01	11.0	0.010
AUX0103694		19.8	0.067	15.10	7.3	<0.001	0.08	2.95	2.6	0.8	0.3	31.7	<0.01	0.03	3.5	0.019
AUX0103695		41.0	0.046	29.3	7.4	0.001	0.01	6.27	1.9	0.9	<0.2	18.7	<0.01	0.04	20.5	0.008
AUX0103696		26.2	0.052	22.8	8.5	<0.001	0.01	5.47	2.3	0.9	0.3	37.6	<0.01	0.04	9.2	0.015
AUX0103697		23.3	0.055	22.4	6.4	<0.001	<0.01	9.97	2.7	0.5	0.3	17.4	<0.01	0.02	6.8	0.025
AUX0103698		23.6	0.069	18.00	7.1	<0.001	0.02	8.05	2.7	0.5	0.3	42.4	<0.01	0.03	3.2	0.024
AUX0103699		33.9	0.057	30.3	4.8	<0.001	<0.01	14.00	1.6	1.0	<0.2	15.5	<0.01	0.01	16.6	0.010
AUX0103700		32.5	0.059	30.3	5.1	0.001	<0.01	14.05	1.7	1.1	<0.2	19.9	<0.01	0.04	18.7	0.010
AUX0103701		20.8	0.055	19.15	4.7	<0.001	<0.01	12.05	2.1	0.5	0.2	13.1	<0.01	0.02	5.9	0.019
AUX0103702		18.5	0.057	17.20	3.8	<0.001	<0.01	12.70	1.6	0.7	0.2	11.6	<0.01	0.06	6.0	0.018
AUX0103703		20.6	0.058	16.20	5.5	<0.001	<0.01	6.26	3.2	0.5	0.3	15.8	<0.01	0.04	5.8	0.035
AUX0103704		19.2	0.061	12.75	6.2	<0.001	<0.01	5.13	2.5	0.7	0.4	19.1	<0.01	0.01	3.5	0.033
AUX0103705		14.7	0.070	20.8	6.5	<0.001	<0.01	5.80	1.6	0.6	0.3	11.9	<0.01	0.01	1.6	0.018
AUX0103706		19.1	0.054	19.60	4.3	<0.001	<0.01	6.64	2.0	0.6	0.2	10.7	<0.01	0.03	5.2	0.030
AUX0103707		24.3	0.044	17.40	9.6	<0.001	<0.01	2.54	2.7	0.6	0.4	11.5	<0.01	0.04	4.9	0.034
AUX0103708		13.8	0.049	18.40	6.4	<0.001	<0.01	4.12	1.2	0.3	0.3	10.0	<0.01	0.01	0.9	0.023
AUX0103709		16.9	0.059	13.95	4.6	<0.001	<0.01	8.50	1.6	0.7	0.2	10.1	<0.01	0.03	4.9	0.028
AUX0103710		16.9	0.065	11.10	8.6	<0.001	<0.01	1.625	2.5	1.2	0.4	15.3	<0.01	0.02	2.0	0.027
AUX0103711		16.9	0.067	10.20	7.5	<0.001	<0.01	1.940	2.9	0.6	0.3	18.0	<0.01	0.01	3.3	0.028
AUX0103712		23.4	0.063	13.75	5.6	<0.001	<0.01	3.23	3.4	1.2	0.3	20.0	<0.01	0.03	4.1	0.030
AUX0103713		20.1	0.063	13.00	4.8	<0.001	<0.01	3.36	3.2	0.5	0.3	18.8	<0.01	0.04	4.6	0.037
AUX0103714		19.1	0.046	17.45	6.4	<0.001	<0.01	6.23	2.7	0.5	0.4	14.0	<0.01	0.03	4.4	0.038
AUX0103715		18.1	0.051	15.60	6.6	<0.001	<0.01	5.04	2.5	0.3	0.4	14.8	<0.01	<0.01	2.9	0.035
AUX0103716		16.0	0.060	15.45	7.6	0.001	<0.01	3.01	1.4	0.6	0.4	12.7	<0.01	0.03	0.5	0.025
AUX0103717		17.6	0.067	12.65	8.2	0.001	<0.01	1.310	2.5	0.9	0.4	14.6	<0.01	0.04	1.8	0.033
AUX0103718		17.8	0.051	14.40	6.7	<0.001	<0.01	3.65	3.1	0.6	0.4	13.7	<0.01	0.03	4.2	0.039
AUX0103719		17.8	0.051	23.2	6.4	<0.001	<0.01	13.00	1.7	0.8	0.3	9.0	<0.01	0.04	2.7	0.023
AUX0103720		24.0	0.040	24.4	6.3	<0.001	<0.01	9.87	2.9	0.8	0.3	7.3	<0.01	0.04	6.1	0.031
AUX0103721		19.8	0.031	20.8	5.1	<0.001	<0.01	16.00	2.6	0.3	0.2	6.1	<0.01	0.03	6.9	0.026
AUX0103722		27.6	0.034	19.85	5.6	<0.001	<0.01	4.60	2.7	1.5	0.2	5.8	<0.01	0.03	4.5	0.031
AUX0103723		21.2	0.045	17.85	5.3	<0.001	<0.01	3.51	1.8	0.3	0.2	6.6	<0.01	0.01	4.0	0.027
AUX0103724		17.4	0.069	10.75	7.0	<0.001	<0.01	0.560	1.7	0.9	0.3	14.7	<0.01	0.04	0.9	0.023
AUX0103725		16.1	0.060	11.85	8.7	<0.001	<0.01	0.554	1.4	0.9	0.4	14.6	<0.01	0.03	0.7	0.022
AUX0103726		18.7	0.061	12.65	5.6	<0.001	<0.01	1.015	2.9	0.9	0.3	16.4	<0.01	0.02	3.8	0.037
AUX0103727		19.7	0.068	14.10	5.6	<0.001	<0.01	1.125	2.4	0.5	0.4	18.6	<0.01	0.02	1.9	0.033

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103688		0.08	0.41	49	0.366	2.19	53.8	1.0
AUX0103689		0.10	0.74	35	0.148	1.27	29.5	0.8
AUX0103690		0.05	3.24	8	0.0453	4.88	65.1	1.9
AUX0103691		0.09	2.45	25	0.136	2.80	41.0	0.9
AUX0103692		0.09	2.36	12	0.0732	14.60	52.3	1.9
AUX0103693		0.07	2.62	17	0.0807	9.42	65.3	2.8
AUX0103694		0.09	1.65	29	0.185	8.23	85.7	1.1
AUX0103695		0.07	1.48	14	0.0629	7.71	94.6	5.2
AUX0103696		0.08	0.84	24	0.0980	6.23	74.3	1.8
AUX0103697		0.08	0.75	27	0.218	6.94	69.6	1.5
AUX0103698		0.07	1.02	30	0.170	6.31	81.3	1.8
AUX0103699		0.06	0.55	13	0.0447	6.77	92.9	8.7
AUX0103700		0.07	0.62	13	0.0523	7.96	91.9	9.8
AUX0103701		0.06	0.64	20	0.113	5.59	62.7	1.2
AUX0103702		0.06	0.48	16	0.0862	4.08	61.9	2.6
AUX0103703		0.07	0.76	31	0.171	7.83	60.7	2.5
AUX0103704		0.06	0.60	33	0.214	4.87	59.9	0.8
AUX0103705		0.10	0.62	29	0.168	4.18	53.3	<0.5
AUX0103706		0.08	0.59	25	0.231	4.39	61.4	1.2
AUX0103707		0.11	0.78	40	0.189	4.30	67.8	1.6
AUX0103708		0.09	0.52	32	0.148	2.97	43.9	<0.5
AUX0103709		0.05	0.53	20	0.101	4.26	56.2	1.4
AUX0103710		0.08	0.84	36	0.158	5.58	53.5	0.5
AUX0103711		0.07	1.09	35	0.198	6.40	54.9	0.8
AUX0103712		0.07	0.85	36	0.213	7.69	67.7	1.0
AUX0103713		0.07	0.73	35	0.195	7.73	67.5	1.8
AUX0103714		0.07	0.71	37	0.176	5.94	64.1	1.3
AUX0103715		0.08	0.71	36	0.178	5.53	61.7	0.5
AUX0103716		0.09	0.72	39	0.247	5.49	57.0	<0.5
AUX0103717		0.11	0.76	42	0.250	4.83	57.8	0.5
AUX0103718		0.07	0.76	40	0.186	6.58	58.4	0.6
AUX0103719		0.08	0.44	28	0.153	3.75	59.1	<0.5
AUX0103720		0.08	0.69	30	0.212	6.96	69.6	1.7
AUX0103721		0.08	0.50	22	0.0968	7.25	62.2	2.6
AUX0103722		0.06	0.74	26	0.148	4.24	63.0	1.2
AUX0103723		0.06	0.43	25	0.135	3.27	58.3	0.8
AUX0103724		0.05	0.68	32	0.237	5.47	50.3	<0.5
AUX0103725		0.06	0.61	35	0.260	4.40	47.6	<0.5
AUX0103726		0.08	0.81	37	0.182	6.66	64.6	0.7
AUX0103727		0.06	0.89	35	0.198	5.58	60.6	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103728		0.38	0.0026	0.286	1.25	21.6	<10	312	0.35	0.20	0.25	0.23	31.4	10.6	22.6	0.65
AUX0103729		0.46	0.0043	0.423	1.21	33.7	<10	354	0.38	0.23	0.31	0.39	38.9	9.5	27.2	0.55
AUX0103730		0.48	0.0039	0.688	1.18	61.1	<10	298	0.39	0.29	0.43	0.73	41.0	13.7	26.9	0.79
AUX0103731		0.24	0.0065	0.422	1.50	61.1	<10	235	0.34	0.24	0.36	0.17	38.3	15.4	45.7	0.66
AUX0103732		0.30	0.0050	0.378	1.07	75.8	<10	139.5	0.22	0.23	0.30	0.32	41.4	17.6	39.4	0.61
AUX0103733		0.32	0.0035	0.316	1.03	53.1	<10	159.5	0.25	0.21	0.22	0.19	42.9	10.0	27.0	0.52
AUX0103734		0.28	0.0031	0.343	0.79	69.9	<10	157.5	0.24	0.19	0.16	0.27	28.3	7.7	15.8	0.60
AUX0103735		0.28	0.0059	0.533	0.96	90.8	<10	197.0	0.33	0.24	0.32	0.25	41.7	11.4	21.8	0.54
AUX0103736		0.30	0.0022	0.474	1.02	47.1	<10	239	0.34	0.20	0.26	0.30	34.9	9.0	19.6	0.55
AUX0103737		0.42	0.0023	0.413	1.34	34.1	<10	355	0.43	0.23	0.33	0.35	36.1	9.1	21.6	0.60
AUX0103738		0.46	0.0019	0.360	1.44	26.7	<10	412	0.47	0.26	0.42	0.44	38.1	10.6	24.9	0.60
AUX0103739		0.42	0.0029	0.318	1.21	28.9	<10	363	0.44	0.22	0.33	0.40	37.5	10.3	21.7	0.49
AUX0103740		0.48	0.0047	0.800	1.11	84.4	<10	141.0	0.30	0.36	0.34	0.56	58.6	21.1	24.0	0.67
AUX0103741		0.48	0.0045	0.862	1.42	55.6	<10	295	0.49	0.29	0.41	0.70	47.6	11.8	25.2	0.72
AUX0103742		0.52	0.0023	0.521	1.32	35.9	<10	340	0.46	0.23	0.57	0.55	41.9	13.9	23.2	0.66
AUX0103743		0.66	0.0035	0.552	1.37	32.4	<10	359	0.44	0.26	0.48	0.87	46.8	14.0	22.7	0.59
AUX0103744		0.52	0.0024	0.373	1.40	20.7	<10	399	0.45	0.27	0.37	1.13	51.6	17.8	22.8	0.60
AUX0103745		0.24	0.0031	0.158	1.37	30.3	<10	409	0.48	0.20	0.39	0.43	35.3	11.6	27.0	0.79
AUX0103746		0.24	0.0031	0.147	1.37	17.60	<10	447	0.41	0.17	0.42	0.33	31.5	8.7	31.1	0.92
AUX0103747		0.24	0.0034	0.146	1.17	17.10	<10	358	0.28	0.14	0.57	0.42	27.4	11.4	30.1	0.61
AUX0103748		0.26	0.0053	0.328	1.02	32.7	<10	251	0.31	0.19	0.33	0.22	28.3	13.4	24.3	0.65
AUX0103749		0.30	0.0036	0.157	1.02	24.0	<10	202	0.28	0.19	0.25	0.13	34.1	7.6	23.2	0.58
AUX0103750		0.36	0.0026	0.210	1.14	24.8	<10	235	0.30	0.20	0.25	0.15	36.3	8.4	25.3	0.67
AUX0103751		0.24	0.0027	0.294	1.31	36.7	<10	639	0.31	0.30	0.33	0.12	26.0	6.0	24.1	0.85
AUX0103752		0.26	0.0053	0.200	1.12	129.5	<10	429	0.39	0.18	0.36	0.37	33.5	8.9	21.1	0.65
AUX0103753		0.26	0.0083	0.264	0.94	77.4	<10	394	0.33	0.16	0.45	0.80	32.1	15.1	18.5	0.55
AUX0103754		0.30	0.0055	0.361	1.22	26.2	<10	366	0.34	0.22	0.55	0.49	35.8	11.1	21.5	0.73
AUX0103755		0.36	0.0254	0.550	1.19	174.0	<10	245	0.36	0.44	0.29	0.52	56.8	14.4	19.1	0.80
AUX0103756		0.36	0.0080	0.506	0.92	120.0	<10	159.5	0.25	0.32	0.41	0.31	41.1	10.2	15.4	0.73
AUX0103757		0.44	0.0068	0.442	0.79	148.5	<10	105.5	0.18	0.31	0.29	0.29	41.9	10.6	13.0	0.74
AUX0103758		0.42	0.0084	0.712	1.05	130.5	<10	227	0.33	0.46	0.53	0.81	38.6	12.2	18.3	0.67
AUX0103759		0.42	0.0047	0.508	0.60	96.5	<10	149.5	0.20	0.24	0.36	0.31	21.9	6.9	10.7	0.33
AUX0103760		0.24	0.0054	0.482	0.91	65.9	<10	188.5	0.22	0.25	0.20	0.23	26.7	7.7	15.9	0.63
AUX0103761		0.24	0.0033	0.242	0.92	45.1	<10	232	0.27	0.21	0.22	0.34	28.7	9.5	17.5	0.51
AUX0103762		0.28	0.0054	0.374	0.77	71.3	<10	148.5	0.25	0.27	0.31	0.25	28.5	7.3	15.2	0.44
AUX0103763		0.34	0.0035	0.304	0.99	63.0	<10	281	0.32	0.23	0.34	0.26	30.9	8.3	19.2	0.62
AUX0103764		0.22	0.0021	0.140	1.01	15.75	<10	332	0.33	0.15	0.53	0.14	21.3	7.1	19.0	0.51
AUX0103765		0.22	0.0031	0.156	0.92	31.1	<10	270	0.33	0.16	0.40	0.18	25.4	7.7	19.0	0.49
AUX0103766		0.22	0.0038	0.251	0.80	59.9	<10	179.5	0.25	0.19	0.48	0.34	31.8	8.2	16.1	0.43
AUX0103767		0.30	0.0835	0.538	1.04	149.0	<10	224	0.31	0.47	0.36	0.38	39.2	9.4	17.3	0.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103728		20.3	2.45	4.21	0.05	<0.02	0.027	0.019	0.04	14.8	12.9	0.33	424	1.26	<0.01	0.66
AUX0103729		34.3	2.68	3.41	0.05	0.03	0.034	0.019	0.05	19.9	12.3	0.36	487	1.79	<0.01	0.52
AUX0103730		49.0	2.94	3.54	0.05	0.09	0.047	0.026	0.07	19.9	13.5	0.42	516	1.91	<0.01	0.51
AUX0103731		53.7	2.95	4.67	0.06	0.05	0.044	0.028	0.04	19.2	18.9	0.67	726	1.09	<0.01	0.42
AUX0103732		52.0	2.87	3.46	0.05	0.08	0.034	0.021	0.04	20.9	15.1	0.56	730	0.98	<0.01	0.33
AUX0103733		34.1	2.42	3.22	0.05	0.04	0.033	0.017	0.05	21.3	13.8	0.42	417	1.08	<0.01	0.43
AUX0103734		36.8	2.06	2.36	<0.05	0.02	0.030	0.016	0.03	14.0	10.1	0.25	311	0.86	<0.01	0.42
AUX0103735		42.6	2.50	2.93	0.06	0.05	0.028	0.019	0.04	21.3	12.7	0.37	522	1.09	<0.01	0.38
AUX0103736		33.0	2.32	3.06	<0.05	0.03	0.033	0.019	0.04	17.7	13.7	0.35	385	1.25	<0.01	0.43
AUX0103737		34.0	2.51	3.77	0.05	0.04	0.034	0.023	0.06	18.4	15.0	0.40	449	1.25	0.01	0.47
AUX0103738		32.9	2.51	4.45	0.05	0.04	0.041	0.024	0.05	18.4	15.2	0.38	353	1.33	0.01	0.70
AUX0103739		31.9	2.45	3.58	0.06	0.06	0.050	0.023	0.05	18.9	14.4	0.36	522	1.08	0.01	0.64
AUX0103740		59.6	3.63	3.38	0.08	0.17	0.049	0.025	0.07	27.7	16.6	0.46	1020	1.42	<0.01	0.17
AUX0103741		45.3	2.97	3.88	0.07	0.11	0.056	0.026	0.08	24.8	18.1	0.44	562	1.38	0.01	0.45
AUX0103742		37.0	2.61	3.91	0.06	0.08	0.048	0.024	0.05	20.9	16.0	0.39	1160	1.04	0.01	0.61
AUX0103743		43.6	2.79	4.05	0.07	0.09	0.045	0.025	0.05	23.2	19.5	0.41	825	1.16	0.01	0.61
AUX0103744		34.1	3.05	3.77	0.07	0.07	0.048	0.022	0.05	25.7	19.8	0.42	1760	0.87	<0.01	0.38
AUX0103745		18.05	2.98	3.86	0.05	0.04	0.049	0.023	0.03	16.9	18.1	0.36	246	0.67	<0.01	0.67
AUX0103746		19.75	2.20	3.87	0.05	0.06	0.047	0.020	0.03	16.4	19.2	0.41	208	0.56	0.01	0.57
AUX0103747		19.30	1.70	3.25	<0.05	0.04	0.031	0.015	0.03	13.4	16.0	0.43	240	0.43	0.01	0.56
AUX0103748		21.0	2.48	3.02	0.05	0.03	0.048	0.018	0.03	13.6	13.5	0.31	1340	1.21	<0.01	0.39
AUX0103749		23.2	2.07	3.16	<0.05	0.02	0.022	0.015	0.03	17.0	12.2	0.35	257	0.75	<0.01	0.54
AUX0103750		27.7	2.16	3.60	0.05	0.02	0.028	0.016	0.03	18.4	14.0	0.38	216	0.82	<0.01	0.56
AUX0103751		18.70	2.14	4.22	<0.05	<0.02	0.045	0.018	0.05	13.2	12.6	0.30	176	1.38	0.01	0.47
AUX0103752		18.50	3.04	3.08	0.05	0.03	0.033	0.020	0.04	16.7	13.0	0.32	305	1.20	0.01	0.52
AUX0103753		18.65	2.75	2.72	0.05	0.04	0.043	0.017	0.04	15.2	10.9	0.28	1680	1.08	0.01	0.41
AUX0103754		23.9	1.72	3.46	0.05	0.03	0.045	0.017	0.04	17.3	15.1	0.37	191	0.59	0.01	0.51
AUX0103755		42.5	2.72	3.58	0.07	0.08	0.030	0.019	0.05	28.5	19.2	0.45	384	0.71	<0.01	0.44
AUX0103756		28.5	2.32	2.75	0.06	0.05	0.031	0.018	0.05	19.3	15.4	0.34	302	0.69	0.01	0.36
AUX0103757		30.8	2.40	2.34	0.06	0.08	0.016	0.015	0.04	20.8	12.6	0.35	229	0.67	<0.01	0.24
AUX0103758		44.4	2.40	3.02	0.05	0.07	0.044	0.021	0.04	18.6	16.2	0.38	294	0.81	<0.01	0.47
AUX0103759		23.3	1.76	1.81	<0.05	0.02	0.021	0.021	0.02	11.3	9.4	0.22	745	0.73	<0.01	0.22
AUX0103760		17.50	1.89	2.78	<0.05	<0.02	0.036	0.016	0.03	13.0	11.0	0.25	351	0.87	<0.01	0.37
AUX0103761		15.90	1.86	2.76	<0.05	0.02	0.032	0.016	0.03	14.8	11.8	0.26	458	0.93	<0.01	0.44
AUX0103762		24.6	1.74	2.30	<0.05	0.04	0.023	0.017	0.03	14.0	11.3	0.26	170	0.75	<0.01	0.43
AUX0103763		27.5	2.31	3.01	<0.05	<0.02	0.032	0.019	0.04	16.1	12.1	0.32	336	1.04	0.01	0.52
AUX0103764		17.45	1.82	3.09	<0.05	0.02	0.111	0.017	0.04	11.1	10.0	0.28	299	0.98	0.01	0.56
AUX0103765		24.0	2.03	2.87	<0.05	0.05	0.029	0.018	0.04	13.6	10.7	0.30	234	1.03	0.01	0.62
AUX0103766		24.1	1.97	2.35	<0.05	0.09	0.035	0.018	0.04	15.9	11.9	0.29	201	0.83	0.01	0.49
AUX0103767		31.5	2.65	2.99	0.06	0.03	0.042	0.023	0.04	19.8	14.7	0.35	641	0.84	<0.01	0.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103728		19.5	0.072	18.75	8.0	<0.001	<0.01	1.755	2.7	0.7	0.4	17.9	<0.01	0.03	2.8	0.026
AUX0103729		28.7	0.073	27.9	6.5	<0.001	<0.01	3.19	3.2	1.2	0.3	19.3	<0.01	0.03	6.2	0.027
AUX0103730		34.4	0.092	40.0	6.8	<0.001	<0.01	5.63	3.5	1.1	0.3	24.4	<0.01	0.05	7.1	0.027
AUX0103731		40.9	0.053	27.4	5.5	<0.001	0.01	5.88	4.5	0.7	0.3	22.8	<0.01	0.03	6.5	0.022
AUX0103732		49.9	0.075	26.8	4.2	<0.001	<0.01	9.33	3.6	0.9	0.2	19.2	<0.01	0.02	8.9	0.028
AUX0103733		29.4	0.060	18.90	5.4	<0.001	0.01	4.41	2.7	0.7	0.2	15.3	<0.01	0.02	7.6	0.022
AUX0103734		20.9	0.052	22.5	4.1	<0.001	<0.01	4.31	2.4	0.6	0.2	11.3	<0.01	0.03	3.8	0.024
AUX0103735		29.0	0.073	27.0	4.6	<0.001	0.01	3.87	2.7	0.8	0.2	20.1	<0.01	0.02	7.1	0.019
AUX0103736		21.6	0.068	26.9	4.9	<0.001	<0.01	2.49	2.9	0.8	0.3	16.0	<0.01	0.03	4.8	0.025
AUX0103737		24.6	0.068	24.1	6.8	<0.001	0.01	2.77	3.4	0.6	0.4	24.7	<0.01	0.03	4.9	0.030
AUX0103738		26.7	0.067	19.10	7.0	<0.001	0.01	1.910	4.2	0.7	0.4	35.8	<0.01	0.02	4.3	0.039
AUX0103739		24.5	0.063	20.8	5.6	<0.001	0.02	2.17	3.7	0.9	0.3	26.7	<0.01	0.02	5.8	0.033
AUX0103740		43.5	0.082	42.5	6.0	<0.001	0.02	5.75	3.2	0.9	0.2	21.5	<0.01	0.04	13.0	0.024
AUX0103741		32.2	0.083	36.9	7.8	<0.001	0.02	4.10	3.9	1.2	0.3	30.6	<0.01	0.04	8.0	0.023
AUX0103742		29.4	0.075	28.3	7.4	<0.001	0.03	2.90	3.8	1.4	0.3	46.4	<0.01	0.03	5.9	0.026
AUX0103743		33.7	0.076	29.9	6.8	<0.001	0.02	2.22	4.0	1.0	0.3	43.6	<0.01	0.03	7.1	0.033
AUX0103744		33.0	0.078	23.8	7.3	<0.001	0.03	1.995	3.4	1.4	0.3	38.7	<0.01	0.03	6.8	0.016
AUX0103745		23.9	0.092	14.75	6.3	0.001	0.10	1.535	3.2	0.9	0.3	27.1	<0.01	0.02	3.2	0.019
AUX0103746		24.2	0.075	13.75	7.3	0.001	0.12	1.240	3.1	1.0	0.3	29.2	<0.01	0.03	3.3	0.017
AUX0103747		23.2	0.071	11.70	6.2	0.003	0.14	1.735	2.8	0.6	0.3	38.9	<0.01	0.01	4.0	0.021
AUX0103748		25.0	0.065	17.90	5.7	<0.001	0.03	3.39	2.7	0.8	0.2	22.6	<0.01	0.03	3.3	0.016
AUX0103749		20.4	0.056	15.35	5.0	<0.001	0.01	2.45	2.6	0.6	0.3	16.9	<0.01	0.02	4.6	0.028
AUX0103750		24.4	0.055	16.25	5.7	<0.001	0.01	2.55	3.1	0.6	0.3	18.8	<0.01	0.03	4.7	0.029
AUX0103751		18.5	0.058	15.90	9.4	<0.001	0.05	2.23	1.8	0.6	0.4	28.7	<0.01	0.03	0.6	0.019
AUX0103752		19.1	0.087	15.00	6.8	<0.001	0.06	3.42	2.7	0.8	0.3	25.9	<0.01	0.03	4.1	0.017
AUX0103753		19.6	0.074	14.05	6.5	0.001	0.06	3.62	2.3	1.0	0.2	31.2	<0.01	0.01	3.2	0.016
AUX0103754		23.7	0.068	18.65	7.8	<0.001	0.06	5.25	2.7	1.0	0.3	33.6	<0.01	0.02	3.1	0.017
AUX0103755		28.4	0.057	36.3	6.8	<0.001	0.02	15.15	3.0	1.5	0.2	17.1	<0.01	0.03	10.7	0.015
AUX0103756		21.6	0.062	23.6	5.7	0.001	0.02	10.65	2.4	0.8	0.2	23.2	<0.01	0.03	7.7	0.017
AUX0103757		18.1	0.061	22.1	4.1	<0.001	0.01	8.66	1.8	0.6	0.2	14.2	<0.01	0.02	9.2	0.014
AUX0103758		25.6	0.061	37.0	5.5	<0.001	0.01	18.90	2.9	1.2	0.2	25.7	<0.01	0.03	6.7	0.018
AUX0103759		15.5	0.055	18.75	2.7	<0.001	0.01	8.42	1.6	0.6	0.2	23.0	<0.01	0.02	3.4	0.012
AUX0103760		14.4	0.072	18.95	5.7	<0.001	0.01	7.37	1.7	0.5	0.2	12.2	<0.01	0.01	1.7	0.016
AUX0103761		16.7	0.064	17.15	5.3	<0.001	0.01	5.92	2.3	0.6	0.3	15.9	<0.01	0.01	2.6	0.021
AUX0103762		17.0	0.057	22.6	4.0	0.001	0.01	10.05	2.3	0.8	0.2	21.7	<0.01	0.02	4.6	0.021
AUX0103763		20.1	0.069	17.45	5.6	<0.001	0.01	7.42	3.0	0.9	0.3	22.8	<0.01	0.02	4.1	0.025
AUX0103764		16.5	0.063	9.26	6.0	<0.001	0.02	1.625	2.6	0.7	0.3	30.0	<0.01	0.01	1.9	0.024
AUX0103765		19.4	0.064	11.20	4.8	<0.001	0.01	5.03	3.2	0.8	0.3	23.1	<0.01	0.02	3.9	0.030
AUX0103766		18.6	0.066	15.80	4.2	<0.001	0.01	11.20	2.5	0.9	0.2	23.4	<0.01	0.03	5.6	0.026
AUX0103767		23.7	0.070	40.7	5.6	<0.001	0.01	16.10	2.6	0.5	0.2	17.5	<0.01	0.03	6.2	0.015

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103728		0.09	0.73	38	0.192	5.76	65.8	<0.5
AUX0103729		0.10	0.91	32	0.201	7.75	88.8	1.9
AUX0103730		0.15	0.58	32	0.157	9.04	112.5	4.0
AUX0103731		0.08	0.89	35	0.106	7.96	79.2	1.6
AUX0103732		0.07	0.52	26	0.0905	9.28	88.4	4.0
AUX0103733		0.07	0.57	24	0.133	7.05	71.5	1.7
AUX0103734		0.09	0.65	23	0.119	5.85	69.3	0.9
AUX0103735		0.08	0.69	22	0.104	7.99	75.4	1.9
AUX0103736		0.10	0.70	28	0.137	7.19	82.7	1.2
AUX0103737		0.10	0.86	34	0.163	7.96	85.9	1.3
AUX0103738		0.07	0.93	40	0.208	9.30	82.1	1.6
AUX0103739		0.07	1.19	34	0.183	9.83	83.2	2.6
AUX0103740		0.11	0.81	23	0.0734	10.35	122.0	8.5
AUX0103741		0.10	1.07	31	0.136	10.85	126.5	3.5
AUX0103742		0.09	2.21	33	0.171	11.00	90.8	3.0
AUX0103743		0.08	1.94	33	0.159	10.90	112.0	3.4
AUX0103744		0.08	2.55	27	0.144	9.99	113.0	1.9
AUX0103745		0.08	3.47	42	0.267	9.18	92.4	1.1
AUX0103746		0.09	3.04	33	0.183	8.34	86.1	1.8
AUX0103747		0.07	3.34	27	0.533	6.86	75.6	1.5
AUX0103748		0.06	1.06	25	0.149	5.89	65.8	0.9
AUX0103749		0.06	0.78	30	0.184	5.66	54.0	0.6
AUX0103750		0.07	0.84	31	0.170	7.15	58.4	0.6
AUX0103751		0.12	0.78	38	0.219	4.50	53.5	<0.5
AUX0103752		0.08	1.72	31	0.141	8.14	78.1	1.2
AUX0103753		0.06	1.42	25	0.132	7.78	83.0	1.0
AUX0103754		0.09	1.76	29	0.186	8.04	87.9	0.8
AUX0103755		0.08	2.51	22	0.161	9.91	85.5	3.2
AUX0103756		0.07	0.73	19	0.0889	6.96	76.9	2.2
AUX0103757		0.07	0.44	14	0.0592	6.03	71.1	3.3
AUX0103758		0.07	0.66	24	0.241	8.73	82.6	2.2
AUX0103759		0.05	0.64	14	0.0684	4.65	65.3	0.8
AUX0103760		0.09	0.54	25	0.208	4.15	60.1	<0.5
AUX0103761		0.06	0.88	26	0.470	5.71	63.0	<0.5
AUX0103762		0.05	0.45	22	0.186	6.45	57.0	1.5
AUX0103763		0.08	0.77	30	0.184	6.92	65.3	0.5
AUX0103764		0.06	0.94	34	0.202	5.48	50.8	0.7
AUX0103765		0.07	0.65	33	0.407	7.09	60.5	1.6
AUX0103766		0.06	0.95	25	0.145	6.85	61.8	2.9
AUX0103767		0.06	0.52	22	0.0965	7.81	87.0	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103768		0.24	0.0070	0.987	1.34	68.5	<10	455	0.47	0.28	0.55	0.18	33.0	17.9	22.0	0.88
AUX0103769		0.24	0.0038	0.206	1.16	17.85	<10	258	0.29	0.18	0.25	0.14	26.6	7.0	20.5	0.70
AUX0103770		0.30	0.0037	0.150	1.17	23.9	<10	270	0.30	0.18	0.27	0.13	28.1	7.1	21.2	0.66
AUX0103771		0.30	0.0093	0.233	0.84	73.9	<10	245	0.25	0.20	0.22	0.21	33.2	8.8	16.9	0.50
AUX0103772		0.28	0.0042	0.232	1.17	31.4	<10	271	0.35	0.20	0.25	0.18	33.9	9.2	22.2	0.74
AUX0103773		0.38	0.0177	0.281	1.20	62.6	<10	376	0.38	0.21	0.28	0.20	34.7	11.0	32.0	0.56
AUX0103774		0.24	0.0242	0.229	1.24	30.9	<10	408	0.40	0.18	0.39	0.18	27.6	9.6	25.8	0.71
AUX0103775		0.26	0.0062	0.207	1.22	27.8	<10	369	0.40	0.19	0.39	0.16	25.6	7.5	23.5	0.70
AUX0103776		0.40	0.0040	0.162	1.39	19.00	<10	334	0.40	0.20	0.20	0.17	29.0	9.0	29.1	0.83
AUX0103777		0.32	0.0025	0.140	1.19	11.70	<10	278	0.35	0.17	0.27	0.13	28.9	5.9	20.8	0.67
AUX0103778		0.32	0.0149	0.134	1.18	10.15	<10	275	0.30	0.16	0.37	0.16	27.5	5.6	20.0	0.61
AUX0103779		0.38	0.0021	0.130	1.33	13.95	<10	348	0.50	0.19	0.35	0.18	34.4	9.4	24.0	0.68
AUX0103780		0.38	0.0043	0.201	1.52	19.20	<10	430	0.59	0.23	0.39	0.29	37.1	10.4	30.1	0.78
AUX0103781		0.28	0.0025	0.156	1.37	19.65	<10	370	0.52	0.21	0.36	0.27	38.9	12.8	29.2	0.71
AUX0103782		0.44	0.0022	0.130	1.26	15.85	<10	322	0.47	0.19	0.38	0.18	35.5	9.5	26.4	0.66
AUX0103783		0.26	0.0028	0.215	1.19	20.5	<10	273	0.41	0.21	0.33	0.20	36.5	11.0	22.5	0.73
AUX0103784		0.30	0.0027	0.221	0.88	30.8	<10	202	0.29	0.20	0.33	0.41	38.9	10.4	18.3	0.61
AUX0103785		0.34	0.0030	0.384	1.17	37.9	<10	234	0.41	0.21	0.22	0.14	38.5	8.9	20.6	0.68
AUX0103786		0.36	0.0034	0.713	1.18	78.3	<10	232	0.46	0.30	0.34	0.50	38.8	13.5	20.0	0.77
AUX0103787		0.40	0.0034	0.389	1.33	36.8	<10	309	0.49	0.21	0.22	0.14	41.4	9.8	22.2	0.77
AUX0103788		0.30	0.0073	1.430	1.43	162.5	<10	308	0.48	0.42	0.27	0.75	49.2	19.7	26.5	0.99
AUX0103789		0.28	0.0050	0.360	1.24	66.7	<10	289	0.46	0.26	0.13	0.25	47.3	14.9	22.1	0.70
AUX0103790		0.26	0.0028	0.215	1.31	29.8	<10	191.0	0.39	0.24	0.17	0.14	47.8	8.5	22.2	0.68
AUX0103791		0.28	0.0016	0.110	1.20	16.75	<10	254	0.34	0.17	0.26	0.11	39.6	6.7	22.5	0.60
AUX0103792		0.30	0.0027	0.201	1.18	31.8	<10	229	0.37	0.21	0.22	0.17	44.4	7.8	22.3	0.62
AUX0103793		0.40	0.0033	0.562	1.32	63.4	<10	312	0.44	0.27	0.33	0.62	43.5	12.2	23.8	0.87
AUX0103794		0.24	0.0033	0.401	1.20	53.4	<10	258	0.39	0.25	0.32	0.20	44.0	12.6	27.3	0.57
AUX0103795		0.30	0.0034	0.495	1.29	56.2	<10	250	0.37	0.31	0.33	0.23	58.2	16.1	30.6	0.58
AUX0103796		0.42	0.0027	0.300	1.18	37.1	<10	237	0.37	0.30	0.26	0.22	61.9	15.7	22.3	0.61
AUX0103797		0.46	0.0015	0.322	1.25	30.4	<10	136.5	0.32	0.33	0.26	0.25	86.3	21.3	21.6	0.67
AUX0103798		0.36	0.0040	0.594	1.30	31.2	<10	362	0.46	0.28	0.49	0.69	53.1	18.8	22.6	0.70
AUX0103799		0.24	0.0018	0.373	1.43	13.85	<10	424	0.41	0.19	0.46	0.30	34.1	14.0	23.2	0.90
AUX0103800		0.24	0.0023	0.367	1.57	15.75	<10	453	0.46	0.22	0.34	0.32	37.8	14.9	24.7	0.96
AUX0103801		0.44	0.0030	0.543	1.38	17.95	<10	449	0.51	0.23	0.41	0.64	42.2	15.4	25.3	0.74
AUX0103802		0.30	0.0017	0.143	1.27	11.60	<10	303	0.35	0.19	0.26	0.21	30.8	6.6	20.6	0.76
AUX0103803		0.40	0.0017	0.185	1.03	12.00	<10	348	0.39	0.18	0.31	0.31	30.2	9.1	20.0	0.48
AUX0103804		0.36	0.0038	0.227	1.39	14.45	<10	455	0.45	0.23	0.34	0.21	28.2	9.6	24.3	0.68
AUX0103805		0.54	0.0044	0.088	0.97	121.5	<10	199.0	0.37	0.24	0.09	0.06	47.2	6.2	15.4	0.57
AUX0103806		0.28	0.0113	0.061	0.97	276	<10	152.0	0.30	0.44	0.09	0.16	34.2	7.6	17.7	0.98
AUX0103807		0.30	0.0036	0.125	0.90	178.5	<10	96.1	0.19	0.27	0.05	0.11	31.1	4.5	13.6	0.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103768		31.9	2.64	4.11	0.06	0.02	0.068	0.025	0.04	17.4	13.3	0.30	1260	1.61	0.02	0.56
AUX0103769		13.60	1.92	3.80	0.05	<0.02	0.037	0.016	0.04	13.6	12.8	0.31	213	0.91	0.01	0.77
AUX0103770		13.60	2.53	3.69	<0.05	<0.02	0.051	0.019	0.04	14.5	12.4	0.32	288	1.27	0.01	0.82
AUX0103771		25.7	2.14	2.72	0.05	<0.02	0.031	0.015	0.03	16.5	10.6	0.28	385	1.04	<0.01	0.48
AUX0103772		23.1	2.24	3.80	0.05	<0.02	0.030	0.019	0.04	17.7	13.3	0.36	302	0.97	0.01	0.65
AUX0103773		30.4	2.58	3.93	0.05	0.02	0.046	0.019	0.04	17.2	13.6	0.48	319	1.09	<0.01	0.58
AUX0103774		21.4	2.26	3.95	<0.05	0.02	0.045	0.022	0.04	13.9	13.4	0.39	361	0.94	0.01	0.73
AUX0103775		18.70	2.23	4.05	<0.05	<0.02	0.043	0.019	0.03	12.5	12.7	0.34	317	0.86	0.01	0.73
AUX0103776		23.1	2.37	4.49	0.05	0.02	0.041	0.021	0.04	14.6	14.5	0.40	200	0.98	0.01	0.82
AUX0103777		17.80	1.85	3.89	<0.05	0.02	0.042	0.019	0.03	14.8	13.4	0.30	110	0.91	0.01	0.90
AUX0103778		15.60	1.87	3.85	0.05	0.02	0.035	0.016	0.04	14.2	13.4	0.33	119	0.69	0.01	0.85
AUX0103779		22.5	2.51	4.29	0.06	0.05	0.034	0.023	0.04	17.5	14.2	0.35	291	1.08	0.02	1.17
AUX0103780		29.6	2.70	4.77	0.06	0.05	0.045	0.024	0.05	18.8	16.1	0.40	360	1.53	0.02	1.22
AUX0103781		27.7	2.75	4.55	0.07	0.05	0.038	0.024	0.05	19.6	15.8	0.39	500	1.58	0.02	1.16
AUX0103782		29.1	2.49	4.16	0.06	0.05	0.033	0.023	0.05	18.3	14.5	0.40	356	1.29	0.02	0.91
AUX0103783		26.9	2.38	3.98	0.06	0.02	0.042	0.022	0.05	19.2	14.1	0.36	428	1.14	0.01	0.87
AUX0103784		35.3	2.49	2.98	0.07	0.18	0.033	0.018	0.05	20.1	11.8	0.33	530	1.09	0.02	0.38
AUX0103785		32.3	2.33	3.80	0.06	0.02	0.039	0.020	0.05	20.3	14.7	0.37	358	1.34	0.01	0.48
AUX0103786		50.5	2.90	3.33	0.07	0.04	0.042	0.024	0.09	20.5	15.3	0.39	629	1.88	0.01	0.21
AUX0103787		30.8	2.42	4.10	0.06	0.03	0.043	0.021	0.04	21.7	15.7	0.37	332	1.15	0.01	0.54
AUX0103788		79.4	4.10	4.13	0.09	0.03	0.071	0.040	0.11	24.8	16.7	0.46	910	2.95	0.01	0.24
AUX0103789		46.1	2.79	3.85	0.08	0.02	0.113	0.027	0.06	24.6	15.2	0.38	553	1.52	0.01	0.56
AUX0103790		27.8	2.46	4.19	0.07	0.02	0.032	0.020	0.06	23.8	14.7	0.38	332	1.41	0.01	0.48
AUX0103791		21.2	2.10	4.14	0.06	0.03	0.025	0.017	0.04	20.9	13.5	0.35	234	1.03	0.01	0.81
AUX0103792		30.2	2.42	3.94	0.07	0.02	0.024	0.022	0.05	23.7	14.3	0.39	337	1.19	0.01	0.65
AUX0103793		50.1	2.92	3.97	0.07	0.05	0.044	0.024	0.09	22.5	15.3	0.42	735	1.84	0.01	0.28
AUX0103794		41.4	2.87	3.97	0.07	0.05	0.041	0.023	0.05	23.7	15.4	0.43	413	1.60	0.01	0.53
AUX0103795		44.8	3.32	3.99	0.08	0.05	0.035	0.021	0.05	30.5	17.7	0.49	650	1.44	0.01	0.35
AUX0103796		40.8	3.19	3.81	0.08	0.03	0.036	0.021	0.05	31.7	17.3	0.44	606	1.08	0.01	0.40
AUX0103797		47.9	3.89	4.09	0.12	0.20	0.037	0.017	0.06	42.9	24.1	0.50	895	0.86	0.01	0.13
AUX0103798		40.6	3.00	3.88	0.08	0.04	0.045	0.025	0.05	25.7	17.3	0.41	706	0.97	0.01	0.47
AUX0103799		18.50	2.59	4.35	0.05	<0.02	0.051	0.024	0.04	17.5	16.2	0.36	476	0.91	0.02	0.73
AUX0103800		20.7	2.66	4.71	0.06	0.02	0.061	0.026	0.04	19.9	17.7	0.39	426	0.84	0.02	0.72
AUX0103801		30.0	2.68	4.21	0.06	0.03	0.072	0.028	0.04	20.7	17.1	0.41	376	1.03	0.02	0.79
AUX0103802		16.85	1.99	4.15	<0.05	<0.02	0.034	0.020	0.04	16.0	14.3	0.32	129	0.58	0.01	0.87
AUX0103803		26.0	2.33	3.42	0.11	0.02	0.035	0.020	0.03	15.1	12.6	0.32	296	0.98	0.01	0.73
AUX0103804		23.7	2.73	4.26	0.10	0.02	0.072	0.021	0.03	14.1	15.1	0.36	977	1.01	0.01	0.74
AUX0103805		19.90	1.98	2.89	0.11	0.02	0.032	0.013	0.07	24.5	13.8	0.30	188	0.62	0.01	0.65
AUX0103806		26.7	2.27	3.40	0.10	0.02	0.034	0.018	0.04	16.8	12.0	0.27	254	1.13	0.01	0.61
AUX0103807		13.80	2.24	3.08	0.10	<0.02	<0.005	0.017	0.03	14.2	9.9	0.20	174	0.88	0.01	0.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103768		26.5	0.093	27.8	8.1	<0.001	0.05	6.86	2.2	0.9	0.3	33.3	<0.01	0.03	1.1	0.018
AUX0103769		17.0	0.069	12.40	6.8	<0.001	0.03	1.585	2.2	0.8	0.4	18.0	<0.01	0.03	1.5	0.027
AUX0103770		18.0	0.073	12.45	6.6	<0.001	0.04	1.455	2.6	0.6	0.4	20.8	<0.01	0.02	2.1	0.030
AUX0103771		22.4	0.061	16.20	4.5	<0.001	0.01	7.87	2.2	0.7	0.2	15.0	<0.01	0.03	3.7	0.022
AUX0103772		21.4	0.076	18.20	7.2	<0.001	0.02	7.70	2.6	0.8	0.3	17.7	<0.01	0.03	3.0	0.025
AUX0103773		32.4	0.069	16.30	5.8	<0.001	<0.01	5.99	3.4	0.7	0.3	19.7	<0.01	0.03	4.4	0.026
AUX0103774		24.8	0.067	14.05	7.0	<0.001	0.04	1.930	3.2	0.8	0.3	29.2	<0.01	0.03	2.6	0.024
AUX0103775		21.7	0.067	12.95	6.9	<0.001	0.04	1.325	2.7	0.6	0.3	31.4	<0.01	0.03	1.8	0.021
AUX0103776		25.5	0.061	15.00	7.3	<0.001	0.03	1.530	3.3	0.7	0.4	16.0	<0.01	0.02	2.5	0.027
AUX0103777		19.1	0.061	12.35	6.3	<0.001	0.03	0.825	2.8	0.5	0.4	20.1	<0.01	0.04	2.7	0.029
AUX0103778		17.8	0.065	11.75	6.2	<0.001	0.03	0.729	2.8	0.7	0.4	25.5	<0.01	0.03	2.8	0.029
AUX0103779		23.4	0.068	13.40	6.6	<0.001	0.03	0.954	3.9	0.8	0.5	26.7	<0.01	0.03	4.4	0.044
AUX0103780		30.2	0.066	16.05	7.4	<0.001	0.03	1.245	4.9	1.0	0.5	30.9	<0.01	0.04	4.9	0.048
AUX0103781		30.1	0.068	15.65	7.0	<0.001	0.02	1.335	4.7	1.0	0.5	28.8	<0.01	0.04	4.9	0.046
AUX0103782		27.0	0.074	12.60	6.0	<0.001	0.02	1.135	4.4	0.8	0.4	27.4	<0.01	0.04	5.1	0.047
AUX0103783		23.8	0.075	16.70	6.8	<0.001	0.02	1.485	3.5	0.8	0.4	23.2	<0.01	0.04	4.4	0.034
AUX0103784		29.3	0.095	17.60	5.3	<0.001	0.01	2.80	3.2	0.5	0.3	22.6	<0.01	0.03	6.9	0.041
AUX0103785		24.3	0.058	25.9	6.0	<0.001	0.01	2.10	2.9	0.6	0.3	13.6	<0.01	0.04	5.4	0.023
AUX0103786		34.2	0.090	47.1	6.5	<0.001	0.02	4.05	2.9	0.7	0.3	16.4	<0.01	0.05	7.4	0.017
AUX0103787		25.7	0.047	24.9	6.6	<0.001	0.01	1.795	3.7	0.8	0.4	16.1	<0.01	0.03	5.5	0.028
AUX0103788		53.0	0.104	76.5	8.4	<0.001	0.02	6.08	3.9	1.3	0.3	15.7	<0.01	0.08	7.3	0.017
AUX0103789		32.4	0.059	33.7	6.7	<0.001	0.02	3.53	3.6	1.0	0.3	10.9	<0.01	0.05	5.3	0.027
AUX0103790		23.6	0.053	25.4	8.1	<0.001	0.02	2.02	2.0	0.6	0.4	13.1	<0.01	0.04	1.6	0.027
AUX0103791		21.1	0.054	12.10	6.7	<0.001	0.02	1.165	3.0	0.6	0.4	20.6	<0.01	0.04	3.3	0.048
AUX0103792		24.7	0.059	23.4	6.1	<0.001	0.02	1.925	3.1	0.7	0.3	15.7	<0.01	0.04	3.8	0.038
AUX0103793		35.6	0.085	38.6	7.6	<0.001	0.01	3.24	3.7	0.9	0.3	18.8	<0.01	0.05	7.8	0.029
AUX0103794		34.2	0.067	24.4	5.6	<0.001	0.01	2.34	3.6	0.8	0.3	22.1	<0.01	0.05	7.3	0.031
AUX0103795		42.2	0.065	29.6	6.0	<0.001	0.01	2.29	3.4	0.9	0.3	22.2	<0.01	0.04	9.9	0.018
AUX0103796		36.0	0.061	27.0	5.7	<0.001	0.01	2.30	3.1	0.8	0.3	24.4	<0.01	0.04	10.0	0.024
AUX0103797		45.8	0.068	29.1	4.9	<0.001	0.02	2.58	2.9	0.9	0.2	20.2	<0.01	0.05	18.9	0.018
AUX0103798		36.8	0.088	28.4	7.1	<0.001	0.02	2.81	3.5	0.9	0.3	34.7	<0.01	0.05	5.7	0.019
AUX0103799		26.1	0.091	16.00	8.7	<0.001	0.04	1.015	3.1	1.1	0.4	38.8	<0.01	0.03	1.5	0.023
AUX0103800		26.8	0.085	18.80	9.4	<0.001	0.04	1.080	3.4	1.4	0.5	30.8	<0.01	0.02	1.5	0.023
AUX0103801		30.9	0.090	22.3	7.8	<0.001	0.03	1.400	4.5	1.1	0.4	40.1	<0.01	0.04	4.7	0.029
AUX0103802		18.6	0.074	11.70	7.6	<0.001	0.04	0.690	3.0	0.7	0.4	21.9	<0.01	0.02	2.5	0.026
AUX0103803		22.7	0.075	12.50	4.7	<0.001	0.02	0.814	3.4	1.2	0.3	30.8	<0.01	0.01	4.0	0.027
AUX0103804		24.1	0.069	13.45	6.3	<0.001	0.03	0.771	3.4	0.7	0.3	25.1	<0.01	0.03	2.8	0.023
AUX0103805		16.0	0.025	15.10	8.6	<0.001	0.01	4.34	2.1	0.5	0.2	7.3	<0.01	0.01	7.3	0.019
AUX0103806		20.8	0.037	15.65	7.8	<0.001	0.01	15.10	2.4	0.4	0.3	7.1	<0.01	0.01	5.8	0.019
AUX0103807		10.2	0.030	14.70	8.0	0.001	0.01	4.94	1.2	0.2	0.3	4.2	<0.01	0.01	4.4	0.016

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103768		0.11	0.68	33	0.214	9.99	64.2	<0.5
AUX0103769		0.08	0.62	36	0.308	4.63	53.7	<0.5
AUX0103770		0.08	0.70	39	0.214	4.88	57.7	<0.5
AUX0103771		0.06	0.63	22	0.128	5.24	60.9	<0.5
AUX0103772		0.09	0.66	31	0.340	5.06	59.7	<0.5
AUX0103773		0.06	0.80	32	0.215	6.65	72.0	0.8
AUX0103774		0.08	1.00	35	0.161	6.23	61.2	0.6
AUX0103775		0.08	0.93	34	0.187	5.32	54.8	0.5
AUX0103776		0.10	1.05	39	0.207	6.40	60.0	0.6
AUX0103777		0.08	0.84	38	0.360	5.06	54.2	0.6
AUX0103778		0.08	0.73	32	0.252	4.72	57.6	0.7
AUX0103779		0.08	1.02	42	0.231	7.53	66.1	2.0
AUX0103780		0.09	1.17	49	0.244	9.04	78.4	2.6
AUX0103781		0.09	0.98	42	0.217	9.30	81.1	2.3
AUX0103782		0.08	0.76	40	0.201	8.26	77.3	2.4
AUX0103783		0.09	0.71	34	0.167	6.73	72.7	1.1
AUX0103784		0.10	0.62	27	0.143	8.58	81.7	8.0
AUX0103785		0.13	0.62	29	0.130	6.84	75.7	1.2
AUX0103786		0.16	0.40	24	0.0772	7.97	122.0	2.5
AUX0103787		0.11	0.92	34	0.166	8.48	70.2	1.2
AUX0103788		0.23	0.54	28	0.0896	10.75	196.5	1.3
AUX0103789		0.13	0.64	31	0.141	9.96	101.0	0.9
AUX0103790		0.11	0.67	30	0.157	5.56	69.3	0.5
AUX0103791		0.07	0.69	35	0.190	6.81	59.3	1.5
AUX0103792		0.08	0.68	33	0.174	8.08	76.3	0.6
AUX0103793		0.16	0.68	32	0.129	8.56	118.0	2.9
AUX0103794		0.09	0.71	31	0.148	9.09	88.2	2.2
AUX0103795		0.08	0.81	27	0.108	10.10	83.8	2.2
AUX0103796		0.07	0.85	26	0.120	9.27	87.3	1.5
AUX0103797		0.07	0.84	20	0.0706	11.35	104.5	10.8
AUX0103798		0.07	1.72	29	0.127	10.20	108.0	1.3
AUX0103799		0.10	1.65	36	0.226	8.52	82.4	<0.5
AUX0103800		0.11	1.93	40	0.209	9.60	89.3	<0.5
AUX0103801		0.08	1.29	40	0.223	10.30	97.8	1.3
AUX0103802		0.09	1.19	37	0.218	5.95	61.1	<0.5
AUX0103803		0.06	0.88	32	0.215	7.20	66.3	1.0
AUX0103804		0.10	1.91	37	0.260	6.69	77.3	0.5
AUX0103805		0.09	0.75	20	0.133	6.52	44.9	0.9
AUX0103806		0.10	0.39	25	0.224	3.97	58.8	1.3
AUX0103807		0.08	0.22	26	0.155	1.75	44.3	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103808		0.24	0.0072	0.347	1.46	168.0	<10	387	0.47	0.41	0.13	0.21	31.8	16.9	25.7	1.10
AUX0103809		0.38	0.0010	0.056	0.76	12.45	<10	122.5	0.18	0.13	0.13	0.05	20.1	3.6	14.8	0.37
AUX0103810		0.32	0.0042	0.148	0.83	95.1	<10	277	0.32	0.24	0.27	0.18	29.3	6.6	16.9	0.41
AUX0103811		0.28	0.0049	0.125	1.02	63.6	<10	223	0.30	0.22	0.17	0.13	28.2	6.7	19.4	0.45
AUX0103812		0.32	0.0017	0.098	1.12	39.9	<10	301	0.36	0.21	0.27	0.09	27.9	6.8	23.0	0.48
AUX0103813		0.32	0.0087	0.156	1.20	56.9	<10	351	0.45	0.25	0.27	0.11	33.3	8.1	23.8	0.51
AUX0103814		0.28	0.0036	0.143	1.26	42.8	<10	321	0.44	0.23	0.22	0.10	32.2	8.6	25.3	0.54
AUX0103815		0.26	0.0024	0.194	1.16	25.9	<10	233	0.28	0.19	0.15	0.15	23.9	5.0	20.3	0.59
AUX0103816		0.28	0.0019	0.082	1.17	29.9	<10	331	0.35	0.25	0.26	0.17	23.5	6.8	21.0	0.56
AUX0103817		0.38	0.0047	0.220	1.14	77.5	<10	375	0.45	0.28	0.38	0.23	34.8	10.9	22.0	0.55
AUX0103818		0.30	0.0100	0.202	0.82	28.9	<10	308	0.25	0.18	0.36	0.41	34.6	8.3	16.7	0.48
AUX0103819		0.28	0.0066	0.195	0.94	47.6	<10	349	0.27	0.18	0.38	0.19	26.6	9.3	17.7	0.52
AUX0103820		0.30	0.0071	0.245	0.88	61.8	<10	402	0.38	0.16	0.41	0.49	28.8	10.2	17.1	0.46
AUX0103821		0.26	0.0046	0.170	0.84	42.3	<10	265	0.23	0.16	0.44	0.19	22.5	5.7	16.6	0.50
AUX0103822		0.28	0.0037	0.230	1.02	36.3	<10	349	0.34	0.22	0.79	0.35	28.4	10.2	19.6	0.50
AUX0103823		0.26	0.0048	0.331	0.83	63.8	<10	228	0.20	0.29	0.57	0.19	30.2	6.8	15.9	0.60
AUX0103824		0.30	0.0099	0.343	0.89	76.7	<10	266	0.30	0.29	0.36	0.15	41.1	10.5	15.5	0.60
AUX0103825		0.38	0.0103	0.299	0.96	76.7	<10	276	0.31	0.30	0.33	0.20	43.4	7.9	17.0	0.65
AUX0103826		0.22	0.0067	0.242	1.07	29.3	<10	343	0.26	0.22	0.37	0.11	26.9	11.0	20.2	0.65
AUX0103827		0.32	0.0058	0.321	0.95	34.6	<10	328	0.25	0.17	0.47	0.39	27.8	12.4	18.8	0.52
AUX0103828		0.34	0.0050	0.185	0.94	28.5	<10	295	0.24	0.15	0.37	0.23	26.0	7.6	18.1	0.54
AUX0103829		0.40	0.0064	0.465	1.03	66.2	<10	289	0.31	0.25	0.35	0.18	34.0	8.5	19.7	0.59
AUX0103830		0.34	0.0063	0.290	1.06	11.05	<10	273	0.23	0.17	0.35	0.14	27.9	4.3	19.5	0.61
AUX0103831		0.36	0.0056	0.159	0.87	44.2	<10	174.5	0.20	0.20	0.27	0.15	25.8	7.1	17.7	0.48
AUX0103832		0.20	0.0087	0.325	1.04	57.0	<10	271	0.26	0.21	0.45	0.30	30.2	10.3	19.4	0.64
AUX0103833		0.40	0.0056	0.412	1.05	38.5	<10	251	0.33	0.20	0.36	0.19	33.0	8.5	19.9	0.60
AUX0103834		0.34	0.0045	0.352	1.17	25.8	<10	268	0.24	0.20	0.27	0.19	32.9	7.5	21.2	0.71
AUX0103835		0.34	0.0013	0.270	1.06	13.90	<10	283	0.24	0.18	0.23	0.23	29.5	5.5	20.2	0.67
AUX0103836		0.34	0.0036	0.304	1.27	17.40	<10	336	0.38	0.21	0.25	0.24	32.0	6.3	28.4	0.67
AUX0103837		0.32	0.0022	0.348	1.35	27.3	<10	367	0.35	0.19	0.34	0.27	32.3	11.1	31.2	0.65
AUX0103838		0.38	0.0040	0.324	1.31	31.3	<10	353	0.34	0.19	0.36	0.24	34.4	11.4	31.6	0.60
AUX0103839		0.30	0.0032	0.243	1.16	32.3	<10	377	0.36	0.16	0.42	0.31	32.1	9.6	25.9	0.60
AUX0103840		0.36	0.0045	0.331	1.36	27.0	<10	342	0.36	0.21	0.31	0.41	35.1	10.5	30.7	0.67
AUX0103841		0.30	0.0029	0.262	1.48	11.75	<10	472	0.34	0.17	0.43	0.41	32.4	11.7	39.4	0.68
AUX0103842		0.42	0.0032	0.242	1.32	21.2	<10	389	0.39	0.20	0.36	0.31	38.0	12.3	32.8	0.60
AUX0103843		0.38	0.0030	0.308	1.35	20.9	<10	271	0.33	0.19	0.38	0.29	38.4	12.5	49.8	0.55
AUX0103844		0.42	0.0050	0.623	1.38	51.5	<10	352	0.45	0.25	0.35	0.48	41.2	13.6	25.5	0.70
AUX0103845		0.30	0.0038	0.541	1.13	43.7	<10	228	0.37	0.20	0.23	0.30	39.6	9.6	21.1	0.59
AUX0103846		0.34	0.0031	0.171	1.11	19.65	<10	189.0	0.29	0.18	0.14	0.16	38.1	6.1	19.6	0.55
AUX0103847		0.28	0.0031	0.322	1.20	36.5	<10	174.5	0.33	0.24	0.13	0.17	42.5	8.6	19.9	0.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103808		29.5	3.25	4.37	0.11	<0.02	0.028	0.023	0.04	18.2	17.3	0.34	801	1.54	0.01	0.59
AUX0103809		11.50	1.57	2.50	0.10	0.02	0.005	0.010	0.02	9.3	9.0	0.24	104	0.68	0.01	0.44
AUX0103810		24.0	2.11	2.64	0.11	0.04	0.022	0.013	0.03	15.6	11.5	0.30	279	0.74	0.01	0.51
AUX0103811		20.5	2.12	3.10	0.10	0.02	0.027	0.014	0.03	14.0	12.7	0.33	244	0.86	0.01	0.61
AUX0103812		21.1	2.22	3.40	0.11	0.03	0.062	0.023	0.03	12.7	11.8	0.37	285	0.93	0.02	0.66
AUX0103813		27.0	2.49	3.76	0.12	0.02	0.033	0.019	0.03	17.1	14.4	0.40	353	0.99	0.02	0.67
AUX0103814		25.3	2.49	3.99	0.11	0.05	0.029	0.019	0.03	16.6	14.7	0.41	345	0.97	0.01	0.73
AUX0103815		14.70	2.06	4.17	0.10	0.04	0.022	0.015	0.03	12.1	11.6	0.30	154	0.97	0.01	0.81
AUX0103816		20.4	2.19	3.88	0.10	<0.02	0.017	0.018	0.04	11.3	10.8	0.29	245	1.05	0.01	0.31
AUX0103817		27.9	2.49	3.49	0.11	0.04	0.030	0.018	0.04	16.3	14.8	0.36	351	1.04	0.01	0.63
AUX0103818		16.65	1.68	2.52	0.11	0.04	0.026	0.010	0.04	17.3	11.0	0.27	205	0.50	0.01	0.45
AUX0103819		13.10	2.38	2.90	0.11	0.03	0.090	0.013	0.03	12.5	10.7	0.29	503	0.83	0.02	0.55
AUX0103820		21.6	4.05	2.51	0.12	0.04	0.039	0.014	0.03	14.3	9.1	0.23	434	1.60	0.02	0.54
AUX0103821		12.10	1.98	2.83	0.11	0.04	0.027	0.015	0.03	10.4	10.6	0.28	262	0.96	0.02	0.56
AUX0103822		18.00	2.31	3.18	0.12	0.03	0.063	0.015	0.05	13.4	12.2	0.34	986	1.00	0.02	0.62
AUX0103823		14.20	1.98	2.79	0.11	0.04	0.030	0.011	0.04	14.1	11.6	0.29	444	0.77	0.02	0.47
AUX0103824		29.2	2.42	2.75	0.12	0.05	0.034	0.014	0.04	21.1	11.8	0.29	500	0.84	0.01	0.44
AUX0103825		30.5	2.30	3.00	0.13	0.06	0.053	0.020	0.04	21.2	13.0	0.31	260	0.76	0.01	0.51
AUX0103826		13.30	2.00	3.66	0.11	0.02	0.014	0.015	0.03	12.4	12.4	0.33	608	0.96	0.02	0.69
AUX0103827		15.60	2.08	3.18	0.10	0.02	0.049	0.015	0.04	12.3	10.6	0.31	1160	0.96	0.02	0.59
AUX0103828		13.65	1.79	3.26	0.11	0.03	0.018	0.013	0.03	12.6	10.8	0.30	431	0.74	0.02	0.66
AUX0103829		24.1	2.45	3.27	0.12	0.04	0.053	0.014	0.04	17.7	12.1	0.32	366	1.05	0.02	0.53
AUX0103830		15.95	1.33	3.44	0.10	0.03	0.026	0.015	0.03	13.8	12.5	0.31	100	0.33	0.02	0.54
AUX0103831		12.90	2.08	2.72	0.11	0.03	0.010	0.017	0.03	12.0	11.0	0.30	292	0.90	0.01	0.50
AUX0103832		17.50	2.14	3.28	0.11	0.02	0.030	0.015	0.04	15.3	12.7	0.35	439	0.82	0.02	0.51
AUX0103833		19.45	2.06	3.29	0.11	0.02	0.052	0.017	0.04	16.4	12.3	0.32	320	0.96	0.01	0.49
AUX0103834		16.25	2.10	3.61	0.11	0.02	0.035	0.016	0.04	17.2	14.1	0.34	250	0.92	0.01	0.56
AUX0103835		13.20	1.64	3.55	0.10	<0.02	0.040	0.016	0.04	14.2	11.0	0.29	151	0.72	0.02	0.50
AUX0103836		19.80	1.87	4.09	0.11	0.02	0.045	0.018	0.03	16.0	13.2	0.37	108	0.57	0.01	0.63
AUX0103837		21.5	2.60	4.16	0.10	0.02	0.052	0.018	0.03	15.7	13.8	0.42	593	1.20	0.01	0.61
AUX0103838		21.8	2.87	4.11	0.12	0.04	0.041	0.023	0.04	16.8	14.6	0.45	380	0.89	0.02	0.67
AUX0103839		21.6	2.73	3.58	0.05	0.03	0.072	0.021	0.03	16.0	13.8	0.35	560	0.86	<0.01	0.69
AUX0103840		24.7	2.43	4.35	0.06	0.03	0.049	0.025	0.04	17.1	17.1	0.40	345	1.18	<0.01	0.75
AUX0103841		22.7	2.23	4.53	0.06	0.04	0.051	0.022	0.04	16.6	18.6	0.52	360	0.59	<0.01	0.68
AUX0103842		21.9	2.72	4.04	0.06	0.04	0.056	0.022	0.04	19.1	16.5	0.43	437	0.99	<0.01	0.68
AUX0103843		27.2	2.59	4.17	0.06	0.03	0.043	0.022	0.04	19.2	18.5	0.57	354	0.68	<0.01	0.62
AUX0103844		41.8	2.80	3.96	0.07	0.03	0.055	0.027	0.06	20.8	14.7	0.41	444	1.65	<0.01	0.64
AUX0103845		33.1	2.43	3.45	0.06	0.02	0.037	0.025	0.05	19.3	12.5	0.35	328	1.37	<0.01	0.57
AUX0103846		21.8	2.15	3.53	0.05	<0.02	0.031	0.019	0.04	19.6	11.8	0.30	181	1.09	<0.01	0.55
AUX0103847		27.5	2.59	3.82	0.06	<0.02	0.035	0.022	0.05	20.8	12.1	0.33	453	1.39	<0.01	0.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103808		23.5	0.069	31.8	9.3	0.001	0.02	5.85	3.3	0.5	0.4	11.1	<0.01	0.04	3.6	0.018
AUX0103809		10.0	0.051	7.68	3.6	<0.001	0.01	0.714	1.3	0.4	0.2	9.5	<0.01	0.03	1.4	0.022
AUX0103810		15.6	0.056	13.65	3.7	<0.001	0.01	3.71	2.5	0.6	0.3	15.6	<0.01	0.02	4.6	0.026
AUX0103811		14.2	0.044	12.20	4.6	0.001	0.01	2.92	2.4	0.3	0.3	12.5	<0.01	0.04	4.0	0.027
AUX0103812		15.9	0.045	12.10	5.0	0.001	0.01	1.880	3.1	0.7	0.3	18.4	<0.01	0.02	3.9	0.033
AUX0103813		18.7	0.052	15.15	5.0	0.001	0.01	2.12	3.6	1.1	0.3	21.5	<0.01	0.01	4.0	0.032
AUX0103814		18.6	0.045	13.60	5.9	0.001	0.01	1.755	3.8	0.9	0.4	17.7	<0.01	0.02	4.7	0.036
AUX0103815		12.8	0.046	11.35	7.3	0.001	0.01	1.145	2.6	0.9	0.4	12.7	<0.01	0.03	3.8	0.027
AUX0103816		15.0	0.048	13.60	7.0	0.001	0.02	1.780	1.1	0.7	0.4	23.2	<0.01	0.01	0.3	0.017
AUX0103817		20.0	0.051	18.20	5.9	<0.001	0.02	4.42	3.3	0.7	0.3	22.6	<0.01	0.03	4.6	0.025
AUX0103818		15.9	0.068	12.70	5.8	0.001	0.07	3.58	2.0	1.0	0.2	28.2	<0.01	<0.01	4.3	0.016
AUX0103819		14.8	0.068	12.60	5.2	0.001	0.05	3.14	2.3	0.8	0.3	29.8	<0.01	0.02	3.1	0.019
AUX0103820		15.9	0.080	11.55	5.1	0.002	0.07	6.14	2.5	1.8	0.2	34.5	<0.01	0.04	2.6	0.018
AUX0103821		12.5	0.065	11.80	5.6	0.001	0.05	3.14	2.1	0.8	0.3	33.9	<0.01	<0.01	2.8	0.020
AUX0103822		16.6	0.075	13.40	7.2	0.002	0.06	3.76	2.6	1.3	0.3	56.5	<0.01	0.01	2.8	0.021
AUX0103823		13.1	0.057	16.95	8.1	0.001	0.03	5.92	1.9	1.1	0.3	40.6	<0.01	0.03	3.9	0.017
AUX0103824		18.9	0.059	21.1	6.5	0.001	0.03	7.27	2.4	1.4	0.2	25.9	<0.01	0.02	6.0	0.013
AUX0103825		20.9	0.067	25.6	6.7	0.001	0.02	7.97	2.5	1.0	0.3	23.1	<0.01	0.02	6.8	0.015
AUX0103826		15.1	0.054	11.65	6.8	<0.001	0.03	2.43	2.5	0.7	0.4	28.1	<0.01	0.02	2.9	0.021
AUX0103827		14.7	0.053	10.15	6.2	0.002	0.05	3.34	2.5	0.8	0.3	34.9	<0.01	0.01	2.6	0.019
AUX0103828		14.1	0.058	12.15	5.2	<0.001	0.03	3.00	2.4	0.6	0.3	27.5	<0.01	<0.01	2.9	0.025
AUX0103829		17.9	0.065	22.1	5.9	0.001	0.03	12.25	2.7	0.7	0.3	21.4	<0.01	0.03	4.8	0.020
AUX0103830		11.8	0.053	16.85	5.4	0.001	0.05	2.71	2.4	0.5	0.3	23.8	<0.01	<0.01	2.7	0.016
AUX0103831		13.5	0.062	27.2	4.7	0.002	0.02	5.19	1.6	0.4	0.2	19.2	<0.01	0.02	3.4	0.020
AUX0103832		17.5	0.065	18.85	6.2	0.001	0.03	5.23	2.4	0.6	0.3	31.2	<0.01	<0.01	3.4	0.017
AUX0103833		15.9	0.063	19.90	5.7	0.001	0.02	5.36	2.6	0.6	0.3	23.0	<0.01	0.03	3.4	0.017
AUX0103834		15.0	0.063	17.55	6.6	0.001	0.02	4.29	2.4	0.6	0.3	19.0	<0.01	0.02	3.1	0.019
AUX0103835		12.8	0.056	14.20	7.1	0.001	0.03	2.91	2.0	0.5	0.3	18.7	<0.01	0.02	1.8	0.017
AUX0103836		16.8	0.057	18.00	6.8	0.001	0.04	2.89	2.9	1.1	0.3	19.8	<0.01	<0.01	3.1	0.020
AUX0103837		22.6	0.067	16.30	6.8	0.001	0.04	2.71	3.1	1.2	0.3	29.2	<0.01	0.02	2.9	0.018
AUX0103838		24.8	0.067	17.25	6.0	0.001	0.04	2.60	3.4	1.0	0.3	28.9	<0.01	<0.01	3.9	0.022
AUX0103839		25.7	0.081	15.00	6.1	0.001	0.03	2.04	3.2	0.9	0.3	35.9	<0.01	0.03	2.9	0.022
AUX0103840		27.0	0.072	19.80	7.4	<0.001	0.03	2.73	3.6	1.0	0.3	26.9	<0.01	0.03	3.5	0.023
AUX0103841		32.5	0.068	15.35	7.6	<0.001	0.05	1.085	3.6	1.2	0.3	33.8	<0.01	0.02	3.2	0.023
AUX0103842		28.2	0.067	19.95	6.7	<0.001	0.02	1.425	3.6	1.3	0.3	28.6	<0.01	0.01	4.1	0.027
AUX0103843		35.6	0.078	19.05	5.8	<0.001	0.02	1.685	3.6	1.1	0.3	28.5	<0.01	0.02	5.0	0.030
AUX0103844		31.0	0.081	36.0	7.0	<0.001	0.01	2.71	3.9	1.1	0.3	26.2	<0.01	0.03	4.9	0.032
AUX0103845		22.7	0.074	30.0	5.9	<0.001	<0.01	2.27	3.0	0.6	0.3	15.7	<0.01	0.04	3.7	0.030
AUX0103846		17.8	0.059	20.9	5.9	<0.001	<0.01	1.385	2.3	0.7	0.3	10.4	<0.01	0.02	2.0	0.027
AUX0103847		21.4	0.065	27.0	7.1	<0.001	0.01	2.38	2.1	0.8	0.3	10.8	<0.01	0.03	1.8	0.027

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103808		0.13	0.73	37	0.236	9.54	90.0	<0.5
AUX0103809		0.05	0.36	25	0.159	3.21	41.2	<0.5
AUX0103810		0.05	0.38	24	0.151	6.55	60.6	1.3
AUX0103811		0.06	0.48	30	0.189	4.32	57.3	0.8
AUX0103812		0.06	0.56	35	0.253	6.17	54.0	1.0
AUX0103813		0.07	0.61	36	0.203	8.20	64.3	0.6
AUX0103814		0.06	0.70	39	0.216	7.63	61.0	1.7
AUX0103815		0.08	0.56	37	0.275	3.76	45.6	1.2
AUX0103816		0.08	0.65	37	0.220	4.14	50.5	<0.5
AUX0103817		0.07	0.82	32	0.247	7.60	68.0	1.3
AUX0103818		0.06	1.55	20	0.116	6.34	65.8	1.2
AUX0103819		0.07	1.07	30	0.244	5.75	56.8	0.8
AUX0103820		0.07	1.97	30	0.205	8.70	55.7	1.2
AUX0103821		0.06	1.30	27	0.617	4.65	54.3	0.9
AUX0103822		0.08	1.74	31	0.205	6.74	67.6	1.0
AUX0103823		0.08	0.74	24	0.141	3.76	62.2	0.9
AUX0103824		0.07	1.71	21	0.128	7.70	64.8	1.4
AUX0103825		0.08	1.51	23	0.135	7.86	71.0	1.8
AUX0103826		0.11	0.64	34	0.225	4.70	56.3	0.5
AUX0103827		0.06	0.96	27	0.303	5.39	61.2	0.6
AUX0103828		0.05	0.68	30	0.186	5.50	60.7	1.2
AUX0103829		0.09	0.83	29	0.464	6.81	64.8	1.2
AUX0103830		0.10	0.78	22	0.177	4.36	46.2	0.8
AUX0103831		0.08	0.49	26	0.498	3.74	60.4	0.7
AUX0103832		0.10	0.61	27	0.175	5.15	72.8	0.6
AUX0103833		0.08	0.63	29	0.563	5.35	62.4	0.6
AUX0103834		0.11	0.63	29	0.174	4.84	63.9	<0.5
AUX0103835		0.09	0.77	29	0.380	4.41	53.5	<0.5
AUX0103836		0.10	1.29	35	0.264	6.01	60.9	0.5
AUX0103837		0.10	1.56	36	0.210	7.08	68.0	0.7
AUX0103838		0.09	1.27	36	0.242	7.21	68.5	0.9
AUX0103839		0.08	1.61	33	0.231	8.67	61.4	0.9
AUX0103840		0.09	1.34	38	0.229	8.16	75.0	1.0
AUX0103841		0.09	1.35	34	0.175	9.08	84.7	1.2
AUX0103842		0.08	1.20	36	0.202	9.26	75.3	1.2
AUX0103843		0.07	1.10	35	0.221	8.98	72.8	1.2
AUX0103844		0.12	1.28	38	0.178	9.82	99.3	1.0
AUX0103845		0.10	0.76	32	0.147	8.57	78.1	0.7
AUX0103846		0.08	0.66	31	0.161	6.73	59.1	<0.5
AUX0103847		0.08	0.65	32	0.187	5.83	74.1	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0103848		0.30	0.0030	0.135	1.34	22.5	<10	214	0.38	0.21	0.16	0.15	46.4	7.6	22.8	0.61
AUX0103849		0.32	0.0032	0.207	1.39	32.1	<10	201	0.37	0.23	0.13	0.18	48.8	7.9	22.2	0.67
AUX0103850		0.32	0.0034	0.172	1.39	29.8	<10	171.5	0.36	0.23	0.11	0.16	48.6	7.2	21.8	0.70
AUX0103851		0.28	0.0029	0.203	1.28	29.3	<10	241	0.35	0.22	0.19	0.14	48.6	8.6	21.4	0.64
AUX0103852		0.32	0.0032	0.285	1.40	35.7	<10	471	0.51	0.24	0.17	0.11	53.6	12.2	23.4	0.73
AUX0103853		0.32	0.0031	0.155	1.29	26.3	<10	179.0	0.34	0.22	0.08	0.14	63.8	9.6	21.1	0.58
AUX0103854		0.32	0.0029	0.107	1.08	23.5	<10	147.0	0.26	0.18	0.11	0.14	51.6	7.0	18.4	0.47
AUX0103855		0.28	0.0024	0.175	1.26	19.45	<10	232	0.38	0.19	0.21	0.16	37.8	6.5	23.6	0.55
AUX0103856		0.40	0.0036	0.443	1.29	50.9	<10	300	0.41	0.23	0.33	0.35	48.9	11.6	27.2	0.62
AUX0103857		0.48	0.0016	0.960	1.50	81.5	<10	318	0.42	0.29	0.40	1.03	46.0	16.5	28.1	1.14
AUX0103858		0.44	0.0024	0.250	1.18	15.40	<10	298	0.33	0.16	0.21	0.18	39.4	7.2	21.2	0.59
AUX0103859		0.28	0.0019	0.094	1.15	11.25	<10	181.5	0.29	0.16	0.18	0.13	31.5	5.6	20.8	0.61
AUX0103860		0.32	0.0016	0.114	1.20	10.40	<10	302	0.38	0.16	0.30	0.16	32.4	7.1	23.6	0.56
AUX0103861		0.40	0.0036	0.129	1.26	11.80	<10	313	0.36	0.17	0.32	0.17	33.4	6.6	25.1	0.53
AUX0103862		0.34	0.0017	0.247	1.34	12.95	<10	338	0.40	0.18	0.34	0.21	29.7	7.1	24.4	0.63
AUX0103863		0.44	0.0017	0.164	1.14	12.20	<10	293	0.32	0.16	0.30	0.15	36.2	6.7	22.2	0.59
AUX0103864		0.38	0.0023	0.102	1.16	10.05	<10	232	0.28	0.16	0.25	0.11	32.0	6.2	20.6	0.67
AUX0103865		0.36	0.0016	0.110	1.11	11.35	<10	305	0.33	0.16	0.24	0.12	35.8	6.8	20.2	0.57
AUX0103866		0.32	0.0021	0.122	1.44	12.75	<10	328	0.38	0.20	0.25	0.14	35.7	7.9	24.6	0.74
AUX0103867		0.30	0.0013	0.100	1.23	11.80	<10	297	0.36	0.17	0.25	0.14	35.3	7.7	21.5	0.55
AUX0103868		0.44	0.0017	0.066	1.53	18.15	<10	322	0.45	0.21	0.19	0.17	36.8	8.4	27.3	0.77
AUX0103869		0.36	0.0019	0.086	1.37	23.5	<10	316	0.38	0.20	0.18	0.10	36.1	7.0	24.4	0.64
AUX0103870		0.32	0.0017	0.088	1.24	40.8	<10	225	0.36	0.20	0.18	0.09	30.8	6.9	21.1	0.57
AUX0103871		0.30	0.0041	0.055	1.29	90.3	<10	140.5	0.33	0.25	0.07	0.12	33.0	7.7	21.8	0.68
AUX0103872		0.32	0.0059	0.137	1.66	159.5	<10	179.0	0.48	0.32	0.09	0.13	40.9	11.5	26.8	1.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103848		25.2	2.37	3.97	0.07	0.04	0.031	0.021	0.05	22.3	14.3	0.37	279	1.20	<0.01	0.62
AUX0103849		28.4	2.72	4.20	0.07	<0.02	0.026	0.021	0.06	23.8	14.8	0.37	346	1.42	<0.01	0.64
AUX0103850		27.0	2.61	4.37	0.07	0.02	0.035	0.024	0.06	24.4	14.7	0.36	297	1.40	<0.01	0.68
AUX0103851		29.1	2.54	3.86	0.07	0.02	0.034	0.023	0.05	23.7	14.8	0.40	396	1.26	<0.01	0.50
AUX0103852		41.9	2.85	4.08	0.07	0.03	0.044	0.025	0.06	27.4	17.1	0.45	616	1.38	<0.01	0.42
AUX0103853		29.5	2.62	3.82	0.09	<0.02	0.035	0.018	0.05	31.8	15.7	0.41	381	1.13	<0.01	0.47
AUX0103854		25.4	2.23	3.18	0.07	<0.02	0.030	0.017	0.04	26.5	12.6	0.33	285	0.84	<0.01	0.52
AUX0103855		25.9	2.30	3.93	0.06	<0.02	0.043	0.019	0.04	19.1	13.2	0.35	206	0.98	<0.01	0.60
AUX0103856		36.1	2.72	3.79	0.08	0.04	0.042	0.026	0.06	25.0	14.0	0.40	532	1.82	<0.01	0.39
AUX0103857		59.1	3.30	4.06	0.07	0.14	0.046	0.032	0.14	22.3	17.5	0.54	858	2.45	<0.01	0.11
AUX0103858		27.9	2.34	3.60	0.06	0.03	0.033	0.022	0.04	19.7	13.6	0.36	319	0.99	<0.01	0.72
AUX0103859		19.05	2.11	3.59	0.05	<0.02	0.035	0.020	0.03	15.9	12.6	0.34	158	0.82	<0.01	0.47
AUX0103860		22.2	2.21	3.73	0.06	<0.02	0.032	0.019	0.04	16.5	12.3	0.36	220	0.84	<0.01	0.54
AUX0103861		21.3	2.25	3.89	0.05	0.02	0.025	0.022	0.04	16.4	12.7	0.37	227	1.09	<0.01	0.64
AUX0103862		24.5	2.44	3.96	0.05	0.02	0.037	0.024	0.04	16.1	14.5	0.38	190	0.86	<0.01	0.72
AUX0103863		22.1	2.09	3.44	0.05	0.02	0.031	0.019	0.03	18.4	12.3	0.34	216	0.86	<0.01	0.58
AUX0103864		19.50	1.96	3.60	0.05	<0.02	0.039	0.019	0.03	16.1	12.0	0.31	169	0.82	<0.01	0.55
AUX0103865		22.2	2.04	3.43	0.05	0.02	0.029	0.018	0.03	18.3	12.5	0.33	212	0.77	<0.01	0.64
AUX0103866		22.4	2.46	4.37	0.05	0.02	0.048	0.021	0.04	17.8	15.3	0.37	246	1.00	<0.01	0.79
AUX0103867		20.3	2.29	3.70	0.05	<0.02	0.065	0.020	0.03	17.0	14.5	0.34	225	0.98	<0.01	0.74
AUX0103868		25.2	2.71	4.77	0.06	0.02	0.046	0.024	0.04	17.6	16.4	0.42	262	1.17	<0.01	0.64
AUX0103869		23.1	2.45	4.22	0.06	<0.02	0.088	0.023	0.04	17.9	15.1	0.38	235	1.02	<0.01	0.61
AUX0103870		22.4	2.31	3.84	0.05	0.02	0.033	0.021	0.04	16.2	12.8	0.33	226	1.07	<0.01	0.78
AUX0103871		24.1	2.49	3.59	0.05	0.03	0.024	0.019	0.03	16.0	13.2	0.32	264	0.93	<0.01	0.81
AUX0103872		33.7	2.90	4.69	0.06	0.04	0.039	0.025	0.04	20.8	17.2	0.41	462	1.16	<0.01	0.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103848		20.9	0.042	23.1	7.1	<0.001	<0.01	1.685	3.2	0.6	0.4	13.6	<0.01	0.01	5.6	0.034
AUX0103849		23.3	0.054	27.6	8.3	<0.001	<0.01	2.27	2.8	0.7	0.4	11.3	<0.01	0.03	4.0	0.031
AUX0103850		21.6	0.052	26.8	8.7	<0.001	<0.01	2.11	2.7	0.6	0.4	9.9	<0.01	0.02	4.1	0.032
AUX0103851		23.1	0.056	24.1	7.2	<0.001	<0.01	2.08	3.0	0.5	0.3	15.2	<0.01	0.03	5.1	0.031
AUX0103852		31.9	0.058	30.4	7.2	<0.001	<0.01	2.81	3.9	0.7	0.3	14.8	<0.01	0.04	6.9	0.032
AUX0103853		21.4	0.046	26.3	7.6	<0.001	<0.01	2.21	2.5	0.5	0.3	8.1	<0.01	0.03	5.6	0.022
AUX0103854		19.1	0.049	19.70	5.4	<0.001	<0.01	2.49	2.4	0.4	0.2	8.9	<0.01	0.01	5.5	0.030
AUX0103855		21.3	0.062	20.6	6.3	<0.001	0.01	1.400	2.8	0.6	0.3	15.7	<0.01	0.02	1.8	0.032
AUX0103856		33.2	0.066	34.0	6.5	<0.001	<0.01	3.34	3.5	0.8	0.3	21.0	<0.01	0.03	6.8	0.034
AUX0103857		44.1	0.110	52.2	8.9	<0.001	0.01	3.22	4.0	0.7	0.3	19.7	<0.01	0.04	8.5	0.027
AUX0103858		22.4	0.064	16.75	5.6	<0.001	<0.01	0.968	3.5	0.8	0.3	17.0	<0.01	0.03	3.5	0.041
AUX0103859		18.2	0.076	12.00	6.0	<0.001	<0.01	0.554	1.8	0.7	0.3	14.4	<0.01	0.02	0.7	0.028
AUX0103860		20.0	0.069	11.10	5.8	<0.001	<0.01	0.565	2.5	0.7	0.4	23.1	<0.01	0.02	0.9	0.038
AUX0103861		20.2	0.068	14.05	6.2	<0.001	<0.01	0.614	3.2	0.8	0.4	21.9	<0.01	0.02	2.3	0.043
AUX0103862		23.9	0.072	17.15	6.5	<0.001	0.01	0.688	3.2	0.6	0.4	24.8	<0.01	0.02	2.0	0.034
AUX0103863		20.2	0.068	13.55	6.1	<0.001	<0.01	1.045	2.9	0.6	0.3	20.9	<0.01	0.03	2.2	0.036
AUX0103864		17.9	0.067	12.40	6.3	<0.001	0.01	0.687	2.1	0.4	0.3	18.9	<0.01	0.02	1.0	0.028
AUX0103865		20.3	0.064	10.40	5.7	<0.001	<0.01	1.045	3.0	0.6	0.3	20.0	<0.01	0.03	2.7	0.031
AUX0103866		21.9	0.064	15.00	7.9	<0.001	0.01	0.829	3.3	0.5	0.4	19.6	<0.01	0.03	2.6	0.029
AUX0103867		19.8	0.063	12.95	6.3	<0.001	0.01	0.680	3.1	0.7	0.3	18.1	<0.01	0.02	2.9	0.027
AUX0103868		23.1	0.087	14.65	9.5	<0.001	<0.01	0.738	3.2	1.0	0.4	17.6	<0.01	0.03	1.2	0.032
AUX0103869		20.8	0.064	13.15	7.4	<0.001	<0.01	0.963	2.8	0.5	0.4	16.2	<0.01	0.03	1.3	0.036
AUX0103870		20.5	0.045	12.15	6.2	<0.001	<0.01	1.750	3.1	0.5	0.4	15.6	<0.01	0.03	2.9	0.047
AUX0103871		19.5	0.033	17.15	6.8	<0.001	<0.01	5.69	2.7	0.5	0.3	7.4	<0.01	0.03	3.6	0.036
AUX0103872		25.0	0.029	23.1	9.3	<0.001	<0.01	3.91	4.3	0.6	0.4	10.9	<0.01	0.04	5.9	0.038

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103848		0.08	0.83	35	0.164	7.71	65.6	1.5
AUX0103849		0.10	0.63	35	0.152	6.94	74.9	0.5
AUX0103850		0.10	0.63	34	0.288	6.06	69.8	0.7
AUX0103851		0.09	0.64	33	0.339	8.24	72.5	0.6
AUX0103852		0.13	0.91	35	0.151	11.25	94.5	1.0
AUX0103853		0.09	0.69	28	0.112	8.17	71.4	<0.5
AUX0103854		0.07	0.55	26	0.218	7.76	63.7	0.6
AUX0103855		0.07	0.61	35	0.165	7.39	65.4	0.5
AUX0103856		0.08	0.60	31	0.149	9.65	94.0	1.6
AUX0103857		0.23	0.43	34	0.0899	9.42	153.5	8.0
AUX0103858		0.07	0.72	34	0.165	8.66	73.4	1.0
AUX0103859		0.07	0.72	35	0.235	6.20	57.2	<0.5
AUX0103860		0.07	0.68	39	0.202	7.68	58.1	<0.5
AUX0103861		0.06	0.77	41	0.204	7.45	62.8	0.6
AUX0103862		0.07	0.85	41	0.228	7.63	71.7	<0.5
AUX0103863		0.07	0.79	35	0.199	7.60	59.6	0.5
AUX0103864		0.08	0.71	33	0.241	6.06	50.9	<0.5
AUX0103865		0.06	0.83	32	0.161	8.05	54.0	<0.5
AUX0103866		0.09	0.95	40	0.216	7.44	66.7	<0.5
AUX0103867		0.07	0.93	36	0.189	7.05	61.6	0.5
AUX0103868		0.10	0.96	46	0.219	8.29	77.6	0.5
AUX0103869		0.08	0.69	42	0.223	7.10	62.0	<0.5
AUX0103870		0.07	0.61	39	0.181	6.54	59.3	1.2
AUX0103871		0.08	0.60	38	0.196	4.72	54.8	1.0
AUX0103872		0.12	0.54	43	0.189	7.39	67.2	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 1- NOV- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194146

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

CERTIFICATE WH11194147

Project: Aurex

P.O. No.: AUX09232011

This report is for 184 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0103873		0.30	0.0020	0.178	1.53	18.15	<10	153.0	0.31	0.21	0.09	0.13	24.0	5.7	23.9	0.90
AUX0103874		0.34	0.0025	0.117	1.85	66.3	<10	224	0.47	0.27	0.10	0.16	31.3	9.1	30.3	1.05
AUX0103875		0.44	0.0022	0.144	1.69	48.1	<10	211	0.47	0.23	0.10	0.16	26.3	9.0	28.3	0.85
AUX0103876		0.28	0.0041	0.077	1.78	65.7	<10	209	0.54	0.28	0.10	0.16	31.5	12.4	32.7	0.91
AUX0103877		0.26	0.0056	0.116	1.65	66.5	<10	123.0	0.27	0.31	0.12	0.17	21.8	8.1	33.4	0.94
AUX0103878		0.24	0.0016	0.162	1.15	62.3	<10	136.0	0.22	0.27	0.13	0.55	24.1	5.4	19.9	0.80
AUX0103879		0.34	0.0070	0.214	1.45	204	<10	144.0	0.30	0.49	0.19	0.25	31.0	10.7	25.8	1.05
AUX0103880		0.22	0.0094	0.446	1.41	308	<10	291	0.46	0.59	0.47	0.39	34.0	13.5	29.2	1.19
AUX0103881		0.24	0.0127	0.339	1.30	468	<10	179.5	0.43	0.94	0.31	0.73	48.4	17.5	24.6	1.07
AUX0103882		0.30	0.0033	0.137	1.23	55.9	<10	187.5	0.46	0.24	0.16	0.10	30.1	8.7	21.0	0.72
AUX0103883		0.42	0.0207	1.385	2.16	239	<10	507	0.77	0.62	0.96	1.11	61.9	18.7	39.7	1.29
AUX0103884		0.44	0.0128	0.243	0.89	38.0	<10	264	0.25	0.17	0.27	0.33	28.5	5.4	19.2	0.55
AUX0103885		0.44	0.0078	0.423	1.46	37.8	<10	385	0.41	0.25	0.32	0.35	34.9	10.7	31.4	0.87
AUX0103886		0.34	0.0062	0.255	0.91	27.0	<10	283	0.25	0.14	0.27	0.26	29.3	10.0	17.9	0.56
AUX0103887		0.38	0.0060	0.232	0.87	12.45	<10	226	0.24	0.14	0.32	0.20	30.1	4.4	16.7	0.61
AUX0103888		0.50	0.0061	0.311	1.17	55.4	<10	307	0.45	0.20	0.26	0.17	34.4	9.0	23.0	0.73
AUX0103889		0.42	0.0080	0.245	1.15	38.4	<10	298	0.27	0.19	0.27	0.18	28.6	6.4	22.9	0.65
AUX0103890		0.24	0.0068	0.300	1.01	43.2	<10	270	0.22	0.20	0.38	0.25	25.0	10.4	20.6	0.64
AUX0103891		0.34	0.0068	0.296	0.96	34.6	<10	237	0.19	0.17	0.44	0.19	24.9	7.9	21.1	0.62
AUX0103892		0.26	0.0063	0.173	0.91	22.1	<10	175.0	0.17	0.17	0.31	0.15	24.0	5.6	19.9	0.61
AUX0103893		0.60	0.0090	0.250	0.88	54.4	<10	243	0.21	0.19	0.35	0.25	28.1	8.2	20.0	0.55
AUX0103894		0.38	0.0035	0.190	1.06	18.05	<10	287	0.22	0.17	0.38	0.21	25.5	5.0	23.6	0.55
AUX0103895		0.34	0.0075	0.365	1.23	24.9	<10	331	0.28	0.20	0.39	0.24	29.5	15.1	26.4	0.69
AUX0103896		0.42	0.0041	0.312	1.23	39.5	<10	285	0.34	0.19	0.36	0.26	27.3	7.2	26.7	0.69
AUX0103897		0.46	0.0038	0.350	1.17	25.1	<10	272	0.29	0.18	0.34	0.20	32.7	6.9	23.6	0.72
AUX0103898		0.44	0.0036	0.380	1.19	24.9	<10	309	0.33	0.17	0.30	0.24	30.7	8.5	25.1	0.75
AUX0103899		0.36	0.0018	0.288	1.18	32.0	<10	289	0.37	0.17	0.27	0.20	32.6	10.0	28.0	0.68
AUX0103900		0.42	0.0017	0.307	1.08	42.0	<10	240	0.33	0.17	0.27	0.26	34.3	9.0	26.3	0.64
AUX0103901		0.46	0.0046	0.388	1.33	96.9	<10	337	0.39	0.29	0.26	0.25	35.3	12.8	38.9	0.64
AUX0103902		0.48	0.0019	0.590	1.28	38.6	<10	364	0.40	0.20	0.37	0.41	33.0	12.5	28.6	0.69
AUX0103903		0.46	0.0025	0.255	1.29	22.2	<10	392	0.39	0.16	0.41	0.38	30.3	11.2	31.7	0.67
AUX0103904		0.42	0.0021	0.250	1.42	21.0	<10	349	0.39	0.18	0.25	0.35	31.6	10.6	41.2	0.62
AUX0103905		0.46	0.0013	0.232	1.62	17.30	<10	376	0.47	0.16	0.36	0.27	34.8	14.8	63.9	0.56
AUX0103906		0.40	0.0016	0.372	1.60	16.65	<10	410	0.50	0.18	0.43	0.62	45.5	17.6	54.9	0.58
AUX0103907		0.52	0.0014	0.406	1.64	24.4	<10	256	0.38	0.23	0.34	0.32	41.4	17.0	59.8	0.68
AUX0103908		0.50	0.0028	0.288	1.76	21.7	<10	226	0.35	0.22	0.40	0.28	45.9	15.9	69.0	0.60
AUX0103909		0.34	0.0040	0.334	1.65	40.0	<10	139.5	0.30	0.39	0.29	0.26	72.8	25.9	59.1	0.69
AUX0103910		0.32	0.0044	0.243	1.57	24.9	<10	179.0	0.28	0.19	0.26	0.20	42.7	17.4	76.7	0.58
AUX0103911		0.30	0.0034	0.194	1.36	29.1	<10	187.5	0.31	0.29	0.18	0.15	33.4	8.9	23.3	0.71
AUX0103912		0.30	0.0035	0.238	0.98	44.5	<10	208	0.38	0.19	0.12	0.24	48.8	9.7	17.8	0.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103873		13.45	2.51	5.75	<0.05	0.04	<0.005	0.021	0.03	12.4	12.1	0.31	155	1.15	0.02	1.07
AUX0103874		29.7	3.05	4.95	<0.05	0.17	0.021	0.026	0.04	15.8	18.1	0.44	230	1.12	0.03	0.81
AUX0103875		27.7	2.69	4.48	<0.05	0.07	0.034	0.022	0.04	13.6	15.5	0.42	228	1.07	0.02	0.81
AUX0103876		32.8	3.08	5.17	<0.05	0.11	0.031	0.024	0.05	15.6	17.5	0.49	391	1.36	0.02	0.82
AUX0103877		27.5	3.46	5.64	<0.05	0.04	0.010	0.026	0.05	11.1	13.5	0.49	258	1.73	0.02	1.24
AUX0103878		17.60	2.25	4.76	<0.05	<0.02	0.010	0.019	0.04	12.9	10.3	0.28	159	1.18	0.02	0.84
AUX0103879		37.8	3.36	4.38	<0.05	0.04	0.011	0.026	0.05	15.6	15.5	0.44	413	1.49	0.02	0.75
AUX0103880		46.3	3.40	3.96	<0.05	0.06	0.029	0.027	0.05	16.4	15.4	0.50	746	1.50	0.02	0.59
AUX0103881		68.8	4.12	3.49	0.06	0.06	0.038	0.034	0.06	21.4	17.0	0.44	725	1.75	0.02	0.39
AUX0103882		22.9	2.42	3.58	<0.05	0.03	0.048	0.019	0.03	15.3	13.7	0.35	227	0.89	0.02	0.67
AUX0103883		60.9	4.57	6.40	0.08	0.07	0.094	0.039	0.08	32.3	30.9	0.71	1040	1.66	0.03	0.82
AUX0103884		18.25	1.70	2.61	0.11	0.03	0.039	0.016	0.03	14.7	9.9	0.30	127	0.59	0.01	0.39
AUX0103885		23.5	2.51	4.58	0.06	0.03	0.048	0.024	0.05	17.8	16.3	0.49	241	1.02	0.02	0.74
AUX0103886		14.15	1.81	2.68	<0.05	0.02	0.026	0.014	0.03	14.8	9.5	0.29	281	0.68	0.02	0.53
AUX0103887		16.10	1.29	2.82	<0.05	0.02	0.029	0.015	0.03	15.3	9.9	0.28	162	0.34	0.02	0.56
AUX0103888		20.8	2.68	3.57	<0.05	0.03	0.044	0.020	0.04	18.1	12.7	0.35	437	1.14	0.03	0.66
AUX0103889		17.30	2.39	3.49	<0.05	0.04	0.041	0.018	0.04	14.6	12.8	0.38	155	0.39	0.02	0.66
AUX0103890		13.05	2.07	3.17	<0.05	0.02	0.057	0.017	0.04	13.5	10.3	0.33	774	0.82	0.02	0.54
AUX0103891		12.65	1.98	3.00	<0.05	0.02	0.039	0.016	0.04	12.1	10.1	0.35	445	0.86	0.02	0.50
AUX0103892		8.57	1.57	3.16	<0.05	0.02	0.023	0.014	0.04	12.7	10.3	0.33	191	0.55	0.02	0.54
AUX0103893		17.20	2.17	2.88	<0.05	0.04	0.019	0.016	0.04	14.5	10.1	0.34	286	0.92	0.02	0.56
AUX0103894		15.60	1.90	3.30	<0.05	0.03	0.015	0.016	0.04	12.8	10.5	0.35	141	0.47	0.02	0.58
AUX0103895		18.35	2.31	3.88	<0.05	0.03	0.031	0.020	0.04	13.8	13.5	0.41	1320	0.94	0.03	0.60
AUX0103896		18.55	3.00	3.78	<0.05	0.04	0.053	0.023	0.04	13.7	12.6	0.38	308	1.11	0.03	0.64
AUX0103897		19.70	2.09	3.79	<0.05	0.02	0.043	0.019	0.04	16.6	12.3	0.37	163	0.83	0.02	0.63
AUX0103898		19.50	2.18	3.98	<0.05	0.02	0.031	0.020	0.04	16.0	12.3	0.36	205	0.83	0.02	0.65
AUX0103899		30.3	2.40	4.08	0.11	0.02	0.060	0.018	0.04	15.9	12.5	0.38	265	1.09	0.02	0.67
AUX0103900		30.0	2.37	3.81	0.10	0.03	0.038	0.021	0.04	16.9	12.6	0.40	214	1.10	0.02	0.60
AUX0103901		34.9	3.06	4.44	0.11	0.04	0.064	0.022	0.04	17.8	14.7	0.51	237	1.12	0.02	0.70
AUX0103902		36.9	2.58	4.11	0.12	0.06	0.057	0.021	0.06	16.8	13.8	0.43	515	1.32	0.02	0.65
AUX0103903		24.7	2.80	4.57	0.11	0.03	0.061	0.024	0.04	15.0	13.9	0.40	454	1.21	0.02	0.72
AUX0103904		25.4	2.59	4.97	0.11	0.04	0.066	0.026	0.03	16.2	16.6	0.51	210	0.97	0.02	0.77
AUX0103905		35.5	3.10	5.64	0.12	0.05	0.052	0.023	0.04	18.1	19.2	0.78	601	0.95	0.02	0.67
AUX0103906		46.0	2.81	5.85	0.12	0.06	0.055	0.026	0.04	23.0	19.9	0.80	770	0.81	0.02	0.59
AUX0103907		37.6	2.98	5.80	0.12	0.04	0.055	0.025	0.05	21.8	19.6	0.82	611	0.99	0.02	0.56
AUX0103908		45.9	3.18	6.26	0.12	0.04	0.062	0.022	0.05	23.1	21.0	0.97	551	0.85	0.02	0.63
AUX0103909		80.7	4.16	5.86	0.16	0.21	0.036	0.023	0.07	36.3	21.9	0.91	1340	1.15	0.01	0.13
AUX0103910		48.9	3.17	5.58	0.13	0.03	0.025	0.026	0.05	23.3	19.8	0.93	592	0.88	0.01	0.34
AUX0103911		31.4	2.57	4.15	0.10	0.03	0.027	0.024	0.05	17.1	14.6	0.36	329	1.19	0.01	0.59
AUX0103912		35.9	2.52	3.28	0.12	<0.02	0.047	0.024	0.04	24.6	11.8	0.32	500	1.35	0.02	0.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103873		14.4	0.025	11.60	9.1	0.001	<0.01	0.678	2.4	0.7	0.5	8.6	<0.01	0.02	3.3	0.040
AUX0103874		23.6	0.018	19.30	10.3	<0.001	<0.01	2.38	3.2	0.6	0.5	9.2	<0.01	0.02	6.1	0.042
AUX0103875		23.2	0.016	17.00	9.0	<0.001	<0.01	1.790	3.0	0.7	0.4	9.5	<0.01	<0.01	5.2	0.041
AUX0103876		26.8	0.019	19.80	10.4	0.001	<0.01	2.35	3.4	0.7	0.5	11.2	<0.01	0.01	6.2	0.046
AUX0103877		24.3	0.031	14.35	8.5	<0.001	<0.01	2.29	3.0	0.7	0.5	12.0	<0.01	0.01	3.7	0.057
AUX0103878		14.1	0.030	13.80	8.8	<0.001	<0.01	1.790	1.9	0.5	0.4	11.7	<0.01	0.01	2.8	0.033
AUX0103879		25.4	0.029	24.6	9.4	<0.001	<0.01	5.74	2.5	0.7	0.4	11.1	<0.01	0.02	5.6	0.026
AUX0103880		29.7	0.040	39.9	10.5	<0.001	0.01	17.35	3.2	0.9	0.3	19.4	<0.01	0.04	6.0	0.022
AUX0103881		36.3	0.048	73.7	10.8	0.001	0.01	73.8	2.4	1.0	0.2	13.2	<0.01	0.05	8.5	0.011
AUX0103882		19.1	0.017	15.75	7.7	0.001	<0.01	5.43	2.2	0.3	0.3	9.3	<0.01	0.02	4.6	0.024
AUX0103883		41.8	0.118	66.6	14.1	0.002	0.07	22.2	4.4	2.1	0.5	55.3	<0.01	0.05	6.1	0.020
AUX0103884		16.4	0.071	15.00	5.2	0.001	0.04	3.33	2.3	0.8	0.2	21.5	<0.01	0.03	3.6	0.018
AUX0103885		22.8	0.077	21.6	10.4	<0.001	0.04	4.09	3.2	0.7	0.3	23.2	<0.01	<0.01	3.9	0.022
AUX0103886		15.8	0.058	13.45	5.5	0.001	0.02	3.84	2.0	0.4	0.2	16.8	<0.01	<0.01	3.2	0.023
AUX0103887		14.2	0.053	12.65	6.2	0.001	0.02	2.96	1.9	0.5	0.2	21.8	<0.01	<0.01	3.1	0.023
AUX0103888		19.2	0.064	18.80	7.7	<0.001	0.02	5.03	2.8	0.9	0.3	20.0	<0.01	0.02	4.6	0.024
AUX0103889		17.3	0.067	15.50	7.8	0.001	0.04	3.87	2.5	0.7	0.3	20.0	<0.01	0.02	4.0	0.022
AUX0103890		16.4	0.066	14.70	6.9	<0.001	0.03	2.93	2.1	0.6	0.2	25.4	<0.01	0.02	2.8	0.019
AUX0103891		15.3	0.060	14.05	6.7	0.001	0.03	3.26	1.9	0.8	0.2	25.9	<0.01	0.02	2.6	0.021
AUX0103892		13.6	0.055	11.85	7.1	<0.001	0.02	1.710	1.7	0.5	0.3	20.2	<0.01	0.01	2.4	0.021
AUX0103893		19.0	0.061	16.35	5.8	<0.001	0.01	3.43	2.1	0.8	0.2	21.2	<0.01	<0.01	3.8	0.023
AUX0103894		15.5	0.051	13.30	6.0	0.001	0.03	1.695	2.1	0.6	0.2	23.2	<0.01	0.01	3.1	0.023
AUX0103895		19.7	0.064	20.1	7.4	<0.001	0.03	2.44	2.6	0.6	0.3	26.6	<0.01	0.02	3.1	0.023
AUX0103896		18.2	0.080	17.80	7.5	<0.001	0.04	2.50	2.4	0.8	0.3	23.9	<0.01	0.02	2.7	0.021
AUX0103897		18.1	0.062	17.50	7.2	0.001	0.02	3.70	2.4	0.5	0.3	19.7	<0.01	0.01	3.6	0.024
AUX0103898		19.4	0.072	18.25	7.5	<0.001	0.02	2.39	2.7	0.8	0.3	20.2	<0.01	<0.01	3.2	0.023
AUX0103899		23.9	0.069	19.70	6.1	<0.001	0.02	2.70	3.1	1.0	0.3	19.8	<0.01	0.03	4.9	0.025
AUX0103900		22.3	0.072	19.60	5.4	<0.001	0.02	3.67	2.8	0.6	0.3	19.3	<0.01	0.06	5.4	0.026
AUX0103901		30.8	0.071	22.6	5.7	0.001	0.02	3.85	4.0	1.2	0.3	18.8	<0.01	0.03	6.5	0.031
AUX0103902		28.9	0.079	20.9	6.3	<0.001	0.02	3.53	3.6	0.8	0.3	24.6	<0.01	0.03	6.0	0.029
AUX0103903		26.2	0.074	15.65	6.8	<0.001	0.05	1.300	3.3	0.9	0.3	32.3	<0.01	0.05	3.2	0.023
AUX0103904		30.1	0.065	17.55	6.4	<0.001	0.04	1.300	3.6	1.2	0.3	21.5	<0.01	0.02	5.3	0.027
AUX0103905		41.6	0.072	14.90	6.1	0.001	0.03	1.160	4.0	0.9	0.3	25.6	<0.01	0.04	5.7	0.034
AUX0103906		46.2	0.073	18.25	6.6	0.001	0.03	1.440	4.4	1.6	0.3	31.8	<0.01	0.02	7.6	0.029
AUX0103907		37.4	0.084	28.4	7.2	<0.001	0.04	2.04	3.6	1.1	0.3	22.5	<0.01	0.04	6.8	0.033
AUX0103908		43.1	0.080	24.9	6.6	<0.001	0.03	1.885	3.8	0.5	0.2	26.1	<0.01	0.02	8.9	0.047
AUX0103909		69.0	0.071	37.0	6.8	<0.001	0.01	2.23	4.5	1.0	0.2	23.8	<0.01	0.04	15.3	0.042
AUX0103910		60.2	0.073	17.15	5.9	<0.001	<0.01	2.28	4.6	0.7	0.2	15.4	<0.01	0.02	6.5	0.051
AUX0103911		25.6	0.053	20.6	7.5	<0.001	<0.01	2.38	2.9	0.6	0.3	13.7	<0.01	0.03	5.3	0.027
AUX0103912		23.3	0.057	25.3	4.8	<0.001	0.01	3.67	2.8	0.7	0.3	9.6	<0.01	0.04	6.5	0.025

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103873		0.11	0.40	58	0.347	2.38	46.2	1.1
AUX0103874		0.11	0.53	50	0.239	4.08	68.5	5.1
AUX0103875		0.08	0.54	47	0.186	3.74	62.5	2.6
AUX0103876		0.09	0.58	55	0.192	4.56	80.8	3.6
AUX0103877		0.10	0.42	69	0.353	2.40	79.4	1.3
AUX0103878		0.07	0.40	43	0.201	2.14	51.0	0.5
AUX0103879		0.11	0.42	41	0.199	2.90	86.9	1.7
AUX0103880		0.10	0.78	36	0.225	5.16	93.6	2.2
AUX0103881		0.13	0.65	23	0.112	5.13	125.0	1.7
AUX0103882		0.09	0.52	32	0.138	3.08	56.0	1.4
AUX0103883		0.16	2.78	48	0.265	13.55	133.5	1.8
AUX0103884		0.06	1.07	24	0.171	6.21	53.9	0.9
AUX0103885		0.12	1.03	42	0.175	6.62	86.8	0.8
AUX0103886		0.07	0.84	25	0.779	5.34	57.2	0.5
AUX0103887		0.05	0.75	22	0.187	5.00	48.3	0.7
AUX0103888		0.08	0.99	35	0.299	6.53	61.7	1.0
AUX0103889		0.09	0.76	31	0.174	5.06	66.5	1.1
AUX0103890		0.08	0.85	29	0.277	4.52	61.5	0.5
AUX0103891		0.07	0.70	30	0.460	4.09	58.0	0.6
AUX0103892		0.07	0.52	28	0.177	3.19	55.3	0.5
AUX0103893		0.07	0.68	27	0.533	4.75	65.7	0.9
AUX0103894		0.09	0.85	30	0.330	4.99	56.3	0.8
AUX0103895		0.10	0.89	36	0.204	5.22	68.9	0.8
AUX0103896		0.09	0.92	40	0.225	5.25	64.2	0.9
AUX0103897		0.10	0.75	32	0.146	5.03	58.4	0.5
AUX0103898		0.09	0.82	36	0.247	5.77	58.1	0.5
AUX0103899		0.09	0.75	36	0.722	6.49	64.5	1.1
AUX0103900		0.07	0.61	31	0.120	6.55	66.9	1.3
AUX0103901		0.10	0.97	38	0.207	8.54	70.4	2.0
AUX0103902		0.10	0.95	36	0.151	8.11	84.1	2.3
AUX0103903		0.08	1.66	39	0.269	7.05	60.8	0.9
AUX0103904		0.07	1.91	41	0.177	7.35	69.0	1.6
AUX0103905		0.08	1.53	42	0.176	8.68	72.2	1.7
AUX0103906		0.08	2.27	38	0.119	11.45	79.0	2.2
AUX0103907		0.10	0.95	40	0.121	7.88	79.2	1.1
AUX0103908		0.10	0.90	41	0.0990	9.54	84.7	1.5
AUX0103909		0.08	0.60	32	0.0597	15.00	101.0	6.0
AUX0103910		0.08	0.54	38	0.124	11.50	75.4	1.3
AUX0103911		0.08	0.47	34	0.179	5.01	69.0	1.4
AUX0103912		0.07	0.85	25	0.129	8.37	79.6	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0103913	0.30	0.0024	0.251	1.04	36.1	<10	125.5	0.31	0.17	0.08	0.23	51.9	7.1	17.7	0.60
AUX0103914	0.28	0.0017	0.204	1.12	20.5	<10	175.5	0.29	0.17	0.11	0.16	33.0	5.8	20.7	0.58
AUX0103915	0.38	0.0019	0.219	1.21	20.4	<10	199.5	0.33	0.17	0.12	0.14	33.5	6.3	22.5	0.52
AUX0103916	0.34	0.0018	0.175	1.15	18.40	<10	246	0.36	0.15	0.18	0.11	34.6	7.2	22.2	0.48
AUX0103917	0.34	0.0010	0.104	1.07	10.70	<10	198.5	0.34	0.13	0.18	0.09	34.9	7.1	20.4	0.51
AUX0103918	0.44	0.0021	0.137	1.12	12.25	<10	269	0.34	0.13	0.20	0.09	36.5	7.0	20.9	0.47
AUX0103919	0.32	0.0015	0.116	1.06	23.8	<10	270	0.33	0.15	0.23	0.12	34.7	8.4	21.3	0.44
AUX0103920	0.42	0.0028	0.120	1.14	18.75	<10	152.5	0.29	0.14	0.11	0.12	33.3	6.1	21.4	0.59
AUX0103921	0.34	0.0018	0.249	1.06	20.4	<10	169.0	0.31	0.15	0.10	0.10	45.0	7.5	20.8	0.57
AUX0103922	0.38	0.0011	0.139	1.17	15.20	<10	183.5	0.39	0.13	0.14	0.20	32.1	7.1	22.0	0.56
AUX0103923	0.44	0.0011	0.228	1.32	14.85	<10	308	0.46	0.16	0.19	0.11	34.8	8.4	25.4	0.64
AUX0103924	0.20	0.0023	0.400	1.00	34.2	<10	109.5	0.29	0.16	0.13	0.36	30.1	6.7	17.9	0.57
AUX0103925	0.28	0.0014	0.317	1.11	31.9	<10	108.5	0.31	0.18	0.13	0.37	30.6	7.0	17.9	0.57
AUX0103926	0.38	0.0016	0.231	1.35	16.65	<10	160.0	0.40	0.17	0.14	0.19	28.7	8.1	23.2	0.74
AUX0103927	0.24	0.0011	0.130	0.92	26.9	<10	129.5	0.21	0.18	0.16	0.23	32.8	6.1	18.4	0.55
AUX0103928	0.40	0.0026	0.226	1.18	22.3	<10	372	0.39	0.19	0.31	0.20	37.3	8.9	25.0	0.58
AUX0103929	0.24	0.0012	0.125	1.12	10.15	<10	230	0.31	0.14	0.19	0.12	32.3	6.5	20.8	0.52
AUX0103930	0.34	0.0009	0.084	1.23	11.00	<10	246	0.34	0.15	0.15	0.14	33.3	6.7	22.5	0.61
AUX0103931	0.16	0.0011	0.363	1.03	7.63	<10	314	0.30	0.14	0.15	0.16	24.0	4.1	17.9	0.61
AUX0103932	0.36	0.0069	0.133	1.27	108.5	<10	299	0.43	0.21	0.18	0.13	35.7	9.2	24.2	0.65
AUX0103933	0.26	0.0027	0.296	1.63	61.8	<10	280	0.50	0.20	0.10	0.10	36.9	10.0	28.0	0.87
AUX0103934	0.24	0.0015	0.275	1.73	29.8	<10	212	0.47	0.20	0.09	0.12	24.5	6.7	26.0	0.97
AUX0103935	0.24	0.0016	0.108	1.40	16.70	<10	153.5	0.30	0.23	0.07	0.09	25.2	4.1	20.3	0.91
AUX0103936	0.26	0.0030	0.077	1.62	38.6	<10	219	0.50	0.20	0.10	0.12	30.2	9.6	26.6	0.87
AUX0103937	0.34	0.0019	0.076	1.71	45.7	<10	199.5	0.50	0.21	0.08	0.14	26.8	10.8	28.3	0.76
AUX0103938	0.22	0.0021	0.068	1.08	39.1	<10	303	0.42	0.22	0.20	0.12	29.9	7.7	22.9	0.53
AUX0103939	0.34	0.0064	0.155	1.25	155.0	<10	208	0.42	0.33	0.08	0.17	35.7	10.7	20.9	0.76
AUX0103940	0.26	0.0022	0.105	1.41	31.3	<10	286	0.45	0.20	0.15	0.07	32.4	8.3	24.3	0.78
AUX0103941	0.24	0.0308	0.113	1.29	23.4	<10	143.5	0.29	0.17	0.09	0.11	21.5	6.7	20.7	0.69
AUX0103942	0.18	0.0050	0.143	1.24	68.5	<10	105.5	0.24	0.25	0.07	0.19	22.7	7.2	21.4	0.66
AUX0103943	0.18	0.0042	0.440	1.27	302	<10	267	0.39	0.47	0.31	0.42	27.9	12.9	22.6	0.76
AUX0103944	0.28	0.0025	0.230	0.77	136.0	<10	157.5	0.23	0.27	0.35	0.16	25.3	6.1	11.7	0.48
AUX0103945	0.28	0.0041	0.310	1.24	154.0	<10	275	0.29	0.36	0.36	0.20	32.8	7.7	23.1	0.76
AUX0103946	0.34	0.0324	2.00	1.20	382	<10	232	0.34	1.11	0.30	1.07	43.5	16.8	22.1	0.92
AUX0103947	0.26	0.0026	0.197	0.78	15.30	<10	310	0.28	0.12	0.40	0.38	30.2	7.3	13.9	0.45
AUX0103948	0.30	0.0101	0.326	1.01	30.8	<10	295	0.29	0.21	0.37	0.38	31.2	5.5	20.4	0.61
AUX0103949	0.32	0.0093	0.332	1.01	61.2	<10	295	0.40	0.20	0.39	0.36	40.0	10.3	23.4	0.64
AUX0103950	0.28	0.0098	0.340	0.99	65.9	<10	285	0.37	0.22	0.35	0.34	40.7	9.3	23.3	0.64
AUX0103951	0.20	0.0105	0.332	1.04	19.25	<10	351	0.32	0.21	0.32	0.28	36.8	6.6	19.9	0.63
AUX0103952	0.24	0.0179	0.284	0.97	54.0	<10	328	0.36	0.19	0.42	0.45	27.5	9.5	21.1	0.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103913		33.1	2.14	3.58	0.13	0.02	0.045	0.024	0.04	27.2	12.8	0.31	310	1.15	0.02	0.54
AUX0103914		22.3	2.04	3.88	0.10	<0.02	0.040	0.019	0.04	17.8	11.2	0.30	233	0.99	0.02	0.54
AUX0103915		26.6	2.30	3.87	0.11	<0.02	0.049	0.017	0.05	16.7	12.1	0.34	251	1.09	0.02	0.53
AUX0103916		24.4	2.21	3.69	0.10	0.02	0.056	0.020	0.04	17.9	12.1	0.36	283	0.86	0.02	0.54
AUX0103917		20.6	1.93	3.69	0.12	0.02	0.059	0.018	0.03	17.8	11.9	0.32	228	0.76	0.02	0.69
AUX0103918		22.7	2.06	3.80	0.10	0.02	0.036	0.018	0.03	19.6	12.2	0.34	243	0.95	0.02	0.59
AUX0103919		26.8	2.10	3.54	0.11	0.08	0.054	0.017	0.03	18.6	11.1	0.33	318	1.09	0.02	0.39
AUX0103920		23.1	2.12	3.82	0.11	0.02	0.047	0.019	0.03	17.3	11.7	0.33	207	0.95	0.02	0.68
AUX0103921		25.3	2.12	3.64	0.12	<0.02	0.047	0.019	0.04	23.4	12.4	0.33	278	0.97	0.02	0.60
AUX0103922		27.4	2.07	3.81	0.11	0.03	0.040	0.021	0.04	16.9	10.8	0.32	237	1.07	0.02	0.67
AUX0103923		28.1	2.37	4.88	0.12	0.02	0.054	0.025	0.04	18.9	13.9	0.37	267	1.29	0.02	0.73
AUX0103924		31.0	2.10	3.27	0.11	<0.02	0.046	0.043	0.03	14.9	10.3	0.26	289	1.28	0.02	0.50
AUX0103925		31.1	2.23	3.32	0.10	0.02	0.048	0.029	0.03	15.3	11.0	0.29	327	1.26	0.02	0.61
AUX0103926		23.4	2.45	4.25	0.10	0.04	0.060	0.022	0.04	14.0	12.8	0.36	348	1.09	0.02	0.82
AUX0103927		24.6	2.15	3.43	0.11	<0.02	0.026	0.024	0.03	17.4	9.7	0.28	240	1.44	0.02	0.37
AUX0103928		36.2	2.53	3.89	0.10	<0.02	0.054	0.024	0.04	19.9	12.2	0.37	362	1.19	0.02	0.49
AUX0103929		22.2	2.07	3.91	0.10	<0.02	0.045	0.018	0.03	16.6	12.6	0.32	177	0.96	0.02	0.65
AUX0103930		23.1	2.24	4.09	0.10	<0.02	0.065	0.022	0.03	17.8	13.1	0.33	204	1.05	0.02	0.53
AUX0103931		19.20	1.84	3.66	0.09	<0.02	0.097	0.020	0.03	12.8	7.9	0.20	113	0.97	0.02	0.34
AUX0103932		30.5	2.49	4.16	0.11	0.07	0.062	0.024	0.04	19.8	14.1	0.38	358	1.26	0.02	0.58
AUX0103933		29.1	2.70	5.05	0.11	0.05	0.033	0.023	0.04	18.4	16.9	0.41	317	1.21	0.02	0.96
AUX0103934		17.05	2.68	5.56	0.10	0.02	0.046	0.022	0.03	12.9	15.5	0.32	177	1.32	0.02	1.08
AUX0103935		10.85	2.03	5.45	0.09	0.06	0.021	0.020	0.03	13.2	11.5	0.25	119	0.90	0.01	0.76
AUX0103936		29.1	2.68	4.71	0.10	0.05	0.026	0.023	0.03	15.4	16.0	0.41	252	0.89	0.01	0.78
AUX0103937		26.3	2.77	4.49	<0.05	0.06	0.028	0.023	0.03	13.7	16.0	0.44	254	1.07	0.01	0.72
AUX0103938		25.4	2.26	3.84	0.05	0.04	0.041	0.019	0.03	15.5	13.4	0.36	293	1.06	0.01	0.53
AUX0103939		30.9	2.46	3.69	0.05	0.04	0.033	0.021	0.03	17.2	15.2	0.35	440	0.84	0.01	0.56
AUX0103940		23.3	2.28	4.66	0.05	0.02	0.039	0.023	0.03	16.2	15.1	0.39	230	1.08	0.01	0.70
AUX0103941		15.30	2.19	3.96	0.10	0.06	0.015	0.019	0.03	11.1	13.2	0.33	182	0.93	0.01	0.74
AUX0103942		25.9	2.67	3.92	0.10	0.03	0.017	0.022	0.04	11.7	10.8	0.30	202	1.09	0.01	0.71
AUX0103943		42.0	3.26	3.70	<0.05	0.07	0.036	0.027	0.05	14.3	14.4	0.30	479	1.49	0.01	0.65
AUX0103944		17.80	1.96	2.23	<0.05	0.03	0.023	0.018	0.03	12.4	9.7	0.20	235	0.83	0.01	0.32
AUX0103945		19.15	2.52	4.30	0.05	0.02	0.023	0.021	0.04	16.3	16.2	0.34	347	1.34	0.01	0.52
AUX0103946		81.2	3.42	3.35	0.11	0.08	0.082	0.030	0.06	23.4	17.9	0.45	796	1.16	0.01	0.28
AUX0103947		14.95	1.25	2.50	<0.05	0.03	0.043	0.014	0.03	15.0	10.6	0.25	230	0.29	0.01	0.49
AUX0103948		23.6	1.42	3.03	0.10	0.04	0.052	0.018	0.04	16.1	11.8	0.31	231	0.61	0.01	0.41
AUX0103949		29.0	2.58	3.24	0.05	0.04	0.052	0.017	0.04	19.4	12.5	0.37	622	0.99	0.01	0.50
AUX0103950		28.6	2.56	3.27	0.06	0.04	0.052	0.018	0.04	19.8	12.0	0.36	390	0.94	0.01	0.49
AUX0103951		24.4	1.56	3.23	<0.05	0.04	0.058	0.019	0.04	18.7	13.0	0.32	145	0.45	0.01	0.51
AUX0103952		26.5	2.38	3.22	0.05	0.05	0.062	0.019	0.04	14.4	12.0	0.40	563	1.48	0.01	0.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103913		19.9	0.044	23.0	6.2	<0.001	0.01	3.68	2.6	0.6	0.3	7.1	<0.01	0.04	7.2	0.027
AUX0103914		15.7	0.052	15.75	5.8	<0.001	0.02	1.525	1.9	0.6	0.3	9.9	<0.01	0.03	1.9	0.029
AUX0103915		18.3	0.061	16.80	5.5	0.001	0.02	1.290	2.1	0.4	0.3	9.6	<0.01	0.02	1.3	0.030
AUX0103916		18.1	0.059	13.85	5.2	<0.001	0.01	1.240	2.6	0.6	0.3	14.6	<0.01	0.03	2.8	0.032
AUX0103917		15.6	0.062	9.61	4.9	<0.001	0.01	0.672	2.6	0.6	0.3	14.7	<0.01	0.01	3.1	0.041
AUX0103918		17.8	0.056	10.90	4.6	<0.001	0.01	0.869	2.9	0.4	0.3	17.3	<0.01	0.02	4.1	0.041
AUX0103919		21.7	0.050	17.60	4.5	0.001	0.01	1.520	2.9	0.4	0.3	17.9	<0.01	0.02	6.1	0.043
AUX0103920		16.7	0.049	15.30	6.4	<0.001	0.01	1.145	2.7	0.5	0.3	9.2	<0.01	0.02	4.1	0.032
AUX0103921		17.4	0.042	15.45	5.9	<0.001	0.01	1.445	2.6	0.8	0.3	9.2	<0.01	0.03	5.1	0.028
AUX0103922		19.2	0.051	14.80	5.3	<0.001	0.01	1.130	3.2	0.9	0.3	11.9	<0.01	0.04	4.6	0.037
AUX0103923		21.6	0.049	14.05	6.6	0.001	0.01	0.752	4.3	0.8	0.4	19.3	<0.01	0.05	4.5	0.042
AUX0103924		19.7	0.063	33.9	5.2	<0.001	0.02	1.580	1.8	0.6	0.3	9.1	<0.01	0.03	1.8	0.027
AUX0103925		20.2	0.059	35.9	5.2	0.001	0.02	1.470	2.2	0.5	0.3	8.0	<0.01	0.03	4.6	0.028
AUX0103926		18.6	0.064	15.05	6.5	<0.001	0.02	0.813	2.9	1.1	0.4	10.8	<0.01	0.04	4.7	0.033
AUX0103927		17.8	0.068	22.7	4.8	<0.001	0.02	1.550	1.2	0.7	0.3	10.7	<0.01	0.05	0.9	0.024
AUX0103928		27.1	0.075	20.1	5.5	<0.001	0.02	1.845	3.0	0.6	0.3	24.1	<0.01	0.03	2.6	0.028
AUX0103929		17.6	0.065	9.71	5.1	<0.001	0.02	0.668	2.5	0.4	0.3	15.7	<0.01	0.03	1.8	0.030
AUX0103930		17.6	0.065	11.25	5.7	<0.001	0.02	0.658	1.9	0.3	0.3	13.6	<0.01	0.03	0.7	0.027
AUX0103931		13.5	0.088	11.00	4.9	<0.001	0.06	0.537	0.6	0.6	0.3	15.4	<0.01	0.05	0.1	0.013
AUX0103932		22.5	0.034	13.30	5.9	<0.001	0.02	2.58	3.8	0.7	0.4	15.3	<0.01	0.02	5.9	0.049
AUX0103933		21.5	0.024	15.30	8.5	<0.001	0.02	1.770	4.0	0.7	0.4	12.4	<0.01	0.04	5.9	0.039
AUX0103934		16.3	0.040	14.35	9.4	0.001	0.02	1.250	2.6	0.5	0.5	10.0	<0.01	0.03	4.4	0.036
AUX0103935		11.7	0.026	13.45	8.6	<0.001	<0.01	0.679	2.5	0.4	0.5	9.1	<0.01	0.03	3.6	0.037
AUX0103936		24.4	0.033	13.60	8.3	<0.001	<0.01	1.580	4.2	0.5	0.4	11.6	<0.01	0.04	4.5	0.042
AUX0103937		26.0	0.021	18.00	8.0	<0.001	0.01	2.33	3.1	0.4	0.4	10.2	<0.01	0.03	4.9	0.048
AUX0103938		22.8	0.044	14.20	5.0	<0.001	0.01	1.885	3.7	0.6	0.4	19.0	<0.01	0.03	4.2	0.035
AUX0103939		23.4	0.024	28.8	6.7	<0.001	0.01	5.36	2.6	0.4	0.3	8.9	<0.01	0.04	5.9	0.023
AUX0103940		20.9	0.032	14.80	6.9	<0.001	0.01	1.445	3.8	0.6	0.4	15.8	<0.01	0.03	3.3	0.031
AUX0103941		17.7	0.028	10.35	7.4	<0.001	<0.01	1.655	2.3	0.7	0.3	9.4	<0.01	0.04	3.6	0.033
AUX0103942		22.6	0.039	14.15	7.3	<0.001	0.01	5.18	2.5	0.2	0.4	8.4	<0.01	0.02	4.0	0.034
AUX0103943		30.8	0.054	44.3	9.0	<0.001	0.01	44.0	2.6	0.6	0.3	17.6	<0.01	0.06	6.7	0.023
AUX0103944		14.8	0.056	28.5	5.7	<0.001	0.01	25.4	1.2	0.3	0.2	17.4	<0.01	0.03	3.2	0.009
AUX0103945		22.2	0.035	28.1	9.4	<0.001	0.01	21.0	2.2	0.3	0.4	19.7	<0.01	0.04	4.0	0.013
AUX0103946		38.7	0.056	91.3	7.0	<0.001	0.02	179.0	3.9	0.9	0.2	16.1	<0.01	0.06	8.5	0.018
AUX0103947		15.9	0.063	13.50	5.4	0.001	0.07	2.32	2.0	0.7	0.2	32.2	<0.01	0.01	3.6	0.016
AUX0103948		19.9	0.070	17.80	6.3	0.001	0.06	3.74	2.7	0.9	0.2	28.0	<0.01	<0.01	3.5	0.018
AUX0103949		24.5	0.072	23.4	6.1	0.001	0.04	5.00	2.9	1.1	0.2	28.7	<0.01	0.03	4.5	0.016
AUX0103950		24.7	0.071	25.1	5.6	0.001	0.04	4.82	3.0	1.0	0.3	25.7	<0.01	0.03	5.2	0.016
AUX0103951		18.9	0.067	23.0	6.2	0.001	0.08	2.47	2.5	0.7	0.2	25.5	<0.01	0.02	4.2	0.015
AUX0103952		25.4	0.073	18.95	5.1	0.002	0.06	3.51	2.8	0.8	0.3	40.2	<0.01	0.03	3.6	0.019

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0103913		0.08	0.71	24	0.114	7.25	68.5	1.4
AUX0103914		0.06	0.65	32	0.145	4.84	57.0	<0.5
AUX0103915		0.07	0.73	34	0.173	6.02	60.5	<0.5
AUX0103916		0.06	0.76	33	0.172	6.61	60.8	0.6
AUX0103917		0.06	0.72	33	0.172	6.78	54.4	0.7
AUX0103918		0.06	0.68	34	0.177	7.28	57.0	0.9
AUX0103919		0.06	0.63	30	0.144	7.27	61.9	4.3
AUX0103920		0.07	0.61	33	0.156	6.24	53.9	0.8
AUX0103921		0.08	0.66	28	0.116	6.84	54.9	0.6
AUX0103922		0.07	0.66	36	0.160	7.37	60.4	1.4
AUX0103923		0.07	0.75	42	0.178	8.36	59.7	1.0
AUX0103924		0.06	0.53	27	0.140	4.48	82.0	<0.5
AUX0103925		0.06	0.60	27	0.150	4.32	81.7	1.0
AUX0103926		0.09	0.73	38	0.172	4.83	62.7	1.4
AUX0103927		0.06	0.64	28	0.159	4.57	72.2	<0.5
AUX0103928		0.07	0.89	35	0.202	8.72	71.3	<0.5
AUX0103929		0.07	0.66	34	0.159	6.14	57.4	<0.5
AUX0103930		0.07	0.69	36	0.177	6.27	60.1	<0.5
AUX0103931		0.08	0.74	28	0.211	5.22	39.9	<0.5
AUX0103932		0.07	0.73	40	0.170	9.49	64.8	3.9
AUX0103933		0.10	0.71	47	0.200	6.87	59.1	2.5
AUX0103934		0.11	0.53	52	0.210	3.32	47.6	1.0
AUX0103935		0.12	0.42	46	0.201	2.96	33.8	2.3
AUX0103936		0.08	0.54	46	0.285	6.06	57.3	1.6
AUX0103937		0.09	0.55	46	0.229	3.72	62.6	2.7
AUX0103938		0.07	0.70	38	0.196	8.23	59.7	1.4
AUX0103939		0.08	0.56	31	0.165	5.18	59.6	1.5
AUX0103940		0.08	0.85	42	0.217	7.36	48.4	0.6
AUX0103941		0.07	0.40	37	0.192	2.52	48.8	2.1
AUX0103942		0.07	0.33	40	0.188	2.41	61.6	1.5
AUX0103943		0.09	0.54	33	0.156	4.31	90.7	2.8
AUX0103944		0.06	0.27	16	0.0792	3.10	51.5	1.0
AUX0103945		0.09	0.47	29	0.130	2.94	63.1	0.7
AUX0103946		0.12	0.83	25	0.122	12.60	126.0	2.3
AUX0103947		0.05	1.54	19	0.127	6.91	58.3	1.0
AUX0103948		0.07	1.43	27	0.104	7.29	61.5	1.2
AUX0103949		0.07	1.73	26	0.103	9.34	72.0	1.5
AUX0103950		0.08	1.86	26	0.111	9.33	70.6	1.6
AUX0103951		0.08	1.88	21	0.103	7.73	60.2	1.4
AUX0103952		0.07	1.35	27	0.121	7.43	70.6	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0103953	0.24	0.0104	0.312	1.18	54.6	<10	318	0.30	0.20	0.36	0.27	27.0	11.7	35.3	0.69
AUX0103954	0.26	0.0048	0.247	1.39	34.8	<10	236	0.33	0.18	0.29	0.22	34.0	9.5	47.1	0.68
AUX0103955	0.24	0.0059	0.328	1.21	39.8	<10	297	0.25	0.20	0.66	0.22	23.3	12.6	39.4	0.67
AUX0103956	0.38	0.0032	0.354	1.32	34.7	<10	309	0.31	0.20	0.42	0.29	30.6	13.9	37.9	0.71
AUX0103957	0.32	0.0038	0.294	1.31	28.5	<10	270	0.23	0.16	0.42	0.16	22.7	15.0	34.3	0.59
AUX0103958	0.24	0.0063	0.462	1.43	40.4	<10	326	0.33	0.26	0.43	0.25	27.2	23.3	35.5	0.84
AUX0103959	0.22	0.0070	0.361	1.10	27.6	<10	216	0.20	0.19	0.28	0.19	27.4	12.5	28.9	0.68
AUX0103960	0.38	0.0021	0.256	1.09	22.2	<10	220	0.27	0.17	0.20	0.19	35.5	7.1	19.1	0.65
AUX0103961	0.34	0.0024	0.294	1.09	18.60	<10	231	0.32	0.19	0.19	0.15	31.3	5.6	18.7	0.73
AUX0103962	0.38	0.0021	0.240	1.06	15.65	<10	230	0.29	0.16	0.20	0.14	29.9	6.3	18.5	0.63
AUX0103963	0.40	0.0036	0.224	1.02	17.75	<10	225	0.27	0.17	0.20	0.21	27.6	6.1	18.5	0.59
AUX0103964	0.40	0.0028	0.241	1.16	19.00	<10	258	0.36	0.19	0.19	0.13	32.2	5.9	19.8	0.74
AUX0103965	0.38	0.0031	0.194	1.18	17.40	<10	228	0.27	0.19	0.20	0.17	29.5	7.4	20.3	0.66
AUX0103966	0.34	0.0029	0.234	1.25	19.50	<10	311	0.33	0.20	0.22	0.17	28.7	7.3	21.8	0.75
AUX0103967	0.30	0.0022	0.358	1.07	23.1	<10	239	0.24	0.19	0.20	0.22	26.9	5.5	19.1	0.75
AUX0103968	0.32	0.0020	0.321	1.34	23.0	<10	368	0.44	0.21	0.22	0.24	36.8	10.8	23.1	0.68
AUX0103969	0.40	0.0340	0.269	1.33	22.8	<10	288	0.42	0.22	0.23	0.21	40.3	8.5	22.3	0.71
AUX0103970	0.34	0.0053	0.462	1.27	24.6	<10	452	0.53	0.25	0.41	0.47	49.4	13.1	25.3	0.59
AUX0103971	0.40	0.0026	0.382	1.49	26.0	<10	376	0.54	0.33	0.34	0.41	65.2	16.6	24.6	0.64
AUX0103972	0.46	0.0026	0.594	1.35	46.2	<10	279	0.41	0.34	0.29	0.43	63.3	18.1	26.8	0.71
AUX0103973	0.42	0.0018	0.268	1.46	17.30	<10	347	0.48	0.24	0.33	0.27	46.7	12.7	29.4	0.92
AUX0103974	0.28	0.0030	0.335	1.47	32.3	<10	267	0.42	0.27	0.30	0.26	81.1	19.4	35.1	0.68
AUX0103975	0.24	0.0038	0.348	1.55	30.4	<10	258	0.43	0.27	0.35	0.27	78.3	19.1	39.6	0.66
AUX0103976	0.30	0.0048	0.597	1.22	48.4	<10	194.5	0.38	0.23	0.15	0.20	54.6	12.0	22.0	0.64
AUX0103977	0.30	0.0058	0.237	1.22	38.8	<10	144.5	0.34	0.21	0.09	0.15	55.3	8.5	20.4	0.61
AUX0103978	0.34	<0.0002	0.002	1.16	<0.02	<10	161.0	<0.05	<0.01	0.11	<0.01	0.05	<0.1	19.7	<0.05
AUX0103979	0.26	0.0017	0.195	1.14	20.5	<10	261	0.39	0.17	0.18	0.15	41.8	9.1	19.8	0.47
AUX0103980	0.26	0.0025	0.141	1.16	20.4	<10	159.0	0.28	0.17	0.11	0.09	35.8	6.3	21.6	0.46
AUX0103981	0.36	0.0034	0.252	1.30	43.0	<10	345	0.51	0.25	0.21	0.18	53.1	12.4	25.3	0.66
AUX0103982	0.32	0.0045	0.169	1.23	38.4	<10	150.5	0.30	0.20	0.11	0.12	48.0	8.2	24.9	0.59
AUX0103983	0.36	0.0034	0.322	1.18	40.3	<10	238	0.36	0.21	0.20	0.17	58.4	9.9	23.1	0.56
AUX0103984	0.34	0.0058	0.585	1.15	51.7	<10	185.0	0.33	0.24	0.14	0.21	43.9	9.5	27.2	0.70
AUX0103985	0.32	0.0041	0.245	1.17	28.9	<10	179.0	0.29	0.18	0.17	0.14	50.9	8.0	23.3	0.66
AUX0103986	0.30	0.0021	0.278	1.03	20.3	<10	135.5	0.26	0.17	0.16	0.12	31.4	5.8	20.8	0.57
AUX0103987	0.24	0.0020	0.146	1.03	12.90	<10	187.5	0.28	0.15	0.18	0.11	34.7	6.2	19.7	0.49
AUX0103988	0.32	0.0093	0.279	0.90	25.7	<10	201	0.25	0.17	0.19	0.20	41.7	6.8	19.0	0.47
AUX0103989	0.32	0.0023	0.412	1.30	19.50	<10	274	0.39	0.19	0.21	0.20	35.9	7.0	23.1	0.71
AUX0103990	0.34	0.0013	0.211	1.41	12.60	<10	349	0.47	0.20	0.25	0.17	34.4	7.7	25.0	0.70
AUX0103991	0.32	0.0017	0.127	1.22	9.49	<10	284	0.34	0.16	0.20	0.11	35.3	6.7	21.4	0.54
AUX0103992	0.30	0.0025	0.154	1.20	11.80	<10	416	0.44	0.18	0.25	0.15	34.0	7.2	23.8	0.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103953		18.20	3.13	3.97	<0.05	0.04	0.062	0.019	0.04	13.0	12.4	0.54	573	1.82	0.01	0.51
AUX0103954		23.6	2.78	4.71	0.05	0.04	0.047	0.024	0.04	17.2	14.7	0.71	227	1.11	0.01	0.60
AUX0103955		20.6	2.58	3.91	0.09	0.03	0.065	0.020	0.04	11.7	11.8	0.65	701	1.17	0.02	0.40
AUX0103956		23.5	2.94	4.30	0.11	0.03	0.054	0.023	0.04	14.9	13.3	0.59	697	1.37	0.01	0.45
AUX0103957		13.65	2.72	3.47	<0.05	0.02	0.046	0.017	0.04	11.2	11.4	0.56	634	0.83	0.02	0.46
AUX0103958		26.3	2.96	4.60	0.10	0.02	0.051	0.022	0.05	14.0	13.9	0.53	877	1.58	0.01	0.45
AUX0103959		16.00	2.16	3.91	<0.05	<0.02	0.049	0.016	0.04	14.3	12.6	0.42	788	1.25	0.01	0.51
AUX0103960		21.2	2.06	3.65	0.05	<0.02	0.034	0.019	0.03	18.6	12.5	0.31	190	0.94	0.01	0.67
AUX0103961		20.3	1.93	3.81	<0.05	<0.02	0.045	0.018	0.03	15.3	11.4	0.27	130	0.94	0.01	0.60
AUX0103962		19.60	1.99	3.43	0.05	0.02	0.043	0.019	0.03	15.4	11.3	0.29	167	0.87	0.01	0.57
AUX0103963		20.6	2.02	3.41	<0.05	0.02	0.045	0.016	0.03	13.5	11.1	0.28	165	0.99	0.01	0.59
AUX0103964		20.8	1.96	4.04	0.05	<0.02	0.039	0.017	0.03	16.0	12.3	0.30	120	1.02	0.01	0.62
AUX0103965		22.1	2.05	3.64	0.10	0.02	0.033	0.019	0.03	15.6	11.5	0.32	175	0.86	0.01	0.58
AUX0103966		22.4	2.21	3.95	0.10	0.02	0.039	0.019	0.04	14.6	11.3	0.32	171	0.92	0.01	0.62
AUX0103967		16.70	2.04	3.91	<0.05	<0.02	0.062	0.017	0.04	13.5	11.0	0.27	136	0.96	0.01	0.61
AUX0103968		27.3	2.78	4.22	0.05	0.03	0.044	0.020	0.04	18.1	13.5	0.34	353	1.21	0.01	0.84
AUX0103969		25.3	2.27	4.38	0.05	0.04	0.058	0.023	0.04	20.2	15.0	0.35	265	0.96	0.01	0.78
AUX0103970		41.2	2.70	4.23	0.05	0.08	0.063	0.026	0.05	24.7	14.6	0.39	613	1.41	0.01	0.67
AUX0103971		56.8	3.14	4.23	0.13	0.05	0.067	0.023	0.05	30.8	17.7	0.43	762	1.09	0.01	0.47
AUX0103972		59.7	3.42	4.19	0.14	0.10	0.060	0.026	0.06	31.9	17.4	0.43	841	1.74	0.01	0.36
AUX0103973		33.6	3.12	4.13	0.11	0.04	0.045	0.021	0.04	24.1	16.4	0.44	482	1.06	0.02	0.59
AUX0103974		54.1	3.33	4.56	0.15	0.02	0.043	0.022	0.07	41.8	19.7	0.58	650	1.31	0.01	0.39
AUX0103975		52.7	3.50	4.57	0.15	0.03	0.053	0.023	0.08	41.1	20.2	0.63	684	1.34	0.01	0.40
AUX0103976		46.1	2.78	3.60	0.13	<0.02	0.050	0.021	0.06	27.5	15.7	0.39	479	1.30	<0.01	0.38
AUX0103977		35.7	2.66	3.65	0.13	<0.02	0.033	0.019	0.05	28.6	15.7	0.38	330	1.20	<0.01	0.48
AUX0103978		0.03	2.26	<0.05	0.05	<0.02	<0.005	<0.005	0.04	<0.2	<0.1	0.32	294	<0.01	<0.01	<0.05
AUX0103979		32.4	2.18	3.76	0.11	0.06	0.029	0.021	0.04	20.9	12.8	0.33	359	1.09	0.01	0.52
AUX0103980		21.8	2.18	3.52	0.10	<0.02	0.023	0.018	0.03	17.9	13.1	0.33	195	0.89	<0.01	0.63
AUX0103981		42.1	2.37	4.57	0.12	0.06	0.052	0.026	0.06	25.8	16.0	0.37	461	1.44	<0.01	0.37
AUX0103982		27.6	2.54	3.76	0.13	<0.02	0.029	0.021	0.05	24.3	14.9	0.40	294	0.98	<0.01	0.56
AUX0103983		32.7	2.61	3.81	0.12	<0.02	0.036	0.018	0.05	27.8	15.7	0.40	390	1.10	0.01	0.47
AUX0103984		36.8	2.41	3.88	0.10	0.02	0.043	0.029	0.06	21.4	14.2	0.37	374	1.41	<0.01	0.46
AUX0103985		29.5	2.30	3.76	0.12	<0.02	0.037	0.018	0.05	24.8	15.2	0.41	285	0.96	0.01	0.50
AUX0103986		23.4	2.00	3.31	0.10	<0.02	0.034	0.018	0.04	16.6	12.7	0.32	172	0.93	<0.01	0.53
AUX0103987		25.4	1.93	3.33	0.10	<0.02	0.029	0.019	0.03	18.1	12.3	0.31	209	0.83	<0.01	0.57
AUX0103988		27.8	1.90	2.92	0.11	0.02	0.023	0.017	0.04	22.6	11.3	0.30	279	0.99	<0.01	0.46
AUX0103989		29.9	2.33	4.07	0.10	0.02	0.067	0.023	0.04	18.5	12.7	0.34	260	1.06	0.01	0.56
AUX0103990		29.1	2.48	4.70	0.10	<0.02	0.050	0.022	0.04	17.7	16.0	0.37	178	1.04	0.01	0.57
AUX0103991		23.2	2.24	3.78	0.10	<0.02	0.026	0.019	0.03	18.5	14.3	0.35	212	0.87	0.01	0.61
AUX0103992		26.9	2.41	3.65	0.11	0.02	0.048	0.019	0.03	18.7	14.4	0.36	292	1.00	0.01	0.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103953		26.9	0.079	20.1	6.8	0.001	0.05	3.20	2.9	1.0	0.3	32.2	<0.01	0.04	3.1	0.018
AUX0103954		29.9	0.072	19.80	6.1	<0.001	0.03	2.83	3.4	0.8	0.3	23.8	<0.01	0.02	5.2	0.027
AUX0103955		28.9	0.075	17.50	6.8	0.001	0.05	2.75	3.2	0.8	0.2	65.7	<0.01	0.01	3.2	0.019
AUX0103956		29.4	0.068	19.45	7.0	<0.001	0.03	2.71	3.8	1.4	0.2	41.2	<0.01	0.01	3.9	0.019
AUX0103957		19.4	0.071	21.8	5.5	<0.001	0.04	1.510	2.2	0.4	0.2	30.4	<0.01	0.02	2.6	0.021
AUX0103958		28.0	0.078	26.8	8.0	<0.001	0.03	3.37	3.0	1.0	0.3	40.5	<0.01	0.05	2.3	0.020
AUX0103959		23.5	0.074	19.90	6.6	<0.001	0.02	2.47	2.1	0.5	0.3	21.1	<0.01	0.03	2.4	0.022
AUX0103960		19.2	0.069	19.90	6.0	<0.001	0.01	2.47	2.6	0.6	0.3	15.8	<0.01	0.03	3.4	0.025
AUX0103961		17.0	0.064	19.50	6.4	<0.001	0.01	1.295	2.4	0.6	0.4	15.7	<0.01	0.03	2.3	0.022
AUX0103962		16.4	0.062	18.45	5.5	<0.001	0.01	1.310	2.5	0.5	0.3	15.2	<0.01	0.03	3.1	0.025
AUX0103963		17.1	0.065	18.05	5.3	<0.001	0.01	1.245	2.5	0.5	0.3	15.7	<0.01	0.03	2.9	0.022
AUX0103964		17.5	0.060	18.15	6.4	<0.001	0.01	1.210	2.7	0.6	0.4	16.0	<0.01	0.02	2.9	0.024
AUX0103965		18.0	0.068	14.60	6.3	<0.001	0.01	1.315	2.8	0.9	0.3	14.8	<0.01	<0.01	3.4	0.028
AUX0103966		20.4	0.066	15.15	7.6	<0.001	0.01	1.250	3.2	0.9	0.3	18.7	<0.01	0.02	3.3	0.027
AUX0103967		17.1	0.072	18.30	6.7	<0.001	0.03	1.130	2.1	0.5	0.3	17.1	<0.01	0.03	1.9	0.020
AUX0103968		22.7	0.068	20.8	6.6	<0.001	0.02	1.445	3.8	0.8	0.4	16.5	<0.01	0.03	4.4	0.025
AUX0103969		22.3	0.058	21.9	7.6	<0.001	0.02	1.425	3.2	0.7	0.4	17.7	<0.01	0.04	4.9	0.021
AUX0103970		34.7	0.073	26.0	6.7	<0.001	0.01	1.830	4.0	1.0	0.4	27.0	<0.01	0.04	7.3	0.025
AUX0103971		35.4	0.071	25.7	8.1	<0.001	0.03	1.495	3.9	1.1	0.3	22.4	<0.01	0.04	8.0	0.014
AUX0103972		43.0	0.070	34.3	7.8	<0.001	0.01	4.34	4.4	0.9	0.3	19.5	<0.01	0.03	11.0	0.026
AUX0103973		30.4	0.049	21.1	8.5	<0.001	0.02	1.155	3.6	0.9	0.3	20.9	<0.01	0.03	6.1	0.019
AUX0103974		46.2	0.062	25.6	8.3	<0.001	0.02	2.11	4.1	0.9	0.2	19.6	<0.01	0.04	7.8	0.017
AUX0103975		47.9	0.065	25.8	8.3	<0.001	0.02	1.770	4.2	1.2	0.2	21.4	<0.01	0.03	7.8	0.015
AUX0103976		27.8	0.066	31.1	6.9	<0.001	0.01	4.36	2.7	0.8	0.3	11.1	<0.01	0.03	3.6	0.021
AUX0103977		20.5	0.054	20.8	6.9	<0.001	0.01	3.50	2.8	0.9	0.2	8.5	<0.01	0.02	4.3	0.024
AUX0103978		<0.1	0.050	0.03	<0.1	<0.001	0.01	<0.005	<0.1	<0.1	<0.2	<0.2	<0.01	<0.01	<0.1	0.028
AUX0103979		22.4	0.049	15.00	5.8	<0.001	0.01	1.570	3.5	0.5	0.3	16.4	<0.01	0.02	4.8	0.047
AUX0103980		16.3	0.046	14.45	5.8	<0.001	0.01	1.345	2.4	0.6	0.3	10.1	<0.01	0.02	2.7	0.030
AUX0103981		33.8	0.051	23.0	8.0	<0.001	0.01	3.55	4.3	0.7	0.4	20.2	<0.01	0.04	7.2	0.040
AUX0103982		21.5	0.047	20.2	6.6	<0.001	0.01	2.60	2.9	0.5	0.3	9.7	<0.01	0.02	4.3	0.032
AUX0103983		25.9	0.057	23.6	6.6	<0.001	0.01	2.88	2.9	0.7	0.3	15.1	<0.01	0.03	5.7	0.028
AUX0103984		27.5	0.059	30.9	7.4	<0.001	0.01	4.46	2.9	0.7	0.3	11.7	<0.01	0.03	4.3	0.023
AUX0103985		21.7	0.062	18.05	6.4	<0.001	0.01	1.975	2.8	0.7	0.3	12.7	<0.01	0.01	4.3	0.030
AUX0103986		16.2	0.063	16.70	5.8	<0.001	0.01	1.210	2.1	0.6	0.3	12.3	<0.01	0.01	2.3	0.027
AUX0103987		17.8	0.059	13.55	4.6	<0.001	0.01	0.818	2.6	0.4	0.3	15.4	<0.01	0.02	2.7	0.032
AUX0103988		19.2	0.060	22.7	4.6	<0.001	0.01	1.615	2.6	0.7	0.2	14.6	<0.01	0.02	4.1	0.035
AUX0103989		19.9	0.080	19.00	6.8	<0.001	0.01	0.897	3.1	1.0	0.4	16.1	<0.01	0.03	1.8	0.028
AUX0103990		21.6	0.070	13.05	7.4	<0.001	0.02	0.709	2.7	0.8	0.4	23.8	<0.01	0.02	1.0	0.028
AUX0103991		18.2	0.069	9.50	5.4	<0.001	0.01	0.571	2.7	0.6	0.3	16.1	<0.01	0.03	2.1	0.029
AUX0103992		21.7	0.066	11.00	4.9	<0.001	0.01	0.756	3.5	0.7	0.3	20.9	<0.01	0.02	3.5	0.035

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0103953		0.09	0.95	36	0.144	6.02	70.2	1.0
AUX0103954		0.08	0.87	37	0.189	5.98	77.5	1.5
AUX0103955		0.09	0.60	33	0.138	5.29	67.9	1.0
AUX0103956		0.10	0.75	34	0.189	6.68	73.8	1.1
AUX0103957		0.09	0.50	40	0.224	3.74	69.5	0.5
AUX0103958		0.12	0.61	42	0.174	4.71	76.3	<0.5
AUX0103959		0.10	0.49	33	0.125	3.96	63.0	<0.5
AUX0103960		0.09	0.65	31	0.183	6.06	61.0	0.6
AUX0103961		0.09	0.67	31	0.224	5.28	51.1	<0.5
AUX0103962		0.08	0.64	31	0.145	5.30	54.6	0.5
AUX0103963		0.08	0.67	30	0.172	4.98	55.9	0.6
AUX0103964		0.09	0.72	34	0.175	5.72	52.9	<0.5
AUX0103965		0.09	0.61	33	0.337	5.99	58.6	0.5
AUX0103966		0.09	0.66	38	0.210	6.05	59.1	0.5
AUX0103967		0.10	0.64	30	0.161	4.06	53.5	<0.5
AUX0103968		0.10	1.05	40	0.220	8.96	68.9	1.2
AUX0103969		0.09	0.93	36	0.295	6.83	66.1	1.2
AUX0103970		0.08	1.39	34	0.163	11.55	82.4	2.4
AUX0103971		0.09	1.81	30	0.128	13.05	86.5	2.0
AUX0103972		0.12	0.95	30	0.135	12.60	106.0	5.2
AUX0103973		0.09	1.36	37	0.217	9.54	69.2	1.0
AUX0103974		0.09	1.30	28	0.116	16.30	88.4	0.8
AUX0103975		0.09	1.34	30	0.0862	16.10	94.9	1.1
AUX0103976		0.11	0.62	28	0.119	7.79	86.0	<0.5
AUX0103977		0.08	0.62	27	0.117	8.55	73.9	<0.5
AUX0103978		<0.02	<0.05	30	<0.0001	<0.05	60.9	<0.5
AUX0103979		0.07	0.56	33	0.149	8.94	70.1	2.8
AUX0103980		0.06	0.58	31	0.148	5.40	54.7	0.5
AUX0103981		0.09	0.74	35	0.163	10.75	93.7	2.5
AUX0103982		0.07	0.58	30	0.132	6.11	69.4	0.5
AUX0103983		0.08	0.62	29	0.131	8.21	82.5	0.6
AUX0103984		0.08	0.52	30	0.160	6.43	95.0	0.7
AUX0103985		0.08	0.61	29	0.139	7.63	67.7	<0.5
AUX0103986		0.07	0.62	31	0.157	5.00	58.9	0.5
AUX0103987		0.07	0.55	29	0.139	6.50	62.9	<0.5
AUX0103988		0.06	0.65	26	0.109	8.22	73.7	0.7
AUX0103989		0.10	1.12	37	0.208	8.62	66.7	0.6
AUX0103990		0.09	1.03	40	0.230	7.71	73.4	<0.5
AUX0103991		0.06	0.75	34	0.251	6.95	61.0	<0.5
AUX0103992		0.07	0.85	36	0.305	8.57	74.7	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0103993	0.30	0.0015	0.124	1.18	11.75	<10	333	0.36	0.17	0.25	0.14	36.7	7.2	22.2	0.54
AUX0103994	0.36	0.0018	0.164	1.09	13.75	<10	339	0.35	0.18	0.23	0.18	40.7	7.2	20.9	0.47
AUX0103995	0.34	0.0016	0.080	1.63	22.7	<10	170.0	0.49	0.18	0.09	0.09	29.7	8.3	25.8	0.76
AUX0103996	0.32	0.0021	0.136	1.58	29.4	<10	300	0.55	0.21	0.15	0.07	39.0	10.1	29.2	0.74
AUX0103997	0.30	0.0026	0.085	1.37	20.9	<10	292	0.47	0.17	0.20	0.08	37.7	8.7	26.2	0.61
AUX0103998	0.28	0.0015	0.086	1.23	17.45	<10	299	0.43	0.17	0.17	0.09	34.7	7.8	22.8	0.47
AUX0103999	0.30	0.0060	0.171	1.28	375	<10	117.5	0.38	0.66	0.06	0.36	47.6	16.4	24.3	0.73
AUX0104000	0.32	0.0053	0.262	1.24	362	<10	118.0	0.34	0.62	0.06	0.37	43.7	14.2	23.3	0.71
AUX0104001	0.32	0.0038	0.160	1.62	98.3	<10	158.5	0.43	0.30	0.07	0.17	28.6	9.7	27.0	0.82
AUX0104002	0.28	0.0041	0.174	1.35	73.4	<10	264	0.53	0.30	0.15	0.13	35.9	9.8	25.3	0.60
AUX0104003	0.22	0.0024	0.079	1.26	46.8	<10	98.4	0.30	0.19	0.10	0.18	25.6	7.1	21.2	0.71
AUX0104004	0.32	0.0017	0.108	0.99	132.0	<10	90.1	0.19	0.31	0.08	0.21	28.6	9.4	20.5	0.87
AUX0104005	0.36	0.0072	0.431	1.09	129.0	<10	165.0	0.24	0.29	0.08	0.22	43.7	7.2	17.6	0.71
AUX0104006	0.26	0.0023	0.288	0.94	43.5	<10	230	0.22	0.21	0.14	0.20	31.9	3.8	14.8	0.49
AUX0104007	0.34	0.0100	0.306	1.09	159.0	<10	322	0.38	0.30	0.36	0.24	36.2	10.2	22.1	0.54
AUX0104008	0.34	0.0130	0.532	1.29	148.5	<10	340	0.48	0.34	0.54	0.29	38.1	12.3	23.9	0.57
AUX0104009	0.30	0.0030	0.255	0.98	36.7	<10	437	0.30	0.13	0.52	0.34	32.6	7.5	17.3	0.48
AUX0104010	0.32	0.0041	0.263	1.09	26.1	<10	446	0.33	0.16	0.39	0.53	33.1	8.8	20.2	0.56
AUX0104011	0.40	0.0336	0.473	1.23	106.5	<10	557	0.29	0.30	0.41	0.26	42.0	12.3	35.7	0.64
AUX0104012	0.26	0.0159	0.111	1.25	52.1	<10	187.5	0.34	0.19	0.08	0.14	37.6	9.6	23.6	0.62
AUX0104013	0.30	0.0104	0.283	1.13	49.9	<10	294	0.33	0.18	0.40	0.30	34.3	10.6	23.3	0.59
AUX0104014	0.38	0.0152	0.268	0.87	119.5	<10	232	0.30	0.16	0.28	0.22	35.3	7.4	20.3	0.53
AUX0104015	0.30	0.0133	0.279	0.78	61.3	<10	243	0.26	0.16	0.42	0.33	41.6	10.7	14.5	0.47
AUX0104016	0.34	0.0067	0.334	1.10	91.2	<10	395	0.34	0.18	0.51	0.39	33.7	8.3	22.6	0.55
AUX0104017	0.36	0.0623	0.114	0.86	170.0	<10	176.5	0.23	0.28	0.20	0.07	114.5	11.7	12.4	1.01
AUX0104018	0.34	0.0550	0.158	1.00	287	<10	241	0.25	0.33	0.23	0.19	95.9	16.3	16.0	1.30
AUX0104019	0.36	0.0842	0.340	0.89	457	<10	412	0.31	0.32	0.24	0.47	69.4	11.7	20.4	1.46
AUX0104020	0.32	0.0161	0.320	1.06	137.0	<10	417	0.29	0.23	0.28	0.16	53.8	9.7	24.3	0.71
AUX0104021	0.46	0.0100	0.396	1.25	168.5	<10	484	0.34	0.39	0.40	0.54	65.2	26.1	31.9	1.09
AUX0104022	0.32	0.0119	0.682	1.39	82.4	<10	355	0.44	0.29	0.83	0.56	35.5	15.2	29.5	0.70
AUX0104023	0.34	0.0034	0.352	1.64	57.7	<10	289	0.38	0.21	0.40	0.21	38.6	19.3	51.5	0.73
AUX0104024	0.28	0.0028	0.399	1.21	36.0	<10	290	0.39	0.22	0.41	0.28	40.5	10.9	20.7	0.58
AUX0104025	0.28	0.0022	0.404	1.15	35.9	<10	282	0.39	0.22	0.38	0.28	42.5	10.9	20.4	0.58
AUX0104026	0.32	0.0025	0.481	1.19	30.2	<10	313	0.39	0.21	0.58	0.26	37.3	11.0	20.2	0.63
AUX0104027	0.34	0.0015	0.678	1.20	57.4	<10	246	0.39	0.24	0.52	0.59	41.4	12.9	21.5	0.68
AUX0104028	0.36	0.0032	0.759	1.16	78.3	<10	209	0.34	0.28	0.39	0.49	56.0	15.3	21.4	0.67
AUX0104029	0.34	0.0067	0.709	1.14	94.3	<10	195.5	0.31	0.29	0.50	0.60	60.2	15.1	21.0	0.74
AUX0104030	0.42	0.0018	0.390	1.33	22.9	<10	320	0.43	0.19	0.33	0.18	33.6	8.5	22.9	0.68
AUX0104031	0.50	0.0046	0.494	1.34	40.2	<10	390	0.46	0.24	0.36	0.48	41.1	13.2	23.4	0.60
AUX0104032	0.38	0.0011	0.426	1.31	25.2	<10	335	0.39	0.22	0.28	0.30	36.8	8.2	21.8	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0103993		26.7	2.26	3.73	0.11	<0.02	0.036	0.018	0.03	19.6	14.2	0.35	250	0.92	0.01	0.63
AUX0103994		29.8	2.23	3.62	0.11	0.03	0.038	0.018	0.03	21.2	14.9	0.34	223	0.93	0.01	0.60
AUX0103995		25.9	2.44	4.59	0.09	0.08	0.023	0.024	0.04	15.2	15.7	0.36	169	1.05	0.01	0.77
AUX0103996		29.5	2.68	4.58	0.11	0.07	0.046	0.023	0.04	18.6	15.9	0.45	322	1.22	0.01	0.47
AUX0103997		32.4	2.42	4.11	0.11	0.04	0.026	0.020	0.04	20.5	15.2	0.43	290	1.02	0.01	0.60
AUX0103998		25.7	2.18	3.72	0.11	0.03	0.034	0.017	0.03	17.3	13.7	0.36	212	0.88	0.01	0.67
AUX0103999		51.0	3.80	3.70	0.11	<0.02	0.020	0.025	0.05	23.6	18.4	0.39	708	1.58	<0.01	0.39
AUX0104000		47.3	3.76	3.53	0.12	<0.02	0.022	0.027	0.04	21.7	16.9	0.37	581	1.55	<0.01	0.33
AUX0104001		26.3	2.87	4.41	0.10	0.02	0.033	0.021	0.04	14.5	17.5	0.38	301	1.20	0.01	0.86
AUX0104002		37.4	2.49	4.11	0.11	0.03	0.032	0.024	0.04	19.8	13.8	0.37	332	1.32	0.01	0.85
AUX0104003		17.05	2.61	3.67	0.09	0.02	0.060	0.020	0.03	12.9	15.8	0.30	189	0.99	0.01	0.85
AUX0104004		21.1	2.76	4.27	0.10	<0.02	0.018	0.019	0.04	14.5	10.5	0.27	519	1.50	0.01	0.49
AUX0104005		28.8	2.30	3.74	0.10	0.02	0.037	0.016	0.04	22.5	12.6	0.27	266	1.03	0.01	0.58
AUX0104006		14.35	1.85	4.39	0.09	0.02	0.013	0.012	0.03	16.7	8.6	0.16	167	1.08	<0.01	0.72
AUX0104007		34.7	2.67	3.16	0.06	0.05	0.061	0.016	0.05	19.5	12.2	0.40	482	0.89	0.02	0.52
AUX0104008		37.2	2.74	3.77	0.05	0.06	0.062	0.024	0.04	20.3	15.2	0.41	438	1.03	0.01	0.58
AUX0104009		15.95	1.90	2.81	0.05	0.03	0.050	0.013	0.04	16.5	12.2	0.30	237	0.45	0.01	0.49
AUX0104010		20.1	1.73	3.15	0.05	0.04	0.060	0.017	0.04	16.4	12.5	0.32	150	0.55	0.01	0.56
AUX0104011		42.0	3.40	3.71	0.07	0.05	0.071	0.020	0.06	21.1	11.5	0.55	608	1.57	0.02	0.48
AUX0104012		23.0	2.52	4.10	0.11	0.02	0.038	0.017	0.04	17.5	10.6	0.32	361	1.16	0.01	0.80
AUX0104013		21.2	2.46	3.28	0.10	0.04	0.032	0.017	0.04	16.2	11.5	0.36	775	1.17	0.01	0.49
AUX0104014		21.7	2.45	2.54	0.10	0.04	0.047	0.013	0.03	16.9	9.7	0.29	270	1.09	0.01	0.41
AUX0104015		23.7	2.25	2.28	0.10	0.04	0.036	0.014	0.04	20.2	9.1	0.28	488	0.96	0.01	0.36
AUX0104016		19.15	2.76	2.95	<0.05	0.04	0.060	0.015	0.04	16.9	12.0	0.36	335	0.89	0.02	0.44
AUX0104017		33.0	3.13	3.20	0.14	0.10	0.035	0.011	0.06	55.7	9.4	0.32	470	0.89	0.01	0.23
AUX0104018		44.4	3.43	3.29	0.11	0.12	0.047	0.017	0.06	44.7	10.3	0.36	701	1.65	0.01	0.23
AUX0104019		53.1	3.46	2.87	0.08	0.06	0.154	0.020	0.05	34.9	8.1	0.27	456	4.82	0.01	0.25
AUX0104020		39.5	2.80	3.35	0.08	0.06	0.056	0.016	0.05	27.2	12.4	0.43	277	1.35	0.01	0.39
AUX0104021		63.0	4.46	4.06	0.10	0.18	0.056	0.028	0.07	32.9	14.0	0.64	2550	3.30	0.01	0.24
AUX0104022		42.3	2.78	4.32	0.05	0.06	0.075	0.027	0.06	18.1	15.6	0.50	916	1.41	0.01	0.45
AUX0104023		40.2	3.54	5.08	0.06	0.03	0.039	0.026	0.05	18.7	15.7	0.83	840	1.56	0.01	0.37
AUX0104024		34.8	2.59	4.07	0.05	0.05	0.038	0.025	0.05	20.0	13.3	0.37	425	1.16	0.01	0.49
AUX0104025		33.2	2.49	3.93	0.06	0.05	0.042	0.021	0.05	21.2	13.2	0.34	414	1.19	0.01	0.54
AUX0104026		28.9	2.35	3.92	0.05	0.03	0.037	0.023	0.05	18.5	12.6	0.33	592	1.13	0.01	0.59
AUX0104027		44.0	2.89	3.64	0.06	0.07	0.052	0.026	0.08	21.0	14.6	0.42	573	1.45	0.01	0.41
AUX0104028		43.8	3.01	3.79	0.09	0.11	0.050	0.023	0.07	27.5	15.5	0.43	596	1.52	0.01	0.41
AUX0104029		53.4	3.19	3.89	0.09	0.17	0.050	0.022	0.08	29.2	15.5	0.45	675	1.52	0.01	0.28
AUX0104030		27.3	2.25	4.34	0.05	0.04	0.059	0.021	0.04	17.3	13.8	0.35	403	1.16	0.01	0.70
AUX0104031		38.1	2.89	4.07	0.06	0.09	0.049	0.025	0.06	20.8	13.3	0.40	588	1.34	0.01	0.59
AUX0104032		27.7	2.20	4.00	0.05	0.04	0.046	0.021	0.05	17.3	12.0	0.34	148	0.88	0.01	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0103993		20.4	0.063	11.20	5.6	<0.001	0.01	0.761	3.2	0.8	0.3	21.4	<0.01	0.02	3.1	0.036
AUX0103994		20.7	0.060	13.20	5.1	<0.001	0.01	0.931	3.5	0.6	0.3	20.2	<0.01	0.03	4.9	0.035
AUX0103995		21.3	0.042	10.75	8.6	<0.001	0.01	0.877	3.6	0.7	0.4	10.6	<0.01	0.03	4.7	0.042
AUX0103996		22.7	0.046	12.05	7.7	<0.001	0.01	1.080	5.3	0.8	0.4	15.3	<0.01	0.01	5.4	0.047
AUX0103997		22.2	0.049	9.71	6.5	<0.001	0.01	1.050	4.7	0.8	0.4	18.1	<0.01	0.02	4.6	0.047
AUX0103998		18.9	0.054	10.15	5.5	<0.001	0.01	0.978	3.7	0.6	0.3	15.7	<0.01	0.01	4.0	0.046
AUX0103999		30.0	0.058	45.6	8.2	<0.001	0.02	64.6	2.2	1.1	0.2	6.2	<0.01	0.05	3.5	0.016
AUX0104000		28.8	0.064	46.6	7.7	<0.001	0.02	63.7	1.8	0.9	0.2	6.0	<0.01	0.04	1.9	0.016
AUX0104001		21.3	0.038	19.65	9.2	<0.001	0.01	9.22	2.9	0.6	0.4	8.2	<0.01	0.03	4.0	0.033
AUX0104002		25.8	0.036	18.30	6.3	<0.001	0.02	9.61	4.6	0.6	0.4	14.6	<0.01	0.03	4.0	0.042
AUX0104003		16.9	0.048	12.30	7.3	<0.001	0.02	3.39	2.2	0.6	0.3	9.0	<0.01	0.04	3.3	0.031
AUX0104004		15.0	0.081	20.9	8.5	<0.001	0.02	15.05	1.5	0.7	0.3	7.5	<0.01	0.03	0.9	0.026
AUX0104005		17.5	0.025	21.5	8.0	<0.001	0.02	14.60	2.1	0.7	0.3	8.2	<0.01	0.03	5.2	0.022
AUX0104006		10.6	0.021	11.40	5.5	<0.001	0.01	4.37	1.7	0.2	0.4	9.9	<0.01	0.02	3.2	0.021
AUX0104007		30.4	0.060	25.0	5.1	<0.001	0.02	18.30	3.1	0.7	0.3	20.2	<0.01	0.04	5.1	0.024
AUX0104008		32.4	0.051	28.4	6.5	<0.001	0.02	25.8	3.4	1.2	0.3	28.4	<0.01	0.02	5.3	0.020
AUX0104009		18.5	0.076	13.55	6.2	<0.001	0.08	2.81	2.1	0.9	0.2	32.9	<0.01	0.01	3.8	0.017
AUX0104010		20.6	0.066	16.25	6.2	0.001	0.08	3.24	2.6	0.7	0.3	29.1	<0.01	0.02	4.1	0.018
AUX0104011		39.1	0.077	27.3	6.0	<0.001	0.03	8.09	3.5	0.9	0.2	27.6	<0.01	0.04	6.5	0.021
AUX0104012		23.9	0.037	15.60	6.1	<0.001	0.01	2.52	2.5	0.3	0.3	8.0	<0.01	0.02	4.1	0.030
AUX0104013		24.3	0.073	16.35	7.1	0.001	0.02	2.84	2.5	0.6	0.2	27.2	<0.01	0.04	3.2	0.019
AUX0104014		18.8	0.069	18.40	5.4	0.001	0.03	4.66	2.2	0.9	0.2	19.4	<0.01	0.04	3.8	0.017
AUX0104015		21.8	0.074	17.55	5.0	0.001	0.04	4.29	1.9	0.7	<0.2	29.5	<0.01	0.02	4.8	0.015
AUX0104016		19.3	0.083	18.90	5.8	0.002	0.07	3.56	2.3	0.7	0.2	39.3	<0.01	0.04	3.4	0.016
AUX0104017		30.3	0.050	26.8	5.4	<0.001	0.02	4.67	1.9	0.8	<0.2	15.8	<0.01	0.04	20.0	0.005
AUX0104018		38.5	0.052	21.3	5.0	0.001	0.02	9.64	2.3	1.1	0.2	16.8	<0.01	0.05	16.6	0.007
AUX0104019		32.1	0.062	24.4	5.7	<0.001	0.02	23.6	3.5	1.2	0.2	15.8	<0.01	0.02	10.0	0.008
AUX0104020		31.2	0.069	21.3	5.3	<0.001	0.02	15.50	3.1	1.0	0.2	17.9	<0.01	0.03	7.6	0.021
AUX0104021		62.3	0.086	32.3	6.0	0.001	0.02	17.40	4.3	1.3	0.2	21.8	<0.01	0.06	13.4	0.020
AUX0104022		39.1	0.079	30.2	8.2	0.001	0.05	5.31	3.4	0.9	0.3	52.2	<0.01	0.02	4.7	0.015
AUX0104023		58.4	0.069	23.2	6.0	<0.001	0.02	3.97	4.7	0.9	0.3	39.9	<0.01	0.02	5.8	0.024
AUX0104024		26.7	0.067	22.8	6.1	<0.001	0.01	2.54	3.3	0.7	0.3	21.5	<0.01	0.03	5.8	0.028
AUX0104025		26.5	0.063	23.4	6.3	<0.001	0.02	2.35	3.2	1.0	0.3	21.3	<0.01	0.02	6.0	0.029
AUX0104026		23.4	0.072	25.0	6.7	<0.001	0.03	2.89	3.0	1.0	0.3	28.3	<0.01	0.01	4.0	0.021
AUX0104027		33.4	0.080	31.4	6.2	0.001	0.06	5.35	3.0	1.1	0.3	22.4	<0.01	0.05	7.1	0.023
AUX0104028		34.8	0.079	32.5	6.3	<0.001	0.02	6.70	3.3	0.8	0.3	21.0	<0.01	0.05	9.7	0.028
AUX0104029		38.4	0.080	35.3	6.4	0.001	0.01	7.75	3.1	1.2	0.3	24.7	<0.01	0.05	11.0	0.027
AUX0104030		21.1	0.065	18.80	7.1	<0.001	0.02	1.815	3.2	1.0	0.4	22.4	<0.01	0.02	4.3	0.025
AUX0104031		30.0	0.076	26.4	6.2	<0.001	0.02	3.53	3.6	0.9	0.3	22.0	<0.01	0.05	6.4	0.033
AUX0104032		21.4	0.058	24.2	6.9	<0.001	0.03	2.42	3.1	0.6	0.4	19.0	<0.01	0.04	5.2	0.022

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0103993		0.07	0.78	35	0.239	7.56	67.9	<0.5
AUX0103994		0.05	0.79	32	0.170	8.57	70.5	1.3
AUX0103995		0.08	0.75	45	0.217	4.94	54.4	3.5
AUX0103996		0.09	1.01	48	0.210	10.15	63.9	3.4
AUX0103997		0.07	0.92	42	0.228	10.80	59.7	1.9
AUX0103998		0.07	0.63	38	0.210	8.69	57.9	1.5
AUX0103999		0.09	0.57	26	0.134	5.15	93.4	<0.5
AUX0104000		0.08	0.57	26	0.133	4.79	88.3	<0.5
AUX0104001		0.10	0.64	43	0.214	3.15	64.3	0.8
AUX0104002		0.07	0.72	40	0.211	9.68	66.1	1.3
AUX0104003		0.08	0.43	35	0.199	2.86	54.5	0.7
AUX0104004		0.10	0.41	38	0.196	2.85	62.1	<0.5
AUX0104005		0.10	0.50	26	0.133	3.76	57.3	0.7
AUX0104006		0.08	0.31	38	0.187	2.39	34.7	0.7
AUX0104007		0.07	0.63	31	0.268	10.50	71.9	1.6
AUX0104008		0.07	1.16	31	0.121	9.86	74.7	1.7
AUX0104009		0.07	2.07	23	0.790	7.17	66.3	1.1
AUX0104010		0.07	2.34	28	0.0965	7.50	78.1	1.3
AUX0104011		0.07	1.14	29	0.117	11.00	95.6	1.7
AUX0104012		0.08	0.63	34	0.165	4.61	51.7	0.6
AUX0104013		0.07	1.46	28	0.167	7.37	68.1	1.0
AUX0104014		0.06	1.43	23	0.148	6.71	55.6	1.1
AUX0104015		0.05	1.23	17	0.103	7.53	67.9	1.5
AUX0104016		0.07	1.22	28	0.102	7.47	77.3	1.3
AUX0104017		0.04	1.35	11	0.0425	10.10	80.0	5.9
AUX0104018		0.05	1.02	15	0.0640	9.47	86.9	6.7
AUX0104019		0.06	1.09	21	0.147	13.10	127.5	3.6
AUX0104020		0.07	0.59	24	0.133	10.35	71.8	2.6
AUX0104021		0.11	0.71	27	0.0938	14.20	119.0	9.2
AUX0104022		0.12	0.68	30	0.115	9.04	104.5	2.4
AUX0104023		0.08	0.47	42	0.118	8.85	85.1	1.7
AUX0104024		0.08	0.48	33	0.180	8.03	82.9	2.1
AUX0104025		0.07	0.50	32	0.127	7.99	79.0	2.5
AUX0104026		0.08	0.77	32	0.234	7.71	73.5	1.1
AUX0104027		0.11	0.46	28	0.252	8.34	108.0	2.9
AUX0104028		0.09	0.50	29	0.145	9.04	103.0	5.8
AUX0104029		0.11	0.52	26	0.0867	8.87	114.5	8.3
AUX0104030		0.09	0.96	38	0.244	7.17	66.5	1.2
AUX0104031		0.09	0.84	37	0.267	8.95	94.1	4.2
AUX0104032		0.10	0.98	38	0.151	6.84	67.7	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0104033		0.24	0.0009	0.433	1.21	35.7	<10	391	0.39	0.19	0.74	0.37	29.1	10.8	20.6	0.58
AUX0104034		0.42	0.0016	0.353	1.29	25.8	<10	407	0.45	0.21	0.39	0.32	36.0	11.8	22.6	0.55
AUX0104035		0.40	0.0029	0.494	1.51	31.0	<10	489	0.62	0.26	0.50	0.74	48.6	13.5	26.6	0.63
AUX0104036		0.36	0.0018	0.406	1.06	27.0	<10	389	0.42	0.19	0.61	0.63	42.3	10.9	20.7	0.43
AUX0104037		0.42	0.0036	0.831	1.21	64.0	<10	244	0.36	0.25	0.35	0.57	54.1	16.1	26.7	0.61
AUX0104038		0.46	0.0033	0.703	1.72	51.7	<10	315	0.48	0.31	0.42	0.86	78.7	24.9	37.8	0.76
AUX0104039		0.44	0.0022	0.525	1.37	40.8	<10	239	0.35	0.27	0.27	0.42	64.8	17.3	30.1	0.64
AUX0104040		0.30	0.0033	0.700	1.32	19.35	<10	210	0.28	0.20	0.17	0.21	33.4	11.0	23.9	0.70
AUX0104041		0.26	0.0015	0.259	1.05	15.90	<10	138.0	0.20	0.17	0.16	0.16	29.5	5.0	19.9	0.53
AUX0104042		0.36	0.0032	0.116	1.25	12.65	<10	207	0.34	0.15	0.19	0.17	32.8	6.2	21.2	0.56
AUX0104043		0.34	0.0024	0.113	1.06	11.60	<10	377	0.43	0.16	0.31	0.23	27.8	6.5	24.2	0.50
AUX0104044		0.30	0.0031	0.097	1.19	14.15	<10	287	0.39	0.18	0.22	0.15	32.5	6.8	22.2	0.56
AUX0104045		0.38	0.0021	0.102	1.06	13.85	<10	286	0.39	0.17	0.19	0.15	33.6	6.2	20.1	0.47
AUX0104046		0.30	0.0034	0.100	0.99	18.25	<10	178.0	0.26	0.16	0.16	0.09	33.6	5.4	18.5	0.48
AUX0104047		0.38	0.0045	0.134	1.00	25.0	<10	238	0.32	0.19	0.19	0.11	40.9	6.8	20.4	0.48
AUX0104048		0.34	0.0048	0.458	1.33	41.5	<10	293	0.39	0.27	0.28	0.27	41.9	8.5	23.2	0.77
AUX0104049		0.30	0.0048	0.222	0.98	26.3	<10	186.0	0.26	0.18	0.18	0.13	46.4	7.1	19.2	0.54
AUX0104050		0.28	0.0050	0.256	1.07	29.3	<10	220	0.30	0.19	0.20	0.14	41.9	7.3	21.5	0.58
AUX0104051		0.36	0.0033	0.148	1.04	21.7	<10	184.0	0.27	0.19	0.15	0.12	44.4	6.6	22.3	0.60
AUX0104052		0.28	0.0032	0.113	0.96	13.25	<10	142.0	0.27	0.16	0.17	0.16	28.4	5.3	18.9	0.57
AUX0104053		0.20	0.0020	0.361	1.15	15.50	<10	260	0.31	0.25	0.19	0.28	24.0	5.7	22.7	0.75
AUX0104054		0.24	0.0052	0.097	1.19	10.90	<10	227	0.35	0.18	0.17	0.11	32.7	6.0	21.0	0.64
AUX0104055		0.30	0.0082	0.145	1.16	11.35	<10	262	0.32	0.17	0.20	0.13	30.5	5.5	21.3	0.51
AUX0104056		0.28	0.0040	0.163	1.20	14.40	<10	299	0.34	0.19	0.23	0.14	33.9	6.3	21.4	0.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0104033		21.6	2.65	3.69	0.05	0.04	0.056	0.022	0.04	12.8	12.5	0.34	762	1.08	0.01	0.65
AUX0104034		28.5	2.85	3.98	0.06	0.07	0.067	0.025	0.04	18.1	13.6	0.37	283	0.97	0.01	0.72
AUX0104035		38.3	3.09	4.35	0.07	0.07	0.067	0.029	0.05	22.7	16.1	0.40	833	0.95	0.02	0.64
AUX0104036		31.7	2.43	3.27	0.07	0.08	0.083	0.017	0.05	21.5	12.4	0.38	335	0.93	0.01	0.63
AUX0104037		46.6	3.17	3.73	0.08	0.10	0.040	0.023	0.07	27.4	14.9	0.45	554	1.35	0.01	0.46
AUX0104038		66.1	3.98	5.41	0.10	0.05	0.066	0.028	0.07	39.3	23.6	0.69	1170	1.24	0.01	0.44
AUX0104039		47.4	3.15	4.13	0.08	0.02	0.037	0.018	0.06	32.0	17.5	0.58	762	1.11	0.01	0.33
AUX0104040		19.50	2.29	3.93	<0.05	<0.02	0.073	0.023	0.05	17.1	14.0	0.35	655	0.83	0.01	0.39
AUX0104041		17.10	2.03	3.76	0.05	<0.02	0.040	0.015	0.04	14.6	10.4	0.33	183	0.95	0.01	0.51
AUX0104042		21.8	2.16	3.94	<0.05	<0.02	0.034	0.017	0.04	16.8	11.8	0.35	187	0.87	0.01	0.57
AUX0104043		27.4	2.32	3.23	0.06	0.07	0.032	0.024	0.04	15.1	9.9	0.36	302	1.03	0.02	0.47
AUX0104044		23.5	2.35	3.62	0.05	<0.02	0.033	0.025	0.04	16.8	11.7	0.35	239	0.86	0.02	0.63
AUX0104045		22.9	2.10	3.33	0.06	0.02	0.029	0.022	0.03	17.0	12.3	0.33	221	0.83	0.02	0.62
AUX0104046		18.85	1.98	3.08	0.05	<0.02	0.022	0.021	0.03	17.4	11.2	0.32	202	0.75	0.01	0.50
AUX0104047		24.3	2.26	3.06	0.07	0.03	0.030	0.021	0.04	21.7	12.4	0.38	266	0.80	0.01	0.37
AUX0104048		32.6	2.88	3.90	0.07	0.02	0.048	0.026	0.07	20.6	14.2	0.41	333	1.24	0.02	0.46
AUX0104049		24.1	2.11	2.99	0.08	<0.02	0.025	0.020	0.04	23.3	12.6	0.36	282	0.81	0.01	0.40
AUX0104050		27.5	2.32	3.18	0.08	<0.02	0.027	0.020	0.04	21.9	13.0	0.40	302	0.86	0.01	0.40
AUX0104051		22.4	2.07	3.19	0.06	<0.02	0.019	0.017	0.04	22.4	12.8	0.40	231	0.70	0.02	0.41
AUX0104052		17.95	1.85	2.93	0.05	<0.02	0.025	0.020	0.03	15.3	11.0	0.31	155	0.64	0.02	0.41
AUX0104053		27.9	2.20	4.38	<0.05	<0.02	0.041	0.023	0.05	12.4	9.6	0.30	244	1.59	0.02	0.44
AUX0104054		23.1	2.15	3.69	0.06	<0.02	0.034	0.022	0.03	17.0	12.2	0.33	141	0.82	0.02	0.62
AUX0104055		20.2	2.15	3.46	0.05	0.02	0.034	0.022	0.03	15.5	12.3	0.34	193	0.81	0.01	0.56
AUX0104056		23.1	2.26	3.67	0.05	<0.02	0.032	0.023	0.03	17.0	13.4	0.36	233	0.89	0.02	0.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0104033		21.7	0.074	17.95	6.7	0.001	0.07	1.665	2.7	0.9	0.3	51.1	<0.01	0.03	3.5	0.019
AUX0104034		26.6	0.066	20.4	6.2	<0.001	0.04	1.580	3.4	1.3	0.3	28.9	<0.01	0.02	4.9	0.019
AUX0104035		37.9	0.069	23.9	7.9	0.001	0.07	1.765	3.7	2.7	0.3	36.5	<0.01	0.03	4.9	0.017
AUX0104036		28.6	0.074	22.8	5.2	0.001	0.04	1.840	3.1	1.9	0.3	39.4	<0.01	0.03	6.1	0.025
AUX0104037		38.2	0.075	38.0	6.4	0.001	0.03	3.89	3.5	1.4	0.3	25.1	<0.01	0.05	9.5	0.028
AUX0104038		58.9	0.079	39.3	8.6	0.001	0.03	2.79	4.7	2.0	0.3	30.5	<0.01	0.04	8.6	0.018
AUX0104039		40.7	0.067	34.5	6.3	0.001	0.02	3.32	3.3	1.0	0.2	19.2	<0.01	0.02	7.8	0.020
AUX0104040		20.0	0.078	28.3	7.2	<0.001	0.03	1.985	2.0	0.9	0.3	12.4	<0.01	0.02	1.4	0.022
AUX0104041		16.1	0.062	13.95	5.7	<0.001	0.02	1.400	1.5	0.6	0.3	11.6	<0.01	0.01	1.3	0.027
AUX0104042		18.3	0.070	12.35	5.5	<0.001	0.02	1.040	2.1	0.7	0.3	13.6	<0.01	0.02	1.8	0.030
AUX0104043		22.9	0.064	9.35	5.2	0.001	0.02	0.977	3.3	0.7	0.3	24.0	<0.01	0.02	3.9	0.052
AUX0104044		21.4	0.060	12.35	6.3	<0.001	0.03	1.025	2.6	0.5	0.4	18.0	<0.01	0.02	2.0	0.040
AUX0104045		18.8	0.052	10.70	5.2	<0.001	0.02	1.125	2.9	0.7	0.3	15.0	<0.01	0.02	3.7	0.035
AUX0104046		17.3	0.046	11.85	5.5	<0.001	0.02	1.655	2.0	0.5	0.3	12.0	<0.01	0.03	3.1	0.028
AUX0104047		22.2	0.052	14.35	5.5	<0.001	0.02	2.29	2.4	0.8	0.2	14.1	<0.01	0.01	5.4	0.028
AUX0104048		26.9	0.068	28.1	8.3	<0.001	0.02	3.01	2.8	0.7	0.3	18.1	<0.01	0.03	5.2	0.023
AUX0104049		21.0	0.054	16.05	5.7	<0.001	0.02	3.20	2.2	0.6	0.2	12.3	<0.01	0.03	4.7	0.025
AUX0104050		23.0	0.060	17.55	6.0	<0.001	0.02	3.10	2.3	0.8	0.2	13.9	<0.01	0.02	4.6	0.027
AUX0104051		20.8	0.051	15.25	6.5	<0.001	0.02	3.44	2.0	0.6	0.2	10.9	<0.01	0.02	3.6	0.022
AUX0104052		16.6	0.062	13.15	5.6	<0.001	0.03	2.88	1.0	0.6	0.2	11.4	<0.01	0.01	0.7	0.023
AUX0104053		19.3	0.067	19.30	9.0	<0.001	0.04	1.045	1.0	0.8	0.4	17.5	<0.01	0.03	0.2	0.019
AUX0104054		17.8	0.063	11.80	6.3	<0.001	0.03	0.635	2.2	0.8	0.3	13.4	<0.01	0.02	1.3	0.030
AUX0104055		17.8	0.061	12.30	5.5	<0.001	0.02	0.688	2.3	0.7	0.3	15.8	<0.01	0.01	2.1	0.030
AUX0104056		19.6	0.060	14.90	6.0	<0.001	0.02	0.806	2.6	0.7	0.3	18.9	<0.01	0.03	2.6	0.031

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0104033		0.10	1.62	34	0.156	6.63	68.0	1.5
AUX0104034		0.10	1.98	36	0.143	8.94	72.6	2.1
AUX0104035		0.09	4.17	38	0.199	13.00	82.6	2.3
AUX0104036		0.07	1.90	31	0.161	9.74	72.5	2.8
AUX0104037		0.11	0.80	32	0.122	10.40	103.5	4.5
AUX0104038		0.11	1.87	37	0.106	19.30	111.5	1.9
AUX0104039		0.11	1.19	31	0.0895	10.80	95.6	0.9
AUX0104040		0.10	0.89	36	0.314	5.08	76.2	<0.5
AUX0104041		0.07	0.50	32	0.193	3.67	55.1	<0.5
AUX0104042		0.06	0.88	35	0.183	5.19	59.1	0.5
AUX0104043		0.05	0.70	42	0.199	9.44	74.0	3.0
AUX0104044		0.07	0.83	39	0.209	6.75	62.5	0.5
AUX0104045		0.05	0.71	31	0.174	7.86	58.0	1.0
AUX0104046		0.05	0.57	26	0.153	5.08	51.7	<0.5
AUX0104047		0.05	0.57	26	0.123	6.68	64.7	1.2
AUX0104048		0.11	0.73	33	0.152	6.96	86.1	0.8
AUX0104049		0.07	0.56	24	0.108	6.61	59.0	0.6
AUX0104050		0.08	0.60	27	0.116	7.54	66.9	0.6
AUX0104051		0.07	0.62	23	0.115	6.00	53.7	<0.5
AUX0104052		0.07	0.62	26	0.143	4.01	47.1	<0.5
AUX0104053		0.07	0.86	38	0.242	4.44	55.9	<0.5
AUX0104054		0.07	0.81	34	0.186	7.79	55.0	<0.5
AUX0104055		0.06	0.72	33	0.176	6.08	61.1	0.7
AUX0104056		0.07	0.75	33	0.173	6.74	65.6	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194147

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

CERTIFICATE WH11194148

Project: Aurex

P.O. No.: AUX09232011

This report is for 184 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0104057		0.28	0.0027	0.152	1.27	12.95	<10	252	0.36	0.18	0.19	0.20	36.8	6.7	21.5	0.69
AUX0104058		0.28	0.0046	0.201	1.26	15.65	<10	252	0.36	0.19	0.20	0.17	34.1	6.3	21.7	0.74
AUX0104059		0.24	0.0077	0.071	1.07	61.2	<10	174.0	0.32	0.18	0.14	0.09	39.0	6.6	18.0	0.56
AUX0104060		0.24	0.0066	0.083	0.88	73.4	<10	107.0	0.26	0.21	0.08	0.11	37.0	7.6	14.3	0.50
AUX0104061		0.28	0.0101	0.269	0.95	206	<10	221	0.29	0.32	0.21	0.15	41.3	7.8	13.8	0.82
AUX0104062		0.30	0.0051	0.200	0.89	147.5	<10	177.0	0.24	0.27	0.20	0.16	33.4	7.2	14.8	0.69
AUX0104063		0.26	0.0224	0.307	0.92	180.5	<10	262	0.29	0.42	0.17	0.15	53.1	7.8	13.3	0.63
AUX0104064		0.22	0.0082	0.391	1.59	213	<10	724	0.59	0.36	0.09	0.29	46.8	12.0	25.1	0.79
AUX0104065		0.26	0.0057	0.491	1.43	137.5	<10	990	0.50	0.31	0.29	0.37	35.7	14.1	22.9	0.83
AUX0104066		0.30	0.0042	0.275	1.21	100.5	<10	1650	0.38	0.27	0.23	0.28	31.8	8.6	20.4	0.79
AUX0104067		0.32	0.0061	0.127	1.22	80.8	<10	469	0.39	0.25	0.18	0.11	36.8	8.5	20.2	0.84
AUX0104068		0.28	0.0053	0.100	1.30	49.0	<10	207	0.33	0.21	0.12	0.09	32.4	7.1	23.1	0.69
AUX0104069		0.30	0.0093	0.088	1.21	28.4	<10	366	0.41	0.18	0.27	0.09	34.3	7.8	22.8	0.50
AUX0104070		0.28	0.0020	0.077	1.12	16.95	<10	250	0.33	0.15	0.18	0.09	33.3	6.3	20.5	0.51
AUX0104071		0.28	0.0035	0.118	1.30	17.20	<10	248	0.37	0.18	0.18	0.10	34.8	7.0	22.7	0.74
AUX0104072		0.32	0.0010	0.087	1.20	12.70	<10	183.0	0.39	0.16	0.19	0.13	32.6	5.8	20.8	0.63
AUX0104073		0.26	0.0015	0.364	1.31	8.27	<10	212	0.34	0.21	0.17	0.29	25.7	4.1	21.1	0.93
AUX0104074		0.36	0.0015	0.274	1.57	25.1	<10	178.5	0.38	0.25	0.09	0.28	26.4	9.0	24.8	0.83
AUX0104075		0.30	0.0026	0.931	1.85	90.1	<10	317	0.58	0.32	0.08	0.61	35.9	8.3	25.3	1.01
AUX0104076		0.30	0.0044	0.327	1.60	77.1	<10	152.5	0.45	0.30	0.07	0.41	33.1	8.4	27.2	0.98
AUX0104077		0.20	0.0020	0.181	0.86	18.95	<10	118.5	0.19	0.18	0.10	0.13	24.4	3.4	15.8	0.72
AUX0104078		0.30	0.0031	0.370	1.10	24.4	<10	190.0	0.28	0.21	0.12	0.25	25.0	3.6	18.4	0.80
AUX0104079		0.24	0.0047	0.236	1.19	45.5	<10	198.5	0.25	0.23	0.12	0.18	28.0	4.7	18.5	0.83
AUX0104080		0.32	0.0090	0.235	1.38	174.5	<10	185.0	0.39	0.51	0.13	0.36	59.4	17.0	22.1	1.33
AUX0104081		0.30	0.0131	0.493	1.29	233	<10	221	0.39	0.45	0.36	0.46	69.1	13.3	21.7	1.38
AUX0104082		0.24	0.0097	0.175	0.87	28.9	<10	350	0.26	0.13	0.55	0.36	31.5	6.9	15.6	0.50
AUX0104083		0.28	0.0083	0.343	1.26	16.45	<10	524	0.45	0.21	0.63	0.38	41.6	10.6	23.5	0.81
AUX0104084		0.24	0.0040	0.271	1.31	10.55	<10	414	0.38	0.21	0.69	0.43	37.5	9.4	23.2	0.71
AUX0104085		0.32	0.0052	0.261	1.25	32.2	<10	367	0.38	0.22	0.53	0.22	38.9	9.1	23.4	0.62
AUX0104086		0.40	0.0041	0.295	1.21	35.0	<10	402	0.45	0.24	0.47	0.30	39.5	10.0	23.2	0.62
AUX0104087		0.26	0.0060	0.406	1.23	38.0	<10	373	0.41	0.20	0.80	0.26	27.7	8.6	22.2	0.67
AUX0104088		0.40	0.0083	0.530	1.16	87.8	<10	303	0.39	0.28	0.50	0.42	36.0	10.9	22.6	0.66
AUX0104089		0.40	0.0061	0.178	1.18	29.6	<10	391	0.42	0.21	0.53	0.22	31.7	7.8	22.3	0.55
AUX0104090		0.44	0.0054	0.224	1.04	37.1	<10	319	0.38	0.20	0.41	0.39	32.2	9.4	22.5	0.58
AUX0104091		0.40	0.0046	0.290	1.36	28.6	<10	335	0.34	0.21	0.40	0.19	36.4	8.9	23.2	0.78
AUX0104092		0.40	0.0054	0.188	1.10	11.65	<10	267	0.32	0.19	0.29	0.23	36.9	6.7	19.3	0.63
AUX0104093		0.28	0.0065	0.382	1.06	55.4	<10	231	0.41	0.26	0.35	0.13	48.1	9.9	16.8	0.70
AUX0104094		0.44	0.0054	0.481	1.11	75.3	<10	185.5	0.29	0.34	0.32	0.41	69.8	13.7	17.0	0.90
AUX0104095		0.34	0.0737	0.417	0.83	316	<10	171.0	0.30	0.34	0.39	0.27	68.6	13.4	13.7	1.09
AUX0104096		0.32	0.0455	0.239	0.78	223	<10	167.5	0.29	0.32	0.18	0.26	72.8	14.2	13.5	1.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0104057		23.8	2.20	4.06	0.13	<0.02	0.031	0.018	0.04	19.2	13.8	0.35	173	0.97	0.01	0.57
AUX0104058		23.2	2.30	4.05	0.13	<0.02	0.043	0.016	0.04	18.2	14.2	0.34	175	0.93	0.01	0.63
AUX0104059		20.6	2.05	3.29	0.12	0.04	0.027	0.015	0.05	18.9	12.1	0.32	204	0.77	0.01	0.57
AUX0104060		25.2	2.08	2.68	0.12	0.02	0.024	0.012	0.03	18.4	10.6	0.28	252	0.90	<0.01	0.42
AUX0104061		26.8	2.27	2.74	0.13	0.03	0.035	0.015	0.04	21.5	13.0	0.27	280	0.74	0.01	0.31
AUX0104062		18.35	2.08	2.71	0.12	0.03	0.008	0.017	0.04	18.0	12.8	0.28	264	0.77	0.01	0.45
AUX0104063		18.90	2.07	2.73	0.15	0.02	0.028	0.016	0.06	27.7	14.3	0.27	238	0.64	0.01	0.37
AUX0104064		47.2	3.33	4.23	0.14	0.07	0.059	0.022	0.04	24.7	17.0	0.39	337	1.25	0.03	0.57
AUX0104065		31.4	3.80	4.00	0.13	0.02	0.057	0.024	0.06	18.3	15.7	0.33	975	1.66	0.05	0.51
AUX0104066		19.00	2.51	3.86	0.13	<0.02	0.086	0.022	0.05	15.0	12.9	0.27	361	4.35	0.07	0.53
AUX0104067		20.3	2.50	3.64	0.10	0.02	0.037	0.022	0.04	17.4	13.1	0.30	265	1.31	0.02	0.57
AUX0104068		21.8	2.37	4.40	0.13	0.02	0.041	0.019	0.04	16.1	13.2	0.36	232	1.00	0.01	0.71
AUX0104069		24.6	2.42	3.70	0.13	0.04	0.040	0.019	0.04	17.6	13.0	0.38	326	0.99	0.02	0.62
AUX0104070		19.65	2.14	3.51	0.13	0.02	0.024	0.017	0.03	15.8	12.4	0.35	215	0.86	0.01	0.64
AUX0104071		22.2	2.35	4.25	0.05	0.04	0.050	0.019	0.04	16.0	13.6	0.36	219	1.02	0.01	0.54
AUX0104072		18.25	2.17	3.69	0.06	0.03	0.030	0.017	0.04	15.4	12.7	0.37	160	0.89	0.01	0.59
AUX0104073		22.3	1.81	4.71	<0.05	<0.02	0.039	0.017	0.04	11.9	10.1	0.29	86	0.68	0.01	0.26
AUX0104074		13.90	2.80	5.63	0.05	0.02	0.022	0.021	0.04	12.3	12.1	0.30	324	1.68	0.01	1.00
AUX0104075		26.2	3.37	4.95	0.07	0.02	0.053	0.026	0.05	22.7	18.4	0.32	299	1.88	0.01	0.82
AUX0104076		24.5	3.29	4.70	0.05	<0.02	0.034	0.030	0.05	14.4	18.3	0.36	355	1.92	0.01	0.62
AUX0104077		9.42	1.50	3.63	<0.05	<0.02	0.008	0.014	0.03	11.5	7.3	0.23	122	0.89	0.01	0.33
AUX0104078		16.60	1.85	4.20	0.05	<0.02	0.042	0.016	0.04	12.0	8.3	0.26	99	0.93	0.01	0.28
AUX0104079		15.75	2.06	4.03	0.06	<0.02	0.030	0.017	0.04	13.5	10.6	0.30	199	0.92	0.01	0.28
AUX0104080		34.1	3.15	3.94	0.07	0.03	0.028	0.016	0.05	28.6	18.2	0.45	826	1.31	0.01	0.16
AUX0104081		47.8	3.26	3.59	0.10	0.02	0.041	0.020	0.06	34.6	18.7	0.51	583	1.03	0.01	0.21
AUX0104082		13.85	1.74	2.40	<0.05	0.03	0.040	0.015	0.04	15.8	11.8	0.29	332	0.23	0.02	0.44
AUX0104083		24.9	2.06	3.64	0.06	0.03	0.075	0.022	0.05	19.8	15.6	0.41	300	0.46	0.03	0.57
AUX0104084		25.0	1.88	3.81	0.06	0.05	0.061	0.017	0.05	19.2	17.7	0.47	240	0.34	0.03	0.66
AUX0104085		27.9	2.52	3.62	0.06	0.05	0.058	0.017	0.05	19.5	14.1	0.44	290	0.93	0.02	0.66
AUX0104086		32.0	2.62	3.88	0.08	0.04	0.062	0.019	0.05	19.7	14.3	0.41	310	1.15	0.02	0.72
AUX0104087		28.6	2.24	3.67	0.07	0.05	0.057	0.021	0.04	13.1	12.1	0.37	653	0.94	0.02	0.69
AUX0104088		37.3	2.62	3.43	0.07	0.06	0.047	0.020	0.05	17.7	12.5	0.41	448	1.23	0.02	0.58
AUX0104089		26.0	2.40	3.54	0.05	0.05	0.033	0.016	0.04	16.6	12.7	0.40	243	0.76	0.02	0.74
AUX0104090		32.5	2.57	3.28	0.07	0.07	0.023	0.019	0.05	16.1	11.9	0.40	457	1.25	0.02	0.59
AUX0104091		24.7	2.56	3.94	0.06	0.03	0.051	0.019	0.05	18.7	14.7	0.41	465	1.04	0.02	0.46
AUX0104092		19.70	1.75	3.28	0.06	0.03	0.055	0.014	0.04	17.7	11.2	0.32	167	0.52	0.02	0.58
AUX0104093		35.7	2.71	2.87	0.06	0.04	0.043	0.017	0.06	24.1	11.1	0.34	423	2.35	0.01	0.34
AUX0104094		61.4	3.52	3.22	0.10	0.10	0.065	0.020	0.06	35.3	11.9	0.43	408	3.19	0.01	0.33
AUX0104095		46.4	3.34	2.42	0.09	0.06	0.056	0.016	0.07	34.6	8.8	0.27	638	2.02	0.01	0.33
AUX0104096		83.4	4.35	2.70	0.09	0.05	0.040	0.018	0.09	38.2	5.7	0.17	626	7.53	0.01	0.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0104057		15.8	0.057	15.40	6.8	<0.001	0.01	0.816	2.7	0.9	0.4	14.6	<0.01	0.06	2.2	0.030
AUX0104058		16.2	0.055	17.45	7.4	0.001	0.01	1.010	2.9	0.9	0.4	16.1	<0.01	0.05	2.8	0.031
AUX0104059		14.6	0.034	12.55	6.4	<0.001	0.01	4.23	2.5	0.4	0.3	11.7	<0.01	0.05	5.8	0.035
AUX0104060		15.7	0.036	18.40	5.1	0.001	0.01	6.22	2.2	0.4	0.3	6.7	<0.01	0.04	4.8	0.022
AUX0104061		17.1	0.035	21.5	6.6	<0.001	0.01	7.07	2.0	0.5	0.3	11.2	<0.01	0.05	7.1	0.012
AUX0104062		14.2	0.033	16.65	6.3	0.001	0.01	5.36	1.7	0.3	0.2	10.5	<0.01	0.05	5.5	0.016
AUX0104063		15.0	0.022	24.8	8.8	0.001	0.01	6.54	1.8	0.6	0.2	13.1	<0.01	0.05	7.5	0.016
AUX0104064		24.6	0.022	24.6	6.8	<0.001	0.01	10.60	3.8	0.9	0.4	9.5	<0.01	0.08	8.2	0.025
AUX0104065		22.4	0.078	26.9	9.0	<0.001	0.06	9.29	3.6	0.8	0.4	32.8	<0.01	0.08	3.5	0.025
AUX0104066		15.3	0.066	17.35	8.2	<0.001	0.07	5.73	2.3	0.8	0.5	45.5	<0.01	0.05	2.9	0.023
AUX0104067		15.1	0.041	15.95	7.5	<0.001	0.04	5.64	2.5	0.6	0.4	30.4	<0.01	0.07	4.6	0.024
AUX0104068		16.0	0.034	11.85	8.1	<0.001	0.01	1.805	3.3	0.5	0.5	11.6	<0.01	0.07	4.3	0.042
AUX0104069		18.3	0.056	11.00	5.2	<0.001	0.01	1.355	3.7	0.6	0.4	18.6	<0.01	0.05	4.5	0.042
AUX0104070		15.2	0.048	9.10	5.6	<0.001	0.01	0.820	2.9	0.6	0.4	13.8	<0.01	0.05	3.7	0.037
AUX0104071		19.4	0.065	12.50	7.7	0.001	0.01	1.265	2.7	0.9	0.5	14.1	<0.01	0.03	1.6	0.033
AUX0104072		16.9	0.068	11.55	6.3	0.001	0.01	1.085	2.7	0.8	0.4	13.2	<0.01	0.04	2.5	0.035
AUX0104073		14.8	0.091	14.70	8.4	0.001	0.02	0.752	0.8	0.6	0.5	13.1	<0.01	0.02	0.2	0.022
AUX0104074		15.7	0.042	16.75	8.8	<0.001	0.01	2.57	2.5	0.3	0.6	8.9	<0.01	0.03	3.0	0.042
AUX0104075		25.2	0.075	24.1	9.8	<0.001	0.01	7.91	3.1	0.7	0.6	7.5	<0.01	0.04	4.8	0.029
AUX0104076		26.6	0.073	22.3	10.0	<0.001	0.01	10.25	1.8	0.4	0.5	8.0	<0.01	0.05	1.7	0.026
AUX0104077		10.4	0.039	9.82	7.7	<0.001	0.01	2.47	0.9	0.1	0.4	9.2	<0.01	0.02	0.3	0.027
AUX0104078		13.1	0.054	13.25	9.0	<0.001	0.02	3.60	0.8	0.3	0.4	10.1	<0.01	0.02	0.2	0.020
AUX0104079		16.1	0.066	15.90	10.3	<0.001	0.01	6.05	1.1	0.5	0.4	10.2	<0.01	0.02	0.4	0.021
AUX0104080		31.3	0.090	36.9	11.1	<0.001	0.02	20.8	1.3	0.5	0.3	10.0	<0.01	0.05	1.7	0.015
AUX0104081		33.7	0.074	29.4	8.2	<0.001	0.02	19.15	2.2	0.9	0.3	22.7	<0.01	0.02	4.8	0.013
AUX0104082		15.8	0.067	12.30	6.2	<0.001	0.07	2.60	2.1	0.6	0.2	35.6	<0.01	0.01	3.7	0.019
AUX0104083		24.8	0.069	19.60	9.2	0.002	0.09	3.09	3.1	1.0	0.3	45.8	<0.01	0.02	3.9	0.020
AUX0104084		25.6	0.066	16.95	8.7	<0.001	0.08	3.36	3.2	0.8	0.3	52.0	<0.01	0.01	4.6	0.028
AUX0104085		24.5	0.067	17.40	6.5	<0.001	0.02	6.13	3.3	0.6	0.4	33.9	<0.01	0.04	5.1	0.034
AUX0104086		27.5	0.080	15.95	6.2	<0.001	0.02	6.04	3.9	0.8	0.4	30.0	<0.01	0.03	4.5	0.038
AUX0104087		24.1	0.081	14.75	6.5	<0.001	0.04	6.24	3.2	0.8	0.4	43.5	<0.01	0.02	2.6	0.033
AUX0104088		28.0	0.076	27.2	5.7	<0.001	0.01	11.55	3.5	0.6	0.3	25.4	<0.01	0.02	5.2	0.038
AUX0104089		21.9	0.059	15.05	5.0	<0.001	0.01	6.00	3.4	0.8	0.3	31.5	<0.01	0.02	4.9	0.037
AUX0104090		26.9	0.075	15.15	4.8	0.001	0.01	4.25	3.6	0.3	0.4	24.7	<0.01	0.04	5.2	0.041
AUX0104091		21.9	0.071	17.60	7.8	<0.001	0.02	3.53	2.9	0.4	0.4	21.5	<0.01	0.04	3.8	0.023
AUX0104092		17.4	0.067	16.65	6.2	<0.001	0.02	3.39	2.8	0.3	0.3	16.7	<0.01	0.02	4.4	0.030
AUX0104093		20.5	0.058	23.7	6.4	<0.001	0.03	5.42	2.1	0.7	0.2	23.0	<0.01	0.04	5.4	0.012
AUX0104094		34.4	0.075	29.2	6.0	0.001	0.02	6.49	2.4	1.1	0.2	23.1	<0.01	0.06	10.8	0.013
AUX0104095		32.5	0.064	22.8	5.3	<0.001	0.04	13.65	2.3	0.8	0.2	27.4	<0.01	0.07	9.5	0.009
AUX0104096		38.1	0.074	31.5	6.5	0.002	0.08	16.35	1.8	1.3	0.3	39.3	<0.01	0.09	7.3	0.008

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0104057		0.10	0.85	34	0.227	6.50	62.1	<0.5
AUX0104058		0.09	0.88	36	0.187	6.06	60.7	<0.5
AUX0104059		0.07	0.55	29	0.153	4.82	48.9	2.1
AUX0104060		0.09	0.57	23	0.125	4.03	56.9	0.7
AUX0104061		0.08	0.45	17	0.104	6.02	57.7	1.6
AUX0104062		0.08	0.35	21	0.146	3.08	54.2	1.7
AUX0104063		0.09	0.67	19	0.118	3.97	51.3	1.0
AUX0104064		0.11	1.20	36	0.185	6.11	78.7	3.2
AUX0104065		0.14	1.41	34	0.192	7.35	78.2	0.5
AUX0104066		0.15	0.98	38	0.295	4.52	62.9	<0.5
AUX0104067		0.09	0.84	34	0.192	4.43	53.4	0.6
AUX0104068		0.09	0.55	41	0.192	5.55	52.8	1.6
AUX0104069		0.07	0.74	39	0.184	7.68	63.5	1.9
AUX0104070		0.06	0.62	35	0.167	5.64	54.4	0.7
AUX0104071		0.10	0.69	40	0.215	6.27	57.6	<0.5
AUX0104072		0.07	0.77	37	0.245	6.23	58.1	0.5
AUX0104073		0.11	0.85	35	0.138	4.15	50.5	<0.5
AUX0104074		0.11	0.48	61	0.231	2.57	58.3	0.6
AUX0104075		0.12	0.61	51	0.200	9.23	77.3	0.8
AUX0104076		0.11	0.50	43	0.201	2.73	79.8	<0.5
AUX0104077		0.09	0.39	31	0.177	2.33	39.1	<0.5
AUX0104078		0.08	0.52	34	0.156	3.37	43.9	<0.5
AUX0104079		0.10	0.48	32	0.135	3.81	50.3	<0.5
AUX0104080		0.09	1.12	26	0.160	5.79	99.1	<0.5
AUX0104081		0.08	1.47	21	0.101	9.51	98.0	<0.5
AUX0104082		0.07	1.14	22	0.136	6.17	64.5	0.9
AUX0104083		0.10	2.84	32	0.122	9.29	85.2	1.0
AUX0104084		0.11	0.95	30	0.138	7.42	92.7	1.3
AUX0104085		0.08	0.87	37	0.267	7.53	74.0	1.2
AUX0104086		0.07	0.90	37	0.231	8.97	76.8	1.2
AUX0104087		0.08	1.25	37	0.243	8.00	59.9	1.4
AUX0104088		0.09	0.71	35	0.177	8.29	81.1	2.6
AUX0104089		0.08	1.30	38	0.212	7.30	70.1	2.1
AUX0104090		0.07	0.73	38	0.296	8.08	74.6	3.1
AUX0104091		0.11	0.78	35	0.207	6.37	71.7	0.6
AUX0104092		0.07	0.81	33	0.176	6.16	59.8	0.7
AUX0104093		0.09	1.44	23	0.0885	6.46	66.8	1.2
AUX0104094		0.10	1.73	20	0.0797	10.25	107.5	4.7
AUX0104095		0.07	0.87	16	0.0800	8.35	95.7	2.2
AUX0104096		0.08	1.27	22	0.0801	6.73	123.0	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0104097	0.40	0.0141	0.513	0.80	142.0	<10	150.5	0.28	0.33	0.37	0.43	78.9	16.5	15.8	1.09
AUX0104098	0.36	0.0080	0.287	0.97	65.1	<10	334	0.22	0.25	0.33	0.14	57.6	9.5	17.4	0.83
AUX0104099	0.48	0.0100	0.312	0.97	57.4	<10	213	0.31	0.24	0.35	0.28	51.5	11.5	17.9	0.63
AUX0104100	0.50	0.0072	0.303	1.06	53.0	<10	227	0.36	0.26	0.37	0.32	52.0	11.5	19.4	0.64
AUX0104101	0.36	0.0024	0.421	1.17	24.2	<10	367	0.29	0.16	0.57	0.46	29.7	13.2	20.4	0.63
AUX0104102	0.28	0.0035	0.532	1.39	30.1	<10	481	0.52	0.21	0.65	0.80	45.5	23.8	22.3	0.72
AUX0104103	0.38	0.0040	0.568	1.10	54.3	<10	329	0.41	0.22	0.39	0.46	39.7	25.1	20.2	0.55
AUX0104104	0.34	0.0040	0.445	1.34	50.8	<10	276	0.45	0.22	0.53	0.25	35.3	6.8	22.8	0.65
AUX0104105	0.36	0.0046	0.626	1.19	32.6	<10	289	0.40	0.22	0.58	0.33	36.4	9.5	20.4	0.60
AUX0104106	0.32	0.0038	0.498	1.27	38.7	<10	317	0.50	0.20	0.51	0.30	34.8	9.5	22.6	0.61
AUX0104107	0.42	0.0042	0.246	1.24	36.3	<10	340	0.45	0.20	0.42	0.42	39.5	11.2	21.7	0.70
AUX0104108	0.34	0.0032	0.580	1.52	28.3	<10	518	0.60	0.21	0.60	0.77	45.6	22.1	26.3	0.82
AUX0104109	0.28	0.0041	0.553	1.62	26.6	<10	484	0.52	0.21	0.33	0.32	45.4	35.8	26.2	0.97
AUX0104110	0.44	0.0041	0.351	1.25	21.7	<10	316	0.47	0.17	0.42	0.30	44.7	13.7	26.5	0.63
AUX0104111	0.28	0.0030	0.388	1.15	18.60	<10	392	0.45	0.16	1.45	0.47	29.6	10.9	22.2	0.51
AUX0104112	0.34	0.0037	0.707	1.52	38.3	<10	532	0.58	0.23	0.56	0.99	55.9	27.3	34.3	0.72
AUX0104113	0.30	0.0029	0.313	1.27	23.8	<10	156.5	0.42	0.22	0.46	0.45	81.9	23.4	35.5	0.69
AUX0104114	0.40	0.0034	0.359	1.15	35.2	<10	94.5	0.26	0.23	0.33	0.33	76.8	25.7	45.3	0.92
AUX0104115	0.30	0.0028	0.142	0.91	21.3	<10	81.9	0.22	0.26	0.17	0.27	71.4	19.5	27.1	0.80
AUX0104116	0.30	0.0021	0.130	1.59	22.9	<10	160.5	0.38	0.17	0.20	0.16	41.9	14.8	47.0	0.72
AUX0104117	0.30	0.0031	0.105	1.03	20.0	<10	196.5	0.35	0.16	0.17	0.14	47.3	6.7	20.0	0.55
AUX0104118	0.38	0.0041	0.241	1.14	32.7	<10	252	0.43	0.18	0.22	0.18	50.4	8.9	19.4	0.66
AUX0104119	0.34	0.0039	0.442	1.27	37.7	<10	281	0.40	0.21	0.30	0.22	46.9	9.6	21.9	0.69
AUX0104120	0.34	0.0030	0.597	1.23	43.4	<10	288	0.39	0.21	0.38	0.34	52.3	12.6	22.6	0.77
AUX0104121	0.28	0.0040	0.606	1.43	44.8	<10	339	0.54	0.23	0.25	0.39	36.4	15.0	26.3	1.06
AUX0104122	0.34	0.0076	0.611	1.24	47.5	<10	282	0.40	0.20	0.25	0.30	38.6	12.7	29.3	0.68
AUX0104123	0.36	0.0051	0.453	1.26	52.7	<10	226	0.36	0.19	0.31	0.28	44.2	13.0	35.1	0.65
AUX0104124	0.34	0.0027	0.320	1.23	25.0	<10	296	0.41	0.20	0.30	0.22	40.8	19.2	32.3	0.91
AUX0104125	0.36	0.0137	0.283	1.30	23.7	<10	287	0.34	0.19	0.31	0.19	40.4	14.4	30.3	0.80
AUX0104126	0.36	0.0025	0.156	1.17	18.40	<10	273	0.37	0.16	0.28	0.29	35.5	9.5	25.0	0.80
AUX0104127	0.32	0.0035	0.207	1.23	25.5	<10	282	0.40	0.16	0.27	0.32	37.3	10.2	27.1	0.77
AUX0104128	0.30	0.0018	0.175	1.47	10.30	<10	400	0.41	0.17	0.33	0.41	34.2	9.0	23.5	0.98
AUX0104129	0.40	0.0047	0.188	1.45	14.45	<10	394	0.45	0.19	0.38	0.48	37.7	9.2	24.1	0.96
AUX0104130	0.34	0.0015	0.125	1.10	10.05	<10	358	0.44	0.15	0.31	0.43	34.5	8.2	20.6	0.66
AUX0104131	0.30	0.0012	0.095	0.99	9.29	<10	278	0.32	0.14	0.28	0.35	36.7	9.0	20.0	0.55
AUX0104132	0.50	0.0030	0.158	1.24	14.40	<10	240	0.31	0.16	0.19	0.20	25.9	5.1	20.7	0.85
AUX0104133	0.46	0.0014	0.180	1.12	32.5	<10	173.5	0.29	0.18	0.17	0.16	27.0	5.6	18.8	0.80
AUX0104134	0.26	0.0030	0.129	1.33	38.0	<10	147.5	0.35	0.19	0.15	0.25	24.5	11.3	23.8	0.79
AUX0104135	0.48	0.0026	0.139	1.21	29.0	<10	210	0.38	0.16	0.22	0.09	32.9	7.1	19.3	0.70
AUX0104136	0.38	0.0030	0.192	1.29	30.8	<10	357	0.46	0.21	0.37	0.23	39.8	9.4	25.2	0.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0104097		72.1	4.36	2.43	0.11	0.12	0.065	0.016	0.06	39.2	8.0	0.34	966	3.39	0.01	0.14
AUX0104098		29.6	2.73	2.88	0.09	0.04	0.030	0.013	0.07	29.6	10.8	0.39	323	1.17	0.01	0.33
AUX0104099		36.1	2.61	3.07	0.07	0.06	0.048	0.017	0.05	24.6	11.9	0.35	708	1.28	0.01	0.40
AUX0104100		37.1	2.69	3.35	0.09	0.06	0.045	0.021	0.05	24.8	13.4	0.37	431	1.26	0.01	0.42
AUX0104101		17.65	2.19	3.29	0.12	0.06	0.043	0.018	0.05	14.9	14.8	0.35	2440	0.78	0.01	0.40
AUX0104102		26.3	5.58	3.53	0.12	0.06	0.060	0.022	0.06	20.1	14.5	0.36	1880	1.57	0.02	0.44
AUX0104103		29.8	3.15	3.25	0.10	0.08	0.029	0.017	0.05	19.3	12.4	0.34	2840	1.18	0.01	0.47
AUX0104104		30.4	2.22	3.87	0.10	0.07	0.043	0.022	0.06	18.8	16.3	0.41	252	0.90	0.02	0.54
AUX0104105		31.8	2.21	3.39	0.11	0.08	0.038	0.021	0.06	18.3	14.1	0.36	400	0.85	0.02	0.48
AUX0104106		30.1	2.48	3.55	0.11	0.06	0.053	0.020	0.06	17.0	15.9	0.36	513	1.06	0.02	0.51
AUX0104107		43.8	2.47	3.42	0.13	0.07	0.055	0.024	0.05	20.9	16.6	0.39	529	1.18	0.01	0.57
AUX0104108		31.1	2.85	3.80	0.14	0.06	0.078	0.027	0.05	23.8	20.8	0.47	2220	0.98	0.02	0.39
AUX0104109		23.3	3.31	4.49	0.12	0.03	0.085	0.030	0.05	23.0	19.4	0.41	2430	1.33	0.02	0.49
AUX0104110		31.0	2.59	3.70	0.13	0.05	0.052	0.022	0.05	24.7	16.6	0.48	643	0.90	0.01	0.56
AUX0104111		25.8	2.23	3.15	0.12	0.06	0.078	0.021	0.04	16.9	13.3	0.41	645	0.77	0.02	0.58
AUX0104112		50.3	3.57	4.36	0.15	0.06	0.078	0.030	0.06	28.8	21.6	0.61	2220	1.30	0.02	0.48
AUX0104113		51.4	3.81	4.02	0.17	0.05	0.050	0.025	0.08	39.7	18.8	0.64	1180	0.89	0.01	0.30
AUX0104114		55.2	4.03	4.00	0.20	0.16	0.060	0.025	0.08	40.6	15.4	0.76	772	0.99	0.01	0.17
AUX0104115		42.1	3.19	3.20	0.16	0.03	0.021	0.018	0.08	33.3	11.3	0.50	727	0.68	<0.01	0.32
AUX0104116		30.7	3.33	5.00	0.12	0.03	0.030	0.030	0.05	20.3	21.1	0.74	605	1.10	0.01	0.48
AUX0104117		27.4	2.06	3.33	0.12	0.02	0.037	0.017	0.05	25.3	13.7	0.33	219	0.85	<0.01	0.60
AUX0104118		35.9	2.39	3.72	0.13	0.02	0.045	0.021	0.05	26.9	13.8	0.35	357	1.05	0.01	0.52
AUX0104119		33.7	2.68	3.83	0.11	<0.02	0.029	0.018	0.07	23.2	14.4	0.39	387	1.16	0.01	0.39
AUX0104120		35.4	2.79	3.66	0.14	0.02	0.235	0.024	0.07	27.0	15.9	0.42	434	1.39	0.01	0.43
AUX0104121		37.9	2.89	4.40	0.12	0.02	0.056	0.029	0.07	18.6	14.5	0.37	605	1.66	0.01	0.47
AUX0104122		45.0	2.61	3.43	0.12	0.03	0.067	0.024	0.04	19.9	13.9	0.48	431	1.26	0.01	0.43
AUX0104123		43.6	2.71	3.72	0.13	0.04	0.078	0.021	0.04	22.7	14.7	0.58	245	1.02	0.01	0.52
AUX0104124		26.7	2.28	4.30	0.11	0.02	0.071	0.023	0.05	20.0	17.1	0.43	627	1.09	<0.01	0.46
AUX0104125		25.8	2.38	3.97	0.11	0.02	0.032	0.021	0.05	20.3	15.6	0.48	504	1.01	0.01	0.46
AUX0104126		20.9	2.15	3.75	0.12	0.03	0.042	0.022	0.04	18.3	14.6	0.38	361	0.79	0.01	0.52
AUX0104127		23.1	2.57	3.54	0.11	0.04	0.051	0.019	0.05	19.8	14.9	0.41	330	0.81	0.01	0.59
AUX0104128		17.95	2.08	4.23	0.10	0.04	0.074	0.024	0.05	17.8	17.6	0.37	202	0.52	0.01	0.72
AUX0104129		18.85	2.35	4.18	0.13	0.03	0.073	0.023	0.04	19.7	17.1	0.40	245	0.68	0.02	0.79
AUX0104130		19.80	2.01	3.27	0.11	0.04	0.039	0.019	0.04	17.4	12.7	0.37	165	0.73	0.01	0.74
AUX0104131		21.9	2.10	2.93	0.13	0.10	0.032	0.018	0.04	18.6	12.0	0.35	214	0.76	0.01	0.67
AUX0104132		16.95	1.81	4.00	0.10	<0.02	0.054	0.020	0.03	14.1	12.6	0.33	129	0.79	0.01	0.60
AUX0104133		13.35	2.19	3.89	0.10	0.02	0.035	0.018	0.03	13.9	13.0	0.30	217	1.05	0.01	0.70
AUX0104134		17.40	3.01	3.61	0.10	0.03	0.023	0.024	0.04	12.6	17.2	0.36	459	1.11	0.01	0.78
AUX0104135		17.65	2.23	3.40	0.11	0.03	0.033	0.018	0.03	17.2	13.2	0.34	223	0.85	0.01	0.64
AUX0104136		29.5	2.47	4.06	0.13	0.03	0.048	0.025	0.04	21.1	16.3	0.39	359	1.02	0.01	0.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0104097		47.1	0.096	30.0	4.4	0.001	0.04	15.50	2.6	1.3	0.2	21.5	0.01	0.08	12.9	0.007
AUX0104098		25.7	0.061	22.8	5.9	<0.001	0.01	9.04	1.9	0.3	0.2	16.4	<0.01	0.03	7.8	0.014
AUX0104099		29.2	0.061	22.4	5.4	<0.001	0.01	7.25	2.6	0.7	0.3	20.3	<0.01	0.03	7.4	0.022
AUX0104100		29.6	0.062	23.3	5.8	<0.001	0.01	7.46	2.9	1.1	0.3	21.4	<0.01	0.04	8.2	0.025
AUX0104101		23.5	0.078	18.20	8.2	0.002	0.05	1.855	2.5	0.8	0.2	39.0	<0.01	0.04	3.2	0.018
AUX0104102		27.0	0.082	20.0	9.7	0.001	0.10	3.58	3.3	1.4	0.3	46.1	<0.01	0.04	3.6	0.013
AUX0104103		29.1	0.069	30.9	6.3	<0.001	0.03	5.06	2.7	1.3	0.2	25.8	<0.01	0.03	6.3	0.019
AUX0104104		22.4	0.069	28.0	7.6	0.002	0.06	4.03	3.0	1.5	0.3	33.5	<0.01	0.04	5.3	0.019
AUX0104105		22.8	0.074	28.5	7.4	0.001	0.06	3.24	2.7	1.6	0.2	35.8	<0.01	0.03	4.9	0.019
AUX0104106		23.3	0.072	27.3	7.3	0.001	0.05	2.74	3.0	2.2	0.3	35.3	<0.01	0.03	4.8	0.019
AUX0104107		29.9	0.070	29.3	8.0	<0.001	0.02	2.93	3.7	1.7	0.3	27.9	<0.01	0.03	6.4	0.023
AUX0104108		33.7	0.093	28.0	9.4	<0.001	0.06	1.900	3.5	1.8	0.3	46.3	<0.01	0.04	3.2	0.014
AUX0104109		26.8	0.088	24.7	10.8	<0.001	0.04	1.515	3.7	1.0	0.4	29.0	<0.01	0.05	2.8	0.016
AUX0104110		27.9	0.070	19.60	7.3	<0.001	0.02	1.745	3.7	0.8	0.3	32.9	<0.01	0.03	6.9	0.026
AUX0104111		26.3	0.075	17.00	6.8	<0.001	0.06	1.310	3.0	1.0	0.3	90.7	<0.01	0.03	3.0	0.022
AUX0104112		50.5	0.080	31.4	8.2	<0.001	0.02	2.48	4.9	1.4	0.3	38.8	<0.01	0.05	7.1	0.022
AUX0104113		55.3	0.069	32.7	8.3	<0.001	0.01	1.475	4.4	1.1	0.3	26.3	<0.01	0.06	12.5	0.016
AUX0104114		66.7	0.071	43.1	7.8	<0.001	0.01	2.04	5.0	0.9	0.2	22.0	<0.01	0.04	18.0	0.018
AUX0104115		43.2	0.065	48.0	7.7	<0.001	0.01	1.430	2.4	0.7	0.2	11.7	<0.01	0.04	13.1	0.018
AUX0104116		39.9	0.046	21.4	7.6	<0.001	0.01	1.685	4.5	0.5	0.4	14.9	<0.01	0.04	7.1	0.023
AUX0104117		20.5	0.043	12.60	6.4	<0.001	<0.01	3.03	2.9	0.5	0.3	15.6	<0.01	0.02	5.4	0.034
AUX0104118		25.8	0.047	20.5	7.5	<0.001	0.01	2.97	2.9	0.8	0.3	19.6	<0.01	0.04	3.9	0.028
AUX0104119		25.5	0.064	24.8	8.4	<0.001	0.01	3.70	2.7	0.5	0.3	20.0	<0.01	0.03	5.7	0.022
AUX0104120		26.9	0.082	30.4	8.1	<0.001	0.01	3.37	3.1	0.8	0.3	23.0	<0.01	0.04	7.1	0.024
AUX0104121		25.6	0.095	32.6	11.6	<0.001	0.02	2.01	3.0	1.2	0.4	21.3	<0.01	0.03	1.8	0.020
AUX0104122		30.8	0.073	26.4	6.8	<0.001	0.01	2.15	3.5	0.7	0.3	19.0	<0.01	0.04	4.7	0.022
AUX0104123		31.1	0.072	23.8	6.3	<0.001	0.01	2.11	3.7	0.8	0.3	18.7	<0.01	0.03	6.9	0.035
AUX0104124		27.0	0.067	21.4	12.4	<0.001	0.01	1.585	3.2	0.8	0.4	30.9	<0.01	0.02	3.5	0.018
AUX0104125		25.4	0.068	18.75	9.9	<0.001	0.01	1.455	3.0	0.5	0.3	25.9	<0.01	0.03	3.8	0.020
AUX0104126		21.8	0.070	14.60	9.3	<0.001	0.01	2.04	3.1	0.7	0.4	23.6	<0.01	0.03	3.5	0.021
AUX0104127		23.1	0.069	16.35	7.8	<0.001	0.02	3.56	3.2	0.6	0.3	23.4	<0.01	0.03	4.7	0.023
AUX0104128		19.2	0.077	13.70	10.1	<0.001	0.05	0.770	3.4	0.9	0.4	29.5	<0.01	0.02	3.2	0.021
AUX0104129		19.8	0.084	15.30	8.9	<0.001	0.04	0.737	3.8	0.8	0.4	33.2	<0.01	0.03	4.1	0.024
AUX0104130		18.9	0.079	11.60	6.5	<0.001	0.02	0.738	3.5	0.8	0.4	25.0	<0.01	0.04	4.9	0.032
AUX0104131		18.5	0.069	10.65	5.2	<0.001	0.01	0.837	3.2	0.5	0.3	23.2	<0.01	0.04	5.8	0.041
AUX0104132		15.3	0.063	12.15	7.3	<0.001	0.01	1.570	2.1	0.5	0.4	15.0	<0.01	0.03	1.2	0.024
AUX0104133		12.8	0.050	13.55	7.6	<0.001	0.01	2.74	1.9	0.5	0.4	13.9	<0.01	0.03	2.3	0.026
AUX0104134		19.9	0.050	17.25	7.4	<0.001	0.01	3.97	2.1	0.7	0.4	12.6	<0.01	0.05	3.2	0.028
AUX0104135		15.4	0.047	12.45	7.4	<0.001	0.01	2.71	2.5	0.6	0.3	16.3	<0.01	0.03	4.6	0.028
AUX0104136		23.8	0.055	14.25	7.2	<0.001	0.01	4.28	4.3	0.8	0.4	27.8	<0.01	0.05	5.5	0.039

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0104097		0.07	1.07	16	0.0555	10.85	122.5	7.5
AUX0104098		0.07	0.58	18	0.0903	5.76	72.2	1.4
AUX0104099		0.07	0.56	23	0.116	7.47	77.1	2.4
AUX0104100		0.07	0.57	26	0.128	8.03	76.7	2.8
AUX0104101		0.09	1.38	27	0.114	7.06	82.0	1.1
AUX0104102		0.11	2.37	29	0.145	14.00	105.5	1.5
AUX0104103		0.08	1.25	29	0.154	8.48	84.7	2.9
AUX0104104		0.11	1.78	33	0.117	7.33	79.4	2.0
AUX0104105		0.11	2.35	30	0.189	8.27	80.2	2.2
AUX0104106		0.09	1.76	35	0.322	8.34	68.8	1.9
AUX0104107		0.11	1.84	32	0.177	10.20	79.4	2.7
AUX0104108		0.13	2.38	31	0.136	15.55	93.8	1.7
AUX0104109		0.14	1.62	39	0.184	10.35	85.1	0.8
AUX0104110		0.09	1.21	32	0.177	11.45	70.1	1.8
AUX0104111		0.08	1.80	29	0.207	9.67	74.1	2.3
AUX0104112		0.11	1.76	36	0.225	16.10	98.8	1.8
AUX0104113		0.10	0.95	28	0.0672	16.65	93.4	2.4
AUX0104114		0.11	0.80	27	0.0401	15.45	103.5	8.9
AUX0104115		0.11	0.67	17	0.0388	8.87	87.4	1.4
AUX0104116		0.11	0.53	42	0.132	6.42	71.9	1.3
AUX0104117		0.07	0.61	30	0.142	8.82	63.2	0.8
AUX0104118		0.09	0.73	29	0.175	9.55	63.6	0.8
AUX0104119		0.10	0.72	30	0.140	7.33	81.1	0.5
AUX0104120		0.12	0.73	30	0.159	8.88	93.8	1.0
AUX0104121		0.15	1.44	41	0.413	8.99	80.6	<0.5
AUX0104122		0.13	1.07	31	0.148	9.55	85.5	1.0
AUX0104123		0.11	0.67	32	0.127	9.58	81.5	1.6
AUX0104124		0.12	1.10	34	0.149	7.00	69.5	0.7
AUX0104125		0.11	0.94	31	0.131	6.46	64.9	0.6
AUX0104126		0.09	1.29	31	0.157	7.52	64.8	0.8
AUX0104127		0.10	1.40	33	0.155	7.95	73.4	1.1
AUX0104128		0.13	2.26	38	0.300	8.52	80.6	1.0
AUX0104129		0.13	2.45	40	0.229	8.95	80.1	0.9
AUX0104130		0.08	1.52	36	0.285	8.83	76.3	1.5
AUX0104131		0.06	0.69	31	0.214	7.55	65.9	4.4
AUX0104132		0.09	0.63	35	0.169	5.04	50.0	<0.5
AUX0104133		0.09	0.52	36	0.308	3.76	47.2	0.5
AUX0104134		0.09	0.45	37	0.219	3.00	61.1	0.7
AUX0104135		0.08	0.63	33	0.189	4.97	49.0	1.1
AUX0104136		0.08	0.87	39	0.200	9.36	73.9	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0104137	0.38	0.0022	0.156	1.15	13.70	<10	271	0.39	0.16	0.42	0.18	33.4	6.3	21.7	0.64
AUX0104138	0.32	0.0031	0.157	1.19	14.10	<10	326	0.37	0.15	0.33	0.17	31.8	7.8	20.1	0.71
AUX0104139	0.30	0.0016	0.159	1.27	15.55	<10	304	0.35	0.16	0.29	0.11	30.8	6.9	20.7	0.75
AUX0104140	0.44	0.0075	0.215	1.32	33.0	<10	285	0.36	0.20	0.23	0.15	36.0	7.8	21.7	0.79
AUX0104141	0.44	0.0023	0.097	1.03	21.0	<10	160.5	0.29	0.13	0.17	0.08	33.9	6.5	17.9	0.61
AUX0104142	0.44	0.0020	0.118	1.08	19.65	<10	250	0.34	0.15	0.29	0.12	36.8	7.5	20.4	0.67
AUX0104143	0.60	0.0032	0.162	1.37	32.7	<10	413	0.47	0.22	0.39	0.14	35.6	9.1	25.2	0.63
AUX0104144	0.42	0.0047	0.261	1.32	49.2	<10	347	0.41	0.26	0.36	0.21	38.5	9.0	22.9	0.63
AUX0104145	0.36	0.0120	0.123	0.96	46.9	<10	204	0.30	0.22	0.28	0.21	38.2	8.0	19.8	0.54
AUX0104146	0.50	0.0064	0.368	0.92	86.6	<10	169.5	0.26	0.28	0.32	0.34	50.5	11.2	17.3	0.60
AUX0104147	0.62	0.0038	0.362	1.13	58.7	<10	196.5	0.31	0.25	0.29	0.37	55.1	12.9	19.1	0.74
AUX0104148	0.32	0.0059	0.445	1.23	54.0	<10	417	0.45	0.25	0.60	0.38	33.7	13.2	20.3	0.68
AUX0104149	0.32	0.0035	0.295	1.24	30.0	<10	313	0.38	0.24	0.31	0.23	37.3	10.0	19.8	0.82
AUX0104150	0.36	0.0017	0.143	1.00	18.05	<10	222	0.19	0.15	0.47	0.12	23.7	4.9	16.7	0.66
AUX0104151	0.36	0.0023	0.139	0.98	21.2	<10	235	0.34	0.17	0.30	0.17	33.2	8.7	19.0	0.56
AUX0104152	0.36	0.0387	0.201	1.20	16.75	<10	320	0.40	0.18	0.31	0.18	35.4	9.0	21.3	0.68
AUX0104153	0.34	0.0045	0.253	1.20	24.5	<10	338	0.48	0.20	0.45	0.45	40.9	9.6	21.7	0.69
AUX0104154	0.42	0.0037	0.231	1.23	31.5	<10	379	0.48	0.21	0.47	0.40	40.0	9.3	22.3	0.68
AUX0104155	0.36	0.0038	0.339	1.21	18.05	<10	358	0.45	0.21	0.42	0.65	37.7	10.7	21.7	0.66
AUX0104156	0.32	0.0045	0.463	1.54	35.4	<10	508	0.52	0.25	0.47	0.68	43.3	18.2	24.7	0.87
AUX0104157	0.36	0.0036	0.217	0.86	30.8	<10	198.5	0.28	0.18	0.38	0.22	35.1	8.4	16.0	0.49
AUX0104158	0.32	0.0051	0.396	1.20	43.5	<10	370	0.36	0.23	0.51	0.39	41.0	20.4	19.0	0.72
AUX0104159	0.40	0.0035	0.250	1.06	28.5	<10	277	0.38	0.20	0.34	0.39	43.4	11.2	18.5	0.60
AUX0104160	0.40	0.0030	0.212	1.08	34.7	<10	293	0.39	0.21	0.37	0.35	45.0	13.6	18.1	0.62
AUX0104161	0.32	0.0034	0.292	1.15	47.2	<10	267	0.41	0.23	0.38	0.37	45.7	12.2	20.2	0.66
AUX0104162	0.38	0.0037	0.357	1.39	36.1	<10	369	0.45	0.24	0.35	0.44	46.4	17.7	23.4	0.81
AUX0104163	0.38	0.0029	0.245	1.24	28.9	<10	282	0.39	0.21	0.34	0.19	40.9	10.9	22.6	0.68
AUX0104164	0.34	0.0026	0.267	0.94	26.2	<10	239	0.37	0.18	0.27	0.33	40.2	9.4	19.9	0.57
AUX0104165	0.40	0.0017	0.228	1.21	23.4	<10	287	0.31	0.19	0.23	0.29	35.9	8.9	22.0	0.82
AUX0104166	0.36	0.0016	0.172	1.13	11.45	<10	327	0.34	0.16	0.24	0.33	35.9	9.4	19.7	0.68
AUX0104167	0.22	0.0038	0.120	1.08	5.89	<10	255	0.20	0.14	0.23	0.16	25.9	5.5	17.8	0.63
AUX0104168	0.38	0.0029	0.160	1.11	12.90	<10	356	0.42	0.16	0.27	0.48	38.9	8.6	20.8	0.64
AUX0104169	0.38	0.0076	0.186	1.35	18.90	<10	341	0.35	0.20	0.30	0.33	36.7	13.4	23.6	0.77
AUX0104170	0.42	0.0015	0.137	0.97	16.35	<10	306	0.36	0.16	0.29	0.38	32.8	10.0	18.5	0.56
AUX0104171	0.46	0.0007	0.130	0.86	11.65	<10	234	0.31	0.13	0.32	0.28	35.0	7.3	18.2	0.48
AUX0104172	0.40	0.0010	0.102	1.01	11.65	<10	271	0.36	0.16	0.31	0.29	34.6	7.5	19.1	0.52
AUX0104173	0.46	0.0016	0.147	1.13	16.40	<10	366	0.40	0.18	0.33	0.43	41.4	12.7	21.1	0.55
AUX0104174	0.22	0.0057	0.114	1.47	39.5	<10	163.5	0.36	0.21	0.11	0.09	28.4	6.9	23.8	0.82
AUX0104175	0.32	0.0019	0.095	1.20	36.3	<10	132.0	0.34	0.19	0.09	0.08	25.3	6.0	22.3	0.70
AUX0104176	0.36	0.0005	0.081	1.22	15.25	<10	185.5	0.33	0.19	0.14	0.09	28.5	5.8	21.8	0.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0104137		18.75	1.95	3.33	0.11	0.03	0.052	0.021	0.04	17.2	12.1	0.33	174	0.82	0.01	0.73
AUX0104138		17.45	2.06	3.39	0.11	0.03	0.048	0.019	0.03	16.1	12.2	0.31	231	0.66	0.01	0.73
AUX0104139		18.15	2.11	3.87	0.10	0.02	0.053	0.020	0.03	16.2	13.8	0.33	190	0.73	0.01	0.71
AUX0104140		22.8	2.49	3.80	0.12	0.02	0.059	0.020	0.04	19.6	14.9	0.37	338	0.98	0.01	0.79
AUX0104141		18.35	2.01	2.97	0.11	0.04	0.025	0.014	0.03	17.8	12.0	0.31	206	0.70	0.01	0.65
AUX0104142		22.7	2.01	3.41	0.12	0.03	0.033	0.016	0.04	19.2	13.8	0.34	206	0.79	0.01	0.71
AUX0104143		30.0	2.56	4.15	0.10	0.05	0.047	0.025	0.04	18.6	15.1	0.41	362	1.07	0.02	0.81
AUX0104144		33.2	2.63	3.96	0.11	0.09	0.053	0.022	0.04	21.0	15.2	0.41	315	0.98	0.02	0.72
AUX0104145		32.5	2.23	3.05	0.10	0.08	0.038	0.018	0.04	20.7	14.3	0.38	274	0.83	0.01	0.53
AUX0104146		36.9	2.64	2.92	0.12	0.06	0.046	0.020	0.06	27.0	14.8	0.38	479	0.94	0.01	0.38
AUX0104147		38.4	2.88	3.50	0.13	0.06	0.035	0.021	0.08	28.9	16.6	0.45	550	0.82	0.01	0.36
AUX0104148		31.0	2.47	3.64	0.10	0.04	0.079	0.023	0.05	18.4	13.5	0.33	1060	0.82	0.02	0.54
AUX0104149		23.0	2.40	3.87	0.11	0.02	0.051	0.023	0.04	19.2	14.6	0.35	229	0.86	0.01	0.64
AUX0104150		11.65	1.95	3.34	0.10	<0.02	0.055	0.015	0.03	12.6	11.7	0.30	152	0.54	0.01	0.60
AUX0104151		18.95	2.23	3.16	0.10	0.03	0.039	0.017	0.03	17.4	11.4	0.30	225	0.95	0.01	0.67
AUX0104152		23.7	2.18	3.76	0.10	0.04	0.045	0.019	0.04	18.3	14.5	0.36	189	0.93	0.01	0.70
AUX0104153		34.2	2.11	3.60	0.12	0.06	0.053	0.021	0.04	21.2	14.8	0.37	135	0.86	0.02	0.67
AUX0104154		28.9	2.63	3.71	0.12	0.05	0.043	0.020	0.04	21.6	15.8	0.39	177	0.93	0.02	0.75
AUX0104155		29.6	2.03	3.59	0.10	0.05	0.051	0.022	0.05	19.8	15.4	0.38	334	0.87	0.02	0.71
AUX0104156		31.6	2.96	4.41	0.11	0.06	0.073	0.024	0.06	21.6	19.7	0.43	1710	1.09	0.02	0.55
AUX0104157		20.6	2.11	2.73	0.11	0.02	0.033	0.015	0.04	18.9	11.7	0.30	748	0.86	0.01	0.40
AUX0104158		25.6	3.09	3.52	0.10	0.03	0.056	0.022	0.06	20.8	14.8	0.35	1300	1.05	0.02	0.44
AUX0104159		28.2	2.43	3.32	0.11	0.04	0.038	0.018	0.05	23.2	13.8	0.33	649	0.86	0.01	0.55
AUX0104160		30.0	2.42	3.45	0.13	0.02	0.047	0.021	0.05	23.1	13.5	0.35	1180	0.97	0.01	0.48
AUX0104161		35.7	2.75	3.60	0.12	0.04	0.038	0.022	0.06	24.2	15.1	0.40	568	1.11	0.01	0.46
AUX0104162		29.6	2.87	4.39	0.12	0.02	0.053	0.025	0.07	23.9	16.2	0.39	977	1.16	0.02	0.55
AUX0104163		25.4	2.58	3.76	0.11	<0.02	0.043	0.021	0.06	22.0	14.2	0.39	428	0.97	0.01	0.47
AUX0104164		27.6	2.17	3.21	0.12	0.02	0.035	0.018	0.04	21.2	12.7	0.31	312	1.02	0.01	0.46
AUX0104165		22.2	2.57	3.76	0.11	<0.02	0.046	0.018	0.05	19.1	13.1	0.34	276	0.95	0.01	0.59
AUX0104166		17.75	2.02	3.41	0.10	<0.02	0.045	0.017	0.04	19.7	13.2	0.32	391	0.68	0.01	0.51
AUX0104167		9.55	1.40	3.32	0.09	<0.02	0.129	0.015	0.04	13.4	12.7	0.28	104	0.36	0.01	0.49
AUX0104168		22.7	1.96	3.48	0.11	0.02	0.050	0.019	0.04	19.7	13.6	0.32	186	0.67	0.02	0.65
AUX0104169		16.90	2.79	3.96	0.11	0.03	0.051	0.021	0.04	18.8	15.6	0.36	452	0.84	0.02	0.68
AUX0104170		19.70	2.38	3.09	0.11	0.02	0.044	0.017	0.03	17.1	12.4	0.30	485	0.79	0.01	0.61
AUX0104171		16.60	1.91	2.87	0.11	0.02	0.039	0.016	0.03	19.1	11.5	0.30	200	0.66	0.01	0.66
AUX0104172		19.75	1.93	3.14	0.11	0.05	0.041	0.015	0.03	18.1	13.2	0.33	183	0.63	0.01	0.70
AUX0104173		24.2	2.47	3.45	0.11	0.08	0.047	0.017	0.04	21.3	14.4	0.35	312	0.75	0.02	0.74
AUX0104174		23.7	2.44	4.33	0.10	0.07	0.017	0.023	0.04	15.5	15.2	0.36	164	0.89	0.01	0.71
AUX0104175		21.6	2.05	3.93	0.09	0.12	0.020	0.019	0.03	13.4	14.1	0.31	127	0.86	<0.01	0.53
AUX0104176		17.50	2.10	4.21	0.10	<0.02	0.019	0.017	0.04	15.7	12.3	0.33	184	0.87	0.01	0.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0104137		16.3	0.065	13.70	6.3	<0.001	0.02	2.41	3.1	0.6	0.4	22.6	<0.01	0.03	4.0	0.036
AUX0104138		16.5	0.070	12.75	6.9	<0.001	0.03	2.32	3.1	0.8	0.4	24.6	<0.01	0.03	3.6	0.027
AUX0104139		16.2	0.061	12.85	6.7	<0.001	0.02	2.31	3.1	0.8	0.4	22.3	<0.01	0.03	3.2	0.024
AUX0104140		20.2	0.053	16.00	7.6	<0.001	0.01	3.83	3.1	0.9	0.4	18.2	<0.01	0.03	3.8	0.034
AUX0104141		15.0	0.051	11.15	5.9	<0.001	0.01	1.605	2.3	0.4	0.3	12.9	<0.01	0.03	4.7	0.031
AUX0104142		18.9	0.058	12.45	6.6	<0.001	0.01	2.48	3.0	0.6	0.4	22.9	<0.01	0.02	4.6	0.032
AUX0104143		24.2	0.059	14.45	6.8	<0.001	0.01	5.96	4.1	0.8	0.4	26.4	<0.01	0.04	5.2	0.036
AUX0104144		24.7	0.060	17.60	7.0	<0.001	0.01	9.68	3.9	0.8	0.4	22.0	<0.01	0.02	7.2	0.040
AUX0104145		21.2	0.050	17.70	5.3	<0.001	0.01	8.76	2.6	0.5	0.3	16.6	<0.01	0.03	7.5	0.035
AUX0104146		28.4	0.059	27.0	5.7	<0.001	0.01	15.40	2.6	0.9	0.2	18.6	<0.01	0.03	9.4	0.021
AUX0104147		30.6	0.066	23.8	6.7	<0.001	0.01	8.38	2.8	0.8	0.2	16.7	<0.01	0.03	10.5	0.028
AUX0104148		27.5	0.085	19.90	8.2	<0.001	0.04	10.05	3.5	0.8	0.3	35.6	<0.01	0.03	3.4	0.020
AUX0104149		20.7	0.077	21.4	8.7	<0.001	0.02	3.74	3.1	0.8	0.4	22.4	<0.01	0.03	4.1	0.022
AUX0104150		14.7	0.070	9.27	6.4	<0.001	0.04	0.916	2.1	0.4	0.3	29.9	<0.01	0.01	2.2	0.021
AUX0104151		17.6	0.072	12.80	5.8	<0.001	0.02	1.395	2.7	0.7	0.3	20.1	<0.01	0.02	4.4	0.027
AUX0104152		21.1	0.069	13.90	7.0	<0.001	0.03	1.490	3.3	0.7	0.4	22.6	<0.01	0.03	4.3	0.026
AUX0104153		24.1	0.074	18.20	7.0	0.001	0.05	2.22	3.6	1.1	0.3	34.2	<0.01	0.03	5.2	0.023
AUX0104154		24.0	0.075	16.50	7.3	0.001	0.04	2.01	3.5	1.1	0.3	35.1	<0.01	0.03	5.3	0.025
AUX0104155		26.2	0.069	18.25	7.8	0.001	0.04	2.43	3.4	1.3	0.3	28.8	<0.01	0.04	6.0	0.026
AUX0104156		34.4	0.084	24.2	9.8	0.001	0.06	3.07	3.6	1.2	0.3	34.4	<0.01	0.04	4.7	0.016
AUX0104157		19.3	0.067	16.65	5.6	<0.001	0.02	2.95	2.0	0.6	0.2	26.5	<0.01	0.02	4.7	0.020
AUX0104158		24.6	0.084	21.4	8.2	<0.001	0.05	3.54	2.9	0.7	0.3	38.9	<0.01	0.03	3.8	0.017
AUX0104159		24.6	0.066	16.00	6.7	<0.001	0.02	3.04	3.1	0.9	0.3	25.1	<0.01	0.04	6.4	0.027
AUX0104160		25.5	0.065	19.05	7.1	0.001	0.02	3.78	2.9	0.9	0.3	26.2	<0.01	0.03	6.4	0.023
AUX0104161		29.3	0.070	19.95	7.1	<0.001	0.01	4.67	3.4	0.6	0.3	24.1	<0.01	0.03	7.6	0.028
AUX0104162		28.8	0.077	23.4	10.8	<0.001	0.02	3.35	3.5	0.7	0.4	24.7	<0.01	0.03	3.9	0.022
AUX0104163		22.7	0.070	18.25	8.6	<0.001	0.01	4.09	3.0	0.5	0.3	19.2	<0.01	0.04	4.2	0.022
AUX0104164		24.5	0.066	16.20	6.3	<0.001	0.01	2.61	3.0	0.6	0.3	18.7	<0.01	0.03	5.3	0.026
AUX0104165		21.1	0.078	13.95	8.1	<0.001	0.01	1.655	3.0	0.6	0.3	18.0	<0.01	0.03	3.5	0.026
AUX0104166		19.2	0.065	10.90	7.1	<0.001	0.02	1.430	3.0	0.7	0.3	18.3	<0.01	0.03	3.8	0.023
AUX0104167		15.1	0.069	10.95	8.0	<0.001	0.04	0.711	1.9	0.4	0.3	16.9	<0.01	0.01	1.4	0.018
AUX0104168		21.2	0.071	12.90	6.5	<0.001	0.02	1.410	3.4	0.7	0.4	21.7	<0.01	0.02	4.4	0.028
AUX0104169		21.9	0.079	13.90	8.2	<0.001	0.02	1.710	3.3	0.7	0.4	24.7	<0.01	0.03	3.9	0.024
AUX0104170		19.7	0.074	11.15	5.7	<0.001	0.02	1.130	3.1	0.9	0.3	23.6	<0.01	0.03	4.3	0.027
AUX0104171		17.9	0.069	8.57	4.6	<0.001	0.01	1.185	2.5	0.5	0.3	22.7	<0.01	0.02	4.6	0.035
AUX0104172		18.3	0.070	11.65	5.1	<0.001	0.01	1.080	2.8	0.6	0.3	23.0	<0.01	0.03	5.6	0.037
AUX0104173		26.1	0.068	15.20	6.2	<0.001	0.02	1.495	3.4	0.8	0.3	28.2	<0.01	0.03	6.9	0.034
AUX0104174		19.4	0.042	12.45	9.4	<0.001	0.01	2.15	3.0	0.4	0.4	10.4	<0.01	0.03	4.8	0.037
AUX0104175		17.7	0.035	11.50	8.3	<0.001	<0.01	2.02	2.7	0.3	0.4	9.2	<0.01	0.02	4.7	0.034
AUX0104176		16.3	0.053	10.90	7.5	<0.001	0.01	0.821	2.8	0.4	0.4	12.6	<0.01	0.02	3.2	0.039

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0104137		0.08	0.74	36	0.569	6.28	58.3	1.0
AUX0104138		0.09	0.87	36	0.429	7.17	53.5	0.9
AUX0104139		0.10	0.82	35	0.204	6.23	50.3	0.6
AUX0104140		0.09	0.69	36	0.204	7.52	62.7	0.6
AUX0104141		0.07	0.52	28	0.171	5.26	49.2	1.7
AUX0104142		0.08	0.66	32	0.306	7.18	57.5	1.1
AUX0104143		0.08	1.03	41	0.245	8.97	67.7	2.1
AUX0104144		0.09	0.92	36	0.235	9.54	76.4	4.3
AUX0104145		0.07	0.64	27	0.142	7.22	61.4	3.6
AUX0104146		0.07	0.75	20	0.181	8.81	76.0	3.2
AUX0104147		0.10	0.71	24	0.124	8.66	84.0	3.7
AUX0104148		0.10	1.16	30	0.237	11.45	68.9	1.3
AUX0104149		0.11	1.12	33	0.204	7.25	64.6	0.6
AUX0104150		0.09	0.73	25	0.263	4.04	46.4	0.5
AUX0104151		0.08	0.79	32	0.232	6.53	54.9	1.1
AUX0104152		0.08	1.07	35	0.257	7.76	64.0	1.2
AUX0104153		0.09	2.19	33	0.176	11.50	68.5	1.9
AUX0104154		0.09	1.90	33	0.265	9.63	69.4	1.8
AUX0104155		0.10	2.30	33	0.186	8.95	83.4	1.9
AUX0104156		0.13	2.49	34	0.166	9.70	100.0	1.7
AUX0104157		0.06	0.78	23	0.156	5.51	62.5	0.9
AUX0104158		0.10	1.29	28	0.144	7.59	74.5	0.8
AUX0104159		0.08	0.98	28	0.153	8.71	72.4	1.7
AUX0104160		0.08	1.07	27	0.152	8.84	71.7	1.1
AUX0104161		0.09	0.59	29	0.188	9.04	82.7	2.0
AUX0104162		0.11	1.08	35	0.188	8.90	84.0	0.5
AUX0104163		0.09	0.94	32	0.171	7.60	73.7	0.5
AUX0104164		0.08	0.83	28	0.155	8.22	63.6	0.8
AUX0104165		0.11	1.15	34	0.198	6.47	66.8	<0.5
AUX0104166		0.09	1.55	30	0.209	7.60	63.8	0.5
AUX0104167		0.09	0.96	23	0.187	4.23	53.3	<0.5
AUX0104168		0.08	2.06	33	0.219	9.68	68.5	0.8
AUX0104169		0.10	1.84	36	0.315	7.11	76.2	0.8
AUX0104170		0.07	1.48	31	0.425	7.82	62.3	0.9
AUX0104171		0.06	0.99	29	0.257	5.89	57.8	1.1
AUX0104172		0.07	1.32	31	0.166	7.38	63.1	2.4
AUX0104173		0.07	1.75	32	0.215	9.48	67.8	3.8
AUX0104174		0.09	0.54	41	0.187	3.80	53.0	3.3
AUX0104175		0.08	0.50	37	0.194	3.41	49.8	4.8
AUX0104176		0.08	0.57	41	0.223	4.74	49.8	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0104177		0.30	0.0013	0.078	1.15	14.10	<10	234	0.40	0.17	0.19	0.08	34.1	7.0	23.4	0.62
AUX0104178		0.40	0.0012	0.058	1.26	13.70	<10	236	0.41	0.17	0.21	0.09	33.7	7.0	24.1	0.65
AUX0104179		0.30	0.0026	0.140	1.06	23.3	<10	117.5	0.19	0.16	0.15	0.12	21.8	5.4	19.3	0.55
AUX0104180		0.32	0.0018	0.169	1.38	23.5	<10	118.5	0.31	0.18	0.07	0.25	25.2	11.5	21.5	0.76
AUX0104181		0.36	0.0141	0.117	1.26	50.0	<10	154.0	0.31	0.19	0.10	0.15	28.4	7.1	20.6	0.62
AUX0104182		0.34	0.0014	0.195	1.51	19.40	<10	175.5	0.37	0.22	0.07	0.17	26.9	6.4	23.4	0.84
AUX0104183		0.34	0.0018	0.414	1.88	23.2	<10	208	0.50	0.20	0.07	0.17	26.7	10.9	27.6	0.90
AUX0104184		0.38	0.0025	0.224	1.76	86.9	<10	173.5	0.35	0.30	0.08	0.23	29.3	9.2	28.7	0.92
AUX0104185		0.34	0.0052	0.389	0.87	92.9	<10	202	0.27	0.22	0.26	0.29	33.2	10.1	15.6	0.58
AUX0104186		0.50	0.0063	0.372	1.10	90.6	<10	361	0.36	0.25	0.39	0.42	37.9	12.2	21.3	0.54
AUX0104187		0.18	0.0032	0.552	1.21	31.9	<10	535	0.34	0.18	0.44	0.30	35.0	9.1	20.8	0.73
AUX0104188		0.38	0.0017	0.406	0.82	14.10	<10	318	0.22	0.14	0.30	0.38	27.5	7.4	14.8	0.51
AUX0104189		0.48	0.0055	0.514	1.22	25.9	<10	489	0.33	0.18	0.31	0.52	34.9	13.2	20.6	0.74
AUX0104190		0.36	0.0021	0.157	0.99	9.52	<10	353	0.30	0.15	0.68	0.36	29.0	6.9	17.7	0.56
AUX0104191		0.44	0.0077	0.185	1.02	16.35	<10	380	0.35	0.17	0.62	0.27	31.0	7.6	18.5	0.54
AUX0104192		0.42	0.0047	0.229	1.09	37.9	<10	366	0.34	0.19	0.36	0.22	34.2	10.4	19.7	0.55
AUX0104193		0.36	0.0399	0.178	0.97	27.1	<10	246	0.29	0.17	0.28	0.14	35.4	7.8	19.4	0.51
AUX0104194		0.36	0.0114	0.432	0.91	145.5	<10	177.0	0.22	0.34	0.21	0.18	35.0	8.7	18.6	0.72
AUX0104195		0.30	0.0127	0.445	0.93	165.0	<10	192.0	0.21	0.35	0.25	0.23	35.2	10.0	17.7	0.67
AUX0104196		0.32	0.0028	0.174	1.42	20.6	<10	311	0.38	0.20	0.20	0.15	29.3	6.9	22.0	0.75
AUX0104197		0.34	0.0022	0.160	1.16	23.1	<10	361	0.33	0.18	0.28	0.10	32.8	7.5	21.4	0.50
AUX0104198		0.36	0.0024	0.177	1.10	28.4	<10	391	0.35	0.18	0.31	0.15	31.8	8.2	21.0	0.44
AUX0104199		0.22	0.0029	0.296	1.17	28.7	<10	303	0.34	0.20	0.23	0.14	30.3	6.8	20.3	0.59
AUX0104200		0.22	0.0044	0.396	1.28	33.0	<10	343	0.30	0.24	0.28	0.14	28.3	7.3	21.3	0.70
AUX0104201		0.38	0.0028	0.176	1.03	22.3	<10	329	0.32	0.17	0.27	0.19	32.3	7.8	19.5	0.46
AUX0104202		0.38	0.0032	0.153	1.04	25.5	<10	279	0.29	0.18	0.26	0.11	30.2	8.7	18.8	0.48
AUX0104203		0.44	0.0052	0.231	1.08	41.8	<10	408	0.37	0.23	0.34	0.24	37.3	10.2	20.9	0.52
AUX0104204		0.40	0.0018	0.214	1.01	20.7	<10	491	0.33	0.18	0.39	0.33	37.2	11.6	20.8	0.46
AUX0104205		0.40	0.0046	0.114	1.19	32.7	<10	277	0.40	0.19	0.23	0.09	39.6	8.5	21.9	0.58
AUX0104206		0.28	0.0024	0.117	0.82	29.9	<10	196.5	0.27	0.17	0.26	0.11	32.0	6.7	16.8	0.41
AUX0104207		0.30	0.0018	0.108	0.99	12.80	<10	183.0	0.20	0.14	0.20	0.11	24.5	4.9	16.7	0.66
AUX0104208		0.36	0.0026	0.150	1.23	17.45	<10	380	0.39	0.18	0.31	0.13	30.5	8.7	22.0	0.63
AUX0104209		0.44	0.0044	0.271	1.26	57.1	<10	367	0.43	0.21	0.39	0.20	37.4	11.5	23.2	0.62
AUX0104210		0.46	0.0072	0.302	1.07	65.7	<10	298	0.33	0.24	0.35	0.28	36.7	11.5	19.9	0.56
AUX0104211		0.46	0.0038	0.276	0.85	61.4	<10	158.5	0.31	0.20	0.29	0.33	33.6	10.3	18.8	0.58
AUX0104212		0.28	0.0079	0.192	0.54	126.5	<10	99.0	0.20	0.18	0.10	0.30	35.3	10.1	9.9	0.31
AUX0104213		0.32	0.0014	0.304	1.61	26.3	<10	149.5	0.35	0.19	0.07	0.18	26.2	8.7	23.7	0.94
AUX0104214		0.34	0.0052	0.143	1.28	36.8	<10	235	0.35	0.19	0.13	0.08	37.8	7.9	21.6	0.60
AUX0104215		0.26	0.0076	0.552	1.24	99.5	<10	245	0.36	0.27	0.12	0.15	37.5	7.7	19.9	0.74
AUX0104216		0.26	0.0038	0.079	1.50	161.0	<10	113.5	0.45	0.39	0.06	0.61	45.4	20.4	23.9	0.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0104177		21.5	2.12	4.04	0.11	0.03	0.030	0.019	0.04	18.8	14.8	0.37	202	0.90	0.01	0.71
AUX0104178		24.1	2.28	3.98	0.11	0.03	0.030	0.019	0.04	18.1	13.2	0.38	228	0.92	0.01	0.71
AUX0104179		17.30	2.02	4.08	0.10	<0.02	0.019	0.016	0.03	9.9	12.5	0.32	137	0.68	<0.01	0.53
AUX0104180		17.95	2.65	4.57	0.10	0.04	0.018	0.021	0.04	11.0	18.0	0.33	208	0.83	<0.01	0.67
AUX0104181		25.0	2.32	4.05	0.12	0.03	0.034	0.017	0.03	14.2	15.8	0.35	178	0.80	<0.01	0.67
AUX0104182		12.35	2.77	5.91	0.10	0.04	0.027	0.019	0.03	12.5	17.4	0.33	201	1.15	<0.01	0.84
AUX0104183		19.20	2.93	5.66	0.10	0.03	0.010	0.024	0.04	12.3	17.6	0.36	228	1.05	<0.01	0.83
AUX0104184		29.7	3.50	5.38	0.11	0.04	0.022	0.026	0.04	14.2	21.2	0.44	274	1.18	<0.01	0.72
AUX0104185		27.1	2.11	2.94	0.10	0.03	0.037	0.017	0.03	16.7	14.6	0.28	477	0.68	<0.01	0.30
AUX0104186		33.2	2.84	3.84	0.12	0.06	0.044	0.020	0.05	18.0	15.5	0.40	747	0.96	<0.01	0.48
AUX0104187		19.85	2.37	3.83	0.11	0.04	0.088	0.017	0.04	16.2	16.6	0.34	237	0.61	<0.01	0.47
AUX0104188		10.95	1.72	2.82	0.10	0.02	0.055	0.014	0.03	13.5	10.9	0.26	737	0.38	<0.01	0.36
AUX0104189		19.50	2.63	3.94	0.12	0.04	0.070	0.018	0.05	16.9	16.0	0.36	869	0.51	<0.01	0.45
AUX0104190		18.75	1.81	3.42	0.11	0.04	0.037	0.014	0.03	13.4	11.9	0.32	706	0.48	<0.01	0.52
AUX0104191		22.3	1.99	3.33	0.12	0.03	0.048	0.017	0.03	14.1	12.3	0.32	213	0.45	<0.01	0.57
AUX0104192		25.7	2.48	3.86	0.11	0.02	0.048	0.018	0.03	16.2	13.8	0.34	328	0.84	<0.01	0.52
AUX0104193		26.0	2.28	3.47	0.12	0.03	0.041	0.016	0.03	18.4	12.5	0.34	285	0.72	<0.01	0.52
AUX0104194		29.4	2.56	3.17	0.11	0.02	0.047	0.015	0.03	16.5	12.8	0.32	383	0.92	<0.01	0.41
AUX0104195		31.5	2.85	3.20	0.11	0.02	0.044	0.018	0.03	16.7	13.1	0.34	447	0.99	<0.01	0.41
AUX0104196		19.85	2.14	5.12	0.11	0.02	0.050	0.020	0.03	14.1	15.9	0.35	141	0.73	<0.01	0.55
AUX0104197		23.3	2.35	4.01	0.12	0.03	0.041	0.021	0.03	16.2	14.3	0.37	274	0.78	<0.01	0.57
AUX0104198		25.8	2.40	3.65	0.11	0.04	0.037	0.017	0.03	14.9	13.9	0.38	266	0.83	<0.01	0.49
AUX0104199		22.6	2.30	4.21	0.10	<0.02	0.061	0.020	0.04	15.8	13.7	0.33	207	0.93	<0.01	0.33
AUX0104200		22.4	2.49	4.53	0.10	<0.02	0.064	0.022	0.04	13.6	13.6	0.33	258	1.07	<0.01	0.35
AUX0104201		25.2	2.28	3.57	0.11	0.03	0.054	0.017	0.03	16.7	14.1	0.35	311	0.83	<0.01	0.51
AUX0104202		21.6	2.33	3.64	0.10	0.02	0.042	0.016	0.03	14.2	13.1	0.33	313	0.82	<0.01	0.51
AUX0104203		30.6	2.58	3.82	0.12	0.04	0.050	0.020	0.04	17.9	15.3	0.38	436	0.96	<0.01	0.52
AUX0104204		29.9	2.63	3.91	0.13	0.05	0.049	0.018	0.03	18.0	16.6	0.38	738	1.09	<0.01	0.57
AUX0104205		24.5	2.42	3.98	0.13	0.02	0.052	0.016	0.03	18.9	15.2	0.39	327	0.78	<0.01	0.57
AUX0104206		23.0	2.02	3.13	0.13	0.04	0.022	0.013	0.03	16.5	12.2	0.30	220	0.68	<0.01	0.45
AUX0104207		11.10	1.85	3.93	0.10	<0.02	0.039	0.013	0.03	11.6	11.5	0.29	109	0.65	<0.01	0.47
AUX0104208		21.7	2.36	4.30	0.10	0.02	0.042	0.020	0.03	15.3	14.8	0.38	265	0.85	<0.01	0.58
AUX0104209		28.1	2.80	4.38	0.11	0.03	0.059	0.016	0.04	17.5	15.8	0.41	442	1.01	<0.01	0.64
AUX0104210		31.0	2.49	3.82	0.12	0.05	0.052	0.020	0.04	18.1	15.1	0.37	353	0.81	<0.01	0.50
AUX0104211		29.7	2.26	3.15	0.13	0.11	0.041	0.018	0.05	17.5	11.8	0.31	326	0.74	<0.01	0.43
AUX0104212		24.1	1.97	1.74	0.11	0.06	0.006	0.011	0.02	15.1	8.0	0.19	285	0.52	<0.01	0.19
AUX0104213		10.75	2.63	5.38	0.12	0.03	0.017	0.021	0.03	12.6	15.7	0.31	202	1.11	<0.01	0.99
AUX0104214		23.6	2.28	4.27	0.11	0.02	0.042	0.016	0.03	18.5	15.2	0.38	262	0.71	<0.01	0.55
AUX0104215		27.2	2.40	3.89	0.05	0.02	0.050	0.019	0.03	20.4	15.9	0.34	269	0.88	0.01	0.50
AUX0104216		33.0	3.25	3.77	0.07	0.07	0.026	0.025	0.04	22.7	17.3	0.37	540	1.32	0.01	0.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0104177		19.5	0.050	10.05	6.0	<0.001	0.01	0.805	3.5	0.9	0.4	17.4	<0.01	0.01	4.0	0.044
AUX0104178		21.3	0.055	9.64	6.7	<0.001	0.01	1.005	3.6	0.6	0.4	17.6	<0.01	0.02	3.7	0.046
AUX0104179		14.2	0.063	11.15	6.0	<0.001	<0.01	2.06	2.1	0.8	0.3	11.6	<0.01	0.04	1.9	0.029
AUX0104180		19.5	0.055	13.30	8.1	<0.001	<0.01	2.29	2.6	0.6	0.4	7.8	<0.01	0.04	3.5	0.027
AUX0104181		19.7	0.031	15.50	7.0	<0.001	<0.01	7.40	2.9	0.7	0.3	9.4	<0.01	0.04	4.4	0.035
AUX0104182		14.2	0.033	18.25	10.3	<0.001	<0.01	1.990	2.8	0.6	0.5	8.5	<0.01	0.05	4.0	0.033
AUX0104183		21.6	0.027	14.35	10.2	<0.001	<0.01	3.48	3.5	0.6	0.5	9.0	<0.01	0.06	4.4	0.037
AUX0104184		23.2	0.039	23.5	11.2	<0.001	<0.01	21.0	2.9	0.7	0.4	9.2	<0.01	0.04	5.6	0.033
AUX0104185		18.9	0.045	21.7	5.4	<0.001	<0.01	20.4	2.6	0.8	0.2	15.3	<0.01	0.03	4.4	0.012
AUX0104186		24.0	0.064	22.9	5.9	<0.001	<0.01	23.9	4.1	1.0	0.3	26.1	<0.01	0.04	5.7	0.030
AUX0104187		19.0	0.073	16.85	9.8	<0.001	0.07	4.04	3.1	1.2	0.3	37.5	<0.01	0.05	3.3	0.014
AUX0104188		14.1	0.071	11.00	7.0	0.001	0.02	1.495	2.2	0.8	0.2	25.5	<0.01	0.04	2.9	0.017
AUX0104189		18.6	0.071	18.35	9.6	<0.001	0.03	3.14	3.2	1.1	0.3	29.3	<0.01	0.04	4.2	0.016
AUX0104190		15.2	0.073	9.84	6.5	<0.001	0.03	2.01	2.9	0.8	0.3	38.3	<0.01	0.04	3.0	0.023
AUX0104191		15.7	0.069	12.45	5.2	<0.001	0.02	4.46	3.3	1.6	0.3	34.9	<0.01	0.04	3.9	0.023
AUX0104192		20.0	0.072	14.60	6.0	<0.001	<0.01	5.34	3.8	1.4	0.3	24.4	<0.01	0.04	4.5	0.026
AUX0104193		18.4	0.075	10.80	5.1	<0.001	<0.01	4.30	3.6	0.9	0.3	19.4	<0.01	0.03	5.1	0.036
AUX0104194		19.7	0.046	30.8	6.3	0.001	<0.01	26.8	2.3	0.7	0.2	13.9	<0.01	0.05	5.1	0.022
AUX0104195		21.4	0.056	32.2	6.1	<0.001	<0.01	29.0	2.3	0.6	0.2	16.2	<0.01	0.05	5.6	0.023
AUX0104196		15.9	0.058	13.25	7.2	<0.001	<0.01	4.48	3.3	1.0	0.4	15.4	<0.01	0.04	2.7	0.021
AUX0104197		18.0	0.055	10.20	5.5	<0.001	<0.01	4.91	3.8	1.1	0.3	21.2	<0.01	0.04	4.1	0.030
AUX0104198		19.1	0.058	12.35	4.9	<0.001	<0.01	6.93	3.8	0.8	0.3	22.9	<0.01	0.04	4.6	0.033
AUX0104199		16.5	0.067	14.10	6.8	<0.001	0.01	6.82	2.5	0.6	0.3	17.5	<0.01	0.04	1.0	0.022
AUX0104200		17.4	0.075	15.90	8.3	<0.001	0.01	7.82	2.3	0.7	0.3	19.3	<0.01	0.03	0.7	0.022
AUX0104201		19.0	0.063	10.70	4.9	<0.001	<0.01	4.37	3.6	0.8	0.3	20.3	<0.01	0.05	4.4	0.033
AUX0104202		16.8	0.059	11.60	6.0	<0.001	<0.01	6.11	3.1	0.7	0.3	18.7	<0.01	0.03	3.9	0.028
AUX0104203		21.7	0.076	15.40	5.2	<0.001	<0.01	8.47	3.9	1.1	0.3	23.1	<0.01	0.04	5.3	0.035
AUX0104204		25.0	0.088	12.20	4.4	<0.001	<0.01	3.41	3.9	0.8	0.3	27.7	<0.01	0.06	5.1	0.034
AUX0104205		18.1	0.043	12.85	6.1	<0.001	<0.01	8.02	3.7	0.9	0.3	17.0	<0.01	0.04	5.0	0.033
AUX0104206		16.8	0.058	11.15	4.2	<0.001	<0.01	6.39	3.0	0.7	0.2	16.4	<0.01	0.03	4.6	0.029
AUX0104207		11.3	0.061	9.02	6.7	<0.001	<0.01	1.755	1.9	0.6	0.3	15.6	<0.01	0.02	1.8	0.022
AUX0104208		18.3	0.066	10.90	6.7	<0.001	<0.01	3.11	3.7	0.8	0.3	24.0	<0.01	0.04	3.2	0.027
AUX0104209		22.1	0.062	17.65	6.6	0.001	<0.01	10.95	4.4	1.0	0.3	26.2	<0.01	0.05	5.4	0.032
AUX0104210		23.2	0.062	19.15	6.1	<0.001	<0.01	14.75	4.0	1.3	0.3	25.6	<0.01	0.04	6.0	0.029
AUX0104211		21.5	0.062	15.25	5.9	<0.001	<0.01	13.70	4.0	0.6	0.2	20.4	<0.01	0.04	5.6	0.036
AUX0104212		18.4	0.039	20.5	3.1	<0.001	<0.01	22.9	1.5	0.6	<0.2	6.0	<0.01	0.05	6.0	0.013
AUX0104213		14.7	0.026	13.25	9.7	<0.001	<0.01	3.25	2.6	0.4	0.5	8.3	<0.01	0.04	4.2	0.037
AUX0104214		17.1	0.037	15.50	6.9	<0.001	<0.01	9.94	3.5	0.7	0.3	11.1	<0.01	0.04	4.7	0.029
AUX0104215		21.4	0.025	18.95	7.6	<0.001	0.01	20.6	2.7	0.6	0.3	11.4	<0.01	0.02	5.0	0.018
AUX0104216		29.8	0.037	26.5	10.3	<0.001	0.01	49.2	2.5	1.2	0.3	6.2	<0.01	0.04	7.6	0.019

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0104177		0.07	0.75	40	0.244	8.11	56.0	1.2
AUX0104178		0.08	0.73	41	0.193	8.12	59.5	1.2
AUX0104179		0.06	0.39	32	0.211	3.36	48.8	<0.5
AUX0104180		0.07	0.40	38	0.225	2.69	60.9	1.0
AUX0104181		0.07	0.47	32	0.220	3.88	54.0	1.8
AUX0104182		0.11	0.50	53	0.317	2.75	57.5	1.9
AUX0104183		0.10	0.53	51	0.282	3.18	57.3	1.7
AUX0104184		0.11	0.41	48	0.251	2.87	73.7	2.0
AUX0104185		0.07	1.06	20	0.117	7.23	56.4	0.8
AUX0104186		0.06	0.81	34	0.297	8.97	79.9	2.0
AUX0104187		0.10	2.41	26	0.314	8.65	71.0	1.1
AUX0104188		0.07	1.46	21	0.234	5.63	58.9	0.7
AUX0104189		0.09	1.84	28	0.223	7.07	88.1	1.1
AUX0104190		0.08	1.12	29	0.215	6.16	60.7	1.2
AUX0104191		0.07	1.72	31	0.182	7.37	55.8	1.2
AUX0104192		0.07	0.74	33	0.287	8.05	62.7	1.0
AUX0104193		0.07	0.62	32	0.268	8.25	63.8	1.4
AUX0104194		0.07	0.47	23	0.133	4.23	61.4	0.8
AUX0104195		0.06	0.48	23	0.134	4.72	70.9	0.9
AUX0104196		0.09	0.71	37	0.229	4.74	54.4	0.8
AUX0104197		0.06	0.76	33	0.225	6.59	59.2	1.4
AUX0104198		0.06	0.66	34	0.257	7.50	66.3	1.9
AUX0104199		0.07	0.71	31	0.210	5.79	58.3	<0.5
AUX0104200		0.09	0.69	34	0.230	4.78	60.8	<0.5
AUX0104201		0.05	0.82	31	0.196	7.28	66.1	1.4
AUX0104202		0.06	0.62	31	0.232	5.30	62.8	0.7
AUX0104203		0.06	0.61	33	0.282	8.16	78.9	2.0
AUX0104204		0.06	0.64	33	0.219	8.17	88.9	2.2
AUX0104205		0.06	0.70	34	0.204	7.57	58.4	1.2
AUX0104206		0.05	0.53	25	0.179	6.61	55.8	2.0
AUX0104207		0.09	0.45	31	0.420	3.15	42.7	<0.5
AUX0104208		0.08	0.76	37	0.397	6.38	61.9	0.6
AUX0104209		0.07	1.35	37	0.452	8.17	66.9	1.8
AUX0104210		0.07	1.17	29	0.219	8.30	68.4	2.6
AUX0104211		0.06	0.57	28	0.207	7.64	68.1	5.1
AUX0104212		0.05	0.49	10	0.0812	3.73	54.8	1.0
AUX0104213		0.10	0.49	46	0.243	2.37	52.1	1.6
AUX0104214		0.07	0.65	34	0.186	6.80	55.7	0.9
AUX0104215		0.08	0.62	29	0.171	8.09	54.5	1.0
AUX0104216		0.08	0.70	27	0.170	3.47	81.7	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0104217		0.38	0.0017	0.153	1.09	13.25	<10	228	0.32	0.17	0.25	0.09	25.2	6.4	18.2	0.72
AUX0104218		0.28	0.0019	0.162	1.07	12.55	<10	302	0.37	0.17	0.46	0.20	29.1	8.0	18.9	0.62
AUX0104219		0.30	0.0042	0.131	0.95	29.1	<10	369	0.32	0.14	0.43	0.17	21.4	7.9	16.0	0.55
AUX0104220		0.46	0.0031	0.137	1.17	14.45	<10	305	0.38	0.18	0.32	0.17	29.4	11.2	21.2	0.64
AUX0104221		0.30	0.0032	0.188	1.21	16.45	<10	353	0.38	0.18	0.44	0.23	28.6	9.5	22.9	0.60
AUX0104222		0.38	0.0031	0.177	1.24	18.50	<10	404	0.45	0.20	0.38	0.20	38.1	12.2	26.9	0.52
AUX0104223		0.50	0.0028	0.186	1.16	18.25	<10	340	0.42	0.19	0.36	0.28	43.4	12.7	27.1	0.47
AUX0104224		0.28	0.0026	0.141	0.93	15.95	<10	168.0	0.27	0.16	0.53	0.26	41.8	12.1	22.5	0.39
AUX0104225		0.32	0.0035	0.230	1.18	27.9	<10	217	0.37	0.20	0.44	0.40	45.7	16.0	29.6	0.51
AUX0104226		0.30	0.0016	0.056	0.63	10.25	<10	138.0	0.20	0.11	0.24	0.10	24.8	5.7	13.0	0.33
AUX0104227		0.30	0.0021	0.061	0.84	13.65	<10	77.0	0.22	0.13	0.13	0.13	40.5	6.7	17.0	0.43
AUX0104228		0.34	0.0022	0.173	1.12	19.85	<10	131.0	0.28	0.16	0.11	0.14	42.4	8.9	24.2	0.60
AUX0104229		0.36	0.0058	0.154	0.90	22.4	<10	160.0	0.25	0.15	0.14	0.14	45.2	6.6	16.0	0.49
AUX0104230		0.32	0.0062	0.188	0.96	30.2	<10	249	0.29	0.43	0.15	0.15	38.3	6.4	16.6	0.54
AUX0104231		0.38	0.0043	0.132	0.93	25.0	<10	142.0	0.25	0.16	0.14	0.12	45.5	6.9	16.3	0.51
AUX0104232		0.34	0.0031	0.100	0.89	15.40	<10	230	0.36	0.14	0.20	0.11	34.0	8.0	18.6	0.45
AUX0104233		0.36	0.0025	0.100	0.94	17.05	<10	150.0	0.25	0.15	0.16	0.13	39.1	7.1	18.5	0.51
AUX0104234		0.40	0.0027	0.146	0.98	22.1	<10	216	0.32	0.17	0.18	0.09	44.1	7.9	18.8	0.50
AUX0104235		0.14	0.0055	0.885	1.61	39.0	<10	446	0.52	0.32	0.46	0.31	35.7	14.4	28.4	0.86
AUX0104236		0.26	0.0054	0.148	0.73	50.2	<10	115.0	0.18	0.20	0.18	0.24	56.6	11.6	16.6	0.51
AUX0104237		0.34	0.0030	0.169	1.11	19.45	<10	294	0.38	0.18	0.19	0.24	42.0	11.2	21.3	0.59
AUX0104238		0.40	0.0025	0.176	1.08	16.90	<10	277	0.32	0.18	0.25	0.31	42.4	14.6	21.0	0.58
AUX0104239		0.32	0.0200	0.232	1.10	458	<10	236	0.33	0.43	0.60	0.76	30.4	13.2	23.8	1.76
AUX0104240		0.34	0.0371	0.219	1.18	167.5	<10	229	0.43	0.61	0.71	0.61	45.8	20.4	22.6	1.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0104217		14.45	2.12	3.88	0.05	<0.02	0.159	0.019	0.03	12.6	11.7	0.30	132	0.98	0.01	0.60
AUX0104218		19.05	2.05	3.64	0.05	0.02	0.051	0.020	0.03	13.9	12.3	0.32	195	0.91	0.02	0.67
AUX0104219		15.40	2.61	3.33	<0.05	0.02	0.041	0.017	0.03	11.0	9.8	0.24	267	1.08	0.02	0.58
AUX0104220		19.95	2.46	3.78	0.05	0.04	0.043	0.018	0.03	14.8	12.7	0.35	404	1.06	0.02	0.73
AUX0104221		21.5	2.31	3.96	<0.05	0.05	0.051	0.020	0.03	14.2	13.1	0.36	371	0.92	0.02	0.65
AUX0104222		31.4	2.64	3.96	0.05	0.06	0.053	0.021	0.04	18.9	14.5	0.46	361	1.21	0.02	0.56
AUX0104223		35.3	2.63	3.94	0.07	0.08	0.041	0.019	0.04	21.1	15.0	0.49	357	1.20	0.02	0.55
AUX0104224		26.7	2.14	2.99	0.06	0.07	0.035	0.014	0.04	19.3	11.6	0.40	456	0.73	0.01	0.51
AUX0104225		38.1	2.76	4.01	0.08	0.11	0.039	0.017	0.05	22.6	15.6	0.54	674	1.26	0.02	0.57
AUX0104226		15.15	1.46	2.13	0.05	0.03	0.017	0.012	0.03	12.6	8.7	0.24	196	0.56	0.01	0.43
AUX0104227		22.4	2.04	2.89	0.06	0.03	0.026	0.014	0.04	19.9	12.1	0.34	211	0.60	0.01	0.43
AUX0104228		23.5	2.24	3.98	0.06	0.02	0.027	0.016	0.04	21.1	13.4	0.42	283	0.91	0.01	0.58
AUX0104229		25.7	1.95	3.21	0.06	0.02	0.034	0.014	0.04	23.7	11.9	0.31	242	0.83	0.01	0.42
AUX0104230		34.2	2.33	2.87	0.06	0.06	0.033	0.021	0.05	20.6	10.5	0.33	280	1.02	<0.01	0.34
AUX0104231		24.4	2.03	3.14	0.07	<0.02	0.029	0.016	0.04	22.2	12.4	0.32	239	0.85	0.01	0.46
AUX0104232		25.1	2.12	3.05	0.07	0.03	0.032	0.017	0.04	17.6	10.5	0.31	303	0.94	0.01	0.49
AUX0104233		19.80	1.91	3.20	0.06	<0.02	0.036	0.014	0.03	20.1	11.4	0.32	198	0.73	0.01	0.52
AUX0104234		22.8	2.02	3.33	0.12	0.02	0.060	0.016	0.04	22.3	13.0	0.33	241	0.72	0.01	0.46
AUX0104235		37.8	3.22	5.16	0.06	<0.02	0.103	0.032	0.12	18.6	12.5	0.33	624	1.83	0.02	0.45
AUX0104236		32.2	2.40	2.64	0.09	0.10	0.024	0.013	0.06	28.8	10.3	0.34	470	0.78	0.01	0.19
AUX0104237		22.7	2.31	3.70	0.05	0.03	0.044	0.017	0.04	20.1	13.3	0.33	278	0.97	0.01	0.56
AUX0104238		21.3	2.30	3.47	0.06	0.02	0.046	0.018	0.04	19.9	13.9	0.33	309	0.90	0.02	0.53
AUX0104239		25.4	2.33	3.39	0.06	0.05	0.071	0.017	0.04	14.9	17.9	0.48	268	0.61	0.02	0.45
AUX0104240		32.1	2.18	3.53	0.07	0.06	0.037	0.018	0.04	23.3	19.8	0.50	276	0.80	0.02	0.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0104217		15.7	0.064	10.75	6.9	<0.001	0.01	1.075	2.1	0.7	0.4	18.5	<0.01	0.01	1.9	0.023
AUX0104218		19.3	0.074	10.85	6.9	0.001	0.03	0.959	2.7	0.8	0.3	33.9	<0.01	0.02	2.7	0.024
AUX0104219		16.2	0.063	8.88	6.1	<0.001	0.04	0.718	2.4	0.8	0.3	33.8	<0.01	0.01	2.1	0.019
AUX0104220		20.4	0.064	12.40	6.5	<0.001	0.02	1.010	3.2	0.9	0.4	24.0	<0.01	0.02	3.7	0.024
AUX0104221		22.7	0.059	13.75	7.0	<0.001	0.03	1.220	3.2	0.7	0.3	28.5	<0.01	0.03	3.7	0.019
AUX0104222		31.1	0.064	14.65	6.3	<0.001	0.01	1.400	4.0	0.8	0.3	24.9	<0.01	0.03	5.9	0.026
AUX0104223		35.3	0.062	13.85	6.0	<0.001	0.01	1.450	3.8	0.9	0.3	26.1	<0.01	0.04	6.9	0.029
AUX0104224		26.2	0.061	16.55	4.9	<0.001	0.02	1.430	2.4	0.7	0.2	33.4	<0.01	0.03	6.2	0.026
AUX0104225		37.6	0.067	19.00	5.9	<0.001	0.01	2.15	3.7	0.8	0.3	28.1	<0.01	0.04	8.1	0.034
AUX0104226		15.1	0.055	6.67	3.5	<0.001	0.01	0.997	1.6	0.4	0.2	17.1	<0.01	0.01	3.3	0.026
AUX0104227		19.9	0.054	10.45	4.4	<0.001	0.01	1.355	2.0	0.6	0.2	9.4	<0.01	0.02	5.8	0.027
AUX0104228		20.1	0.046	14.60	6.5	<0.001	0.01	1.470	2.6	0.7	0.3	8.3	<0.01	0.03	4.5	0.027
AUX0104229		18.9	0.048	12.95	5.4	<0.001	0.01	2.43	2.2	0.6	0.3	10.8	<0.01	0.02	3.6	0.024
AUX0104230		23.4	0.051	15.55	5.3	<0.001	<0.01	3.20	2.9	0.6	0.2	11.7	<0.01	0.04	6.7	0.027
AUX0104231		17.9	0.049	14.70	5.8	<0.001	0.01	3.25	2.1	0.5	0.3	10.6	<0.01	0.02	4.7	0.024
AUX0104232		20.7	0.050	10.35	4.5	<0.001	0.01	1.555	3.0	0.8	0.3	16.6	<0.01	0.02	4.2	0.031
AUX0104233		16.8	0.051	14.20	5.5	<0.001	0.01	1.995	2.0	0.6	0.3	11.1	<0.01	0.01	4.1	0.026
AUX0104234		19.9	0.047	13.55	5.4	0.001	<0.01	2.07	2.6	0.5	0.3	13.3	<0.01	0.05	4.9	0.027
AUX0104235		32.8	0.108	31.3	12.8	<0.001	0.06	3.80	2.6	1.1	0.5	34.6	<0.01	0.05	0.9	0.017
AUX0104236		26.5	0.062	23.7	4.5	<0.001	0.01	6.41	2.0	0.5	0.2	12.0	<0.01	0.04	9.2	0.019
AUX0104237		21.8	0.062	15.70	7.5	<0.001	0.02	2.59	3.2	1.0	0.3	15.3	<0.01	0.04	4.4	0.022
AUX0104238		22.6	0.072	17.00	7.7	<0.001	0.01	1.690	2.8	0.9	0.3	17.3	<0.01	0.02	4.0	0.021
AUX0104239		25.5	0.070	13.30	7.4	0.002	0.45	9.92	2.6	0.9	0.3	39.1	<0.01	0.02	4.1	0.019
AUX0104240		35.3	0.073	15.20	7.8	0.001	0.15	16.35	2.6	1.3	0.3	36.5	<0.01	0.04	4.7	0.016

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0104217		0.08	0.77	33	0.223	4.90	47.3	<0.5
AUX0104218		0.08	1.36	33	0.376	7.08	53.4	0.9
AUX0104219		0.06	1.36	27	0.306	5.48	40.3	0.9
AUX0104220		0.08	1.09	36	0.271	7.03	58.4	1.3
AUX0104221		0.08	1.46	34	0.178	6.89	57.3	1.5
AUX0104222		0.07	1.25	35	0.198	9.36	67.5	2.4
AUX0104223		0.06	1.12	32	0.157	9.94	72.1	3.7
AUX0104224		0.05	1.19	24	0.110	6.96	59.7	3.1
AUX0104225		0.08	1.19	31	0.147	10.05	80.1	5.2
AUX0104226		0.05	0.44	19	0.113	4.30	43.5	1.3
AUX0104227		0.07	0.48	21	0.125	5.29	54.9	1.3
AUX0104228		0.08	0.65	29	0.139	7.13	51.9	0.7
AUX0104229		0.06	0.59	22	0.129	7.68	52.8	0.7
AUX0104230		0.07	0.55	23	0.225	8.71	74.3	3.4
AUX0104231		0.07	0.51	22	0.116	5.95	54.6	0.7
AUX0104232		0.05	0.57	29	0.155	8.32	58.1	1.7
AUX0104233		0.07	0.66	25	0.127	5.88	51.1	0.5
AUX0104234		0.07	0.62	26	0.108	6.64	54.7	0.9
AUX0104235		0.14	1.33	38	0.226	9.12	78.0	<0.5
AUX0104236		0.06	0.48	15	0.152	8.04	70.6	5.6
AUX0104237		0.08	1.52	30	0.157	8.51	65.8	0.9
AUX0104238		0.07	1.35	30	0.161	7.96	73.6	0.7
AUX0104239		0.10	3.76	25	0.135	7.08	92.3	1.7
AUX0104240		0.09	10.10	24	0.400	9.37	118.0	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 14- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194148

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

CERTIFICATE WH11194149

Project: Aurex

P.O. No.: AUX09232011

This report is for 179 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0104241	0.30	0.0100	0.256	1.01	60.7	<10	362	0.35	0.18	0.53	0.50	31.4	9.8	22.5	0.59
AUX0104242	0.36	0.0093	0.425	1.49	134.0	<10	649	0.56	0.27	0.56	0.65	41.9	17.8	29.6	0.83
AUX0104243	0.34	0.0075	0.354	1.21	51.6	<10	477	0.35	0.23	0.39	0.84	36.8	14.8	24.5	0.68
AUX0104244	0.34	0.0058	0.224	1.02	45.8	<10	324	0.30	0.17	0.59	0.48	30.6	10.5	24.3	0.56
AUX0104245	0.42	0.0056	0.223	1.26	197.0	<10	283	0.46	0.33	0.27	0.48	73.5	20.2	17.7	0.52
AUX0104246	0.44	0.0086	0.238	1.13	110.0	<10	226	0.35	0.31	0.57	0.43	70.9	10.0	16.2	0.48
AUX0104247	0.28	0.0098	0.226	0.98	62.8	<10	312	0.36	0.25	1.10	0.56	57.2	12.3	14.8	0.41
AUX0104248	0.44	0.0047	0.151	0.90	52.0	<10	261	0.26	0.19	0.73	0.39	37.6	9.6	15.2	0.52
AUX0104249	0.28	0.0125	0.141	0.94	34.6	<10	271	0.30	0.18	0.82	0.42	34.4	10.8	14.6	0.47
AUX0104250	0.28	0.0042	0.168	1.07	28.7	<10	306	0.32	0.20	0.84	0.45	34.0	11.1	16.9	0.53
AUX0104251	0.44	0.0030	0.149	0.94	33.5	<10	248	0.28	0.19	0.50	0.16	45.7	8.4	14.3	0.60
AUX0104252	0.38	0.0046	0.224	1.27	51.4	<10	268	0.32	0.27	0.37	0.28	23.9	6.2	20.5	0.75
AUX0104253	0.28	0.0062	0.249	1.07	96.9	<10	290	0.27	0.29	0.48	0.26	26.5	8.9	19.2	0.66
AUX0104254	0.40	0.0243	0.559	1.38	300	<10	224	0.37	0.95	0.44	0.45	39.2	11.5	22.5	1.20
AUX0104255	0.32	0.0239	0.099	1.17	599	<10	275	0.36	0.56	0.56	0.47	40.1	13.3	23.8	1.35
AUX0104256	0.30	0.0232	0.173	1.15	2070	<10	256	0.34	0.41	1.30	0.28	26.5	9.7	25.8	6.01
AUX0104257	0.36	0.0328	0.160	1.32	533	<10	366	0.50	0.53	0.54	0.39	42.2	15.3	27.4	1.43
AUX0104258	0.32	0.0070	0.228	1.04	30.6	<10	357	0.24	0.17	0.51	0.49	31.6	6.7	23.7	0.61
AUX0104259	0.26	0.0079	0.424	1.61	139.0	<10	743	0.60	0.29	0.90	0.99	40.3	21.5	32.1	0.85
AUX0104260	0.32	0.0093	0.442	1.81	129.0	<10	819	0.66	0.33	0.61	1.60	45.6	34.9	35.7	1.00
AUX0104261	0.30	0.0087	0.450	1.43	116.5	<10	678	0.48	0.23	0.77	1.22	37.1	18.0	27.4	0.80
AUX0104262	0.26	0.0109	0.513	1.52	320	<10	670	0.61	0.32	0.75	1.17	34.3	32.7	33.3	0.80
AUX0104263	0.26	0.617	10.85	0.92	9390	<10	577	0.40	50.0	0.16	8.61	118.5	8.1	15.9	1.44
AUX0104264	0.32	0.0013	0.092	1.57	370	<10	99.6	0.24	0.67	0.07	0.14	77.3	10.2	18.8	1.28
AUX0104265	0.34	0.0142	0.385	1.00	304	<10	169.5	0.35	0.30	1.89	0.40	68.9	15.4	11.0	0.41
AUX0104266	0.30	0.0231	1.185	1.05	590	<10	201	0.36	0.40	0.89	1.23	73.2	16.3	12.4	0.61
AUX0104267	0.30	0.0032	0.206	1.07	41.6	<10	189.0	0.25	0.22	0.14	0.35	43.9	7.6	19.9	0.63
AUX0104268	0.34	0.0025	0.315	0.99	52.0	<10	206	0.32	0.23	0.15	0.53	59.8	12.1	19.6	0.60
AUX0104269	0.30	0.0029	0.161	0.72	47.7	<10	233	0.17	0.15	0.19	0.17	26.7	5.3	14.2	0.47
AUX0104270	0.32	0.0048	0.221	1.18	74.6	<10	332	0.36	0.26	0.29	0.14	33.0	9.1	19.6	0.72
AUX0104271	0.28	0.0399	0.259	1.24	1460	<10	322	0.53	0.67	0.88	0.73	39.9	19.4	22.3	1.54
AUX0104272	0.28	0.0496	0.273	0.97	611	<10	231	0.37	0.62	1.85	0.56	30.7	13.6	18.0	1.20
AUX0104273	0.28	0.0147	0.157	1.50	639	<10	126.0	0.35	1.51	0.81	0.08	69.8	18.4	18.5	1.46
AUX0104274	0.26	0.0077	0.082	1.18	287	<10	78.5	0.73	0.72	0.59	0.22	179.5	18.9	19.2	2.45
AUX0104275	0.26	0.0078	0.099	1.16	255	<10	76.5	0.68	0.75	1.14	0.24	156.5	17.9	18.7	2.06
AUX0104276	0.26	0.0052	0.045	1.43	59.6	<10	111.5	0.46	0.84	0.28	0.09	126.0	21.1	17.0	1.12
AUX0104277	0.26	0.0170	0.086	0.49	449	<10	51.0	0.20	0.72	8.92	0.69	104.0	14.7	5.0	0.39
AUX0104278	0.24	0.0092	0.142	0.96	529	<10	179.5	0.40	0.82	7.55	0.60	72.5	11.5	12.0	0.64
AUX0104279	0.32	0.0315	0.370	0.97	736	<10	184.0	0.52	2.46	4.72	0.55	85.4	12.0	10.8	0.45
AUX0104280	0.40	0.0074	0.157	0.98	499	<10	187.5	0.40	1.27	4.77	0.37	77.3	18.7	10.5	0.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0104241		21.5	2.31	2.87	0.06	0.03	0.032	0.016	0.04	15.4	12.1	0.36	402	0.76	0.02	0.48
AUX0104242		29.6	4.11	4.08	0.06	0.05	0.073	0.025	0.06	20.5	18.2	0.45	1470	1.54	0.02	0.55
AUX0104243		24.1	2.64	3.48	0.07	0.04	0.061	0.022	0.05	18.8	15.1	0.41	899	0.71	0.02	0.52
AUX0104244		21.7	2.16	2.93	0.05	0.04	0.051	0.018	0.04	14.8	13.0	0.39	384	0.58	0.02	0.50
AUX0104245		40.9	4.33	3.62	0.12	0.11	0.047	0.020	0.03	38.6	18.1	0.42	809	0.94	0.02	0.33
AUX0104246		37.8	2.67	3.60	0.10	0.11	0.046	0.019	0.03	37.3	18.7	0.40	307	0.78	0.02	0.35
AUX0104247		36.8	2.22	2.79	0.09	0.08	0.049	0.021	0.03	30.8	12.8	0.32	903	0.52	0.02	0.35
AUX0104248		19.55	2.25	2.83	0.06	0.04	0.040	0.019	0.03	18.3	11.5	0.29	1540	1.08	0.02	0.40
AUX0104249		17.75	2.21	2.76	0.07	0.04	0.038	0.020	0.03	16.6	11.5	0.26	1160	1.21	0.02	0.38
AUX0104250		18.40	2.41	3.12	0.06	0.04	0.051	0.016	0.03	17.6	12.3	0.30	1210	1.34	0.02	0.42
AUX0104251		18.20	2.30	2.79	0.07	0.02	0.035	0.017	0.03	23.3	9.9	0.26	288	0.52	0.02	0.44
AUX0104252		18.80	2.29	4.07	0.05	0.02	0.053	0.023	0.03	12.5	12.1	0.33	192	0.97	0.02	0.64
AUX0104253		20.6	2.39	3.66	0.05	<0.02	0.029	0.021	0.04	13.7	11.7	0.36	904	1.05	0.01	0.52
AUX0104254		36.2	3.04	4.17	0.07	0.05	0.023	0.024	0.05	21.0	21.3	0.51	399	0.95	0.02	0.30
AUX0104255		21.1	3.04	3.19	0.06	0.04	0.029	0.018	0.03	20.3	16.1	0.52	739	0.65	0.02	0.32
AUX0104256		21.4	3.57	3.01	0.06	0.04	0.052	0.018	0.05	14.4	18.5	0.47	383	0.46	0.02	0.41
AUX0104257		29.4	2.92	3.66	0.07	0.04	0.058	0.021	0.04	21.6	17.2	0.48	832	0.71	0.02	0.47
AUX0104258		21.0	1.64	3.15	0.05	0.05	0.042	0.018	0.04	16.9	13.3	0.40	268	0.43	0.02	0.54
AUX0104259		30.1	5.19	4.43	0.07	0.05	0.077	0.030	0.06	20.5	19.4	0.50	3520	1.60	0.02	0.55
AUX0104260		37.3	4.98	4.88	0.08	0.06	0.088	0.047	0.07	21.4	22.8	0.52	2230	1.52	0.02	0.62
AUX0104261		27.6	3.85	4.06	0.07	0.05	0.076	0.023	0.05	18.3	17.6	0.44	2930	1.64	0.03	0.49
AUX0104262		32.3	8.40	4.16	0.09	0.07	0.078	0.027	0.06	20.0	17.3	0.45	2980	3.06	0.02	0.58
AUX0104263		57.7	5.48	5.31	0.20	0.03	0.265	2.03	0.07	68.1	10.2	0.22	365	3.48	0.01	0.10
AUX0104264		28.6	3.72	6.82	0.15	0.03	<0.005	0.022	0.04	36.4	23.7	0.41	374	1.21	0.01	0.49
AUX0104265		44.1	3.28	2.82	0.14	0.11	0.055	0.022	0.03	33.6	13.7	0.33	464	0.70	0.01	0.19
AUX0104266		34.8	3.44	2.88	0.16	0.09	0.073	0.040	0.04	35.9	14.3	0.35	764	0.99	0.01	0.20
AUX0104267		23.4	2.61	3.41	0.11	0.03	0.023	0.017	0.04	22.0	13.2	0.34	203	2.31	0.01	0.61
AUX0104268		35.9	3.40	3.18	0.15	0.04	0.042	0.020	0.04	27.9	11.6	0.29	321	2.41	0.01	0.48
AUX0104269		15.65	1.76	2.67	0.09	<0.02	0.041	0.015	0.03	13.8	7.7	0.22	133	1.30	0.01	0.50
AUX0104270		24.3	2.36	3.50	0.11	0.02	0.040	0.021	0.03	16.4	12.4	0.31	387	0.99	0.01	0.57
AUX0104271		28.2	4.17	3.18	0.11	0.08	0.042	0.023	0.04	19.5	16.7	0.44	1380	1.23	0.01	0.41
AUX0104272		66.8	1.46	2.64	0.11	0.08	0.048	0.016	0.04	15.8	15.2	0.36	814	0.72	0.01	0.35
AUX0104273		42.8	3.40	4.49	0.15	0.07	0.015	0.011	0.05	30.7	36.8	0.69	431	0.56	0.01	0.12
AUX0104274		153.0	3.83	4.14	0.28	0.06	0.008	0.013	0.04	87.1	42.5	0.71	1180	0.47	0.01	0.05
AUX0104275		145.5	3.46	3.83	0.26	0.07	0.021	0.013	0.05	77.8	40.6	0.67	811	0.55	0.01	0.05
AUX0104276		46.4	3.60	4.50	0.20	0.04	0.008	0.018	0.04	49.5	44.9	0.63	989	1.45	0.01	0.09
AUX0104277		25.7	2.52	1.63	0.17	0.10	0.018	0.014	0.04	49.7	4.9	0.26	857	0.84	0.01	0.13
AUX0104278		26.3	2.60	2.66	0.13	0.04	0.031	0.020	0.04	31.2	16.0	0.37	866	0.76	0.02	0.19
AUX0104279		51.8	2.61	2.71	0.16	0.06	0.037	0.019	0.04	44.8	13.2	0.33	1000	1.11	0.01	0.17
AUX0104280		41.1	2.90	2.74	0.14	0.07	0.024	0.018	0.03	37.7	11.0	0.35	1860	1.60	0.01	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0104241		24.0	0.071	15.90	6.3	0.001	0.11	4.64	2.4	1.2	0.2	34.2	<0.01	0.03	3.6	0.019
AUX0104242		38.9	0.088	24.0	11.2	0.001	0.12	5.37	3.3	1.7	0.3	45.4	<0.01	0.03	4.1	0.015
AUX0104243		27.7	0.070	20.0	8.9	0.001	0.10	3.78	2.7	1.2	0.3	31.1	<0.01	0.02	4.6	0.018
AUX0104244		26.8	0.071	15.35	6.4	0.002	0.23	5.53	2.3	1.0	0.2	34.6	<0.01	0.02	4.1	0.022
AUX0104245		35.8	0.050	33.3	5.6	<0.001	0.04	5.54	2.7	1.7	0.2	13.5	<0.01	0.04	13.1	0.010
AUX0104246		30.7	0.056	25.7	5.9	0.001	0.04	4.49	2.5	1.1	0.2	21.9	<0.01	0.04	10.9	0.012
AUX0104247		32.6	0.063	25.9	5.8	<0.001	0.08	4.93	2.2	1.2	0.2	33.3	<0.01	0.03	5.5	0.012
AUX0104248		19.8	0.072	13.85	5.6	0.001	0.05	2.02	1.9	0.8	0.2	29.7	<0.01	0.02	4.2	0.017
AUX0104249		21.3	0.055	15.60	6.4	<0.001	0.05	2.02	1.9	0.9	0.2	31.8	<0.01	0.01	3.8	0.013
AUX0104250		21.6	0.062	15.25	7.0	0.001	0.05	1.930	2.1	1.2	0.3	31.3	<0.01	0.03	3.7	0.014
AUX0104251		19.8	0.055	14.75	5.9	0.001	0.03	1.495	2.1	0.9	0.2	21.7	<0.01	0.02	4.8	0.019
AUX0104252		18.2	0.061	17.90	8.9	0.001	0.04	3.78	2.2	1.4	0.4	23.2	<0.01	0.02	2.1	0.024
AUX0104253		18.9	0.059	18.05	7.7	0.001	0.03	6.53	1.9	0.8	0.3	26.1	<0.01	0.03	1.5	0.024
AUX0104254		28.6	0.065	25.5	8.2	<0.001	0.05	9.17	2.3	1.1	0.3	31.9	<0.01	0.04	4.5	0.012
AUX0104255		27.4	0.056	14.00	6.7	0.001	0.08	10.30	2.1	1.0	0.2	29.0	<0.01	0.04	4.8	0.015
AUX0104256		23.4	0.079	12.05	8.8	0.003	0.22	8.70	2.1	1.9	0.3	66.5	<0.01	0.02	3.0	0.017
AUX0104257		30.4	0.080	17.85	10.0	0.001	0.08	10.00	2.8	1.4	0.3	32.6	<0.01	0.03	4.7	0.017
AUX0104258		24.0	0.067	14.40	7.6	0.002	0.12	4.32	2.4	1.1	0.2	35.0	<0.01	0.02	4.2	0.023
AUX0104259		39.7	0.087	24.6	11.3	0.001	0.14	5.26	3.5	1.5	0.3	53.9	<0.01	0.04	4.5	0.015
AUX0104260		50.4	0.093	28.2	14.1	0.003	0.13	7.48	4.0	1.8	0.4	46.5	0.01	0.05	4.6	0.014
AUX0104261		38.6	0.081	21.3	10.7	0.003	0.13	4.84	3.0	1.5	0.3	42.6	<0.01	0.03	3.8	0.016
AUX0104262		46.1	0.107	32.2	12.2	0.002	0.12	9.23	3.8	2.4	0.3	54.5	<0.01	0.06	4.5	0.015
AUX0104263		18.6	0.061	884	10.4	<0.001	0.11	23.6	1.1	2.8	0.4	73.4	<0.01	0.17	14.6	0.004
AUX0104264		25.8	0.029	28.0	9.0	<0.001	0.01	3.11	1.4	0.6	0.4	8.6	<0.01	0.05	9.1	0.013
AUX0104265		32.4	0.051	43.7	4.3	<0.001	0.04	8.16	2.4	1.3	0.2	40.8	<0.01	0.03	8.5	0.005
AUX0104266		37.4	0.048	138.0	4.7	<0.001	0.03	8.95	3.1	1.2	0.2	27.7	<0.01	0.05	11.6	0.007
AUX0104267		24.3	0.043	15.20	7.4	<0.001	0.01	3.59	1.9	1.1	0.3	13.6	<0.01	0.05	5.3	0.024
AUX0104268		38.7	0.059	17.65	5.3	<0.001	0.02	6.81	2.1	1.8	0.3	13.2	<0.01	0.05	8.8	0.019
AUX0104269		15.8	0.051	12.85	3.7	<0.001	0.02	2.52	1.8	0.9	0.3	16.5	<0.01	0.03	2.3	0.022
AUX0104270		20.6	0.061	18.75	6.4	0.001	0.01	3.99	2.6	1.1	0.3	20.3	<0.01	0.04	3.1	0.021
AUX0104271		29.5	0.085	17.60	5.9	0.001	0.15	19.60	2.6	1.5	0.3	51.4	<0.01	0.06	4.0	0.011
AUX0104272		20.9	0.064	14.60	5.0	0.001	0.31	15.30	1.7	1.7	0.2	89.4	<0.01	0.02	2.8	0.013
AUX0104273		34.9	0.034	21.7	5.0	<0.001	0.05	1.490	1.3	0.7	0.2	29.8	<0.01	0.03	13.5	0.015
AUX0104274		35.3	0.040	22.8	3.8	<0.001	0.03	1.860	1.5	1.1	0.2	22.5	<0.01	0.07	21.9	0.060
AUX0104275		34.6	0.044	16.25	3.8	<0.001	0.04	1.785	1.3	1.1	0.2	31.3	<0.01	0.07	18.7	0.053
AUX0104276		32.4	0.039	76.1	5.9	<0.001	0.05	1.575	1.8	0.9	0.2	18.6	<0.01	0.05	22.0	0.020
AUX0104277		24.5	0.057	27.0	3.3	<0.001	0.04	4.48	1.7	1.0	0.2	182.0	<0.01	0.06	14.4	0.004
AUX0104278		21.8	0.050	24.4	3.7	<0.001	0.05	4.82	1.5	0.7	0.2	168.5	<0.01	0.05	4.2	0.012
AUX0104279		20.7	0.063	34.9	5.5	<0.001	0.08	12.20	1.4	1.3	0.2	94.1	<0.01	0.05	3.0	0.009
AUX0104280		24.6	0.060	49.4	2.9	0.001	0.06	11.05	1.5	1.0	0.2	111.5	<0.01	0.08	3.8	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0104241		0.07	2.91	27	0.233	7.57	75.2	1.3
AUX0104242		0.10	3.66	36	0.178	11.15	128.0	1.7
AUX0104243		0.08	2.80	29	0.116	8.49	101.0	1.4
AUX0104244		0.05	2.36	25	0.133	6.97	81.8	1.5
AUX0104245		0.05	1.18	21	0.0722	12.35	105.0	4.9
AUX0104246		0.05	0.96	18	0.0722	11.20	99.2	4.0
AUX0104247		0.05	1.88	19	0.0783	12.20	96.5	3.2
AUX0104248		0.05	0.78	23	0.295	5.90	69.5	1.4
AUX0104249		0.05	1.05	21	0.209	7.90	64.2	1.4
AUX0104250		0.06	1.14	25	0.183	8.35	67.0	1.4
AUX0104251		0.06	0.79	24	0.282	8.34	53.4	0.8
AUX0104252		0.07	1.33	36	0.230	4.45	54.2	0.5
AUX0104253		0.07	0.90	32	0.169	4.83	58.2	<0.5
AUX0104254		0.07	1.75	25	0.347	5.73	89.3	1.6
AUX0104255		0.07	1.80	24	0.212	6.88	91.1	1.4
AUX0104256		0.08	2.49	25	0.145	6.24	89.1	1.5
AUX0104257		0.09	3.14	30	0.157	9.07	95.4	1.6
AUX0104258		0.07	2.61	25	0.141	6.78	76.0	1.7
AUX0104259		0.11	4.21	39	0.211	11.60	140.0	1.9
AUX0104260		0.13	4.52	42	0.198	13.10	185.0	2.1
AUX0104261		0.10	3.24	34	0.186	9.97	140.5	1.6
AUX0104262		0.09	5.16	45	0.463	13.70	149.5	2.2
AUX0104263		0.09	2.07	10	0.139	3.55	291	1.2
AUX0104264		0.08	0.54	35	0.119	2.41	72.2	1.3
AUX0104265		0.06	0.76	12	0.0538	18.30	75.7	4.1
AUX0104266		0.06	0.93	13	0.0930	16.00	140.5	3.5
AUX0104267		0.08	0.72	29	0.142	4.12	79.0	0.9
AUX0104268		0.07	1.60	24	0.158	5.73	115.0	1.9
AUX0104269		0.05	0.63	25	0.143	4.06	49.1	<0.5
AUX0104270		0.08	0.99	32	0.181	7.74	57.2	0.6
AUX0104271		0.09	3.58	28	0.125	9.72	100.0	2.4
AUX0104272		0.07	12.90	16	0.112	6.82	82.6	2.6
AUX0104273		0.03	0.60	14	0.0653	3.59	79.8	2.4
AUX0104274		0.03	0.78	20	0.0517	9.31	81.3	1.8
AUX0104275		0.03	0.66	18	0.0503	8.38	76.4	2.0
AUX0104276		0.04	0.48	17	0.0525	9.96	69.6	1.5
AUX0104277		0.04	1.19	3	0.0714	14.85	104.5	4.7
AUX0104278		0.05	0.59	15	0.173	9.11	74.6	1.1
AUX0104279		0.06	0.82	13	0.0575	13.25	73.1	1.6
AUX0104280		0.04	1.87	10	0.0564	16.05	62.0	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0104281		0.38	0.0095	0.306	1.17	148.5	<10	369	0.42	0.21	0.95	0.51	33.3	12.8	22.1	0.64
AUX0104282		0.32	0.0096	0.324	1.08	22.9	<10	384	0.38	0.19	0.52	0.49	38.3	8.6	22.0	0.64
AUX0104283		0.24	0.0150	0.215	0.89	128.0	<10	285	0.31	0.19	0.66	0.55	35.5	9.9	18.1	0.53
AUX0104284		0.32	0.0112	0.379	1.65	140.0	<10	736	0.54	0.29	0.56	1.40	46.1	40.0	45.3	0.97
AUX0104285		0.42	0.0162	2.11	1.15	868	<10	742	0.34	0.53	0.46	4.87	62.4	33.3	24.1	0.85
AUX0104286		0.36	0.0199	0.876	0.80	456	<10	394	0.27	0.31	0.25	2.20	56.5	19.2	16.1	0.66
AUX0104287		0.40	0.0139	0.292	0.94	83.4	<10	365	0.33	0.29	0.33	0.78	51.0	16.1	18.2	0.61
AUX0104288		0.26	0.0411	0.344	0.71	150.0	<10	325	0.28	0.31	0.94	1.52	45.0	15.9	13.6	0.90
AUX0104289		0.28	0.0228	0.221	1.32	577	<10	317	0.46	0.55	0.58	0.79	43.9	14.9	28.8	1.84
AUX0104290		0.26	0.0318	0.268	1.41	706	<10	309	0.56	0.70	1.09	0.76	44.9	15.6	25.5	1.67
AUX0104291		0.42	0.0155	0.356	0.95	1130	<10	107.5	0.35	1.29	4.54	0.42	93.3	14.6	12.9	0.85
AUX0104292		0.26	0.0136	0.213	0.89	1120	<10	193.0	0.36	1.07	4.79	0.39	115.5	18.0	11.0	1.11
AUX0104293		0.26	0.0124	0.288	0.63	869	<10	78.2	0.26	1.12	8.60	0.73	70.7	13.0	7.5	0.49
AUX0104294		0.22	0.0041	0.082	0.46	348	<10	81.3	0.21	0.25	21.1	0.55	26.9	6.5	5.9	0.31
AUX0104295		0.26	0.0113	0.218	1.44	419	<10	242	0.48	0.93	0.87	0.15	59.5	13.3	21.8	0.68
AUX0104296		0.24	0.0042	0.086	1.42	192.5	<10	128.0	0.31	0.54	0.14	0.15	68.4	11.9	21.7	0.87
AUX0104297		0.24	0.0044	0.062	1.27	139.5	<10	134.0	0.26	0.41	0.16	0.10	54.9	6.3	18.6	0.75
AUX0104298		0.28	0.0032	0.083	1.57	73.6	<10	287	0.53	0.37	0.35	0.12	72.3	13.2	24.5	0.62
AUX0104299		0.24	0.0009	0.177	1.21	118.0	<10	104.0	0.28	0.43	0.06	0.29	40.2	10.3	20.7	0.67
AUX0104300		0.20	0.0008	0.088	1.73	64.0	<10	199.0	0.57	0.33	0.07	0.18	38.0	11.2	28.4	0.75
AUX0104301		0.20	0.0003	0.340	1.06	531	<10	93.4	0.28	2.34	0.05	0.40	52.0	10.5	19.4	0.68
AUX0104302		0.24	0.0006	0.148	1.57	189.5	<10	129.0	0.30	0.83	0.13	0.37	42.3	9.4	22.6	0.78
AUX0104303		0.22	0.0012	0.168	1.92	48.9	<10	185.0	0.53	0.65	0.21	0.65	69.3	13.0	32.2	1.11
AUX0104304		0.28	0.0037	0.266	1.76	238	<10	223	0.37	0.38	0.36	0.23	57.4	10.6	26.5	0.77
AUX0104305		0.26	0.0046	0.287	1.64	222	<10	180.5	0.43	0.39	0.52	0.47	64.2	12.2	22.7	0.65
AUX0104306		0.26	0.0055	0.209	1.38	26.9	<10	424	0.30	0.17	0.76	0.94	32.2	9.1	38.3	0.75
AUX0104307		0.22	0.250	0.697	1.16	2810	<10	331	0.37	2.48	0.53	0.32	44.1	14.8	15.4	1.67
AUX0104308		0.32	0.0255	0.162	1.35	912	<10	361	0.40	0.51	0.84	0.59	38.9	13.5	28.2	1.23
AUX0104309		0.32	0.0065	0.175	0.84	316	<10	121.0	0.23	0.41	3.39	0.32	36.2	7.3	10.3	0.47
AUX0104310		0.26	0.0227	0.200	0.93	509	<10	63.0	0.33	1.03	3.77	0.15	97.5	14.1	12.2	0.60
AUX0104311		0.18	0.0007	0.055	1.42	56.0	<10	70.0	0.13	0.27	0.27	0.08	32.6	9.7	19.6	0.64
AUX0104312		0.24	0.0043	0.242	2.86	715	<10	130.5	0.37	1.35	0.58	0.36	55.2	25.7	123.0	0.74
AUX0104313		0.26	0.0022	0.052	2.14	274	<10	83.9	0.42	0.71	0.08	0.07	99.9	18.6	31.5	0.82
AUX0104314		0.36	0.0030	0.037	2.02	128.0	<10	127.5	0.39	0.32	0.04	0.06	55.0	8.8	27.6	0.80
AUX0104315		0.30	0.0055	0.087	1.96	275	<10	186.5	0.43	0.75	0.12	0.05	78.6	13.2	29.9	0.78
AUX0104316		0.28	0.0011	0.046	1.85	33.8	<10	236	0.40	0.32	0.13	0.08	67.6	9.2	24.9	0.69
AUX0104317		0.38	0.0013	0.073	1.59	56.7	<10	245	0.45	0.32	0.24	0.32	37.0	9.1	26.5	0.63
AUX0104318		0.44	0.0023	0.146	1.82	77.6	<10	275	0.43	0.39	0.34	0.17	63.2	11.7	25.3	0.58
AUX0104319		0.28	0.0050	0.088	1.95	134.0	<10	212	0.36	0.40	0.11	0.08	61.6	9.5	27.7	0.66
AUX0104320		0.30	0.0011	0.093	1.52	68.2	<10	107.5	0.31	0.26	0.07	0.12	34.4	6.6	23.5	0.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0104281		25.1	2.78	3.57	0.11	0.07	0.050	0.021	0.04	16.4	16.2	0.38	1420	1.03	0.01	0.55
AUX0104282		28.1	1.54	3.27	0.11	0.04	0.054	0.020	0.04	18.2	15.2	0.38	149	0.61	0.01	0.56
AUX0104283		22.0	2.24	2.63	0.11	0.04	0.054	0.017	0.03	17.4	12.5	0.33	495	0.76	0.01	0.49
AUX0104284		33.7	4.91	4.85	0.13	0.07	0.061	0.025	0.06	21.5	22.0	0.65	5410	1.67	0.02	0.46
AUX0104285		41.2	5.38	3.26	0.13	0.06	0.108	0.047	0.04	27.7	13.4	0.37	8060	6.78	0.02	0.25
AUX0104286		40.3	3.28	2.62	0.14	0.02	0.064	0.021	0.04	27.3	10.4	0.25	1370	4.04	0.01	0.30
AUX0104287		33.6	3.29	3.00	0.14	0.09	0.044	0.018	0.04	25.0	11.5	0.32	584	2.01	0.01	0.58
AUX0104288		34.0	3.20	2.15	0.12	0.04	0.071	0.020	0.05	21.3	7.8	0.21	1300	2.07	0.02	0.30
AUX0104289		30.4	2.92	3.73	0.12	0.07	0.034	0.020	0.05	22.7	19.5	0.52	502	1.02	0.01	0.56
AUX0104290		35.0	2.93	3.82	0.13	0.09	0.048	0.023	0.05	22.3	20.7	0.50	1400	1.81	0.01	0.45
AUX0104291		49.5	3.41	3.04	0.17	0.09	0.035	0.018	0.04	47.0	15.7	0.41	728	1.55	0.01	0.21
AUX0104292		63.3	3.64	2.97	0.21	0.18	0.033	0.014	0.04	58.2	19.1	0.48	776	1.61	0.02	0.08
AUX0104293		27.7	2.83	2.12	0.14	0.05	0.046	0.017	0.03	36.1	6.5	0.22	1420	1.38	0.02	0.15
AUX0104294		13.05	1.77	1.23	0.10	0.03	0.064	0.010	0.02	14.6	5.4	0.20	1760	1.57	0.02	0.16
AUX0104295		49.7	3.34	3.98	0.15	0.08	0.041	0.021	0.05	33.5	21.4	0.50	448	0.94	0.01	0.35
AUX0104296		32.0	3.21	4.43	0.13	0.13	0.015	0.018	0.04	33.9	25.4	0.56	482	0.87	0.01	0.36
AUX0104297		16.25	2.44	4.24	0.12	0.03	0.022	0.013	0.05	27.0	17.5	0.41	201	0.74	0.01	0.53
AUX0104298		47.8	3.46	4.75	0.15	0.08	0.028	0.021	0.04	38.9	25.9	0.62	778	1.38	0.01	0.40
AUX0104299		24.5	3.07	4.08	0.11	0.02	0.014	0.023	0.04	21.8	17.0	0.33	449	1.35	0.01	0.57
AUX0104300		28.1	3.25	4.40	0.10	0.03	0.014	0.025	0.04	19.4	18.4	0.40	419	1.20	0.01	0.70
AUX0104301		39.4	4.37	4.26	0.11	0.03	0.029	0.045	0.03	29.5	15.7	0.30	587	2.27	0.01	0.53
AUX0104302		21.0	3.41	5.12	0.05	0.02	0.016	0.026	0.04	20.3	19.9	0.45	409	1.13	<0.01	0.64
AUX0104303		42.9	4.61	6.18	0.09	0.04	0.016	0.025	0.06	35.4	32.5	0.61	562	2.01	<0.01	0.48
AUX0104304		29.0	3.48	4.97	0.06	0.05	0.026	0.025	0.05	29.3	24.8	0.61	553	1.01	<0.01	0.47
AUX0104305		39.2	3.24	4.35	0.08	0.06	0.032	0.024	0.04	32.3	24.5	0.57	492	0.80	<0.01	0.42
AUX0104306		34.0	2.43	3.72	0.05	0.05	0.071	0.018	0.05	16.4	17.2	0.64	344	0.40	<0.01	0.48
AUX0104307		45.5	3.66	2.80	0.06	0.05	0.054	0.020	0.06	22.2	13.1	0.40	1040	0.66	<0.01	0.16
AUX0104308		23.3	3.75	3.17	0.07	0.05	0.051	0.021	0.05	21.3	16.2	0.64	2010	0.80	0.01	0.28
AUX0104309		33.4	1.79	2.44	0.10	0.05	0.051	0.012	0.04	22.3	8.3	0.23	813	0.72	0.02	0.22
AUX0104310		45.8	2.73	2.67	0.18	0.07	0.019	0.012	0.06	58.3	16.9	0.44	631	0.86	0.01	0.10
AUX0104311		24.0	3.08	4.64	0.05	0.02	0.035	0.011	0.05	15.5	22.6	0.56	257	0.66	<0.01	0.12
AUX0104312		44.0	5.68	8.64	0.08	0.09	0.031	0.038	0.03	28.0	43.8	1.97	1280	0.83	<0.01	0.09
AUX0104313		60.2	4.82	5.90	0.11	0.05	0.011	0.021	0.04	48.2	39.3	0.85	1160	1.12	<0.01	0.11
AUX0104314		33.6	3.92	5.16	0.07	0.15	0.012	0.019	0.05	28.0	28.5	0.60	380	0.69	<0.01	0.32
AUX0104315		45.4	3.96	5.65	0.10	0.06	0.024	0.018	0.05	40.9	35.8	0.73	689	0.75	<0.01	0.19
AUX0104316		30.9	3.61	5.19	0.08	0.03	0.019	0.017	0.04	35.7	32.4	0.62	701	0.93	<0.01	0.27
AUX0104317		21.8	3.14	4.33	0.05	0.05	0.022	0.026	0.05	19.4	18.1	0.43	736	1.24	<0.01	0.52
AUX0104318		41.0	3.81	4.58	0.08	0.07	0.040	0.022	0.05	34.7	28.6	0.72	843	0.76	<0.01	0.27
AUX0104319		34.3	3.72	5.12	0.08	0.02	0.029	0.021	0.05	31.4	27.9	0.69	405	0.91	<0.01	0.34
AUX0104320		15.85	3.10	4.73	0.05	0.06	0.013	0.020	0.04	17.2	13.7	0.40	296	1.06	<0.01	0.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0104281		28.5	0.079	18.35	7.4	0.001	0.06	4.90	2.8	1.3	0.3	40.1	<0.01	0.03	3.6	0.017
AUX0104282		22.3	0.069	19.15	6.7	0.003	0.08	4.54	2.7	1.3	0.3	35.6	<0.01	0.03	3.9	0.018
AUX0104283		22.9	0.066	17.20	5.7	0.001	0.08	4.51	2.2	1.1	0.2	43.1	<0.01	0.02	3.8	0.017
AUX0104284		67.9	0.088	27.8	10.7	0.002	0.07	12.65	3.7	1.8	0.3	42.5	<0.01	0.06	5.3	0.015
AUX0104285		74.0	0.079	126.0	7.0	0.001	0.05	17.10	2.4	2.3	0.3	32.4	<0.01	0.08	7.2	0.008
AUX0104286		61.5	0.063	33.1	4.9	<0.001	0.02	12.50	2.5	2.1	0.3	21.5	<0.01	0.04	8.2	0.013
AUX0104287		40.6	0.066	21.3	6.0	0.001	0.02	7.08	3.2	1.7	0.3	22.0	<0.01	0.04	9.4	0.025
AUX0104288		47.5	0.071	24.3	6.7	0.003	0.06	8.36	1.9	1.9	0.2	46.2	<0.01	0.04	3.5	0.011
AUX0104289		32.4	0.085	17.20	9.6	0.001	0.11	16.10	3.0	2.4	0.3	36.9	<0.01	0.04	4.9	0.019
AUX0104290		35.0	0.085	18.35	9.3	0.002	0.10	25.9	2.7	2.4	0.3	37.3	<0.01	0.06	4.0	0.015
AUX0104291		29.8	0.067	26.1	4.1	<0.001	0.02	14.95	2.3	1.1	0.2	94.8	<0.01	0.06	14.2	0.015
AUX0104292		32.1	0.060	37.1	2.9	<0.001	0.05	13.25	1.7	1.0	0.2	100.5	<0.01	0.07	21.1	0.015
AUX0104293		22.0	0.076	31.2	3.4	<0.001	0.06	16.15	1.4	1.1	0.2	163.0	<0.01	0.05	3.6	0.007
AUX0104294		11.9	0.069	24.4	3.4	<0.001	0.10	26.2	1.4	0.8	0.2	412	<0.01	0.03	1.6	0.006
AUX0104295		34.0	0.046	22.1	6.6	<0.001	0.01	8.51	3.0	0.9	0.3	22.7	<0.01	0.04	10.3	0.013
AUX0104296		25.1	0.029	16.55	7.3	<0.001	0.01	7.05	2.0	0.6	0.3	9.6	<0.01	0.05	11.4	0.015
AUX0104297		17.3	0.025	18.65	9.9	<0.001	0.01	4.40	1.6	0.7	0.3	10.3	<0.01	0.04	7.1	0.016
AUX0104298		34.1	0.037	20.3	6.0	<0.001	0.01	4.33	3.3	1.0	0.3	20.1	<0.01	0.07	11.2	0.014
AUX0104299		24.5	0.054	18.95	7.6	<0.001	0.02	1.265	1.6	0.4	0.3	8.7	<0.01	0.04	4.5	0.017
AUX0104300		26.1	0.037	19.15	9.2	<0.001	0.01	1.155	2.7	0.3	0.4	9.0	<0.01	0.03	6.5	0.021
AUX0104301		25.7	0.051	29.5	5.8	0.001	0.02	2.52	1.4	0.6	0.3	7.7	<0.01	0.07	9.0	0.014
AUX0104302		18.2	0.043	18.30	7.6	<0.001	0.02	0.801	1.4	0.4	0.5	10.4	<0.01	0.04	5.8	0.021
AUX0104303		31.4	0.071	32.5	8.8	<0.001	0.02	1.485	2.1	0.5	0.3	16.0	<0.01	0.05	10.6	0.015
AUX0104304		22.8	0.044	31.4	8.2	<0.001	0.03	1.685	2.3	0.6	0.4	22.9	<0.01	0.04	8.7	0.016
AUX0104305		26.1	0.036	29.8	7.1	0.001	0.04	2.68	2.3	1.0	0.3	30.9	<0.01	0.04	8.5	0.013
AUX0104306		28.9	0.079	17.70	6.4	0.002	0.13	5.28	2.8	0.9	0.2	41.4	<0.01	0.02	3.9	0.018
AUX0104307		30.9	0.055	21.4	6.5	0.001	0.04	41.1	2.0	0.8	0.2	40.4	<0.01	0.04	6.4	0.006
AUX0104308		28.9	0.080	14.65	6.4	0.001	0.08	15.05	2.1	1.1	0.2	39.1	<0.01	0.04	3.5	0.015
AUX0104309		17.0	0.065	12.85	4.3	<0.001	0.12	6.13	0.7	0.8	<0.2	68.4	<0.01	0.03	1.5	0.010
AUX0104310		27.6	0.040	25.4	4.2	0.001	0.03	3.10	1.5	0.5	<0.2	71.7	<0.01	0.04	18.3	0.005
AUX0104311		25.6	0.044	5.87	5.0	<0.001	0.04	1.480	1.3	0.3	<0.2	15.2	<0.01	0.04	5.7	0.006
AUX0104312		80.6	0.078	15.30	4.1	<0.001	0.03	6.80	7.1	0.8	0.2	34.0	<0.01	0.04	9.4	0.006
AUX0104313		34.4	0.045	33.9	7.2	<0.001	0.01	3.15	1.8	0.6	0.2	7.1	<0.01	0.05	14.2	0.006
AUX0104314		24.2	0.023	15.35	8.5	<0.001	0.01	3.68	1.9	0.5	0.3	4.5	<0.01	0.03	11.4	0.018
AUX0104315		32.2	0.044	21.2	5.8	<0.001	0.01	5.35	2.5	0.8	0.2	10.3	<0.01	0.04	14.3	0.014
AUX0104316		24.0	0.031	16.00	6.8	<0.001	0.01	0.951	2.2	0.8	0.3	11.9	<0.01	0.04	10.0	0.013
AUX0104317		23.2	0.021	21.2	9.3	<0.001	<0.01	1.830	2.5	0.4	0.4	14.8	<0.01	0.05	6.2	0.017
AUX0104318		28.8	0.063	19.20	6.0	<0.001	0.01	1.930	3.1	0.7	0.3	19.6	<0.01	0.04	11.2	0.015
AUX0104319		26.0	0.038	15.95	6.9	<0.001	0.01	3.57	2.4	0.6	0.3	10.3	<0.01	0.04	8.1	0.017
AUX0104320		15.0	0.035	18.40	9.7	<0.001	0.01	1.245	2.0	0.4	0.4	7.0	<0.01	0.04	5.5	0.028

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
AUX0104281		0.08	3.23	29	0.140	8.12	88.8	2.0
AUX0104282		0.08	2.74	26	0.121	9.54	73.9	1.5
AUX0104283		0.06	2.38	23	0.126	8.21	78.6	1.4
AUX0104284		0.11	3.26	37	0.130	12.10	161.5	2.1
AUX0104285		0.11	2.47	25	0.147	11.00	237	1.6
AUX0104286		0.07	1.88	21	0.294	9.37	163.5	1.0
AUX0104287		0.08	1.00	27	0.146	12.15	109.5	4.3
AUX0104288		0.07	1.12	18	0.104	9.27	150.5	1.3
AUX0104289		0.10	3.76	32	0.207	9.73	115.5	2.4
AUX0104290		0.11	6.75	29	0.256	10.75	136.0	2.7
AUX0104291		0.07	0.81	15	0.203	11.70	93.8	3.9
AUX0104292		0.07	0.79	10	0.0554	10.95	118.5	8.3
AUX0104293		0.06	1.05	9	0.0820	12.40	95.6	1.7
AUX0104294		0.09	0.73	7	0.0813	9.78	67.4	1.2
AUX0104295		0.07	0.48	23	0.134	11.55	76.0	2.6
AUX0104296		0.06	0.51	24	0.130	5.00	69.3	6.2
AUX0104297		0.07	0.36	26	0.204	3.77	48.4	1.3
AUX0104298		0.06	1.39	28	0.126	11.80	69.5	3.8
AUX0104299		0.07	0.81	33	0.155	3.47	64.2	0.7
AUX0104300		0.07	1.29	41	0.174	3.50	68.2	1.3
AUX0104301		0.05	0.88	28	0.164	3.62	86.9	1.7
AUX0104302		0.08	0.49	47	0.138	2.19	94.2	0.7
AUX0104303		0.07	0.89	36	0.135	3.97	98.4	1.8
AUX0104304		0.08	1.69	36	0.123	4.52	84.4	1.7
AUX0104305		0.06	1.50	29	0.106	6.45	84.6	2.2
AUX0104306		0.09	2.69	27	0.139	8.76	89.9	1.6
AUX0104307		0.07	1.22	16	0.141	6.19	83.4	1.5
AUX0104308		0.08	2.05	28	0.286	8.45	115.0	1.3
AUX0104309		0.06	2.01	10	0.0462	6.17	53.9	1.5
AUX0104310		0.03	0.82	6	0.0244	9.77	65.8	2.7
AUX0104311		0.04	0.31	17	0.0362	1.68	67.4	1.0
AUX0104312		0.04	1.19	61	0.0468	7.18	107.0	3.1
AUX0104313		0.05	0.66	21	0.0444	5.34	92.2	2.2
AUX0104314		0.07	0.50	31	0.122	3.70	73.4	7.8
AUX0104315		0.06	0.79	25	0.0982	6.28	91.6	3.2
AUX0104316		0.07	1.11	29	0.0838	5.56	82.5	1.7
AUX0104317		0.08	0.59	42	0.190	4.90	73.3	2.0
AUX0104318		0.05	0.81	27	0.0939	9.67	87.3	2.4
AUX0104319		0.07	0.67	29	0.120	5.35	88.4	0.8
AUX0104320		0.09	0.45	47	0.163	2.75	55.1	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0104321		0.30	0.0007	0.817	1.85	82.9	<10	130.0	0.27	0.24	0.10	0.35	29.2	7.5	29.5	0.85
AUX0104322		0.28	0.0042	0.732	1.50	445	<10	188.0	0.60	0.41	3.24	1.83	25.3	7.9	23.0	0.47
AUX0104323		0.52	0.0401	0.241	1.61	363	<10	190.0	0.37	0.55	0.47	0.38	79.1	17.3	22.2	1.08
AUX0104324		0.36	0.122	0.218	1.41	352	<10	133.5	0.30	0.49	0.27	0.19	88.3	16.1	17.7	1.28
AUX0104325		0.44	0.0583	0.170	1.76	212	<10	146.5	0.29	0.48	0.31	0.20	84.8	12.6	20.3	1.15
AUX0104326		0.30	0.0206	0.229	1.35	119.5	<10	214	0.32	0.33	2.16	0.22	46.4	7.8	14.2	0.87
AUX0104327		0.44	0.0043	0.148	1.94	279	<10	158.5	0.31	0.45	0.23	0.16	107.0	13.9	23.2	0.87
AUX0104328		0.48	0.0050	0.124	2.05	222	<10	170.5	0.36	0.39	0.21	0.08	72.0	13.1	25.2	0.71
AUX0104329		0.30	0.0038	0.160	2.13	312	<10	105.5	0.48	0.62	0.11	0.29	120.0	21.4	27.1	1.33
AUX0104330		0.36	0.0092	0.108	2.13	180.0	<10	264	0.39	0.37	0.17	0.05	69.9	11.3	27.6	0.66
AUX0104331		0.34	0.0051	0.054	1.53	105.5	<10	288	0.35	0.24	0.14	0.04	64.4	7.9	19.5	0.53
AUX0104332		0.34	0.0092	0.079	1.59	171.0	<10	271	0.36	0.30	0.17	0.05	60.1	9.0	21.4	0.68
AUX0104333		0.46	0.0037	0.056	1.76	85.5	<10	260	0.33	0.28	0.12	0.06	71.4	9.6	22.5	0.60
AUX0104334		0.34	0.0063	0.122	1.14	132.0	<10	223	0.24	0.34	0.19	0.16	47.5	6.1	17.8	0.59
AUX0104335		0.46	0.0102	0.179	1.15	107.0	<10	322	0.35	0.27	0.34	0.22	36.5	10.3	18.8	0.61
AUX0104336		0.42	0.0025	0.136	1.01	37.2	<10	372	0.38	0.19	0.39	0.19	33.9	7.8	20.3	0.45
AUX0104337		0.44	0.0034	0.177	1.14	60.8	<10	288	0.34	0.25	0.44	0.21	31.8	8.8	21.7	0.57
AUX0104338		0.54	0.0062	0.227	1.75	332	<10	217	0.46	0.90	1.20	0.47	97.0	19.3	21.7	0.57
AUX0104339		0.42	0.0037	0.238	1.43	121.5	<10	302	0.38	0.40	0.54	0.33	48.3	12.2	23.7	0.71
AUX0104340		0.28	0.0025	0.121	0.97	73.1	<10	244	0.24	0.20	0.66	0.19	29.7	8.0	17.6	0.49
AUX0104341		0.32	0.0027	0.196	1.08	89.7	<10	231	0.29	0.29	0.43	0.26	33.6	11.0	21.0	0.52
AUX0104342		0.46	0.0027	0.123	1.01	54.4	<10	277	0.45	0.20	0.35	0.33	32.1	8.3	25.6	0.64
AUX0104343		0.32	0.0071	0.110	1.28	109.0	<10	195.0	0.37	0.29	0.17	0.10	45.9	7.1	19.7	0.64
AUX0104344		0.42	0.0020	0.137	1.30	19.70	<10	294	0.37	0.18	0.33	0.09	26.7	6.5	21.8	0.65
AUX0104345		0.44	0.0035	0.190	1.47	64.0	<10	457	0.47	0.24	0.41	0.13	35.0	8.8	25.3	0.63
AUX0104346		0.48	0.0066	0.185	1.29	149.5	<10	372	0.43	0.32	0.36	0.12	44.6	8.1	23.1	0.59
AUX0104347		0.40	0.0073	0.145	1.14	168.5	<10	299	0.35	0.30	0.34	0.15	45.2	8.8	21.2	0.56
AUX0104348		0.38	0.0087	0.191	0.99	293	<10	208	0.31	0.39	0.42	0.35	48.1	11.2	19.8	0.63
AUX0104349		0.38	0.0079	0.182	1.18	214	<10	258	0.35	0.38	0.34	0.18	50.7	9.0	17.9	0.64
AUX0104350		0.36	0.0629	0.227	1.07	238	<10	262	0.34	0.35	0.29	0.21	51.7	10.1	17.6	0.62
AUX0104351		0.42	0.0046	0.120	1.23	110.5	<10	172.5	0.28	0.24	0.14	0.11	29.9	6.6	21.1	0.67
AUX0104352		0.30	0.0024	0.098	0.99	76.0	<10	152.5	0.24	0.22	0.14	0.10	34.1	5.7	17.0	0.50
AUX0104353		0.46	0.0051	0.246	1.18	172.5	<10	400	0.36	0.48	0.33	0.36	31.9	18.9	18.8	0.81
AUX0104354		0.34	0.0055	0.290	1.29	151.5	<10	403	0.42	0.42	0.40	0.28	32.8	15.4	21.5	0.80
AUX0104355		0.44	0.0069	0.279	1.20	207	<10	351	0.36	0.33	0.37	0.22	32.9	10.2	21.0	0.74
AUX0104356		0.32	0.0026	0.066	1.04	1075	<10	188.5	0.31	0.47	0.17	0.23	93.8	16.4	15.4	1.01
AUX0104357		0.48	0.0162	0.336	1.09	641	<10	294	0.35	0.60	1.00	0.40	51.3	13.5	20.1	1.04
AUX0104358		0.46	0.0019	0.113	1.09	32.5	<10	276	0.35	0.18	0.27	0.09	30.8	7.2	20.5	0.50
AUX0104359		0.50	0.0033	0.105	1.34	49.1	<10	315	0.48	0.21	0.41	0.13	35.9	8.8	26.6	0.57
AUX0104360		0.42	0.0091	0.186	1.17	174.0	<10	301	0.37	0.31	0.26	0.11	38.3	8.1	20.9	0.62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0104321		19.55	3.62	5.30	0.05	0.05	0.022	0.026	0.05	15.4	22.2	0.43	281	1.39	<0.01	1.04
AUX0104322		18.45	2.75	4.00	0.09	0.05	0.024	0.037	0.04	12.6	11.5	0.30	866	0.71	0.02	0.71
AUX0104323		48.1	3.62	4.38	0.14	0.11	0.035	0.016	0.05	41.2	27.9	0.60	1340	0.79	0.01	0.24
AUX0104324		42.5	3.09	4.01	0.13	0.04	0.031	0.017	0.06	44.1	24.1	0.50	494	0.63	0.01	0.24
AUX0104325		42.8	3.51	4.25	0.10	0.05	0.023	0.019	0.07	44.0	23.6	0.70	877	0.58	<0.01	0.19
AUX0104326		59.0	2.48	2.72	0.07	0.14	0.071	0.014	0.07	29.5	15.3	0.43	868	0.52	0.01	0.25
AUX0104327		58.2	4.31	5.11	0.13	0.09	0.022	0.016	0.04	57.0	33.3	0.84	819	0.90	<0.01	0.06
AUX0104328		39.9	4.11	5.50	0.08	0.04	0.019	0.018	0.05	37.0	32.9	0.75	577	0.57	<0.01	0.17
AUX0104329		76.1	4.76	5.96	0.13	0.19	0.013	0.019	0.05	48.5	38.0	0.90	934	0.82	<0.01	0.09
AUX0104330		40.8	4.18	4.85	0.09	0.04	0.026	0.018	0.06	35.9	25.9	0.84	580	0.89	0.01	0.23
AUX0104331		26.2	2.98	3.07	0.08	0.04	0.038	0.012	0.08	32.0	14.2	0.55	334	0.47	0.01	0.47
AUX0104332		25.7	2.98	3.57	0.07	0.02	0.028	0.016	0.09	29.7	16.6	0.55	420	0.60	0.01	0.44
AUX0104333		32.1	3.34	3.81	0.08	0.12	0.021	0.015	0.08	38.3	16.4	0.70	491	0.61	0.01	0.34
AUX0104334		20.3	2.31	2.85	0.05	0.02	0.024	0.016	0.09	23.5	10.9	0.38	325	0.79	<0.01	0.58
AUX0104335		19.95	2.48	3.44	<0.05	0.02	0.050	0.018	0.05	17.5	12.9	0.35	515	1.19	0.01	0.67
AUX0104336		27.8	2.33	3.19	0.05	0.07	0.032	0.017	0.04	17.6	12.4	0.36	300	0.96	0.02	0.74
AUX0104337		26.7	2.57	3.43	0.05	0.07	0.035	0.016	0.06	17.7	14.1	0.41	414	1.11	0.02	0.81
AUX0104338		62.7	4.25	5.04	0.12	0.13	0.044	0.019	0.05	52.0	32.5	0.73	1100	1.22	0.01	0.13
AUX0104339		26.7	2.93	4.19	0.06	0.05	0.039	0.017	0.04	25.6	25.5	0.49	693	1.13	0.01	0.46
AUX0104340		14.45	2.09	3.02	<0.05	0.03	0.042	0.015	0.03	15.6	14.9	0.33	306	0.58	0.01	0.59
AUX0104341		21.9	2.53	3.34	0.05	0.03	0.034	0.018	0.04	17.3	14.6	0.39	411	1.06	0.01	0.59
AUX0104342		32.2	2.67	3.45	0.06	0.09	0.026	0.019	0.07	17.6	11.5	0.39	257	1.81	0.01	0.43
AUX0104343		24.5	2.44	3.70	0.06	<0.02	0.027	0.014	0.06	24.3	15.0	0.40	213	0.86	0.01	0.58
AUX0104344		19.80	2.28	4.00	<0.05	0.02	0.036	0.019	0.03	14.6	12.7	0.36	176	0.95	0.01	0.76
AUX0104345		25.9	2.54	4.19	0.05	0.03	0.049	0.019	0.04	19.3	14.0	0.40	349	1.19	0.02	0.82
AUX0104346		28.7	2.71	3.79	0.06	0.04	0.063	0.019	0.06	23.9	13.5	0.37	331	1.26	0.02	0.69
AUX0104347		27.6	2.58	3.39	0.05	0.03	0.033	0.015	0.05	23.4	12.4	0.35	407	1.24	0.01	0.56
AUX0104348		35.3	2.76	3.00	0.07	0.07	0.042	0.017	0.06	24.6	13.1	0.39	545	1.14	0.01	0.59
AUX0104349		26.3	2.52	3.37	0.06	<0.02	0.034	0.015	0.07	27.2	13.8	0.33	287	0.96	0.01	0.54
AUX0104350		30.6	2.43	3.15	0.07	0.06	0.026	0.014	0.07	26.6	13.2	0.34	340	0.94	0.01	0.40
AUX0104351		20.7	2.28	3.99	<0.05	0.03	0.025	0.018	0.04	15.2	13.1	0.33	173	1.09	0.01	0.84
AUX0104352		18.15	1.87	3.57	0.05	0.03	0.014	0.015	0.05	18.5	10.2	0.29	159	0.88	0.01	0.79
AUX0104353		16.55	2.39	3.71	<0.05	0.02	0.043	0.018	0.05	15.7	14.1	0.36	2030	1.05	0.01	0.52
AUX0104354		21.7	2.48	3.75	<0.05	0.02	0.043	0.018	0.06	17.4	14.7	0.38	1080	1.01	0.01	0.57
AUX0104355		27.6	2.49	3.55	<0.05	<0.02	0.038	0.018	0.04	17.2	13.8	0.38	379	1.04	0.01	0.56
AUX0104356		31.8	4.07	3.28	0.09	0.02	0.026	0.013	0.11	43.8	12.2	0.42	560	1.18	0.01	0.37
AUX0104357		44.3	3.04	3.19	0.06	0.04	0.031	0.018	0.08	26.6	13.7	0.47	434	1.27	0.01	0.53
AUX0104358		23.6	2.23	3.34	<0.05	0.02	0.030	0.018	0.04	16.4	12.3	0.34	198	0.82	0.01	0.68
AUX0104359		30.5	2.63	4.14	0.06	0.08	0.023	0.021	0.05	18.5	15.7	0.47	249	1.05	0.02	0.89
AUX0104360		29.0	2.44	3.40	0.05	0.06	0.038	0.017	0.05	20.8	13.4	0.37	249	0.99	0.01	0.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0104321		19.4	0.042	20.6	9.7	<0.001	0.01	1.630	2.2	0.5	0.5	8.0	<0.01	0.04	4.9	0.034
AUX0104322		20.6	0.051	50.0	7.6	0.001	0.04	1.705	3.2	1.0	0.4	73.2	<0.01	0.03	1.9	0.023
AUX0104323		34.9	0.053	21.1	6.0	0.001	0.04	55.7	2.2	0.4	<0.2	25.6	<0.01	0.02	13.6	0.009
AUX0104324		28.4	0.039	23.1	7.0	<0.001	0.02	115.0	1.7	0.5	<0.2	16.6	<0.01	0.03	14.2	0.005
AUX0104325		30.8	0.047	20.7	6.0	<0.001	0.02	37.9	1.8	0.6	0.2	16.6	<0.01	0.03	15.3	0.006
AUX0104326		24.5	0.078	16.65	6.3	<0.001	0.10	26.6	1.0	0.8	<0.2	80.1	<0.01	0.03	5.7	0.004
AUX0104327		36.4	0.052	24.4	3.4	<0.001	0.01	16.55	1.8	0.8	<0.2	15.0	<0.01	0.03	20.7	0.005
AUX0104328		29.1	0.047	20.5	6.3	<0.001	0.01	5.82	1.6	0.6	0.2	15.1	<0.01	0.03	12.7	0.008
AUX0104329		41.8	0.052	33.6	4.0	<0.001	0.02	10.75	1.8	0.8	0.2	12.9	<0.01	0.05	22.6	0.007
AUX0104330		27.7	0.037	24.1	5.9	<0.001	0.01	6.64	2.5	0.6	0.3	12.0	<0.01	0.03	11.7	0.016
AUX0104331		18.0	0.036	16.90	6.8	<0.001	0.01	5.03	2.0	0.4	0.2	9.0	<0.01	0.02	10.8	0.020
AUX0104332		19.4	0.035	17.45	9.1	<0.001	0.01	7.53	2.1	0.6	0.3	10.2	<0.01	0.03	8.9	0.021
AUX0104333		24.7	0.034	19.90	7.8	<0.001	0.01	4.18	2.2	0.7	0.2	8.4	<0.01	0.05	14.5	0.018
AUX0104334		16.3	0.045	15.55	9.3	<0.001	0.01	7.35	1.6	0.5	0.3	12.0	<0.01	0.02	6.1	0.023
AUX0104335		18.9	0.062	15.55	8.5	<0.001	0.03	4.37	2.4	0.7	0.3	19.7	<0.01	0.03	4.0	0.023
AUX0104336		23.0	0.074	12.55	5.0	<0.001	0.02	1.815	3.2	0.7	0.3	24.7	<0.01	0.02	4.9	0.036
AUX0104337		23.8	0.077	13.25	7.1	<0.001	0.01	3.52	2.9	0.4	0.3	26.3	<0.01	0.03	5.9	0.038
AUX0104338		41.9	0.058	29.1	4.6	<0.001	0.08	9.15	2.3	1.3	<0.2	37.3	<0.01	0.05	14.2	0.005
AUX0104339		27.7	0.076	17.35	7.6	<0.001	0.04	3.47	2.6	0.7	0.3	31.3	<0.01	0.03	6.3	0.016
AUX0104340		18.2	0.071	11.00	4.9	0.001	0.05	2.22	2.3	0.7	0.3	40.9	<0.01	0.02	3.6	0.022
AUX0104341		23.1	0.077	13.60	5.6	0.001	0.03	2.39	2.5	0.7	0.3	22.2	<0.01	0.03	4.1	0.024
AUX0104342		28.0	0.082	11.15	6.2	<0.001	0.01	2.41	4.1	0.9	0.3	27.1	<0.01	0.02	5.8	0.042
AUX0104343		17.9	0.051	15.95	8.5	<0.001	0.01	4.44	2.2	0.6	0.3	11.0	<0.01	0.03	3.8	0.021
AUX0104344		19.1	0.067	10.15	6.8	<0.001	0.02	0.860	2.8	0.9	0.4	19.3	<0.01	0.03	2.3	0.030
AUX0104345		23.2	0.065	13.55	8.1	<0.001	0.02	2.40	3.6	0.8	0.4	23.6	<0.01	0.05	3.7	0.034
AUX0104346		24.0	0.055	15.35	8.2	<0.001	0.01	4.58	3.3	0.8	0.3	20.7	<0.01	0.02	6.5	0.032
AUX0104347		24.5	0.046	16.55	7.0	<0.001	0.01	4.71	3.0	0.7	0.3	18.8	<0.01	0.01	7.3	0.031
AUX0104348		29.7	0.060	22.9	6.6	<0.001	0.02	9.03	2.6	0.6	0.2	19.7	<0.01	0.04	8.4	0.023
AUX0104349		23.1	0.035	22.4	9.7	<0.001	0.01	6.36	2.2	0.6	0.3	17.4	<0.01	0.02	7.0	0.020
AUX0104350		25.9	0.038	20.6	8.0	<0.001	0.01	7.82	2.6	0.5	0.3	16.5	<0.01	0.03	8.9	0.023
AUX0104351		19.2	0.037	14.25	6.4	<0.001	0.01	4.36	2.4	0.4	0.4	11.8	<0.01	0.02	4.1	0.034
AUX0104352		15.7	0.034	12.15	6.0	<0.001	0.01	4.96	2.0	0.4	0.3	11.7	<0.01	0.02	4.3	0.034
AUX0104353		20.1	0.075	17.55	10.0	<0.001	0.03	2.24	2.1	0.7	0.3	20.3	<0.01	0.03	2.6	0.017
AUX0104354		23.2	0.083	18.10	9.9	<0.001	0.03	2.40	2.7	0.7	0.3	23.7	<0.01	0.02	2.8	0.019
AUX0104355		23.8	0.078	14.50	6.6	<0.001	0.02	2.94	2.6	0.8	0.3	20.3	<0.01	0.03	2.5	0.023
AUX0104356		35.4	0.061	8.27	9.4	<0.001	0.01	3.03	2.0	0.6	0.2	11.6	<0.01	0.05	11.0	0.015
AUX0104357		33.3	0.071	25.0	7.6	<0.001	0.01	14.40	2.7	0.7	0.2	28.9	<0.01	0.05	9.8	0.022
AUX0104358		20.7	0.067	10.55	5.7	<0.001	0.01	1.125	2.9	0.8	0.3	17.8	<0.01	0.03	3.2	0.033
AUX0104359		25.0	0.064	12.10	6.4	0.001	0.01	1.770	4.1	0.9	0.4	24.3	<0.01	0.02	5.4	0.056
AUX0104360		23.4	0.050	16.60	6.7	0.001	0.01	3.95	3.1	0.8	0.3	16.3	<0.01	0.03	6.7	0.034

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0104321		0.09	0.46	59	0.203	1.79	92.1	2.3
AUX0104322		0.09	1.24	43	0.354	8.33	107.0	1.3
AUX0104323		0.03	1.54	18	0.118	7.94	100.5	3.8
AUX0104324		0.05	1.25	13	0.0621	6.77	80.0	1.5
AUX0104325		0.04	1.29	15	0.0480	7.87	95.0	2.4
AUX0104326		0.05	2.84	10	0.0392	9.03	67.2	4.8
AUX0104327		0.03	1.34	14	0.0350	9.66	100.0	5.5
AUX0104328		0.05	0.83	20	0.0844	5.39	93.3	1.7
AUX0104329		0.03	1.04	19	0.0414	7.35	124.5	11.3
AUX0104330		0.06	0.96	28	0.106	6.67	90.9	2.6
AUX0104331		0.07	0.69	25	0.0974	8.66	67.1	2.4
AUX0104332		0.09	0.51	28	0.124	7.20	68.1	1.2
AUX0104333		0.07	0.72	25	0.0985	9.38	80.1	7.2
AUX0104334		0.08	0.61	26	0.138	5.05	67.8	0.5
AUX0104335		0.09	1.23	31	0.197	6.06	61.5	0.7
AUX0104336		0.06	0.85	33	0.215	8.35	64.9	2.6
AUX0104337		0.08	1.02	32	0.194	7.04	78.6	3.2
AUX0104338		0.07	1.60	14	0.0472	12.85	99.1	5.4
AUX0104339		0.06	3.00	26	0.113	7.44	82.2	2.0
AUX0104340		0.06	1.30	28	0.163	5.76	56.2	1.1
AUX0104341		0.06	1.20	29	0.175	6.23	66.7	1.2
AUX0104342		0.09	0.89	42	0.194	9.95	83.3	4.6
AUX0104343		0.10	0.78	26	0.152	7.12	55.3	<0.5
AUX0104344		0.08	0.91	37	0.217	6.48	53.5	0.6
AUX0104345		0.08	0.97	39	0.344	8.71	66.5	1.2
AUX0104346		0.09	1.16	33	0.173	8.34	66.2	1.8
AUX0104347		0.08	1.06	30	0.168	7.89	63.6	1.6
AUX0104348		0.09	0.78	22	0.155	8.42	78.5	3.2
AUX0104349		0.10	1.01	24	0.139	6.29	65.9	0.7
AUX0104350		0.09	0.59	23	0.126	8.60	65.9	3.6
AUX0104351		0.09	0.64	36	0.167	4.00	51.4	1.7
AUX0104352		0.07	0.50	29	0.147	4.50	46.3	1.4
AUX0104353		0.09	0.91	30	0.327	5.71	70.5	0.5
AUX0104354		0.09	1.26	32	0.275	7.70	74.3	0.7
AUX0104355		0.07	1.08	33	0.163	8.04	65.4	<0.5
AUX0104356		0.09	0.46	18	0.110	8.04	57.9	0.9
AUX0104357		0.11	0.54	24	0.187	9.09	88.2	2.4
AUX0104358		0.07	0.66	34	0.233	7.49	54.4	0.6
AUX0104359		0.07	0.77	43	0.194	9.78	73.0	3.3
AUX0104360		0.08	0.73	30	0.148	7.71	63.3	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.002	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.02	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.05	ME- MS41L Bi ppm 0.01	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.01	ME- MS41L Ce ppm 0.02	ME- MS41L Co ppm 0.1	ME- MS41L Cr ppm 0.5	ME- MS41L Cs ppm 0.05
AUX0104361	0.42	0.0133	0.125	1.18	197.5	<10	233	0.37	0.29	0.28	0.13	32.8	9.0	23.3	0.63
AUX0104362	0.34	0.0147	0.106	1.48	331	<10	243	0.45	0.44	0.16	0.12	34.4	11.4	25.3	1.13
AUX0104363	0.34	0.0225	0.120	1.17	471	<10	208	0.28	0.53	0.22	0.15	36.4	8.8	22.0	1.00
AUX0104364	0.30	0.0026	0.064	0.63	157.5	<10	132.5	0.20	0.27	0.06	0.09	61.6	7.9	8.6	0.57
AUX0104365	0.42	0.0031	0.119	1.77	71.1	<10	213	0.69	0.23	0.08	0.20	41.7	10.3	30.8	0.76
AUX0104366	0.48	0.0107	0.188	1.22	230	<10	203	0.40	0.35	0.09	0.09	57.3	9.7	18.9	0.81
AUX0104367	0.40	0.0034	0.224	1.28	74.9	<10	554	0.45	0.23	0.46	0.22	36.0	13.1	21.0	0.55
AUX0104368	0.50	0.0051	0.295	1.43	154.5	<10	513	0.47	0.32	0.42	0.19	49.1	11.4	21.7	0.66
AUX0104369	0.44	0.0056	0.188	1.01	155.0	<10	299	0.31	0.30	0.27	0.18	46.3	9.0	16.8	0.65
AUX0104370	0.46	0.0057	0.112	1.01	88.4	<10	190.0	0.31	0.23	0.18	0.12	42.4	7.4	16.4	0.56
AUX0104371	0.30	0.0057	0.079	1.02	115.5	<10	137.0	0.24	0.27	0.09	0.13	33.6	5.4	16.7	0.63
AUX0104372	0.38	0.0050	0.146	0.78	130.5	<10	79.3	0.20	0.31	0.02	0.12	56.5	6.2	10.3	0.66
AUX0104373	0.34	0.0017	0.067	0.86	41.0	<10	146.5	0.34	0.20	0.03	0.10	45.0	6.2	10.9	0.54
AUX0104374	0.38	0.0019	0.207	1.70	41.6	<10	260	0.58	0.23	0.07	0.12	33.3	8.9	27.2	0.80
AUX0104375	0.46	0.0027	0.232	1.63	47.1	<10	218	0.53	0.23	0.06	0.13	29.7	7.4	26.2	0.82
AUX0104376	0.28	0.0017	0.104	1.19	11.00	<10	258	0.35	0.17	0.18	0.13	28.2	6.8	21.7	0.52
AUX0104377	0.42	0.0117	0.187	1.02	405	<10	183.0	0.25	0.79	0.18	0.14	76.1	9.7	13.5	0.66
AUX0104378	0.44	0.0164	0.123	0.99	218	<10	229	0.36	0.28	0.10	0.05	60.2	7.6	14.6	0.69
AUX0104379	0.42	0.0027	0.058	0.48	76.9	<10	153.5	0.21	0.19	0.02	0.08	69.6	9.2	6.4	0.84
AUX0104380	0.32	0.0041	0.129	1.14	96.7	<10	709	0.30	0.22	0.12	0.07	36.0	6.4	18.8	0.61
AUX0104381	0.40	0.0071	0.082	0.91	129.0	<10	289	0.28	0.27	0.12	0.09	58.1	8.6	15.3	0.70
AUX0104382	0.40	0.0071	0.190	1.04	152.0	<10	351	0.28	0.27	0.18	0.16	36.3	7.4	18.7	0.64
AUX0104383	0.40	0.0008	0.065	1.20	11.65	<10	248	0.35	0.15	0.18	0.08	29.5	6.8	21.4	0.54
AUX0104384	0.38	0.0020	0.128	1.12	16.70	<10	292	0.36	0.15	0.20	0.13	34.4	8.2	21.4	0.48
AUX0104385	0.32	0.0026	0.097	1.23	31.8	<10	318	0.37	0.17	0.17	0.10	33.5	8.3	23.0	0.49
AUX0104386	0.48	0.0100	0.208	1.08	297	<10	197.0	0.31	0.41	0.14	0.14	61.2	9.6	17.6	0.65
AUX0104387	0.38	0.0097	0.104	0.92	341	<10	116.0	0.29	0.47	0.10	0.23	70.1	11.7	13.8	0.72
AUX0104388	0.32	0.0034	0.143	1.33	107.0	<10	184.5	0.36	0.25	0.08	0.17	29.5	9.1	22.9	0.73
AUX0104389	0.32	0.0040	0.170	0.90	96.8	<10	99.7	0.21	0.25	0.08	0.11	28.2	4.2	14.9	0.67
AUX0104390	0.40	0.0082	0.100	1.05	133.5	<10	203	0.29	0.24	0.14	0.10	36.9	8.1	19.8	0.70
AUX0104391	0.32	0.0015	0.091	1.12	23.1	<10	254	0.36	0.15	0.18	0.08	30.2	6.9	22.0	0.57
AUX0104392	0.32	0.0021	0.090	1.22	23.8	<10	196.5	0.39	0.15	0.14	0.07	36.0	7.0	23.0	0.56
AUX0104393	0.42	0.0037	0.146	1.41	41.3	<10	219	0.40	0.18	0.12	0.06	31.6	7.0	24.5	0.72
AUX0104394	0.38	0.0019	0.121	1.44	24.1	<10	251	0.43	0.19	0.10	0.08	33.7	9.2	24.5	0.61
AUX0104395	0.64	0.0082	0.436	1.13	251	<10	250	0.37	0.34	1.68	0.43	41.9	12.0	22.0	0.81
AUX0104396	0.50	0.0041	0.259	1.35	59.4	<10	461	0.42	0.24	0.41	0.26	35.1	9.1	24.0	0.66
AUX0104397	0.46	0.0033	0.166	1.24	61.0	<10	313	0.37	0.21	0.35	0.11	34.9	7.1	22.3	0.67
AUX0104398	0.44	0.0011	0.035	1.29	16.20	<10	207	0.42	0.17	0.19	0.10	31.3	6.1	22.7	0.65
AUX0104399	0.36	0.0008	0.048	1.20	13.75	<10	164.0	0.34	0.14	0.15	0.07	26.8	5.8	20.6	0.51
AUX0104400	0.28	0.0003	0.055	1.22	14.15	<10	176.0	0.39	0.15	0.16	0.07	28.9	6.5	21.5	0.53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0104361		33.2	2.56	3.64	0.05	0.04	0.028	0.020	0.05	17.5	14.5	0.42	301	1.05	0.01	0.61
AUX0104362		29.6	2.80	4.37	0.05	0.02	0.032	0.022	0.05	18.7	18.2	0.41	434	1.07	0.01	0.68
AUX0104363		27.4	2.48	3.49	0.05	0.06	0.030	0.017	0.06	19.3	13.9	0.40	315	0.96	0.01	0.57
AUX0104364		14.55	2.59	1.97	0.06	0.05	0.013	0.010	0.11	30.8	7.1	0.11	207	0.70	0.01	0.42
AUX0104365		34.4	3.11	4.82	0.07	0.14	0.028	0.026	0.06	20.3	17.4	0.47	218	1.24	0.01	0.79
AUX0104366		30.3	2.53	3.48	0.07	0.07	0.028	0.017	0.07	32.6	15.9	0.36	362	0.74	0.01	0.38
AUX0104367		25.1	2.48	3.68	0.06	0.03	0.059	0.021	0.05	18.3	13.3	0.34	580	1.00	0.02	0.75
AUX0104368		30.4	2.74	4.15	0.07	0.03	0.051	0.022	0.06	26.6	15.9	0.39	588	1.06	0.02	0.69
AUX0104369		27.0	2.33	2.98	0.06	<0.02	0.027	0.014	0.08	24.3	11.7	0.31	370	0.89	0.01	0.57
AUX0104370		23.7	2.01	3.09	0.05	<0.02	0.030	0.014	0.05	22.5	12.0	0.31	246	0.78	0.01	0.63
AUX0104371		18.45	1.87	3.50	0.10	<0.02	0.025	0.014	0.04	17.4	10.6	0.26	184	0.83	0.01	0.50
AUX0104372		24.8	2.29	2.41	0.11	0.02	0.042	0.013	0.08	27.6	7.5	0.20	159	0.79	0.01	0.58
AUX0104373		15.65	1.69	2.59	0.10	0.02	0.027	0.013	0.07	22.7	9.9	0.13	272	0.73	0.01	0.54
AUX0104374		25.5	2.81	4.59	0.09	0.11	0.032	0.025	0.04	17.3	15.7	0.38	278	1.34	0.01	0.62
AUX0104375		22.2	2.76	4.50	0.10	0.11	0.033	0.022	0.04	15.7	15.7	0.36	231	1.14	0.01	0.77
AUX0104376		18.90	2.21	3.28	0.09	0.04	0.040	0.017	0.03	14.5	12.8	0.35	248	0.87	0.01	0.57
AUX0104377		31.5	2.68	3.04	0.13	0.09	0.019	0.014	0.07	39.0	11.9	0.35	259	0.59	0.01	0.35
AUX0104378		28.1	2.02	2.67	0.11	0.02	0.027	0.017	0.05	29.4	10.9	0.23	177	0.63	0.01	0.47
AUX0104379		21.9	2.06	1.48	0.11	0.06	0.015	0.006	0.12	34.8	5.0	0.10	275	0.57	0.01	0.55
AUX0104380		23.0	2.08	3.23	0.10	0.03	0.030	0.017	0.04	20.1	12.5	0.30	237	0.83	0.01	0.66
AUX0104381		24.5	2.01	2.63	0.11	0.06	0.007	0.011	0.08	30.0	11.0	0.26	284	0.68	0.01	0.54
AUX0104382		24.2	2.05	2.99	0.10	<0.02	0.027	0.016	0.04	18.9	11.7	0.30	304	0.75	0.01	0.45
AUX0104383		22.2	2.23	3.52	0.10	0.04	0.048	0.018	0.03	15.9	13.0	0.35	205	0.90	0.01	0.62
AUX0104384		26.1	2.43	3.29	0.10	0.02	0.041	0.018	0.03	18.1	13.8	0.34	297	1.07	0.01	0.73
AUX0104385		25.5	2.33	3.60	0.10	0.04	0.041	0.020	0.03	17.5	14.7	0.38	331	0.91	0.01	0.58
AUX0104386		37.1	2.50	3.02	0.12	0.03	0.015	0.014	0.06	32.2	13.0	0.35	297	0.70	0.01	0.61
AUX0104387		41.1	2.67	2.77	0.13	0.04	0.011	0.017	0.07	35.1	9.8	0.28	325	0.78	0.01	0.87
AUX0104388		27.4	2.42	3.61	0.09	0.10	0.020	0.021	0.04	13.8	13.2	0.34	306	1.02	0.01	0.71
AUX0104389		19.65	1.58	2.44	0.10	0.02	0.011	0.014	0.03	14.1	12.1	0.24	108	0.62	0.01	0.47
AUX0104390		29.7	2.16	3.02	0.09	0.02	0.017	0.017	0.04	18.8	11.6	0.33	312	0.76	0.01	0.47
AUX0104391		23.5	2.14	3.46	0.09	0.03	0.035	0.018	0.03	15.7	12.6	0.33	237	0.84	0.02	0.65
AUX0104392		23.3	2.20	3.74	0.11	0.03	0.020	0.020	0.03	18.3	13.1	0.34	221	0.87	0.01	0.72
AUX0104393		22.4	2.20	3.74	0.09	0.05	0.037	0.019	0.03	16.0	13.8	0.35	178	0.80	0.01	0.48
AUX0104394		23.0	2.51	3.80	0.09	0.05	0.020	0.023	0.04	16.7	14.6	0.39	299	0.87	0.01	0.61
AUX0104395		41.4	2.77	3.10	0.11	0.06	0.040	0.019	0.06	21.1	13.5	0.44	510	1.15	0.02	0.47
AUX0104396		27.5	2.62	3.64	0.10	0.02	0.035	0.022	0.05	18.1	13.0	0.37	363	0.98	0.02	0.60
AUX0104397		24.8	2.21	3.56	0.09	0.02	0.034	0.018	0.04	17.3	12.8	0.34	208	0.75	0.02	0.63
AUX0104398		22.4	2.16	4.41	0.10	0.02	0.033	0.018	0.03	15.8	12.8	0.34	139	0.91	0.01	0.62
AUX0104399		18.65	2.02	3.74	0.10	0.02	0.019	0.014	0.03	13.6	12.0	0.32	145	0.78	0.02	0.64
AUX0104400		20.2	2.13	3.99	0.10	0.02	0.033	0.018	0.03	14.7	12.5	0.34	179	0.82	0.01	0.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0104361		25.5	0.066	13.40	5.7	<0.001	0.01	5.35	3.3	0.6	0.3	17.1	<0.01	0.01	4.5	0.038
AUX0104362		25.1	0.057	17.30	9.1	<0.001	0.01	10.85	2.8	0.8	0.4	10.9	<0.01	0.03	3.6	0.021
AUX0104363		23.2	0.046	17.35	8.0	<0.001	0.01	19.50	2.6	0.4	0.3	10.8	<0.01	0.03	6.8	0.023
AUX0104364		15.6	0.028	31.3	9.7	<0.001	0.02	2.78	0.9	0.3	0.2	7.7	<0.01	0.01	12.1	0.011
AUX0104365		27.0	0.021	17.85	9.4	<0.001	0.01	1.415	5.7	0.9	0.5	10.9	<0.01	0.03	7.5	0.054
AUX0104366		22.7	0.028	23.4	10.0	<0.001	0.01	7.56	3.1	0.7	0.3	7.1	<0.01	0.02	10.4	0.023
AUX0104367		23.2	0.078	13.60	7.6	<0.001	0.02	1.505	3.2	0.9	0.4	31.8	<0.01	0.03	2.9	0.031
AUX0104368		26.9	0.064	17.95	10.1	<0.001	0.01	1.850	3.6	1.0	0.4	24.8	<0.01	0.02	6.0	0.027
AUX0104369		22.7	0.052	18.65	10.2	<0.001	0.01	2.73	2.2	0.7	0.2	17.2	<0.01	0.03	5.5	0.025
AUX0104370		17.5	0.047	14.50	7.4	<0.001	0.01	2.32	2.3	0.6	0.3	12.5	<0.01	0.02	3.6	0.030
AUX0104371		13.8	0.044	13.80	7.9	<0.001	0.01	2.71	1.6	0.4	0.3	8.0	<0.01	0.03	1.8	0.027
AUX0104372		17.6	0.033	23.7	10.9	<0.001	0.01	3.13	1.2	0.5	0.2	3.5	<0.01	0.02	8.7	0.016
AUX0104373		14.9	0.019	20.6	11.8	<0.001	0.01	1.795	1.5	0.3	0.3	3.8	<0.01	0.02	7.4	0.018
AUX0104374		20.8	0.032	14.45	10.1	0.001	0.01	1.450	5.1	0.4	0.5	9.6	<0.01	0.04	5.3	0.042
AUX0104375		19.5	0.027	15.10	10.1	0.001	0.01	1.565	3.6	0.2	0.4	8.0	<0.01	0.04	5.6	0.040
AUX0104376		16.5	0.079	10.40	6.5	<0.001	0.01	0.672	2.5	0.7	0.3	14.7	<0.01	0.02	2.2	0.030
AUX0104377		23.7	0.041	20.5	7.6	<0.001	0.01	5.48	1.8	0.3	0.2	15.8	<0.01	0.03	14.9	0.017
AUX0104378		21.0	0.026	18.55	7.7	<0.001	<0.01	6.19	2.4	0.4	0.2	8.4	<0.01	0.04	6.9	0.022
AUX0104379		19.6	0.024	23.6	13.1	<0.001	0.01	2.24	1.1	0.3	<0.2	4.5	<0.01	0.01	14.3	0.013
AUX0104380		17.4	0.041	10.70	7.3	0.001	0.01	1.945	2.8	0.3	0.3	10.1	<0.01	0.02	5.1	0.032
AUX0104381		16.5	0.046	15.55	10.1	<0.001	<0.01	3.22	2.3	0.5	0.2	9.1	<0.01	0.03	8.7	0.027
AUX0104382		18.0	0.054	14.45	6.8	<0.001	0.01	2.61	2.0	0.1	0.3	12.0	<0.01	0.02	2.7	0.027
AUX0104383		18.2	0.070	10.15	6.0	<0.001	0.01	0.787	2.9	0.9	0.3	14.7	<0.01	0.02	2.4	0.032
AUX0104384		20.4	0.073	9.79	5.2	<0.001	0.01	1.050	3.3	0.8	0.3	15.9	<0.01	0.04	3.7	0.037
AUX0104385		20.6	0.051	11.10	5.5	0.001	0.01	1.390	3.6	0.3	0.3	15.8	<0.01	0.02	4.3	0.040
AUX0104386		23.4	0.049	21.6	8.0	<0.001	<0.01	28.9	2.6	0.7	0.2	10.8	<0.01	0.04	8.8	0.027
AUX0104387		26.3	0.053	28.4	8.3	<0.001	0.01	7.57	2.0	0.7	0.2	8.1	<0.01	0.02	10.6	0.019
AUX0104388		20.4	0.041	16.15	8.0	<0.001	0.01	2.29	2.8	0.4	0.3	7.1	<0.01	0.03	5.4	0.036
AUX0104389		13.8	0.038	12.05	6.7	<0.001	0.01	2.43	1.3	0.1	0.3	6.0	<0.01	0.02	2.7	0.020
AUX0104390		20.5	0.042	14.00	6.6	<0.001	0.01	3.02	2.8	0.6	0.3	10.3	<0.01	0.04	5.1	0.030
AUX0104391		18.8	0.058	9.57	5.8	0.001	0.01	1.025	3.5	0.6	0.3	15.9	<0.01	0.03	3.7	0.033
AUX0104392		18.4	0.046	10.45	6.2	0.001	0.01	1.345	3.4	0.6	0.4	12.8	<0.01	0.03	4.1	0.047
AUX0104393		18.5	0.035	12.50	7.3	<0.001	0.01	1.300	3.6	0.4	0.4	10.6	<0.01	0.03	5.0	0.035
AUX0104394		19.5	0.049	12.20	6.8	<0.001	0.01	0.982	4.0	0.5	0.3	10.0	<0.01	0.02	4.8	0.037
AUX0104395		29.4	0.073	21.0	7.1	<0.001	0.02	6.41	3.2	0.5	0.2	44.9	<0.01	0.04	6.7	0.029
AUX0104396		23.0	0.082	14.90	8.4	<0.001	0.01	1.560	3.4	0.6	0.4	26.3	<0.01	0.01	3.2	0.033
AUX0104397		19.5	0.059	12.60	7.9	<0.001	0.01	1.615	3.1	0.5	0.3	18.7	<0.01	0.03	3.2	0.035
AUX0104398		16.5	0.071	11.70	6.3	<0.001	0.01	0.760	2.7	1.1	0.4	14.4	<0.01	0.04	2.3	0.033
AUX0104399		15.4	0.056	9.24	5.7	<0.001	0.01	0.767	2.5	0.5	0.3	12.1	<0.01	0.01	2.5	0.038
AUX0104400		16.4	0.060	9.68	5.7	<0.001	0.01	0.779	2.8	0.8	0.3	12.9	<0.01	0.04	2.9	0.038

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0104361		0.08	0.48	34	0.192	7.45	74.1	1.8
AUX0104362		0.12	0.54	35	0.189	5.77	66.3	0.7
AUX0104363		0.12	0.44	27	0.216	4.89	57.7	2.6
AUX0104364		0.09	0.88	13	0.0639	3.67	41.7	2.6
AUX0104365		0.10	1.21	50	0.204	9.68	73.8	6.2
AUX0104366		0.12	0.65	25	0.148	10.40	59.0	3.6
AUX0104367		0.08	1.60	36	0.211	9.19	64.7	1.1
AUX0104368		0.09	1.32	33	0.162	10.95	69.0	1.2
AUX0104369		0.10	0.63	24	0.232	7.54	64.0	0.5
AUX0104370		0.09	0.61	25	0.150	8.07	52.4	<0.5
AUX0104371		0.08	0.47	27	0.310	4.49	45.2	<0.5
AUX0104372		0.11	0.48	14	0.112	3.64	51.8	0.9
AUX0104373		0.08	0.46	20	0.128	4.44	32.3	0.8
AUX0104374		0.09	0.88	51	0.200	7.41	60.3	4.3
AUX0104375		0.10	0.75	49	0.205	4.53	59.1	4.0
AUX0104376		0.07	0.82	35	0.185	6.32	59.7	0.9
AUX0104377		0.08	1.42	16	0.0917	8.09	64.0	4.1
AUX0104378		0.07	0.80	23	0.122	9.36	46.6	0.6
AUX0104379		0.10	0.93	8	0.0491	5.68	46.2	3.3
AUX0104380		0.07	0.73	30	0.190	6.71	50.9	1.2
AUX0104381		0.09	0.50	21	0.126	6.80	48.4	2.8
AUX0104382		0.07	0.55	28	0.150	6.10	57.6	<0.5
AUX0104383		0.07	0.73	35	0.188	7.31	59.3	0.9
AUX0104384		0.05	0.56	35	0.162	7.87	75.5	0.7
AUX0104385		0.05	0.65	38	0.189	8.47	64.8	1.4
AUX0104386		0.09	0.60	23	0.131	10.05	68.7	1.4
AUX0104387		0.10	0.58	18	0.151	7.36	74.7	2.0
AUX0104388		0.09	0.64	36	0.183	3.95	61.7	3.6
AUX0104389		0.07	0.33	19	0.131	2.80	40.9	<0.5
AUX0104390		0.07	0.55	28	0.178	7.01	55.3	1.1
AUX0104391		0.07	0.78	36	0.219	7.44	56.9	0.9
AUX0104392		0.06	0.70	39	0.173	7.74	55.1	1.1
AUX0104393		0.08	0.92	39	0.183	6.00	56.0	2.1
AUX0104394		0.07	0.73	42	0.225	8.15	63.5	1.6
AUX0104395		0.09	0.51	29	0.159	8.96	93.7	2.1
AUX0104396		0.07	1.72	39	0.200	8.31	80.6	0.6
AUX0104397		0.07	0.68	34	0.185	7.28	59.2	0.5
AUX0104398		0.08	0.67	39	0.194	6.24	55.7	0.6
AUX0104399		0.07	0.52	36	0.171	5.22	49.5	0.5
AUX0104400		0.06	0.59	38	0.193	5.97	52.3	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0104401		0.30	0.0020	0.059	1.31	41.0	<10	190.0	0.42	0.19	0.13	0.09	29.0	7.4	22.9	0.47
AUX0104402		0.32	0.0046	0.067	1.18	183.5	<10	139.5	0.37	0.34	0.04	0.15	32.7	7.6	18.3	0.89
AUX0104403		0.28	0.0018	0.180	1.68	52.9	<10	139.0	0.43	0.16	0.08	0.13	21.6	9.0	24.4	0.59
AUX0104404		0.40	0.0016	0.162	1.47	33.9	<10	169.0	0.40	0.20	0.09	0.10	26.2	6.5	24.1	0.74
AUX0104405		0.56	0.0062	0.224	1.29	152.0	<10	253	0.45	0.36	0.35	0.26	58.5	11.2	19.2	0.80
AUX0104406		0.48	0.0106	0.361	1.38	340	<10	276	0.45	0.50	0.39	0.27	45.1	13.6	26.4	0.98
AUX0104407		0.40	0.0117	0.187	1.62	142.5	<10	156.0	0.46	0.28	0.08	0.14	33.4	8.8	28.0	0.99
AUX0104408		0.38	0.0045	0.160	1.11	99.2	<10	161.5	0.25	0.34	0.06	0.09	44.7	5.3	16.0	0.85
AUX0104409		0.38	0.0022	0.045	1.30	18.95	<10	183.0	0.39	0.18	0.12	0.07	30.2	7.0	23.0	0.49
AUX0104410		0.26	0.0024	0.126	1.40	43.1	<10	190.5	0.42	0.22	0.09	0.06	32.1	7.7	23.4	0.78
AUX0104411		0.36	0.0028	0.264	2.01	41.7	<10	229	0.67	0.26	0.08	0.14	27.4	10.6	31.1	0.86
AUX0104412		0.24	0.0065	0.166	1.07	231	<10	151.0	0.32	0.42	0.06	0.07	43.2	6.2	14.8	0.74
AUX0104413		0.34	0.0018	0.246	1.43	43.3	<10	192.0	0.44	0.23	0.08	0.10	27.9	6.8	23.8	0.68
AUX0104414		0.44	0.0040	0.170	1.24	63.6	<10	369	0.48	0.26	0.34	0.19	31.7	9.5	24.8	0.55
AUX0104415		0.56	0.0101	0.240	1.36	87.9	<10	372	0.56	0.34	0.30	0.18	33.7	10.0	25.7	0.72
AUX0104416		0.32	0.0017	0.129	1.18	38.9	<10	216	0.32	0.19	0.22	0.11	29.9	6.0	22.5	0.55
AUX0104417		0.38	0.0030	0.092	1.24	18.05	<10	149.0	0.34	0.19	0.15	0.14	28.8	5.2	20.4	0.62
AUX0104418		0.34	0.0022	0.078	1.25	25.5	<10	317	0.42	0.21	0.23	0.10	30.5	7.6	22.1	0.48
AUX0104419		0.42	0.0013	0.143	1.13	52.3	<10	135.0	0.18	0.22	0.09	0.08	25.8	4.0	17.2	0.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0104401		21.5	2.29	4.01	0.10	0.02	0.014	0.019	0.04	14.8	12.3	0.33	224	1.04	0.02	0.67
AUX0104402		27.2	2.76	3.58	0.10	0.06	0.021	0.018	0.04	17.0	13.5	0.28	315	0.93	0.01	0.41
AUX0104403		22.5	2.41	3.59	0.09	0.05	0.029	0.022	0.03	10.8	16.2	0.33	189	0.92	0.01	0.84
AUX0104404		16.10	2.36	5.05	0.09	0.04	0.018	0.020	0.04	13.1	13.4	0.34	163	1.27	0.01	0.74
AUX0104405		40.0	2.74	3.86	0.13	0.13	0.036	0.018	0.09	28.8	15.2	0.40	364	0.93	0.02	0.41
AUX0104406		47.3	2.93	4.34	0.12	0.08	0.042	0.022	0.06	23.8	17.3	0.46	432	0.96	0.01	0.31
AUX0104407		37.4	2.76	4.12	0.06	0.08	0.059	0.023	0.04	16.7	15.1	0.43	247	0.96	<0.01	0.73
AUX0104408		19.25	2.12	3.84	0.07	0.03	0.059	0.014	0.04	22.6	10.5	0.27	171	0.82	<0.01	0.65
AUX0104409		21.0	2.31	3.79	0.06	0.04	0.061	0.017	0.03	16.6	12.9	0.36	219	0.81	0.01	0.59
AUX0104410		21.2	2.43	4.44	0.07	0.11	0.048	0.022	0.04	16.1	13.9	0.36	208	1.06	0.01	0.58
AUX0104411		27.0	3.17	4.58	0.05	0.21	0.035	0.027	0.05	13.3	17.5	0.46	285	0.97	0.01	0.66
AUX0104412		19.75	2.40	2.67	0.06	<0.02	0.047	0.011	0.07	21.7	14.2	0.28	191	0.50	<0.01	0.49
AUX0104413		22.2	2.69	4.18	0.05	0.04	0.054	0.021	0.03	13.8	13.5	0.37	176	1.01	0.01	0.80
AUX0104414		29.3	2.62	3.95	0.06	0.03	0.060	0.021	0.04	15.8	14.4	0.43	272	1.12	0.01	0.71
AUX0104415		38.8	2.87	4.24	0.07	0.05	0.058	0.026	0.05	17.6	13.8	0.42	371	1.19	0.01	0.81
AUX0104416		20.8	2.23	3.43	0.05	0.02	0.039	0.014	0.03	15.2	11.3	0.36	209	0.76	0.01	0.58
AUX0104417		19.20	2.18	4.26	0.06	0.02	0.043	0.018	0.03	14.1	11.6	0.32	143	0.83	0.01	0.74
AUX0104418		25.6	2.42	3.85	0.06	0.07	0.047	0.017	0.04	16.0	12.3	0.38	286	0.89	0.01	0.56
AUX0104419		14.15	1.91	3.90	<0.05	0.02	0.023	0.014	0.03	12.8	10.0	0.28	114	0.79	<0.01	0.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0104401		17.8	0.044	11.60	5.7	<0.001	0.01	1.525	3.0	0.4	0.4	11.2	<0.01	0.03	3.6	0.051
AUX0104402		18.6	0.038	22.5	9.8	<0.001	0.01	5.91	1.8	0.7	0.2	3.8	<0.01	0.03	6.3	0.018
AUX0104403		23.0	0.034	12.60	6.9	<0.001	0.01	1.315	2.2	0.8	0.3	8.3	<0.01	0.02	4.1	0.038
AUX0104404		16.5	0.034	11.75	7.7	<0.001	0.01	1.145	2.8	0.6	0.5	9.2	<0.01	0.03	4.1	0.040
AUX0104405		26.7	0.057	23.5	8.0	0.001	0.02	8.91	2.8	0.7	0.3	23.3	<0.01	0.03	12.1	0.030
AUX0104406		31.5	0.057	25.5	7.2	<0.001	0.01	8.80	3.4	0.6	0.3	23.3	<0.01	0.04	8.6	0.029
AUX0104407		25.0	0.033	15.25	7.4	<0.001	0.01	2.29	3.8	0.8	0.4	7.7	<0.01	0.02	5.3	0.042
AUX0104408		12.9	0.031	16.90	10.3	<0.001	0.01	1.985	1.7	0.8	0.3	5.6	<0.01	<0.01	5.8	0.024
AUX0104409		17.6	0.036	10.55	5.9	<0.001	<0.01	0.856	3.1	0.6	0.4	10.4	<0.01	0.01	4.1	0.046
AUX0104410		19.0	0.029	13.35	8.1	<0.001	<0.01	1.165	3.7	0.6	0.5	9.1	<0.01	0.03	4.9	0.045
AUX0104411		26.3	0.027	16.30	9.8	<0.001	0.01	1.365	3.1	0.7	0.5	8.2	<0.01	0.01	6.0	0.051
AUX0104412		14.3	0.026	28.0	12.1	<0.001	0.01	3.38	1.2	0.7	0.2	4.4	<0.01	0.02	5.8	0.011
AUX0104413		19.8	0.029	14.05	8.0	<0.001	0.01	1.875	2.8	0.8	0.4	8.0	<0.01	0.02	4.1	0.039
AUX0104414		24.9	0.071	12.50	6.2	<0.001	0.01	1.725	3.4	0.8	0.4	23.4	<0.01	0.03	3.3	0.038
AUX0104415		29.3	0.068	15.75	7.3	<0.001	0.01	2.47	4.0	0.8	0.4	20.9	<0.01	0.02	4.3	0.047
AUX0104416		16.9	0.058	11.00	5.8	<0.001	0.01	1.085	2.5	0.6	0.4	14.3	<0.01	0.01	3.0	0.041
AUX0104417		15.1	0.071	11.35	6.9	<0.001	0.01	0.742	2.3	0.7	0.4	11.8	<0.01	0.02	1.7	0.037
AUX0104418		22.5	0.052	10.85	5.5	<0.001	0.01	1.185	3.3	0.9	0.4	18.6	<0.01	0.01	4.5	0.057
AUX0104419		13.1	0.032	12.35	7.6	<0.001	<0.01	2.62	1.7	0.3	0.4	8.1	<0.01	0.01	3.2	0.032

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0104401		0.07	0.57	41	0.183	5.47	56.8	1.3
AUX0104402		0.09	0.44	25	0.184	3.03	59.7	2.8
AUX0104403		0.07	0.37	37	0.274	2.98	51.6	2.1
AUX0104404		0.10	0.59	49	0.245	3.67	50.6	1.9
AUX0104405		0.10	0.57	26	0.188	8.84	78.2	6.4
AUX0104406		0.09	0.49	31	0.201	8.67	82.5	3.3
AUX0104407		0.10	0.84	39	0.195	5.62	64.6	3.0
AUX0104408		0.10	0.46	28	0.156	3.64	42.8	1.0
AUX0104409		0.07	0.61	40	0.178	5.93	52.9	1.7
AUX0104410		0.08	0.86	43	0.206	6.06	52.0	4.7
AUX0104411		0.11	0.70	50	0.214	3.51	74.7	5.6
AUX0104412		0.11	0.28	16	0.0909	3.00	42.8	0.7
AUX0104413		0.08	0.70	45	0.213	4.14	56.4	1.2
AUX0104414		0.06	0.77	39	0.240	7.62	71.2	0.8
AUX0104415		0.09	0.79	42	0.259	8.85	81.1	2.0
AUX0104416		0.07	0.69	37	0.215	5.76	56.5	<0.5
AUX0104417		0.08	0.63	38	0.251	4.97	47.8	<0.5
AUX0104418		0.05	0.61	41	0.213	7.73	62.3	3.5
AUX0104419		0.08	0.36	34	0.212	2.56	38.4	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 7- NOV- 2011
Account: STRGOL

Project: Aurex

CERTIFICATE OF ANALYSIS WH11194149

Method	CERTIFICATE COMMENTS
ME- MS41L	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

CERTIFICATE WH11194310

Project: Aurex Project- Victoria Gold

P.O. No.: AUX09232011

This report is for 24 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	PATRICK MCLAUGHLIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194310

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AUX0101009		0.36	0.0037	0.137	1.41	59.2	<10	136.0	0.35	0.24	0.07	0.11	29.8	6.5	22.4	0.93
AUX0101010		0.32	0.0033	0.290	1.38	55.0	<10	201	0.38	0.23	0.09	0.10	29.5	7.5	23.5	0.79
AUX0101011		0.30	0.0028	0.110	1.25	32.2	<10	249	0.42	0.16	0.17	0.08	33.3	7.8	22.8	0.65
AUX0101012		0.38	0.0020	0.051	1.28	25.5	<10	171.0	0.31	0.17	0.13	0.12	27.2	5.7	21.7	0.67
AUX0101013		0.38	0.0036	0.065	1.18	12.45	<10	264	0.37	0.15	0.20	0.09	31.6	6.5	21.2	0.51
AUX0101014		0.38	0.0050	0.125	0.96	21.0	<10	108.5	0.32	0.17	0.13	0.16	36.7	7.3	18.9	0.58
AUX0101015		0.28	0.0016	0.438	1.17	14.85	<10	120.5	0.29	0.20	0.08	0.17	26.0	4.2	19.9	0.88
AUX0101016		0.20	0.0063	0.292	1.14	116.0	<10	136.5	0.41	0.34	0.06	0.19	31.2	8.2	20.6	0.88
AUX0101017		0.40	0.0079	0.717	1.75	51.4	<10	238	0.54	0.26	0.09	0.33	33.2	10.4	27.1	0.95
AUX0101018		0.22	0.0051	0.203	1.31	100.5	<10	156.5	0.44	0.27	0.08	0.19	31.6	9.2	22.6	0.83
AUX0101019		0.38	0.0115	0.578	0.97	321	<10	291	0.46	0.41	0.78	1.08	38.5	17.6	17.1	1.00
AUX0101020		0.36	0.0649	0.815	1.43	169.0	<10	534	0.60	0.34	0.72	1.06	43.7	15.8	22.9	0.76
AUX0104442		0.46	0.0074	0.430	1.20	77.9	<10	411	0.46	0.27	0.54	0.76	38.8	11.5	21.6	0.57
AUX0104443		0.26	0.0049	0.256	1.23	24.0	<10	576	0.40	0.19	0.59	0.60	38.7	11.1	22.3	0.68
AUX0104444		0.38	0.0037	0.736	1.57	33.1	<10	639	0.49	0.24	0.55	0.65	38.5	13.6	27.6	0.87
AUX0104445		0.26	0.0036	0.601	1.28	31.8	<10	535	0.42	0.21	0.35	0.65	41.0	30.0	22.5	0.74
AUX0104446		0.42	0.0063	0.250	1.00	52.3	<10	275	0.34	0.21	0.32	0.30	34.2	10.0	18.7	0.57
AUX0104447		0.44	0.0046	0.210	1.25	23.1	<10	360	0.39	0.19	0.29	0.16	32.9	7.5	22.8	0.68
AUX0104448		0.40	0.0244	0.196	1.25	17.65	<10	301	0.39	0.17	0.27	0.16	33.3	6.9	22.6	0.68
AUX0104449		0.32	0.0021	0.185	1.26	15.55	<10	276	0.29	0.20	0.27	0.17	25.8	5.8	21.1	0.73
AUX0104450		0.40	0.0050	0.195	1.23	15.90	<10	269	0.35	0.17	0.26	0.16	26.3	6.2	20.3	0.77
AUX0104420		0.30	0.0067	0.255	1.87	105.5	<10	287	0.57	0.31	0.14	0.18	29.6	8.5	29.3	1.14
AUX0104421		0.32	0.0039	0.137	1.62	17.70	<10	199.5	0.50	0.16	0.16	0.16	24.5	9.5	27.9	0.80
AUX0104422		0.34	0.0033	0.152	1.27	25.7	<10	128.5	0.32	0.18	0.10	0.11	25.2	4.6	18.8	0.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194310

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
AUX0101009		16.50	2.35	4.81	<0.05	0.02	0.011	0.022	0.03	15.6	13.9	0.31	148	1.16	0.01	0.95
AUX0101010		20.4	2.43	4.49	<0.05	0.02	0.022	0.021	0.03	15.2	12.7	0.35	210	0.99	0.02	0.85
AUX0101011		27.1	2.24	3.92	0.12	0.03	0.040	0.016	0.03	17.0	14.4	0.39	233	1.02	0.01	0.63
AUX0101012		17.10	2.22	4.18	0.12	0.02	0.017	0.019	0.03	12.8	13.6	0.35	161	0.96	0.01	0.64
AUX0101013		19.70	2.21	3.51	0.13	0.03	0.028	0.016	0.03	16.1	12.2	0.36	236	0.81	0.01	0.56
AUX0101014		20.8	1.76	3.23	0.12	0.02	0.029	0.014	0.03	18.4	13.1	0.32	190	0.61	<0.01	0.58
AUX0101015		8.91	2.24	4.74	0.12	0.04	0.020	0.017	0.03	12.2	10.0	0.27	161	1.14	<0.01	0.89
AUX0101016		31.9	2.70	3.90	0.13	<0.02	0.038	0.025	0.04	14.6	12.8	0.30	290	1.26	<0.01	0.48
AUX0101017		23.4	2.77	5.21	0.11	0.07	0.018	0.027	0.04	16.6	16.3	0.38	326	1.32	0.01	0.80
AUX0101018		31.5	2.67	4.09	0.12	0.02	0.032	0.023	0.04	16.6	15.5	0.37	361	1.16	<0.01	0.56
AUX0101019		35.1	2.83	2.53	0.13	0.05	0.059	0.020	0.04	17.9	16.0	0.36	1580	1.30	0.01	0.22
AUX0101020		41.5	3.14	3.76	0.13	0.04	0.051	0.026	0.05	22.1	16.0	0.42	1590	1.22	0.03	0.44
AUX0104442		32.2	2.47	3.51	0.14	0.05	0.050	0.019	0.04	18.9	13.9	0.39	594	1.05	0.02	0.57
AUX0104443		24.7	2.29	3.32	0.13	0.04	0.050	0.021	0.05	20.9	15.0	0.38	176	0.51	0.03	0.51
AUX0104444		29.1	2.95	4.30	0.14	0.04	0.067	0.022	0.07	20.2	19.5	0.48	409	0.62	0.03	0.63
AUX0104445		22.4	2.81	3.64	0.13	0.03	0.061	0.019	0.05	18.8	14.5	0.36	729	0.97	0.02	0.50
AUX0104446		20.6	2.26	3.00	0.13	<0.02	0.028	0.018	0.03	16.9	12.0	0.32	496	0.91	0.01	0.60
AUX0104447		21.0	2.30	3.93	0.12	0.03	0.049	0.017	0.04	15.5	13.5	0.36	252	1.01	0.02	0.64
AUX0104448		19.60	2.27	3.87	0.11	<0.02	0.046	0.017	0.03	17.4	13.0	0.36	214	0.97	0.01	0.57
AUX0104449		16.00	2.23	3.98	0.10	<0.02	0.034	0.019	0.03	12.4	12.7	0.34	160	0.97	0.01	0.49
AUX0104450		16.50	2.15	4.04	0.11	<0.02	0.062	0.016	0.03	12.3	12.5	0.33	148	0.98	0.01	0.49
AUX0104420		33.7	2.94	5.87	0.12	0.03	0.098	0.026	0.05	13.9	15.4	0.40	250	1.20	0.01	1.02
AUX0104421		25.9	2.63	4.25	0.12	0.12	0.030	0.023	0.05	11.7	16.5	0.48	272	1.37	0.01	0.70
AUX0104422		10.15	2.10	4.91	0.12	0.04	0.021	0.020	0.03	11.9	13.5	0.27	124	0.96	<0.01	0.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194310

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AUX0101009		16.4	0.026	14.95	8.7	<0.001	0.01	2.14	2.4	0.8	0.5	7.0	<0.01	0.03	4.2	0.038
AUX0101010		17.8	0.032	16.50	9.3	<0.001	0.01	2.97	2.9	0.4	0.4	8.9	<0.01	0.01	3.6	0.036
AUX0101011		19.8	0.040	13.35	6.8	<0.001	0.01	2.92	3.4	0.4	0.4	14.2	<0.01	0.09	3.9	0.036
AUX0101012		13.6	0.050	10.65	7.7	<0.001	0.01	1.060	2.4	0.2	0.5	11.3	<0.01	0.04	2.1	0.033
AUX0101013		15.1	0.058	10.05	5.3	<0.001	0.01	0.870	2.9	0.7	0.4	14.6	<0.01	0.05	3.7	0.041
AUX0101014		14.7	0.048	14.35	5.6	0.001	<0.01	7.65	2.3	0.4	0.3	10.9	<0.01	0.05	3.8	0.035
AUX0101015		8.9	0.047	10.80	8.4	<0.001	0.01	1.095	2.1	0.3	0.5	7.4	<0.01	0.08	3.9	0.037
AUX0101016		17.2	0.051	22.1	8.9	0.001	0.01	23.3	2.2	0.3	0.4	6.5	<0.01	0.07	2.8	0.025
AUX0101017		20.2	0.027	17.15	11.6	0.001	0.01	8.29	3.5	0.1	0.6	10.0	<0.01	0.07	5.2	0.038
AUX0101018		19.5	0.043	22.2	10.0	<0.001	0.01	22.7	2.4	0.5	0.4	8.3	<0.01	0.06	2.7	0.025
AUX0101019		25.6	0.070	32.1	5.7	<0.001	0.04	26.3	2.4	0.8	0.5	39.1	<0.01	0.07	4.0	0.011
AUX0101020		29.8	0.084	31.4	8.1	<0.001	0.03	33.3	3.8	1.4	0.3	41.9	<0.01	0.05	3.5	0.019
AUX0104442		23.6	0.069	23.1	7.0	<0.001	0.02	21.2	3.8	0.9	0.3	34.3	<0.01	0.04	4.9	0.027
AUX0104443		19.9	0.071	16.35	9.0	<0.001	0.10	2.57	3.1	1.1	0.3	41.8	<0.01	0.05	4.7	0.018
AUX0104444		24.2	0.081	25.6	11.3	0.001	0.14	3.45	3.8	1.4	0.4	49.2	<0.01	0.06	4.7	0.019
AUX0104445		18.2	0.080	20.7	8.6	0.001	0.05	3.89	3.1	0.7	0.3	29.2	<0.01	0.05	3.4	0.019
AUX0104446		15.4	0.066	17.90	5.9	<0.001	0.01	11.90	2.7	0.6	0.3	22.0	<0.01	0.05	3.9	0.028
AUX0104447		17.0	0.063	10.80	7.1	<0.001	0.01	3.71	3.4	0.6	0.4	21.0	<0.01	0.06	3.3	0.034
AUX0104448		15.6	0.064	10.85	7.4	<0.001	0.01	2.58	3.0	0.6	0.4	20.4	<0.01	0.06	2.3	0.033
AUX0104449		13.3	0.066	11.05	7.6	<0.001	0.02	2.13	2.1	0.5	0.4	20.2	<0.01	0.05	1.2	0.024
AUX0104450		13.7	0.064	10.65	8.0	<0.001	0.02	2.19	2.2	0.4	0.4	19.4	<0.01	0.03	1.2	0.025
AUX0104420		20.0	0.049	21.0	11.6	<0.001	0.01	1.860	4.0	0.5	0.6	14.0	<0.01	0.08	4.5	0.044
AUX0104421		23.6	0.043	10.20	7.9	<0.001	0.01	1.015	3.3	0.4	0.5	14.2	<0.01	0.06	5.1	0.052
AUX0104422		11.0	0.031	9.99	9.3	0.001	0.01	0.887	2.4	0.3	0.5	8.9	<0.01	0.04	3.3	0.039

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194310

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
AUX0101009		0.10	0.58	43	0.233	3.00	48.7	0.7
AUX0101010		0.08	0.59	43	0.274	4.82	49.3	0.6
AUX0101011		0.08	0.73	37	0.187	6.40	57.3	1.1
AUX0101012		0.08	0.52	40	0.207	3.61	50.3	0.5
AUX0101013		0.06	0.73	37	0.191	6.25	54.8	1.2
AUX0101014		0.08	0.47	27	0.153	4.52	53.4	0.5
AUX0101015		0.10	0.47	46	0.258	2.22	46.9	1.8
AUX0101016		0.11	0.54	36	0.199	3.35	66.0	<0.5
AUX0101017		0.11	0.68	50	0.200	3.33	70.5	3.3
AUX0101018		0.08	0.61	37	0.202	3.83	72.1	0.6
AUX0101019		0.10	2.03	17	0.0871	9.10	94.2	1.4
AUX0101020		0.09	2.43	34	0.191	13.95	99.7	1.2
AUX0104442		0.07	2.27	33	0.152	9.02	79.8	1.8
AUX0104443		0.09	2.95	30	0.194	8.48	90.8	1.3
AUX0104444		0.14	2.47	36	0.196	8.85	114.5	1.5
AUX0104445		0.11	1.81	35	0.140	8.48	80.4	0.8
AUX0104446		0.07	0.74	31	1.115	6.29	64.1	0.6
AUX0104447		0.09	1.00	38	0.244	6.49	63.6	0.5
AUX0104448		0.09	0.97	38	0.256	6.14	61.7	<0.5
AUX0104449		0.08	0.70	37	0.225	4.33	52.6	<0.5
AUX0104450		0.09	0.67	36	0.204	4.18	50.6	<0.5
AUX0104420		0.14	0.58	54	0.245	5.00	52.2	1.8
AUX0104421		0.10	0.60	48	0.302	3.61	71.7	5.4
AUX0104422		0.11	0.39	43	0.385	2.45	40.0	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Finalized Date: 29- OCT- 2011
Account: STRGOL

Project: Aurex Project- Victoria Gold

CERTIFICATE OF ANALYSIS WH11194310

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 14- JUL- 2011
Account: STRGOL

CERTIFICATE WH11099284

Project: AUREX PROJECT

P.O. No.:

This report is for 57 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14- JUN- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- MS23	IONIC Leach - Complete PKG.	ICP- MS
pH- MS23	MS23 Leach pH	

To: STRATAGOLD CORPORATION
ATTN: PETER DADSON
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Wayne Abbott, Operations Manager, Western Australia

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 14- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099284

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS23 Ag ppb 0.1	ME- MS23 As ppb 2	ME- MS23 Au ppb 0.02	ME- MS23 Ba ppb 10	ME- MS23 Be ppb 0.2	ME- MS23 Bi ppb 3	ME- MS23 Br ppm 0.05	ME- MS23 Ca ppm 0.2	ME- MS23 Cd ppb 1	ME- MS23 Ce ppb 0.1	ME- MS23 Co ppb 0.3	ME- MS23 Cr ppb 1	ME- MS23 Cs ppb 0.1	ME- MS23 Cu ppb 1
AUX0100029	0.40	0.3	80	0.03	910	<0.2	<3	<0.05	242	8	4.2	57.3	<1	0.4	134
AUX0100033	0.42	1.3	155	0.06	1350	<0.2	<3	<0.05	188.0	10	23.5	533	6	0.5	336
AUX0100037	0.45	0.3	108	0.04	1190	0.3	<3	<0.05	222	30	8.7	96.7	<1	0.4	98
AUX0100041	0.54	1.0	1305	0.13	2860	1.4	<3	0.08	85.3	3	69.8	134.5	64	3.8	175
AUX0100045	0.40	1.5	58	0.08	1800	1.6	<3	<0.05	143.5	12	38.0	314	10	0.6	173
AUX0100049	0.57	0.7	91	0.16	3240	2.2	<3	<0.05	155.5	3	58.7	262	37	3.1	329
AUX0100053	0.68	0.7	88	0.10	1870	1.2	<3	<0.05	127.0	9	42.5	314	10	1.2	129
AUX0100057	1.26	13.4	572	0.89	12800	5.4	3	0.05	156.0	13	296	485	136	13.9	2650
AUX0100061	1.15	12.7	674	0.45	10500	7.7	3	0.07	88.6	6	453	305	178	22.6	1330
AUX0100065	1.33	20.0	815	0.47	7740	10.7	5	0.12	37.9	6	522	168.0	361	66.7	1130
AUX0100069	1.01	18.5	532	0.68	5510	7.2	3	0.11	32.4	1	176.5	76.0	120	53.0	241
AUX0100073	0.96	22.6	284	0.19	5100	5.1	<3	0.11	46.9	1	165.0	88.6	198	296	257
AUX0100077	0.92	20.1	357	0.97	6890	5.0	<3	0.11	41.9	2	292	89.7	76	108.0	443
AUX0100081	1.20	13.8	264	0.50	6850	7.9	<3	0.17	25.6	3	567	98.6	188	21.8	601
AUX0100085	0.81	32.7	350	0.54	9210	6.4	<3	0.08	38.4	2	256	80.1	105	15.9	317
AUX0100089	1.01	26.4	842	0.53	9450	3.8	<3	0.06	127.0	3	201	348	73	8.6	790
AUX0100093	0.98	18.3	1370	0.73	8100	5.5	<3	0.07	95.2	3	335	158.0	113	15.3	638
AUX0100097	1.02	20.7	832	6.49	9950	3.6	<3	<0.05	202	2	248	166.0	47	6.4	958
AUX0100101	1.46	11.8	1005	1.03	8380	3.7	3	0.05	166.5	2	150.5	122.5	160	17.0	694
AUX0100105	1.21	16.6	168	1.01	12000	1.7	<3	<0.05	200	4	255	201	34	1.8	2130
AUX0100109	1.15	11.3	346	0.51	6940	3.1	<3	<0.05	117.0	6	192.5	103.0	98	6.6	765
AUX0100113	1.20	12.3	487	0.41	6660	5.1	3	0.07	89.4	3	287	110.0	140	11.1	838
AUX0100117	0.89	9.1	333	0.56	10400	6.1	<3	0.05	105.5	14	298	358	112	6.8	1560
AUX0100121	1.20	10.2	238	0.54	9370	4.0	<3	<0.05	142.0	10	228	432	67	4.5	2070
AUX0100125	1.23	21.6	519	0.52	8800	4.0	3	<0.05	135.0	12	307	428	116	7.8	1710
AUX0100129	0.67	3.6	662	0.30	5980	3.1	4	0.07	119.0	13	112.0	732	99	8.9	961
AUX0100133	0.50	1.9	48	0.13	2220	1.6	<3	<0.05	197.0	22	21.6	94.9	5	0.7	295
AUX0100137	1.29	11.3	192	0.43	3370	5.5	<3	0.14	13.4	3	146.0	76.8	168	15.1	278
AUX0100141	1.15	13.9	709	1.15	7880	9.2	3	0.13	23.9	2	521	128.0	136	13.9	451
AUX0100145	1.31	6.9	214	0.19	4590	3.0	<3	<0.05	148.5	12	85.3	60.3	141	4.3	357
AUX0100149	0.44	0.5	54	<0.02	1180	1.0	<3	<0.05	94.4	24	7.5	168.5	8	0.6	147
AUX0100153	0.49	0.2	79	<0.02	900	1.3	<3	<0.05	135.5	19	8.1	170.0	9	0.8	53
AUX0100157	0.49	<0.1	21	<0.02	970	0.5	<3	<0.05	278	12	5.0	39.4	<1	0.2	78
AUX0100161	0.60	0.4	42	0.02	1210	0.2	<3	<0.05	315	8	1.7	27.8	<1	1.8	68
AUX0100165	1.11	5.5	1345	0.84	3300	2.5	<3	<0.05	41.4	6	78.8	89.2	114	32.7	216
AUX0100169	1.08	8.9	303	0.55	9040	7.1	<3	0.10	24.3	1	1295	94.8	66	18.5	511
AUX0100173	0.99	37.1	277	0.17	5530	6.4	<3	0.13	32.1	2	309	67.3	134	33.5	362
AUX0100177	0.88	37.1	205	1.71	7510	5.5	<3	0.10	32.1	2	290	52.7	53	35.2	417
AUX0100181	1.04	22.8	625	0.98	6570	3.0	<3	0.08	38.2	1	359	47.2	63	10.3	249
AUX0100185	1.05	46.1	79	0.30	5440	6.4	<3	0.13	25.6	4	200.0	65.2	72	15.5	247

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 14- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099284

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Dy	Er	Eu	Fe	Ga	Gd	Ge	Hf	Hg	Ho	I	In	La	Li	Lu
	Units	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb
	LOR	0.1	0.1	0.1	0.1	0.5	0.1	0.1	0.5	0.1	0.1	0.01	0.1	0.1	0.2	0.1
AUX0100029		1.3	0.9	0.5	26.1	24.0	1.4	0.2	<0.5	0.1	0.3	0.01	<0.1	1.7	3.4	0.1
AUX0100033		1.8	1.3	0.8	91.1	36.5	2.7	0.3	<0.5	0.2	0.4	0.01	<0.1	7.8	2.9	0.1
AUX0100037		2.7	3.0	0.6	45.4	31.4	1.9	0.2	<0.5	0.1	0.7	0.01	<0.1	2.3	5.2	0.3
AUX0100041		7.7	5.4	2.7	560	92.1	10.2	1.2	2.2	0.6	1.5	0.07	0.1	28.1	20.8	0.5
AUX0100045		8.9	6.8	2.0	194.0	53.7	8.4	0.4	0.5	0.4	1.9	0.04	0.1	15.3	3.3	0.5
AUX0100049		7.4	5.1	2.7	177.5	101.5	9.9	0.9	1.2	0.2	1.4	0.03	0.1	24.6	15.3	0.5
AUX0100053		5.6	4.1	1.9	105.5	57.6	7.3	0.5	0.5	0.2	1.1	0.02	<0.1	17.0	4.2	0.4
AUX0100057		46.6	32.0	15.1	244	397	62.1	2.4	6.0	1.1	8.9	0.04	0.2	124.0	56.9	2.7
AUX0100061		81.8	58.0	22.4	271	342	103.5	3.9	7.3	1.1	15.9	0.05	0.3	193.0	57.3	5.4
AUX0100065		64.4	41.9	18.9	496	300	86.5	6.7	11.6	1.8	11.7	0.07	0.4	197.0	137.0	3.0
AUX0100069		16.3	8.4	5.9	129.5	183.0	21.8	1.5	3.3	0.6	2.7	0.06	0.2	88.8	35.6	0.6
AUX0100073		14.8	8.5	6.3	167.0	183.5	22.0	2.8	4.1	0.7	2.5	0.06	0.2	77.3	60.1	0.6
AUX0100077		27.1	15.0	10.4	70.3	214	41.7	1.1	2.1	1.1	4.7	0.05	0.1	128.0	14.9	0.9
AUX0100081		78.4	47.5	22.9	190.0	226	107.5	2.7	6.3	1.3	14.1	0.13	0.2	230	40.8	3.5
AUX0100085		25.6	15.5	8.9	107.0	289	34.6	1.6	3.4	0.6	4.6	0.05	0.1	115.0	34.1	1.1
AUX0100089		35.3	23.9	10.6	133.5	287	42.9	1.2	2.9	0.5	6.8	0.06	0.1	83.3	26.5	1.9
AUX0100093		46.4	28.3	14.1	154.0	252	62.1	1.8	4.8	0.8	8.5	0.05	0.2	144.0	34.0	2.0
AUX0100097		58.9	41.4	14.8	93.9	290	65.9	1.0	2.8	0.8	11.8	0.04	0.1	103.5	12.8	2.9
AUX0100101		16.6	10.6	6.2	212	273	22.2	2.5	5.0	0.8	3.1	0.04	0.2	69.1	57.2	0.9
AUX0100105		65.4	46.4	18.8	76.0	357	84.0	1.0	2.9	0.8	12.9	0.03	0.1	109.0	7.0	3.9
AUX0100109		26.2	16.4	8.3	132.0	214	33.5	1.5	3.9	0.6	4.7	0.04	0.1	79.0	29.2	1.2
AUX0100113		30.7	17.3	10.0	169.0	223	41.7	2.1	5.0	0.8	5.5	0.05	0.2	119.5	37.0	1.2
AUX0100117		53.1	39.1	14.1	242	322	61.5	1.9	4.7	0.7	10.6	0.04	0.2	128.5	29.4	3.4
AUX0100121		45.1	33.9	12.5	168.5	276	51.8	1.1	3.8	0.7	8.9	0.04	0.1	95.3	17.6	3.2
AUX0100125		48.7	35.0	13.9	156.0	269	61.7	1.5	6.1	0.9	9.7	0.03	0.2	125.0	32.1	3.0
AUX0100129		12.4	8.8	4.5	283	189.0	15.8	1.5	3.4	0.8	2.3	0.09	0.1	45.2	42.7	0.8
AUX0100133		15.4	14.4	2.4	106.5	66.9	10.9	0.3	<0.5	0.2	3.5	0.01	0.1	10.5	6.4	1.2
AUX0100137		14.5	8.2	4.8	268	134.5	20.3	2.1	4.2	0.8	2.5	0.09	0.2	73.4	41.0	0.6
AUX0100141		64.8	41.0	18.3	168.0	261	87.3	2.5	5.4	0.8	11.8	0.07	0.2	231	38.7	2.9
AUX0100145		9.1	5.6	3.8	161.0	144.5	13.1	0.8	3.2	0.4	1.6	0.02	0.2	36.2	17.4	0.5
AUX0100149		4.2	6.6	0.6	273	35.4	2.1	0.4	<0.5	0.2	1.2	0.01	0.1	3.0	3.6	0.8
AUX0100153		2.5	2.5	0.7	138.5	31.6	2.4	0.3	<0.5	0.2	0.6	0.01	0.1	2.9	5.8	0.4
AUX0100157		4.1	4.1	0.8	27.2	28.4	3.4	0.1	<0.5	0.1	0.9	0.01	<0.1	1.7	2.3	0.5
AUX0100161		0.7	0.4	0.5	10.4	32.6	0.8	0.1	<0.5	<0.1	0.1	<0.01	<0.1	0.7	2.6	<0.1
AUX0100165		8.7	5.5	3.6	159.0	118.5	12.1	1.4	2.6	0.4	1.6	0.03	0.1	33.5	26.1	0.4
AUX0100169		160.5	106.5	48.1	74.3	273	234	3.0	3.6	0.8	30.3	0.08	0.1	494	8.4	8.2
AUX0100173		28.7	16.4	10.5	141.5	199.5	46.1	2.4	3.6	0.8	5.0	0.10	0.2	142.5	43.2	1.1
AUX0100177		28.7	16.0	11.0	44.3	234	43.9	1.2	1.7	0.9	4.9	0.06	0.1	139.0	15.3	1.0
AUX0100181		36.1	21.7	12.3	73.5	207	52.5	1.2	1.9	0.6	6.4	0.07	0.1	162.0	12.5	1.4
AUX0100185		21.7	11.3	7.8	64.3	159.0	30.3	1.3	2.2	0.7	3.8	0.07	0.1	106.0	20.8	0.8

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 14- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099284

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pb 206	Pb 207	Pb 208	Pd	Pr	Pt	Rb	Re
	Units	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
	LOR	0.01	0.01	0.5	0.1	0.1	1	1	1	1	1	0.1	0.1	0.1	0.1	0.1
AUX0100029		56.8	7.84	9.2	0.3	2.9	117	51	13	10	26	0.2	0.6	<0.1	9.6	<0.1
AUX0100033		44.7	32.5	26.9	0.6	10.2	274	18	5	3	9	0.4	2.2	<0.1	17.1	<0.1
AUX0100037		41.5	34.5	19.4	0.3	3.6	244	114	29	23	59	0.3	0.7	<0.1	17.9	<0.1
AUX0100041		40.4	7.04	8.9	4.3	38.3	163	72	18	14	37	2.6	8.3	<0.1	43.5	<0.1
AUX0100045		40.4	13.45	13.3	0.9	23.1	143	205	52	42	106	0.7	4.8	<0.1	21.5	<0.1
AUX0100049		47.5	19.05	10.1	2.7	32.8	370	78	20	16	40	1.5	7.1	<0.1	54.9	<0.1
AUX0100053		38.2	9.32	12.1	1.3	24.8	251	42	11	8	21	0.8	5.0	<0.1	30.5	<0.1
AUX0100057		32.8	18.30	12.7	9.3	193.0	1130	224	57	46	116	8.0	39.2	0.1	164.5	<0.1
AUX0100061		18.55	9.43	12.4	15.2	319	345	462	117	95	242	9.4	65.2	0.1	272	<0.1
AUX0100065		24.5	5.46	18.6	31.6	295	375	502	129	103	261	13.8	64.1	0.1	505	<0.1
AUX0100069		8.30	0.97	5.6	8.8	83.4	169	377	97	77	196	3.5	19.3	<0.1	405	<0.1
AUX0100073		14.10	0.58	5.8	12.6	81.8	192	348	90	71	181	4.3	18.3	<0.1	314	<0.1
AUX0100077		7.63	1.17	5.2	5.8	161.5	165	410	105	84	213	2.4	35.1	<0.1	269	<0.1
AUX0100081		10.10	2.45	7.4	12.8	361	164	477	123	99	247	6.9	75.1	0.1	418	<0.1
AUX0100085		9.76	0.62	6.1	8.7	126.5	152	499	132	106	252	3.7	28.0	<0.1	273	<0.1
AUX0100089		17.05	3.26	5.1	5.3	127.5	322	317	81	65	165	3.5	25.6	<0.1	174.5	<0.1
AUX0100093		12.25	2.19	10.5	8.1	198.0	198	409	104	84	213	5.9	41.4	<0.1	197.0	<0.1
AUX0100097		16.20	2.72	5.8	2.7	170.0	299	313	81	64	161	4.0	32.9	<0.1	151.0	<0.1
AUX0100101		17.60	3.99	11.6	10.6	74.7	223	223	57	46	115	5.6	17.1	0.1	253	<0.1
AUX0100105		12.80	4.53	4.2	2.0	221	718	237	61	48	122	4.2	39.3	<0.1	49.1	<0.1
AUX0100109		10.55	2.64	6.5	5.4	111.5	209	242	62	49	125	4.4	23.3	0.1	146.5	<0.1
AUX0100113		10.20	2.66	9.6	9.0	144.0	187	389	99	80	203	5.7	31.5	<0.1	235	<0.1
AUX0100117		16.55	11.55	7.4	6.5	182.5	497	308	80	63	159	6.5	38.0	<0.1	133.5	<0.1
AUX0100121		19.55	12.20	6.4	3.4	153.5	1040	188	49	38	97	4.9	31.0	<0.1	71.0	<0.1
AUX0100125		15.75	10.75	9.1	5.0	186.0	613	508	133	107	259	7.1	38.6	0.1	145.0	<0.1
AUX0100129		23.5	58.4	23.3	5.8	57.9	585	169	43	34	87	3.9	12.5	<0.1	157.0	<0.1
AUX0100133		29.6	10.65	3.9	0.3	18.3	326	212	54	42	110	0.8	3.4	<0.1	14.6	<0.1
AUX0100137		6.67	1.29	7.3	12.1	70.1	140	290	74	58	152	4.7	16.5	<0.1	241	<0.1
AUX0100141		9.19	2.01	7.0	12.6	303	178	380	98	78	197	6.6	64.6	<0.1	302	<0.1
AUX0100145		13.35	0.90	5.4	6.4	48.1	276	384	99	79	199	3.6	10.3	0.1	113.0	<0.1
AUX0100149		18.80	2.95	6.3	0.8	4.7	97	269	69	55	139	0.6	1.0	<0.1	16.4	<0.1
AUX0100153		17.70	3.41	3.9	1.0	6.1	76	86	22	17	44	0.4	1.1	<0.1	21.3	<0.1
AUX0100157		40.0	0.54	1.7	0.1	4.9	81	98	25	19	51	0.2	0.8	<0.1	14.0	<0.1
AUX0100161		42.6	1.20	3.9	0.1	1.5	170	55	14	11	28	0.1	0.2	<0.1	32.4	<0.1
AUX0100165		7.67	1.76	7.3	6.5	43.9	152	224	58	45	116	3.0	9.4	<0.1	187.0	<0.1
AUX0100169		6.70	0.66	4.1	6.5	864	94	387	99	79	201	5.9	170.0	<0.1	269	<0.1
AUX0100173		9.44	0.64	6.9	12.7	170.0	122	347	90	71	180	4.3	38.4	<0.1	320	<0.1
AUX0100177		3.62	0.34	3.4	3.9	166.5	77	393	100	79	207	2.0	36.7	<0.1	233	<0.1
AUX0100181		5.93	0.27	3.9	6.5	203	78	196	51	40	101	2.3	44.5	<0.1	198.5	<0.1
AUX0100185		4.95	0.58	5.5	6.6	119.5	112	621	153	123	338	2.1	23.5	<0.1	289	<0.1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 14- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099284

Sample Description / Method / Analyte / Units / LOR	ME- MS23 Sb ppb 0.5	ME- MS23 Sc ppb 1	ME- MS23 Se ppb 2	ME- MS23 Sm ppb 0.1	ME- MS23 Sn ppb 0.2	ME- MS23 Sr ppb 1	ME- MS23 Ta ppb 1	ME- MS23 Tb ppb 0.1	ME- MS23 Te ppb 1	ME- MS23 Th ppb 0.02	ME- MS23 Ti ppb 5	ME- MS23 Tl ppb 0.5	ME- MS23 Tm ppb 0.1	ME- MS23 U ppb 0.1	ME- MS23 W ppb 1
AUX0100029	2.5	5	3	0.9	<0.2	1155	<1	0.2	<1	0.97	103	<0.5	0.1	5.1	<1
AUX0100033	2.7	8	9	2.1	<0.2	770	<1	0.3	<1	7.32	135	<0.5	0.1	9.8	<1
AUX0100037	2.8	7	5	1.0	<0.2	1110	<1	0.4	<1	1.42	72	<0.5	0.3	24.5	<1
AUX0100041	11.8	39	30	8.7	1.2	400	<1	1.4	<1	25.6	1230	0.5	0.6	26.7	1
AUX0100045	2.6	26	5	5.8	0.2	572	<1	1.3	<1	8.74	346	<0.5	0.6	22.1	1
AUX0100049	3.6	34	14	7.4	0.8	528	<1	1.4	<1	12.75	891	<0.5	0.5	21.6	1
AUX0100053	3.2	21	5	5.8	0.3	367	<1	1.1	<1	7.18	358	<0.5	0.4	15.2	1
AUX0100057	35.2	136	14	46.7	3.0	523	1	8.4	1	64.6	3020	1.5	3.1	33.5	3
AUX0100061	16.7	166	17	78.5	5.2	472	1	14.7	<1	86.0	5820	2.1	5.8	45.0	4
AUX0100065	24.2	213	18	70.4	12.5	265	2	12.0	1	132.0	11650	4.0	3.9	36.5	8
AUX0100069	5.1	45	11	17.3	3.5	190	1	3.1	<1	48.8	3150	1.6	0.8	10.4	4
AUX0100073	6.1	62	10	17.5	4.7	302	1	3.0	<1	38.6	5650	3.8	0.8	11.2	4
AUX0100077	13.1	39	13	32.7	2.3	216	<1	5.5	<1	36.7	2540	1.5	1.3	9.4	3
AUX0100081	9.1	140	27	86.7	2.8	181	1	14.9	<1	92.6	5070	1.4	4.4	32.6	3
AUX0100085	7.5	58	13	26.9	2.2	238	1	4.8	<1	46.0	3490	1.1	1.4	12.6	2
AUX0100089	8.1	67	19	32.6	1.4	590	<1	6.2	<1	42.2	2140	0.8	2.4	35.6	2
AUX0100093	14.1	87	21	47.9	2.4	408	1	8.8	<1	82.7	3280	1.1	2.6	33.3	3
AUX0100097	13.7	64	18	46.0	1.0	791	<1	9.8	<1	46.8	1070	0.6	3.9	70.2	1
AUX0100101	29.1	79	16	16.8	4.1	604	1	3.1	<1	54.6	4040	1.6	1.0	22.5	4
AUX0100105	5.6	42	20	59.5	0.5	748	<1	11.5	<1	34.4	745	<0.5	4.4	49.0	1
AUX0100109	8.1	59	16	26.3	1.8	406	<1	4.7	<1	60.2	2000	0.9	1.5	24.6	2
AUX0100113	12.9	69	20	33.8	2.8	301	1	5.8	<1	85.6	3300	1.2	1.6	28.3	3
AUX0100117	11.4	103	21	44.8	1.9	563	1	9.1	<1	71.6	2400	0.8	3.8	43.4	2
AUX0100121	8.0	73	24	39.1	1.1	680	<1	7.8	<1	54.7	1300	0.5	3.4	66.9	1
AUX0100125	18.3	79	25	46.1	2.0	514	<1	8.7	<1	81.1	1840	1.0	3.4	69.0	2
AUX0100129	12.5	72	33	12.7	2.2	635	<1	2.2	<1	48.1	2030	1.2	0.9	68.0	2
AUX0100133	3.6	15	3	6.0	0.2	1030	<1	2.0	<1	5.72	99	<0.5	1.5	37.8	<1
AUX0100137	6.0	57	18	15.7	2.9	109	1	2.8	<1	50.5	4420	1.1	0.8	13.4	3
AUX0100141	41.4	96	18	67.9	3.0	201	1	12.0	<1	65.4	5060	1.2	3.7	17.2	4
AUX0100145	4.7	33	15	10.8	1.1	444	<1	1.8	<1	48.1	1520	0.6	0.6	9.0	1
AUX0100149	1.6	18	2	1.3	0.2	489	<1	0.4	<1	3.99	263	<0.5	0.8	10.1	1
AUX0100153	1.0	13	3	1.8	<0.2	558	<1	0.4	<1	5.79	162	<0.5	0.3	6.6	1
AUX0100157	<0.5	3	3	2.0	<0.2	1010	<1	0.6	<1	0.49	12	<0.5	0.5	1.5	<1
AUX0100161	1.0	3	8	0.5	<0.2	1190	<1	0.1	<1	0.34	20	<0.5	<0.1	1.4	<1
AUX0100165	13.1	41	8	9.9	3.8	209	<1	1.6	<1	32.9	2460	1.0	0.5	9.5	3
AUX0100169	3.6	155	29	192.0	1.3	210	1	30.1	<1	70.5	2920	0.9	9.9	19.9	3
AUX0100173	3.7	76	13	37.3	3.4	163	1	5.7	<1	41.6	5010	1.2	1.5	14.3	4
AUX0100177	1.6	48	14	37.0	1.3	218	<1	5.8	<1	39.5	1420	1.2	1.4	13.8	5
AUX0100181	3.0	48	13	41.9	1.5	250	1	7.0	<1	32.1	2750	0.7	1.9	10.7	2
AUX0100185	1.8	49	10	25.3	1.7	119	1	4.2	<1	25.3	2850	0.8	1.1	6.7	1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 14- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099284

Sample Description	Method Analyte Units LOR	ME- MS23 Y ppb 0.1	ME- MS23 Yb ppb 0.1	ME- MS23 Zn ppb 10	ME- MS23 Zr ppb 0.1	pH- MS23 Final pH Unity 0.1
AUX0100029		9.5	0.5	170	3.1	6.8
AUX0100033		12.5	0.9	270	10.7	7.7
AUX0100037		22.4	1.9	1280	4.7	6.8
AUX0100041		44.6	3.4	140	61.2	6.8
AUX0100045		65.6	3.9	210	14.5	6.8
AUX0100049		52.8	3.1	110	36.8	6.8
AUX0100053		41.8	2.6	250	14.2	6.8
AUX0100057		306	18.9	590	173.0	7.1
AUX0100061		536	36.8	350	211	7.4
AUX0100065		364	22.6	490	333	7.1
AUX0100069		87.5	4.4	130	86.1	7.9
AUX0100073		87.1	4.7	160	107.0	7.9
AUX0100077		179.5	7.2	80	53.5	8.1
AUX0100081		444	26.4	200	161.5	7.9
AUX0100085		163.5	8.4	140	88.5	7.9
AUX0100089		214	13.9	160	80.1	7.9
AUX0100093		277	15.3	190	129.5	8.1
AUX0100097		391	21.8	80	73.5	7.7
AUX0100101		102.5	6.0	190	143.0	7.9
AUX0100105		456	26.8	80	73.0	8.1
AUX0100109		161.5	8.8	130	105.5	7.7
AUX0100113		166.5	9.0	140	135.5	7.9
AUX0100117		358	24.0	200	155.5	7.7
AUX0100121		304	21.9	170	109.5	7.9
AUX0100125		329	21.0	280	165.0	8.1
AUX0100129		78.5	5.6	230	102.0	7.4
AUX0100133		139.0	8.7	360	9.7	6.8
AUX0100137		79.0	4.6	190	124.5	7.9
AUX0100141		429	21.5	170	148.5	7.9
AUX0100145		53.5	3.4	310	97.7	8.1
AUX0100149		30.7	5.5	380	14.2	6.8
AUX0100153		19.4	2.2	300	13.4	6.8
AUX0100157		33.5	3.2	620	1.5	6.8
AUX0100161		5.2	0.2	130	1.2	7.1
AUX0100165		54.3	3.3	270	75.2	7.9
AUX0100169		1050	58.7	60	75.0	7.9
AUX0100173		179.5	8.7	120	106.5	8.1
AUX0100177		168.0	8.1	70	44.9	7.9
AUX0100181		233	11.0	50	48.3	8.1
AUX0100185		120.0	6.2	110	54.8	7.4

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 14- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099284

Sample Description	Method	WEI- 21	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Recvd Wt.	Ag	As	Au	Ba	Be	Bi	Br	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppb	ppb	ppb	ppb	ppb	ppb	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb
	LOR	0.02	0.1	2	0.02	10	0.2	3	0.05	0.2	1	0.1	0.3	1	0.1	1
AUX0100189		1.23	25.8	368	1.11	9170	3.9	<3	0.09	87.2	3	449	192.5	79	24.0	889
AUX0100193		0.95	8.3	552	0.60	6460	4.9	3	0.05	82.7	11	116.5	117.0	93	95.6	108
AUX0100197		1.21	30.3	330	0.51	5580	6.0	<3	0.12	23.7	1	184.0	56.5	122	25.8	308
AUX0100201		1.00	19.8	211	0.25	8710	5.5	<3	0.10	41.7	1	180.5	68.1	152	50.6	227
AUX0100205		0.90	58.0	286	2.82	8880	7.5	<3	0.17	37.2	3	404	87.6	31	138.0	1080
AUX0100209		1.09	15.9	143	0.16	7470	7.4	<3	0.13	48.3	3	137.5	89.6	158	20.2	306
AUX0100213		1.35	16.9	248	0.56	8590	4.2	<3	0.08	56.0	1	257	85.5	59	12.8	349
AUX0100217		1.20	53.7	150	0.37	9360	5.7	<3	0.11	40.0	2	295	98.1	68	10.9	488
AUX0100221		1.17	45.8	154	0.25	5460	3.2	<3	0.05	22.7	1	241	41.9	96	8.8	373
AUX0100225		1.24	25.6	743	0.46	8280	7.7	3	0.10	37.7	4	660	267	124	9.0	723
AUX0100229		1.44	39.1	111	0.14	5610	6.0	<3	0.13	31.4	10	200	54.0	122	10.5	228
AUX0100223		0.93	12.6	640	0.63	6840	6.3	3	0.09	61.9	5	210	143.0	150	15.6	518
AUX0100237		1.00	28.4	428	0.39	6740	4.6	<3	0.05	130.5	3	104.5	105.5	111	6.7	444
AUX0100241		1.35	6.6	1585	2.56	10100	3.5	4	<0.05	85.8	4	289	187.5	65	22.1	1180
AUX0100245		1.35	9.9	297	0.71	16700	2.7	<3	<0.05	96.0	5	359	559	56	2.1	1360
AUX0101249		1.40	33.8	1045	1.58	8370	5.1	<3	0.08	25.3	3	708	74.0	96	13.3	543
AUX0102253		0.97	18.4	254	0.27	9030	6.7	<3	0.09	39.2	6	235	102.5	159	26.7	306

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 14- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099284

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Dy	Er	Eu	Fe	Ga	Gd	Ge	Hf	Hg	Ho	I	In	La	Li	Lu
	Units	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb
	LOR	0.1	0.1	0.1	0.1	0.5	0.1	0.1	0.5	0.1	0.1	0.01	0.1	0.1	0.2	0.1
AUX0100189		121.5	82.9	32.4	73.3	254	141.5	1.9	2.9	1.5	24.5	0.08	0.1	255	12.7	7.7
AUX0100193		14.5	8.7	5.3	74.3	181.5	16.1	1.2	1.7	0.5	2.8	0.02	0.2	59.9	21.9	0.6
AUX0100197		17.5	9.3	6.2	98.0	170.5	23.4	1.9	3.6	0.7	3.1	0.07	0.2	101.0	34.1	0.7
AUX0100201		18.5	11.5	6.8	140.5	243	22.8	2.9	4.9	0.6	3.5	0.09	0.2	96.2	42.6	1.0
AUX0100205		33.7	17.3	11.5	17.1	237	45.3	0.9	1.3	0.7	5.8	0.08	0.1	173.0	6.1	1.1
AUX0100209		14.3	8.9	5.2	146.0	232	16.6	3.3	4.5	0.6	2.6	0.08	0.2	89.7	55.7	0.7
AUX0100213		34.0	18.9	10.2	68.8	222	40.2	0.8	1.9	0.5	6.2	0.06	0.1	127.0	8.8	1.3
AUX0100217		30.0	15.5	11.0	64.6	244	42.8	1.2	1.8	0.7	5.3	0.07	0.1	156.5	18.1	1.0
AUX0100221		27.9	14.8	9.5	101.0	184.5	42.2	1.9	2.4	0.4	4.6	0.06	0.1	106.0	29.6	1.0
AUX0100225		101.0	59.6	26.4	207	265	130.0	2.5	5.8	2.0	18.4	0.10	0.2	335	23.8	3.7
AUX0100229		21.9	13.1	7.7	126.0	195.0	32.0	1.9	3.8	0.8	3.9	0.10	0.2	92.4	37.3	0.9
AUX0100223		21.4	12.7	7.1	269	231	28.0	2.4	4.8	0.7	3.8	0.06	0.2	95.9	45.6	0.9
AUX0100237		12.7	7.7	4.8	133.5	216	16.1	1.4	3.3	0.5	2.2	0.03	0.2	43.4	35.3	0.6
AUX0100241		56.0	30.0	15.3	106.5	278	60.7	1.4	3.7	0.7	11.0	0.04	0.1	135.5	23.3	3.6
AUX0100245		76.5	40.2	24.6	104.5	451	94.4	1.4	4.1	1.0	15.0	0.05	0.1	188.0	10.3	4.4
AUX0101249		108.0	55.0	31.5	105.0	243	131.5	2.4	3.6	1.1	20.6	0.09	0.1	295	17.9	5.6
AUX0102253		28.0	13.1	9.2	140.0	271	31.9	2.7	4.2	0.8	5.3	0.08	0.2	127.0	46.9	1.2

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 14- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099284

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pb 206	Pb 207	Pb 208	Pd	Pr	Pt	Rb	Re
	Units	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
	LOR	0.01	0.01	0.5	0.1	0.1	1	1	1	1	1	0.1	0.1	0.1	0.1	0.1
AUX0100189		9.49	6.04	4.7	4.6	444	333	362	90	71	196	5.1	77.7	<0.1	248	<0.1
AUX0100193		29.2	0.69	2.3	5.6	56.7	186	290	72	57	158	1.6	11.7	<0.1	224	<0.1
AUX0100197		7.88	0.61	6.9	10.2	92.9	149	378	93	75	206	3.0	19.0	<0.1	430	<0.1
AUX0100201		11.00	0.41	7.9	14.6	90.1	141	514	127	101	280	3.9	19.0	0.1	536	<0.1
AUX0100205		2.58	0.35	2.7	1.3	193.5	65	540	132	108	293	1.4	39.6	<0.1	386	<0.1
AUX0100209		13.05	1.41	7.0	16.1	68.7	141	319	79	64	173	3.5	15.5	<0.1	315	<0.1
AUX0100213		8.00	0.60	5.9	7.0	147.5	101	381	94	76	207	1.9	29.5	<0.1	270	<0.1
AUX0100217		6.49	0.76	7.9	6.2	166.0	134	448	111	89	243	2.0	34.1	<0.1	251	<0.1
AUX0100221		5.16	0.44	12.3	10.4	146.5	96	501	131	106	256	2.7	30.3	<0.1	244	<0.1
AUX0100225		7.94	9.02	13.2	15.8	450	199	1060	280	222	543	8.0	95.7	<0.1	254	<0.1
AUX0100229		7.55	1.44	10.0	11.4	116.0	118	497	128	103	257	4.0	25.2	<0.1	237	<0.1
AUX0100223		13.25	5.25	9.9	12.2	95.7	196	338	87	69	175	5.0	22.5	<0.1	299	<0.1
AUX0100237		10.35	1.40	10.8	7.7	49.6	171	616	162	131	313	3.7	10.6	<0.1	169.0	<0.1
AUX0100241		11.30	4.03	7.9	4.5	189.5	293	166	43	33	85	4.5	35.9	<0.1	181.0	<0.1
AUX0100245		13.75	21.0	7.2	4.5	288	473	220	56	45	114	5.4	52.6	<0.1	60.7	<0.1
AUX0101249		6.52	0.50	16.0	10.2	460	218	433	111	88	226	5.0	84.9	<0.1	279	<0.1
AUX0102253		12.60	1.94	7.9	13.1	113.5	226	493	125	101	258	4.7	24.2	<0.1	390	<0.1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 14- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099284

Sample Description	Method / Analyte / Units / LOR	ME- MS23 Sb ppb 0.5	ME- MS23 Sc ppb 1	ME- MS23 Se ppb 2	ME- MS23 Sm ppb 0.1	ME- MS23 Sn ppb 0.2	ME- MS23 Sr ppb 1	ME- MS23 Ta ppb 1	ME- MS23 Tb ppb 0.1	ME- MS23 Te ppb 1	ME- MS23 Th ppb 0.02	ME- MS23 Ti ppb 5	ME- MS23 Tl ppb 0.5	ME- MS23 Tm ppb 0.1	ME- MS23 U ppb 0.1	ME- MS23 W ppb 1
AUX0100189		9.4	131	20	111.0	1.4	467	1	21.1	<1	48.9	2200	1.2	8.4	46.6	3
AUX0100193		12.0	37	3	12.1	3.5	647	<1	2.6	<1	12.90	3200	2.6	0.9	3.3	5
AUX0100197		10.7	60	6	19.4	3.6	133	1	3.4	<1	41.2	4180	1.5	1.0	9.0	4
AUX0100201		8.8	78	7	18.9	3.8	268	1	3.3	<1	31.2	6200	1.9	1.2	9.3	4
AUX0100205		1.1	44	13	39.5	0.6	223	<1	6.4	<1	41.8	530	1.5	1.6	13.2	1
AUX0100209		3.2	76	7	13.7	4.0	308	1	2.6	<1	28.3	6470	1.5	0.9	9.6	4
AUX0100213		4.0	49	8	32.3	1.3	369	1	6.2	<1	36.7	3420	0.7	1.8	7.8	2
AUX0100217		2.7	47	12	34.9	1.5	231	1	6.1	<1	28.6	2740	0.8	1.4	11.0	1
AUX0100221		5.2	50	16	33.5	2.3	126	1	5.7	<1	31.8	4120	1.1	1.3	10.9	2
AUX0100225		38.6	138	27	97.8	2.8	223	1	18.6	1	82.6	7870	1.5	5.2	21.8	4
AUX0100229		5.2	60	13	25.5	2.5	170	1	4.3	<1	38.3	4530	1.0	1.2	12.8	2
AUX0100223		23.4	70	14	21.7	3.8	308	1	4.0	<1	70.2	4710	1.4	1.2	22.1	3
AUX0100237		8.6	45	17	12.3	1.9	435	1	2.3	<1	48.3	3180	1.1	0.7	14.8	2
AUX0100241		6.5	82	13	46.2	1.6	385	<1	9.8	1	74.0	1555	1.2	3.8	40.4	2
AUX0100245		9.4	78	18	73.4	1.0	495	<1	14.0	1	42.6	2180	<0.5	4.9	27.5	2
AUX0101249		17.6	125	23	105.5	2.1	219	1	20.0	1	45.4	4320	0.8	6.7	25.8	3
AUX0102253		9.8	67	9	24.6	3.9	276	1	5.2	<1	39.4	5350	1.6	1.5	12.9	3

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 14- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099284

Sample Description	Method Analyte Units LOR	ME- MS23 Y ppb 0.1	ME- MS23 Yb ppb 0.1	ME- MS23 Zn ppb 10	ME- MS23 Zr ppb 0.1	pH- MS23 Final pH Unity 0.1
AUX0100189		782	51.6	120	77.7	7.9
AUX0100193		91.6	4.9	100	41.6	6.5
AUX0100197		93.3	5.1	210	99.7	7.7
AUX0100201		105.5	7.4	150	122.5	7.4
AUX0100205		177.5	8.6	70	29.0	6.8
AUX0100209		80.7	5.3	180	114.5	7.4
AUX0100213		185.5	10.6	80	49.1	7.4
AUX0100217		176.5	8.0	110	43.0	7.4
AUX0100221		164.0	7.6	130	67.9	8.1
AUX0100225		678	28.4	330	167.0	7.9
AUX0100229		139.0	6.9	160	99.6	7.9
AUX0100223		119.5	6.9	220	129.5	7.7
AUX0100237		74.3	4.4	140	93.0	7.9
AUX0100241		312	24.2	140	90.7	7.7
AUX0100245		453	30.1	190	108.0	7.7
AUX0101249		665	39.7	130	83.1	7.7
AUX0102253		160.0	8.6	210	122.5	7.1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 12- JUL- 2011
Account: STRGOL

CERTIFICATE WH11099285

Project: AUREX PROJECT

P.O. No.:

This report is for 57 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14- JUN- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- MS23	IONIC Leach - Complete PKG.	ICP- MS
pH- MS23	MS23 Leach pH	

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Wayne Abbott, Operations Manager, Western Australia

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 12- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099285

Sample Description	Method	WEI- 21	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Recvd Wt.	Ag	As	Au	Ba	Be	Bi	Br	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppb	ppb	ppb	ppb	ppb	ppb	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb
	LOR	0.02	0.1	2	0.02	10	0.2	3	0.05	0.2	1	0.1	0.3	1	0.1	1
AUX0100028		0.41	0.2	108	<0.02	1440	0.2	<3	<0.05	284	11	2.1	259	1	0.4	43
AUX0100032		0.45	0.2	28	<0.02	470	0.4	<3	<0.05	186.5	38	1.0	220	2	1.1	64
AUX0100036		0.42	0.1	35	<0.02	370	<0.2	<3	<0.05	204	15	1.9	34.0	<1	0.6	72
AUX0100040		0.62	0.3	1675	0.04	2020	0.6	<3	0.05	120.5	3	18.0	62.4	25	1.4	59
AUX0100044		0.38	1.2	28	<0.02	2050	1.0	<3	<0.05	191.5	10	54.7	67.3	14	0.2	159
AUX0100048		0.39	1.0	37	0.03	2150	1.8	<3	<0.05	159.5	16	11.5	271	4	0.5	144
AUX0100052		0.52	1.0	220	<0.02	1170	1.1	<3	<0.05	92.0	17	35.0	247	5	0.4	62
AUX0100056		0.42	0.6	150	0.02	5580	1.8	<3	0.05	59.3	7	21.5	311	13	1.1	64
AUX0100060		0.49	3.6	74	0.06	3650	1.5	<3	0.09	31.0	3	23.8	95.9	33	4.7	126
AUX0100064		0.45	2.7	42	<0.02	3440	2.6	<3	<0.05	28.4	3	15.5	129.5	18	3.5	31
AUX0100068		0.31	0.9	9	<0.02	5210	1.9	<3	<0.05	58.7	5	4.2	153.0	10	4.3	9
AUX0100072		0.46	2.0	15	<0.02	7850	1.9	<3	<0.05	41.5	4	6.8	223	21	46.1	12
AUX0100076		0.43	0.4	26	<0.02	13300	3.3	<3	<0.05	58.8	12	5.7	245	28	13.9	15
AUX0100080		0.42	0.6	9	<0.02	9560	2.1	<3	<0.05	30.9	9	2.8	121.5	11	2.6	7
AUX0100084		0.38	0.2	13	<0.02	17600	3.2	<3	<0.05	93.8	19	4.4	245	13	2.8	8
AUX0100088		0.28	0.7	118	<0.02	7500	2.7	<3	<0.05	86.4	11	12.7	818	23	5.0	21
AUX0100092		0.29	1.0	129	<0.02	9570	3.2	<3	<0.05	71.8	6	27.3	582	20	2.8	27
AUX0100096		0.36	0.5	103	0.02	5820	5.4	<3	<0.05	169.5	48	21.8	637	9	1.8	82
AUX0100100		0.29	1.2	159	<0.02	8860	2.5	<3	<0.05	218	9	18.2	891	27	4.9	31
AUX0100104		0.49	1.8	127	<0.02	6280	3.1	<3	<0.05	146.0	27	21.7	1320	19	2.6	77
AUX0100108		0.48	0.8	96	<0.02	5220	4.1	<3	<0.05	137.0	24	23.5	308	9	0.9	68
AUX0100112		0.39	1.2	31	<0.02	9660	3.3	<3	<0.05	211	13	10.3	170.0	18	1.6	23
AUX0100116		0.50	0.4	27	0.02	15900	3.1	<3	<0.05	145.5	29	13.5	222	17	1.5	19
AUX0100120		0.35	1.3	27	<0.02	5460	3.0	<3	<0.05	64.8	10	17.0	181.0	15	1.6	25
AUX0100124		0.44	1.0	39	<0.02	4070	1.8	<3	<0.05	106.0	7	11.3	152.5	9	0.7	17
AUX0100128		0.39	2.8	144	0.07	3900	2.2	<3	<0.05	108.5	16	20.7	901	37	3.6	188
AUX0100132		0.47	1.0	158	0.06	2200	1.7	<3	<0.05	183.5	55	16.4	246	5	0.5	193
AUX0100136		0.34	1.4	11	<0.02	4300	1.7	<3	<0.05	11.3	7	8.9	76.8	11	2.1	10
AUX0100140		<0.02	1.2	34	<0.02	4910	2.4	<3	<0.05	43.7	5	15.8	113.0	20	3.1	18
AUX0100144		0.86	0.7	36	0.02	3800	1.3	<3	<0.05	125.0	5	14.1	110.5	30	1.9	103
AUX0100148		0.50	0.5	30	<0.02	1420	1.1	<3	<0.05	130.0	9	7.6	106.5	5	0.5	63
AUX0100152		0.37	0.5	10	<0.02	870	1.2	<3	<0.05	145.0	18	7.7	76.9	2	1.2	16
AUX0100156		0.41	<0.1	25	<0.02	1000	0.8	<3	<0.05	233	17	4.7	60.8	2	0.9	14
AUX0100160		0.49	0.2	144	<0.02	1160	0.2	<3	<0.05	294	11	0.6	51.1	<1	4.2	65
AUX0100164		0.40	0.9	364	0.02	2790	4.2	<3	<0.05	120.0	9	21.2	191.5	45	17.3	59
AUX0100168		0.33	1.0	19	<0.02	7850	2.4	<3	<0.05	42.2	8	6.7	93.9	13	2.4	9
AUX0100172		0.40	1.0	65	<0.02	10900	5.0	<3	0.10	115.5	14	19.5	111.5	74	11.1	33
AUX0100176		0.35	0.2	21	<0.02	6310	3.2	<3	<0.05	50.0	13	7.6	97.6	14	2.4	7
AUX0100180		0.40	0.3	17	<0.02	11100	2.2	<3	<0.05	143.5	11	1.9	172.0	6	1.3	4
AUX0100184		0.37	0.6	10	<0.02	9680	3.1	<3	<0.05	13.6	16	7.9	123.0	21	1.9	12

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 12- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099285

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Dy	Er	Eu	Fe	Ga	Gd	Ge	Hf	Hg	Ho	I	In	La	Li	Lu
	Units	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb
	LOR	0.1	0.1	0.1	0.1	0.5	0.1	0.1	0.5	0.1	0.1	0.01	0.1	0.1	0.2	0.1
AUX0100028		0.2	0.1	0.4	3.2	35.1	0.3	0.1	<0.5	0.4	0.1	0.01	<0.1	0.7	1.2	<0.1
AUX0100032		0.2	0.1	0.2	1.4	11.6	0.2	0.1	<0.5	0.6	<0.1	<0.01	<0.1	0.5	1.1	<0.1
AUX0100036		2.0	1.2	0.4	2.4	9.4	1.9	0.1	<0.5	0.3	0.4	<0.01	<0.1	0.9	0.9	0.2
AUX0100040		2.3	1.4	1.0	367	54.6	2.6	0.6	0.7	0.3	0.5	0.05	<0.1	7.6	8.4	0.2
AUX0100044		8.4	4.2	2.7	36.4	55.3	10.5	0.2	<0.5	0.7	1.6	0.03	<0.1	24.6	0.5	0.5
AUX0100048		4.7	3.8	1.2	106.5	57.0	3.6	0.3	<0.5	0.4	1.1	0.01	<0.1	5.2	1.6	0.5
AUX0100052		7.5	4.2	2.0	68.6	31.3	7.8	0.3	<0.5	0.4	1.5	0.01	<0.1	13.9	1.0	0.5
AUX0100056		3.2	2.6	2.1	274	160.0	3.3	0.5	0.7	0.2	0.7	0.04	0.1	9.4	6.6	0.6
AUX0100060		2.7	1.6	1.5	312	107.5	3.0	0.9	1.3	0.6	0.5	0.06	<0.1	12.2	11.1	0.3
AUX0100064		2.0	1.7	1.2	206	104.5	1.8	0.5	0.5	0.4	0.4	0.01	0.2	7.1	10.7	0.9
AUX0100068		0.4	0.3	1.3	173.0	154.0	0.4	0.4	<0.5	0.3	0.1	0.01	0.3	2.3	4.7	<0.1
AUX0100072		0.7	0.5	1.9	190.0	228	0.8	1.0	0.9	0.3	0.1	0.01	0.2	3.6	13.4	0.1
AUX0100076		0.6	0.5	3.2	148.0	379	0.6	0.6	0.9	0.2	0.1	0.01	0.2	3.0	9.4	0.1
AUX0100080		0.3	0.2	2.3	188.5	282	0.3	0.4	<0.5	0.2	0.1	0.01	0.3	1.8	6.7	<0.1
AUX0100084		0.3	0.2	4.3	145.0	474	0.4	0.4	0.5	0.4	0.1	<0.01	0.3	2.6	11.8	0.1
AUX0100088		1.4	0.8	2.2	186.0	218	1.6	0.6	0.5	0.4	0.3	0.01	0.3	6.8	31.2	0.3
AUX0100092		2.8	2.5	3.0	195.5	264	3.1	0.6	0.6	0.5	0.6	0.01	0.3	11.7	12.3	1.4
AUX0100096		16.2	19.7	2.8	134.0	160.5	6.8	0.4	<0.5	0.3	4.9	<0.01	0.2	8.5	6.6	3.9
AUX0100100		2.0	3.1	2.5	197.0	249	1.8	0.9	0.8	0.4	0.6	0.01	0.2	7.5	15.8	2.1
AUX0100104		6.5	15.0	2.2	189.5	171.0	3.3	0.6	0.6	0.7	2.6	0.01	0.2	9.6	9.3	3.3
AUX0100108		8.2	10.2	2.3	165.5	149.0	4.9	0.4	<0.5	0.4	2.4	0.01	0.2	10.2	4.8	2.5
AUX0100112		1.2	1.0	2.7	194.0	262	1.3	0.6	0.6	0.3	0.3	0.01	0.3	7.1	11.6	0.4
AUX0100116		1.5	0.8	4.2	208	435	1.3	0.5	1.0	0.2	0.3	0.01	0.2	7.5	15.4	0.3
AUX0100120		2.5	2.0	1.9	187.5	157.5	2.4	0.4	0.6	0.3	0.6	0.01	0.2	7.8	13.8	1.3
AUX0100124		2.3	1.8	1.4	220	113.5	1.9	0.4	<0.5	0.4	0.5	0.01	0.1	5.3	6.3	1.5
AUX0100128		3.1	2.8	1.6	261	115.0	2.6	0.7	1.0	0.5	0.8	0.03	0.1	8.5	16.1	0.4
AUX0100132		7.0	5.0	1.7	57.7	59.0	5.6	0.2	<0.5	0.3	1.7	0.02	<0.1	7.5	4.0	0.6
AUX0100136		0.9	0.5	1.3	193.0	129.0	1.0	0.6	<0.5	0.3	0.2	0.01	0.2	4.7	6.5	0.1
AUX0100140		1.6	0.9	1.6	168.5	142.0	1.8	0.7	0.8	0.7	0.3	0.02	0.2	10.5	8.9	0.2
AUX0100144		2.5	3.1	1.3	287	102.0	2.1	0.7	1.2	0.2	0.7	0.02	0.1	7.1	9.9	0.6
AUX0100148		2.5	2.3	0.7	192.0	41.1	2.0	0.3	<0.5	0.4	0.6	0.02	0.1	3.2	2.0	0.5
AUX0100152		2.1	1.5	0.6	41.2	24.8	1.9	0.1	<0.5	0.2	0.5	<0.01	<0.1	2.7	1.0	0.3
AUX0100156		1.4	1.0	0.5	34.8	27.8	1.2	0.2	<0.5	0.3	0.3	0.01	<0.1	1.6	1.3	0.2
AUX0100160		0.2	0.1	0.3	2.6	28.5	0.2	0.1	<0.5	0.2	<0.1	0.01	<0.1	0.3	1.9	<0.1
AUX0100164		3.8	2.8	1.4	209	91.4	2.9	1.0	1.3	0.2	0.8	0.01	0.2	8.4	38.2	0.9
AUX0100168		0.5	0.3	2.0	193.0	227	0.5	0.5	<0.5	0.2	0.1	0.01	0.1	2.9	11.4	0.1
AUX0100172		2.1	1.5	3.1	240	323	2.2	2.0	1.9	0.3	0.5	0.01	0.1	11.9	25.1	0.2
AUX0100176		0.7	0.5	1.7	121.0	187.5	0.8	0.5	<0.5	0.2	0.2	0.01	0.1	5.6	7.4	0.1
AUX0100180		0.2	0.1	2.8	162.0	308	0.3	0.3	<0.5	0.1	<0.1	<0.01	0.2	1.7	4.9	<0.1
AUX0100184		0.7	0.4	2.5	183.0	285	0.7	0.6	0.7	0.2	0.2	0.01	0.1	5.8	12.1	0.1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 12- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099285

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pb 206	Pb 207	Pb 208	Pd	Pr	Pt	Rb	Re
	Units	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
	LOR	0.01	0.01	0.5	0.1	0.1	1	1	1	1	1	0.1	0.1	0.1	0.1	0.1
AUX0100028		69.4	29.9	4.1	0.1	0.7	81	13	3	2	5	0.1	0.1	<0.1	115.5	<0.1
AUX0100032		41.4	19.05	1.7	<0.1	0.6	89	18	5	3	9	0.1	0.1	<0.1	225	<0.1
AUX0100036		35.1	4.57	1.0	<0.1	2.8	66	143	36	29	74	0.2	0.4	<0.1	143.5	<0.1
AUX0100040		57.6	3.69	5.4	1.9	9.1	72	43	11	8	21	0.9	1.8	<0.1	17.5	<0.1
AUX0100044		27.3	15.20	5.9	0.4	32.7	210	135	34	27	70	0.7	6.2	<0.1	67.1	<0.1
AUX0100048		47.7	45.1	1.9	0.3	7.7	159	71	18	14	36	0.5	1.4	<0.1	76.0	<0.1
AUX0100052		21.0	7.68	5.1	0.5	22.5	120	80	20	16	41	0.5	4.1	<0.1	49.3	<0.1
AUX0100056		19.20	3.28	2.3	1.4	10.9	228	18	4	3	8	0.9	2.2	<0.1	38.0	<0.1
AUX0100060		9.86	2.12	2.8	3.6	11.6	110	31	8	6	15	1.5	2.3	<0.1	77.2	<0.1
AUX0100064		10.85	1.25	1.4	1.7	6.8	125	20	5	4	9	0.7	1.4	<0.1	52.3	<0.1
AUX0100068		22.8	3.33	0.8	1.1	1.8	133	1	<1	<1	<1	0.4	0.4	<0.1	135.5	<0.1
AUX0100072		34.1	0.40	0.8	2.4	2.7	111	5	1	1	2	1.5	0.7	<0.1	457	<0.1
AUX0100076		26.1	6.13	0.6	2.1	2.4	167	6	1	1	2	0.9	0.9	<0.1	318	<0.1
AUX0100080		19.05	1.08	<0.5	1.0	1.3	115	2	1	<1	<1	0.5	0.3	<0.1	226	<0.1
AUX0100084		39.2	2.24	<0.5	1.2	1.9	197	5	1	1	2	0.7	0.3	<0.1	236	<0.1
AUX0100088		31.6	3.26	1.1	1.9	5.7	140	9	2	2	4	0.7	1.2	<0.1	106.0	<0.1
AUX0100092		23.1	7.00	1.8	1.6	11.7	81	14	4	3	6	0.8	2.4	<0.1	78.0	<0.1
AUX0100096		25.9	8.65	0.8	0.8	12.5	155	279	71	57	146	0.7	2.4	<0.1	65.9	<0.1
AUX0100100		37.0	25.8	1.9	2.8	5.5	75	25	6	5	12	0.9	1.5	<0.1	90.7	<0.1
AUX0100104		21.6	32.5	2.9	1.7	9.4	85	102	26	20	52	1.0	2.0	<0.1	67.8	<0.1
AUX0100108		19.60	4.57	1.0	0.8	12.2	105	157	41	32	81	0.5	2.4	<0.1	32.4	<0.1
AUX0100112		32.9	1.49	0.8	1.5	4.7	122	9	2	1	4	0.9	0.9	<0.1	55.6	<0.1
AUX0100116		29.9	4.44	0.8	1.6	4.8	131	3	1	<1	<1	0.8	1.1	<0.1	79.9	<0.1
AUX0100120		16.20	1.20	0.9	1.2	9.0	143	10	2	2	4	0.7	1.6	<0.1	33.8	<0.1
AUX0100124		19.15	1.32	1.1	0.7	5.9	84	7	2	1	2	0.5	1.5	<0.1	43.6	<0.1
AUX0100128		27.2	14.85	4.7	2.5	9.5	149	81	21	17	41	1.2	1.9	<0.1	91.5	<0.1
AUX0100132		26.5	32.7	2.3	0.2	11.9	142	146	37	29	76	0.5	2.1	<0.1	54.5	<0.1
AUX0100136		10.85	0.46	0.8	1.4	4.1	66	1	<1	<1	<1	0.6	0.8	<0.1	105.0	<0.1
AUX0100140		14.00	2.15	1.7	2.4	7.0	89	7	2	1	2	1.0	1.5	<0.1	206	<0.1
AUX0100144		35.5	0.91	1.6	2.4	7.1	266	47	12	9	23	1.2	1.4	<0.1	31.9	<0.1
AUX0100148		20.8	1.82	4.6	0.5	4.7	69	85	22	17	44	0.5	0.9	<0.1	37.9	<0.1
AUX0100152		20.3	0.36	3.1	0.2	5.0	70	51	13	10	26	0.3	0.9	<0.1	139.0	<0.1
AUX0100156		30.3	2.48	3.3	0.2	3.3	62	49	12	10	24	0.3	0.6	<0.1	58.0	<0.1
AUX0100160		39.6	11.90	5.4	<0.1	0.4	122	21	5	4	10	0.1	0.1	<0.1	81.7	<0.1
AUX0100164		27.9	1.92	1.8	3.2	9.4	96	95	24	19	49	1.5	2.0	<0.1	131.0	<0.1
AUX0100168		28.3	1.22	0.7	1.6	2.3	78	3	1	<1	<1	0.5	0.5	<0.1	126.0	<0.1
AUX0100172		41.7	2.04	3.2	6.0	8.3	99	25	6	5	12	2.5	1.8	<0.1	975	<0.1
AUX0100176		12.70	0.96	0.5	1.7	3.2	54	9	2	2	4	0.4	0.7	<0.1	101.0	<0.1
AUX0100180		28.8	1.98	<0.5	0.8	0.9	117	<1	<1	<1	<1	0.4	0.2	<0.1	108.5	<0.1
AUX0100184		16.65	1.43	0.5	1.8	3.4	98	9	2	1	4	0.9	0.6	<0.1	69.6	<0.1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 12- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099285

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Sb	Sc	Se	Sm	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl	Tm	U	W
	Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
	LOR	0.5	1	2	0.1	0.2	1	1	0.1	1	0.02	5	0.5	0.1	0.1	1
AUX0100028		<0.5	3	<2	0.2	<0.2	1580	<1	<0.1	<1	0.31	37	<0.5	<0.1	0.6	<1
AUX0100032		<0.5	2	<2	0.2	<0.2	769	<1	<0.1	<1	0.18	36	<0.5	<0.1	0.2	<1
AUX0100036		<0.5	2	<2	1.2	<0.2	817	<1	0.3	<1	0.43	30	<0.5	0.2	3.1	<1
AUX0100040		5.2	18	12	2.1	0.4	585	<1	0.4	<1	8.26	642	<0.5	0.2	7.1	1
AUX0100044		2.2	6	5	8.3	<0.2	671	<1	1.6	<1	5.95	123	<0.5	0.5	4.7	<1
AUX0100048		0.8	15	<2	2.3	<0.2	684	<1	0.7	<1	4.06	111	<0.5	0.5	16.9	<1
AUX0100052		1.6	14	2	6.1	<0.2	248	<1	1.3	<1	5.25	116	<0.5	0.5	5.4	<1
AUX0100056		5.5	23	2	2.6	0.3	509	<1	0.5	<1	11.00	446	<0.5	0.5	9.6	1
AUX0100060		2.6	27	4	2.3	1.0	344	<1	0.5	<1	9.76	1150	<0.5	0.2	6.3	1
AUX0100064		1.2	27	<2	1.4	0.6	323	<1	0.3	<1	9.13	551	<0.5	0.4	6.6	<1
AUX0100068		<0.5	22	<2	0.4	0.4	750	<1	0.1	<1	3.00	349	0.6	<0.1	2.0	<1
AUX0100072		0.5	25	<2	0.7	1.0	1020	<1	0.1	<1	2.64	1080	2.6	0.1	1.7	1
AUX0100076		1.4	30	<2	0.4	0.7	989	<1	0.1	<1	4.72	789	2.1	0.1	2.3	<1
AUX0100080		<0.5	21	<2	0.3	0.2	854	<1	<0.1	<1	2.10	308	0.8	<0.1	1.2	<1
AUX0100084		<0.5	25	<2	0.4	0.4	1790	<1	0.1	<1	2.74	385	0.7	<0.1	1.9	<1
AUX0100088		3.5	37	<2	1.0	0.8	1050	<1	0.2	<1	4.80	659	0.5	0.1	7.9	<1
AUX0100092		1.4	45	2	2.5	0.6	861	<1	0.5	<1	6.49	550	0.5	0.6	8.3	<1
AUX0100096		1.7	35	<2	4.0	0.3	1280	<1	1.8	<1	8.71	243	<0.5	3.4	26.1	<1
AUX0100100		2.9	46	<2	1.4	1.0	1640	<1	0.4	<1	6.21	1085	0.6	0.9	11.2	1
AUX0100104		1.7	33	<2	2.2	0.6	1090	<1	0.7	<1	8.27	594	0.5	3.0	19.0	1
AUX0100108		0.9	27	<2	3.5	0.2	971	<1	1.0	<1	8.18	236	<0.5	1.9	17.2	<1
AUX0100112		1.1	34	<2	0.9	0.5	1610	<1	0.2	<1	6.91	543	<0.5	0.2	9.9	<1
AUX0100116		1.4	38	<2	1.2	0.4	1420	<1	0.2	<1	6.02	476	<0.5	0.1	8.8	<1
AUX0100120		1.3	42	<2	1.8	0.3	673	<1	0.4	<1	8.34	350	<0.5	0.5	20.6	1
AUX0100124		1.1	21	2	1.4	0.2	907	<1	0.3	<1	5.77	171	<0.5	0.4	26.0	<1
AUX0100128		4.0	35	5	2.1	0.8	866	<1	0.5	<1	14.50	792	0.5	0.4	36.3	1
AUX0100132		1.6	10	2	3.6	<0.2	1110	<1	1.0	<1	4.08	66	<0.5	0.7	31.5	<1
AUX0100136		0.6	20	<2	0.7	0.4	335	<1	0.2	<1	3.24	524	0.5	0.1	1.9	<1
AUX0100140		2.4	35	<2	1.4	0.7	629	<1	0.3	<1	5.19	796	<0.5	0.1	3.6	1
AUX0100144		1.0	25	3	1.7	0.6	825	<1	0.3	<1	8.50	869	<0.5	0.5	8.6	1
AUX0100148		1.3	13	3	1.3	<0.2	705	<1	0.4	<1	3.22	123	<0.5	0.4	8.1	<1
AUX0100152		<0.5	3	<2	1.4	<0.2	710	<1	0.3	<1	2.32	21	<0.5	0.2	1.6	<1
AUX0100156		<0.5	4	<2	0.9	<0.2	1030	<1	0.2	<1	1.71	25	<0.5	0.2	1.6	<1
AUX0100160		1.0	3	3	0.2	<0.2	1250	<1	<0.1	<1	0.32	19	<0.5	<0.1	0.6	<1
AUX0100164		9.3	46	<2	2.1	1.8	775	<1	0.6	<1	14.55	1240	0.8	0.5	10.2	1
AUX0100168		<0.5	17	<2	0.4	0.5	900	<1	0.1	<1	2.95	489	0.5	<0.1	1.8	<1
AUX0100172		0.9	41	3	1.6	2.5	1950	<1	0.4	<1	11.00	2790	1.6	0.3	5.3	2
AUX0100176		<0.5	14	<2	0.6	1.2	665	<1	0.1	<1	7.31	493	0.5	0.1	1.6	1
AUX0100180		<0.5	22	<2	0.2	0.2	2000	<1	<0.1	<1	2.94	240	<0.5	<0.1	1.3	<1
AUX0100184		<0.5	17	2	0.6	0.6	486	<1	0.1	<1	3.53	784	1.0	0.1	1.6	<1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 12- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099285

Sample Description	Method Analyte Units LOR	ME- MS23 Y ppb 0.1	ME- MS23 Yb ppb 0.1	ME- MS23 Zn ppb 10	ME- MS23 Zr ppb 0.1	pH- MS23 Final pH Unity 0.1
AUX0100028		1.6	0.1	340	0.6	6.8
AUX0100032		1.4	0.1	2280	0.9	6.8
AUX0100036		12.6	1.1	1400	0.8	6.8
AUX0100040		12.5	1.2	110	21.2	6.8
AUX0100044		50.6	3.2	400	10.7	7.4
AUX0100048		36.9	3.3	280	6.4	6.8
AUX0100052		43.4	3.3	700	7.4	6.8
AUX0100056		19.2	3.8	150	21.4	6.8
AUX0100060		14.0	1.8	70	34.9	6.8
AUX0100064		10.7	4.7	50	13.8	6.8
AUX0100068		3.1	0.3	50	9.8	6.8
AUX0100072		4.3	0.6	40	22.2	6.8
AUX0100076		4.1	0.7	190	23.2	6.8
AUX0100080		2.1	0.2	140	11.1	6.8
AUX0100084		2.4	0.2	200	16.3	6.8
AUX0100088		7.8	1.3	240	16.1	6.8
AUX0100092		16.9	7.0	120	14.9	6.8
AUX0100096		106.0	25.3	350	8.2	6.8
AUX0100100		13.1	10.3	90	21.3	6.8
AUX0100104		39.5	22.4	100	19.2	6.8
AUX0100108		51.2	15.7	170	9.7	6.8
AUX0100112		7.8	1.9	140	14.4	6.8
AUX0100116		8.2	1.3	230	19.9	6.8
AUX0100120		14.4	6.1	90	15.5	6.8
AUX0100124		14.0	6.1	80	12.1	6.8
AUX0100128		18.6	2.7	270	29.5	6.8
AUX0100132		52.4	4.2	730	6.8	6.8
AUX0100136		5.8	0.5	60	12.0	6.8
AUX0100140		9.6	1.2	130	21.5	6.8
AUX0100144		14.5	4.0	100	29.0	6.8
AUX0100148		17.2	3.2	120	10.6	6.8
AUX0100152		17.4	1.7	590	4.3	6.8
AUX0100156		9.3	1.1	830	3.8	6.8
AUX0100160		1.4	0.1	700	0.5	7.4
AUX0100164		23.5	4.3	180	35.3	6.8
AUX0100168		3.4	0.3	180	13.6	6.8
AUX0100172		13.3	1.6	130	53.6	6.8
AUX0100176		4.4	0.7	100	12.4	6.8
AUX0100180		1.6	0.2	50	10.6	6.8
AUX0100184		4.7	0.5	120	21.6	6.8

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 12- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099285

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS23 Ag ppb 0.1	ME- MS23 As ppb 2	ME- MS23 Au ppb 0.02	ME- MS23 Ba ppb 10	ME- MS23 Be ppb 0.2	ME- MS23 Bi ppb 3	ME- MS23 Br ppm 0.05	ME- MS23 Ca ppm 0.2	ME- MS23 Cd ppb 1	ME- MS23 Ce ppb 0.1	ME- MS23 Co ppb 0.3	ME- MS23 Cr ppb 1	ME- MS23 Cs ppb 0.1	ME- MS23 Cu ppb 1
AUX0100188	0.34	1.1	24	0.02	5500	2.3	<3	0.07	86.0	9	8.9	146.0	20	10.0	13
AUX0100192	0.29	0.4	43	0.02	6720	2.7	<3	<0.05	59.3	16	5.2	230	29	18.6	12
AUX0100196	0.31	1.2	15	0.03	6200	2.6	<3	0.05	42.3	15	9.5	159.0	19	1.3	24
AUX0100200	0.46	0.4	21	0.02	5220	2.4	<3	0.05	28.2	6	9.6	85.5	38	2.3	24
AUX0100204	0.37	0.3	25	<0.02	4610	3.3	<3	<0.05	91.9	10	2.9	130.0	15	9.3	8
AUX0100208	0.41	0.3	17	<0.02	5620	3.6	<3	<0.05	32.6	8	7.8	71.4	22	0.9	10
AUX0100212	0.36	0.8	27	0.02	8540	3.3	<3	0.06	45.5	10	19.3	562	33	3.2	44
AUX0100216	0.42	0.9	21	0.02	7050	5.7	<3	0.07	89.2	11	27.5	222	28	2.1	39
AUX0100220	0.30	0.6	6	<0.02	12800	3.8	<3	0.07	61.4	24	5.6	204	11	0.3	10
AUX0100224	0.58	1.0	7	0.02	9880	4.0	<3	<0.05	34.2	13	3.5	114.0	12	0.6	16
AUX0100228	0.45	1.7	16	0.02	7550	3.5	<3	0.08	27.0	64	20.0	104.5	40	1.0	53
AUX0100232	0.45	0.7	57	0.05	9390	6.0	<3	0.05	109.5	30	26.8	291	37	1.9	51
AUX0100236	0.44	1.6	114	0.02	5210	3.6	<3	0.06	180.0	15	11.7	279	13	0.8	26
AUX01002340	0.24	0.8	364	0.05	9910	5.9	5	0.06	99.3	20	34.7	242	35	7.0	62
AUX0100244	0.28	1.2	64	<0.02	7310	4.3	<3	0.06	28.7	26	22.7	170.5	37	1.8	32
AUX0101248	0.49	0.7	66	0.03	7580	3.1	<3	<0.05	25.9	20	9.5	87.9	36	18.3	37
AUX0102252	0.25	0.6	20	0.02	9530	5.8	<3	0.05	27.4	22	18.1	206	32	1.3	32

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 12- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099285

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Dy	Er	Eu	Fe	Ga	Gd	Ge	Hf	Hg	Ho	I	In	La	Li	Lu
	Units	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb
	LOR	0.1	0.1	0.1	0.1	0.5	0.1	0.1	0.5	0.1	0.1	0.01	0.1	0.1	0.2	0.1
AUX0100188		1.0	0.8	3.3	145.0	165.5	1.1	0.5	<0.5	0.3	0.3	0.02	0.1	4.2	9.2	0.2
AUX0100192		0.5	0.4	3.8	141.5	211	0.5	0.6	0.5	0.4	0.1	0.01	0.1	3.0	12.4	0.1
AUX0100196		0.9	0.7	3.7	145.0	185.5	1.1	0.5	<0.5	0.3	0.3	0.02	0.1	5.3	5.6	0.1
AUX0100200		0.8	0.6	3.2	164.5	161.0	0.9	0.5	0.6	0.3	0.2	0.03	0.1	5.5	7.5	0.1
AUX0100204		0.3	0.3	2.6	99.4	143.5	0.4	0.4	<0.5	0.2	0.1	0.01	0.2	1.8	10.4	0.1
AUX0100208		0.6	0.4	3.2	122.5	171.5	0.5	0.5	0.5	0.2	0.1	0.01	0.1	3.1	12.8	0.1
AUX0100212		1.4	1.0	5.1	156.5	256	1.7	0.6	0.8	0.5	0.4	0.02	0.1	10.4	6.3	0.1
AUX0100216		3.6	2.7	4.8	144.0	219	3.7	0.6	0.6	0.4	0.9	0.03	0.2	14.5	6.4	0.4
AUX0100220		0.5	0.4	7.1	147.5	380	0.6	0.4	<0.5	0.1	0.1	0.02	0.1	4.0	4.3	0.1
AUX0100224		0.4	0.4	5.4	109.5	295	0.4	0.2	0.5	0.1	0.1	0.01	0.2	2.0	4.3	0.1
AUX0100228		2.1	1.5	4.8	137.0	237	2.3	0.4	0.8	0.3	0.5	0.02	0.1	10.8	7.8	0.2
AUX0100232		2.8	2.3	6.0	149.0	275	3.1	0.6	0.9	0.4	0.7	0.02	0.1	13.2	17.7	0.4
AUX0100236		2.0	2.0	3.3	150.5	154.0	1.7	0.5	<0.5	0.2	0.6	0.01	0.1	5.3	5.8	0.4
AUX01002340		3.8	2.8	6.6	157.0	295	4.3	0.8	0.8	0.7	1.0	0.02	0.2	16.5	19.2	0.4
AUX0100244		2.3	1.6	4.6	149.0	220	2.7	0.7	0.8	0.6	0.6	0.02	0.1	10.9	11.0	0.2
AUX0101248		0.8	0.6	4.3	123.0	237	0.9	0.5	0.6	0.4	0.2	0.01	0.1	5.3	7.3	0.1
AUX0102252		1.3	1.0	5.6	131.0	282	1.6	0.6	0.7	0.2	0.3	0.01	0.1	11.2	10.5	0.1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 12- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099285

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pb 206	Pb 207	Pb 208	Pd	Pr	Pt	Rb	Re
	Units	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
	LOR	0.01	0.01	0.5	0.1	0.1	1	1	1	1	1	0.1	0.1	0.1	0.1	0.1
AUX0100188		28.1	0.39	0.8	1.3	4.1	101	4	1	1	2	0.6	0.9	<0.1	259	<0.1
AUX0100192		44.8	2.75	0.8	1.9	2.1	122	4	1	1	2	0.8	0.5	<0.1	505	<0.1
AUX0100196		21.6	1.54	0.7	1.5	3.9	83	39	10	8	21	0.7	1.0	<0.1	163.5	<0.1
AUX0100200		18.20	0.93	1.0	3.0	4.1	83	21	5	4	11	1.0	0.9	<0.1	124.5	<0.1
AUX0100204		21.2	1.14	0.5	1.2	1.6	83	3	1	1	1	0.5	0.3	<0.1	277	<0.1
AUX0100208		19.35	1.34	0.7	1.7	2.5	69	5	1	1	3	0.7	0.5	<0.1	50.0	<0.1
AUX0100212		18.85	75.4	1.5	2.8	7.2	92	27	7	5	14	1.1	1.7	<0.1	187.0	<0.1
AUX0100216		36.1	2.91	0.9	1.8	12.7	142	75	19	15	40	0.8	2.8	<0.1	194.0	<0.1
AUX0100220		26.4	0.87	<0.5	0.6	2.1	133	5	1	1	3	0.4	0.5	<0.1	79.3	<0.1
AUX0100224		12.30	1.23	<0.5	0.5	1.6	109	4	1	1	2	0.6	0.3	<0.1	133.0	<0.1
AUX0100228		21.1	3.44	1.8	3.0	8.8	133	35	9	7	19	1.1	2.0	<0.1	131.0	<0.1
AUX0100232		25.9	10.60	1.6	2.4	11.8	180	38	9	8	20	1.2	2.6	<0.1	78.2	<0.1
AUX0100236		20.6	2.01	1.3	0.8	5.2	100	29	7	6	16	0.7	1.1	<0.1	55.1	<0.1
AUX01002340		32.4	2.91	3.6	2.3	16.1	149	17	4	3	9	1.2	3.6	<0.1	379	<0.1
AUX0100244		22.7	4.43	3.1	2.0	10.6	88	16	4	3	8	1.2	2.3	<0.1	281	<0.1
AUX0101248		26.1	1.23	3.9	3.0	4.1	169	18	5	4	10	0.9	0.9	<0.1	539	<0.1
AUX0102252		16.45	2.90	0.9	2.3	6.9	137	15	4	3	8	1.0	1.7	<0.1	92.3	<0.1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 12- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099285

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Sb	Sc	Se	Sm	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl	Tm	U	W
	Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
	LOR	0.5	1	2	0.1	0.2	1	1	0.1	1	0.02	5	0.5	0.1	0.1	1
AUX0100188		0.7	24	3	0.9	0.4	1400	<1	0.2	<1	4.16	455	0.7	0.1	3.9	1
AUX0100192		1.4	18	3	0.5	0.7	1100	<1	0.1	<1	2.86	696	2.4	0.1	1.9	2
AUX0100196		<0.5	14	4	0.9	0.3	703	<1	0.2	<1	3.99	511	0.5	0.1	2.2	<1
AUX0100200		0.6	18	2	0.8	0.4	586	<1	0.2	<1	4.04	703	0.5	0.1	2.8	1
AUX0100204		<0.5	19	2	0.2	0.4	1450	<1	0.1	<1	4.78	375	0.9	<0.1	1.7	<1
AUX0100208		<0.5	18	3	0.4	0.3	732	<1	0.1	<1	3.68	485	<0.5	0.1	1.6	<1
AUX0100212		0.5	22	2	1.4	0.4	869	<1	0.3	<1	5.91	801	1.6	0.1	4.2	1
AUX0100216		<0.5	30	3	2.9	0.4	1090	<1	0.8	<1	7.72	657	0.5	0.4	5.6	<1
AUX0100220		<0.5	9	3	0.4	<0.2	930	<1	0.1	<1	1.78	182	<0.5	0.1	1.8	<1
AUX0100224		<0.5	17	2	0.3	<0.2	613	<1	0.1	<1	3.43	148	<0.5	0.1	2.2	<1
AUX0100228		0.5	23	3	1.7	0.4	497	<1	0.4	<1	6.64	1010	0.8	0.2	3.3	<1
AUX0100232		2.9	29	4	2.5	0.6	954	<1	0.6	<1	10.15	817	0.5	0.3	11.5	1
AUX0100236		0.6	17	3	1.3	<0.2	1160	<1	0.4	<1	6.51	280	<0.5	0.3	8.2	<1
AUX01002340		1.3	43	3	3.6	0.5	954	<1	0.9	<1	12.10	542	0.6	0.4	16.1	1
AUX0100244		1.1	33	3	2.2	0.3	410	<1	0.5	<1	6.98	566	0.5	0.2	6.5	1
AUX0101248		1.1	23	3	0.7	0.6	617	<1	0.2	<1	6.99	704	0.8	0.1	3.3	1
AUX0102252		0.8	19	3	1.3	0.5	487	<1	0.3	<1	7.65	709	0.6	0.1	4.2	<1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 12- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11099285

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	pH- MS23
	Analyte	Y	Yb	Zn	Zr	Final pH
	Units	ppb	ppb	ppb	ppb	Unity
	LOR	0.1	0.1	10	0.1	0.1
AUX0100188		6.3	1.0	60	8.4	6.8
AUX0100192		3.1	0.4	240	10.0	6.8
AUX0100196		5.6	0.6	200	9.0	6.8
AUX0100200		4.4	0.5	200	13.1	6.8
AUX0100204		1.9	0.4	110	7.2	6.8
AUX0100208		3.0	0.5	100	10.0	6.8
AUX0100212		8.2	0.9	170	15.8	6.8
AUX0100216		21.4	2.5	160	9.9	6.8
AUX0100220		3.3	0.4	190	5.6	6.8
AUX0100224		2.7	0.7	130	8.4	6.8
AUX0100228		12.1	1.3	320	18.1	6.8
AUX0100232		16.0	2.3	350	17.3	6.8
AUX0100236		10.7	2.4	70	9.1	6.8
AUX01002340		20.9	2.9	430	15.0	6.8
AUX0100244		12.8	1.4	220	20.8	6.8
AUX0101248		4.7	0.5	580	12.3	6.8
AUX0102252		7.8	0.8	290	18.4	6.8

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 11- JUL- 2011
Account: STRGOL

CERTIFICATE WH11112630

Project: AUREX PROJECT

P.O. No.:

This report is for 39 Soil samples submitted to our lab in Whitehorse, YT, Canada on 20- JUN- 2011.

The following have access to data associated with this certificate:

PETER DADSON	BILL KEATS	ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- MS23	IONIC Leach - Complete PKG.	ICP- MS
pH- MS23	MS23 Leach pH	

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Wayne Abbott, Operations Manager, Western Australia

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 11- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11112630

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS23 Ag ppb 0.1	ME- MS23 As ppb 2	ME- MS23 Au ppb 0.02	ME- MS23 Ba ppb 10	ME- MS23 Be ppb 0.2	ME- MS23 Bi ppb 3	ME- MS23 Br ppm 0.05	ME- MS23 Ca ppm 0.2	ME- MS23 Cd ppb 1	ME- MS23 Ce ppb 0.1	ME- MS23 Co ppb 0.3	ME- MS23 Cr ppb 1	ME- MS23 Cs ppb 0.1	ME- MS23 Cu ppb 1
AUX0100256		0.43	0.3	18	0.11	780	<0.2	<3	<0.05	266	83	1.2	79.3	<1	0.2	346
AUX0100260		0.34	0.4	27	0.04	800	0.3	<3	<0.05	294	4	0.2	50.0	<1	0.1	70
AUX0100264		0.86	0.7	54	0.11	720	0.4	<3	<0.05	277	1	3.9	42.0	6	0.7	631
AUX0100268		0.39	0.2	17	0.03	330	0.3	<3	<0.05	289	4	0.4	49.4	<1	0.1	44
AUX0100272		0.52	0.3	17	0.02	310	<0.2	<3	<0.05	238	7	0.4	30.4	<1	0.2	153
AUX0100276		0.43	0.3	14	0.02	250	0.4	<3	0.05	279	12	0.3	23.5	<1	0.2	97
AUX0100280		0.79	0.7	15	0.09	990	0.5	<3	<0.05	327	18	5.4	130.0	5	0.6	332
AUX0100284		0.73	0.1	16	0.02	290	<0.2	<3	<0.05	263	1	0.1	30.2	<1	0.1	24
AUX0100288		0.45	<0.1	8	<0.02	120	0.4	<3	<0.05	222	1	0.1	6.8	<1	0.1	18
AUX0100277		0.46	0.1	9	<0.02	400	0.3	<3	<0.05	189.0	2	0.1	13.7	<1	0.2	10
AUX0100298		0.46	0.1	5	<0.02	290	0.2	<3	<0.05	248	2	0.1	10.0	<1	0.2	12
AUX0100302		0.57	0.2	8	0.03	700	<0.2	<3	<0.05	334	7	0.2	23.3	<1	0.1	26
AUX0100306		0.55	0.6	37	0.03	1210	0.4	<3	<0.05	249	43	1.9	108.5	4	0.3	233
AUX0100310		0.52	12.2	9	0.26	2160	0.3	<3	<0.05	327	32	5.5	129.5	4	0.4	1220
AUX0100314		0.34	0.4	6	0.02	5420	3.3	<3	<0.05	320	22	6.7	404	15	0.9	29
AUX0100318		1.10	22.4	11	0.58	3250	1.2	<3	<0.05	262	6	45.5	37.9	13	0.6	641
AUX0100322		0.47	0.2	6	0.02	2130	<0.2	<3	<0.05	297	46	0.5	30.2	<1	1.6	88
AUX0100326		0.62	38.2	20	0.54	4430	0.5	<3	<0.05	293	42	18.2	279	8	0.4	7070
AUX0100293		0.21	0.8	<2	0.02	2560	1.2	<3	<0.05	436	178	3.3	121.5	2	0.7	75
AUX0100295		0.85	24.2	20	0.70	2810	0.6	<3	<0.05	176.0	12	46.4	222	30	2.2	526
AUX0100297		0.34	0.3	2	0.04	2770	<0.2	<3	<0.05	422	82	1.9	18.0	64	0.7	61
AUX0100301		1.01	55.7	14	1.29	6510	0.6	<3	<0.05	234	21	4.5	48.9	5	0.3	1600
AUX0100305		0.23	0.5	5	0.02	3320	1.5	<3	<0.05	286	124	6.1	243	9	0.9	173
AUX0100309		0.78	21.2	18	0.42	6020	0.9	<3	<0.05	232	13	39.8	222	12	0.4	2390
AUX0100313		0.59	0.3	4	0.02	1730	1.0	<3	<0.05	305	12	6.1	122.5	<1	0.2	120
AUX0100317		1.20	4.9	19	0.37	4630	0.4	<3	0.05	323	5	48.6	152.5	22	0.4	3330
AUX0100321		0.40	0.2	8	<0.02	2900	0.4	<3	<0.05	220	68	7.3	237	3	0.5	134
AUX0100325		1.14	17.0	16	0.33	7000	1.0	<3	<0.05	203	8	43.9	205	12	0.3	2170
AUX0100329		0.61	0.3	4	0.03	1320	0.6	<3	<0.05	254	13	2.0	101.0	1	0.1	74
AUX0100331		0.46	0.1	4	<0.02	340	0.7	<3	<0.05	215	17	0.2	11.4	<1	0.8	9
AUX0100333		0.54	<0.1	18	<0.02	570	0.5	<3	<0.05	245	4	0.2	39.4	1	0.7	11
AUX0100335		0.38	<0.1	2	<0.02	290	0.6	<3	<0.05	228	2	0.8	57.2	1	0.6	13
AUX0100337		0.41	<0.1	5	0.02	160	0.8	<3	<0.05	147.0	2	0.8	42.5	1	0.1	27
AUX0100339		0.57	<0.1	12	<0.02	360	0.8	<3	<0.05	143.0	9	1.9	91.2	2	0.2	34
AUX0100341		0.56	<0.1	3	<0.02	150	1.5	<3	<0.05	177.0	5	3.1	15.0	3	0.2	17
AUX0100343		0.67	0.1	6	0.02	250	0.4	<3	0.08	186.5	5	0.4	141.0	<1	0.2	9
AUX0100345		0.52	<0.1	<2	<0.02	220	0.8	<3	<0.05	254	2	0.1	15.9	<1	0.2	9
AUX0100347		0.60	0.1	10	<0.02	1150	0.8	<3	<0.05	235	3	0.4	116.0	2	0.8	10
AUX0100349		0.56	0.1	2	<0.02	270	0.8	<3	<0.05	234	4	0.3	128.5	1	0.7	6

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 11- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11112630

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Dy	Er	Eu	Fe	Ga	Gd	Ge	Hf	Hg	Ho	I	In	La	Li	Lu
	Units	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb
	LOR	0.1	0.1	0.1	0.1	0.5	0.1	0.1	0.5	0.1	0.1	0.01	0.1	0.1	0.2	0.1
AUX0100256		0.7	0.8	0.5	16.0	22.0	0.5	0.1	<0.5	0.1	0.3	0.01	<0.1	0.6	1.4	0.1
AUX0100260		<0.1	<0.1	0.4	4.1	21.0	<0.1	<0.1	<0.5	0.2	<0.1	0.02	<0.1	0.1	1.7	<0.1
AUX0100264		0.7	0.4	0.6	18.7	20.0	0.9	0.2	<0.5	<0.1	0.2	0.01	<0.1	1.6	7.0	<0.1
AUX0100268		0.1	0.1	0.2	10.1	8.9	0.1	0.1	<0.5	<0.1	<0.1	0.01	<0.1	0.2	2.4	<0.1
AUX0100272		0.2	0.2	0.2	10.4	8.5	0.2	0.1	<0.5	<0.1	0.1	0.02	<0.1	0.2	2.9	<0.1
AUX0100276		0.1	0.1	0.2	2.8	6.7	0.2	<0.1	<0.5	0.4	<0.1	0.02	<0.1	0.2	1.0	<0.1
AUX0100280		2.3	2.0	0.9	37.0	26.8	1.5	0.2	<0.5	0.2	0.7	0.03	<0.1	2.3	4.9	0.2
AUX0100284		0.1	<0.1	0.1	5.0	7.7	<0.1	0.1	<0.5	0.1	<0.1	0.01	<0.1	0.1	1.8	<0.1
AUX0100288		0.1	0.1	0.1	2.4	3.3	0.1	0.1	<0.5	<0.1	<0.1	<0.01	<0.1	0.1	2.6	<0.1
AUX0100277		0.1	0.1	0.2	3.5	10.6	0.1	0.1	<0.5	0.1	<0.1	0.01	<0.1	0.1	0.7	<0.1
AUX0100298		0.1	0.1	0.2	2.4	7.7	0.1	0.1	<0.5	0.2	<0.1	0.01	<0.1	0.1	1.8	<0.1
AUX0100302		<0.1	<0.1	0.4	3.4	18.5	0.1	<0.1	<0.5	<0.1	<0.1	0.01	<0.1	0.1	12.5	<0.1
AUX0100306		0.7	0.4	0.8	7.2	32.8	0.6	0.1	<0.5	1.4	0.2	0.01	<0.1	0.9	2.8	0.1
AUX0100310		1.7	1.1	1.7	13.0	58.4	2.2	0.1	<0.5	0.2	0.4	0.01	<0.1	2.2	2.3	0.1
AUX0100314		1.6	2.2	3.2	119.5	157.0	1.2	0.4	0.6	0.5	0.5	0.01	0.2	2.6	8.0	1.1
AUX0100318		12.9	7.2	6.9	19.9	89.7	18.3	0.3	0.8	0.7	2.9	0.02	<0.1	22.7	2.1	0.7
AUX0100322		0.3	0.2	1.2	3.6	55.3	0.3	<0.1	<0.5	0.3	0.1	<0.01	<0.1	0.3	1.2	<0.1
AUX0100326		5.2	3.4	4.4	26.2	125.5	6.9	0.2	<0.5	0.3	1.3	0.01	<0.1	7.6	4.6	0.4
AUX0100293		2.8	3.9	1.6	28.7	70.3	1.5	<0.1	<0.5	0.2	1.0	<0.01	0.1	1.3	3.2	0.7
AUX0100295		4.3	2.4	2.9	26.0	77.1	5.5	0.3	0.8	0.4	1.0	0.02	<0.1	7.7	4.3	0.2
AUX0100297		0.9	1.0	1.7	6.3	73.4	0.7	<0.1	<0.5	0.2	0.3	<0.01	<0.1	1.0	3.1	0.1
AUX0100301		1.4	0.8	4.3	5.2	187.5	2.1	<0.1	<0.5	1.2	0.3	0.01	<0.1	2.4	2.8	0.1
AUX0100305		5.0	10.1	2.3	54.0	96.6	2.0	0.2	<0.5	0.4	2.2	0.01	0.1	2.5	2.5	2.0
AUX0100309		6.4	4.0	5.8	26.3	169.5	9.4	0.2	1.1	0.7	1.5	0.03	<0.1	15.4	2.4	0.5
AUX0100313		4.9	5.5	1.6	44.4	44.8	2.8	0.1	<0.5	0.2	1.6	0.01	<0.1	2.4	1.8	0.7
AUX0100317		7.3	4.9	5.3	51.0	131.5	9.6	0.3	1.1	0.3	1.8	0.03	<0.1	18.9	2.9	0.6
AUX0100321		2.9	3.5	2.0	17.9	76.7	2.0	0.1	<0.5	0.2	1.0	0.01	<0.1	2.8	1.4	0.5
AUX0100325		7.5	4.3	5.9	26.9	186.5	11.1	0.2	1.2	0.7	1.6	0.02	<0.1	19.1	1.0	0.5
AUX0100329		0.3	0.2	0.7	6.5	35.1	0.4	0.1	<0.5	0.1	0.1	0.01	<0.1	0.7	1.1	<0.1
AUX0100331		0.1	<0.1	0.1	2.3	9.4	0.1	0.1	<0.5	0.1	<0.1	<0.01	<0.1	0.1	0.8	<0.1
AUX0100333		0.1	0.1	0.3	4.2	15.4	0.1	0.1	<0.5	0.1	<0.1	0.02	<0.1	0.1	1.2	<0.1
AUX0100335		0.7	0.6	0.2	4.4	8.2	0.5	0.1	<0.5	0.2	0.2	0.01	<0.1	0.4	0.6	0.1
AUX0100337		0.9	0.8	0.2	37.7	6.0	0.7	0.2	<0.5	0.1	0.2	0.01	<0.1	0.4	0.3	0.1
AUX0100339		0.8	0.9	0.3	106.5	11.9	0.5	0.3	<0.5	0.1	0.2	0.02	<0.1	0.6	0.4	0.2
AUX0100341		1.7	1.5	0.4	56.2	13.8	1.4	0.2	<0.5	<0.1	0.4	0.01	0.1	1.3	1.5	0.4
AUX0100343		0.1	0.1	0.1	41.5	6.5	0.1	0.1	<0.5	0.3	<0.1	0.06	<0.1	0.2	0.3	<0.1
AUX0100345		0.1	0.1	0.1	5.8	5.8	0.1	0.1	<0.5	<0.1	<0.1	<0.01	<0.1	0.1	0.8	<0.1
AUX0100347		0.1	0.1	0.6	2.8	31.3	0.1	0.1	<0.5	0.1	<0.1	0.02	<0.1	0.2	0.5	<0.1
AUX0100349		0.3	0.2	0.2	3.4	7.5	0.2	0.1	<0.5	0.2	0.1	0.01	<0.1	0.2	0.5	<0.1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 11- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11112630

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pb 206	Pb 207	Pb 208	Pd	Pr	Pt	Rb	Re
	Units	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
	LOR	0.01	0.01	0.5	0.1	0.1	1	1	1	1	1	0.1	0.1	0.1	0.1	0.1
AUX0100256		53.2	10.65	6.1	0.1	0.8	345	68	17	14	36	<0.1	0.1	<0.1	19.4	<0.1
AUX0100260		52.6	27.0	14.5	<0.1	0.1	253	2	<1	<1	1	<0.1	<0.1	<0.1	18.4	<0.1
AUX0100264		40.9	7.52	41.1	0.4	2.7	355	49	12	10	26	0.2	0.5	<0.1	6.8	<0.1
AUX0100268		54.4	11.85	6.8	<0.1	0.2	233	5	1	1	3	<0.1	<0.1	<0.1	9.4	<0.1
AUX0100272		45.7	6.14	11.9	<0.1	0.3	214	24	6	5	13	<0.1	0.1	<0.1	19.3	<0.1
AUX0100276		46.0	9.53	3.4	<0.1	0.3	149	9	2	2	5	<0.1	<0.1	<0.1	39.7	<0.1
AUX0100280		49.6	17.30	6.4	0.2	3.1	633	105	26	21	56	0.5	0.6	<0.1	20.1	<0.1
AUX0100284		48.8	11.60	2.9	0.1	0.1	75	10	2	2	5	<0.1	<0.1	<0.1	5.4	<0.1
AUX0100288		37.0	1.55	1.6	<0.1	0.1	46	2	<1	<1	1	<0.1	<0.1	<0.1	3.4	<0.1
AUX0100277		45.4	10.55	6.8	<0.1	0.1	44	4	1	1	2	<0.1	<0.1	<0.1	8.0	<0.1
AUX0100298		67.9	4.44	1.0	<0.1	0.2	46	13	3	3	7	<0.1	<0.1	<0.1	15.6	<0.1
AUX0100302		112.5	13.20	9.3	<0.1	0.1	176	2	1	1	1	<0.1	<0.1	<0.1	6.0	<0.1
AUX0100306		56.5	13.95	14.1	0.1	1.5	203	31	8	6	16	<0.1	0.2	<0.1	51.5	<0.1
AUX0100310		62.6	11.55	7.5	0.2	4.6	672	14	4	3	8	0.3	0.8	<0.1	21.6	<0.1
AUX0100314		60.1	3.45	1.2	1.0	3.2	166	10	3	2	6	0.9	0.6	<0.1	55.3	<0.1
AUX0100318		39.4	1.35	2.2	0.5	47.9	291	29	7	6	15	1.3	8.1	<0.1	20.4	<0.1
AUX0100322		68.8	10.25	1.0	<0.1	0.5	116	21	5	4	11	<0.1	0.1	<0.1	158.5	<0.1
AUX0100326		54.6	12.65	22.6	0.3	15.1	1230	57	14	12	31	1.3	2.5	0.1	18.9	<0.1
AUX0100293		109.0	6.22	1.0	0.2	2.3	106	200	50	41	107	0.2	0.4	<0.1	45.3	<0.1
AUX0100295		23.1	5.67	4.4	0.8	14.4	160	170	43	34	90	1.6	2.4	<0.1	81.8	<0.1
AUX0100297		63.3	3.65	4.1	0.1	1.4	238	34	8	7	18	<0.1	0.3	<0.1	47.7	0.1
AUX0100301		26.8	2.02	5.4	0.1	6.3	249	16	4	3	9	0.8	0.9	<0.1	10.7	<0.1
AUX0100305		59.5	9.10	2.0	0.4	4.1	119	215	53	44	115	0.4	0.8	<0.1	63.1	<0.1
AUX0100309		59.5	21.2	10.0	0.3	27.2	836	14	3	3	7	1.7	4.7	<0.1	12.6	<0.1
AUX0100313		96.2	5.75	2.2	0.2	4.9	141	113	28	23	60	0.4	0.8	<0.1	24.2	<0.1
AUX0100317		110.0	7.05	14.5	0.5	30.3	783	37	9	8	20	2.0	5.6	<0.1	19.6	<0.1
AUX0100321		76.2	27.0	2.1	0.2	4.5	113	141	35	29	75	0.1	0.8	<0.1	49.0	<0.1
AUX0100325		53.8	23.6	10.3	0.2	32.6	681	25	6	5	13	1.8	5.5	<0.1	9.8	<0.1
AUX0100329		71.9	20.7	12.4	0.1	1.0	264	12	3	2	6	<0.1	0.2	<0.1	6.4	<0.1
AUX0100331		70.4	11.75	1.1	<0.1	0.2	45	8	2	2	4	<0.1	<0.1	<0.1	76.9	<0.1
AUX0100333		84.7	25.4	4.0	<0.1	0.1	65	13	3	3	7	<0.1	<0.1	<0.1	37.6	<0.1
AUX0100335		47.4	17.40	0.8	<0.1	0.9	79	24	6	5	13	<0.1	0.1	<0.1	22.7	<0.1
AUX0100337		44.3	1.09	2.5	0.1	1.1	77	20	5	4	10	0.1	0.2	<0.1	5.8	<0.1
AUX0100339		37.1	20.2	6.7	0.1	1.2	62	23	6	5	12	0.2	0.2	<0.1	7.8	<0.1
AUX0100341		17.95	0.10	1.1	0.5	3.2	103	82	21	17	43	0.6	0.6	<0.1	12.4	<0.1
AUX0100343		41.0	43.4	6.1	<0.1	0.3	109	<1	<1	<1	<1	<0.1	<0.1	<0.1	32.6	<0.1
AUX0100345		68.3	2.74	2.0	<0.1	0.1	66	13	3	3	7	<0.1	<0.1	<0.1	11.5	<0.1
AUX0100347		58.3	70.7	3.4	<0.1	0.2	78	<1	<1	<1	<1	<0.1	<0.1	<0.1	44.0	<0.1
AUX0100349		78.3	17.20	0.9	<0.1	0.3	60	22	6	4	12	<0.1	<0.1	<0.1	43.0	<0.1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 11- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11112630

Sample Description	Method	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23	ME- MS23
	Analyte	Sb	Sc	Se	Sm	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl	Tm	U	W
	Units	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
	LOR	0.5	1	2	0.1	0.2	1	1	0.1	1	0.02	5	0.5	0.1	0.1	1
AUX0100256		0.9	2	3	0.2	<0.2	828	<1	0.1	<1	0.23	12	<0.5	0.1	3.4	<1
AUX0100260		1.1	2	2	<0.1	<0.2	946	<1	<0.1	<1	0.08	8	<0.5	<0.1	1.1	<1
AUX0100264		5.0	5	6	0.7	<0.2	747	<1	0.2	<1	1.54	107	<0.5	0.1	11.2	<1
AUX0100268		0.6	2	3	0.1	<0.2	911	<1	<0.1	<1	0.18	6	<0.5	<0.1	1.8	<1
AUX0100272		1.7	2	4	0.1	<0.2	638	<1	<0.1	<1	0.19	8	<0.5	<0.1	2.2	<1
AUX0100276		0.5	3	3	0.1	<0.2	685	<1	<0.1	<1	0.10	9	<0.5	<0.1	0.2	<1
AUX0100280		1.4	8	6	1.0	<0.2	885	<1	0.4	<1	1.63	79	<0.5	0.3	21.7	<1
AUX0100284		0.6	2	2	<0.1	<0.2	705	<1	<0.1	<1	0.07	8	<0.5	<0.1	0.2	<1
AUX0100288		<0.5	2	4	<0.1	<0.2	434	<1	<0.1	<1	0.02	<5	<0.5	<0.1	<0.1	<1
AUX0100277		<0.5	1	4	<0.1	0.3	437	<1	<0.1	<1	0.06	6	<0.5	<0.1	0.1	<1
AUX0100298		<0.5	1	3	0.1	<0.2	538	<1	<0.1	<1	0.02	<5	<0.5	<0.1	<0.1	<1
AUX0100302		<0.5	2	3	<0.1	<0.2	835	<1	<0.1	<1	0.08	7	<0.5	<0.1	2.6	<1
AUX0100306		0.7	5	3	0.5	<0.2	516	<1	0.1	<1	0.86	42	<0.5	0.1	1.3	<1
AUX0100310		0.8	5	5	1.6	<0.2	604	<1	0.4	<1	2.54	53	<0.5	0.1	3.3	<1
AUX0100314		<0.5	33	3	0.9	0.3	1170	<1	0.3	<1	6.87	303	<0.5	0.5	6.1	<1
AUX0100318		0.6	14	6	15.4	0.2	467	<1	3.4	<1	7.79	138	<0.5	0.9	7.2	<1
AUX0100322		<0.5	2	4	0.2	<0.2	661	<1	0.1	<1	0.10	7	<0.5	<0.1	1.1	<1
AUX0100326		3.9	12	18	5.1	<0.2	499	<1	1.2	<1	4.74	94	<0.5	0.4	7.1	<1
AUX0100293		<0.5	9	2	0.8	<0.2	1080	<1	0.4	<1	1.06	75	<0.5	0.6	1.8	<1
AUX0100295		0.8	11	4	4.7	0.2	338	<1	1.1	<1	9.42	305	<0.5	0.3	4.9	<1
AUX0100297		<0.5	2	4	0.4	<0.2	974	<1	0.2	<1	0.32	19	<0.5	0.2	10.2	<1
AUX0100301		0.9	6	4	1.8	<0.2	434	<1	0.4	<1	1.05	27	<0.5	0.1	0.6	<1
AUX0100305		<0.5	17	5	1.2	<0.2	849	<1	0.6	<1	3.30	167	<0.5	1.8	5.8	<1
AUX0100309		2.2	17	7	7.7	<0.2	503	<1	1.6	<1	14.05	140	<0.5	0.5	11.7	1
AUX0100313		0.5	6	3	1.8	<0.2	786	<1	0.8	<1	1.45	39	<0.5	0.8	13.0	<1
AUX0100317		3.7	17	28	7.9	<0.2	720	<1	1.8	<1	15.00	148	<0.5	0.6	49.5	<1
AUX0100321		<0.5	6	3	1.4	<0.2	618	<1	0.5	<1	2.00	53	<0.5	0.5	6.0	<1
AUX0100325		2.2	14	5	8.8	<0.2	544	<1	1.6	<1	16.60	99	<0.5	0.5	12.2	1
AUX0100329		<0.5	2	2	0.3	<0.2	702	<1	0.1	<1	0.28	15	<0.5	<0.1	3.5	<1
AUX0100331		<0.5	2	2	0.1	<0.2	604	<1	<0.1	<1	0.02	6	<0.5	<0.1	<0.1	<1
AUX0100333		<0.5	1	2	<0.1	<0.2	808	<1	<0.1	<1	0.09	6	<0.5	<0.1	0.1	<1
AUX0100335		<0.5	1	<2	0.3	<0.2	686	<1	0.1	<1	0.08	5	<0.5	0.1	0.3	<1
AUX0100337		<0.5	2	2	0.4	<0.2	411	<1	0.1	<1	0.18	10	<0.5	0.1	0.3	<1
AUX0100339		<0.5	4	<2	0.3	<0.2	524	<1	0.1	<1	0.60	38	<0.5	0.1	1.9	<1
AUX0100341		<0.5	8	2	1.0	<0.2	655	<1	0.3	<1	3.34	62	<0.5	0.3	7.8	<1
AUX0100343		<0.5	1	2	0.1	<0.2	744	<1	<0.1	<1	0.13	7	<0.5	<0.1	0.4	<1
AUX0100345		<0.5	1	2	0.1	<0.2	1000	<1	<0.1	<1	0.05	<5	<0.5	<0.1	0.1	1
AUX0100347		<0.5	1	2	<0.1	<0.2	771	<1	<0.1	<1	0.05	6	<0.5	<0.1	0.1	<1
AUX0100349		<0.5	1	<2	0.1	<0.2	725	<1	<0.1	<1	0.05	7	<0.5	<0.1	0.1	<1

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Finalized Date: 11- JUL- 2011
Account: STRGOL

Project: AUREX PROJECT

CERTIFICATE OF ANALYSIS WH11112630

Sample Description	Method Analyte Units LOR	ME- MS23 Y ppb 0.1	ME- MS23 Yb ppb 0.1	ME- MS23 Zn ppb 10	ME- MS23 Zr ppb 0.1	pH- MS23 Final pH Unity 0.1
AUX0100256		7.3	0.7	3100	0.5	7.1
AUX0100260		0.3	<0.1	410	0.2	7.7
AUX0100264		4.1	0.4	90	2.8	7.9
AUX0100268		1.0	0.1	180	0.3	7.4
AUX0100272		1.9	0.1	920	0.3	6.8
AUX0100276		0.9	<0.1	720	0.2	7.4
AUX0100280		16.4	1.7	710	3.7	6.8
AUX0100284		0.4	<0.1	290	0.1	7.7
AUX0100288		0.5	<0.1	510	<0.1	7.7
AUX0100277		0.5	0.1	340	0.1	7.7
AUX0100298		0.5	<0.1	160	<0.1	7.7
AUX0100302		0.4	<0.1	20	0.1	7.7
AUX0100306		4.3	0.4	1330	1.5	7.7
AUX0100310		11.2	0.9	280	3.3	7.9
AUX0100314		10.8	5.0	80	10.3	6.8
AUX0100318		71.5	5.0	40	14.1	8.1
AUX0100322		2.7	0.1	1340	0.3	7.4
AUX0100326		36.6	2.7	90	8.6	8.5
AUX0100293		23.5	4.4	1770	1.9	6.8
AUX0100295		17.3	1.8	60	13.2	7.9
AUX0100297		9.6	0.8	590	1.2	6.8
AUX0100301		10.3	0.6	180	2.0	8.0
AUX0100305		37.6	12.5	530	6.0	6.8
AUX0100309		40.2	3.1	60	19.7	8.5
AUX0100313		35.1	4.8	50	3.5	6.8
AUX0100317		43.5	4.0	20	23.9	8.1
AUX0100321		18.8	3.4	550	2.7	6.8
AUX0100325		48.5	3.4	40	24.2	8.5
AUX0100329		2.7	0.2	20	0.9	7.9
AUX0100331		0.4	<0.1	870	0.1	7.7
AUX0100333		0.7	0.1	740	0.3	7.7
AUX0100335		4.2	0.7	2220	0.4	6.8
AUX0100337		6.1	0.8	460	0.9	6.5
AUX0100339		5.3	1.0	680	3.6	6.5
AUX0100341		10.6	2.0	30	10.3	6.5
AUX0100343		0.8	0.1	850	0.6	6.8
AUX0100345		0.9	0.1	320	0.1	7.7
AUX0100347		0.4	<0.1	410	0.3	7.4
AUX0100349		1.4	0.2	1070	0.2	6.8

APPENDIX 7

ALS Chemex Sample Methodology

PREP- 31
Standard Sample Preparation: Dry, Crush, Split and Pulverize

Sample preparation is the most critical step in the entire laboratory operation. The purpose of preparation is to produce a homogeneous analytical sub- sample that is fully representative of the material submitted to the laboratory.

The sample is logged in the tracking system, weighed, dried and finely crushed to better than 70 % passing a 2 mm (Tyler 9 mesh, US Std. No.10) screen. A split of up to 250 g is taken and pulverized to better than 85 % passing a 75 micron (Tyler 200 mesh, US Std. No. 200) screen. This method is appropriate for rock chip or drill samples.

Method Code	Description
LOG- 22	Sample is logged in tracking system and a bar code label is attached.
DRY- 21	Drying of excessively wet samples in drying ovens. This is the default drying procedure for most rock chip and drill samples.
CRU- 31	Fine crushing of rock chip and drill samples to better than 70 % of the sample passing 2 mm.
SPL- 21	Split sample using riffle splitter.
PUL- 31	A sample split of up to 250 g is pulverized to better than 85 % of the sample passing 75 microns.

Flow Chart - Sample Preparation Package – PREP- 31
Standard Sample Preparation: Dry, Crush, Split and Pulverize



PREP- 41

Standard Preparation: Dry sample and dry- sieve to –180 micron

Sample preparation is the most critical step in the entire laboratory operation. The purpose of preparation is to produce a homogeneous analytical sub- sample that is fully representative of the material submitted to the laboratory.

An entire sample is dried and then dry- sieved using a 180 micron (Tyler 80 mesh) screen. The plus fraction is retained unless disposal is requested. This method is appropriate for soil or sediment samples up to 1 kg in weight.

Method Code	Description
LOG- 22	Sample is logged in tracking system and a bar code label is attached.
DRY- 22	Low temperature drying of excessively wet samples where the oven temperature is not to exceed 60˚C. This method is suitable for more soil and sediment samples that are analyzed for volatile elements.
SCR- 41	Sample is dry- sieved to – 180 micron and both the plus and minus fractions are retained.

Sample Preparation Flowchart Package –PREP- 41



ME- MS22, ME- MS23
pH Controlled Ionic Leach With ICP- MS Finish

Sample Decomposition:

Ionic leach (SEL- ION)

Analytical Method:

Inductively Coupled Plasma - Mass Spectrometry (ICP- MS)

Ionic Leach is a static sodium cyanide leach using chelating agents ammonium chloride, citric acid and EDTA with the leachant buffered at pH 8.5.

Note: Method code ME- MS23 reports all analytes in the table. To pick select analytes use method code ME- MS22.

Element	Symbol	Units	Lower Limit	Upper Limit
Silver	Ag	ppb	0.1	1000000
Arsenic	As	ppb	1	1000000
Gold	Au	ppb	0.02	1000000
Barium	Ba	ppb	10	1000000
Beryllium	Be	ppb	0.2	1000000
Bismuth	Bi	ppb	3	1000000
Bromine	Br	ppm	2	20000
Calcium	Ca	ppm	0.2	1000
Cadmium	Cd	ppb	1	1000000
Cerium	Ce	ppb	0.1	1000000
Cobalt	Co	ppb	0.3	1000000
Chromium	Cr	ppb	1	1000000
Cesium	Cs	ppb	0.1	1000000

Element	Symbol	Units	Lower Limit	Upper Limit
Copper	Cu	ppb	10	1000000
Dysprosium	Dy	ppb	0.1	1000000
Erbium	Er	ppb	0.1	1000000
Europium	Eu	ppb	0.1	1000000
Iron	Fe	ppm	0.1	1000000
Gallium	Ga	ppb	0.5	1000000
Gadolinium	Gd	ppb	0.1	1000000
Germanium	Ge	ppb	0.2	1000000
Hafnium	Hf	ppb	10	1000000
Mercury	Hg	ppb	0.1	1000000
Holmium	Ho	ppb	0.1	1000000
Iodine	I	ppm	0.1	50000
Indium	In	ppb	0.5	1000000
Lanthanum	La	ppb	0.1	1000000
Lithium	Li	ppb	0.2	1000000
Lutetium	Lu	ppb	0.1	1000000
Magnesium	Mg	ppm	0.01	1000
Manganese	Mn	ppm	0.01	1000
Molybdenum	Mo	ppb	5	1000000
Niobium	Nb	ppb	0.1	1000000
Neodymium	Nd	ppb	0.1	1000000
Nickel	Ni	ppb	3	1000000
Lead	Pb	ppb	10	1000000
Palladium	Pd	ppb	0.1	1000000
Praseodymium	Pr	ppb	0.1	1000000
Rubidium	Rb	ppb	5	1000000
Rhenium	Re	ppb	0.1	1000000

Geochemical Procedure

Element	Symbol	Units	Lower Limit	Upper Limit
Antimony	Sb	ppb	1	1000000
Selenium	Se	ppb	2	1000000
Samarium	Sm	ppb	0.1	1000000
Tin	Sn	ppb	0.2	1000000
Strontium	Sr	ppb	10	1000000
Tantalum	Ta	ppb	10	1000000
Terbium	Tb	ppb	0.1	1000000
Tellurium	Te	ppb	1	1000000
Thorium	Th	ppb	1	1000000
Titanium	Ti	ppb	10	1000000
Thallium	Tl	ppb	1	1000000
Thulium	Tm	ppb	0.1	1000000
Uranium	U	ppb	1	1000000
Tungsten	W	ppb	0.2	1000000
Yttrium	Y	ppb	0.1	1000000
Ytterbium	Yb	ppb	0.1	1000000
Zinc	Zn	ppb	20	1000000
Zirconium	Zr	ppb	1	1000000
pH*	Unity	pH	0.1	14

* pH is reported off method code pH- MS22 or pH- MS23.

ME- MS41
Ultra- Trace Level Methods Using ICP- MS and ICP- AES

Sample Decomposition:

Aqua Regia Digestion (GEO- AR01)

Analytical Method:

Inductively Coupled Plasma- Atomic Emission Spectroscopy (ICP- AES) Inductively Coupled Plasma - Mass Spectrometry (ICP- MS)

A prepared sample (0.50 g) is digested with aqua regia in a graphite heating block. After cooling, the resulting solution is diluted to with deionized water, mixed and analyzed by inductively coupled plasma- atomic emission spectrometry. Following this analysis, the results are reviewed for high concentrations of bismuth, mercury, molybdenum, silver and tungsten and diluted accordingly. Samples are then analysed by ICP- MS for the remaining suite of elements. The analytical results are corrected for inter- element spectral interferences.

Element	Symbol	Units	Lower Limit	Upper Limit
Silver	Ag	ppm	0.01	100
Aluminum	Al	%	0.01	25
Arsenic	As	ppm	0.1	10 000
Gold	Au	ppm	0.2	25
Boron	B	ppm	10	10 000
Barium	Ba	ppm	10	10 000
Beryllium	Be	ppm	0.05	1 000
Bismuth	Bi	ppm	0.01	10 000
Calcium	Ca	%	0.01	25
Cadmium	Cd	ppm	0.01	1 000
Cerium	Ce	ppm	0.02	500
Cobalt	Co	ppm	0.1	10 000
Chromium	Cr	ppm	1	10 000

Element	Symbol	Units	Lower Limit	Upper Limit
Cesium	Cs	ppm	0.05	500
Copper	Cu	ppm	0.2	10 000
Iron	Fe	%	0.01	50
Gallium	Ga	ppm	0.05	10 000
Germanium	Ge	ppm	0.05	500
Hafnium	Hf	ppm	0.02	500
Mercury	Hg	ppm	0.01	10 000
Indium	In	ppm	0.005	500
Potassium	K	%	0.01	10
Lanthanum	La	ppm	0.2	10 000
Lithium	Li	ppm	0.1	10 000
Magnesium	Mg	%	0.01	25
Manganese	Mn	ppm	5	50 000
Molybdenum	Mo	ppm	0.05	10 000
Sodium	Na	%	0.01	10
Niobium	Nb	ppm	0.05	500
Nickel	Ni	ppm	0.2	10 000
Phosphorus	P	ppm	10	10 000
Lead	Pb	ppm	0.2	10 000
Rubidium	Rb	ppm	0.1	10 000
Rhenium	Re	ppm	0.001	50
Sulphur	S	%	0.01	10
Antimony	Sb	ppm	0.05	10 000
Scandium	Sc	ppm	0.1	10 000
Selenium	Se	ppm	0.2	1 000
Tin	Sn	ppm	0.2	500
Strontium	Sr	ppm	0.2	10 000

Element	Symbol	Units	Lower Limit	Upper Limit
Tantalum	Ta	ppm	0.01	500
Tellurium	Te	ppm	0.01	500
Thorium	Th	ppm	0.2	10000
Titanium	Ti	%	0.005	10
Thallium	Tl	ppm	0.02	10 000
Uranium	U	ppm	0.05	10 000
Vanadium	V	ppm	1	10 000
Tungsten	W	ppm	0.05	10 000
Yttrium	Y	ppm	0.05	500
Zinc	Zn	ppm	2	10 000
Zirconium	Zr	ppm	0.5	500

NOTE: In the majority of geological matrices, data reported from an aqua regia leach should be considered as representing only the leachable portion of the particular analyte.

Au- AA23 & Au- AA24
Fire Assay Fusion, AAS Finish

Sample Decomposition:

Fire Assay Fusion (FA- FUS01 & FA- FUS02)

Analytical Method:

Atomic Absorption Spectroscopy (AAS)

A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents as required, inquarted with 6 mg of gold- free silver and then cupelled to yield a precious metal bead.

The bead is digested in 0.5 mL dilute nitric acid in the microwave oven, 0.5 mL concentrated hydrochloric acid is then added and the bead is further digested in the microwave at a lower power setting. The digested solution is cooled, diluted to a total volume of 4 mL with de- mineralized water, and analyzed by atomic absorption spectroscopy against matrix- matched standards.

Method Code	Element	Symbol	Units	Sample Weight (g)	Lower Limit	Upper Limit	Default Overlimit Method
Au-AA23	Gold	Au	ppm	30	0.005	10.0	Au-GRA21
Au-AA24	Gold	Au	ppm	50	0.005	10.0	Au-GRA22

Geochemical Procedure

ME- ICP61
Trace Level Methods Using Conventional ICP- AES Analysis

Sample Decomposition:

HNO_3- $HClO_4$- HF- HCl digestion, HCl Leach (GEO- 4ACID)

Analytical Method:

Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP - AES)

A prepared sample (0.25 g) is digested with perchloric, nitric, hydrofluoric and hydrochloric acids. The residue is topped up with dilute hydrochloric acid and the resulting solution is analyzed by inductively coupled plasma- atomic emission spectrometry. Results are corrected for spectral interelement interferences.

NOTE: Four acid digestions are able to dissolve most minerals; however, although the term "*near-total*" is used, depending on the sample matrix, not all elements are quantitatively extracted.

Element	Symbol	Units	Lower Limit	Upper Limit	Default Overlimit Method
Silver	Ag	ppm	0.5	100	Ag- OG62
Aluminum	Al	%	0.01	50	
Arsenic	As	ppm	5	10000	
Barium	Ba	ppm	10	10000	
Beryllium	Be	ppm	0.5	1000	
Bismuth	Bi	ppm	2	10000	
Calcium	Ca	%	0.01	50	
Cadmium	Cd	ppm	0.5	500	
Cobalt	Co	ppm	1	10000	Co- OG62
Chromium	Cr	ppm	1	10000	
Copper	Cu	ppm	1	10000	Cu- OG62
Iron	Fe	%	0.01	50	
Gallium	Ga	ppm	10	10000	

Geochemical Procedure

Element	Symbol	Units	Lower Limit	Upper Limit	Default Overlimit Method
Potassium	K	%	0.01	10	
Lanthanum	La	ppm	10	10000	
Magnesium	Mg	%	0.01	50	
Manganese	Mn	ppm	5	100000	
Molybdenum	Mo	ppm	1	10000	Mo- OG62
Sodium	Na	%	0.01	10	
Nickel	Ni	ppm	1	10000	Ni- OG62
Phosphorus	P	ppm	10	10000	
Lead	Pb	ppm	2	10000	Pb- OG62
Sulphur	S	%	0.01	10	
Antimony	Sb	ppm	5	10000	
Scandium	Sc	ppm	1	10000	
Strontium	Sr	ppm	1	10000	
Thorium	Th	ppm	20	10000	
Titanium	Ti	%	0.01	10	
Thallium	Tl	ppm	10	10000	
Uranium	U	ppm	10	10000	
Vanadium	V	ppm	1	10000	
Tungsten	W	ppm	10	10000	
Zinc	Zn	ppm	2	10000	Zn- OG62

Elements listed below are available upon request

Element	Symbol	Units	Lower Limit	Upper Limit	Default Overlimit Method
Lithium	Li	ppm	10	10000	
Niobium	Nb	ppm	5	2000	
Rubidium	Rb	ppm	10	10000	
Selenium	Se	ppm	10	1000	
Tin	Sn	ppm	10	10000	
Tantalum	Ta	ppm	10	10000	
Tellurium	Te	ppm	10	10000	
Yttrium	Y	ppm	10	10000	
Zirconium	Zr	ppm	5	500	

ME- XRF06

Sample Decomposition:

50% $Li_2B_4O_7$ – 50% $LiBO_2$ (WEI- GRA06)

Analytical Method:

X- Ray Fluorescence Spectroscopy (XRF)

A calcined or ignited sample (0.9 g) is added to 9.0g of Lithium Borate Flux (50 % - 50 % $Li_2B_4O_7$ – $LiBO_2$), mixed well and fused in an auto fluxer between 1050 - 1100˚C. A flat molten glass disc is prepared from the resulting melt. This disc is then analysed by X- ray fluorescence spectrometry.

Element	Symbol	Units	Lower Limit	Upper Limit
Aluminum Oxide	Al_2O_3	%	0.01	100
Barium Oxide	BaO	%	0.01	100
Calcium Oxide	CaO	%	0.01	100
Chromium Oxide	Cr_2O_3	%	0.01	100
Ferric Oxide	Fe_2O_3	%	0.01	100
Potassium Oxide	K_2O	%	0.01	100
Magnesium Oxide	MgO	%	0.01	100
Manganese Oxide	MnO	%	0.01	100
Sodium Oxide	Na_2O	%	0.01	100
Phosphorus Oxide	P_2O_5	%	0.01	100
Silicon Oxide	SiO_2	%	0.01	100
Strontium Oxide	SrO	%	0.01	100
Titanium Oxide	TiO_2	%	0.01	100
Loss On Ignition	LOI	%	0.01	100
	Total	%	0.01	101

Note: Since samples that are high in sulphides or base metals can damage Platinum crucibles, a ME-ICP06 finish method can be selected as an alternative method.